

TGF- β 2 SIGNAL TRANSDUCTION

Annual Review of Biochemistry

67, 753-791

DOI: [10.1146/annurev.biochem.67.1.753](https://doi.org/10.1146/annurev.biochem.67.1.753)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A specific prostaglandin E2 receptor and its role in modulating salivary secretion in the female tick, <i>Amblyomma americanum</i> (L.). <i>Insect Biochemistry and Molecular Biology</i> , 1997, 27, 387-395.	1.2	36
2	Felodipine protects human atrial muscle from hypoxia-induced reoxygenation dysfunction: a force-frequency relationship study in an in vitro model of stunning. <i>International Journal of Cardiology</i> , 1997, 62, 107-132.	0.8	7
3	The Effect of $\frac{1}{4}$ -Opioid Receptor Antisense on Morphine Potency and Antagonist-Induced Supersensitivity and Receptor Upregulation. <i>Brain Research Bulletin</i> , 1997, 42, 479-484.	1.4	15
4	Mechanisms of induction of skin cancer by UV radiation. <i>Frontiers in Bioscience - Landmark</i> , 1997, 2, d538-551.	3.0	132
5	Recycling of the urokinase receptor upon internalization of the uPA:serpin complexes. <i>EMBO Journal</i> , 1997, 16, 2610-2620.	3.5	269
6	p53 and CD44 as clinical markers of tumour progression in colorectal carcinogenesis. <i>The Histochemical Journal</i> , 1997, 29, 439-452.	0.6	17
7	Evidence of protein-tyrosine kinase activity in <i>Catharanthus roseus</i> roots transformed by <i>Agrobacterium rhizogenes</i> . <i>Planta</i> , 1997, 204, 70-77.	1.6	24
8	Transcriptional modulation of foreign gene expression in engineered somatic tissues. <i>Cell Biology and Toxicology</i> , 1998, 14, 83-94.	2.4	7
9	Physical and Functional Interaction of SMADs and p300/CBP. <i>Journal of Biological Chemistry</i> , 1998, 273, 22865-22868.	1.6	307
11	Carboxy-terminally truncated Gli3 proteins associate with Smads. <i>Nature Genetics</i> , 1998, 20, 325-326.	9.4	104
12	TGF- β 2 signaling and cancer: structural and functional consequences of mutations in Smads. <i>Trends in Molecular Medicine</i> , 1998, 4, 257-262.	2.6	153
13	Photoreceptors of higher plants. <i>Planta</i> , 1998, 206, 479-492.	1.6	98
14	Interleukin-1 regulation of corticotropin-releasing factor (CRF), glucocorticoid receptor, c-fos and c-jun messenger RNA in the NPLC-KC cell line. <i>Molecular and Cellular Endocrinology</i> , 1998, 137, 31-39.	1.6	10
15	Some new insights into the effects of opioids in phasic and tonic nociceptive tests. <i>Pain</i> , 1998, 78, 79-98.	2.0	61
16	Transcriptional Activators of TGF- β 2 Responses: Smads. <i>Cell</i> , 1998, 95, 737-740.	13.5	1,034
17	MAP Kinase Mediates Epidermal Growth Factor- and Phorbol Ester-induced Prostacyclin Formation in Cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 1998, 30, 933-945.	0.9	16
18	TGF- β 2 SIGNAL TRANSDUCTION. <i>Annual Review of Biochemistry</i> , 1998, 67, 753-791.	5.0	4,586
19	Phosphoinositide 3-kinase is involved in the induction of the human sperm acrosome reaction downstream of tyrosine phosphorylation. <i>Molecular Human Reproduction</i> , 1998, 4, 849-855.	1.3	48

#	ARTICLE	IF	CITATIONS
20	Smads and early developmental signaling by the TGF β superfamily. <i>Genes and Development</i> , 1998, 12, 2445-2462.	2.7	435
21	Determinants of specificity in TGF β signaling transduction. <i>Genes and Development</i> , 1998, 12, 2144-2152.	2.7	327
22	Differential CD4-dependent inhibition of JNK but not Erk-2 activities in human naive and memory CD4+ T cell populations. <i>International Immunology</i> , 1998, 10, 869-876.	1.8	6
23	TGF β -induced Phosphorylation of Smad3 Regulates Its Interaction with Coactivator p300/CREB-binding Protein. <i>Molecular Biology of the Cell</i> , 1998, 9, 3309-3319.	0.9	192
24	Transforming Growth Factor- β and Nitrates in Epithelial Ovarian Cancer. <i>Disease Markers</i> , 1999, 15, 249-258.	0.6	5
25	Specificity, diversity, and regulation in TGF β superfamily signaling. <i>FASEB Journal</i> , 1999, 13, 2105-2124.	0.2	725
26	A Deletion in the Gene for Transforming Growth Factor β Type I Receptor Abolishes Growth Regulation by Transforming Growth Factor β in a Cutaneous T-Cell Lymphoma. <i>Blood</i> , 1999, 94, 2854-2861.	0.6	123
27	Interaction and Functional Cooperation of PEBP2/CBF with Smads. <i>Journal of Biological Chemistry</i> , 1999, 274, 31577-31582.	1.6	417
28	Loss of Growth Regulation by Transforming Growth Factor - β (TGF- β) in Human Cancers: Studies on Endometrial Carcinoma. <i>Seminars in Reproductive Medicine</i> , 1999, 17, 73-92.	0.5	25
29	Expression of Transforming Growth Factor- β 1, Activin A, and Their Receptors in Thyroid Follicle Cells: Negative Regulation of Thyrocyte Growth and Function1. <i>Endocrinology</i> , 1999, 140, 4300-4310.	1.4	54
30	Editorial: Hope, Hypothesis, and the Inhibin Receptor. Does Specific Inhibin Binding Suggest There Is a Specific Inhibin Receptor?. <i>Endocrinology</i> , 1999, 140, 3-5.	1.4	20
31	The Prevention of Obesity. <i>New England Journal of Medicine</i> , 1999, 341, 1140-1141.	13.9	35
32	Eosinophilia " Idiopathic or Not?. <i>New England Journal of Medicine</i> , 1999, 341, 1141-1143.	13.9	33
33	Going Mad with Smads. <i>New England Journal of Medicine</i> , 1999, 341, 1144-1146.	13.9	45
34	The Unintended Consequences of Measuring Quality on the Quality of Medical Care. <i>New England Journal of Medicine</i> , 1999, 341, 1147-1150.	13.9	171
35	The Role of FAST-1 and Smads in Transcriptional Regulation by Activin during Early <i>Xenopus</i> Embryogenesis. <i>Journal of Biological Chemistry</i> , 1999, 274, 26584-26590.	1.6	101
36	Regulation of Smad7 Promoter by Direct Association with Smad3 and Smad4. <i>Journal of Biological Chemistry</i> , 1999, 274, 33412-33418.	1.6	218
37	c-Ski Acts as a Transcriptional Co-repressor in Transforming Growth Factor- β Signaling through Interaction with Smads. <i>Journal of Biological Chemistry</i> , 1999, 274, 35269-35277.	1.6	347

#	ARTICLE	IF	CITATIONS
38	Smad7 Differentially Regulates Transforming Growth Factor \hat{I}^2 -mediated Signaling Pathways. <i>Journal of Biological Chemistry</i> , 1999, 274, 32258-32264.	1.6	83
39	The KrÄ¼ppel-Like Core Promoter Binding Protein Gene Is Primarily Expressed in Placenta During Mouse Development1. <i>Biology of Reproduction</i> , 1999, 61, 1586-1591.	1.2	38
40	Two Murine and Human Homologs of Mab-21, a Cell Fate Determination Gene Involved in <i>Caenorhabditis Elegans</i> Neural Development. <i>Human Molecular Genetics</i> , 1999, 8, 2397-2406.	1.4	51
41	Transforming Growth Factor- \hat{I}^2 1 Induces Interleukin-6 Expression via Activating Protein-1 Consisting of JunD Homodimers in Primary Human Lung Fibroblasts. <i>Journal of Biological Chemistry</i> , 1999, 274, 12933-12938.	1.6	171
42	Blue- and red-light regulation and circadian control of gene expression of S-adenosylmethionine decarboxylase in <i>Pharbitis nil</i> . <i>Journal of Experimental Botany</i> , 1999, 50, 319-326.	2.4	16
43	Molecular Aspects of Pancreatic Cancer and Future Perspectives. <i>Digestive Surgery</i> , 1999, 16, 281-290.	0.6	77
44	Wild-type and Ras-transformed fibroblasts display differential mitogenic responses to transient sodium arsenite exposure. <i>Toxicological Sciences</i> , 1999, 50, 72-81.	1.4	19
45	Factors regulating the growth of metastatic cancer in bone.. <i>Endocrine-Related Cancer</i> , 1999, 6, 333-347.	1.6	126
46	Cell cycle regulators: mechanisms and their role in aetiology, prognosis, and treatment of cancer. <i>Journal of Clinical Pathology</i> , 1999, 52, 555-568.	1.0	85
47	Transforming Growth Factor \hat{I}^2 Signal Transducer Smad2 Is Expressed in Mouse Meiotic Germ Cells, Sertoli Cells, and Leydig Cells During Spermatogenesis1. <i>Biology of Reproduction</i> , 1999, 61, 999-1004.	1.2	32
48	Roles of Bone Morphogenetic Protein Type I Receptors and Smad Proteins in Osteoblast and Chondroblast Differentiation. <i>Molecular Biology of the Cell</i> , 1999, 10, 3801-3813.	0.9	392
49	Specificity in transforming growth factor beta -induced transcription of the plasminogen activator inhibitor-1 gene: Interactions of promoter DNA, transcription factor $\hat{A}E3$, and Smad proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 13130-13135.	3.3	146
50	Identification of Two Smad4 Proteins in <i>Xenopus</i> . <i>Journal of Biological Chemistry</i> , 1999, 274, 12163-12170.	1.6	85
51	SPARC Regulates the Expression of Collagen Type I and Transforming Growth Factor- \hat{I}^2 1 in Mesangial Cells. <i>Journal of Biological Chemistry</i> , 1999, 274, 32145-32152.	1.6	166
52	Smad1 Recognition and Activation by the ALK1 Group of Transforming Growth Factor- \hat{I}^2 Family Receptors. <i>Journal of Biological Chemistry</i> , 1999, 274, 3672-3677.	1.6	200
53	Bone Morphogenetic Proteins Regulate the Developmental Program of Human Hematopoietic Stem Cells. <i>Journal of Experimental Medicine</i> , 1999, 189, 1139-1148.	4.2	354
54	Neural Induction. <i>Annual Review of Cell and Developmental Biology</i> , 1999, 15, 411-433.	4.0	174
55	Smad3 Inhibits Transforming Growth Factor- \hat{I}^2 and Activin Signaling by Competing with Smad4 for FAST-2 Binding. <i>Journal of Biological Chemistry</i> , 1999, 274, 31229-31235.	1.6	38

#	ARTICLE	IF	CITATIONS
56	CCAAT/Enhancer-binding Protein Activates the CD14 Promoter and Mediates Transforming Growth Factor \hat{I}^2 Signaling in Monocyte Development. <i>Journal of Biological Chemistry</i> , 1999, 274, 23242-23248.	1.6	73
57	Transcriptional regulation of the rat Mullerian inhibiting substance type II receptor in rodent Leydig cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 13831-13838.	3.3	43
58	Differential Inhibition of Smad6 and Smad7 on Bone Morphogenetic Protein- and Activin-mediated Growth Arrest and Apoptosis in B Cells. <i>Journal of Biological Chemistry</i> , 1999, 274, 13637-13642.	1.6	201
59	E1A Inhibits Transforming Growth Factor- \hat{I}^2 Signaling through Binding to Smad Proteins. <i>Journal of Biological Chemistry</i> , 1999, 274, 28716-28723.	1.6	98
60	SnoN and Ski protooncoproteins are rapidly degraded in response to transforming growth factor beta signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 12442-12447.	3.3	245
61	Interaction of Smad Complexes with Tripartite DNA-binding Sites. <i>Journal of Biological Chemistry</i> , 1999, 274, 20709-20716.	1.6	79
62	Manipulation of TGF- \hat{I}^2 to control autoimmune and chronic inflammatory diseases. <i>Microbes and Infection</i> , 1999, 1, 1367-1380.	1.0	67
63	TGF- \hat{I}^2 signaling from receptors to the nucleus. <i>Microbes and Infection</i> , 1999, 1, 1265-1273.	1.0	136
64	Molecular mechanisms controlling lung morphogenesis. <i>Clinical Genetics</i> , 1999, 56, 14-27.	1.0	134
65	Molecular mechanisms controlling lung morphogenesis. <i>Clinical Genetics</i> , 1999, 57, 14-27.	1.0	0
66	Smad8B, a Smad8 splice variant lacking the SSXS site that inhibits Smad8-mediated signalling. <i>Genes To Cells</i> , 1999, 4, 583-591.	0.5	25
67	Region between \hat{I}^2 -helices 3 and 4 of the Mad homology 2 domain of Smad4: functional roles in oligomer formation and transcriptional activation. <i>Genes To Cells</i> , 1999, 4, 731-741.	0.5	11
68	Wounding Smad. <i>Nature Cell Biology</i> , 1999, 1, E117-E119.	4.6	40
69	Mice lacking Smad3 show accelerated wound healing and an impaired local inflammatory response. <i>Nature Cell Biology</i> , 1999, 1, 260-266.	4.6	842
70	Inhibition of transforming growth factor- \hat{I}^2 /SMAD signalling by the interferon- \hat{I}^3 /STAT pathway. <i>Nature</i> , 1999, 397, 710-713.	13.7	770
71	A SMAD ubiquitin ligase targets the BMP pathway and affects embryonic pattern formation. <i>Nature</i> , 1999, 400, 687-693.	13.7	762
72	An anchor for activation. <i>Nature</i> , 1999, 397, 109-111.	13.7	13
73	Genetic and epigenetic contributions to colorectal cancer. <i>Apmis</i> , 1999, 107, 711-722.	0.9	13

#	ARTICLE	IF	CITATIONS
74	Silencing of TGF- β 2 signalling by the pseudoreceptor BAMBI. <i>Nature</i> , 1999, 401, 480-485.	13.7	642
75	Ubiquitin-dependent degradation of TGF- β 2-activated Smad2. <i>Nature Cell Biology</i> , 1999, 1, 472-478.	4.6	321
76	BMP-4 and retinoic acid synergistically induce activation of caspase-9 and cause apoptosis of P19 embryonal carcinoma cells cultured as a monolayer. <i>Cell Death and Differentiation</i> , 1999, 6, 1109-1116.	5.0	20
77	The TGF- β 2 signaling inhibitor Smad7 enhances tumorigenicity in pancreatic cancer. <i>Oncogene</i> , 1999, 18, 5363-5372.	2.6	248
78	Induction of prostanoid, nitric oxide, and cytokine formation in rat bone marrow derived macrophages by activin A. <i>British Journal of Pharmacology</i> , 1999, 127, 919-926.	2.7	81
79	Ovarian Carcinoma Cell Cultures Are Resistant to TGF- β 1-Mediated Growth Inhibition Despite Expression of Functional Receptors. <i>Gynecologic Oncology</i> , 1999, 75, 72-77.	0.6	50
80	Overexpression of Smad2 and colocalization with TGF-beta1 in human pancreatic cancer. <i>Digestive Diseases and Sciences</i> , 1999, 44, 1793-1802.	1.1	29
81	The disulfide bond arrangement in the extracellular domain of the activin type II receptor. <i>The Protein Journal</i> , 1999, 18, 437-446.	1.1	6
82	TGFbeta signaling pathways and human diseases. , 1999, 18, 247-259.		17
83	Wnt signaling and the activation of myogenesis in mammals. <i>EMBO Journal</i> , 1999, 18, 6867-6872.	3.5	271
84	Targeted disruption of SMAD3 results in impaired mucosal immunity and diminished T cell responsiveness to TGF-beta. <i>EMBO Journal</i> , 1999, 18, 1280-1291.	3.5	794
85	TGF-beta induces fibronectin synthesis through a c-Jun N-terminal kinase-dependent, Smad4-independent pathway. <i>EMBO Journal</i> , 1999, 18, 1345-1356.	3.5	604
86	A function of CBP as a transcriptional co-activator during Dpp signalling. <i>EMBO Journal</i> , 1999, 18, 1630-1641.	3.5	73
87	A WW domain-containing Yes-associated protein (YAP) is a novel transcriptional co-activator. <i>EMBO Journal</i> , 1999, 18, 2551-2562.	3.5	501
88	The Evolution of the MAP Kinase Pathways: Coduplication of Interacting Proteins Leads to New Signaling Cascades. <i>Journal of Molecular Evolution</i> , 1999, 49, 567-582.	0.8	117
89	Transforming growth factor β 2-angiotensin II interaction: implications for cardiac and renal disease. <i>Journal of Molecular Medicine</i> , 1999, 77, 517-518.	1.7	13
90	The molecular genetics of holoprosencephaly: a model of brain development for the next century. <i>Child's Nervous System</i> , 1999, 15, 646-651.	0.6	20
91	DNA binding, protein interaction and differential expression of the human germ cell nuclear factor. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1999, 1446, 173-180.	2.4	18

#	ARTICLE	IF	CITATIONS
92	Activation of Smad1-mediated transcription by p300/CBP. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1999, 1489, 354-364.	2.4	46
93	Intracellular signaling: Fleshing out the TGF β ² pathway. <i>Current Biology</i> , 1999, 9, R408-R411.	1.8	11
94	Regulation of Smad signalling by protein associations and signalling crosstalk. <i>Trends in Cell Biology</i> , 1999, 9, 274-279.	3.6	242
95	Separate roles for H-Ras and Rac in signaling by transforming growth factor (TGF)-beta. H-Ras is essential for activation of MAP kinase, partially required for transcriptional activation by TGF-beta, but not required for signaling of growth suppression by TGF-beta. <i>FEBS Journal</i> , 1999, 264, 110-119.	0.2	19
96	Gel-Filtration Chromatographic Method for Determining Relative Binding Affinities: Rat Hepatic Estrogen Receptor as an Example System. <i>Analytical Biochemistry</i> , 1999, 267, 357-365.	1.1	6
97	Transforming growth factor- β signaling and cirrhosis. <i>Hepatology</i> , 1999, 29, 1909-1910.	3.6	22
98	Functional antagonism between activin and osteogenic protein-1 in human embryonal carcinoma cells. , 1999, 180, 141-149.		43
99	Expression of Smad proteins in human colorectal cancer. , 1999, 82, 197-202.		99
100	Localized expression of BMP and GDF mRNA in the rodent brain. <i>Journal of Neuroscience Research</i> , 1999, 56, 482-492.	1.3	43
101	Persistence of m μ ₂ 1/2llerian derivatives in males. , 1999, 89, 218-223.		108
102	SIGNAL TRANSDUCTION:Nuclear Fusion of Signaling Pathways. <i>Science</i> , 1999, 284, 443-444.	6.0	20
103	Negative Feedback Regulation of TGF- Signaling by the SnoN Oncoprotein. <i>Science</i> , 1999, 286, 771-774.	6.0	480
104	Signaling in Myocardial Hypertrophy. <i>Circulation Research</i> , 1999, 84, 633-646.	2.0	186
105	Specificity in Transforming Growth Factor β ¹ Signaling Pathways. <i>American Journal of Human Genetics</i> , 1999, 64, 691-697.	2.6	10
106	Signal transduction by bone morphogenetic protein receptors: functional roles of Smad proteins. <i>Bone</i> , 1999, 25, 91-93.	1.4	219
107	Transforming growth factor β ² in infectious disease: always there for the host and the pathogen. <i>Trends in Microbiology</i> , 1999, 7, 232-236.	3.5	30
108	TGF- β ² Family Members and Gonadal Development. <i>Trends in Endocrinology and Metabolism</i> , 1999, 10, 216-222.	3.1	47
109	The Smads. <i>International Journal of Biochemistry and Cell Biology</i> , 1999, 31, 1249-1254.	1.2	31

#	ARTICLE	IF	CITATIONS
110	Latent transforming growth factor- β 2 binding proteins (LTBPs) structural extracellular matrix proteins for targeting TGF- β 2 action. Cytokine and Growth Factor Reviews, 1999, 10, 99-117.	3.2	270
111	Remarkable versatility of Smad proteins in the nucleus of transforming growth factor- β 2 activated cells. Cytokine and Growth Factor Reviews, 1999, 10, 187-199.	3.2	31
112	Genetic approaches to TGF- β 2 signaling pathways. Cytokine and Growth Factor Reviews, 1999, 10, 179-186.	3.2	10
113	Extracellular modulation of the Hedgehog, Wnt and TGF- β 2 signalling pathways during embryonic development. Current Opinion in Genetics and Development, 1999, 9, 427-433.	1.5	40
114	Interaction of the Ski Oncoprotein with Smad3 Regulates TGF- β 2 Signaling. Molecular Cell, 1999, 4, 499-509.	4.5	257
115	Mouse Lefty2 and Zebrafish Antivin Are Feedback Inhibitors of Nodal Signaling during Vertebrate Gastrulation. Molecular Cell, 1999, 4, 287-298.	4.5	348
116	Exposure of foetal mesencephalic cells to bone morphogenetic protein-2 enhances the survival of dopaminergic neurones in rat striatal grafts. Neuroscience Letters, 1999, 275, 13-16.	1.0	28
117	Lack of responsiveness to TGF- β 1 in a thyroid carcinoma cell line with functional type I and type II TGF- β 2 receptors and Smad proteins, suggests a novel mechanism for TGF- β 2 insensitivity in carcinoma cells. Molecular and Cellular Endocrinology, 1999, 153, 79-90.	1.6	25
118	Promoter activity of the zebrafish bhikhari retroelement requires an intact activin signaling pathway. Mechanisms of Development, 1999, 85, 133-146.	1.7	26
119	Inhibition of transforming growth factor- β 2 type II receptor signaling accelerates tooth formation in mouse first branchial arch explants. Mechanisms of Development, 1999, 86, 63-74.	1.7	35
120	Patterning of the mesoderm involves several threshold responses to BMP-4 and Xwnt-8. Mechanisms of Development, 1999, 87, 33-44.	1.7	47
121	The range of spalt-activating Dpp signalling is reduced in endocytosis-defective Drosophila wing discs. Mechanisms of Development, 1999, 87, 143-151.	1.7	26
122	Characterization of zebrafish smad1, smad2 and smad5: the amino-terminus of Smad1 and Smad5 is required for specific function in the embryo. Mechanisms of Development, 1999, 88, 73-88.	1.7	43
123	A cultured brain. Nature, 1999, 397, 111-111.	13.7	1
124	TGF- β 2 inhibits lipopolysaccharide-stimulated activity of c-Jun N-terminal kinase in mouse macrophages. FEBS Letters, 1999, 456, 375-378.	1.3	12
125	A zinc-finger transcription factor induced by TGF- β 2 promotes apoptotic cell death in epithelial Mv1Lu cells. FEBS Letters, 1999, 457, 478-482.	1.3	94
126	Endoglin is expressed in the chicken vasculature and is involved in angiogenesis. FEBS Letters, 1999, 459, 249-254.	1.3	20
127	Crystal Structure of the Cytoplasmic Domain of the Type I TGF β 2 Receptor in Complex with FKBP12. Cell, 1999, 96, 425-436.	13.5	415

#	ARTICLE	IF	CITATIONS
128	The Drosophila Gene brinker Reveals a Novel Mechanism of Dpp Target Gene Regulation. <i>Cell</i> , 1999, 96, 563-573.	13.5	241
129	A Smad Transcriptional Corepressor. <i>Cell</i> , 1999, 97, 29-39.	13.5	523
130	The EGF-CFC Protein One-Eyed Pinhead Is Essential for Nodal Signaling. <i>Cell</i> , 1999, 97, 121-132.	13.5	677
131	Acceleration of c-myc-Induced Hepatocarcinogenesis by Co-Expression of Transforming Growth Factor (TGF)- β 1 in Transgenic Mice Is Associated with TGF- β 1 Signaling Disruption. <i>American Journal of Pathology</i> , 1999, 154, 1693-1700.	1.9	52
132	Apoptotic Response to TGF- β 1 in Fetal Hepatocytes Depends upon Their State of Differentiation. <i>Experimental Cell Research</i> , 1999, 252, 281-291.	1.2	44
133	Down-regulation of Transforming Growth Factor- β 2 Receptors: Cooperativity between the Types I, II, and III Receptors and Modulation at the Cell Surface. <i>Experimental Cell Research</i> , 1999, 252, 352-362.	1.2	30
134	IGF-II Enhances Trichostatin A-Induced TGF- β 1 and p21Waf1,Cip1,Sdi1 Expression in Hep3B Cells. <i>Experimental Cell Research</i> , 1999, 253, 618-628.	1.2	36
135	Pyridoxal 5-phosphate is an ATP-Receptor Antagonist in Freshly Isolated Rat Cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 1999, 31, 1063-1072.	0.9	33
136	Molecular Mechanisms of Holoprosencephaly. <i>Molecular Genetics and Metabolism</i> , 1999, 68, 126-138.	0.5	121
137	The MH1 Domains of Smad2 and Smad3 Are Involved in the Regulation of the ALK7 Signals. <i>Biochemical and Biophysical Research Communications</i> , 1999, 254, 707-712.	1.0	35
138	Smad6 Suppresses TGF- β 2-Induced Growth Inhibition in COLO-357 Pancreatic Cancer Cells and Is Overexpressed in Pancreatic Cancer. <i>Biochemical and Biophysical Research Communications</i> , 1999, 255, 268-273.	1.0	102
139	Attenuation of Haptoglobin Gene Expression by TGF- β 2 Requires the MAP Kinase Pathway. <i>Biochemical and Biophysical Research Communications</i> , 1999, 259, 544-549.	1.0	18
140	A Novel BMP Expressed in Developing Mouse Limb, Spinal Cord, and Tail Bud Is a Potent Mesoderm Inducer in <i>Xenopus</i> Embryos. <i>Developmental Biology</i> , 1999, 208, 222-232.	0.9	158
141	TGF- β 2 Family Signal Transduction in <i>Drosophila</i> Development: From Mad to Smads. <i>Developmental Biology</i> , 1999, 210, 251-268.	0.9	304
142	The TGF- β 2 Isoform Is Both a Required and Sufficient Inducer of Murine Hair Follicle Morphogenesis. <i>Developmental Biology</i> , 1999, 212, 278-289.	0.9	148
143	<i>Xenopus</i> Smad4 Is the Co-Smad Component of Developmentally Regulated Transcription Factor Complexes Responsible for Induction of Early Mesodermal Genes. <i>Developmental Biology</i> , 1999, 214, 354-369.	0.9	88
144	Gentherapie bei gastrointestinalen Tumoren am Beispiel des Pankreaskarzinoms: Standortbestimmung und Perspektiven. <i>Visceral Medicine</i> , 1999, 15, 181-187.	0.5	0
145	Bisphosphonates as Cancer Drugs. <i>Hospital Practice (1995)</i> , 1999, 34, 81-94.	0.5	14

#	ARTICLE	IF	CITATIONS
146	Molekularbiologie und Kolonkarzinom: Ein Åæberblick. Visceral Medicine, 1999, 15, 158-162.	0.5	0
147	Molekulare VerÄnderungen bei Pankreas- und periampullÄren Karzinomen. Visceral Medicine, 1999, 15, 150-157.	0.5	4
148	The Ski oncoprotein interacts with the Smad proteins to repress TGFbeta signaling. Genes and Development, 1999, 13, 2196-2206.	2.7	414
149	A mechanism of repression of TGFbeta / Smad signaling by oncogenic Ras. Genes and Development, 1999, 13, 804-816.	2.7	896
150	A ubiquitin ligase complex essential for the NF-kappa B, Wnt/Wingless, and Hedgehog signaling pathways. Genes and Development, 1999, 13, 505-510.	2.7	384
151	Interdependent SMAD and JNK Signaling in Transforming Growth Factor-Î²-mediated Transcription. Journal of Biological Chemistry, 1999, 274, 37413-37420.	1.6	476
152	Expression of Transforming Growth Factor Î²₁, Î²₂, and Î²₃ in Multinodular Goiters and Differentiated Thyroid Carcinomas: A Comparative Study. Thyroid, 1999, 9, 119-125.	2.4	46
153	Signal Transduction of the TGF-Å Superfamily by Smad Proteins. Journal of Biochemistry, 1999, 125, 9-16.	0.9	54
154	Smad3-Smad4 and AP-1 Complexes Synergize in Transcriptional Activation of the c-Jun Promoter by Transforming Growth Factor Î². Molecular and Cellular Biology, 1999, 19, 1821-1830.	1.1	249
155	Targeted Disruption of Smad3 Reveals an Essential Role in Transforming Growth Factor Î²-Mediated Signal Transduction. Molecular and Cellular Biology, 1999, 19, 2495-2504.	1.1	458
156	Myc Downregulation by Transforming Growth Factor Î² Required for Activation of the p15^{Ink4b} G₁ Arrest Pathway. Molecular and Cellular Biology, 1999, 19, 5913-5922.	1.1	214
157	TGF-Î² signaling blockade inhibits PTHrP secretion by breast cancer cells and bone metastases development. Journal of Clinical Investigation, 1999, 103, 197-206.	3.9	882
158	Transforming Growth Factor-.BETA. Stimulates Articular Chondrocyte Cell Growth through p44/42 MAP Kinase (ERK) Activation.. Endocrine Journal, 1999, 46, 545-553.	0.7	56
159	Smad1 Domains Interacting with Hoxc-8 Induce Osteoblast Differentiation. Journal of Biological Chemistry, 2000, 275, 1065-1072.	1.6	100
160	Notch Signaling and the Emergence of Auditory Hair Cells. JAMA Otolaryngology, 2000, 126, 1244.	1.5	7
161	Repression of transforming-growth-factor-Î²-mediated transcription by nuclear factor Î²B. Biochemical Journal, 2000, 348, 591.	1.7	37
162	Structural basis for the functional difference between Smad2 and Smad3 in FAST-2 (forkhead activin) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.7	5
163	A novel transcriptional factor with Ser/Thr kinase activity involved in the transforming growth factor (TGF)-Î² signalling pathway. Biochemical Journal, 2000, 350, 395.	1.7	6

#	ARTICLE	IF	CITATIONS
164	Repression of transforming-growth-factor- β 2-mediated transcription by nuclear factor κ B. <i>Biochemical Journal</i> , 2000, 348, 591-596.	1.7	111
165	Structural basis for the functional difference between Smad2 and Smad3 in FAST-2 (forkhead activin) Tj ETQq1 1 0.784314 rgBT /Ove	1.7	20
166	A novel transcriptional factor with Ser/Thr kinase activity involved in the transforming growth factor (TGF)- β 2 signalling pathway. <i>Biochemical Journal</i> , 2000, 350, 395-404.	1.7	29
167	Immature versus Mature Dura Mater: II. Differential Expression of Genes Important to Calvarial Reossification. <i>Plastic and Reconstructive Surgery</i> , 2000, 106, 639.	0.7	0
168	Fibrosis and angiogenesis. <i>Current Opinion in Nephrology and Hypertension</i> , 2000, 9, 413-418.	1.0	79
169	Transforming growth factor- β 1 expression in cultured corneal fibroblasts in response to injury. , 2000, 77, 186-199.		46
170	Characterization of the inhibition of DNA synthesis in proliferating mink lung epithelial cells by insulin-like growth factor binding protein-3. , 2000, 77, 288-297.		21
171	Bone morphogenetic protein-4 regulates its own expression in cultured osteoblasts. , 2000, 182, 239-246.		47
172	Interleukin-10, interleukin-4, and transforming growth factor- β differentially regulate lipopolysaccharide-induced production of pro-inflammatory cytokines and nitric oxide in co-cultures of rat astroglial and microglial cells. , 2000, 30, 134-142.		217
173	Molecular mechanisms of osteolytic bone metastases. <i>Cancer</i> , 2000, 88, 2892-2898.	2.0	298
174	Expression of the inhibitory Smad7 in early mouse development and upregulation during embryonic vasculogenesis. <i>Developmental Dynamics</i> , 2000, 218, 663-670.	0.8	20
175	Cytokine-specific induction of the TGF- β inducible early gene (TIEG): Regulation by specific members of the TGF- β family. <i>Journal of Cellular Biochemistry</i> , 2000, 78, 380-390.	1.2	41
176	The maize CR4 receptor-like kinase mediates a growth factor-like differentiation response. <i>Genesis</i> , 2000, 27, 104-116.	0.8	89
177	Nodal and Bone morphogenetic protein 5 interact in murine mesoderm formation and implantation. <i>Genesis</i> , 2000, 28, 1-14.	0.8	23
178	Zebrafish nma is involved in TGF β family signaling. <i>Genesis</i> , 2000, 28, 47-57.	0.8	63
179	Acidic fibroblast growth factor in synovial cells. <i>Arthritis and Rheumatism</i> , 2000, 43, 2152-2159.	6.7	12
180	The family of bone morphogenetic proteins. <i>Kidney International</i> , 2000, 57, 2207-2214.	2.6	389
181	Smad proteins and transforming growth factor- β 2 signaling. <i>Kidney International</i> , 2000, 58, S45-S52.	2.6	91

#	ARTICLE	IF	CITATIONS
182	Role of mitogen-activated protein kinases as downstream effectors of transforming growth factor- $\hat{1}^2$ in mesangial cells. <i>Kidney International</i> , 2000, 58, S76-S80.	2.6	44
183	Incisional wound healing in transforming growth factor-beta1 null mice. <i>Wound Repair and Regeneration</i> , 2000, 8, 179-191.	1.5	85
184	Schnurri interacts with Mad in a Dpp-dependent manner. <i>Genes To Cells</i> , 2000, 5, 359-369.	0.5	29
185	Modulation of Transforming Growth Factor beta-1 Gene Expression by Interleukin-12. <i>Scandinavian Journal of Immunology</i> , 2000, 52, 271-277.	1.3	8
186	Transforming growth factor $\hat{1}^2$ induction of insulin gene expression is mediated by pancreatic and duodenal homeobox gene-1 in rat insulinoma cells. <i>FEBS Journal</i> , 2000, 267, 971-978.	0.2	37
187	Endoglin expression on human microvascular endothelial cells. <i>FEBS Journal</i> , 2000, 267, 5550-5560.	0.2	76
188	Signaling of transforming growth factor- $\hat{1}^2$ family members through Smad proteins. <i>FEBS Journal</i> , 2000, 267, 6954-6967.	0.2	466
189	Bone morphogenetic proteins and retinoic acid induce human endogenous retrovirus HERV-K expression in NT2D1 human embryonal carcinoma cells. <i>Development Growth and Differentiation</i> , 2000, 42, 407-411.	0.6	6
190	A role for Smad6 in development and homeostasis of the cardiovascular system. <i>Nature Genetics</i> , 2000, 24, 171-174.	9.4	454
191	Mutations in TGIF cause holoprosencephaly and link NODAL signalling to human neural axis determination. <i>Nature Genetics</i> , 2000, 25, 205-208.	9.4	368
192	The IAP family: endogenous caspase inhibitors with multiple biological activities. <i>Cell Research</i> , 2000, 10, 169-177.	5.7	271
193	Use of MMTV-Wnt-1 transgenic mice for studying the genetic basis of breast cancer. <i>Oncogene</i> , 2000, 19, 1002-1009.	2.6	235
194	Haploid loss of the tumor suppressor Smad4/Dpc4 initiates gastric polyposis and cancer in mice. <i>Oncogene</i> , 2000, 19, 1868-1874.	2.6	227
195	Smad-dependent stimulation of type I collagen gene expression in human skin fibroblasts by TGF- $\hat{1}^2$ involves functional cooperation with p300/CBP transcriptional coactivators. <i>Oncogene</i> , 2000, 19, 3546-3555.	2.6	211
196	Blockade of Smad4 in transformed keratinocytes containing a Ras oncogene leads to hyperactivation of the Ras-dependent Erk signalling pathway associated with progression to undifferentiated carcinomas. <i>Oncogene</i> , 2000, 19, 4134-4145.	2.6	70
197	Functional consequences of tumorigenic missense mutations in the amino-terminal domain of Smad4. <i>Oncogene</i> , 2000, 19, 4396-4404.	2.6	86
198	TGF $\hat{1}^2$ 1 represses proliferation of pancreatic carcinoma cells which correlates with Smad4-independent inhibition of ERK activation. <i>Oncogene</i> , 2000, 19, 4531-4541.	2.6	70
199	Disruption of TGF- $\hat{1}^2$ growth inhibition by oncogenic ras is linked to p27Kip1 mislocalization. <i>Oncogene</i> , 2000, 19, 5926-5935.	2.6	57

#	ARTICLE	IF	CITATIONS
200	Nodal signalling in vertebrate development. <i>Nature</i> , 2000, 403, 385-389.	13.7	487
201	Interaction between Wnt and TGF- β 2 signalling pathways during formation of Spemann's organizer. <i>Nature</i> , 2000, 403, 781-785.	13.7	439
202	Betaglycan binds inhibin and can mediate functional antagonism of activin signalling. <i>Nature</i> , 2000, 404, 411-414.	13.7	539
203	The Gcn5 bromodomain co-ordinates nucleosome remodelling. <i>Nature</i> , 2000, 404, 414-417.	13.7	185
204	The nuclear import function of Smad2 is masked by SARA and unmasked by TGF β -dependent phosphorylation. <i>Nature Cell Biology</i> , 2000, 2, 559-562.	4.6	138
205	Schnurri mediates Dpp-dependent repression of brinker transcription. <i>Nature Cell Biology</i> , 2000, 2, 745-749.	4.6	115
206	Feedback control of intercellular signalling in development. <i>Nature</i> , 2000, 408, 313-319.	13.7	511
207	How cells read TGF- β 2 signals. <i>Nature Reviews Molecular Cell Biology</i> , 2000, 1, 169-178.	16.1	1,745
208	Transforming growth factor inhibits erythropoiesis by blocking proliferation and accelerating differentiation of erythroid progenitors. <i>Experimental Hematology</i> , 2000, 28, 885-894.	0.2	147
209	The expression and structure of TGF- β 2 transcripts in rat muscles. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2000, 1492, 311-319.	2.4	19
210	Brassinosteroid signal transduction: still casting the actors. <i>Current Opinion in Plant Biology</i> , 2000, 3, 79-84.	3.5	124
211	Smads as transcriptional co-modulators. <i>Current Opinion in Cell Biology</i> , 2000, 12, 235-243.	2.6	497
212	Growth factor receptor signalling: location, location, location. <i>Trends in Cell Biology</i> , 2000, 10, 343-348.	3.6	66
213	Signaling inputs converge on nuclear effectors in TGF- β 2 signaling. <i>Trends in Biochemical Sciences</i> , 2000, 25, 64-70.	3.7	340
214	ESTROGEN MITOGENIC ACTION. II. NEGATIVE REGULATION OF THE STEROID HORMONE-RESPONSIVE GROWTH OF CELL LINES DERIVED FROM HUMAN AND RODENT TARGET TISSUE TUMORS AND CONCEPTUAL IMPLICATIONS. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2000, 36, 428.	0.7	10
215	The EGF-CFC gene family in vertebrate development. <i>Trends in Genetics</i> , 2000, 16, 303-309.	2.9	204
216	Morphogen gradients. <i>Trends in Genetics</i> , 2000, 16, 40-44.	2.9	47
217	TGF β 2-related pathways. <i>Trends in Genetics</i> , 2000, 16, 27-33.	2.9	237

#	ARTICLE	IF	CITATIONS
218	Functional conservation of <i>Schistosoma mansoni</i> Smads in TGF- β 2 signaling. <i>Molecular and Biochemical Parasitology</i> , 2000, 111, 131-142.	0.5	75
219	Sp1 mediates constitutive and transforming growth factor β 2-inducible expression of urokinase type plasminogen activator receptor gene in human monocyte-like U937 cells. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2000, 1490, 302-310.	2.4	13
220	The effect of bone morphogenetic protein-7 on the expression of type I inositol 1,4,5-trisphosphate receptor in G-292 osteosarcoma cells and primary osteoblast cultures. <i>Archives of Oral Biology</i> , 2000, 45, 159-166.	0.8	10
221	Cyclin A2 transcriptional regulation: modulation of cell cycle control at the G1/S transition by peripheral cues. <i>Biochemical Pharmacology</i> , 2000, 60, 1179-1184.	2.0	75
222	The Bone Morphogenetic Protein 2 Signaling Mediator Smad1 Participates Predominantly in Osteogenic and not in Chondrogenic Differentiation in Mesenchymal Progenitors C3H10T $\frac{1}{2}$. <i>Journal of Bone and Mineral Research</i> , 2000, 15, 1889-1899.	3.1	49
223	Utilization of Bone Morphogenetic Protein Receptors During Chondrocyte Maturation. <i>Journal of Bone and Mineral Research</i> , 2000, 15, 1630-1639.	3.1	25
224	Particulate Wear Debris Activates Protein Tyrosine Kinases and Nuclear Factor κ B, Which Down-regulates Type I Collagen Synthesis in Human Osteoblasts. <i>Journal of Bone and Mineral Research</i> , 2000, 15, 1756-1765.	3.1	103
225	Autocrine and paracrine growth inhibitors of breast cancer cells. <i>Breast Cancer Research and Treatment</i> , 2000, 60, 251-258.	1.1	17
226	¹ H, ¹³ C, and ¹⁵ N backbone assignments of the ligand binding domain of TGF β type II receptor. <i>Journal of Biomolecular NMR</i> , 2000, 17, 349-350.	1.6	2
227	Loss of Transforming Growth Factor- β 2 (TGF- β 2) Receptor Type I Mediates TGF- β 2 Resistance in Human Papillomavirus Type 16-Transformed Human Keratinocytes at Late Stages of in Vitro Progression. <i>Virology</i> , 2000, 270, 408-416.	1.1	23
228	Transcription of Epstein-Barr Virus-Encoded Nuclear Antigen 1 Promoter Qp Is Repressed by Transforming Growth Factor- β 2 via Smad4 Binding Element in Human BL Cells. <i>Virology</i> , 2000, 277, 184-192.	1.1	8
229	Endocervical Cancer Is Associated with an Increase in the Ligands and Receptors for Transforming Growth Factor- β 2 and a Contrasting Decrease in p27Kip1. <i>Gynecologic Oncology</i> , 2000, 78, 113-122.	0.6	21
230	True. <i>British Journal of Cancer</i> , 2000, 82, 1557-1560.	2.9	21
231	Modulation of transforming growth factor β 2 response and signaling during transdifferentiation of rat hepatic stellate cells to myofibroblasts. <i>Hepatology</i> , 2000, 31, 1094-1106.	3.6	224
232	Regulatory mechanisms for transforming growth factor β 2 as an autocrine inhibitor in human hepatocellular carcinoma: Implications for roles of Smads in its growth. <i>Hepatology</i> , 2000, 32, 218-227.	3.6	46
233	Epidermal Growth Factor Impairs the Cytochrome C/Caspase-3 Apoptotic Pathway Induced by Transforming Growth Factor β 2 in Rat Fetal Hepatocytes Via a Phosphoinositide 3-Kinase-Dependent Pathway. <i>Hepatology</i> , 2000, 32, 528-535.	3.6	76
234	BMP-2 antagonists emerge from alterations in the low-affinity binding epitope for receptor BMPR-II. <i>EMBO Journal</i> , 2000, 19, 3314-3324.	3.5	227
235	Smad2, Smad3 and Smad4 cooperate with Sp1 to induce p15Ink4B transcription in response to TGF- β 2. <i>EMBO Journal</i> , 2000, 19, 5178-5193.	3.5	372

#	ARTICLE	IF	CITATIONS
236	A novel ability of Smad3 to regulate proteasomal degradation of a Cas family member HEF1. EMBO Journal, 2000, 19, 6759-6769.	3.5	73
237	NEW EMBO MEMBERS REVIEW: Transcriptional control by the TGF-beta/Smad signaling system. EMBO Journal, 2000, 19, 1745-1754.	3.5	1,781
238	Sequential resonance assignments of the extracellular ligand binding domain of the human TGF-beta type II receptor. Journal of Biomolecular NMR, 2000, 18, 369-370.	1.6	24
239	Release from Quiescence of Primitive Human Hematopoietic Stem/Progenitor Cells by Blocking Their Cell-Surface TGF- β 2 Type II Receptor in a Short-Term In Vitro Assay. Stem Cells, 2000, 18, 102-111.	1.4	63
240	Molecular biology of leukemia. Current Oncology Reports, 2000, 2, 123-131.	1.8	1
241	Genomic locus and promoter region of rat Smad7, an important antagonist of TGF β 2 signaling. Mammalian Genome, 2000, 11, 169-176.	1.0	36
242	Regulation of BMP/Dpp signaling during embryonic development. Cellular and Molecular Life Sciences, 2000, 57, 943-956.	2.4	37
243	Immunolocalization of TGF- β 1, - β 2 and - β 3, and TGF- β 2 receptors in human lens capsules with lens implants. Graefe's Archive for Clinical and Experimental Ophthalmology, 2000, 238, 283-294.	1.0	40
245	Differential expression of a novel C-terminally truncated splice form of SMAD5 in hematopoietic stem cells and leukemia. Blood, 2000, 95, 3945-3950.	0.6	27
246	Bone morphogenetic protein-2 induces apoptosis in human myeloma cells with modulation of STAT3. Blood, 2000, 96, 2005-2011.	0.6	110
247	Erratum in cover figure caption. Blood. 2000;95(11).. Blood, 2000, 96, 2011-2011.	0.6	1
248	Transforming growth factor- β 2: pleiotropic role in the regulation of hematopoiesis. Blood, 2000, 96, 2022-2036.	0.6	269
249	Smad7 selectively interferes with different pathways of activin signaling and inhibits erythroid leukemia cell differentiation. Blood, 2000, 95, 3371-3379.	0.6	24
250	Extracellular Matrix and Cytokines: A Functional Unit. Autoimmunity, 2000, 7, 89-101.	0.6	231
251	Control of murine hair follicle regression (catagen) by TGF β 1 in vivo. FASEB Journal, 2000, 14, 752-760.	0.2	301
252	Developmental Regulation of Neuronal K _{Ca} Channels by TGF β 1: Transcriptional and Posttranscriptional Effects Mediated by Erk MAP Kinase. Journal of Neuroscience, 2000, 20, 5616-5622.	1.7	42
253	The adipose conversion process: regulation by extracellular and intracellular factors. Reproduction, Nutrition, Development, 2000, 40, 325-358.	1.9	65
254	TIEG proteins join the Smads as TGF- β 2-regulated transcription factors that control pancreatic cell growth. American Journal of Physiology - Renal Physiology, 2000, 278, G513-G521.	1.6	74

#	ARTICLE	IF	CITATIONS
255	Stimulation of TGF- β type II receptor by high glucose in mouse mesangial cells and in diabetic kidney. American Journal of Physiology - Renal Physiology, 2000, 278, F830-F838.	1.3	57
257	Recent Advances in Molecular Genetic Studies of the Functions of Brassinolide, A Steroid Hormone in Plants. Recent Advances in Phytochemistry, 2000, , 409-431.	0.5	3
258	Role of Transforming Growth Factor-beta Signaling in Cancer. Journal of the National Cancer Institute, 2000, 92, 1388-1402.	3.0	470
259	Role of Transcription Factors in Fetal Lung Development and Surfactant Protein Gene Expression. Annual Review of Physiology, 2000, 62, 875-915.	5.6	179
260	Endothelial Signal Integration in Vascular Assembly. Annual Review of Physiology, 2000, 62, 649-671.	5.6	89
261	Roles of Autocrine TGF- β Receptor and Smad Signaling in Adipocyte Differentiation. Journal of Cell Biology, 2000, 149, 667-682.	2.3	280
262	Spatial Considerations for Stimulus-Dependent Transcription in Neurons. Annual Review of Physiology, 2000, 62, 803-823.	5.6	26
263	Smad6 as a Transcriptional Corepressor. Journal of Biological Chemistry, 2000, 275, 8267-8270.	1.6	131
264	Requirement of Hydrogen Peroxide Generation in TGF- β 1 Signal Transduction in Human Lung Fibroblast Cells: Involvement of Hydrogen Peroxide and Ca ²⁺ in TGF- β 1-Induced IL-6 Expression. Journal of Immunology, 2000, 165, 2190-2197.	0.4	139
265	Calmodulin Differentially Modulates Smad1 and Smad2 Signaling. Journal of Biological Chemistry, 2000, 275, 41430-41438.	1.6	50
266	A role for transcriptional repression of p21CIP1 by c-Myc in overcoming transforming growth factor beta -induced cell-cycle arrest. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 9498-9503.	3.3	234
267	c-Jun Inhibits Transforming Growth Factor β -mediated Transcription by Repressing Smad3 Transcriptional Activity. Journal of Biological Chemistry, 2000, 275, 28858-28865.	1.6	82
268	Transcriptional Regulation of the Transforming Growth Factor- β -inducible Mouse Germ Line Ig κ Constant Region Gene by Functional Cooperation of Smad, CREB, and AML Family Members. Journal of Biological Chemistry, 2000, 275, 16979-16985.	1.6	119
269	Ski acts as a co-repressor with Smad2 and Smad3 to regulate the response to type beta transforming growth factor. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 5924-5929.	3.3	190
270	BMP2-induced Apoptosis Is Mediated by Activation of the TAK1-p38 Kinase Pathway That Is Negatively Regulated by Smad6. Journal of Biological Chemistry, 2000, 275, 17647-17652.	1.6	209
271	The Homeodomain Transcription Factor Xvent-2 Mediates Autocatalytic Regulation of BMP-4 Expression in Xenopus Embryos. Journal of Biological Chemistry, 2000, 275, 34365-34374.	1.6	48
272	Association of Smads with lymphoid enhancer binding factor 1/T cell-specific factor mediates cooperative signaling by the transforming growth factor-beta and Wnt pathways. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 8358-8363.	3.3	417
273	TGF- β 1 and IFN- γ Direct Macrophage Activation by TNF- α to Osteoclastic or Cytocidal Phenotype. Journal of Immunology, 2000, 165, 4957-4963.	0.4	68

#	ARTICLE	IF	CITATIONS
274	STRAP and Smad7 Synergize in the Inhibition of Transforming Growth Factor β 2 Signaling. <i>Molecular and Cellular Biology</i> , 2000, 20, 3157-3167.	1.1	168
275	Apoptosis Induced by TGF- β 21 in Burkitt's Lymphoma Cells Is Caspase 8 Dependent But Is Death Receptor Independent. <i>Journal of Immunology</i> , 2000, 165, 2500-2510.	0.4	83
276	Transforming Growth Factor- β 21 Inhibition of Macrophage Activation Is Mediated via Smad3. <i>Journal of Biological Chemistry</i> , 2000, 275, 36653-36658.	1.6	148
277	The MSG1 Non-DNA-binding Transactivator Binds to the p300/CBP Coactivators, Enhancing Their Functional Link to the Smad Transcription Factors. <i>Journal of Biological Chemistry</i> , 2000, 275, 8825-8834.	1.6	116
278	Smad4/DPC4-mediated tumor suppression through suppression of angiogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 9624-9629.	3.3	236
279	Smad1 and Smad4 Are Components of the Bone Morphogenetic Protein-4 (BMP-4)-induced Transcription Complex of the Xvent-2B Promoter. <i>Journal of Biological Chemistry</i> , 2000, 275, 21827-21835.	1.6	73
280	Bone Morphogenetic Protein-9. <i>Journal of Biological Chemistry</i> , 2000, 275, 17937-17945.	1.6	140
281	Evolutionary trace analysis of TGF- β 2 and related growth factors: implications for site-directed mutagenesis. <i>Protein Engineering, Design and Selection</i> , 2000, 13, 839-847.	1.0	130
282	Genistein and Curcumin Block TGF- β 21-Induced u-PA Expression and Migratory and Invasive Phenotype in Mouse Epidermal Keratinocytes. <i>Nutrition and Cancer</i> , 2000, 37, 49-54.	0.9	33
283	Variations on ligand-receptor complexes. <i>Nature Structural Biology</i> , 2000, 7, 440-442.	9.7	16
284	OVERVIEW OF THE TOXICOLOGY OF BENZENE. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2000, 61, 339-346.	1.1	128
285	Transforming Growth Factor β 2-Independent Shuttling of Smad4 between the Cytoplasm and Nucleus. <i>Molecular and Cellular Biology</i> , 2000, 20, 9041-9054.	1.1	246
286	Engagement of Bone Morphogenetic Protein Type IB Receptor and Smad1 Signaling by Anti-M β 4llerian Hormone and Its Type II Receptor. <i>Journal of Biological Chemistry</i> , 2000, 275, 27973-27978.	1.6	144
287	Regulation of type I collagen genes expression. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 66-68.	0.4	66
288	Modulating IGFBP-3 expression by trichostatin A: potential therapeutic role in the treatment of hepatocellular carcinoma.. <i>International Journal of Molecular Medicine</i> , 2000, 5, 33-41.	1.8	31
289	Expression of genes involved with cell cycle control, cell growth and chromatin modification are altered in hepatoblastomas.. <i>International Journal of Molecular Medicine</i> , 2000, 6, 161.	1.8	4
290	Biological mass spectrometry: a primer. <i>Mutagenesis</i> , 2000, 15, 415-430.	1.0	23
291	Developmental Changes in Progenitor Cell Responsiveness to Bone Morphogenetic Proteins Differentially Modulate Progressive CNS Lineage Fate. <i>Developmental Neuroscience</i> , 2000, 22, 74-85.	1.0	194

#	ARTICLE	IF	CITATIONS
292	Links Among Growth Factors, Hormones, and Nuclear Factors With Essential Roles in Bone Formation. <i>Critical Reviews in Oral Biology and Medicine</i> , 2000, 11, 409-422.	4.4	68
293	Role of Transforming Growth Factor $\hat{1}^2$ in Human Disease. <i>New England Journal of Medicine</i> , 2000, 343, 228-228.	13.9	7
294	Molecular Detection of Smad2/Smad4 Alterations in Colorectal Tumors. , 2001, 50, 149-165.		3
295	Truncated Activin Type I Receptor Alk4 Isoforms Are Dominant Negative Receptors Inhibiting Activin Signaling. <i>Molecular Endocrinology</i> , 2000, 14, 2066-2075.	3.7	48
296	Characterization of SMAD Phosphorylation and SMAD-Receptor Interaction. , 2000, 142, 67-78.		7
297	Transforming Growth Factor- $\hat{1}^2$ Receptor Types I and II in Cultured Porcine Leydig Cells: Expression and Hormonal Regulation. <i>Endocrinology</i> , 2000, 141, 2068-2074.	1.4	24
298	Identification and Characterization of Constitutively Active Smad2 Mutants: Evaluation of Formation of Smad Complex and Subcellular Distribution. <i>Molecular Endocrinology</i> , 2000, 14, 1583-1591.	3.7	35
299	Transforming Growth Factor- $\hat{1}^2$ Down-Regulation of Major Histocompatibility Complex Class I in Thyrocytes: Coordinate Regulation Of Two Separate Elements by Thyroid-Specific as Well as Ubiquitous Transcription Factors. <i>Molecular Endocrinology</i> , 2000, 14, 486-505.	3.7	24
300	Effect of chronic AT1 receptor blockade on cardiac Smad overexpression in hereditary cardiomyopathic hamsters. <i>Cardiovascular Research</i> , 2000, 46, 286-297.	1.8	42
301	A RUNX2/PEBP2alpha A/CBFA1 mutation displaying impaired transactivation and Smad interaction in cleidocranial dysplasia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 10549-10554.	3.3	319
302	Hgs (Hrs), a FYVE Domain Protein, Is Involved in Smad Signaling through Cooperation with SARA. <i>Molecular and Cellular Biology</i> , 2000, 20, 9346-9355.	1.1	173
303	Role of Smad Proteins and Transcription Factor Sp1 in p21Waf1/Cip1 Regulation by Transforming Growth Factor- $\hat{1}^2$. <i>Journal of Biological Chemistry</i> , 2000, 275, 29244-29256.	1.6	347
304	The Smad4 Activation Domain (SAD) Is a Proline-rich, p300-dependent Transcriptional Activation Domain. <i>Journal of Biological Chemistry</i> , 2000, 275, 2115-2122.	1.6	155
305	Inhibition of the Transforming Growth Factor $\hat{1}^2$ Signaling Pathway by the AML1/ETO Leukemia-associated Fusion Protein. <i>Journal of Biological Chemistry</i> , 2000, 275, 40282-40287.	1.6	84
306	Transforming Growth Factor $\hat{1}^2$ Selectively Inhibits the Cyclic AMP-dependent Proliferation of Primary Thyroid Epithelial Cells by Preventing the Association of Cyclin D3âledk4 with Nuclear p27kip1. <i>Molecular Biology of the Cell</i> , 2000, 11, 1061-1076.	0.9	75
307	Interaction and Functional Cooperation of NF- $\hat{1}^{\text{B}}$ with Smads. <i>Journal of Biological Chemistry</i> , 2000, 275, 28937-28946.	1.6	106
308	Smad7 Is Induced by CD40 and Protects WEHI 231 B-lymphocytes from Transforming Growth Factor- $\hat{1}^2$ -induced Growth Inhibition and Apoptosis. <i>Journal of Biological Chemistry</i> , 2000, 275, 38363-38370.	1.6	81
309	Transforming Growth Factor- $\hat{1}^2$ Up-regulates the $\hat{1}^2$ Integrin Subunit Expression via Sp1 and Smad Signaling. <i>Journal of Biological Chemistry</i> , 2000, 275, 36400-36406.	1.6	94

#	ARTICLE	IF	CITATIONS
310	Thrombin Is a Potent Inducer of Connective Tissue Growth Factor Production via Proteolytic Activation of Protease-activated Receptor-1. <i>Journal of Biological Chemistry</i> , 2000, 275, 35584-35591.	1.6	209
311	Structural and Functional Characterization of the Transforming Growth Factor- β -induced Smad3/c-Jun Transcriptional Cooperativity. <i>Journal of Biological Chemistry</i> , 2000, 275, 38802-38812.	1.6	93
312	Defective intracellular transport and processing of OA1 is a major cause of ocular albinism type 1. <i>Human Molecular Genetics</i> , 2000, 9, 3011-3018.	1.4	63
313	Smad and AML Proteins Synergistically Confer Transforming Growth Factor β 1 Responsiveness to Human Germ-line IgA Genes. <i>Journal of Biological Chemistry</i> , 2000, 275, 3552-3560.	1.6	136
314	Importin β Mediates Nuclear Translocation of Smad 3. <i>Journal of Biological Chemistry</i> , 2000, 275, 23425-23428.	1.6	148
315	Critical Role of Smads and AP-1 Complex in Transforming Growth Factor- β -dependent Apoptosis. <i>Journal of Biological Chemistry</i> , 2000, 275, 36295-36302.	1.6	169
316	Identification of a Series of Transforming Growth Factor β -Responsive Genes by Retrovirus-Mediated Gene Trap Screening. <i>Molecular and Cellular Biology</i> , 2000, 20, 3266-3273.	1.1	40
317	Inactivation of Smad-Transforming Growth Factor β Signaling by Ca ²⁺ -Calmodulin-Dependent Protein Kinase II. <i>Molecular and Cellular Biology</i> , 2000, 20, 8103-8111.	1.1	212
318	Different Sensitivity of the Transforming Growth Factor- β Cell Cycle Arrest Pathway to c-Myc and MDM-2. <i>Journal of Biological Chemistry</i> , 2000, 275, 32066-32070.	1.6	20
319	Identification of a Binding Site on the Type II Activin Receptor for Activin and Inhibin. <i>Journal of Biological Chemistry</i> , 2000, 275, 3206-3212.	1.6	94
320	Blockade of Transforming Growth Factor β /Smad Signaling in T Cells by Overexpression of Smad7 Enhances Antigen-Induced Airway Inflammation and Airway Reactivity. <i>Journal of Experimental Medicine</i> , 2000, 192, 151-158.	4.2	175
321	The transcriptional co-activator P/CAF potentiates TGF- β /Smad signaling. <i>Nucleic Acids Research</i> , 2000, 28, 4291-4298.	6.5	98
322	Raf induces TGF β production while blocking its apoptotic but not invasive responses: a mechanism leading to increased malignancy in epithelial cells. <i>Genes and Development</i> , 2000, 14, 2610-2622.	2.7	270
323	Detection of Multiple Bone Morphogenetic Protein Messenger Ribonucleic Acids and Their Signal Transducer, Smad1, During Mouse Decidualization1. <i>Biology of Reproduction</i> , 2000, 63, 1781-1786.	1.2	80
324	Characterization of a Bone Morphogenetic Protein-responsive Smad-binding Element. <i>Molecular Biology of the Cell</i> , 2000, 11, 555-565.	0.9	167
325	Runx2 Is a Common Target of Transforming Growth Factor β 1 and Bone Morphogenetic Protein 2, and Cooperation between Runx2 and Smad5 Induces Osteoblast-Specific Gene Expression in the Pluripotent Mesenchymal Precursor Cell Line C2C12. <i>Molecular and Cellular Biology</i> , 2000, 20, 8783-8792.	1.1	823
326	Sialomucin Complex (Rat Muc4) Is Regulated by Transforming Growth Factor β in Mammary Gland by a Novel Post-translational Mechanism. <i>Journal of Biological Chemistry</i> , 2000, 275, 17800-17807.	1.6	35
327	Transforming growth factor beta -inducible independent binding of SMAD to the Smad7 promoter. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 6397-6402.	3.3	108

#	ARTICLE	IF	CITATIONS
328	Mutations in the tumor suppressors Smad2 and Smad4 inactivate transforming growth factor beta signaling by targeting Smads to the ubiquitin-proteasome pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 4820-4825.	3.3	183
329	Transforming Growth Factor- β 1 (TGF- β 1) and TGF- β 2 Decrease Expression of CD36, the Type B Scavenger Receptor, through Mitogen-activated Protein Kinase Phosphorylation of Peroxisome Proliferator-activated Receptor- β . <i>Journal of Biological Chemistry</i> , 2000, 275, 1241-1246.	1.6	152
330	Smad7 and Smad6 Differentially Modulate Transforming Growth Factor β -induced Inhibition of Embryonic Lung Morphogenesis. <i>Journal of Biological Chemistry</i> , 2000, 275, 23992-23997.	1.6	72
331	Tumor Necrosis Factor- α Inhibits Transforming Growth Factor- β /Smad Signaling in Human Dermal Fibroblasts via AP-1 Activation. <i>Journal of Biological Chemistry</i> , 2000, 275, 30226-30231.	1.6	155
332	Distinct Oligomeric States of SMAD Proteins in the Transforming Growth Factor- β Pathway. <i>Journal of Biological Chemistry</i> , 2000, 275, 40710-40717.	1.6	102
333	Bone Morphogenetic Protein Receptor Complexes on the Surface of Live Cells: A New Oligomerization Mode for Serine/Threonine Kinase Receptors. <i>Molecular Biology of the Cell</i> , 2000, 11, 1023-1035.	0.9	263
334	Ligation of the T Cell Receptor Complex Results in Phosphorylation of Smad2 in T Lymphocytes. <i>Biochemical and Biophysical Research Communications</i> , 2000, 268, 124-127.	1.0	7
335	Transforming Growth Factors β 1 (TGF- β 1) and TGF- β 2 Promote Glioma Cell Migration via Up-Regulation of α 5 β 1 Integrin Expression. <i>Biochemical and Biophysical Research Communications</i> , 2000, 268, 607-611.	1.0	130
336	Mouse Smad8 Phosphorylation Downstream of BMP Receptors ALK-2, ALK-3, and ALK-6 Induces Its Association with Smad4 and Transcriptional Activity. <i>Biochemical and Biophysical Research Communications</i> , 2000, 271, 682-687.	1.0	53
337	Involvement of the Ras/MAPK Signaling Pathway in the Modulation of Urokinase Production and Cellular Invasiveness by Transforming Growth Factor- β 1 in Transformed Keratinocytes. <i>Biochemical and Biophysical Research Communications</i> , 2000, 273, 521-527.	1.0	55
338	Endoglin, an Ancillary TGF β Receptor, Is Required for Extraembryonic Angiogenesis and Plays a Key Role in Heart Development. <i>Developmental Biology</i> , 2000, 217, 42-53.	0.9	418
339	Presence and Roles of Calcium Gradients along the Dorsal-Ventral Axis in Drosophila Embryos. <i>Developmental Biology</i> , 2000, 217, 375-385.	0.9	37
340	Smad5 Is Essential for Left-Right Asymmetry in Mice. <i>Developmental Biology</i> , 2000, 219, 71-78.	0.9	138
341	Regulation of Germ Cell and Sertoli Cell Development by Activin, Follistatin, and FSH. <i>Developmental Biology</i> , 2000, 220, 225-237.	0.9	184
342	BMP Type II Receptor Is Required for Gastrulation and Early Development of Mouse Embryos. <i>Developmental Biology</i> , 2000, 221, 249-258.	0.9	373
343	Expression and Regulation of Type I BMP Receptors during Early Avian Sympathetic Ganglion Development. <i>Developmental Biology</i> , 2000, 221, 220-232.	0.9	30
344	IGFs, Insulin, Shh, bFGF, and TGF- β 1 Interact Synergistically to Promote Somite Myogenesis in Vitro. <i>Developmental Biology</i> , 2000, 224, 189-203.	0.9	65
345	schurri Is Required for dpp-Dependent Patterning of the Drosophila Wing. <i>Developmental Biology</i> , 2000, 227, 388-402.	0.9	40

#	ARTICLE	IF	CITATIONS
346	The Zinc Finger Protein Schnurri Acts as a Smad Partner in Mediating the Transcriptional Response to Decapentaplegic. <i>Developmental Biology</i> , 2000, 227, 373-387.	0.9	65
347	Mesendoderm Induction and Reversal of Left-Right Pattern by Mouse Gdf1, a Vg1-Related Gene. <i>Developmental Biology</i> , 2000, 227, 495-509.	0.9	65
348	Predominant Intracellular Localization of the Type I Transforming Growth Factor- β Receptor and Increased Nuclear Accumulation after Growth Arrest. <i>Experimental Cell Research</i> , 2000, 258, 121-134.	1.2	35
349	TGF- β -Mediated Cell Cycle Arrest of HPV16-Immortalized Human Ectocervical Cells Correlates with Decreased E6/E7 mRNA and Increased p53 and p21/WAF-1 Expression. <i>Experimental Cell Research</i> , 2000, 259, 149-157.	1.2	39
350	CTGF Expression is Induced by TGF- β in Cardiac Fibroblasts and Cardiac Myocytes: a Potential Role in Heart Fibrosis. <i>Journal of Molecular and Cellular Cardiology</i> , 2000, 32, 1805-1819.	0.9	410
351	Activin A Promotes Progenitor Differentiation into Photoreceptors in Rodent Retina. <i>Molecular and Cellular Neurosciences</i> , 2000, 15, 11-21.	1.0	78
352	Induction of Cardiac Fibrosis by Transforming Growth Factor- β 1. <i>Molecular Genetics and Metabolism</i> , 2000, 71, 418-435.	0.5	424
353	Development of a Recombinant Bacterial Expression System for the Active Form of a Human Transforming Growth Factor β Type II Receptor Ligand Binding Domain. <i>Protein Expression and Purification</i> , 2000, 20, 98-104.	0.6	14
354	Recombinant Expression and Purification of Smad Proteins. <i>Protein Expression and Purification</i> , 2000, 20, 507-513.	0.6	5
355	Differential Expression of Fibromodulin, a Transforming Growth Factor- β Modulator, in Fetal Skin Development and Scarless Repair. <i>American Journal of Pathology</i> , 2000, 157, 423-433.	1.9	166
356	Hereditary Hemorrhagic Telangiectasia. <i>American Journal of Pathology</i> , 2000, 156, 737-742.	1.9	42
357	Transforming growth factor β signaling mediators and modulators. <i>Gene</i> , 2000, 249, 17-30.	1.0	164
358	Effects of lithium and insulin on glycogen synthesis in L6 myocytes: additive effects on inactivation of glycogen synthase kinase-3. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2000, 1475, 225-230.	1.1	20
359	Expression of the GDNF family members and their receptors in the mature rat cochlea. <i>Molecular Brain Research</i> , 2000, 76, 25-35.	2.5	47
360	The Active Oxygen Response of Raspberry Protoplasts to O-glycans of Fusarium sp. M7-1. <i>Journal of Plant Physiology</i> , 2000, 156, 306-311.	1.6	4
361	Nervous system proteoglycans as modulators of neurite outgrowth. <i>Progress in Neurobiology</i> , 2000, 61, 113-132.	2.8	164
362	Inflammation and Alzheimer's disease. <i>Neurobiology of Aging</i> , 2000, 21, 383-421.	1.5	4,069
363	Familial Primary Pulmonary Hypertension (Gene PPH1) Is Caused by Mutations in the Bone Morphogenetic Protein Receptor- II Gene. <i>American Journal of Human Genetics</i> , 2000, 67, 737-744.	2.6	1,089

#	ARTICLE	IF	CITATIONS
364	Noggin Antagonizes BMP Signaling to Create a Niche for Adult Neurogenesis. <i>Neuron</i> , 2000, 28, 713-726.	3.8	999
365	The Smad pathway. <i>Cytokine and Growth Factor Reviews</i> , 2000, 11, 5-13.	3.2	245
366	TGF- β 2 signaling by Smad proteins. <i>Cytokine and Growth Factor Reviews</i> , 2000, 11, 15-22.	3.2	347
367	The Smads: transcriptional regulation and mouse models. <i>Cytokine and Growth Factor Reviews</i> , 2000, 11, 37-48.	3.2	48
368	Functions of mammalian Smad genes as revealed by targeted gene disruption in mice. <i>Cytokine and Growth Factor Reviews</i> , 2000, 11, 49-58.	3.2	170
369	Murine models define the role of TGF- β 2 as a master regulator of immune cell function. <i>Cytokine and Growth Factor Reviews</i> , 2000, 11, 81-87.	3.2	68
370	Loss of Smad3 modulates wound healing. <i>Cytokine and Growth Factor Reviews</i> , 2000, 11, 125-131.	3.2	87
371	TGF- β 2 in blood: a complex problem. <i>Cytokine and Growth Factor Reviews</i> , 2000, 11, 133-145.	3.2	178
372	Gastro-intestinal tumorigenesis in Smad4 mutant mice. <i>Cytokine and Growth Factor Reviews</i> , 2000, 11, 147-157.	3.2	28
373	Molecular mechanisms of inactivation of TGF- β 2 receptors during carcinogenesis. <i>Cytokine and Growth Factor Reviews</i> , 2000, 11, 159-168.	3.2	179
374	Lipoprotein-associated α -tocopheryl-succinate inhibits cell growth and induces apoptosis in human MCF-7 and HBL-100 breast cancer cells. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2000, 1485, 129-144.	1.2	58
375	Activin Signal Transduction Pathways. <i>Trends in Endocrinology and Metabolism</i> , 2000, 11, 309-314.	3.1	188
376	GLUT4 and Company: SNAREing Roles in Insulin-regulated Glucose Uptake. <i>Trends in Endocrinology and Metabolism</i> , 2000, 11, 356-361.	3.1	34
377	Pulmonary toxicity syndrome in breast cancer patients undergoing BCNU-containing high-dose chemotherapy and autologous hematopoietic cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2000, 6, 387-394.	2.0	47
378	Microtubule Binding to Smads May Regulate TGF- β 2 Activity. <i>Molecular Cell</i> , 2000, 5, 27-34.	4.5	257
379	Hedgehog Creates a Gradient of DPP Activity in Drosophila Wing Imaginal Discs. <i>Molecular Cell</i> , 2000, 5, 59-71.	4.5	375
380	Genetics of ventral forebrain development and holoprosencephaly. <i>Current Opinion in Genetics and Development</i> , 2000, 10, 262-269.	1.5	245
381	TGF- β 2 Signaling in Growth Control, Cancer, and Heritable Disorders. <i>Cell</i> , 2000, 103, 295-309.	13.5	2,239

#	ARTICLE	IF	CITATIONS
382	Regulation of Smad Activity. <i>Cell</i> , 2000, 100, 189-192.	13.5	415
383	OAZ Uses Distinct DNA- and Protein-Binding Zinc Fingers in Separate BMP-Smad and Olf Signaling Pathways. <i>Cell</i> , 2000, 100, 229-240.	13.5	399
384	Crossing Smads. <i>Science Signaling</i> , 2000, 2000, re1-re1.	1.6	57
385	Truncated activin type II receptor inhibits erythroid differentiation in K562 cells. <i>Journal of Cellular Biochemistry</i> , 2000, 78, 24-33.	1.2	9
386	Smad7 is a TGF- β -inducible attenuator of Smad2/3-mediated inhibition of embryonic lung morphogenesis. <i>Mechanisms of Development</i> , 2000, 93, 71-81.	1.7	44
387	Identification of maverick, a novel member of the TGF- β superfamily in <i>Drosophila</i> . <i>Mechanisms of Development</i> , 2000, 95, 201-206.	1.7	34
388	The ventralizing activity of Radar, a maternally expressed bone morphogenetic protein, reveals complex bone morphogenetic protein interactions controlling dorso-ventral patterning in zebrafish. <i>Mechanisms of Development</i> , 2000, 99, 15-27.	1.7	33
389	Requirement for anti-dorsalizing morphogenetic protein in organizer patterning. <i>Mechanisms of Development</i> , 2000, 90, 195-203.	1.7	60
390	The ActR-I activin receptor protein is expressed in notochord, lens placode and pituitary primordium cells in the mouse embryo. <i>Mechanisms of Development</i> , 2000, 91, 439-444.	1.7	28
391	The cell biology of thrombospondin-1. <i>Matrix Biology</i> , 2000, 19, 597-614.	1.5	376
392	Structural Basis of Smad2 Recognition by the Smad Anchor for Receptor Activation. <i>Science</i> , 2000, 287, 92-97.	6.0	276
393	Mitotic Misregulation and Human Aging. <i>Science</i> , 2000, 287, 2486-2492.	6.0	561
394	Induction and Maintenance of the Neuronal Cholinergic Phenotype in the Central Nervous System by BMP-9. <i>Science</i> , 2000, 289, 313-316.	6.0	213
395	Transforming growth factor- β and breast cancer: Cell cycle arrest by transforming growth factor- β and its disruption in cancer. <i>Breast Cancer Research</i> , 2000, 2, 116-24.	2.2	83
396	Transforming growth factor- β and breast cancer: Transforming growth factor- β /SMAD signaling defects and cancer. <i>Breast Cancer Research</i> , 2000, 2, 107-15.	2.2	84
397	Crystal structure of the BMP-2-BRIA ectodomain complex. <i>Nature Structural Biology</i> , 2000, 7, 492-496.	9.7	288
398	A distinct nuclear localization signal in the N terminus of Smad 3 determines its ligand-induced nuclear translocation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 7853-7858.	3.3	113
399	Phosphatidylinositol 3-Kinase Function Is Required for Transforming Growth Factor β -mediated Epithelial to Mesenchymal Transition and Cell Migration. <i>Journal of Biological Chemistry</i> , 2000, 275, 36803-36810.	1.6	873

#	ARTICLE	IF	CITATIONS
400	Identification and Characterization of a PDZ Protein That Interacts with Activin Type II Receptors. <i>Journal of Biological Chemistry</i> , 2000, 275, 5485-5492.	1.6	89
401	TRANSFORMING GROWTH FACTOR- β 1 AND ITS RECEPTORS IN HUMAN LUNG CANCER AND MOUSE LUNG CARCINOGENESIS. <i>Experimental Lung Research</i> , 2000, 26, 685-707.	0.5	23
402	Roles of the activin regulatory system in fish reproduction. <i>Canadian Journal of Physiology and Pharmacology</i> , 2000, 78, 1077-1085.	0.7	35
403	Activins and their receptors in female reproduction. <i>Biochemistry and Cell Biology</i> , 2000, 78, 261-279.	0.9	47
404	Molecular Genetics of Holoprosencephaly. <i>Fetal and Pediatric Pathology</i> , 2000, 19, 1-19.	0.3	0
405	Semisynthesis of Hyperphosphorylated Type I TGF β 2 Receptor: Addressing the Mechanism of Kinase Activation. <i>Journal of the American Chemical Society</i> , 2000, 122, 8337-8338.	6.6	54
406	Genetic variants of IL-13 signalling and human asthma and atopy. <i>Human Molecular Genetics</i> , 2000, 9, 549-559.	1.4	383
407	Recombinant soluble transforming growth factor β 2 type II receptor ameliorates radiation enteropathy in mice. <i>Gastroenterology</i> , 2000, 119, 1286-1296.	0.6	106
408	Regulation of intracellular dynamics of Smad4 by its leucine-rich nuclear export signal. <i>EMBO Reports</i> , 2000, 1, 176-182.	2.0	123
409	Role of Transforming Growth Factor β 2 in Human Disease. <i>New England Journal of Medicine</i> , 2000, 342, 1350-1358.	13.9	2,264
410	TGF- β 2 signaling by Smad proteins. <i>Advances in Immunology</i> , 2000, 75, 115-157.	1.1	410
411	Nodal Signaling in Early Vertebrate Embryos. <i>Developmental Cell</i> , 2001, 1, 605-617.	3.1	236
412	Measurement of TGF β 2 in Biological Fluids. <i>Current Protocols in Immunology</i> , 2001, 41, Unit 6.11.	3.6	1
413	Anti-Inflammatory Cytokines: Expression and Action in the Brain. <i>NeuroImmunoModulation</i> , 2001, 9, 295-312.	0.9	96
414	Neural patterning in the vertebrate embryo. <i>International Review of Cytology</i> , 2001, 203, 447-482.	6.2	151
415	Photoaging. <i>Clinics in Geriatric Medicine</i> , 2001, 17, 643-659.	1.0	107
416	Gdf-8 Propeptide Binds to GDF-8 and Antagonizes Biological Activity by Inhibiting GDF-8 Receptor Binding. <i>Growth Factors</i> , 2001, 18, 251-259.	0.5	239
417	TGF- β 2 and Related Cytokines in Inflammation. , 2001, , .		1

#	ARTICLE	IF	CITATIONS
419	Regulation of Smad degradation and activity by Smurf2, an E3 ubiquitin ligase. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 974-979.	3.3	473
420	Signaling Events Required for Transforming Growth Factor- β 2 Stimulation of Connective Tissue Growth Factor Expression by Cultured Human Lung Fibroblasts. Archives of Biochemistry and Biophysics, 2001, 395, 103-112.	1.4	63
421	Interaction between Smad Anchor for Receptor Activation and Smad3 Is Not Essential for TGF- β 2/Smad3-Mediated Signaling. Biochemical and Biophysical Research Communications, 2001, 281, 1100-1105.	1.0	37
422	Downregulated Expression of Integrin β 6 by Transforming Growth Factor- β 1 on Lens Epithelial Cells in Vitro. Biochemical and Biophysical Research Communications, 2001, 284, 33-41.	1.0	19
423	SNO Is a Probable Target for Gene Amplification at 3q26 in Squamous-Cell Carcinomas of the Esophagus. Biochemical and Biophysical Research Communications, 2001, 286, 559-565.	1.0	71
424	Characterization of the DNA-Binding Property of Smad5. Biochemical and Biophysical Research Communications, 2001, 286, 1163-1169.	1.0	31
425	Expression of TGF- β 2 Signaling Genes in the Normal, Premalignant, and Malignant Human Trophoblast: Loss of Smad3 in Choriocarcinoma Cells. Biochemical and Biophysical Research Communications, 2001, 287, 47-55.	1.0	65
426	Systematic Analysis of the TGF- β 2-Smad Signaling Pathway in Gastrointestinal Cancer Cells. Biochemical and Biophysical Research Communications, 2001, 289, 350-357.	1.0	60
427	The Amino Terminus of Smads Permits Transcriptional Specificity. Developmental Biology, 2001, 230, 110-124.	0.9	11
428	Bmp6 and Bmp7 Are Required for Cushion Formation and Septation in the Developing Mouse Heart. Developmental Biology, 2001, 235, 449-466.	0.9	201
429	Overexpression of Smad2 Reveals Its Concerted Action with Smad4 in Regulating TGF- β 2-Mediated Epidermal Homeostasis. Developmental Biology, 2001, 236, 181-194.	0.9	60
430	Regulation of MAP Kinase by the BMP-4/TAK1 Pathway in Xenopus Ectoderm. Developmental Biology, 2001, 236, 259-270.	0.9	41
431	Elevated TGF β 2 Signaling Inhibits Ocular Vascular Development. Developmental Biology, 2001, 237, 45-53.	0.9	41
432	Expression Cloning of Xenopus Os4, an Evolutionarily Conserved Gene, which Induces Mesoderm and Dorsal Axis. Developmental Biology, 2001, 239, 118-131.	0.9	17
433	Targeted Mutagenesis of Smad1 Reveals an Essential Role in Chorioallantoic Fusion. Developmental Biology, 2001, 240, 157-167.	0.9	169
434	Smad7 Misexpression during Embryonic Angiogenesis Causes Vascular Dilation and Malformations Independently of Vascular Smooth Muscle Cell Function. Developmental Biology, 2001, 240, 499-516.	0.9	31
435	Transforming Growth Factor- β 1 Promotes Invasiveness after Cellular Transformation with Activated Ras in Intestinal Epithelial Cells. Experimental Cell Research, 2001, 266, 239-249.	1.2	74
436	TGF β 2 Receptor Expression in Lens: Implications for Differentiation and Cataractogenesis. Experimental Eye Research, 2001, 72, 649-659.	1.2	65

#	ARTICLE	IF	CITATIONS
437	Cerebrospinal Fluid Contains Biologically Active Bone Morphogenetic Protein-7. <i>Experimental Neurology</i> , 2001, 172, 273-281.	2.0	33
438	Identification of Differentially Expressed Nucleolar TGF- β 1 Target (DENTT) in Human Lung Cancer Cells That Is a New Member of the TSPY/SET/NAP-1 Superfamily. <i>Genomics</i> , 2001, 73, 179-193.	1.3	56
439	MH1 domain of Smad is a degraded homing endonuclease. <i>Journal of Molecular Biology</i> , 2001, 307, 31-37.	2.0	54
440	Two Signal Transduction Pathways Involved in the Catecholaminergic Differentiation of Avian Neural Crest-Derived Cells In Vitro. <i>Molecular and Cellular Neurosciences</i> , 2001, 18, 394-406.	1.0	15
441	Alteration of Transforming Growth Factor- β 1 Response Involves Down-Regulation of Smad3 Signaling in Myofibroblasts from Skin Fibrosis. <i>American Journal of Pathology</i> , 2001, 159, 263-272.	1.9	56
442	Regulation of Transforming Growth Factor- β 2 Signaling. <i>Molecular Cell Biology Research Communications: MCBRC: Part B of Biochemical and Biophysical Research Communications</i> , 2001, 4, 321-330.	1.7	88
443	Dissection of inhibitory Smad proteins: both N- and C-terminal domains are necessary for full activities of Xenopus Smad6 and Smad7. <i>Mechanisms of Development</i> , 2001, 100, 251-262.	1.7	30
444	Bone morphogenetic protein function is required for terminal differentiation of the heart but not for early expression of cardiac marker genes. <i>Mechanisms of Development</i> , 2001, 100, 263-273.	1.7	80
445	Functional characterization and genetic mapping of alk8. <i>Mechanisms of Development</i> , 2001, 100, 275-289.	1.7	41
446	Smad5 is required for mouse primordial germ cell development. <i>Mechanisms of Development</i> , 2001, 104, 61-67.	1.7	191
447	Dpp and Hedgehog mediate neuron-glia interactions in Drosophila eye development by promoting the proliferation and motility of subretinal glia. <i>Mechanisms of Development</i> , 2001, 108, 93-103.	1.7	50
448	SNT-1/FRS2 β physically interacts with Laloo and mediates mesoderm induction by fibroblast growth factor. <i>Mechanisms of Development</i> , 2001, 109, 195-204.	1.7	16
449	Gene expression of transforming growth factor β 2 isoforms in interposition nerve grafting. <i>Journal of Hand Surgery</i> , 2001, 26, 1082-1087.	0.7	2
450	Functional role of TGF β 2 in Alzheimer's disease microvascular injury: lessons from transgenic mice. <i>Neurochemistry International</i> , 2001, 39, 393-400.	1.9	27
451	Isolation and characterization of a transforming growth factor- β 2 Type II receptor cDNA from Xenopus laevis. <i>Gene</i> , 2001, 263, 171-178.	1.0	7
452	Anti-M β 4 allergen hormone and its receptors. <i>Molecular and Cellular Endocrinology</i> , 2001, 179, 25-32.	1.6	240
453	Gonadotropic control of ovarian follicular growth and development. <i>Molecular and Cellular Endocrinology</i> , 2001, 179, 39-46.	1.6	323
454	An emerging role for co-receptors in inhibin signal transduction. <i>Molecular and Cellular Endocrinology</i> , 2001, 180, 55-62.	1.6	24

#	ARTICLE	IF	CITATIONS
455	Transforming growth factor β^2 signalling in vitro and in vivo: activin ligand-receptor interaction, Smad5 in vasculogenesis, and repression of target genes by the β 1/ZEB-related SIP1 in the vertebrate embryo. <i>Molecular and Cellular Endocrinology</i> , 2001, 180, 13-24.	1.6	22
456	Studying TGF- β^2 superfamily signaling by knockouts and knockins. <i>Molecular and Cellular Endocrinology</i> , 2001, 180, 39-46.	1.6	71
457	Antagonism of activin by inhibin and inhibin receptors: a functional role for betaglycan-glycan. <i>Molecular and Cellular Endocrinology</i> , 2001, 180, 47-53.	1.6	44
458	Increased expression of the Zn-finger transcription factor BTEB1 in human endometrial cells is correlated with distinct cell phenotype, gene expression patterns, and proliferative responsiveness to serum and TGF- β^2 . <i>Molecular and Cellular Endocrinology</i> , 2001, 181, 81-96.	1.6	27
459	Oxidative stress and vascular aging. <i>Diabetes Research and Clinical Practice</i> , 2001, 54, S73-S80.	1.1	68
460	Platelet-derived growth factor and transforming growth factor- β^2 in invertebrate immune and neuroendocrine interactions: another sign of conservation in evolution. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2001, 129, 295-306.	1.3	18
462	Activation of mitogen-activated protein kinase cascades is involved in regulation of bone morphogenetic protein-2-induced osteoblast differentiation in pluripotent C2C12 cells. <i>Bone</i> , 2001, 28, 491-498.	1.4	275
463	Opposite effects of bone morphogenetic protein-2 and transforming growth factor- β^2 1 on osteoblast differentiation. <i>Bone</i> , 2001, 29, 323-330.	1.4	197
464	Ski/Sno and TGF- β^2 signaling. <i>Cytokine and Growth Factor Reviews</i> , 2001, 12, 1-8.	3.2	192
465	Cytokine signaling and Epstein-Barr virus-mediated cell transformation. <i>Cytokine and Growth Factor Reviews</i> , 2001, 12, 259-270.	3.2	37
466	Pleiotropic roles of formyl peptide receptors. <i>Cytokine and Growth Factor Reviews</i> , 2001, 12, 91-105.	3.2	175
467	Differential expression of transforming growth factors- β^2 1, - β^2 2 and - β^2 3 in human colon carcinoma. <i>European Journal of Cancer</i> , 2001, 37, 224-233.	1.3	56
468	Brassinosteroid signaling in plants. <i>Trends in Endocrinology and Metabolism</i> , 2001, 12, 398-402.	3.1	34
469	TGF- β^2 Released by Apoptotic T Cells Contributes to an Immunosuppressive Milieu. <i>Immunity</i> , 2001, 14, 715-725.	6.6	396
470	Nodal Signals to Smads through Cripto-Dependent and Cripto-Independent Mechanisms. <i>Molecular Cell</i> , 2001, 7, 949-957.	4.5	341
471	The Two-Handed E Box Binding Zinc Finger Protein SIP1 Downregulates E-Cadherin and Induces Invasion. <i>Molecular Cell</i> , 2001, 7, 1267-1278.	4.5	1,264
472	The TGF β^2 Receptor Activation Process. <i>Molecular Cell</i> , 2001, 8, 671-682.	4.5	346
473	The Anaphase-Promoting Complex Mediates TGF- β^2 Signaling by Targeting SnoN for Destruction. <i>Molecular Cell</i> , 2001, 8, 1027-1039.	4.5	172

#	ARTICLE	IF	CITATIONS
474	Crystal Structure of a Phosphorylated Smad2. <i>Molecular Cell</i> , 2001, 8, 1277-1289.	4.5	271
475	TGF $\hat{\beta}$ 1 in liver fibrosis: time to change paradigms?. <i>FEBS Letters</i> , 2001, 502, 1-3.	1.3	80
476	Transforming growth factor $\hat{\beta}$ 2 signal transduction in hepatic stellate cells via Smad2/3 phosphorylation, a pathway that is abrogated during in vitro progression to myofibroblasts. <i>FEBS Letters</i> , 2001, 502, 4-10.	1.3	179
477	Endless healing: TGF- $\hat{\beta}$ 2, SMADs, and fibrosis. <i>FEBS Letters</i> , 2001, 506, 11-14.	1.3	40
478	Neurogenin Promotes Neurogenesis and Inhibits Glial Differentiation by Independent Mechanisms. <i>Cell</i> , 2001, 104, 365-376.	13.5	730
479	Twisted Perspective. <i>Cell</i> , 2001, 104, 801-804.	13.5	45
480	Growth factors in pancreatic health and disease. <i>Pancreatology</i> , 2001, 1, 343-355.	0.5	13
481	Transforming Growth Factor $\hat{\beta}$ 2 Enhances Epithelial Cell Survival via Akt-dependent Regulation of FKHL1. <i>Molecular Biology of the Cell</i> , 2001, 12, 3328-3339.	0.9	175
482	Pancreatic Cancer: Factors Regulating Tumor Development, Maintenance and Metastasis. <i>Pancreatology</i> , 2001, 1, 517-524.	0.5	42
483	Smurf1 Interacts with Transforming Growth Factor- $\hat{\beta}$ 2 Type I Receptor through Smad7 and Induces Receptor Degradation. <i>Journal of Biological Chemistry</i> , 2001, 276, 12477-12480.	1.6	747
484	Regulation of Mandibular Growth and Morphogenesis. <i>Critical Reviews in Oral Biology and Medicine</i> , 2001, 12, 276-300.	4.4	52
485	Regulation of Smad signaling by protein kinase C. <i>FASEB Journal</i> , 2001, 15, 553-555.	0.2	170
486	Genetic aspect of pulmonary arterial hypertension. <i>Annals of Medicine</i> , 2001, 33, 596-603.	1.5	45
487	In Vitro Effect of Transforming Growth Factor- $\hat{\beta}$ 2 on Adhesion Molecule Expression by Human Gingival Fibroblasts Cultured in the Presence of a Titanium Abutment. <i>Journal of Periodontology</i> , 2001, 72, 1658-1665.	1.7	19
488	TGF- $\hat{\beta}$ 2/Smad3 Signals Repress Chondrocyte Hypertrophic Differentiation and Are Required for Maintaining Articular Cartilage. <i>Journal of Cell Biology</i> , 2001, 153, 35-46.	2.3	588
491	Cytokines and Bone Remodeling. , 2001, , 373-403.		5
492	Adenovirus-mediated gene transfer of dominant-negative Smad4 blocks TGF- $\hat{\beta}$ 2 signaling in pancreatic acinar cells. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 280, G1247-G1253.	1.6	18
493	Skeletal muscle cell hypertrophy induced by inhibitors of metalloproteases; myostatin as a potential mediator. <i>American Journal of Physiology - Cell Physiology</i> , 2001, 281, C1624-C1634.	2.1	37

#	ARTICLE	IF	CITATIONS
494	Differential Mechanisms of Plasminogen Activator Inhibitor-1 Gene Activation by Transforming Growth Factor- β 2 and Tumor Necrosis Factor- α in Endothelial Cells. <i>Thrombosis and Haemostasis</i> , 2001, 86, 1563-1572.	1.8	31
495	<i>Osteoblast Biology</i> , 2001, , 21-71.		15
496	Transcriptional regulation of the 11p15 mucin genes. towards new biological tools in human therapy, in inflammatory diseases and cancer?. <i>Frontiers in Bioscience - Landmark</i> , 2001, 6, d1216.	3.0	79
497	BMP4 Mediates Apoptotic Cell Death in the Developing Chick Eye. <i>Journal of Neuroscience</i> , 2001, 21, 1292-1301.	1.7	144
498	Mammalian Mitogen-Activated Protein Kinase Signal Transduction Pathways Activated by Stress and Inflammation. <i>Physiological Reviews</i> , 2001, 81, 807-869.	13.1	3,019
499	Critical Aspects of Tissue-Engineered Therapy for Bone Regeneration. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2001, 11, 26.	0.4	35
500	Transcriptional regulation of the 11p15 mucin genes towards new biological tools in human therapy in inflammatory diseases and cancer. <i>Frontiers in Bioscience - Landmark</i> , 2001, 6, d1216-1234.	3.0	11
501	Gremlin negatively modulates BMP-4 induction of embryonic mouse lung branching morphogenesis. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2001, 280, L1030-L1039.	1.3	83
502	Smad4 mediates activation of mitogen-activated protein kinases by TGF- β 2 in pancreatic acinar cells. <i>American Journal of Physiology - Cell Physiology</i> , 2001, 281, C311-C319.	2.1	55
503	<i>Cellular Responses to Hormones</i> , 2001, , 191-206.		0
504	Relationship Between Cytokine Levels and Coronary Artery Disease in Women. <i>Heart Disease (Hagerstown, Md)</i> , 2001, 3, 80-84.	1.3	13
505	TGF β 2-mediated signaling and transcriptional regulation in pancreatic development and cancer. <i>Current Opinion in Gastroenterology</i> , 2001, 17, 434-440.	1.0	13
506	Von Hippel-Lindau disease: gene to bedside. <i>Current Opinion in Neurology</i> , 2001, 14, 695-703.	1.8	33
508	Recombinant soluble betaglycan is a potent and isoform-selective transforming growth factor- β 2 neutralizing agent. <i>Biochemical Journal</i> , 2001, 355, 215.	1.7	58
509	Transforming growth factor β 2-1 enhances Smad transcriptional activity through activation of p8 gene expression. <i>Biochemical Journal</i> , 2001, 357, 249.	1.7	34
510	Recombinant soluble betaglycan is a potent and isoform-selective transforming growth factor- β 2 neutralizing agent. <i>Biochemical Journal</i> , 2001, 355, 215-222.	1.7	75
511	Transforming growth factor β 2-1 enhances Smad transcriptional activity through activation of p8 gene expression. <i>Biochemical Journal</i> , 2001, 357, 249-253.	1.7	46
512	Human T-cell leukemia virus type I oncoprotein Tax represses Smad-dependent transforming growth factor beta signaling through interaction with CREB-binding protein/p300. <i>Blood</i> , 2001, 97, 2137-2144.	0.6	79

#	ARTICLE	IF	CITATIONS
513	Expression and function of CD105 during the onset of hematopoiesis from Flk1+ precursors. <i>Blood</i> , 2001, 98, 3635-3642.	0.6	74
515	The role of TGF β 2 in human cancers. <i>Pathology</i> , 2001, 33, 85-92.	0.3	11
516	Suppressor and oncogenic roles of transforming growth factor- β 2 and its signaling pathways in tumorigenesis. <i>Advances in Cancer Research</i> , 2001, 83, 1-54.	1.9	88
517	Microsatellite instability and mutational analysis of transforming growth factor beta receptor type II gene (TGFB2) in sporadic ovarian cancer. <i>Journal of Clinical Pathology</i> , 2001, 54, 240-243.	2.1	15
518	Vitamin E: Mechanisms of Action as Tumor Cell Growth Inhibitors. <i>Journal of Nutrition</i> , 2001, 131, 161S-163S.	1.3	86
519	Ontogeny of Expression of Transforming Growth Factor- β 21 (TGF- β 21), TGF- β 23, and TGF- β 2 Receptors I and II in Fetal Rat Fibroblasts and Skin. <i>Plastic and Reconstructive Surgery</i> , 2001, 107, 1787-1794.	0.7	91
520	Differential Expression of Transforming Growth Factor- β 2 Receptors I and II and Activation of Smad 3 in Keloid Fibroblasts. <i>Plastic and Reconstructive Surgery</i> , 2001, 108, 423-429.	0.7	177
521	Perspectives in the biological function, the technical and therapeutic application of bone morphogenetic proteins. <i>Applied Microbiology and Biotechnology</i> , 2001, 57, 294-308.	1.7	28
522	Spatio-temporal pattern formation on spherical surfaces: numerical simulation and application to solid tumour growth. <i>Journal of Mathematical Biology</i> , 2001, 42, 387-423.	0.8	169
523	Evolutionary conservation, developmental expression, and genomic mapping of mammalian Twisted gastrulation. <i>Mammalian Genome</i> , 2001, 12, 554-560.	1.0	27
524	A RUNX2/PEBP2 β /CBFA1 mutation in cleidocranial dysplasia revealing the link between the gene and Smad. <i>Journal of Bone and Mineral Metabolism</i> , 2001, 19, 188-194.	1.3	20
525	Establishment of murine Smad5 double knockout ES cells and the studies on their properties. <i>Science in China Series C: Life Sciences</i> , 2001, 44, 121-129.	1.3	3
526	Non-redundant tumour suppressor functions of transforming growth factor beta in breast cancer. <i>Journal of Biosciences</i> , 2001, 26, 9-12.	0.5	3
527	Metal-binding properties of phytochelatin-related peptides. <i>Journal of Inorganic Biochemistry</i> , 2001, 86, 595-602.	1.5	51
528	Extraction and quantification of epibatidine in plasma. <i>Biomedical Applications</i> , 2001, 755, 379-382.	1.7	2
529	Mutation and methylation analysis of the transforming growth factor β 2 receptor II gene in polycythaemia vera. <i>British Journal of Haematology</i> , 2001, 115, 872-880.	1.2	13
530	Conservation of a DPP/BMP signaling pathway in the nonbilateral cnidarian <i>Acropora millepora</i> . <i>Evolution & Development</i> , 2001, 3, 241-250.	1.1	43
531	Topical platelet growth factor therapy: of lotions and potions. <i>Transfusion</i> , 2001, 41, 1186-1189.	0.8	34

#	ARTICLE	IF	CITATIONS
532	Transforming growth factor-beta superfamily members: roles in branching morphogenesis in the kidney. <i>Nephrology</i> , 2001, 6, 274-284.	0.7	4
533	Fc-Signalling in the Modulation of Immune Responses by Passive Antibody. <i>Scandinavian Journal of Immunology</i> , 2001, 53, 322-330.	1.3	26
534	Expression of a plant gene with sequence similarity to animal TGF- β 2 receptor interacting protein is regulated by brassinosteroids and required for normal plant development. <i>Plant Journal</i> , 2001, 26, 35-45.	2.8	66
535	Actions of Activins, Inhibins and Follistatins: Implications in Anterior Pituitary Function. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001, 28, 244-248.	0.9	31
536	Pluripotent cells (stem cells) and their determination and differentiation in early vertebrate embryogenesis+. <i>Development Growth and Differentiation</i> , 2001, 43, 469-502.	0.6	49
537	Regulation of T-cell interaction with fibronectin by transforming growth factor-beta is associated with altered Pyk2 phosphorylation. <i>Immunology</i> , 2001, 104, 149-156.	2.0	10
538	An adenoviral system for tetracycline-regulated TGF- β 2 expression mediates a reversible cell cycle arrest. <i>European Journal of Oral Sciences</i> , 2001, 109, 415-421.	0.7	5
539	BMP-2 Stimulates Tyrosinase Gene Expression and Melanogenesis in Differentiated Melanocytes. <i>Pigment Cell & Melanoma Research</i> , 2001, 14, 328-336.	4.0	93
540	Structural determinants of binding and specificity in transforming growth factor-receptor interactions. <i>Proteins: Structure, Function and Bioinformatics</i> , 2001, 45, 408-420.	1.5	11
541	Effects of src kinase and TGF β 1 on the differentiation and morphogenesis of MDCK cells grown in three-dimensional collagen and Matrigel environments. <i>Journal of Pathology</i> , 2001, 195, 391-400.	2.1	9
542	Chromosome 3p tumor-suppressor gene alterations in cervical carcinomas. <i>Molecular Carcinogenesis</i> , 2001, 30, 159-168.	1.3	15
543	Aberrant transforming growth factor- β signaling in azoxymethane-induced mouse colon tumors. <i>Molecular Carcinogenesis</i> , 2001, 31, 204-213.	1.3	26
544	Immunohistochemical expression of smads 1-6 in the 15-day gestation mouse embryo: signaling by BMPs and TGF- β s. <i>Developmental Dynamics</i> , 2001, 220, 141-154.	0.8	88
545	Involvement of p70 S6 kinase in bone morphogenetic protein signaling: Vascular endothelial growth factor synthesis by bone morphogenetic protein-4 in osteoblasts. <i>Journal of Cellular Biochemistry</i> , 2001, 81, 430-436.	1.2	66
546	Role of transforming growth factor beta in cancer. <i>Journal of Cellular Physiology</i> , 2001, 186, 153-168.	2.0	213
547	Transforming growth factor β and mouse development. <i>Microscopy Research and Technique</i> , 2001, 52, 374-386.	1.2	30
548	Malignant glioma biology: Role for TGF- β in growth, motility, angiogenesis, and immune escape. <i>Microscopy Research and Technique</i> , 2001, 52, 401-410.	1.2	224
549	Role of TGF β signaling in skin carcinogenesis. <i>Microscopy Research and Technique</i> , 2001, 52, 420-429.	1.2	33

#	ARTICLE	IF	CITATIONS
550	Angiogenesis in breast cancer: The role of transforming growth factor β and CD105. <i>Microscopy Research and Technique</i> , 2001, 52, 437-449.	1.2	78
551	TGF- β and colorectal carcinogenesis. <i>Microscopy Research and Technique</i> , 2001, 52, 450-457.	1.2	42
552	Molecular analysis of the prostate-specific antigen upstream gene enhancer. <i>Prostate</i> , 2001, 46, 76-85.	1.2	14
553	Dendritic growth induced by BMP-7 requires Smad1 and proteasome activity. <i>Journal of Neurobiology</i> , 2001, 48, 120-130.	3.7	44
554	Estimating the Selective Advantage of Mutant p53 Tumour Cells to Repeated Rounds of Hypoxia. <i>Bulletin of Mathematical Biology</i> , 2001, 63, 135-166.	0.9	18
555	The perichondrium plays an important role in mediating the effects of TGF- β 1 on endochondral bone formation. <i>Developmental Dynamics</i> , 2001, 221, 311-321.	0.8	90
556	Novel inactivating mutations of transforming growth factor- β type I receptor gene in head-and-neck cancer metastases. <i>International Journal of Cancer</i> , 2001, 93, 653-661.	2.3	78
557	Characterization of a 150 kDa accessory receptor for TGF- β 1 on keratinocytes: Direct evidence for a GPI anchor and ligand binding of the released form. <i>Journal of Cellular Biochemistry</i> , 2001, 83, 494-507.	1.2	23
558	Involvement of p38 MAP kinase in TGF- β -stimulated VEGF synthesis in aortic smooth muscle cells. <i>Journal of Cellular Biochemistry</i> , 2001, 82, 591-598.	1.2	54
559	BMP-2 and BMP-9 promotes chondrogenic differentiation of human multipotential mesenchymal cells and overcomes the inhibitory effect of IL-1. <i>Journal of Cellular Physiology</i> , 2001, 189, 275-284.	2.0	251
560	Divergence and convergence of TGF- β /BMP signaling. <i>Journal of Cellular Physiology</i> , 2001, 187, 265-276.	2.0	496
561	Involvement of Smads in TGF β 1-induced furin (fur) transcription. <i>Journal of Cellular Physiology</i> , 2001, 188, 264-273.	2.0	47
562	Ras activation revisited. <i>Signal Transduction</i> , 2001, 1, 11-24.	0.7	4
563	Growth factors and their receptors in pancreatic cancer. <i>Teratogenesis, Carcinogenesis, and Mutagenesis</i> , 2001, 21, 27-44.	0.8	76
564	Structural insights on Smad function in TGF β 2 signaling. <i>BioEssays</i> , 2001, 23, 223-232.	1.2	108
565	Role of AP-1 and HIF-1 Transcription Factors in TGF- β 2 Activation of VEGF Expression. <i>Growth Factors</i> , 2001, 19, 19-34.	0.5	99
566	Effect of Transforming Growth Factor- β 21 on the Cell Growth and Epstein-Barr Virus Reactivation in EBV-Infected Epithelial Cell Lines. <i>Virology</i> , 2001, 288, 109-118.	1.1	36
567	Title is missing!. <i>Neurophysiology</i> , 2001, 33, 331-338.	0.2	0

#	ARTICLE	IF	CITATIONS
568	Effects of transforming growth factor-beta(1) on proliferation of smooth muscle cells in human aortic intima and human promonocytic leukemia THP-1 cells. <i>Bulletin of Experimental Biology and Medicine</i> , 2001, 131, 162-164.	0.3	1
569	Transforming Growth Factor- β^2 Induces Osteoclast Ruffling and Chemotaxis: Potential Role in Osteoclast Recruitment. <i>Journal of Bone and Mineral Research</i> , 2001, 16, 1237-1247.	3.1	48
570	TGF-beta signaling in mammary gland development and tumorigenesis. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2001, 6, 67-82.	1.0	84
571	Growth regulatory factors and bone. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2001, 2, 105-115.	2.6	52
572	Glioma cell invasion: regulation of metalloproteinase activity by TGF-beta. <i>Journal of Neuro-Oncology</i> , 2001, 53, 177-185.	1.4	231
573	Effects of all-trans-retinoic acid (atRA) on inducible nitric oxide synthase (iNOS) activity and transforming growth factor beta-1 production in experimental anti-GBM antibody-mediated glomerulonephritis. <i>Inflammation</i> , 2001, 25, 351-359.	1.7	17
574	Title is missing!. <i>Plant and Soil</i> , 2001, 230, 1-8.	1.8	53
575	CD105 (Endoglin) Expression on Hematopoietic Stem/Progenitor Cells. <i>Leukemia and Lymphoma</i> , 2001, 42, 1195-1206.	0.6	69
576	Transforming growth factor β^2 and the liver. <i>Hepatology</i> , 2001, 34, 859-867.	3.6	307
577	Direct competition between Brinker and Drosophila Mad in Dpp target gene transcription. <i>EMBO Reports</i> , 2001, 2, 298-305.	2.0	42
578	Teashirt is required for transcriptional repression mediated by high Wingless levels. <i>EMBO Journal</i> , 2001, 20, 137-145.	3.5	40
579	The adaptor molecule Disabled-2 links the transforming growth factor beta receptors to the Smad pathway. <i>EMBO Journal</i> , 2001, 20, 2789-2801.	3.5	223
580	Promoting bone morphogenetic protein signaling through negative regulation of inhibitory Smads. <i>EMBO Journal</i> , 2001, 20, 4132-4142.	3.5	160
581	Type III TGF-beta receptor-independent signalling of TGF-beta2 via TbetaRII-B, an alternatively spliced TGF-beta type II receptor. <i>EMBO Journal</i> , 2001, 20, 480-490.	3.5	91
582	MEDAL REVIEW: The Spemann organizer and embryonic head induction. <i>EMBO Journal</i> , 2001, 20, 631-637.	3.5	32
583	Abnormal angiogenesis but intact hematopoietic potential in TGF-beta type I receptor-deficient mice. <i>EMBO Journal</i> , 2001, 20, 1663-1673.	3.5	488
584	TGF-beta-induced repression of CBFA1 by Smad3 decreases cbfa1 and osteocalcin expression and inhibits osteoblast differentiation. <i>EMBO Journal</i> , 2001, 20, 2254-2272.	3.5	470
585	Id3 inhibits B lymphocyte progenitor growth and survival in response to TGF- β^2 . <i>Nature Immunology</i> , 2001, 2, 242-247.	7.0	156

#	ARTICLE	IF	CITATIONS
586	Mechanisms and Modulation of Intestinal Epithelial Repair. <i>Inflammatory Bowel Diseases</i> , 2001, 7, 68-77.	0.9	204
587	A novel, specific interaction involving the Csk SH3 domain and its natural ligand. <i>Nature Structural Biology</i> , 2001, 8, 998-1004.	9.7	125
588	TGF- β 2 signaling in tumor suppression and cancer progression. <i>Nature Genetics</i> , 2001, 29, 117-129.	9.4	2,120
589	Cytokine-induced restoration of differentiation and cell cycle arrest in v-Myc transformed U-937 monoblasts correlates with reduced Myc activity. <i>Leukemia</i> , 2001, 15, 217-227.	3.3	12
590	Mutations of the Smad4 gene in acute myelogenous leukemia and their functional implications in leukemogenesis. <i>Oncogene</i> , 2001, 20, 88-96.	2.6	83
591	Sequence-specific enhancer binding protein is responsible for the differential expression of ERT/ESX/ELF-3/ESE-1/jen gene in human gastric cancer cell lines: Implication for the loss of TGF- β 2 type II receptor expression. <i>Oncogene</i> , 2001, 20, 1235-1245.	2.6	19
592	Induction of the AP-1 members c-Jun and JunB by TGF- β 2/Smad suppresses early Smad-driven gene activation. <i>Oncogene</i> , 2001, 20, 2205-2211.	2.6	94
593	The regulation and function of the Id proteins in lymphocyte development. <i>Oncogene</i> , 2001, 20, 8308-8316.	2.6	73
594	TGF- β 2 induces assembly of a Smad2-Smurf2 ubiquitin ligase complex that targets SnoN for degradation. <i>Nature Cell Biology</i> , 2001, 3, 587-595.	4.6	297
595	The function of E- and id proteins in lymphocyte development. <i>Nature Reviews Immunology</i> , 2001, 1, 193-199.	10.6	200
596	Targets of Transcriptional Regulation by Transforming Growth Factor- β 2: Expression Profile Analysis Using Oligonucleotide Arrays. <i>Japanese Journal of Cancer Research</i> , 2001, 92, 257-268.	1.7	45
597	Transforming growth factor- β 2 signal transduction in epithelial cells. , 2001, 91, 1-34.		176
598	Alternative splicing and sequence diversity of transcripts from the oncosphere stage of <i>Taenia solium</i> with homology to the 45W antigen of <i>Taenia ovis</i> . <i>Molecular and Biochemical Parasitology</i> , 2001, 112, 173-181.	0.5	32
599	Differential regulation of gelatinases by transforming growth factor beta-1 in normal equine chondrocytes. <i>Osteoarthritis and Cartilage</i> , 2001, 9, 325-331.	0.6	18
600	Genetics of primary pulmonary hypertension. <i>Progress in Pediatric Cardiology</i> , 2001, 12, 271-278.	0.2	6
601	Antifibrotic action of Cu/Zn SOD is mediated by TGF- β 21 repression and phenotypic reversion of myofibroblasts. <i>Free Radical Biology and Medicine</i> , 2001, 30, 30-42.	1.3	94
602	Transforming growth factor- β 2-mediated mast cell migration depends on mitogen-activated protein kinase activity. <i>Cellular Signalling</i> , 2001, 13, 483-490.	1.7	53
603	Molecular pathogenesis of pancreatic ductal adenocarcinoma and clinical implications. <i>Surgical Oncology</i> , 2001, 10, 1-23.	0.8	26

#	ARTICLE	IF	CITATIONS
604	Transforming growth factor- $\hat{1}^2$ interferes with thrombopoietin-induced signal transduction in megakaryoblastic and erythroleukemic cells. <i>Experimental Hematology</i> , 2001, 29, 602-608.	0.2	20
605	Cripto in tumors and embryo development. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2001, 1552, 87-93.	3.3	11
606	Bone morphogenetic protein-5 (BMP-5) promotes dendritic growth in cultured sympathetic neurons. <i>BMC Neuroscience</i> , 2001, 2, 12.	0.8	63
607	The type I BMP receptor Bmpr1B is essential for female reproductive function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 7994-7999.	3.3	200
608	Nodal Signaling Uses Activin and Transforming Growth Factor- $\hat{1}^2$ Receptor-regulated Smads. <i>Journal of Biological Chemistry</i> , 2001, 276, 656-661.	1.6	100
609	Smad7 Is Induced by Norepinephrine and Protects Rat Hepatocytes from Activin A-induced Growth Inhibition. <i>Journal of Biological Chemistry</i> , 2001, 276, 45636-45641.	1.6	24
610	T Cell Death and Transforming Growth Factor $\hat{1}^2$. <i>Journal of Experimental Medicine</i> , 2001, 194, F19-F22.	4.2	8
611	Novel Nuclear Signaling Pathway Mediates Activation of Fibroblast Growth Factor-2 Gene by Type 1 and Type 2 Angiotensin II Receptors. <i>Molecular Biology of the Cell</i> , 2001, 12, 449-462.	0.9	94
612	The N domain of Smad7 is essential for specific inhibition of transforming growth factor- $\hat{1}^2$ signaling. <i>Journal of Cell Biology</i> , 2001, 155, 1017-1028.	2.3	202
614	Upâ€regulation of the fibrogenic cytokine TGFâ€™ $\hat{1}^2$ by oxysterols: a mechanistic link between cholesterol and atherosclerosis. <i>FASEB Journal</i> , 2001, 15, 1619-1621.	0.2	65
615	Transcriptional Mechanisms of Bone Morphogenetic Protein-induced Osteoprotegerin Gene Expression. <i>Journal of Biological Chemistry</i> , 2001, 276, 10119-10125.	1.6	96
616	An Essential Role for Mad Homology Domain 1 in the Association of Smad3 with Histone Deacetylase Activity*. <i>Journal of Biological Chemistry</i> , 2001, 276, 22595-22603.	1.6	34
617	Blockade of TGF- $\hat{1}^2$ Signaling in T Cells Prevents the Development of Experimental Glomerulonephritis. <i>Journal of Immunology</i> , 2001, 166, 2818-2823.	0.4	50
618	Transcriptional regulation of the Drosophila gene zen by competing Smad and Brinker inputs. <i>Genes and Development</i> , 2001, 15, 340-351.	2.7	118
619	Epidermal Growth Factor Modulates Transforming Growth Factor Receptor Messenger RNA and Protein Levels in Hamster Preantral Follicles In Vitro1. <i>Biology of Reproduction</i> , 2001, 65, 847-854.	1.2	12
620	Smad Proteins and Hepatocyte Growth Factor Control Parallel Regulatory Pathways That Converge on $\hat{1}^2$ -Integrin To Promote Normal Liver Development. <i>Molecular and Cellular Biology</i> , 2001, 21, 5122-5131.	1.1	131
621	Overexpression of activin A in stage IV colorectal cancer. <i>Gut</i> , 2001, 49, 409-417.	6.1	87
622	Transforming Growth Factor- $\hat{1}^2$ Modulates Oxidatively Modified LDLâ€™Induced Expression of Adhesion Molecules. <i>Circulation Research</i> , 2001, 89, 1155-1160.	2.0	59

#	ARTICLE	IF	CITATIONS
623	Swift Is a Novel BRCT Domain Coactivator of Smad2 in Transforming Growth Factor \hat{I}^2 Signaling. <i>Molecular and Cellular Biology</i> , 2001, 21, 3901-3912.	1.1	46
624	Axin Facilitates Smad3 Activation in the Transforming Growth Factor \hat{I}^2 Signaling Pathway. <i>Molecular and Cellular Biology</i> , 2001, 21, 5132-5141.	1.1	157
625	Transforming growth factor-beta1 stimulates the production of insulin-like growth factor-I and insulin-like growth factor-binding protein-3 in human bone marrow stromal osteoblast progenitors. <i>Journal of Endocrinology</i> , 2001, 169, 549-561.	1.2	57
626	Phosphorylation of Smad7 at Ser-249 Does Not Interfere with Its Inhibitory Role in Transforming Growth Factor- \hat{I}^2 -dependent Signaling but Affects Smad7-dependent Transcriptional Activation. <i>Journal of Biological Chemistry</i> , 2001, 276, 14344-14349.	1.6	47
627	Peptide growth factors in the intestine. <i>European Journal of Gastroenterology and Hepatology</i> , 2001, 13, 763-770.	0.8	154
628	Is Smad3 a Major Player in Signal Transduction Pathways Leading to Fibrogenesis?. <i>Chest</i> , 2001, 120, S43-S47.	0.4	62
629	Decreased levels of precursor transforming growth factor \hat{I}^2 1 in human colorectal cancer. <i>International Journal of Molecular Medicine</i> , 2001, 7, 597.	1.8	1
630	Clinical and Molecular Genetic Features of Pulmonary Hypertension in Patients with Hereditary Hemorrhagic Telangiectasia. <i>New England Journal of Medicine</i> , 2001, 345, 325-334.	13.9	676
631	Mechanism for Mutational Inactivation of the Tumor Suppressor Smad2. <i>Molecular and Cellular Biology</i> , 2001, 21, 3302-3313.	1.1	34
632	Oncogenic Ras Represses Transforming Growth Factor- \hat{I}^2 /Smad Signaling by Degrading Tumor Suppressor Smad4. <i>Journal of Biological Chemistry</i> , 2001, 276, 29531-29537.	1.6	106
633	Transforming Growth Factor \hat{I}^2 1 (TGF- \hat{I}^2 1) Promotes Endothelial Cell Survival during In Vitro Angiogenesis via an Autocrine Mechanism Implicating TGF- \hat{I}^2 Signaling. <i>Molecular and Cellular Biology</i> , 2001, 21, 7218-7230.	1.1	192
634	Formation of a Stable Heterodimer between Smad2 and Smad4. <i>Journal of Biological Chemistry</i> , 2001, 276, 20688-20694.	1.6	65
635	Regulation of TGF- \hat{I}^2 Response During T Cell Activation Is Modulated by IL-10. <i>Journal of Immunology</i> , 2001, 167, 773-778.	0.4	158
636	Antagonistic Effects of Smad2 Versus Smad7 Are Sensitive to Their Expression Level during Tooth Development. <i>Journal of Biological Chemistry</i> , 2001, 276, 44163-44172.	1.6	30
637	Lefty Inhibits Receptor-regulated Smad Phosphorylation Induced by the Activated Transforming Growth Factor- \hat{I}^2 Receptor. <i>Journal of Biological Chemistry</i> , 2001, 276, 21397-21404.	1.6	76
638	Adenosine Deaminase Activity of Insect-derived Growth Factor Is Essential for Its Growth Factor Activity. <i>Journal of Biological Chemistry</i> , 2001, 276, 43761-43766.	1.6	26
639	Proteasomal Degradation of Smad1 Induced by Bone Morphogenetic Proteins. <i>Journal of Biological Chemistry</i> , 2001, 276, 46533-46543.	1.6	85
640	Highly Proliferative Booroola Sheep Have a Mutation in the Intracellular Kinase Domain of Bone Morphogenetic Protein IB Receptor (ALK-6) That Is Expressed in Both Oocytes and Granulosa Cells1. <i>Biology of Reproduction</i> , 2001, 64, 1225-1235.	1.2	475

#	ARTICLE	IF	CITATIONS
641	Sorting Nexin 6, a Novel SNX, Interacts with the Transforming Growth Factor- β Family of Receptor Serine-Threonine Kinases. <i>Journal of Biological Chemistry</i> , 2001, 276, 19332-19339.	1.6	119
642	Molecular mechanisms of TGF β antagonism by interferon γ and cyclosporine A in lung fibroblasts. <i>FASEB Journal</i> , 2001, 15, 797-806.	0.2	131
643	Transforming Growth Factor- β Inhibition of Insulin-like Growth Factor-binding Protein-5 Synthesis in Skeletal Muscle Cells Involves a c-Jun N-terminal Kinase-dependent Pathway. <i>Journal of Biological Chemistry</i> , 2001, 276, 46961-46967.	1.6	30
644	The Smad3 Protein Is Involved in TGF- β Inhibition of Class II Transactivator and Class II MHC Expression. <i>Journal of Immunology</i> , 2001, 167, 311-319.	0.4	69
645	Cross-talk between the p42/p44 MAP Kinase and Smad Pathways in Transforming Growth Factor β 1-induced Furin Gene Transactivation. <i>Journal of Biological Chemistry</i> , 2001, 276, 33986-33994.	1.6	112
646	Bone Morphogenetic Protein-2 Promotes Osteoblast Apoptosis through a Smad-independent, Protein Kinase C-dependent Signaling Pathway. <i>Journal of Biological Chemistry</i> , 2001, 276, 29028-29036.	1.6	158
647	Functional Roles for the Cytoplasmic Domain of the Type III Transforming Growth Factor β Receptor in Regulating Transforming Growth Factor β Signaling. <i>Journal of Biological Chemistry</i> , 2001, 276, 24627-24637.	1.6	123
648	Bone Morphogenetic Protein-2 Inhibits Serum Deprivation-induced Apoptosis of Neonatal Cardiac Myocytes through Activation of the Smad1 Pathway. <i>Journal of Biological Chemistry</i> , 2001, 276, 31133-31141.	1.6	82
649	Inactivation of menin, a Smad3-interacting protein, blocks transforming growth factor type β signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 3837-3842.	3.3	281
650	Repression of Dpp Targets by Binding of Brinker to Mad Sites. <i>Journal of Biological Chemistry</i> , 2001, 276, 18216-18222.	1.6	70
651	Mullerian Inhibiting Substance lowers testosterone in luteinizing hormone-stimulated rodents. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 3393-3397.	3.3	53
652	Identification and Characterization of a Smad2 Homologue from <i>Schistosoma mansoni</i> , a Transforming Growth Factor- β Signal Transducer. <i>Journal of Biological Chemistry</i> , 2001, 276, 10072-10082.	1.6	66
653	A Gene Expression Screen in Zebrafish Embryogenesis. <i>Genome Research</i> , 2001, 11, 1979-1987.	2.4	202
654	Caveolin-1 Regulates Transforming Growth Factor (TGF)- β /SMAD Signaling through an Interaction with the TGF- β Type I Receptor. <i>Journal of Biological Chemistry</i> , 2001, 276, 6727-6738.	1.6	585
655	Potential of Smad Transactivation by Jun Proteins during a Combined Treatment with Epidermal Growth Factor and Transforming Growth Factor- β in Rat Hepatocytes. <i>Journal of Biological Chemistry</i> , 2001, 276, 10524-10531.	1.6	33
656	Age-dependent activin receptor expression pinpoints activin A as a physiological regulator of rat Sertoli cell proliferation. <i>Molecular Human Reproduction</i> , 2001, 7, 1107-1114.	1.3	44
657	Cooperativity of Binding Epitopes and Receptor Chains in the BMP/TGF β Superfamily. <i>Biological Chemistry</i> , 2001, 382, 1189-1195.	1.2	75
658	Inhibition of eukaryote signal transduction components by plant defensive secondary metabolites. <i>Studies in Natural Products Chemistry</i> , 2001, 25, 513-564.	0.8	0

#	ARTICLE	IF	CITATIONS
659	TGF- β ; Receptors, Signaling Pathways and Autoimmunity. , 2001, 5, 62-91.		69
660	Transforming growth factor- β 1-induced Smad signaling, cell-cycle arrest and apoptosis in hepatoma cells. Carcinogenesis, 2001, 22, 447-452.	1.3	34
661	FKBP12, the 12-kDa FK506-binding protein, is a physiologic regulator of the cell cycle. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 2425-2430.	3.3	128
662	Identification of Novel TGF- β 2/Smad Gene Targets in Dermal Fibroblasts using a Combined cDNA Microarray/Promoter Transactivation Approach. Journal of Biological Chemistry, 2001, 276, 17058-17062.	1.6	575
663	The Serine/Threonine Transmembrane Receptor ALK2 Mediates Mullerian Inhibiting Substance Signaling. Molecular Endocrinology, 2001, 15, 936-945.	3.7	134
664	The transcription factor FoxH1 (FAST) mediates Nodal signaling during anterior-posterior patterning and node formation in the mouse. Genes and Development, 2001, 15, 1242-1256.	2.7	199
665	Identification of a Critical Sp1 Site within the Endoglin Promoter and Its Involvement in the Transforming Growth Factor- β 2 Stimulation. Journal of Biological Chemistry, 2001, 276, 34486-34494.	1.6	66
666	Conditional epidermal expression of TGF- β 1 blocks neonatal lethality but causes a reversible hyperplasia and alopecia. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 9139-9144.	3.3	85
667	Prolonged Effects of Acute Gamma Irradiation on Acetylcholine-Induced Potassium Currents in Human Umbilical Vein Endothelial Cells. Radiation Research, 2001, 155, 748-752.	0.7	0
668	Transforming Growth Factor (TGF)- β 21 Internalization. Journal of Biological Chemistry, 2001, 276, 27237-27245.	1.6	45
669	Characterization of a Novel KRAB/C2H2 Zinc Finger Transcription Factor Involved in Bone Development. Journal of Biological Chemistry, 2001, 276, 18282-18289.	1.6	79
670	1-(5-Oxoheptyl)-3,7-Dimethylxanthine, a Phosphodiesterase Inhibitor, Activates MAPK Cascades and Promotes Osteoblast Differentiation by a Mechanism Independent of PKA Activation (Pentoxifylline) Tj ETQq1 1 0.784314 rg33 /Overlo		
671	Von Hippel-Lindau Disease: Genetic and Clinical Observations. , 2001, 28, 131-166.		25
672	The orphan receptor ALK7 and the Activin receptor ALK4 mediate signaling by Nodal proteins during vertebrate development. Genes and Development, 2001, 15, 2010-2022.	2.7	273
673	Smad-mediated Transcription Is Required for Transforming Growth Factor- β 21-induced p57Kip2 Proteolysis in Osteoblastic Cells. Journal of Biological Chemistry, 2001, 276, 10700-10705.	1.6	51
674	Transforming Growth Factor β 2 Receptor Signaling and Endocytosis Are Linked through a COOH Terminal Activation Motif in the Type I Receptor. Molecular Biology of the Cell, 2001, 12, 2881-2893.	0.9	44
675	Smads, Tak1, and Their Common Target Atf-2 Play a Critical Role in Cardiomyocyte Differentiation. Journal of Cell Biology, 2001, 153, 687-698.	2.3	137
676	Re: Role of Transforming Growth Factor- β Signaling in Cancer. Journal of the National Cancer Institute, 2001, 93, 555-556.	3.0	7

#	ARTICLE	IF	CITATIONS
677	RESPONSE: Re: Role of Transforming Growth Factor- β Signaling in Cancer. Journal of the National Cancer Institute, 2001, 93, 556-557.	3.0	0
678	Ultraviolet Irradiation Blocks Cellular Responses to Transforming Growth Factor- β by Down-regulating Its Type-II Receptor and Inducing Smad7. Journal of Biological Chemistry, 2001, 276, 26349-26356.	1.6	154
679	Evidence for a Role of the JNK Cascade in Smad7-mediated Apoptosis. Journal of Biological Chemistry, 2001, 276, 36797-36803.	1.6	92
680	Microsatellite Instability of Endothelial Cell Growth and Apoptosis Genes Within Plexiform Lesions in Primary Pulmonary Hypertension. Circulation Research, 2001, 88, E2-E11.	2.0	219
681	The Activity of Guanine Exchange Factor NET1 Is Essential for Transforming Growth Factor- β -mediated Stress Fiber Formation. Journal of Biological Chemistry, 2001, 276, 15362-15368.	1.6	101
682	Mechanisms of Transforming Growth Factor- β Receptor Endocytosis and Intracellular Sorting Differ between Fibroblasts and Epithelial Cells. Molecular Biology of the Cell, 2001, 12, 675-684.	0.9	51
683	A Novel Mechanism for Regulating Transforming Growth Factor β (TGF- β) Signaling. Journal of Biological Chemistry, 2001, 276, 39608-39617.	1.6	169
684	Ligand Binding and Functional Properties of Betaglycan, a Co-receptor of the Transforming Growth Factor- β Superfamily. Journal of Biological Chemistry, 2001, 276, 14588-14596.	1.6	138
685	Functional Characterization of Transforming Growth Factor β Signaling in Smad2- and Smad3-deficient Fibroblasts. Journal of Biological Chemistry, 2001, 276, 19945-19953.	1.6	367
686	Patterning and lineage specification in the amphibian embryo. Current Topics in Developmental Biology, 2001, 51, 1-67.	1.0	42
687	The Booroola (FecB) phenotype is associated with a mutation in the bone morphogenetic receptor type 1 B (BMPRIB) gene. Journal of Endocrinology, 2001, 169, R1-R6.	1.2	343
688	cfos and cjun antisense oligonucleotides block mitogenesis triggered by fibroblast growth factor-2 and ACTH in mouse Y1 adrenocortical cells. Journal of Endocrinology, 2001, 168, 381-389.	1.2	27
689	Cloning and Characterization of a Novel Protein Kinase That Impairs Osteoblast Differentiation in Vitro. Journal of Biological Chemistry, 2001, 276, 42213-42218.	1.6	55
690	Cross-talk between Transforming Growth Factor- β and Estrogen Receptor Signaling through Smad3. Journal of Biological Chemistry, 2001, 276, 42908-42914.	1.6	226
691	Real-time Monitoring of the Interactions of Transforming Growth Factor- β (TGF- β) Isoforms with Latency-associated Protein and the Ectodomains of the TGF- β Type II and III Receptors Reveals Different Kinetic Models and Stoichiometries of Binding. Journal of Biological Chemistry, 2001, 276, 29632-29643.	1.6	81
692	Usual Interstitial Pneumonia. Seminars in Respiratory and Critical Care Medicine, 2001, 22, 357-386.	0.8	34
693	Histone Acetylation / Deacetylation and Cancer: An Open and Shut Case?. Current Molecular Medicine, 2001, 1, 401-429.	0.6	87
695	Evidence that TGF β 2 May Directly Modulate POMC mRNA Expression in the Female Rat Arcuate Nucleus. Endocrinology, 2001, 142, 4055-4065.	1.4	17

#	ARTICLE	IF	CITATIONS
696	Müllerian Inhibiting Substance Signaling Uses a Bone Morphogenetic Protein (BMP)-Like Pathway Mediated by ALK2 and Induces Smad6 Expression. <i>Molecular Endocrinology</i> , 2001, 15, 946-959.	3.7	148
697	Activins and Inhibins in Endocrine and Other Tumors. <i>Endocrine Reviews</i> , 2001, 22, 836-858.	8.9	170
698	A Novel Role for Bone Morphogenetic Proteins in the Synthesis of Follicle-Stimulating Hormone*. <i>Endocrinology</i> , 2001, 142, 2275-2283.	1.4	89
699	Smad Interactors in Bone Morphogenetic Protein Signaling. , 2001, 177, 163-178.		3
700	Development and Application of Expressed Protein Ligation. <i>Synlett</i> , 2001, 2001, 0733-0740.	1.0	14
701	Cytokine Receptors and Signaling in Hepatic Stellate Cells. <i>Seminars in Liver Disease</i> , 2001, 21, 397-416.	1.8	397
702	Activation of the TGF- β^2 /Activin-Smad2 Pathway during Allergic Airway Inflammation. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2001, 25, 60-68.	1.4	121
703	Regulation and Actions of Smad7 in the Modulation of Activin, Inhibin, and Transforming Growth Factor- β^2 Signaling in Anterior Pituitary Cells1. <i>Endocrinology</i> , 2001, 142, 1065-1072.	1.4	42
704	Identification of Specific Inhibin A-Binding Proteins on Mouse Leydig (TM3) and Sertoli (TM4) Cell Lines*. <i>Endocrinology</i> , 2001, 142, 1393-1402.	1.4	36
705	Autosomal Recessive Segregation of a Truncating Mutation of Anti-Müllerian Type II Receptor in a Family Affected by the Persistent Müllerian Duct Syndrome Contrasts with Its Dominant Negative Activity in Vitro. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4390-4397.	1.8	20
706	Induction and Regulation of Crown Dentinogenesis: Embryonic Events as a Template for Dental Tissue Repair?. <i>Critical Reviews in Oral Biology and Medicine</i> , 2001, 12, 425-437.	4.4	219
707	Molecular Regulation of Lung Development. <i>Annual Review of Physiology</i> , 2001, 63, 471-494.	5.6	229
708	Therapeutic potential of bone morphogenetic proteins. <i>Expert Opinion on Investigational Drugs</i> , 2001, 10, 1677-1686.	1.9	14
709	Minireview: Sex Differentiation. <i>Endocrinology</i> , 2001, 142, 3281-3287.	1.4	128
710	Matrix GLA Protein, a Regulatory Protein for Bone Morphogenetic Protein-2. <i>Journal of Biological Chemistry</i> , 2002, 277, 4388-4394.	1.6	308
711	Pathogenesis of Oral Cancer. <i>Critical Reviews in Oral Biology and Medicine</i> , 2002, 13, 350-365.	4.4	594
712	Role of TGF- β^1 -like factors in the embryonic development of the mollusc <i>Viviparus ater</i> (Gastropoda). <i>Invertebrate Reproduction and Development</i> , 2002, 42, 157-162.	0.3	1
713	When cell biology meets development: endocytic regulation of signaling pathways. <i>Genes and Development</i> , 2002, 16, 1314-1336.	2.7	194

#	ARTICLE	IF	CITATIONS
714	Transient Disruption of Autocrine TGF- β 2 Signaling Leads to Enhanced Survival and Proliferation Potential in Single Primitive Human Hemopoietic Progenitor Cells. <i>Journal of Immunology</i> , 2002, 168, 755-762.	0.4	46
715	Betaglycan Inhibits TGF- β 2 Signaling by Preventing Type I-Type II Receptor Complex Formation. <i>Journal of Biological Chemistry</i> , 2002, 277, 823-829.	1.6	124
716	Non-malignant and Tumor-derived Cells Differ in Their Requirement for p27Kip1 in Transforming Growth Factor- β 2-mediated G1 Arrest. <i>Journal of Biological Chemistry</i> , 2002, 277, 41686-41692.	1.6	18
717	Smurf1 Regulates the Inhibitory Activity of Smad7 by Targeting Smad7 to the Plasma Membrane. <i>Journal of Biological Chemistry</i> , 2002, 277, 39919-39925.	1.6	162
718	Integration of Runx and Smad regulatory signals at transcriptionally active subnuclear sites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 8048-8053.	3.3	189
719	Differential Modulation of Androgen Receptor-mediated Transactivation by Smad3 and Tumor Suppressor Smad4. <i>Journal of Biological Chemistry</i> , 2002, 277, 43749-43756.	1.6	93
720	The Human Papilloma Virus E7 Oncoprotein Inhibits Transforming Growth Factor- β 2 Signaling by Blocking Binding of the Smad Complex to Its Target Sequence. <i>Journal of Biological Chemistry</i> , 2002, 277, 38557-38564.	1.6	83
721	Chapter 5 Role of cytokines in skeletal muscle growth and differentiation. <i>Advances in Developmental Biology and Biochemistry</i> , 2002, 11, 97-126.	0.3	1
722	Dynamics-modulated Biological Activity of Transforming Growth Factor β 23. <i>Journal of Biological Chemistry</i> , 2002, 277, 46273-46279.	1.6	35
723	Disrupting the IL-4 gene rescues mice homozygous for the tight-skin mutation from embryonic death and diminishes TGF- β 2 production by fibroblasts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 3800-3805.	3.3	107
724	Transforming Growth Factor- β 2 Inhibits Pulmonary Surfactant Protein B Gene Transcription through SMAD3 Interactions with NKX2.1 and HNF-3 Transcription Factors. <i>Journal of Biological Chemistry</i> , 2002, 277, 38399-38408.	1.6	65
725	The Expression of novH in Adrenocortical Cells Is Down-regulated by TGF β 21 through c-Jun in a Smad-independent Manner. <i>Journal of Biological Chemistry</i> , 2002, 277, 41220-41229.	1.6	37
726	Transforming Growth Factor β 2 (TGF β 2) Signaling via Differential Activation of Activin Receptor-like Kinases 2 and 5 during Cardiac Development. <i>Journal of Biological Chemistry</i> , 2002, 277, 50183-50189.	1.6	14
727	Functional Analysis of Cathepsin B-like Cysteine Proteases from <i>Leishmania donovani</i> Complex. <i>Journal of Biological Chemistry</i> , 2002, 277, 25305-25312.	1.6	92
728	Differential, Tissue-specific, Transcriptional Regulation of Apolipoprotein B Secretion by Transforming Growth Factor β 2. <i>Journal of Biological Chemistry</i> , 2002, 277, 39515-39524.	1.6	27
729	Vascular Smooth Muscle β -Actin Gene Transcription during Myofibroblast Differentiation Requires Sp1/3 Protein Binding Proximal to the MCAT Enhancer. <i>Journal of Biological Chemistry</i> , 2002, 277, 36433-36442.	1.6	63
730	Smad4/DPC4-dependent Regulation of Biglycan Gene Expression by Transforming Growth Factor- β 2 in Pancreatic Tumor Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 36118-36128.	1.6	70
731	Myostatin is an inhibitor of myogenic differentiation. <i>American Journal of Physiology - Cell Physiology</i> , 2002, 282, C993-C999.	2.1	256

#	ARTICLE	IF	CITATIONS
732	Smad 3 May Regulate Follicular Growth in the Mouse Ovary1. <i>Biology of Reproduction</i> , 2002, 66, 917-923.	1.2	74
733	PRESIDENTIAL ADDRESS*SEX AND SCHISTOSOMES: AN INTERESTING BIOLOGICAL INTERPLAY WITH CONTROL IMPLICATIONS. <i>Journal of Parasitology</i> , 2002, 88, 3-13.	0.3	54
734	Bone abnormalities in latent TGF- β 2 binding protein (Ltbp)-3 α null mice indicate a role for Ltbp-3 in modulating TGF- β 2 bioavailability. <i>Journal of Cell Biology</i> , 2002, 156, 227-232.	2.3	200
735	Transforming Growth Factor- β 1 Regulates Kir2.3 Inward Rectifier K+ Channels via Phospholipase C and Protein Kinase C- ζ in Reactive Astrocytes from Adult Rat Brain. <i>Journal of Biological Chemistry</i> , 2002, 277, 1974-1980.	1.6	56
736	Human T-cell Lymphotropic Virus Type 1 Tax Inhibits Transforming Growth Factor- β 2 Signaling by Blocking the Association of Smad Proteins with Smad-binding Element. <i>Journal of Biological Chemistry</i> , 2002, 277, 33766-33775.	1.6	79
737	Regulation of Hex Gene Expression by a Smads-dependent Signaling Pathway. <i>Journal of Biological Chemistry</i> , 2002, 277, 45435-45441.	1.6	43
738	Smad3 deficiency attenuates bleomycin-induced pulmonary fibrosis in mice. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2002, 282, L585-L593.	1.3	358
739	Deficient R-smad/smud4 complex formation in fibroblasts growth-stimulated by TGF- β 1. <i>International Journal of Oncology</i> , 2002, 20, 803.	1.4	2
740	Regulation of colony-stimulating factor-induced human myelopoiesis by transforming growth factor- β 2 isoforms. <i>Cytokines, Cellular & Molecular Therapy</i> , 2002, 7, 31-36.	0.3	7
741	TGF β 3-induced activation of RhoA/Rho-kinase pathway is necessary but not sufficient for epithelio-mesenchymal transdifferentiation: Implications for palatogenesis. <i>International Journal of Molecular Medicine</i> , 2002, 9, 563.	1.8	10
742	Transforming growth factor- β 1 transcriptionally activates CD34 and prevents induced differentiation of TF-1 cells in the absence of any cell-cycle effects. <i>Leukemia</i> , 2002, 16, 94-105.	3.3	28
743	Epstein-Barr Virus BZLF1 Gene Is Activated by Transforming Growth Factor- β 2 through Cooperativity of Smads and c-Jun/c-Fos Proteins. <i>Journal of Biological Chemistry</i> , 2002, 277, 23345-23357.	1.6	60
744	Phorbol Ester Activation of a Proteolytic Cascade Capable of Activating Latent Transforming Growth Factor- β 2. <i>Journal of Biological Chemistry</i> , 2002, 277, 14829-14837.	1.6	83
745	Up-regulated Transcriptional Repressors SnoN and Ski Bind Smad Proteins to Antagonize Transforming Growth Factor- β 2 Signals during Liver Regeneration. <i>Journal of Biological Chemistry</i> , 2002, 277, 28483-28490.	1.6	88
746	c-Jun Associates with the Oncoprotein Ski and Suppresses Smad2 Transcriptional Activity. <i>Journal of Biological Chemistry</i> , 2002, 277, 29094-29100.	1.6	45
747	Bone Morphogenetic Protein Receptor 2 Mutations in Pulmonary Hypertension. <i>Chest</i> , 2002, 121, 50S-53S.	0.4	22
748	Genetic Analysis of the Mammalian Transforming Growth Factor- β 2 Superfamily. <i>Endocrine Reviews</i> , 2002, 23, 787-823.	8.9	710
750	Survival and Cell Cycle Control in Early Hematopoiesis: Role of Bcl-2, and the Cyclin Dependent Kinase Inhibitors P27 and P21. <i>Leukemia and Lymphoma</i> , 2002, 43, 51-57.	0.6	21

#	ARTICLE	IF	CITATIONS
751	Transforming Growth Factor- β 2 Stabilizes Elastin mRNA by a Pathway Requiring Active Smads, Protein Kinase C- δ , and p38. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2002, 26, 183-188.	1.4	109
752	The Distribution of Betaglycan Protein and mRNA in Rat Brain, Pituitary, and Gonads: Implications for a Role for Betaglycan in Inhibin-Mediated Reproductive Functions. <i>Endocrinology</i> , 2002, 143, 1066-1075.	1.4	72
753	Interleukin-4 and Interleukin-13 Enhanced Transforming Growth Factor- β 2 Production in Cultured Human Bronchial Epithelial Cells Is Attenuated by Interferon- γ . <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2002, 26, 484-490.	1.4	84
754	Localization of the Activin Signal Transduction Components in Normal Human Ovarian Follicles: Implications for Autocrine and Paracrine Signaling in the Ovary. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 2644-2657.	1.8	92
755	Cross-Talk between Bone Morphogenic Proteins and Estrogen Receptor Signaling. <i>Endocrinology</i> , 2002, 143, 2635-2642.	1.4	91
756	Downregulation of IL-6-induced STAT3 tyrosine phosphorylation by TGF- β 1 is mediated by caspase-dependent and -independent processes. <i>Leukemia</i> , 2002, 16, 675-682.	3.3	23
757	Internalization-Dependent and -Independent Requirements for Transforming Growth Factor β Receptor Signaling via the Smad Pathway. <i>Molecular and Cellular Biology</i> , 2002, 22, 4750-4759.	1.1	177
758	Implication of Transforming Growth Factor- β 1 in Chagas Disease Myocardiopathy. <i>Journal of Infectious Diseases</i> , 2002, 186, 1823-1828.	1.9	70
759	Identification and Functional Characterization of Distinct Critically Important Bone Morphogenetic Protein-specific Response Elements in the Id1 Promoter. <i>Journal of Biological Chemistry</i> , 2002, 277, 4883-4891.	1.6	771
760	PPAR δ Inhibits TGF- β -Induced β 5 Integrin Transcription in Vascular Smooth Muscle Cells by Interacting With Smad4. <i>Circulation Research</i> , 2002, 91, e35-44.	2.0	62
761	Immunohistochemical Localization of Osteogenetic Protein (OP-1) and Its Receptors in Rabbit Articular Cartilage. <i>Journal of Histochemistry and Cytochemistry</i> , 2002, 50, 1341-1349.	1.3	20
762	Modulation of Growth Factor/Cytokine Synthesis and Signaling by 1 α ,25-Dihydroxyvitamin D3: Implications in Cell Growth and Differentiation. <i>Endocrine Reviews</i> , 2002, 23, 763-786.	8.9	147
763	Amino acids 67 and 68 of transforming growth factor- β 2 regulate binding to a glycosyl phosphatidyl inositol-linked membrane protein on vascular endothelial cells. <i>Cytokines, Cellular & Molecular Therapy</i> , 2002, 7, 25-30.	0.3	5
764	Regulation of ALK-1 Signaling by the Nuclear Receptor LXR β . <i>Journal of Biological Chemistry</i> , 2002, 277, 50788-50794.	1.6	25
765	N -Acetyl-Ser-Asp-Lys-Pro Inhibits Phosphorylation of Smad2 in Cardiac Fibroblasts. <i>Hypertension</i> , 2002, 40, 155-161.	1.3	58
766	Role of Raf-1 and FAK in cell density-dependent regulation of integrin-dependent activation of MAP kinase. <i>Carcinogenesis</i> , 2002, 23, 1251-1258.	1.3	28
767	The Developmentally Regulated Expression of Twisted Gastrulation Reveals a Role for Bone Morphogenetic Proteins in the Control of T Cell Development. <i>Journal of Experimental Medicine</i> , 2002, 196, 163-171.	4.2	75
768	Mechanisms of Aldosterone Action in Brain and Behavior. , 2002, , 627-642.		0

#	ARTICLE	IF	CITATIONS
769	Modulation of Thrombomodulin-dependent Activation of Human Protein C through Differential Expression of Endothelial Smads. <i>Journal of Biological Chemistry</i> , 2002, 277, 49815-49819.	1.6	27
770	Expression of transforming growth factor β -like molecules in normal and regenerating arms of the crinoid <i>Antedon mediterranea</i> : immunocytochemical and biochemical evidence. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2002, 269, 1741-1747.	1.2	22
771	Role of Smad1 and Smad4 proteins in the induction of p21 ^{WAF1} , Cip1 during bone morphogenetic protein-induced growth arrest in human breast cancer cells. <i>Journal of Endocrinology</i> , 2002, 172, 187-198.	1.2	75
772	Requirement of Mitogen-activated Protein Kinase Kinase 3 (MKK3) for Activation of p38 β and p38 δ MAPK Isoforms by TGF- β 1 in Murine Mesangial Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 47257-47262.	1.6	89
773	Functions of Transforming Growth Factor- β Family Type I Receptors and Smad Proteins in the Hypertrophic Maturation and Osteoblastic Differentiation of Chondrocytes. <i>Journal of Biological Chemistry</i> , 2002, 277, 33545-33558.	1.6	116
774	Transforming Growth Factor- β Regulates Stearoyl Coenzyme A Desaturase Expression through a Smad Signaling Pathway. <i>Journal of Biological Chemistry</i> , 2002, 277, 59-66.	1.6	33
775	Context-specific Effects of Fibulin-5 (DANCE/EVEC) on Cell Proliferation, Motility, and Invasion. <i>Journal of Biological Chemistry</i> , 2002, 277, 27367-27377.	1.6	141
776	Dual Roles of Cripto as a Ligand and Coreceptor in the Nodal Signaling Pathway. <i>Molecular and Cellular Biology</i> , 2002, 22, 4439-4449.	1.1	188
777	Functional Heterogeneity of Bone Morphogenetic Protein Receptor-II Mutants Found in Patients with Primary Pulmonary Hypertension. <i>Molecular Biology of the Cell</i> , 2002, 13, 3055-3063.	0.9	121
778	A Nuclear Antagonistic Mechanism of Inhibitory Smads in Transforming Growth Factor- β Signaling. <i>Journal of Biological Chemistry</i> , 2002, 277, 4176-4182.	1.6	97
779	Effect of Transforming Growth Factor β on the Expression of Luteinizing Hormone Receptor in Cultured Rat Granulosa Cells. <i>Biology of Reproduction</i> , 2002, 67, 610-615.	1.2	25
780	Bone defects in latent TGF-beta binding protein (Ltbp)-3 null mice; a role for Ltbp in TGF-beta presentation. <i>Journal of Endocrinology</i> , 2002, 175, 129-141.	1.2	64
781	Stoichiometry of Active Smad-Transcription Factor Complexes on DNA. <i>Journal of Biological Chemistry</i> , 2002, 277, 51008-51016.	1.6	74
782	Smad2 Mediates Transforming Growth Factor- β Induction of Endothelial Nitric Oxide Synthase Expression. <i>Circulation Research</i> , 2002, 91, 806-813.	2.0	78
783	Expression Pattern, Regulation, and Biological Role of Runt Domain Transcription Factor, runx1, in <i>Caenorhabditis elegans</i> . <i>Molecular and Cellular Biology</i> , 2002, 22, 547-554.	1.1	56
784	Transforming Growth Factor- β Induction of Smooth Muscle Cell Phenotype Requires Transcriptional and Post-transcriptional Control of Serum Response Factor. <i>Journal of Biological Chemistry</i> , 2002, 277, 6287-6295.	1.6	80
785	Differential expression of TGF- β isoforms by normal and inflammatory bowel disease intestinal myofibroblasts. <i>American Journal of Physiology - Cell Physiology</i> , 2002, 282, C172-C182.	2.1	133
786	Regulation of Transforming Growth Factor- β Signaling and Vascular Diseases. <i>Cornea</i> , 2002, 21, S48-S53.	0.9	7

#	ARTICLE	IF	CITATIONS
787	Receptor biology and intracellular regulatory mechanisms in pancreatic acinar cells. <i>Current Opinion in Gastroenterology</i> , 2002, 18, 529-535.	1.0	14
788	Vitamin D as immunomodulatory therapy for kidney transplantation ¹ . <i>Transplantation</i> , 2002, 74, 1204-1206.	0.5	45
789	Pathogenesis of fibrosis: role of TGF- β 2 and CTGF. <i>Current Opinion in Rheumatology</i> , 2002, 14, 681-685.	2.0	290
790	Cell Signaling Pathways in Pancreatic Cancer. , 2002, , 47-61.		0
791	Cyclosporine A up-regulates the expression of TGF-beta1 and its receptors type I and type II in rat mesangial cells. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 1568-1577.	0.4	44
792	Molecular mechanism of transforming growth factor β 2-mediated cell-cycle modulation in primary human CD34+ progenitors. <i>Blood</i> , 2002, 99, 499-506.	0.6	34
793	Adapting a transforming growth factor β 2-related tumor protection strategy to enhance antitumor immunity. <i>Blood</i> , 2002, 99, 3179-3187.	0.6	310
794	Phosphorylation of a novel zinc-finger-like protein, ZPR9, by murine protein serine/threonine kinase 38 (MPK38). <i>Biochemical Journal</i> , 2002, 361, 597.	1.7	33
795	Decorin suppresses transforming growth factor- β 2-induced expression of plasminogen activator inhibitor-1 in human mesangial cells through a mechanism that involves Ca ²⁺ -dependent phosphorylation of Smad2 at serine-240. <i>Biochemical Journal</i> , 2002, 362, 643.	1.7	45
796	Phosphorylation of a novel zinc-finger-like protein, ZPR9, by murine protein serine/threonine kinase 38 (MPK38). <i>Biochemical Journal</i> , 2002, 361, 597-604.	1.7	46
797	Title is missing!. <i>Kagaku To Seibutsu</i> , 2002, 40, 570-577.	0.0	0
798	Transforming Growth Factor- β 2 Signal Transduction and Progressive Renal Disease¹. <i>Experimental Biology and Medicine</i> , 2002, 227, 943-956.	1.1	99
799	TGF-beta1 regulates TGF-beta1 and FGF-2 mRNA expression during fibroblast wound healing. <i>Journal of Clinical Pathology</i> , 2002, 55, 164-176.	2.1	50
800	Preserving the Vital Pulp in Operative Dentistry: 1. A Biological Approach. <i>Dental Update</i> , 2002, 29, 64-69.	0.1	19
801	Excessive Transcription of the Human Serum and Glucocorticoid Dependent Kinase hSGK1 in Lung Fibrosis. <i>Cellular Physiology and Biochemistry</i> , 2002, 12, 135-142.	1.1	59
802	Regulation of Cell Proliferation, Apoptosis, and Carcinogenesis by Activin. <i>Experimental Biology and Medicine</i> , 2002, 227, 75-87.	1.1	196
803	Extracellular and Cytoplasmic Domains of Endoglin Interact with the Transforming Growth Factor- β 2 Receptors I and II. <i>Journal of Biological Chemistry</i> , 2002, 277, 29197-29209.	1.6	193
804	Activins, Inhibins, and Follistatins: From Endocrinology to Signaling. A Paradigm for the New Millennium. <i>Experimental Biology and Medicine</i> , 2002, 227, 724-752.	1.1	283

#	ARTICLE	IF	CITATIONS
805	DLPC decreases TGF- β 1-induced collagen mRNA by inhibiting p38 MAPK in hepatic stellate cells. <i>American Journal of Physiology - Renal Physiology</i> , 2002, 283, G1051-G1061.	1.6	63
806	Decreased Smad 7 expression contributes to cardiac fibrosis in the infarcted rat heart. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 282, H1685-H1696.	1.5	134
807	TGF- β /BMP signaling in cartilage and bone cells. <i>Current Opinion in Orthopaedics</i> , 2002, 13, 368-374.	0.3	3
808	Reversible increase of serum activin A levels in women with Graves's™ disease. <i>Journal of Endocrinological Investigation</i> , 2002, 25, 967-970.	1.8	2
809	Efficient Semisynthesis of a Tetraphosphorylated Analogue of the Type I TGF β 2 Receptor. <i>Organic Letters</i> , 2002, 4, 165-168.	2.4	55
810	Inhibition of Transforming Growth Factor- β Signaling by Low Molecular Weight Compounds Interfering with ATP- or Substrate-Binding Sites of the TGF β 2 Type I Receptor Kinase. <i>Biochemistry</i> , 2002, 41, 11000-11007.	1.2	51
811	Anterior-Posterior Patterning of the Mouse Body Axis at Gastrulation. , 2002, , 37-53.		3
812	Expression of the grape dihydroflavonol reductase gene and analysis of its promoter region. <i>Journal of Experimental Botany</i> , 2002, 53, 1397-1409.	2.4	111
813	Independent Regulation of Transforming Growth Factor- β 1 Transcription and Translation by Glucose and Platelet-Derived Growth Factor. <i>American Journal of Pathology</i> , 2002, 161, 1039-1049.	1.9	63
814	Smad4 Overexpression Causes Germ Cell Ablation and Leydig Cell Hyperplasia in Transgenic Mice. <i>American Journal of Pathology</i> , 2002, 161, 1723-1734.	1.9	28
815	Receptor Kinase Signaling in Plant Development. <i>Annual Review of Cell and Developmental Biology</i> , 2002, 18, 163-192.	4.0	238
816	Overexpression of BMP-2 Modulates Morphology, Growth, and Gene Expression in Osteoblastic Cells. <i>Experimental Cell Research</i> , 2002, 274, 226-234.	1.2	52
817	Bone Morphogenetic Protein-7 (OP1) and Transforming Growth Factor- β 1 Modulate 1,25(OH) $_2$ -Vitamin D3-Induced Differentiation of Human Osteoblasts. <i>Experimental Cell Research</i> , 2002, 275, 132-142.	1.2	18
818	TGF β 2 Mediates Rapid Inhibition of Calcium Influx in Identified Cholinergic Basal Forebrain Neurons. <i>Biochemical and Biophysical Research Communications</i> , 2002, 290, 1321-1327.	1.0	14
819	Cooperative Action of ADMP- and BMP-Mediated Pathways in Regulating Cell Fates in the Zebrafish Gastrula. <i>Developmental Biology</i> , 2002, 241, 59-78.	0.9	45
820	Regulation of Nodal Signalling and Mesendoderm Formation by TARAM-A, a TGF β 2-Related Type I Receptor. <i>Developmental Biology</i> , 2002, 241, 273-288.	0.9	54
821	Endogenous Patterns of BMP Signaling during Early Chick Development. <i>Developmental Biology</i> , 2002, 244, 44-65.	0.9	146
822	lon-1 Regulates <i>Caenorhabditis elegans</i> Body Size Downstream of the dbl-1 TGF β 2 Signaling Pathway. <i>Developmental Biology</i> , 2002, 246, 418-428.	0.9	61

#	ARTICLE	IF	CITATIONS
823	Developmental Signaling in Hydra: What Does It Take to Build a “Simple” Animal?. <i>Developmental Biology</i> , 2002, 248, 199-219.	0.9	129
824	Forkhead Transcription Factors: Key Players in Development and Metabolism. <i>Developmental Biology</i> , 2002, 250, 1-23.	0.9	790
825	Maternally Supplied Smad5 Is Required for Ventral Specification in Zebrafish Embryos Prior to Zygotic Bmp Signaling. <i>Developmental Biology</i> , 2002, 250, 263-279.	0.9	64
826	BMP Pathways Are Involved in Otic Capsule Formation and Epithelial-Mesenchymal Signaling in the Developing Chicken Inner Ear. <i>Developmental Biology</i> , 2002, 251, 380-394.	0.9	79
827	Recruitment and development of the follicle; the roles of the transforming growth factor- β^2 superfamily. <i>Molecular and Cellular Endocrinology</i> , 2002, 191, 35-43.	1.6	158
828	Artificial mammalian gene regulation networks—novel approaches for gene therapy and bioengineering. <i>Journal of Biotechnology</i> , 2002, 98, 161-187.	1.9	56
829	The Proliferation of Drosophila in Cancer Research: A System for the Functional Characterization of Tumor Suppressors and Oncogenes. <i>Cancer Investigation</i> , 2002, 20, 531-556.	0.6	2
830	Molecular cloning of a full-length cDNA for ECBP21 from. <i>Science Bulletin</i> , 2002, 47, 1100.	1.7	2
831	Bone Morphogenetic Protein (BMP)-2 Induces Apoptosis in Human Myeloma Cells. <i>Leukemia and Lymphoma</i> , 2002, 43, 635-639.	0.6	54
832	Brassinosteroids Plant counterparts to animal steroid hormones?. <i>Vitamins and Hormones</i> , 2002, 65, 195-223.	0.7	32
833	Transforming Growth Factor- β^2 Increases the Expression of Aminopeptidase N/CD13 mRNA and Protein in Monocytes and Monocytic Cell Lines. , 2000, 477, 49-56.		14
834	Mechanisms of Photoaging and Chronological Skin Aging. <i>Archives of Dermatology</i> , 2002, 138, 1462-70.	1.7	1,352
835	Hyaluronan Promotes Signaling Interaction between CD44 and the Transforming Growth Factor β^2 Receptor I in Metastatic Breast Tumor Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 39703-39712.	1.6	204
836	RRR- α -Tocopheryl Succinate Induction of DNA Synthesis Arrest of Human MDA-MB-435 Cells Involves TGF- β^2 -Independent Activation of p21Waf1/Cip1. <i>Nutrition and Cancer</i> , 2002, 43, 227-236.	0.9	26
837	Factors That Modulate the Effects of Bone Morphogenetic Protein-Induced Periodontal Regeneration: A Critical Review. <i>Journal of Periodontology</i> , 2002, 73, 925-936.	1.7	83
838	E2F4/5 and p107 as Smad Cofactors Linking the TGF β^2 Receptor to c-myc Repression. <i>Cell</i> , 2002, 110, 19-32.	13.5	443
839	BAK1, an Arabidopsis LRR Receptor-like Protein Kinase, Interacts with BRI1 and Modulates Brassinosteroid Signaling. <i>Cell</i> , 2002, 110, 213-222.	13.5	1,231
840	Structural Mechanism of Smad4 Recognition by the Nuclear Oncoprotein Ski. <i>Cell</i> , 2002, 111, 357-367.	13.5	200

#	ARTICLE	IF	CITATIONS
841	Restoration of TGF- β 2 regulation of plasminogen activator inhibitor-1 in Smad3-restituted human choriocarcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2002, 294, 1079-1086.	1.0	21
842	Transforming growth factor- β 2-induced transcription of the Alzheimer β -amyloid precursor protein gene involves interaction between the CTCF-complex and Smads. <i>Biochemical and Biophysical Research Communications</i> , 2002, 295, 713-723.	1.0	58
843	Transforming growth factor- β 1 modulates matrix metalloproteinase-9 production through the Ras/MAPK signaling pathway in transformed keratinocytes. <i>Biochemical and Biophysical Research Communications</i> , 2002, 296, 267-273.	1.0	84
844	Endogenous receptor for melanin-concentrating hormone in human neuroblastoma Kelly cells. <i>Biochemical and Biophysical Research Communications</i> , 2002, 298, 54-59.	1.0	9
845	Transcriptional regulation of Xbr-1a/Xvent-2 homeobox gene: analysis of its promoter region. <i>Biochemical and Biophysical Research Communications</i> , 2002, 298, 815-823.	1.0	13
846	Inhibition of PI3K/p70 S6K and p38 MAPK cascades increases osteoblastic differentiation induced by BMP-2. <i>FEBS Letters</i> , 2002, 510, 99-104.	1.3	118
847	Phosphorylation regulation of the interaction between Smad7 and activin type I receptor. <i>FEBS Letters</i> , 2002, 519, 93-98.	1.3	20
848	Co-evolutionary Analysis Reveals Insights into Protein-Protein Interactions. <i>Journal of Molecular Biology</i> , 2002, 324, 177-192.	2.0	167
849	The nodal target gene Xmenf is a component of an FGF-independent pathway of ventral mesoderm induction in <i>Xenopus</i> . <i>Mechanisms of Development</i> , 2002, 118, 45-56.	1.7	13
850	Extraction and purification of decorin from corneal stroma retain structure and biological activity. <i>Protein Expression and Purification</i> , 2002, 25, 389-399.	0.6	22
851	A DNA microarray study of nitric oxide-induced genes in mouse hepatocytes: implications for hepatic heme oxygenase-1 expression in ischemia/reperfusion. <i>Nitric Oxide - Biology and Chemistry</i> , 2002, 7, 165-186.	1.2	60
852	Research progress in the stimulatory inputs regulating growth hormone (GH) secretion. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2002, 132, 141-150.	0.7	16
853	Smad2 Nucleocytoplasmic Shuttling by Nucleoporins CAN/Nup214 and Nup153 Feeds TGF β 2 Signaling Complexes in the Cytoplasm and Nucleus. <i>Molecular Cell</i> , 2002, 10, 271-282.	4.5	229
854	Brassinosteroid Signal Transduction. <i>Molecular Cell</i> , 2002, 10, 973-982.	4.5	125
855	wishful thinking Encodes a BMP Type II Receptor that Regulates Synaptic Growth in <i>Drosophila</i> . <i>Neuron</i> , 2002, 33, 545-558.	3.8	469
856	The <i>Drosophila</i> BMP Type II Receptor Wishful Thinking Regulates Neuromuscular Synapse Morphology and Function. <i>Neuron</i> , 2002, 33, 529-543.	3.8	297
857	Expression of endoglin in human mesangial cells: modulation of extracellular matrix synthesis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2002, 1587, 36-44.	1.8	66
858	UV-light-induced signal cascades and skin aging. <i>Ageing Research Reviews</i> , 2002, 1, 705-720.	5.0	784

#	ARTICLE	IF	CITATIONS
859	Role of profibrogenic cytokines secreted by T cells in fibrotic processes in scleroderma. <i>Autoimmunity Reviews</i> , 2002, 1, 174-181.	2.5	26
860	The systemic paradigm and its relevance to the modelling of biological functions. <i>Comptes Rendus - Biologies</i> , 2002, 325, 419-430.	0.1	4
861	Bone morphogenetic proteins. <i>Oral and Maxillofacial Surgery Clinics of North America</i> , 2002, 14, 1-14.	0.4	10
862	Antagonism of glucocorticoid receptor transactivity and cell growth inhibition by transforming growth factor- β^2 through AP-1-mediated transcriptional repression. <i>International Journal of Biochemistry and Cell Biology</i> , 2002, 34, 1571-1585.	1.2	24
863	Regulation of cytokine signaling and inflammation. <i>Cytokine and Growth Factor Reviews</i> , 2002, 13, 413-421.	3.2	630
864	Isolation of cathepsin B inhibitory peptides, Cabin-A1 and -A2, from a tryptic and chymotryptic hydrolysate of human serum albumin. <i>Peptides</i> , 2002, 23, 1567-1571.	1.2	5
865	Melanocortins and reproduction. <i>Brain Research Reviews</i> , 2002, 38, 340-350.	9.1	69
866	Type 1 and type 2 responses in regulation of Ig isotype expression in cattle. <i>Veterinary Immunology and Immunopathology</i> , 2002, 90, 1-10.	0.5	124
867	Cachexia: a therapeutic approach beyond cytokine antagonism. <i>International Journal of Cardiology</i> , 2002, 85, 173-183.	0.8	76
868	Erratum to "Antagonism of activin by inhibin and inhibin receptors: a functional role for betaglycan-glycan". <i>Molecular and Cellular Endocrinology</i> , 2002, 188, 253-260.	1.6	42
869	Properties of inhibin binding to betaglycan, InhBP/p120 and the activin type II receptors. <i>Molecular and Cellular Endocrinology</i> , 2002, 196, 79-93.	1.6	80
870	Enhancement of tumorigenic, metastatic and in vitro invasive capacity of rat mammary tumor cells by transforming growth factor- β^2 . <i>Cancer Letters</i> , 2002, 175, 95-106.	3.2	12
871	The Mode of Bone Morphogenetic Protein (BMP) Receptor Oligomerization Determines Different BMP-2 Signaling Pathways. <i>Journal of Biological Chemistry</i> , 2002, 277, 5330-5338.	1.6	484
872	Human placental trophoblast as an in vitro model for tumor progression. <i>Canadian Journal of Physiology and Pharmacology</i> , 2002, 80, 142-149.	0.7	76
873	Nuclear Translocation of Cell Adhesion Kinase .BETA./Proline-rich Tyrosine Kinase 2.. <i>Cell Structure and Function</i> , 2002, 27, 47-61.	0.5	45
874	TGF- β^2 stimulates HO-1 via the p38 mitogen-activated protein kinase in A549 pulmonary epithelial cells. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2002, 283, L1094-L1102.	1.3	92
875	Type I Collagen. , 2002, , 189-XVIII.		12
876	Regulation of TGF- β^2 ligand and receptor expression in neonatal rat lungs exposed to chronic hypoxia. <i>Journal of Applied Physiology</i> , 2002, 93, 1123-1130.	1.2	54

#	ARTICLE	IF	CITATIONS
877	Transforming Growth Factor- β 2 Is a Transcriptional Target for Akt/Protein Kinase B via Forkhead Transcription Factor. <i>Journal of Biological Chemistry</i> , 2002, 277, 28118-28126.	1.6	38
878	Inhibition of protein kinase C but not protein kinase A attenuates morphine withdrawal excitation of rat hypothalamus- β pituitary- β adrenal axis. <i>European Journal of Pharmacology</i> , 2002, 452, 57-66.	1.7	21
879	Upregulation by retinoic acid of transforming growth factor- β 2-stimulated heat shock protein 27 induction in osteoblasts: involvement of mitogen-activated protein kinases. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2002, 1589, 15-30.	1.9	37
880	Transforming growth factor β 2 activates Rac1 and Cdc42Hs GTPases and the JNK pathway in skeletal muscle cells. <i>Biology of the Cell</i> , 2002, 94, 535-543.	0.7	28
881	Expression of TGF- β 2 type II receptors in the olfactory epithelium and their regulation in TGF- β transgenic mice. <i>Brain Research</i> , 2002, 945, 232-241.	1.1	16
882	TGF- β 1 increases tyrosine hydroxylase expression by a mechanism blocked by BMP-2 in human neuroblastoma SH-SY5Y cells. <i>Brain Research</i> , 2002, 958, 152-160.	1.1	22
883	Pathway-specific tumor suppression. <i>Cancer Cell</i> , 2002, 1, 355-368.	7.7	86
885	Lefty Antagonism of Squint Is Essential for Normal Gastrulation. <i>Current Biology</i> , 2002, 12, 2129-2135.	1.8	89
886	Structure of the Retinal Determination Protein Dachshund Reveals a DNA Binding Motif. <i>Structure</i> , 2002, 10, 787-795.	1.6	70
887	The 1.1 Å... Crystal Structure of Human TGF- β 2 Type II Receptor Ligand Binding Domain. <i>Structure</i> , 2002, 10, 913-919.	1.6	54
888	A Role for Bone Morphogenetic Protein Signaling in Cardiomyocyte Differentiation. <i>Trends in Cardiovascular Medicine</i> , 2002, 12, 263-269.	2.3	43
889	Increased susceptibility to retinoid-induced teratogenesis in TGF- β 2 knockout mice. <i>Reproductive Toxicology</i> , 2002, 16, 741-747.	1.3	10
890	Integration of the TGF- β 2 pathway into the cellular signalling network. <i>Cellular Signalling</i> , 2002, 14, 977-988.	1.7	164
891	TGF- β 2 and the regulation of neuron survival and death. <i>Journal of Physiology (Paris)</i> , 2002, 96, 25-30.	2.1	142
892	Upregulation of acetylcholine synthesis by bone morphogenetic protein 9 in a murine septal cell line. <i>Journal of Physiology (Paris)</i> , 2002, 96, 53-59.	2.1	19
893	TGF- β 1 enhances SDF-1 α -induced chemotaxis and homing of naive T cells by up-regulating CXCR4 expression and downstream cytoskeletal effector molecules. <i>European Journal of Immunology</i> , 2002, 32, 193-202.	1.6	71
894	Resistance to TGF- β 1-mediated growth inhibition correlates with sustained Smad2 phosphorylation in primary murine splenocytes. <i>European Journal of Immunology</i> , 2002, 32, 1393.	1.6	2
895	Divergence of TGF β 2 signaling in activated hepatic stellate cells downstream from Smad2 phosphorylation. <i>Signal Transduction</i> , 2002, 2, 11-28.	0.7	5

#	ARTICLE	IF	CITATIONS
896	Bone morphogenetic proteins with some comments on fibrodysplasia ossificans progressiva and NOGGIN. American Journal of Medical Genetics Part A, 2002, 109, 87-92.	2.4	33
897	Necessary role of phosphatidylinositol 3-kinase in transforming growth factor β -mediated activation of Akt in normal and rheumatoid arthritis synovial fibroblasts. Arthritis and Rheumatism, 2002, 46, 1504-1511.	6.7	64
898	Defining the actions of transforming growth factor beta in reproduction. BioEssays, 2002, 24, 904-914.	1.2	118
899	Steady state levels of transforming growth factor- β 1 and - β 2 mRNA and protein expression are elevated in colonic tumors in vivo irrespective of dietary lipids intervention. International Journal of Cancer, 2002, 100, 635-641.	2.3	11
900	Haemodynamics in microvascular complications in type 1 diabetes. Diabetes/Metabolism Research and Reviews, 2002, 18, 286-304.	1.7	34
901	Receptor-regulated and inhibitory Smads are critical in regulating transforming growth factor β -mediated Meckel's cartilage development. Developmental Dynamics, 2002, 224, 69-78.	0.8	67
902	Gene-dosage-sensitive genetic interactions between inversus viscerum (iv), nodal, and activin type IIB receptor (ActRIIB) genes in asymmetrical patterning of the visceral organs along the left-right axis. Developmental Dynamics, 2002, 224, 279-290.	0.8	24
903	Disruption of anterior segment development by TGF- β 1 overexpression in the eyes of transgenic mice. Developmental Dynamics, 2002, 225, 111-125.	0.8	62
904	Opposing effects on TSC-22 expression by BMP and receptor tyrosine kinase signals in the developing feather tract. Developmental Dynamics, 2002, 223, 85-95.	0.8	20
905	Divergent regulation by p44/p42 MAP kinase and p38 MAP kinase of bone morphogenetic protein-4-stimulated osteocalcin synthesis in osteoblasts. Journal of Cellular Biochemistry, 2002, 84, 583-589.	1.2	52
906	Interleukin-4 regulates connective tissue growth factor expression in human lung fibroblasts. Journal of Cellular Biochemistry, 2002, 85, 496-504.	1.2	28
907	Insulin-like growth factor binding protein-2 mediates the inhibition of DNA synthesis by transforming growth factor- β in mink lung epithelial cells. Journal of Cellular Physiology, 2002, 190, 63-73.	2.0	12
908	Effect of age and hypoxia on TGF β 1 receptor expression and signal transduction in human dermal fibroblasts: Impact on cell migration. Journal of Cellular Physiology, 2002, 190, 259-265.	2.0	83
909	Regulation of cell proliferation by Smad proteins. Journal of Cellular Physiology, 2002, 191, 1-16.	2.0	418
910	Molecular biology and immunoregulation of human neurotropic JC virus in CNS. Journal of Cellular Physiology, 2002, 191, 249-256.	2.0	32
911	Generation of Smad4/Dpc4 conditional knockout mice. Genesis, 2002, 32, 80-81.	0.8	223
912	Control of connective tissue gene expression by TGF β 2: Role of smad proteins in fibrosis. Current Rheumatology Reports, 2002, 4, 143-149.	2.1	81
913	Responsiveness of Smad7 gene to TGF- β 1 in the tumorigenesis. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2002, 14, 170-174.	0.7	0

#	ARTICLE	IF	CITATIONS
914	Connective Tissue Growth Factor Gene Expression Alters Tumor Progression in Esophageal Cancer. <i>World Journal of Surgery</i> , 2002, 26, 420-427.	0.8	91
915	Enteric Nervous System: Development and Developmental Disturbancesâ€”Part 1. <i>Pediatric and Developmental Pathology</i> , 2002, 5, 224-247.	0.5	182
916	A catalog of 106 single-nucleotide polymorphisms (SNPs) and 11 other types of variations in genes for transforming growth factor- β 1 (TGF- β 1) and its signaling pathway. <i>Journal of Human Genetics</i> , 2002, 47, 478-483.	1.1	74
917	The role of TGF- β 2 in digestive organ disease. <i>Journal of Gastroenterology</i> , 2002, 37, 991-999.	2.3	11
918	Halofuginone, an Inhibitor of Type-I Collagen Synthesis and Skin Sclerosis, Blocks Transforming-Growth-Factor- β 2-Mediated Smad3 Activation in Fibroblasts. <i>Journal of Investigative Dermatology</i> , 2002, 118, 461-470.	0.3	150
919	Bone morphogenetic protein-7 stimulates initial dendritic growth in sympathetic neurons through an intracellular fibroblast growth factor signaling pathway. <i>Journal of Neurochemistry</i> , 2002, 80, 54-63.	2.1	47
920	Involvement of Smad proteins in TGF- β 2 and activin A-induced apoptosis and growth inhibition of liver cells. <i>Hepatology Research</i> , 2002, 23, 211-219.	1.8	34
921	The FYVE domain in Smad anchor for receptor activation (SARA) is sufficient for localization of SARA in early endosomes and regulates TGF- β 2/Smad signalling. <i>Genes To Cells</i> , 2002, 7, 321-331.	0.5	137
922	Two major Smad pathways in TGF- β 2 superfamily signalling. <i>Genes To Cells</i> , 2002, 7, 1191-1204.	0.5	594
923	Characterization of a membrane-linked Ser/Thr protein kinase in <i>Bacillus subtilis</i> , implicated in developmental processes. <i>Molecular Microbiology</i> , 2002, 46, 571-586.	1.2	136
924	Transforming Growth Factor- β 2 Signaling Through the Smad Pathway: Role in Extracellular Matrix Gene Expression and Regulation. <i>Journal of Investigative Dermatology</i> , 2002, 118, 211-215.	0.3	550
925	Involvement of Transforming Growth Factor- β 2 in Catagen Induction During the Human Hair Cycle. <i>Journal of Investigative Dermatology</i> , 2002, 118, 993-997.	0.3	112
926	Ultraviolet Irradiation Alters Transforming Growth Factor β 2/Smad Pathway in Human Skin In Vivo. <i>Journal of Investigative Dermatology</i> , 2002, 119, 499-506.	0.3	146
927	Gene transfer of Smad7 using electroporation of adenovirus prevents renal fibrosis in post-obstructed kidney. <i>Kidney International</i> , 2002, 61, S94-S98.	2.6	90
928	Conditional loss of TGF- β 2 signalling leads to increased susceptibility to gastrointestinal carcinogenesis in mice. <i>Alimentary Pharmacology and Therapeutics</i> , 2002, 16, 115-127.	1.9	77
929	Transforming growth factor- β 1 causes transcriptional activation of CD34 and preserves haematopoietic stem/progenitor cell activity. <i>British Journal of Haematology</i> , 2002, 118, 627-637.	1.2	19
930	Transforming growth factor β 1 dysregulation in a human oral carcinoma tumour progression model. <i>Cell Proliferation</i> , 2002, 35, 183-192.	2.4	10
931	Transforming growth factor- β 1: its anti-inflammatory and pro-fibrotic effects. <i>Clinical and Experimental Allergy</i> , 2002, 32, 175-178.	1.4	61

#	ARTICLE	IF	CITATIONS
932	Crystallization and preliminary crystallographic studies of human TGF- β 2 type II receptor ligand-binding domain. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2002, 58, 1214-1216.	2.5	5
933	A novel link between the proteasome pathway and the signal transduction pathway of the bone morphogenetic proteins (BMPs). <i>BMC Cell Biology</i> , 2002, 3, 15.	3.0	58
934	Cell signalling and Trypanosoma cruzi invasion. <i>Cellular Microbiology</i> , 2002, 4, 701-711.	1.1	166
935	M1 Muscarinic Receptors Stimulate Rapid and Prolonged Phases of Neuronal Nitric Oxide Synthase Activity: Involvement of Different Calcium Pools. <i>Journal of Neurochemistry</i> , 2002, 71, 487-497.	2.1	18
936	New approaches for high-yield purification of M β 1/4 allergen inhibiting substance improve its bioactivity. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 766, 89-98.	1.2	36
937	Proteolytic degradation of Smad4 in extracts of AML blasts. <i>Leukemia Research</i> , 2002, 26, 1105-1111.	0.4	6
938	Smad4 induces the tumor suppressor E-cadherin and P-cadherin in colon carcinoma cells. <i>Oncogene</i> , 2002, 21, 6049-6058.	2.6	64
939	Both the Smad and p38 MAPK pathways play a crucial role in Runx2 expression following induction by transforming growth factor- β 2 and bone morphogenetic protein. <i>Oncogene</i> , 2002, 21, 7156-7163.	2.6	303
940	Autocrine TGF- β 2 supports growth and survival of human breast cancer MDA-MB-231 cells. <i>Oncogene</i> , 2002, 21, 7514-7523.	2.6	76
941	MdmX inhibits Smad transactivation. <i>Oncogene</i> , 2002, 21, 8776-8785.	2.6	34
942	Molecular Interactions and Functional Interference between Vitronectin and Transforming Growth Factor- β 2. <i>Laboratory Investigation</i> , 2002, 82, 37-46.	1.7	50
943	Structural basis of BMP signalling inhibition by the cystine knot protein Noggin. <i>Nature</i> , 2002, 420, 636-642.	13.7	480
944	TGF- β 2 induces apoptosis through Smad-mediated expression of DAP-kinase. <i>Nature Cell Biology</i> , 2002, 4, 51-58.	4.6	359
945	Activin/TGF- β 2 induce apoptosis through Smad-dependent expression of the lipid phosphatase SHIP. <i>Nature Cell Biology</i> , 2002, 4, 963-969.	4.6	153
946	PP1 binds Sara and negatively regulates Dpp signaling in Drosophila melanogaster. <i>Nature Genetics</i> , 2002, 31, 419-423.	9.4	94
947	Crystal structure of the human T β 2R2 ectodomain-TGF- β 3 complex. <i>Nature Structural Biology</i> , 2002, 9, 203-8.	9.7	130
948	Induction of Cyclooxygenase-2 and Invasiveness by Transforming Growth Factor- β 1 in Immortalized Mouse Colonocytes Expressing Oncogenic Ras. <i>Journal of Gastrointestinal Surgery</i> , 2002, 6, 304-309.	0.9	15
949	Smad7 mediates transforming growth factor- β 2-induced apoptosis in mesangial cells. <i>Kidney International</i> , 2002, 62, 1178-1186.	2.6	48

#	ARTICLE	IF	CITATIONS
950	Evolutionary analysis of functional divergence in TGF- β signaling pathway. <i>Information Sciences</i> , 2002, 145, 195-204.	4.0	2
951	Glucocorticoids modulate TGF-beta production. <i>Inflammation</i> , 2002, 26, 279-290.	1.7	37
952	Microarray Analysis of Bone Morphogenetic Protein, Transforming Growth Factor β , and Activin Early Response Genes During Osteoblastic Cell Differentiation. <i>Journal of Bone and Mineral Research</i> , 2002, 17, 2119-2129.	3.1	59
953	Bone Morphogenetic Protein 2 Induces Dental Follicle Cells to Differentiate Toward a Cementoblast/Osteoblast Phenotype. <i>Journal of Bone and Mineral Research</i> , 2002, 17, 1441-1451.	3.1	157
954	Mechanisms in epithelial plasticity and metastasis: insights from 3D cultures and expression profiling. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2002, 7, 415-432.	1.0	60
955	Differential regulation of TGF- β signal in hepatic stellate cells between acute and chronic rat liver injury. <i>Hepatology</i> , 2002, 35, 49-61.	3.6	165
956	Dose-dependent inhibition of hepatic fibrosis in mice by a TGF- β soluble receptor: Implications for antifibrotic therapy. <i>Hepatology</i> , 2002, 35, 1022-1030.	3.6	145
957	Functional and genomic implications of global gene expression profiles in cell lines from human hepatocellular cancer. <i>Hepatology</i> , 2002, 35, 1134-1143.	3.6	100
958	Jab1 antagonizes TGF- β signaling by inducing Smad4 degradation. <i>EMBO Reports</i> , 2002, 3, 171-176.	2.0	155
959	Functional proteomics of transforming growth factor-beta1-stimulated Mv1Lu epithelial cells: Rad51 as a target of TGFbeta1-dependent regulation of DNA repair. <i>EMBO Journal</i> , 2002, 21, 1219-1230.	3.5	120
960	Balancing the activation state of the endothelium via two distinct TGF-beta type I receptors. <i>EMBO Journal</i> , 2002, 21, 1743-1753.	3.5	972
961	TGF-beta receptor-activated p38 MAP kinase mediates Smad-independent TGF-beta responses. <i>EMBO Journal</i> , 2002, 21, 3749-3759.	3.5	628
962	Smad-dependent GADD45beta expression mediates delayed activation of p38 MAP kinase by TGF-beta. <i>EMBO Journal</i> , 2002, 21, 6473-6482.	3.5	162
963	Regulation of Ion Channels by Integrins. <i>Cell Biochemistry and Biophysics</i> , 2002, 36, 41-66.	0.9	62
964	Transforming Growth Factor- β : A Neuroprotective Factor in Cerebral Ischemia. <i>Cell Biochemistry and Biophysics</i> , 2003, 39, 13-22.	0.9	137
965	TGF- β : How Tolerant Can It Be?. <i>Immunologic Research</i> , 2003, 28, 167-180.	1.3	37
966	Involvement of TGF- β s/T β Rs System in Tumor Progression of Murine Mammary Adenocarcinomas. <i>Breast Cancer Research and Treatment</i> , 2003, 80, 287-301.	1.1	7
967	Prognostic Significance and Correlation with Survival of bcl-2 and TGF- β RII in Colon Cancer. <i>Digestive Diseases and Sciences</i> , 2003, 48, 2284-2289.	1.1	14

#	ARTICLE	IF	CITATIONS
968	Neurotrophic regulation of the development and function of the neuromuscular synapses. <i>Journal of Neurocytology</i> , 2003, 32, 931-941.	1.6	30
969	Deletion Mutants of BMP Folding Variants Act as BMP Antagonists and Are Efficient Inhibitors for Heterotopic Ossification. <i>Journal of Bone and Mineral Research</i> , 2003, 18, 2142-2151.	3.1	10
970	Endoglin Is Expressed on Human Chondrocytes and Forms a Heteromeric Complex With Betaglycan in a Ligand and Type II TGF β Receptor Independent Manner. <i>Journal of Bone and Mineral Research</i> , 2003, 18, 289-302.	3.1	39
971	Enhancement of Fibronectin Synthesis and Fibrillogenesis by BMP-4 in Cultured Rat Osteoblast. <i>Journal of Bone and Mineral Research</i> , 2003, 18, 502-511.	3.1	45
972	Receptor Tyrosine Kinases Inhibit Bone Morphogenetic Protein-Smad Responsive Promoter Activity and Differentiation of Murine MC3T3-E1 Osteoblast-like Cells. <i>Journal of Bone and Mineral Research</i> , 2003, 18, 827-835.	3.1	79
973	Gene Array Analysis of Bone Morphogenetic Protein Type I Receptor-Induced Osteoblast Differentiation. <i>Journal of Bone and Mineral Research</i> , 2003, 18, 1177-1185.	3.1	55
974	Glucocorticoids modulate TGF-beta production by human fetal lung fibroblasts. <i>Inflammation</i> , 2003, 27, 9-19.	1.7	32
975	Molecular biology of laryngeal squamous cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 442, 1-7.	1.4	57
976	Angiogenesis factors in gliomas: a new key to tumour therapy?. <i>Die Naturwissenschaften</i> , 2003, 90, 385-394.	0.6	42
977	SPYing on GA Signaling and Plant Development. <i>Journal of Plant Growth Regulation</i> , 2003, 22, 163-175.	2.8	20
978	Genomic Brassinosteroid Effects. <i>Journal of Plant Growth Regulation</i> , 2003, 22, 313-324.	2.8	30
979	Controlling the Angiogenic SwitchA Balance between Two Distinct TGF-b Receptor Signaling Pathways. <i>Trends in Cardiovascular Medicine</i> , 2003, 13, 301-307.	2.3	302
980	Target validation using human tissue: from gene expression to function. <i>Targets</i> , 2003, 2, 58-64.	0.3	4
981	Immunosuppressive role of transforming growth factor beta in breast cancer. <i>Clinical and Applied Immunology Reviews</i> , 2003, 3, 277-287.	0.4	10
982	A multigenic program mediating breast cancer metastasis to bone. <i>Cancer Cell</i> , 2003, 3, 537-549.	7.7	2,325
983	Targeting the TGF β signaling network in human neoplasia. <i>Cancer Cell</i> , 2003, 3, 531-536.	7.7	240
984	Dysregulation of cellular signaling by HER2 in breast cancer. <i>Seminars in Oncology</i> , 2003, 30, 38-48.	0.8	106
985	CI-1040 (PD184352), a targeted signal transduction inhibitor of MEK (MAPKK). <i>Seminars in Oncology</i> , 2003, 30, 105-116.	0.8	241

#	ARTICLE	IF	CITATIONS
986	Restoration of an impaired TGF-beta1 autocrine growth-inhibitory circuit results in growth inhibition of ovarian epithelial cancer cells and complete inhibition of their tumorigenicity. <i>Cancer Detection and Prevention</i> , 2003, 27, 380-388.	2.1	0
987	The interaction of BMP-7 and ActRII implicates a new mode of receptor assembly. <i>Trends in Biochemical Sciences</i> , 2003, 28, 518-521.	3.7	33
988	Expression of Transforming Growth Factor-beta Isoforms in the Skin, Kidney, Pancreas and Bladder in a German Shepherd Dog affected by Renal Cystadenocarcinoma and Nodular Dermatofibrosis. <i>Transboundary and Emerging Diseases</i> , 2003, 50, 506-510.	0.6	8
989	Ras is a mediator of TGF β 1 signaling in developing chick ciliary ganglion neurons. <i>Brain Research</i> , 2003, 982, 119-124.	1.1	7
990	Implication of the signal transduction pathways in the enhancement of noradrenaline turnover induced by morphine withdrawal in the heart. <i>European Journal of Pharmacology</i> , 2003, 471, 113-119.	1.7	11
991	Regulation of MCP-1 gene transcription by Smads and HIV-1 Tat in human glial cells. <i>Virology</i> , 2003, 309, 196-202.	1.1	40
992	Genealogy, expression, and cellular function of transforming growth factor- β 2. , 2003, 98, 257-265.		210
993	Pancreatic carcinoma cell lines with SMAD4 inactivation show distinct expression responses to TGF β 1. <i>Genes Chromosomes and Cancer</i> , 2003, 36, 340-352.	1.5	12
994	Smad3 mediates the TGF- β -induced contraction of type I collagen gels by mouse embryo fibroblasts. <i>Cytoskeleton</i> , 2003, 54, 248-253.	4.4	38
995	Expression of transforming growth factor- β 2 in developing rat cerebral cortex: Effects of prenatal exposure to ethanol. <i>Journal of Comparative Neurology</i> , 2003, 460, 410-424.	0.9	68
996	Cyclic AMP inhibits TGF β 1-induced cell-scattering and invasiveness in murine-transformed keratinocytes. <i>International Journal of Cancer</i> , 2003, 107, 715-720.	2.3	23
997	Expression of TGF- β type II receptor antisense RNA impairs TGF- β signaling in vitro and promotes mammary gland differentiation in vivo. <i>International Journal of Cancer</i> , 2003, 107, 919-928.	2.3	17
998	Effects of osteogenic protein-1 (OP-1, BMP-7) on gene expression in cultured medial collateral ligament cells. <i>Journal of Cellular Biochemistry</i> , 2003, 90, 777-791.	1.2	26
999	Transcriptional characterization of bone morphogenetic proteins (BMPs)-mediated osteogenic signaling. <i>Journal of Cellular Biochemistry</i> , 2003, 90, 1149-1165.	1.2	182
1000	Fibroblasts from chronic wounds show altered TGF- β -signaling and decreased TGF- β Type II Receptor expression. <i>Journal of Cellular Physiology</i> , 2003, 195, 331-336.	2.0	167
1001	Intracellular dynamics of Smad-mediated TGF β signaling. <i>Journal of Cellular Physiology</i> , 2003, 197, 261-271.	2.0	48
1002	TGF- β 3-dependent SMAD2 phosphorylation and inhibition of MEE proliferation during palatal fusion. <i>Developmental Dynamics</i> , 2003, 227, 387-394.	0.8	57
1003	Maternal factors in zebrafish development. <i>Developmental Dynamics</i> , 2003, 228, 535-554.	0.8	199

#	ARTICLE	IF	CITATIONS
1004	A unique subpopulation of CD4+ regulatory T cells controls wasting disease, IL-10 secretion and T cell homeostasis. <i>European Journal of Immunology</i> , 2003, 33, 2419-2428.	1.6	84
1005	Identification of the anthelix motif in the TGF- β 2 superfamily by molecular 3D-Rapid Prototyping. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2003, 34, 1113-1119.	0.5	11
1006	Drosophila neuromuscular synapse assembly and function require the TGF- β 2 type I receptor saxophone and the transcription factor Mad. <i>Journal of Neurobiology</i> , 2003, 55, 134-150.	3.7	125
1007	Epidermal growth factor up-regulates expression of transforming growth factor β receptor type II in human dermal fibroblasts by phosphoinositide 3-kinase/Akt signaling pathway: Resistance to epidermal growth factor stimulation in scleroderma fibroblasts. <i>Arthritis and Rheumatism</i> , 2003, 48, 1652-1666.	6.7	28
1008	Bone morphogenetic proteins 2 and 6, expressed in arthritic synovium, are regulated by proinflammatory cytokines and differentially modulate fibroblast-like synoviocyte apoptosis. <i>Arthritis and Rheumatism</i> , 2003, 48, 2807-2818.	6.7	152
1009	TGF- β signaling in human skeletal and patterning disorders. <i>Birth Defects Research Part C: Embryo Today Reviews</i> , 2003, 69, 333-351.	3.6	73
1010	Successful shape-Based virtual screening: The discovery of a potent inhibitor of the type I TGF β 2 receptor kinase (T β RI). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 4355-4359.	1.0	164
1011	Soluble TGF β 2 TYPE II receptor gene therapy ameliorates acute radiation-induced pulmonary injury in rats. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 57, 563-572.	0.4	64
1012	Growth regulatory factors and signalling proteins in testicular germ cell tumours. <i>Apmis</i> , 2003, 111, 212-224.	0.9	34
1013	Molecular fingerprinting of TGF β -treated embryonic maxillary mesenchymal cells. <i>Orthodontics and Craniofacial Research</i> , 2003, 6, 194-209.	1.2	9
1014	Tobacco smoke extract induces age-related changes due to modulation of TGF- β 2. <i>Experimental Dermatology</i> , 2003, 12, 51-56.	1.4	55
1015	Th1 cytokines in oral lichen planus. <i>Journal of Oral Pathology and Medicine</i> , 2003, 32, 77-83.	1.4	202
1016	Immunocytochemical study of activin type IB receptor (XALK4) in <i>Xenopus</i> oocytes. <i>Development Growth and Differentiation</i> , 2003, 45, 113-119.	0.6	8
1017	Fine mapping of the bovine heart fatty acid-binding protein gene (FABP3) to BTA2q45 by fluorescence in situ hybridization and radiation hybrid mapping. <i>Animal Genetics</i> , 2003, 34, 466-467.	0.6	13
1018	Exclusion of PISRT1 as a candidate locus for canine Sry -negative XX sex reversal. <i>Animal Genetics</i> , 2003, 34, 467-469.	0.6	18
1019	Characterization of the genetic diversity on natural populations of Chinese miniature pig breeds. <i>Animal Genetics</i> , 2003, 34, 465-466.	0.6	15
1020	Assignment** of the porcine stearoyl-CoA desaturase (SCD) gene to SSC14q27 by fluorescence in situ hybridization and by hybrid panel mapping. <i>Animal Genetics</i> , 2003, 34, 471-473.	0.6	10
1021	Sequencing, tissue distribution and physical mapping of the porcine homologue of cardiomyopathy associated 3 (CMYA3). <i>Animal Genetics</i> , 2003, 34, 473-474.	0.6	9

#	ARTICLE	IF	CITATIONS
1022	Assignment of the porcine peptide YY gene to chromosome 12. <i>Animal Genetics</i> , 2003, 34, 469-469.	0.6	2
1023	Histopathological analysis of angiogenic factors in renal cell carcinoma. <i>International Journal of Urology</i> , 2003, 10, 220-227.	0.5	50
1024	Activation of osteo-progenitor cells by a novel synthetic peptide derived from the bone morphogenetic protein-2 knuckle epitope. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2003, 1651, 60-67.	1.1	169
1025	Transforming Growth Factor-beta as a Regulator of Site-Specific T-Cell Inflammatory Response. <i>Scandinavian Journal of Immunology</i> , 2003, 58, 129-138.	1.3	54
1026	Activin and TR3 orphan receptor: Two 'atheroprotective' genes as evidenced in dedicated mouse models. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2003, 30, 894-899.	0.9	8
1027	Is telomerase reactivation associated with the down-regulation of TGF beta receptor-II expression in human breast cancer?. <i>Cancer Cell International</i> , 2003, 3, 9.	1.8	5
1028	TGF- β 2s: their role in testicular function and Sertoli cell tight junction dynamics. <i>Journal of Developmental and Physical Disabilities</i> , 2003, 26, 147-160.	3.6	100
1029	Bone Morphogenetic Proteins and Their Antagonists in Skin and Hair Follicle Biology. <i>Journal of Investigative Dermatology</i> , 2003, 120, 36-47.	0.3	164
1030	Sphingosine-1-Phosphate and Its Potentially Paradoxical Effects on Critical Parameters of Cutaneous Wound Healing. <i>Journal of Investigative Dermatology</i> , 2003, 120, 693-700.	0.3	105
1031	The Crucial Role of TGF- β 2 in the Age-Related Alterations Induced by Ultraviolet A Irradiation. <i>Journal of Investigative Dermatology</i> , 2003, 120, 703-705.	0.3	19
1032	Profile of Transforming Growth Factor- β 2 Responses During the Murine Hair Cycle. <i>Journal of Investigative Dermatology</i> , 2003, 121, 969-975.	0.3	33
1033	Transforming growth factor-beta receptor-II up-regulation during wound healing in previously irradiated graft beds in vivo. <i>Wound Repair and Regeneration</i> , 2003, 11, 297-305.	1.5	20
1034	Vascularization of the developing chick limb bud: role of the TGFbeta signalling pathway. <i>Journal of Anatomy</i> , 2003, 202, 93-103.	0.9	39
1035	Mapping of the goat stearoyl coenzyme A desaturase gene to chromosome 26. <i>Animal Genetics</i> , 2003, 34, 474-475.	0.6	5
1036	Mapping of bovine CEBPD gene to BTA14q15-17. <i>Animal Genetics</i> , 2003, 34, 470-471.	0.6	1
1037	Mapping of the porcine peroxisome proliferator activated receptor alpha gene to chromosome 5. <i>Animal Genetics</i> , 2003, 34, 469-470.	0.6	1
1038	The chicken bone morphogenetic protein receptor type II (BMPR2) gene maps to chromosome 71. <i>Animal Genetics</i> , 2003, 34, 475-476.	0.6	3
1039	Inhibitory effects of interferon- β 3 on the heterologous desensitization of β 2-adrenoceptors by transforming growth factor- β 21 in tracheal smooth muscle. <i>Clinical and Experimental Allergy</i> , 2003, 33, 808-815.	1.4	26

#	ARTICLE	IF	CITATIONS
1040	Mutation analysis of the Smad3 gene in human osteoarthritis. <i>European Journal of Human Genetics</i> , 2003, 11, 714-717.	1.4	43
1041	TGF- β -induced nuclear localization of Smad2 and Smad3 in Smad4 null cancer cell lines. <i>Oncogene</i> , 2003, 22, 1317-1323.	2.6	80
1042	Distortion of autocrine transforming growth factor β signal accelerates malignant potential by enhancing cell growth as well as PAI-1 and VEGF production in human hepatocellular carcinoma cells. <i>Oncogene</i> , 2003, 22, 2309-2321.	2.6	40
1043	Inhibition of the antiproliferative effect of TGF β by EGF in primary human ovarian cancer cells. <i>Oncogene</i> , 2003, 22, 4745-4751.	2.6	28
1044	Expression of the TGF- β coreceptor endoglin in epidermal keratinocytes and its dual role in multistage mouse skin carcinogenesis. <i>Oncogene</i> , 2003, 22, 5976-5985.	2.6	61
1045	Transforming Growth Factor- β 1-Mediated Neuroprotection against Excitotoxic Injury in Vivo. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 1174-1182.	2.4	114
1046	Distinct endocytic pathways regulate TGF- β receptor signalling and turnover. <i>Nature Cell Biology</i> , 2003, 5, 410-421.	4.6	1,048
1047	Signal dispersal and transduction through the endocytic pathway. <i>Nature Reviews Molecular Cell Biology</i> , 2003, 4, 213-224.	16.1	129
1048	Wnts and TGF β in synaptogenesis: old friends signalling at new places. <i>Nature Reviews Neuroscience</i> , 2003, 4, 113-120.	4.9	109
1049	Molecular neuro-oncology and development of targeted therapeutic strategies for brain tumors. Part 1: growth factor and Ras signaling pathways. <i>Expert Review of Anticancer Therapy</i> , 2003, 3, 595-614.	1.1	99
1050	Molecular basis of hepatic fibrosis. <i>Expert Reviews in Molecular Medicine</i> , 2003, 5, 1-23.	1.6	82
1051	Smad7 prevents activation of hepatic stellate cells and liver fibrosis in rats. <i>Gastroenterology</i> , 2003, 125, 178-191.	0.6	348
1052	Endocytic trafficking during <i>Drosophila</i> development. <i>Mechanisms of Development</i> , 2003, 120, 1265-1282.	1.7	32
1053	Inhibiting the TGF- β signalling pathway as a means of cancer immunotherapy. <i>Expert Opinion on Biological Therapy</i> , 2003, 3, 251-261.	1.4	19
1054	Growth factor signaling in lung morphogenetic centers: automaticity, stereotypy and symmetry. <i>Respiratory Research</i> , 2003, 4, 5.	1.4	53
1055	Pathways for aberrant angiogenesis in pancreatic cancer. <i>Molecular Cancer</i> , 2003, 2, 8.	7.9	157
1056	Activin-A up-regulates type I activin receptor mRNA levels in human immortalized extravillous trophoblast cells. <i>Reproductive Biology and Endocrinology</i> , 2003, 1, 29.	1.4	8
1057	SSRIs antidepressant activity is influenced by G β 3 variants. <i>European Neuropsychopharmacology</i> , 2003, 13, 117-122.	0.3	88

#	ARTICLE	IF	CITATIONS
1058	Transforming Growth Factor β 3 Regulates the Dynamics of Sertoli Cell Tight Junctions Via the p38 Mitogen-Activated Protein Kinase Pathway. <i>Biology of Reproduction</i> , 2003, 68, 1597-1612.	1.2	157
1059	Solution Structure and Backbone Dynamics of the TGF β 2 Type II Receptor Extracellular Domain. <i>Biochemistry</i> , 2003, 42, 10126-10139.	1.2	28
1060	Striatal neurons but not nigral dopaminergic neurons in neonatal primary cell culture express endogenous functional N-methyl-d-aspartate receptors. <i>Molecular Brain Research</i> , 2003, 120, 9-21.	2.5	7
1061	Concentration-dependent bifunctional effect of TGF β 1 on immunoglobulin production: a role for Smad3 in IgA production in vitro. <i>International Immunopharmacology</i> , 2003, 3, 1761-1774.	1.7	19
1062	Genetic studies of the AMH/MIS signaling pathway for Müllerian duct regression. <i>Molecular and Cellular Endocrinology</i> , 2003, 211, 15-19.	1.6	92
1063	AMH signaling: from receptor to target gene. <i>Molecular and Cellular Endocrinology</i> , 2003, 211, 65-73.	1.6	77
1064	Controlling cell fate by bone morphogenetic protein receptors. <i>Molecular and Cellular Endocrinology</i> , 2003, 211, 105-113.	1.6	182
1065	Ontogenetic Transition in Fetal Wound Transforming Growth Factor- β 2 Regulation Correlates with Collagen Organization. <i>American Journal of Pathology</i> , 2003, 163, 2459-2476.	1.9	114
1066	Global Expression Profiling of Fibroblast Responses to Transforming Growth Factor- β 1 Reveals the Induction of Inhibitor of Differentiation-1 and Provides Evidence of Smooth Muscle Cell Phenotypic Switching. <i>American Journal of Pathology</i> , 2003, 162, 533-546.	1.9	235
1067	On and off: proteasome and TGF- β 2 signaling. <i>Experimental Cell Research</i> , 2003, 291, 275-281.	1.2	59
1068	Control of endocardial cushion and cardiac valve maturation by BMP signaling pathways. <i>Molecular Genetics and Metabolism</i> , 2003, 80, 27-35.	0.5	63
1070	Interaction of Smads with collagen types I, III, and V. <i>Biochemical and Biophysical Research Communications</i> , 2003, 310, 1117-1123.	1.0	13
1071	hSGT interacts with the N-terminal region of myostatin. <i>Biochemical and Biophysical Research Communications</i> , 2003, 311, 877-883.	1.0	38
1072	Identification of novel Smad binding proteins. <i>Biochemical and Biophysical Research Communications</i> , 2003, 312, 1185-1190.	1.0	30
1073	DIVERGENCE OF EPIDERMAL GROWTH FACTOR-TRANSFORMING GROWTH FACTOR β 2 SIGNALING IN EMBRYONIC OROFACIAL TISSUE. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2003, 39, 257.	0.7	4
1074	The Smad pathway in transforming growth factor- β signaling. <i>Science in China Series C: Life Sciences</i> , 2003, 46, 449.	1.3	0
1075	COMPASS: A Tool for Comparison of Multiple Protein Alignments with Assessment of Statistical Significance. <i>Journal of Molecular Biology</i> , 2003, 326, 317-336.	2.0	263
1076	Solution Structure of the Chick TGF β 2 Type II Receptor Ligand-binding Domain. <i>Journal of Molecular Biology</i> , 2003, 326, 989-997.	2.0	9

#	ARTICLE	IF	CITATIONS
1077	Mass Spectrometry and Site-directed Mutagenesis Identify Several Autophosphorylated Residues Required for the Activity of PrkC, a Ser/Thr Kinase from <i>Bacillus subtilis</i> . <i>Journal of Molecular Biology</i> , 2003, 330, 459-472.	2.0	79
1078	Epithelial transdifferentiation and cataract in the human lens. <i>Experimental Eye Research</i> , 2003, 77, 339-346.	1.2	57
1079	Identification of three novel Smad binding proteins involved in cell polarity. <i>FEBS Letters</i> , 2003, 539, 167-173.	1.3	53
1080	New intracellular components of bone morphogenetic protein/Smad signaling cascades. <i>FEBS Letters</i> , 2003, 546, 133-139.	1.3	96
1081	TGF- β 2 Signaling Activates Steroid Hormone Receptor Expression during Neuronal Remodeling in the <i>Drosophila</i> Brain. <i>Cell</i> , 2003, 112, 303-315.	13.5	215
1082	Conversion of an Extracellular Dpp/BMP Morphogen Gradient into an Inverse Transcriptional Gradient. <i>Cell</i> , 2003, 113, 221-233.	13.5	161
1083	Mechanisms of TGF- β 2 Signaling from Cell Membrane to the Nucleus. <i>Cell</i> , 2003, 113, 685-700.	13.5	5,290
1084	4-Hydroxynonenal and transforming growth factor- β 21 expression in colon cancer. <i>Molecular Aspects of Medicine</i> , 2003, 24, 273-280.	2.7	43
1085	Involvement of MAP kinases in TGF- β 2-stimulated vascular endothelial growth factor synthesis in osteoblasts. <i>Archives of Biochemistry and Biophysics</i> , 2003, 415, 117-125.	1.4	43
1086	Reconstitution of Smad3 restores TGF- β 2 response of tissue inhibitor of metalloprotease-1 upregulation in human choriocarcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2003, 300, 383-390.	1.0	30
1087	Bone morphogenetic protein signaling in articular chondrocyte differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2003, 301, 617-622.	1.0	34
1088	Smad3 is required for enamel biomineralization. <i>Biochemical and Biophysical Research Communications</i> , 2003, 305, 684-690.	1.0	31
1089	Posttranscriptional regulation of TSC-22 (TGF- β 2-stimulated clone-22) gene by TGF- β 21. <i>Biochemical and Biophysical Research Communications</i> , 2003, 305, 846-854.	1.0	21
1090	Mitochondrial localization of Smad5 in a human chondrogenic cell line. <i>Biochemical and Biophysical Research Communications</i> , 2003, 307, 108-113.	1.0	12
1091	TGF- β 21 signaling controls retinal pericyte contractile protein expression. <i>Microvascular Research</i> , 2003, 66, 190-196.	1.1	66
1092	Regulation of nodal and BMP signaling by tomoregulin-1 (X7365) through novel mechanisms. <i>Developmental Biology</i> , 2003, 255, 1-11.	0.9	34
1093	BMP receptor 1b is required for axon guidance and cell survival in the developing retina. <i>Developmental Biology</i> , 2003, 256, 34-48.	0.9	93
1094	One-eyed pinhead regulates cell motility independent of Squint/Cyclops signaling. <i>Developmental Biology</i> , 2003, 261, 391-411.	0.9	41

#	ARTICLE	IF	CITATIONS
1095	TGF- β 1-mediated fibroblast-“myofibroblast terminal differentiation”the role of smad proteins. <i>Experimental Cell Research</i> , 2003, 282, 90-100.	1.2	335
1096	The deaf and the dumb: the biology of ErbB-2 and ErbB-3. <i>Experimental Cell Research</i> , 2003, 284, 54-65.	1.2	522
1097	Activation of p38 and Smads mediates BMP-2 effects on human trabecular bone-derived osteoblasts. <i>Experimental Cell Research</i> , 2003, 291, 201-211.	1.2	105
1098	Growth differentiation factor-9 signaling in the ovary. <i>Molecular and Cellular Endocrinology</i> , 2003, 202, 31-36.	1.6	32
1099	Ovarian follicle populations of the rat express TGF- β 2 signalling pathways. <i>Molecular and Cellular Endocrinology</i> , 2003, 202, 53-57.	1.6	26
1100	TGF- β 2 control of rat thyroid follicular cells differentiation. <i>Molecular and Cellular Endocrinology</i> , 2003, 207, 1-11.	1.6	43
1101	Aberrant signaling of TGF- β 1 by the mutant Smad4 in gastric cancer cells. <i>Cancer Letters</i> , 2003, 196, 197-206.	3.2	16
1102	The early stages of follicular development: activation of primordial follicles and growth of preantral follicles. <i>Animal Reproduction Science</i> , 2003, 78, 135-163.	0.5	240
1103	AgRP, physiological role of an inverse agonist. <i>International Congress Series</i> , 2003, 1249, 195-206.	0.2	1
1104	Novel approaches to enhance the detection of receptor constitutive activity and inverse agonists. <i>International Congress Series</i> , 2003, 1249, 15-25.	0.2	1
1105	Role of Ca ²⁺ in the secretory and biosynthetic response of porcine gonadotropes to substance P and gonadotropin-releasing hormone. <i>Regulatory Peptides</i> , 2003, 116, 43-52.	1.9	6
1106	Bone Morphogenetic Proteins, Their Antagonists, and the Skeleton. <i>Endocrine Reviews</i> , 2003, 24, 218-235.	8.9	788
1107	Ras1 controls pheromone expression and response during mating in <i>Cryptococcus neoformans</i> . <i>Fungal Genetics and Biology</i> , 2003, 38, 110-121.	0.9	40
1108	Transforming growth factor- β 2 and its role in asthma. <i>Pulmonary Pharmacology and Therapeutics</i> , 2003, 16, 181-196.	1.1	127
1109	The BMP7/ActRII Extracellular Domain Complex Provides New Insights into the Cooperative Nature of Receptor Assembly. <i>Molecular Cell</i> , 2003, 11, 605-617.	4.5	248
1110	A Self-Enabling TGF β 2 Response Coupled to Stress Signaling. <i>Molecular Cell</i> , 2003, 11, 915-926.	4.5	495
1111	Activin Receptor-like Kinase (ALK)1 Is an Antagonistic Mediator of Lateral TGF β 2/ALK5 Signaling. <i>Molecular Cell</i> , 2003, 12, 817-828.	4.5	631
1112	TGF- β 2: the missing link in CD4+CD25+ regulatory T cell-mediated immunosuppression. <i>Cytokine and Growth Factor Reviews</i> , 2003, 14, 85-89.	3.2	205

#	ARTICLE	IF	CITATIONS
1113	Roles of TGF β ² signaling in epidermal/appendage development. <i>Cytokine and Growth Factor Reviews</i> , 2003, 14, 99-111.	3.2	37
1114	Regulation of aromatase gene expression in Leydig cells and germ cells. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2003, 86, 335-343.	1.2	74
1115	Molecular biology in diagnostic histopathology. Part 3: signal transduction. <i>Current Diagnostic Pathology</i> , 2003, 9, 397-407.	0.4	1
1116	Biochemical staging of prostate cancer. <i>Urologic Clinics of North America</i> , 2003, 30, 263-277.	0.8	33
1117	Transforming growth factor- β ¹ down-regulates expression of chemokine stromal cell-derived factor-1: functional consequences in cell migration and adhesion. <i>Blood</i> , 2003, 102, 1978-1984.	0.6	94
1118	Cellular Receptors and Signal Transduction in Molluscan Hemocytes: Connections with the Innate Immune System of Vertebrates. <i>Integrative and Comparative Biology</i> , 2003, 43, 305-312.	0.9	68
1119	Effect of the distribution and clustering of the type I A BMP receptor(ALK3) with the type II BMP receptor on the activation of signalling pathways. <i>Journal of Cell Science</i> , 2003, 116, 3277-3284.	1.2	53
1120	Interleukin-13. , 2003, , 409-429.		5
1121	Cytokine signaling. , 2003, , 85-97.		1
1122	Transforming growth factor β ² . , 2003, , 1119-1152.		5
1123	Brassinosteroids. , 2003, , .		19
1124	Recent Progress in Brassinosteroid Research: Hormone Perception and Signal Transduction. , 2003, , 69-86.		13
1125	Morphogenesis and Pattern Formation in Biological Systems. , 2003, , .		11
1126	Transforming Growth Factor- β ¹ and Renal Cell Cancer: Cell Growth, mRNA Expression and Protein Production of Cytokines. <i>Journal of Urology</i> , 2003, 169, 1865-1869.	0.2	6
1127	Airway remodeling-associated mediators in moderate to severe asthma: Effect of steroids on TGF- β ² , IL-11, IL-17, and type I and type III collagen expression. <i>Journal of Allergy and Clinical Immunology</i> , 2003, 111, 1293-1298.	1.5	586
1128	Adult mesenchymal stem cells and cell-based tissue engineering. <i>Arthritis Research</i> , 2003, 5, 32.	2.0	656
1129	Glycosylphosphatidylinositol-anchored Proteins Regulate Transforming Growth Factor- β ² Signaling in Human Keratinocytes. <i>Journal of Biological Chemistry</i> , 2003, 278, 49610-49617.	1.6	22
1130	Secretory Granule Exocytosis. <i>Physiological Reviews</i> , 2003, 83, 581-632.	13.1	753

#	ARTICLE	IF	CITATIONS
1131	Activin A Induces Phosphorylation of Smad2 but Not Complex Formation of Smad2 with Smad4 in Human Colon Cancer Cell Line HT-29. <i>Bioscience, Biotechnology and Biochemistry</i> , 2003, 67, 2042-2044.	0.6	4
1132	Genetic Polymorphisms in Cytokine and Adhesion Molecule Genes in Coronary Artery Disease. <i>Molecular Diagnosis and Therapy</i> , 2003, 3, 317-328.	3.3	51
1133	Spatial Expression Patterns of Activin and Its Signaling System in the Zebrafish Ovarian Follicle: Evidence for Paracrine Action of Activin on the Oocytes1. <i>Biology of Reproduction</i> , 2003, 69, 1998-2006.	1.2	79
1134	Defining BMP functions in the hair follicle by conditional ablation of BMP receptor IA. <i>Journal of Cell Biology</i> , 2003, 163, 609-623.	2.3	234
1135	Squamous cell carcinoma and mammary abscess formation through squamous metaplasia in Smad4/Dpc4 conditional knockout mice. <i>Development (Cambridge)</i> , 2003, 130, 6143-6153.	1.2	91
1136	HER2/Neu- and TAK1-mediated Up-regulation of the Transforming Growth Factor β 2 Inhibitor Smad7 via the ETS Protein ER81. <i>Journal of Biological Chemistry</i> , 2003, 278, 44377-44384.	1.6	88
1137	Germ line stem cell differentiation in <i>Drosophila</i> requires gap junctions and proceeds via an intermediate state. <i>Development (Cambridge)</i> , 2003, 130, 6625-6634.	1.2	95
1138	Activin signal transduction in the fetal rat adrenal gland and in human H295R cells. <i>Journal of Endocrinology</i> , 2003, 178, 137-148.	1.2	18
1139	Tomoregulin-1 (TMEFF1) inhibits nodal signaling through direct binding to the nodal coreceptor Cripto. <i>Genes and Development</i> , 2003, 17, 2624-2629.	2.7	59
1140	Identification of Novel Isoforms of Activin Receptor-Like Kinase 7 (ALK7) Generated by Alternative Splicing and Expression of ALK7 and Its Ligand, Nodal, in Human Placenta1. <i>Biology of Reproduction</i> , 2003, 68, 1719-1726.	1.2	43
1141	Peritoneal Dialysis and Epithelial-to-Mesenchymal Transition of Mesothelial Cells. <i>New England Journal of Medicine</i> , 2003, 348, 403-413.	13.9	694
1142	Microarray and Suppression Subtractive Hybridization Analyses of Gene Expression in Pheochromocytoma Cells Reveal Pleiotropic Effects of Pituitary Adenylate Cyclase-Activating Polypeptide on Cell Proliferation, Survival, and Adhesion. <i>Endocrinology</i> , 2003, 144, 2368-2379.	1.4	57
1143	Cloning of Transforming Growth Factor- β 21 (TGF- β 21) and Its Type II Receptor from Zebrafish Ovary and Role of TGF- β 21 in Oocyte Maturation. <i>Endocrinology</i> , 2003, 144, 1931-1941.	1.4	93
1144	Vascular morphogenesis: tales of two syndromes. <i>Human Molecular Genetics</i> , 2003, 12, 97R-112.	1.4	134
1145	TGF- β 2 receptor kinase inhibitor enhances growth and integrity of embryonic stem cell-derived endothelial cells. <i>Journal of Cell Biology</i> , 2003, 163, 1303-1311.	2.3	172
1146	Dexamethasone Inhibits Transforming Growth Factor- β 2 Receptor (T β 2R) Messenger RNA Expression in Hamster Preantral Follicles: Possible Association with NF-YA1. <i>Biology of Reproduction</i> , 2003, 68, 2180-2188.	1.2	9
1147	Regression of Hypertensive Myocardial Fibrosis by Na ⁺ /H ⁺ Exchange Inhibition. <i>Hypertension</i> , 2003, 41, 373-377.	1.3	62
1148	Regulation of Aromatase Gene Expression in Purified Germ Cells of Adult Male Rats: Effects of Transforming Growth Factor β 2, Tumor Necrosis Factor α , and Cyclic Adenosine 3',5'-Monophosphate1. <i>Biology of Reproduction</i> , 2003, 69, 592-601.	1.2	30

#	ARTICLE	IF	CITATIONS
1149	Arterial Endothelium-Specific Activin Receptor-Like Kinase 1 Expression Suggests Its Role in Arterialization and Vascular Remodeling. <i>Circulation Research</i> , 2003, 93, 682-689.	2.0	263
1150	Myostatin Signals through a Transforming Growth Factor β -Like Signaling Pathway To Block Adipogenesis. <i>Molecular and Cellular Biology</i> , 2003, 23, 7230-7242.	1.1	505
1151	Autocrine Transforming Growth Factor- β Signaling Mediates Smad-independent Motility in Human Cancer Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 3275-3285.	1.6	148
1152	Homeoprotein DLX-1 interacts with Smad4 and blocks a signaling pathway from activin A in hematopoietic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 15577-15582.	3.3	42
1153	Heart and Liver Defects and Reduced Transforming Growth Factor β 2 Sensitivity in Transforming Growth Factor β Type III Receptor-Deficient Embryos. <i>Molecular and Cellular Biology</i> , 2003, 23, 4371-4385.	1.1	230
1154	Increased Malignancy of Neu-Induced Mammary Tumors Overexpressing Active Transforming Growth Factor β 1. <i>Molecular and Cellular Biology</i> , 2003, 23, 8691-8703.	1.1	190
1155	Transforming growth factor beta1 inhibits aldosterone and cortisol production in the human adrenocortical cell line NCI-H295R through inhibition of CYP11B1 and CYP11B2 expression. <i>Journal of Endocrinology</i> , 2003, 176, 69-82.	1.2	42
1156	CELL SIGNALING: β -Arrestin--Not Just for G Protein-Coupled Receptors. <i>Science</i> , 2003, 301, 1338-1339.	6.0	18
1157	Early stimulation and late inhibition of peroxisome proliferator-activated receptor gamma (PPARgamma) gene expression by transforming growth factor beta in human aortic smooth muscle cells: role of early growth-response factor-1 (Egr-1), activator protein 1 (AP1) and Smads. <i>Biochemical Journal</i> , 2003, 370, 1019-1025.	1.7	76
1158	Involvement of bone morphogenetic protein 4 (BMP-4) in pituitary prolactinoma pathogenesis through a Smad/estrogen receptor crosstalk. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 1034-1039.	3.3	171
1159	Human Umbilical Vein Endothelium-derived Cells Retain Potential to Differentiate into Smooth Muscle-like Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 1303-1309.	1.6	80
1160	Inhibin Is an Antagonist of Bone Morphogenetic Protein Signaling. <i>Journal of Biological Chemistry</i> , 2003, 278, 7934-7941.	1.6	151
1161	Modulation of Transforming Growth Factor- β (TGF- β) Signaling by Endogenous Sphingolipid Mediators. <i>Journal of Biological Chemistry</i> , 2003, 278, 9276-9282.	1.6	57
1162	Sequence analysis of bone morphogenetic protein receptor type II mRNA from ascitic and nonascitic commercial broilers. <i>Poultry Science</i> , 2003, 82, 1494-1499.	1.5	11
1163	SARA and Hgs attenuate susceptibility to TGF- β 1-mediated T cell suppression. <i>FASEB Journal</i> , 2003, 17, 194-202.	0.2	37
1164	Inferring protein interactions from phylogenetic distance matrices. <i>Bioinformatics</i> , 2003, 19, 2039-2045.	1.8	69
1165	DrosophilaTGIF Proteins Are TranscriptionalActivators. <i>Molecular and Cellular Biology</i> , 2003, 23, 9262-9274.	1.1	37
1166	Antagonistic Effects of TNF- α on TGF- β Signaling Through Down-Regulation of TGF- β Receptor Type II in Human Dermal Fibroblasts. <i>Journal of Immunology</i> , 2003, 171, 3855-3862.	0.4	104

#	ARTICLE	IF	CITATIONS
1167	Mechanism of a Transcriptional Cross Talk between Transforming Growth Factor- β -regulated Smad3 and Smad4 Proteins and Orphan Nuclear Receptor Hepatocyte Nuclear Factor-4. <i>Molecular Biology of the Cell</i> , 2003, 14, 1279-1294.	0.9	49
1168	Smad3 Potentiates Transforming Growth Factor β (TGF β)-induced Apoptosis and Expression of the BH3-only Protein Bim in WEHI 231 B Lymphocytes. <i>Journal of Biological Chemistry</i> , 2003, 278, 18069-18077.	1.6	92
1169	β -Arrestin 2 Mediates Endocytosis of Type III TGF- β Receptor and Down-Regulation of Its Signaling. <i>Science</i> , 2003, 301, 1394-1397.	6.0	246
1170	Mechanisms of Action of Transforming Growth Factor β on the Expression of Follicle-Stimulating Hormone Receptor Messenger Ribonucleic Acid Levels in Rat Granulosa Cells. <i>Biology of Reproduction</i> , 2003, 69, 1238-1244.	1.2	17
1171	The <i>Caenorhabditis elegans</i> schnurri homolog sma-9 mediates stage- and cell type-specific responses to DBL-1 BMP-related signaling. <i>Development (Cambridge)</i> , 2003, 130, 6453-6464.	1.2	57
1172	Transforming Growth Factor β 1 Receptor II Is Downregulated by E1A in Adenovirus-Infected Cells. <i>Journal of Virology</i> , 2003, 77, 9324-9336.	1.5	9
1173	Health & Wellness Resource Center. <i>Journal of Consumer Health on the Internet</i> , 2003, 7, 67-72.	0.2	0
1174	The Role of Growth Factors for Disease and Therapy in Diseases of the Head and Neck. <i>DNA and Cell Biology</i> , 2003, 22, 593-606.	0.9	8
1175	Regulation of BMP and Activin Signaling in <i>Drosophila</i> . <i>Progress in Molecular and Subcellular Biology</i> , 2003, 34, 73-101.	0.9	59
1176	Cerebellar Deficits and Hyperactivity in Mice Lacking Smad4. <i>Journal of Biological Chemistry</i> , 2003, 278, 42313-42320.	1.6	60
1177	Regulation of outgrowth and apoptosis for the terminal appendage:external genitalia: development by concerted actions of BMP signaling. <i>Development (Cambridge)</i> , 2003, 130, 6209-6220.	1.2	119
1178	Chromosomal Region Maintenance 1 (CRM1)-dependent Nuclear Export of Smad Ubiquitin Regulatory Factor 1 (Smurf1) Is Essential for Negative Regulation of Transforming Growth Factor- β Signaling by Smad7. <i>Journal of Biological Chemistry</i> , 2003, 278, 10716-10721.	1.6	80
1179	Mammalian Transforming Growth Factor β 1 Activated after Ingestion by <i>Anopheles stephensi</i> Modulates Mosquito Immunity. <i>Infection and Immunity</i> , 2003, 71, 3000-3009.	1.0	70
1180	Interferon- β Interferes with Transforming Growth Factor- β Signaling through Direct Interaction of YB-1 with Smad3. <i>Journal of Biological Chemistry</i> , 2003, 278, 43470-43479.	1.6	146
1181	Cripto forms a complex with activin and type II activin receptors and can block activin signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 5193-5198.	3.3	147
1182	Betaglycan Expression Is Transcriptionally Up-regulated during Skeletal Muscle Differentiation. <i>Journal of Biological Chemistry</i> , 2003, 278, 382-390.	1.6	43
1183	Uncoupling of Promitogenic and Antiapoptotic Functions of IL-2 by Smad-Dependent TGF- β Signaling. <i>Journal of Immunology</i> , 2003, 170, 5563-5570.	0.4	33
1184	The Oncoprotein Ski Acts as an Antagonist of Transforming Growth Factor- β Signaling by Suppressing Smad2 Phosphorylation. <i>Journal of Biological Chemistry</i> , 2003, 278, 26249-26257.	1.6	56

#	ARTICLE	IF	CITATIONS
1185	NOVEL PHARMACOLOGICAL APPROACHES TO MANAGE INTERSTITIAL LUNG FIBROSIS IN THE TWENTY-FIRST CENTURY. Annual Review of Pharmacology and Toxicology, 2003, 43, 73-95.	4.2	30
1186	IL1 receptor accessory protein like, a protein involved in X-linked mental retardation, interacts with Neuronal Calcium Sensor-1 and regulates exocytosis. Human Molecular Genetics, 2003, 12, 1415-1425.	1.4	96
1187	Both Max and TFE3 Cooperate with Smad Proteins to Bind the Plasminogen Activator Inhibitor-1 Promoter, but They Have Opposite Effects on Transcriptional Activity. Journal of Biological Chemistry, 2003, 278, 11227-11236.	1.6	39
1188	Smad4 as a Transcription Corepressor for Estrogen Receptor β . Journal of Biological Chemistry, 2003, 278, 15192-15200.	1.6	101
1189	Regulation of Biglycan Gene Expression by Transforming Growth Factor- β^2 Requires MKK6-p38 Mitogen-activated Protein Kinase Signaling Downstream of Smad Signaling. Journal of Biological Chemistry, 2003, 278, 11041-11049.	1.6	57
1190	Molecular Basis of Bone Morphogenetic Protein-15 Signaling in Granulosa Cells. Journal of Biological Chemistry, 2003, 278, 304-310.	1.6	266
1191	Regulation of Transforming Growth Factor- β^2 Signaling by Protein Inhibitor of Activated STAT, PIASy through Smad3. Journal of Biological Chemistry, 2003, 278, 34253-34258.	1.6	79
1192	p38 MAPK Is Involved in Activin A- and Hepatocyte Growth Factor-mediated Expression of Pro-endocrine Gene Neurogenin 3 in AR42J-B13 Cells. Journal of Biological Chemistry, 2003, 278, 21693-21700.	1.6	41
1193	Features of a Smad3 MH1-DNA Complex. Journal of Biological Chemistry, 2003, 278, 20327-20331.	1.6	64
1194	Evidence for a Role of Smad3 and Smad2 in Stabilization of the Tumor-derived Mutant Smad2.Q407R. Journal of Biological Chemistry, 2003, 278, 24881-24887.	1.6	14
1195	TCR-mediated hyper-responsiveness of autoimmune G α i2 $^{-/-}$ mice is an intrinsic naive CD4 $^{+}$ T cell disorder selective for the G α i2 subunit. International Immunology, 2003, 15, 1359-1367.	1.8	49
1196	Characterization of the Transforming Growth Factor- β^1 -induced Apoptotic Transcriptome in FaO Hepatoma Cells. Journal of Biological Chemistry, 2003, 278, 5920-5928.	1.6	34
1197	Activin Induces α -Zone Apoptosis That Inhibits Luteinizing Hormone-Dependent Adrenocortical Tumor Formation in Inhibin-Deficient Mice. Molecular and Cellular Biology, 2003, 23, 3951-3964.	1.1	72
1198	Transforming growth factor- β and Activin-Smad signaling pathways are activated at distinct maturation stages of the thymopoiesis. International Immunology, 2003, 15, 1401-1414.	1.8	33
1199	Hereditary hemorrhagic telangiectasia: an update on transforming growth factor β signaling in vasculogenesis and angiogenesis. Cardiovascular Research, 2003, 58, 20-31.	1.8	101
1200	Cellular growth inhibition by IGFBP β and TGF β^2 1 requires LRP β 1. FASEB Journal, 2003, 17, 2068-2081.	0.2	147
1201	SPARC Inhibits Epithelial Cell Proliferation in Part through Stimulation of the Transforming Growth Factor- β^2 Signaling System. Molecular Biology of the Cell, 2003, 14, 3977-3988.	0.9	146
1202	Rapid Up-Regulation of α 4 Integrin-mediated Leukocyte Adhesion by Transforming Growth Factor- β^1 . Molecular Biology of the Cell, 2003, 14, 54-66.	0.9	27

#	ARTICLE	IF	CITATIONS
1203	Antiangiogenic Activity of a Matrix Protein. <i>Cancer Biology and Therapy</i> , 2003, 2, 54-55.	1.5	11
1204	Smad protein and TGF- β 2 signaling in vascular smooth muscle cells. <i>International Journal of Molecular Medicine</i> , 2003, 11, 645.	1.8	12
1205	Identification of a Functional Binding Site for Activin on the Type I Receptor ALK4. <i>Journal of Biological Chemistry</i> , 2003, 278, 21129-21135.	1.6	49
1206	Phosphatidylinositol 3-Kinase-dependent Activation of Renal Mesangial Cell Ki-Ras and ERK by Advanced Glycation End Products. <i>Journal of Biological Chemistry</i> , 2003, 278, 39349-39355.	1.6	50
1207	Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand Enhances Collagen Production by Human Lung Fibroblasts. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2003, 28, 225-231.	1.4	27
1208	A Phase I/II Study of High-Dose Tamoxifen in Combination with Vinblastine in Patients with Androgen-Independent Prostate Cancer. <i>Acta Oncologica</i> , 2003, 42, 195-201.	0.8	18
1209	Smad-Dependent Recruitment of a Histone Deacetylase/Sin3A Complex Modulates the Bone Morphogenetic Protein-Dependent Transcriptional Repressor Activity of Nkx3.2. <i>Molecular and Cellular Biology</i> , 2003, 23, 8704-8717.	1.1	98
1210	Signaling Receptome: A Genomic and Evolutionary Perspective of Plasma Membrane Receptors Involved in Signal Transduction. <i>Science Signaling</i> , 2003, 2003, re9-re9.	1.6	101
1211	Smad3 Mediates Transforming Growth Factor- β 2-Induced α -Smooth Muscle Actin Expression. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2003, 29, 397-404.	1.4	286
1212	Insights into the Genetic and Molecular Basis of Primary Pulmonary Hypertension. <i>Pediatric Research</i> , 2003, 53, 883-888.	1.1	22
1213	Regulation of the Rat Follicle-Stimulating Hormone β -Subunit Promoter by Activin. <i>Molecular Endocrinology</i> , 2003, 17, 318-332.	3.7	118
1214	Wound Healing Studies in Transgenic and Knockout Mice: A Review. , 2003, 78, 191-216.		23
1215	Ultrafine Carbon Black Particles Inhibit Human Lung Fibroblast-Mediated Collagen Gel Contraction. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2003, 28, 111-121.	1.4	59
1216	Novel Membrane Protein Containing Glycerophosphodiester Phosphodiesterase Motif Is Transiently Expressed during Osteoblast Differentiation. <i>Journal of Biological Chemistry</i> , 2003, 278, 43595-43602.	1.6	42
1217	Immunohistochemical Determination of EGFR-Tyrosine Kinase Inhibition in Clinical Samples. , 2003, 85, 135-140.		3
1218	Rat Anterior Pituitary Folliculostellate Cells Are Targets of Interleukin-1 β and a Major Source of Intrapituitary Follistatin. <i>Endocrinology</i> , 2003, 144, 732-740.	1.4	49
1219	The tantalizing triplet of pulmonary hypertension- BMP receptors, serotonin receptors, and angiotensins. <i>Cardiovascular Research</i> , 2003, 60, 465-467.	1.8	9
1220	Growth Factor-Binding Sequence in Human α 2-Macroglobulin Targets the Receptor-Binding Site in Transforming Growth Factor- β . <i>Biochemistry</i> , 2003, 42, 6121-6127.	1.2	33

#	ARTICLE	IF	CITATIONS
1221	PTHrP stimulated by the calcium-sensing receptor requires MAP kinase activation. American Journal of Physiology - Endocrinology and Metabolism, 2003, 284, E435-E442.	1.8	63
1222	The TGF- β Superfamily and Its Roles in the Human Ovary and Placenta. Journal of Obstetrics and Gynaecology Canada, 2003, 25, 834-844.	0.3	52
1223	Liver Disease in Hereditary Hemorrhagic Telangiectasia. Journal of Clinical Gastroenterology, 2003, 36, 149-158.	1.1	66
1224	TGF- β Signaling and its Functional Significance in Regulating the Fate of Cranial Neural Crest Cells. Critical Reviews in Oral Biology and Medicine, 2003, 14, 78-88.	4.4	63
1225	Renal protection from glomerular fibrosis. Journal of Hypertension, 2003, 21, 687-689.	0.3	0
1226	Loss of Smad Signaling in Human Colorectal Cancer Is Associated with Advanced Disease and Poor Prognosis. Cancer Journal (Sudbury, Mass), 2003, 9, 302-312.	1.0	101
1227	Fibroblast and endothelial apoptosis in systemic sclerosis. Current Opinion in Rheumatology, 2003, 15, 756-760.	2.0	40
1228	Expression of Smad2 and Smad4 in rhesus monkey endometrium during the menstrual cycle and early pregnancy *. Progress in Natural Science: Materials International, 2003, 13, 584-589.	1.8	1
1229	Mechanisms of immune resolution. Critical Care Medicine, 2003, 31, S558-S571.	0.4	47
1230	Patterning of the Zebrafish Embryo by Nodal Signals. Current Topics in Developmental Biology, 2003, 55, 143-171.	1.0	11
1231	TGF- β in Mammary Gland Development and Breast Cancer. Breast Disease, 2003, 18, 61-73.	0.4	28
1232	Etiology and pathogenesis of uterine leiomyomas: a review.. Environmental Health Perspectives, 2003, 111, 1037-1054.	2.8	439
1233	Alterations in TGF- β 1 expression in lambs with increased pulmonary blood flow and pulmonary hypertension. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2003, 285, L209-L221.	1.3	68
1234	Role of TGF- β in the Progression of Renal Fibrosis. , 2003, 139, 44-65.		33
1235	Disruption of Smad5 gene leads to enhanced proliferation of high-proliferative potential precursors during embryonic hematopoiesis. Blood, 2003, 101, 124-133.	0.6	68
1236	Cellular response to hypoxia involves signaling via Smad proteins. Blood, 2003, 101, 2253-2260.	0.6	134
1237	TGF- β signaling-deficient hematopoietic stem cells have normal self-renewal and regenerative ability in vivo despite increased proliferative capacity in vitro. Blood, 2003, 102, 3129-3135.	0.6	141
1238	Converging signals synergistically activate the LAMC2 promoter and lead to accumulation of the laminin gamma2 chain in human colon carcinoma cells. Biochemical Journal, 2003, 371, 211-221.	1.7	39

#	ARTICLE	IF	CITATIONS
1239	Membrane Receptor Signaling in Health and Disease. , 2003, , 644-657.		4
1240	p38 MAP kinase regulates BMP-4-stimulated VEGF synthesis via p70 S6 kinase in osteoblasts. American Journal of Physiology - Endocrinology and Metabolism, 2003, 284, E1202-E1209.	1.8	34
1241	Regulation of stromal proliferation growth arrest differentiation and apoptosis in benign prostatic hyperplasia by TGF beta. Frontiers in Bioscience - Landmark, 2003, 8, s740-749.	3.0	57
1242	Regulation of Wound Healing by Growth Factors and Cytokines. Physiological Reviews, 2003, 83, 835-870.	13.1	2,922
1243	Receptor regulated SMADS in TGF beta signaling. Frontiers in Bioscience - Landmark, 2003, 8, s1280-1303.	3.0	52
1244	Molecular Mechanisms of Cancer. , 0, , 71-142.		3
1245	Activin A Signaling Induces Smad2, but Not Smad3, Requiring Protein Kinase A Activity in Granulosa Cells from the Avian Ovary. Journal of Biological Chemistry, 2003, 278, 21197-21203.	1.6	23
1246	The 26S proteasome system in the signaling pathways of TGF-BETA superfamily. Frontiers in Bioscience - Landmark, 2003, 8, d1109-1127.	3.0	48
1247	Transforming growth factor- β 2 inhibition of proteasomal activity: a potential mechanism of growth arrest. American Journal of Physiology - Cell Physiology, 2003, 285, C277-C285.	2.1	129
1248	Fecundity Genes. , 2003, , 632-636.		0
1249	Autonomic microganglion cells: a source of acetylcholine in the rat carotid body. Journal of Applied Physiology, 2004, 96, 384-391.	1.2	37
1250	AT1A-mediated activation of kidney JNK1 and SMAD2 in obstructive uropathy: preservation of kidney tissue mass using candesartan. American Journal of Physiology - Renal Physiology, 2004, 287, F474-F480.	1.3	23
1251	A crucial role of caspase-3 in osteogenic differentiation of bone marrow stromal stem cells. Journal of Clinical Investigation, 2004, 114, 1704-1713.	3.9	221
1252	Regulatory Controls for Osteoblast Growth and Differentiation: Role of Runx/Cbfa/AML Factors. Critical Reviews in Eukaryotic Gene Expression, 2004, 14, 1-42.	0.4	392
1253	The Role of Growth Factor Signaling in Malignancy. , 2003, 115, 19-72.		13
1255	Role of Matrix and Cell Adhesion Molecules in Lens Differentiation. , 2004, , 245-260.		5
1257	Alterations of cell signaling pathways in pancreatic cancer. Frontiers in Bioscience - Landmark, 2004, 9, 1889.	3.0	18
1258	Lens Crystallins. , 2004, , 119-150.		10

#	ARTICLE	IF	CITATIONS
1260	The Lens: Historical and Comparative Perspectives. , 2004, , 3-26.		4
1261	Lens Induction and Determination. , 2004, , 27-47.		7
1262	Lens Cell Membranes. , 2004, , 151-172.		2
1263	Lens Cell Proliferation: The Cell Cycle. , 2004, , 191-213.		5
1264	Lens Fiber Differentiation. , 2004, , 214-244.		7
1265	Growth Factors in Lens Development. , 2004, , 261-289.		10
1266	Lens Regeneration. , 2004, , 290-312.		3
1267	The Structure of the Vertebrate Lens. , 2004, , 71-118.		14
1268	Lens Cell Cytoskeleton. , 2004, , 173-188.		4
1269	Analyzing for Co-Localization of Proteins at a Cell Membrane. Current Pharmaceutical Biotechnology, 2004, 5, 213-220.	0.9	14
1270	Transcription Factors in Early Lens Development. , 2004, , 48-68.		4
1271	Pathobiology of Human Cerebrovascular Malformations: Basic Mechanisms and Clinical Relevance. Neurosurgery, 2004, 55, 1-17.	0.6	100
1272	Tumor-suppressive and promoting function of transforming growth factor beta. Frontiers in Bioscience - Landmark, 2004, 9, 1925.	3.0	41
1273	Receptor Internalization-Independent Activation of Smad2 in Activin Signaling. Molecular Endocrinology, 2004, 18, 1818-1826.	3.7	27
1274	Elastase Mediates the Release of Growth Factors from LungIn Vivo. American Journal of Respiratory Cell and Molecular Biology, 2004, 31, 344-350.	1.4	44
1275	Characterization of the Bone Morphogenetic Protein (BMP) System in Human Pulmonary Arterial Smooth Muscle Cells Isolated from a Sporadic Case of Primary Pulmonary Hypertension: Roles of BMP Type IB Receptor (Activin Receptor-Like Kinase-6) in the Mitotic Action. Endocrinology, 2004, 145, 4344-4354.	1.4	48
1276	Inhibins in Normal Male Physiology. Seminars in Reproductive Medicine, 2004, 22, 177-185.	0.5	82
1277	Interferon- β Inhibits Transforming Growth Factor- β Production in Human Airway Epithelial Cells by Targeting Smads. American Journal of Respiratory Cell and Molecular Biology, 2004, 30, 816-822.	1.4	44

#	ARTICLE	IF	CITATIONS
1278	Novel Action of Activin and Bone Morphogenetic Protein in Regulating Aldosterone Production by Human Adrenocortical Cells. <i>Endocrinology</i> , 2004, 145, 639-649.	1.4	65
1279	Differential Effects of Transforming Growth Factor- β 1 on Cellular Proliferation in the Developing Prostate. <i>Endocrinology</i> , 2004, 145, 4292-4300.	1.4	31
1280	Differential Activation of Smads in HeLa and SiHa Cells That Differ in Their Response to Transforming Growth Factor- β 2. <i>Journal of Biological Chemistry</i> , 2004, 279, 36287-36292.	1.6	22
1281	Transforming Growth Factor β 1 May Directly Influence Gonadotropin-Releasing Hormone Gene Expression in the Rat Hypothalamus. <i>Endocrinology</i> , 2004, 145, 1794-1801.	1.4	45
1282	Growth Differentiation Factor-9 Signaling Is Mediated by the Type I Receptor, Activin Receptor-Like Kinase 5. <i>Molecular Endocrinology</i> , 2004, 18, 653-665.	3.7	219
1283	Evidence that Basal Activity, But Not Transactivation, of the Epidermal Growth Factor Receptor Tyrosine Kinase Is Required for Insulin-like Growth Factor I-Induced Activation of Extracellular Signal-Regulated Kinase in Oral Carcinoma Cells. <i>Endocrinology</i> , 2004, 145, 4976-4984.	1.4	33
1284	Cytokines in Neuroinflammation and Alzheimers Disease. <i>Current Drug Targets</i> , 2004, 5, 529-534.	1.0	216
1285	Role of the Inhibin/Activin System and Luteinizing Hormone in Adrenocortical Tumorigenesis. <i>Hormone and Metabolic Research</i> , 2004, 36, 392-396.	0.7	21
1286	Cross-Talk Between Nitric Oxide and Transforming Growth Factor- β 1 in Malaria. <i>Current Molecular Medicine</i> , 2004, 4, 787-797.	0.6	25
1287	Novel RGD lipopeptides for the targeting of liposomes to integrin-expressing endothelial and melanoma cells. <i>Protein Engineering, Design and Selection</i> , 2004, 17, 433-441.	1.0	110
1288	Loss of metal transcription factor β 1 suppresses tumor growth through enhanced matrix deposition. <i>FASEB Journal</i> , 2004, 18, 1176-1184.	0.2	32
1289	Amino-acid changes acquired during evolution by olfactory receptor 912-93 modify the specificity of odorant recognition. <i>Human Molecular Genetics</i> , 2004, 13, 771-780.	1.4	38
1290	Differential Activation of MAPK Signaling Pathways by TGF- β 1 Forms the Molecular Mechanism Behind Its Dose-Dependent Bidirectional Effects on Hematopoiesis. <i>Stem Cells and Development</i> , 2004, 13, 27-38.	1.1	36
1291	Primary pulmonary hypertension: molecular basis and potential for therapy. <i>Expert Reviews in Molecular Medicine</i> , 2004, 6, 1-15.	1.6	4
1292	Smad4 Protein Stability Is Regulated by Ubiquitin Ligase SCF- β -TrCP1. <i>Journal of Biological Chemistry</i> , 2004, 279, 14484-14487.	1.6	93
1293	A phylogenetically conserved cis-regulatory module in the Msx2 promoter is sufficient for BMP-dependent transcription in murine and Drosophila embryos. <i>Development (Cambridge)</i> , 2004, 131, 5153-5165.	1.2	114
1294	Involvement of Interferon Regulatory Factor 1 and S100C/A11 in Growth Inhibition by Transforming Growth Factor β 1 in Human Hepatocellular Carcinoma Cells. <i>Cancer Research</i> , 2004, 64, 4155-4161.	0.4	37
1295	Transforming Growth Factor- β Pathway Serves as a Primary Tumor Suppressor in CD8+ T Cell Tumorigenesis. <i>Cancer Research</i> , 2004, 64, 6524-6529.	0.4	32

#	ARTICLE	IF	CITATIONS
1296	Synaptic Strengthening Mediated by Bone Morphogenetic Protein-Dependent Retrograde Signaling in the <i>Drosophila</i> CNS. <i>Journal of Neuroscience</i> , 2004, 24, 6904-6911.	1.7	49
1297	Roles for the MH2 Domain of Smad7 in the Specific Inhibition of Transforming Growth Factor- β^2 Superfamily Signaling. <i>Journal of Biological Chemistry</i> , 2004, 279, 31568-31574.	1.6	56
1298	Disorder in a Target for the Smad2 Mad Homology 2 Domain and Its Implications for Binding and Specificity. <i>Journal of Biological Chemistry</i> , 2004, 279, 40707-40714.	1.6	26
1299	Signaling through BMP type 1 receptors is required for development of interneuron cell types in the dorsal spinal cord. <i>Development (Cambridge)</i> , 2004, 131, 5393-5403.	1.2	135
1300	Differential Response to Exogenous and Endogenous Myostatin in Myoblasts Suggests that Myostatin Acts as an Autocrine Factor in Vivo. <i>Endocrinology</i> , 2004, 145, 2795-2803.	1.4	73
1301	Mutually Antagonistic Effects of Androgen and Activin in the Regulation of Prostate Cancer Cell Growth. <i>Molecular Endocrinology</i> , 2004, 18, 696-707.	3.7	22
1302	Bmp7 regulates branching morphogenesis of the lacrimal gland by promoting mesenchymal proliferation and condensation. <i>Development (Cambridge)</i> , 2004, 131, 4155-4165.	1.2	74
1303	A Critical Role of Tropomyosins in TGF- β^2 Regulation of the Actin Cytoskeleton and Cell Motility in Epithelial Cells. <i>Molecular Biology of the Cell</i> , 2004, 15, 4682-4694.	0.9	137
1304	Overexpression of latent transforming growth factor- β^2 binding protein 1 (LTBP-1) in dioxin receptor-null mouse embryo fibroblasts. <i>Journal of Cell Science</i> , 2004, 117, 849-859.	1.2	51
1305	Molecular recognition in bone morphogenetic protein (BMP)/receptor interaction. <i>Biological Chemistry</i> , 2004, 385, 697-710.	1.2	130
1306	Connective Tissue Growth Factor (CTGF) Is Regulated by Wnt and Bone Morphogenetic Proteins Signaling in Osteoblast Differentiation of Mesenchymal Stem Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 55958-55968.	1.6	287
1307	Topical menthol—a human model for cold pain by activation and sensitization of C nociceptors. <i>Brain</i> , 2004, 127, 1159-1171.	3.7	240
1308	Elucidation of Epigenetic Inactivation of SMAD8 in Cancer Using Targeted Expressed Gene Display. <i>Cancer Research</i> , 2004, 64, 1639-1646.	0.4	36
1309	Transforming Growth Factor β^2 Enhances the Glucocorticoid Response of the Mouse Mammary Tumor Virus Promoter through Smad and GA-Binding Proteins. <i>Journal of Virology</i> , 2004, 78, 2201-2211.	1.5	16
1310	Expression of Bone Morphogenetic Proteins in Stromal Cells from Human Bone Marrow Long-term Culture. <i>Journal of Histochemistry and Cytochemistry</i> , 2004, 52, 1159-1167.	1.3	22
1311	The Shedding of Betaglycan Is Regulated by Pervanadate and Mediated by Membrane Type Matrix Metalloprotease-1. <i>Journal of Biological Chemistry</i> , 2004, 279, 7721-7733.	1.6	119
1312	Chick Dach1 interacts with the Smad complex and Sin3a to control AER formation and limb development along the proximodistal axis. <i>Development (Cambridge)</i> , 2004, 131, 4179-4187.	1.2	39
1313	The Genome of Canarypox Virus. <i>Journal of Virology</i> , 2004, 78, 353-366.	1.5	167

#	ARTICLE	IF	CITATIONS
1314	Enhancement of the Antagonistic Potency of Transforming Growth Factor- β 2 Receptor Extracellular Domains by Coiled Coil-induced Homo- and Heterodimerization. <i>Journal of Biological Chemistry</i> , 2004, 279, 26013-26018.	1.6	32
1315	An Activin Mutant with Disrupted ALK4 Binding Blocks Signaling via Type II Receptors. <i>Journal of Biological Chemistry</i> , 2004, 279, 28036-28044.	1.6	63
1316	Differential Activation of the Luteinizing Hormone β -Subunit Promoter by Activin and Gonadotropin-Releasing Hormone: A Role for the Mitogen-Activated Protein Kinase Signaling Pathway in L β T2 Gonadotrophs. <i>Biology of Reproduction</i> , 2004, 70, 236-243.	1.2	50
1317	STEM CELL IN GASTROINTESTINAL STRUCTURE AND NEOPLASTIC DEVELOPMENT. <i>Gut</i> , 2004, 53, 899-910.	6.1	124
1318	Cardiac outflow tract defects in mice lacking ALK2 in neural crest cells. <i>Development (Cambridge)</i> , 2004, 131, 3481-3490.	1.2	171
1319	Differential requirements for Smad4 in TGF β 2-dependent patterning of the early mouse embryo. <i>Development (Cambridge)</i> , 2004, 131, 3501-3512.	1.2	199
1320	Latent Membrane Protein 2A Inhibits Transforming Growth Factor- β 1-Induced Apoptosis through the Phosphatidylinositol 3-Kinase/Akt Pathway. <i>Journal of Virology</i> , 2004, 78, 1697-1705.	1.5	113
1321	D1 Dopamine Receptor Regulation of the Levels of the Cell-cycle-controlling Proteins, Cyclin D, P27 and Raf-1, in Cerebral Cortical Precursor Cells is Mediated Through cAMP-independent Pathways. <i>Cerebral Cortex</i> , 2004, 15, 74-84.	1.6	28
1322	SB-505124 Is a Selective Inhibitor of Transforming Growth Factor- β 2 Type I Receptors ALK4, ALK5, and ALK7. <i>Molecular Pharmacology</i> , 2004, 65, 744-752.	1.0	379
1323	The Kindler Syndrome Protein Is Regulated by Transforming Growth Factor- β 2 and Involved in Integrin-mediated Adhesion. <i>Journal of Biological Chemistry</i> , 2004, 279, 6824-6833.	1.6	142
1324	Distinct Roles of Smad2-, Smad3-, and ERK-dependent Pathways in Transforming Growth Factor- β 1 Regulation of Pancreatic Stellate Cellular Functions. <i>Journal of Biological Chemistry</i> , 2004, 279, 8873-8878.	1.6	101
1325	Involvement of Smad Signaling in Sphingosine 1-Phosphate-mediated Biological Responses of Keratinocytes. <i>Journal of Biological Chemistry</i> , 2004, 279, 38471-38479.	1.6	66
1326	Tuberous Sclerosis Complex 2 Gene Product Interacts with Human SMAD Proteins. <i>Journal of Biological Chemistry</i> , 2004, 279, 25605-25613.	1.6	30
1327	Inhibitor of DNA Binding/Differentiation Helix-Loop-Helix Proteins Mediate Bone Morphogenetic Protein-induced Osteoblast Differentiation of Mesenchymal Stem Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 32941-32949.	1.6	202
1328	SMAD-signaling in chronic obstructive pulmonary disease: transcriptional down-regulation of inhibitory SMAD 6 and 7 by cigarette smoke. <i>Biological Chemistry</i> , 2004, 385, 649-53.	1.2	68
1329	Transforming Growth Factor- β 1 Stimulates Vascular Endothelial Growth Factor 164 via Mitogen-activated Protein Kinase Kinase 3-p38 β and p38 δ Mitogen-activated Protein Kinase-dependent Pathway in Murine Mesangial Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 33213-33219.	1.6	56
1330	Regulation of interleukin-12 gene expression and its anti-tumor activities by prostaglandin E2 derived from mammary carcinomas. <i>Journal of Leukocyte Biology</i> , 2004, 76, 322-332.	1.5	50
1331	Infiltrating CD8+ T Lymphocytes, Natural Killer Cells, and Expression of IL-10 and TGF- β 1 in Chemically Induced Neoplasms in Male Wistar Rats. <i>Toxicologic Pathology</i> , 2004, 32, 548-557.	0.9	4

#	ARTICLE	IF	CITATIONS
1332	Handbook of Cancer Vaccines. , 2004, , .		5
1333	km23: A Novel TGF β Signaling Target Altered in Ovarian Cancer. , 2004, 119, 315-327.		7
1334	Endoglin Expression Regulates Basal and TGF β 1-induced Extracellular Matrix Synthesis in Cultured L ₆ E ₉ Myoblasts. Cellular Physiology and Biochemistry, 2004, 14, 301-310.	1.1	46
1335	Hereditary hemorrhagic telangiectasia: An overview of diagnosis and management in the molecular era for clinicians. Genetics in Medicine, 2004, 6, 175-191.	1.1	112
1336	TGF β ? Back to the Future: Revisiting its Role as a Transforming Growth Factor. Cancer Biology and Therapy, 2004, 3, 276-283.	1.5	60
1337	Prolactin and Transforming Growth Factor β Signaling Exert Opposing Effects on Mammary Gland Morphogenesis, Involution, and the Akt-Forkhead Pathway. Molecular Endocrinology, 2004, 18, 1171-1184.	3.7	45
1338	Involvement of Calcineurin in Transforming Growth Factor β -mediated Regulation of Extracellular Matrix Accumulation. Journal of Biological Chemistry, 2004, 279, 15561-15570.	1.6	95
1339	IL-13 Activates a Mechanism of Tissue Fibrosis That Is Completely TGF β Independent. Journal of Immunology, 2004, 173, 4020-4029.	0.4	337
1340	Identification of insulin receptor substrate proteins as key molecules for the TGF β 1/LRP1-mediated growth inhibitory signaling cascade in epithelial and myeloid cells. FASEB Journal, 2004, 18, 1719-1721.	0.2	33
1341	Secreted transforming growth factor β 2 activates NF- κ B, blocks apoptosis, and is essential for the survival of some tumor cells. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 7112-7117.	3.3	91
1342	Differential Regulation of Membrane Type 1-Matrix Metalloproteinase Activity by ERK 1/2- and p38 MAPK-modulated Tissue Inhibitor of Metalloproteinases 2 Expression Controls Transforming Growth Factor β 1-induced Pericellular Collagenolysis. Journal of Biological Chemistry, 2004, 279, 39042-39050.	1.6	130
1343	Sphingosine Kinase 1 (SPHK1) Is Induced by Transforming Growth Factor β 2 and Mediates TIMP-1 Up-regulation. Journal of Biological Chemistry, 2004, 279, 53994-54001.	1.6	128
1344	Atrophin-1-interacting Protein 4/Human Itch Is a Ubiquitin E3 Ligase for Human Enhancer of Filamentation 1 in Transforming Growth Factor β 2 Signaling Pathways. Journal of Biological Chemistry, 2004, 279, 29681-29690.	1.6	32
1345	Conditional Overexpression of Active Transforming Growth Factor β 1 In vivo Accelerates Metastases of Transgenic Mammary Tumors. Cancer Research, 2004, 64, 9002-9011.	0.4	164
1346	Interleukin-7 and Transforming Growth Factor β 2 Play Counter-regulatory Roles in Protein Kinase C δ -dependent Control of Fibroblast Collagen Synthesis in Pulmonary Fibrosis. Journal of Biological Chemistry, 2004, 279, 28315-28319.	1.6	51
1347	Bone Morphogenetic Protein Receptor IB Signaling Mediates Apoptosis Independently of Differentiation in Osteoblastic Cells. Journal of Biological Chemistry, 2004, 279, 1650-1658.	1.6	40
1348	Angiotensin type 1a receptor signaling-dependent induction of vascular endothelial growth factor in stroma is relevant to tumor-associated angiogenesis and tumor growth. Carcinogenesis, 2004, 26, 271-279.	1.3	128
1349	Plasma Level of Transforming Growth Factor β 1 Measured from the Azygos Vein Predicts Prognosis in Patients with Esophageal Cancer. Clinical Cancer Research, 2004, 10, 2738-2741.	3.2	37

#	ARTICLE	IF	CITATIONS
1350	Protein Related to DAN and Cerberus Is a Bone Morphogenetic Protein Antagonist That Participates in Ovarian Paracrine Regulation. <i>Journal of Biological Chemistry</i> , 2004, 279, 23134-23141.	1.6	95
1351	Identification and Characterization of the Acidic pH Binding Sites for Growth Regulatory Ligands of Low Density Lipoprotein Receptor-related Protein-1. <i>Journal of Biological Chemistry</i> , 2004, 279, 38736-38748.	1.6	12
1352	Overexpression of HER2 (erbB2) in Human Breast Epithelial Cells Unmasks Transforming Growth Factor β -induced Cell Motility. <i>Journal of Biological Chemistry</i> , 2004, 279, 24505-24513.	1.6	144
1353	Targeting Endogenous Transforming Growth Factor β Receptor Signaling in SMAD4-Deficient Human Pancreatic Carcinoma Cells Inhibits Their Invasive Phenotype 1. <i>Cancer Research</i> , 2004, 64, 5200-5211.	0.4	133
1354	cAMP-dependent protein kinase activation inhibits proliferation and enhances apoptotic effect of tumor necrosis factor- α in NCI-H295R adrenocortical cells. <i>Journal of Molecular Endocrinology</i> , 2004, 33, 511-522.	1.1	19
1355	SMADS AS INTRACELLULAR MEDIATORS OF AIRWAY INFLAMMATION. <i>Experimental Lung Research</i> , 2004, 30, 223-250.	0.5	61
1356	Molecules Mimicking Smad1 Interacting with Hox Stimulate Bone Formation. <i>Journal of Biological Chemistry</i> , 2004, 279, 11313-11319.	1.6	44
1357	Concomitant Overexpression of Cyclooxygenase-2 in HER-2 α -Positive on Smad4-Reduced Human Gastric Carcinomas Is Associated with a Poor Patient Outcome. <i>Clinical Cancer Research</i> , 2004, 10, 6938-6945.	3.2	25
1358	Quantitative Trait Analysis Reveals Transforming Growth Factor- β 2 as a Positive Regulator of Early Hematopoietic Progenitor and Stem Cell Function. <i>Journal of Experimental Medicine</i> , 2004, 199, 5-14.	4.2	70
1359	Albumin endocytosis in endothelial cells induces TGF- β 2 receptor II signaling. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2004, 286, L1016-L1026.	1.3	31
1360	BMPR-IIheterozygous mice have mild pulmonary hypertension and an impaired pulmonary vascular remodeling response to prolonged hypoxia. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2004, 287, L1241-L1247.	1.3	186
1361	Localization and Developmental Expression of the Activin Signal Transduction Proteins Smads 2, 3, and 4 in the Baboon Fetal Ovary1. <i>Biology of Reproduction</i> , 2004, 70, 586-592.	1.2	22
1362	Changes in Smad expression and subcellular localization in bleomycin-induced pulmonary fibrosis. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2004, 287, L1342-L1347.	1.3	43
1363	Nerve growth factor mediates activation of the Smad pathway in PC12 cells. <i>FEBS Journal</i> , 2004, 271, 920-931.	0.2	35
1364	Amplified expression of dominant-negative transforming growth factor-beta type II receptor inhibits collagen type I production via reduced Smad-3 activity. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004, 19, 380-387.	1.4	9
1365	Transforming growth factor- β s in a rat model of neonatal posthaemorrhagic hydrocephalus. <i>Neuropathology and Applied Neurobiology</i> , 2004, 30, 585-600.	1.8	48
1366	Putative endogenous mediators of preconditioning-induced ischemic tolerance in rat brain identified by genomic and proteomic analysis. <i>Journal of Neurochemistry</i> , 2004, 89, 73-89.	2.1	157
1367	Hypoxia potentiates transforming growth factor-beta expression of hepatocyte during the cirrhotic condition in rat liver. <i>Liver International</i> , 2004, 24, 658-668.	1.9	45

#	ARTICLE	IF	CITATIONS
1368	Smad3 as a mediator of the fibrotic response. <i>International Journal of Experimental Pathology</i> , 2004, 85, 47-64.	0.6	520
1369	Liver portal fibrosis in dioxin receptor-null mice that overexpress the latent transforming growth factor- β -binding protein-1. <i>International Journal of Experimental Pathology</i> , 2004, 85, 295-302.	0.6	43
1370	Immunohistochemical localization of the bone morphogenetic protein receptors in the porcine ovary. <i>Journal of Anatomy</i> , 2004, 205, 15-23.	0.9	29
1371	Lysophosphatidic Acid Interacts with Transforming Growth Factor- β Signaling to Mediate Keratinocyte Growth Arrest and Chemotaxis. <i>Journal of Investigative Dermatology</i> , 2004, 123, 840-849.	0.3	30
1372	PKB/Akt modulates TGF- β signalling through a direct interaction with Smad3. <i>Nature Cell Biology</i> , 2004, 6, 358-365.	4.6	359
1373	Akt interacts directly with Smad3 to regulate the sensitivity to TGF- β -induced apoptosis. <i>Nature Cell Biology</i> , 2004, 6, 366-372.	4.6	370
1374	A rapid method for determining protein kinase phosphorylation specificity. <i>Nature Methods</i> , 2004, 1, 27-29.	9.0	340
1375	Nucleocytoplasmic shuttling of signal transducers. <i>Nature Reviews Molecular Cell Biology</i> , 2004, 5, 209-219.	16.1	240
1376	Negative regulation of TGF- β signaling in development. <i>Cell Research</i> , 2004, 14, 441-449.	5.7	27
1377	Synergy and antagonism between Notch and BMP receptor signaling pathways in endothelial cells. <i>EMBO Journal</i> , 2004, 23, 541-551.	3.5	222
1378	Tyrosine phosphorylation controls Runx2-mediated subnuclear targeting of YAP to repress transcription. <i>EMBO Journal</i> , 2004, 23, 790-799.	3.5	360
1379	Nicalin and its binding partner Nomo are novel Nodal signaling antagonists. <i>EMBO Journal</i> , 2004, 23, 3041-3050.	3.5	57
1380	Characterization of the distinct orthotopic bone-forming activity of 14 BMPs using recombinant adenovirus-mediated gene delivery. <i>Gene Therapy</i> , 2004, 11, 1312-1320.	2.3	520
1381	TGF- β -mediated activation of Smad1 in B-cell non-Hodgkin's lymphoma and effect on cell proliferation. <i>Leukemia</i> , 2004, 18, 2015-2025.	3.3	38
1382	Tumor-derived C-terminal mutations of Smad4 with decreased DNA binding activity and enhanced intramolecular interaction. <i>Oncogene</i> , 2004, 23, 1021-1029.	2.6	24
1383	Loss of the Smad3 expression increases susceptibility to tumorigenicity in human gastric cancer. <i>Oncogene</i> , 2004, 23, 1333-1341.	2.6	122
1384	Regulation of the TGF- β signalling pathway by ubiquitin-mediated degradation. <i>Oncogene</i> , 2004, 23, 2071-2078.	2.6	249
1385	The Nedd4 family of E3 ubiquitin ligases: functional diversity within a common modular architecture. <i>Oncogene</i> , 2004, 23, 1972-1984.	2.6	440

#	ARTICLE	IF	CITATIONS
1386	Involvement of c-Src kinase in the regulation of TGF- β 1-induced apoptosis. <i>Oncogene</i> , 2004, 23, 6272-6281.	2.6	63
1387	TGF- β 2 and HGF transmit the signals through JNK-dependent Smad2/3 phosphorylation at the linker regions. <i>Oncogene</i> , 2004, 23, 7416-7429.	2.6	185
1388	The Kaposi's sarcoma-associated herpesvirus K-bZIP protein represses transforming growth factor β 2 signaling through interaction with CREB-binding protein. <i>Oncogene</i> , 2004, 23, 8272-8281.	2.6	41
1389	BMP signals inhibit proliferation and in vivo tumor growth of androgen-insensitive prostate carcinoma cells. <i>Oncogene</i> , 2004, 23, 9326-9335.	2.6	95
1390	Tegumental expression of a novel type II receptor serine/threonine kinase (SmRK2) in <i>Schistosoma mansoni</i> . <i>Molecular and Biochemical Parasitology</i> , 2004, 136, 149-156.	0.5	44
1391	Cytological and biochemical evidence for a gonad-preferential interplay of SmFKBP12 and SmT β R-I in <i>Schistosoma mansoni</i> . <i>Molecular and Biochemical Parasitology</i> , 2004, 138, 227-236.	0.5	26
1392	Expression of Smad2 and Smad4 in Mouse Uterus During the Oestrous Cycle and Early Pregnancy. <i>Placenta</i> , 2004, 25, 530-537.	0.7	13
1393	The multiple orthogonal tools approach to define molecular causation in the validation of druggable targets. <i>Drug Discovery Today</i> , 2004, 9, 117-126.	3.2	44
1394	TGF-beta1 induction of the adenine nucleotide translocator 1 in astrocytes occurs through Smads and Sp1 transcription factors. <i>BMC Neuroscience</i> , 2004, 5, 1.	0.8	82
1395	Repression of Primordial Germ Cell Differentiation Parallels Germ Line Stem Cell Maintenance. <i>Current Biology</i> , 2004, 14, 981-986.	1.8	128
1396	Pre-weaning carvedilol treatment in spontaneously hypertensive rats. <i>European Journal of Pharmacology</i> , 2004, 486, 183-188.	1.7	3
1397	Effects of interleukin-1 β , interleukin-13 and transforming growth factor- β 2 on gene expression in human airway smooth muscle using gene microarrays. <i>European Journal of Pharmacology</i> , 2004, 497, 255-265.	1.7	52
1398	TGF- β 2 activated Smad signalling leads to a Smad3-mediated down-regulation of DSPP in an odontoblast cell line. <i>Archives of Oral Biology</i> , 2004, 49, 911-918.	0.8	60
1399	Transforming growth factor β 2 (TGF β 2) signalling in palatal growth, apoptosis and epithelial mesenchymal transformation (EMT). <i>Archives of Oral Biology</i> , 2004, 49, 675-689.	0.8	177
1400	Selective inhibitors of type I receptor kinase block cellular transforming growth factor- β 2 signaling. <i>Biochemical Pharmacology</i> , 2004, 68, 41-50.	2.0	38
1401	Traumatic brain injury increases TGF β 2RII expression on endothelial cells. <i>Brain Research</i> , 2004, 1012, 52-59.	1.1	27
1402	Signal transduction of bone morphogenetic protein receptors. <i>Cellular Signalling</i> , 2004, 16, 291-299.	1.7	484
1403	TGF- β 2 and TNF- α : antagonistic cytokines controlling type I collagen gene expression. <i>Cellular Signalling</i> , 2004, 16, 873-880.	1.7	164

#	ARTICLE	IF	CITATIONS
1404	Wound-Healing Studies in Transgenic and Knockout Mice. <i>Molecular Biotechnology</i> , 2004, 28, 147-166.	1.3	147
1405	Mitogen-activated protein kinases mediate the oxidative burst and saponin synthesis induced by chitosan in cell cultures of <i>Panax ginseng</i> . <i>Science in China Series C: Life Sciences</i> , 2004, 47, 303.	1.3	14
1406	Letter to the Editor: Sequential resonance assignments of the extracellular domain of the human TGF β 2 type II receptor in complex with monomeric TGF β 3. <i>Journal of Biomolecular NMR</i> , 2004, 29, 103-104.	1.6	7
1407	Development of specific rhizosphere bacterial communities in relation to plant species, nutrition and soil type. <i>Plant and Soil</i> , 2004, 261, 199-208.	1.8	525
1408	Targeting Amyloid-Degrading Enzymes as Therapeutic Strategies in Neurodegeneration. <i>Annals of the New York Academy of Sciences</i> , 2004, 1035, 1-20.	1.8	73
1409	Augmented cytoplasmic Smad4 induces acceleration of TGF- β 1 signaling in renal tubulointerstitial cells of hereditary nephrotic ICGN mice with chronic renal fibrosis; possible role for myofibroblastic differentiation. <i>Cell and Tissue Research</i> , 2004, 315, 209-221.	1.5	19
1410	Differentially expressed genes in neurofibromatosis 1-associated neurofibromas and malignant peripheral nerve sheath tumors. <i>Acta Neuropathologica</i> , 2004, 107, 159-168.	3.9	50
1412	Effect of human papillomavirus type 16 E6 and E7 oncogenes on the activity of the transforming growth factor- β 2 (TGF- β 2) promoter. <i>Archives of Virology</i> , 2004, 149, 2379-2392.	0.9	11
1413	Proliferation and collagen production of human patellar tendon fibroblasts in response to cyclic uniaxial stretching in serum-free conditions. <i>Journal of Biomechanics</i> , 2004, 37, 1543-1550.	0.9	244
1414	IGF-I and TGF-beta 1 incorporated in a poly(d,l-lactide) implant coating maintain their activity over long-term storage—cell culture studies on primary human osteoblast-like cells. <i>Biomaterials</i> , 2004, 25, 3639-3644.	5.7	30
1415	The Potential Role of TGF β 1, TGF β 2 and TGF β 3 Protein Expression in Colorectal Carcinomas. <i>Strahlentherapie Und Onkologie</i> , 2004, 180, 201-208.	1.0	38
1416	Regulation of bone morphogenetic proteins in early embryonic development. <i>Die Naturwissenschaften</i> , 2004, 91, 519-534.	0.6	63
1417	Inhibition of lung carcinoma cell growth by high density lipoprotein-associated β -tocopheryl-succinate. <i>Cellular and Molecular Life Sciences</i> , 2004, 61, 1520-31.	2.4	33
1418	Transforming growth factor β 1 is not involved in 2,3,7,8-tetrachlorodibenzo-p-dioxin-dependent release from contact-inhibition in WB-F344 cells. <i>Archives of Toxicology</i> , 2004, 78, 643-648.	1.9	2
1419	Transforming growth factor- β 1-regulated proteins in human endothelial cells identified by two-dimensional gel electrophoresis and mass spectrometry. <i>Proteomics</i> , 2004, 4, 995-1006.	1.3	16
1420	Cloning of a novel signaling molecule, AMSH-2, that potentiates transforming growth factor beta signaling. <i>BMC Cell Biology</i> , 2004, 5, 2.	3.0	37
1421	Direct interaction between Smad3, APC10, CDH1 and HEF1 in proteasomal degradation of HEF1. <i>BMC Cell Biology</i> , 2004, 5, 20.	3.0	41
1422	Inhibition of hepatic transcriptional induction of lipopolysaccharide-binding protein by transforming-growth-factor β 1. <i>European Journal of Immunology</i> , 2004, 34, 1441-1450.	1.6	11

#	ARTICLE	IF	CITATIONS
1423	Essential roles of BMPR-IA signaling in differentiation and growth of hair follicles and in skin tumorigenesis. <i>Genesis</i> , 2004, 39, 10-25.	0.8	68
1424	Generation of novel conditional and hypomorphic alleles of the Smad2 gene. <i>Genesis</i> , 2004, 40, 118-123.	0.8	29
1425	Activin mRNA induced during amygdala kindling shows a spatiotemporal progression that tracks the spread of seizures. <i>Journal of Comparative Neurology</i> , 2004, 476, 91-102.	0.9	30
1426	Unique and redundant roles of Smad3 in TGF- β -mediated regulation of long bone development in organ culture. <i>Developmental Dynamics</i> , 2004, 230, 685-699.	0.8	33
1427	Hyperglycemia-induced TGF β and fibronectin expression in embryonic mouse heart. <i>Developmental Dynamics</i> , 2004, 231, 179-189.	0.8	19
1428	Molecular screening of ALK1/ACVRL1 and ENG genes in hereditary hemorrhagic telangiectasia in France. <i>Human Mutation</i> , 2004, 23, 289-299.	1.1	109
1429	Increased expression of c-Ski as a co-repressor in transforming growth factor- β signaling correlates with progression of esophageal squamous cell carcinoma. <i>International Journal of Cancer</i> , 2004, 108, 818-824.	2.3	91
1430	BMP7/ActRIIB regulates estrogen-dependent apoptosis: New biomarkers for environmental estrogens. <i>Journal of Biochemical and Molecular Toxicology</i> , 2004, 18, 1-11.	1.4	22
1431	Phenylbutyrate decreases type I collagen production in human lung fibroblasts. <i>Journal of Cellular Biochemistry</i> , 2004, 91, 740-748.	1.2	48
1432	SPARC regulates TGF- β 1-dependent signaling in primary glomerular mesangial cells. <i>Journal of Cellular Biochemistry</i> , 2004, 91, 915-925.	1.2	94
1433	Emerging roles for bone morphogenetic proteins in central nervous system glial biology. <i>Journal of Neuroscience Research</i> , 2004, 76, 1-8.	1.3	64
1434	Design, synthesis, and biological evaluation of novel 2-pyridinyl-[1,2,4]triazoles as inhibitors of transforming growth factor β 21 type 1 receptor. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 2013-2020.	1.4	23
1435	Convective instability with time scale translation of the transmitted fluctuation. <i>Physica D: Nonlinear Phenomena</i> , 2004, 196, 67-89.	1.3	0
1436	On the narrow dip structure at 1.9 GeV/c ² in diffractive photoproduction. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004, 578, 290-296.	1.5	221
1437	Long-term effects of local growth factor (IGF-I and TGF- β 21) treatment on fracture healing. A safety study for using growth factors. <i>Journal of Orthopaedic Research</i> , 2004, 22, 514-519.	1.2	76
1438	Enzyme-linked immunosorbent assay of total inhibin: direct determination based on inhibin β subunit-specific monoclonal antibodies. <i>Clinical Biochemistry</i> , 2004, 37, 370-376.	0.8	5
1439	Synthesis and biological evaluation of novel 2-pyridinyl-[1,2,3]triazoles as inhibitors of transforming growth factor β 21 type 1 receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 2401-2405.	1.0	34
1440	Caveolin-1 isoform reorganization studied by image correlation spectroscopy. <i>Faraday Discussions</i> , 2004, 126, 185.	1.6	22

#	ARTICLE	IF	CITATIONS
1441	Functional Proteomics Mapping of a Human Signaling Pathway. <i>Genome Research</i> , 2004, 14, 1324-1332.	2.4	278
1442	Intrinsic and Extrinsic Regulation of T Lymphocyte Quiescence. <i>Leukemia and Lymphoma</i> , 2004, 45, 1959-1967.	0.6	41
1443	Schistosoma mansoni male-female interactions. <i>Canadian Journal of Zoology</i> , 2004, 82, 357-374.	0.4	60
1444	The Essential Involvement of Cross-Talk between IFN- γ and TGF- β in the Skin Wound-Healing Process. <i>Journal of Immunology</i> , 2004, 172, 1848-1855.	0.4	236
1445	TGF- β signaling and the fibrotic response. <i>FASEB Journal</i> , 2004, 18, 816-827.	0.2	2,075
1446	Semisynthesis of Phosphovariants of Smad2 Reveals a Substrate Preference of the Activated T β RI Kinase. <i>Biochemistry</i> , 2004, 43, 5698-5706.	1.2	38
1447	GDF11 modulates NGN3+ islet progenitor cell number and promotes β -cell differentiation in pancreas development. <i>Development (Cambridge)</i> , 2004, 131, 6163-6174.	1.2	140
1448	Modulation of activin and BMP signaling. <i>Molecular and Cellular Endocrinology</i> , 2004, 225, 19-19.	1.6	0
1449	Yeast as a budding technology in target validation. <i>Drug Discovery Today: Technologies</i> , 2004, 1, 157-162.	4.0	2
1450	Role of TGF- β 2 in the human hair cycle. <i>Journal of Dermatological Science</i> , 2004, 35, 9-18.	1.0	184
1451	Craniofacial defects in mice lacking BMP type I receptor Alk2 in neural crest cells. <i>Mechanisms of Development</i> , 2004, 121, 173-182.	1.7	188
1452	Regulation of Gonadotropin Receptor in the Ovary. , 2004, , 79-92.		3
1453	Biomimetic polymers in pharmaceutical and biomedical sciences. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2004, 58, 385-385.	2.0	0
1454	Ubiquitin Ligases and the Immune Response. <i>Annual Review of Immunology</i> , 2004, 22, 81-127.	9.5	270
1455	REGULATION OF MUSCLE MASS BY MYOSTATIN. <i>Annual Review of Cell and Developmental Biology</i> , 2004, 20, 61-86.	4.0	706
1456	Activation of the Erk Pathway Is Required for TGF- β 1-Induced EMT In Vitro. <i>Neoplasia</i> , 2004, 6, 603-610.	2.3	450
1457	IGF-binding proteins mediate TGF- β 1-induced apoptosis in bovine mammary epithelial BME-LV1 cells. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2004, 139, 65-75.	1.3	22
1458	Gene structure and evolution of Tieg3, a new member of the Tieg family of proteins. <i>Gene</i> , 2004, 325, 25-34.	1.0	20

#	ARTICLE	IF	CITATIONS
1459	Integrating a functional proteomic approach into the target discovery process. <i>Biochimie</i> , 2004, 86, 625-632.	1.3	28
1460	Cellular growth inhibition by TGF- β 1 involves IRS proteins. <i>FEBS Letters</i> , 2004, 565, 117-121.	1.3	17
1461	cAMP inhibits TGF- β 1-induced in vitro angiogenesis. <i>FEBS Letters</i> , 2004, 569, 105-111.	1.3	19
1462	A kunitz-type protease inhibitor bikunin disrupts ligand-induced oligomerization of receptors for transforming growth factor (TGF)- β 2 and subsequently suppresses TGF- β 2 signalings. <i>FEBS Letters</i> , 2004, 576, 408-416.	1.3	8
1463	Smad2 suppresses the growth of Mv1Lu cells subcutaneously inoculated in mice. <i>European Journal of Cancer</i> , 2004, 40, 267-274.	1.3	8
1464	Biomimetic polymers in pharmaceutical and biomedical sciences. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2004, 58, 385-407.	2.0	161
1465	Involvement of NF- κ B in TGF- β 2-mediated suppression of IL-4 signaling. <i>Biochemical and Biophysical Research Communications</i> , 2004, 313, 627-634.	1.0	15
1466	Cirrhotic hepatocytes exhibit decreased TGF- β 2 growth inhibition associated with downregulated Smad protein expression. <i>Biochemical and Biophysical Research Communications</i> , 2004, 313, 546-551.	1.0	5
1467	Reduction of Smad3 accelerates re-epithelialization in a murine model of colitis. <i>Biochemical and Biophysical Research Communications</i> , 2004, 317, 377-383.	1.0	16
1468	Expression of connective tissue growth factor, a biomarker in senescence of human diploid fibroblasts, is up-regulated by a transforming growth factor- β 2-mediated signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2004, 318, 819-825.	1.0	56
1469	The RING domain of PIASy is involved in the suppression of bone morphogenetic protein-signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2004, 319, 275-282.	1.0	12
1470	Paracrine effect of TGF- β 1 on downregulation of gap junctional intercellular communication between human dermal fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , 2004, 319, 321-326.	1.0	19
1471	Regulation of Notch signaling genes during BMP2-induced differentiation of osteoblast precursor cells. <i>Biochemical and Biophysical Research Communications</i> , 2004, 320, 100-107.	1.0	70
1472	Transcriptional regulation of the TGF- β 2 pseudoreceptor BAMBI by TGF- β 2 signaling. <i>Biochemical and Biophysical Research Communications</i> , 2004, 320, 680-684.	1.0	99
1473	Glypican-1 antisense transfection modulates TGF- β 2-dependent signaling in Colo-357 pancreatic cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2004, 320, 1148-1155.	1.0	55
1474	Interaction of the BMPR-IA tumor suppressor with a developmentally relevant splicing factor. <i>Biochemical and Biophysical Research Communications</i> , 2004, 323, 91-97.	1.0	28
1475	Transforming growth factor- β 2 induces the expression of ANF and hypertrophic growth in cultured cardiomyoblast cells through ZAK. <i>Biochemical and Biophysical Research Communications</i> , 2004, 324, 424-431.	1.0	33
1476	Tgf- β 3-induced palatal fusion is mediated by Alk-5/Smad pathway. <i>Developmental Biology</i> , 2004, 266, 96-108.	0.9	84

#	ARTICLE	IF	CITATIONS
1477	Expression of activin subunits and receptors in the developing human ovary: activin A promotes germ cell survival and proliferation before primordial follicle formation. <i>Developmental Biology</i> , 2004, 266, 334-345.	0.9	109
1478	ALK4 functions as a receptor for multiple TGF β 2-related ligands to regulate left-right axis determination and mesoderm induction in <i>Xenopus</i> . <i>Developmental Biology</i> , 2004, 268, 280-294.	0.9	34
1479	Hyphal homing, fusion and mycelial interconnectedness. <i>Trends in Microbiology</i> , 2004, 12, 135-141.	3.5	193
1480	Comparative analysis of melanin-concentrating hormone structure and activity in fishes and mammals. <i>Peptides</i> , 2004, 25, 1623-1632.	1.2	19
1481	A role for schwann cells in the neuroregenerative effects of a non-immunosuppressive fk506 derivative, jnj460. <i>Neuroscience</i> , 2004, 124, 351-366.	1.1	30
1482	Solar Ultraviolet Irradiation Reduces Collagen in Photoaged Human Skin by Blocking Transforming Growth Factor- β 2 Type II Receptor/Smad Signaling. <i>American Journal of Pathology</i> , 2004, 165, 741-751.	1.9	315
1483	Transforming Growth Factor- β 2 Induces Bronchial Epithelial Mucin Expression in Asthma. <i>American Journal of Pathology</i> , 2004, 165, 1097-1106.	1.9	137
1484	A Flexible Activin Explains the Membrane-Dependent Cooperative Assembly of TGF- β 2 Family Receptors. <i>Molecular Cell</i> , 2004, 15, 485-489.	4.5	120
1485	Decreased expression of transforming growth factor- β 2 II receptor is associated with that of p27KIP1 in giant cell tumor of bone: a possible link between transforming growth factor- β 2 and cell Cycle-Related protein. <i>Human Pathology</i> , 2004, 35, 61-68.	1.1	5
1486	Modulation of activin and BMP signaling. <i>Molecular and Cellular Endocrinology</i> , 2004, 225, 19-24.	1.6	33
1487	Genetic models for transforming growth factor β 2 superfamily signaling in ovarian follicle development. <i>Molecular and Cellular Endocrinology</i> , 2004, 225, 83-91.	1.6	67
1488	Oligodendrocyte maturation is inhibited by bone morphogenetic protein. <i>Molecular and Cellular Neurosciences</i> , 2004, 26, 481-492.	1.0	115
1489	TGF- β 2 Signaling Alterations in Cancer. , 2003, 115, 73-94.		8
1490	TGF β 1 polymorphism (L10P) and risk of colorectal adenomatous and hyperplastic polyps. <i>International Journal of Epidemiology</i> , 2004, 33, 955-961.	0.9	19
1491	Role of transforming growth factor β 2 in breast carcinogenesis. <i>Lancet Oncology</i> , The, 2004, 5, 229-239.	5.1	88
1492	Highwire Regulates Presynaptic BMP Signaling Essential for Synaptic Growth. <i>Neuron</i> , 2004, 41, 891-905.	3.8	212
1493	Systematic Interactome Mapping and Genetic Perturbation Analysis of a <i>C. elegans</i> TGF- β 2 Signaling Network. <i>Molecular Cell</i> , 2004, 13, 469-482.	4.5	136
1494	TGF- β 2-induced SMAD signaling and gene regulation: consequences for extracellular matrix remodeling and wound healing. <i>Journal of Dermatological Science</i> , 2004, 35, 83-92.	1.0	392

#	ARTICLE	IF	CITATIONS
1495	Latent TGF- β 2 Binding Proteins: Extracellular Matrix Association and Roles in TGF- β 2 Activation. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2004, 41, 233-264.	2.7	302
1496	Autocrine/paracrine regulation of pituitary function by activin, inhibin and follistatin. <i>Molecular and Cellular Endocrinology</i> , 2004, 225, 29-36.	1.6	144
1497	Extracellular control of pancreatic differentiation. <i>Seminars in Pediatric Surgery</i> , 2004, 13, 25-36.	0.5	1
1498	Activin induces hepatocyte cell growth arrest through induction of the cyclin-dependent kinase inhibitor p15INK4B and Sp1. <i>Cellular Signalling</i> , 2004, 16, 693-701.	1.7	41
1499	Expression of Smad2 and Smad4, transforming growth factor- β 2 signal transducers in rat endometrium during the estrous cycle, pre-, and peri-implantation. <i>Animal Reproduction Science</i> , 2004, 80, 303-316.	0.5	17
1500	Recent advances in fibroblast signaling and biology in scleroderma. <i>Current Opinion in Rheumatology</i> , 2004, 16, 739-745.	2.0	65
1501	Ensemble Recordings Of Human Subcortical Neurons as a Source Of Motor Control Signals For a Brain-Machine Interface. <i>Neurosurgery</i> , 2004, 55, 27-38.	0.6	185
1502	Signaling pathways weigh in on decisions to make or break skeletal muscle. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2004, 7, 443-450.	1.3	125
1503	TGF- β 2 Signal Transduction in Oro-facial Health and Non-malignant Disease (Part I). <i>Critical Reviews in Oral Biology and Medicine</i> , 2004, 15, 324-336.	4.4	54
1504	The Computational Versatility of Proteomic Signaling Networks. <i>Current Proteomics</i> , 2004, 1, 67-81.	0.1	18
1505	Suppression of Transforming Growth Factor Beta/Smad Signaling in Keloid-Derived Fibroblasts by Quercetin: Implications for the Treatment of Excessive Scars. <i>Journal of Trauma</i> , 2004, 57, 1032-1037.	2.3	88
1506	Mechanisms of action of the principal prolific genes and their application to sheep production. <i>Reproduction, Fertility and Development</i> , 2004, 16, 395.	0.1	15
1507	Transcriptional activation of the murine Muc5ac mucin gene in epithelial cancer cells by TGF-beta/Smad4 signalling pathway is potentiated by Sp1. <i>Biochemical Journal</i> , 2004, 377, 797-808.	1.7	39
1508	Virtual combinatorial chemistry and in silico screening: Efficient tools for lead structure discovery?. <i>Pure and Applied Chemistry</i> , 2004, 76, 991-996.	0.9	36
1509	Neurogenin 3 is a Key Transcription Factor for Differentiation of the Endocrine Pancreas. <i>Endocrine Journal</i> , 2004, 51, 255-264.	0.7	27
1510	Abnormal mouse lung alveolarization caused by Smad3 deficiency is a developmental antecedent of centrilobular emphysema. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2005, 288, L683-L691.	1.3	127
1511	Transcription factor moonlights. <i>Genome Biology</i> , 2005, 6, spotlight-20050527-01.	13.9	0
1512	Angiotensin II Type 2 Receptor Gene Deficiency Attenuates Susceptibility to Tobacco-Specific Nitrosamine-Induced Lung Tumorigenesis: Involvement of Transforming Growth Factor- β 2-Dependent Cell Growth Attenuation. <i>Cancer Research</i> , 2005, 65, 7660-7665.	0.4	44

#	ARTICLE	IF	CITATIONS
1513	17 Use of Microarray in Immunohistochemical Localization of SMAD in Ovarian Carcinoma. Handbook of Immunohistochemistry and in Situ Hybridization of Human Carcinomas, 2005, , 449-455.	0.0	0
1514	Mesodermal Differentiation: Signal Integration During Development. Science Signaling, 2005, 2005, tr23-tr23.	1.6	3
1515	Overlapping Signaling Pathways of Sphingosine 1-Phosphate and TGF- β 2 in the Murine Langerhans Cell Line XS52. Journal of Immunology, 2005, 174, 2778-2786.	0.4	62
1516	Strain-Dependent Control of Transforming Growth Factor- β Function in Osteoblasts in an In Vitro Model: Biochemical Events Associated with Distraction Osteogenesis. Plastic and Reconstructive Surgery, 2005, 116, 224-233.	0.7	13
1521	Smad7 alters cell fate decisions of human hematopoietic repopulating cells. Blood, 2005, 105, 1905-1915.	0.6	50
1522	Thrombin induces endocytosis of endoglin and type-II TGF- β 2 receptor and down-regulation of TGF- β 2 signaling in endothelial cells. Blood, 2005, 105, 1977-1985.	0.6	29
1523	NEDD4-2 (neural precursor cell expressed, developmentally down-regulated 4-2) negatively regulates TGF- β 2 (transforming growth factor- β 2) signalling by inducing ubiquitin-mediated degradation of Smad2 and TGF- β 2 type I receptor. Biochemical Journal, 2005, 386, 461-470.	1.7	187
1524	Transforming Growth Factor Beta and Breast Cancer. , 2005, 126, 129-156.		10
1525	TGF- β 2 prevents eosinophilic lung disease but impairs pathogen clearance. Microbes and Infection, 2005, 7, 365-374.	1.0	34
1526	Specific interaction between Smad1 and CHIP: a surface plasmon resonance study. Colloids and Surfaces B: Biointerfaces, 2005, 40, 133-136.	2.5	15
1527	Influence of BMPs on the Formation of Osteoblastic Lesions in Metastatic Prostate Cancer. Journal of Bone and Mineral Research, 2005, 20, 2189-2199.	3.1	105
1528	Overview of Signal Transduction. Current Protocols in Pharmacology, 2005, 31, Unit2.1.	4.0	1
1529	Expression and synthesis of TGF- β 1 is induced in macrophages by oxononanoyl cholesterol, a major cholesterol ester oxidation product. BioFactors, 2005, 24, 209-216.	2.6	19
1530	The antifibrotic effects of relaxin in human renal fibroblasts are mediated in part by inhibition of the Smad2 pathway. Kidney International, 2005, 68, 96-109.	2.6	145
1531	MAPK/AP-1-dependent regulation of PAI-1 gene expression by TGF- β 2 in rat mesangial cells. Kidney International, 2005, 68, 972-984.	2.6	63
1532	Regulatory T cells: which role in the pathogenesis and treatment of allergic disorders?. Allergy: European Journal of Allergy and Clinical Immunology, 2006, 61, 3-14.	2.7	72
1533	Transforming growth factor-beta and Smad signalling in kidney diseases. Review Article. Nephrology, 2005, 10, 48-56.	0.7	314
1534	TGF-beta3 induces ectopic mineralization in fetal mouse dental pulp during tooth germ development. Development Growth and Differentiation, 2005, 47, 141-152.	0.6	32

#	ARTICLE	IF	CITATIONS
1535	Smad7 induces G0/G1 cell cycle arrest in mesenchymal cells by inhibiting the expression of G1 cyclins. <i>Development Growth and Differentiation</i> , 2005, 47, 537-552.	0.6	4
1536	Smad Proteins are Targets of Transforming Growth Factor beta1 in Immortalised Gonadotrophin-Releasing Hormone Releasing Neurones. <i>Journal of Neuroendocrinology</i> , 2005, 17, 753-760.	1.2	8
1537	Interaction of Arabidopsis BRASSINOSTEROID-INSENSITIVE 1 receptor kinase with a homolog of mammalian TGF- β 2 receptor interacting protein. <i>Plant Journal</i> , 2005, 43, 251-261.	2.8	69
1538	Restoration of TGF- β 2 signalling reduces tumorigenicity in human lung cancer cells. <i>British Journal of Cancer</i> , 2005, 93, 1157-1167.	2.9	61
1539	TGF β 1 induces prolonged mitochondrial ROS generation through decreased complex IV activity with senescent arrest in Mv1Lu cells. <i>Oncogene</i> , 2005, 24, 1895-1903.	2.6	165
1540	Characterization of murine S-endoglin isoform and its effects on tumor development. <i>Oncogene</i> , 2005, 24, 4450-4461.	2.6	84
1541	Gene expression profiling of cancer progression reveals intrinsic regulation of transforming growth factor- β 2 signaling in ErbB2/Neu-induced tumors from transgenic mice. <i>Oncogene</i> , 2005, 24, 5173-5190.	2.6	61
1542	Estrogen and progesterone regulate radiation-induced p53 activity in mammary epithelium through TGF- β 2-dependent pathways. <i>Oncogene</i> , 2005, 24, 6345-6353.	2.6	37
1543	The role of Smad signaling in hematopoiesis. <i>Oncogene</i> , 2005, 24, 5676-5692.	2.6	146
1544	Autocrine transforming growth factor- β 2 regulation of hematopoiesis: many outcomes that depend on the context. <i>Oncogene</i> , 2005, 24, 5751-5763.	2.6	102
1545	TGF- β 2, Neuronal Stem Cells and Glioblastoma. <i>Oncogene</i> , 2005, 24, 5722-5730.	2.6	84
1546	Cloning and functional characterization of a new Ski homolog, Fussel-18, specifically expressed in neuronal tissues. <i>Laboratory Investigation</i> , 2005, 85, 1330-1341.	1.7	38
1547	Functions of the superfamily in human embryonic stem cells. <i>Apmis</i> , 2005, 113, 773-789.	0.9	62
1548	Topical Application of 17 β -Estradiol Increases Extracellular Matrix Protein Synthesis by Stimulating TGF- β 2 Signaling in Aged Human Skin In Vivo. <i>Journal of Investigative Dermatology</i> , 2005, 124, 1149-1161.	0.3	108
1549	Functional Significance of Smad2 in Regulating Basal Keratinocyte Migration During Wound Healing. <i>Journal of Investigative Dermatology</i> , 2005, 125, 1302-1309.	0.3	55
1550	Cell origin in experimental repair of cricoid cartilage defects treated with recombinant human bone morphogenetic protein-2. <i>Wound Repair and Regeneration</i> , 2005, 13, 341-349.	1.5	4
1551	Truncating mutations in the ACVR2 gene attenuates activin signaling in prostate cancer cells. <i>Cancer Genetics and Cytogenetics</i> , 2005, 163, 123-129.	1.0	27
1552	CUTL1 is a target of TGF β 2 signaling that enhances cancer cell motility and invasiveness. <i>Cancer Cell</i> , 2005, 7, 521-532.	7.7	161

#	ARTICLE	IF	CITATIONS
1553	Brain pericytes contribute to the induction and up-regulation of bloodâ€‘brain barrier functions through transforming growth factor- β production. <i>Brain Research</i> , 2005, 1038, 208-215.	1.1	315
1554	Cross talk between growth factors and viral and cellular factors alters neuronal signaling pathways: Implication for HIV-associated dementia. <i>Brain Research Reviews</i> , 2005, 50, 114-125.	9.1	20
1555	Viral and cellular gene transcription in fibroblasts infected with small plaque mutants of varicella-zoster virus. <i>Antiviral Research</i> , 2005, 68, 56-65.	1.9	18
1556	Oncogenic Ras blocks transforming growth factor- β -induced cell-cycle arrest by degradation of p27 through a MEK/Erk/SKP2-dependent pathway. <i>Experimental Hematology</i> , 2005, 33, 747-757.	0.2	15
1557	Smad3â€‘ATF3 signaling mediates TGF- β suppression of genes encoding Phase II detoxifying proteins. <i>Free Radical Biology and Medicine</i> , 2005, 38, 375-387.	1.3	87
1558	Frontal affinity chromatography with MS detection (FAC-MS) in drug discovery. <i>Drug Discovery Today</i> , 2005, 10, 409-416.	3.2	73
1559	Alteration of the TGF- β /SMAD pathway in intrinsically and UV-induced skin aging. <i>Mechanisms of Ageing and Development</i> , 2005, 126, 560-567.	2.2	69
1560	Integration of the Gene Ontology into an object-oriented architecture. <i>BMC Bioinformatics</i> , 2005, 6, 113.	1.2	18
1561	Cloning of Smad2, Smad3, Smad4, and Smad7 from the goldfish pituitary and evidence for their involvement in activin regulation of goldfish FSH β promoter activity. <i>General and Comparative Endocrinology</i> , 2005, 141, 22-38.	0.8	34
1562	Morphing into cancer: The role of developmental signaling pathways in brain tumor formation. <i>Journal of Neurobiology</i> , 2005, 64, 458-475.	3.7	89
1563	Osx transcriptional regulation is mediated by additional pathways to BMP2/Smad signaling. <i>Journal of Cellular Biochemistry</i> , 2005, 95, 518-528.	1.2	141
1564	Induction of an epithelial to mesenchymal transition in human immortal and malignant keratinocytes by TGF- β 1 involves MAPK, Smad and AP-1 signalling pathways. <i>Journal of Cellular Biochemistry</i> , 2005, 95, 918-931.	1.2	220
1565	TGF- β control of cell proliferation. <i>Journal of Cellular Biochemistry</i> , 2005, 96, 447-462.	1.2	196
1566	Smad function and intranuclear targeting share a Runx2 motif required for osteogenic lineage induction and BMP2 responsive transcription. <i>Journal of Cellular Physiology</i> , 2005, 204, 63-72.	2.0	142
1567	Analysis of the shortvein cis-regulatory region of the decapentaplegic gene of <i>Drosophila melanogaster</i> . <i>Genesis</i> , 2005, 42, 181-192.	0.8	11
1568	Kallmann syndrome: 14 novel mutations in KAL1 and FGFR1 (KAL2). <i>Human Mutation</i> , 2005, 25, 98-99.	1.1	141
1569	High frequency of ENG and ALK1/ACVRL1 mutations in German HHT patients. <i>Human Mutation</i> , 2005, 25, 595-595.	1.1	43
1570	CpG methylation at promoter site \sim 140 inactivates TGF β 2 receptor gene in prostate cancer. <i>Cancer</i> , 2005, 104, 44-52.	2.0	40

#	ARTICLE	IF	CITATIONS
1571	Genomic, cDNA, and embryonic expression analysis of zebrafish transforming growth factor beta 3 (tgf β 3). <i>Developmental Dynamics</i> , 2005, 232, 1021-1030.	0.8	20
1572	Zebrafishacvr2a andacvr2b exhibit distinct roles in craniofacial development. <i>Developmental Dynamics</i> , 2005, 233, 1405-1418.	0.8	32
1573	Nodal signaling and the evolution of deuterostome gastrulation. <i>Developmental Dynamics</i> , 2005, 234, 269-278.	0.8	98
1574	Turning it up a Notch: cross-talk between TGF β 2 and Notch signaling. <i>BioEssays</i> , 2005, 27, 115-118.	1.2	108
1575	The Eukaryotic Protein Kinase Domain. , 2005, , 181-209.		2
1576	A molecular recognition paradigm: promiscuity associated with the ligand-receptor interactions of the activin members of the TGF- β 2 superfamily. <i>Journal of Molecular Recognition</i> , 2005, 18, 385-403.	1.1	12
1577	TGF- β 2 Signaling in Colon Cancer Cells. <i>World Journal of Surgery</i> , 2005, 29, 306-311.	0.8	51
1578	Transforming growth factor- β 1 is not involved in TCDD-dependent release from contact inhibition in WB-F344 cells. <i>Archives of Toxicology</i> , 2005, 79, 31-36.	1.9	4
1579	Application of an SPR-based receptor assay for the determination of biologically active recombinant bone morphogenetic protein-2. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 381, 1056-1064.	1.9	15
1580	TGF- β signaling in esophageal squamous cell carcinoma. <i>Esophagus</i> , 2005, 2, 15-19.	1.0	3
1581	TGF- β 1 up-regulates transglutaminase two and fibronectin in dermal fibroblasts: a possible mechanism for the stabilization of tissue inflammation. <i>Archives of Dermatological Research</i> , 2005, 297, 84-90.	1.1	42
1582	Angiogenesis: A new factor on the block "A preliminary observation. <i>International Journal of Angiology</i> , 2005, 14, 87-91.	0.2	3
1583	Temporal changes in renal endoglin and TGF- β 1 expression following ureteral obstruction in rats. <i>Journal of Physiology and Biochemistry</i> , 2005, 61, 457-467.	1.3	16
1584	Molecular Aspects of Regulation of Collagen Gene Expression in Fibrosis. <i>Journal of Clinical Immunology</i> , 2005, 25, 592-603.	2.0	72
1585	C. elegans serine-threonine kinase KIN-29 modulates TGFbeta signaling and regulates body size formation. <i>BMC Developmental Biology</i> , 2005, 5, 8.	2.1	38
1586	Smad3 signalling plays an important role in keloid pathogenesis via epithelial-mesenchymal interactions. <i>Journal of Pathology</i> , 2005, 207, 232-242.	2.1	84
1587	Transforming Growth Factor- β 1, Cell Signaling and Cardiovascular Disorders. <i>Current Vascular Pharmacology</i> , 2005, 3, 55-61.	0.8	74
1588	Transforming growth factor -beta receptor signaling in cancer. <i>Frontiers in Bioscience - Landmark</i> , 2005, 10, 1135.	3.0	23

#	ARTICLE	IF	CITATIONS
1589	Alkohol und Leber. , 2005, , 230-274.		0
1590	Hybrid Sindbis/Epstein-Barr virus episomal expression vector for inducible production of proteins. BioTechniques, 2005, 39, 209-212.	0.8	4
1591	Human signaling pathways analyzed by protein interaction mapping. , 2005, , .		0
1593	Mecanismos envolvidos na cicatrizaÃ§Ã£o: uma revisÃ£o. BJPS: Brazilian Journal of Pharmaceutical Sciences, 2005, 41, 27.	0.5	50
1595	Expression of Muscarinic and Adrenergic Receptors in Normal Human Conjunctival Epithelium. , 2005, 46, 504.		45
1596	Reduced endothelial secretion and plasma levels of transforming growth factor- β 1 in patients with hereditary hemorrhagic telangiectasia type 1. Cardiovascular Research, 2005, 68, 155-164.	1.8	36
1597	Brassinosteroid Perception and Signaling: Heterodimerization and Phosphorylation of Receptor-Like Kinases BRI1 and BAK1. Plant Cell, 2005, 17, 1638-1640.	3.1	7
1598	The Signaling Network of Transforming Growth Factor β 1, Protein Kinase C δ , and Integrin Underlies the Spreading and Invasiveness of Gastric Carcinoma Cells. Molecular and Cellular Biology, 2005, 25, 6921-6936.	1.1	42
1599	Arrow (LRP6) and Frizzled2 cooperate to degrade Wingless in Drosophila imaginal discs. Development (Cambridge), 2005, 132, 5479-5489.	1.2	68
1600	Mouse models of transforming growth factor β impact in breast development and cancer. Endocrine-Related Cancer, 2005, 12, 749-760.	1.6	45
1601	Both Sp1 and Smad participate in mediating TGF- β 1-induced HGF receptor expression in renal epithelial cells. American Journal of Physiology - Renal Physiology, 2005, 288, F16-F26.	1.3	52
1602	Signaling Processes in Tumoral Neuroendocrine Pituitary Cells as Potential Targets for Therapeutic Drugs. Current Drug Targets Immune, Endocrine and Metabolic Disorders, 2005, 5, 259-267.	1.8	9
1603	Bone Morphogenetic Protein Signaling Modulates Myocardin Transactivation of Cardiac Genes. Circulation Research, 2005, 97, 992-1000.	2.0	47
1604	Transforming Growth Factor β (TGF- β)-Smad Target Gene Protein Tyrosine Phosphatase Receptor Type Kappa Is Required for TGF- β Function. Molecular and Cellular Biology, 2005, 25, 4703-4715.	1.1	77
1605	ZAS Zinc Finger Proteins: The Other β -Binding Protein Family. , 2005, , 213-220.		1
1606	Targeted Disruption of Tgif , the Mouse Ortholog of a Human Holoprosencephaly Gene, Does Not Result in Holoprosencephaly in Mice. Molecular and Cellular Biology, 2005, 25, 3639-3647.	1.1	68
1607	High-Level Activation of Cyclic AMP Signaling Attenuates Bone Morphogenetic Protein 2-Induced Sympathoadrenal Lineage Development and Promotes Melanogenesis in Neural Crest Cultures. Molecular and Cellular Biology, 2005, 25, 5134-5145.	1.1	19
1608	Biophysical Comparison of BMP-2, ProBMP-2, and the Free Pro-peptide Reveals Stabilization of the Pro-peptide by the Mature Growth Factor. Journal of Biological Chemistry, 2005, 280, 14974-14980.	1.6	61

#	ARTICLE	IF	CITATIONS
1609	Distinct developmental programs require different levels of Bmp signaling during mouse retinal development. <i>Development (Cambridge)</i> , 2005, 132, 913-923.	1.2	104
1610	A Direct Intersection between p53 and Transforming Growth Factor β Pathways Targets Chromatin Modification and Transcription Repression of the β -Fetoprotein Gene. <i>Molecular and Cellular Biology</i> , 2005, 25, 1200-1212.	1.1	74
1611	Dynamics and interaction of caveolin-1 isoforms with BMP-receptors. <i>Journal of Cell Science</i> , 2005, 118, 643-650.	1.2	89
1612	SMAD and p38 MAPK Signaling Pathways Independently Regulate β 1(I) Collagen Gene Expression in Unstimulated and Transforming Growth Factor- β -stimulated Hepatic Stellate Cells. <i>Journal of Biological Chemistry</i> , 2005, 280, 10055-10064.	1.6	163
1613	Identification of Endoglin in Rat Hepatic Stellate Cells. <i>Journal of Biological Chemistry</i> , 2005, 280, 3078-3087.	1.6	51
1614	FGFR1 function at the earliest stages of mouse limb development plays an indispensable role in subsequent autopod morphogenesis. <i>Development (Cambridge)</i> , 2005, 132, 4755-4764.	1.2	61
1615	Crystal Structure of BMP-9 and Functional Interactions with Pro-region and Receptors. <i>Journal of Biological Chemistry</i> , 2005, 280, 25111-25118.	1.6	262
1616	Differences in Smad4 Expression in Human Papillomavirus Type 16 "Positive and Human Papillomavirus Type 16 "Negative Head and Neck Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2005, 11, 3191-3197.	3.2	13
1617	An Activin-A/C Chimera Exhibits Activin and Myostatin Antagonistic Properties. <i>Journal of Biological Chemistry</i> , 2005, 280, 36626-36632.	1.6	19
1618	Targeted Disruption of Smad4 in Cardiomyocytes Results in Cardiac Hypertrophy and Heart Failure. <i>Circulation Research</i> , 2005, 97, 821-828.	2.0	137
1619	Recent advances in understanding transforming growth factor β regulation of orofacial development. <i>Human and Experimental Toxicology</i> , 2005, 24, 1-12.	1.1	19
1620	Molecular Mechanisms of Early Lung Specification and Branching Morphogenesis. <i>Pediatric Research</i> , 2005, 57, 26R-37R.	1.1	192
1621	Transcription in the Osteoblast: Regulatory Mechanisms Utilized by Parathyroid Hormone and Transforming Growth Factor β . <i>Progress in Molecular Biology and Translational Science</i> , 2005, 80, 287-321.	1.9	14
1622	Transforming growth factor β 1 regulates angiotensin II type I receptor gene expression in the extravillous trophoblast cell line SGHPL-4. <i>Molecular Human Reproduction</i> , 2005, 11, 847-852.	1.3	5
1623	Adenoviral Gene Transfer Allows Smad-Responsive Gene Promoter Analyses and Delineation of Type I Receptor Usage of Transforming Growth Factor- β Family Ligands in Cultured Human Granulosa Luteal Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 271-278.	1.8	48
1624	Activin Regulates Luteinizing Hormone β -Subunit Gene Expression through Smad-Binding and Homeobox Elements. <i>Molecular Endocrinology</i> , 2005, 19, 2610-2623.	3.7	55
1625	Smad3 Mediates Activin-Induced Transcription of Follicle-Stimulating Hormone β -Subunit Gene. <i>Molecular Endocrinology</i> , 2005, 19, 1849-1858.	3.7	73
1626	Bone Morphogenic Protein (Smad)-Mediated Repression of Proopiomelanocortin Transcription by Interference with Pitx/Tpit Activity. <i>Molecular Endocrinology</i> , 2005, 19, 1329-1342.	3.7	50

#	ARTICLE	IF	CITATIONS
1627	Receptor-type Protein-tyrosine Phosphatase- $\hat{1}^9$ Regulates Epidermal Growth Factor Receptor Function. <i>Journal of Biological Chemistry</i> , 2005, 280, 42694-42700.	1.6	96
1628	Endoglin Null Endothelial Cells Proliferate Faster and Are More Responsive to Transforming Growth Factor $\hat{1}^{21}$ with Higher Affinity Receptors and an Activated Alk1 Pathway. <i>Journal of Biological Chemistry</i> , 2005, 280, 27800-27808.	1.6	118
1629	SnoN Is a Cell Type-specific Mediator of Transforming Growth Factor- $\hat{1}^2$ Responses. <i>Journal of Biological Chemistry</i> , 2005, 280, 13037-13046.	1.6	66
1630	Regulation of Transforming Growth Factor- $\hat{1}^2$ Signaling and PDK1 Kinase Activity by Physical Interaction between PDK1 and Serine-Threonine Kinase Receptor-associated Protein. <i>Journal of Biological Chemistry</i> , 2005, 280, 42897-42908.	1.6	58
1631	Nitric Oxide Induces TIMP-1 Expression by Activating the Transforming Growth Factor $\hat{1}^2$ -Smad Signaling Pathway. <i>Journal of Biological Chemistry</i> , 2005, 280, 39403-39416.	1.6	50
1632	Dimerization through the Catalytic Domain Is Essential for MEK2 Activation. <i>Journal of Biological Chemistry</i> , 2005, 280, 13477-13482.	1.6	43
1633	Identification of Receptors and Signaling Pathways for Orphan Bone Morphogenetic Protein/Growth Differentiation Factor Ligands Based on Genomic Analyses. <i>Journal of Biological Chemistry</i> , 2005, 280, 32122-32132.	1.6	94
1634	GATA4, 5 and 6 mediate TGF $\hat{1}^2$ maintenance of endodermal gene expression in <i>Xenopus</i> embryos. <i>Development (Cambridge)</i> , 2005, 132, 763-774.	1.2	75
1636	CHIP Controls the Sensitivity of Transforming Growth Factor- $\hat{1}^2$ Signaling by Modulating the Basal Level of Smad3 through Ubiquitin-mediated Degradation. <i>Journal of Biological Chemistry</i> , 2005, 280, 20842-20850.	1.6	89
1637	Effect of Wound Type on Smad 2 and 4 Translocation. , 2005, 46, 2362.		32
1638	Smad transcription factors. <i>Genes and Development</i> , 2005, 19, 2783-2810.	2.7	2,063
1640	Transforming Growth Factor $\hat{1}^{22}$ Is a Neuronal Death-Inducing Ligand for Amyloid- $\hat{1}^2$ Precursor Protein. <i>Molecular and Cellular Biology</i> , 2005, 25, 9304-9317.	1.1	54
1641	The links between axin and carcinogenesis. <i>Journal of Clinical Pathology</i> , 2005, 58, 225-236.	1.0	203
1642	Hereditary haemorrhagic telangiectasia: current views on genetics and mechanisms of disease. <i>Journal of Medical Genetics</i> , 2005, 43, 97-110.	1.5	320
1643	Activin A stimulates catecholamine secretion from rat adrenal chromaffin cells: a new physiological mechanism. <i>Journal of Endocrinology</i> , 2005, 186, R1-R5.	1.2	4
1644	Visualisation of transforming growth factor- $\hat{1}^{21}$, tissue kallikrein, and kinin and transforming growth factor- $\hat{1}^2$ receptors on human clear-cell renal carcinoma cells. <i>Biological Chemistry</i> , 2005, 386, 375-82.	1.2	15
1645	Human Retroviral gag- and gag-pol-like Proteins Interact with the Transforming Growth Factor- $\hat{1}^2$ Receptor Activin Receptor-like Kinase 1. <i>Journal of Biological Chemistry</i> , 2005, 280, 8482-8493.	1.6	54
1646	DRAGON, a Bone Morphogenetic Protein Co-receptor. <i>Journal of Biological Chemistry</i> , 2005, 280, 14122-14129.	1.6	193

#	ARTICLE	IF	CITATIONS
1647	Inhibition of the Transforming Growth Factor β (TGF β) Pathway by Interleukin-1 β Is Mediated through TGF β -activated Kinase 1 Phosphorylation of SMAD3. <i>Molecular Biology of the Cell</i> , 2005, 16, 3501-3510.	0.9	36
1648	Inhibition of Trophoblast Cell Invasion by TGF β 1, 2, and 3 Is Associated with a Decrease in Active Proteases1. <i>Biology of Reproduction</i> , 2005, 73, 374-381.	1.2	149
1649	Characterization of a novel transcriptionally active domain in the transforming growth factor β -regulated Smad3 protein. <i>Nucleic Acids Research</i> , 2005, 33, 3708-3721.	6.5	32
1650	An Oct-1 binding site mediates activation of the gata2 promoter by BMP signaling. <i>Nucleic Acids Research</i> , 2005, 33, 4357-4367.	6.5	23
1651	Transforming Growth Factor β -Activated Kinase 1 Is a Key Mediator of Ovine Follicle-Stimulating Hormone β -Subunit Expression. <i>Endocrinology</i> , 2005, 146, 4814-4824.	1.4	29
1652	Targeting TGF beta signaling for cancer therapy. <i>Cancer Biology and Therapy</i> , 2005, 4, 261-266.	1.5	65
1653	Fundamentos de los procesos de reparaci3n tisular: factores de crecimiento. <i>Revista De Ortopedia Y Traumatologia</i> , 2005, 49, 5-16.	0.1	0
1654	Transforming growth factor- β inhibits CCAAT/enhancer-binding protein expression and PPAR γ activity in unloaded bone marrow stromal cells. <i>Experimental Cell Research</i> , 2005, 303, 138-147.	1.2	38
1655	Cellular and molecular facets of keratinocyte reepithelization during wound healing. <i>Experimental Cell Research</i> , 2005, 304, 274-286.	1.2	329
1656	Disruption of Smad5 gene induces mitochondria-dependent apoptosis in cardiomyocytes. <i>Experimental Cell Research</i> , 2005, 306, 85-93.	1.2	18
1657	Smad7 induces tumorigenicity by blocking TGF- β -induced growth inhibition and apoptosis. <i>Experimental Cell Research</i> , 2005, 307, 231-246.	1.2	117
1658	Modulation of TGF- β signaling by EGF-CFC proteins. <i>Experimental Cell Research</i> , 2005, 310, 249-255.	1.2	4
1659	Growth Factors and Signaling Proteins in Craniofacial Development. <i>Seminars in Orthodontics</i> , 2005, 11, 184-198.	0.8	6
1660	Transforming growth factor-beta-1 variants are not associated with chronic nonalcoholic pancreatitis. <i>Pancreatology</i> , 2005, 5, 75-80.	0.5	5
1661	Healing of Intracranial Aneurysms with Bioactive Coils. <i>Neurosurgery Clinics of North America</i> , 2005, 16, 487-499.	0.8	7
1662	<i>Caenorhabditis elegans</i> Opens Up New Insights into Circadian Clock Mechanisms. <i>Chronobiology International</i> , 2005, 22, 1-19.	0.9	40
1663	Characterization of a Plant, Tyrosine-Specific Phosphatase of the Aspartyl Class. <i>Biochemistry</i> , 2005, 44, 751-758.	1.2	35
1664	Type I Transforming Growth Factor β Receptor Binds to and Activates Phosphatidylinositol 3-Kinase. <i>Journal of Biological Chemistry</i> , 2005, 280, 10870-10876.	1.6	201

#	ARTICLE	IF	CITATIONS
1665	Identification and Functional Analysis of in Vivo Phosphorylation Sites of the Arabidopsis BRASSINOSTEROID-INSENSITIVE1 Receptor Kinase. <i>Plant Cell</i> , 2005, 17, 1685-1703.	3.1	364
1666	Angiotensin-Converting Enzyme Inhibitors. <i>Circulation</i> , 2005, 112, 2436-2445.	1.6	149
1667	Advances in the Modulation of Cutaneous Wound Healing and Scarring. <i>BioDrugs</i> , 2005, 19, 363-381.	2.2	82
1668	Pathway Proteomics. <i>Molecular Diagnosis and Therapy</i> , 2005, 5, 113-122.	3.3	5
1669	TGF- β 2 Superfamily and Mouse Craniofacial Development: Interplay of Morphogenetic Proteins and Receptor Signaling Controls Normal Formation of the Face. <i>Current Topics in Developmental Biology</i> , 2005, 66, 65-133.	1.0	37
1670	Hypercalcaemia of malignancy and basic research on mechanisms responsible for osteolytic and osteoblastic metastasis to bone. <i>Endocrine-Related Cancer</i> , 2005, 12, 549-583.	1.6	215
1671	A Single Residue of GDF-5 Defines Binding Specificity to BMP Receptor IB. <i>Journal of Molecular Biology</i> , 2005, 349, 933-947.	2.0	135
1672	Assembly of TGF- β RI:RII:TGF- β 2 Ternary Complex in vitro with Receptor Extracellular Domains is Cooperative and Isoform-dependent. <i>Journal of Molecular Biology</i> , 2005, 354, 1052-1068.	2.0	71
1673	Changes in G proteins genes expression in rat lumbar spinal cord support the inhibitory effect of chronic pain on the development of tolerance to morphine analgesia. <i>Neuroscience Research</i> , 2005, 53, 250-256.	1.0	16
1674	Effects of topical tranilast on corneal haze after photorefractive keratectomy. <i>Journal of Cataract and Refractive Surgery</i> , 2005, 31, 1065-1073.	0.7	19
1675	Emerging roles for TGF- β 1 in nervous system development. <i>International Journal of Developmental Neuroscience</i> , 2005, 23, 413-424.	0.7	150
1676	Molecular biology and physiological role of the oocyte factor, BMP-15. <i>Molecular and Cellular Endocrinology</i> , 2005, 234, 67-73.	1.6	112
1677	High stearoyl-CoA desaturase protein and activity levels in simian virus 40 transformed-human lung fibroblasts. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2005, 1687, 141-151.	1.2	72
1678	BMP signaling in skeletal development. <i>Biochemical and Biophysical Research Communications</i> , 2005, 328, 651-657.	1.0	344
1679	Molecular mechanisms of endochondral bone development. <i>Biochemical and Biophysical Research Communications</i> , 2005, 328, 658-665.	1.0	330
1680	Smad3 mediates TGF- β 1 induction of VEGF production in lung fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , 2005, 327, 393-398.	1.0	75
1681	Functional roles of the bone morphogenetic protein system in thyrotropin signaling in porcine thyroid cells. <i>Biochemical and Biophysical Research Communications</i> , 2005, 327, 1124-1130.	1.0	22
1682	EWS-ETS oncoproteins: The linchpins of Ewing tumors. <i>Gene</i> , 2005, 363, 1-14.	1.0	158

#	ARTICLE	IF	CITATIONS
1683	A role of SMAD4 in iron metabolism through the positive regulation of hepcidin expression. <i>Cell Metabolism</i> , 2005, 2, 399-409.	7.2	547
1684	Transforming growth factor (TGF)- β 2 in conjunction with H-ras activation promotes malignant progression of MCF10A breast epithelial cells. <i>Cytokine</i> , 2005, 29, 84-91.	1.4	58
1685	Bone Morphogenetic Protein signaling in joint homeostasis and disease. <i>Cytokine and Growth Factor Reviews</i> , 2005, 16, 287-298.	3.2	91
1686	Cytokines and junction restructuring during spermatogenesis—a lesson to learn from the testis. <i>Cytokine and Growth Factor Reviews</i> , 2005, 16, 469-493.	3.2	84
1687	Autoregulation and Homodimerization Are Involved in the Activation of the Plant Steroid Receptor BRI1. <i>Developmental Cell</i> , 2005, 8, 855-865.	3.1	257
1688	VEGF, FGF2, TGF β 1 and TGF β R1 mRNA expression levels correlate with the malignant transformation of the uterine cervix. <i>Cancer Letters</i> , 2005, 221, 105-118.	3.2	64
1689	Uptake of Host Cell Transforming Growth Factor- β 2 by <i>Trypanosoma cruzi</i> Amastigotes in Cardiomyocytes. <i>American Journal of Pathology</i> , 2005, 167, 993-1003.	1.9	44
1690	Transforming Growth Factor- β 2 and Platelet-Derived Growth Factor Signal via c-Jun N-Terminal Kinase-Dependent Smad2/3 Phosphorylation in Rat Hepatic Stellate Cells after Acute Liver Injury. <i>American Journal of Pathology</i> , 2005, 166, 1029-1039.	1.9	161
1691	SCF β -TrCP1 Controls Smad4 Protein Stability in Pancreatic Cancer Cells. <i>American Journal of Pathology</i> , 2005, 166, 1379-1392.	1.9	52
1692	Factors involved in the determination of the neurotransmitter phenotype of developing neurons of the CNS: Applications in cell replacement treatment for Parkinson's disease. <i>Progress in Neurobiology</i> , 2005, 76, 257-278.	2.8	16
1693	Overexpression of Smad2 in Tgf- β 3-null mutant mice rescues cleft palate. <i>Developmental Biology</i> , 2005, 278, 193-202.	0.9	83
1694	BMP signaling and stem cell regulation. <i>Developmental Biology</i> , 2005, 284, 1-11.	0.9	197
1695	BMP4 substitutes for loss of BMP7 during kidney development. <i>Developmental Biology</i> , 2005, 286, 637-646.	0.9	69
1696	A role for urotensin II in restenosis following balloon angioplasty: use of a selective UT receptor blocker. <i>Journal of Molecular and Cellular Cardiology</i> , 2005, 39, 785-791.	0.9	59
1697	Antagonists of activin signaling: mechanisms and potential biological applications. <i>Trends in Endocrinology and Metabolism</i> , 2005, 16, 73-78.	3.1	188
1698	Expression of bone morphogenetic protein2 (BMP2), BMP4 and BMP receptors in the bovine ovary but absence of effects of BMP2 and BMP4 during IVM on bovine oocyte nuclear maturation and subsequent embryo development. <i>Theriogenology</i> , 2005, 63, 872-889.	0.9	69
1699	The histamine H receptor as a new therapeutic target for inflammation. <i>Trends in Pharmacological Sciences</i> , 2005, 26, 462-9.	4.0	189
1700	LIM Kinase1 Controls Synaptic Stability Downstream of the Type II BMP Receptor. <i>Neuron</i> , 2005, 47, 695-708.	3.8	156

#	ARTICLE	IF	CITATIONS
1701	Targeting TGF- β 1 increases hepatocyte growth factor (HGF/SF) levels in external auditory canal cholesteatoma (EACC) epithelial cell culture. <i>Regulatory Peptides</i> , 2005, 130, 75-80.	1.9	1
1702	TGF- β 1 and serum both stimulate contraction but differentially affect apoptosis in 3D collagen gels. <i>Respiratory Research</i> , 2005, 6, 141.	1.4	29
1703	Interstitial lung disease in children – genetic background and associated phenotypes. <i>Respiratory Research</i> , 2005, 6, 32.	1.4	51
1704	Potential targets of transforming growth factor-beta1 during inhibition of oocyte maturation in zebrafish. <i>Reproductive Biology and Endocrinology</i> , 2005, 3, 53.	1.4	62
1705	Transforming Growth Factor Beta and Prostate Cancer. , 2005, 126, 157-173.		50
1706	La miostatina: un regulador autocrino/paracrino del desarrollo muscular. <i>Endocrinología Y Nutricion: Organó De La Sociedad Espanola De Endocrinología Y Nutricion</i> , 2005, 52, 350-357.	0.8	0
1707	Short Hairpin RNA Modulates Transforming Growth Factor β 2 Signaling in Life-Threatening Liver Failure in Mice. <i>Gastroenterology</i> , 2005, 129, 1654-1662.	0.6	11
1708	Ultraviolet (UV) light irradiation induced signal transduction in skin photoaging. <i>Journal of Dermatological Science, Supplement</i> , 2005, 1, S1-S8.	0.2	53
1709	Co-ordination of TGF- β 2 and FGF signaling pathways in bone organ cultures. <i>Mechanisms of Development</i> , 2005, 122, 557-571.	1.7	39
1710	A Specific Inhibitor of TGF- β 2 Receptor Kinase, SB-431542, as a Potent Antitumor Agent for Human Cancers. <i>Neoplasia</i> , 2005, 7, 509-521.	2.3	239
1712	Transforming Growth Factor- β 1 to the Bone. <i>Endocrine Reviews</i> , 2005, 26, 743-774.	8.9	622
1713	Gender-Specific Biology of <i>Schistosoma Mansoni</i> . , 2005, , 27-43.		2
1715	Epithelial-Mesenchymal Transformation during Craniofacial Development. <i>Journal of Dental Research</i> , 2005, 84, 678-690.	2.5	74
1716	Kinetic Characterization of Novel Pyrazole TGF- β 2 Receptor I Kinase Inhibitors and Their Blockade of the Epithelial-Mesenchymal Transition. <i>Biochemistry</i> , 2005, 44, 2293-2304.	1.2	98
1717	From the Periphery of the Glomerular Capillary Wall Toward the Center of Disease: Podocyte Injury Comes of Age in Diabetic Nephropathy. <i>Diabetes</i> , 2005, 54, 1626-1634.	0.3	521
1718	Scar wars: is TGFbeta the phantom menace in scleroderma?. <i>Arthritis Research and Therapy</i> , 2006, 8, 213.	1.6	48
1720	BMP Signaling in the Cartilage Growth Plate. <i>Current Topics in Developmental Biology</i> , 2006, 76, 1-48.	1.0	104
1721	Cachexia: Therapeutic Immunomodulation Beyond Cytokine Antagonism. , 2006, , 741-753.		1

#	ARTICLE	IF	CITATIONS
1722	Loss of p12CDK2-AP1 Expression in Human Oral Squamous Cell Carcinoma with Disrupted Transforming Growth Factor- β 2-Smad Signaling Pathway. <i>Neoplasia</i> , 2006, 8, 1028-1036.	2.3	30
1723	TGF- β 2 Signaling in Embryonic Stem Cell-Derived Endothelial Cells. , 2006, 330, 341-352.		7
1725	Role of NADPH Oxidases in Disturbed Flow- and BMP4- Induced Inflammation and Atherosclerosis. <i>Antioxidants and Redox Signaling</i> , 2006, 8, 1609-1619.	2.5	92
1726	Photoageing: the darker side of the sun. <i>Photochemical and Photobiological Sciences</i> , 2006, 5, 160-164.	1.6	39
1727	Serum anti-Mullerian hormone throughout the human menstrual cycle. <i>Human Reproduction</i> , 2006, 21, 3103-3107.	0.4	443
1728	Elevated Cysteine-Rich 61 Mediates Aberrant Collagen Homeostasis in Chronologically Aged and Photoaged Human Skin. <i>American Journal of Pathology</i> , 2006, 169, 482-490.	1.9	105
1729	Inhibitory Smad transcription factors protect arterial endothelial cells from apoptosis induced by BMP4. <i>Oncogene</i> , 2006, 25, 7131-7137.	2.6	25
1730	Smads oppose Hox transcriptional activities. <i>Experimental Cell Research</i> , 2006, 312, 854-864.	1.2	44
1731	Transforming growth factor- β 2 antisense treatment of rat vein grafts reduces the accumulation of collagen and increases the accumulation of h-caldesmon. <i>Journal of Vascular Surgery</i> , 2006, 43, 1028-1036.	0.6	31
1732	COMPARTMENTALIZED RAS/MAPK SIGNALING. <i>Annual Review of Immunology</i> , 2006, 24, 771-800.	9.5	360
1733	CHARACTERIZATION OF TGF- β 2 TYPE II RECEPTOR EXPRESSION IN CULTURED CORTICAL ASTROCYTES. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2006, 42, 171.	0.7	9
1734	Regulation of Smad Function by Phosphorylation. , 2006, , 235-252.		2
1735	TRANSFORMING GROWTH FACTOR- β 2 REGULATION OF IMMUNE RESPONSES. <i>Annual Review of Immunology</i> , 2006, 24, 99-146.	9.5	1,959
1736	In-Target versus Off-Target allosteric modulators of GPCRs. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2006, 3, 445-450.	0.5	7
1737	Thermal aging: A new concept of skin aging. <i>Journal of Dermatological Science</i> , Supplement, 2006, 2, S13-S22.	0.2	16
1738	Polymorphisms in TGF- β 2 gene and the risk of lung cancer. <i>Lung Cancer</i> , 2006, 52, 1-7.	0.9	60
1739	The role of brinker in eggshell patterning. <i>Mechanisms of Development</i> , 2006, 123, 395-406.	1.7	35
1740	Escaping from the TGF- β anti-proliferative control. <i>Carcinogenesis</i> , 2006, 27, 2148-2156.	1.3	136

#	ARTICLE	IF	CITATIONS
1741	Smad-Sp1 complexes mediate TGF β -induced early transcription of oncogenic Smad7 in pancreatic cancer cells. <i>Carcinogenesis</i> , 2006, 27, 2392-2401.	1.3	50
1742	E6 and E7 Oncoproteins from Human Papillomavirus Type 16 Induce Activation of Human Transforming Growth Factor β 1 Promoter throughout Sp1 Recognition Sequence. <i>Viral Immunology</i> , 2006, 19, 468-480.	0.6	65
1743	Growth factor receptors in helminth parasites: Signalling and host-parasite relationships. <i>FEBS Letters</i> , 2006, 580, 2968-2975.	1.3	67
1744	The logic of TGF β signaling. <i>FEBS Letters</i> , 2006, 580, 2811-2820.	1.3	657
1745	An update on the pathophysiology of the intestinal crypt. <i>Current Diagnostic Pathology</i> , 2006, 12, 268-278.	0.4	2
1746	Inner nuclear membrane and regulation of Smad-mediated signaling. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006, 1761, 626-631.	1.2	19
1747	Smad3 mediates TGF β 1-induced collagen gel contraction by human lung fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , 2006, 339, 290-295.	1.0	58
1748	Angiotensin II promotes the proliferation of activated pancreatic stellate cells by Smad7 induction through a protein kinase C pathway. <i>Biochemical and Biophysical Research Communications</i> , 2006, 340, 742-750.	1.0	39
1749	Two distinct domains in pro-region of Nodal-related 3 are essential for BMP inhibition. <i>Biochemical and Biophysical Research Communications</i> , 2006, 346, 470-478.	1.0	9
1750	Prion protein modifies TGF β 2 induced signal transduction. <i>Biochemical and Biophysical Research Communications</i> , 2006, 349, 525-532.	1.0	6
1751	Constitutive homo- and hetero-oligomerization of T β RII-B, an alternatively spliced variant of the mouse TGF β 2 type II receptor. <i>Biochemical and Biophysical Research Communications</i> , 2006, 351, 651-657.	1.0	6
1752	High resolution structures of the bone morphogenetic protein type II receptor in two crystal forms: Implications for ligand binding. <i>Biochemical and Biophysical Research Communications</i> , 2006, 351, 831-838.	1.0	48
1753	Phosphorylation, acetylation and ubiquitination: The molecular basis of RUNX regulation. <i>Gene</i> , 2006, 366, 58-66.	1.0	132
1754	Overexpression of noggin inhibits BMP-mediated growth of osteolytic prostate cancer lesions. <i>Bone</i> , 2006, 38, 154-166.	1.4	138
1755	TGF β 2 inducible early gene-1 knockout mice display defects in bone strength and microarchitecture. <i>Bone</i> , 2006, 39, 1244-1251.	1.4	62
1756	Transcriptional deregulation of VEGF, FGF2, TGF β 1, 2, 3 and cognate receptors in breast tumorigenesis. <i>Cancer Letters</i> , 2006, 235, 100-113.	3.2	21
1757	Protein tyrosine phosphatase 1B regulates TGF β 1-induced Smad2 activation through PI3 kinase-dependent pathway. <i>Cytokine</i> , 2006, 35, 88-94.	1.4	12
1758	Cytokine gene expression in Walker 256: A comparison of variants A (aggressive) and AR (regressive). <i>Cytokine</i> , 2006, 36, 123-133.	1.4	5

#	ARTICLE	IF	CITATIONS
1759	Adaptor proteins and ubiquinators in TGF- β signaling. <i>Cytokine and Growth Factor Reviews</i> , 2006, 17, 75-87.	3.2	25
1760	Targeted tumor therapy with the TGF- β 2 antisense compound AP 12009. <i>Cytokine and Growth Factor Reviews</i> , 2006, 17, 129-139.	3.2	180
1761	Alterations in components of the TGF- β superfamily signaling pathways in human cancer. <i>Cytokine and Growth Factor Reviews</i> , 2006, 17, 41-58.	3.2	512
1762	The role of transforming growth factor- β 2 in atherosclerosis. <i>Cytokine and Growth Factor Reviews</i> , 2006, 17, 487-499.	3.2	93
1763	Gene expression of transforming growth factor- β 2 receptors types I and II in rat endometrium during the estrous cycle and early pregnancy. <i>Life Sciences</i> , 2006, 78, 2669-2675.	2.0	14
1764	Oral ingestion of colostrum alters intestinal transforming growth factor-beta receptor intensity in newborn pigs. <i>Livestock Science</i> , 2006, 105, 214-222.	0.6	18
1765	Extracellular proteoglycans modify TGF- β 2 bio-availability attenuating its signaling during skeletal muscle differentiation. <i>Matrix Biology</i> , 2006, 25, 332-341.	1.5	127
1766	Regulation of baboon fetal ovarian folliculogenesis by estrogen. <i>Molecular and Cellular Endocrinology</i> , 2006, 247, 41-46.	1.6	44
1767	Three Key Residues Underlie the Differential Affinity of the TGF β 2 Isoforms for the TGF β 2 Type II Receptor. <i>Journal of Molecular Biology</i> , 2006, 355, 47-62.	2.0	77
1768	Blockade of interleukin-13-mediated cell activation by a novel inhibitory antibody to human IL-13 receptor β 1. <i>Molecular Immunology</i> , 2006, 43, 1799-1807.	1.0	23
1769	Distinct regulation of gene expression in human endothelial cells by TGF- β 2 and its receptors. <i>Microvascular Research</i> , 2006, 71, 12-19.	1.1	64
1770	Physostigmine modulation of acetylcholine currents in COS cells transfected with mouse muscle nicotinic receptor. <i>Neuroscience Letters</i> , 2006, 401, 20-24.	1.0	8
1771	Transforming Growth Factor- β 2 Controls Development, Homeostasis, and Tolerance of T Cells by Regulatory T Cell-Dependent and -Independent Mechanisms. <i>Immunity</i> , 2006, 25, 455-471.	6.6	730
1772	Regulation of ALP Activity by TNF- β on Human Dental Pulp. <i>Journal of Endodontics</i> , 2006, 32, 516-520.	1.4	15
1773	Faulty bone morphogenetic protein signaling in esophageal atresia with tracheoesophageal fistula. <i>Journal of Pediatric Surgery</i> , 2006, 41, 1208-1213.	0.8	1
1774	Centrally administered PD 140.548 N-methyl-D-glucamine prevents the autonomic responses to duodenal pain in sheep. <i>Research in Veterinary Science</i> , 2006, 81, 109-118.	0.9	7
1775	Cell autonomous requirement for Tgfb2 in the disappearance of medial edge epithelium during palatal fusion. <i>Developmental Biology</i> , 2006, 297, 238-248.	0.9	132
1776	RTK and TGF- β 2 signaling pathways genes in the sea urchin genome. <i>Developmental Biology</i> , 2006, 300, 132-152.	0.9	140

#	ARTICLE	IF	CITATIONS
1777	A critical developmental role for <i>tgfbr2</i> in myogenic cell lineages is revealed in mice expressing SM22-Cre, not SMMHC-Cre. <i>Journal of Molecular and Cellular Cardiology</i> , 2006, 41, 724-731.	0.9	50
1778	Increased reactivity of cultured chicken blastodermal cells to anti-stage-specific embryonic antigen-1 antibody after exposure to bone morphogenetic proteins. <i>Theriogenology</i> , 2006, 65, 658-668.	0.9	1
1779	Integrated Confocal and Scanning Probe Microscopy for Biomedical Research. <i>Scientific World Journal</i> , The, 2006, 6, 1609-1618.	0.8	51
1780	TGF- β 1-Induced Long-Term Changes in Neuronal Excitability in Aplysia Sensory Neurons Depend on MAPK. <i>Journal of Neurophysiology</i> , 2006, 95, 3286-3290.	0.9	43
1781	Involvement of SMAD4, but not of SMAD2, in transforming growth factor-beta1-induced trophoblast expression of matrix metalloproteinase-2. <i>Frontiers in Bioscience - Landmark</i> , 2006, 11, 637.	3.0	11
1782	BMP2/4 and BMP5-8 in jellyfish development and transdifferentiation. <i>International Journal of Developmental Biology</i> , 2006, 50, 377-384.	0.3	36
1783	Interferon alfa-2b triggers transforming growth factor- β 1-induced apoptosis on preneoplastic liver. <i>Annals of Hepatology</i> , 2006, 5, 244-250.	0.6	9
1785	Gonadotropin-Releasing Hormone Regulation of Gonadotropin Biosynthesis and Secretion. , 2006, , 1635-1701.		16
1786	Yes-associated protein (YAP65) in relation to Smad7 expression in human pancreatic ductal adenocarcinoma. <i>International Journal of Molecular Medicine</i> , 2006, 17, 761.	1.8	8
1787	Human pulpal response to Mineral Trioxide Aggregate (MTA): A histologic study. <i>Journal of Clinical Pediatric Dentistry</i> , 2006, 30, 203-209.	0.5	100
1788	Smad7 promotes self-renewal of hematopoietic stem cells. <i>Blood</i> , 2006, 108, 4246-4254.	0.6	75
1789	Tid1 is a Smad-binding protein that can modulate Smad7 activity in developing embryos. <i>Biochemical Journal</i> , 2006, 393, 311-320.	1.7	8
1790	Inhibition of hepatocyte nuclear factor 4 transcriptional activity by the nuclear factor κ B pathway. <i>Biochemical Journal</i> , 2006, 398, 439-450.	1.7	46
1791	Comparative integromics on BMP/GDF family. <i>International Journal of Molecular Medicine</i> , 2006, 17, 951.	1.8	11
1793	Recent advances in understanding extrinsic control of hematopoietic stem cell fate. <i>Current Opinion in Hematology</i> , 2006, 13, 237-242.	1.2	31
1794	Turbulent flow/low wall shear stress and stretch differentially affect aorta remodeling in rats. <i>Journal of Hypertension</i> , 2006, 24, 503-515.	0.3	38
1795	Activin Signaling and Its Role in Regulation of Cell Proliferation, Apoptosis, and Carcinogenesis. <i>Experimental Biology and Medicine</i> , 2006, 231, 534-544.	1.1	159
1797	p27KIP1 and GATA-1 are potential downstream molecules in activin A-induced differentiation and apoptosis pathways in CML cells. <i>Oncology Reports</i> , 2006, 16, 1099.	1.2	2

#	ARTICLE	IF	CITATIONS
1798	The autocrine effect of activin A on human ovarian clear cell adenocarcinoma cells. <i>Oncology Reports</i> , 2006, 16, 373.	1.2	6
1800	The Tgif2 gene contains a retained intron within the coding sequence. , 2006, 7, 2.		30
1801	Antioxidants and inhibitors of flavoprotein-dependent oxidases abrogate TGF-beta induction of biglycan: Evidence for a role of reactive oxygen species. <i>Signal Transduction</i> , 2006, 6, 338-344.	0.7	1
1802	Altered bone morphogenetic protein signalling in the <i>Helicobacter pylori</i> -infected stomach. <i>Journal of Pathology</i> , 2006, 209, 190-197.	2.1	45
1803	Prostate cancer cells regulate growth and differentiation of bone marrow endothelial cells through TGF β 2 and its receptor, TGF β 2RII. <i>Prostate</i> , 2006, 66, 632-650.	1.2	17
1804	The roles for cytokines in the generation and maintenance of regulatory T cells. <i>Immunological Reviews</i> , 2006, 212, 114-130.	2.8	127
1805	Mutation analysis in hereditary haemorrhagic telangiectasia in Germany reveals 11 novel ENG and 12 novel ACVRL1/ALK1 mutations. <i>Clinical Genetics</i> , 2006, 69, 239-245.	1.0	31
1806	Transforming growth factor- β 2 signaling helps specify tumor type in DMBA and hormone-induced mammary cancers. <i>Differentiation</i> , 2006, 74, 40-52.	1.0	4
1807	Insights into the Pathogenesis of Hydrocephalus from Transgenic and Experimental Animal Models. <i>Brain Pathology</i> , 2004, 14, 312-316.	2.1	58
1808	Transforming Growth Factor- β 2: A Promising Target for Anti- β 2 Stenosis Therapy. <i>Cardiovascular Drug Reviews</i> , 2001, 19, 329-344.	4.4	21
1809	The expression levels and the differential expression of transforming growth factor- β 2 receptors in dermatofibroma and dermatofibrosarcoma protuberans. <i>British Journal of Dermatology</i> , 2006, 154, 919-925.	1.4	18
1810	Function and effect of bone morphogenetic protein-7 in kidney bone and the bone-vascular links in chronic kidney disease. <i>European Journal of Clinical Investigation</i> , 2006, 36, 43-50.	1.7	54
1811	Stroke Injury in Rats Causes an Increase in Activin A Gene Expression Which is Unaffected by Oestradiol Treatment. <i>Journal of Neuroendocrinology</i> , 2006, 18, 97-103.	1.2	12
1812	Fibrosis in heart disease: understanding the role of transforming growth factor-beta1 in cardiomyopathy, valvular disease and arrhythmia. <i>Immunology</i> , 2006, 118, 10-24.	2.0	447
1813	Circumferential wall tension due to hypertension plays a pivotal role in aorta remodelling. <i>International Journal of Experimental Pathology</i> , 2006, 87, 425-436.	0.6	36
1814	Growth factor signalling in prostatic growth: significance in tumour development and therapeutic targeting. <i>British Journal of Pharmacology</i> , 2006, 147, S144-S152.	2.7	64
1815	Nonoverlapping expression patterns of ALK1 and ALK5 reveal distinct roles of each receptor in vascular development. <i>Laboratory Investigation</i> , 2006, 86, 116-129.	1.7	100
1816	Smad4 signalling in T cells is required for suppression of gastrointestinal cancer. <i>Nature</i> , 2006, 441, 1015-1019.	13.7	298

#	ARTICLE	IF	CITATIONS
1817	Prevention of radiation-induced pneumonitis by recombinant adenovirus-mediated transferring of soluble TGF- β 2 type II receptor gene. <i>Cancer Gene Therapy</i> , 2006, 13, 864-872.	2.2	32
1818	The brassinosteroid signal transduction pathway. <i>Cell Research</i> , 2006, 16, 427-434.	5.7	73
1819	Structural basis for the inhibition of activin signalling by follistatin. <i>EMBO Journal</i> , 2006, 25, 1035-1045.	3.5	141
1820	Axin is a scaffold protein in TGF- β 2 signaling that promotes degradation of Smad7 by Arkadia. <i>EMBO Journal</i> , 2006, 25, 1646-1658.	3.5	161
1821	LN-1130, a novel transforming growth factor- β 2 type I receptor kinase (ALK5) inhibitor, suppresses renal fibrosis in obstructive nephropathy. <i>Kidney International</i> , 2006, 70, 1234-1243.	2.6	174
1822	Activated type I TGF- β 2 receptor kinase enhances the survival of mammary epithelial cells and accelerates tumor progression. <i>Oncogene</i> , 2006, 25, 3408-3423.	2.6	133
1823	Hair follicle defects and squamous cell carcinoma formation in Smad4 conditional knockout mouse skin. <i>Oncogene</i> , 2006, 25, 207-217.	2.6	98
1824	Dysregulation of growth factor signaling in human hepatocellular carcinoma. <i>Oncogene</i> , 2006, 25, 3787-3800.	2.6	367
1825	Antitransforming growth factor- β 2 antibody 1D11 ameliorates normal tissue damage caused by high-dose radiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 65, 876-881.	0.4	120
1826	BMP Signaling and Skeletogenesis. <i>Annals of the New York Academy of Sciences</i> , 2006, 1068, 26-40.	1.8	116
1827	Transforming Growth Factor- β 2. Signaling Enhances Transdifferentiation of Macrophages into Smooth Muscle-Like Cells. <i>Hypertension Research</i> , 2006, 29, 269-276.	1.5	41
1828	Bombesin/Gastrin-Releasing Peptide Receptor Antagonists Increase the Ability of Histone Deacetylase Inhibitors to Reduce Lung Cancer Proliferation. <i>Journal of Molecular Neuroscience</i> , 2006, 28, 231-238.	1.1	20
1829	Normal Stem Cells and Cancer Stem Cells: The Niche Matters: Figure 1.. <i>Cancer Research</i> , 2006, 66, 4553-4557.	0.4	663
1830	Reduction of invasive potential in K-ras-transformed thyroid cells by restoring of TGF- β 2 pathway. <i>Clinical and Experimental Metastasis</i> , 2006, 23, 237-248.	1.7	9
1831	TGF- β 2 during human colorectal carcinogenesis: the shift from epithelial to mesenchymal signaling. <i>Inflammopharmacology</i> , 2006, 14, 198-203.	1.9	11
1832	Transforming growth factor- β 2 during carcinogenesis: the shift from epithelial to mesenchymal signaling. <i>Journal of Gastroenterology</i> , 2006, 41, 295-303.	2.3	24
1833	Bone morphogenetic protein expression patterns in human esophageal atresia with tracheoesophageal fistula. <i>Pediatric Surgery International</i> , 2006, 22, 154-157.	0.6	7
1834	Ultraviolet A1 phototherapy decreases inhibitory SMAD7 gene expression in localized scleroderma. <i>Archives of Dermatological Research</i> , 2006, 298, 265-272.	1.1	24

#	ARTICLE	IF	CITATIONS
1835	The resilient synapse: insights from genetic interference of synaptic cell adhesion molecules. <i>Cell and Tissue Research</i> , 2006, 326, 617-642.	1.5	22
1836	A novel mouse Smad4 mutation reduces protein stability and wild-type protein levels. <i>Mammalian Genome</i> , 2006, 17, 211-219.	1.0	10
1837	Role of transforming growth factor- β 2 in the progression of heart failure. <i>Cellular and Molecular Life Sciences</i> , 2006, 63, 2584-2596.	2.4	129
1838	Myostatin regulation of muscle development: Molecular basis, natural mutations, physiopathological aspects. <i>Experimental Cell Research</i> , 2006, 312, 2401-2414.	1.2	158
1839	N-Acetyl-L-Cysteine abrogates fibrogenic properties of fibroblasts isolated from Dupuytren's disease by blunting TGF- β signalling. <i>Journal of Cellular and Molecular Medicine</i> , 2006, 10, 157-165.	1.6	40
1840	Smad3 reduces susceptibility to hepatocarcinoma by sensitizing hepatocytes to apoptosis through downregulation of Bcl-2. <i>Cancer Cell</i> , 2006, 9, 445-457.	7.7	136
1841	T channels and steroid biosynthesis: in search of a link with mitochondria. <i>Cell Calcium</i> , 2006, 40, 155-164.	1.1	78
1842	Requirement of Smad3 for mast cell growth. <i>Cellular Immunology</i> , 2006, 240, 47-52.	1.4	11
1843	Major histocompatibility complex class I restricted T-cell autoreactivity in human peripheral blood mononuclear cells. <i>Cellular Immunology</i> , 2006, 240, 62-67.	1.4	4
1844	Cooperation of H ₂ O ₂ -mediated ERK activation with Smad pathway in TGF- β 1 induction of p21WAF1/Cip1. <i>Cellular Signalling</i> , 2006, 18, 236-243.	1.7	43
1845	Role of Smad proteins in the regulation of NF- κ B by TGF- β 2 in colon cancer cells. <i>Cellular Signalling</i> , 2006, 18, 1041-1050.	1.7	43
1846	Betaglycan induces TGF- β 2 signaling in a ligand-independent manner, through activation of the p38 pathway. <i>Cellular Signalling</i> , 2006, 18, 1482-1491.	1.7	49
1847	TGF- β 2 receptor-binding proteins: Complex interactions. <i>Cellular Signalling</i> , 2006, 18, 2077-2088.	1.7	28
1848	17- β -estradiol inhibits transforming-growth-factor- β 2-induced MCF-7 cell migration by Smad3-repression. <i>European Journal of Pharmacology</i> , 2006, 534, 39-47.	1.7	29
1849	Effects of herbimycin A in the pilocarpine model of temporal lobe epilepsy. <i>Brain Research</i> , 2006, 1081, 219-227.	1.1	6
1850	Developmental pattern of expression of BMP receptors and Smads and activation of Smad1 and Smad5 by BMP9 in mouse basal forebrain. <i>Brain Research</i> , 2006, 1088, 49-56.	1.1	35
1851	New Paradigms in Anticancer Therapy: Targeting Multiple Signaling Pathways With Kinase Inhibitors. <i>Seminars in Oncology</i> , 2006, 33, 407-420.	0.8	242
1852	Regulation of type I procollagen and MMP-1 expression after single or repeated exposure to infrared radiation in human skin. <i>Mechanisms of Ageing and Development</i> , 2006, 127, 875-882.	2.2	80

#	ARTICLE	IF	CITATIONS
1853	Development of an in vitro potency assay for therapeutic TGF β 2 antagonists: The A549 cell bioassay. <i>Journal of Immunological Methods</i> , 2006, 316, 18-26.	0.6	16
1854	Extensive extracellular matrix depositions in active multiple sclerosis lesions. <i>Neurobiology of Disease</i> , 2006, 24, 484-491.	2.1	102
1855	The neurotoxic effects of prenatal cardiac glycoside exposure: A hypothesis. <i>Neurotoxicology and Teratology</i> , 2006, 28, 135-143.	1.2	13
1856	Local balance of transforming growth factor-beta1 secreted from cholangiocarcinoma cells and stromal-derived factor-1 secreted from stromal fibroblasts is a factor involved in invasion of cholangiocarcinoma. <i>Pathology International</i> , 2006, 56, 381-389.	0.6	29
1857	Developmental roles of the BMP1/TLD metalloproteinases. <i>Birth Defects Research Part C: Embryo Today Reviews</i> , 2006, 78, 47-68.	3.6	136
1858	Extracellular modulation of BMP activity in patterning the dorsoventral axis. <i>Birth Defects Research Part C: Embryo Today Reviews</i> , 2006, 78, 224-242.	3.6	97
1859	Inhibins are the major activin ligands expressed during early thymocyte development. <i>Developmental Dynamics</i> , 2006, 235, 1124-1132.	0.8	23
1860	Inhibition of SMAD2 expression prevents murine palatal fusion. <i>Developmental Dynamics</i> , 2006, 235, 1785-1793.	0.8	20
1861	Analysis of pancreatic endocrine development in GDF11-deficient mice. <i>Developmental Dynamics</i> , 2006, 235, 3016-3025.	0.8	59
1862	LTBP-1 blockade in dioxin receptor-null mouse embryo fibroblasts decreases TGF- β 2 activity: Role of extracellular proteases plasmin and elastase. <i>Journal of Cellular Biochemistry</i> , 2006, 97, 380-392.	1.2	37
1863	Direct activation of TGF- β 1 transcription by androgen and androgen receptor complex in Huh7 human hepatoma cells and its tumor in nude mice. <i>Journal of Cellular Biochemistry</i> , 2006, 97, 393-411.	1.2	40
1864	Integrin signaling and cell spreading mediated by phorbol 12-myristate 13-acetate treatment. <i>Journal of Cellular Biochemistry</i> , 2006, 99, 88-95.	1.2	17
1865	Modulation by the steroid/thyroid hormone superfamily of TGF- β 2-stimulated VEGF release from vascular smooth muscle cells. <i>Journal of Cellular Biochemistry</i> , 2006, 99, 187-195.	1.2	11
1866	Existence of autocrine loop between interleukin-6 and transforming growth factor- β 1 in activated rat pancreatic stellate cells. <i>Journal of Cellular Biochemistry</i> , 2006, 99, 221-228.	1.2	73
1867	Pro-metastasis function of TGF β 2 mediated by the smad pathway. <i>Journal of Cellular Biochemistry</i> , 2006, 98, 1380-1390.	1.2	49
1868	SOCS-2 interferes with myotube formation and potentiates osteoblast differentiation through upregulation of JunB in C2C12 cells. <i>Journal of Cellular Physiology</i> , 2006, 207, 428-436.	2.0	22
1869	Mutations of the TGF- β 2 type II receptor BMPR2 in pulmonary arterial hypertension. <i>Human Mutation</i> , 2006, 27, 121-132.	1.1	368
1870	Acute myelogenous leukemia-derived SMAD4 mutations target the protein to ubiquitin-proteasome degradation. <i>Human Mutation</i> , 2006, 27, 897-905.	1.1	27

#	ARTICLE	IF	CITATIONS
1871	Loss of functional transforming growth factor (TGF)- β 2 type II receptor results in insensitivity to TGF- β 1-mediated apoptosis and Epstein-Barr virus reactivation. <i>Journal of Medical Virology</i> , 2006, 78, 1456-1464.	2.5	8
1872	Transforming growth factor β 2 autocrinally mediates neuronal cell death induced by amyloid- β . <i>Journal of Neuroscience Research</i> , 2006, 83, 1039-1047.	1.3	30
1873	The new bone biology: Pathologic, molecular, and clinical correlates. <i>American Journal of Medical Genetics, Part A</i> , 2006, 140A, 2646-2706.	0.7	257
1874	TGF- β 2, T-cell tolerance and immunotherapy of autoimmune diseases and cancer. <i>Expert Review of Clinical Immunology</i> , 2006, 2, 257-265.	1.3	11
1875	Mullerian Inhibiting Substance Regulates Androgen-Induced Gene Expression and Growth in Prostate Cancer Cells through a Nuclear Factor- κ B-Dependent Smad-Independent Mechanism. <i>Molecular Endocrinology</i> , 2006, 20, 2382-2391.	3.7	15
1876	Activin Inhibits the Human Pit-1 Gene Promoter through the p38 Kinase Pathway in a Smad-Independent Manner. <i>Endocrinology</i> , 2006, 147, 4351-4362.	1.4	38
1877	Glucocorticoid Up-Regulates Transforming Growth Factor- β 2 (TGF- β 2) Type II Receptor and Enhances TGF- β 2 Signaling in Human Prostate Cancer PC-3 Cells. <i>Endocrinology</i> , 2006, 147, 5259-5267.	1.4	34
1878	Crosstalk Coregulation Mechanisms of G Protein-Coupled Receptors and Receptor Tyrosine Kinases. , 2006, 332, 51-78.		80
1879	Involvement of Bone Morphogenetic Protein-6 in Differential Regulation of Aldosterone Production by Angiotensin II and Potassium in Human Adrenocortical Cells. <i>Endocrinology</i> , 2006, 147, 2681-2689.	1.4	42
1880	Networks Everywhere? Some General Implications of an Emergent Metaphor. <i>Current Bioinformatics</i> , 2006, 1, 219-234.	0.7	8
1881	Premature Luteinization and Cumulus Cell Defects in Ovarian-SpecificSmad4Knockout Mice. <i>Molecular Endocrinology</i> , 2006, 20, 1406-1422.	3.7	159
1882	A Dishevelled-1/Smad1 Interaction Couples WNT and Bone Morphogenetic Protein Signaling Pathways in Uncommitted Bone Marrow Stromal Cells. <i>Journal of Biological Chemistry</i> , 2006, 281, 17156-17163.	1.6	83
1883	Limited Mutations in Full-length Tetrameric Human β 2-Macroglobulin Abrogate Binding of Platelet-derived Growth Factor-BB and Transforming Growth Factor- β 1. <i>Journal of Biological Chemistry</i> , 2006, 281, 17061-17068.	1.6	12
1884	Hereditary Haemorrhagic Telangiectasia (HHT): Genetic and Molecular Aspects. <i>Current Pharmaceutical Design</i> , 2006, 12, 1173-1193.	0.9	42
1885	C/EBP β is required for lung maturation at birth. <i>Development (Cambridge)</i> , 2006, 133, 1155-1164.	1.2	122
1886	Signal Processing in the TGF- β 2 Superfamily Ligand-Receptor Network. <i>PLoS Computational Biology</i> , 2006, 2, e3.	1.5	113
1887	Schistosoma mansoni TGF- β 2 Receptor II: Role in Host Ligand-Induced Regulation of a Schistosome Target Gene. <i>PLoS Pathogens</i> , 2006, 2, e54.	2.1	134
1888	Autocrine loop between TGF- β 1 and IL-1 β through Smad3- and ERK-dependent pathways in rat pancreatic stellate cells. <i>American Journal of Physiology - Cell Physiology</i> , 2006, 290, C1100-C1108.	2.1	75

#	ARTICLE	IF	CITATIONS
1889	The complex pattern of SMAD signaling in the cardiovascular system. Cardiovascular Research, 2006, 69, 15-25.	1.8	141
1890	Involvement of the Transforming Growth Factor β 1 in the Pathogenesis of Hereditary Hemorrhagic Telangiectasia. Current Pharmaceutical Design, 2006, 12, 1195-1200.	0.9	7
1891	Perceived hyperoxia: Oxygen-induced remodeling of the reoxygenated heart. Cardiovascular Research, 2006, 71, 280-288.	1.8	30
1892	Myostatin: Biology and Clinical Relevance. Mini-Reviews in Medicinal Chemistry, 2006, 6, 765-770.	1.1	40
1893	A Role for TGF- β 1 Signaling in Neurodegeneration: Evidence from Genetically Engineered Models. Current Alzheimer Research, 2006, 3, 505-513.	0.7	58
1894	Concerted Action of Smad and CREB-binding Protein Regulates Bone Morphogenetic Protein-2-stimulated Osteoblastic Colony-stimulating Factor-1 Expression. Journal of Biological Chemistry, 2006, 281, 20160-20170.	1.6	41
1895	Inhibition of Transforming Growth Factor- β 2 Signaling in Human Cancer: Targeting a Tumor Suppressor Network as a Therapeutic Strategy: Fig. 1. Clinical Cancer Research, 2006, 12, 4142-4146.	3.2	68
1896	Transforming Growth Factor- β 1 Induces Tissue Inhibitor of Metalloproteinase-1 Expression via Activation of Extracellular Signal-Regulated Kinase and Sp1 in Human Fibrosarcoma Cells. Molecular Cancer Research, 2006, 4, 209-220.	1.5	99
1897	The Regulation of Satellite Cell Function in Skeletal Muscle Regeneration and Plasticity. , 2006, , 137-172.		0
1898	The DNA Binding Activities of Smad2 and Smad3 Are Regulated by Coactivator-mediated Acetylation. Journal of Biological Chemistry, 2006, 281, 39870-39880.	1.6	105
1899	Mediation of the inhibitory effect of thyroid hormone on proliferation of hepatoma cells by transforming growth factor-beta. Journal of Molecular Endocrinology, 2006, 36, 9-21.	1.1	51
1900	Role of Endogenous Ghrelin in the Hyperphagia of Mice with Streptozotocin-Induced Diabetes. Endocrinology, 2006, 147, 2634-2642.	1.4	50
1901	The fadD2 Gene Is Required for Efficient Mycobacterium avium Invasion of Mucosal Epithelial Cells. Journal of Infectious Diseases, 2006, 193, 1135-1142.	1.9	19
1902	Essential Role of Smad3 in Angiotensin II-Induced Vascular Fibrosis. Circulation Research, 2006, 98, 1032-1039.	2.0	219
1903	Smad3-dependent nuclear translocation of beta-catenin is required for TGF-beta1-induced proliferation of bone marrow-derived adult human mesenchymal stem cells. Genes and Development, 2006, 20, 666-674.	2.7	265
1904	Smad7 Promotes and Enhances Skeletal Muscle Differentiation. Molecular and Cellular Biology, 2006, 26, 6248-6260.	1.1	70
1905	Development of engineered antibodies specific for the M μ llerian inhibiting substance type II receptor: a promising candidate for targeted therapy of ovarian cancer. Molecular Cancer Therapeutics, 2006, 5, 2096-2105.	1.9	24
1906	Inhibition of chronic ulcerative colitis associated adenocarcinoma development in mice by inositol compounds. Carcinogenesis, 2006, 28, 446-454.	1.3	34

#	ARTICLE	IF	CITATIONS
1907	In vivo disruption of TGF-beta signaling by Smad7 leads to premalignant ductal lesions in the pancreas. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 1858-1863.	3.3	65
1908	Genomic analyses facilitate identification of receptors and signalling pathways for growth differentiation factor 9 and related orphan bone morphogenetic protein/growth differentiation factor ligands. Human Reproduction Update, 2006, 12, 373-383.	5.2	72
1909	The TGFÎ² activated kinase TAK1 regulates vascular development in vivo. Development (Cambridge), 2006, 133, 1529-1541.	1.2	118
1910	Bone Morphogenic Protein-4 Induces Hypertension in Mice. Circulation, 2006, 113, 2818-2825.	1.6	117
1911	TGIF Inhibits Retinoid Signaling. Molecular and Cellular Biology, 2006, 26, 990-1001.	1.1	102
1912	Beyond the dogma: novel Î²-adrenoceptor signalling in the airways. European Respiratory Journal, 2006, 27, 1286-1306.	3.1	129
1913	Inhibins Differentially Antagonize Activin and Bone Morphogenetic Protein Action in a Mouse Adrenocortical Cell Line. Endocrinology, 2006, 147, 3462-3471.	1.4	43
1914	Growth differentiation factor-9 has divergent effects on proliferation and steroidogenesis of bovine granulosa cells. Journal of Endocrinology, 2006, 189, 329-339.	1.2	89
1916	Endogenous Transforming Growth Factor-Î² Receptor-mediated Smad Signaling Complexes Analyzed by Mass Spectrometry. Molecular and Cellular Proteomics, 2006, 5, 1245-1260.	2.5	17
1917	Impaired transforming growth factor Î² signalling in Barrett's carcinogenesis due to frequent SMAD4 inactivation. Gut, 2006, 55, 764-774.	6.1	58
1918	Bone Morphogenetic Protein-4 Control of Pituitary Pathophysiology. , 2006, 35, 22-31.		27
1919	Analysis of cell migration, transdifferentiation and apoptosis during mouse secondary palate fusion. Development (Cambridge), 2006, 133, 3341-3347.	1.2	119
1920	Participation of an abnormality in the transforming growth factorâ€“Î² signaling pathway in resistance of malignant glioma cells to growth inhibition induced by that factor. Journal of Neurosurgery, 2006, 105, 119-128.	0.9	27
1921	Oncogenic Function of a Novel WD-Domain Protein, STRAP, in Human Carcinogenesis. Cancer Research, 2006, 66, 6156-6166.	0.4	77
1922	Oncogenic Serine-Threonine Kinase Receptor-Associated Protein Modulates the Function of Ewing Sarcoma Protein through a Novel Mechanism. Cancer Research, 2006, 66, 10824-10832.	0.4	34
1923	p300 Modulates HIV-1 gp120-Induced Apoptosis in Human Proximal Tubular Cells: Associated with Alteration of TGF-Î² and Smad Signaling. Nephron Experimental Nephrology, 2006, 102, e30-e38.	2.4	7
1924	PKC Isoformâ€“Specific Enhancement of Capacitative Calcium Entry in Human Corneal Epithelial Cells. , 2006, 47, 3989.		16
1925	Structure of the ternary signaling complex of a TGF-beta superfamily member. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 7643-7648.	3.3	227

#	ARTICLE	IF	CITATIONS
1926	Modulation of the Transforming Growth Factor- $\hat{1}^2$ Signal Transduction Pathway by Hepatitis C Virus Nonstructural 5A Protein. <i>Journal of Biological Chemistry</i> , 2006, 281, 7468-7478.	1.6	80
1927	Transforming growth factor- $\hat{1}^2$ 1-induced endothelial barrier dysfunction involves Smad2-dependent p38 activation and subsequent RhoA activation. <i>Journal of Applied Physiology</i> , 2006, 101, 375-384.	1.2	57
1928	Inhibition of Growth and Metastasis of Mouse Mammary Carcinoma by Selective Inhibitor of Transforming Growth Factor- $\hat{1}^2$ Type I Receptor Kinase In vivo. <i>Clinical Cancer Research</i> , 2006, 12, 4315-4330.	3.2	137
1929	TGF $\hat{1}^2$ Protein Processing and Activity through TCR Triggering of Primary CD8+ T Regulatory Cells. <i>Journal of Immunology</i> , 2006, 177, 6091-6097.	0.4	25
1931	From Melanocytes to Melanoma. , 2006, , .		21
1932	Cellular Heparan Sulfate Negatively Modulates Transforming Growth Factor- $\hat{1}^2$ 1 (TGF- $\hat{1}^2$ 1) Responsiveness in Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2006, 281, 11506-11514.	1.6	61
1933	The divergent TGF- $\hat{1}^2$ ligand Dawdle utilizes an activin pathway to influence axon guidance in <i>Drosophila</i> . <i>Development (Cambridge)</i> , 2006, 133, 4981-4991.	1.2	61
1934	TGF $\hat{1}^2$ -mediated FGF signaling is crucial for regulating cranial neural crest cell proliferation during frontal bone development. <i>Development (Cambridge)</i> , 2006, 133, 371-381.	1.2	85
1935	OAZ Regulates Bone Morphogenetic Protein Signaling through Smad6 Activation. <i>Journal of Biological Chemistry</i> , 2006, 281, 5277-5287.	1.6	38
1936	An Expanded WW Domain Recognition Motif Revealed by the Interaction between Smad7 and the E3 Ubiquitin Ligase Smurf2*. <i>Journal of Biological Chemistry</i> , 2006, 281, 17069-17075.	1.6	50
1937	Modulation of Airway Remodeling and Airway Inflammation by Peroxisome Proliferator-Activated Receptor $\hat{1}^3$ in a Murine Model of Toluene Diisocyanate-Induced Asthma. <i>Journal of Immunology</i> , 2006, 177, 5248-5257.	0.4	71
1938	TGF $\hat{1}^2$ Type II Receptor Signaling Controls Schwann Cell Death and Proliferation in Developing Nerves. <i>Journal of Neuroscience</i> , 2006, 26, 8417-8427.	1.7	65
1939	Requirement of Smad3 and CREB-1 in Mediating Transforming Growth Factor- $\hat{1}^2$ (TGF $\hat{1}^2$) Induction of TGF $\hat{1}^2$ 3 Secretion. <i>Journal of Biological Chemistry</i> , 2006, 281, 29479-29490.	1.6	43
1940	The Novel PIAS-like Protein hZimp10 Enhances Smad Transcriptional Activity. <i>Journal of Biological Chemistry</i> , 2006, 281, 23748-23756.	1.6	62
1941	Cripto Binds Transforming Growth Factor $\hat{1}^2$ (TGF- $\hat{1}^2$) and Inhibits TGF- $\hat{1}^2$ Signaling. <i>Molecular and Cellular Biology</i> , 2006, 26, 9268-9278.	1.1	89
1942	Phosphatidylinositol 3-Kinase in the G Protein-Coupled Receptor-Induced Chemokinesis and Chemotaxis of MDA-MB-468 Breast Carcinoma Cells: A Comparison with Leukocytes. <i>Molecular Cancer Research</i> , 2006, 4, 411-421.	1.5	18
1943	RUNX3 Is Frequently Inactivated by Dual Mechanisms of Protein Mislocalization and Promoter Hypermethylation in Breast Cancer. <i>Cancer Research</i> , 2006, 66, 6512-6520.	0.4	177
1944	Leptospiral Outer Membrane Protein Induces Extracellular Matrix Accumulation through a TGF- $\hat{1}^2$ 1/Smad-Dependent Pathway. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2792-2798.	3.0	51

#	ARTICLE	IF	CITATIONS
1945	Helicobacter Infection Is Required for Inflammation and Colon Cancer in Smad3-Deficient Mice. <i>Cancer Research</i> , 2006, 66, 828-838.	0.4	204
1946	Transforming Growth Factor- β 2 Promotes Invasion in Tumorigenic but not in Nontumorigenic Human Prostatic Epithelial Cells. <i>Cancer Research</i> , 2006, 66, 8007-8016.	0.4	111
1947	Photoprotective and anti-skin-aging effects of eicosapentaenoic acid in human skin in vivo. <i>Journal of Lipid Research</i> , 2006, 47, 921-930.	2.0	97
1948	A New I κ B Kinase β 2 Inhibitor Prevents Human Breast Cancer Progression through Negative Regulation of Cell Cycle Transition. <i>Cancer Research</i> , 2006, 66, 419-426.	0.4	52
1949	Induction of Oral Tolerance to Oxidized Low-Density Lipoprotein Ameliorates Atherosclerosis. <i>Circulation</i> , 2006, 114, 1968-1976.	1.6	158
1951	Mutant p53 Attenuates the SMAD-Dependent Transforming Growth Factor β 21 (TGF- β 21) Signaling Pathway by Repressing the Expression of TGF- β 2 Receptor Type II. <i>Molecular and Cellular Biology</i> , 2007, 27, 8228-8242.	1.1	71
1952	The M μ llerian Duct: Recent Insights into Its Development and Regression. <i>Sexual Development</i> , 2007, 1, 271-278.	1.1	45
1953	Ligand-Dependent Reduction in the Membrane Mobility of FLAGELLIN SENSITIVE2, an Arabidopsis Receptor-Like Kinase. <i>Plant and Cell Physiology</i> , 2007, 48, 1601-1611.	1.5	51
1954	Transforming Growth Factor- β 2 and Connective Tissue Growth Factor in Proliferative Vitreoretinal Diseases: Possible Involvement of Hyalocytes and Therapeutic Potential of Rho Kinase Inhibitor. <i>Diabetes</i> , 2007, 56, 231-238.	0.3	113
1955	Activin Acutely Sensitizes Dorsal Root Ganglion Neurons and Induces Hyperalgesia via PKC-Mediated Potentiation of Transient Receptor Potential Vanilloid I. <i>Journal of Neuroscience</i> , 2007, 27, 13770-13780.	1.7	48
1956	A Novel Modulatory Mechanism of Transforming Growth Factor- β 2 Signaling through Decorin and LRP-1. <i>Journal of Biological Chemistry</i> , 2007, 282, 18842-18850.	1.6	112
1957	Endofin, a FYVE Domain Protein, Interacts with Smad4 and Facilitates Transforming Growth Factor- β 2 Signaling. <i>Journal of Biological Chemistry</i> , 2007, 282, 9688-9695.	1.6	65
1958	Requirement for the Dynein Light Chain km23-1 in a Smad2-dependent Transforming Growth Factor- β 2 Signaling Pathway. <i>Journal of Biological Chemistry</i> , 2007, 282, 19122-19132.	1.6	33
1959	Forkhead Proteins Are Critical for Bone Morphogenetic Protein-2 Regulation and Anti-tumor Activity of Resveratrol*. <i>Journal of Biological Chemistry</i> , 2007, 282, 19385-19398.	1.6	94
1960	Modulation of NF κ B Activity and E-cadherin by the Type III Transforming Growth Factor β 2 Receptor Regulates Cell Growth and Motility. <i>Journal of Biological Chemistry</i> , 2007, 282, 32491-32500.	1.6	53
1961	Control of Phenotypic Plasticity of Smooth Muscle Cells by Bone Morphogenetic Protein Signaling through the Myocardin-related Transcription Factors. <i>Journal of Biological Chemistry</i> , 2007, 282, 37244-37255.	1.6	147
1962	Transforming Growth Factor- β 21 Represses E-Cadherin Production via Slug Expression in Lens Epithelial Cells. , 2007, 48, 2708.		90
1963	Transforming Growth Factor- β 2 Receptor Type I-dependent Fibrogenic Gene Program Is Mediated via Activation of Smad1 and ERK1/2 Pathways. <i>Journal of Biological Chemistry</i> , 2007, 282, 10405-10413.	1.6	173

#	ARTICLE	IF	CITATIONS
1964	Integration of Rapid Signaling Events with Steroid Hormone Receptor Action in Breast and Prostate Cancer. <i>Annual Review of Physiology</i> , 2007, 69, 171-199.	5.6	112
1965	Nitric oxide and vascular remodeling: Spotlight on the kidney. <i>Kidney International</i> , 2007, 72, S9-S16.	2.6	19
1966	Cyclooxygenase-2 is required for activated pancreatic stellate cells to respond to proinflammatory cytokines. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 292, C259-C268.	2.1	48
1967	p38 MAPK activation coupled to endocytosis is a determinant of endothelial monolayer integrity. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2007, 292, L114-L124.	1.3	17
1968	Dysregulation of stem cell signaling network due to germline mutation, SNP, helicobacter pylori infection, epigenetic change, and genetic alteration in gastric cancer. <i>Cancer Biology and Therapy</i> , 2007, 6, 832-839.	1.5	105
1969	Differential and combined effects of cardiotrophin-1 and TGF- β 1 on cardiac myofibroblast proliferation and contraction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H1053-H1064.	1.5	33
1970	Activation of endothelial nitric oxide synthase by dietary isoflavones: Role of NO in Nrf2-mediated antioxidant gene expression. <i>Cardiovascular Research</i> , 2007, 75, 261-274.	1.8	148
1971	TGF- β 2, cardiac fibroblasts, and the fibrotic response. <i>Cardiovascular Research</i> , 2007, 74, 207-212.	1.8	242
1972	Altered Expression of Basement Membrane-related Molecules in Rat Brain Pericyte, Endothelial, and Astrocyte Cell Lines after Transforming Growth Factor- β 1 Treatment. <i>Drug Metabolism and Pharmacokinetics</i> , 2007, 22, 255-266.	1.1	29
1973	Bone Morphogenetic Protein Signaling Suppresses Tumorigenesis at Gastric Epithelial Transition Zones in Mice. <i>Cancer Research</i> , 2007, 67, 8149-8155.	0.4	104
1974	Regulation of collagen synthesis by inhibitory Smad7 in cardiac myofibroblasts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H1282-H1290.	1.5	69
1975	Cooperation between GATA4 and TGF- β 2 signaling regulates intestinal epithelial gene expression. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, G1520-G1533.	1.6	29
1976	Activation of elastin transcription by transforming growth factor- β 2 in human lung fibroblasts. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2007, 292, L944-L952.	1.3	69
1977	Prevention of cachexia-like syndrome development and reduction of tumor progression in inhibin-deficient mice following administration of a chimeric activin receptor type II-murine Fc protein. <i>Molecular Human Reproduction</i> , 2007, 13, 675-683.	1.3	63
1978	Sphingosylphosphorylcholine acts in an anti-inflammatory manner in renal mesangial cells by reducing interleukin-1 β -induced prostaglandin E2 formation. <i>Journal of Lipid Research</i> , 2007, 48, 1985-1996.	2.0	11
1979	Examining Potential Therapies Targeting Myocardial Fibrosis through the Inhibition of Transforming Growth Factor-Beta 1. <i>Cardiology</i> , 2007, 108, 368-380.	0.6	13
1980	Microarray Analysis of the Fetal Hippocampus in the <i>Emx2</i> Mutant. <i>Developmental Neuroscience</i> , 2007, 29, 28-47.	1.0	7
1981	Diabetic Nephropathy: Where Hemodynamics Meets Metabolism. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2007, 115, 69-84.	0.6	155

#	ARTICLE	IF	CITATIONS
1982	SMAD3 Regulates Gonadal Tumorigenesis. <i>Molecular Endocrinology</i> , 2007, 21, 2472-2486.	3.7	76
1983	ALK-5 Mediates Endogenous and TGF- β 1-Induced Expression of Connective Tissue Growth Factor in Embryonic Lung. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2007, 36, 552-561.	1.4	18
1984	p38 Mitogen-Activated Protein Kinase Is Critical for Synergistic Induction of the FSH β Gene by Gonadotropin-Releasing Hormone and Activin through Augmentation of c-Fos Induction and Smad Phosphorylation. <i>Molecular Endocrinology</i> , 2007, 21, 3071-3086.	3.7	64
1985	In Vitro Evidence Suggests Activin-A May Promote Tissue Remodeling Associated with Human Luteolysis. <i>Endocrinology</i> , 2007, 148, 3730-3739.	1.4	36
1986	Mammalian Glycerophosphodiester Phosphodiesterases. <i>Bioscience, Biotechnology and Biochemistry</i> , 2007, 71, 1811-1818.	0.6	58
1987	Down-regulation of the dopamine receptor D2 in mice lacking ataxin 1. <i>Human Molecular Genetics</i> , 2007, 16, 2122-2134.	1.4	61
1988	The Hedgehog-binding proteins Gas1 and Cdo cooperate to positively regulate Shh signaling during mouse development. <i>Genes and Development</i> , 2007, 21, 1244-1257.	2.7	244
1989	Response Gene to Complement 32, a Novel Regulator for Transforming Growth Factor- β 2-induced Smooth Muscle Differentiation of Neural Crest Cells. <i>Journal of Biological Chemistry</i> , 2007, 282, 10133-10137.	1.6	46
1990	Sequential roles for myosin-X in BMP6-dependent filopodial extension, migration, and activation of BMP receptors. <i>Journal of Cell Biology</i> , 2007, 179, 1569-1582.	2.3	99
1991	Endofin acts as a Smad anchor for receptor activation in BMP signaling. <i>Journal of Cell Science</i> , 2007, 120, 1216-1224.	1.2	90
1992	Suppression of transforming growth factor β signalling aborts caerulein induced pancreatitis and eliminates restricted stimulation at high caerulein concentrations. <i>Gut</i> , 2007, 56, 685-692.	6.1	77
1993	Lung premalignancy induced by mutant B-Raf, what is thy fate? To senesce or not to senesce, that is the question. <i>Genes and Development</i> , 2007, 21, 361-366.	2.7	7
1994	The evolutionally conserved activity of Dapper2 in antagonizing TGF β signaling. <i>FASEB Journal</i> , 2007, 21, 682-690.	0.2	55
1995	Smad7 Sensitizes Tumor Necrosis Factor-Induced Apoptosis through the Inhibition of Antiapoptotic Gene Expression by Suppressing Activation of the Nuclear Factor- κ B Pathway. <i>Cancer Research</i> , 2007, 67, 9577-9583.	0.4	54
1996	Signalling through kinase-defective domains: the prevalence of atypical receptor-like kinases in plants. <i>Journal of Experimental Botany</i> , 2007, 58, 3503-3511.	2.4	93
1997	The Interaction of Endoglin with β 2-Arrestin2 Regulates Transforming Growth Factor- β 2-mediated ERK Activation and Migration in Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2007, 282, 21507-21517.	1.6	83
1998	Activation of Mps1 Promotes Transforming Growth Factor- β 2-independent Smad Signaling. <i>Journal of Biological Chemistry</i> , 2007, 282, 18327-18338.	1.6	60
1999	Transforming Growth Factor- β 2 Signaling in Prostate Stromal Cells Supports Prostate Carcinoma Growth by Up-regulating Stromal Genes Related to Tissue Remodeling. <i>Cancer Research</i> , 2007, 67, 5737-5746.	0.4	71

#	ARTICLE	IF	CITATIONS
2000	Sonic hedgehog signaling promotes motility and invasiveness of gastric cancer cells through TGF- β -mediated activation of the ALK5-Smad 3 pathway. <i>Carcinogenesis</i> , 2007, 29, 480-490.	1.3	147
2001	Nodal signalling and apoptosis. <i>Reproduction</i> , 2007, 133, 847-853.	1.1	41
2002	Expression of Smad Ubiquitin Regulatory Factor 2 (Smurf2) in Rhesus Monkey Endometrium and Placenta During Early Pregnancy. <i>Journal of Histochemistry and Cytochemistry</i> , 2007, 55, 453-460.	1.3	4
2003	Cytokine Regulation of the Trefoil Factor Family Binding Protein GKN2 (GDDR/TFIZ1/blottin) in Human Gastrointestinal Epithelial Cells. <i>Cellular Physiology and Biochemistry</i> , 2007, 20, 193-204.	1.1	34
2004	A Novel Regulatory Mechanism of the Bone Morphogenetic Protein (BMP) Signaling Pathway Involving the Carboxyl-Terminal Tail Domain of BMP Type II Receptor. <i>Molecular and Cellular Biology</i> , 2007, 27, 5776-5789.	1.1	119
2005	Smad7 Antagonizes Transforming Growth Factor β Signaling in the Nucleus by Interfering with Functional Smad-DNA Complex Formation. <i>Molecular and Cellular Biology</i> , 2007, 27, 4488-4499.	1.1	220
2006	The transforming growth factor- β /Smad2,3 signalling axis is impaired in experimental pulmonary hypertension. <i>European Respiratory Journal</i> , 2007, 29, 1094-1104.	3.1	69
2007	Cholesterol suppresses cellular TGF- β responsiveness: implications in atherogenesis. <i>Journal of Cell Science</i> , 2007, 120, 3509-3521.	1.2	85
2008	Activin-Nodal signaling is involved in propagation of mouse embryonic stem cells. <i>Journal of Cell Science</i> , 2007, 120, 55-65.	1.2	163
2009	Concordant Epigenetic Silencing of Transforming Growth Factor- β Signaling Pathway Genes Occurs Early in Breast Carcinogenesis. <i>Cancer Research</i> , 2007, 67, 11517-11527.	0.4	76
2010	Interleukin-10 Regulates Transforming Growth Factor- β Signaling in Cultured Human Bronchial Epithelial Cells. <i>Respiration</i> , 2007, 74, 454-459.	1.2	12
2011	CD8 single-cell gene coexpression reveals three different effector types present at distinct phases of the immune response. <i>Journal of Experimental Medicine</i> , 2007, 204, 1193-1205.	4.2	84
2012	Bone Morphogenetic Proteins. , 0, , 19-33.		0
2013	Identification of apoptotic genes mediating TGF- β /Smad3-induced cell death in intestinal epithelial cells using a genomic approach. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, G28-G38.	1.6	25
2014	Involvement of transforming growth factor- β in the expression of gicerin, a cell adhesion molecule, in the regeneration of hepatocytes. <i>International Journal of Molecular Medicine</i> , 2007, 19, 381.	1.8	4
2015	The diagnostic efficacy of urinary TGF- β 1 and VEGF in bladder cancer: Comparison with voided urine cytology. <i>Cancer Biomarkers</i> , 2007, 3, 275-285.	0.8	25
2017	Hyperoxia modulates TGF- β /BMP signaling in a mouse model of bronchopulmonary dysplasia. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2007, 292, L537-L549.	1.3	212
2019	<title>The involvement of MAP kinases JNK and p38 in photodynamic injury of crayfish neurons and glial cells</title>. , 2007, , .		0

#	ARTICLE	IF	CITATIONS
2020	Targeting transforming growth factor- β signaling. <i>Current Opinion in Oncology</i> , 2007, 19, 579-585.	1.1	67
2021	Effect of Heparin on Production of Basic Fibroblast Growth Factor and Transforming Growth Factor-Beta1 by Human Normal Skin and Hyperplastic Scar Fibroblasts. <i>Journal of Burn Care and Research</i> , 2007, 28, 734-741.	0.2	14
2022	Recent Patents of TGF- β Family and VEGF Associated with Ovarian Follicular Development in Mammals. <i>Recent Patents on DNA & Gene Sequences</i> , 2007, 1, 195-199.	0.7	7
2023	Cellular Signaling in Cartilage Tissue Engineering. <i>Current Signal Transduction Therapy</i> , 2007, 2, 41-48.	0.3	4
2024	Craniosynostosis caused by Axin2 deficiency is mediated through distinct functions of β -catenin in proliferation and differentiation. <i>Developmental Biology</i> , 2007, 301, 298-308.	0.9	101
2025	TGF- β isoform signaling regulates secondary transition and mesenchymal-induced endocrine development in the embryonic mouse pancreas. <i>Developmental Biology</i> , 2007, 305, 508-521.	0.9	53
2026	Transcriptional repressor and activator activities of SMA-9 contribute differentially to BMP-related signaling outputs. <i>Developmental Biology</i> , 2007, 305, 714-725.	0.9	55
2027	Deletion of <i>Tgfb2</i> in <i>Prx1-cre</i> expressing mesenchyme results in defects in development of the long bones and joints. <i>Developmental Biology</i> , 2007, 310, 304-316.	0.9	135
2028	Control of kidney, eye and limb expression of <i>Bmp7</i> by an enhancer element highly conserved between species. <i>Developmental Biology</i> , 2007, 311, 679-690.	0.9	18
2029	Neuronal Gq/11-coupled dopamine receptors: an uncharted role for dopamine. <i>Trends in Pharmacological Sciences</i> , 2007, 28, 551-555.	4.0	80
2030	Activation of growth factor receptors in pancreatic cancer. <i>American Journal of Surgery</i> , 2007, 194, S76-S83.	0.9	1
2031	Functional characterization of cell lines for high-throughput screening of human neuromedin U receptor subtype 2 specific agonists using a luciferase reporter gene assay. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2007, 67, 284-292.	2.0	10
2032	Epidermal growth factor up-regulates transforming growth factor- β receptor type II in human dermal fibroblasts via p38 mitogen-activated protein kinase pathway. <i>Biochemical and Biophysical Research Communications</i> , 2007, 352, 69-77.	1.0	8
2033	A eukaryotic-type serine/threonine protein kinase <i>StkP</i> of <i>Streptococcus pneumoniae</i> acts as a dimer in vivo. <i>Biochemical and Biophysical Research Communications</i> , 2007, 355, 526-530.	1.0	23
2034	Expression of Caveolin-1 reduces cellular responses to TGF- β 1 through down-regulating the expression of TGF- β type II receptor gene in NIH3T3 fibroblast cells. <i>Biochemical and Biophysical Research Communications</i> , 2007, 359, 385-390.	1.0	41
2035	Deficient <i>Alk3</i> -mediated BMP signaling causes prenatal omphalocele-like defect. <i>Biochemical and Biophysical Research Communications</i> , 2007, 360, 238-243.	1.0	19
2036	Paradoxical effects of cytokines in tumor immune surveillance and tumor immune escape. <i>Cytokine and Growth Factor Reviews</i> , 2007, 18, 171-182.	3.2	161
2037	Transforming growth factor beta mediates hepatocyte apoptosis through Smad3 generation of reactive oxygen species. <i>Biochimie</i> , 2007, 89, 1464-1473.	1.3	44

#	ARTICLE	IF	CITATIONS
2038	The role of tamoxifen in combination with cisplatin on oral squamous cell carcinoma cell lines. <i>Cancer Letters</i> , 2007, 245, 284-292.	3.2	22
2039	In vitro selection and characterization of DARPins and Fab fragments for the co-crystallization of membrane proteins: The Na ⁺ -citrate symporter CitS as an example. <i>Journal of Structural Biology</i> , 2007, 159, 206-221.	1.3	59
2040	TGF β 1, TGF β 2, and TGF β 3 Protein Expression in Gastric Carcinomas: Correlation with Prognostics Factors and Patient Survival. <i>Journal of Surgical Research</i> , 2007, 139, 182-188.	0.8	49
2041	The bone morphogenetic protein 1/Tolloid-like metalloproteinases. <i>Matrix Biology</i> , 2007, 26, 508-523.	1.5	226
2042	Fussel-15, a novel Ski/Sno homolog protein, antagonizes BMP signaling. <i>Molecular and Cellular Neurosciences</i> , 2007, 34, 603-611.	1.0	39
2043	Loss-of-Function Mutations in Growth Differentiation Factor-1 (GDF1) Are Associated with Congenital Heart Defects in Humans. <i>American Journal of Human Genetics</i> , 2007, 81, 987-994.	2.6	119
2044	Immunomodulator FTY720 Induces Myofibroblast Differentiation via the Lysophospholipid Receptor S1P3 and Smad3 Signaling. <i>American Journal of Pathology</i> , 2007, 170, 281-292.	1.9	85
2045	Reprint of "Cell-free production of G protein-coupled receptors for functional and structural studies" [J. Struct. Biol. 158 (2007) 482-493]. <i>Journal of Structural Biology</i> , 2007, 159, 194-205.	1.3	11
2046	Effect of Hypoxia on Ca ²⁺ Concentration in Broiler's Cardiac Muscle Cells. <i>Agricultural Sciences in China</i> , 2007, 6, 1133-1137.	0.6	0
2047	Transforming Growth Factor- β Signaling in Normal and Malignant Hematopoiesis. <i>Journal of Interferon and Cytokine Research</i> , 2007, 27, 543-552.	0.5	47
2048	Synthesis and Biological Evaluation of 4(5)-(6-Alkylpyridin-2-yl)imidazoles as Transforming Growth Factor- β Type 1 Receptor Kinase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 3143-3147.	2.9	45
2049	Molecular Interaction Between Smurf1 WW2 Domain and PPXY Motifs of Smad1, Smad5, and Smad6 Modeling and Analysis. <i>Journal of Biomolecular Structure and Dynamics</i> , 2007, 25, 11-23.	2.0	21
2050	The Role of Extracellular Matrix and Activin-A in In Vitro Growth and Survival of Murine Preantral Follicles. <i>Reproductive Sciences</i> , 2007, 14, 358-366.	1.1	63
2051	Transforming Growth Factor- β and the Immune Response: Implications for Anticancer Therapy. <i>Clinical Cancer Research</i> , 2007, 13, 5262-5270.	3.2	417
2052	Novel Mutations in Smad Proteins That Inhibit Signaling by the Transforming Growth Factor β in Mammalian Cells. <i>Biochemistry</i> , 2007, 46, 13775-13786.	1.2	7
2053	Receptors in Skin Ageing and Antiageing Agents. <i>Dermatologic Clinics</i> , 2007, 25, 655-662.	1.0	20
2054	Basics of TGF- β and Pancreatic Cancer. <i>Pancreatology</i> , 2007, 7, 423-435.	0.5	141
2055	Drosophila SnoN modulates growth and patterning by antagonizing TGF- β signalling. <i>Mechanisms of Development</i> , 2007, 124, 304-317.	1.7	14

#	ARTICLE	IF	CITATIONS
2056	Mesenchymal to Epithelial Transition in Development and Disease. <i>Cells Tissues Organs</i> , 2007, 185, 7-19.	1.3	276
2057	Development of a Sexually Differentiated Behavior and Its Underlying CNS Arousal Functions. <i>Current Topics in Developmental Biology</i> , 2007, 79, 37-59.	1.0	10
2058	Large Hepatitis Delta Antigen Modulates Transforming Growth Factor- β Signaling Cascades: Implication of Hepatitis Delta Virus-Induced Liver Fibrosis. <i>Gastroenterology</i> , 2007, 132, 343-357.	0.6	61
2059	Differential actions of FSH and LH during folliculogenesis. <i>Reproductive BioMedicine Online</i> , 2007, 15, 326-337.	1.1	114
2060	Increase of collagen synthesis by obovatol through stimulation of the TGF- β signaling and inhibition of matrix metalloproteinase in UVB-irradiated human fibroblast. <i>Journal of Dermatological Science</i> , 2007, 46, 127-137.	1.0	47
2061	Tobacco smoke causes premature skin aging. <i>Journal of Dermatological Science</i> , 2007, 48, 169-175.	1.0	167
2062	Levels of Smad7 regulate Smad and mitogen activated kinases (MAPKs) signaling and controls erythroid and megakaryocytic differentiation of erythroleukemia cells. <i>Platelets</i> , 2007, 18, 566-578.	1.1	9
2063	Regulation of Interferon- γ During Innate and Adaptive Immune Responses. <i>Advances in Immunology</i> , 2007, 96, 41-101.	1.1	1,373
2064	Pituitary Action of Cytokines: Focus on BMP-4 and gp130 Family. <i>Neuroendocrinology</i> , 2007, 85, 94-100.	1.2	16
2065	Genetics of hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2007, 13, 2271.	1.4	116
2066	Transforming Growth Factor- β Signaling Is Essential for Limb Regeneration in Axolotls. <i>PLoS ONE</i> , 2007, 2, e1227.	1.1	127
2067	Library Design: Reactant and Product-Based Approaches. , 2007, , 337-378.		0
2068	Smad3 -signalling and Th2 cytokines in normal mouse airways and in a mouse model of asthma. <i>International Journal of Biological Sciences</i> , 2007, 3, 477-485.	2.6	24
2070	Checklist of catfishes, recent and fossil (Osteichthyes: Siluriformes), and catalogue of siluriform primary types. <i>Zootaxa</i> , 2007, 1418, .	0.2	586
2071	Transforming growth factor-beta signaling in breast cancer. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 4393.	3.0	28
2072	Molecular profiles of mitogen activated protein kinase signaling pathways in orofacial development. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2007, 79, 35-44.	1.6	7
2073	Molecular basis for skeletal variation: insights from developmental genetic studies in mice. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2007, 80, 425-450.	1.4	8
2074	Female mice are more susceptible to developing inflammatory disorders due to impaired transforming growth factor β signaling in salivary glands. <i>Arthritis and Rheumatism</i> , 2007, 56, 1798-1805.	6.7	29

#	ARTICLE	IF	CITATIONS
2075	Biocompatibility evaluation of surface-treated AISI 316L austenitic stainless steel in human cell cultures. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 80A, 131-145.	2.1	30
2076	Elevation of transforming growth factor beta (TGF β 2) and its downstream mediators in subcutaneous foreign body capsule tissue. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 82A, 498-508.	2.1	34
2077	Sprouty2 downregulation plays a pivotal role in mediating crosstalk between TGF β 1 signaling and EGF as well as FGF receptor tyrosine kinase-ERK pathways in mesenchymal cells. <i>Journal of Cellular Physiology</i> , 2007, 212, 796-806.	2.0	34
2078	Functional role of transforming growth factor β 2 type III receptor during palatal fusion. <i>Developmental Dynamics</i> , 2007, 236, 791-801.	0.8	30
2079	Dual effect of adenovirus β -mediated transfer of BMP7 in mixed neuron β -glial cultures: Neuroprotection and cellular differentiation. <i>Journal of Neuroscience Research</i> , 2007, 85, 2950-2959.	1.3	32
2080	Synthesis and biological activity of vicinal diaryl-substituted 1H-imidazoles. <i>Tetrahedron</i> , 2007, 63, 4571-4624.	1.0	233
2081	A fluorescence study of type I and type II receptors of bone morphogenetic proteins with bis-ANS (4,)-Tj ETQq0 0 0 rgBT /Overlock 10 Tf Proteomics, 2007, 1774, 493-501.	1.1	6
2082	New twists of T cell fate: control of T cell activation and tolerance by TGF β 2 and NFAT. <i>Current Opinion in Immunology</i> , 2007, 19, 287-293.	2.4	33
2083	Structure-based 3D-QSAR studies on heteroaryl piperazine derivatives as 5-HT3 receptor antagonists. <i>European Journal of Medicinal Chemistry</i> , 2007, 42, 977-984.	2.6	4
2084	The role of TGF β 2 superfamily during T cell development: new insights. <i>Immunology Letters</i> , 2007, 109, 1-12.	1.1	36
2085	Histamine H4 receptor expression is elevated in human nasal polyp tissue. <i>Cell Biology International</i> , 2007, 31, 1367-1370.	1.4	8
2086	Inhibition of Transforming Growth Factor β 2 Signaling in Normal Lung Epithelial Cells Confers Resistance to Ionizing Radiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 68, 187-195.	0.4	10
2087	Polymeric protein delivery systems. <i>Progress in Polymer Science</i> , 2007, 32, 669-697.	11.8	361
2088	A silent H-bond can be mutationally activated for high-affinity interaction of BMP-2 and activin type IIB receptor. <i>BMC Structural Biology</i> , 2007, 7, 6.	2.3	129
2089	Anti-proliferative activity of oral anti-hyperglycemic agents on human vascular smooth muscle cells: thiazolidinediones (glitazones) have enhanced activity under high glucose conditions. <i>Cardiovascular Diabetology</i> , 2007, 6, 33.	2.7	14
2090	Role of RGM coreceptors in bone morphogenetic protein signaling. <i>Journal of Molecular Signaling</i> , 2007, 2, 4.	0.5	47
2091	A genomic view of TGF β 2 signal transduction in an invertebrate deuterostome organism and lessons from the functional analyses of Nodal and BMP2/4 during sea urchin development. <i>Signal Transduction</i> , 2007, 7, 187-206.	0.7	2
2092	ALK5 promotes tumor angiogenesis by upregulating matrix metalloproteinase-9 in tumor cells. <i>Oncogene</i> , 2007, 26, 2407-2422.	2.6	90

#	ARTICLE	IF	CITATIONS
2093	Dissecting the role of TGF-beta type I receptor/ALK5 in pancreatic ductal adenocarcinoma: Smad activation is crucial for both the tumor suppressive and prometastatic function. <i>Oncogene</i> , 2007, 26, 4850-4862.	2.6	50
2094	Endoglin inhibits prostate cancer motility via activation of the ALK2-Smad1 pathway. <i>Oncogene</i> , 2007, 26, 7240-7250.	2.6	61
2095	TrkC binds to the type II TGF- β 2 receptor to suppress TGF- β 2 signaling. <i>Oncogene</i> , 2007, 26, 7684-7691.	2.6	26
2096	Yin Yang TM functions of transforming growth factor- β 2 and T regulatory cells in immune regulation. <i>Immunological Reviews</i> , 2007, 220, 199-213.	2.8	335
2097	High levels of GDF15 in thalassemia suppress expression of the iron regulatory protein hepcidin. <i>Nature Medicine</i> , 2007, 13, 1096-1101.	15.2	743
2098	TGF- β 2 signalling in control of T-cell-mediated self-reactivity. <i>Nature Reviews Immunology</i> , 2007, 7, 443-453.	10.6	290
2099	Linkage analysis of circulating levels of adiponectin in hispanic children. <i>International Journal of Obesity</i> , 2007, 31, 535-542.	1.6	18
2100	Activin is a Neuronal Survival Factor that is Rapidly Increased after Transient Cerebral Ischemia and Hypoxia in Mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 1161-1172.	2.4	52
2101	FTY720 suppresses interleukin-1 β -induced secretory phospholipase A2 expression in renal mesangial cells by a transcriptional mechanism. <i>British Journal of Pharmacology</i> , 2007, 150, 943-950.	2.7	18
2102	A flagellin-induced complex of the receptor FLS2 and BAK1 initiates plant defence. <i>Nature</i> , 2007, 448, 497-500.	13.7	1,619
2103	Molecular mechanisms of hepatic fibrogenesis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, S79-S84.	1.4	281
2104	Transforming growth factor- β 2 receptor II is preferentially expressed in the companion layer of the human anagen hair follicle. <i>British Journal of Dermatology</i> , 2007, 157, 161-164.	1.4	8
2105	Transforming growth factor- β 1 -509T reduces risk of colorectal cancer, but not adenoma in Koreans. <i>Cancer Science</i> , 2007, 98, 401-404.	1.7	19
2106	Alteration of Smad3 signaling in ischemic rabbit dermal ulcer wounds. <i>Wound Repair and Regeneration</i> , 2007, 15, 341-349.	1.5	8
2107	Cross-talk between the bone morphogenetic protein pathway and other major signaling pathways results in tightly regulated cell-specific outcomes. <i>FEBS Journal</i> , 2007, 274, 2977-2985.	2.2	90
2108	Identification and characterization of an Smad ortholog (SmSmad1B) from <i>Schistosoma mansoni</i> . <i>FEBS Journal</i> , 2007, 274, 4075-4093.	2.2	16
2109	Signaling pathways and preimplantation development of mammalian embryos. <i>FEBS Journal</i> , 2007, 274, 4349-4359.	2.2	34
2110	Effect of TGF- β /Smad signaling pathway on lung myofibroblast differentiation. <i>Acta Pharmacologica Sinica</i> , 2007, 28, 382-391.	2.8	147

#	ARTICLE	IF	CITATIONS
2111	TGF-beta receptor 2 downregulation in tumour-associated stroma worsens prognosis and high-grade tumours show more tumour-associated macrophages and lower TGF-beta1 expression in colon carcinoma: a retrospective study. <i>BMC Cancer</i> , 2007, 7, 156.	1.1	110
2112	Gene expression profiling of human mesenchymal stem cells derived from bone marrow during expansion and osteoblast differentiation. <i>BMC Genomics</i> , 2007, 8, 70.	1.2	320
2113	Visualizing Smad1/4 signaling response to bone morphogenetic Protein-4 activation by FRET biosensors. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2007, 1773, 1759-1773.	1.9	11
2114	Tumor blood vessels, a difficult hurdle for infiltrating leukocytes. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2007, 1776, 160-174.	3.3	28
2115	The anticancer agent prodigiosin induces p21WAF1/CIP1 expression via transforming growth factor-beta receptor pathway. <i>Biochemical Pharmacology</i> , 2007, 74, 1340-1349.	2.0	43
2116	Altered transforming growth factor- β pathway expression pattern in rat endometrial cancer. <i>Cancer Genetics and Cytogenetics</i> , 2007, 177, 43-50.	1.0	5
2117	Transcriptional profiling of genes at the human common fragile site FRA1H in tumor-derived cell lines. <i>Cancer Genetics and Cytogenetics</i> , 2007, 178, 144-150.	1.0	5
2118	Regulation of myostatin signaling by c-Jun N-terminal kinase in C2C12 cells. <i>Cellular Signalling</i> , 2007, 19, 2286-2295.	1.7	76
2119	Schistosoma mansoni: TGF- β signaling pathways. <i>Experimental Parasitology</i> , 2007, 117, 304-317.	0.5	80
2120	Bone morphogenetic protein and its application in trauma cases: A current concept update. <i>Injury</i> , 2007, 38, 1227-1235.	0.7	66
2121	TGF- β superfamily signaling is essential for tooth and hair morphogenesis and differentiation. <i>European Journal of Cell Biology</i> , 2007, 86, 781-799.	1.6	50
2122	Transforming growth factor- β 1 stimulates heme oxygenase-1 expression via the PI3K/Akt and NF- κ B pathways in human lung epithelial cells. <i>European Journal of Pharmacology</i> , 2007, 560, 101-109.	1.7	59
2123	The skin as a mirror of the aging process in the human organism – State of the art and results of the aging research in the German National Genome Research Network 2 (NGFN-2). <i>Experimental Gerontology</i> , 2007, 42, 879-886.	1.2	64
2124	Expression of the TGF- β /BMP inhibitor EVI1 in human dental pulp cells. <i>Archives of Oral Biology</i> , 2007, 52, 712-719.	0.8	9
2125	Transforming growth factor- β : What every pancreatic surgeon should know. <i>Surgery</i> , 2007, 141, 1-6.	1.0	12
2126	Regulation of expression and functional activity of G-protein-coupled receptors. Alterations of these processes in diseases. <i>Biochemistry (Moscow) Supplement Series A: Membrane and Cell Biology</i> , 2007, 1, 2-27.	0.3	1
2127	Negative Regulation of Otic Capsule Chondrogenesis: It Can Make You Smad. <i>Annals of the New York Academy of Sciences</i> , 2007, 1116, 141-148.	1.8	6
2128	Concise Review: Bone Morphogenetic Protein Pleiotropism in Neural Stem Cells and Their Derivatives-Alternative Pathways, Convergent Signals. <i>Stem Cells</i> , 2007, 25, 63-68.	1.4	86

#	ARTICLE	IF	CITATIONS
2129	TGF- β 1 induction of p21WAF1/cip1 requires smad-independent protein kinase C signaling pathway. Archives of Pharmacal Research, 2007, 30, 739-742.	2.7	6
2130	Effect of adenoviral mediated overexpression of fibromodulin on human dermal fibroblasts and scar formation in full-thickness incisional wounds. Journal of Molecular Medicine, 2007, 85, 481-496.	1.7	51
2131	Regulation of galectin-1 expression by transforming growth factor β 1 in metastatic mammary adenocarcinoma cells: implications for tumor-immune escape. Cancer Immunology, Immunotherapy, 2007, 56, 491-499.	2.0	37
2132	Detection of bone and cartilage-related proteins in plasma of patients with a bone fracture using liquid chromatography-mass spectrometry. International Orthopaedics, 2007, 31, 743-751.	0.9	30
2133	Effects of bio-active ceramic resources in cutaneous wound healing and the role of TGF- β 2 signaling. Molecular and Cellular Biochemistry, 2007, 295, 137-144.	1.4	1
2134	Cloning and promoter activity of rat Smad1 5'-flanking region in rat hepatic stellate cells. Molecular and Cellular Biochemistry, 2007, 304, 227-234.	1.4	3
2135	Expression of Angiotensin II Receptor Type 1 Is Reduced in Advanced Rat Liver Fibrosis. Digestive Diseases and Sciences, 2007, 52, 1995-2005.	1.1	8
2136	Breast cancer bone metastasis and current small therapeutics. Cancer and Metastasis Reviews, 2007, 25, 635-644.	2.7	44
2137	Activation of extracellular signal-regulated kinase by TGF- β 1 via β 2RII and Smad7 dependent mechanisms in human bronchial epithelial BEP2D cells. Cell Biology and Toxicology, 2007, 23, 113-128.	2.4	5
2138	Human TIEG2/KLF11 induces oligodendroglial cell death by downregulation of Bcl-XL expression. Journal of Neural Transmission, 2007, 114, 867-875.	1.4	25
2139	Transforming growth factor beta 1 and metalloproteinase-9 overexpression in colorectal cancer (CC) and adenoma. International Journal of Colorectal Disease, 2007, 22, 1165-1172.	1.0	20
2140	Immunotherapeutic strategies employing RNA interference technology for the control of cancers. Journal of Biomedical Science, 2007, 14, 15-29.	2.6	20
2141	A thermoreversible hydrogel as a biosynthetic bandage for corneal wound repair. Biomaterials, 2008, 29, 272-281.	5.7	83
2142	TGF- β 2 and Regulatory T Cell in Immunity and Autoimmunity. Journal of Clinical Immunology, 2008, 28, 647-659.	2.0	164
2143	Regulatory mechanisms of atrial fibrotic remodeling in atrial fibrillation. Cellular and Molecular Life Sciences, 2008, 65, 1489-1508.	2.4	92
2144	Transforming Growth Factor- β 1-Antisense Modulates the Expression of Hepatocyte Growth Factor/Scatter Factor in Keloid Fibroblast Cell Culture. Aesthetic Plastic Surgery, 2008, 32, 346-352.	0.5	13
2145	Cloning and bioinformatics analysis of cDNA encoding cattle Smad4 gene. Frontiers of Agriculture in China, 2008, 2, 493-497.	0.2	2
2146	Osteosarcoma Development and Stem Cell Differentiation. Clinical Orthopaedics and Related Research, 2008, 466, 2114-2130.	0.7	307

#	ARTICLE	IF	CITATIONS
2147	Effects of TGF β 1 on gene expression in the HP75 human pituitary tumor cell line identified by gene expression profiling. <i>Endocrine</i> , 2008, 33, 62-76.	1.1	24
2148	Association of bone morphogenetic protein-2 gene polymorphisms with susceptibility to ossification of the posterior longitudinal ligament of the spine and its severity in Chinese patients. <i>European Spine Journal</i> , 2008, 17, 956-964.	1.0	54
2149	Fermentable metabolite of <i>Zymomonas mobilis</i> controls collagen reduction in photoaging skin by improving TGF β 2/Smad signaling suppression. <i>Archives of Dermatological Research</i> , 2008, 300, 57-64.	1.1	14
2150	Developing human minor salivary glands: morphological parallel relation between the expression of TGF-beta isoforms and cytoskeletal markers of glandular maturation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 452, 427-434.	1.4	18
2151	Recognition and characterization of TGF β 2 receptor interacting protein 1 (TRIP-1) containing WD40 repeats from <i>Clonorchis sinensis</i> by bioinformatics, cloning, and expression in <i>Escherichia coli</i> . <i>Parasitology Research</i> , 2008, 103, 1151-1158.	0.6	6
2152	TGF-beta in neural stem cells and in tumors of the central nervous system. <i>Cell and Tissue Research</i> , 2008, 331, 225-241.	1.5	91
2154	An in vivo reporter of BMP signaling in organogenesis reveals targets in the developing kidney. <i>BMC Developmental Biology</i> , 2008, 8, 86.	2.1	56
2155	The Transforming Growth Factor β s. <i>Journal of Neurochemistry</i> , 2008, 75, 2227-2240.	2.1	267
2156	Aberrant expression of developmentally important signaling molecules in cloned porcine extraembryonic tissues. <i>Proteomics</i> , 2008, 8, 2724-2734.	1.3	17
2157	TGF β 2 signaling and androgen receptor status determine apoptotic cross-talk in human prostate cancer cells. <i>Prostate</i> , 2008, 68, 287-295.	1.2	46
2158	Promoter methylation correlates with reduced Smad4 expression in advanced prostate cancer. <i>Prostate</i> , 2008, 68, 661-674.	1.2	51
2159	Bone morphogenetic proteins 4, 6, and 7 are upregulated in mouse spinal cord during experimental autoimmune encephalomyelitis. <i>Journal of Neuroscience Research</i> , 2008, 86, 125-135.	1.3	76
2160	Osteoblasts-derived TGF β 1 enhance motility and integrin upregulation through Akt, ERK, and NF κ B-dependent pathway in human breast cancer cells. <i>Molecular Carcinogenesis</i> , 2008, 47, 526-537.	1.3	29
2161	SMAD expression in the testis: An insight into BMP regulation of spermatogenesis. <i>Developmental Dynamics</i> , 2008, 237, 97-111.	0.8	74
2162	TGF β 2 signaling is dynamically regulated during the alveolarization of rodent and human lungs. <i>Developmental Dynamics</i> , 2008, 237, 259-269.	0.8	89
2163	Spatiotemporal protein distribution of TGF β 2s, their receptors, and extracellular matrix molecules during embryonic tendon development. <i>Developmental Dynamics</i> , 2008, 237, 1477-1489.	0.8	85
2164	Tissue-specific expression of Cre recombinase from the <i>Tgfb3</i> locus. <i>Genesis</i> , 2008, 46, 112-118.	0.8	26
2165	A new locus-specific database (LSDB) for mutations in the <i>TGFB2</i> gene: UMD- <i>TGFB2</i> . <i>Human Mutation</i> , 2008, 29, 33-38.	1.1	27

#	ARTICLE	IF	CITATIONS
2166	Promoter methylation of the bone morphogenetic protein-6 gene in association with adult T-cell leukemia. <i>International Journal of Cancer</i> , 2008, 123, 1824-1831.	2.3	27
2167	Bone morphogenetic protein 6 inhibit stress-induced breast cancer cells apoptosis via both smad and P38 pathways. <i>Journal of Cellular Biochemistry</i> , 2008, 103, 1584-1597.	1.2	35
2168	Activation of the ERK pathway in osteoblastic cells, role of gremlin and BMP-2. <i>Journal of Cellular Biochemistry</i> , 2008, 104, 1421-1426.	1.2	23
2169	Cholesterol modulates cellular TGF- β 2 responsiveness by altering TGF- β 2 binding to TGF- β 2 receptors. <i>Journal of Cellular Physiology</i> , 2008, 215, 223-233.	2.0	67
2170	Differentially regulated expression of growth differentiation factor 5 and bone morphogenetic protein 7 in articular cartilage and synovium in murine chronic arthritis: Potential importance for cartilage breakdown and synovial hypertrophy. <i>Arthritis and Rheumatism</i> , 2008, 58, 109-118.	6.7	18
2171	Smad1 pathway is activated in systemic sclerosis fibroblasts and is targeted by imatinib mesylate. <i>Arthritis and Rheumatism</i> , 2008, 58, 2528-2537.	6.7	75
2172	MH1 domain of SMAD4 binds N-terminal residues of the homeodomain of Hoxc9. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2008, 1784, 747-752.	1.1	11
2173	Synthesis and biological evaluation of 5-(pyridin-2-yl)thiazoles as transforming growth factor- β 1 type1 receptor kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 2122-2127.	1.0	25
2174	Establishment of a miniaturized enzyme-linked immunosorbent assay for human transferrin quantification using an intelligent multifunctional analytical plate. <i>Analytical Biochemistry</i> , 2008, 382, 35-39.	1.1	6
2175	Mammary gland differentiation inversely correlates with GDF-8 expression. <i>Molecular Reproduction and Development</i> , 2008, 75, 1783-1788.	1.0	18
2176	Cytokines and Chemokines. , 2008, , 3-16.		2
2177	Putting out the fire: coordinated suppression of the innate and adaptive immune systems by SOCS1 and SOCS3 proteins. <i>Immunological Reviews</i> , 2008, 224, 265-283.	2.8	156
2178	Loss of differentiation of 4NQO-induced rat malignant oral keratinocytes correlates with metastatic dissemination and is associated with a reduced cellular response to TGF- β 1 and an altered receptor profile. <i>Journal of Oral Pathology and Medicine</i> , 1999, 28, 397-405.	1.4	7
2179	A novel mechanism of TGF- β 1-induced actin reorganization mediated by Smad proteins and Rho GTPases. <i>FEBS Journal</i> , 2008, 275, 4074-4087.	2.2	64
2180	Imbalance between pSmad3 and Notch induces CDK inhibitors in old muscle stem cells. <i>Nature</i> , 2008, 454, 528-532.	13.7	432
2181	TAK1 is required for TGF- β 1-mediated regulation of matrix metalloproteinase-9 and metastasis. <i>Oncogene</i> , 2008, 27, 1198-1207.	2.6	81
2182	Glioblastoma-secreted factors induce IGFBP7 and angiogenesis by modulating Smad-2-dependent TGF- β 2 signaling. <i>Oncogene</i> , 2008, 27, 6834-6844.	2.6	101
2183	Bone morphogenetic protein signalling in colorectal cancer. <i>Nature Reviews Cancer</i> , 2008, 8, 806-812.	12.8	167

#	ARTICLE	IF	CITATIONS
2184	Expression of Smad Protein by Normal Skin Fibroblasts and Hypertrophic Scar Fibroblasts in Response to Transforming Growth Factor 1. <i>Dermatologic Surgery</i> , 2008, 34, ???-???.	0.4	16
2185	UNDERSTANDING THE ROLE OF TRANSFORMING GROWTH FACTOR α 2 SIGNALLING IN THE HEART: OVERVIEW OF STUDIES USING GENETIC MOUSE MODELS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008, 35, 335-341.	0.9	39
2186	Developmental Biology: Frontiers for Clinical Genetics. <i>Clinical Genetics</i> , 2008, 53, 164-164.	1.0	4
2187	Bone morphogenetic protein-4 and Noggin signaling regulates pigment cell distribution in the axolotl trunk. <i>Differentiation</i> , 2008, 76, 206-218.	1.0	3
2188	Bone morphogenetic protein signaling in the developing kidney: present and future. <i>Differentiation</i> , 2008, 76, 831-842.	1.0	38
2189	Heterogeneous response of nasal and lung fibroblasts to transforming growth factor α 1. <i>Clinical and Experimental Allergy</i> , 2008, 38, 812-821.	1.4	31
2190	Airway epithelium α -derived transforming growth factor α 2 is a regulator of fibroblast proliferation in both fibrotic and normal subjects. <i>Clinical and Experimental Allergy</i> , 2008, 38, 1309-1317.	1.4	27
2191	TGF β 2 induces formation of F-actin cores and matrix degradation in human breast cancer cells via distinct signaling pathways. <i>Experimental Cell Research</i> , 2008, 314, 3478-3493.	1.2	42
2192	SuperSAGE: the drought stress-responsive transcriptome of chickpea roots. <i>BMC Genomics</i> , 2008, 9, 553.	1.2	209
2193	Hypoxia-generated superoxide induces the development of the adhesion phenotype. <i>Free Radical Biology and Medicine</i> , 2008, 45, 530-536.	1.3	52
2194	The functional implications of Akt activity and TGF β 2 signaling in tamoxifen-resistant breast cancer. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 438-447.	1.9	28
2195	The anti-apoptotic activity associated with phosphatidylinositol transfer protein β activates the MAPK and Akt/PKB pathway. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 1700-1706.	1.9	4
2196	Drug development against metastasis-related genes and their pathways: A rationale for cancer therapy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2008, 1786, 87-104.	3.3	73
2197	TGF β 1 increases motility and α 3 integrin up-regulation via PI3K, Akt and NF κ B-dependent pathway in human chondrosarcoma cells. <i>Biochemical Pharmacology</i> , 2008, 75, 1292-1301.	2.0	66
2198	TGF β 2-induced changes in LRP-1/TTR-V and the impact on lysosomal A β uptake and neurotoxicity. <i>Brain Research</i> , 2008, 1241, 176-187.	1.1	9
2199	Differential modulation of nerve growth factor receptor (p75) and cholinergic gene expression in purified p75-expressing and non-expressing basal forebrain neurons by BMP9. <i>Brain Research</i> , 2008, 1246, 19-28.	1.1	13
2200	Targeting the TGF β 2, endothelin-1 and CCN2 axis to combat fibrosis in scleroderma. <i>Cellular Signalling</i> , 2008, 20, 1409-1414.	1.7	116
2201	Effects of angiotensin II blockade on the development of autoimmune thyroiditis in nonobese diabetic mice. <i>Clinical Immunology</i> , 2008, 126, 97-103.	1.4	6

#	ARTICLE	IF	CITATIONS
2202	Naringin-induced bone morphogenetic protein-2 expression via PI3K, Akt, c-Fos/c-Jun and AP-1 pathway in osteoblasts. <i>European Journal of Pharmacology</i> , 2008, 588, 333-341.	1.7	112
2203	Microarrays Analysis of Signaling Pathways. <i>Methods in Molecular Medicine</i> , 2008, , 115-130.	0.8	0
2204	pannier encodes two structurally related isoforms that are differentially expressed during Drosophila development and display distinct functions during thorax patterning. <i>Mechanisms of Development</i> , 2008, 125, 43-57.	1.7	19
2205	Enhanced TGF- β 1 is involved in 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) induced oxidative stress in C57BL/6 mouse testis. <i>Toxicology Letters</i> , 2008, 178, 202-209.	0.4	42
2206	Divergent Transforming Growth Factor- β 2 Signaling in Hepatic Stellate Cells after Liver Injury. <i>American Journal of Pathology</i> , 2008, 173, 716-727.	1.9	21
2207	Down-regulation of transforming growth factor- β 2 type II receptor (TGF- β 2RII) protein and mRNA expression in cervical cancer. <i>Molecular Cancer</i> , 2008, 7, 3.	7.9	26
2208	Autocrine TGF- β signaling in the pathogenesis of systemic sclerosis. <i>Journal of Dermatological Science</i> , 2008, 49, 103-113.	1.0	120
2209	Sunlight, Vitamin D and Skin Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2008, , .	0.8	10
2210	Tail Regeneration in <i>Xenopus laevis</i> as a Model for Understanding Tissue Repair. <i>Journal of Dental Research</i> , 2008, 87, 806-816.	2.5	71
2213	Bioactive Components of Milk. <i>Advances in Experimental Medicine and Biology</i> , 2008, , .	0.8	19
2214	Modelling Aspects of Cancer Growth: Insight from Mathematical and Numerical Analysis and Computational Simulation. <i>Lecture Notes in Mathematics</i> , 2008, , 147-200.	0.1	20
2215	The Cooperative Effect of Growth and Differentiation Factor-9 and Bone Morphogenetic Protein (BMP)-15 on Granulosa Cell Function Is Modulated Primarily through BMP Receptor II. <i>Endocrinology</i> , 2008, 149, 1026-1030.	1.4	57
2216	Sensitization of Cancer Cells for Chemo/Immuno/Radio-therapy. , 2008, , .		3
2217	Recent advances in the study of genes involved in non-syndromic premature ovarian failure. <i>Molecular and Cellular Endocrinology</i> , 2008, 282, 101-111.	1.6	65
2218	The involvement of phosphatidylinositol 3-kinase in gonadotropin-releasing hormone-induced gonadotropin β - and FSH β -subunit genes expression in clonal gonadotroph L β T2 cells. <i>Molecular and Cellular Endocrinology</i> , 2008, 283, 1-11.	1.6	15
2219	Transforming growth factor-beta (TGF- β) and brain tumours. <i>Journal of Clinical Neuroscience</i> , 2008, 15, 845-855.	0.8	36
2220	Cooperative Assembly of TGF- β Superfamily Signaling Complexes Is Mediated by Two Disparate Mechanisms and Distinct Modes of Receptor Binding. <i>Molecular Cell</i> , 2008, 29, 157-168.	4.5	247
2221	Regulation of aminopeptidase N (EC 3.4.11.2; APN; CD13) on the HL-60 cell line by TGF- β 1. <i>International Immunopharmacology</i> , 2008, 8, 613-623.	1.7	11

#	ARTICLE	IF	CITATIONS
2222	Transforming growth factor β 3 increases chondrocyte proliferation and decreases apoptosis in murine cricoid cartilage in vitro. <i>Otolaryngology - Head and Neck Surgery</i> , 2008, 138, 435-440.	1.1	13
2223	Activin signals via SMAD2/3 between germ and somatic cells in the human fetal ovary and regulates kit ligand expression. <i>Developmental Biology</i> , 2008, 314, 189-199.	0.9	57
2224	TGF- β 2 type I receptor Alk5 regulates tooth initiation and mandible patterning in a type II receptor-independent manner. <i>Developmental Biology</i> , 2008, 320, 19-29.	0.9	58
2225	Essential role of BMPs in FGF-induced secondary lens fiber differentiation. <i>Developmental Biology</i> , 2008, 324, 202-212.	0.9	55
2226	How the Smads regulate transcription. <i>International Journal of Biochemistry and Cell Biology</i> , 2008, 40, 383-408.	1.2	324
2227	Transforming growth factor- β 2 induces cellular injury in experimental diabetic neuropathy. <i>Experimental Neurology</i> , 2008, 211, 469-479.	2.0	37
2228	Extracellular matrix proteoglycan decorin-mediated myogenic satellite cell responsiveness to transforming growth factor- β 21 during cell proliferation and differentiation. <i>Domestic Animal Endocrinology</i> , 2008, 35, 263-273.	0.8	23
2229	Semi-mechanistic modelling of the tumour growth inhibitory effects of LY2157299, a new type I receptor TGF- β 2 kinase antagonist, in mice. <i>European Journal of Cancer</i> , 2008, 44, 142-150.	1.3	193
2230	Activin A stimulates IgA expression in mouse B cells. <i>Biochemical and Biophysical Research Communications</i> , 2008, 366, 574-578.	1.0	9
2231	Cross talk between Smad transcription factors and TNF- α in intervertebral disc degeneration. <i>Biochemical and Biophysical Research Communications</i> , 2008, 369, 679-685.	1.0	13
2232	Ubiquitin-mediated proteasomal degradation in normal and malignant hematopoiesis. <i>Blood Cells, Molecules, and Diseases</i> , 2008, 40, 200-210.	0.6	15
2234	Inhibition of plasminogen activator inhibitor type-1 expression in HepG2 cells by fenofibrate may be associated with Smad signaling. <i>Clinica Chimica Acta</i> , 2008, 387, 18-23.	0.5	0
2235	Pivotal role for TGF- β 2 in infectious heart disease: The case of <i>Trypanosoma cruzi</i> infection and consequent Chagasic cardiomyopathy. <i>Cytokine and Growth Factor Reviews</i> , 2008, 19, 405-413.	3.2	71
2236	The role of activins and follistatins in skin and hair follicle development and function. <i>Cytokine and Growth Factor Reviews</i> , 2008, 19, 415-426.	3.2	42
2237	Ectodermal Smad4 and p38 MAPK Are Functionally Redundant in Mediating TGF- β 2/BMP Signaling during Tooth and Palate Development. <i>Developmental Cell</i> , 2008, 15, 322-329.	3.1	130
2238	Sequential Transphosphorylation of the BRI1/BAK1 Receptor Kinase Complex Impacts Early Events in Brassinosteroid Signaling. <i>Developmental Cell</i> , 2008, 15, 220-235.	3.1	485
2239	Prenatal Lung Epithelial Cell-Specific Abrogation of Alk3-Bone Morphogenetic Protein Signaling Causes Neonatal Respiratory Distress by Disrupting Distal Airway Formation. <i>American Journal of Pathology</i> , 2008, 172, 571-582.	1.9	46
2240	Transforming Growth Factor- β 2 Stimulates Intestinal Epithelial Focal Adhesion Kinase Synthesis via Smad- and p38-Dependent Mechanisms. <i>American Journal of Pathology</i> , 2008, 173, 385-399.	1.9	52

#	ARTICLE	IF	CITATIONS
2241	Preparation and ectopic osteogenesis <i>in vivo</i> of scaffold based on mineralized recombinant human-like collagen loaded with synthetic BMP-2-derived peptide. <i>Biomedical Materials (Bristol)</i> , 2008, 3, 044111.	1.7	53
2242	Signaling pathways governing stem-cell fate. <i>Blood</i> , 2008, 111, 492-503.	0.6	318
2243	Growth Differentiation Factor 9 (GDF9) Stimulates Proliferation and Inhibits Steroidogenesis by Bovine Theca Cells: Influence of Follicle Size on Responses to GDF9. <i>Biology of Reproduction</i> , 2008, 78, 243-253.	1.2	112
2244	The Solution Structure of BMPR-IA Reveals a Local Disorder-to-Order Transition upon BMP-2 Binding. <i>Biochemistry</i> , 2008, 47, 11930-11939.	1.2	32
2245	Expression of Transforming Growth Factor- β 1, β 2, and β 3 in Human Developing Teeth: Immunolocalization According to the Odontogenesis Phases. <i>Pediatric and Developmental Pathology</i> , 2008, 11, 206-212.	0.5	22
2246	The Bmp Pathway in Skull Vault Development. , 2008, 12, 197-208.		29
2247	Epigallocatechin-3-gallate Inhibits Growth of Activated Hepatic Stellate Cells by Enhancing the Capacity of Glutathione Synthesis. <i>Molecular Pharmacology</i> , 2008, 73, 1465-1473.	1.0	40
2248	Mesodermal Deletion of Transforming Growth Factor- β Receptor II Disrupts Lung Epithelial Morphogenesis. <i>Journal of Biological Chemistry</i> , 2008, 283, 36257-36264.	1.6	31
2249	TGF- β receptor II in epithelia versus mesenchyme plays distinct roles in the developing lung. <i>European Respiratory Journal</i> , 2008, 32, 285-295.	3.1	73
2250	A Quantitative Trait Locus on Chromosome 4 Affects Cycling of Hematopoietic Stem and Progenitor Cells through Regulation of TGF- β Responsiveness. <i>Journal of Immunology</i> , 2008, 181, 5904-5911.	0.4	8
2251	Ras Signaling Mechanisms Underlying Impaired GluR1-Dependent Plasticity Associated with Fragile X Syndrome. <i>Journal of Neuroscience</i> , 2008, 28, 7847-7862.	1.7	152
2252	Dynamic Analysis of the Expression of the TGF β 2/SMAD2 Pathway and CCN2/CTGF during Early Steps of Tooth Development. <i>Cells Tissues Organs</i> , 2008, 187, 199-210.	1.3	16
2254	Transforming growth factor- β -regulated miR-24 promotes skeletal muscle differentiation. <i>Nucleic Acids Research</i> , 2008, 36, 2690-2699.	6.5	247
2255	Anti-Mullerian-hormone-dependent regulation of the brain serine-protease inhibitor neuroserpin. <i>Journal of Cell Science</i> , 2008, 121, 3357-3365.	1.2	52
2256	Combating immunosuppression in glioma. <i>Future Oncology</i> , 2008, 4, 433-442.	1.1	65
2257	PAMP-triggered immunity. <i>Plant Signaling and Behavior</i> , 2008, 3, 423-426.	1.2	22
2258	Transforming growth factor- β and myostatin signaling in skeletal muscle. <i>Journal of Applied Physiology</i> , 2008, 104, 579-587.	1.2	266
2259	Opposite Effects of Dihydrospingosine 1-Phosphate and Sphingosine 1-Phosphate on Transforming Growth Factor- β /Smad Signaling Are Mediated through the PTEN/PPM1A-dependent Pathway. <i>Journal of Biological Chemistry</i> , 2008, 283, 19593-19602.	1.6	70

#	ARTICLE	IF	CITATIONS
2260	Chromatin-Bound p53 Anchors Activated Smads and the mSin3A Corepressor To Confer Transforming Growth Factor β -Mediated Transcription Repression. <i>Molecular and Cellular Biology</i> , 2008, 28, 1988-1998.	1.1	41
2261	Protein Phosphatase 2A Is a Negative Regulator of Transforming Growth Factor β -induced TAK1 Activation in Mesangial Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 10753-10763.	1.6	47
2262	Endocytosis of the Type III Transforming Growth Factor β (TGF- β) Receptor through the Clathrin-independent/Lipid Raft Pathway Regulates TGF- β Signaling and Receptor Down-regulation. <i>Journal of Biological Chemistry</i> , 2008, 283, 34808-34818.	1.6	57
2263	Structure Analysis of Bone Morphogenetic Protein-2 Type I Receptor Complexes Reveals a Mechanism of Receptor Inactivation in Juvenile Polyposis Syndrome. <i>Journal of Biological Chemistry</i> , 2008, 283, 5876-5887.	1.6	51
2264	SMAD6 Contributes to Patient Survival in Non-Small Cell Lung Cancer and Its Knockdown Reestablishes TGF- β Homeostasis in Lung Cancer Cells. <i>Cancer Research</i> , 2008, 68, 9686-9692.	0.4	53
2265	Molecular Mechanisms of TGF β Receptor-Triggered Signaling Cascades Rapidly Induced by the Calcineurin Inhibitors Cyclosporin A and FK506. <i>Journal of Immunology</i> , 2008, 181, 2831-2845.	0.4	76
2266	Schwann Cells Promote Synaptogenesis at the Neuromuscular Junction via Transforming Growth Factor β . <i>Journal of Neuroscience</i> , 2008, 28, 9599-9609.	1.7	130
2267	17 β -Estradiol Inhibits Transforming Growth Factor β Signaling and Function in Breast Cancer Cells via Activation of Extracellular Signal-Regulated Kinase through the G Protein-Coupled Receptor 30. <i>Molecular Pharmacology</i> , 2008, 74, 1533-1543.	1.0	79
2268	The Role of Structural Cells on Airway Remodeling and Their Response to Asthma Medication. <i>Current Respiratory Medicine Reviews</i> , 2008, 4, 6-12.	0.1	0
2269	In Silico Screening. , 2008, , 210-227.		4
2271	Prevention of aortic fibrosis by N-acetyl-seryl-aspartyl-lysyl-proline in angiotensin II-induced hypertension. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 295, H1253-H1261.	1.5	49
2272	Hypoxia-Mediated Chronic Normal Tissue Injury. , 2008, , 61-67.		1
2273	Nitric oxide regulates vascular calcification by interfering with TGF- β signalling. <i>Cardiovascular Research</i> , 2008, 77, 221-230.	1.8	129
2274	Transforming growth factor β 1 protects against pulmonary artery endothelial cell apoptosis via ALK5. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2008, 295, L123-L133.	1.3	29
2275	Regulatory Effect of Extracellular Signal-Regulated Kinases (ERK) on Type I Collagen Synthesis in Human Dermal Fibroblasts Stimulated by IL-4 and IL-13. <i>International Reviews of Immunology</i> , 2008, 27, 472-496.	1.5	61
2277	Knockdown of the Transforming Growth Factor β Type III Receptor Impairs Motility and Invasion of Metastatic Cancer Cells. <i>Cancer Research</i> , 2008, 68, 7304-7312.	0.4	44
2278	Expression, purification and characterization of BGERII: a novel pan-TGF β inhibitor. <i>Protein Engineering, Design and Selection</i> , 2008, 21, 463-473.	1.0	17
2279	Redundant Roles of SMAD2 and SMAD3 in Ovarian Granulosa Cells In Vivo. <i>Molecular and Cellular Biology</i> , 2008, 28, 7001-7011.	1.1	163

#	ARTICLE	IF	CITATIONS
2280	Role of TGF- β 2 in proliferative vitreoretinal diseases and ROCK as a therapeutic target. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 17504-17509.	3.3	177
2281	Atrial Natriuretic Peptide Inhibits Transforming Growth Factor β 2-Induced Smad Signaling and Myofibroblast Transformation in Mouse Cardiac Fibroblasts. Circulation Research, 2008, 102, 185-192.	2.0	188
2282	Effects of PLAB on apoptosis and Smad signal pathway of hypertrophic scar fibroblasts. Journal of Asian Natural Products Research, 2008, 10, 147-157.	0.7	10
2283	Serum and BAL cytokine and antioxidant enzyme levels at different stages of pneumoconiosis in coal workers. Human and Experimental Toxicology, 2008, 27, 871-877.	1.1	23
2284	Endoglin Promotes Transforming Growth Factor β 2-mediated Smad 1/5/8 Signaling and Inhibits Endothelial Cell Migration through Its Association with GIPC. Journal of Biological Chemistry, 2008, 283, 32527-32533.	1.6	104
2285	Activin A/Bone Morphogenetic Protein (BMP) Chimeras Exhibit BMP-like Activity and Antagonize Activin and Myostatin. Journal of Biological Chemistry, 2008, 283, 3782-3790.	1.6	17
2286	Cross-Talk between Fibroblast Growth Factor and Bone Morphogenetic Proteins Regulates Gap Junction-mediated Intercellular Communication in Lens Cells. Molecular Biology of the Cell, 2008, 19, 2631-2641.	0.9	41
2287	Transforming Growth Factor β 2 Engages TACE and ErbB3 To Activate Phosphatidylinositol-3 Kinase/Akt in ErbB2-Overexpressing Breast Cancer and Desensitizes Cells to Trastuzumab. Molecular and Cellular Biology, 2008, 28, 5605-5620.	1.1	153
2288	Transforming growth factor- β signaling and ubiquitinators in cancer. Endocrine-Related Cancer, 2008, 15, 59-72.	1.6	45
2289	Brassinosteroid Signaling. , 2007, , 179-197.		3
2290	PTP-Pez: A novel regulator of TGF β signaling. Cell Cycle, 2008, 7, 2290-2295.	1.3	17
2291	Holding Their Own: The Noncanonical Roles of Smad Proteins. Science Signaling, 2008, 1, pe48.	1.6	26
2292	Modulation of the Bioactive Conformation of Transforming Growth Factor β 2: Possible Implications of Cation Binding for Biological Function. Topics in Current Chemistry, 2008, 273, 155-181.	4.0	3
2293	TGF- β 2 has paradoxical and context dependent effects on proliferation and anoikis in human colorectal cancer cell lines. Growth Factors, 2008, 26, 254-262.	0.5	20
2294	Regulation of transforming growth factor β 2-induced responses by protein kinase A in pancreatic acinar cells. American Journal of Physiology - Renal Physiology, 2008, 295, G170-G178.	1.6	16
2295	TGF- β 2 signaling promotes survival and repair in rat alveolar epithelial type 2 cells during recovery after hyperoxic injury. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2008, 294, L739-L748.	1.3	34
2296	Spatial Regulation of BMP Signaling by Patterned Receptor Expression. Tissue Engineering - Part A, 2008, 14, 1469-1477.	1.6	20
2297	Expression of Smad Protein by Normal Skin Fibroblasts and Hypertrophic Scar Fibroblasts in Response to Transforming Growth Factor β 2. Dermatologic Surgery, 2008, 34, 1216-1225.	0.4	29

#	ARTICLE	IF	CITATIONS
2298	MicroRNA miR-24 inhibits erythropoiesis by targeting activin type I receptor ALK4. <i>Blood</i> , 2008, 111, 588-595.	0.6	195
2299	ALK5- and TGFBR2-independent role of ALK1 in the pathogenesis of hereditary hemorrhagic telangiectasia type 2. <i>Blood</i> , 2008, 111, 633-642.	0.6	212
2300	KSHV LANA inhibits TGF- β 2 signaling through epigenetic silencing of the TGF- β 2 type II receptor. <i>Blood</i> , 2008, 111, 4731-4740.	0.6	115
2301	In vitro and in vivo evidence for shear-induced activation of latent transforming growth factor- β 1. <i>Blood</i> , 2008, 112, 3650-3660.	0.6	126
2302	Effects of Smads and BMPs induced by Ga-Al-As laser irradiation on calcification ability of human dental pulp cells. <i>Journal of Oral Science</i> , 2008, 50, 75-81.	0.7	28
2304	TGF- β ; Signaling in Gastrointestinal Cancer Stem Cells. <i>Current Cancer Therapy Reviews</i> , 2008, 4, 196-200.	0.2	0
2305	TAK1 mRNA Expression in the Tumor Tissue of Locally Advanced Head and Neck Cancer Patients. <i>Gene Regulation and Systems Biology</i> , 2008, 2, 117762500800200.	2.3	0
2306	Effect of Heparin on Production of Transforming Growth Factor (TGF)- β 1 and TGF- β 1 mRNA Expression by Human Normal Skin and Hyperplastic Scar Fibroblasts. <i>Annals of Plastic Surgery</i> , 2008, 60, 299-305.	0.5	10
2307	Regulation of TGF- β ; Signaling by SMADs and its Roles in Tissue Fibrosis. <i>Current Signal Transduction Therapy</i> , 2008, 3, 1-6.	0.3	3
2308	TGF- β Signaling in Neuronal Stem Cells. <i>Disease Markers</i> , 2008, 24, 251-255.	0.6	13
2309	Stem Cells in Gastrointestinal Cancers. <i>Disease Markers</i> , 2008, 24, 217-222.	0.6	1
2310	TGF β -Induced Contraction Is Not Promoted by Fibronectin-Fibronectin Receptor Interaction, or β 5SMA Expression. , 2008, 49, 650.		35
2311	Role of Polymorphisms in Adamantiades-Behçet's Disease. <i>Journal of Rheumatology</i> , 2008, 35, 2376-2378.	1.0	5
2312	Cytokines and Bone Remodeling. , 2008, , 491-528.		13
2313	TGF β signaling supports survival and metastasis of endometrial cancer cells. <i>Cancer Management and Research</i> , 0, Volume 1, 15-24.	0.9	18
2314	Down-regulation of transforming growth factor β 2 receptor type III in hepatocellular carcinoma is not directly associated with genetic alterations or loss of heterozygosity. <i>Oncology Reports</i> , 2009, 22, .	1.2	4
2315	Expression and mutational analysis of TGF- β 2/Smads signaling in human cervical cancers. <i>Journal of Gynecologic Oncology</i> , 2009, 20, 117.	1.0	22
2316	Developmental Effects of Toxic Doses of Iodine. , 2009, , 854-864.		0

#	ARTICLE	IF	CITATIONS
2318	Aberrant Methylation Inactivates Transforming Growth Factor β 2 Receptor I in Head and Neck Squamous Cell Carcinoma. International Journal of Otolaryngology, 2009, 2009, 1-10.	1.0	13
2319	TGF β 2/Smad4-Dependent and -Independent Regulation of Human Lens Epithelial Cells. , 2009, 50, 5318.		57
2320	Immunohistochemical localization of inhibin and activin subunits, activin receptors and Smads in ovarian endometriosis. International Journal of Molecular Medicine, 2009, 25, .	1.8	10
2321	Negative Smad Expression and Regulation in the Developing Chick Limb. PLoS ONE, 2009, 4, e5173.	1.1	16
2322	BRCA1 Interacts with Smad3 and Regulates Smad3-Mediated TGF β 2 Signaling during Oxidative Stress Responses. PLoS ONE, 2009, 4, e7091.	1.1	20
2323	Ground State Robustness as an Evolutionary Design Principle in Signaling Networks. PLoS ONE, 2009, 4, e8001.	1.1	11
2324	Systems Biology Graphical Notation: Activity Flow language Level 1. Nature Precedings, 0, , .	0.1	11
2325	Apoptosis in Carcinogenesis and Chemotherapy. , 2009, , .		10
2326	Treatment of malignant gliomas with TGF β 2 antisense oligonucleotides. Expert Review of Anticancer Therapy, 2009, 9, 1663-1674.	1.1	47
2327	Tracheobronchomalacia in children. Expert Review of Respiratory Medicine, 2009, 3, 425-439.	1.0	28
2328	Identification and functional characterization of NODAL rare variants in heterotaxy and isolated cardiovascular malformations. Human Molecular Genetics, 2009, 18, 861-871.	1.4	140
2329	Inhibitors of clathrin-dependent endocytosis enhance TGF β 2 signaling and responses. Journal of Cell Science, 2009, 122, 1863-1871.	1.2	113
2330	Extra-ovarian expression and activity of growth differentiation factor 9. Journal of Endocrinology, 2009, 202, 419-430.	1.2	16
2331	A Negative Feedback Control of Transforming Growth Factor β 2 Signaling by Glycogen Synthase Kinase 3-mediated Smad3 Linker Phosphorylation at Ser-204. Journal of Biological Chemistry, 2009, 284, 19808-19816.	1.6	69
2332	Role of SV40 Integration Site at Chromosomal Interval 1q21.1 in Immortalized CRL2504 Cells. Cancer Research, 2009, 69, 7819-7825.	0.4	3
2333	How Diverse--CD4 Effector T Cells and their Functions. Journal of Molecular Cell Biology, 2009, 1, 20-36.	1.5	152
2334	Effects of Infrared Radiation and Heat on Human Skin Aging in vivo. Journal of Investigative Dermatology Symposium Proceedings, 2009, 14, 15-19.	0.8	155
2335	The Four-and-a-half LIM Domain Protein 2 Regulates Vascular Smooth Muscle Phenotype and Vascular Tone. Journal of Biological Chemistry, 2009, 284, 13202-13212.	1.6	28

#	ARTICLE	IF	CITATIONS
2336	BMP7 promotes proliferation of nephron progenitor cells via a JNK-dependent mechanism. <i>Development (Cambridge)</i> , 2009, 136, 3557-3566.	1.2	111
2337	Casein kinase 2 β as a novel enhancer of activin-like receptor-1 signaling. <i>FASEB Journal</i> , 2009, 23, 3712-3721.	0.2	26
2338	The Phosphatidylinositol 3-Kinase/Akt Pathway Regulates Transforming Growth Factor- β 2 Signaling by Destabilizing Ski and Inducing Smad7. <i>Journal of Biological Chemistry</i> , 2009, 284, 35441-35449.	1.6	24
2339	NET37, a Nuclear Envelope Transmembrane Protein with Glycosidase Homology, Is Involved in Myoblast Differentiation. <i>Journal of Biological Chemistry</i> , 2009, 284, 29666-29676.	1.6	34
2340	Human BAMBI Cooperates with Smad7 to Inhibit Transforming Growth Factor- β 2 Signaling. <i>Journal of Biological Chemistry</i> , 2009, 284, 30097-30104.	1.6	127
2341	Smad6 Inhibits the Transcriptional Activity of Tbx6 by Mediating Its Degradation. <i>Journal of Biological Chemistry</i> , 2009, 284, 23481-23490.	1.6	24
2342	Smad7 Is Required for the Development and Function of the Heart. <i>Journal of Biological Chemistry</i> , 2009, 284, 292-300.	1.6	99
2343	Single-molecule imaging reveals transforming growth factor- β 2-induced type II receptor dimerization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 15679-15683.	3.3	108
2344	N-Methyl Pyrrolidone as a Potent Bone Morphogenetic Protein Enhancer for Bone Tissue Regeneration. <i>Tissue Engineering - Part A</i> , 2009, 15, 2955-2963.	1.6	55
2345	Gene expression profiles of thymic neuroendocrine tumors (carcinoids) with ectopic ACTH syndrome reveal novel molecular mechanism. <i>Endocrine-Related Cancer</i> , 2009, 16, 1273-1282.	1.6	22
2346	Stable expression and characterization of N-terminal tagged recombinant human bone morphogenetic protein 15. <i>Molecular Human Reproduction</i> , 2009, 15, 779-788.	1.3	49
2347	Transforming growth factor-beta in the pathogenesis of chronic obstructive pulmonary disease. <i>Journal of Organ Dysfunction</i> , 2009, 5, 161-170.	0.3	7
2348	Transforming growth factor- β 2 and kidney dysfunction. <i>Journal of Organ Dysfunction</i> , 2009, 5, 182-192.	0.3	5
2349	Phosphorylation of Fli1 at Threonine 312 by Protein Kinase C γ Promotes Its Interaction with p300/CREB-Binding Protein-Associated Factor and Subsequent Acetylation in Response to Transforming Growth Factor β 2. <i>Molecular and Cellular Biology</i> , 2009, 29, 1882-1894.	1.1	61
2350	A Mathematical Model Quantifies Proliferation and Motility Effects of TGF- β 2 on Cancer Cells. <i>Computational and Mathematical Methods in Medicine</i> , 2009, 10, 71-83.	0.7	22
2351	Protein Kinase C δ Plays a Key Role in Cellular Senescence Programs of Human Normal Diploid Cells. <i>Journal of Biochemistry</i> , 2009, 146, 87-93.	0.9	24
2352	Different Domains Regulate Homomeric and Heteromeric Complex Formation among Type I and Type II Transforming Growth Factor- β 2 Receptors. <i>Journal of Biological Chemistry</i> , 2009, 284, 7843-7852.	1.6	28
2353	Smurf2 Participates in Human Trophoblast Cell Invasion by Inhibiting TGF- β 2 Type I Receptor. <i>Journal of Histochemistry and Cytochemistry</i> , 2009, 57, 605-612.	1.3	25

#	ARTICLE	IF	CITATIONS
2354	Bone Morphogenetic Protein-6 Promotes Cerebellar Granule Neurons Survival by Activation of the MEK/ERK/CREB Pathway. <i>Molecular Biology of the Cell</i> , 2009, 20, 5051-5063.	0.9	32
2355	The Bone Morphogenetic Protein Signaling Pathway Is Upregulated in a Mouse Model of Total Parenteral Nutrition. <i>Journal of Nutrition</i> , 2009, 139, 1315-1321.	1.3	11
2356	A New Perspective on Therapeutic Inhibition of Advanced Glycation in Diabetic Microvascular Complications: Common Downstream Endpoints Achieved Through Disparate Therapeutic Approaches?. <i>American Journal of Nephrology</i> , 2009, 30, 323-335.	1.4	29
2357	Cerebral arteriovenous malformations. Part 1: cellular and molecular biology. <i>Neurosurgical Focus</i> , 2009, 26, E10.	1.0	78
2358	Effects of Bone Morphogenetic Proteins on Neural Precursor Cells and Regulation during Central Nervous System Injury. <i>NeuroSignals</i> , 2009, 17, 255-264.	0.5	33
2359	Utility of Hyaluronan Oligomers and Transforming Growth Factor-Beta1 Factors for Elastic Matrix Regeneration by Aneurysmal Rat Aortic Smooth Muscle Cells. <i>Tissue Engineering - Part A</i> , 2009, 15, 3247-3260.	1.6	23
2360	Activin Signaling: Effects on Body Composition and Mitochondrial Energy Metabolism. <i>Endocrinology</i> , 2009, 150, 3521-3529.	1.4	43
2361	RUNX3 Inhibits Cell Proliferation and Induces Apoptosis by TGF- β 2-Dependent and -Independent Mechanisms in Human Colon Carcinoma Cells. <i>Pathobiology</i> , 2009, 76, 163-169.	1.9	12
2362	Interaction of the Vitamin D Receptor with a Vitamin D Response Element in the Mullerian-Inhibiting Substance (MIS) Promoter: Regulation of MIS Expression by Calcitriol in Prostate Cancer Cells. <i>Endocrinology</i> , 2009, 150, 1580-1587.	1.4	97
2363	Changes in global gene expression in rat myometrium in transition from late pregnancy to parturition. <i>Physiological Genomics</i> , 2009, 36, 89-97.	1.0	27
2364	Roles for Transforming Growth Factor Beta Superfamily Proteins in Early Folliculogenesis. <i>Seminars in Reproductive Medicine</i> , 2009, 27, 014-023.	0.5	105
2365	Inhibition of JNK Enhances TGF- β 1-Activated Smad2 Signaling in Mouse Embryonic Lung. <i>Pediatric Research</i> , 2009, 65, 381-386.	1.1	20
2366	Factors affecting proteoglycan synthesis and structure that modify the interaction with lipoproteins. <i>Clinical Lipidology</i> , 2009, 4, 479-494.	0.4	5
2367	The prenatal porcine intestine has low transforming growth factor-beta ligand and receptor density and shows reduced trophic response to enteral diets. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 296, R1053-R1062.	0.9	19
2368	Transforming growth factor- β 1 causes pulmonary microvascular endothelial cell apoptosis via ALK5. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2009, 296, L825-L838.	1.3	33
2369	Disruption of <i>Smad4</i> in Odontoblasts Causes Multiple Keratocystic Odontogenic Tumors and Tooth Malformation in Mice. <i>Molecular and Cellular Biology</i> , 2009, 29, 5941-5951.	1.1	51
2370	<i>Lhx2</i> links the intrinsic and extrinsic factors that control optic cup formation. <i>Development (Cambridge)</i> , 2009, 136, 3895-3906.	1.2	92
2371	Hyperoxia-induced neonatal rat lung injury involves activation of TGF- β 2 and Wnt signaling and is protected by rosiglitazone. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2009, 296, L1031-L1041.	1.3	124

#	ARTICLE	IF	CITATIONS
2372	Smad2 and Smad3 Phosphorylated at Both Linker and COOH-Terminal Regions Transmit Malignant TGF- β 2 Signal in Later Stages of Human Colorectal Cancer. <i>Cancer Research</i> , 2009, 69, 5321-5330.	0.4	117
2373	Transforming Growth Factor- β 2 (TGF- β 2) Activates TAK1 via TAB1-mediated Autophosphorylation, Independent of TGF- β 2 Receptor Kinase Activity in Mesangial Cells. <i>Journal of Biological Chemistry</i> , 2009, 284, 22285-22296.	1.6	71
2374	Cathepsin G-Mediated Activation of Pro-Matrix Metalloproteinase 9 at the Tumor-Bone Interface Promotes Transforming Growth Factor- β 2 Signaling and Bone Destruction. <i>Molecular Cancer Research</i> , 2009, 7, 1224-1233.	1.5	62
2375	A New Role for Activin in Endometrial Repair after Menses. <i>Endocrinology</i> , 2009, 150, 1904-1911.	1.4	34
2376	Altered growth factor signaling pathways as the basis of aberrant stem cell maturation in schizophrenia. , 2009, 121, 115-122.		66
2377	Role of dopamine in the physiology of T-cells and dendritic cells. <i>Journal of Neuroimmunology</i> , 2009, 216, 8-19.	1.1	110
2378	Vitamin E protects against the mitochondrial damage caused by cyclosporin A in LLC-PK1 cells. <i>Toxicology and Applied Pharmacology</i> , 2009, 239, 241-250.	1.3	29
2379	Prosurvival Bcl-2 proteins stabilize pancreatic mitochondria and protect against necrosis in experimental pancreatitis. <i>Experimental Cell Research</i> , 2009, 315, 1975-1989.	1.2	68
2380	Dedifferentiation of human articular chondrocytes is associated with alterations in expression patterns of GDF-5 and its receptors. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 3398-3404.	1.6	16
2381	Role of activin, transforming growth factor- β 2 and bone morphogenetic protein 15 in regulating zebrafish oocyte maturation. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2009, 153, 18-23.	0.8	37
2382	Rapamycin induces the TGF- β 2/Smad signaling cascade in renal mesangial cells upstream of mTOR. <i>Cellular Signalling</i> , 2009, 21, 1806-1817.	1.7	40
2383	Hepatitis B virus X protein shifts human hepatic transforming growth factor (TGF)- β 2 signaling from tumor suppression to oncogenesis in early chronic hepatitis B. <i>Hepatology</i> , 2009, 49, 1203-1217.	3.6	148
2384	Transforming growth factor- β 2 induces CD44 cleavage that promotes migration of MDA-MB-435s cells through the up-regulation of membrane type 1-matrix metalloproteinase. <i>International Journal of Cancer</i> , 2009, 124, 2568-2576.	2.3	61
2385	The tale of transforming growth factor- β 2 (TGF- β 2) signaling: A soignÃ© enigma. <i>IUBMB Life</i> , 2009, 61, 929-939.	1.5	75
2386	A detailed analysis of 3D subcellular signal localization. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2009, 75A, 319-328.	1.1	13
2387	Smad5 haploinsufficiency leads to hair cell and hearing loss. <i>Developmental Neurobiology</i> , 2009, 69, 153-161.	1.5	10
2388	The role of NF- κ B and Smad3 in TGF- β 2-mediated Foxp3 expression. <i>European Journal of Immunology</i> , 2009, 39, 2571-2583.	1.6	44
2389	Synergistic effect of TGF- β 2 superfamily members on the induction of Foxp3 ⁺ Treg. <i>European Journal of Immunology</i> , 2010, 40, 142-152.	1.6	111

#	ARTICLE	IF	CITATIONS
2390	Increased osteoblast functions in the presence of BMP-7 short peptides for nanostructured biomaterial applications. <i>Journal of Biomedical Materials Research - Part A</i> , 2009, 91A, 296-304.	2.1	62
2391	Post-transcriptional and post-translational regulation of PTEN by transforming growth factor-21. <i>Journal of Cellular Biochemistry</i> , 2009, 106, 1102-1112.	1.2	27
2392	Suppression of PAI-1 expression through inhibition of the EGFR-mediated signaling cascade in rat kidney fibroblast by ascofuranone. <i>Journal of Cellular Biochemistry</i> , 2009, 107, 335-344.	1.2	17
2393	SMAD-proteins as a molecular switch from hypertrophy to apoptosis induction in adult ventricular cardiomyocytes. <i>Journal of Cellular Physiology</i> , 2009, 220, 515-523.	2.0	17
2394	Tumor suppressor and oncogene actions of TGF-21 occur early in skin carcinogenesis and are mediated by Smad3. <i>Molecular Carcinogenesis</i> , 2009, 48, 441-453.	1.3	23
2395	PTK-pathways and TGF-2 signaling pathways in schistosomes. <i>Journal of Basic Microbiology</i> , 2009, 49, 25-31.	1.8	9
2396	Characterization of myostatin/gdf8/11 in the starlet sea anemone <i>Nematostella vectensis</i> . <i>Journal of Experimental Zoology Part B: Molecular and Developmental Evolution</i> , 2009, 312B, 780-788.	0.6	18
2397	Effect of interleukin-1 on osteogenic protein 1-induced signaling in adult human articular chondrocytes. <i>Arthritis and Rheumatism</i> , 2009, 60, 143-154.	6.7	40
2398	Analysis of Phosphorylation of the BRI1/BAK1 Complex in Arabidopsis Reveals Amino Acid Residues Critical for Receptor Formation and Activation of BR Signaling. <i>Molecules and Cells</i> , 2009, 27, 183-190.	1.0	49
2399	Stimulatory and inhibitory signaling molecules that regulate renal branching morphogenesis. <i>Pediatric Nephrology</i> , 2009, 24, 1611-1619.	0.9	27
2400	Restoring TGF-2 function in microsatellite unstable (MSI-H) colorectal cancer reduces tumourigenicity but increases metastasis formation. <i>International Journal of Colorectal Disease</i> , 2009, 24, 139-144.	1.0	7
2401	Involvement of ERK, Bcl-2 family and caspase 3 in recombinant human activin A-induced apoptosis in A549. <i>Toxicology</i> , 2009, 258, 176-183.	2.0	13
2402	Expression and in situ processing of human prorenin to active renin in baculovirus-infected Sf-9 insect cell cultures under several infective conditions. <i>Biochemical Engineering Journal</i> , 2009, 43, 216-220.	1.8	5
2403	Modeling and analysis of MH1 domain of Smads and their interaction with promoter DNA sequence motif. <i>Journal of Molecular Graphics and Modelling</i> , 2009, 27, 803-812.	1.3	24
2404	Polymorphism in BMP4 gene and its association with growth traits in goats. <i>Molecular Biology Reports</i> , 2009, 36, 1339-1344.	1.0	11
2405	Emerging role of nuclear protein 1 (NUPR1) in cancer biology. <i>Cancer and Metastasis Reviews</i> , 2009, 28, 225-232.	2.7	104
2406	Crystal structure of the MH2 domain of Drosophila Mad. <i>Science in China Series C: Life Sciences</i> , 2009, 52, 539-544.	1.3	5
2407	A soluble factor (EMMPRIN) in exudate influences knee motion after total arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2009, 17, 298-304.	2.3	3

#	ARTICLE	IF	CITATIONS
2408	Upregulation of mRNA expression of MCP-1 by TGF- β 1 in fibroblast cells from Peyronie's disease. <i>World Journal of Urology</i> , 2009, 27, 123-130.	1.2	25
2409	Abrogation of E-Cadherin-Mediated Cell-Cell Contact in Mouse Embryonic Stem Cells Results in Reversible LIF-Independent Self-Renewal. <i>Stem Cells</i> , 2009, 27, 2069-2080.	1.4	110
2410	MiR-21 Regulates Adipogenic Differentiation through the Modulation of TGF- β 2 Signaling in Mesenchymal Stem Cells Derived from Human Adipose Tissue. <i>Stem Cells</i> , 2009, 27, 3093-3102.	1.4	328
2411	Signals controlling neural crest contributions to the heart. <i>Wiley Interdisciplinary Reviews: Systems Biology and Medicine</i> , 2009, 1, 220-227.	6.6	36
2412	Comparative proteome analysis of TGF- β 1-induced fibrosis processes in normal rat kidney interstitial fibroblast cells in response to ascofuranone. <i>Proteomics</i> , 2009, 9, 4445-4456.	1.3	8
2413	Transforming growth factor- β 1 in bronchoalveolar lavage fluid from children with cystic fibrosis. <i>Pediatric Pulmonology</i> , 2009, 44, 1057-1064.	1.0	46
2414	Purification, crystallization and preliminary data analysis of ligand-receptor complexes of growth and differentiation factor 5 (GDF5) and BMP receptor IB (BRIB). <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2009, 65, 779-783.	0.7	8
2415	Crystal optimization and preliminary diffraction data analysis of the Smad1 MH1 domain bound to a palindromic SBE DNA element. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2009, 65, 1105-1109.	0.7	4
2416	Receptor oligomerization and beyond: a case study in bone morphogenetic proteins. <i>BMC Biology</i> , 2009, 7, 59.	1.7	116
2417	Biological activity of a genetically modified BMP-2 variant with inhibitory activity. <i>Head & Face Medicine</i> , 2009, 5, 6.	0.8	2
2418	Transforming growth factor- β 2 signaling at the tumor-bone interface promotes mammary tumor growth and osteoclast activation. <i>Cancer Science</i> , 2009, 100, 71-81.	1.7	58
2419	Endocytic regulation of TGF- β 2 signaling. <i>Cell Research</i> , 2009, 19, 58-70.	5.7	243
2420	Nucleocytoplasmic shuttling of Smad proteins. <i>Cell Research</i> , 2009, 19, 36-46.	5.7	199
2421	Novel promoter and exon mutations of the BMPR2 gene in Chinese patients with pulmonary arterial hypertension. <i>European Journal of Human Genetics</i> , 2009, 17, 1063-1069.	1.4	22
2422	TAK1 is an essential regulator of BMP signalling in cartilage. <i>EMBO Journal</i> , 2009, 28, 2028-2041.	3.5	124
2423	TGF- β 1-induced migration of bone mesenchymal stem cells couples bone resorption with formation. <i>Nature Medicine</i> , 2009, 15, 757-765.	15.2	1,001
2424	TGF- β 2 repression of Id2 induces apoptosis in gut epithelial cells. <i>Oncogene</i> , 2009, 28, 1089-1098.	2.6	40
2425	Overexpression of FOXG1 contributes to TGF- β 2 resistance through inhibition of p21WAF1/CIP1 expression in ovarian cancer. <i>British Journal of Cancer</i> , 2009, 101, 1433-1443.	2.9	49

#	ARTICLE	IF	CITATIONS
2426	The use of biologic mediators and tissue engineering in dentistry. <i>Periodontology</i> 2000, 2009, 50, 127-153.	6.3	78
2427	Hypoxia induces erythroid-specific 5-aminolevulinic synthase expression in human erythroid cells through transforming growth factor- β signaling. <i>FEBS Journal</i> , 2009, 276, 1370-1382.	2.2	13
2428	Control of transforming growth factor β signal transduction by small GTPases. <i>FEBS Journal</i> , 2009, 276, 2947-2965.	2.2	88
2429	The pro-form of BMP-2 interferes with BMP-2 signalling by competing with BMP-2 for IA receptor binding. <i>FEBS Journal</i> , 2009, 276, 6386-6398.	2.2	34
2430	Intense Pulsed Light Effects on the Expression of Extracellular Matrix Proteins and Transforming Growth Factor Beta-1 in Skin Dermal Fibroblasts Cultured within Contracted Collagen Lattices. <i>Dermatologic Surgery</i> , 2009, 35, 816-825.	0.4	27
2431	Relative roles of TGF- β 1 and Wnt in the systemic regulation and aging of satellite cell responses. <i>Aging Cell</i> , 2009, 8, 676-689.	3.0	206
2432	2-Aminoimidazoles inhibitors of TGF- β 2 receptor 1. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 912-916.	1.0	22
2433	Synthesis and biological evaluation of benzenesulfonamide-substituted 4-(6-alkylpyridin-2-yl)-5-(quinoxalin-6-yl)imidazoles as transforming growth factor- β type 1 receptor kinase inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 568-576.	2.6	19
2434	Synthesis and biological evaluation of 1,2,4-trisubstituted imidazoles and 1,3,5-trisubstituted pyrazoles as inhibitors of transforming growth factor β type 1 receptor (ALK5). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 4868-4872.	1.0	22
2435	The Dawn of Developmental Signaling in the Metazoa. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2009, 74, 81-90.	2.0	94
2436	T β R-II Discriminates the High- and Low-Affinity TGF- β Isoforms via Two Hydrogen-Bonded Ion Pairs. <i>Biochemistry</i> , 2009, 48, 2146-2155.	1.2	53
2437	A comparative study on BMP-induced osteoclastogenesis and osteoblastogenesis in primary cultures of adult rat bone marrow cells. <i>Growth Factors</i> , 2009, 27, 121-131.	0.5	25
2438	Novel Regulation of Smad3 Oligomerization and DNA Binding by Its Linker Domain. <i>Biochemistry</i> , 2009, 48, 8366-8378.	1.2	15
2439	Bone morphogenetic proteins in orthopaedic surgery. <i>Cytokine and Growth Factor Reviews</i> , 2009, 20, 481-488.	3.2	155
2440	Intricacies of BMP receptor assembly. <i>Cytokine and Growth Factor Reviews</i> , 2009, 20, 367-377.	3.2	85
2441	Developmental pathways during in vitro progression of human islet neogenesis. <i>Differentiation</i> , 2009, 77, 135-147.	1.0	18
2442	Sustained co-cultivation with human placenta-derived MSCs enhances ALK5/Smad3 signaling in human breast epithelial cells, leading to EMT and differentiation. <i>Differentiation</i> , 2009, 77, 450-461.	1.0	9
2443	Activin is a potent growth suppressor of epithelial ovarian cancer cells. <i>Cancer Letters</i> , 2009, 285, 157-165.	3.2	24

#	ARTICLE	IF	CITATIONS
2444	Nuclear CDKs Drive Smad Transcriptional Activation and Turnover in BMP and TGF- β Pathways. <i>Cell</i> , 2009, 139, 757-769.	13.5	627
2445	Finale: The Last Minutes of Smads. <i>Cell</i> , 2009, 139, 658-660.	13.5	5
2446	Polarity Is Destiny. <i>Cell</i> , 2009, 139, 660-662.	13.5	3
2447	Protection of cerulein-induced pancreatic fibrosis by pancreas-specific expression of Smad7. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2009, 1792, 56-60.	1.8	27
2448	Activins and inhibins: Novel regulators of thymocyte development. <i>Biochemical and Biophysical Research Communications</i> , 2009, 381, 229-235.	1.0	20
2449	Subcellular localization of a novel G protein XLG β 1. <i>Biochemical and Biophysical Research Communications</i> , 2009, 381, 582-586.	1.0	2
2450	Structural and functional characterization of soluble endoglin receptor. <i>Biochemical and Biophysical Research Communications</i> , 2009, 383, 386-391.	1.0	15
2451	Inhibition of HSP27 phosphorylation by a cell-permeant MAPKAP Kinase 2 inhibitor. <i>Biochemical and Biophysical Research Communications</i> , 2009, 382, 535-539.	1.0	46
2452	Transforming growth factor- β 1 induces matrix metalloproteinase-9 expression in human meningeal cells via ERK and Smad pathways. <i>Biochemical and Biophysical Research Communications</i> , 2009, 383, 475-479.	1.0	29
2453	Early gene expression analyzed by a genome microarray and real-time PCR in osteoblasts cultured with a 4-META/MMA-TBB adhesive resin sealer. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2009, 107, e77-e81.	1.6	5
2454	Tau hyperphosphorylation affects Smad 2/3 translocation. <i>Neuroscience</i> , 2009, 163, 561-570.	1.1	29
2455	Bombesin enhances TGF- β growth inhibitory effect through apoptosis induction in intestinal epithelial cells. <i>Regulatory Peptides</i> , 2009, 158, 26-31.	1.9	6
2456	Immortality and the base of multicellular life: Lessons from cnidarian stem cells. <i>Seminars in Cell and Developmental Biology</i> , 2009, 20, 1114-1125.	2.3	79
2457	Cumulative ligand activity of NODAL mutations and modifiers are linked to human heart defects and holoprosencephaly. <i>Molecular Genetics and Metabolism</i> , 2009, 98, 225-234.	0.5	67
2458	A combination of PPAR- γ agonists and HMG CoA reductase inhibitors (statins) as a new therapy for the conservative treatment of AAS (aortic aneurysm syndromes). <i>Medical Hypotheses</i> , 2009, 73, 614-618.	0.8	11
2459	The TGF- β , PI3K/Akt and PTEN pathways: established and proposed biochemical integration in prostate cancer. <i>Biochemical Journal</i> , 2009, 417, 411-421.	1.7	86
2460	TGF- β signaling and collagen deposition in chronic rhinosinusitis. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 124, 253-259.e2.	1.5	186
2461	Quantitative Modeling and Analysis of the Transforming Growth Factor β Signaling Pathway. <i>Biophysical Journal</i> , 2009, 96, 1733-1750.	0.2	53

#	ARTICLE	IF	CITATIONS
2462	Transforming growth factor- β 1 increases cell migration and β 1 integrin up-regulation in human lung cancer cells. <i>Lung Cancer</i> , 2009, 64, 13-21.	0.9	56
2463	Transforming growth factor beta isoforms regulation of Akt activity and XIAP levels in rat endometrium during estrous cycle, in a model of pseudopregnancy and in cultured decidual cells. <i>Reproductive Biology and Endocrinology</i> , 2009, 7, 80.	1.4	24
2464	Extensive sequence turnover of the signal peptides of members of the GDF/BMP family: exploring their evolutionary landscape. <i>Biology Direct</i> , 2009, 4, 22.	1.9	8
2465	Biomolecule Use in Tissue Engineering. , 2009, , 121-135.		3
2466	Differential Gene Expression in Models of Pituitary Prolactin-Producing Tumoral Cells. <i>Hormone Research in Paediatrics</i> , 2009, 71, 88-94.	0.8	7
2467	Transforming growth factor- β 2 upregulates sphingosine kinase-1 activity, which in turn attenuates the fibrotic response to TGF- β 2 by impeding CTGF expression. <i>Kidney International</i> , 2009, 76, 857-867.	2.6	66
2469	Efficacy and safety of topical tazarotene: a review. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2009, 5, 195-210.	1.5	22
2470	Transforming Growth Factor Beta 1 and Hyaluronan Oligomers Synergistically Enhance Elastin Matrix Regeneration by Vascular Smooth Muscle Cells. <i>Tissue Engineering - Part A</i> , 2009, 15, 501-511.	1.6	58
2471	Transforming growth factor-beta signaling and tumor angiogenesis. <i>Frontiers in Bioscience - Landmark</i> , 2009, 14, 4848.	3.0	105
2472	Immune Cells and Molecular Mediators in the Pathogenesis of the Abdominal Aortic Aneurysm. <i>Cardiology in Review</i> , 2009, 17, 201-210.	0.6	130
2473	Fucoidan inhibits UVB-induced MMP-1 promoter expression and down regulation of type I procollagen synthesis in human skin fibroblasts. <i>European Journal of Dermatology</i> , 2009, 19, 129-134.	0.3	63
2475	Molecular biology, genetics and biochemistry of the repulsive guidance molecule family. <i>Biochemical Journal</i> , 2009, 422, 393-403.	1.7	54
2476	Bone Morphogenetic Protein 4 and Its Receptors Are Expressed in the Leptomeninges and Meningiomas and Signal via the Smad Pathway. <i>Journal of Neuropathology and Experimental Neurology</i> , 2009, 68, 1177-1183.	0.9	28
2477	Synergistic Attenuation of Myocardial Fibrosis in Spontaneously Hypertensive Rats by Joint Treatment With Benazepril and Candesartan. <i>Journal of Cardiovascular Pharmacology</i> , 2009, 54, 16-24.	0.8	13
2478	Effects of Peptidic Antagonists of Grb2-SH2 on Human Breast Cancer Cells. <i>Protein and Peptide Letters</i> , 2010, 17, 44-53.	0.4	12
2479	Stem Cell Quiescence in the Hippocampal Neurogenic Niche Is Associated With Elevated Transforming Growth Factor- β 2 Signaling in an Animal Model of Huntington Disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2010, 69, 717-728.	0.9	86
2480	<i>Schistosoma mansoni</i> : signal transduction processes during the development of the reproductive organs. <i>Parasitology</i> , 2010, 137, 497-520.	0.7	93
2481	Pleiotropic Effects of Transforming Growth Factor- β 2 in Hematopoietic Stem-Cell Transplantation. <i>Transplantation</i> , 2010, 90, 1139-1144.	0.5	22

#	ARTICLE	IF	CITATIONS
2482	Endothelin-1 Stimulation of Proteoglycan Synthesis in Vascular Smooth Muscle is Mediated by Endothelin Receptor Transactivation of the Transforming Growth Factor- β Type I Receptor. <i>Journal of Cardiovascular Pharmacology</i> , 2010, 56, 360-368.	0.8	52
2483	TGF- β Signaling and the Role of Inhibitory Smads in Non-small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2010, 5, 417-419.	0.5	80
2484	Changes in the endogenous BMP expression during redifferentiation of chondrocytes in 3D cultures. <i>International Journal of Molecular Medicine</i> , 2010, , .	1.8	3
2485	AXIN2 polymorphism and its association with astrocytoma in a Turkish population. <i>Molecular Medicine Reports</i> , 2010, 3, 705-9.	1.1	14
2486	Activation of the $\text{tg}\beta$ /activin signaling pathway in intimal hyperplasia and atherosclerosis. <i>Diagnostic and Interventional Radiology</i> , 2010, 17, 290-6.	0.7	5
2487	Biomaterial Applications in the Adult Skeletal Muscle Satellite Cell Niche: Deliberate Control of Muscle Stem Cells and Muscle Regeneration in the Aged Niche. <i>Studies in Mechanobiology, Tissue Engineering and Biomaterials</i> , 2010, , 275-308.	0.7	1
2489	Asynchronous Muscle and Tendon Adaptation After Surgical Tensioning Procedures. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 664-674.	1.4	43
2490	Enhanced effect of soluble transforming growth factor- β receptor II and IFN- β fusion protein in reversing hepatic fibrosis. <i>European Journal of Medical Research</i> , 2010, 15, 152.	0.9	16
2491	The Transforming Growth Factor Beta 1/SMAD Signaling Pathway Involved in Human Chronic Myeloid Leukemia. <i>Tumori</i> , 2010, 96, 659-666.	0.6	24
2492	Abnormal expression of Endoglin and its receptor complex (TGF- β 1 and TGF- β receptor II) as early angiogenic switch indicator in premalignant lesions of the colon mucosa. <i>International Journal of Oncology</i> , 2010, 37, 1153-65.	1.4	25
2493	Drug targeting to the kidney: Advances in the active targeting of therapeutics to proximal tubular cells. <i>Advanced Drug Delivery Reviews</i> , 2010, 62, 1344-1357.	6.6	130
2494	Transformed epithelial cells and fibroblasts/myofibroblasts interaction in breast tumor: a mathematical model and experiments. <i>Journal of Mathematical Biology</i> , 2010, 61, 401-421.	0.8	41
2495	TGF- β stimulates biglycan synthesis via p38 and ERK phosphorylation of the linker region of Smad2. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 2077-2090.	2.4	84
2496	Binding characteristics of the osteoarthritis-associated protein asporin. <i>Journal of Bone and Mineral Metabolism</i> , 2010, 28, 395-402.	1.3	35
2497	Coordination of chondrogenesis and osteogenesis by hypertrophic chondrocytes in endochondral bone development. <i>Journal of Bone and Mineral Metabolism</i> , 2010, 28, 489-502.	1.3	23
2498	IFN- β Down-Regulates TGF- β 1-Induced IgA Expression through Stat1 and p300 Signaling. <i>Molecules and Cells</i> , 2010, 29, 57-62.	1.0	11
2499	Gastric carcinogenesis and the cancer stem cell hypothesis. <i>Gastric Cancer</i> , 2010, 13, 11-24.	2.7	61
2500	Systems Analysis of the Role of Bone Morphogenic Protein 4 in Endothelial Inflammation. <i>Annals of Biomedical Engineering</i> , 2010, 38, 291-307.	1.3	10

#	ARTICLE	IF	CITATIONS
2501	Expression of Transforming Growth Factor- β 2 in Vitreous Body and Adjacent Tissues during Prenatal Development of Human Eye. <i>Bulletin of Experimental Biology and Medicine</i> , 2010, 150, 117-121.	0.3	8
2502	LSKL, a peptide antagonist of thrombospondin-1, attenuates renal interstitial fibrosis in rats with unilateral ureteral obstruction. <i>Archives of Pharmacol Research</i> , 2010, 33, 275-284.	2.7	36
2503	TSP-1 in lung fibrosis. <i>Journal of Cell Communication and Signaling</i> , 2010, 4, 185-186.	1.8	6
2504	Human dermal fibroblast proliferation activity of usimine-C from Antarctic lichen <i>Ramalina terebrata</i> . <i>Biotechnology Letters</i> , 2010, 32, 471-475.	1.1	8
2505	Cellular basis of diabetic nephropathy: V. Endoglin expression levels and diabetic nephropathy risk in patients with Type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2010, 24, 242-249.	1.2	6
2506	Novel aspects of corneal angiogenic and lymphangiogenic privilege. <i>Progress in Retinal and Eye Research</i> , 2010, 29, 208-248.	7.3	167
2507	Transcriptomic profiling of bovine IVF embryos revealed candidate genes and pathways involved in early embryonic development. <i>BMC Genomics</i> , 2010, 11, 23.	1.2	33
2508	SMAD4 - Molecular gladiator of the TGF- β 2 signaling is trampled upon by mutational insufficiency in colorectal carcinoma of Kashmiri population: an analysis with relation to KRAS proto-oncogene. <i>BMC Cancer</i> , 2010, 10, 300.	1.1	15
2509	Genetic evidence that SMAD2 is not required for gonadal tumor development in inhibin-deficient mice. <i>Reproductive Biology and Endocrinology</i> , 2010, 8, 69.	1.4	11
2510	Assessment of jaw movements by magnetic sensor in relation to topographies of orofacial behaviour in freely moving rats: Studies with the dopamine D1-like receptor agonists SKF 83822 vs SKF 83959. <i>European Journal of Pharmacology</i> , 2010, 632, 39-44.	1.7	9
2511	Galantamine inhibits slowly inactivating K ⁺ currents with a dual dose-response relationship in differentiated N1E-115 cells and in CA1 neurones. <i>European Journal of Pharmacology</i> , 2010, 634, 16-25.	1.7	8
2512	Skin and brain age together: The role of hormones in the ageing process. <i>Experimental Gerontology</i> , 2010, 45, 801-813.	1.2	80
2513	Drug profiling: knowing where it hits. <i>Drug Discovery Today</i> , 2010, 15, 749-756.	3.2	60
2514	Label-free whole-cell assays: expanding the scope of GPCR screening. <i>Drug Discovery Today</i> , 2010, 15, 704-716.	3.2	145
2515	Modulation of the striato-pallidal pathway by adenosine A2a receptors depends on dopaminergic striatal input. <i>Brain Research</i> , 2010, 1349, 137-142.	1.1	4
2516	Steroidal and gonadal effects on neural cell proliferation in vitro in an adult songbird. <i>Brain Research</i> , 2010, 1351, 41-49.	1.1	6
2517	Roles for the type III TGF- β 2 receptor in human cancer. <i>Cellular Signalling</i> , 2010, 22, 1163-1174.	1.7	154
2518	TGF- β 2 receptors, in a Smad-independent manner, are required for terminal skeletal muscle differentiation. <i>Experimental Cell Research</i> , 2010, 316, 2487-2503.	1.2	45

#	ARTICLE	IF	CITATIONS
2519	Sphingosine 1-phosphate mediates chemotaxis of human primary fibroblasts via the S1P-receptor subtypes S1P ₁ and S1P ₃ and Smad-signalling. <i>Cytoskeleton</i> , 2010, 67, 773-783.	1.0	10
2520	Genetic analysis of von Hippel-Lindau disease. <i>Human Mutation</i> , 2010, 31, n/a-n/a.	1.1	224
2521	Twisting cell fate: Mechanistic insights into the role of twist in lineage specification/differentiation and tumorigenesis. <i>Journal of Cellular Biochemistry</i> , 2010, 110, 1288-1298.	1.2	35
2522	Sensing invasion: Cell surface receptors driving spreading of glioblastoma. <i>Journal of Cellular Physiology</i> , 2010, 222, 1-10.	2.0	72
2523	Structural investigations on the Nodal-Cripto binding: A theoretical and experimental approach. <i>Biopolymers</i> , 2010, 93, 1011-1021.	1.2	20
2524	BMP3 promotes mesenchymal stem cell proliferation through the TGF β /activin signaling pathway. <i>Journal of Cellular Physiology</i> , 2010, 223, 658-666.	2.0	78
2525	Hypoxia induces BMP2 expression via ILK, Akt, mTOR, and HIF1 pathways in osteoblasts. <i>Journal of Cellular Physiology</i> , 2010, 223, 810-818.	2.0	81
2526	Adiponectin increases BMP2 expression in osteoblasts via AdipoR receptor signaling pathway. <i>Journal of Cellular Physiology</i> , 2010, 224, 475-483.	2.0	60
2527	Inhibition of transforming growth factor- β /Smad signaling improves regeneration of small-for-size rat liver grafts. <i>Liver Transplantation</i> , 2010, 16, 181-190.	1.3	25
2528	A mathematical modelling framework for understanding chemorepulsive signal transduction in Dictyostelium. <i>Journal of Theoretical Biology</i> , 2010, 266, 140-153.	0.8	3
2529	3D-QSAR and docking studies on transforming growth factor (TGF)- β receptor 1 antagonists. <i>Biorganic and Medicinal Chemistry Letters</i> , 2010, 20, 1918-1923.	1.0	11
2530	Aquifex aeolicus FlgM protein exhibits a temperature-dependent disordered nature. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2010, 1804, 1457-1466.	1.1	7
2531	Crystallization of BMP receptor type IA bound to the antibody Fab fragment AbD1556. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010, 66, 964-968.	0.7	2
2532	Identification of a novel transforming growth factor-beta (TGF-beta6) gene in fish: regulation in skeletal muscle by nutritional state. <i>BMC Molecular Biology</i> , 2010, 11, 37.	3.0	29
2533	Prohibitin regulates TGF β induced apoptosis as a downstream effector of smad-dependent and -independent signaling. <i>Prostate</i> , 2010, 70, 17-26.	1.2	44
2534	Regulatory roles of transforming growth factor beta family members in folliculogenesis. <i>Wiley Interdisciplinary Reviews: Systems Biology and Medicine</i> , 2010, 2, 117-125.	6.6	36
2535	Increased expression of Smad proteins, and in particular Smad3, in oral lichen planus compared to normal oral mucosa. <i>Journal of Oral Pathology and Medicine</i> , 2010, 39, 639-644.	1.4	20
2536	Strong exercise stress exacerbates dermatitis in atopic model mice, NC/Nga mice, while proper exercise reduces it. <i>Experimental Dermatology</i> , 2010, 19, 1067-1072.	1.4	24

#	ARTICLE	IF	CITATIONS
2537	Mechanisms of skin fibrosis in systemic sclerosis. <i>Journal of Dermatology</i> , 2010, 37, 11-25.	0.6	139
2538	Monocyte chemoattractant protein-1 is generated via TGF- β 2 by myofibroblasts in gastric intestinal metaplasia and carcinoma without <i>H. pylori</i> infection. <i>Cancer Science</i> , 2010, 101, 1783-1789.	1.7	18
2539	Synergistic action of Smad4 and Pten in suppressing pancreatic ductal adenocarcinoma formation in mice. <i>Oncogene</i> , 2010, 29, 674-686.	2.6	42
2540	Tumor suppressor Fbxw7 regulates TGF- β 2 signaling by targeting TGF1 for degradation. <i>Oncogene</i> , 2010, 29, 5322-5328.	2.6	43
2541	Transforming growth factor- β 2 regulation of proteoglycan synthesis in vascular smooth muscle: Contribution to lipid binding and accelerated atherosclerosis in diabetes. <i>Journal of Diabetes</i> , 2010, 2, 233-242.	0.8	49
2542	TAK1 mediates BMP signaling in cartilage. <i>Annals of the New York Academy of Sciences</i> , 2010, 1192, 385-390.	1.8	36
2543	The Protective Effects of Long-Term Oral Administration of Marine Collagen Hydrolysate from Chum Salmon on Collagen Matrix Homeostasis in the Chronological Aged Skin of Sprague-Dawley Male Rats. <i>Journal of Food Science</i> , 2010, 75, H230-8.	1.5	63
2544	Aspectual Comparison of the Skin Changes in Hairless Mice According to the Aging Type. <i>Laboratory Animal Research</i> , 2010, 26, 173.	1.1	0
2545	Lysophosphatidic Acid Upregulates Laminin-332 Expression during A431 Cell Colony Dispersal. <i>Journal of Oncology</i> , 2010, 2010, 1-8.	0.6	8
2546	Aberrant signaling pathways in medulloblastomas: a stem cell connection. <i>Arquivos De Neuro-Psiquiatria</i> , 2010, 68, 947-952.	0.3	11
2547	Hepatocytic precursor (stem-like) WB-F344 cells reduce tumorigenicity of hepatoma CBRH-7919 cells via TGF- β 2/Smad pathway. <i>Oncology Reports</i> , 2010, 23, 1601-7.	1.2	4
2548	Phylogenomic Analyses Reveal the Evolutionary Origin of the Inhibin β -Subunit, a Unique TGF- β 2 Superfamily Antagonist. <i>PLoS ONE</i> , 2010, 5, e9457.	1.1	11
2549	In Vivo Disruption of TGF- β 2 Signaling by Smad7 in Airway Epithelium Alleviates Allergic Asthma but Aggravates Lung Carcinogenesis in Mouse. <i>PLoS ONE</i> , 2010, 5, e10149.	1.1	25
2550	The Crystal Structure of the Dachshund Domain of Human SnoN Reveals Flexibility in the Putative Protein Interaction Surface. <i>PLoS ONE</i> , 2010, 5, e12907.	1.1	13
2551	A Selection Fit Mechanism in BMP Receptor IA as a Possible Source for BMP Ligand-Receptor Promiscuity. <i>PLoS ONE</i> , 2010, 5, e13049.	1.1	10
2552	Notch Signaling Activation Suppresses v-Src-Induced Transformation of Neural Cells by Restoring TGF- β 2-Mediated Differentiation. <i>PLoS ONE</i> , 2010, 5, e13572.	1.1	4
2553	TGF- β signaling, tumor microenvironment and tumor progression: the butterfly effect. <i>Frontiers in Bioscience - Landmark</i> , 2010, 15, 180.	3.0	69
2554	Estrogen regulation of placental angiogenesis and fetal ovarian development during primate pregnancy. <i>International Journal of Developmental Biology</i> , 2010, 54, 397-408.	0.3	134

#	ARTICLE	IF	CITATIONS
2555	The Role of the TGF- β 2 Coreceptor Endoglin in Cancer. Scientific World Journal, The, 2010, 10, 2367-2384.	0.8	82
2556	From gastric aspiration to airway inflammation. Monaldi Archives for Chest Disease, 2010, 73, 54-63.	0.3	10
2557	Bone Morphogenetic Protein Signaling: Implications in Urology. Korean Journal of Urology, 2010, 51, 511.	1.2	5
2558	TRP Channels in Human Prostate. Scientific World Journal, The, 2010, 10, 1597-1611.	0.8	36
2559	Redox Regulation of Transcription by Cigarette Smoke. , 2010, , 351-359.		0
2560	Receptor-Ligand Recognition in the TGF- β 2 Superfamily as Suggested by Crystal Structures of their Ectodomain Complexes. , 2010, , 293-300.		0
2561	Cell-Cell and Cell-Matrix Interactions in Bone. , 2010, , 2647-2662.		1
2562	Kruppel-like Factor 4 Promotes Differentiation by Transforming Growth Factor- β 2 Receptor-mediated Smad and p38 MAPK Signaling in Vascular Smooth Muscle Cells. Journal of Biological Chemistry, 2010, 285, 17846-17856.	1.6	83
2563	Role of RUNX3 in Bone Morphogenetic Protein Signaling in Colorectal Cancer. Cancer Research, 2010, 70, 4243-4252.	0.4	37
2564	Dietary Fish Oil Alters T Lymphocyte Cell Populations and Exacerbates Disease in a Mouse Model of Inflammatory Colitis. Cancer Research, 2010, 70, 7960-7969.	0.4	100
2565	Differential TGF- β 2 Signaling in Retinal Vascular Cells: A Role in Diabetic Retinopathy?. , 2010, 51, 1857.		84
2566	Monomeric type I and type III transforming growth factor- β 2 receptors and their dimerization revealed by single-molecule imaging. Cell Research, 2010, 20, 1216-1223.	5.7	46
2568	The type III TGF- β 2 receptor suppresses breast cancer progression through GIPC-mediated inhibition of TGF- β 2 signaling. Carcinogenesis, 2010, 31, 175-183.	1.3	57
2569	MicroRNA-224 Is Involved in Transforming Growth Factor- β 2-Mediated Mouse Granulosa Cell Proliferation and Granulosa Cell Function by Targeting Smad4. Molecular Endocrinology, 2010, 24, 540-551.	3.7	249
2570	MicroRNA-155 Targets SMAD2 and Modulates the Response of Macrophages to Transforming Growth Factor- β 2. Journal of Biological Chemistry, 2010, 285, 41328-41336.	1.6	182
2571	Context-Dependent Bidirectional Regulation of the MutS Homolog 2 by Transforming Growth Factor β 2 Contributes to Chemoresistance in Breast Cancer Cells. Molecular Cancer Research, 2010, 8, 1633-1642.	1.5	92
2572	Tgif1 and Tgif2 regulate Nodal signaling and are required for gastrulation. Development (Cambridge), 2010, 137, 249-259.	1.2	56
2573	Cellular and molecular basis for the regulation of inflammation by TGF- β . Journal of Biochemistry, 2010, 147, 781-792.	0.9	317

#	ARTICLE	IF	CITATIONS
2574	Receptor Type Protein Tyrosine Phosphatase-Kappa Mediates Cross-Talk between Transforming Growth Factor-Beta and Epidermal Growth Factor Receptor Signaling Pathways in Human Keratinocytes. <i>Molecular Biology of the Cell</i> , 2010, 21, 29-35.	0.9	23
2575	Single-nucleotide polymorphisms in SMAD3 are associated with chronic obstructive pulmonary disease. <i>Experimental Biology and Medicine</i> , 2010, 235, 599-605.	1.1	7
2576	Ferroportin and Erythroid Cells: An Update. <i>Advances in Hematology</i> , 2010, 2010, 1-12.	0.6	15
2577	Species-Specific Actions of Incretin: From the Evolutionary Perspective. <i>Japanese Clinical Medicine</i> , 2010, 1, JCM.S5915.	1.9	4
2578	Lipid Signaling in T-Cell Development and Function. <i>Cold Spring Harbor Perspectives in Biology</i> , 2010, 2, a002428-a002428.	2.3	55
2579	Structure of Smad1 MH1/DNA complex reveals distinctive rearrangements of BMP and TGF- β 2 effectors. <i>Nucleic Acids Research</i> , 2010, 38, 3477-3488.	6.5	58
2580	Vitamins A and E reverse gasoline vapors-induced hematotoxicity and weight loss in female rats. <i>Toxicology and Industrial Health</i> , 2010, 26, 559-566.	0.6	6
2581	Massively Parallel Signature Sequencing and Bioinformatics Analysis Identifies Up-Regulation of TGFBI and SOX4 in Human Glioblastoma. <i>PLoS ONE</i> , 2010, 5, e10210.	1.1	77
2582	Activin A induction of FSH β subunit transcription requires SMAD4 in immortalized gonadotropes. <i>Journal of Molecular Endocrinology</i> , 2010, 44, 349-362.	1.1	23
2583	Cyclin-Dependent Kinase 4-Mediated Phosphorylation Inhibits Smad3 Activity in Cyclin D-Overexpressing Breast Cancer Cells. <i>Molecular Cancer Research</i> , 2010, 8, 1375-1387.	1.5	56
2584	Ternary Complex of Transforming Growth Factor- β 21 Reveals Isoform-specific Ligand Recognition and Receptor Recruitment in the Superfamily. <i>Journal of Biological Chemistry</i> , 2010, 285, 14806-14814.	1.6	135
2585	Transcription Factor Sp1 Expression Is Upregulated in Human Glomerulonephritis: Correlation with pSmad2/3 and p300 Expression and Renal Injury. <i>Renal Failure</i> , 2010, 32, 243-253.	0.8	13
2586	Differential effects of growth differentiation factor-5 on porcine dental papilla- and follicle-derived cells. <i>Growth Factors</i> , 2010, 28, 56-65.	0.5	9
2587	Activin plays a key role in the maintenance of long-term memory and late-LTP. <i>Learning and Memory</i> , 2010, 17, 176-185.	0.5	52
2588	Generating pancreatic β -cells from embryonic stem cells by manipulating signaling pathways. <i>Journal of Endocrinology</i> , 2010, 206, 13-26.	1.2	53
2590	Effect of Phosphatidyl Inositol 3-Kinase, Extracellular Signal-Regulated Kinases 1/2, and p38 Mitogen-Activated Protein Kinase Inhibition on Osteogenic Differentiation of Muscle-Derived Stem Cells. <i>Tissue Engineering - Part A</i> , 2010, 16, 3647-3655.	1.6	31
2591	Smad3 Regulates Rho Signaling via NET1 in the Transforming Growth Factor- β 2-induced Epithelial-Mesenchymal Transition of Human Retinal Pigment Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2010, 285, 26618-26627.	1.6	49
2592	Smad2 and Smad3 Are Redundantly Essential for the TGF- β 2-Mediated Regulation of Regulatory T Plasticity and Th1 Development. <i>Journal of Immunology</i> , 2010, 185, 842-855.	0.4	286

#	ARTICLE	IF	CITATIONS
2593	Growth Factors as Active Participants in Carcinogenesis: A Perspective. <i>Veterinary Pathology</i> , 2010, 47, 77-97.	0.8	40
2594	Activin Potentiates Proliferation in Mature Avian Auditory Sensory Epithelium. <i>Journal of Neuroscience</i> , 2010, 30, 478-490.	1.7	16
2595	Genomewide RNA expression profiling in lung identifies distinct signatures in idiopathic pulmonary arterial hypertension and secondary pulmonary hypertension. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 298, H1235-H1248.	1.5	154
2596	TGF- β 2 downregulates PTEN via activation of NF- κ B in pancreatic cancer cells. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, G275-G282.	1.6	46
2597	Ac-SDKP inhibits transforming growth factor- β 1-induced differentiation of human cardiac fibroblasts into myofibroblasts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 298, H1357-H1364.	1.5	42
2598	Cardiac pathologies in relation to Smad-dependent pathways. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2010, 11, 455-460.	0.5	19
2599	Type II Transforming Growth Factor- β Receptor Recycling Is Dependent upon the Clathrin Adaptor Protein Dab2. <i>Molecular Biology of the Cell</i> , 2010, 21, 4009-4019.	0.9	56
2600	Use of a TGF β 2 type I receptor inhibitor in mouse skin carcinogenesis reveals a dual role for TGF β 2 signaling in tumor promotion and progression. <i>Carcinogenesis</i> , 2010, 31, 2127-2135.	1.3	27
2601	TGF- β 2 Induction Regulates Invasiveness of Theileria-Transformed Leukocytes and Disease Susceptibility. <i>PLoS Pathogens</i> , 2010, 6, e1001197.	2.1	62
2602	Serum-Dependent Selective Expression of EhTMKB1-9, a Member of Entamoeba histolytica B1 Family of Transmembrane Kinases. <i>PLoS Pathogens</i> , 2010, 6, e1000929.	2.1	48
2603	Role of cross-talk between the Smad2 and MAPK pathways in TGF- β 1-induced collagen IV expression in mesangial cells. <i>International Journal of Molecular Medicine</i> , 2010, 26, 571-6.	1.8	30
2604	Transforming growth factor- β 1 upregulates the expression of CXC chemokine receptor 4 (CXCR4) in human breast cancer MCF-7 cells. <i>Acta Pharmacologica Sinica</i> , 2010, 31, 347-354.	2.8	51
2605	Newcomers to the WW Domain-Mediated Network of the Hippo Tumor Suppressor Pathway. <i>Genes and Cancer</i> , 2010, 1, 1115-1118.	0.6	53
2606	Coexpression Systems as Models for the Analysis of Constitutive GPCR Activity. <i>Methods in Enzymology</i> , 2010, 485, 527-557.	0.4	9
2607	Signaling Networks in Human Hepatocarcinogenesis—Novel Aspects and Therapeutic Options. <i>Progress in Molecular Biology and Translational Science</i> , 2010, 97, 251-277.	0.9	13
2608	Involvement of the bone morphogenetic protein system in endothelin- and aldosterone-induced cell proliferation of pulmonary arterial smooth muscle cells isolated from human patients with pulmonary arterial hypertension. <i>Hypertension Research</i> , 2010, 33, 435-445.	1.5	37
2609	Inhibitor of Differentiation (Id) Genes Are Expressed in the Steroidogenic Cells of the Ovine Ovary and Are Differentially Regulated by Members of the Transforming Growth Factor- β Family. <i>Endocrinology</i> , 2010, 151, 1247-1256.	1.4	36
2610	Runt-Related Transcription Factors Impair Activin Induction of the Follicle-Stimulating Hormone β -Subunit Gene. <i>Endocrinology</i> , 2010, 151, 2669-2680.	1.4	13

#	ARTICLE	IF	CITATIONS
2611	FoxL2 Is Required for Activin Induction of the Mouse and Human Follicle-Stimulating Hormone β 2-Subunit Genes. <i>Molecular Endocrinology</i> , 2010, 24, 1037-1051.	3.7	64
2612	Matrix Metalloproteinase (MMP)-13 Regulates Mammary Tumor-Induced Osteolysis by Activating MMP9 and Transforming Growth Factor- β 2 Signaling at the Tumor-Bone Interface. <i>Cancer Research</i> , 2010, 70, 3494-3504.	0.4	111
2613	Biomaterials as Stem Cell Niche: Cardiovascular Stem Cells. <i>Studies in Mechanobiology, Tissue Engineering and Biomaterials</i> , 2010, , 173-193.	0.7	0
2614	TGF- β 2 Signaling Alterations and Colon Cancer. <i>Cancer Treatment and Research</i> , 2010, 155, 85-103.	0.2	125
2615	TGF- β 2 Function in Immune Suppression. <i>Current Topics in Microbiology and Immunology</i> , 2010, 350, 127-147.	0.7	157
2616	Probiotics in Aging Skin. , 2010, , 811-820.		8
2617	Structural Analysis of the Smad2-MAN1 Interaction That Regulates Transforming Growth Factor- β 2 Signaling at the Inner Nuclear Membrane. <i>Biochemistry</i> , 2010, 49, 8020-8032.	1.2	29
2618	Targeting the transforming growth factor- β 2 signaling pathway in human cancer. <i>Expert Opinion on Investigational Drugs</i> , 2010, 19, 77-91.	1.9	239
2619	TGF-beta1 causes epithelial-mesenchymal transition in HaCaT derivatives, but induces expression of COX-2 and migration only in benign, not in malignant keratinocytes. <i>Journal of Dermatological Science</i> , 2010, 58, 97-104.	1.0	51
2620	Regulation of epidermal keratinocytes by growth factors. <i>Journal of Dermatological Science</i> , 2010, 59, 73-80.	1.0	73
2621	Transforming growth factor-beta: A target for cancer therapy. <i>Journal of Immunotoxicology</i> , 2010, 7, 15-26.	0.9	35
2622	Effect of Bee Venom on Transforming Growth Factor- β 1-Treated Hepatocytes. <i>International Journal of Toxicology</i> , 2010, 29, 49-56.	0.6	6
2623	Smad3-dependent and -independent pathways are involved in peritoneal membrane injury. <i>Kidney International</i> , 2010, 77, 319-328.	2.6	87
2624	Brassinosteroid Signal Transduction and Action. , 2010, , 427-450.		6
2625	Simplifying the complexity of cell signaling in medicine and the life sciences: Radicals and electrochemistry. <i>Medical Hypotheses</i> , 2010, 74, 769-771.	0.8	10
2626	UDP exerts cytostatic and cytotoxic actions in human neuroblastoma SH-SY5Y cells over-expressing P2Y6 receptor. <i>Neurochemistry International</i> , 2010, 56, 670-678.	1.9	9
2627	Qindan-capsule inhibits proliferation of adventitial fibroblasts and collagen synthesis. <i>Journal of Ethnopharmacology</i> , 2010, 129, 53-58.	2.0	9
2628	Hormones in synergy: Regulation of the pituitary gonadotropin genes. <i>Molecular and Cellular Endocrinology</i> , 2010, 314, 192-203.	1.6	143

#	ARTICLE	IF	CITATIONS
2629	Pituitary tumors: Cell type-specific roles for BMP-4. <i>Molecular and Cellular Endocrinology</i> , 2010, 326, 85-88.	1.6	34
2630	Lactoferrin induces growth arrest and nuclear accumulation of Smad-2 in HeLa cells. <i>Biochimie</i> , 2010, 92, 880-884.	1.3	30
2631	Induction of corneal myofibroblasts by lens-derived transforming growth factor β 1 (TGF β 1): A transgenic mouse model. <i>Brain Research Bulletin</i> , 2010, 81, 287-296.	1.4	21
2632	Epithelial-mesenchymal transition in ovarian cancer. <i>Cancer Letters</i> , 2010, 291, 59-66.	3.2	254
2633	Targeting the transforming growth factor- β 2 signalling pathway in metastatic cancer. <i>European Journal of Cancer</i> , 2010, 46, 1232-1240.	1.3	86
2634	Functional interactions between nicotinic and P2X receptors in celiac ganglia neurons. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2010, 154, 59-65.	1.4	3
2635	Small molecule modulators of histone acetylation and methylation: A disease perspective. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2010, 1799, 810-828.	0.9	45
2636	Galectin-9 induces osteoblast differentiation through the CD44/Smad signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2010, 394, 317-322.	1.0	47
2637	TGF β 2 induces proHB-EGF shedding and EGFR transactivation through ADAM activation in gastric cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2010, 402, 449-454.	1.0	28
2638	Transforming growth factor-beta in the chicken fundal layers: An immunohistochemical study. <i>Experimental Eye Research</i> , 2010, 90, 780-790.	1.2	15
2639	Bridge-1 is expressed in human granulosa cells and is involved in the activin A signaling cascade. <i>Fertility and Sterility</i> , 2010, 93, 1349-1352.	0.5	6
2640	Expression of human β -defensin-2 in intratumoral vascular endothelium and in endothelial cells induced by transforming growth factor β 2. <i>Peptides</i> , 2010, 31, 195-201.	1.2	37
2641	TGF- β 2 mediated FGF10 signaling in cranial neural crest cells controls development of myogenic progenitor cells through tissue-tissue interactions during tongue morphogenesis. <i>Developmental Biology</i> , 2010, 341, 186-195.	0.9	69
2642	Growth differentiation factor 11 signaling controls retinoic acid activity for axial vertebral development. <i>Developmental Biology</i> , 2010, 347, 195-203.	0.9	33
2643	Changes in the expression of the μ -opioid receptor in the mare oviduct during oestrus and anoestrus. <i>Animal Reproduction Science</i> , 2010, 119, 40-49.	0.5	9
2644	Transforming growth factor- β 2 (TGF β 2) and its signaling components in peri-ovulatory pig follicles. <i>Animal Reproduction Science</i> , 2010, 120, 84-94.	0.5	29
2645	Lung Organogenesis. <i>Current Topics in Developmental Biology</i> , 2010, 90, 73-158.	1.0	386
2646	Future Target Molecules in Antiglaucoma Therapy: TGF- β 2 May Have a Role to Play. <i>Ophthalmic Research</i> , 2010, 43, 1-10.	1.0	26

#	ARTICLE	IF	CITATIONS
2647	Potential Therapeutic Targets for Cardiac Fibrosis. <i>Circulation Research</i> , 2010, 106, 1675-1680.	2.0	604
2648	Biomaterials as Stem Cell Niche. <i>Studies in Mechanobiology, Tissue Engineering and Biomaterials</i> , 2010, , .	0.7	3
2651	NCAM-Induced Neurite Outgrowth Depends on Binding of Calmodulin to NCAM and on Nuclear Import of NCAM and fak Fragments. <i>Journal of Neuroscience</i> , 2010, 30, 10784-10798.	1.7	59
2652	Bench-to-bedside review: Glucose and stress conditions in the intensive care unit. <i>Critical Care</i> , 2010, 14, 231.	2.5	100
2653	Peptide ligands that use a novel binding site to target both TGF- β ² receptors. <i>Molecular BioSystems</i> , 2010, 6, 2392.	2.9	25
2654	Combinatorial Activin Receptor-Like Kinase/Smad and Basic Fibroblast Growth Factor Signals Stimulate the Differentiation of Human Embryonic Stem Cells into the Cardiac Lineage. <i>Stem Cells and Development</i> , 2011, 20, 1479-1490.	1.1	19
2655	Low Doses of Bone Morphogenetic Protein 4 Increase the Survival of Human Adipose-Derived Stem Cells Maintaining Their Stemness and Multipotency. <i>Stem Cells and Development</i> , 2011, 20, 1011-1019.	1.1	52
2656	Fibroblast abnormalities in the pathogenesis of systemic sclerosis. <i>Expert Review of Clinical Immunology</i> , 2011, 7, 491-498.	1.3	21
2657	Spatial control of cell fate using synthetic surfaces to potentiate TGF- β ² signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 11745-11750.	3.3	51
2658	Remyelination Is Altered by Bone Morphogenic Protein Signaling in Demyelinated Lesions. <i>Journal of Neuroscience</i> , 2011, 31, 4504-4510.	1.7	83
2659	Signaling Pathways and Axis Formation in the Lower Metazoa. <i>Current Topics in Developmental Biology</i> , 2011, 97, 137-177.	1.0	34
2660	Regulation of Orofacial Movement: Amino Acid Mechanisms and Mutant Models. <i>International Review of Neurobiology</i> , 2011, 97, 61-75.	0.9	6
2661	The pro-form of BMP-2 exhibits a delayed and reduced activity when compared to mature BMP-2. <i>Growth Factors</i> , 2011, 29, 63-71.	0.5	14
2662	New Insights into the Mechanism of Wnt Signaling Pathway Activation. <i>International Review of Cell and Molecular Biology</i> , 2011, 291, 21-71.	1.6	224
2664	Control of the Mesenchymal-Derived Cell Phenotype by Ski and Meox2: A Putative Mechanism for Postdevelopmental Phenoconversion. , 2011, , 29-42.		0
2665	Antagonism of Activin by Activin Chimeras. <i>Vitamins and Hormones</i> , 2011, 85, 105-128.	0.7	4
2666	Imaging Bone Morphogenetic Protein 7 Induced Cell Cycle Arrest in Experimental Gliomas. <i>Neoplasia</i> , 2011, 13, 276-IN22.	2.3	31
2667	Type III TGF- β ² Receptor Enhances Colon Cancer Cell Migration and Anchorage-Independent Growth. <i>Neoplasia</i> , 2011, 13, 758-IN28.	2.3	56

#	ARTICLE	IF	CITATIONS
2668	Heritability and mechanisms of n ³ long chain polyunsaturated fatty acid deposition in the flesh of Atlantic salmon. <i>Comparative Biochemistry and Physiology Part D: Genomics and Proteomics</i> , 2011, 6, 62-69.	0.4	45
2669	Modulation of YY1 and p53 expression by transforming growth factor- β 3 in prostate cell lines. <i>Cytokine</i> , 2011, 56, 403-410.	1.4	12
2670	TGF- β 1 inhibits the growth and metastasis of tongue squamous carcinoma cells through Smad4. <i>Gene</i> , 2011, 485, 160-166.	1.0	9
2671	Smad interacting protein 1 as a regulator of skin fibrosis in pathological scars. <i>Burns</i> , 2011, 37, 665-672.	1.1	32
2672	Transforming growth factor-beta2 utilizes the canonical Smad-signaling pathway to regulate tissue transglutaminase expression in human trabecular meshwork cells. <i>Experimental Eye Research</i> , 2011, 93, 442-451.	1.2	74
2673	Cleavage-resistant fusion proteins of the M2 muscarinic receptor and G α i1. Homotropic and heterotropic effects in the binding of ligands. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2011, 1810, 592-602.	1.1	2
2674	A physiologically-based kinetic model for the prediction of plasma cholesterol concentrations in the mouse. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2011, 1811, 333-342.	1.2	7
2675	Loss-of-function of ACVR1 in osteoblasts increases bone mass and activates canonical Wnt signaling through suppression of Wnt inhibitors SOST and DKK1. <i>Biochemical and Biophysical Research Communications</i> , 2011, 414, 326-330.	1.0	52
2676	Does TGF- β 2 induced formation of actin stress fibres reinforce Smad dependent TGF- β 2 signalling in the prostate?. <i>Medical Hypotheses</i> , 2011, 76, 802-804.	0.8	7
2677	Inhibition of transforming growth factor- β 2 restores endothelial thromboresistance in vein grafts. <i>Journal of Vascular Surgery</i> , 2011, 54, 1117-1123.e1.	0.6	12
2678	Estradiol modulates TGF- β 1 expression and its signaling pathway in thyroid stromal cells. <i>Molecular and Cellular Endocrinology</i> , 2011, 337, 71-79.	1.6	22
2679	The T β R-I Pre-Helix Extension Is Structurally Ordered in the Unbound Form and Its Flanking Prolines Are Essential for Binding. <i>Journal of Molecular Biology</i> , 2011, 412, 601-618.	2.0	20
2680	Essential roles of fibronectin in the development of the left-right embryonic body plan. <i>Developmental Biology</i> , 2011, 354, 208-220.	0.9	42
2681	Protective effects of bone morphogenetic protein 7 against amyloid-beta induced neurotoxicity in PC12 cells. <i>Neuroscience</i> , 2011, 184, 151-163.	1.1	26
2682	The specific linker phosphorylation of Smad2/3 indicates epithelial stem cells in stomach; particularly increasing in mucosae of Helicobacter-associated gastritis. <i>Journal of Gastroenterology</i> , 2011, 46, 456-468.	2.3	18
2683	TGF- β 1 Regulates Differentiation of Bone Marrow Mesenchymal Stem Cells. <i>Vitamins and Hormones</i> , 2011, 87, 127-141.	0.7	70
2684	Activin A Stimulates Mouse APCs to Express BAFF via ALK4-Smad3 Pathway. <i>Immune Network</i> , 2011, 11, 196.	1.6	6
2685	Knowledge Based Membrane Protein Structure Prediction: From X-Ray Crystallography to Bioinformatics and Back to Molecular Biology. , 0, , .		1

#	ARTICLE	IF	CITATIONS
2686	Endoglin-Targeted Cancer Therapy. <i>Current Drug Delivery</i> , 2011, 8, 135-143.	0.8	122
2687	Overexpression of Grb2-associated Binder 2 in Human Lung Cancer. <i>International Journal of Biological Sciences</i> , 2011, 7, 496-504.	2.6	33
2688	Oncogenic Signaling in Gastric Carcinoma. , 2011, , .		1
2689	Transcriptional Regulation of Acute Phase Protein Genes. , 0, , .		1
2690	New Aspects of Natural History and Pathogenicity of Hepadnaviral Infection and Hepatocyte Function Revealed by the Woodchuck Model of Hepatitis B. , 0, , .		0
2691	The Inter-Relationship of Periostin, TGF β 2, and BMP in Heart Valve Development and Valvular Heart Diseases. <i>Scientific World Journal</i> , The, 2011, 11, 1509-1524.	0.8	56
2692	Treatment of anemia in chronic kidney disease: known, unknown, and both. <i>Journal of Blood Medicine</i> , 2011, 2, 103.	0.7	2
2693	The role of angiogenic growth factors in organogenesis. <i>International Journal of Developmental Biology</i> , 2011, 55, 365-375.	0.3	49
2694	Multifaceted Role of Angiotensin II in Vascular Inflammation and Aortic Aneurysmal Disease. , 2011, , .		1
2695	Defective Osteogenic Differentiation in the Development of Osteosarcoma. <i>Sarcoma</i> , 2011, 2011, 1-12.	0.7	76
2696	Transforming Growth Factor-Beta Signaling in the Neural Stem Cell Niche: A Therapeutic Target for Huntington's Disease. <i>Neurology Research International</i> , 2011, 2011, 1-13.	0.5	38
2697	Inhibition of TGF- Signaling for the Treatment of Tumor Metastasis and Fibrotic Diseases. <i>Current Signal Transduction Therapy</i> , 2011, 6, 29-43.	0.3	3
2698	Striatal Signal Transduction and Drug Addiction. <i>Frontiers in Neuroanatomy</i> , 2011, 5, 60.	0.9	36
2699	Dopamine Modulates Spike Timing-Dependent Plasticity and Action Potential Properties in CA1 Pyramidal Neurons of Acute Rat Hippocampal Slices. <i>Frontiers in Synaptic Neuroscience</i> , 2011, 3, 6.	1.3	39
2700	Beta-Cell Function and Failure in Type 1 Diabetes. , 0, , .		6
2701	Thermodynamics of Ligand-Protein Interactions: Implications for Molecular Design. , 0, , .		17
2702	Growth Factors and their receptors in cancer metastases. <i>Frontiers in Bioscience - Landmark</i> , 2011, 16, 531.	3.0	37
2703	The Role of the p38 MAPK Signaling Pathway in High Glucose-Induced Epithelial-Mesenchymal Transition of Cultured Human Renal Tubular Epithelial Cells. <i>PLoS ONE</i> , 2011, 6, e22806.	1.1	102

#	ARTICLE	IF	CITATIONS
2704	Inhibition of TGF- β 2 Signaling and Decreased Apoptosis in IUGR-Associated Lung Disease in Rats. PLoS ONE, 2011, 6, e26371.	1.1	36
2705	Histologic Variations in Juvenile Polyp Phenotype Correlate With Genetic Defect Underlying Juvenile Polyposis. American Journal of Surgical Pathology, 2011, 35, 530-536.	2.1	34
2706	Cell Surface Receptors in Malignant Glioma. Neurosurgery, 2011, 69, 980-994.	0.6	7
2707	Structures of TGF- β Receptor Complexes: Implications for Function and Therapeutic Intervention Using Ligand Traps. Current Pharmaceutical Biotechnology, 2011, 12, 2081-2098.	0.9	18
2708	BMP-9 Induced Osteogenic Differentiation of Mesenchymal Stem Cells: Molecular Mechanism and Therapeutic Potential. Current Gene Therapy, 2011, 11, 229-240.	0.9	150
2709	Ubiquitination in Rho Signaling. Current Topics in Medicinal Chemistry, 2011, 11, 2879-2887.	1.0	35
2710	Modulation of TGF- β 2 signaling by endoglin in murine hemangioblast development and primitive hematopoiesis. Blood, 2011, 118, 88-97.	0.6	39
2711	Association of the transforming growth factor β 1 promoter polymorphism, C-509T, with smoking status and survival in advanced non-small cell lung cancer. Oncology Reports, 2011, 25, 377-82.	1.2	9
2712	Localization of Latent Transforming Growth Factor- β 1 Binding Protein-1 in Human Coronary Atherosclerotic Plaques. Circulation Journal, 2011, 75, 196-200.	0.7	5
2713	Elevated expression of transforming growth factor β 3 in carbon tetrachloride-treated rat liver and involvement of retinoid signaling. International Journal of Molecular Medicine, 2012, 29, 18-24.	1.8	5
2714	Quantitative analysis of transient and sustained transforming growth factor β 2 signaling dynamics. Molecular Systems Biology, 2011, 7, 492.	3.2	91
2715	The Role of Oocyte-Secreted Factors <i>GDF9</i> and <i>BMP15</i> in Follicular Development and Oogenesis. Reproduction in Domestic Animals, 2011, 46, 354-361.	0.6	124
2716	Disintegration of the medial epithelial seam: Is cell death important in palatogenesis?. Development Growth and Differentiation, 2011, 53, 259-268.	0.6	19
2717	Skin rejuvenating effects of chemical peeling: a study in photoaged hairless mice. International Journal of Dermatology, 2011, 50, 1075-1082.	0.5	14
2718	A novel 62-bp indel mutation in the promoter region of transforming growth factor-beta 2 (TGFB2) gene is associated with body weight in chickens. Animal Genetics, 2011, 42, 108-112.	0.6	28
2719	Transforming growth factor- β 2/Smad - signalling pathway and conjunctival remodelling in vernal keratoconjunctivitis. Clinical and Experimental Allergy, 2011, 41, 52-60.	1.4	29
2720	Discovery and development of avotermin (recombinant human transforming growth factor beta 3): A new class of prophylactic therapeutic for the improvement of scarring. Wound Repair and Regeneration, 2011, 19, s38-48.	1.5	68
2721	Transforming growth factor signalling: a common pathway in pulmonary arterial hypertension and systemic sclerosis. International Journal of Clinical Practice, 2011, 65, 35-43.	0.8	10

#	ARTICLE	IF	CITATIONS
2722	Insulin receptor substrate 2 and FoxO3a signalling are involved in E-cadherin expression and transforming growth factor- β 1-induced repression in kidney epithelial cells. FEBS Journal, 2011, 278, 3370-3380.	2.2	17
2723	Inhibiting scar formation <i>in vitro</i> and <i>in vivo</i> by adenovirus-mediated mutant Smad4: a preliminary report. Experimental Dermatology, 2011, 20, 119-124.	1.4	23
2724	Potent inhibition of heterotopic ossification by nuclear retinoic acid receptor- β 3 agonists. Nature Medicine, 2011, 17, 454-460.	15.2	276
2725	TGF- β 2 signalling is mediated by two autonomously functioning T β RI:T β RII pairs. EMBO Journal, 2011, 30, 1263-1276.	3.5	98
2726	Ablation of the decorin gene enhances experimental hepatic fibrosis and impairs hepatic healing in mice. Laboratory Investigation, 2011, 91, 439-451.	1.7	85
2727	The role of Smad signaling in hematopoiesis and translational hematology. Leukemia, 2011, 25, 1379-1388.	3.3	97
2728	TGF- β 1, EGF and FGF4 synergistically induce differentiation of the seminoma cell line TCam-2 into a cell type resembling mixed non-seminoma. Journal of Developmental and Physical Disabilities, 2011, 34, e189-203.	3.6	39
2729	Potential roles of recombinant acetylcholine receptor ϵ subunit 1 in immunoadsorbent and DNA immunization. Journal of Immunological Methods, 2011, 372, 14-21.	0.6	1
2730	The role of the microenvironment in tumor growth and invasion. Progress in Biophysics and Molecular Biology, 2011, 106, 353-379.	1.4	145
2731	Apoptotic role of TGF- β 2 mediated by Smad4 mitochondria translocation and cytochrome c oxidase subunit II interaction. Experimental Cell Research, 2011, 317, 1608-1620.	1.2	28
2732	The neurobiology of pair bonding: Insights from a socially monogamous rodent. Frontiers in Neuroendocrinology, 2011, 32, 53-69.	2.5	307
2733	Protective effects of Chlorella-derived peptide on UVB-induced production of MMP-1 and degradation of procollagen genes in human skin fibroblasts. Regulatory Toxicology and Pharmacology, 2011, 60, 112-119.	1.3	65
2734	A study of Smad4, Smad6 and Smad7 in Surgically Resected Samples of Pancreatic Ductal Adenocarcinoma and Their Correlation with Clinicopathological Parameters and Patient Survival. BMC Research Notes, 2011, 4, 560.	0.6	12
2735	Modeling formalisms in Systems Biology. AMB Express, 2011, 1, 45.	1.4	139
2736	Palm oil tocotrienol rich fraction reduces extracellular matrix production by inhibiting transforming growth factor- β 1 in human intestinal fibroblasts. Clinical Nutrition, 2011, 30, 858-864.	2.3	10
2737	A novel synthetic compound PHID (8-Phenyl-6a, 7, 8, 9, 9a, 10-hexahydro-6H-isoindolo [5, 6-g]) Tj ETQq1 1 0.784314 rgBT /Overlock of reactive oxygen species generation and JNK signaling. European Journal of Pharmacology, 2011, 650, 48-57.	1.7	9
2738	Therapeutic effects of SMND-309, a new metabolite of salvianolic acid B, on experimental liver fibrosis. European Journal of Pharmacology, 2011, 650, 390-395.	1.7	21
2739	β 3-Tocotrienol induces growth arrest through a novel pathway with TGF- β 2 in prostate cancer. Free Radical Biology and Medicine, 2011, 50, 1344-1354.	1.3	44

#	ARTICLE	IF	CITATIONS
2740	Nuclear β -adrenergic receptors modulate gene expression in adult rat heart. <i>Cellular Signalling</i> , 2011, 23, 89-98.	1.7	65
2741	Transforming growth factor- β and the hallmarks of cancer. <i>Cellular Signalling</i> , 2011, 23, 951-962.	1.7	218
2742	Homomeric and heteromeric complexes among TGF- β and BMP receptors and their roles in signaling. <i>Cellular Signalling</i> , 2011, 23, 1424-1432.	1.7	76
2743	Odontogenic ameloblasts-associated protein (ODAM), via phosphorylation by bone morphogenetic protein receptor type IB (BMPRI-B), is implicated in ameloblast differentiation. <i>Journal of Cellular Biochemistry</i> , 2011, 113, n/a-n/a.	1.2	17
2744	Localization of Smad4 in the ovary of the European hedgehog (<i>Erinaceus europaeus</i> L.). <i>Acta Histochemica</i> , 2011, 113, 382-386.	0.9	3
2745	Expression of growth differentiation factor 9 (GDF9) and its receptor in adult cat testis. <i>Acta Histochemica</i> , 2011, 113, 771-776.	0.9	15
2746	Wnt5a as an Effector of TGF- β in Mammary Development and Cancer. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2011, 16, 157-167.	1.0	45
2747	Noncanonical TGF- β Signaling During Mammary Tumorigenesis. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2011, 16, 127-146.	1.0	103
2748	Novelty of Axin 2 and lack of Axin 1 gene mutation in colorectal cancer: a study in Kashmiri population. <i>Molecular and Cellular Biochemistry</i> , 2011, 355, 149-155.	1.4	21
2749	SMAD4 protein expression and cell proliferation in colorectal adenocarcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 459, 511-519.	1.4	7
2750	Nutritional supplementation with transforming growth factor-beta inhibits intestinal adaptation after massive small bowel resection in a rat. <i>Pediatric Surgery International</i> , 2011, 27, 211-216.	0.6	8
2751	Bridge-1 is expressed in human breast carcinomas: silencing of Bridge-1 decreases Smad2, Smad3 and Smad4 expression in MCF-7 cells, a human breast cancer cell line. <i>Archives of Gynecology and Obstetrics</i> , 2011, 284, 1543-1549.	0.8	5
2752	TGF- β 1 Stimulates Mouse Macrophages to Express APRIL through Smad and p38MAPK/CREB Pathways. <i>Molecules and Cells</i> , 2011, 32, 251-256.	1.0	10
2753	Cytokine networks in glioma. <i>Neurosurgical Review</i> , 2011, 34, 253-264.	1.2	44
2754	CD8 Co-receptor promotes susceptibility of CD8+ T cells to transforming growth factor- β (TGF- β)-mediated suppression. <i>Cancer Immunology, Immunotherapy</i> , 2011, 60, 291-297.	2.0	13
2755	Smad linker region phosphorylation in the regulation of extracellular matrix synthesis. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 97-107.	2.4	61
2756	Diversity of axin in signaling pathways and its relation to colorectal cancer. <i>Medical Oncology</i> , 2011, 28, 259-267.	1.2	16
2757	Biological Features of Human Bone Marrow Stromal Cells (hBMSC) Cultured with Animal Protein-Free Mediumâ€”Safety and Efficacy of Clinical Use for Neurotransplantation. <i>Translational Stroke Research</i> , 2011, 2, 307-315.	2.3	23

#	ARTICLE	IF	CITATIONS
2758	Partners in crime: the TGF β 2 and MAPK pathways in cancer progression. <i>Cell and Bioscience</i> , 2011, 1, 42.	2.1	80
2759	Unraveling the biological functions of Smad7 with mouse models. <i>Cell and Bioscience</i> , 2011, 1, 44.	2.1	20
2760	Purification, crystallization and preliminary data analysis of the ligand-receptor complex of the growth and differentiation factor 5 variant R57A (GDF5R57A) and BMP receptor IA (BR1A). <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2011, 67, 551-555.	0.7	2
2761	Supplementation with a Flavonol-rich Lychee Fruit Extract Influences the Inflammatory Status of Young Athletes. <i>Phytotherapy Research</i> , 2011, 25, 1486-1493.	2.8	32
2762	The relationship between the Wnt/ β -catenin and TGF β 2/BMP signals in the intervertebral disc cell. <i>Journal of Cellular Physiology</i> , 2011, 226, 1139-1148.	2.0	59
2763	Mechanisms of transforming growth factor β 2 induced cell cycle arrest in palate development. <i>Journal of Cellular Physiology</i> , 2011, 226, 1415-1424.	2.0	44
2764	Sorafenib inhibits transforming growth factor β 2-Mediated Epithelial-Mesenchymal Transition and apoptosis in mouse hepatocytes. <i>Hepatology</i> , 2011, 53, 1708-1718.	3.6	88
2765	Oncogenic Smad3 signaling induced by chronic inflammation is an early event in ulcerative colitis-associated carcinogenesis. <i>Inflammatory Bowel Diseases</i> , 2011, 17, 683-695.	0.9	33
2766	Smad6 is essential to limit BMP signaling during cartilage development. <i>Journal of Bone and Mineral Research</i> , 2011, 26, 2498-2510.	3.1	60
2767	Molecular mediators involved in <i>Ferulago campestris</i> essential oil effects on osteoblast metabolism. <i>Journal of Cellular Biochemistry</i> , 2011, 112, 3742-3754.	1.2	14
2768	The Kinases MEKK2 and MEKK3 Regulate Transforming Growth Factor- β 2-Mediated Helper T Cell Differentiation. <i>Immunity</i> , 2011, 34, 201-212.	6.6	48
2769	SMAD7 and MGMT genotype variants and cancer incidence in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Norfolk Study. <i>Cancer Epidemiology</i> , 2011, 35, 369-374.	0.8	17
2770	A mechanism by which dietary trans fats cause atherosclerosis. <i>Journal of Nutritional Biochemistry</i> , 2011, 22, 649-655.	1.9	31
2771	Senataxin modulates neurite growth through fibroblast growth factor 8 signalling. <i>Brain</i> , 2011, 134, 1808-1828.	3.7	28
2772	Epithelial BMP signaling is required for proper specification of epithelial cell lineages and gastric endocrine cells. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, G1065-G1079.	1.6	39
2773	Intracrine Signaling Mechanisms of Activin A and TGF- β 2. <i>Vitamins and Hormones</i> , 2011, 85, 59-77.	0.7	17
2774	Erythropoietin improves skin wound healing and activates the TGF- β 2 signaling pathway. <i>Laboratory Investigation</i> , 2011, 91, 1753-1765.	1.7	38
2775	Laminins, via heparan sulfate proteoglycans, participate in zebrafish myotome morphogenesis by modulating the pattern of Bmp responsiveness. <i>Development (Cambridge)</i> , 2011, 138, 97-106.	1.2	44

#	ARTICLE	IF	CITATIONS
2776	TGF- β 2 Inhibits Muscle Differentiation by Blocking Autocrine Signaling Pathways Initiated by IGF-II. <i>Molecular Endocrinology</i> , 2011, 25, 128-137.	3.7	33
2777	Highly Specialized Role of Forkhead Box O Transcription Factors in the Immune System. <i>Antioxidants and Redox Signaling</i> , 2011, 14, 663-674.	2.5	73
2778	Dynamic expression of bone morphogenetic protein 4 in reproductive organs of female mice. <i>Reproduction</i> , 2011, 142, 573-579.	1.1	27
2779	The lens as a model for fibrotic disease. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2011, 366, 1301-1319.	1.8	95
2780	Lung-Cancer Chemoprevention by Induction of Synthetic Lethality in Mutant <i>KRAS</i> Premalignant Cells <i>In Vitro</i> and <i>In Vivo</i> . <i>Cancer Prevention Research</i> , 2011, 4, 666-673.	0.7	22
2781	SMAD signaling drives heart and muscle dysfunction in a <i>Drosophila</i> model of muscular dystrophy. <i>Human Molecular Genetics</i> , 2011, 20, 894-904.	1.4	35
2782	Bone morphogenetic protein-7 expression is down-regulated in human clear cell renal carcinoma. <i>Journal of Nephrology</i> , 2011, 24, 91-97.	0.9	7
2783	Distribution of prolific Garole sheep in West Bengal, India. <i>Animal Genetic Resources = Ressources Genetiques Animales = Recursos Geneticos Animales</i> , 2011, 48, 29-35.	0.2	2
2784	Structural basis for the cooperative DNA recognition by Smad4 MH1 dimers. <i>Nucleic Acids Research</i> , 2011, 39, 8213-8222.	6.5	34
2785	Rapid differential transport of Nodal and Lefty on sulfated proteoglycan-rich extracellular matrix regulates left-right asymmetry in <i>Xenopus</i> . <i>Development (Cambridge)</i> , 2011, 138, 475-485.	1.2	53
2786	The Molecular Basis of Sarcoma. <i>Sarcoma</i> , 2011, 2011, 1-3.	0.7	2
2787	TGF- β 2-induced Early Activation of the Small GTPase RhoA is Smad2/3-independent and Involves Src and the Guanine Nucleotide Exchange Factor Vav2. <i>Cellular Physiology and Biochemistry</i> , 2011, 28, 229-238.	1.1	20
2788	Smad2 Protein Disruption in the Central Nervous System Leads to Aberrant Cerebellar Development and Early Postnatal Ataxia in Mice. <i>Journal of Biological Chemistry</i> , 2011, 286, 18766-18774.	1.6	16
2789	Smad7: not only a regulator, but also a cross-talk mediator of TGF- β 2 signalling. <i>Biochemical Journal</i> , 2011, 434, 1-10.	1.7	187
2790	Foxp3+-Inducible Regulatory T Cells Suppress Endothelial Activation and Leukocyte Recruitment. <i>Journal of Immunology</i> , 2011, 187, 3521-3529.	0.4	60
2791	Sex in Schistosomes – Signaling Mechanisms in the Female Gonads. , 2011, , 181-200.		0
2792	Formation of Stable Homomeric and Transient Heteromeric Bone Morphogenetic Protein (BMP) Receptor Complexes Regulates Smad Protein Signaling. <i>Journal of Biological Chemistry</i> , 2011, 286, 19287-19296.	1.6	32
2793	Smad-mediated miRNA processing. <i>RNA Biology</i> , 2011, 8, 71-76.	1.5	32

#	ARTICLE	IF	CITATIONS
2794	Steroidogenic Factor-1 Is Required for TGF- β 3-Mediated 17 β -Estradiol Synthesis in Mouse Ovarian Granulosa Cells. <i>Endocrinology</i> , 2011, 152, 3213-3225.	1.4	34
2795	TGF β 2 superfamily signaling in the neural crest lineage. <i>Cell Adhesion and Migration</i> , 2011, 5, 232-236.	1.1	12
2796	Transforming Growth Factor- β 2. <i>Circulation: Heart Failure</i> , 2011, 4, 5-7.	1.6	32
2797	Smad4 Inactivation Promotes Malignancy and Drug Resistance of Colon Cancer. <i>Cancer Research</i> , 2011, 71, 998-1008.	0.4	170
2798	Proper formation of whisker barrettes requires periphery-derived Smad4-dependent TGF- β 2 signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 3395-3400.	3.3	64
2799	Histone 3 Lysine 9 (H3K9) Methyltransferase Recruitment to the Interleukin-2 (IL-2) Promoter Is a Mechanism of Suppression of IL-2 Transcription by the Transforming Growth Factor- β 2-Smad Pathway. <i>Journal of Biological Chemistry</i> , 2011, 286, 35456-35465.	1.6	37
2800	TRB3 interacts with SMAD3 promoting tumor cell migration and invasion. <i>Journal of Cell Science</i> , 2011, 124, 3235-3246.	1.2	117
2801	dickkopf-3-related Gene Regulates the Expression of Zebrafish myf5 Gene through Phosphorylated p38a-dependent Smad4 Activity. <i>Journal of Biological Chemistry</i> , 2011, 286, 6855-6864.	1.6	17
2802	Conditional Activin Receptor Type 1B (Acvr1b) Knockout Mice Reveal Hair Loss Abnormality. <i>Journal of Investigative Dermatology</i> , 2011, 131, 1067-1076.	0.3	43
2803	Growth differentiation factor 15 deficiency protects against atherosclerosis by attenuating CCR2-mediated macrophage chemotaxis. <i>Journal of Experimental Medicine</i> , 2011, 208, 217-225.	4.2	168
2804	TAK1 β TAB2 Signaling Contributes to Bone Destruction by Breast Carcinoma Cells. <i>Molecular Cancer Research</i> , 2011, 9, 1042-1053.	1.5	34
2805	Construction and Antiapoptosis Activities of Recombinant Adenoviral Expression Vector Carrying EBV Latent Membrane Protein 2A. <i>Gastroenterology Research and Practice</i> , 2011, 2011, 1-7.	0.7	12
2806	Smad phosphoisoform signaling specificity: the right place at the right time. <i>Carcinogenesis</i> , 2011, 32, 1578-1588.	1.3	98
2807	Antifibrotic Effects of Smad4 Small Interfering RNAs in Injured Skeletal Muscle After Acute Contusion. <i>International Journal of Sports Medicine</i> , 2011, 32, 735-742.	0.8	14
2808	Loss of Smad5 leads to the disassembly of the apical junctional complex and increased susceptibility to experimental colitis. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, G586-G597.	1.6	24
2809	Transforming Growth Factor β 2 Receptor Type 1 Is Essential for Female Reproductive Tract Integrity and Function. <i>PLoS Genetics</i> , 2011, 7, e1002320.	1.5	94
2810	The Smad family and its role in pancreatic cancer. <i>Indian Journal of Cancer</i> , 2011, 48, 351.	0.2	39
2811	Trapping of BMP receptors in distinct membrane domains inhibits their function in pulmonary arterial hypertension. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2011, 301, L218-L227.	1.3	17

#	ARTICLE	IF	CITATIONS
2812	On the existence and function of galanin receptor heteromers in the central nervous system. <i>Frontiers in Endocrinology</i> , 2012, 3, 127.	1.5	57
2813	ROS-talk – how the apoplast, the chloroplast, and the nucleus get the message through. <i>Frontiers in Plant Science</i> , 2012, 3, 292.	1.7	218
2814	Modulation of Ionotropic Glutamate Receptors and Acid-Sensing Ion Channels by Nitric Oxide. <i>Frontiers in Physiology</i> , 2012, 3, 164.	1.3	23
2815	ECM stiffness primes the TGF β 2 pathway to promote chondrocyte differentiation. <i>Molecular Biology of the Cell</i> , 2012, 23, 3731-3742.	0.9	173
2816	Genetic deficiency of Smad3 protects the kidneys from atrophy and interstitial fibrosis in 2K1C hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, F1455-F1464.	1.3	50
2817	PBC: Animal Models of Cholangiopathies and Possible Endogenous Viral Infections. <i>International Journal of Hepatology</i> , 2012, 2012, 1-6.	0.4	4
2818	Crossing Paths in Human Renal Cell Carcinoma (hRCC). <i>International Journal of Molecular Sciences</i> , 2012, 13, 12710-12733.	1.8	4
2819	Extrasynaptic Neurotransmission in the Modulation of Brain Function. Focus on the Striatal Neuronal – Glial Networks. <i>Frontiers in Physiology</i> , 2012, 3, 136.	1.3	67
2820	Receptor Oligomerization in Family B1 of G-Protein-Coupled Receptors: Focus on BRET Investigations and the Link between GPCR Oligomerization and Binding Cooperativity. <i>Frontiers in Endocrinology</i> , 2012, 3, 62.	1.5	31
2821	Modulation of myocardial contraction by peroxynitrite. <i>Frontiers in Physiology</i> , 2012, 3, 468.	1.3	15
2822	The Effect of Vitamin D on Expression of TGF β 1 in Ovary. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012, 120, 494-493.	0.6	12
2823	The interplay between autophagy and ROS in tumorigenesis. <i>Frontiers in Oncology</i> , 2012, 2, 171.	1.3	153
2824	The genetic pleiotropy of musculoskeletal aging. <i>Frontiers in Physiology</i> , 2012, 3, 303.	1.3	33
2825	Kaposi's Sarcoma-Associated Herpesvirus-Encoded MicroRNA miR-K12-11 Attenuates Transforming Growth Factor Beta Signaling through Suppression of SMAD5. <i>Journal of Virology</i> , 2012, 86, 1372-1381.	1.5	86
2826	The Internal Region Leucine-rich Repeat 6 of Decorin Interacts with Low Density Lipoprotein Receptor-related Protein-1, Modulates Transforming Growth Factor (TGF)- β 2-dependent Signaling, and Inhibits TGF- β 2-dependent Fibrotic Response in Skeletal Muscles. <i>Journal of Biological Chemistry</i> , 2012, 287, 6773-6787.	1.6	60
2827	Structure, Regulation, Signaling, and Targeting of Abl Kinases in Cancer. <i>Genes and Cancer</i> , 2012, 3, 436-446.	0.6	108
2828	miR-26a is required for skeletal muscle differentiation and regeneration in mice. <i>Genes and Development</i> , 2012, 26, 2180-2191.	2.7	200
2829	TGF β 2RIIb Mutations Trigger Aortic Aneurysm Pathogenesis by Altering Transforming Growth Factor β 2 Signal Transduction. <i>Circulation: Cardiovascular Genetics</i> , 2012, 5, 621-629.	5.1	17

#	ARTICLE	IF	CITATIONS
2830	Protein Degradation by the Ubiquitin-Proteasome Pathway and Organ Fibrosis. <i>Current Medicinal Chemistry</i> , 2012, 19, 893-900.	1.2	11
2831	Transforming Growth Factor- β 2 Evokes Ca^{2+} Waves and Enhances Gene Expression in Human Pulmonary Fibroblasts. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2012, 46, 757-764.	1.4	66
2832	Müllerian Inhibiting Substance Recruits ALK3 to Regulate Leydig Cell Differentiation. <i>Endocrinology</i> , 2012, 153, 4929-4937.	1.4	11
2833	Outline of Proteins and Signaling Pathways Involved in Heart Failure. <i>Current Protein and Peptide Science</i> , 2012, 13, 682-686.	0.7	0
2834	Relaxin ameliorates salt-sensitive hypertension and renal fibrosis. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2190-2197.	0.4	35
2835	Epigenomic Silencing of the BMP-4 Gene in Pituitary Adenomas: A Potential Target for Epidrug-Induced Re-expression. <i>Endocrinology</i> , 2012, 153, 3603-3612.	1.4	28
2836	Src Points the Way to Biomarkers and Chemotherapeutic Targets. <i>Genes and Cancer</i> , 2012, 3, 426-435.	0.6	18
2837	Reduced Endoglin Activity Limits Cardiac Fibrosis and Improves Survival in Heart Failure. <i>Circulation</i> , 2012, 125, 2728-2738.	1.6	97
2838	PICK1 promotes caveolin-dependent degradation of TGF- β 2 type I receptor. <i>Cell Research</i> , 2012, 22, 1467-1478.	5.7	49
2839	Interaction Between Smad1 and p97/VCP in Rat Testis and Epididymis During the Postnatal Development. <i>Reproductive Sciences</i> , 2012, 19, 190-201.	1.1	9
2840	Activation of Farnesoid X Receptor Increases the Expression of Cytokine Inducible SH2-Containing Protein in HepG2 Cells. <i>Journal of Interferon and Cytokine Research</i> , 2012, 32, 517-523.	0.5	5
2841	Nuclear Smad7 Overexpressed in Mesenchymal Cells Acts as a Transcriptional Corepressor by Interacting with HDAC-1 and E2F to Regulate Cell Cycle. <i>Biology Open</i> , 2012, 1, 247-260.	0.6	14
2842	Klotho Coreceptors Inhibit Signaling by Paracrine Fibroblast Growth Factor 8 Subfamily Ligands. <i>Molecular and Cellular Biology</i> , 2012, 32, 1944-1954.	1.1	74
2843	LRP1-Dependent Endocytic Mechanism Governs the Signaling Output of the Bmp System in Endothelial Cells and in Angiogenesis. <i>Circulation Research</i> , 2012, 111, 564-574.	2.0	63
2844	Engulfment Protein GULP Is Regulator of Transforming Growth Factor- β 2 Response in Ovarian Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 20636-20651.	1.6	17
2845	USP11 augments TGF- β 2 signalling by deubiquitylating ALK5. <i>Open Biology</i> , 2012, 2, 120063.	1.5	100
2846	Activation of MAPK/PI3K/SMAD Pathways by TGF- β 1 Controls Differentiation of Radial Glia into Astrocytes in vitro. <i>Developmental Neuroscience</i> , 2012, 34, 68-81.	1.0	55
2847	The effects of FSH and activin A on follicle development in vitro. <i>Reproduction</i> , 2012, 143, 221-229.	1.1	44

#	ARTICLE	IF	CITATIONS
2848	Decorinâ€™TGFÎ² Axis in Hepatic Fibrosis and Cirrhosis. <i>Journal of Histochemistry and Cytochemistry</i> , 2012, 60, 262-268.	1.3	142
2849	The voyage of stem cell toward terminal differentiation: a brief overview. <i>Acta Biochimica Et Biophysica Sinica</i> , 2012, 44, 463-475.	0.9	16
2850	The Molecular Genetics and Cellular Mechanisms Underlying Pulmonary Arterial Hypertension. <i>Scientifica</i> , 2012, 2012, 1-17.	0.6	12
2851	Bone Morphogenetic Proteins in Craniofacial Surgery: Current Techniques, Clinical Experiences, and the Future of Personalized Stem Cell Therapy. <i>Journal of Biomedicine and Biotechnology</i> , 2012, 2012, 1-14.	3.0	50
2852	Synthesis and biological actions of diphosphoinositol phosphates (inositol pyrophosphates), regulators of cell homeostasis. <i>Biological Chemistry</i> , 2012, 393, 979-998.	1.2	73
2853	Requirements of transcription factor Smad-dependent and -independent TGF-Î² signaling to control discrete T-cell functions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 905-910.	3.3	111
2854	Coated Pit-mediated Endocytosis of the Type I Transforming Growth Factor-Î² (TGF-Î²) Receptor Depends on a Di-leucine Family Signal and Is Not Required for Signaling. <i>Journal of Biological Chemistry</i> , 2012, 287, 26876-26889.	1.6	23
2855	Specificity and Structure of a High Affinity Activin Receptor-like Kinase 1 (ALK1) Signaling Complex. <i>Journal of Biological Chemistry</i> , 2012, 287, 27313-27325.	1.6	148
2856	Tollip, an Intracellular Trafficking Protein, Is a Novel Modulator of the Transforming Growth Factor-Î² Signaling Pathway. <i>Journal of Biological Chemistry</i> , 2012, 287, 39653-39663.	1.6	69
2857	Matrix control of transforming growth factor-Î² function. <i>Journal of Biochemistry</i> , 2012, 152, 321-329.	0.9	224
2858	Salinity- and population-dependent genome regulatory response during osmotic acclimation in the killifish (<i>Fundulus heteroclitus</i>) gill. <i>Journal of Experimental Biology</i> , 2012, 215, 1293-1305.	0.8	97
2859	TGF-Î² Affects Enterocyte Turnover in Correlation With TGF-Î² Receptor Expression After Massive Small Bowel Resection. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012, 55, 721-727.	0.9	5
2860	Losartan Enhances the Success of Myoblast Transplantation. <i>Cell Transplantation</i> , 2012, 21, 139-152.	1.2	29
2861	A critical role for endoglin in the emergence of blood during embryonic development. <i>Blood</i> , 2012, 119, 5417-5428.	0.6	36
2862	Smad7 inhibits differentiation and mineralization of mouse osteoblastic cells. <i>Endocrine Journal</i> , 2012, 59, 653-662.	0.7	38
2863	Bone Morphogenetic Protein-2-Induced Signaling and Osteogenesis Is Regulated by Cell Shape, RhoA/ROCK, and Cytoskeletal Tension. <i>Stem Cells and Development</i> , 2012, 21, 1176-1186.	1.1	211
2864	A Covalently Dimerized Recombinant Human Bone Morphogenetic Protein-15 Variant Identifies Bone Morphogenetic Protein Receptor Type 1B as a Key Cell Surface Receptor on Ovarian Granulosa Cells. <i>Endocrinology</i> , 2012, 153, 1509-1518.	1.4	42
2865	A Sparse Update Method for Solving Underdetermined Systems of Nonlinear Equations Applied to the Manipulation of Biological Signaling Pathways. <i>SIAM Journal on Applied Mathematics</i> , 2012, 72, 982-1001.	0.8	5

#	ARTICLE	IF	CITATIONS
2866	Glutamine depletion and glucose depletion trigger growth inhibition via distinctive gene expression reprogramming. <i>Cell Cycle</i> , 2012, 11, 3679-3690.	1.3	43
2867	Embryonic Stem Cell Markers. <i>Molecules</i> , 2012, 17, 6196-6236.	1.7	157
2868	Transforming Growth Factor β 2 Suppresses Osteoblast Differentiation via the Vimentin Activating Transcription Factor 4 (ATF4) Axis. <i>Journal of Biological Chemistry</i> , 2012, 287, 35975-35984.	1.6	57
2869	Signaling Mechanisms Controlling Cell Fate and Embryonic Patterning. <i>Cold Spring Harbor Perspectives in Biology</i> , 2012, 4, a005975-a005975.	2.3	319
2870	The role of the ubiquitin-proteasome system in kidney diseases. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 507-517.	0.7	22
2871	Effect of endoglin overexpression during embryoid body development. <i>Experimental Hematology</i> , 2012, 40, 837-846.	0.2	16
2872	The peripheral sensory nervous system in the vertebrate head: A gene regulatory perspective. <i>Developmental Biology</i> , 2012, 370, 3-23.	0.9	139
2873	Vitamin D Regulates Anti-Mullerian Hormone Expression in Granulosa Cells of the Hen1. <i>Biology of Reproduction</i> , 2012, 86, 91.	1.2	88
2874	TGF- β 2 Signaling via TAK1 Pathway: Role in Kidney Fibrosis. <i>Seminars in Nephrology</i> , 2012, 32, 244-252.	0.6	112
2875	MicroRNA miR-146b-5p regulates signal transduction of TGF- β 2 by repressing SMAD4 in thyroid cancer. <i>Oncogene</i> , 2012, 31, 1910-1922.	2.6	182
2876	Akt/PKB-Mediated Phosphorylation of Twist1 Promotes Tumor Metastasis via Mediating Cross-Talk between PI3K/Akt and TGF- β 2 Signaling Axes. <i>Cancer Discovery</i> , 2012, 2, 248-259.	7.7	182
2877	A novel human Smad4 mutation is involved in papillary thyroid carcinoma progression. <i>Endocrine-Related Cancer</i> , 2012, 19, 39-55.	1.6	22
2878	Cell-type specific regulation of myostatin signaling. <i>FASEB Journal</i> , 2012, 26, 1462-1472.	0.2	57
2879	Regulation of the transforming growth factor β 2 pathway by reversible ubiquitylation. <i>Open Biology</i> , 2012, 2, 120082.	1.5	22
2880	Chemical and Biological Properties of Frequent Screening Hits. <i>Journal of Chemical Information and Modeling</i> , 2012, 52, 913-926.	2.5	20
2881	A Host-Guest Relationship in Bone Morphogenetic Protein Receptor-II Defines Specificity in Ligand-Receptor Recognition. <i>Biochemistry</i> , 2012, 51, 6968-6980.	1.2	7
2882	TGF- β 2 is responsible for NK cell immaturity during ontogeny and increased susceptibility to infection during mouse infancy. <i>Nature Immunology</i> , 2012, 13, 843-850.	7.0	113
2883	Levels of mRNA for bone morphogenetic proteins, their receptors and SMADs in goat ovarian follicles grown in vivo and in vitro. <i>Reproduction, Fertility and Development</i> , 2012, 24, 723.	0.1	17

#	ARTICLE	IF	CITATIONS
2884	Receptor Kinase Interactions: Complexity of Signalling. <i>Signaling and Communication in Plants</i> , 2012, , 145-172.	0.5	3
2885	Human hematopoietic stem/progenitor cells overexpressing Smad4 exhibit impaired reconstitution potential in vivo. <i>Blood</i> , 2012, 120, 4343-4351.	0.6	16
2886	Bone Marrow-Derived Mesenchymal Stem Cells Differentiate to Hepatic Myofibroblasts by Transforming Growth Factor- β 1 via Sphingosine Kinase/Sphingosine 1-Phosphate (S1P)/S1P Receptor Axis. <i>American Journal of Pathology</i> , 2012, 181, 85-97.	1.9	86
2887	Germline Mutations in SMAD4 Disrupt Bone Morphogenetic Protein Signaling. <i>Journal of Surgical Research</i> , 2012, 174, 211-214.	0.8	12
2888	Drugs of the future for Peyronie's disease. <i>Medical Hypotheses</i> , 2012, 78, 305-311.	0.8	7
2889	Effects of bone morphogenetic protein 2 on human umbilical vein endothelial cells. <i>Microvascular Research</i> , 2012, 84, 81-85.	1.1	60
2890	SPARC expression induces cell cycle arrest via STAT3 signaling pathway in medulloblastoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2012, 417, 874-879.	1.0	24
2891	Smad7 sensitizes A549 lung cancer cells to cisplatin-induced apoptosis through heme oxygenase-1 inhibition. <i>Biochemical and Biophysical Research Communications</i> , 2012, 420, 288-292.	1.0	25
2892	TGF-beta signalling in colon carcinogenesis. <i>Cancer Letters</i> , 2012, 314, 1-7.	3.2	123
2893	Reduction of chronic graft injury with a new HTK-based preservation solution in a murine heart transplantation model. <i>Cryobiology</i> , 2012, 64, 273-278.	0.3	8
2894	Cloning and expression analysis of the transforming growth factor-beta receptors type 1 and 2 in the rainbow trout <i>Oncorhynchus mykiss</i> . <i>Developmental and Comparative Immunology</i> , 2012, 37, 115-126.	1.0	14
2895	Cytokine Therapy. <i>Advances in Experimental Medicine and Biology</i> , 2012, 746, 86-94.	0.8	11
2896	Using Gene Expression to Predict Differences in the Secretome of Human Omental vs. Subcutaneous Adipose Tissue. <i>Obesity</i> , 2012, 20, 1158-1167.	1.5	41
2897	Regulation of the ovarian reserve by members of the transforming growth factor beta family. <i>Molecular Reproduction and Development</i> , 2012, 79, 666-679.	1.0	67
2898	Ingredients of Huangqi decoction slow biliary fibrosis progression by inhibiting the activation of the transforming growth factor-beta signaling pathway. <i>BMC Complementary and Alternative Medicine</i> , 2012, 12, 33.	3.7	38
2899	Quantification of active and total transforming growth factor- β 2 levels in serum and solid organ tissues by bioassay. <i>BMC Research Notes</i> , 2012, 5, 636.	0.6	67
2900	Oxymatrine inhibits collagen synthesis in keloid fibroblasts via inhibition of transforming growth factor- β 1/Smad signaling pathway. <i>International Journal of Dermatology</i> , 2012, 51, 463-472.	0.5	27
2901	An inhibitor of transforming growth factor beta type I receptor ameliorates muscle atrophy in a mouse model of caveolin 3-deficient muscular dystrophy. <i>Laboratory Investigation</i> , 2012, 92, 1100-1114.	1.7	31

#	ARTICLE	IF	CITATIONS
2902	Developmental pathways in colon cancer. <i>Cell Cycle</i> , 2012, 11, 4344-4351.	1.3	167
2903	Bone Morphogenic Protein: An Elixir for Bone Grafting—A Review. <i>Journal of Oral Implantology</i> , 2012, 38, 767-778.	0.4	11
2904	Mesenchymal stem cells attenuate vascular remodeling in monocrotaline-induced pulmonary hypertension rats. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2012, 32, 810-817.	1.0	12
2905	Microbes-induced EMT at the crossroad of inflammation and cancer. <i>Gut Microbes</i> , 2012, 3, 176-185.	4.3	71
2906	Phospho-specific Smad3 signaling. <i>Cell Cycle</i> , 2012, 11, 2443-2451.	1.3	63
2907	The retinoic acid-induced up-regulation of insulin-like growth factor 1 and 2 is associated with prolyase-dependent collagen synthesis in UVA-irradiated human dermal equivalents. <i>Journal of Dermatological Science</i> , 2012, 66, 51-59.	1.0	18
2908	Myostatin facilitates slow and inhibits fast myosin heavy chain expression during myogenic differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2012, 426, 83-88.	1.0	76
2909	TGF- β 1-mediated Apoptosis Associated With SMAD-dependent Mitochondrial Bcl-2 Expression. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2012, 12, 138-143.	0.2	25
2910	Regulation of cnidarian–dinoflagellate mutualisms: Evidence that activation of a host TGF β 2 innate immune pathway promotes tolerance of the symbiont. <i>Developmental and Comparative Immunology</i> , 2012, 38, 525-537.	1.0	79
2911	Structural Basis for the Versatile Interactions of Smad7 with Regulator WW Domains in TGF β 2 Pathways. <i>Structure</i> , 2012, 20, 1726-1736.	1.6	93
2912	TGF β 2-activated kinase-1: New insights into the mechanism of TGF β 2 signaling and kidney disease. <i>Kidney Research and Clinical Practice</i> , 2012, 31, 94-105.	0.9	68
2913	Structure of the Alk1 Extracellular Domain and Characterization of Its Bone Morphogenetic Protein (BMP) Binding Properties. <i>Biochemistry</i> , 2012, 51, 6328-6341.	1.2	35
2914	Growth factor signaling in metastasis: current understanding and future opportunities. <i>Cancer and Metastasis Reviews</i> , 2012, 31, 479-491.	2.7	27
2915	Molecular Mechanisms of Pluripotency. <i>SpringerBriefs in Stem Cells</i> , 2012, , 21-31.	0.1	0
2916	Setting Up a Bioluminescence Resonance Energy Transfer High throughput Screening Assay to Search for Protein/Protein Interaction Inhibitors in Mammalian Cells. <i>Frontiers in Endocrinology</i> , 2012, 3, 100.	1.5	42
2917	SIX1 promotes epithelial–mesenchymal transition in colorectal cancer through ZEB1 activation. <i>Oncogene</i> , 2012, 31, 4923-4934.	2.6	102
2918	Fish Cytokines and Immune Response. , 0, , .		33
2919	Predicting the impact of deleterious single point mutations in SMAD gene family using structural bioinformatics approach. <i>Interdisciplinary Sciences, Computational Life Sciences</i> , 2012, 4, 103-115.	2.2	6

#	ARTICLE	IF	CITATIONS
2920	Induced Pluripotent Stem Cells. SpringerBriefs in Stem Cells, 2012, , .	0.1	2
2921	Anti-Müllerian hormone: an ovarian reserve marker in primary ovarian insufficiency. Nature Reviews Endocrinology, 2012, 8, 331-341.	4.3	210
2922	Biomimetic Extracellular Matrix-Incorporated Scaffold Induces Osteogenic Gene Expression in Human Marrow Stromal Cells. Tissue Engineering - Part A, 2012, 18, 295-309.	1.6	66
2923	Fibroblast Growth Factor 9 (FGF9)-Pituitary Homeobox 2 (PITX2) Pathway Mediates Transforming Growth Factor β^2 (TGF β^2) Signaling to Regulate Cell Proliferation in Palatal Mesenchyme during Mouse Palatogenesis. Journal of Biological Chemistry, 2012, 287, 2353-2363.	1.6	52
2924	Activity-Dependent Fusion Pore Expansion Regulated by a Calcineurin-Dependent Dynamin-Syndapin Pathway in Mouse Adrenal Chromaffin Cells. Journal of Neuroscience, 2012, 32, 10438-10447.	1.7	34
2925	Earl Sutherland (1915-1975) and the Discovery of Cyclic AMP. Perspectives in Biology and Medicine, 2012, 55, 236-249.	0.3	17
2926	Hypoxia and Hypoxia Signaling in Tissue Repair and Fibrosis. International Review of Cell and Molecular Biology, 2012, 296, 139-185.	1.6	158
2927	Endoglin mediates fibronectin/ $\alpha_5\beta_1$ integrin and TGF- β^2 pathway crosstalk in endothelial cells. EMBO Journal, 2012, 31, 3885-3900.	3.5	73
2929	Control of Drosha-Mediated MicroRNA Maturation by Smad Proteins. The Enzymes, 2012, 32, 123-136.	0.7	3
2930	Gene expression profiling of peripheral blood mononuclear cells in the setting of peripheral arterial disease. Journal of Clinical Bioinformatics, 2012, 2, 6.	1.2	39
2931	TGF- β^2 Exerts Opposing Effects on Grass Carp Leukocytes: Implication in Teleost Immunity, Receptor Signaling and Potential Self-Regulatory Mechanisms. PLoS ONE, 2012, 7, e35011.	1.1	21
2932	A Phosphoproteomic Approach towards the Understanding of the Role of TGF- β^2 in Trypanosoma cruzi Biology. PLoS ONE, 2012, 7, e38736.	1.1	8
2933	HILI Inhibits TGF- β^2 Signaling by Interacting with Hsp90 and Promoting β^2 R Degradation. PLoS ONE, 2012, 7, e41973.	1.1	30
2934	Immobilized Metal Affinity Chromatography Co-Purifies TGF- β^2 1 with Histidine-Tagged Recombinant Extracellular Proteins. PLoS ONE, 2012, 7, e48629.	1.1	16
2935	Molecular Characterization of TGF- β^2 Type I Receptor Gene (Tgfbr1) in Chlamys farreri, and the Association of Allelic Variants with Growth Traits. PLoS ONE, 2012, 7, e51005.	1.1	28
2936	Differentiation-Associated Reprogramming of the Transforming Growth Factor β^2 Receptor Pathway Establishes the Circuitry for Epithelial Autocrine/Paracrine Repair. PLoS ONE, 2012, 7, e51404.	1.1	7
2937	S100 Calcium Binding Proteins and Ion Channels. Frontiers in Pharmacology, 2012, 3, 67.	1.6	64
2938	mGlu5 Receptor Functional Interactions and Addiction. Frontiers in Pharmacology, 2012, 3, 84.	1.6	16

#	ARTICLE	IF	CITATIONS
2939	The Dual Role of TGF β 2 in Human Cancer: From Tumor Suppression to Cancer Metastasis. , 2012, 2012, 1-28.		275
2940	Biological Effects Induced by Ultraviolet Radiation in Human Fibroblasts. , 2012, , .		3
2941	Geldanamycin and its derivatives as Hsp90 inhibitors. <i>Frontiers in Bioscience - Landmark</i> , 2012, 17, 2269.	3.0	64
2942	Central Sensitization and Descending Facilitation in Chronic Pain State. , 0, , .		3
2943	Growth Factors and Connective Tissue Homeostasis in Periodontal Disease. , 2012, , .		3
2944	Mathematical Models for Quantitative Assessment of Bioluminescence Resonance Energy Transfer: Application to Seven Transmembrane Receptors Oligomerization. <i>Frontiers in Endocrinology</i> , 2012, 3, 104.	1.5	27
2945	Neurobehavioral phenotyping of GÎ±q knockout mice reveals impairments in motor functions and spatial working memory without changes in anxiety or behavioral despair. <i>Frontiers in Behavioral Neuroscience</i> , 2012, 6, 29.	1.0	28
2946	The level and distribution of the GABABR1 and GABABR2 receptor subunits in the rat's inferior colliculus. <i>Frontiers in Neural Circuits</i> , 2012, 6, 92.	1.4	13
2947	Runx2/Smad3 Complex Negatively Regulates TGF-Î²-Induced Connective Tissue Growth Factor gene Expression in Vascular Smooth Muscle Cells. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012, 19, 23-35.	0.9	18
2948	Prognostic utility of circulating transforming growth factor beta 1 in breast cancer patients. <i>International Journal of Biological Markers</i> , 2012, 27, 53-59.	0.7	26
2949	Genes and Molecular Pathways of the Osteogenic Process. , 0, , .		5
2950	Signaling Mechanisms of Transforming Growth Factor-Î² (TGF-Î²) in Cancer: TGF-Î² Induces Apoptosis in Lung Cells by a Smad-Dependent Mechanism. , 0, , .		1
2951	Targeting Iron in Cancer Cells: A New Strategy to Inhibit Metastatic Progression. , 2012, 01, .		2
2952	TGF-beta antiproliferative effects in tumor suppression. <i>Frontiers in Bioscience - Scholar</i> , 2012, S4, 749-766.	0.8	11
2953	Propagation of Human Embryonic Stem Cells: Role of TGF Î²2. , 2012, , 3-9.		0
2954	The dynamic role of bone morphogenetic proteins in neural stem cell fate and maturation. <i>Developmental Neurobiology</i> , 2012, 72, 1068-1084.	1.5	199
2955	Regulation of early xenopus embryogenesis by smad ubiquitination regulatory factor 2. <i>Developmental Dynamics</i> , 2012, 241, 1260-1273.	0.8	10
2956	Inhibin Î±-Subunit N Terminus Interacts with Activin Type IB Receptor to Disrupt Activin Signaling. <i>Journal of Biological Chemistry</i> , 2012, 287, 8060-8070.	1.6	30

#	ARTICLE	IF	CITATIONS
2957	KDEL tagging: a method for generating dominant-negative inhibitors of the secretion of TGF-beta superfamily proteins. <i>International Journal of Developmental Biology</i> , 2012, 56, 351-356.	0.3	10
2958	FOXL2 Is Involved in the Synergy between Activin and Progestins on the Follicle-Stimulating Hormone β -Subunit Promoter. <i>Endocrinology</i> , 2012, 153, 2023-2033.	1.4	23
2959	Different Temporal Patterns in the Expressions of Bone Morphogenetic Proteins and Noggin During Astroglial Scar Formation After Ischemic Stroke. <i>Cellular and Molecular Neurobiology</i> , 2012, 32, 587-597.	1.7	16
2960	TGF-beta/Smad pathway and BRAF mutation play different roles in circumscribed and infiltrative papillary thyroid carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 460, 587-600.	1.4	42
2961	An electrophoretic mobility shift assay for methionine sulfoxide in proteins. <i>Analytical Biochemistry</i> , 2012, 421, 767-769.	1.1	9
2962	Sulfated hyaluronan and chondroitin sulfate derivatives interact differently with human transforming growth factor- β 1 (TGF- β 1). <i>Acta Biomaterialia</i> , 2012, 8, 2144-2152.	4.1	108
2963	Physiological mechanisms of signal termination in biological systems. <i>Acta Physiologica</i> , 2012, 204, 469-478.	1.8	18
2964	Regulation of TGF β 2 receptor trafficking and signaling by atypical protein kinase C. <i>Cellular Signalling</i> , 2012, 24, 119-130.	1.7	13
2965	TGF- β 1 signaling plays a dominant role in the crosstalk between TGF- β 1 and the aryl hydrocarbon receptor ligand in prostate epithelial cells. <i>Cellular Signalling</i> , 2012, 24, 1665-1676.	1.7	18
2966	Oligomeric interactions of TGF β 2 and BMP receptors. <i>FEBS Letters</i> , 2012, 586, 1885-1896.	1.3	74
2967	Cripto/GRP78 modulation of the TGF β 2 pathway in development and oncogenesis. <i>FEBS Letters</i> , 2012, 586, 1836-1845.	1.3	76
2968	Dynamics of TGF β 2/Smad signaling. <i>FEBS Letters</i> , 2012, 586, 1921-1928.	1.3	163
2969	Structural studies of the TGF β s and their receptors – insights into evolution of the TGF β superfamily. <i>FEBS Letters</i> , 2012, 586, 1860-1870.	1.3	185
2970	Suppression of electrical synapses between retinal amacrine cells of goldfish by intracellular cyclic-AMP. <i>Brain Research</i> , 2012, 1449, 1-14.	1.1	2
2971	Small molecule regulators of postnatal Nkx2.5 cardiomyoblast proliferation and differentiation. <i>Journal of Cellular and Molecular Medicine</i> , 2012, 16, 961-965.	1.6	24
2972	Multiple feedback loops achieve robust localization of wingless expression in <i>Drosophila notum</i> development. <i>Journal of Theoretical Biology</i> , 2012, 292, 18-29.	0.8	6
2973	Requirement of a dynein light chain in transforming growth factor β signaling in zebrafish ovarian follicle cells. <i>Molecular and Cellular Endocrinology</i> , 2012, 348, 233-240.	1.6	3
2974	Regulation of human thyroid follicular cell function by inhibition of vascular endothelial growth factor receptor signalling. <i>Molecular and Cellular Endocrinology</i> , 2012, 351, 199-207.	1.6	4

#	ARTICLE	IF	CITATIONS
2975	Activins and inhibins in mammalian testis development: New models, new insights. <i>Molecular and Cellular Endocrinology</i> , 2012, 359, 66-77.	1.6	43
2976	Pretreating mesenchymal stem cells with interleukin-1 β and transforming growth factor- β synergistically increases vascular endothelial growth factor production and improves mesenchymal stem cell-mediated myocardial protection after acute ischemia. <i>Surgery</i> , 2012, 151, 353-363.	1.0	47
2977	FK506 inhibits the enhancing effects of transforming growth factor (TGF)- β 1 on collagen expression and TGF- β 2/Smad signalling in keloid fibroblasts: implication for new therapeutic approach. <i>British Journal of Dermatology</i> , 2012, 167, 532-541.	1.4	52
2978	Cell biology of Smad2/3 linker region phosphorylation in vascular smooth muscle. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2012, 39, 661-667.	0.9	31
2979	Main components of gene network controlling development of dorsal appendages of egg chorion in <i>Drosophila melanogaster</i> . <i>Russian Journal of Developmental Biology</i> , 2012, 43, 137-147.	0.1	1
2980	Hyperactive BMP signaling induced by ALK2 ^{R206H} requires type II receptor function in a <i>Drosophila</i> model for classic fibrodysplasia ossificans progressiva. <i>Developmental Dynamics</i> , 2012, 241, 200-214.	0.8	42
2981	TGF- β 1 β SMAD/p53/USF2 β PAI-1 transcriptional axis in ureteral obstruction-induced renal fibrosis. <i>Cell and Tissue Research</i> , 2012, 347, 117-128.	1.5	129
2982	Deconstructing the mechanisms and consequences of TGF- β -induced EMT during cancer progression. <i>Cell and Tissue Research</i> , 2012, 347, 85-101.	1.5	202
2983	Regulation of endothelial cell plasticity by TGF- β . <i>Cell and Tissue Research</i> , 2012, 347, 177-186.	1.5	279
2984	Transforming growth factor- β signaling in tumor initiation, progression and therapy in breast cancer: an update. <i>Cell and Tissue Research</i> , 2012, 347, 73-84.	1.5	46
2985	Vascular damage in the central nervous system: a multifaceted role for vascular-derived TGF- β . <i>Cell and Tissue Research</i> , 2012, 347, 187-201.	1.5	18
2986	Alterations of Smad expression and activation in defining 2 subtypes of human head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2013, 35, 76-85.	0.9	34
2987	Cardiac Cell Therapy: Boosting Mesenchymal Stem Cells Effects. <i>Stem Cell Reviews and Reports</i> , 2013, 9, 266-280.	5.6	54
2988	Cistanches Herba aqueous extract affecting serum BGP and TRAP and bone marrow Smad1 mRNA, Smad5 mRNA, TGF- β 1 mRNA and TIEG1 mRNA expression levels in osteoporosis disease. <i>Molecular Biology Reports</i> , 2013, 40, 757-763.	1.0	26
2991	Extracellular Matrix in Development. <i>Biology of Extracellular Matrix</i> , 2013, , .	0.3	11
2992	Loss of SMAD4 From Colorectal Cancer Cells Promotes CCL15 Expression to Recruit CCR1+ Myeloid Cells and Facilitate Liver Metastasis. <i>Gastroenterology</i> , 2013, 145, 1064-1075.e11.	0.6	108
2993	Role of PI3K-AKT-mTOR and Wnt Signaling Pathways in Transition of G1-S Phase of Cell Cycle in Cancer Cells. <i>Frontiers in Oncology</i> , 2013, 3, 85.	1.3	96
2994	Halophyte anti-oxidant feedback seasonality in two salt marshes with different degrees of metal contamination: search for an efficient biomarker. <i>Functional Plant Biology</i> , 2013, 40, 922.	1.1	51

#	ARTICLE	IF	CITATIONS
2995	A Hybrid Model of Tumor-Stromal Interactions in Breast Cancer. <i>Bulletin of Mathematical Biology</i> , 2013, 75, 1304-1350.	0.9	62
2996	Protection against TGF- β 1-induced fibrosis effects of IL-10 on dermal fibroblasts and its potential therapeutics for the reduction of skin scarring. <i>Archives of Dermatological Research</i> , 2013, 305, 341-352.	1.1	102
2997	From Phage lambda to human cancer: endogenous molecular-cellular network hypothesis. <i>Quantitative Biology</i> , 2013, 1, 32-49.	0.3	27
2998	MicroRNA Target Sites as Genetic Tools to Enhance Promoter-Reporter Specificity for the Purification of Pancreatic Progenitor Cells from Differentiated Embryonic Stem Cells. <i>Stem Cell Reviews and Reports</i> , 2013, 9, 555-568.	5.6	8
2999	Role of TGF- β 2 signaling in curcumin-mediated inhibition of tumorigenicity of human lung cancer cells. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013, 139, 563-572.	1.2	21
3000	Modeling NSCLC Progression: Recent Advances and Opportunities Available. <i>AAPS Journal</i> , 2013, 15, 542-550.	2.2	12
3001	Animal model for mammary tumor growth in the bone microenvironment. <i>Breast Cancer</i> , 2013, 20, 195-203.	1.3	17
3002	Synthesis and biological evaluation of 1-(6-methylpyridin-2-yl)-5-(quinoxalin-6-yl)-1,2,3-triazoles as transforming growth factor- β 2 type 1 receptor kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 1083-1086.	1.0	16
3003	Oogenesis. , 2013, , .		3
3004	Hand in glove: brain and skull in development and dysmorphogenesis. <i>Acta Neuropathologica</i> , 2013, 125, 469-489.	3.9	188
3005	microRNAs regulate adipocyte differentiation. <i>Cell Biology International</i> , 2013, 37, 533-546.	1.4	58
3006	Salt stress, signalling and redox control in seeds. <i>Functional Plant Biology</i> , 2013, 40, 848.	1.1	33
3007	Differential responses to docosahexaenoic acid in primary and immortalized cardiac cells. <i>Toxicology Letters</i> , 2013, 219, 288-297.	0.4	13
3009	Smad signaling pathways regulate pancreatic endocrine development. <i>Developmental Biology</i> , 2013, 378, 83-93.	0.9	32
3010	Linoleic acid increases adhesion, chemotaxis, granule release, intracellular calcium mobilisation, MAPK phosphorylation and gene expression in bovine neutrophils. <i>Veterinary Immunology and Immunopathology</i> , 2013, 151, 275-284.	0.5	20
3011	TGF- β 2 and Cardiovascular Disorders. , 2013, , 297-322.		1
3012	Antimicrobial effects of coprisin on wounds infected with <i>Staphylococcus aureus</i> in rats. <i>Wound Repair and Regeneration</i> , 2013, 21, 876-882.	1.5	7
3013	Molecular basis of organ fibrosis: Potential therapeutic approaches. <i>Experimental Biology and Medicine</i> , 2013, 238, 461-481.	1.1	124

#	ARTICLE	IF	CITATIONS
3014	Anti-diabetic treatment regulates pro-fibrotic TGF- β 2 serum levels in type 2 diabetics. <i>Diabetology and Metabolic Syndrome</i> , 2013, 5, 48.	1.2	21
3015	Newly developed TGF-beta2 knock down transgenic mouse lines express TGF-beta2 differently and its distribution in multiple tissues varies. <i>BMC Biochemistry</i> , 2013, 14, 21.	4.4	3
3016	Effect of dental implant materials on the extracellular matrix formation and cellular adhesion in MG-63 cells. <i>Molecular and Cellular Toxicology</i> , 2013, 9, 327-334.	0.8	1
3017	Tranilast enhances the anti-tumor effects of tamoxifen on human breast cancer cells in vitro. <i>Journal of Biomedical Science</i> , 2013, 20, 76.	2.6	28
3018	Analyzing the Structure, Function and Information Flow in Signaling Networks using Quantitative Cellular Signatures. , 2013, , 89-113.		2
3019	Transforming growth factor- β 2 signalling: Role and consequences of Smad linker region phosphorylation. <i>Cellular Signalling</i> , 2013, 25, 2017-2024.	1.7	216
3020	A Comparative Study of Baby Immature and Adult Shoots of Aloe Vera on UVB-Induced Skin Photoaging <i>in vitro</i> . <i>Phytotherapy Research</i> , 2013, 27, 1874-1882.	2.8	33
3021	Signaling by the TGF β Superfamily. <i>Cold Spring Harbor Perspectives in Biology</i> , 2013, 5, a011197-a011197.	2.3	93
3022	PKC δ as a regulator for TGF- β 2-stimulated connective tissue growth factor production in human hepatocarcinoma (HepG2) cells. <i>Biochemical Journal</i> , 2013, 456, 109-118.	1.7	9
3023	TGF β 2 Receptor Signaling Is Essential for Inflammation-Induced but Not β 2-Cell Workload-Induced β 2-Cell Proliferation. <i>Diabetes</i> , 2013, 62, 1217-1226.	0.3	97
3024	Mechanisms of Diabetic Complications. <i>Physiological Reviews</i> , 2013, 93, 137-188.	13.1	1,943
3025	Factors Expressed by Murine Embryonic Pancreatic Mesenchyme Enhance Generation of Insulin-Producing Cells From hESCs. <i>Diabetes</i> , 2013, 62, 1581-1592.	0.3	59
3026	Transforming growth factor- β 21b: A second TGF- β 21 paralogue in the rainbow trout (<i>Oncorhynchus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 and Shellfish Immunology, 2013, 34, 420-432.	1.6	43
3027	Molecular targets for treatment of kidney fibrosis. <i>Journal of Molecular Medicine</i> , 2013, 91, 549-559.	1.7	71
3028	Fine mapping and characterization of BPH27, a brown planthopper resistance gene from wild rice (<i>Oryza rufipogon</i> Griff.). <i>Theoretical and Applied Genetics</i> , 2013, 126, 219-229.	1.8	85
3029	MicroRNA-204-5p Regulates Epithelial-to-Mesenchymal Transition during Human Posterior Capsule Opacification by Targeting SMAD4. , 2013, 54, 323.		74
3030	Syndecan-2 is a key regulator of transforming growth factor beta 2/smad2-mediated adhesion in fibrosarcoma cells. <i>IUBMB Life</i> , 2013, 65, 134-143.	1.5	30
3031	Effects of BMP4/SMAD signaling pathway on mouse primordial follicle growth and survival via up-regulation of <i>Sohlh2</i> and <i>c-kit</i> . <i>Molecular Reproduction and Development</i> , 2013, 80, 70-78.	1.0	33

#	ARTICLE	IF	CITATIONS
3032	Accelerated growth of bovine preantral follicles in vitro after stimulation with both FSH and BMP-15 is accompanied by ultrastructural changes and increased atresia. <i>Theriogenology</i> , 2013, 79, 1269-1277.	0.9	26
3033	Enforcement of Reproductive Synchrony via Policing in a Clonal Ant. <i>Current Biology</i> , 2013, 23, 328-332.	1.8	48
3034	Moesin as a Key Cytoskeleton Regulator in Corneal Fibrosis. <i>Ocular Surface</i> , 2013, 11, 119-132.	2.2	3
3035	STAT3 mediates TGF- β 1-induced TWIST1 expression and prostate cancer invasion. <i>Cancer Letters</i> , 2013, 336, 167-173.	3.2	98
3036	Surface-induced conformational and functional changes of bone morphogenetic protein-2 adsorbed onto single-walled carbon nanotubes. <i>Biochemical and Biophysical Research Communications</i> , 2013, 440, 215-221.	1.0	14
3037	Apoptosis and abundance of Bcl-2 family and transforming growth factor β 1 signaling proteins in canine myxomatous mitral valves. <i>Journal of Veterinary Cardiology</i> , 2013, 15, 171-180.	0.3	18
3038	SDF-1 α reduces fibronectin expression in rat mesangial cells induced by TGF- β 1 and high glucose through PI3K/Akt pathway. <i>Experimental Cell Research</i> , 2013, 319, 1796-1803.	1.2	13
3039	Enzymes for energy. Structural computational analysis, substrate association and product dissociation from the thermophilic esterase of <i>Alicyclobacillus acidocaldarius</i> : Implications in biodiesel production. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2013, 97, 156-168.	1.8	3
3040	Importance of a diffusion-dominant small volume to activate cell-secreted soluble factor signaling in embryonic stem cell culture in microbioreactors: A mathematical model based study. <i>Journal of Bioscience and Bioengineering</i> , 2013, 116, 118-125.	1.1	2
3041	Somatostatin type-2 receptor activation inhibits glutamate release and prevents status epilepticus. <i>Neurobiology of Disease</i> , 2013, 54, 94-104.	2.1	24
3042	Dual requirement of ectodermal <i>Smad4</i> during AER formation and termination of feedback signaling in mouse limb buds. <i>Genesis</i> , 2013, 51, 660-666.	0.8	9
3043	Inhibition of PARP prevents angiotensin II-induced aortic fibrosis in rats. <i>International Journal of Cardiology</i> , 2013, 167, 2285-2293.	0.8	27
3044	Smad3 deficiency increases cortical and hippocampal neuronal loss following traumatic brain injury. <i>Experimental Neurology</i> , 2013, 250, 353-365.	2.0	18
3045	p130Cas controls the susceptibility of cancer cells to TGF- β 2-induced growth inhibition. <i>Biochemical and Biophysical Research Communications</i> , 2013, 438, 116-121.	1.0	4
3046	Smad7 regulates terminal maturation of chondrocytes in the growth plate. <i>Developmental Biology</i> , 2013, 382, 375-384.	0.9	35
3047	Dysregulation of upstream and downstream transforming growth factor- β 2 transcripts in livers of children with biliary atresia and fibrogenic gene signatures. <i>Journal of Pediatric Surgery</i> , 2013, 48, 2047-2053.	0.8	21
3048	Collaborative virtual organisation and infrastructure for drug discovery. <i>Drug Discovery Today</i> , 2013, 18, 681-686.	3.2	4
3049	Early signaling events that underlie fate decisions of naive $CD4^{+}$ T cells toward distinct T helper cell subsets. <i>Immunological Reviews</i> , 2013, 252, 12-23.	2.8	252

#	ARTICLE	IF	CITATIONS
3050	Prognostic value of tgfb1 protein in endometrioid adenocarcinoma. European Journal of Clinical Investigation, 2013, 43, 79-90.	1.7	6
3051	The <i>Ex Vivo</i> Induction of Human $CD^{103}CD^{25}^{hi}$ Foxp3 ⁺ $CD^{4}CD^{8}Treg$ s is $IL-2$ and $TGF-1$ Dependent. Scandinavian Journal of Immunology, 2013, 77, 125-134.	1.3	10
3052	Development of Oligodendrocytes in the Vertebrate CNS. , 2013, , 1-21.		1
3053	How the Oocyte Influences Follicular Cell Function and Why. , 2013, , 75-92.		4
3054	The TGF β superfamily in stem cell biology and early mammalian embryonic development. Biochimica Et Biophysica Acta - General Subjects, 2013, 1830, 2268-2279.	1.1	64
3055	Perivascular cells in blood vessel regeneration. Biotechnology Journal, 2013, 8, 434-447.	1.8	78
3056	The Iron-Regulated Metastasis Suppressor NDRG1 Targets NEDD4L, PTEN, and SMAD4 and Inhibits the PI3K and Ras Signaling Pathways. Antioxidants and Redox Signaling, 2013, 18, 874-887.	2.5	151
3057	Transdermal siRNA-TGF β 1-337 patch for hypertrophic scar treatment. Matrix Biology, 2013, 32, 265-276.	1.5	30
3058	The molecular mechanism of hypertrophic scar. Journal of Cell Communication and Signaling, 2013, 7, 239-252.	1.8	111
3059	Dysregulation and crosstalk of cellular signaling pathways in colon carcinogenesis. Critical Reviews in Oncology/Hematology, 2013, 86, 251-277.	2.0	83
3060	Steering signal transduction pathway towards cardiac lineage from human pluripotent stem cells: A review. Cellular Signalling, 2013, 25, 1096-1107.	1.7	25
3061	Hydrogen peroxide inhibits transforming growth factor- β 1-induced cell cycle arrest by promoting Smad3 linker phosphorylation through activation of Akt-ERK1/2-linked signaling pathway. Biochemical and Biophysical Research Communications, 2013, 435, 634-639.	1.0	13
3062	New insights in the regulation of skeletal muscle PGC-1 β by exercise and metabolic diseases. Drug Discovery Today: Disease Models, 2013, 10, e79-e85.	1.2	6
3063	Activin and TGF β 2 regulate expression of the microRNA-181 family to promote cell migration and invasion in breast cancer cells. Cellular Signalling, 2013, 25, 1556-1566.	1.7	73
3064	Nonconventional Axon Guidance Cues. , 2013, , 127-149.		0
3065	EGCG blocks TGF β 1-induced CCN2 by suppressing JNK and p38 in buccal fibroblasts. Clinical Oral Investigations, 2013, 17, 455-461.	1.4	24
3066	GPCR responses in vascular smooth muscle can occur predominantly through dual transactivation of kinase receptors and not classical G α q protein signalling pathways. Life Sciences, 2013, 92, 951-956.	2.0	19
3067	Inhibition of CK2 binding to BMPRIa induces C2C12 differentiation into osteoblasts and adipocytes. Journal of Cell Communication and Signaling, 2013, 7, 265-278.	1.8	29

#	ARTICLE	IF	CITATIONS
3068	The Role of Endocytic Pathways in TGF- β 2 Signaling. <i>Pathology and Oncology Research</i> , 2013, 19, 141-148.	0.9	35
3069	Transforming Growth Factor-Beta in Prostate Cancer. , 2013, , 207-242.		1
3070	Expression levels of endoglin distinctively identify hematopoietic and endothelial progeny at different stages of yolk sac hematopoiesis. <i>Stem Cells</i> , 2013, 31, 1893-1901.	1.4	18
3071	Kindlin-2 Mediates Activation of TGF- β 2/Smad Signaling and Renal Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1387-1398.	3.0	83
3072	Artificial extracellular matrix composed of collagen I and highly sulfated hyaluronan interferes with TGF β 21 signaling and prevents TGF β 21-induced myofibroblast differentiation. <i>Acta Biomaterialia</i> , 2013, 9, 7775-7786.	4.1	49
3073	The therapeutic potential of blocking the activin signalling pathway. <i>Cytokine and Growth Factor Reviews</i> , 2013, 24, 477-484.	3.2	21
3074	BMP signaling in development and diseases: A pharmacological perspective. <i>Biochemical Pharmacology</i> , 2013, 85, 857-864.	2.0	86
3075	Plum, an Immunoglobulin Superfamily Protein, Regulates Axon Pruning by Facilitating TGF- β 2 Signaling. <i>Neuron</i> , 2013, 78, 456-468.	3.8	61
3076	Interactions Between Neural Crest-Derived Cells and Extracellular Microenvironment During Cardiovascular Development. <i>Biology of Extracellular Matrix</i> , 2013, , 105-131.	0.3	6
3077	Activin β 1 in Diabetes β 1-induced Cardiac Malformations in Embryos. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2013, 98, 260-267.	1.4	2
3078	Doxycycline Counteracts Bone Morphogenetic Protein 2 β 1-induced Osteogenic Mediators. <i>Journal of Periodontology</i> , 2013, 84, 656-665.	1.7	19
3079	TGF β 21, Smad β 3, Smad β 1/ β 5/ β 8, and Smad β 4 signaling factors are expressed in ameloblastomas, adenomatoid odontogenic tumors, and calcifying cystic odontogenic tumors: an immunohistochemical study. <i>Journal of Oral Pathology and Medicine</i> , 2013, 42, 415-423.	1.4	28
3080	Relaxin Family Peptides and Their Receptors. <i>Physiological Reviews</i> , 2013, 93, 405-480.	13.1	447
3081	Reduced expression of bone morphogenetic protein receptor IA in pancreatic cancer is associated with a poor prognosis. <i>British Journal of Cancer</i> , 2013, 109, 1805-1812.	2.9	24
3082	Maohuoside A Acts in a BMP β 1-dependent Manner during Osteogenesis. <i>Phytotherapy Research</i> , 2013, 27, 1179-1184.	2.8	11
3083	Growth factor signaling and memory formation: temporal and spatial integration of a molecular network. <i>Learning and Memory</i> , 2013, 20, 531-539.	0.5	16
3084	The Current and Future Therapies for Human Osteosarcoma. <i>Current Cancer Therapy Reviews</i> , 2013, 9, 55-77.	0.2	0
3085	Regulatory Interactions between Androgens, Hoxb5, and TGF β 21 Signaling in Murine Lung Development. <i>BioMed Research International</i> , 2013, 2013, 1-12.	0.9	17

#	ARTICLE	IF	CITATIONS
3086	The control and importance of hyaluronan synthase expression in palatogenesis. <i>Frontiers in Physiology</i> , 2013, 4, 10.	1.3	15
3087	Foxc1 controls the growth of the murine frontal bone rudiment by direct regulation of a Bmp response threshold of <i>Msx2</i> . <i>Development (Cambridge)</i> , 2013, 140, 1034-1044.	1.2	51
3088	Update on the urotensinergic system: new trends in receptor localization, activation, and drug design. <i>Frontiers in Endocrinology</i> , 2013, 3, 174.	1.5	21
3089	Chemoresistance and Cancer-Related Inflammation: Two Hallmarks of Cancer Connected by an Atypical Link, PKC η . <i>Frontiers in Oncology</i> , 2013, 3, 232.	1.3	15
3090	Differential regulation of the REG1 α proteasome pathway by p53/TGF- β 2 signalling and mutant p53 in cancer cells. <i>Nature Communications</i> , 2013, 4, 2667.	5.8	90
3091	Antenatal glucocorticoids counteract LPS changes in TGF- β 2 pathway and caveolin-1 in ovine fetal lung. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2013, 304, L438-L444.	1.3	31
3092	The Dual Role of Smad7 in the Control of Cancer Growth and Metastasis. <i>International Journal of Molecular Sciences</i> , 2013, 14, 23774-23790.	1.8	76
3093	Bone morphogenetic proteins: Periodontal regeneration. <i>North American Journal of Medical Sciences</i> , 2013, 5, 161.	1.7	36
3094	BRET Biosensor Analysis of Receptor Tyrosine Kinase Functionality. <i>Frontiers in Endocrinology</i> , 2013, 4, 46.	1.5	13
3095	Receptor oligomerization: from early evidence to current understanding in class B GPCRs. <i>Frontiers in Endocrinology</i> , 2012, 3, 175.	1.5	17
3096	The Possible Potential Therapeutic Targets for Drug Induced Gingival Overgrowth. <i>Mediators of Inflammation</i> , 2013, 2013, 1-9.	1.4	25
3097	The type III TGF- β 2 receptor regulates filopodia formation via a Cdc42-mediated IRSp53 α -N-WASP interaction in epithelial cells. <i>Biochemical Journal</i> , 2013, 454, 79-89.	1.7	16
3098	The Dendritic Cell Response to Classic, Emerging, and Homeostatic Danger Signals. Implications for Autoimmunity. <i>Frontiers in Immunology</i> , 2013, 4, 138.	2.2	149
3099	Advanced Glycation End Products Acutely Impair Ca ²⁺ Signaling in Bovine Aortic Endothelial Cells. <i>Frontiers in Physiology</i> , 2013, 4, 38.	1.3	18
3100	TGF- β 2-activated Kinase 1 (Tak1) Mediates Agonist-induced Smad Activation and Linker Region Phosphorylation in Embryonic Craniofacial Neural Crest-derived Cells. <i>Journal of Biological Chemistry</i> , 2013, 288, 13467-13480.	1.6	70
3101	Computational modelling of Smad-mediated negative feedback and crosstalk in the TGF- β 2 superfamily network. <i>Journal of the Royal Society Interface</i> , 2013, 10, 20130363.	1.5	26
3102	The Role of Extracellular Matrix in Corneal Wound Healing. <i>Cornea</i> , 2013, 32, S43-S45.	0.9	13
3103	Transforming Growth Factor-Beta 1 (TGF-B1) Liberation from Its Latent Complex During Embryo Implantation and Its Regulation by Estradiol in Mouse1. <i>Biology of Reproduction</i> , 2013, 89, 84.	1.2	49

#	ARTICLE	IF	CITATIONS
3104	Identification of bone morphogenetic protein 7 (BMP7) as an instructive factor for human epidermal Langerhans cell differentiation. <i>Journal of Experimental Medicine</i> , 2013, 210, 2597-2610.	4.2	88
3105	Protein Kinase A Modulates Transforming Growth Factor- β 2 Signaling through a Direct Interaction with Smad4 Protein. <i>Journal of Biological Chemistry</i> , 2013, 288, 8737-8749.	1.6	24
3106	Signaling Pathways that Regulate Glial Development and Early Migration of Oligodendrocytes. , 2013, , 771-785.		0
3107	Oxidative Stress in Diabetes Mellitus and the Role Of Vitamins with Antioxidant Actions. , 0, , .		26
3108	TGF- β 3 Stimulates Stromal Matrix Assembly by Human Corneal Keratocyte-Like Cells. , 2013, 54, 6612.		39
3109	Proteome-wide discovery of mislocated proteins in cancer. <i>Genome Research</i> , 2013, 23, 1283-1294.	2.4	49
3110	TGF- β 1 Conjugated to Gold Nanoparticles Results in Protein Conformational Changes and Attenuates the Biological Function. <i>Small</i> , 2013, 9, 2119-2128.	5.2	31
3111	(S)-[6]-Gingerol inhibits TGF- β 2-stimulated biglycan synthesis but not glycosaminoglycan hyperelongation in human vascular smooth muscle cells. <i>Journal of Pharmacy and Pharmacology</i> , 2013, 65, 1026-1036.	1.2	35
3112	A Novel Immunomodulator, FTY-720 Reverses Existing Cardiac Hypertrophy and Fibrosis From Pressure Overload by Targeting NFAT (Nuclear Factor of Activated T-cells) Signaling and Periostin. <i>Circulation: Heart Failure</i> , 2013, 6, 833-844.	1.6	57
3113	BMP Induces Cochlin Expression to Facilitate Self-renewal and Suppress Neural Differentiation of Mouse Embryonic Stem Cells. <i>Journal of Biological Chemistry</i> , 2013, 288, 8053-8060.	1.6	28
3114	Percutaneous gene therapy heals cranial defects. <i>Gene Therapy</i> , 2013, 20, 922-929.	2.3	1
3115	Activin Receptor-Like Kinase 7 Suppresses Lipolysis to Accumulate Fat in Obesity Through Downregulation of Peroxisome Proliferator-Activated Receptor β 3 and C/EBP β . <i>Diabetes</i> , 2013, 62, 115-123.	0.3	59
3116	The Roles of SIRT1 in Cancer. <i>Genes and Cancer</i> , 2013, 4, 97-104.	0.6	188
3117	Systemic administration of Follistatin288 increases muscle mass and reduces fat accumulation in mice. <i>Scientific Reports</i> , 2013, 3, 2441.	1.6	22
3118	Effects of the Smad4 C324Y mutation on thyroid cell proliferation. <i>International Journal of Oncology</i> , 2013, 42, 1890-1896.	1.4	2
3119	New Concepts for Glaucoma Implants - Controlled Aqueous Humor Drainage, Encapsulation Prevention and Local Drug Delivery. <i>Current Pharmaceutical Biotechnology</i> , 2013, 14, 98-111.	0.9	4
3120	Galectin-9 promotes TGF- β 1-dependent induction of regulatory T cells via the TGF- β 2/Smad signaling pathway. <i>Molecular Medicine Reports</i> , 2013, 7, 205-210.	1.1	42
3121	TGF- β 2. , 2013, , 1647-1653.		9

#	ARTICLE	IF	CITATIONS
3122	Anabolic Effects of Peniel 2000, a Peptide That Regulates TGF- β 1 Signaling on Intervertebral Disc Degeneration. <i>Spine</i> , 2013, 38, E49-E58.	1.0	21
3123	The role of the serotonergic and GABA system in translational approaches in drug discovery for anxiety disorders. <i>Frontiers in Pharmacology</i> , 2013, 4, 74.	1.6	39
3124	The Paradox of Akt-mTOR Interactions. <i>Frontiers in Oncology</i> , 2013, 3, 165.	1.3	126
3125	Gi Family of Heterotrimeric G Proteins. , 2013, , 377-380.		0
3126	BMP signaling in mesenchymal stem cell differentiation and bone formation. <i>Journal of Biomedical Science and Engineering</i> , 2013, 06, 32-52.	0.2	227
3127	Genes Involved in Type 1 Diabetes. , 2013, , .		0
3128	Role of apoptosis-related factors in follicular atresia. <i>International Journal of Genetics and Molecular Biology</i> , 2013, 5, 54-63.	1.5	2
3129	Effect of Conceptus on Transforming Growth Factor (TGF) β 1 mRNA Expression and Protein Concentration in the Porcine Endometrium” <i>In Vivo</i> and <i>In Vitro</i> Studies. <i>Journal of Reproduction and Development</i> , 2013, 59, 512-519.	0.5	13
3130	Bursted BMP Triggered Receptor Kinase Activity Drives Smad1 Mediated Long-Term Target Gene Oscillation in c2c12 Cells. <i>PLoS ONE</i> , 2013, 8, e59442.	1.1	2
3131	Transcriptome Analysis of Skin Photoaging in Chinese Females Reveals the Involvement of Skin Homeostasis and Metabolic Changes. <i>PLoS ONE</i> , 2013, 8, e61946.	1.1	19
3132	Enhanced Responses to Angiogenic Cues Underlie the Pathogenesis of Hereditary Hemorrhagic Telangiectasia 2. <i>PLoS ONE</i> , 2013, 8, e63138.	1.1	31
3133	TGF β 1 Polymorphisms Predict Distant Metastasis-Free Survival in Patients with Inoperable Non-Small-Cell Lung Cancer after Definitive Radiotherapy. <i>PLoS ONE</i> , 2013, 8, e65659.	1.1	16
3134	CK2 Inhibitor CX-4945 Blocks TGF- β 1-Induced Epithelial-to-Mesenchymal Transition in A549 Human Lung Adenocarcinoma Cells. <i>PLoS ONE</i> , 2013, 8, e74342.	1.1	64
3135	Adult-Specific Systemic Over-Expression Reveals Novel In Vivo Effects of the Soluble Forms of ActRIIA, ActRIIB and BMPRII. <i>PLoS ONE</i> , 2013, 8, e78076.	1.1	9
3136	Characterization of Negative Feedback Network Motifs in the TGF- β 2 Signaling Pathway. <i>PLoS ONE</i> , 2013, 8, e83531.	1.1	15
3137	Transforming Growth Factor β 1 Induces the Expression of Collagen Type I by DNA Methylation in Cardiac Fibroblasts. <i>PLoS ONE</i> , 2013, 8, e60335.	1.1	124
3138	Effective use of latent semantic indexing and computational linguistics in biological and biomedical applications. <i>Frontiers in Physiology</i> , 2013, 4, 8.	1.3	32
3139	Acidic tumor microenvironment and pH-sensing G protein-coupled receptors. <i>Frontiers in Physiology</i> , 2013, 4, 354.	1.3	265

#	ARTICLE	IF	CITATIONS
3140	How central is dopamine to pathological gambling or gambling disorder?. <i>Frontiers in Behavioral Neuroscience</i> , 2013, 7, 206.	1.0	91
3141	The role of orphanin FQ/nociceptin in neuroplasticity: relationship to stress, anxiety and neuroinflammation. <i>Frontiers in Cellular Neuroscience</i> , 2013, 7, 173.	1.8	24
3142	The effect of glia-glia interactions on oligodendrocyte precursor cell biology during development and in demyelinating diseases. <i>Frontiers in Cellular Neuroscience</i> , 2013, 7, 268.	1.8	105
3143	Dopamine regulates intrinsic excitability thereby gating successful induction of spike timing-dependent plasticity in CA1 of the hippocampus. <i>Frontiers in Neuroscience</i> , 2013, 7, 25.	1.4	38
3144	Modulation of firing and synaptic transmission of serotonergic neurons by intrinsic G protein-coupled receptors and ion channels. <i>Frontiers in Integrative Neuroscience</i> , 2013, 7, 40.	1.0	47
3145	Competition for zinc binding in the host-pathogen interaction. <i>Frontiers in Cellular and Infection Microbiology</i> , 2013, 3, 108.	1.8	100
3146	RNA Interference Targeting Snail Inhibits the Transforming Growth Factor- β 2-Induced Epithelial-Mesenchymal Transition in Human Lens Epithelial Cells. <i>Journal of Ophthalmology</i> , 2013, 2013, 1-8.	0.6	16
3147	Mathematical Modelling of Strategic Treatments on Tumor Growth. <i>Journal of Applied & Computational Mathematics</i> , 2013, 02, .	0.1	2
3148	NEURONAL FUNCTIONS OF PROTEIN PHOSPHATASE 2A. <i>American Journal of Neuroscience</i> , 2013, 4, 46-55.	0.4	2
3149	Key Role of the Endothelial TGF- β 2/ALK1/Endoglin Signaling Pathway in Humans and Rodents Pulmonary Hypertension. <i>PLoS ONE</i> , 2014, 9, e100310.	1.1	83
3150	Curcumin Suppresses Crosstalk between Colon Cancer Stem Cells and Stromal Fibroblasts in the Tumor Microenvironment: Potential Role of EMT. <i>PLoS ONE</i> , 2014, 9, e107514.	1.1	116
3151	A Novel Aminothiazole KY-05009 with Potential to Inhibit Traf2- and Nck-Interacting Kinase (TIK) Attenuates TGF- β 1-Mediated Epithelial-to-Mesenchymal Transition in Human Lung Adenocarcinoma A549 Cells. <i>PLoS ONE</i> , 2014, 9, e110180.	1.1	38
3152	Constitutively Active FOXO1 Diminishes Activin Induction of Fshb Transcription in Immortalized Gonadotropes. <i>PLoS ONE</i> , 2014, 9, e113839.	1.1	6
3153	A phase I dose-escalation study to a predefined dose of a transforming growth factor- β 1 monoclonal antibody (T β M1) in patients with metastatic cancer. <i>International Journal of Oncology</i> , 2014, 45, 2221-2231.	1.4	33
3154	Convergence of dopamine and glutamate signaling onto striatal ERK activation in response to drugs of abuse. <i>Frontiers in Pharmacology</i> , 2014, 4, 172.	1.6	65
3155	Pharmacological modulation of aversive responsiveness in honey bees. <i>Frontiers in Behavioral Neuroscience</i> , 2013, 7, 221.	1.0	40
3156	A plural role for lipids in motor neuron diseases: energy, signaling and structure. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 25.	1.8	114
3157	Impaired activity-dependent neural circuit assembly and refinement in autism spectrum disorder genetic models. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 30.	1.8	70

#	ARTICLE	IF	CITATIONS
3158	TGF- β 1 promotes cerebral cortex radial glia-astrocyte differentiation in vivo. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 393.	1.8	67
3159	Candidate prognostic markers in breast cancer: focus on extracellular proteases and their inhibitors. <i>Breast Cancer: Targets and Therapy</i> , 2014, 6, 81.	1.0	25
3160	Hyperglycemia to Nephropathy via Transforming Growth Factor Beta. <i>Current Diabetes Reviews</i> , 2014, 10, 182-189.	0.6	47
3161	PREDICTION MODELS FOR OLFACTORY METABOLIC AND SOWS %RNareticulocyt (RNArt) BY MEASUREMENT OF ATMOSPHERIC AMMONIA EXPOSURE AND MICROCLIMATE LEVEL. <i>Journal of the Indonesian Tropical Animal Agriculture</i> , 2014, 36, .	0.1	12
3162	Role of Wnt Signaling in Tissue Fibrosis, Lessons from Skeletal Muscle and Kidney. <i>Current Molecular Medicine</i> , 2014, 14, 510-522.	0.6	47
3163	Dopamine Receptor Imaging in Schizophrenia. , 2014, , 341-360.		2
3164	Bone marrow mesenchymal stem cells and TGF- β 2 signaling in bone remodeling. <i>Journal of Clinical Investigation</i> , 2014, 124, 466-472.	3.9	338
3165	Proteomics approaches for the studies of bone metabolism. <i>BMB Reports</i> , 2014, 47, 141-148.	1.1	23
3166	Chronic Pain: We Should Not Underestimate the Contribution of Neural Plasticity. <i>Critical Reviews in Physical and Rehabilitation Medicine</i> , 2014, 26, 51-86.	0.1	8
3167	Transforming growth factor- β and the progression of renal disease. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, i37-i45.	0.4	235
3168	MiR-142-3p represses TGF- β 1-induced growth inhibition through repression of TGF- β 1R1 in non-small cell lung cancer. <i>FASEB Journal</i> , 2014, 28, 2696-2704.	0.2	90
3169	TGF- β 2-induced invasion of prostate cancer cells is promoted by c-Jun-dependent transcriptional activation of Snail1. <i>Cell Cycle</i> , 2014, 13, 2400-2414.	1.3	59
3170	The Role of TGF- β 2 and Bone Morphogenetic Proteins in the Trabecular Meshwork and Glaucoma. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2014, 30, 154-162.	0.6	103
3171	Mating decreases plasma levels of TGF- β 1 and regulates myosalpinx expression of TGF- β 1/TGFB3 in the rat. <i>Molecular Reproduction and Development</i> , 2014, 81, 1053-1061.	1.0	1
3172	Transforming growth factor β 2 signaling in uterine development and function. <i>Journal of Animal Science and Biotechnology</i> , 2014, 5, 52.	2.1	59
3173	Kinase domain-targeted isolation of defense-related receptor-like kinases (RLK/Pelle) in <i>Platanus acerifolia</i> : phylogenetic and structural analysis. <i>BMC Research Notes</i> , 2014, 7, 884.	0.6	7
3174	BMP signaling participates in late phase differentiation of the retina, partly via upregulation of <i>Hey2</i> . <i>Developmental Neurobiology</i> , 2014, 74, 1172-1183.	1.5	7
3175	Effects of Recombinant Activins on Steroidogenesis in Human Granulosa-Lutein Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1922-E1932.	1.8	53

#	ARTICLE	IF	CITATIONS
3176	Oncogenic PAK4 regulates Smad2/3 axis involving gastric tumorigenesis. <i>Oncogene</i> , 2014, 33, 3473-3484.	2.6	49
3177	Evolutionary Roots of Arginase Expression and Regulation. <i>Frontiers in Immunology</i> , 2014, 5, 544.	2.2	90
3178	Targets and Small Molecules Against Tauopathies. Part 1: From Genes to Soluble, Aggregation-Prone Tau Proteins. , 2014, , 643-715.		0
3179	Fibroblast-to-myofibroblast switch is mediated by NAD(P)H oxidase generated reactive oxygen species. <i>Bioscience Reports</i> , 2014, 34, .	1.1	22
3180	The Self-Limiting Dynamics of TGF- β 2 Signaling In Silico and In Vitro, with Negative Feedback through PPM1A Upregulation. <i>PLoS Computational Biology</i> , 2014, 10, e1003573.	1.5	11
3181	Role of TGF- β 2 Pathway Polymorphisms in Sporadic Thoracic Aortic Aneurysm: rs900 TGF- β 2 Is a Marker of Differential Gender Susceptibility. <i>Mediators of Inflammation</i> , 2014, 2014, 1-8.	1.4	21
3182	MicroRNAs in the DNA Damage/Repair Network and Cancer. <i>International Journal of Genomics</i> , 2014, 2014, 1-10.	0.8	80
3183	Altered Gene Expression Profile After Exposure to Transforming Growth Factor β 1 in the 253J Human Bladder Cancer Cell Line. <i>Korean Journal of Urology</i> , 2014, 55, 542.	1.2	0
3184	Gap junction modulation and its implications for heart function. <i>Frontiers in Physiology</i> , 2014, 5, 82.	1.3	44
3185	The Role(s) of Cytokines/Chemokines in Urinary Bladder Inflammation and Dysfunction. <i>BioMed Research International</i> , 2014, 2014, 1-17.	0.9	54
3186	FK506 inhibits the mice glomerular mesangial cells proliferation by affecting the transforming growth factor- β 2 and Smads signal pathways. <i>Renal Failure</i> , 2014, 36, 589-592.	0.8	14
3187	ZNF423: Transcriptional modulation in development and cancer. <i>Molecular and Cellular Oncology</i> , 2014, 1, e969655.	0.3	19
3188	Hyaluronan/RHAMM Interactions in Mesenchymal Tumor Pathogenesis. <i>Advances in Cancer Research</i> , 2014, 123, 319-349.	1.9	28
3189	Functional role of TGF- β 2 receptors during palatal fusion in vitro. <i>Archives of Oral Biology</i> , 2014, 59, 1192-1204.	0.8	7
3190	TGF- β 2 and SMADs mRNA Expression in Pulmonary Sarcoidosis. <i>Advances in Experimental Medicine and Biology</i> , 2014, 852, 59-69.	0.8	19
3191	TGF- β 1 Downregulates StAR Expression and Decreases Progesterone Production Through Smad3 and ERK1/2 Signaling Pathways in Human Granulosa Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E2234-E2243.	1.8	61
3192	Mutational landscape of intrahepatic cholangiocarcinoma. <i>Nature Communications</i> , 2014, 5, 5696.	5.8	314
3193	SMAD Signaling Regulates CXCL12 Expression in the Bone Marrow Niche, Affecting Homing and Mobilization of Hematopoietic Progenitors. <i>Stem Cells</i> , 2014, 32, 3012-3022.	1.4	36

#	ARTICLE	IF	CITATIONS
3194	Effects of Sodium Fluoride Treatment In Vitro on Cell Proliferation, BMP-2 and BMP-3 Expression in Human Osteosarcoma MG-63 Cells. <i>Biological Trace Element Research</i> , 2014, 162, 18-25.	1.9	15
3195	Ultraviolet irradiation represses $\text{TGF}\beta^2$ type II receptor transcription through a 38bp sequence in the proximal promoter in human skin fibroblasts. <i>Experimental Dermatology</i> , 2014, 23, 2-6.	1.4	8
3196	$\text{TGF}\beta^2$ signaling regulates fibrotic expression and activity in carpal tunnel syndrome. <i>Journal of Orthopaedic Research</i> , 2014, 32, 1444-1450.	1.2	30
3197	Commitment to nutritional endoderm in <i>Eleutherodactylus coqui</i> involves altered nodal signaling and global transcriptional repression. <i>Journal of Experimental Zoology Part B: Molecular and Developmental Evolution</i> , 2014, 322, 27-44.	0.6	7
3198	pH modulates the $\text{TGF}\beta^2$ ligands binding to the receptors: a computational analysis. <i>Journal of Molecular Recognition</i> , 2014, 27, 471-481.	1.1	4
3199	Differential transcriptional profiles in HepG2 cells after the exposure to a chemically characterized complex preparation of <i>Silybi mariani fructus</i> and its chemically defined constituent silybin A+B. <i>Synergy</i> , 2014, 1, 99-108.	1.1	1
3200	Sphingosine 1-phosphate Receptors Negatively Regulate Collagen Type III Expression in Human Bone Marrow-derived Mesenchymal Stem Cell. <i>Journal of Cellular Biochemistry</i> , 2014, 115, 359-367.	1.2	19
3201	Berberamine Enhances the Antineoplastic Activity of Gemcitabine in Pancreatic Cancer Cells by Activating Transforming Growth Factor β^2 /Smad Signaling. <i>Anatomical Record</i> , 2014, 297, 802-809.	0.8	24
3202	Reducing Endoglin Activity Limits Calcineurin and TRPC6 Expression and Improves Survival in a Mouse Model of Right Ventricular Pressure Overload. <i>Journal of the American Heart Association</i> , 2014, 3, .	1.6	25
3203	Molecular Pathways: Can Activin-like Kinase Pathway Inhibition Enhance the Limited Efficacy of VEGF Inhibitors?. <i>Clinical Cancer Research</i> , 2014, 20, 2838-2845.	3.2	28
3205	Flexibilide Obtained from Cultured Soft Coral Has Anti-Neuroinflammatory and Analgesic Effects through the Upregulation of Spinal Transforming Growth Factor- β^1 in Neuropathic Rats. <i>Marine Drugs</i> , 2014, 12, 3792-3817.	2.2	32
3206	Understanding regulatory pathways of neovascularization in diabetes. <i>Expert Review of Endocrinology and Metabolism</i> , 2014, 9, 487-501.	1.2	1
3207	<i>Pinus densiflora</i> extract protects human skin fibroblasts against UVB-induced photoaging by inhibiting the expression of MMPs and increasing type I procollagen expression. <i>Toxicology Reports</i> , 2014, 1, 658-666.	1.6	44
3208	Tacrolimus abrogates $\text{TGF}\beta^1$ -induced type I collagen production in normal human fibroblasts through suppressing p38MAPK signalling pathway: implications on treatment of chronic atopic dermatitis lesions. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 204-215.	1.3	24
3209	A $\text{TGF}\beta^2$ receptor 1 inhibitor for prevention of proliferative vitreoretinopathy. <i>Experimental Eye Research</i> , 2014, 123, 72-86.	1.2	37
3210	Attenuation of $\text{TGF}\beta^2$ signaling supports tumor progression of a mesenchymal-like mammary tumor cell line in a syngeneic murine model. <i>Cancer Letters</i> , 2014, 346, 129-138.	3.2	39
3211	Role of anti-Müllerian hormone and bone morphogenetic proteins in the regulation of FSH sensitivity. <i>Molecular and Cellular Endocrinology</i> , 2014, 382, 460-465.	1.6	61
3212	Literature-Based Automated Reconstruction, Expansion, and Refinement of the $\text{TGF}\beta^2$ Superfamily Ligand-Receptor Network. <i>Journal of Membrane Biology</i> , 2014, 247, 381-386.	1.0	5

#	ARTICLE	IF	CITATIONS
3213	Polymorphisms of VEGF, TGF β 1, TGF β 2R2 and conotruncal heart defects in a Chinese population. <i>Molecular Biology Reports</i> , 2014, 41, 1763-1770.	1.0	14
3214	Identifying and interpreting novel targets that address more than one diabetic complication: a strategy for optimal end organ protection in diabetes. <i>Diabetology International</i> , 2014, 5, 1-20.	0.7	3
3215	The Protective Effects of Fucosterol Against Skin Damage in UVB-Irradiated Human Dermal Fibroblasts. <i>Marine Biotechnology</i> , 2014, 16, 361-370.	1.1	56
3216	Expression of TGF-beta superfamily growth factors, their receptors, the associated SMADs and antagonists in five isolated size-matched populations of pre-antral follicles from normal human ovaries. <i>Molecular Human Reproduction</i> , 2014, 20, 293-308.	1.3	81
3217	Myhre syndrome. <i>Clinical Genetics</i> , 2014, 85, 503-513.	1.0	34
3218	N-Hydroxycinnamide derivatives of osthole inhibit cell migration and invasion by suppressing Smad2 and Akt pathways in human colorectal adenocarcinoma cells. <i>Chemico-Biological Interactions</i> , 2014, 217, 1-8.	1.7	11
3219	<scp>TMEPAI</scp>/<scp>PMEPA</scp>1 enhances tumorigenic activities in lung cancer cells. <i>Cancer Science</i> , 2014, 105, 334-341.	1.7	54
3220	Regulatory Interplay between NFIC and TGF- β 1 in Apical Papilla-derived Stem Cells. <i>Journal of Dental Research</i> , 2014, 93, 496-501.	2.5	36
3221	Uterine epithelial cell proliferation and endometrial hyperplasia: evidence from a mouse model. <i>Molecular Human Reproduction</i> , 2014, 20, 776-786.	1.3	37
3222	New insights into the expression profile and function of micro-ribonucleic acid in human spermatozoa. <i>Fertility and Sterility</i> , 2014, 102, 213-222.e4.	0.5	79
3223	Inhibitory effect of ethyl acetate extract of <i>Aristolochia yunnanensis</i> on cardiac fibrosis through extracellular signal-regulated kinases 1/2 and transforming growth factor β 2/small mother against decapentaplegic signaling pathways. <i>Translational Research</i> , 2014, 163, 160-170.	2.2	12
3224	TGF- β 1 Regulation of Multidrug Resistance P-glycoprotein in the Developing Male Blood-Brain Barrier. <i>Endocrinology</i> , 2014, 155, 475-484.	1.4	31
3225	Integral Role of Platelet-Derived Growth Factor in Mediating Transforming Growth Factor- β 1-Dependent Mesenchymal Stem Cell Stiffening. <i>Stem Cells and Development</i> , 2014, 23, 245-261.	1.1	22
3226	Activation of Akt signaling in prostate induces a TGF β 2-mediated restraint on cancer progression and metastasis. <i>Oncogene</i> , 2014, 33, 3660-3667.	2.6	29
3227	Smad and NFAT Pathways Cooperate To Induce CD103 Expression in Human CD8 T Lymphocytes. <i>Journal of Immunology</i> , 2014, 192, 2471-2479.	0.4	64
3228	Wnt Signaling in Skeletal Muscle Dynamics: Myogenesis, Neuromuscular Synapse and Fibrosis. <i>Molecular Neurobiology</i> , 2014, 49, 574-589.	1.9	107
3229	The role of transforming growth factor (TGF)- β 2 in modulating the immune response and fibrogenesis in the gut. <i>Cytokine and Growth Factor Reviews</i> , 2014, 25, 45-55.	3.2	81
3230	Novel bone morphogenetic protein signaling through Smad2 and Smad3 to regulate cancer progression and development. <i>FASEB Journal</i> , 2014, 28, 1248-1267.	0.2	80

#	ARTICLE	IF	CITATIONS
3231	Time-Varying Causal Inference From Phosphoproteomic Measurements in Macrophage Cells. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2014, 8, 74-86.	2.7	4
3232	Transforming growth factor β -mediated site-specific Smad linker region phosphorylation in vascular endothelial cells. <i>Journal of Pharmacy and Pharmacology</i> , 2014, 66, 1722-1733.	1.2	25
3233	Different effects of lobeline on neuronal and muscle nicotinic receptors. <i>European Journal of Pharmacology</i> , 2014, 738, 352-359.	1.7	3
3234	Strain-dependent effects of transforming growth factor- β 1 and 2 during mouse secondary palate development. <i>Reproductive Toxicology</i> , 2014, 50, 129-133.	1.3	8
3235	Signal Transduction: From the Atomic Age to the Post-Genomic Era. <i>Cold Spring Harbor Perspectives in Biology</i> , 2014, 6, a022913-a022913.	2.3	21
3236	Tie2 and Eph Receptor Tyrosine Kinase Activation and Signaling. <i>Cold Spring Harbor Perspectives in Biology</i> , 2014, 6, a009142-a009142.	2.3	29
3237	In silico identification of potential therapeutic targets in the TGF- β signal transduction pathway. <i>Molecular BioSystems</i> , 2014, 10, 537.	2.9	6
3238	Phenotypic analysis of an MgtE magnesium transporter mutation in <i>Bacillus subtilis</i> . <i>Bios</i> , 2014, 85, 8-17.	0.0	1
3239	Engineering TGF- β superfamily ligands for clinical applications. <i>Trends in Pharmacological Sciences</i> , 2014, 35, 648-657.	4.0	23
3240	Knockdown of peroxiredoxin 5 inhibits the growth of osteoarthritic chondrocytes via upregulating Wnt/ β -catenin signaling. <i>Free Radical Biology and Medicine</i> , 2014, 76, 251-260.	1.3	12
3241	Is α 1-fibrodysplasia Ossificans Progressiva a Vascular Disease? A Groundbreaking Pathogenic Model. <i>ReumatologAa ClAnica (English Edition)</i> , 2014, 10, 389-395.	0.2	3
3242	¿Es la α 1-fibrod displasia osificante progresiva una enfermedad de origen vascular? Un modelo patog A cnico innovador. <i>ReumatologAa ClAnica</i> , 2014, 10, 389-395.	0.2	4
3243	PKC δ phosphorylation is an upstream event of GSK3 inactivation-mediated ROS generation in TGF- β 1-induced senescence. <i>Free Radical Research</i> , 2014, 48, 1100-1108.	1.5	19
3244	Galectin-9-CD44 Interaction Enhances Stability and Function of Adaptive Regulatory T Cells. <i>Immunity</i> , 2014, 41, 270-282.	6.6	249
3245	Spatio-temporally precise activation of engineered receptor tyrosine kinases by light. <i>EMBO Journal</i> , 2014, 33, 1713-1726.	3.5	226
3246	Prostate cancer bone metastases acquire resistance to androgen deprivation via WNT5A-mediated BMP-6 induction. <i>British Journal of Cancer</i> , 2014, 110, 1634-1644.	2.9	55
3247	MicroRNA-200b Stimulates Tumour Growth in TGFBR2-Null Colorectal Cancers by Negatively Regulating p27/kip1. <i>Journal of Cellular Physiology</i> , 2014, 229, 772-782.	2.0	30
3248	Molecular aspects of development and regulation of endometriosis. <i>Reproductive Biology and Endocrinology</i> , 2014, 12, 50.	1.4	85

#	ARTICLE	IF	CITATIONS
3249	Effect of melamine on $[Ca^{2+}]_i$ and viability in PC3 human prostate cancer cells. <i>Environmental Toxicology and Pharmacology</i> , 2014, 38, 800-806.	2.0	2
3250	Biological Activity Differences between TGF- β 1 and TGF- β 3 Correlate with Differences in the Rigidity and Arrangement of Their Component Monomers. <i>Biochemistry</i> , 2014, 53, 5737-5749.	1.2	54
3251	Downregulation of connective tissue growth factor by LPS/IFN- β -induced nitric oxide is reversed by aristolochic acid treatment in glomerular mesangial cells via STAT-1 \pm and NF- κ B signaling. <i>Chemico-Biological Interactions</i> , 2014, 210, 86-95.	1.7	11
3252	Alteration of energy metabolism gene expression in cumulus cells affects oocyte maturation via MOS β mitogen-activated protein kinase pathway in dairy cows with an unfavorable β Fertil β haplotype of one female fertility quantitative trait locus. <i>Theriogenology</i> , 2014, 81, 599-612.	0.9	19
3253	Amplification of PVT-1 is involved in poor prognosis via apoptosis inhibition in colorectal cancers. <i>British Journal of Cancer</i> , 2014, 110, 164-171.	2.9	270
3254	Leader cell positioning drives wound-directed collective migration in TGF β 2-stimulated epithelial sheets. <i>Molecular Biology of the Cell</i> , 2014, 25, 1586-1593.	0.9	62
3255	Molecular evolutionary analysis of decapentaplegic (dpp) gene in Drosophilidae. <i>Nucleus (India)</i> , 2014, 57, 61-65.	0.9	0
3256	TGF- β 2 stimulation in human and murine cells reveals commonly affected biological processes and pathways at transcription level. <i>BMC Systems Biology</i> , 2014, 8, 55.	3.0	33
3257	Myostatin β From the Mighty Mouse to cardiovascular disease and cachexia. <i>Clinica Chimica Acta</i> , 2014, 433, 216-224.	0.5	52
3258	Transcriptional Factors Smad1 and Smad9 Act Redundantly to Mediate Zebrafish Ventral Specification Downstream of Smad5. <i>Journal of Biological Chemistry</i> , 2014, 289, 6604-6618.	1.6	30
3259	Astrocytic control of neural circuit formation: Highlights on TGF-beta signaling. <i>Neurochemistry International</i> , 2014, 78, 18-27.	1.9	65
3260	Molecular regulation of hypothalamus β pituitary β gonads axis in males. <i>Gene</i> , 2014, 551, 15-25.	1.0	90
3261	IL-7 inhibits tumor growth by promoting T cell-mediated antitumor immunity in Meth A model. <i>Immunology Letters</i> , 2014, 158, 159-166.	1.1	9
3262	Synaptic pattern of nicotinic acetylcholine receptor β 7 and β 2 subunits on the direction-selective retinal ganglion cells in the postnatal mouse retina. <i>Experimental Eye Research</i> , 2014, 122, 54-64.	1.2	8
3263	The Myostatin gene of <i>Argopecten purpuratus</i> (ApMSTN): transcript expression and single-nucleotide polymorphism differences between wild and hatchery-bred populations. <i>Journal of Molluscan Studies</i> , 2014, 80, 169-176.	0.4	6
3264	Lysophosphatidic acid receptor-5 negatively regulates cellular responses in mouse fibroblast 3T3 cells. <i>Biochemical and Biophysical Research Communications</i> , 2014, 446, 585-589.	1.0	5
3265	Unifying effectors of circadian rhythm: Protein N -acetylation, phosphorylation, sulfation and other electrical effects. <i>Journal of Electrostatics</i> , 2014, 72, 198-202.	1.0	0
3266	A mathematical approach to emergent properties of metabolic networks: Partial coupling relations, hyperarcs and flux ratios. <i>Journal of Theoretical Biology</i> , 2014, 355, 185-193.	0.8	11

#	ARTICLE	IF	CITATIONS
3267	SMAD3 gene variant is a risk factor for recurrent surgery in patients with Crohn's disease. <i>Journal of Crohn's and Colitis</i> , 2014, 8, 845-851.	0.6	46
3268	Aortopathy in Marfan syndrome: an update. <i>Cardiovascular Pathology</i> , 2014, 23, 261-266.	0.7	54
3269	Renal protection by low dose irbesartan in diabetic nephropathy is paralleled by a reduction of inflammation, not of endoplasmic reticulum stress. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014, 1842, 558-565.	1.8	20
3270	Matrix metalloproteinase-9 activates TGF- β 2 and stimulates fibroblast contraction of collagen gels. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2014, 306, L1006-L1015.	1.3	156
3271	P44/WDR77 restricts the sensitivity of proliferating cells to TGF β 2 signaling. <i>Biochemical and Biophysical Research Communications</i> , 2014, 450, 409-415.	1.0	11
3272	Mammalian HECT ubiquitin-protein ligases: Biological and pathophysiological aspects. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014, 1843, 61-74.	1.9	241
3273	Skin Aging: Microrelief and Wrinkle Measurements. , 2014, , 265-276.		0
3274	Chronic musculoskeletal pain: review of mechanisms and biochemical biomarkers as assessed by the microdialysis technique. <i>Journal of Pain Research</i> , 2014, 7, 313.	0.8	84
3275	Current view on the functional regulation of the neuronal K ⁺ -Cl ⁻ cotransporter KCC2. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 27.	1.8	186
3276	Low Expression of Transforming Growth Factor Beta-1 in Cancer Tissue Predicts a Poor Prognosis for Patients with Stage III Rectal Cancers. <i>Oncology</i> , 2014, 86, 159-169.	0.9	13
3277	Use of Label-free Optical Biosensors to Detect Modulation of Potassium Channels by G-protein Coupled Receptors. <i>Journal of Visualized Experiments</i> , 2014, , e51307.	0.2	3
3278	Kinase Signalling in Huntington's Disease. <i>Journal of Huntington's Disease</i> , 2014, 3, 89-123.	0.9	42
3279	Drug-induced Sensitization of Adenylyl Cyclase: Assay Streamlining and Miniaturization for Small Molecule and siRNA Screening Applications. <i>Journal of Visualized Experiments</i> , 2014, , e51218.	0.2	6
3280	Novel indel Mutation in the GDF5 Gene Is Associated with Brachydactyly Type C in a Four-Generation Turkish Family. <i>Molecular Syndromology</i> , 2014, 5, 81-86.	0.3	6
3281	TGF β 2 and Wnt in Cardiac Outflow Tract Defects in Offspring of Diabetic Pregnancies. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2014, 101, 364-370.	1.4	11
3282	Smad α -induced alterations of matrix metabolism by a myristoyl tetra peptide. <i>Cell Biochemistry and Function</i> , 2014, 32, 665-674.	1.4	8
3283	Bone morphogenetic protein 2 inhibits the proliferation and growth of human colorectal cancer cells. <i>Oncology Reports</i> , 2014, 32, 1013-1020.	1.2	51
3284	Effect of Smad3/4 on chemotherapeutic drug sensitivity in colorectal cancer cells. <i>Oncology Reports</i> , 2015, 33, 185-192.	1.2	14

#	ARTICLE	IF	CITATIONS
3286	Role of TGF β 2 in regulation of the tumor microenvironment and drug delivery (Review). <i>International Journal of Oncology</i> , 2015, 46, 933-943.	1.4	160
3287	Hydrogen-rich water-alleviated ultraviolet-B-triggered oxidative damage is partially associated with the manipulation of the metabolism of (iso)flavonoids and antioxidant defence in <i>Medicago sativa</i> . <i>Functional Plant Biology</i> , 2015, 42, 1141.	1.1	49
3288	Downregulation of the expression of inhibin β subunit and betaglycan in porcine cystic follicles. <i>Journal of Veterinary Medical Science</i> , 2015, 77, 1419-1425.	0.3	11
3289	TGF β 2 induces Grb2 to recruit PI3-K to TGF-RII that activates JNK/AP-1-signaling and augments invasiveness of Theileria-transformed macrophages. <i>Scientific Reports</i> , 2015, 5, 15688.	1.6	22
3290	The role, mechanism and potentially novel biomarker of microRNA-17-92 cluster in macrosomia. <i>Scientific Reports</i> , 2015, 5, 17212.	1.6	29
3291	Activation of the ALK-5 Pathway is not per se Sufficient for the Antiproliferative Effect of TGF β 1 on Renal Tubule Epithelial Cells. <i>Cellular Physiology and Biochemistry</i> , 2015, 37, 1231-1239.	1.1	4
3293	Astragaloside IV controls collagen reduction in photoaging skin by improving transforming growth factor- β 2/Smad signaling suppression and inhibiting matrix metalloproteinase-1. <i>Molecular Medicine Reports</i> , 2015, 11, 3344-3348.	1.1	42
3294	The exercise-induced biochemical milieu enhances collagen content and tensile strength of engineered ligaments. <i>Journal of Physiology</i> , 2015, 593, 4665-4675.	1.3	30
3295	Lumbrokinase from earthworm extract ameliorates second-hand smoke-induced cardiac fibrosis. <i>Environmental Toxicology</i> , 2015, 30, 1216-1225.	2.1	17
3296	Protein-protein interaction network of gene expression in the hydrocortisone-treated keloid. <i>International Journal of Dermatology</i> , 2015, 54, 549-554.	0.5	6
3297	Osteogenic properties of a short BMP-2 chimera peptide. <i>Journal of Peptide Science</i> , 2015, 21, 700-709.	0.8	15
3298	Salvianolic Acid B Protects Normal Human Dermal Fibroblasts Against Ultraviolet B Irradiation-induced Photoaging Through Mitogen-Activated Protein Kinase and Activator Protein-1 Pathways. <i>Photochemistry and Photobiology</i> , 2015, 91, 879-886.	1.3	25
3299	Extent of Detached Retina and Lens Status Influence Intravitreal Protein Expression in Rhegmatogenous Retinal Detachment. , 2015, 56, 5493.		21
3300	Intracellular Protein Shuttling: A Mechanism Relevant for Myelin Repair in Multiple Sclerosis?. <i>International Journal of Molecular Sciences</i> , 2015, 16, 15057-15085.	1.8	10
3301	Bilateral granulosa cell tumors: a novel malignant manifestation of multiple endocrine neoplasia 1 syndrome found in a patient with a rare menin in-frame deletion. <i>The Application of Clinical Genetics</i> , 2015, 8, 69.	1.4	5
3302	Signaling in Fibrosis: TGF β 2, WNT, and YAP/TAZ Converge. <i>Frontiers in Medicine</i> , 2015, 2, 59.	1.2	350
3303	The quasi-parallel lives of satellite cells and atrophying muscle. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 140.	1.7	5
3304	Role of TGF β 1 polymorphism in the development of metastatic brain tumors in non-small cell lung cancer patients. <i>Genetics and Molecular Research</i> , 2015, 14, 3545-3550.	0.3	12

#	ARTICLE	IF	CITATIONS
3305	Prognostic implication of the loss of TGFBR2 expression in oral carcinoma. <i>Neoplasma</i> , 2015, 62, 398-404.	0.7	4
3306	Human Cerberus Prevents Nodal-Receptor Binding, Inhibits Nodal Signaling, and Suppresses Nodal-Mediated Phenotypes. <i>PLoS ONE</i> , 2015, 10, e0114954.	1.1	28
3307	The Inhibitory Core of the Myostatin Prodomain: Its Interaction with Both Type I and II Membrane Receptors, and Potential to Treat Muscle Atrophy. <i>PLoS ONE</i> , 2015, 10, e0133713.	1.1	30
3308	Forebrain-Specific Loss of BMPRII in Mice Reduces Anxiety and Increases Object Exploration. <i>PLoS ONE</i> , 2015, 10, e0139860.	1.1	15
3310	Efectos de la exposición a la altura sobre los indicadores de la eritropoyesis y el metabolismo del hierro. <i>Revista Facultad De Medicina</i> , 2015, 63, 717-725.	0.0	6
3311	Identification of Biomarkers for the Prognosis of Pancreatic Ductal Adenocarcinoma with miRNA Microarray Data. <i>International Journal of Biological Markers</i> , 2015, 30, 226-233.	0.7	4
3312	TGF β Signaling in Tumor Initiation, Epithelial-to-Mesenchymal Transition, and Metastasis. <i>Journal of Oncology</i> , 2015, 2015, 1-15.	0.6	177
3313	TGF β and BMP signaling in cancer. , 2015, , 204-221.		1
3314	The Pro-Healing Effect of Protamine-Hydrolysate Peptides on Skin Wounds Involves TGF β /Smad Signaling. <i>Journal of Hard Tissue Biology</i> , 2015, 24, 91-98.	0.2	2
3315	MicroRNA-205 Promotes Cell Proliferation of Non-Small Cell Lung Cancer by Targeting Smad4. <i>Journal of Clinical & Cellular Immunology</i> , 2015, 06, .	1.5	1
3316	Smad2/3 Linker Phosphorylation Is a Possible Marker of Cancer Stem Cells and Correlates with Carcinogenesis in a Mouse Model of Colitis-Associated Colorectal Cancer. <i>Journal of Crohn's and Colitis</i> , 2015, 9, 565-574.	0.6	21
3317	Research on growth factors in periodontology. <i>Periodontology 2000</i> , 2015, 67, 234-250.	6.3	34
3318	MicroRNA-144 dysregulates the transforming growth factor- β signaling cascade and contributes to the development of bronchiolitis obliterans syndrome after human lung transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2015, 34, 1154-1162.	0.3	43
3319	Design and validation of a homogeneous time-resolved fluorescence cell-based assay targeting the ligand-gated ion channel 5-HT3A. <i>Analytical Biochemistry</i> , 2015, 484, 105-112.	1.1	4
3320	Activin A, B and AB decrease progesterone production by down-regulating StAR in human granulosa cells. <i>Molecular and Cellular Endocrinology</i> , 2015, 412, 290-301.	1.6	39
3321	Classical and atypical agonists activate M1 muscarinic acetylcholine receptors through common mechanisms. <i>Pharmacological Research</i> , 2015, 97, 27-39.	3.1	5
3322	The impact of passive immunisation against BMPRII and BMP4 on follicle development and ovulation in mice. <i>Reproduction</i> , 2015, 149, 403-411.	1.1	16
3323	Enhanced FHL2 and TGF β 1 Expression Is Associated With Invasive Growth and Poor Survival in Malignant Melanomas. <i>American Journal of Clinical Pathology</i> , 2015, 143, 248-256.	0.4	11

#	ARTICLE	IF	CITATIONS
3324	Chaperone Hsp47 Drives Malignant Growth and Invasion by Modulating an ECM Gene Network. <i>Cancer Research</i> , 2015, 75, 1580-1591.	0.4	96
3325	Amino-terminal fragments of laminin β 2 chain stimulate migration of metastatic breast cancer cells by interacting with CD44. <i>Clinical and Experimental Metastasis</i> , 2015, 32, 405-415.	1.7	10
3326	Cysteine cathepsins and cystatins: from ancillary tasks to prominent status in lung diseases. <i>Biological Chemistry</i> , 2015, 396, 111-130.	1.2	40
3327	Bone Morphogenetic Protein-4 (BMP4): A Paracrine Regulator of Human Adrenal C19 Steroid Synthesis. <i>Endocrinology</i> , 2015, 156, 2530-2540.	1.4	20
3328	TGF β RIII independently binds type I and type II TGF β receptors to inhibit TGF β signaling. <i>Molecular Biology of the Cell</i> , 2015, 26, 3535-3545.	0.9	28
3329	Structural basis for the Smad5 MH1 domain to recognize different DNA sequences. <i>Nucleic Acids Research</i> , 2015, 43, 9051-9064.	6.5	17
3330	Long-Range Communication Network in the Type 1B Bone Morphogenetic Protein Receptor. <i>Biochemistry</i> , 2015, 54, 7079-7088.	1.2	3
3331	How to make striatal projection neurons. <i>Neurogenesis (Austin, Tex)</i> , 2015, 2, e1100227.	1.5	11
3332	GDF-5 can act as a context-dependent BMP-2 antagonist. <i>BMC Biology</i> , 2015, 13, 77.	1.7	39
3333	Arsenite Disrupts Zinc-Dependent TGF β 2-SMAD Activity During Murine Cardiac Progenitor Cell Differentiation. <i>Toxicological Sciences</i> , 2015, 148, 409-420.	1.4	5
3334	Growth inhibition of luteolin on HepG2 cells is induced via p53 and Fas/Fas-ligand besides the TGF β pathway. <i>International Journal of Oncology</i> , 2015, 47, 747-754.	1.4	24
3335	Transforming growth factor receptor type II (ec-TGF β R II) behaves as a halophile. <i>International Journal of Biological Macromolecules</i> , 2015, 72, 1104-1110.	3.6	0
3336	Collateral sensitivity to cold stress and differential BCL-2 family expression in new daunomycin-resistant lymphoblastoid cell lines. <i>Experimental Cell Research</i> , 2015, 331, 11-20.	1.2	12
3337	Constitutive Activation of Transforming Growth Factor Beta Receptor 1 in the Mouse Uterus Impairs Uterine Morphology and Function1. <i>Biology of Reproduction</i> , 2015, 92, 34.	1.2	34
3338	Signaling pathways regulating the specification and differentiation of the osteoblast lineage. <i>Regenerative Therapy</i> , 2015, 1, 57-62.	1.4	32
3339	Taste receptors. , 2015, , 297-329.		0
3340	TRAF6 promotes TGF β 2-induced invasion and cell-cycle regulation via Lys63-linked polyubiquitination of Lys178 in TGF β 2 type I receptor. <i>Cell Cycle</i> , 2015, 14, 554-565.	1.3	44
3341	Tetrahydroxystilbene Glucoside Improves TNF α -Induced Endothelial Dysfunction: Involvement of TGF β 2/Smad Pathway and Inhibition of Vimentin Expression. <i>The American Journal of Chinese Medicine</i> , 2015, 43, 183-198.	1.5	28

#	ARTICLE	IF	CITATIONS
3342	Aberrant expression of p-Smad3 in oral carcinogenesis. <i>Clinical Oral Investigations</i> , 2015, 19, 613-618.	1.4	5
3343	Cancer-2, hCG variants drive malignancies. , 2015, , 201-206.		0
3344	A Critical Role for Transcription Factor Smad4 in T Cell Function that Is Independent of Transforming Growth Factor β Receptor Signaling. <i>Immunity</i> , 2015, 42, 68-79.	6.6	43
3345	Effects of Enamel Matrix Derivative and Transforming Growth Factor- β 1 on Connective Tissue Growth Factor in Human Periodontal Ligament Fibroblasts. <i>Journal of Periodontology</i> , 2015, 86, 569-577.	1.7	14
3346	TGF- β signaling and its role in the regulation of hematopoietic stem cells. <i>Systems and Synthetic Biology</i> , 2015, 9, 1-10.	1.0	55
3347	Expression and Function of the ID1 Gene During Transforming Growth Factor- β 1-Induced Differentiation of Human Embryonic Stem Cells to Endothelial Cells. <i>Cellular Reprogramming</i> , 2015, 17, 59-68.	0.5	6
3348	The immune suppressive function of transforming growth factor- β (TGF- β) in human diseases. <i>Growth Factors</i> , 2015, 33, 92-101.	0.5	61
3349	SMAD3 and SP1/SP3 Transcription Factors Collaborate to Regulate Connective Tissue Growth Factor Gene Expression in Myoblasts in Response to Transforming Growth Factor β . <i>Journal of Cellular Biochemistry</i> , 2015, 116, 1880-1887.	1.2	22
3350	Activin A Accelerates the Progression of Fetal Oocytes Throughout Meiosis and Early Oogenesis in the Mouse. <i>Stem Cells and Development</i> , 2015, 24, 2455-2465.	1.1	22
3351	Reduction of Cullin-2 in somatic cells disrupts differentiation of germline stem cells in the <i>Drosophila</i> ovary. <i>Developmental Biology</i> , 2015, 405, 269-279.	0.9	10
3352	Connected nucleophilic substitution-Claisen rearrangement in flow μ Analysis for kilo-lab process solutions with orthogonality. <i>Chemical Engineering Journal</i> , 2015, 281, 144-154.	6.6	7
3353	Disruption of Smad4 in odontoblasts and dental epithelial cells influences the phenotype of multiple keratocystic odontogenic tumors. <i>Biochemical and Biophysical Research Communications</i> , 2015, 463, 280-284.	1.0	2
3354	Sirt7 Contributes to Myocardial Tissue Repair by Maintaining Transforming Growth Factor- β Signaling Pathway. <i>Circulation</i> , 2015, 132, 1081-1093.	1.6	88
3355	Molecular mechanisms of synergy of corneal muscarinic and nicotinic acetylcholine receptors in upregulation of E-cadherin expression. <i>International Immunopharmacology</i> , 2015, 29, 15-20.	1.7	6
3356	Calcium ion-induced formation of β -sheet/-turn structure leading to alteration of osteogenic activity of bone morphogenetic protein-2. <i>Scientific Reports</i> , 2015, 5, 12694.	1.6	22
3357	Abrogation of both short and long forms of latent transforming growth factor- β binding protein-1 causes defective cardiovascular development and is perinatally lethal. <i>Matrix Biology</i> , 2015, 43, 61-70.	1.5	23
3358	Multi-Walled Carbon Nanotubes Promote Cementoblast Differentiation and Mineralization through the TGF- β /Smad Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2015, 16, 3188-3201.	1.8	16
3359	Aetiological coding sequence variants in non-syndromic premature ovarian failure: From genetic linkage analysis to next generation sequencing. <i>Molecular and Cellular Endocrinology</i> , 2015, 411, 243-257.	1.6	46

#	ARTICLE	IF	CITATIONS
3360	Virtual High-Throughput Screening To Identify Novel Activin Antagonists. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 5637-5648.	2.9	17
3361	High concentrations of mast cell chymase facilitate the transduction of the transforming growth factor- β 1/Smads signaling pathway in skin fibroblasts. <i>Experimental and Therapeutic Medicine</i> , 2015, 9, 955-960.	0.8	5
3362	The Immune Adaptor ADAP Regulates Reciprocal TGF- β 1-Integrin Crosstalk to Protect from Influenza Virus Infection. <i>PLoS Pathogens</i> , 2015, 11, e1004824.	2.1	16
3363	The effect of silk gland sericin protein incorporation into electrospun polycaprolactone nanofibers on in vitro and in vivo characteristics. <i>Journal of Materials Chemistry B</i> , 2015, 3, 859-870.	2.9	15
3364	Epigenetic modifications by histone deacetylases: Biological implications and therapeutic potential in liver fibrosis. <i>Biochimie</i> , 2015, 116, 61-69.	1.3	30
3365	Drugs That Inhibit Signaling Pathways for Tumor Cell Growth and Proliferation. , 2015, , 391-491.		5
3366	c.29C>T polymorphism in the transforming growth factor- β 1 (TGFB1) gene correlates with increased risk of urinary bladder cancer. <i>Cytokine</i> , 2015, 75, 344-348.	1.4	8
3367	β 6 integrin is required for TGF β 1-mediated matrix metalloproteinase2 expression. <i>Biochemical Journal</i> , 2015, 466, 525-536.	1.7	27
3368	The subcellular compartmentalization of TGF β -RII and the dynamics of endosomal formation during the signaling events: An in vivo study on rat mesothelial cells. <i>European Journal of Cell Biology</i> , 2015, 94, 204-213.	1.6	12
3369	Activin- β C modulates gonadal, but not adrenal tumorigenesis in the inhibin deficient mice. <i>Molecular and Cellular Endocrinology</i> , 2015, 409, 41-50.	1.6	8
3370	Inhibition of bone morphogenetic protein signalling promotes wound healing in a human ex vivo model. <i>European Journal of Plastic Surgery</i> , 2015, 38, 1-12.	0.3	3
3371	Increased pSmad2 expression and cytoplasmic predominant presence of TGF- β RII in breast cancer tissue are associated with poor prognosis: results from the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , 2015, 149, 467-477.	1.1	9
3372	Enhanced endogenous bone morphogenetic protein signaling protects against bleomycin induced pulmonary fibrosis. <i>Respiratory Research</i> , 2015, 16, 38.	1.4	35
3373	TGF- β signaling in the control of hematopoietic stem cells. <i>Blood</i> , 2015, 125, 3542-3550.	0.6	207
3374	Regulation of intestinal stem cell fate specification. <i>Science China Life Sciences</i> , 2015, 58, 570-578.	2.3	29
3375	Applications of NGS to Screen FFPE Tumours for Detecting Fusion Transcripts. , 2015, , 155-177.		0
3376	BAMBI Elimination Enhances Alternative TGF- β Signaling and Glomerular Dysfunction in Diabetic Mice. <i>Diabetes</i> , 2015, 64, 2220-2233.	0.3	50
3378	Structural determinants of Smad function in TGF- β signaling. <i>Trends in Biochemical Sciences</i> , 2015, 40, 296-308.	3.7	297

#	ARTICLE	IF	CITATIONS
3379	Fibulin-3 is a novel TGF- β 2 pathway inhibitor in the breast cancer microenvironment. <i>Oncogene</i> , 2015, 34, 5635-5647.	2.6	41
3380	Botulinum Toxin A Affects Early Capsule Formation Around Silicone Implants in a Rat Model. <i>Annals of Plastic Surgery</i> , 2015, 74, 488-495.	0.5	11
3382	Left ventricular non-compaction cardiomyopathy. <i>Lancet, The</i> , 2015, 386, 813-825.	6.3	407
3383	Cloning and primary immunological study of TGF- β 1 and its receptors T β R I /T β R II in tilapia (<i>Oreochromis</i>) Tj ETQq1.1.0.784314 rgBT	1.0	24
3384	Cancer-3, tying everything together. , 2015, , 207-218.		0
3385	Constitutive negative regulation in the processing of the anti-M β 1/llerian hormone receptor II. <i>Journal of Cell Science</i> , 2015, 128, 1352-1364.	1.2	25
3386	Heterozygous modulation of TGF- β 2 signaling does not influence M β 1/ller glia cell reactivity or proliferation following NMDA-induced damage. <i>Histochemistry and Cell Biology</i> , 2015, 144, 443-455.	0.8	21
3387	The crucial role of Activin A on the formation of primordial germ cell-like cells from skin-derived stem cells in vitro. <i>Cell Cycle</i> , 2015, 14, 3016-3029.	1.3	20
3388	Growth and differentiation factor 11 (GDF11): Functions in the regulation of erythropoiesis and cardiac regeneration. , 2015, 156, 26-33.		49
3389	Serum Transforming Growth Factor- β 1 Change After Neoadjuvant Chemoradiation Therapy Is Associated With Postoperative Pulmonary Complications in Esophageal Cancer Patients Undergoing Combined Modality Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 93, 1023-1031.	0.4	2
3390	Proteomic analyses reveal distinct chromatin-associated and soluble transcription factor complexes. <i>Molecular Systems Biology</i> , 2015, 11, 775.	3.2	121
3391	Virtual screening studies to identify novel inhibitors for Sigma F protein of <i>Mycobacterium tuberculosis</i> . <i>International Journal of Mycobacteriology</i> , 2015, 4, 330-336.	0.3	3
3392	Fibrillin-containing microfibrils are key signal relay stations for cell function. <i>Journal of Cell Communication and Signaling</i> , 2015, 9, 309-325.	1.8	33
3393	Regulation of TGF- β 2 receptor hetero-oligomerization and signaling by endoglin. <i>Molecular Biology of the Cell</i> , 2015, 26, 3117-3127.	0.9	35
3394	In vitro analysis of the effects on wound healing of high- and low-molecular weight chains of hyaluronan and their hybrid H-HA/L-HA complexes. <i>BMC Cell Biology</i> , 2015, 16, 19.	3.0	83
3395	Persistent Noggin arrests cardiomyocyte morphogenesis and results in early in utero lethality. <i>Developmental Dynamics</i> , 2015, 244, 457-467.	0.8	5
3396	The non-detergent sulfobetaine-201 acts as a pharmacological chaperone to promote folding and crystallization of the type II TGF- β 2 receptor extracellular domain. <i>Protein Expression and Purification</i> , 2015, 115, 19-25.	0.6	5
3397	Silver nanoparticles promote osteogenesis of mesenchymal stem cells and improve bone fracture healing in osteogenesis mechanism mouse model. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2015, 11, 1949-1959.	1.7	168

#	ARTICLE	IF	CITATIONS
3398	Identification of Endoglin as an epigenetically regulated tumour-suppressor gene in lung cancer. <i>British Journal of Cancer</i> , 2015, 113, 970-978.	2.9	21
3399	Hsp90/Cdc37 assembly modulates TGF β 2 receptor-II to act as a profibrotic regulator of TGF β 2 signaling during cardiac hypertrophy. <i>Cellular Signalling</i> , 2015, 27, 2410-2424.	1.7	28
3400	Distinct roles of transforming growth factor- β 2 signaling and transforming growth factor- β 2 receptor inhibitor SB431542 in the regulation of p21 expression. <i>European Journal of Pharmacology</i> , 2015, 764, 413-423.	1.7	18
3401	Invasion of ovarian cancer cells is induced by PITX2-mediated activation of TGF- β 2 and Activin-A. <i>Molecular Cancer</i> , 2015, 14, 162.	7.9	57
3402	Phase 1 study of galunisertib, a TGF-beta receptor I kinase inhibitor, in Japanese patients with advanced solid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 76, 1143-1152.	1.1	73
3403	Resistance to the Beneficial Effects of Exercise in Type 2 Diabetes: Are Some Individuals Programmed to Fail?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 43-52.	1.8	87
3404	Regulation of myofibroblast differentiation by miR-424 during epithelial-to-mesenchymal transition. <i>Archives of Biochemistry and Biophysics</i> , 2015, 566, 49-57.	1.4	50
3405	Oocyte-derived Smad4 is not required for development of the oocyte or the preimplantation embryo. <i>Theriogenology</i> , 2015, 83, 897-903.	0.9	5
3406	Lactoferrin causes IgA and IgG2b isotype switching through betaglycan binding and activation of canonical TGF- β 2 signaling. <i>Mucosal Immunology</i> , 2015, 8, 906-917.	2.7	33
3407	aPKC alters TGF β 2 response in NSCLC cells via both Smad-dependent and Smad-independent pathways. <i>Journal of Cell Science</i> , 2015, 128, 487-498.	1.2	16
3408	Receptor Tyrosine Kinases: Structure, Functions and Role in Human Disease. , 2015, , .		7
3409	Embryonic stem cells of the non-human primate <i>Callithrix jacchus</i> can be differentiated into definitive endoderm by Activin-A but not IDE-1/2. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2015, 9, 473-479.	1.3	9
3410	A role of microRNA-370 in hepatic ischaemia-reperfusion injury by targeting transforming growth factor- β 2 receptor II. <i>Liver International</i> , 2015, 35, 1124-1132.	1.9	36
3411	Implication of Smad2 and Smad3 in Transforming Growth Factor- β 2-induced Posterior Capsular Opacification of Human Lens Epithelial Cells. <i>Current Eye Research</i> , 2015, 40, 386-397.	0.7	22
3412	Mechanisms and treatments of photoaging. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2015, 31, 65-74.	0.7	158
3413	New Strategy for High-Level Expression and Purification of Biologically Active Monomeric TGF- β 21/C77S in <i>Escherichia coli</i> . <i>Molecular Biotechnology</i> , 2015, 57, 160-171.	1.3	9
3414	Phosphorylation of Smad2/3 at Specific Linker Threonine Indicates Slow-Cycling Intestinal Stem-Like Cells Before Reentry to Cell Cycle. <i>Digestive Diseases and Sciences</i> , 2015, 60, 362-374.	1.1	13
3415	Tranilast: A review of its therapeutic applications. <i>Pharmacological Research</i> , 2015, 91, 15-28.	3.1	222

#	ARTICLE	IF	CITATIONS
3417	Critical Regulators of Endothelial Cell Functions: For a Change Being Alternative. Antioxidants and Redox Signaling, 2015, 22, 1212-1229.	2.5	6
3418	Design, synthesis and evaluation of small molecule imidazo[2,1-b][1,3,4]thiadiazoles as inhibitors of transforming growth factor- β type-I receptor kinase (ALK5). European Journal of Medicinal Chemistry, 2015, 93, 599-613.	2.6	44
3419	Alteration in transforming growth factor- β receptor expression in gallbladder disease: implications of chronic cholelithiasis and chronic Salmonella typhi infection. Gastroenterology Insights, 2016, 7, .	0.7	2
3420	TGF- β 1 and TGF- β 2 abundance in liver diseases of mice and men. Oncotarget, 2016, 7, 19499-19518.	0.8	52
3421	Sitagliptin attenuates cardiomyopathy by modulating the JAK/STAT signaling pathway in experimental diabetic rats. Drug Design, Development and Therapy, 2016, Volume 10, 2095-2107.	2.0	80
3422	Molecular aspects of skin aging. Literature review. Przegląd Dermatologiczny, 2016, 2, 139-142.	0.0	1
3423	Artificial Neural Networks to Predict Regulation between Smad7 and miRNA on Breast Cancer. , 2016, , .		0
3424	Role of Transforming Growth Factor- β 1 and Smads Signaling Pathway in Intrauterine Adhesion. Mediators of Inflammation, 2016, 2016, 1-13.	1.4	52
3425	Activin A Stimulates Aromatase via the ALK4-Smad Pathway in Endometriosis. BioMed Research International, 2016, 2016, 1-10.	0.9	10
3426	TGF- β 1/Smads and miR-21 in Renal Fibrosis and Inflammation. Mediators of Inflammation, 2016, 2016, 1-12.	1.4	239
3427	Effects of Transforming Growth Factor Beta 1 in Cerebellar Development: Role in Synapse Formation. Frontiers in Cellular Neuroscience, 2016, 10, 104.	1.8	22
3428	Protective Effects of Berberine on Renal Injury in Streptozotocin (STZ)-Induced Diabetic Mice. International Journal of Molecular Sciences, 2016, 17, 1327.	1.8	55
3429	Involvement of Cyclic Guanosine Monophosphate-Dependent Protein Kinase I in Renal Antifibrotic Effects of Serelaxin. Frontiers in Pharmacology, 2016, 7, 195.	1.6	14
3430	The Therapeutic Targets of miRNA in Hepatic Cancer Stem Cells. Stem Cells International, 2016, 2016, 1-10.	1.2	320
3431	Phosphorylation of Smad2/3 at the specific linker threonine residue indicates slow-cycling esophageal stem-like cells before re-entry to the cell cycle. Ecological Management and Restoration, 2016, 29, 1-8.	0.2	13
3432	The TGF β pathway stimulates ovarian cancer cell proliferation by increasing IGF1R levels. International Journal of Cancer, 2016, 139, 1894-1903.	2.3	53
3433	Up-regulation of miR-455-5p by the TGF β -SMAD signalling axis promotes the proliferation of oral squamous cancer cells by targeting UBE2B. Journal of Pathology, 2016, 240, 38-49.	2.1	76
3434	Crosstalk Between Human Tenocytes and Bone Marrow Stromal Cells Potentiates Extracellular Matrix Remodeling In Vitro. Journal of Cellular Biochemistry, 2016, 117, 684-693.	1.2	22

#	ARTICLE	IF	CITATIONS
3435	Protein kinase G signaling in cardiac pathophysiology: Impact of proteomics on clinical trials. <i>Proteomics</i> , 2016, 16, 894-905.	1.3	10
3436	<i>Angelica archangelica</i> Prevented Collagen Degradation by Blocking Production of Matrix Metalloproteinases in UVB-exposed Dermal Fibroblasts. <i>Photochemistry and Photobiology</i> , 2016, 92, 604-610.	1.3	11
3438	Microfluidic Devices for the Measurement of Cellular Secretion. <i>Annual Review of Analytical Chemistry</i> , 2016, 9, 249-269.	2.8	12
3439	Effects of amlodipine on ischaemia/reperfusion injury in the rat testis. <i>Andrologia</i> , 2016, 48, 441-452.	1.0	16
3440	c-Jun N-terminal kinase inhibitor favors transforming growth factor- β 2 to antagonize hepatitis B virus X protein-induced cell growth promotion in hepatocellular carcinoma. <i>Molecular Medicine Reports</i> , 2016, 13, 1345-1352.	1.1	10
3441	SMAD3 Activation: A Converging Point of Dysregulated TGF-Beta Superfamily Signaling and Genetic Aberrations in Granulosa Cell Tumor Development?. <i>Biology of Reproduction</i> , 2016, 95, 105-105.	1.2	15
3442	Smad2 and Smad3 have differential sensitivity in relaying TGF β 2 signaling and inversely regulate early lineage specification. <i>Scientific Reports</i> , 2016, 6, 21602.	1.6	78
3443	Growth Factors and Cytokines in Skeletal Muscle Development, Growth, Regeneration and Disease. <i>Advances in Experimental Medicine and Biology</i> , 2016, , .	0.8	3
3444	Sinomenine attenuates renal fibrosis through Nrf2-mediated inhibition of oxidative stress and TGF β 2 signaling. <i>Toxicology and Applied Pharmacology</i> , 2016, 304, 1-8.	1.3	60
3445	TGF-beta-induced early gene-1 overexpression promotes oxidative stress protection and actin cytoskeleton rearrangement in human skin fibroblasts. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2016, 1860, 1071-1078.	1.1	11
3446	Regulation of the TGF- β 2 pathway by deubiquitinases in cancer. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 76, 135-145.	1.2	29
3447	Cnidarian Immunity: From Genomes to Phenomes. , 2016, , 441-466.		37
3448	Methotrexate-Induced Epithelial-Mesenchymal Transition in the Alveolar Epithelial Cell Line A549. <i>Lung</i> , 2016, 194, 923-930.	1.4	31
3449	Synergistic growth factor microenvironments. <i>Chemical Communications</i> , 2016, 52, 13327-13336.	2.2	46
3450	miRNA-558 promotes gastric cancer progression through attenuating Smad4-mediated repression of heparanase expression. <i>Cell Death and Disease</i> , 2016, 7, e2382-e2382.	2.7	46
3451	Repression of Smad4 by miR-205 moderates TGF- β 2-induced epithelial-mesenchymal transition in A549 cell lines. <i>International Journal of Oncology</i> , 2016, 49, 700-708.	1.4	45
3452	SOX2, OCT3/4 and NANOG expression and cellular plasticity in rare human somatic cells requires CD73. <i>Cellular Signalling</i> , 2016, 28, 1923-1932.	1.7	7
3453	The role of cGMP and its signaling pathways in kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F671-F681.	1.3	23

#	ARTICLE	IF	CITATIONS
3454	TGF- β 2 Signaling from Receptors to Smads. <i>Cold Spring Harbor Perspectives in Biology</i> , 2016, 8, a022061.	2.3	578
3455	Isoform-specific regulation of transforming growth factor- β 2 mRNA expression in macrophages in response to adrenoceptor stimulation. <i>Microbiology and Immunology</i> , 2016, 60, 56-63.	0.7	10
3456	Binding Properties of the Transforming Growth Factor- β 2 Coreceptor Betaglycan: Proposed Mechanism for Potentiation of Receptor Complex Assembly and Signaling. <i>Biochemistry</i> , 2016, 55, 6880-6896.	1.2	33
3457	Regulation of SMAD transcription factors during freezing in the freeze tolerant wood frog, <i>Rana sylvatica</i> . <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2016, 201, 64-71.	0.7	13
3458	Determination of half-maximal inhibitory concentration using biosensor-based protein interaction analysis. <i>Analytical Biochemistry</i> , 2016, 508, 97-103.	1.1	105
3459	Downregulation of Smurf2 ubiquitin ligase in pancreatic cancer cells reversed TGF- β 2-induced tumor formation. <i>Tumor Biology</i> , 2016, 37, 16077-16091.	0.8	13
3460	The induction of the collagen capsule synthesis by <i>Trichinella spiralis</i> is closely related to protease-activated receptor 2. <i>Veterinary Parasitology</i> , 2016, 230, 56-61.	0.7	12
3461	Smad4 suppresses the tumorigenesis and aggressiveness of neuroblastoma through repressing the expression of heparanase. <i>Scientific Reports</i> , 2016, 6, 32628.	1.6	16
3462	Oocyte-somatic cell interactions in the human ovary: novel role of bone morphogenetic proteins and growth differentiation factors. <i>Human Reproduction Update</i> , 2016, 23, 1-18.	5.2	212
3463	TGF- β 21 monoclonal antibody: Assessment of embryo-fetal toxicity in rats and rabbits. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2016, 107, 174-184.	1.4	3
3464	Colorectal cancer characterization and therapeutic target prediction based on microRNA expression profile. <i>Scientific Reports</i> , 2016, 6, 20616.	1.6	41
3465	<i>Six</i> Family of Homeobox Genes and Related Mechanisms in Tumorigenesis Protocols. <i>Tumori</i> , 2016, 102, 236-243.	0.6	18
3466	Transmembrane protein 147 (TMEM147): another partner protein of <i>Haemonchus contortus</i> galectin on the goat peripheral blood mononuclear cells (PBMC). <i>Parasites and Vectors</i> , 2016, 9, 355.	1.0	28
3467	The soluble form of BMPRII is a novel therapeutic candidate for treating bone related disorders. <i>Scientific Reports</i> , 2016, 6, 18849.	1.6	10
3468	Analysis of a dynamic model of guard cell signaling reveals the stability of signal propagation. <i>BMC Systems Biology</i> , 2016, 10, 78.	3.0	14
3469	Effective treatment for prevention of post-operative adhesion after strabismus surgery in experimental rabbit model: 0.5 % tranilast ophthalmic solution. <i>BMC Ophthalmology</i> , 2016, 16, 166.	0.6	5
3470	Evaluation of the potential synergism of imatinib-related poly kinase inhibitors using growth factor stimulated proteoglycan synthesis as a model response. <i>Journal of Pharmacy and Pharmacology</i> , 2016, 68, 368-378.	1.2	8
3471	Activins and Inhibins: Roles in Development, Physiology, and Disease. <i>Cold Spring Harbor Perspectives in Biology</i> , 2016, 8, a021881.	2.3	175

#	ARTICLE	IF	CITATIONS
3472	Phase I study of PF-03446962, a fully human monoclonal antibody against activin receptor-like kinase-1, in patients with hepatocellular carcinoma. <i>Annals of Oncology</i> , 2016, 27, 1782-1787.	0.6	32
3473	Glucocorticoids modify effects of TGF- β 1 on multidrug resistance in the fetal blood-brain barrier. <i>Growth Factors</i> , 2016, 34, 33-41.	0.5	8
3474	Transforming growth factor β 2 (TGF- β 2) gene expression is induced in the inflammatory reaction of <i>Ciona intestinalis</i> . <i>Developmental and Comparative Immunology</i> , 2016, 55, 102-110.	1.0	30
3475	The MicroRNA 29 Family Promotes Type II Cell Differentiation in Developing Lung. <i>Molecular and Cellular Biology</i> , 2016, 36, 2141-2141.	1.1	15
3476	Region-specific role of growth differentiation factor-5 in the establishment of sympathetic innervation. <i>Neural Development</i> , 2016, 11, 4.	1.1	23
3477	Active transforming growth factor- β 2 is associated with phenotypic changes in granulomas after drug treatment in pulmonary tuberculosis. <i>Fibrogenesis and Tissue Repair</i> , 2016, 9, 6.	3.4	45
3478	DMSO Enhances TGF- β 2 Activity by Recruiting the Type II TGF- β 2 Receptor From Intracellular Vesicles to the Plasma Membrane. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 1568-1579.	1.2	12
3479	The bone morphogenetic protein system and the regulation of ovarian follicle development in mammals. <i>Zygote</i> , 2016, 24, 1-17.	0.5	53
3480	Fibrosis in the lens. Sprouty regulation of TGF- β 2-signaling prevents lens EMT leading to cataract. <i>Experimental Eye Research</i> , 2016, 142, 92-101.	1.2	81
3481	Pathobiology of Osteolytic and Osteoblastic Bone Metastases. , 2016, , 15-35.		4
3482	Aberrant TGF- β 2 Signaling Contributes to Altered Trophoblast Differentiation in Preeclampsia. <i>Endocrinology</i> , 2016, 157, 883-899.	1.4	49
3483	Development and characterization of human monoclonal antibodies that neutralize multiple TGF- β 2 isoforms. <i>MAbs</i> , 2016, 8, 389-404.	2.6	33
3484	Smad7 Protein Interacts with Receptor-regulated Smads (R-Smads) to Inhibit Transforming Growth Factor- β 2 (TGF- β 2)/Smad Signaling. <i>Journal of Biological Chemistry</i> , 2016, 291, 382-392.	1.6	144
3485	Transforming Growth Factor- β 2 Family Ligands Can Function as Antagonists by Competing for Type II Receptor Binding. <i>Journal of Biological Chemistry</i> , 2016, 291, 10792-10804.	1.6	96
3486	The TGF- β 2 Signalling Network in Muscle Development, Adaptation and Disease. <i>Advances in Experimental Medicine and Biology</i> , 2016, 900, 97-131.	0.8	56
3487	Fibrosis: Overview. , 2016, , 1-20.		0
3488	Tissue segregation restores the induction of bone formation by the mammalian transforming growth factor- β 3 in calvarial defects of the non-human primate <i>Papio ursinus</i> . <i>Biomaterials</i> , 2016, 86, 21-32.	5.7	7
3489	Targeting the Type I TGF- β 2 Receptor for Treating Caveolin-3-Deficient Autosomal Dominant Limb-Girdle Muscular Dystrophy Type 1C and Muscle Wasting Disorders. , 2016, , 77-86.		1

#	ARTICLE	IF	CITATIONS
3490	AIMP1 downregulation restores chondrogenic characteristics of dedifferentiated/degenerated chondrocytes by enhancing TGF- β 2 signal. <i>Cell Death and Disease</i> , 2016, 7, e2099-e2099.	2.7	12
3493	Cytokines and persistent viral infections. <i>Cytokine</i> , 2016, 82, 4-15.	1.4	33
3494	Metformin attenuates transforming growth factor beta (TGF- β 2) mediated oncogenesis in mesenchymal stem-like/claudin-low triple negative breast cancer. <i>Cell Cycle</i> , 2016, 15, 1046-1059.	1.3	60
3495	Point mutations in the tumor suppressor Smad4/DPC4 enhance its phosphorylation by GSK3 and reversibly inactivate TGF- β 2 signaling. <i>Molecular and Cellular Oncology</i> , 2016, 3, e1025181.	0.3	30
3496	MicroRNA-196a/b Mitigate Renal Fibrosis by Targeting TGF- β 2 Receptor 2. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 3006-3021.	3.0	61
3497	Structural insights into BMP receptors: Specificity, activation and inhibition. <i>Cytokine and Growth Factor Reviews</i> , 2016, 27, 13-34.	3.2	187
3498	Hoxc13 is a crucial regulator of murine hair cycle. <i>Cell and Tissue Research</i> , 2016, 364, 149-158.	1.5	25
3499	Transforming growth factor- β 1 acts via T β R-I on microglia to protect against MPP+-induced dopaminergic neuronal loss. <i>Brain, Behavior, and Immunity</i> , 2016, 51, 131-143.	2.0	40
3500	Growth factors and pathogenesis. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2016, 34, 25-36.	1.4	30
3501	Production, Isolation, and Structural Analysis of Ligands and Receptors of the TGF- β 2 Superfamily. <i>Methods in Molecular Biology</i> , 2016, 1344, 63-92.	0.4	25
3502	Suppression of TGF- β 2 and Angiogenesis by Type VII Collagen in Cutaneous SCC. <i>Journal of the National Cancer Institute</i> , 2016, 108, djv293.	3.0	63
3504	Measuring TGF- β 2 Ligand Dynamics in Culture Medium. <i>Methods in Molecular Biology</i> , 2016, 1344, 379-389.	0.4	5
3505	Morphogens and blood-brain barrier function in health and disease. <i>Tissue Barriers</i> , 2016, 4, e1090524.	1.6	35
3506	Development and validation of an LC-MS/MS method for the determination of SB-505124 in rat plasma: Application to pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 117, 205-209.	1.4	4
3507	TGF- β 2 signalling in tumour associated macrophages. <i>Immunobiology</i> , 2017, 222, 75-81.	0.8	70
3508	Epigallocatechin-3-gallate inhibits transforming-growth-factor- β 1-induced collagen synthesis by suppressing early growth response-1 in human buccal mucosal fibroblasts. <i>Journal of the Formosan Medical Association</i> , 2017, 116, 107-113.	0.8	20
3509	Transforming growth factor β 2 suppresses peroxisome proliferator-activated receptor β 3 expression via both SMAD binding and novel TGF- β 2 inhibitory elements. <i>Biochemical Journal</i> , 2017, 474, 1531-1546.	1.7	44
3510	Transcriptomic evaluation of bovine blastocysts obtained from peri-pubertal oocyte donors. <i>Theriogenology</i> , 2017, 93, 111-123.	0.9	16

#	ARTICLE	IF	CITATIONS
3511	Expression and functional role of Bone Morphogenetic Proteins (BMPs) in cyclical corpus luteum in buffalo (<i>Bubalus bubalis</i>). <i>General and Comparative Endocrinology</i> , 2017, 240, 198-213.	0.8	12
3512	Apigenin protects myocardium by inhibiting the TGF- β 1-mediated Smad signaling transduction pathway in acute myocardial infarcted rats. <i>Journal of Functional Foods</i> , 2017, 30, 48-55.	1.6	6
3513	A Human Proteome Array Approach to Identifying Key Host Proteins Targeted by Toxoplasma Kinase ROP18. <i>Molecular and Cellular Proteomics</i> , 2017, 16, 469-484.	2.5	28
3514	Thrombospondin immune regulation and the kidney. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw431.	0.4	9
3515	Aberrant Phosphorylation of SMAD4 Thr277-Mediated USP9 α 's SMAD4 Interaction by Free Fatty Acids Promotes Breast Cancer Metastasis. <i>Cancer Research</i> , 2017, 77, 1383-1394.	0.4	34
3516	TMED10 Protein Interferes with Transforming Growth Factor (TGF)- β 2 Signaling by Disrupting TGF- β 2 Receptor Complex Formation. <i>Journal of Biological Chemistry</i> , 2017, 292, 4099-4112.	1.6	25
3517	An engineered transforming growth factor β 2 (TGF- β 2) monomer that functions as a dominant negative to block TGF- β 2 signaling. <i>Journal of Biological Chemistry</i> , 2017, 292, 7173-7188.	1.6	34
3518	High FMNL3 expression promotes nasopharyngeal carcinoma cell metastasis: role in TGF- β 1-induced epithelia-to-mesenchymal transition. <i>Scientific Reports</i> , 2017, 7, 42507.	1.6	32
3519	Haplodeficiency of activin receptor-like kinase 4 alleviates myocardial infarction-induced cardiac fibrosis and preserves cardiac function. <i>Journal of Molecular and Cellular Cardiology</i> , 2017, 105, 1-11.	0.9	15
3520	Betulinic acid attenuates renal fibrosis in rat chronic kidney disease model. <i>Biomedicine and Pharmacotherapy</i> , 2017, 89, 796-804.	2.5	21
3521	Binding and biologic characterization of recombinant human serum albumin-eTGFBR2 fusion protein expressed in CHO cells. <i>Bioengineered</i> , 2017, 8, 600-612.	1.4	5
3522	Novel ALK5 inhibitor TP0427736 reduces TGF- β 2-induced growth inhibition in human outer root sheath cells and elongates anagen phase in mouse hair follicles. <i>Pharmacological Reports</i> , 2017, 69, 485-491.	1.5	15
3523	<i>Olig1</i> is required for noggin-induced neonatal myelin repair. <i>Annals of Neurology</i> , 2017, 81, 560-571.	2.8	13
3524	Historical Perspective of Bone Morphogenetic Proteins. , 2017, , 1-13.		2
3525	Activation of transforming growth factor- β 1 by thrombin via integrins α 1 β 1, α 3 β 1, and α 5 β 1 in buccal fibroblasts: Suppression by epigallocatechin-3-gallate. <i>Head and Neck</i> , 2017, 39, 1436-1445.	0.9	18
3526	Combined delivery of a TGF- β 2 inhibitor and an adenoviral vector expressing interleukin-12 potentiates cancer immunotherapy. <i>Acta Biomaterialia</i> , 2017, 61, 114-123.	4.1	29
3527	Vascular Endothelial Growth Factor Prevents Endothelial-to-Mesenchymal Transition in Hypertrophy. <i>Annals of Thoracic Surgery</i> , 2017, 104, 932-939.	0.7	19
3528	The Regulatory Effects of Transforming Growth Factor- β 2 on Nerve Regeneration. <i>Cell Transplantation</i> , 2017, 26, 381-394.	1.2	67

#	ARTICLE	IF	CITATIONS
3529	Animal Models of Biliary Disease: Current Approaches and Limitations. , 2017, , 63-84.		0
3530	Combinatorial Discovery of Defined Substrates That Promote a Stem Cell State in Malignant Melanoma. ACS Central Science, 2017, 3, 381-393.	5.3	11
3531	Identification of Tisp40 as an Essential Regulator of Renal Tubulointerstitial Fibrosis via TGF- β 2/Smads Pathway. Cellular Physiology and Biochemistry, 2017, 42, 697-712.	1.1	9
3532	Radial Glia Cells Control Angiogenesis in the Developing Cerebral Cortex Through TGF- β 1 Signaling. Molecular Neurobiology, 2018, 55, 3660-3675.	1.9	37
3533	Ovarian Endocrinology. , 2017, , 3-35.		0
3535	Fucoxanthin inhibits profibrotic protein expression in vitro and attenuates bleomycin-induced lung fibrosis in vivo. European Journal of Pharmacology, 2017, 811, 199-207.	1.7	22
3536	Expression pattern and phosphorylation status of Smad2/3 in different subtypes of human first trimester trophoblast. Placenta, 2017, 57, 17-25.	0.7	25
3537	Understanding Scaffolds, Stem Cells, and Growth Factors. , 2017, , 151-159.		0
3538	Transforming growth factor- β 2: A therapeutic target for cancer. Human Vaccines and Immunotherapeutics, 2017, 13, 1741-1750.	1.4	206
3539	Transforming growth factor β 2 and its role in heart disease. Experimental and Therapeutic Medicine, 2017, 13, 2123-2128.	0.8	74
3540	TGF β 1 induces endometrial cancer cell adhesion and migration by up-regulating integrin α v β 3 via SMAD-independent MEK-ERK1/2 signaling. Cellular Signalling, 2017, 34, 92-101.	1.7	18
3541	Smad2/3 Linker Phosphorylation Is a Possible Marker of Pancreatic Stem/Progenitor Cells in the Regenerative Phase of Acute Pancreatitis. Pancreas, 2017, 46, 605-613.	0.5	0
3542	Amphioxus ortholog of ECSIT, an evolutionarily conserved adaptor in the toll and BMP signaling pathways. Molecular Biology, 2017, 51, 34-40.	0.4	1
3543	ERK1/2 signaling is required for the initiation but not progression of TGF β 2-induced lens epithelial to mesenchymal transition (EMT). Experimental Eye Research, 2017, 159, 98-113.	1.2	28
3544	The Systems Biology of Bone Morphogenetic Proteins. , 2017, , 15-38.		4
3545	Whole exome sequencing of discordant diseases in Monozygotic twins with Down syndrome reveals mutations for Congenital Heart Defect and epileptic seizures. Meta Gene, 2017, 12, 134-137.	0.3	0
3546	Interplay between TGF- β 2 signaling and receptor tyrosine kinases in tumor development. Science China Life Sciences, 2017, 60, 1133-1141.	2.3	24
3547	Yangfei Kongliu Formula, a compound Chinese herbal medicine, combined with cisplatin, inhibits growth of lung cancer cells through transforming growth factor- β 1 signaling pathway. Journal of Integrative Medicine, 2017, 15, 242-251.	1.4	23

#	ARTICLE	IF	CITATIONS
3548	MicroRNA-21 promotes osteogenesis of bone marrow mesenchymal stem cells via the Smad7-Smad1/5/8-Runx2 pathway. <i>Biochemical and Biophysical Research Communications</i> , 2017, 493, 928-933.	1.0	67
3549	TGF- β 2 receptor I/II trafficking and signaling at primary cilia are inhibited by ceramide to attenuate cell migration and tumor metastasis. <i>Science Signaling</i> , 2017, 10, .	1.6	84
3550	Invited Commentary. <i>Annals of Thoracic Surgery</i> , 2017, 104, 939-941.	0.7	0
3551	Gonadal soma controls ovarian follicle proliferation through Gsdf in zebrafish. <i>Developmental Dynamics</i> , 2017, 246, 925-945.	0.8	68
3552	Implication of the host TGF β 2 pathway in the onset of symbiosis between larvae of the coral <i>Fungia scutaria</i> and the dinoflagellate <i>Symbiodinium</i> sp. (clade C1f). <i>Coral Reefs</i> , 2017, 36, 1263-1268.	0.9	19
3553	The roles of ubiquitin modifying enzymes in neoplastic disease. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2017, 1868, 456-483.	3.3	35
3554	Aberrant Smad3 phosphoisoforms in cyst-lining epithelial cells in the <i>cpk</i> mouse, a model of autosomal recessive polycystic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F1223-F1231.	1.3	10
3555	Mechanism of chimeric vaccine stimulation of indoleamine 2,3-dioxygenase biosynthesis in human dendritic cells is independent of TGF- β 2 signaling. <i>Cellular Immunology</i> , 2017, 319, 43-52.	1.4	4
3556	Combinatorial Signal Perception in the BMP Pathway. <i>Cell</i> , 2017, 170, 1184-1196.e24.	13.5	200
3557	Molecular forms of ruminant BMP15 and GDF9 and putative interactions with receptors. <i>Reproduction</i> , 2017, 154, 521-534.	1.1	26
3558	ENMD-1068 inhibits liver fibrosis through attenuation of TGF- β 2/Smad2/3 signaling in mice. <i>Scientific Reports</i> , 2017, 7, 5498.	1.6	22
3559	TGF- β 2 inhibits alveolar protein transport by promoting shedding, regulated intramembrane proteolysis, and transcriptional downregulation of megalin. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2017, 313, L807-L824.	1.3	11
3560	A molecular signature for anastasis, recovery from the brink of apoptotic cell death. <i>Journal of Cell Biology</i> , 2017, 216, 3355-3368.	2.3	103
3561	BMP-2 and BMP-9 binding specificities with ALK-3 in aqueous solution with dynamics. <i>Journal of Molecular Graphics and Modelling</i> , 2017, 77, 181-188.	1.3	3
3562	Structural basis for genome wide recognition of 5-bp GC motifs by SMAD transcription factors. <i>Nature Communications</i> , 2017, 8, 2070.	5.8	81
3563	Transforming growth factor- β 2 stimulates Smad1/5 signaling in pulmonary artery smooth muscle cells and fibroblasts of the newborn mouse through ALK1. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2017, 313, L615-L627.	1.3	28
3564	Mathematical model of TGF- β 2 signalling: feedback coupling is consistent with signal switching. <i>BMC Systems Biology</i> , 2017, 11, 48.	3.0	18
3565	Expression of genes associated with BMP signaling pathway in porcine oocytes before and after IVM – a microarray approach. <i>Reproductive Biology and Endocrinology</i> , 2017, 15, 43.	1.4	12

#	ARTICLE	IF	CITATIONS
3566	Endochondral Ossification in Critical-Sized Bone Defects via Readily Implantable Scaffold-Free Stem Cell Constructs. <i>Stem Cells Translational Medicine</i> , 2017, 6, 1644-1659.	1.6	53
3567	Signaling via Smad2 and Smad3 is dispensable for adult murine hematopoietic stem cell function in vivo. <i>Experimental Hematology</i> , 2017, 55, 34-44.e2.	0.2	4
3568	Activin A-induced signalling controls hair follicle neogenesis. <i>Experimental Dermatology</i> , 2017, 26, 108-115.	1.4	6
3569	Infection of Hepatocytes With HCV Increases Cell Surface Levels of Heparan Sulfate Proteoglycans, Uptake of Cholesterol and Lipoprotein, and Virus Entry by Up-regulating SMAD6 and SMAD7. <i>Gastroenterology</i> , 2017, 152, 257-270.e7.	0.6	43
3570	Tobacco Smoke and Skin Aging. , 2017, , 733-738.		0
3571	Probiotics in Aging Skin. , 2017, , 1315-1327.		7
3572	Signaling pathways in mammalian preimplantation development: Linking cellular phenotypes to lineage decisions. <i>Developmental Dynamics</i> , 2017, 246, 245-261.	0.8	23
3573	Online fluorescence anisotropy immunoassay for monitoring insulin secretion from islets of Langerhans. <i>Analytical Methods</i> , 2017, 9, 38-45.	1.3	30
3574	Molecular mechanism of Antrodia cinnamomea sulfated polysaccharide on the suppression of lung cancer cell growth and migration via induction of transforming growth factor β 2 receptor degradation. <i>International Journal of Biological Macromolecules</i> , 2017, 95, 1144-1152.	3.6	43
3575	Anti-TGF- β 1 Antibody Therapy in Patients with Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 953-962.	3.0	203
3576	Impact of T cell-specific Smad4 deficiency on the development of autoimmune diabetes in NOD mice. <i>Immunology and Cell Biology</i> , 2017, 95, 287-296.	1.0	8
3577	Genistein attenuates D-GalN induced liver fibrosis/chronic liver damage in rats by blocking the TGF- β 2/Smad signaling pathways. <i>Chemico-Biological Interactions</i> , 2017, 261, 80-85.	1.7	62
3578	Transforming growth factor (TGF) β 1 and Smad signalling pathways: A likely key to EMT-associated COPD pathogenesis. <i>Respirology</i> , 2017, 22, 133-140.	1.3	74
3579	Molecular docking analysis of curcumin analogues against kinase domain of ALK5. <i>In Silico Pharmacology</i> , 2017, 5, 15.	1.8	32
3580	Assessment of tumor growth factor β 1 neutralizing antibody in the treatment of allergic rhinitis and asthma. <i>Experimental and Therapeutic Medicine</i> , 2018, 15, 649-656.	0.8	5
3581	OVOL2 antagonizes TGF- β 2 signaling to regulate epithelial to mesenchymal transition during mammary tumor metastasis. <i>Oncotarget</i> , 2017, 8, 39401-39416.	0.8	32
3582	Pathology of cavernous malformations. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2017, 143, 267-277.	1.0	27
3583	Epigenetic Regulation of EMT in Non-Small Cell Lung Cancer. <i>Current Cancer Drug Targets</i> , 2017, 18, 89-96.	0.8	39

#	ARTICLE	IF	CITATIONS
3584	Role of Transforming Growth Factor β_2 in Uterine Fibroid Biology. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2435.	1.8	72
3585	Osteochondral Regeneration Induced by TGF- β_2 Loaded Photo Cross-Linked Hyaluronic Acid Hydrogel Infiltrated in Fused Deposition-Manufactured Composite Scaffold of Hydroxyapatite and Poly (Ethylene Glycol)-Block-Poly(μ -Caprolactone). <i>Polymers</i> , 2017, 9, 182.	2.0	20
3586	Left Ventricular Noncompaction Cardiomyopathy. , 2017, , 153-171.		3
3587	TGF- β_1 Pretreatment Improves the Function of Mesenchymal Stem Cells in the Wound Bed. <i>Frontiers in Cell and Developmental Biology</i> , 2017, 5, 28.	1.8	35
3588	Rapid Communication: Subclinical bovine respiratory disease “ loci and pathogens associated with lung lesions in feedlot cattle1. <i>Journal of Animal Science</i> , 2017, 95, 2726-2731.	0.2	12
3589	Low-Density Lipoprotein Receptor-Related Protein-1 Signaling in Angiogenesis. <i>Frontiers in Cardiovascular Medicine</i> , 2017, 4, 34.	1.1	34
3590	Mechanotransduction Mechanisms in Mitral Valve Physiology and Disease Pathogenesis. <i>Frontiers in Cardiovascular Medicine</i> , 2017, 4, 83.	1.1	18
3591	The Role of Cytokines in the Fibrotic Responses in Crohn’s Disease. <i>Frontiers in Medicine</i> , 2017, 4, 126.	1.2	36
3592	ALS skeletal muscle shows enhanced TGF- β_2 signaling, fibrosis and induction of fibro/adipogenic progenitor markers. <i>PLoS ONE</i> , 2017, 12, e0177649.	1.1	94
3593	<i>C. elegans</i> SMA-10 regulates BMP receptor trafficking. <i>PLoS ONE</i> , 2017, 12, e0180681.	1.1	10
3594	TGF- β_2 signaling is an effective target to impair survival and induce apoptosis of human cholangiocarcinoma cells: A study on human primary cell cultures. <i>PLoS ONE</i> , 2017, 12, e0183932.	1.1	33
3595	Tartrate-resistant acid phosphatase (TRAP/ACP5) promotes metastasis-related properties via TGF β_2 /T β 2R and CD44 in MDA-MB-231 breast cancer cells. <i>BMC Cancer</i> , 2017, 17, 650.	1.1	28
3596	Smad4 SUMOylation is essential for memory formation through upregulation of the skeletal myopathy gene TPM2. <i>BMC Biology</i> , 2017, 15, 112.	1.7	18
3597	TGF- β_1 expression in adults with non-traumatic osteonecrosis of the femoral head. <i>Molecular Medicine Reports</i> , 2017, 16, 9539-9544.	1.1	7
3598	TGF β_2 signaling: A complex role in tumorigenesis (Review). <i>Molecular Medicine Reports</i> , 2018, 17, 699-704.	1.1	85
3599	Pathogenic mechanisms of pancreatitis. <i>World Journal of Gastrointestinal Pharmacology and Therapeutics</i> , 2017, 8, 10.	0.6	166
3600	Role of Smad3 and S1P Signaling in Mandibular Condylar Cartilage Homeostasis. <i>Journal of Bone Research</i> , 2017, 05, .	0.0	1
3601	Negative Correlation Between Hepatitis C Virus (HCV) and Let-7 MicroRNA Family in Transplanted Livers: The Role of rs868 Single-Nucleotide Polymorphism. <i>Annals of Transplantation</i> , 2017, 22, 638-645.	0.5	7

#	ARTICLE	IF	CITATIONS
3603	Transforming Growth Factor β 1/Smad4 Signaling Affects Osteoclast Differentiation via Regulation of miR-155 Expression. <i>Molecules and Cells</i> , 2017, 40, 211-221.	1.0	38
3604	Molecular regulation of follicle-stimulating hormone synthesis, secretion and action. <i>Journal of Molecular Endocrinology</i> , 2018, 60, R131-R155.	1.1	86
3605	Triggering the activation of Activin A type II receptor in human adipose stem cells towards tenogenic commitment using mechanomagnetic stimulation. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2018, 14, 1149-1159.	1.7	34
3606	Regulation of Signal Transduction in Human Cell Research. <i>Current Human Cell Research and Applications</i> , 2018, , .	0.1	0
3607	Regulation of EMT by TGF β 2 Signaling in Cancer Cells. <i>Current Human Cell Research and Applications</i> , 2018, , 71-84.	0.1	4
3608	Schistosome-Induced Fibrotic Disease: The Role of Hepatic Stellate Cells. <i>Trends in Parasitology</i> , 2018, 34, 524-540.	1.5	93
3609	Psychoneuroimmunology and immunopsychiatry of zebrafish. <i>Psychoneuroendocrinology</i> , 2018, 92, 1-12.	1.3	20
3610	Angiogenic factors: role in esophageal cancer, a brief review. <i>Esophagus</i> , 2018, 15, 53-58.	1.0	16
3611	ERK1/2-Dependent Gene Expression Contributing to TGF β 2-Induced Lens EMT. <i>Current Eye Research</i> , 2018, 43, 986-997.	0.7	4
3612	NIT1 suppresses tumour proliferation by activating the TGF β 1/Smad2/3 signalling pathway in colorectal cancer. <i>Cell Death and Disease</i> , 2018, 9, 263.	2.7	19
3613	Protective effect of an L-type calcium channel blocker, amlodipine, on paracetamol-induced hepatotoxicity in rats. <i>Human and Experimental Toxicology</i> , 2018, 37, 1169-1179.	1.1	8
3614	Transforming growth factor- β 2 in stem cells and tissue homeostasis. <i>Bone Research</i> , 2018, 6, 2.	5.4	262
3615	Regulation of Transforming Growth Factor β 2/Smad-mediated Epithelial-Mesenchymal Transition by Celastrol Provides Protection against Bleomycin-Induced Pulmonary Fibrosis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 122-129.	1.2	38
3616	Molecular characterization of inhibin-A: Structure and expression analysis in <i>Clarias batrachus</i> . <i>General and Comparative Endocrinology</i> , 2018, 261, 104-114.	0.8	8
3617	Transdifferentiation of adipocytes to osteoblasts: potential for orthopaedic treatment. <i>Journal of Pharmacy and Pharmacology</i> , 2018, 70, 307-319.	1.2	8
3618	TGF β 2 and TGF β 3 from cultured amyloid-treated or 3xTgAD-derived astrocytes may mediate astrocyte-neuron communication. <i>European Journal of Neuroscience</i> , 2018, 47, 211-221.	1.2	24
3619	Signalling mechanism(s) of epithelial-mesenchymal transition and cancer stem cells in tumour therapeutic resistance. <i>Clinica Chimica Acta</i> , 2018, 483, 156-163.	0.5	63
3620	MicroRNA-384 inhibits the progression of breast cancer by targeting ACVR1. <i>Oncology Reports</i> , 2018, 39, 2563-2574.	1.2	29

#	ARTICLE	IF	CITATIONS
3621	High-temperature Requirement Protein A1 Regulates Odontoblastic Differentiation of Dental Pulp Cells via the Transforming Growth Factor Beta 1/Smad Signaling Pathway. <i>Journal of Endodontics</i> , 2018, 44, 765-772.	1.4	12
3622	Protective effect of curcumin against ultraviolet A irradiation-induced photoaging in human dermal fibroblasts. <i>Molecular Medicine Reports</i> , 2018, 17, 7227-7237.	1.1	34
3623	Beneficial role of biochanin A on cutaneous and renal tissues of ovariectomized rats treated with anastrozole. <i>Life Sciences</i> , 2018, 201, 9-16.	2.0	20
3624	G protein coupled receptors can transduce signals through carboxy terminal and linker region phosphorylation of Smad transcription factors. <i>Life Sciences</i> , 2018, 199, 10-15.	2.0	17
3625	FACTORS ASSOCIATED WITH VISUAL OUTCOME AFTER MACULA-OFF RHEGMATOGENOUS RETINAL DETACHMENT SURGERY. <i>Retina</i> , 2018, 38, 137-147.	1.0	77
3626	TGF- β 2 Family Signaling in Mesenchymal Differentiation. <i>Cold Spring Harbor Perspectives in Biology</i> , 2018, 10, a022202.	2.3	175
3627	Tissue regeneration in dentistry: Can salamanders provide insight?. <i>Oral Diseases</i> , 2018, 24, 509-517.	1.5	6
3628	Transforming growth factor- β 1 regulates the nascent hematopoietic stem cell niche by promoting gluconeogenesis. <i>Leukemia</i> , 2018, 32, 479-491.	3.3	17
3629	Embryonic stem cell secreted factors decrease invasiveness of triple-negative breast cancer cells through regulome modulation. <i>Cancer Biology and Therapy</i> , 2018, 19, 271-281.	1.5	5
3630	Transforming growth factor- β 1 and phosphatases modulate COX-2 protein expression and TAU phosphorylation in cultured immortalized podocytes. <i>Inflammation Research</i> , 2018, 67, 191-201.	1.6	6
3631	Preparation of chitosan-collagen-alginate composite dressing and its promoting effects on wound healing. <i>International Journal of Biological Macromolecules</i> , 2018, 107, 93-104.	3.6	122
3632	Endothelial-to-mesenchymal transition in cardiovascular diseases: Developmental signaling pathways gone awry. <i>Developmental Dynamics</i> , 2018, 247, 492-508.	0.8	120
3633	Animal models of fibrodysplasia ossificans progressiva. <i>Developmental Dynamics</i> , 2018, 247, 279-288.	0.8	16
3634	Computational analyses of interactions between ALK-5 and bioactive ligands: insights for the design of potential anticancer agents. <i>Journal of Biomolecular Structure and Dynamics</i> , 2018, 36, 4010-4022.	2.0	6
3635	Platelet-rich Plasma for Skin Rejuvenation and Treatment of Actinic Elastosis in the Lower Eyelid Area. <i>Cureus</i> , 2018, 10, e2999.	0.2	21
3636	Tumor-Specific T-Cells Engineered to Overcome Tumor Immune Evasion Induce Clinical Responses in Patients With Relapsed Hodgkin Lymphoma. <i>Journal of Clinical Oncology</i> , 2018, 36, 1128-1139.	0.8	137
3637	Key Age-Imposed Signaling Changes That Are Responsible for the Decline of Stem Cell Function. <i>Sub-Cellular Biochemistry</i> , 2018, 90, 119-143.	1.0	6
3638	Colorectal carcinogenesis: Insights into the cell death and signal transduction pathways: A review. <i>World Journal of Gastrointestinal Oncology</i> , 2018, 10, 244-259.	0.8	69

#	ARTICLE	IF	CITATIONS
3639	Interleukin-33 (IL-33) Increases Hyperoxia-Induced Bronchopulmonary Dysplasia in Newborn Mice by Regulation of Inflammatory Mediators. <i>Medical Science Monitor</i> , 2018, 24, 6717-6728.	0.5	13
3640	SMAD proteins directly suppress <i>PAX2</i> transcription downstream of transforming growth factor-beta 1 (TGF- β 1) signalling in renal cell carcinoma. <i>Oncotarget</i> , 2018, 9, 26852-26867.	0.8	14
3641	Model based on GA and DNN for prediction of mRNA-Smad7 expression regulated by miRNAs in breast cancer. <i>Theoretical Biology and Medical Modelling</i> , 2018, 15, 24.	2.1	14
3642	Physiological roles of activins in the human ovary. <i>Journal of Bio-X Research</i> , 2018, 1, 111-119.	0.3	4
3643	LncRNA MALAT1 regulates smooth muscle cell phenotype switch via activation of autophagy. <i>Oncotarget</i> , 2018, 9, 4411-4426.	0.8	44
3644	WDR74 functions as a novel coactivator in TGF- β 2 signaling. <i>Journal of Genetics and Genomics</i> , 2018, 45, 639-650.	1.7	10
3645	TGF- β 2 Signaling and the Epithelial-Mesenchymal Transition during Palatal Fusion. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3638.	1.8	27
3646	TGF- β 2 downregulation-induced cancer cell death is finely regulated by the SAPK signaling cascade. <i>Experimental and Molecular Medicine</i> , 2018, 50, 1-19.	3.2	22
3647	Downregulation of TGF- β 1 suppressed proliferation and increased chemosensitivity of ovarian cancer cells by promoting BRCA1/Smad3 signaling. <i>Biological Research</i> , 2018, 51, 58.	1.5	10
3648	Analysis of novel domain-specific mutations in the zebrafish <i>ndr2/cyclops</i> gene generated using CRISPR-Cas9 RNPs. <i>Journal of Genetics</i> , 2018, 97, 1315-1325.	0.4	11
3649	Artemisinin derivatives inactivate cancer-associated fibroblasts through suppressing TGF- β 2 signaling in breast cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 282.	3.5	67
3650	Novel Biomarker Approaches in Classic Hodgkin Lymphoma. <i>Cancer Journal (Sudbury, Mass)</i> , 2018, 24, 206-214.	1.0	11
3651	VHL status regulates transforming growth factor- β 2 signaling pathways in renal cell carcinoma. <i>Oncotarget</i> , 2018, 9, 16297-16310.	0.8	12
3652	Long noncoding RNA <i>lnc-TSI</i> inhibits renal fibrogenesis by negatively regulating the TGF- β 2/Smad3 pathway. <i>Science Translational Medicine</i> , 2018, 10, .	5.8	129
3653	Inhibin B suppresses anoikis resistance and migration through the transforming growth factor- β 2 signaling pathway in nasopharyngeal carcinoma. <i>Cancer Science</i> , 2018, 109, 3416-3427.	1.7	24
3654	The Cellular Senescence-Inhibited Gene Is Essential for PPM1A Myristoylation To Modulate Transforming Growth Factor <i>β</i> 2 Signaling. <i>Molecular and Cellular Biology</i> , 2018, 38, .	1.1	3
3655	IOP lowering effect of topical trans-resveratrol involves adenosine receptors and TGF- β 2 signaling pathways. <i>European Journal of Pharmacology</i> , 2018, 838, 1-10.	1.7	17
3656	Biomamides, Inhibitors of the TGF- β 2 Pathway That Block the Epithelial to Mesenchymal Transition. <i>Organic Letters</i> , 2018, 20, 5529-5532.	2.4	11

#	ARTICLE	IF	CITATIONS
3657	Exploring major signaling cascades in melanomagenesis: a rationale route for targetted skin cancer therapy. Bioscience Reports, 2018, 38, .	1.1	28
3658	The BMP Pathway and Its Inhibitors in the Skeleton. Physiological Reviews, 2018, 98, 2431-2452.	13.1	149
3659	A novel mouse model of testicular granulosa cell tumors. Molecular Human Reproduction, 2018, 24, 343-356.	1.3	8
3660	Hereditary hemorrhagic telangiectasia: diagnosis and management from the hematologist's perspective. Haematologica, 2018, 103, 1433-1443.	1.7	123
3661	BMP signaling in homeostasis, transformation and inflammatory response of intestinal epithelium. Science China Life Sciences, 2018, 61, 800-807.	2.3	28
3662	Synthesis and Biological Profiles of 4,5-, 1,5-, and 1,2-Diaryl-1 H -imidazoles. , 2018, , 83-160.		0
3663	Construction of the network of critical paths on Blood-stasis syndrome of hypertension based on mRNA sequencing. European Journal of Integrative Medicine, 2018, 20, 73-78.	0.8	0
3664	TGF- β 1 Negatively Regulates the Number and Function of Hematopoietic Stem Cells. Stem Cell Reports, 2018, 11, 274-287.	2.3	39
3665	Insect-Borne Pathogens and Skin Interface. , 2018, , 193-238.		0
3666	Positive Regulation of RNA Metabolic Process Ontology Group Highly Regulated in Porcine Oocytes Matured In Vitro: A Microarray Approach. BioMed Research International, 2018, 2018, 1-10.	0.9	11
3667	TGF- β 2 Polymorphisms Are a Risk Factor for Chagas Disease. Disease Markers, 2018, 2018, 1-10.	0.6	8
3668	Significance of pSmad2/3 and Smad4 in hepatitis C virus-related liver fibrosis and hepatocellular carcinoma. Apmis, 2018, 126, 477-485.	0.9	6
3669	TGIF1 homeodomain interacts with Smad MH1 domain and represses TGF- β 2 signaling. Nucleic Acids Research, 2018, 46, 9220-9235.	6.5	37
3670	In situ expressions of protein 16 (p16CDKN2A) and transforming growth factor beta-1 in patients with cervical intraepithelial neoplasia and cervical cancer. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 228, 303-307.	0.5	8
3671	Deregulation of Negative Controls on TGF- β 2 Signaling in Tumor Progression. Cancers, 2018, 10, 159.	1.7	60
3672	Resistance to Anti-Angiogenic Therapy in Cancer Alterations to Anti-VEGF Pathway. International Journal of Molecular Sciences, 2018, 19, 1232.	1.8	210
3673	Identification and functional analysis of transforming growth factor- β 2 type I receptor (T β R1) from Scylla paramamosain: The first evidence of T β R1 involved in development and innate immunity in crustaceans. Developmental and Comparative Immunology, 2018, 88, 144-151.	1.0	12
3674	Design, 3D QSAR modeling and docking of TGF- β 2 type I inhibitors to target cancer. Computational Biology and Chemistry, 2018, 76, 232-244.	1.1	8

#	ARTICLE	IF	CITATIONS
3675	Hyaluronan antagonizes the differentiation effect of TGF- β 1 on nasal epithelial cells through down-regulation of TGF- β 2 type I receptor. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2018, 46, 254-263.	1.9	9
3676	Salidroside ameliorates autophagy and activation of hepatic stellate cells in mice via NF- κ B and TGF- β 1/Smad3 pathways. <i>Drug Design, Development and Therapy</i> , 2018, Volume 12, 1837-1853.	2.0	55
3677	Endoglin interacts with VEGFR2 to promote angiogenesis. <i>FASEB Journal</i> , 2018, 32, 2934-2949.	0.2	56
3678	Characterization of transforming growth factor beta regulator 1-like and association between its expression levels and growth of the giant tiger shrimp <i>Penaeus monodon</i> . <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2018, 225, 38-47.	0.7	7
3679	Caveolin-1 Scaffolding Domain Peptides Alleviate Liver Fibrosis by Inhibiting TGF- β 1/Smad Signaling in Mice. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1729.	1.8	37
3680	Blackcurrant Anthocyanins Increase the Levels of Collagen, Elastin, and Hyaluronic Acid in Human Skin Fibroblasts and Ovariectomized Rats. <i>Nutrients</i> , 2018, 10, 495.	1.7	32
3681	Flavonoid-rich <i>Scabiosa comosa</i> inflorescence extract attenuates CCl4-induced hepatic fibrosis by modulating TGF- β 2-induced Smad3 phosphorylation. <i>Biomedicine and Pharmacotherapy</i> , 2018, 106, 426-433.	2.5	10
3682	TGF β 2 signaling related genes are involved in hormonal mediation during termite soldier differentiation. <i>PLoS Genetics</i> , 2018, 14, e1007338.	1.5	28
3683	Nuclear Transport and Accumulation of Smad Proteins Studied by Single-Molecule Microscopy. <i>Biophysical Journal</i> , 2018, 114, 2243-2251.	0.2	9
3684	Domains with highest heparan sulfate binding affinity reside at opposite ends in BMP2/4 versus BMP5/6/7: Implications for function. <i>Journal of Biological Chemistry</i> , 2018, 293, 14371-14383.	1.6	30
3685	Effect of Ga-Al-As Laser Irradiation at Wavelengths of 660 or 810 nm with Constant Output on the Ability of Human Dental Pulp to Form Hard Tissue. <i>International Journal of Oral-Medical Sciences</i> , 2018, 16, 54-61.	0.2	1
3686	Cytokines as therapeutic agents and targets in heart disease. <i>Cytokine and Growth Factor Reviews</i> , 2018, 43, 54-68.	3.2	9
3687	Activation of renal profibrotic TGF β 2 controlled signaling cascades by calcineurin and mTOR inhibitors. <i>Cellular Signalling</i> , 2018, 52, 1-11.	1.7	7
3688	TGF- β 2 and BMP signals regulate insect diapause through Smad1-POU-TFAM pathway. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018, 1865, 1239-1249.	1.9	21
3689	Lactoferrin Promotes Osteogenesis through TGF- β 2 Receptor II Binding in Osteoblasts and Activation of Canonical TGF- β 2 Signaling in MC3T3-E1 Cells and C57BL/6J Mice. <i>Journal of Nutrition</i> , 2018, 148, 1285-1292.	1.3	19
3690	TGF β 2 signaling limits lineage plasticity in prostate cancer. <i>PLoS Genetics</i> , 2018, 14, e1007409.	1.5	9
3691	Mechanisms of Cortical Differentiation. <i>International Review of Cell and Molecular Biology</i> , 2018, 336, 223-320.	1.6	24
3692	A versatile platform for activity determination of cytokines and growth factors based on the human TSLP (thymic stromal lymphopoietin) receptor. <i>Cytokine</i> , 2019, 113, 228-237.	1.4	1

#	ARTICLE	IF	CITATIONS
3693	TGFB1-driven mesenchymal stem cell-mediated NIS gene transfer. <i>Endocrine-Related Cancer</i> , 2019, 26, 89-101.	1.6	16
3694	Emerging protein kinase inhibitors for the treatment of multiple myeloma. <i>Expert Opinion on Emerging Drugs</i> , 2019, 24, 133-152.	1.0	20
3695	Downregulation of miR-98 contributes to hypoxic pulmonary hypertension by targeting ALK1. <i>Molecular Medicine Reports</i> , 2019, 20, 2167-2176.	1.1	7
3696	Anti-mullerian hormone receptor type II as a Potential Target for Antineoplastic Therapy. <i>Biochemistry (Moscow) Supplement Series B: Biomedical Chemistry</i> , 2019, 13, 202-213.	0.2	3
3697	Epigallocatechin gallate (EGCG) suppresses epithelial-Mesenchymal transition (EMT) and invasion in anaplastic thyroid carcinoma cells through blocking of TGF- β 1/Smad signaling pathways. <i>Bioengineered</i> , 2019, 10, 282-291.	1.4	56
3698	The Activin-like ligand Dawdle regulates innate immune responses through modulating NF- κ B signaling in mud crab <i>Scylla paramamosain</i> . <i>Developmental and Comparative Immunology</i> , 2019, 101, 103450.	1.0	8
3699	The PPAR β agonist pioglitazone prevents TGF- β 2 induced renal fibrosis by repressing EGR-1 and STAT3. <i>BMC Nephrology</i> , 2019, 20, 245.	0.8	48
3700	Interactions between TGF- β 2 type I receptor and hypoxia-inducible factor-1 α mediates a synergistic crosstalk leading to poor prognosis for patients with clear cell renal cell carcinoma. <i>Cell Cycle</i> , 2019, 18, 2141-2156.	1.3	34
3701	TGF β 2 and activin A in the tumor microenvironment in colorectal cancer. <i>Gene Reports</i> , 2019, 17, 100501.	0.4	7
3702	Six2 is negatively correlated with prognosis and facilitates epithelial-mesenchymal transition via TGF- β 2/Smad signal pathway in hepatocellular carcinoma. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2019, 18, 525-531.	0.6	10
3703	Improved Biomarker and Imaging Analysis for Characterizing Progressive Cardiac Fibrosis in a Mouse Model of Chronic Chagasic Cardiomyopathy. <i>Journal of the American Heart Association</i> , 2019, 8, e013365.	1.6	21
3704	miR-335-5p inhibits TGF- β 1-induced epithelial-mesenchymal transition in non-small cell lung cancer via ROCK1. <i>Respiratory Research</i> , 2019, 20, 225.	1.4	60
3705	TGF β 2/BMP Signaling Pathway in Cartilage Homeostasis. <i>Cells</i> , 2019, 8, 969.	1.8	156
3706	Combinatorial morphogenetic and mechanical cues to mimic bone development for defect repair. <i>Science Advances</i> , 2019, 5, eaax2476.	4.7	45
3707	Differential Roles of Cysteinyl Cathepsins in TGF- β 2 Signaling and Tissue Fibrosis. <i>IScience</i> , 2019, 19, 607-622.	1.9	30
3708	Cloning and functional analysis of BMP3 in the pearl oyster (<i>Pinctada fucata</i>). <i>Journal of Applied Animal Research</i> , 2019, 47, 250-261.	0.4	4
3709	The indole compound MA-35 attenuates tumorigenesis in an inflammation-induced colon cancer model. <i>Scientific Reports</i> , 2019, 9, 12739.	1.6	15
3710	Visual arrestin modulates gene expression in the retinal pigment epithelium: Implications for homeostasis in the retina. <i>Biochemistry and Biophysics Reports</i> , 2019, 20, 100680.	0.7	0

#	ARTICLE	IF	CITATIONS
3711	Chemoresistance Mediated by ceRNA Networks Associated With the PVT1 Locus. <i>Frontiers in Oncology</i> , 2019, 9, 834.	1.3	24
3712	The wonders of BMP9: From mesenchymal stem cell differentiation, angiogenesis, neurogenesis, tumorigenesis, and metabolism to regenerative medicine. <i>Genes and Diseases</i> , 2019, 6, 201-223.	1.5	71
3713	Interplay between BMPs and Reactive Oxygen Species in Cell Signaling and Pathology. <i>Biomolecules</i> , 2019, 9, 534.	1.8	31
3714	HLA-B27 alters BMP/TGF β 2 signalling in <i>Drosophila</i> , revealing putative pathogenic mechanism for spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1653-1662.	0.5	18
3715	Curcumin inhibits the TGF β 1-dependent differentiation of lung fibroblasts via PPAR γ 3-driven upregulation of cathepsins B and L. <i>Scientific Reports</i> , 2019, 9, 491.	1.6	35
3716	Celastrol inhibits colorectal cancer through TGF β 1/Smad signaling. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 509-518.	1.0	35
3717	Molecular Engineering of the TGF β Signaling Pathway. <i>Journal of Molecular Biology</i> , 2019, 431, 2644-2654.	2.0	31
3718	Participation of the SMAD2/3 signalling pathway in the down regulation of megalin/LRP2 by transforming growth factor beta (TGF β 1). <i>PLoS ONE</i> , 2019, 14, e0213127.	1.1	21
3719	Dysregulated microRNAs in colorectal carcinogenesis: New insight to cell survival and apoptosis regulation. <i>Journal of Cellular Physiology</i> , 2019, 234, 21683-21693.	2.0	26
3720	Dysregulated Tgfbr2/ERK-Smad4/SOX2 Signaling Promotes Lung Squamous Cell Carcinoma Formation. <i>Cancer Research</i> , 2019, 79, 4466-4479.	0.4	29
3721	Function and regulation of transforming growth factor β 1 signalling in antler chondrocyte proliferation and differentiation. <i>Cell Proliferation</i> , 2019, 52, e12637.	2.4	21
3722	Advances in the molecular regulation of endothelial BMP9 signalling complexes and implications for cardiovascular disease. <i>Biochemical Society Transactions</i> , 2019, 47, 779-791.	1.6	13
3723	IL-7 is a Key Driver Cytokine in Spondyloarthritis?. <i>Journal of Immunology Research</i> , 2019, 2019, 1-7.	0.9	6
3724	Human Skin: Composition, Structure and Visualisation Methods. <i>Studies in Mechanobiology, Tissue Engineering and Biomaterials</i> , 2019, , 1-18.	0.7	8
3725	ALK5 is essential for tooth germ differentiation during tooth development. <i>Biotechnic and Histochemistry</i> , 2019, 94, 481-490.	0.7	9
3726	The Role of Ubiquitination in Regulating Embryonic Stem Cell Maintenance and Cancer Development. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2667.	1.8	13
3727	Blocking Wnt as a therapeutic target in mice model of skin cancer. <i>Archives of Dermatological Research</i> , 2019, 311, 595-605.	1.1	7
3728	Review: Targeting the Transforming Growth Factor-Beta Pathway in Ovarian Cancer. <i>Cancers</i> , 2019, 11, 668.	1.7	45

#	ARTICLE	IF	CITATIONS
3729	Receptor subtype discrimination using extensive shape complementary designed interfaces. <i>Nature Structural and Molecular Biology</i> , 2019, 26, 407-414.	3.6	36
3730	The Role of Relaxin-2 in Tissue Remodeling of Chronic Rhinosinusitis With Nasal Polyps. <i>American Journal of Rhinology and Allergy</i> , 2019, 33, 490-499.	1.0	5
3731	MicroRNA-132-3p represses Smad5 in MC3T3-E1 osteoblastic cells under cyclic tensile stress. <i>Molecular and Cellular Biochemistry</i> , 2019, 458, 143-157.	1.4	12
3732	miR-30a reverses TGF- β 2-induced migration and EMT in posterior capsular opacification by targeting Smad2. <i>Molecular Biology Reports</i> , 2019, 46, 3899-3907.	1.0	15
3733	The Fine Tuning of Drp1-Dependent Mitochondrial Remodeling and Autophagy Controls Neuronal Differentiation. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 120.	1.8	39
3734	Quantitative Measurement of Functional Activity of the PI3K Signaling Pathway in Cancer. <i>Cancers</i> , 2019, 11, 293.	1.7	32
3735	Clinical management of difficult to treat macroprolactinomas. <i>Expert Review of Endocrinology and Metabolism</i> , 2019, 14, 179-192.	1.2	6
3736	Potential function of TGF- β 2 isoforms in maturation-stage ameloblasts. <i>Journal of Oral Biosciences</i> , 2019, 61, 43-54.	0.8	7
3737	Nanofiber-based transforming growth factor- β 3 release induces fibrochondrogenic differentiation of stem cells. <i>Acta Biomaterialia</i> , 2019, 93, 111-122.	4.1	37
3738	Insulin-like growth factor binding protein-4 exerts antifibrotic activity by reducing levels of connective tissue growth factor and the C-X-C chemokine receptor 4. <i>FASEB BioAdvances</i> , 2019, 1, 167-179.	1.3	28
3739	Spontaneous Proteolytic Processing of Human Recombinant Anti-Mullerian Hormone: Structural and Functional Differences of the Molecular Forms. <i>Applied Biochemistry and Microbiology</i> , 2019, 55, 13-20.	0.3	4
3740	Serine/Threonine Protein Kinase STK16. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1760.	1.8	9
3741	The ELAV family of RNA-binding proteins in synaptic plasticity and long-term memory. <i>Neurobiology of Learning and Memory</i> , 2019, 161, 143-148.	1.0	26
3742	PGS Scaffolds Promote the In Vivo Survival and Directional Differentiation of Bone Marrow Mesenchymal Stem Cells Restoring the Morphology and Function of Wounded Rat Uterus. <i>Advanced Healthcare Materials</i> , 2019, 8, e1801455.	3.9	50
3743	All-trans retinoic acid inhibits lipopolysaccharide-induced inflammatory responses in bovine adipocytes via TGF- β 1/Smad3 signaling pathway. <i>BMC Veterinary Research</i> , 2019, 15, 48.	0.7	16
3744	TGF- β 2 is an exercise-induced adipokine that regulates glucose and fatty acid metabolism. <i>Nature Metabolism</i> , 2019, 1, 291-303.	5.1	128
3745	The <i>Drosophila</i> fussel gene is required for bitter gustatory neuron differentiation acting within an Rpd3 dependent chromatin modifying complex. <i>PLoS Genetics</i> , 2019, 15, e1007940.	1.5	8
3746	Molecular cargo delivery using multicellular magnetic microswimmers. <i>Applied Materials Today</i> , 2019, 15, 242-251.	2.3	52

#	ARTICLE	IF	CITATIONS
3747	Opposing roles and potential antagonistic mechanism between TGF- β 2 and BMP pathways: Implications for cancer progression. <i>EBioMedicine</i> , 2019, 41, 702-710.	2.7	62
3748	Inactivation of platelet-derived TGF- β 1 attenuates aortic stenosis progression in a robust murine model. <i>Blood Advances</i> , 2019, 3, 777-788.	2.5	24
3749	Inhibitory Effect of Corilagin on miR-21-Regulated Hepatic Fibrosis Signaling Pathway. <i>The American Journal of Chinese Medicine</i> , 2019, 47, 1541-1569.	1.5	18
3750	Protective Effects of Unsaponifiable Matter from Perilla Seed Meal on UVB-induced Damages and the Underlying Mechanisms in Human Skin Fibroblasts. <i>Antioxidants</i> , 2019, 8, 644.	2.2	17
3751	Development of novel therapeutics for glaucoma filtration surgery based on transforming growth factor- β 2 receptor 1 inhibition. <i>New Journal of Chemistry</i> , 2019, 43, 19265-19273.	1.4	0
3752	Betaglycan (T β RIII) is a Key Factor in TGF- β 2 Signaling in Prepubertal Rat Sertoli Cells. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6214.	1.8	9
3753	AMH: Could It Be Used as A Biomarker for Fertility and Superovulation in Domestic Animals?. <i>Genes</i> , 2019, 10, 1009.	1.0	28
3754	FOXP1 Dose in Brain Development. <i>Frontiers in Pediatrics</i> , 2019, 7, 482.	0.9	39
3755	Leptospirosis and Kidney Fibrosis. <i>Translational Research in Biomedicine</i> , 2019, , 57-64.	0.4	3
3756	Serum cytokines, adipokines and ferritin for non-invasive assessment of liver fibrosis in chronic liver disease: a systematic review. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 577-610.	1.4	22
3757	Specification and formation of the neural crest: Perspectives on lineage segregation. <i>Genesis</i> , 2019, 57, e23276.	0.8	59
3758	Radio resistance in breast cancer cells is mediated through TGF- β signalling, hybrid epithelial-mesenchymal phenotype and cancer stem cells. <i>Biomedicine and Pharmacotherapy</i> , 2019, 111, 119-130.	2.5	44
3759	Role of the transforming growth factor- β 2 signaling pathway in the pathogenesis of colorectal cancer. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 8899-8907.	1.2	35
3760	Bursal Hexapeptide, A Potential Immunomodulator, Inhibits Tumor Cells Proliferation via p53 Signaling Pathway. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2019, 18, 1582-1588.	0.9	2
3761	Role of SMURF1 ubiquitin ligase in BMP receptor trafficking and signaling. <i>Cellular Signalling</i> , 2019, 54, 139-149.	1.7	17
3763	The c-MYC/NAMPT/SIRT1 feedback loop is activated in early classical and serrated route colorectal cancer and represents a therapeutic target. <i>Medical Oncology</i> , 2019, 36, 5.	1.2	19
3764	Uterine double-conditional inactivation of <i>Smad2</i> and <i>Smad3</i> in mice causes endometrial dysregulation, infertility, and uterine cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 3873-3882.	3.3	46
3765	<i>Ribes diacanthum</i> Pall (RDP) ameliorates UUO-induced renal fibrosis via both canonical and non-canonical TGF- β 2 signaling pathways in mice. <i>Journal of Ethnopharmacology</i> , 2019, 231, 302-310.	2.0	23

#	ARTICLE	IF	CITATIONS
3766	Ginsenoside Rb2 inhibits epithelial-mesenchymal transition of colorectal cancer cells by suppressing TGF- β 2/Smad signaling. <i>Phytomedicine</i> , 2019, 56, 126-135.	2.3	54
3767	Expression of myostatin in human hematopoietic cells unveils novel autocrine/paracrine actions for the hormone. <i>Journal of Cellular Physiology</i> , 2019, 234, 7236-7246.	2.0	3
3768	Transforming Growth Factor- β 2 and Its Receptor Type II Messenger RNA Levels in Mice Endometrium and Their Regulation by Sex Steroids During Estrous Cycle. <i>Proceedings of the Zoological Society</i> , 2019, 72, 401-410.	0.4	0
3769	Molecular Regulation Mechanism of Biomineralization of <i>Pinctada fucata</i> . , 2019, , 575-660.		1
3770	TAK1 mediates convergence of cellular signals for death and survival. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2019, 24, 3-20.	2.2	53
3771	Regulation of Follicle Formation and Development by Ovarian Signaling Pathways. , 2019, , 23-49.		7
3772	Cell-Cell Interactions in Ovarian Follicles: Role of TGF- β 2 Superfamily Members. , 2019, , 107-125.		11
3773	Inclusion complexes of cysteinyl β -cyclodextrin with baicalein restore collagen synthesis in fibroblast cells following ultraviolet exposure. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 4032-4043.	1.2	5
3774	Motor axon guidance in <i>Drosophila</i> . <i>Seminars in Cell and Developmental Biology</i> , 2019, 85, 36-47.	2.3	19
3775	Identification of a transforming growth factor- β 2 type I receptor transcript in <i>Eriocheir sinensis</i> and its molting-related expression in muscle tissues. <i>Molecular Biology Reports</i> , 2020, 47, 77-86.	1.0	6
3776	Transforming growth factor- β 2 and skeletal homeostasis. , 2020, , 1153-1187.		1
3777	Histopathological changes and expression of transforming growth factor beta (TGF- β 3) in mice exposed to gliotoxin. <i>Journal of King Saud University - Science</i> , 2020, 32, 716-725.	1.6	4
3778	Smad linker region phosphorylation is a signalling pathway in its own right and not only a modulator of canonical TGF- β 2 signalling. <i>Cellular and Molecular Life Sciences</i> , 2020, 77, 243-251.	2.4	34
3779	ROS directly activates transforming growth factor β 2 type 1 receptor signalling in human vascular smooth muscle cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2020, 1864, 129463.	1.1	18
3780	Protective Effect of RIVA Against Sunitinib-Induced Cardiotoxicity by Inhibiting Oxidative Stress-Mediated Inflammation: Probable Role of TGF- β 2 and Smad Signaling. <i>Cardiovascular Toxicology</i> , 2020, 20, 281-290.	1.1	14
3781	Two-day treatment of Activin-A leads to transient change in SV-HFO osteoblast gene expression and reduction in matrix mineralization. <i>Journal of Cellular Physiology</i> , 2020, 235, 4865-4877.	2.0	4
3782	Signal transduction pathways regulating <i>Drosophila</i> ovarian germline stem cells. <i>Current Opinion in Insect Science</i> , 2020, 37, 1-7.	2.2	12
3783	Role of hypoxia in skeletal muscle fibrosis: Synergism between hypoxia and TGF- β 2 signaling upregulates CCN2/CTGF expression specifically in muscle fibers. <i>Matrix Biology</i> , 2020, 87, 48-65.	1.5	45

#	ARTICLE	IF	CITATIONS
3784	New Insights of Inhibins in Ovarian Physiology of Fish. <i>Reviews in Fisheries Science and Aquaculture</i> , 2020, 28, 247-259.	5.1	4
3785	Polymorphism of the Myostatin (MSTN) Gene in Landes and Kielecka Geese Breeds. <i>Animals</i> , 2020, 10, 10.	1.0	11
3786	Multifaceted Roles of TRIM Proteins in Colorectal Carcinoma. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7532.	1.8	21
3787	Biology of bone morphogenetic protein in bone repair and regeneration: A role for autologous blood coagulum as carrier. <i>Bone</i> , 2020, 141, 115602.	1.4	17
3789	Current perspectives on inhibitory SMAD7 in health and disease. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2020, 55, 691-715.	2.3	37
3790	Toward Regulatory Effects of Curcumin on Transforming Growth Factor-Beta Across Different Diseases: A Review. <i>Frontiers in Pharmacology</i> , 2020, 11, 585413.	1.6	35
3791	Optogenetic Control of the BMP Signaling Pathway. <i>ACS Synthetic Biology</i> , 2020, 9, 3067-3078.	1.9	22
3792	Studies of surface grafted collagen and transforming growth factor β 1 combined with cyclic stretching as a dual chemical and physical stimuli approach for rat adipose-derived stem cells (rADSCs) chondrogenesis differentiation. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 112, 104062.	1.5	6
3793	Fine-Tuning the TGF β 2 Signaling Pathway by SARA During Neuronal Development. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 550267.	1.8	3
3794	Neural Stem Cells and Methods for Their Generation From Induced Pluripotent Stem Cells in vitro. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 815.	1.8	45
3795	OTUD4 enhances TGF β 2 signalling through regulation of the TGF β 2 receptor complex. <i>Scientific Reports</i> , 2020, 10, 15725.	1.6	7
3796	Polymorphisms in BMPR-IB gene and their association with litter size trait in Chinese Hu sheep. <i>Animal Biotechnology</i> , 2020, , 1-10.	0.7	7
3797	BMP signaling is required for postnatal murine hematopoietic stem cell self-renewal. <i>Haematologica</i> , 2021, 106, 2203-2214.	1.7	6
3798	The inflammatory microenvironment and the urinary microbiome in the initiation and progression of bladder cancer. <i>Genes and Diseases</i> , 2021, 8, 781-797.	1.5	11
3799	Semen Modulates Inflammation and Angiogenesis in the Reproductive Tract of Female Rabbits. <i>Animals</i> , 2020, 10, 2207.	1.0	3
3800	The <i>Pax6</i> master control gene initiates spontaneous retinal development via a self-organising Turing network. <i>Development (Cambridge)</i> , 2020, 147, .	1.2	6
3801	Sarcopenia: Molecular Pathways and Potential Targets for Intervention. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8844.	1.8	53
3802	Podocyte and endothelial-specific elimination of BAMBI identifies differential transforming growth factor- β 2 pathways contributing to diabetic glomerulopathy. <i>Kidney International</i> , 2020, 98, 601-614.	2.6	14

#	ARTICLE	IF	CITATIONS
3803	TGF β 1 induces bone formation from BMP9-activated Bone Mesenchymal Stem Cells, with possible involvement of non-canonical pathways. <i>International Journal of Medical Sciences</i> , 2020, 17, 1692-1703.	1.1	2
3804	Discovery of bone morphogenetic proteins – A historical perspective. <i>Bone</i> , 2020, 140, 115548.	1.4	51
3805	Identification of miR-135b as a novel regulator of TGF β 2 pathway in gastric cancer. <i>Journal of Physiology and Biochemistry</i> , 2020, 76, 549-560.	1.3	5
3806	Biphasic changes in TGF- β 1 signaling drive NSAID-induced multi-organ damage. <i>Free Radical Biology and Medicine</i> , 2020, 160, 125-140.	1.3	7
3807	Where are the theca cells from: the mechanism of theca cells derivation and differentiation. <i>Chinese Medical Journal</i> , 2020, 133, 1711-1718.	0.9	13
3808	Differential expression of BMP inhibitors gremlin and noggin in Hydra suggests distinct roles during budding and patterning of tentacles. <i>Developmental Dynamics</i> , 2020, 249, 1470-1485.	0.8	2
3809	A Molecular Test for Quantifying Functional Notch Signaling Pathway Activity in Human Cancer. <i>Cancers</i> , 2020, 12, 3142.	1.7	17
3810	TGF- β 1 polymorphism is an inflammatory disease specifier in autism spectrum disorders?. <i>Gene Reports</i> , 2020, 21, 100843.	0.4	2
3811	Antiphotaging Effect of 3,5-Dicaffeoyl-epi-quinic Acid against UVA-Induced Skin Damage by Protecting Human Dermal Fibroblasts In Vitro. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7756.	1.8	9
3812	Resveratrol Suppresses Cross-Talk between Colorectal Cancer Cells and Stromal Cells in Multicellular Tumor Microenvironment: A Bridge between In Vitro and In Vivo Tumor Microenvironment Study. <i>Molecules</i> , 2020, 25, 4292.	1.7	49
3813	Cellular and molecular events of inflammation induced transdifferentiation (EMT) and regeneration (MET) in mesenteric mesothelial cells. <i>Inflammation Research</i> , 2020, 69, 1173-1179.	1.6	10
3814	Transforming growth factor beta signaling and decidual integrity in mice. <i>Biology of Reproduction</i> , 2020, 103, 1186-1198.	1.2	11
3815	Interplay between Cell-Surface Receptors and Extracellular Matrix in Skin. <i>Biomolecules</i> , 2020, 10, 1170.	1.8	19
3816	Cyclic pentapeptide cRGDfK enhances the inhibitory effect of sunitinib on TGF- β 1-induced epithelial-to-mesenchymal transition in human non-small cell lung cancer cells. <i>PLoS ONE</i> , 2020, 15, e0232917.	1.1	13
3817	Inhibitors of Advanced Glycation End Product (AGE) Formation and Accumulation. <i>Handbook of Experimental Pharmacology</i> , 2020, 264, 395-423.	0.9	30
3818	Identifying 4 Novel lncRNAs as Potential Biomarkers for Acute Rejection and Graft Loss of Renal Allograft. <i>Journal of Immunology Research</i> , 2020, 2020, 1-22.	0.9	10
3819	Transforming Growth Factor- β 2 and the Renin-Angiotensin System in Syndromic Thoracic Aortic Aneurysms: Implications for Treatment. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 1233-1252.	1.3	22
3820	R-spondins are BMP receptor antagonists in <i>Xenopus</i> early embryonic development. <i>Nature Communications</i> , 2020, 11, 5570.	5.8	32

#	ARTICLE	IF	CITATIONS
3821	Characterization and immune function of decapentaplegic (Dpp) gene from the oriental river prawn, <i>Macrobrachium nipponense</i> . <i>Fish and Shellfish Immunology</i> , 2020, 106, 804-813.	1.6	5
3822	Reduction of Cold Ischemic Injury with the Addition of Compound Glycyrrhizin in HTK Solution in a Mouse Heart Transplantation Model. <i>International Heart Journal</i> , 2020, 61, 595-600.	0.5	1
3823	O-GlcNAcylation Dampens Dpp/BMP Signaling to Ensure Proper <i>Drosophila</i> Embryonic Development. <i>Developmental Cell</i> , 2020, 53, 330-343.e3.	3.1	15
3824	Resistance Mechanisms to Anti-angiogenic Therapies in Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 221.	1.3	213
3825	Antisense Oligonucleotide in LNA-Gapmer Design Targeting TGFBR2â€”A Key Single Gene Target for Safe and Effective Inhibition of TGFÎ² Signaling. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1952.	1.8	19
3826	ALK2: A Therapeutic Target for Fibrodysplasia Ossificans Progressiva and Diffuse Intrinsic Pontine Glioma. <i>Chemical and Pharmaceutical Bulletin</i> , 2020, 68, 194-200.	0.6	9
3827	Nonconventional axon guidance cues: Hedgehog, TGFÎ²/BMP, and Wnts in axon guidance. , 2020, , 175-199.		2
3828	Signaling pathways that regulate glial development and early migrationâ€”oligodendrocytes. , 2020, , 867-890.		2
3829	Computational modeling of transforming growth factor Î² and activin a receptor complex formation in the context of promiscuous signaling regulation. <i>Journal of Biomolecular Structure and Dynamics</i> , 2021, 39, 5166-5181.	2.0	1
3830	Alterations in the chondrocyte surfaceome in response to pro-inflammatory cytokines. <i>BMC Molecular and Cell Biology</i> , 2020, 21, 47.	1.0	15
3831	Interaction of TGFÎ²3 ligand with its receptors type II (TÎ²RII) and type I (TÎ²RI): A unique mechanism of protein-protein association. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2020, 1868, 140485.	1.1	1
3832	Direct Targeting of CREB1 with Imperatorin Inhibits TGFÎ²/ERK Signaling to Suppress Esophageal Cancer Metastasis. <i>Advanced Science</i> , 2020, 7, 2000925.	5.6	32
3833	Chimeric Antigen Receptor Therapy: How Are We Driving in Solid Tumors?. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1759-1769.	2.0	9
3834	Investigating the roles of transforming growth factor-beta in immune response of <i>Orbicella faveolata</i> , a scleractinian coral. <i>Developmental and Comparative Immunology</i> , 2020, 107, 103639.	1.0	11
3835	Identification of Smad-dependent and -independent signaling with transforming growth factor-Î² type 1/2 receptor inhibition in palatogenesis. <i>Journal of Oral Biology and Craniofacial Research</i> , 2020, 10, 43-48.	0.8	2
3836	Targeting the NLRP3 inflammasome to treat cardiovascular fibrosis. , 2020, 209, 107511.		63
3837	Smad2 linker region phosphorylation is an autonomous cell signalling pathway: Implications for multiple disease pathologies. <i>Biomedicine and Pharmacotherapy</i> , 2020, 124, 109854.	2.5	15
3838	TGFÎ²1 Increases GDNF Production by Upregulating the Expression of GDNF and Furin in Human Granulosa-Lutein Cells. <i>Cells</i> , 2020, 9, 185.	1.8	13

#	ARTICLE	IF	CITATIONS
3839	TGF β 1 Regulates Human RANKL-Induced Osteoclastogenesis via Suppression of NFATc1 Expression. International Journal of Molecular Sciences, 2020, 21, 800.	1.8	18
3840	Thinking beyond tradition: Polyphenols as effective refolding modulators. International Journal of Biological Macromolecules, 2020, 148, 969-978.	3.6	4
3841	Structure-Based Virtual Screening, Molecular Dynamics and Binding Free Energy Calculations of Hit Candidates as ALK-5 Inhibitors. Molecules, 2020, 25, 264.	1.7	7
3842	Differential expression of BMP/SMAD signaling and ovarian-associated genes in the granulosa cells of FecB introgressed GMM sheep. Systems Biology in Reproductive Medicine, 2020, 66, 185-201.	1.0	10
3843	Mechanisms of TGF β 23 Action as a Therapeutic Agent for Promoting the Synthesis of Extracellular Matrix Proteins in Hyaline Cartilage. Biochemistry (Moscow), 2020, 85, 436-447.	0.7	8
3844	TRIM59 inhibits PPM1A through ubiquitination and activates TGF β 2/Smad signaling to promote the invasion of ectopic endometrial stromal cells in endometriosis. American Journal of Physiology - Cell Physiology, 2020, 319, C392-C401.	2.1	10
3846	The Distinct Roles of Transcriptional Factor KLF11 in Normal Cell Growth Regulation and Cancer as a Mediator of TGF β 2 Signaling Pathway. International Journal of Molecular Sciences, 2020, 21, 2928.	1.8	13
3847	Specific Smad2/3 Linker Phosphorylation Indicates Esophageal Non-neoplastic and Neoplastic Stem-Like Cells and Neoplastic Development. Digestive Diseases and Sciences, 2021, 66, 1862-1874.	1.1	1
3848	Osteoporosis and Osteoarthritis. Methods in Molecular Biology, 2021, , .	0.4	1
3849	Calcineurin inhibitors: a double-edged sword. American Journal of Physiology - Renal Physiology, 2021, 320, F336-F341.	1.3	9
3850	Signaling pathways influencing stem cell self-renewal and differentiation. , 2021, , 69-87.		0
3851	E3 Ubiquitin Ligases: Key Regulators of TGF β 2 Signaling in Cancer Progression. International Journal of Molecular Sciences, 2021, 22, 476.	1.8	18
3852	Pharmacological mechanisms of Yishen Xingyang capsule in the treatment of oligoasthenospermia in rats. Journal of Traditional Chinese Medical Sciences, 2021, 8, 52-58.	0.1	2
3853	The TGF β 2 and Androgen Receptor Signaling Pathways Converge to Support Anoikis Resistance in Triple Negative Breast Cancer. , 2021, , 173-192.		1
3854	Acer tataricum subsp. ginnala Inhibits Skin Photoaging via Regulating MAPK/AP-1, NF- κ B, and TGF β 2/Smad Signaling in UVB-Irradiated Human Dermal Fibroblasts. Molecules, 2021, 26, 662.	1.7	17
3855	The bifunctional roles of sirtuins and their therapeutic potential in cancer. , 2021, , 153-177.		2
3856	Unveiling the dimer/monomer propensities of Smad MH1-DNA complexes. Computational and Structural Biotechnology Journal, 2021, 19, 632-646.	1.9	6
3857	Molecular basis for the repurposing of histamine H2-receptor antagonist to treat COVID-19. Journal of Biomolecular Structure and Dynamics, 2022, 40, 5785-5802.	2.0	8

#	ARTICLE	IF	CITATIONS
3858	miR-128-3p inhibits apoptosis and inflammation in LPS-induced sepsis by targeting TGFBR2. <i>Open Medicine (Poland)</i> , 2021, 16, 274-283.	0.6	12
3859	Quantification of three-dimensional morphology of craniofacial mineralized tissue defects in <i>Tgfr2/Osx</i> Cre mice. <i>Oral Science International</i> , 2021, 18, 193-202.	0.3	5
3860	MicroRNAs and Natural Compounds Mediated Regulation of TGF Signaling in Prostate Cancer. <i>Frontiers in Pharmacology</i> , 2020, 11, 613464.	1.6	6
3861	Ras Signaling in Breast Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1187, 81-101.	0.8	7
3862	SH2 domain-containing protein tyrosine phosphatase-2 (SHP-2) prevents cardiac remodeling after myocardial infarction through ERK/SMAD signaling pathway. <i>Human Cell</i> , 2021, 34, 325-334.	1.2	5
3863	Negative regulators of TGF- β 1 signaling in renal fibrosis; pathological mechanisms and novel therapeutic opportunities. <i>Clinical Science</i> , 2021, 135, 275-303.	1.8	52
3864	TGF- β 2 Signaling Promotes Glioma Progression Through Stabilizing Sox9. <i>Frontiers in Immunology</i> , 2020, 11, 592080.	2.2	17
3865	Actin Cytoskeleton and Regulation of TGF β 2 Signaling: Exploring Their Links. <i>Biomolecules</i> , 2021, 11, 336.	1.8	17
3866	Fluid shear stress generates a unique signaling response by activating multiple TGF β 2 family type I receptors in osteocytes. <i>FASEB Journal</i> , 2021, 35, e21263.	0.2	18
3867	Pirfenidone Alleviates Choroidal Neovascular Fibrosis through TGF- β 2/Smad Signaling Pathway. <i>Journal of Ophthalmology</i> , 2021, 2021, 1-8.	0.6	10
3868	Interaction between transforming <i>Theileria</i> parasites and their host bovine leukocytes. <i>Molecular Microbiology</i> , 2021, 115, 860-869.	1.2	6
3869	Biology in Practice: Harnessing the Curative Potential of the Immune System in Lymphoid Cancers. <i>Journal of Clinical Oncology</i> , 2021, 39, 346-360.	0.8	3
3870	Human Placental NADPH Oxidase Mediates sFlt-1 and PlGF Secretion in Early Pregnancy: Exploration of the TGF- β 2/p38 MAPK Pathways. <i>Antioxidants</i> , 2021, 10, 281.	2.2	7
3871	Transit-Amplifying Cells Coordinate Changes in Intestinal Epithelial Cell-Type Composition. <i>Developmental Cell</i> , 2021, 56, 356-365.e9.	3.1	28
3872	Growth differentiation factor 5 in cartilage and osteoarthritis: A possible therapeutic candidate. <i>Cell Proliferation</i> , 2021, 54, e12998.	2.4	27
3873	Heightened Crescentic Glomerulonephritis in Immune Challenged 129sv Mice Is TGF- β 2/Smad3 Dependent. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2059.	1.8	2
3874	AP2M1 Supports TGF- β 2 Signals to Promote Collagen Expression by Inhibiting Caveolin Expression. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1639.	1.8	1
3875	Quantitative Proteomic Analysis in Alveolar Type II Cells Reveals the Different Capacities of RAS and TGF- β 2 to Induce Epithelial-Mesenchymal Transition. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 595712.	1.6	5

#	ARTICLE	IF	CITATIONS
3876	Canonical TGF- β 2 signaling regulates the relationship between prenatal maternal depression and amygdala development in early life. <i>Translational Psychiatry</i> , 2021, 11, 170.	2.4	13
3877	BMPR1A maintains skeletal stem cell properties in craniofacial development and craniosynostosis. <i>Science Translational Medicine</i> , 2021, 13, .	5.8	35
3878	Epstein-Barr Virus-Encoded Latent Membrane Protein 2A Downregulates GCNT3 via the TGF- β 1/Smad-mTORC1 Signaling Axis. <i>Journal of Virology</i> , 2021, 95, .	1.5	8
3879	Cyclic RGD Pentapeptide Cilengitide Enhances Efficacy of Gefitinib on TGF- β 1-Induced Epithelial-to-Mesenchymal Transition and Invasion in Human Non-Small Cell Lung Cancer Cells. <i>Frontiers in Pharmacology</i> , 2021, 12, 639095.	1.6	7
3880	SMADS-Mediate Molecular Mechanisms in Sjögren's Syndrome. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3203.	1.8	14
3881	Ablation of TGFBR3 (betaglycan) in oocytes does not affect fertility in female mice. <i>Reproduction</i> , 2021, 161, 289-294.	1.1	0
3882	Preparation of 6-carboxyl chitin and its effects on cell proliferation in vitro. <i>Carbohydrate Polymers</i> , 2021, 257, 117638.	5.1	4
3883	TGF- β 2 Signaling in Photoaging and UV-Induced Skin Cancer. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1104-1110.	0.3	52
3884	Potential Therapeutic Strategies and Substances for Facial Nerve Regeneration Based on Preclinical Studies. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4926.	1.8	8
3885	Reversine suppresses osteosarcoma cell growth through targeting BMP-Smad1/5/8-mediated angiogenesis. <i>Microvascular Research</i> , 2021, 135, 104136.	1.1	3
3886	TGF- β 1 +869T/C (rs1982073) gene polymorphism and susceptibility to rheumatoid arthritis: Updated systematic review and meta-analysis. <i>European Journal of Internal Medicine</i> , 2021, 87, 66-74.	1.0	0
3887	Effect of electroacupuncture at ST 36 on maternal food restriction-induced lung phenotype in rat offspring. <i>Pediatric Pulmonology</i> , 2021, 56, 2537-2545.	1.0	1
3888	Tetratricopeptide repeat domain 36 deficiency mitigates renal tubular injury by inhibiting TGF- β 1-induced epithelial-mesenchymal transition in a mouse model of chronic kidney disease. <i>Genes and Diseases</i> , 2022, 9, 1716-1726.	1.5	7
3889	High-throughput measurements of bone morphogenetic protein/bone morphogenetic protein receptor interactions using biolayer interferometry. <i>Biointerphases</i> , 2021, 16, 031001.	0.6	5
3890	Genetic and <i>in silico</i> analysis show a role of SMAD3 on recurrent pregnancy loss. <i>Human Fertility</i> , 2022, 25, 754-763.	0.7	2
3892	Tyrosine kinases in the pathogenesis of tissue fibrosis in systemic sclerosis and potential therapeutic role of their inhibition. <i>Translational Research</i> , 2021, 231, 139-158.	2.2	20
3894	Specific Blockade of Bone Morphogenetic Protein-2/4 Induces Oligodendrogenesis and Remyelination in Demyelinating Disorders. <i>Neurotherapeutics</i> , 2021, 18, 1798-1814.	2.1	5
3895	Orphan nuclear receptor ERR β regulates hepatic TGF- β 2 expression and fibrogenic response in CCl4-induced acute liver injury. <i>Archives of Toxicology</i> , 2021, 95, 3071-3084.	1.9	8

#	ARTICLE	IF	CITATIONS
3896	Cell Plasticity and Prostate Cancer: The Role of Epithelialâ€“Mesenchymal Transition in Tumor Progression, Invasion, Metastasis and Cancer Therapy Resistance. <i>Cancers</i> , 2021, 13, 2795.	1.7	23
3897	Total flavonoids of rhizoma drynariae ameliorates bone formation and mineralization in BMP-Smad signaling pathway induced large tibial defect rats. <i>Biomedicine and Pharmacotherapy</i> , 2021, 138, 111480.	2.5	23
3898	Extracellular Vesicles Are More Potent Than Adipose Mesenchymal Stromal Cells to Exert an Anti-Fibrotic Effect in an In Vitro Model of Systemic Sclerosis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6837.	1.8	9
3899	Novel factors that activate and deactivate cardiac fibroblasts: A new perspective for treatment of cardiac fibrosis. <i>Wound Repair and Regeneration</i> , 2021, 29, 667-677.	1.5	14
3900	<i>Tgfa</i> ² superfamily and limb regeneration: <i>Tgfa</i> to start and <i>Bmp</i> to end. <i>Developmental Dynamics</i> , 2022, 251, 973-987.	0.8	9
3901	New Insights into Cancer Targeted Therapy: Nodal and Cripto-1 as Attractive Candidates. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7838.	1.8	2
3902	TGF β ² signaling: A recap of SMAD-independent and SMAD-dependent pathways. <i>Journal of Cellular Physiology</i> , 2022, 237, 59-85.	2.0	52
3903	Targeting the Myeloid Lineages and the Immune Microenvironment in Myelodysplastic Syndromes: Novel and Evolving Therapeutic Strategies. <i>Annals of Pharmacotherapy</i> , 2021, , 106002802110361.	0.9	1
3904	Hormone-Responsive BMP Signaling Expands Myoepithelial Cell Lineages and Prevents Alveolar Precocity in Mammary Gland. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 691050.	1.8	5
3905	Reparative and Maladaptive Inflammation in Tendon Healing. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 719047.	2.0	40
3906	Comparative Transcriptome Analyses of the Developmental Stages of <i>Taenia multiceps</i> . <i>Frontiers in Veterinary Science</i> , 2021, 8, 677045.	0.9	5
3907	Effects of Interleukin-27 on the rats with preeclampsia and its potential molecular mechanism. <i>Panminerva Medica</i> , 2021, , .	0.2	1
3908	Osteoarthritis-Related Inflammation Blocks TGF- β ² 's Protective Effect on Chondrocyte Hypertrophy via (de)Phosphorylation of the SMAD2/3 Linker Region. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8124.	1.8	12
3909	Repression of Smad4 by MicroRNA-1285 moderates TGF- β ² -induced epithelialâ€“mesenchymal transition in proliferative vitreoretinopathy. <i>PLoS ONE</i> , 2021, 16, e0254873.	1.1	6
3910	RSPO2 inhibits BMP signaling to promote self-renewal in acute myeloid leukemia. <i>Cell Reports</i> , 2021, 36, 109559.	2.9	10
3912	The Multifaceted Role of TGF- β ² in Gastrointestinal Tumors. <i>Cancers</i> , 2021, 13, 3960.	1.7	18
3913	Therapeutic approaches targeting molecular signaling pathways common to diabetes, lung diseases and cancer. <i>Advanced Drug Delivery Reviews</i> , 2021, 178, 113918.	6.6	16
3914	Smad2/3 Activation Regulates Smad1/5/8 Signaling via a Negative Feedback Loop to Inhibit 3T3-L1 Adipogenesis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8472.	1.8	9

#	ARTICLE	IF	CITATIONS
3915	FAM13A as potential therapeutic target in modulating TGF- β -induced airway tissue remodeling in COPD. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2021, 321, L377-L391.	1.3	7
3917	Identification, molecular evolution, and expression analysis of the transcription factor Smad gene family in lamprey. <i>Molecular Immunology</i> , 2021, 136, 128-137.	1.0	5
3918	Bone morphogenetic protein 2 upregulates SERPINE2 expression through noncanonical SMAD2/3 and p38 MAPK signaling pathways in human granulosaâ€œutein cells. <i>FASEB Journal</i> , 2021, 35, e21845.	0.2	12
3919	Revisiting the Role of TGF β 2 Receptor Internalization for Smad Signaling: It is Not Required in Optogenetic TGF β 2 Signaling Systems. <i>Advanced Biology</i> , 2021, 5, e2101008.	1.4	1
3920	RanBP3 Regulates Proliferation, Apoptosis and Chemosensitivity of Chronic Myeloid Leukemia Cells via Mediating SMAD2/3 and ERK1/2 Nuclear Transport. <i>Frontiers in Oncology</i> , 2021, 11, 698410.	1.3	2
3921	The adult heart requires baseline expression of the transcription factor Hand2 to withstand right ventricular pressure overload. <i>Cardiovascular Research</i> , 2022, 118, 2688-2702.	1.8	3
3922	TGF β 2-Neurotrophin Interactions in Heart, Retina, and Brain. <i>Biomolecules</i> , 2021, 11, 1360.	1.8	10
3923	Linker Threonine-phosphorylated Smad2/3 Is a Biomarker of Colorectal Neoplastic Stem-like Cells that Correlates With Carcinogenesis. <i>Anticancer Research</i> , 2021, 41, 4789-4799.	0.5	0
3924	Lifelong Adaptation of Gastric Cell Proliferation and Mucosa Structure to Early Weaning-Induced Effects. <i>Frontiers in Physiology</i> , 2021, 12, 721242.	1.3	1
3925	Co-targeting TGF- β 2 and PD-L1 with radiation therapy: The Goldilocks principle. <i>Cell Reports Medicine</i> , 2021, 2, 100406.	3.3	1
3926	Endothelial FGF signaling is protective in hypoxia-induced pulmonary hypertension. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	24
3927	BMP-4 Extraction from Extracellular Matrix and Analysis of Heparin-Binding Properties. <i>Molecular Biotechnology</i> , 2021, , 1.	1.3	2
3929	Lepidium sativum Secondary Metabolites (Essential Oils): In Vitro and In Silico Studies on Human Hepatocellular Carcinoma Cell Lines. <i>Plants</i> , 2021, 10, 1863.	1.6	4
3930	Plumbagin Inhibits Proliferation, Migration, and Invasion of Retinal Pigment Epithelial Cells Induced by FGF-2. <i>Tissue and Cell</i> , 2021, 72, 101547.	1.0	5
3931	Epigenetic alterations of TGF β 2 and its main canonical signaling mediators in the context of cardiac fibrosis. <i>Journal of Molecular and Cellular Cardiology</i> , 2021, 159, 38-47.	0.9	7
3932	Bone morphogenetic proteins (BMPs) in the central regulation of energy balance and adult neural plasticity. <i>Metabolism: Clinical and Experimental</i> , 2021, 123, 154837.	1.5	26
3933	Transforming Growth Factor- β 2 (TGF- β 2) Family of Molecule. , 2022, , 308-313.		0
3934	Transforming growth factor- β 2 and its signaling pathway in skeletal complications of malignancy. , 2022, , 253-273.		0

#	ARTICLE	IF	CITATIONS
3935	Differential expression profiles of miRNAs and their putative targets in <i>Schistosoma mansoni</i> during its life cycle. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2021, 116, e200326.	0.8	5
3936	The complexity of TGF β ² /activin signaling in regeneration. <i>Journal of Cell Communication and Signaling</i> , 2021, 15, 7-23.	1.8	16
3937	Dentate gyrus activin signaling mediates the antidepressant response. <i>Translational Psychiatry</i> , 2021, 11, 7.	2.4	12
3938	USP1-WDR48 deubiquitinase complex enhances TGF- β ² induced epithelial \rightarrow mesenchymal transition of TNBC cells via stabilizing TAK1. <i>Cell Cycle</i> , 2021, 20, 320-331.	1.3	13
3940	Molecular mechanisms of osteolytic bone metastases. <i>Cancer</i> , 2000, 88, 2892-2898.	2.0	4
3941	Role of Tumour Microenvironment in Chemoresistance. , 2005, , 285-321.		11
3942	Genetic Disruptions within the Murine Genome Reveal Numerous Roles of the Smad Gene Family in Development, Disease, and Cancer. , 2006, , 151-176.		3
3943	Activins and inhibins: Physiological roles, signaling mechanisms and regulation. , 2005, , 1-28.		2
3944	Regulatory Role of TGF- β ² in Cardiac Myofibroblast Function and Post-MI Cardiac Fibrosis: Key Roles of Smad7 and c-Ski. , 2008, , 249-266.		1
3945	The Use of Cre \rightarrow loxP Technology and Inducible Systems to Generate Mouse Models of Cancer. , 2012, , 17-36.		7
3947	Insulin-Like Growth Factors (IGFs), IGF Binding Proteins, and Other Endocrine Factors in Milk: Role in the Newborn. , 2008, 606, 397-422.		77
3948	Melanoma and Nonmelanoma Skin Cancers and the Immune System. <i>Advances in Experimental Medicine and Biology</i> , 2008, 624, 187-202.	0.8	9
3949	TGF- β ² Signaling Alterations in Neoplastic and Stromal Cells. , 2010, , 335-348.		1
3950	Activin, TGF- β ² and Menin in Pituitary Tumorigenesis. <i>Advances in Experimental Medicine and Biology</i> , 2009, 668, 69-78.	0.8	22
3951	Angiogenesis-related Growth Factors in Brain Tumors. <i>Cancer Treatment and Research</i> , 2004, 117, 169-190.	0.2	37
3952	Development and Differentiation of Vascular Smooth Muscle. , 2002, , 111-131.		2
3953	YAP1 Uses Its Modular Protein Domains and Conserved Sequence Motifs to Orchestrate Diverse Repertoires of Signaling. , 2013, , 53-70.		2
3954	TGF- β ³ and Their Roles in the Regulation of Neuron Survival. <i>Advances in Experimental Medicine and Biology</i> , 2003, 513, 353-374.	0.8	77

#	ARTICLE	IF	CITATIONS
3955	Generation and Characterization of Smad7 Conditional Knockout Mice. <i>Methods in Molecular Biology</i> , 2016, 1344, 233-243.	0.4	2
3956	Role of TGF- β 2 Signaling in Coupling Bone Remodeling. <i>Methods in Molecular Biology</i> , 2016, 1344, 287-300.	0.4	67
3957	Determining TGF- β 2 Receptor Levels in the Cell Membrane. <i>Methods in Molecular Biology</i> , 2016, 1344, 35-47.	0.4	7
3958	Posttranslational Modifications of TGF- β 2 Receptors. <i>Methods in Molecular Biology</i> , 2016, 1344, 49-61.	0.4	5
3959	Escape of Tumors From the Immune System. , 2004, , 85-95.		1
3960	Involvement of km23 Dynein Light Chains in TGF β 2 Signaling. , 2008, , 169-184.		3
3961	Activins and Inhibins in Cancer Progression. , 2008, , 411-423.		1
3962	Tumor Suppressors p53 and TGF β 2 Converge to Regulate the Alpha-Fetoprotein Oncodevelopmental Tumor Marker. , 2008, , 309-320.		2
3963	Transforming Growth Factor- β 2 (TGF- β 2) Signaling Inhibitors in Cancer Therapy. , 2008, , 573-587.		1
3964	Targeting TGF- β 2 as a Strategy to Ameliorate Intestinal Side Effects of Radiation Therapy. , 2008, , 589-608.		1
3965	Engineering TGF- β 2 Traps: Artificially Dimerized Receptor Ectodomains as High-affinity Blockers of TGF- β 2 Action. , 2008, , 671-684.		2
3966	Inhibitory RNA Molecules in Immunotherapy for Cancer. <i>Methods in Molecular Biology</i> , 2010, 623, 325-339.	0.4	9
3967	Analysis of Ligand-Dependent Nuclear Accumulation of Smads in TGF- β 2 Signaling. <i>Methods in Molecular Biology</i> , 2010, 647, 95-111.	0.4	4
3968	Bone morphogenetic protein receptors and their nuclear effectors in bone formation. , 2004, , 9-44.		3
3969	Biochemistry of bone morphogenetic proteins. , 2002, , 1-18.		4
3970	Bone morphogenetic protein receptors and their nuclear effectors in bone formation. , 2002, , 31-60.		5
3971	Deciphering the binding code of BMP-receptor interaction. , 2002, , 61-85.		1
3972	TGF- β 2 and macrophages in the rise and fall of inflammation. , 2001, , 65-90.		8

#	ARTICLE	IF	CITATIONS
3973	TGF- β 2 and the cardiovascular system. , 2001, , 91-146.		1
3974	TGF- β 2 superfamily cytokines in wound healing. , 2001, , 173-198.		7
3975	Inhibition of the TGF- β 2 Signaling Pathway in Tumor Cells. , 2007, 172, 77-97.		5
3976	Mechanisms Regulating Lineage Diversity During Mammalian Cerebral Cortical Neurogenesis and Gliogenesis. Results and Problems in Cell Differentiation, 2002, 39, 27-52.	0.2	48
3977	Smad Transcriptional Corepressors in TGF β 2 Family Signaling. Current Topics in Microbiology and Immunology, 2001, , 145-164.	0.7	48
3978	Emerging Roles of TGF- β 2 Co-receptors in Human Disease. , 2013, , 59-89.		1
3979	Major Signaling Pathways Regulating the Proliferation and Differentiation of Mesenchymal Stem Cells. , 2013, , 75-100.		4
3980	Role of Regulatory T Lymphocytes in Health and Disease. , 2020, , 201-243.		2
3981	Transforming growth factor β 2 stimulates rheumatoid synovial fibroblasts via the type II receptor. Modern Rheumatology, 2005, 15, 108-113.	0.9	10
3982	Prothoracicotropic Hormone. , 2005, , 61-123.		43
3983	Introduction and Overview of Alterations in Cell Signaling. , 2010, , 447-471.		3
3984	Cytokines and Bone Remodeling. , 2010, , 453-490.		1
3985	Physiology of Gastrointestinal Stem Cells. , 2006, , 307-343.		1
3986	Hepatocyte Nuclear Factor 4 α . , 2001, , 309-361.		52
3987	Imaging Adenovirus-Mediated Gene Transfer. , 2002, , 655-677.		2
3988	Bone Growth Factors. , 2001, , 405-431.		122
3989	What do we know about bone morphogenetic proteins and osteochondroprogenitors in inflammatory conditions?. Bone, 2020, 137, 115403.	1.4	23
3990	NF- β inducing kinase activates NF- β transcriptional activity independently of β kinase β 3 through a p38 MAPK-dependent RelA phosphorylation pathway. Cellular Signalling, 2004, 16, 1023-1032.	1.7	48

#	ARTICLE	IF	CITATIONS
3991	Denervation-induced skeletal muscle fibrosis is mediated by CTGF/CCN2 independently of TGF- β 2. <i>Matrix Biology</i> , 2019, 82, 20-37.	1.5	52
3992	Response To Tissue Injury. <i>Clinics in Plastic Surgery</i> , 2000, 27, 489-500.	0.7	31
3994	Surface binding sites in carbohydrate active enzymes: an emerging picture of structural and functional diversity. <i>Carbohydrate Chemistry</i> , 2013, , 204-221.	0.3	29
3995	A role for TGF- β 2 signalling in medium spiny neuron differentiation of human pluripotent stem cells. <i>Neuronal Signaling</i> , 2020, 4, NS20200004.	1.7	5
3996	L- α -inducteur c-terminale Cerberus est un inhibiteur multivalent extracellulaire. <i>Société De Biologie Journal</i> , 1999, 193, 347-354.	0.3	4
3997	Growth factors from bovine milk and colostrum: composition, extraction and biological activities. <i>Dairy Science and Technology</i> , 2006, 86, 99-125.	0.9	108
3998	Activation of Platelet-transforming Growth Factor β 1 in the Absence of Thrombospondin-1. <i>Journal of Biological Chemistry</i> , 2000, 275, 17933-17936.	1.6	41
3999	Genetic Analysis of the Bone Morphogenetic Protein-Related Gene, gbb, Identifies Multiple Requirements During Drosophila Development. <i>Genetics</i> , 1999, 152, 629-640.	1.2	82
4000	Suppressors of Transforming Growth Factor- β 2 Pathway Mutants in the <i>Caenorhabditis elegans</i> Dauer Formation Pathway. <i>Genetics</i> , 2000, 156, 1035-1046.	1.2	49
4001	Ectopic Expression of Inhibitors of Protein Phosphatase Type 1 (PP1) Can Be Used to Analyze Roles of PP1 in Drosophila Development. <i>Genetics</i> , 2003, 164, 235-245.	1.2	19
4002	THE ROLE OF TRANSFORMING GROWTH FACTOR BETA IN CHRONIC RENAL ALLOGRAFT NEPHROPATHY. <i>Transplantation</i> , 2000, 69, 1759-1766.	0.5	71
4003	Resistance to TGF- β 1 correlates with a reduction of TGF- β 2 type II receptor expression in Burkitt's lymphoma and Epstein-Barr virus-transformed B lymphoblastoid cell lines. <i>Journal of General Virology</i> , 2000, 81, 1567-1578.	1.3	46
4010	Asymmetric and node-specific nodal expression patterns are controlled by two distinct cis-acting regulatory elements. <i>Genes and Development</i> , 1999, 13, 1575-1588.	2.7	159
4011	A novel Smad nuclear interacting protein, SNIP1, suppresses p300-dependent TGF- β 2 signal transduction. <i>Genes and Development</i> , 2000, 14, 1605-1616.	2.7	110
4012	A mechanism of suppression of TGF- β 2/SMAD signaling by NF- κ B/RelA. <i>Genes and Development</i> , 2000, 14, 187-197.	2.7	362
4013	Controlling TGF- β 2 signaling. <i>Genes and Development</i> , 2000, 14, 627-644.	2.7	1,384
4014	Protein-protein interactions define specificity in signal transduction. <i>Genes and Development</i> , 2000, 14, 1027-1047.	2.7	616
4015	Cytokines in Heart Failure: Potential Interactions with Angiotensin II and Leptin. <i>Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics</i> , 2002, 2, 424-427.	3.4	11

#	ARTICLE	IF	CITATIONS
4016	Neuronal Nicotinic Receptor Subtypes: DEFINING THERAPEUTIC TARGETS. <i>Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics</i> , 2004, 4, 285-295.	3.4	63
4018	The Pharmacology and Signaling of Bitter, Sweet, and Umami Taste Sensing. <i>Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics</i> , 2007, 7, 87-98.	3.4	63
4019	Signaling Receptome: A Genomic and Evolutionary Perspective of Plasma Membrane Receptors Involved in Signal Transduction. <i>Science Signaling</i> , 2003, 2003, re9-re9.	1.6	18
4022	Involvement of Serum Response Factor Isoforms in Myofibroblast Differentiation During Bleomycin-Induced Lung Injury. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2003, 29, 583-590.	1.4	28
4023	A Molecular and Biophysical Model of the Biosignal. <i>Quantum Matter</i> , 2013, 2, 9-16.	0.2	4
4024	IL-7 inhibits fibroblast TGF- β 2 production and signaling in pulmonary fibrosis. <i>Journal of Clinical Investigation</i> , 2002, 109, 931-937.	3.9	120
4025	Blockade of TGF- β 2 inhibits mammary tumor cell viability, migration, and metastases. <i>Journal of Clinical Investigation</i> , 2002, 109, 1551-1559.	3.9	402
4026	P311 induces a TGF- β 2-independent, nonfibrogenic myofibroblast phenotype. <i>Journal of Clinical Investigation</i> , 2002, 110, 1349-1358.	3.9	59
4027	TGF- β 2/Smad signaling defects in inflammatory bowel disease: mechanisms and possible novel therapies for chronic inflammation. <i>Journal of Clinical Investigation</i> , 2001, 108, 523-526.	3.9	77
4028	IL-7 inhibits fibroblast TGF- β 2 production and signaling in pulmonary fibrosis. <i>Journal of Clinical Investigation</i> , 2002, 109, 931-937.	3.9	81
4029	Blockade of TGF- β 2 inhibits mammary tumor cell viability, migration, and metastases. <i>Journal of Clinical Investigation</i> , 2002, 109, 1551-1559.	3.9	277
4030	P311 induces a TGF- β 2-independent, nonfibrogenic myofibroblast phenotype. <i>Journal of Clinical Investigation</i> , 2002, 110, 1349-1358.	3.9	50
4031	Distinct roles of Smad pathways and p38 pathways in cartilage-specific gene expression in synovial fibroblasts. <i>Journal of Clinical Investigation</i> , 2004, 113, 718-726.	3.9	13
4032	Distinct roles of Smad pathways and p38 pathways in cartilage-specific gene expression in synovial fibroblasts. <i>Journal of Clinical Investigation</i> , 2004, 113, 718-726.	3.9	36
4034	Induction of intrahepatic cholangiocellular carcinoma by liver-specific disruption of Smad4 and Pten in mice. <i>Journal of Clinical Investigation</i> , 2006, 116, 1843-1852.	3.9	186
4035	Muscular atrophy of caveolin-3-deficient mice is rescued by myostatin inhibition. <i>Journal of Clinical Investigation</i> , 2006, 116, 2924-2934.	3.9	101
4036	The type III TGF- β 2 receptor suppresses breast cancer progression. <i>Journal of Clinical Investigation</i> , 2007, 117, 206-217.	3.9	212
4037	Epithelium-specific deletion of TGF- β 2 receptor type II protects mice from bleomycin-induced pulmonary fibrosis. <i>Journal of Clinical Investigation</i> , 2011, 121, 277-287.	3.9	185

#	ARTICLE	IF	CITATIONS
4038	Transient gene transfer and expression of Smad7 prevents bleomycin-induced lung fibrosis in mice. <i>Journal of Clinical Investigation</i> , 1999, 104, 5-11.	3.9	370
4039	Adipocyte-derived endotrophin promotes malignant tumor progression. <i>Journal of Clinical Investigation</i> , 2012, 122, 4243-4256.	3.9	272
4040	Smad7 selectively interferes with different pathways of activin signaling and inhibits erythroid leukemia cell differentiation. <i>Blood</i> , 2000, 95, 3371-3379.	0.6	7
4041	Differential expression of a novel C-terminally truncated splice form of SMAD5 in hematopoietic stem cells and leukemia. <i>Blood</i> , 2000, 95, 3945-3950.	0.6	10
4042	Bone morphogenetic protein-2 induces apoptosis in human myeloma cells with modulation of STAT3. <i>Blood</i> , 2000, 96, 2005-2011.	0.6	34
4043	Transforming growth factor- β 2: pleiotropic role in the regulation of hematopoiesis. <i>Blood</i> , 2000, 96, 2022-2036.	0.6	87
4044	Transforming growth factor β 2 signal transduction. <i>Journal of Leukocyte Biology</i> , 2002, 71, 731-740.	1.5	170
4045	Localization of Transforming Growth Factor- β Receptor Types I, II, and III in the Postnatal Rat Small Intestine. <i>Pediatric Research</i> , 1999, 46, 657-657.	1.1	29
4046	The <i>Caenorhabditis elegans</i> gene <i>ncc-1</i> encodes a <i>cdc2</i> -related kinase required for M phase in meiotic and mitotic cell divisions, but not for S phase. <i>Development (Cambridge)</i> , 1999, 126, 2227-2239.	1.2	132
4047	The type I serine/threonine kinase receptor ActRIA (ALK2) is required for gastrulation of the mouse embryo. <i>Development (Cambridge)</i> , 1999, 126, 2551-2561.	1.2	210
4048	Specificity of TGF β signaling is conferred by distinct type I receptors and their associated SMAD proteins in <i>Caenorhabditis elegans</i> . <i>Development (Cambridge)</i> , 1999, 126, 251-260.	1.2	123
4049	FAST-1 is a key maternal effector of mesoderm inducers in the early <i>Xenopus</i> embryo. <i>Development (Cambridge)</i> , 1999, 126, 5621-5634.	1.2	102
4050	Angiogenesis defects and mesenchymal apoptosis in mice lacking SMAD5. <i>Development (Cambridge)</i> , 1999, 126, 1571-1580.	1.2	348
4051	Early embryonic lethality in <i>Bmp5;Bmp7</i> double mutant mice suggests functional redundancy within the 60A subgroup. <i>Development (Cambridge)</i> , 1999, 126, 1753-1768.	1.2	300
4052	Endogenous patterns of TGF β superfamily signaling during early <i>Xenopus</i> development. <i>Development (Cambridge)</i> , 2000, 127, 2917-2931.	1.2	225
4053	Formation of the definitive endoderm in mouse is a Smad2-dependent process. <i>Development (Cambridge)</i> , 2000, 127, 3079-3090.	1.2	164
4054	EGF receptor attenuates Dpp signaling and helps to distinguish the wing and leg cell fates in <i>Drosophila</i> . <i>Development (Cambridge)</i> , 2000, 127, 3769-3776.	1.2	43
4055	Cli2 functions in FGF signaling during antero-posterior patterning. <i>Development (Cambridge)</i> , 2000, 127, 4395-4405.	1.2	78

#	ARTICLE	IF	CITATIONS
4056	Requirement of <i>Sox2</i> -mediated signaling for differentiation of early <i>Xenopus</i> neuroectoderm. <i>Development (Cambridge)</i> , 2000, 127, 791-800.	1.2	177
4057	Equivalent genetic roles for <i>bmp7/snailhouse</i> and <i>bmp2b/swirl</i> in dorsoventral pattern formation. <i>Development (Cambridge)</i> , 2000, 127, 957-967.	1.2	241
4058	Timing of endogenous activin-like signals and regional specification of the <i>Xenopus</i> embryo. <i>Development (Cambridge)</i> , 2001, 128, 2939-2952.	1.2	84
4059	Mouse embryos lacking <i>Smad1</i> signals display defects in extra-embryonic tissues and germ cell formation. <i>Development (Cambridge)</i> , 2001, 128, 3609-3621.	1.2	331
4060	Maternal <i>VegT</i> is the initiator of a molecular network specifying endoderm in <i>Xenopus laevis</i> . <i>Development (Cambridge)</i> , 2001, 128, 167-180.	1.2	194
4061	Context-dependent relationships between the BMPs <i>gbb</i> and <i>dpp</i> during development of the <i>Drosophila</i> wing imaginal disk. <i>Development (Cambridge)</i> , 2001, 128, 3913-3925.	1.2	79
4062	Requirement for $TGF\beta^2$ receptor signaling during terminal lens fiber differentiation. <i>Development (Cambridge)</i> , 2001, 128, 3995-4010.	1.2	116
4063	<i>Fgf</i> receptor signaling plays a role in lens induction. <i>Development (Cambridge)</i> , 2001, 128, 4425-4438.	1.2	131
4064	<i>BMPR-IA</i> signaling is required for the formation of the apical ectodermal ridge and dorsal-ventral patterning of the limb. <i>Development (Cambridge)</i> , 2001, 128, 4449-4461.	1.2	218
4065	<i>BMP</i> and <i>Ihh/PTHrP</i> signaling interact to coordinate chondrocyte proliferation and differentiation. <i>Development (Cambridge)</i> , 2001, 128, 4523-4534.	1.2	382
4066	The type I serine/threonine kinase receptor <i>Alk8/Lost-a-fin</i> is required for <i>Bmp2b/7</i> signal transduction during dorsoventral patterning of the zebrafish embryo. <i>Development (Cambridge)</i> , 2001, 128, 849-858.	1.2	137
4067	<i>lost-a-fin</i> encodes a type I BMP receptor, <i>Alk8</i> , acting maternally and zygotically in dorsoventral pattern formation. <i>Development (Cambridge)</i> , 2001, 128, 859-869.	1.2	143
4068	$TGF\beta^2$, LIF and FGF2 cooperate to induce nephrogenesis. <i>Development (Cambridge)</i> , 2001, 128, 1045-1057.	1.2	138
4069	β^2 -catenin, MAPK and <i>Smad</i> signaling during early <i>Xenopus</i> development. <i>Development (Cambridge)</i> , 2002, 129, 37-52.	1.2	226
4070	<i>Bmp</i> signaling is required for development of primary lens fiber cells. <i>Development (Cambridge)</i> , 2002, 129, 3727-3737.	1.2	133
4071	Stomach regional specification requires <i>Hoxa5</i> -driven mesenchymal-epithelial signaling. <i>Development (Cambridge)</i> , 2002, 129, 4075-4087.	1.2	90
4072	The expression of $TGF\beta^2$ signal transducers in the hypodermis regulates body size in <i>C. elegans</i> . <i>Development (Cambridge)</i> , 2002, 129, 4989-4998.	1.2	82
4073	A characterization of the effects of <i>Dpp</i> signaling on cell growth and proliferation in the <i>Drosophila</i> wing. <i>Development (Cambridge)</i> , 2002, 129, 1003-1013.	1.2	153

#	ARTICLE	IF	CITATIONS
4074	Grunge, related to human Atrophin-like proteins, has multiple functions in <i>Drosophila</i> development. <i>Development</i> (Cambridge), 2002, 129, 1119-1129.	1.2	53
4075	In situ inhibition of vesicle transport and protein processing in the dominant negative Rab1 mutant of <i>Drosophila</i> . <i>Journal of Cell Science</i> , 1997, 110, 2943-2953.	1.2	90
4076	Characterization of bone morphogenetic protein-6 signaling pathways in osteoblast differentiation. <i>Journal of Cell Science</i> , 1999, 112, 3519-3527.	1.2	274
4077	TGF- β 2 type I receptor/ALK-5 and Smad proteins mediate epithelial to mesenchymal transdifferentiation in NMuMG breast epithelial cells. <i>Journal of Cell Science</i> , 1999, 112, 4557-4568.	1.2	381
4078	Inhibition of MMH (Met murine hepatocyte) cell differentiation by TGF- β 2 is abrogated by pre-treatment with the heritable differentiation effector FGF1. <i>Journal of Cell Science</i> , 2000, 113, 3639-3647.	1.2	57
4079	Positive and negative regulation of TGF- β 2 signaling. <i>Journal of Cell Science</i> , 2000, 113, 1101-1109.	1.2	303
4080	A single internalization signal from the di-leucine family is critical for constitutive endocytosis of the type II TGF- β 2 receptor. <i>Journal of Cell Science</i> , 2001, 114, 1777-1786.	1.2	86
4081	p38 mitogen-activated protein kinase is required for TGF- β 2-mediated fibroblastic transdifferentiation and cell migration. <i>Journal of Cell Science</i> , 2002, 115, 3193-3206.	1.2	396
4082	TGF- β 2-driven downregulation of the Wnt/ β -Catenin transcription factor TCF7L2/TCF4 in PDGFR β ±± fibroblasts. <i>Journal of Cell Science</i> , 2020, 133, .	1.2	26
4083	Expression and Cyclic Change of Betaglycan in the Rat Oviduct. <i>Journal of Reproduction and Development</i> , 2009, 55, 200-205.	0.5	3
4084	Three-Dimensional Image Analysis to Quantify the Temporo-Spatial Expression of Cellular Receptors. <i>Journal of Medical and Bioengineering</i> , 2014, 3, 179-182.	0.5	7
4085	High-Sensitivity Real-Time Imaging of Dual Protein-Protein Interactions in Living Subjects Using Multicolor Luciferases. <i>PLoS ONE</i> , 2009, 4, e5868.	1.1	67
4086	Hepatic Deletion of Smad7 in Mouse Leads to Spontaneous Liver Dysfunction and Aggravates Alcoholic Liver Injury. <i>PLoS ONE</i> , 2011, 6, e17415.	1.1	27
4087	CCN2 Is Required for the TGF- β 2 Induced Activation of Smad1 - Erk1/2 Signaling Network. <i>PLoS ONE</i> , 2011, 6, e21911.	1.1	75
4088	Evolution of the TGF- β 2 Signaling Pathway and Its Potential Role in the Ctenophore, <i>Mnemiopsis leidyi</i> . <i>PLoS ONE</i> , 2011, 6, e24152.	1.1	85
4089	Bioinformatic Analysis of Pathogenic Missense Mutations of Activin Receptor Like Kinase 1 Ectodomain. <i>PLoS ONE</i> , 2011, 6, e26431.	1.1	14
4090	Poly(ADP-ribose) Polymerase 1 Is Indispensable for Transforming Growth Factor- β 2 Induced Smad3 Activation in Vascular Smooth Muscle Cell. <i>PLoS ONE</i> , 2011, 6, e27123.	1.1	35
4091	Repeated Small Perturbation Approach Reveals Transcriptomic Steady States. <i>PLoS ONE</i> , 2011, 6, e29241.	1.1	7

#	ARTICLE	IF	CITATIONS
4092	Morphine Stimulates Cell Migration of Oral Epithelial Cells by Delta-Opioid Receptor Activation. PLoS ONE, 2012, 7, e42616.	1.1	33
4093	Cooperative Assembly of Co-Smad4 MH1 with R-Smad1/3 MH1 on DNA: A Molecular Dynamics Simulation Study. PLoS ONE, 2013, 8, e53841.	1.1	10
4094	Spatio-Temporal Distribution of Smads and Role of Smads/TGF- β 2/BMP-4 in the Regulation of Mouse Bladder Organogenesis. PLoS ONE, 2013, 8, e61340.	1.1	13
4095	Biventricular Remodeling in Murine Models of Right Ventricular Pressure Overload. PLoS ONE, 2013, 8, e70802.	1.1	22
4096	Estrogen Receptor Alpha Is Expressed in Mesenteric Mesothelial Cells and Is Internalized in Caveolae upon Freund's Adjuvant Treatment. PLoS ONE, 2013, 8, e79508.	1.1	13
4097	Human Chondrocytes Respond Discordantly to the Protein Encoded by the Osteoarthritis Susceptibility Gene GDF5. PLoS ONE, 2014, 9, e86590.	1.1	22
4098	Mutation or Loss of p53 Differentially Modifies TGF- β 2 Action in Ovarian Cancer. PLoS ONE, 2014, 9, e89553.	1.1	23
4099	Prostate Cancer Induced by Loss of Apc Is Restrained by TGF- β 2 Signaling. PLoS ONE, 2014, 9, e92800.	1.1	13
4100	Smad4 Regulates Ureteral Smooth Muscle Cell Differentiation during Mouse Embryogenesis. PLoS ONE, 2014, 9, e104503.	1.1	15
4101	The AMPK Agonist AICAR Inhibits TGF- β 21 Induced Activation of Kidney Myofibroblasts. PLoS ONE, 2014, 9, e106554.	1.1	56
4102	Mathematical Modeling of Interleukin-35 Promoting Tumor Growth and Angiogenesis. PLoS ONE, 2014, 9, e110126.	1.1	42
4103	Shigella dysenteriae Modulates BMP Pathway to Induce Mucin Gene Expression In Vivo and In Vitro. PLoS ONE, 2014, 9, e111408.	1.1	9
4104	TGF- β 21 Up-Regulates Connective Tissue Growth Factor Expression in Human Granulosa Cells through Smad and ERK1/2 Signaling Pathways. PLoS ONE, 2015, 10, e0126532.	1.1	43
4105	Characterization of a Decapentapletic Gene (AccDpp) from Apis cerana cerana and Its Possible Involvement in Development and Response to Oxidative Stress. PLoS ONE, 2016, 11, e0149117.	1.1	10
4106	Gene Expression Profiling of Pulmonary Artery in a Rabbit Model of Pulmonary Thromboembolism. PLoS ONE, 2016, 11, e0164530.	1.1	11
4107	Xenopus neurula left-right asymmetry is respecified by microinjecting TGF-beta5 protein. International Journal of Developmental Biology, 2003, 47, 15-30.	0.3	8
4108	Developmental expression of Smad1-7 suggests critical function of TGF-beta/BMP signaling in regulating epithelial-mesenchymal interaction during tooth morphogenesis. International Journal of Developmental Biology, 2003, 47, 31-40.	0.3	51
4109	Transforming growth factor beta2 promotes the formation of the mouse cochleovestibular ganglion in organ culture. International Journal of Developmental Biology, 2005, 49, 23-31.	0.3	8

#	ARTICLE	IF	CITATIONS
4110	Allelic and genotypic frequencies in polymorphic Booroola fecundity gene and their association with multiple birth and postnatal growth in Chhotanagpuri sheep. <i>Veterinary World</i> , 2016, 9, 1294-1299.	0.7	9
4111	The role of the Wnt signaling pathway in osteoblast commitment and differentiation. <i>Hormones</i> , 2007, 6, 279-294.	0.9	136
4112	20 Years of Hypertension Research using Genetically Modified Animals: No Clinically Promising Approaches in Sight. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2009, 26, 41-51.	0.9	5
4113	Expression of TGF-beta signaling proteins in normal placenta and gestational trophoblastic disease. <i>Histology and Histopathology</i> , 2007, 22, 227-34.	0.5	36
4114	Extensive alteration in the expression profiles of TGFβ pathway signaling components and TP53 is observed along the gastric dysplasia-carcinoma sequence. <i>Histology and Histopathology</i> , 2008, 23, 1439-52.	0.5	13
4115	Low Expression of Transforming Growth Factor $\hat{2}$ in the Epithelium of Barrett's Esophagus. <i>Gastroenterology Research</i> , 2018, 11, 189-194.	0.4	4
4116	TGF-beta Family Signaling in Embryonic Stem Cells. <i>International Journal of Stem Cells</i> , 2011, 4, 18-23.	0.8	30
4117	Downregulation of miR-146b-5p via iodine involvement repressed papillary thyroid carcinoma cell proliferation. <i>Journal of Molecular Endocrinology</i> , 2020, 65, 1-10.	1.1	14
4118	Blockade of the Effects of TGF- $\hat{2}$ 1 on Mesangial Cells by Overexpression of Smad7. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 887-893.	3.0	41
4119	Potential role of transforming growth factor beta1 in drug resistance of tumor cells. <i>Acta Biochimica Polonica</i> , 2003, 50, 497-508.	0.3	13
4120	Signaling pathway activation drift during aging: Hutchinson-Gilford Progeria Syndrome fibroblasts are comparable to normal middle-age and old-age cells. <i>Aging</i> , 2015, 7, 26-37.	1.4	62
4121	m6A-induced lncRNA MALAT1 aggravates renal fibrogenesis in obstructive nephropathy through the miR-145/FAK pathway. <i>Aging</i> , 2020, 12, 5280-5299.	1.4	81
4122	TGF- $\hat{2}$ 1 stimulates migration of type II endometrial cancer cells by down-regulating PTEN via activation of SMAD and ERK1/2 signaling pathways. <i>Oncotarget</i> , 2016, 7, 61262-61272.	0.8	33
4123	Smad4 in T cells plays a protective role in the development of autoimmune Sjögren's syndrome in the nonobese diabetic mouse. <i>Oncotarget</i> , 2016, 7, 80298-80312.	0.8	4
4124	Connective tissue growth factor mediates TGF- $\hat{2}$ 1-induced low-grade serous ovarian tumor cell apoptosis. <i>Oncotarget</i> , 2017, 8, 85224-85233.	0.8	9
4125	Pro-invasive properties of Snail1 are regulated by sumoylation in response to TGF $\hat{2}$ stimulation in cancer. <i>Oncotarget</i> , 2017, 8, 97703-97726.	0.8	18
4126	Host cell transcriptome modification upon exogenous HPV16 L2 protein expression. <i>Oncotarget</i> , 2017, 8, 90730-90747.	0.8	2
4127	Transforming growth factor $\hat{2}$ -induced epithelial to mesenchymal transition requires the Ste20-like kinase SLK independently of its catalytic activity. <i>Oncotarget</i> , 2017, 8, 98745-98756.	0.8	13

#	ARTICLE	IF	CITATIONS
4128	Fucoidan inhibition of lung cancer <i>in vivo</i> and <i>in vitro</i> : role of the Smurf2-dependent ubiquitin proteasome pathway in TGF β 2 receptor degradation. <i>Oncotarget</i> , 2014, 5, 7870-7885.	0.8	79
4129	Mucin1 shifts Smad3 signaling from the tumor-suppressive pSmad3C/p21WAF1 pathway to the oncogenic pSmad3L/c-Myc pathway by activating JNK in human hepatocellular carcinoma cells. <i>Oncotarget</i> , 2015, 6, 4253-4265.	0.8	26
4130	Role of TGF- β 2 signaling in uterine carcinosarcoma. <i>Oncotarget</i> , 2015, 6, 14646-14655.	0.8	20
4131	The role of transforming growth factor beta in tertiary dentinogenesis. <i>Dental Journal: Majalah Kedokteran Gigi</i> , 2015, 41, 15.	0.0	4
4132	The Crystal Structure of the BMP-2:BMPr-IA Complex and the Generation of BMP-2 Antagonists. <i>Journal of Bone and Joint Surgery - Series A</i> , 2001, 83, S1-7â€“S1â€“14.	1.4	27
4133	Structural Stages in the Development of the Long Bones and Epiphyses. <i>Journal of Bone and Joint Surgery - Series A</i> , 2002, 84, 85-100.	1.4	120
4134	SIGNAL TRANSDUCTION OF BONE MORPHOGENETIC PROTEINS IN OSTEOBLAST DIFFERENTIATION. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 34-38.	1.4	90
4135	STRUCTURAL BASIS OF BMP SIGNALING INHIBITION BY NOGGIN, A NOVEL TWELVE-MEMBERED CYSTINE KNOT PROTEIN. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 52-58.	1.4	76
4136	OSTEOGENIC ACTIVITY OF THE FOURTEEN TYPES OF HUMAN BONE MORPHOGENETIC PROTEINS (BMPS). <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 1544-1552.	1.4	857
4137	Tumor-associated macrophages regulate gastric cancer cell invasion and metastasis through TGF β 2/NF- κ B/Kindlin-2 axis. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2020, 32, 72-88.	0.7	36
4138	Retinoids in the treatment of skin aging: an overview of clinical efficacy and safety. <i>Clinical Interventions in Aging</i> , 2006, 1, 327-348.	1.3	349
4139	Molecular Phenotyping of Mouse Mutant Resources by RNA Expression Profiling. <i>Current Genomics</i> , 2002, 3, 121-129.	0.7	9
4140	Identification of the ZAK-MKK4-JNK-TGFβ Signaling Pathway as a Molecular Target for Novel Synthetic Iminoquinone Anticancer Compound BA-TPQ. <i>Current Cancer Drug Targets</i> , 2013, 13, 651-660.	0.8	8
4141	The Current and Future Therapies for Human Osteosarcoma. <i>Current Cancer Therapy Reviews</i> , 2013, 9, 55-77.	0.2	51
4142	Involvement of Bone Morphogenetic Proteins (BMPs) in Ovarian Function and Infertility. <i>The Open Reproductive Science Journal</i> , 2008, 1, 11-15.	0.5	4
4143	The Role of TGF- β 2 Receptors in Fibrosis. <i>Open Rheumatology Journal</i> , 2012, 6, 156-162.	0.1	67
4144	Importance of Extracellular Matrix Protein 1 (ECM1) in Maintaining the Functional Integrity of the Human Skin. <i>Open Dermatology Journal</i> , 2009, 3, 44-51.	0.5	6
4145	Dissecting the Dualistic Effects of Transforming Growth Factor (TGF)- β 2 on Fibroproliferation and Extracellular Matrix Production in Primary Human Lung Fibroblasts - The Role of p38 β MAP Kinase. <i>Open Critical Care Medicine Journal</i> , 2009, 2, 28-37.	0.2	2

#	ARTICLE	IF	CITATIONS
4146	The Local Control of the Pituitary by Activin Signaling and Modulation. <i>Open Neuroendocrinology Journal (Online)</i> , 2011, 4, 90-101.	0.4	17
4147	Evolving concepts of chondrogenic differentiation: history, state-of-the-art and future perspectives. , 2015, 30, 12-27.		28
4148	An introduction to molecular targeted therapy of cancer. <i>Advances in Medical Sciences</i> , 2008, 53, 130-8.	0.9	19
4149	Requirement for JNK and ERK Activation in BMP-2/BMP-7 -Induced Osteogenesis of Human Periodontal Ligament Cells. <i>Journal of Hard Tissue Biology</i> , 2012, 21, 435-442.	0.2	1
4150	Chitinase 1 regulates pulmonary fibrosis by modulating TGF- β 2/SMAD7 pathway via TGFBRAP1 and FOXO3. <i>Life Science Alliance</i> , 2019, 2, e201900350.	1.3	26
4151	Expression and Localization of the Transforming Growth Factor-beta Type I receptor and Smads in Preneoplastic Lesions during Chemical Hepatocarcinogenesis in Rats. <i>Journal of Korean Medical Science</i> , 2003, 18, 510.	1.1	9
4152	Comparison of Effects of Endogenous and Exogenous Excitatory Amino Acids on Retzius Nerve Cells of the Leech. <i>Folia Biologica</i> , 2008, 57, 83-90.	0.1	2
4153	Effects of Chinese traditional compound, JinSanE, on expression of TGF- β 1 and TGF- β 1 type II receptor mRNA, Smad3 and Smad7 on experimental hepatic fibrosis<i>in vivo</i>. <i>World Journal of Gastroenterology</i> , 2005, 11, 2269.	1.4	11
4154	Increase of CD4⁺CD25⁺T cells in Smad3⁻mice. <i>World Journal of Gastroenterology</i> , 2006, 12, 2455.	1.4	4
4155	Increased presence of effector lymphocytes during <i>Helicobacter hepaticus</i> -induced colitis. <i>World Journal of Gastroenterology</i> , 2012, 18, 1459.	1.4	6
4156	Epitope Mapping of Dengue-Virus-Enhancing Monoclonal-Antibody Using Phage Display Peptide Library. <i>American Journal of Infectious Diseases</i> , 2008, 4, 76-84.	0.1	7
4157	Myocardial fibrosis in congenital and pediatric heart disease. <i>Experimental and Therapeutic Medicine</i> , 2017, 13, 1660-1664.	0.8	31
4158	New insights into testicular granulosa cell tumors (Review). <i>Oncology Letters</i> , 2020, 20, 1-1.	0.8	6
4159	Effect of Vitamin A on Weight-Loss and Haematotoxicity Associated with Gasoline Vapours Exposure in Wistar Rats. <i>International Journal of Pharmacology</i> , 2007, 4, 40-45.	0.1	15
4160	Comparative Effect of Vitamins A and E on Gasoline Vapours-Induced Haematotoxicity and Weight-Loss in Male Rats. <i>International Journal of Pharmacology</i> , 2009, 5, 215-221.	0.1	14
4161	Polymorphisms of Bone Morphogenetic Protein 4 (BMP4) Gene in Goats. <i>Journal of Animal and Veterinary Advances</i> , 2010, 9, 907-912.	0.1	3
4162	Evaluating Ligand-Receptor Networks of TGF- β 2 with Membrane Computing. <i>Pakistan Journal of Biological Sciences</i> , 2011, 14, 1100-1108.	0.2	6
4163	Hybrid models of cell and tissue dynamics in tumor growth. <i>Mathematical Biosciences and Engineering</i> , 2015, 12, 1141-1156.	1.0	25

#	ARTICLE	IF	CITATIONS
4164	Transforming growth factor- β neutralizing antibodies inhibit subretinal fibrosis in a mouse model. <i>International Journal of Ophthalmology</i> , 2012, 5, 307-11.	0.5	23
4165	The Sebaceous Gland. , 2009, , 331-337.		1
4166	Molecular Characteristics of Pancreatic Ductal Adenocarcinoma. <i>Pathology Research International</i> , 2011, 2011, 1-16.	1.4	43
4167	Expression of Protein Kinase C Isoforms in Cancerous Breast Tissue and Adjacent Normal Breast Tissue. <i>Chinese Journal of Physiology</i> , 2012, 55, 55-61.	0.4	14
4168	Testicular expression of the TGF- β 1 system and the control of Leydig cell proliferation. <i>Advances in Bioscience and Biotechnology (Print)</i> , 2013, 04, 1-7.	0.3	3
4169	Polymorphic CA microsatellites in the third exon of the bovine BMP4 gene. <i>Genetics and Molecular Research</i> , 2010, 9, 868-874.	0.3	9
4170	Molecular mechanisms of mesenchymal stem cell differentiation towards osteoblasts. <i>World Journal of Stem Cells</i> , 2013, 5, 136.	1.3	199
4171	Transforming growth factor- β and smooth muscle differentiation. <i>World Journal of Biological Chemistry</i> , 2012, 3, 41.	1.7	95
4172	Myofibroblasts and Transforming Growth Factor-Beta1 in Reactive Gingival Overgrowths. <i>Journal of Oral & Maxillofacial Research</i> , 2013, 4, e3.	0.3	4
4173	Multifunctional Roles of Melanocyte-Stimulating Hormone and Melanin-Concentrating Hormone in Fish: Evolution from Classical Body Color Change. <i>Aqua-BioScience Monographs</i> , 2014, 7, 1-46.	1.1	27
4174	Parthenolide inhibits transforming growth factor β 1-induced epithelial-mesenchymal transition in colorectal cancer cells. <i>Intestinal Research</i> , 2019, 17, 527-536.	1.0	15
4175	TGF- β -dependent Cell Growth Arrest and Apoptosis. <i>BMB Reports</i> , 2002, 35, 47-53.	1.1	47
4176	Fine Tuning and Cross-talking of TGF- β Signal by Inhibitory Smads. <i>BMB Reports</i> , 2005, 38, 9-16.	1.1	95
4177	Anti-wrinkle effect of bone morphogenetic protein receptor 1a-extracellular domain (BMPR1a-ECD). <i>BMB Reports</i> , 2013, 46, 465-470.	1.1	5
4178	Znf451 affects primitive hematopoiesis by regulating transforming growth factor- β signaling. <i>BMB Reports</i> , 2014, 47, 21-26.	1.1	3
4179	Role of Transforming Growth Factor- β in Tumor Invasion and Metastasis. <i>Toxicological Research</i> , 2007, 23, 197-205.	1.1	1
4180	The role of cytokines in acute myeloid leukemia: A systematic review. <i>Biomedical Papers of the Medical Faculty of the University Palacký&#x0301;, Olomouc, Czechoslovakia</i> , 2012, 156, 291-301.	0.2	39
4181	TGF β (transforming growth factor β) superfamily members and their receptors in the fetal porcine ovaries: effect of prenatal flutamide treatment. <i>Folia Histochemica Et Cytobiologica</i> , 2015, 52, 317-325.	0.6	4

#	ARTICLE	IF	CITATIONS
4182	Lipid Rafts as Master Regulators of Breast Cancer Cell Function. , 0, , .		2
4183	Epithelial to Mesenchymal Transition in Microbial Pathogenesis. , 0, , .		2
4184	Evidence for Involvement of Transforming Growth Factor β 1 Signaling Pathway in Activation of JC Virus in Human Immunodeficiency Virus 1-associated Progressive Multifocal Leukoencephalopathy. Archives of Pathology and Laboratory Medicine, 2004, 128, 282-291.	1.2	31
4185	Expression of Transforming Growth Factor β 1, β 2, and β 3 in Chronic, Cancer-Associated, Obstructive Pancreatitis. Archives of Pathology and Laboratory Medicine, 2006, 130, 356-361.	1.2	21
4186	Fator transformador de crescimento- β 2/Smad como via de sinalizaçãõ em aortopatias. Brazilian Journal of Cardiovascular Surgery, 2011, 26, 393-403.	0.2	6
4187	Anterior Visceral Endoderm SMAD4 Signaling Specifies Anterior Embryonic Patterning and Head Induction in Mice. International Journal of Biological Sciences, 2010, 6, 569-583.	2.6	7
4188	Mechanistic basis and clinical relevance of the role of transforming growth factor- β in cancer. Cancer Biology and Medicine, 2015, 12, 385-93.	1.4	56
4189	Discrete spatial organization of TGF β 2 receptors couples receptor multimerization and signaling to cellular tension. ELife, 2015, 4, e09300.	2.8	34
4190	TGF-beta signalling in bovine mammary gland involution and a comparative assessment of MAC-T and BME-UV1 cells as in vitro models for its study. PeerJ, 2019, 6, e6210.	0.9	8
4191	Characterization of two myostatin genes in pufferfish <i>Takifugu bimaculatus</i> : sequence, genomic structure, and expression. PeerJ, 2020, 8, e9655.	0.9	11
4192	R-Phycoerythrin from <i>Colaconema formosum</i> (Rhodophyta), an Anti-Allergic and Collagen Promoting Material for Cosmeceuticals. Applied Sciences (Switzerland), 2021, 11, 9425.	1.3	14
4193	Implication of rare genetic variants of NODAL and ACVR1B in congenital heart disease patients from Indian population. Experimental Cell Research, 2021, 409, 112869.	1.2	1
4194	Research Note: Morphology and immune function development of the jejunum and ileum in squab pigeons (<i>Columba livia</i>). Poultry Science, 2022, 101, 101529.	1.5	3
4195	Phylogenetic and functional analysis of TGF- β 2/Smad2 pathway genes in cotton bollworm, <i>Helicoverpa armigera</i> . Journal of Asia-Pacific Entomology, 2021, 24, 1087-1094.	0.4	0
4196	The functional genetic architecture of egg-laying and live-bearing reproduction in common lizards. Nature Ecology and Evolution, 2021, 5, 1546-1556.	3.4	19
4197	Mitogenic Signal Transduction. , 2000, , 75-91.		0
4198	Activated TGF β 2 Signaling in the Heart After Myocardial Infarction. Progress in Experimental Cardiology, 2000, , 303-320.	0.0	0
4199	The Transgenic Mouse in Studies of Mammalian Sexual Differentiation. , 2001, , 19-39.		0

#	ARTICLE	IF	CITATIONS
4200	The Function of the Maize CRINKLY4 Receptor-like Kinase in a Growth Factor Like Signaling System. , 2001, , 157-165.		0
4201	Signal transduction mechanisms for members of the TGF- β family. , 2001, , 11-40.		3
4202	Cell Biology of Bone. , 2001, , 2-1-2-24.		4
4203	Crosstalk Between Estrogen Receptors and Growth Factor Signaling. , 2002, , 77-95.		0
4205	Cardiac Fibrosis During the Development of Heart Failure: New Insights into Smad Involvement. Progress in Experimental Cardiology, 2002, , 83-101.	0.0	0
4206	TGF- β Signaling and Carcinogenesis. , 2002, , 199-219.		0
4207	Protein Localization in Negative Signaling. , 2003, , 355-359.		0
4208	Mathematical Modelling of Solid Tumour Growth: Applications of Pre-pattern Formation. , 2003, , 283-293.		0
4209	Using Receptor-G-Protein Chimeras to Screen for Drugs. , 2003, , 619-621.		0
4210	The pathogenesis of fibrosis in scleroderma. Japanese Journal of Clinical Immunology, 2003, 26, 274-282.	0.0	0
4211	Profibrogenic Actions of Hepatic Stellate Cells. , 2003, , 207-231.		0
4212	The Smads. , 2003, , 171-175.		0
4213	Receptor-Ligand Recognition in the TGF- β Family as Suggested by the Crystal Structures of BMP-2- β and TGF- β 3- β . , 2003, , 289-292.		0
4214	Activin Receptor Signaling. , 2003, , 17-23.		1
4215	Cell-Cell and Cell-Matrix Interactions in Bone. , 2003, , 497-508.		0
4216	Molecular Endocrinology. , 2003, , .		0
4217	Extracellular Matrix. Lung Biology in Health and Disease, 2003, , 481-506.	0.1	0
4218	Bronchiolar Epithelium in Idiopathic Pulmonary Fibrosis/Usual Interstitial Fibrosis. Lung Biology in Health and Disease, 2003, , 631-664.	0.1	0

#	ARTICLE	IF	CITATIONS
4221	Zellinvasion und Metastasierung. , 2004, , 325-354.		0
4222	Smad Cofactors/Corepressors in the Fibrosed Post-MI Heart: Possible Therapeutic Targets. Progress in Experimental Cardiology, 2004, , 485-511.	0.0	0
4225	Signal processing in the TGF- β superfamily ligand-receptor network. PLoS Computational Biology, 2005, preprint, e3.	1.5	0
4226	Signaling pathway of transforming growth factor β ; and its regulation. Biopolymers and Cell, 2005, 21, 299-311.	0.1	0
4228	Cytokines in Brain Trauma and Spinal Cord Injury. , 2005, , 299-326.		0
4229	Trafficking of Serine/Threonine Kinase Receptors and Smad Activation. , 2006, , 177-191.		1
4230	Influence of HBcAg in liver cell plasma on expression of transforming growth factor-beta 1 in liver tissue of low-grade chronic hepatitis B patients. World Journal of Gastroenterology, 2006, 12, 127.	1.4	0
4231	TRANSFORMING GROWTH FACTOR BETA (TGF- β) FAMILY OF MOLECULES. , 2006, , 278-283.		0
4232	Basics of Ovarian Stimulation. , 2006, , 43-65.		0
4234	Type IX Adenylate Cyclase. , 2007, , 1-5.		0
4235	Systemic and Pulmonary Hypertension. , 2007, , 341-359.		0
4236	Anti-aging Effects of Retinoids and Mechanisms of Action. Basic and Clinical Dermatology, 2007, , 77-102.	0.1	0
4237	TGF- β Regulates Reciprocal Differentiation of CD4 + CD25 + Foxp3 + Regulatory T Cells and IL-17-Producing Th17 Cells from Naïve CD4 + CD25 α T Cells. , 2008, , 111-134.		0
4238	TGF-Beta and Regulatory T Cells. , 2008, , 91-109.		0
4239	Activins, Inhibins, and Bone Morphogenetic Proteins as Modulators and Biomarkers of Prostate Cancer Progression. , 2008, , 355-372.		0
4240	Targeted Downregulation of TGF- β 2 with AP 12009 in Tumor Therapy. , 2008, , 635-651.		0
4241	Role of TGF- β in Tumor Protection and Antitumor Immunity. , 2008, , 383-400.		0
4242	TGF- β Signaling and Vascular Morphogenesis. , 2008, , 507-521.		0

#	ARTICLE	IF	CITATIONS
4243	Adoptive Transfer of Tumor Reactive TGF- β 2 Insensitive CD8+ T-cells for Cancer Therapy. , 2008, , 443-461.		0
4244	Interaction of Oncogenic Ras and TGF β 21 Signaling in Cancer: Lessons From the Multistage Skin Carcinogenesis Model. , 2008, , 305-315.		0
4245	TGF- β 2 Signaling in Homeostasis and Cancer. , 2008, , 23-35.		0
4246	Transforming Growth Factor- β 2 in Cancer Therapy: Smurfs in TGF- β 2 Signaling and Regulation of Bone Homeostasis and Cancer. , 2008, , 155-167.		1
4247	Smads in the Fibrotic Response: Findings in the Smad3 Knockout Mouse. , 2008, , 595-607.		0
4248	Bone Morphogenetic Proteins/Growth Differentiation Factors and Smad Activation in Ovarian Granulosa Cells and Carcinoma. , 2008, , 425-450.		0
4249	TGF- β 2 and Progression of Esophageal Cancer. , 2008, , 133-140.		0
4250	Proteomics Analysis of TGF β 2 Superfamily Members. , 2008, , 319-331.		0
4251	Chronische Niereninsuffizienz. , 2008, , 563-630.		0
4252	Antisense Oligonucleotides and siRNA as Specific Inhibitors of Gene Expression: Mechanisms of Action and Therapeutic Potential. , 2008, , 337-362.		0
4254	Transforming Growth Factor- β 2 Signaling in Bladder Fibrosis. Annual Review of Biomedical Sciences, 2008, 10, .	0.5	0
4255	Aorta Remodeling Responses to Distinct Atherogenic Stimuli: Hypertension, Hypercholesterolemia and Turbulent Flow/Low Wall Shear Stress. Open Cardiovascular Medicine Journal, 2008, 2, 41-48.	0.6	4
4257	Molecular Neurooncology and Neoangiogenesis of Malignant Gliomas. , 2009, , 23-55.		0
4258	TGF- β 2 Signaling. , 2009, , 137-149.		0
4259	Mouse Models of Intestinal Cancer. , 2009, , 27-49.		2
4260	Subareolar Breast Abscess. , 2009, , 107-144.		0
4261	Immunological Controls. , 2009, , 293-322.		0
4263	Microenvironment Triggers EMT, Migration and Invasion of Primary Tumor via Multiple Signal Pathways. Cancer Metastasis - Biology and Treatment, 2010, , 9-24.	0.1	0

#	ARTICLE	IF	CITATIONS
4264	Tobacco Smoke and Skin Aging*. , 2010, , 447-450.		2
4265	Molecular Mechanisms of Central Nervous System Metastasis. , 2010, , 167-177.		0
4266	BMP Signaling in Skeletogenesis. , 2010, , 125-136.		1
4268	The Smads. , 2010, , 2099-2104.		0
4269	Smad4/TGF- β 2 Signaling Pathways in Pancreatic Cancer Pathogenesis. , 2010, , 419-439.		0
4272	Differential Gene Expression Pattern of Transforming Growth Factor Beta-1 in Early and Advanced Breast Cancers. Journal of Cancer Science & Therapy, 2011, 03, .	1.7	0
4273	Myostatin as a Potential Therapeutic Target for Obesity and Insulin Resistance. The Korean Journal of Obesity, 2011, 20, 91.	0.2	0
4275	Blood biomarkers. , 2011, , 146-158.		0
4276	Understanding Melanocyte Transformation â€œ A Work in Progress. , 0, , .		0
4277	Well-functioning cell mitochondria promote good health. California Agriculture, 2011, 65, 136-140.	0.5	1
4278	Hypoglycemia as a Pathological Result in Medical Praxis. , 0, , .		0
4279	The reception and the party after: how vascular endothelial growth factor receptor 2 explores cytoplasmic space. Swiss Medical Weekly, 2011, 141, w13318.	0.8	8
4281	Issues in Development. , 2012, , 1-15.		1
4282	Regulation of Tyrosine Kinase Signaling by Cbl in Hematopoietic Stem Cells. , 0, , .		0
4283	Which has greater effects on leukomogenesis in Philadelphia chromosome positive leukemias: fusion or cell type?. Turkish Journal of Biochemistry, 2012, 37, 181-187.	0.3	0
4284	Diabetic Nephropathy: Current and Novel Therapeutic Approaches to Prevent Its Development and Progression. , 0, , .		0
4285	Pathogenesis of Renovascular Hypertension: Challenges and Controversies. , 0, , .		0
4286	Mitochondrial health â€œ essential information for nurses. Journal of Nursing Education and Practice, 2012, 2, .	0.1	1

#	ARTICLE	IF	CITATIONS
4287	Mathematical Modeling of Syk Activation in Allergen-Stimulated Mast Cells and Basophils. , 0, , .		0
4288	TGF- β^2 and Inhibitory Smads in Inflammation. , 2013, , 279-294.		0
4289	Molecular Targeted Therapies in Pancreatic Cancer. , 2013, , 117-144.		0
4290	Polycystin-1. , 2013, , 3728-3736.		0
4291	Ovarian Hormones: Structure, Biosynthesis, Function, Mechanism of Action, and Laboratory Diagnosis. , 2013, , 1-30.		4
4292	Aquaporin, Midkine and Glioblastoma. , 0, , .		0
4294	Inhibitory Effect of Rhein on Renal Fibrosis in Diabetic Nephropathy Rats. Herbal Formula Science, 2013, 21, 154-160.	0.1	0
4295	TGF β^2 Stimulation Assay. Bio-protocol, 2014, 4, .	0.2	0
4297	The Potential Role of Endoglin During Pregnancy. , 1999, , 167-178.		0
4300	Probiotics in Aging Skin. , 2015, , 1-13.		0
4301	Inflammatory Mediators and the Blood-Brain Barrier. , 2015, , 239-288.		0
4302	Tissue Engineering - An Art and Science of Regeneration. International Journal of Medical and Dental Sciences, 2015, 4, 932.	0.1	0
4304	Transforming Growth Factor- β and Connective Tissue Growth Factor. , 2016, , 137-153.		0
4305	Tobacco Smoke and Skin Aging. , 2016, , 1-7.		1
4306	Cardiomyocytes: Function and Regeneration. , 2016, , 25-65.		0
4307	Ascending the PEAK1 toward targeting TGF β^2 during cancer progression: recent advances and future perspectives. Cancer Cell & Microenvironment, 2016, 3, .	0.8	4
4308	Testicular Hormones. , 2017, , 101-115.		1
4309	Carcinogenic and stem cell-like phenotypes of Smad2/3 linker phosphorylation in a mouse model of colitis-associated colorectal cancer. The Journal of Kansai Medical University, 2017, 68, 17-22.	0.3	0

#	ARTICLE	IF	CITATIONS
4310	Molecular Pathogenesis of Prostate Cancer. , 2017, , 171-189.		0
4311	Theurapeutic effectiveness of rat bone marrow stem cells in Poly Cystic Ovary Syndrome Mice Model on folliculogenesis, TGF- β 2, GDF-9 expression, and estrogen, TNF- α and androgen Levels. Majalah Obstetri Dan Ginekologi, 2017, 24, 90.	0.1	0
4312	Basics of Ovarian Stimulation. , 2017, , 55-72.		0
4313	Assessment of Vitronectin, Soluble Epithelial-Cadherin and TGF- β 21 as a Serum Biomarker with Predictive Value for Endometrial and Ovarian Cancers. Turkish Journal of Pharmaceutical Sciences, 2017, 14, 141-147.	0.6	4
4315	Signalgebung durch Rezeptoren des Immunsystems. , 2018, , 329-375.		0
4316	The Role of Microenvironment in Regulation of Cell Infiltration in Glioblastoma. Modeling and Simulation in Science, Engineering and Technology, 2018, , 27-60.	0.4	1
4318	Therapeutic effectiveness of rat bone marrow stem cells in Poly Cystic Ovary Syndrome Mice Model on folliculogenesis, TGF- β 2, GDF-9 expression, and estrogen, TNF- α and androgen Levels. Majalah Obstetri Dan Ginekologi, 2018, 24, 90.	0.1	0
4320	Comunicaci3n celular. Transducci3n de se3ales acopladas a prote3nas G heterotrim3ricas. Educacion Quimica, 2018, 16, 208.	0.1	0
4321	Human Urothelial Cells Isolation, In Vitro Expansion and Characterization for Evaluating Bio-Engineering Potentials. , 2018, 2, 1-13.		85
4324	Collagen Damage Induced by Chronic Exposure to Sunlight. Comprehensive Series in Photochemical and Photobiological Sciences, 2019, , 195-212.	0.3	0
4328	Effect of Ellagic Acid on Osteoblast Differentiation. Journal of the Korean Society of Food Science and Nutrition, 2019, 48, 313-318.	0.2	0
4330	Downregulation of activin3 signaling gene expression in passaged normal human dermal fibroblasts. Biomedical Reports, 2020, 12, 17-22.	0.9	1
4332	An electronic point of view on the inhibition of ALK-5 by bioactive candidates related to cancer. Theoretical Chemistry Accounts, 2020, 139, 1.	0.5	18
4333	La plasticidad del hepatocito y su relevancia en la fisiolog3a y la patolog3a hep3tica. TIP Revista Especializada En Ciencias Qu3mico-Biol3gicas, 0, 23, .	0.3	0
4336	Titanium Substratum Roughness as a Determinant of Human Gingival Fibroblast Fibronectin and β -Smooth Muscle Actin Expression. Materials, 2021, 14, 6447.	1.3	7
4337	TGF- β 2 and BMP Signaling Pathways in Cancer and Bone: In Sickness and in Health. , 2020, , 281-293.		0
4339	Molluskan Dorsal3-Ventral Patterning Relying on BMP2/4 and Chordin Provides Insights into Spiralian Development and Evolution. Molecular Biology and Evolution, 2022, 39, .	3.5	16
4340	Mutated USP9X associated TRIM33 inhibition in metastasis of Gingivo buccal Oral Squamous Cell Carcinoma. Eurasian Journal of Medicine and Oncology, 0, , .	1.0	0

#	ARTICLE	IF	CITATIONS
4342	Regulation of the Inflammatory Process in Osteoarthritis. , 2020, , 658-675.		0
4343	Manifestation of Pathological States of Numerous Diseases in the Largest Organ of the Human Body: (II) From Pancreatitis to Pancreatic Cancer Invasion, Formation of Stroma around the Primary Tumor in the Fascia, to Early Detection of Non-Coding microRNAs in Body Fluids and Development of Drugs to Treat Different Stages of Pancreatic Cancer. International Journal of Clinical Medicine, 2020, 11, 618-718.	0.1	0
4345	The Role of BMP Signaling in Female Reproductive System Development and Function. International Journal of Molecular Sciences, 2021, 22, 11927.	1.8	13
4346	Distinct prognostic values and antitumor effects of tumor growth factor β 1 and its receptors in gastric cancer. Oncology Letters, 2020, 20, 2621-2632.	0.8	1
4351	Signalling Pathways Leading to Furin Expression in Cancer. , 2006, , 27-45.		1
4352	Para- und autokrine Aspekte der Pathogenese des duktales Pankreaskarzinoms: Einfluss von Zytokinen und Wachstumsfaktoren. , 2006, , 309-321.		0
4353	Endo- und parakrine Regulation der Gonadenfunktion. , 2006, , 581-605.		0
4354	Tobacco Smoke and Skin Aging. , 2006, , 379-385.		0
4355	Transcriptional Regulation by Smads. , 2006, , 185-206.		0
4356	Apoptosis in Colorectal Tumorigenesis and Chemotherapy. , 2009, , 75-109.		0
4357	The Molecular Basis of Cerebrovascular Malformations. , 2005, , 437-450.		0
4358	Altered Signal Transduction in Melanoma. , 2006, , 119-147.		0
4359	Quantitative Molecular Models for Biological Processes: Modeling of Signal Transduction Networks with ANIMO. Methods in Molecular Biology, 2021, 2221, 141-161.	0.4	1
4360	Healing Effect of Yukmijihwang-tang on Fracture Factor and Morphological Changes in Femur Fractured Mice. Journal of Korean Medicine Rehabilitation, 2020, 30, 17-30.	0.2	0
4361	Smad4 expression in gastric adenoma and adenocarcinoma: frequent loss of expression in diffuse type of gastric adenocarcinoma. Histology and Histopathology, 2005, 20, 543-9.	0.5	14
4362	TGF-beta1 in Aplysia: role in long-term changes in the excitability of sensory neurons and distribution of TbetaR-II-like immunoreactivity. Learning and Memory, 1999, 6, 317-30.	0.5	26
4363	A mechanism of suppression of TGF-beta/SMAD signaling by NF-kappa B/RelA. Genes and Development, 2000, 14, 187-97.	2.7	374
4364	Homeodomain and winged-helix transcription factors recruit activated Smads to distinct promoter elements via a common Smad interaction motif. Genes and Development, 2000, 14, 435-51.	2.7	90

#	ARTICLE	IF	CITATIONS
4365	A novel smad nuclear interacting protein, SNIP1, suppresses p300-dependent TGF-beta signal transduction. <i>Genes and Development</i> , 2000, 14, 1605-16.	2.7	103
4366	Repression of transforming-growth-factor-beta-mediated transcription by nuclear factor kappaB. <i>Biochemical Journal</i> , 2000, 348 Pt 3, 591-6.	1.7	42
4367	Structural basis for the functional difference between Smad2 and Smad3 in FAST-2 (forkhead activin) Tj ETQq0 0 0 IgBT /Overlock 10 Tf	1.7	4
4368	A novel transcriptional factor with Ser/Thr kinase activity involved in the transforming growth factor (TGF)-beta signalling pathway. <i>Biochemical Journal</i> , 2000, 350 Pt 2, 395-404.	1.7	9
4373	Targeting transforming growth factor beta to enhance cancer immunotherapy. <i>Current Oncology</i> , 2006, 13, 141-3.	0.9	11
4375	Microarray Data Mining for Potential Selenium Targets in Chemoprevention of Prostate Cancer. <i>Cancer Genomics and Proteomics</i> , 2005, 2, 97-114.	1.0	23
4377	TAK1 mRNA expression in the tumor tissue of locally advanced head and neck cancer patients. <i>Gene Regulation and Systems Biology</i> , 2008, 2, 63-70.	2.3	0
4378	Caveolin-3 regulates myostatin signaling. Mini-review. <i>Acta Myologica</i> , 2008, 27, 19-24.	1.5	11
4379	An orally active small molecule TGF-beta receptor I antagonist inhibits the growth of metastatic murine breast cancer. <i>Anticancer Research</i> , 2009, 29, 2099-109.	0.5	29
4381	TGFbeta signaling supports survival and metastasis of endometrial cancer cells. <i>Cancer Management and Research</i> , 2009, 2009, 15-24.	0.9	20
4382	Suppression of transforming growth factor- β^2 effects in rabbit subconjunctival fibroblasts by activin receptor-like kinase 5 inhibitor. <i>Molecular Vision</i> , 2010, 16, 1880-92.	1.1	27
4383	Activation of Latent TGF- β^2 1 by Thrombospondin-1 is a Major Component of Wound Repair. <i>Oral Biosciences & Medicine: OBM</i> , 2005, 2, 153-161.	0.0	16
4384	Menin represses tumorigenesis via repressing cell proliferation. <i>American Journal of Cancer Research</i> , 2011, 1, 726-39.	1.4	14
4386	Downregulation of transforming growth factor- β^2 type II receptor prohibit epithelial-to-mesenchymal transition in lens epithelium. <i>Molecular Vision</i> , 2012, 18, 1238-46.	1.1	11
4387	PATHOLOGICAL ASPECTS OF THE ANTI-INFLAMMATORY/IMMUNE SUPPRESSIVE RESPONSE IN SEPSIS AND SHOCK. , 2003, 5, 13-35.		0
4388	BMP9 signaling in stem cell differentiation and osteogenesis. <i>American Journal of Stem Cells</i> , 2013, 2, 1-21.	0.4	122
4391	TGFB1 and cancer susceptibility. <i>Transactions of the American Clinical and Climatological Association</i> , 2014, 125, 300-12.	0.9	19
4392	Losartan reduces myocardial interstitial fibrosis in diabetic cardiomyopathy rats by inhibiting JAK/STAT signaling pathway. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 466-73.	0.5	21

#	ARTICLE	IF	CITATIONS
4394	TGF β 2 Signaling-mediated MicroRNA Regulation in Vascular Smooth Muscle Cells. <i>Journal of Lifestyle Medicine</i> , 2013, 3, 80-4.	0.3	0
4395	The Analysis of Gene Expression on Fertility Decline in <i>Caenorhabditis elegans</i> after the Treatment with 5-Fluorouracil. <i>Iranian Journal of Public Health</i> , 2015, 44, 1061-71.	0.3	3
4396	Screening of in Malay patients with ventricular septal defect. <i>American Journal of Cardiovascular Disease</i> , 2016, 6, 138-145.	0.5	1
4397	Extracted metabolite from ABRINW111 altered the gene expression in colon cancer. <i>Gastroenterology and Hepatology From Bed To Bench</i> , 2018, 11, 34-41.	0.6	3
4398	A gene expression profile analysis of the differentiation of muscle-derived stem cells into smooth muscle cells from sheep. <i>American Journal of Translational Research (discontinued)</i> , 2018, 10, 1195-1204.	0.0	2
4400	Long-term model of colitis-associated colorectal cancer suggests tumor spread mechanism and nature of cancer stem cells. <i>Oncology Letters</i> , 2021, 21, 7.	0.8	2
4401	TGF- β 1 in <i>Aplysia</i> : Role in Long-Term Changes in the Excitability of Sensory Neurons and Distribution of TRP-II-Like Immunoreactivity. <i>Learning and Memory</i> , 1999, 6, 317-330.	0.5	58
4402	Homeodomain and winged-helix transcription factors recruit activated Smads to distinct promoter elements via a common Smad interaction motif. <i>Genes and Development</i> , 2000, 14, 435-451.	2.7	244
4403	CRTAC1 (Cartilage acidic protein 1) inhibits cell proliferation, migration, invasion and epithelial-mesenchymal transition (EMT) process in bladder cancer by downregulating Yin Yang 1 (YY1) to inactivate the TGF- β 2 pathway. <i>Bioengineered</i> , 2021, 12, 9377-9389.	1.4	17
4404	Thrombospondin type 1 repeat-derived C-mannosylated peptide attenuates synaptogenesis of cortical neurons induced by primary astrocytes via TGF- β 2. <i>Glycoconjugate Journal</i> , 2021, , 1.	1.4	2
4405	Development of a novel anti-liver fibrosis formula with luteolin, licochalcone A, aloe-emodin and acacetin by network pharmacology and transcriptomics analysis. <i>Pharmaceutical Biology</i> , 2021, 59, 1592-1604.	1.3	12
4406	TGF- β 1 Drives Inflammatory Th Cell But Not Treg Cell Compartment Upon Allergen Exposure. <i>Frontiers in Immunology</i> , 2021, 12, 763243.	2.2	13
4407	Evidence-based hormonal, mutational, and endocrine-disrupting chemical-induced zebrafish as an alternative model to study PCOS condition similar to mammalian PCOS model. <i>Life Sciences</i> , 2022, 291, 120276.	2.0	18
4408	Genome-wide association study reveals growth-related SNPs and candidate genes in mandarin fish (<i>Siniperca chuatsi</i>). <i>Aquaculture</i> , 2022, 550, 737879.	1.7	10
4409	Long-term model of colitis-associated colorectal cancer suggests tumor spread mechanism and nature of cancer stem cells. <i>Oncology Letters</i> , 2020, 21, 1-1.	0.8	5
4410	The therapeutic potential of MSC-EVs as a bioactive material for wound healing. <i>Engineered Regeneration</i> , 2021, 2, 182-194.	3.0	15
4411	Activation of STAT and SMAD Signaling Induces Hpcidin Re-Expression as a Therapeutic Target for β -Thalassemia Patients. <i>Biomedicines</i> , 2022, 10, 189.	1.4	4
4412	Uncoupling the BMP receptor antagonist function from the WNT agonist function of R-spondin 2 using the inhibitory peptide dendrimer RWd. <i>Journal of Biological Chemistry</i> , 2022, 298, 101586.	1.6	3

#	ARTICLE	IF	CITATIONS
4413	Smurf participates in <i>Helicoverpa armigera</i> diapause by regulating the transforming growth factor- β signaling pathway. <i>Insect Science</i> , 2022, 29, 1251-1261.	1.5	2
4414	The role of leucine-rich alpha-2-glycoprotein-1 in proliferation, migration, and invasion of tumors. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 283-291.	1.2	8
4415	Synthesis and biological evaluation of 4-(pyridine-4-oxy)-3-(tetrahydro-2H-pyran-4-yl)-pyrazole derivatives as novel, potent of ALK5 receptor inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2022, 61, 128552.	1.0	5
4416	Bifunctional Peptide that Anneals to Damaged Collagen and Clusters TGF- β Receptors Enhances Wound Healing. <i>ACS Chemical Biology</i> , 2022, 17, 314-321.	1.6	6
4417	The Search for Biomarkers and Treatments in Chagas Disease: Insights From TGF-Beta Studies and Immunogenetics. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 767576.	1.8	8
4418	Decorin regulates collagen fibrillogenesis during corneal wound healing in mouse in vivo. <i>Experimental Eye Research</i> , 2022, 216, 108933.	1.2	11
4419	Evaluation of Controlled Ovarian Stimulation Protocols in Patients with Normal and Low Ovarian Reserve: Analyses of miRNAs and Selected Target Genes Involved in the Proliferation of Human Cumulus Cells and Oocyte Quality. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1713.	1.8	1
4421	Shifting the Focus of Signaling Abnormalities in Colon Cancer. <i>Cancers</i> , 2022, 14, 784.	1.7	3
4422	The role of menin in bone pathology. <i>Endocrine Connections</i> , 2022, , .	0.8	2
4423	Cancer stem cells: An overview of the pathophysiological and prognostic roles in colorectal cancer. <i>Process Biochemistry</i> , 2022, 115, 19-29.	1.8	6
4424	Analysis of novel domain-specific mutations in the zebrafish / gene generated using CRISPR-Cas9 RNPs. <i>Journal of Genetics</i> , 2018, 97, 1315-1325.	0.4	8
4425	Current and Emerging Medical Therapies in Pituitary Tumors. <i>Journal of Clinical Medicine</i> , 2022, 11, 955.	1.0	7
4426	From Inflammation to Fibrosis: Novel Insights into the Roles of High Mobility Group Protein Box 1 in Schistosome-Induced Liver Damage. <i>Pathogens</i> , 2022, 11, 289.	1.2	10
4427	Fortilin interacts with TGF- β 1 and prevents TGF- β 2 receptor activation. <i>Communications Biology</i> , 2022, 5, 157.	2.0	5
4428	Regulatory T Cells in Autoimmune Vasculitis. <i>Frontiers in Immunology</i> , 2022, 13, 844300.	2.2	10
4429	Intraperitoneal injection of 17 β -estradiol increases ovarian <i>smad2/3</i> expression in Yangtze sturgeon <i>Acipenser dabryanus</i> . <i>Aquaculture Research</i> , 2022, 53, 3059-3068.	0.9	0
4430	Combination Effect of Cilengitide with Erlotinib on TGF- β 1-Induced Epithelial-to-Mesenchymal Transition in Human Non-Small Cell Lung Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3423.	1.8	9
4431	Intraperitoneally Delivered Mesenchymal Stem Cells Alleviate Experimental Colitis Through THBS1-Mediated Induction of IL-10-Competent Regulatory B Cells. <i>Frontiers in Immunology</i> , 2022, 13, 853894.	2.2	5

#	ARTICLE	IF	CITATIONS
4432	Transforming growth factor β 1 in regulatory T cell biology. <i>Science Immunology</i> , 2022, 7, eabi4613.	5.6	76
4433	Circular RNA HECTD1 knockdown inhibits transforming growth factor-beta/ small mothers against decapentaplegic (TGF β 2/Smad) signaling to reduce hypertrophic scar fibrosis. <i>Bioengineered</i> , 2022, 13, 7303-7315.	1.4	4
4435	In the spotlight: the role of TGF β 2 signalling in haematopoietic stem and progenitor cell emergence. <i>Biochemical Society Transactions</i> , 2022, 50, 703-712.	1.6	3
4437	Targeted deletion of TGF β 1 in basal keratinocytes causes profound defects in stratified squamous epithelia and aberrant melanocyte migration. <i>Developmental Biology</i> , 2022, 485, 9-23.	0.9	2
4438	Overcoming Therapy Resistance and Relapse in TNBC: Emerging Technologies to Target Breast Cancer-Associated Fibroblasts. <i>Biomedicines</i> , 2021, 9, 1921.	1.4	8
4439	Developmental principles informing human pluripotent stem cell differentiation to cartilage and bone. <i>Seminars in Cell and Developmental Biology</i> , 2022, 127, 17-36.	2.3	11
4440	Periostin: an emerging activator of multiple signaling pathways. <i>Journal of Cell Communication and Signaling</i> , 2022, 16, 515-530.	1.8	18
4441	Effects of prolonged treatment of TGF β R inhibitor SB431542 on radiation-induced signaling in breast cancer cells. <i>International Journal of Radiation Biology</i> , 2022, 98, 1630-1644.	1.0	2
4442	Ligand-receptor promiscuity enables cellular addressing. <i>Cell Systems</i> , 2022, 13, 408-425.e12.	2.9	34
4453	Methods Used to Study Alterations of Cell Signaling and Proliferation. , 0, , 277-289.		0
4454	Absolute Quantification of TGF β Signaling Proteins Using Quantitative Western Blot. <i>Methods in Molecular Biology</i> , 2022, 2488, 1-12.	0.4	1
4455	Mechanisms of action of the principal prolific genes and their application to sheep production. <i>Reproduction, Fertility and Development</i> , 2004, 16, 395-401.	0.1	1
4456	Exploring the connection between chronic renal fibrosis and bone morphogenic protein-7. <i>Histology and Histopathology</i> , 2003, 18, 217-24.	0.5	20
4457	Endoglin co-expression with eNOS, SMAD2 and phosphorylated SMAD2/3 in normocholesterolemic and hypercholesterolemic mice: an immunohistochemical study. <i>Histology and Histopathology</i> , 2009, 24, 1499-506.	0.5	8
4459	TGF β 2 is a Prognostic Biomarker for Gastric Cancer and is Associated With Methylation and Immunotherapy Responses. <i>Frontiers in Genetics</i> , 2022, 13, .	1.1	5
4460	TMEM158 Regulates the Canonical and Non-Canonical Pathways of TGF β to Mediate EMT in Triple-Negative Breast Cancer. <i>Journal of Cancer</i> , 2022, 13, 2694-2704.	1.2	6
4461	Regulation of homeostasis and regeneration in the adult intestinal epithelium by the TGF β superfamily. <i>Developmental Dynamics</i> , 2023, 252, 445-462.	0.8	4
4462	Corneal stromal repair and regeneration. <i>Progress in Retinal and Eye Research</i> , 2022, 91, 101090.	7.3	49

#	ARTICLE	IF	CITATIONS
4463	Type II BMP and activin receptors BMPR2 and ACVR2A share a conserved mode of growth factor recognition. <i>Journal of Biological Chemistry</i> , 2022, 298, 102076.	1.6	4
4464	Synthesis and biological evaluation of cilengitide derivatives on TGF β 1-induced epithelial to mesenchymal transition in human non-small cell lung cancer cells. <i>Peptide Science</i> , 2022, 114, .	1.0	3
4465	Identification and functional analysis of drosophila mothers against decapentaplegic protein gene 1 (Smad1) from the red swamp crayfish <i>Procambarus clarkii</i> : The first evidence of Smad1 involved in immunity in invertebrates. <i>Fish and Shellfish Immunology</i> , 2022, 127, 13-22.	1.6	3
4466	Cellular Responses to Hormones. , 2001, , 191-206.		0
4471	SNAIL driven by a feed forward loop motif promotes TGF β 2 induced epithelial to mesenchymal transition. <i>Biomedical Physics and Engineering Express</i> , 2022, 8, 045012.	0.6	2
4472	Transforming growth factor- β 2 signalling pathway in tendon healing. <i>Growth Factors</i> , 2022, 40, 98-107.	0.5	9
4473	SMAD4 Controls Cancer Cell Metabolism by Regulating Methylmalonic Aciduria Cobalamin Deficiency (cbl) B Type. <i>Molecules and Cells</i> , 2022, 45, 413-424.	1.0	2
4474	CRISPR/Cas9-based simple transgenesis in <i>Xenopus laevis</i> . <i>Developmental Biology</i> , 2022, 489, 76-83.	0.9	4
4475	G-protein Coupled Receptor 34 Promotes Gliomagenesis by Inducing Proliferation and Malignant Phenotype via TGF-Beta/Smad Signaling Pathway. <i>Technology in Cancer Research and Treatment</i> , 2022, 21, 153303382211057.	0.8	1
4476	Jagged-1 is induced by mTOR inhibitors in renal cancer cells through an Akt/ALK5/Smad4-dependent mechanism. <i>Current Research in Pharmacology and Drug Discovery</i> , 2022, 3, 100117.	1.7	5
4477	New insights into the regulation of TGF β 2/Smad and MPK signaling pathway gene expressions by nasal allergen and methacholine challenge test in asthma. <i>Clinical and Translational Allergy</i> , 2022, 12, .	1.4	2
4480	Molecular Characterization of TGF-Beta Gene Family in Buffalo to Identify Gene Duplication and Functional Mutations. <i>Genes</i> , 2022, 13, 1302.	1.0	7
4482	Dual Role of Transforming Growth Factor β 2 in Mammary Tumorigenesis and Metastatic Progression. <i>Clinical Cancer Research</i> , 2005, 11, 937s-943s.	3.2	129
4483	DNA damage and miRNAs. , 2022, , 55-67.		0
4484	Activin receptor-like kinase 7 promotes apoptosis of vascular smooth muscle cells via activating Smad2/3 signaling in diabetic atherosclerosis. <i>Frontiers in Pharmacology</i> , 0, 13, .	1.6	0
4485	Endoglin and Systemic Sclerosis: A PRISMA-driven systematic review. <i>Frontiers in Medicine</i> , 0, 9, .	1.2	3
4486	The matricellular protein CCN5 induces apoptosis in myofibroblasts through SMAD7-mediated inhibition of NF κ B. <i>PLoS ONE</i> , 2022, 17, e0269735.	1.1	2
4487	Combination effect of cilengitide derivatives with gefitinib on TGF β 1-induced epithelial to mesenchymal transition in human non-small cell lung cancer cells. <i>Bulletin of the Korean Chemical Society</i> , 0, , .	1.0	3

#	ARTICLE	IF	CITATIONS
4488	Activation of AcvR1-Mediated Signaling Results in Semilunar Valve Defects. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 272.	0.8	0
4489	Multi-omics therapeutic perspective on ACVR1 gene: from genetic alterations to potential targeting. <i>Briefings in Functional Genomics</i> , 2023, 22, 123-142.	1.3	0
4490	Regulation of SMAD Signaling Pathway by miRNAs Associated with Myocardial Fibrosis: In silico Analysis of Target Gene Networks. <i>Biochemistry (Moscow)</i> , 2022, 87, 832-838.	0.7	0
4491	Super-enhancer hijacking LINC01977 promotes malignancy of early-stage lung adenocarcinoma addicted to the canonical TGF- β 2/SMAD3 pathway. <i>Journal of Hematology and Oncology</i> , 2022, 15, .	6.9	19
4492	The Role of Insulin Receptor Substrate Proteins in Bronchopulmonary Dysplasia and Asthma: New Potential Perspectives. <i>International Journal of Molecular Sciences</i> , 2022, 23, 10113.	1.8	1
4493	Effects of TGF- β 2 on Growth and Invasion of Human Oral Squamous Cell Carcinoma Cell Lines. <i>Journal of Hard Tissue Biology</i> , 2022, 31, 171-180.	0.2	0
4494	TGF- β 1 upregulates Sar1a expression and induces procollagen-I secretion in hypertrophic scarring fibroblasts. <i>Open Medicine (Poland)</i> , 2022, 17, 1473-1482.	0.6	0
4495	Arecae pericarpium water extract alleviates chronic pancreatitis by deactivating pancreatic stellate cells. <i>Frontiers in Pharmacology</i> , 0, 13, .	1.6	3
4496	The progress and prospect of natural components in rhubarb (<i>Rheum ribes</i> L.) in the treatment of renal fibrosis. <i>Frontiers in Pharmacology</i> , 0, 13, .	1.6	2
4497	Actin alpha 2, smooth muscle, a transforming growth factor- β 1-induced factor, regulates collagen production in human periodontal ligament cells via Smad2/3 pathway. <i>Journal of Dental Sciences</i> , 2023, 18, 567-576.	1.2	2
4498	Drug-resistant HER2-positive breast cancer: Molecular mechanisms and overcoming strategies. <i>Frontiers in Pharmacology</i> , 0, 13, .	1.6	15
4499	TGF- β 2 at the crossroads of multiple prognosis in breast cancer, and beyond. <i>Life Sciences</i> , 2022, 310, 121011.	2.0	2
4500	TRIM family contribute to tumorigenesis, cancer development, and drug resistance. <i>Experimental Hematology and Oncology</i> , 2022, 11, .	2.0	21
4501	Deer antler extract promotes tibia fracture healing in mice by activating BMP-2/SMAD4 signaling pathway. <i>Journal of Orthopaedic Surgery and Research</i> , 2022, 17, .	0.9	6
4502	Study of TGF- β 2 immune marker expression in mice exposed to <i>Candida</i> spp.. <i>AIP Conference Proceedings</i> , 2022, , .	0.3	1
4503	Using the Bleomycin-Induced Model of Fibrosis to Study the Contribution of CCN Proteins to Scleroderma Fibrosis. <i>Methods in Molecular Biology</i> , 2023, , 309-321.	0.4	0
4504	Radiation therapy prior to CAR T-cell therapy in lymphoma: impact on patient outcomes. <i>Expert Review of Hematology</i> , 2022, 15, 1023-1030.	1.0	4
4505	Target acquisition of anti-aging manno-oligosaccharide that triggers ECM process via TGF- β 2/Smads-SIRT1 signalling pathway. <i>Carbohydrate Polymers</i> , 2023, 302, 120380.	5.1	3

#	ARTICLE	IF	CITATIONS
4506	Targeting TGF- β 1/miR-21 Pathway in Keratinocytes Reveals Protective Effects of Silymarin on Imiquimod-Induced Psoriasis Mouse Model. <i>JID Innovations</i> , 2023, 3, 100175.	1.2	1
4507	Dieckol Isolated from <i>Eisenia bicyclis</i> Ameliorates Wrinkling and Improves Skin Hydration via MAPK/AP-1 and TGF- β 2/Smad Signaling Pathways in UVB-Irradiated Hairless Mice. <i>Marine Drugs</i> , 2022, 20, 779.	2.2	5
4508	Identification and functional analysis of two drosophila mothers against decapentaplegic protein(Smad)genes and their involvement in immune responses in the red swamp crayfish <i>Procambarus clarkii</i> . <i>Fish and Shellfish Immunology</i> , 2022, 131, 1255-1263.	1.6	3
4509	How an Immune-Factor-Based Formulation of Micro-Immunotherapy Could Interfere with the Physiological Processes Involved in the Atopic March. <i>International Journal of Molecular Sciences</i> , 2023, 24, 1483.	1.8	4
4510	Association of several loci of SMAD7 with colorectal cancer: A meta-analysis based on caseâ€“control studies. <i>Medicine (United States)</i> , 2023, 102, e32631.	0.4	2
4512	Tissue Engineering for Periodontal Regeneration. <i>Journal of the California Dental Association</i> , 2005, 33, 205-215.	0.0	27
4513	Tacrolimus induces fibroblast-to-myofibroblast transition via a TGF- β 2-dependent mechanism to contribute to renal fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2023, 324, F433-F445.	1.3	2
4514	TGF- β 2 signaling pathway: Therapeutic targeting and potential for anti-cancer immunity. <i>European Journal of Pharmacology</i> , 2023, 947, 175678.	1.7	12
4515	A Novel Molecule 3-((1-methyltetrahydropyridinyl)-2,4-dihydroxy Acetophenone Alleviates Ultraviolet-B Induced Photoaging in Human Dermal Fibroblasts and BALB/c Mice. <i>Photochemistry and Photobiology</i> , 2023, 99, 1343-1351.	1.3	2
4516	Langerhans cells in the skin and oral mucosa: Brothers in arms?. <i>European Journal of Immunology</i> , 2023, 53, .	1.6	6
4517	Novel role of HIV-1 Nef in regulating the ubiquitination of cellular proteins. <i>Frontiers in Cellular and Infection Microbiology</i> , 0, 13, .	1.8	1
4519	Transforming growth factor- β 2 signalling regulates protoscolex formation in the <i>Echinococcus multilocularis</i> metacestode. <i>Frontiers in Cellular and Infection Microbiology</i> , 0, 13, .	1.8	2
4520	MiR-146b-5p/SEMA3G regulates epithelial-mesenchymal transition in clear cell renal cell carcinoma. <i>Cell Division</i> , 2023, 18, .	1.1	3
4521	New insights into the properties, functions, and aging of skeletal stem cells. <i>Osteoporosis International</i> , 0, , .	1.3	0
4522	Cell Signaling Pathways in Cancer. , 2023, , 242-272.		0
4558	Stem signaling molecules and pathways: implications in the regulation of fate and proliferation potential. , 2024, , 27-38.		0
4562	Cancer stem cells, signalling pathways and chemopreventive effects of phytochemicals in androgen-regulated cancers. , 2024, , 409-437.		0
4577	Traumatic inflammatory response: pathophysiological role and clinical value of cytokines. <i>European Journal of Trauma and Emergency Surgery</i> , 0, , .	0.8	1

#	ARTICLE	IF	CITATIONS
4583	Epithelial TGF- β 2/Catenin Axis in Proximal Tubule Response to Chronic Kidney Disease. , 0, , .		0