

CITATION REPORT

List of articles citing

Congestive heart failure in the community: a study of all incident cases in Olmsted County, Minnesota, in 1991

DOI: 10.1161/01.cir.98.21.2282
Circulation, 1998, 98, 2282-9.

Source: <https://exaly.com/paper-pdf/29508022/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
803	Evidence-Based Medicine and Geriatrics. 2003 , 3-14		
802	Cardiovascular disease at the turn of the century. 1999 , 171, 279-80		
801	Doppler echocardiographic-guided diagnosis and therapy of heart failure. 1999 , 1, 55-66	9	
800	Losartan improves exercise tolerance in patients with diastolic dysfunction and a hypertensive response to exercise. 1999 , 33, 1567-72		190
799	Candesartan in heart failure--assessment of reduction in mortality and morbidity (CHARM): rationale and design. Charm-Programme Investigators. 1999 , 5, 276-82		224
798	Clinical outcomes in heart failure: report from a community hospital-based registry. 1999 , 107, 549-55		66
797	Left Ventricular Diastolic Dysfunction in Patients With Hypertension and Preserved Systolic Function. 2000 , 75, 148-155		12
796	Clinical characteristics and prognosis of hospitalized patients with congestive heart failure--a study in Fukuoka, Japan. 2000 , 64, 953-9		69
795	That was the year that was: an evidence-based clinical geriatrics update 1998-1999. 2000 , 48, 1717-25		1
794	Development of different phenotypes of hypertensive heart failure: systolic versus diastolic failure in Dahl salt-sensitive rats. 2000 , 18, 111-20		128
793	Predicting adverse postoperative outcomes in patients aged 80 years or older. 2000 , 48, 405-12		179
792	The rational use of beta-adrenoceptor blockers in the treatment of heart failure. The changing face of an old therapy. 2000 , 49, 1-9		16
791	Towards a blood test for heart failure: the potential use of circulating natriuretic peptides. 2000 , 50, 15-20		12
790	Diastolic heart failure: diagnosis and treatment. 2000 , 3, 13-24		8
789	Prediction of peak oxygen uptake from cycle exercise test work level in heart failure patients ≥ 65 years of age. 2000 , 85, 1385-7		4
788	Comparison of one-year outcome in women versus men with chronic congestive heart failure. 2000 , 86, 353-7		55
787	PREAMI: Perindopril and Remodelling in Elderly with Acute Myocardial Infarction: study rationale and design. 2000 , 14, 671-9		8

786	Diastolic heart failure in the community. 2000 , 2, 461-9	16
785	Epidemiology and pathophysiology of heart failure. 2000 , 2, 179-80	8
784	Diastolic Heart Failure. 2000 , 2, 439-450	11
783	[Diagnosis of heart failure]. 2000 , 41, 115-26	1
782	Underlying causes and survival in patients with heart failure. 2000 , 342, 1120-2	16
781	Do patients with suspected heart failure and preserved left ventricular systolic function suffer from "diastolic heart failure" or from misdiagnosis? A prospective descriptive study. 2000 , 321, 215-8	214
780	Epidemiology, aetiology, and prognosis of heart failure. 2000 , 83, 596-602	528
779	Survival of patients with a new diagnosis of heart failure: a population based study. 2000 , 83, 505-10	368
778	The safety and tolerability of candesartan cilexetil in CHF. 2000 , 1 Suppl 1, 31-6	6
777	Chronic heart failure in the elderly: value of cardiopulmonary exercise testing in risk stratification. 2000 , 83, 147-51	52
776	Ongoing Clinical trials with angiotensin II receptor antagonists in chronic heart failure and myocardial infarction. 2000 , 1, 131-6	1
775	Determinants of angiotensin-converting enzyme inhibitor prescription in severe heart failure with left ventricular systolic dysfunction: the EPICAL study. 2000 , 139, 624-31	53
774	Systolic versus diastolic heart failure in community practice: clinical features, outcomes, and the use of angiotensin-converting enzyme inhibitors. 2000 , 109, 605-13	195
773	Diastolic heart failure: miles to go before we sleep. 2000 , 109, 683-5	14
772	At The Bedside with Professor Karl Swedberg. 2000 , 4, 57-58	
771	Diastolic dysfunction in the elderly. Genesis and diagnostic and therapeutic implications. 2000 , 18, 597-617, x	40
770	Heart failure with normal systolic function. 2000 , 16, 489-512	28
769	The COHERE Registry: hype or hope?. 2000 , 6, 272-5	14

768	Rationale, design, and methods for a Coreg (carvedilol) Heart Failure Registry (COHERE). COHERE Participant Physicians. 2000 , 6, 264-71	17
767	Left ventricular diastolic dysfunction in patients with hypertension and preserved systolic function. 2000 , 75, 148-55	20
766	Plasma amino-terminal pro-brain natriuretic peptide: A novel approach to the diagnosis of cardiac dysfunction. 2000 , 6, 130-139	24
765	Predictors of congestive heart failure in the elderly: the Cardiovascular Health Study. 2000 , 35, 1628-37	704
764	Congestive heart failure with preserved systolic function in a statewide sample of community hospitals. 2001 , 7, 221-8	68
763	Chronic heart failure in the community: missed diagnosis and missed opportunities. 2001 , 7, 232-8	27
762	Therapy for diastolic heart failure: on the road from myths to multicenter trials. 2001 , 7, 229-31	15
761	Cardiac cycle-dependent changes in aortic area and distensibility are reduced in older patients with isolated diastolic heart failure and correlate with exercise intolerance. 2001 , 38, 796-802	309
760	Diastolic heart failure, diastolic left ventricular dysfunction and exercise intolerance. 2001 , 38, 803-5	43
759	Heart failure with preserved systolic function. A different natural history?. 2001 , 38, 1277-82	222
758	Approach to patients with heart failure and normal ejection fraction. 2001 , 76, 1047-52	22
757	Chronic heart failure in the very elderly: clinical status, survival, and prognostic factors in 188 patients more than 70 years old. 2001 , 142, 174-80	45
756	Changes in notions about heart failure. 2001 , 358, 432-4	46
755	The pathogenesis of acute pulmonary edema associated with hypertension. 2001 , 344, 17-22	548
754	Effects of antihypertensive agents on the left ventricle: clinical implications. 2001 , 1, 263-79	18
753	Echocardiographic assessment of diastolic function. 2001 , 16, 240-5	28
752	The risk of congestive heart failure: sobering lessons from the Framingham Heart Study. 2001 , 3, 184-90	60
751	Diastolic function in hypertension. 2001 , 3, 485-97	7

750	Heart Failure with Normal Ejection Fraction. 2001 , 3, 507-513	1
749	Senile cardiac amyloidosis. 2001 , 1, 65-68	
748	Importance of heart failure with preserved systolic function in patients > or = 65 years of age. CHS Research Group. Cardiovascular Health Study. 2001 , 87, 413-9	492
747	Prevalence of heart failure in Asturias (a region in the north of Spain). 2001 , 87, 1417-9	53
746	Mortality and readmission of hospitalized patients with congestive heart failure and preserved versus depressed systolic function. 2001 , 88, 530-3	142
745	[Heart insufficiency in the elderly]. 2001 , 50, 426-33	2
744	Monitoring of quality of life in congestive heart failure populations. 2001 , 7, 13-21	5
743	Left ventricular dysfunction, natriuretic peptides, and mortality in an urban population. 2001 , 86, 21-6	184
742	Prognostic significance of cardiac (123)I metaiodobenzylguanidine imaging for mortality and morbidity in patients with chronic heart failure: a prospective study. 2001 , 86, 656-60	106
741	Congestive Heart Failure Case Management: A Fiscal Analysis. 2001 , 4, 25-32	3
740	Database Conference January 27-30, 2000, Washington D.C.--Do existing databases answer clinical questions about geriatric cardiovascular disease and stroke?. 2001 , 10, 207-23	18
739	Primary diastolic heart failure. 2002 , 11, 178-87; quiz 188-9	8
738	Diastolic heart failure in older people--myth or lost tribe?. 2002 , 2, 539-43	2
737	Overview of cardiovascular aging. 2002 , 11, 1-22	
736	Clinical characteristics and prognosis of hospitalised inpatients with heart failure and preserved or reduced left ventricular ejection fraction. 2002 , 88, 249-54	68
735	"Diastolic heart failure" or heart failure caused by subtle left ventricular systolic dysfunction?. 2002 , 87, 29-31	119
734	The current cost of heart failure to the National Health Service in the UK. 2002 , 4, 361-71	378
733	Constitutive properties of hypertrophied myocardium: cellular contribution to changes in myocardial stiffness. 2002 , 282, H2173-82	19

732	Diagnosing diastolic heart failure. 2002 , 4, 419-30	35
731	Utility of history, physical examination, electrocardiogram, and chest radiograph for differentiating normal from decreased systolic function in patients with heart failure. 2002 , 112, 437-45	107
730	The effects of beta-blockers on morbidity and mortality in a population-based cohort of 11,942 elderly patients with heart failure. 2002 , 113, 650-6	110
729	Confirmation of a heart failure epidemic: findings from the Resource Utilization Among Congestive Heart Failure (REACH) study. 2002 , 39, 60-9	386
728	Diastolic heart failure: neglected or misdiagnosed?. 2002 , 39, 138-41	117
727	Plasma brain natriuretic peptide concentration: impact of age and gender. 2002 , 40, 976-82	856
726	Left ventricular diastolic dysfunction as a predictor of the first diagnosed nonvalvular atrial fibrillation in 840 elderly men and women. 2002 , 40, 1636-44	498
725	Diastolic heart failure in the community: clinical profile, natural history, therapy, and impact of proposed diagnostic criteria. 2002 , 8, 279-87	122
724	Manejo de la insuficiencia cardíaca en el anciano ¿Quién y dónde? Visión del especialista. 2002 , 37, 13-19	
723	Clinical features and outcomes of elderly outpatients with heart failure followed up in hospital cardiology units: data from a large nationwide cardiology database (IN-CHF Registry). 2002 , 143, 45-55	138
722	Spectrum of heart failure in older patients: results from the National Heart Failure project. 2002 , 143, 412-7	217
721	Correlates and outcomes of preserved left ventricular systolic function among older adults hospitalized with heart failure. 2002 , 144, 365-72	61
720	[Medical care of patients with heart failure: clinical characteristics, determinants of prognosis and follow-up in primary care]. 2002 , 29, 531-7; discussion 537-9	0
719	[Baseline characteristics and determinants of outcome in a patient population admitted for heart failure to a general hospital]. 2002 , 55, 571-8	37
718	[Prevention and treatment of congestive heart failure in diabetic patients]. 2002 , 55, 1083-7	3
717	The burden of heart failure. 2002 , 4, D50-D58	68
716	Is heart failure with preserved systolic function an overlooked enigma?. 2002 , 4, 187-93	3
715	Is age an independent determinant of mortality in cardiac surgery as suggested by the EuroSCORE?. 2002 , 2, 8	17

714	Diastolic heart failure in the elderly. 2002 , 7, 17-27	77
713	The burden of chronic congestive heart failure in older persons: magnitude and implications for policy and research. 2002 , 7, 9-16	90
712	Angiotensin converting enzyme inhibition in heart failure: clinical trials and clinical practice. 2002 , 16, 67-74	6
711	The role of brain natriuretic peptide in population screening. 2003 , 8, 349-54	4
710	The new epidemiology of heart failure. 2003 , 5, 181-6	11
709	[Precipitating factors associated with diastolic heart failure in the elderly]. 2003 , 52, 308-12	5
708	Effect of angiotensin-converting inhibitor or angiotensin receptor blocker on one-year survival in patients ≥ 65 years hospitalized with a left ventricular ejection fraction $\geq 50\%$. 2003 , 91, 363-5	17
707	Pharmacologic therapy for patients with chronic heart failure and reduced systolic function: review of trials and practical considerations. 2003 , 91, 18F-40F	85
706	Prevalence, etiology, and outcome of patients with restrictive left ventricular filling and relatively preserved systolic function. 2003 , 91, 1517-9, A9	7
705	A new device for automatic measurements of arterial stiffness and ankle-brachial index. 2003 , 91, 1519-22, A9	173
704	Morbidity does not influence the T-cell immune risk phenotype in the elderly: findings in the Swedish NONA Immune Study using sample selection protocols. 2003 , 124, 469-76	74
703	Predictors of nursing home admission for older adults hospitalized with heart failure. 2003 , 36, 117-26	28
702	Is 'diastolic heart failure' a diagnosis of exclusion? Echocardiographic parameters of diastolic dysfunction in patients with heart failure and normal systolic function. 2003 , 12, 127-34	9
701	Diastolic heart failure: can we afford to be in diastole?. 2003 , 12, 119-22	
700	Características clínicas y pronóstico de la insuficiencia cardíaca de origen isquémico e hipertensivo. 2003 , 20, 340-346	
699	Hipertensión arterial e insuficiencia cardíaca en las consultas de Atención Primaria y de Cardiología en España. 2003 , 203, 334-342	3
698	Doppler tissue analysis of mitral annular velocities: evidence for systolic abnormalities in patients with diastolic heart failure. 2003 , 16, 1031-6	92
697	Association of newer diastolic function parameters with age in healthy subjects: a population-based study. 2003 , 16, 1049-56	143

696	Gender, age, and heart failure with preserved left ventricular systolic function. 2003 , 41, 217-23	315
695	Outcomes in heart failure patients with preserved ejection fraction: mortality, readmission, and functional decline. 2003 , 41, 1510-8	260
694	Natriuretic peptide measurements for the diagnosis of "nonsystolic" heart failure: good news and bad. 2003 , 41, 2018-21	22
693	Myocardial velocity gradient as a noninvasively determined index of left ventricular diastolic dysfunction in patients with hypertrophic cardiomyopathy. 2003 , 42, 278-85	53
692	Hypoalbuminemia in elderly patients with acute diastolic heart failure. 2003 , 42, 712-6	66
691	Prognosis of congestive heart failure in patients with normal versus reduced ejection fractions: results from a cohort of 2,258 hospitalized patients. 2003 , 9, 107-12	67
690	Age, but not sex, influences the measurement of ejection fraction in elderly patients hospitalized for heart failure. 2003 , 9, 100-6	18
689	"Systolic and diastolic dysfunction" in heart failure? Time for a new paradigm. 2003 , 9, 1-3	51
688	A clinical approach to the assessment of left ventricular diastolic function by Doppler echocardiography: update 2003. 2003 , 89 Suppl 3, iii18-23	77
687	Heart failure: how big is the problem? Who are the patients? What does the future hold?. 2003 , 146, 1-4	68
686	Incident cases of heart failure in a community cohort: importance and outcomes of patients with preserved systolic function. 2003 , 146, 115-20	32
685	Most hospitalized older persons do not meet the enrollment criteria for clinical trials in heart failure. 2003 , 146, 250-7	232
684	Current presentation and management of heart failure in cardiology and internal medicine hospital units: a tale of two worlds--the TEMISTOCLE study. 2003 , 146, E12	78
683	Spectral pulsed tissue Doppler imaging in diastole: a tool to increase our insight in and assessment of diastolic relaxation of the left ventricle. 2003 , 146, 411-9	76
682	Demographics and concomitant disorders in heart failure. 2003 , 362, 147-58	118
681	Cilazapril treatment in a cohort of seven patients with congestive heart failure: a seven-year follow-up study. 2003 , 64, 167-75	
680	Common cardiovascular issues encountered in geriatric critical care. 2003 , 19, 677-91	13
679	Epidemiology and clinical aspects of congestive heart failure. 2003 , 4, 131-6	15

678	QRS duration: a simple marker for predicting cardiac mortality in ICD patients with heart failure. 2003 , 89, 1157-62	77
677	Burden of systolic and diastolic ventricular dysfunction in the community: appreciating the scope of the heart failure epidemic. 2003 , 289, 194-202	2198
676	Predicting mortality among patients hospitalized for heart failure: derivation and validation of a clinical model. 2003 , 290, 2581-7	958
675	Survival differences between heart failure in general practices and in hospitals. 2003 , 89, 1298-302	4
674	Heart failure in the elderly: strategies to optimize outpatient control and reduce hospitalizations. 2003 , 12, 19-24; quiz 25-7	26
673	Clinical correlates of isolated left ventricular diastolic dysfunction among hospitalized older heart failure patients. 2003 , 12, 82-9	9
672	Elderly hospitalized patients with diastolic heart failure: lack of gender and ethnic differences in 18-month mortality rates. 2003 , 58, 56-9	13
671	The non-invasive assessment of hibernating myocardium in ischaemic cardiomyopathy--a myriad of techniques. 2003 , 5, 217-27	5
670	Congestive heart failure with preserved left ventricular systolic function after acute myocardial infarction: clinical and prognostic implications. 2003 , 5, 811-9	31
669	Exercise responses of elderly patients with diastolic versus systolic heart failure. 2003 , 35, 1477-85	28
668	Sex-related difference in long-term mortality in elderly heart failure patients with preserved left ventricular systolic function. 2003 , 58, 671-2; author reply 672	
667	Heart failure in the elderly. 2003 , 5, 241-3	1
666	Diastolic heart failure demystified. 2003 , 124, 744-53	33
665	Angiotensin II type 1 receptor blockade prevents diastolic heart failure through modulation of Ca(2+) regulatory proteins and extracellular matrix. 2003 , 21, 1737-45	23
664	Angiotensin II type 1 and endothelin type A receptor antagonists modulate the extracellular matrix regulatory system differently in diastolic heart failure. 2003 , 21, 437-44	16
663	New guidelines for heart failure focus on prevention. 2003 , 28, 13, 16, 22-23; quiz 24-5	7
662	Improving outcomes in diastolic heart failure. Techniques to evaluate underlying causes and target therapy. 2003 , 113, 51-8	2
661	Multicenter Analysis of Clinical Characteristics of the Patients with Congestive Heart Failure in Korea. 2003 , 33, 533	6

660	Multicenter Analysis of Clinical Characteristics and Prognostic Factors of Patients with Congestive Heart Failure in Korea. 2003 , 33, 629	1
659	Cardiovascular Disease. 2003 , 509-543	3
658	Additive beneficial effects of the combination of a calcium channel blocker and an angiotensin blocker on a hypertensive rat-heart failure model. 2004 , 27, 771-9	31
657	Diastolic heart failure: recognition, diagnosis and management. 2004 , 5, 1745-54	4
656	Diastolic heart failure. 2004 , 351, 1143-5; author reply 1143-5	7
655	Mode of death from congestive heart failure: implications for clinical management. 2004 , 13, 299-304; quiz 305-6	18
654	Diastolic heart failure: a difficult problem in the elderly. 2004 , 13, 16-21	12
653	Poor concordance of commonly used echocardiographic measures of left ventricular diastolic function in patients with suspected heart failure but preserved systolic function: is there a reliable echocardiographic measure of diastolic dysfunction?. 2004 , 90, 511-7	52
652	Evidence of left ventricular dysfunction in asymptomatic elderly patients with non-insulin-dependent diabetes mellitus. 2004 , 55, 549-55	24
651	National survey of the prevalence, incidence, primary care burden, and treatment of heart failure in Scotland. 2004 , 90, 1129-36	48
650	Preliminary evaluation of the AxSYM B-type natriuretic peptide (BNP) assay and comparison with the ADVIA Centaur BNP assay. 2004 , 50, 1104-6	53
649	Device therapy for the management of advanced heart failure. 2004 , 2, 573-80	
648	Impact of age on the results of coronary artery bypass grafting. 2004 , 12, 324-9	18
647	One-year follow-up of heart failure patients after their first admission. 2004 , 97, 81-6	24
646	The epidemiological enigma of heart failure with preserved systolic function. 2004 , 6, 125-36	29
645	N-terminal proBNP and mortality in hospitalised patients with heart failure and preserved vs. reduced systolic function: data from the prospective Copenhagen Hospital Heart Failure Study (CHHF). 2004 , 6, 335-41	77
644	Can natriuretic peptides be used for the diagnosis of diastolic heart failure?. 2004 , 6, 281-7	58
643	Diagnostic value of a rapid test for B-type natriuretic peptide in patients presenting with acute dyspnoea: effect of age and gender. 2004 , 6, 55-62	39

642	Diastolic heart failure. Paroxysmal or chronic?. 2004 , 6, 427-31	32
641	Echocardiographic indices of left ventricular diastolic dysfunction in 647 individuals with preserved left ventricular systolic function. 2004 , 6, 439-47	12
640	Effect of carvedilol on diastolic function in patients with diastolic heart failure and preserved systolic function. Results of the Swedish Doppler-echocardiographic study (SWEDIC). 2004 , 6, 453-61	153
639	Hyperhomocysteinaemia-induced atrial remodelling in hypertensive rats. 2004 , 31, 331-7	5
638	Usefulness of spatial dispersion of QRS duration in predicting mortality in patients with mild to moderate chronic heart failure. 2004 , 94, 960-3	10
637	Comparison of outcomes of white versus black patients hospitalized with heart failure and preserved ejection fraction. 2004 , 94, 1003-7	31
636	Hypothyroidism as a risk factor for cardiovascular disease. 2004 , 24, 1-13	202
635	Sex-related differences in heart failure and beta-blockers. 2004 , 9, 149-59	9
634	Diastolic heart failure: the forgotten manifestation of hypertensive heart disease. 2004 , 6, 164-70	7
633	Stress echocardiography in heart failure. 2004 , 2, 11	32
632	Incidence and predictors of heart failure during long-term follow-up after stress Tc-99m sestamibi tomography in patients with suspected coronary artery disease. 2004 , 11, 527-33	11
631	Left ventricular diastolic dysfunction and diastolic heart failure. 2004 , 55, 373-94	219
630	Risk factors for heart failure. 2004 , 88, 1145-72	83
629	La protecció cardíaca es la estrategia prioritaria de prevenció cardiovascular en hipertensió arterial. 2004 , 21, 187-196	
628	Prevalence, clinical characteristics, quality of life, and prognosis of patients with congestive heart failure and isolated left ventricular diastolic dysfunction. 2004 , 17, 253-61	59
627	American Society of Echocardiography recommendations for use of echocardiography in clinical trials. 2004 , 17, 1086-119	392
626	Late left ventricular diastolic flow propagation velocity determined by color M-mode Doppler in the assessment of diastolic dysfunction. 2004 , 17, 139-45	6
625	A practical approach to the echocardiographic evaluation of diastolic function. 2004 , 17, 290-7	346

624	Diagnosis and Therapy for Diastolic Heart Failure. 2004 , 57, 570-575	
623	Prevalence and predictors of heart failure with preserved systolic function: community hospital admissions of a racially and gender diverse elderly population. 2004 , 10, 49-54	19
622	Elevation of plasma brain natriuretic peptide is a hallmark of diastolic heart failure independent of ventricular hypertrophy. 2004 , 43, 55-60	123
621	Heart failure with preserved left ventricular systolic function; epidemiology, clinical characteristics, and prognosis. 2004 , 43, 317-27	615
620	Predischarge B-type natriuretic peptide assay for identifying patients at high risk of re-admission after decompensated heart failure. 2004 , 43, 635-41	456
619	Hospitalization for heart failure in the presence of a normal left ventricular ejection fraction: results of the New York Heart Failure Registry. 2004 , 43, 1432-8	299
618	Reply. 2004 , 43, 1333-1334	0
617	Therapeutic update: non-selective beta- and alpha-adrenergic blockade in patients with coexistent chronic obstructive pulmonary disease and chronic heart failure. 2004 , 44, 497-502	43
616	Hospitalized heart failure: rates and long-term mortality. 2004 , 10, 374-9	67
615	Dilated versus nondilated cardiomyopathy in the elderly population treated with guideline-based medical therapy for systolic chronic heart failure. 2004 , 10, 481-9	7
614	Sodium and potassium disturbances in the elderly : prevalence and association with drug use. 2004 , 24, 535-44	24
613	Diagnóstico y tratamiento de la insuficiencia cardíaca diastólica. 2004 , 57, 570-575	5
612	Fetal cardiac dysfunction in preterm premature rupture of membranes. 2004 , 16, 146-157	68
611	Clinical practice. Diastolic heart failure. 2004 , 351, 1097-105	412
610	Agreement between self-report questionnaires and medical record data was substantial for diabetes, hypertension, myocardial infarction and stroke but not for heart failure. 2004 , 57, 1096-103	859
609	A survey of outpatient management of elderly heart failure patients in Poland-treatment patterns. 2004 , 95, 177-84	12
608	New insights into diastolic heart failure: role of diabetes mellitus. 2004 , 116 Suppl 5A, 64S-75S	65
607	Trends in heart failure outcomes and pharmacotherapy: 1992 to 2000. 2004 , 116, 581-9	79

606	Rationale, design, and organization of the Diastolic Heart Failure Assessment Study in Tohoku District (DIAST). 2004 , 68, 660-4	7
605	Diastolic Heart Failure and Critical Illness. 2005 , 197-211	1
604	Comparison of coding of heart failure and comorbidities in administrative and clinical data for use in outcomes research. 2005 , 43, 182-8	294
603	Views from within and beyond: narratives of cardiac contractile dysfunction under senescence. 2005 , 26, 127-37	38
602	Management of diastolic heart failure--a practical review of pathophysiology and treatment trial data. 2005 , 59, 1239-46	11
601	Hypertension--still an important cause of heart failure?. 2005 , 19, 267-75	16
600	Usefulness of tissue Doppler imaging for estimation of left ventricular filling pressures in patients with systolic and diastolic heart failure. 2005 , 95, 892-5	67
599	Outcomes and prognostic factors of systolic as compared with diastolic heart failure in urban America. 2005 , 11, 6-11	26
598	Prognosis in diastolic heart failure. 2005 , 47, 333-9	26
597	Epidemiology of diastolic heart failure. 2005 , 47, 320-32	292
596	Heart Failure with Preserved Systolic Function. 2005 , 7, 55-59	2
595	Advanced heart failure and transplantation in women. 2005 , 7, 184-9	
594	Diastolic dysfunction and diastolic heart failure: diagnostic, prognostic and therapeutic aspects. 2005 , 3, 9	83
593	ACE Inhibitors for Older Patients with Heart Failure: A Review of Evidence, Practice Patterns and Challenges. 2005 , 5, 89-99	
592	The validity of a diagnosis of heart failure in a hospital discharge register. 2005 , 7, 787-91	284
591	Relation between plasma amino-terminal propeptide of procollagen type III and left ventricular longitudinal strain in essential hypertension. 2005 , 91, 624-9	44
590	"Pure" diastolic dysfunction is associated with long-axis systolic dysfunction. Implications for the diagnosis and classification of heart failure. 2005 , 7, 820-8	140
589	Association of diastolic dysfunction and outcomes in ambulatory older adults with chronic heart failure. 2005 , 60, 1339-44	17

588	Incidence and outcome of persons with a clinical diagnosis of heart failure in a general practice population of 696,884 in the United Kingdom. 2005 , 7, 295-302	49
587	Diagnostic accuracy of B type natriuretic peptide and amino terminal proBNP in the emergency diagnosis of heart failure. 2005 , 91, 606-12	152
586	Heart failure after myocardial infarction: clinical presentation and survival. 2005 , 7, 119-25	69
585	Influence of diabetes on the survival of patients hospitalized with heart failure: a 12-year study. 2005 , 7, 859-64	51
584	Different prognostic impact of systolic function in patients with heart failure and/or acute myocardial infarction. 2005 , 7, 852-8	6
583	Combined systolic and diastolic dysfunction in the presence of preserved left ventricular ejection fraction. 2005 , 7, 490-7	13
582	Pharmacological left ventricular reverse remodeling in elderly patients receiving optimal therapy for chronic heart failure. 2005 , 7, 1040-8	15
581	Influence of ejection fraction on cardiovascular outcomes in a broad spectrum of heart failure patients. <i>Circulation</i> , 2005 , 112, 3738-44	16.7 540
580	Effect of a community heart failure clinic on uptake of beta blockers by patients with obstructive airways disease and heart failure. 2006 , 92, 331-6	25
579	Insulin resistance and inflammatory activation in older patients with systolic and diastolic heart failure. 2005 , 91, 32-7	51
578	Functional mitral regurgitation predicts 1-year mortality in elderly patients with systolic chronic heart failure. 2005 , 7, 1112-7	61
577	Heart failure in patients with preserved and deteriorated left ventricular ejection fraction. 2005 , 91, 489-94	59
576	N-terminal proBNP: a novel biomarker for the diagnosis, risk stratification and management of congestive heart failure. 2005 , 3, 487-96	4
575	Effect of obesity and being overweight on long-term mortality in congestive heart failure: influence of left ventricular systolic function. 2005 , 26, 58-64	117
574	The death rate among hospitalized heart failure patients with normal and depressed left ventricular ejection fraction in the year following discharge: evolution over a 10-year period. 2005 , 26, 2251-8	36
573	Evoluci3n a largo plazo de la prescripci3n de f3rmacos en pacientes hospitalizados por insuficiencia card3aca congestiva. Influencia del patr3n de disfunci3n. 2005 , 58, 381-388	6
572	Beta-blocker therapy of cardiovascular diseases in patients with bronchial asthma or COPD: the pro viewpoint. 2005 , 14, 236-41	16
571	Role of neurohormonal modulators in heart failure with relatively preserved systolic function. 2005 , 1, 77-93	3

570	Characteristics of left ventricular diastolic function in patients with systolic heart failure: a Doppler tissue imaging study. 2005 , 18, 896-900	10
569	Analysis of the interaction between segmental relaxation patterns and global diastolic function by strain echocardiography. 2005 , 18, 901-6	31
568	The mitral L wave: a marker of pseudonormal filling and predictor of heart failure in patients with left ventricular hypertrophy. 2005 , 18, 336-41	38
567	Diagnosis and management of heart failure in the outpatient setting. 2005 , 32, 1115-29, ix	10
566	Basic transthoracic echocardiography. 2005 , 330, 1432-6	17
565	Targeting the renin-angiotensin-aldosterone-system in atrial fibrillation: a shift from electrical to structural therapy?. 2005 , 6, 2193-207	17
564	Role of angiotensin II in the evolution of diastolic heart failure. 2005 , 7, 740-7	24
563	The risk of cardiovascular death in elderly patients with possible heart failure. Results from a 6-year follow-up of a Swedish primary care population. 2005 , 100, 17-27	14
562	Effects of amlodipine and lacidipine on heart rate variability in hypertensive patients with stable angina pectoris and isolated left ventricular diastolic dysfunction. 2005 , 101, 347-53	12
561	Risk stratification in a Brazilian hospital-based cohort of 1220 outpatients with heart failure: role of Chagas' heart disease. 2005 , 102, 239-47	140
560	Only modest resources are needed to improve treatment of hospitalised patients with chest pain or heart failure: rapid assessment is a safe and efficient strategy. 2005 , 100, 53-9	
559	Heart failure due to left ventricular systolic dysfunction: treatment at discharge from hospital and at one year. 2005 , 103, 286-92	12
558	Systolic and diastolic functions in elderly patients with and without heart failure. 2005 , 16, 408-12	1
557	Response to Mikhail. 2005 , 118, 1445-1446	
556	Improving the management of terminal heart failure patients. 2005 , 118, 1446-7; author reply 1447-8	1
555	Management of heart failure in the elderly. 2005 , 118, 1446; author reply 1447-8	3
554	[Anemia as a new predictor of mortality in patients hospitalized with congestive heart failure]. 2005 , 125, 647-53	2
553	Diastolic dysfunction in hypertensive hearts: roles of perivascular inflammation and reactive myocardial fibrosis. 2005 , 28, 483-90	130

552	Long-Term Trends in Drug Prescription for Hospitalized Patients With Congestive Heart Failure. Influence of Type of Dysfunction. 2005 , 58, 381-388	
551	Variation by race in factors contributing to heart failure hospitalizations. 2005 , 11, 23-9	16
550	Anemia in patients with heart failure: prevalence and prognostic role in a controlled trial and in clinical practice. 2005 , 11, 91-8	100
549	Temporal trends in survival and hospitalizations in outpatients with chronic systolic heart failure in 1995 and 1999. 2005 , 11, 270-8	28
548	Treating diastolic heart failure with AGE crosslink breakers: thinking outside the heart failure box. 2005 , 11, 196-9	10
547	Rationale and design of a randomized trial to assess the effects of beta-blocker in diastolic heart failure; Japanese Diastolic Heart Failure Study (J-DHF). 2005 , 11, 542-7	33
546	The effects of ejection fraction on N-terminal ProBNP and BNP levels in patients with acute CHF: analysis from the ProBNP Investigation of Dyspnea in the Emergency Department (PRIDE) study. 2005 , 11, S9-14	88
545	Gender-related differences in the clinical presentation and outcome of hypertrophic cardiomyopathy. 2005 , 46, 480-7	262
544	Cardiopulmonary exercise testing in the clinical and prognostic assessment of diastolic heart failure. 2005 , 46, 1883-90	184
543	Myocardial dysfunction in rheumatoid arthritis: epidemiology and pathogenesis. 2005 , 7, 195-207	52
542	Diastolic heart failure--a common and lethal condition by any name. 2006 , 355, 308-10	67
541	Left ventricular diastolic dysfunction in diabetic patients: pathophysiology and therapeutic implications. 2006 , 6, 219-30	26
540	Reliability of bioelectrical impedance methods in detecting body fluids in elderly patients with congestive heart failure. 2006 , 66, 19-30	8
539	Trends in prevalence and outcome of heart failure with preserved ejection fraction. 2006 , 355, 251-9	2935
538	Outcome of heart failure with preserved ejection fraction in a population-based study. 2006 , 355, 260-9	1451
537	Management of global risk across the continuum of hypertensive heart disease. 2006 , 8, 21-30; quiz 39-40	2
536	[Validity of Framingham criteria as a clinical test for systolic heart failure]. 2006 , 206, 495-8	8
535	Left ventricular filling hemodynamics in patients with pulmonary edema and preserved versus reduced left ventricular ejection fraction: a prospective Doppler echocardiographic study. 2006 , 19, 733-43	15

534	Geriatric heart failure, depression, and nursing home admission: an observational study using propensity score analysis. 2006 , 14, 867-75	20
533	Use of ejection fraction tests and coronary angiography in patients with heart failure. 2006 , 81, 906-13	15
532	Renal Failure Is an Independent Predictor of Mortality in Hospitalized Heart Failure Patients and Is Associated With a Worse Cardiovascular Risk Profile. 2006 , 59, 99-108	
531	Functional Assessment of Elderly Patients Admitted for Heart Failure. 2006 , 59, 740-742	
530	La insuficiencia renal es un predictor independiente de la mortalidad en pacientes hospitalizados por insuficiencia cardíaca y se asocia con un peor perfil de riesgo cardiovascular. 2006 , 59, 99-108	25
529	Valoración funcional en pacientes ancianos ingresados por insuficiencia cardíaca. 2006 , 59, 740-742	17
528	Lack of inertia force of late systolic aortic flow is a cause of left ventricular isolated diastolic dysfunction in patients with coronary artery disease. 2006 , 48, 983-91	30
527	Evaluation and management of patients with heart failure and preserved left ventricular ejection fraction. 2006 , 12, e80-5	13
526	Changes in plasma N-terminal proBNP levels and ventricular filling pressures during intensive unloading therapy in elderly with decompensated congestive heart failure and preserved left ventricular systolic function. 2006 , 12, 608-15	23
525	Cystatin C, left ventricular hypertrophy, and diastolic dysfunction: data from the Heart and Soul Study. 2006 , 12, 601-7	64
524	Quality of life in patients with signs and symptoms of heart failure--does systolic function matter?. 2006 , 12, 677-83	15
523	Clinical significance of homocysteine in elderly hospitalized patients. 2006 , 55, 620-7	8
522	Outcomes in ambulatory chronic systolic and diastolic heart failure: a propensity score analysis. 2006 , 152, 956-66	57
521	Higher New York Heart Association classes and increased mortality and hospitalization in patients with heart failure and preserved left ventricular function. 2006 , 151, 444-50	128
520	The association of the heart failure score with mortality and heart failure hospitalizations in elderly patients: insights from the Mode Selection Trial (MOST). 2006 , 151, 699-705	11
519	Management of elderly patients with congestive heart failure--design of the Trial of Intensified versus standard Medical therapy in Elderly patients with Congestive Heart Failure (TIME-CHF). 2006 , 151, 949-55	86
518	Life expectancy of elderly and very elderly patients with chronic heart failure. 2006 , 151, 1322.e1-4	5
517	A history of heart failure predicts arrhythmia treatment efficacy: data from the Antiarrhythmics versus Implantable Defibrillators (AVID) study. 2006 , 152, 724-30	13

516	Increased plasminogen activator inhibitor type-1 (PAI-1) in the heart as a function of age. 2006 , 79, 1600-5	15
515	Assessment of left ventricular systolic function in patients with chronic atrial fibrillation and dilated cardiomyopathy using the ratio of preceding to prepreceding R-R intervals. 2006 , 108, 197-201	12
514	Neurohormonal activation and diagnostic value of cardiac peptides in patients with suspected mild heart failure. 2006 , 110, 324-33	9
513	Atrial fibrillation in patients hospitalized for congestive heart failure: the same prognostic influence independently of left ventricular systolic function?. 2006 , 110, 366-72	20
512	Chronic heart failure with preserved left ventricular ejection fraction: diagnostic and prognostic value of left atrial size. 2006 , 110, 386-92	52
511	The relationship between variables of 123-I-metaiodobenzylguanidine cardiac imaging and clinical status of the patients with diastolic heart failure. 2006 , 113, 223-8	18
510	Effect of losartan and amlodipine on left ventricular diastolic function in patients with mild-to-moderate hypertension (J-ELAN): rationale and design. 2006 , 70, 124-8	10
509	Managing heart failure in the very old. 2006 , 2, 253-275	
508	Diagnostic usefulness of B-type natriuretic peptide and functional consequences of muscle alterations in COPD and chronic heart failure. 2006 , 130, 1220-30	7
507	Contribution of reactive oxygen species to the pathogenesis of left ventricular failure in Dahl salt-sensitive hypertensive rats: effects of angiotensin II blockade. 2006 , 24, 1097-104	60
506	The DAVES (Disfunzione Asintomatica VEntricolare Sinistra) study by the Italian Society of Cardiovascular Echography: rationale and design. 2006 , 7, 457-63	5
505	Accuracy of tissue Doppler echocardiography in the diagnosis of new-onset congestive heart failure in patients with levels of B-type natriuretic peptide in the midrange and normal left ventricular ejection fraction. 2006 , 23, 627-34	17
504	Long-term survival in patients treated with cardiac resynchronization therapy: a 3-year follow-up study from the InSync/InSync ICD Italian Registry. 2006 , 29 Suppl 2, S2-10	30
503	Functional outcomes of elderly patients after the first hospital admission for decompensated heart failure (HF). A prospective study. 2006 , 43, 175-85	32
502	Frequency and determinants of early rapid filling abnormality. 2006 , 13, 531-43	1
501	Fatigue representations in women with heart failure. 2006 , 29, 452-64	14
500	The treatment of heart failure with preserved ejection fraction ("diastolic heart failure"). 2006 , 11, 141-6	25
499	[Differential diagnosis of dyspnea - significance of clinic aspects, imaging and biomarkers for the diagnosis of heart failure]. 2006 , 95 Suppl 4, 57-70; quiz 71	14

498	Prosthetic vascular graft infection: a risk factor analysis using a case-control study. 2006 , 53, 49-55	82
497	A novel prognostic index to determine the impact of cardiac conditions and co-morbidities on one-year outcome in patients with heart failure. 2006 , 98, 1076-82	44
496	Concepto y pronóstico de insuficiencia cardiaca con fracción de eyección normal. 2006 , 6, 9F-14F	
495	Tratamiento médico de la insuficiencia cardiaca por disfunción diastólica. 2006 , 6, 53F-58F	1
494	Optimal medical therapy for heart failure. 2006 , 48, 372-85	15
493	NT-proBNP levels, echocardiographic findings, and outcomes in breathless patients: results from the ProBNP Investigation of Dyspnoea in the Emergency Department (PRIDE) echocardiographic substudy. 2006 , 27, 839-45	110
492	Amino-terminal pro-brain natriuretic peptide: a biomarker for diagnosis, prognosis and management of heart failure. 2006 , 6, 649-62	4
491	Tei index and neurohormonal activation in patients with incident heart failure: serial changes and prognostic value. 2006 , 8, 599-608	25
490	Serum digoxin concentration and outcomes in women with heart failure: A bi-directional effect and a possible effect modification by ejection fraction. 2006 , 8, 409-19	24
489	Increased left atrial volume index is an independent predictor of raised serum natriuretic peptide in patients with suspected heart failure but normal left ventricular ejection fraction: Implication for diagnosis of diastolic heart failure. 2006 , 8, 38-45	81
488	Amino-terminal pro-B-type natriuretic peptide and B-type natriuretic peptide: biomarkers for mortality in a large community-based cohort free of heart failure. 2006 , 47, 874-80	132
487	Midregional pro-A-type natriuretic peptide measurements for diagnosis of acute destabilized heart failure in short-of-breath patients: comparison with B-type natriuretic peptide (BNP) and amino-terminal proBNP. 2006 , 52, 827-31	84
486	Nebivolol for heart failure in the elderly. 2007 , 5, 423-33	1
485	Characterization of health-related quality of life in heart failure patients with preserved versus low ejection fraction in CHARM. 2007 , 9, 83-91	138
484	Impact of heart failure and left ventricular function on long-term survival--report of a community-based cohort study in Taiwan. 2007 , 9, 587-93	23
483	Left atrial volume provides independent and incremental information compared with exercise tolerance parameters in patients with heart failure and left ventricular systolic dysfunction. 2007 , 93, 1420-5	43
482	Mode of death in patients with systolic heart failure. 2007 , 12, 127-36	3
481	Clinical profile of chronic heart failure in elderly women. 2002 , 11, 318-23	7

480	Heart failure in the "oldest old": clinical and echocardiographic insights. 2007 , 16, 236-42	5
479	Left ventricle diastolic function in the patients after coronary arteries bypass graft combined with left ventricle aneurismectomy according to tissue doppler imaging: one year follow-up. 2007 , 83, 320-4	2
478	Prevalence and prognostic implications of electrocardiographic left ventricular hypertrophy in heart failure: evidence from the CHARM programme. 2007 , 93, 59-64	46
477	Incidence, clinical characteristics and outcome of congestive heart failure as the initial presentation in patients with primary hyperthyroidism. 2007 , 93, 483-7	133
476	Characterization of left ventricular filling abnormalities and its relation to elevated plasma brain natriuretic peptide level in acute to chronic diastolic heart failure. 2007 , 71, 1412-7	13
475	Characterization of outpatients with systolic dysfunction in a Japanese community by total enumeration. 2007 , 71, 1004-12	6
474	Characterization of outpatients with isolated diastolic dysfunction and evaluation of the burden in a Japanese community: Sado Heart Failure Study. 2007 , 71, 1013-21	19
473	Rationale and design of a randomized trial to assess the effects of diuretics in heart failure: Japanese Multicenter Evaluation of Long- vs Short-Acting Diuretics in Congestive Heart Failure (J-MELODIC). 2007 , 71, 1137-40	11
472	Transient enhancement of oxidant stress and collagen turnover in patients with acute worsening of congestive heart failure. 2007 , 71, 1893-7	15
471	Characteristics of congestive heart failure accompanied by atrial fibrillation with special reference to tachycardia-induced cardiomyopathy. 2007 , 71, 936-40	50
470	Therapeutic effects of angiotensin II type 1 receptor blocker at an advanced stage of hypertensive diastolic heart failure. 2007 , 25, 455-61	32
469	Prevalence, predictors and prognostic value of acute impairment in renal function during intensive unloading therapy in a community population hospitalized for decompensated heart failure. 2007 , 8, 419-27	21
468	Safety and efficacy of carvedilol in very elderly diabetic patients with heart failure. 2007 , 8, 675-82	8
467	N-terminal probrain natriuretic peptide predicts altered circadian variation in essential hypertension. 2007 , 18, 347-52	3
466	Left ventricular diastolic dysfunction in elderly hypertensives: results of the APROS-diadys study. 2007 , 25, 2158-67	54
465	Translation of clinical trial results into practice: temporal patterns of beta-blocker utilization for heart failure at hospital discharge and during ambulatory follow-up. 2007 , 153, 515-22	24
464	Coronary endothelial dysfunction and hyperlipidemia are independently associated with diastolic dysfunction in humans. 2007 , 153, 1081-7	30
463	Statin therapy in heart failure: prognostic effects and potential mechanisms. 2007 , 154, 617-23	15

462	Secular trends of heart failure among US male physicians. 2007 , 154, 855-60	12
461	Heart failure mortality in Southeast Asian patients with left ventricular systolic dysfunction. 2007 , 13, 476-81	18
460	Diastolic heart failure and left ventricular diastolic dysfunction: what we know, and what we don't know!. 2007 , 115, 284-92	27
459	Treatment practices in heart failure with preserved left ventricular ejection fraction: a prospective observational study. 2007 , 118, 363-9	8
458	Congestive heart failure and cardiovascular death in patients with prediabetes and type 2 diabetes given thiazolidinediones: a meta-analysis of randomised clinical trials. 2007 , 370, 1129-36	547
457	Exercise therapy for elderly heart failure patients. 2007 , 23, 221-34	6
456	beta-Adrenoceptor antagonists in elderly patients with heart failure: a critical review of their efficacy and tolerability. 2007 , 24, 1031-44	12
455	Exercise therapy for elderly heart failure patients. 2007 , 3, 529-37	2
454	Diastolic heart failure in the elderly. 2007 , 3, 437-53	14
453	Diastolic heart failure in the elderly. 2007 , 23, 83-106	17
452	Applying hypertension guidelines to reduce the burden of heart failure. 2007 , 25, 507-22; v-vi	3
451	Congestive Heart Failure in the Elderly. 2007 , 1, 143-152	4
450	Cardiovascular features of heart failure with preserved ejection fraction versus nonfailing hypertensive left ventricular hypertrophy in the urban Baltimore community: the role of atrial remodeling/dysfunction. 2007 , 49, 198-207	365
449	Impact of atrial fibrillation in heart failure with normal ejection fraction: a clinical and echocardiographic study. 2007 , 13, 649-55	59
448	Hypertensive Heart Disease. 2007 , 621-631	2
447	Bisoprolol inhibits sodium current in ventricular myocytes of rats with diastolic heart failure. 2007 , 34, 714-9	1
446	Incidence and predictors of sudden cardiac death in patients with diastolic heart failure. 2007 , 18, 1231-5	28
445	Age- and sex-related differences in the tissue Doppler imaging parameters of left ventricular diastolic dysfunction. 2007 , 24, 567-71	11

444	Diabetes mellitus and heart failure: epidemiology, mechanisms, and pharmacotherapy. 2007 , 99, 113B-132B	89
443	Contribution of systolic and diastolic abnormalities to heart failure with a normal and a reduced ejection fraction. 2007 , 49, 229-40	58
442	Novel NOTCH1 mutations in patients with bicuspid aortic valve disease and thoracic aortic aneurysms. 2007 , 134, 290-6	203
441	Left ventricular geometry and renal function in hypertensive patients with diastolic heart failure. 2007 , 49, 227-36	17
440	Prevalence and management of chronotropic incompetence in heart failure. 2007 , 9, 229-35	39
439	Diastolic dysfunction and atrial fibrillation. 2008 , 22, 111-8	33
438	Differentiation of left ventricular diastolic function by mid-diastolic mitral annular motion patterns. 2008 , 34, 753-9	
437	Systolic function as a predictor of mortality and quality of life in long-term survivors with heart failure. 2008 , 31, 119-24	12
436	New-onset heart failure after permanent right ventricular apical pacing in patients with acquired high-grade atrioventricular block and normal left ventricular function. 2008 , 19, 136-41	190
435	COPD and co-morbidities, with special emphasis on cardiovascular conditions. 2008 , 2 Suppl 1, 59-63	13
434	Heart failure incidence and survival (from the Atherosclerosis Risk in Communities study). 2008 , 101, 1016-22	474
433	AT2 receptors: functional relevance in cardiovascular disease. 2008 , 120, 292-316	195
432	Elevation of the ratio of transmitral E velocity to early diastolic mitral annular velocity continues even after recovery from acute stage in patients with diastolic heart failure. 2008 , 52, 254-60	7
431	Heart Failure. 2008 , 281-289	
430	In-hospital mortality and prognostic factors in patients admitted for new-onset heart failure with preserved or reduced ejection fraction: a prospective observational study. 2008 , 101, 226-34	10
429	Unlocking the mysteries of diastolic function: deciphering the Rosetta Stone 10 years later. 2008 , 51, 679-89	275
428	Treatment of heart failure with preserved systolic function. 2008 , 101, 361-72	6
427	Diastolic Heart Failure. 2008 ,	3

426	Diastolic heart failure. 2008 , 37, 405-16	26
425	Chronic obstructive pulmonary disease in heart failure. Prevalence, therapeutic and prognostic implications. 2008 , 155, 521-5	78
424	Noninvasively determined radial dP/dt is a predictor of mortality in patients with heart failure. 2008 , 155, 758-63	15
423	Why and when do patients with heart failure and normal left ventricular ejection fraction die? Analysis of >600 deaths in a community long-term study. 2008 , 156, 1184-90	39
422	Physician attitudes toward end-stage heart failure: a national survey. 2008 , 121, 127-35	80
421	Factors contributing to global cognitive impairment in heart failure: results from a population-based cohort. 2008 , 14, 290-5	48
420	Decreasing body temperature predicts early rehospitalization in congestive heart failure. 2008 , 14, 489-96	16
419	The metabolic syndrome and mortality in an ethnically diverse heart failure population. 2008 , 14, 590-5	12
418	Preserved systolic ventricular function heart failure patients referred to a division of internal medicine. 2008 , 19, 511-5	1
417	Impedance cardiography: a rapid and cost-effective screening tool for cardiac disease. 2008 , 19, 399-405	41
416	Observational studies of statins in heart failure with preserved systolic function. 2008 , 4, 209-16	15
415	Role of neurohormonal modulators in heart failure with relatively preserved systolic function. 2008 , 26, 23-40, vi	8
414	Myocardial radial strain in early diastole is useful for assessing left ventricular early diastolic function: comparison with invasive parameters. 2008 , 21, 446-51	18
413	Assessment of Left Atrial Size and Function. 2008 , 163-170	
412	Invasive Physiology: Clinical Cardiovascular Pathophysiology and Diastolic Dysfunction. 2008 , 73-91	
411	General Principles, Clinical Definition, and Epidemiology. 2008 , 63-72	1
410	Effects of cardiac energy efficiency in diastolic heart failure: assessment with positron emission tomography with ¹¹ C-acetate. 2008 , 31, 1157-62	9
409	Eclipsed mitral regurgitation: a new form of functional mitral regurgitation for an unusual cause of heart failure with normal ejection fraction. 2008 , 110, 29-34	13

408	Prognosis of heart failure with preserved ejection fraction: a 5 year prospective population-based study. 2008 , 29, 339-47		289
407	Prognostic impact of diabetes mellitus in patients with heart failure and preserved ejection fraction: a prospective five-year study. 2008 , 94, 1450-5		44
406	Long-term survival in patients older than 80 years hospitalised for heart failure. A 5-year prospective study. 2008 , 10, 78-84		63
405	Effect of atrial fibrillation on long-term survival in patients hospitalised for heart failure with preserved ejection fraction. 2008 , 10, 566-72		36
404	Heart failure with preserved and reduced left ventricular ejection fraction in the antihypertensive and lipid-lowering treatment to prevent heart attack trial. <i>Circulation</i> , 2008 , 118, 2259-67	16.7	152
403	Religiousness and Treatment Adherence in Congestive Heart Failure Patients. 2008 , 20, 249-266		20
402	Difference of clinical characteristics between hypertensive patients with and without diastolic heart failure: the roles of diastolic dysfunction and renal insufficiency. 2008 , 31, 1865-72		15
401	[Primary diagnosis of heart failure in ambulatory and hospitalized patients]. 2008 , 133, 636-41		
400	Sex differences in response to chronic heart failure therapies. 2008 , 6, 555-65		15
399	Why should palliative care clinicians learn about heart failure?. 2008 , 16, 215-219		
398	Clinical characteristics and outcome of hospitalized patients with congestive heart failure: results of the HIJC-HF registry. 2008 , 72, 2015-20		48
397	Assessment of left ventricular dyssynchrony during development of heart failure by a novel program using ECG-gated myocardial perfusion SPECT. 2008 , 72, 370-7		15
396	Cardiovascular disease and global health equity: lessons from tuberculosis control then and now. 2008 , 98, 44-54		10
395	Prognostic factors and predictors of in-hospital mortality of patients with heart failure with preserved left ventricular ejection fraction. 2008 , 9, 1011-5		5
394	Diastolic dysfunction: a link between hypertension and heart failure. 2008 , 44, 503-13		40
393	Comparative analysis of systolic and isolated diastolic dysfunction: Sado heart failure study. 2008 , 49, 459-69		8
392	Echo-Based Approach to the Management of Diastolic Heart Failure. 2008 , 429-434		
391	Management of end-stage heart failure: a perspective on the Arab Gulf states. 2009 , 29, 460-6		4

390	Blunted frequency-dependent upregulation of cardiac output is related to impaired relaxation in diastolic heart failure. 2009 , 30, 3027-36	74
389	The prognostic significance of heart failure with preserved left ventricular ejection fraction: a literature-based meta-analysis. 2009 , 11, 855-62	99
388	Heart failure and chronic obstructive pulmonary disease: diagnostic pitfalls and epidemiology. 2009 , 11, 130-9	324
387	Exercise training in older patients with systolic heart failure: adherence, exercise capacity, inflammation and glycemic control. 2009 , 43, 249-55	9
386	Relation between modifiable lifestyle factors and lifetime risk of heart failure. 2009 , 302, 394-400	280
385	Left ventricular geometry, risk factors, and outcomes of hospitalized patients with diastolic heart failure in Japan. 2009 , 54, 101-7	5
384	Characterisation of heart failure with normal ejection fraction in a tertiary hospital in Nigeria. 2009 , 9, 52	7
383	Understanding heart failure with preserved ejection fraction: clinical importance and future outlook. 2009 , 15, 186-92	5
382	Correlation of Normal Diastolic Cardiac Function With VO in the Metabolic Syndrome. 2009 , 12, 163-8	3
381	Effect of aldosterone antagonism on exercise tolerance, Doppler diastolic function, and quality of life in older women with diastolic heart failure. 2009 , 15, 68-74	25
380	Relation of body mass index to mortality after development of heart failure due to acute coronary syndrome. 2009 , 103, 1736-40	16
379	Value of orthopnea, paroxysmal nocturnal dyspnea, and medications in prospective population studies of incident heart failure. 2009 , 104, 259-64	21
378	Long-term administration of nifedipine attenuates cardiac remodeling and diastolic heart failure in hypertensive rats. 2009 , 615, 163-70	30
377	MR elastography as a method for the assessment of myocardial stiffness: comparison with an established pressure-volume model in a left ventricular model of the heart. 2009 , 62, 135-40	66
376	Diastolic dysfunction in exercise and its role for exercise capacity. 2009 , 14, 125-34	24
375	Quantitative assessment of regional systolic and diastolic functions and temporal heterogeneity of myocardial contraction in patients with myocardial infarction using cine magnetic resonance imaging and Fourier fitting. 2009 , 27, 1440-6	5
374	Prediction clinical profile to distinguish between systolic and diastolic heart failure in hospitalized patients. 2009 , 20, 313-8	2
373	Prolonged electrical muscle stimulation exercise improves strength, peak VO ₂ , and exercise capacity in patients with stable chronic heart failure. 2009 , 15, 319-26	59

372	A new monitoring method for the estimation of body fluid status by digital weight scale incorporating bioelectrical impedance analyzer in definite heart failure patients. 2009 , 15, 410-8	24
371	Analytical and clinical evaluation of a novel high-sensitivity assay for measurement of soluble ST2 in human plasma--the Presage ST2 assay. 2009 , 409, 33-40	186
370	Blood dendritic cell levels and phenotypic characteristics in relation to etiology of end-stage heart failure: implications for dilated cardiomyopathy. 2009 , 131, 246-56	10
369	Diastolic heart failure in the elderly: in-hospital and long-term outcome after the first episode. 2009 , 134, 265-70	14
368	Clinical features and prognosis of heart failure in women. A 5-year prospective study. 2009 , 133, 327-35	11
367	The comparative effectiveness of heart disease prevention and treatment strategies. 2009 , 36, 82-88	43
366	Considerations in caring for the critically ill older patient. 2009 , 24, 83-95	66
365	Vascular disease as a predictor of long-term mortality in patients hospitalized for new-onset heart failure. 2009 , 102, 11-8	1
364	Insuficiencia cardíaca con función sistólica preservada: pronóstico. 2009 , 209, 30-35	
363	Prevalenza, caratteristiche e trattamento dello scompenso cardiaco diastolico in una coorte di pazienti ospedalizzati: lo studio PRESYP-HF Toscana. 2009 , 3, 154-162	
362	Sex, race and ethnicity: providing quality care for elderly patients hospitalized with heart failure. 2009 , 5, 171-176	3
361	Mortality in diastolic heart failure: an update. 2009 , 17, 51-5	11
360	Resynchronization/defibrillation for ambulatory heart failure trial: rationale and trial design. 2009 , 24, 1-8	32
359	1. New Developments of Pathophysiology, Diagnosis and Treatment of Chronic Heart Failure. 2009 , 98, 2086-2100	
358	Outcome of heart failure with preserved ejection fraction: a multicentre spanish registry. 2009 , 5, 334-42	6
357	Novel strategies for the detection of systolic and diastolic heart failure. 2009 , 5, 112-8	2
356	Ca(2+) channel blocker benidipine promotes coronary angiogenesis and reduces both left-ventricular diastolic stiffness and mortality in hypertensive rats. 2010 , 28, 1515-26	14
355	Prevalence of cardiac diastolic dysfunction in HIV-infected patients: results of the HIV-HEART study. 2010 , 11, 156-62	40

354	Coexisting chronic obstructive pulmonary disease and heart failure: implications for treatment, course and mortality. 2010 , 16, 106-11	35
353	Alterations in left ventricular untwisting with ageing. 2010 , 74, 101-8	31
352	Afterload assessment with or without central venous pressure: a preliminary clinical comparison. 2010 , 10, 246-52	8
351	Mismatch between arterial stiffness increase and left ventricular diastolic dysfunction. 2010 , 25, 485-92	7
350	Sympathoinhibitory effect of statins in chronic heart failure. 2010 , 20, 73-8	19
349	Gender differences of pulsed and tissue Doppler indexes of left ventricular diastolic function in healthy subjects. 2010 , 8, 40-4	2
348	Assessment of left ventricular diastolic function by MR: why, how and when. 2010 , 1, 183-192	9
347	Heart failure with preserved versus reduced left ventricular systolic function: a prospective cohort of Shinken Database 2004-2005. 2010 , 55, 108-16	17
346	Phone Triage for the Heart Failure Patient. 2010 , 6, 794-798	
345	Perioperative outcome and long-term mortality for heart failure patients undergoing intermediate- and high-risk noncardiac surgery: impact of left ventricular ejection fraction. 2010 , 16, 45-9	68
344	The heart failure epidemic. 2010 , 7, 1807-30	68
343	Age disparities in heart failure research. 2010 , 304, 1950-1	44
342	Exercise and weight loss improve exercise capacity independent of cardiac function in metabolic syndrome. 2010 , 61, 192-7	10
341	Syndrome cardiorenal. 2010 , 21, 602-612	
340	Exercise training in older patients with heart failure and preserved ejection fraction: a randomized, controlled, single-blind trial. 2010 , 3, 659-67	256
339	A randomized double-blind trial of enalapril in older patients with heart failure and preserved ejection fraction: effects on exercise tolerance and arterial distensibility. 2010 , 3, 477-85	103
338	The prognostic value of N-terminal pro-B-type natriuretic peptide for death and cardiovascular events in healthy normal and stage A/B heart failure subjects. 2010 , 55, 2140-7	91
337	Long-term outcome after a first episode of heart failure. A prospective 7-year study. 2010 , 140, 309-14	27

336	Liver stiffness is directly influenced by central venous pressure. 2010 , 52, 206-10	394
335	The restoration of chronotropic competence in heart failure patients with normal ejection fraction (RESET) study: rationale and design. 2010 , 16, 17-24	36
334	Section 11: Evaluation and Management of Patients with Heart Failure and Preserved Left Ventricular Ejection Fraction. 2010 , 16, e126-e133	3
333	Diastolic dysfunction: improved understanding using emerging imaging techniques. 2010 , 160, 394-404	54
332	[Mortality prognosis factors in heart failure in a cohort of North-West Spain. EPICOUR study]. 2010 , 210, 438-47	10
331	Decreased left ventricular distensibility in response to postural change in older patients with heart failure and preserved ejection fraction. 2010 , 299, H883-9	20
330	Vascular tone and the genomics of hypertension. 2010 , 6, 45-53	7
329	Quality of care in congestive heart failure in the elderly: epidemiological evidence of a gap between guidelines and clinical practice. 2010 , 22, 243-8	5
328	The incremental prognostic value of echocardiography in asymptomatic stage a heart failure. 2010 , 23, 1025-34	27
327	Alpha-receptor blockade improves muscle perfusion and glucose uptake in heart failure. 2010 , 12, 1061-6	8
326	Echocardiographic indices of diastolic function relate to functional capacity and quality of life in ambulatory men with atrial fibrillation. 2011 , 24, 533-540.e3	8
325	Predictive utility of atrial, N-terminal pro-atrial, and N-terminal pro-B-type natriuretic peptides for mortality and cardiovascular events in the general community: a 9-year follow-up study. 2011 , 86, 1154-60	47
324	Determinants of exercise intolerance in elderly heart failure patients with preserved ejection fraction. 2011 , 58, 265-74	263
323	The early intertwining of the heart and the kidney through an impaired natriuretic response to acute volume expansion. 2011 , 58, 2104-5	6
322	Impaired natriuretic and renal endocrine response to acute volume expansion in pre-clinical systolic and diastolic dysfunction. 2011 , 58, 2095-103	49
321	ABC de la insuficiencia cardiaca. 2011 , 12, 42-49	
320	Clinical characteristics and major comorbidities in heart failure patients more than 85 years of age compared with younger age groups. 2011 , 13, 1216-23	82
319	Heart failure with preserved ejection fraction: pathophysiology, diagnosis, and treatment. 2011 , 32, 670-9	715

318	Low systolic blood pressure at admission predicts long-term mortality in heart failure with preserved ejection fraction. 2011 , 17, 907-15	27
317	Mortality rates and modes of death in heart failure patients with reduced versus preserved systolic function. 2011 , 22, 53-6	17
316	Decreased intralymphocytic magnesium content is associated with diastolic heart dysfunction in patients with essential hypertension. 2011 , 147, 331-4	3
315	Red meat consumption and risk of heart failure in male physicians. 2011 , 21, 941-6	38
314	Cardiovascular drug therapy in the elderly: benefits and challenges. 2011 , 8, 13-28	109
313	Primary prevention of diastolic dysfunction in the normal heart: the "eyes wide shut" on a statin pleiotropic effect?. 2011 , 216, 272-4	
312	The Prognosis of Heart Failure. 2011 , 501-510	1
311	The causes, consequences, and treatment of left or right heart failure. 2011 , 7, 237-54	24
310	Recent trends in the characteristics and prognosis of patients hospitalized with acute heart failure. 2011 , 3, 295-303	8
309	Isosorbide dinitrate bolus for heart failure in elderly emergency patients: a retrospective study. 2011 , 18, 272-5	10
308	WITHDRAWN: Early impairment of systolic function in patients with systemic hypertension: An echocardiographic study of myocardial deformation. 2011 ,	
307	High dose ascorbic acid does not reverse central sympathetic overactivity in chronic heart failure. 2011 , 36, 546-52	4
306	Pharmacotherapy of heart failure with normal ejection fraction (HFNEF)--a systematic review. 2011 , 72, 369-80	5
305	Cumulative impact of cardiovascular risk factors on regional left ventricular function and reserve: progressive long-axis dysfunction with compensatory radial changes. 2011 , 28, 813-20	14
304	Prevalence of heart failure with preserved ejection fraction in Latin American, Middle Eastern, and North African Regions in the I PREFER study (Identification of Patients With Heart Failure and PREserved Systolic Function: an epidemiological regional study). 2011 , 108, 1289-96	42
303	Diastolic stress echocardiography in Japanese elderly patients: prevalence and features of patients with elevated left ventricular filling pressure after treadmill stress. 2011 , 9, 17-23	7
302	Change in comorbidity prevalence with advancing age among persons with heart failure. 2011 , 26, 1145-51	56
301	Increased serum N-terminal pro-B-type natriuretic peptide levels in patients with medial arterial calcification and poorly compressible leg arteries. 2011 , 31, 197-202	19

- 300 Body mass index and adverse cardiovascular outcomes in heart failure patients with preserved ejection fraction: results from the Irbesartan in Heart Failure with Preserved Ejection Fraction (I-PRESERVE) trial. **2011**, 4, 324-31 168
- 299 Chronotropic incompetence: causes, consequences, and management. *Circulation*, **2011**, 123, 1010-20 16.7 365
- 298 Diastolic and systolic heart failure are distinct phenotypes within the heart failure spectrum. *Circulation*, **2011**, 123, 2006-13; discussion 2014 16.7 272
- 297 Left ventricular apical akinetic aneurysmatic area associated with permanent right ventricular apical pacing for advanced atrioventricular block: clinical characteristics and long-term outcome. **2011**, 13, 514-9 2
- 296 Visit-to-visit variability in blood pressure over a 1-year period is a marker of left ventricular diastolic dysfunction in treated hypertensive patients. **2011**, 34, 846-50 46
- 295 Reduced bone mineral density in hypertensive patients is associated with left ventricular diastolic dysfunction, not left ventricular hypertrophy. **2012**, 34, 176-81 5
- 294 Repetitive hyperthermia attenuates progression of left ventricular hypertrophy and increases telomerase activity in hypertensive rats. **2012**, 302, H2092-101 11
- 293 Adjuvant trastuzumab cardiotoxicity in patients over 60 years of age with early breast cancer: a multicenter cohort analysis. **2012**, 23, 3058-3063 47
- 292 An update on diastolic dysfunction. **2012**, 20, 230-6 14
- 291 Screening to prevent heart failure (STOP-HF): expanding the focus beyond asymptomatic left ventricular systolic dysfunction. **2012**, 14, 480-6 13
- 290 Prevalence and prognosis of heart failure with preserved ejection fraction and elevated N-terminal pro brain natriuretic peptide: a 10-year analysis from the Copenhagen Hospital Heart Failure Study. **2012**, 14, 240-7 30
- 289 Epidemiology and diagnosis of heart failure with preserved left ventricular ejection fraction: rationale and design of the study. **2012**, 14, 106-12 14
- 288 Administration of angiotensin-converting enzyme inhibitors and β -blockers during adjuvant trastuzumab chemotherapy for nonmetastatic breast cancer: marker of risk or cardioprotection in the real world?. **2012**, 17, 917-24 40
- 287 Data resource profile: the Rochester Epidemiology Project (REP) medical records-linkage system. **2012**, 41, 1614-24 421
- 286 L-Carnitine prevents the development of ventricular fibrosis and heart failure with preserved ejection fraction in hypertensive heart disease. **2012**, 30, 1834-44 42
- 285 Strategies to screen for stage B as a heart failure prevention intervention. **2012**, 8, 285-96 3
- 284 Prevalence and outcome of Middle-eastern Arab and South Asian patients hospitalized with heart failure: insight from a 20-year registry in a Middle-eastern country (1991-2010). **2012**, 14, 81-9 15
- 283 Acute heart failure registry from high-volume university hospital ED: comparing European and US data. **2012**, 30, 695-705 12

282	Trastuzumab adjuvant chemotherapy and cardiotoxicity in real-world women with breast cancer. 2012 , 18, 113-9	78
281	Echocardiographic assessment of the right ventricle and associated hemodynamics. 2012 , 55, 144-60	29
280	Usefulness of tissue Doppler echocardiography to predict perioperative cardiac events in patients undergoing noncardiac surgery. 2012 , 27, 594-602	14
279	Adiposity and incident heart failure in older adults: the cardiovascular health study. 2012 , 20, 1936-41	19
278	Left atrial function predicts heart failure hospitalization in subjects with preserved ejection fraction and coronary heart disease: longitudinal data from the Heart and Soul Study. 2012 , 59, 673-80	94
277	Representation of older adults in the late-breaking clinical trials American Heart Association 2011 Scientific Sessions. 2012 , 60, 869-71	8
276	Human hypertension is characterized by a lack of activation of the antihypertensive cardiac hormones ANP and BNP. 2012 , 60, 1558-65	65
275	Role of renal function on the development of cardiotoxicity associated with trastuzumab-based adjuvant chemotherapy for early breast cancer. 2012 , 7, 439-46	38
274	Atrial fibrillation in heart failure. 2012 , 9, 309-18	7
273	Comparing new onset heart failure with reduced ejection fraction and new onset heart failure with preserved ejection fraction: an epidemiologic perspective. 2012 , 9, 363-8	26
272	Lifestyle Modification with Diet and Exercise in Obese Patients with Heart Failure - A Pilot Study. 2012 , 2, 1-8	17
271	Diastolic stress test for the evaluation of exertional dyspnea. 2012 , 14, 359-65	9
270	Cardiac Adrenergic receptor density and myocardial systolic function in the remote noninfarcted region after prior myocardial infarction with left ventricular remodelling. 2012 , 39, 1246-53	20
269	Atrial fibrillation and hyperthyroidism: relation between transoesophageal markers of a thrombogenic milieu and clinical risk factors for thromboembolism. 2012 , 76, 448-53	5
268	Analysis of circumferential and longitudinal left ventricular systolic function in patients with non-ischemic chronic heart failure and preserved ejection fraction (from the CARRY-IN-HFpEF study). 2012 , 109, 383-9	29
267	Diastolic dysfunction and heart failure with a preserved ejection fraction: Relevance in critical illness and anaesthesia. 2012 , 24, 99-121	7
266	Relationship between exercise induced dyspnea and functional capacity with doppler-derived diastolic function'. 2013 , 6, 150	3
265	Clinical significance of lung iodine-123 metaiodobenzylguanidine uptake assessment in Parkinson's and heart diseases. 2013 , 27, 737-47	3

264	The Genetics of Cardiac Electrophysiology in Humans. 2013 , 1-62	
263	Incremental prognostic value of diastolic dysfunction in low risk patients undergoing echocardiography: beyond Framingham score. 2013 , 29, 1441-50	10
262	Heart Failure with Normal Left Ventricular Ejection Fraction: Basic Principles and Clinical Diagnostics. 2013 , 25-61	1
261	Risk of death in long-term follow-up of patients with apical hypertrophic cardiomyopathy. 2013 , 111, 1784-91	78
260	Molecular imaging in heart failure patients. 2013 , 1, 341-351	8
259	Heart failure in very old adults. 2013 , 10, 387-400	21
258	A simple validated clinical tool to predict the absence of coronary artery disease in patients with systolic heart failure of unclear etiology. 2013 , 112, 1165-70	10
257	Classification tree for risk assessment in patients suffering from congestive heart failure via long-term heart rate variability. 2013 , 17, 727-33	102
256	[The appropriate use of pharmacological treatment in patients with chronic heart failure. A perspective from Primary Care]. 2013 , 39, 183-90	1
255	Predicting heart failure outcome from cardiac and comorbid conditions: the 3C-HF score. 2013 , 163, 206-11	85
254	Doctors, patients and the racial mortality gap. 2013 , 32, 895-908	18
253	Clinical characteristics and long-term clinical outcomes of Japanese heart failure patients with preserved versus reduced left ventricular ejection fraction: a prospective cohort of Shinken Database 2004-2011. 2013 , 62, 102-9	30
252	Identifying a high stroke risk subgroup in individuals with heart failure. 2013 , 22, 620-6	19
251	Left ventricular diastolic function and long-term outcomes in patients with normal exercise echocardiographic findings. 2013 , 112, 200-7	17
250	Association between adiponectin and heart failure risk in the physicians' health study. 2013 , 21, 831-4	20
249	Incidence and epidemiology of new onset heart failure with preserved vs. reduced ejection fraction in a community-based cohort: 11-year follow-up of PREVENT. 2013 , 34, 1424-31	318
248	Epidemiology of heart failure. 2013 , 113, 646-59	1027
247	Cardiac rehabilitation outcomes: modifiable risk factors. 2013 , 22, 200-7	11

246	Heart failure with a normal left ventricular ejection fraction: epidemiology, pathophysiology, diagnosis and management. 2013 , 346, 129-36		21
245	Temporal relationship and prognostic significance of atrial fibrillation in heart failure patients with preserved ejection fraction: a community-based study. <i>Circulation</i> , 2013 , 128, 1085-93	16.7	202
244	Effect of ivabradine on endothelial function in diastolic and right heart failure patients. 2013 , 2013, 603913		2
243	Non-invasive method for rapid bedside estimation of inotropy: theory and preliminary clinical validation. 2013 , 111, 580-8		24
242	Assessment of adjuvant trastuzumab-associated cardiac toxicity in korean patients with breast cancer: a single-center analysis. 2013 , 85, 228-34		3
241	Improved survival in patients with chronic mild/moderate systolic heart failure followed up in a specialist clinic. 2013 , 14, 57-65		1
240	Relation of Inappropriate Left Ventricular Hypertrophy on Framingham Risk Score and Vascular Stiffness in Hypertensive Women. 2013 , 19, 81		1
239	Low diastolic wall strain is associated with raised post-exercise E/E' ratio in elderly patients without obvious myocardial ischemia. 2014 , 12, 106-11		9
238	Role of hypertension on new onset congestive heart failure in patients receiving trastuzumab therapy for breast cancer. 2014 , 15, 141-6		21
237	Heart failure in Africa: continuity or change?. 2014 , 100, 1223-4		4
236	Left atrial function predicts heart failure events in patients with newly diagnosed left ventricular systolic heart failure during short-term follow-up. 2014 , 65, 817-23		3
235	Arrhythmias and heart failure. 2014 , 32, 125-33, ix		12
234	Examining patients' trust in physicians and the VA healthcare system in a prospective cohort followed for six-months after an exacerbation of heart failure. 2014 , 97, 173-9		18
233	Left ventricular dyssynchrony in patients with heart failure and preserved ejection fraction. 2014 , 35, 42-7		48
232	Obesity and natriuretic peptides, BNP and NT-proBNP: mechanisms and diagnostic implications for heart failure. 2014 , 176, 611-7		153
231	New strategies for heart failure with preserved ejection fraction: the importance of targeted therapies for heart failure phenotypes. 2014 , 35, 2797-815		231
230	High-sensitivity troponin I and amino-terminal pro-B-type natriuretic peptide predict heart failure and mortality in the general population. 2014 , 60, 1225-33		30
229	Epidemiology of heart failure with preserved ejection fraction. 2014 , 11, 354-65		70

228	Baseline characteristics of patients with heart failure and preserved ejection fraction included in the Karolinska Rennes (KaRen) study. 2014 , 107, 112-21	34
227	Noncardiovascular death, especially infection, is a significant cause of death in elderly patients with acutely decompensated heart failure. 2014 , 20, 174-80	12
226	In-hospital and 1-year outcomes of acute heart failure patients according to presentation (de novo vs. worsening) and ejection fraction. Results from IN-HF Outcome Registry. 2014 , 173, 163-9	76
225	Outcomes in World Health Organization group II pulmonary hypertension: mortality and readmission trends with systolic and preserved ejection fraction-induced pulmonary hypertension. 2014 , 20, 467-75	27
224	Chronic obstructive airway disease among patients hospitalized with acute heart failure; clinical characteristics, precipitating factors, management and outcome: Observational report from the Middle East. 2015 , 17, 55-66	2
223	Right ventricular systolic dysfunction and its prognostic value in heart failure with preserved ejection fraction. 2015 , 70, 387-93	11
222	Effect of Levosimendan on Diastolic Function in Patients Undergoing Coronary Artery Bypass Grafting: A Comparative Study. 2015 , 66, 141-7	15
221	Outcomes of heart failure with preserved ejection fraction in a Southeast Asian cohort. 2015 , 16, 583-90	5
220	Heart failure with preserved ejection fraction: refocusing on diastole. 2015 , 179, 430-40	73
219	Role of electrocardiography and echocardiography in prevention and predicting outcome of subjects at increased risk of heart failure. 2015 , 22, 249-62	10
218	Prognostic scores in heart failure - Critical appraisal and practical use. 2015 , 188, 1-9	33
217	Association of the biomarkers soluble ST2, galectin-3 and growth-differentiation factor-15 with heart failure and other non-cardiac diseases. 2015 , 445, 155-60	80
216	Ablation of atrial arrhythmias in heart failure. 2015 , 11, 305-17	3
215	Characteristics of Left Atrial Deformation Parameters and Their Prognostic Impact in Patients with Pathological Left Ventricular Hypertrophy: Analysis by Speckle Tracking Echocardiography. 2015 , 32, 1821-30	17
214	Heart Failure in Non-Caucasians, Women, and Older Adults: A White Paper on Special Populations From the Heart Failure Society of America Guideline Committee. 2015 , 21, 674-93	28
213	Early Administration of Carvedilol Protected against Doxorubicin-Induced Cardiomyopathy. 2015 , 355, 516-27	31
212	Determinants of Left Ventricular Systolic Function Improvement Following Coronary Artery Revascularization in Heart Failure Patients With Reduced Ejection Fraction (HFrEF). 2016 , 57, 565-72	13
211	Prevalence and Risk Factors of Heart Failure with Preserved Ejection Fraction: A Population-Based Study in Northeast China. 2016 , 13,	14

210	Current and projected burden of heart failure in the Australian adult population: a substantive but still ill-defined major health issue. 2016 , 16, 501	31
209	A Novel and Effective Method for Congestive Heart Failure Detection and Quantification Using Dynamic Heart Rate Variability Measurement. 2016 , 11, e0165304	33
208	Prevalence, Incidence and Lifetime Risk of Heart Failure. 2016 , 3-13	0
207	Ambulatory Blood Pressure Parameters and Heart Failure With Reduced or Preserved Ejection Fraction in Elderly Treated Hypertensive Patients. 2016 , 29, 1001-7	11
206	Nonagenarians presenting to the diagnostic heart failure clinic. 2016 , 7, 28-33	1
205	Subclinical hypothyroidism is an independent predictor of adverse cardiovascular outcomes in patients with acute decompensated heart failure. 2016 , 3, 168-176	35
204	Relation Between Echocardiogram-Based Cardiac Parameters and Outcome in Heart Failure With Preserved and Reduced Ejection Fraction. 2016 , 118, 1356-1362	15
203	Diagnostic and prognostic accuracy of galectin-3 and soluble ST2 for acute heart failure. 2016 , 463, 158-164	26
202	The clinical use of stress echocardiography in non-ischaemic heart disease: recommendations from the European Association of Cardiovascular Imaging and the American Society of Echocardiography. 2016 , 17, 1191-1229	169
201	Chronic Heart Failure Clinical Practice Guidelines' Class 1-A Pharmacologic Recommendations: Start-to-End Synergistic Drug Therapy?. 2016 , 24, 4	3
200	Medical Practice Variations in Heart Failure. 2016 , 231-257	1
199	Clinical Characteristics, Management, and Outcomes of Hospitalized Heart Failure in a Chinese Population-The Hong Kong Heart Failure Registry. 2016 , 22, 600-8	23
198	Clinical Phenotypes in Heart Failure With Preserved Ejection Fraction. 2016 , 5,	54
197	Prevalence and Prognostic Impact of Metabolic Syndrome in Asymptomatic (Stage A and B Heart Failure) Patients. 2016 , 14, 187-94	5
196	Impact of Obstructive Sleep Apnoea on Heart Failure with Preserved Ejection Fraction. 2016 , 25, 435-41	11
195	Heart failure with preserved ejection fraction has a better long-term prognosis than heart failure with reduced ejection fraction in old patients in a 5-year follow-up retrospective study. 2017 , 232, 86-92	13
194	Risk of Heart Failure With Preserved Ejection Fraction in Older Women After Contemporary Radiotherapy for Breast Cancer. <i>Circulation</i> , 2017 , 135, 1388-1396	16.7 114
193	The Clinical Use of Stress Echocardiography in Non-Ischaemic Heart Disease: Recommendations from the European Association of Cardiovascular Imaging and the American Society of Echocardiography. 2017 , 30, 101-138	118

192	Association between reduced arterial stiffness and preserved diastolic function of the left ventricle in middle-aged and elderly patients. 2017 , 19, 620-626	9
191	Genetic Variation in Kruppel like Factor 15 Is Associated with Left Ventricular Hypertrophy in Patients with Type 2 Diabetes: Discovery and Replication Cohorts. 2017 , 18, 171-178	11
190	Epidemiology of heart failure with preserved ejection fraction. 2017 , 14, 591-602	459
189	Incident Cardiovascular Disease Among Adults With Blood Pressure . <i>Circulation</i> , 2017 , 136, 798-812	16.7 39
188	Comparison of Predictors of Heart Failure With Preserved Versus Reduced Ejection Fraction in a Multiracial Cohort of Preclinical Left Ventricular Diastolic Dysfunction. 2017 , 119, 1815-1820	19
187	Clinical characteristics and prognosis of patients admitted for heart failure: A 5-year retrospective study of African patients. 2017 , 238, 128-135	17
186	Association of New York Heart Association functional class IV symptoms at admission and clinical features with outcomes in patients hospitalized for acute heart failure syndromes. 2017 , 230, 585-591	4
185	Universal Coverage for Heart Failure Diagnosis and Treatment: Looking from Sub-Saharan Africa to Central Australia. 2017 , 23, 743-745	0
184	Relationship between skeletal muscle mass and cardiac function during exercise in community-dwelling older adults. 2017 , 4, 409-416	17
183	Evolution of a Geriatric Syndrome: Pathophysiology and Treatment of Heart Failure with Preserved Ejection Fraction. 2017 , 65, 2431-2440	38
182	Heart failure in patients with coronary heart disease: Prevalence, characteristics and guideline implementation - Results from the German EuroAspire IV cohort. 2017 , 17, 108	9
181	Remote monitoring of heart failure: benefits for therapeutic decision making. 2017 , 15, 503-515	14
180	Is CHADS-VASc appropriate for hyperthyroid patients with atrial fibrillation? Implications of adding a transesophageal echocardiography evaluation. 2017 , 228, 919-925	2
179	Ventricular-Arterial Coupling and Exercise-Induced Pulmonary Hypertension During Low-Level Exercise in Heart Failure With Preserved or Reduced Ejection Fraction. 2017 , 23, 216-220	16
178	Eclipsed mitral regurgitation: an unusual cause of acute heart failure. 2017 , 18, 1163-1169	6
177	Deliberations on Diastolic Heart Failure. 2017 , 119, 138-144	9
176	Baseline characteristics of patients with heart failure and preserved ejection fraction at admission with acute heart failure in Saudi Arabia. 2017 , 69, 21-28	6
175	Predictors of Long-Term Mortality in Older Patients Hospitalized for Acutely Decompensated Heart Failure: Clinical Relevance of Natriuretic Peptides. 2017 , 65, 822-826	9

174	Heart Failure. 2017 , 520-526	2
173	Healthcare Costs for Acute Hospitalized and Chronic Heart Failure in South Korea: A Multi-Center Retrospective Cohort Study. 2017 , 58, 944-953	5
172	Thyrotoxic Atrial Fibrillation: Factors Associated with Persistence and Risk of Ischemic Stroke. 2017 , 2017, 4259183	7
171	Effect of Obesity on the Prognostic Impact of Atrial Fibrillation in Heart Failure With Preserved Ejection Fraction. 2017 , 81, 966-973	10
170	Heart Failure with Preserved Ejection Fraction. 2018 , 69, 65-79	33
169	Assessment of Left Ventricular Function by Echocardiography: The Case for Routinely Adding Global Longitudinal Strain to Ejection Fraction. 2018 , 11, 260-274	205
168	Heart Failure With Preserved Ejection Fraction-A Systematic Review and Analysis of Perioperative Outcomes. 2018 , 32, 2423-2434	3
167	Cardiovascular effects of the addition of nilotinib to standard therapy for acute myeloid leukemia. 2018 , 59, 229-232	0
166	Resting and exercise haemodynamics in relation to six-minute walk test in patients with heart failure and preserved ejection fraction. 2018 , 20, 715-722	26
165	Evolution of diastolic function algorithms: Implications for clinical practice. 2018 , 35, 39-46	9
164	Risk factors for incident heart failure with preserved or reduced ejection fraction, and valvular heart failure, in a community-based cohort. 2018 , 5, e000782	28
163	Gut Microbiome and Plasma Microbiome-Related Metabolites in Patients With Decompensated and Compensated Heart Failure. 2018 , 83, 182-192	50
162	Demographics, Management, and In-Hospital Outcome of Hospitalized Acute Heart Failure Syndrome Patients in Contemporary Real Clinical Practice in Japan - Observations From the Prospective, Multicenter Kyoto Congestive Heart Failure (KCHF) Registry. 2018 , 82, 2811-2819	49
161	Differential effects of lipophilic and hydrophilic statins on muscle sympathetic nerve activity in heart failure with preserved left ventricular ejection fraction. 2018 , 213, 8-14	11
160	Vitamin D Status and Exercise Capacity in Older Patients with Heart Failure with Preserved Ejection Fraction. 2018 , 131, 1515.e11-1515.e19	6
159	Physical activity and impaired left ventricular relaxation in middle aged adults. 2018 , 8, 12461	1
158	Long-term prognostic value of functional status and delirium in emergency patients with decompensated heart failure. 2018 , 9, 515-522	0
157	Prevalence and prognostic impact of non-cardiac co-morbidities in heart failure outpatients with preserved and reduced ejection fraction: a community-based study. 2018 , 20, 1257-1266	76

156	HF progression among outpatients with HF in a community setting. 2019 , 277, 140-146	5
155	Commonly used definitions in real-world studies may underestimate the prevalence of renal disease among nonvalvular atrial fibrillation patients. 2019 , 8, 961-968	
154	Younger- vs Older-Old Patients with Heart Failure with Preserved Ejection Fraction. 2019 , 67, 2123-2128	5
153	Survival of patients with chronic heart failure in the community: a systematic review and meta-analysis. 2019 , 21, 1306-1325	109
152	Assessment and clinical relevance of the dynamic parameters of ventricular repolarization in patients with grade I left ventricular diastolic dysfunction. 2019 , 97, 577-580	1
151	Heart Failure With Preserved Ejection Fraction In Perspective. 2019 , 124, 1598-1617	229
150	Classification of congestive heart failure with different New York Heart Association functional classes based on heart rate variability indices and machine learning. 2019 , 36, e12396	9
149	Epidemiology of Heart Failure. 2019 , 3-36	
148	Sex-Specific Epidemiology of Heart Failure Risk and Mortality in Europe: Results From the BiomarcARE Consortium. 2019 , 7, 204-213	30
147	The Prevalence of Cognitive Impairment Among Adults With Incident Heart Failure: The "Reasons for Geographic and Racial Differences in Stroke" (REGARDS) Study. 2019 , 25, 130-136	9
146	Women With Heart Failure: Unheard, Untreated, and Unstudied. 2019 , 73, 41-43	8
145	Evidence-Based Management of the Patient with Congestive Heart Failure. 2019 , 449-465	
144	Electrocardiographic characteristics in patients with heart failure and normal ejection fraction: A systematic review and meta-analysis. 2020 , 25, e12710	3
143	Should We Be Using Sex-Specific Heart Failure Risk Scores?. 2020 , 36, 11-12	0
142	Efficacy and safety of new-generation atrial antitachycardia pacing for atrial tachyarrhythmias in patients implanted with cardiac resynchronization therapy devices. 2020 , 75, 559-566	5
141	Diabetes Mellitus Is an Independent Predictor for the Development of Heart Failure: A Population Study. 2020 , 95, 124-133	11
140	Galectin-3 and acute heart failure: genetic polymorphisms, plasma level, myocardial fibrosis and 1-year outcomes. 2020 , 14, 943-954	1
139	Probability of sinus rhythm conversion and maintenance in cardiac resynchronization therapy patients with atrial fibrillation during 5-year follow-up. 2020 , 31, 2393-2402	1

138	Effect of an Emergency Department Care Bundle on 30-Day Hospital Discharge and Survival Among Elderly Patients With Acute Heart Failure: The ELISABETH Randomized Clinical Trial. 2020 , 324, 1948-1956	16
137	A possible beneficial effect of Bacteroides on faecal lipopolysaccharide activity and cardiovascular diseases. 2020 , 10, 13009	16
136	Inflammatory Cytokines and Chemokines as Therapeutic Targets in Heart Failure. 2020 , 34, 849-863	47
135	Using 4-vinylcyclohexene diepoxide as a model of menopause for cardiovascular disease. 2020 , 318, H1461-H1473	
134	Sex Differences in Clinical Characteristics and 1- and 10-Year Mortality Among Patients Hospitalized With Acute Heart Failure. 2020 , 360, 392-401	1
133	The association of hypertension, hypertension duration, and control with incident heart failure in black and white adults. 2020 , 22, 857-866	3
132	Assessment of left-ventricular diastolic function in pediatric intensive-care patients: a review of parameters and indications compared with those for adults. 2021 , 17, 21-30	1
131	Implantable Cardioverter Defibrillator Therapy in Patients with Acute Decompensated Heart Failure with Reduced Ejection Fraction: An Observation from the KCHF Registry. 2021 , 77, 292-299	2
130	-Adrenergic Receptor Agonist Prevents Diastolic Dysfunction in an Angiotensin II-Induced Cardiomyopathy Mouse Model. 2021 , 376, 473-481	5
129	Detrended fluctuation analysis can detect the impairment of heart rate regulation in patients with heart failure with preserved ejection fraction. 2021 , 77, 72-78	1
128	Congestive heart failure treated with peritoneal dialysis or hemodialysis: Typical patient profile and outcomes in real-world setting. 2021 , 75, e13727	0
127	Stage D Heart Failure With Preserved Ejection Fraction, Heart Transplantation, and Mechanical Circulatory Support. 2021 , 276-289	
126	Risk factors of heart failure among patients with hypertension attending a tertiary hospital in Ibadan, Nigeria: The RISK-HHF case-control study. 2021 , 16, e0245734	
125	Neurological complications of heart failure. 2021 , 177, 77-89	0
124	Feasibility, safety and outcomes of left bundle branch pacing in octogenarians. 2021 , 73, 117-120	1
123	Caring for Patients in an Evidence-Limited World. 2021 , 1-17	1
122	Clinical, Echocardiographic, and Therapeutic Characteristics of Heart Failure in Patients with Preserved, Mid-Range, and Reduced Ejection Fraction: Future Directions. 2021 , 14, 459-467	1
121	Clonal haematopoiesis of indeterminate potential: intersections between inflammation, vascular disease and heart failure. 2021 , 135, 991-1007	1

120	Association of Left Ventricular Systolic Function With Incident Heart Failure in Late Life. 2021 , 6, 509-520	7
119	Classification of Heart Failure According to Ejection Fraction: JACC Review Topic of the Week. 2021 , 77, 3217-3225	8
118	Evaluation of bendopnea in severe obstructive sleep apnea syndrome. 2021 , 157, 17-19	0
117	Right ventricular systolic and diastolic function in heart failure with preserved ejection fraction. 2021 , 63, 295-303	
116	Evaluation of bendopnea in severe obstructive sleep apnea syndrome. 2021 , 157, 17-19	
115	Comparison of the histology and stiffness of ventricles in Anura of different habitats. 2021 , 47, 287-300	1
114	Potential Implications of Expanded US Food and Drug Administration Labeling for Sacubitril/Valsartan in the US. 2021 ,	4
113	Incidence, risk factors, natural history and outcomes of heart failure in patients with Graves' disease. 2021 ,	1
112	Metagenomic analysis of gut microbiota reveals its role in trimethylamine metabolism in heart failure. 2021 , 338, 138-142	4
111	Clinical Trials of Heart Failure: Is There a Question of Sex?. 2021 , 37, 1303-1309	
110	Strain imaging applications and techniques. 2022 , 1-19	
109	Coronary artery disease and heart failure in patients with idiopathic pulmonary fibrosis. 2021 , 36, 1151-1158	2
108	Prevalence and determinants of systolic and diastolic cardiac dysfunction and heart failure in acute ischemic stroke patients: The SICFAIL study. 2021 , 8, 1117-1129	4
107	Heart Failure with Preserved Ejection Fraction. 2015 , 213-230	2
106	Diastolic Dysfunction, Redox Stress, Extracellular Matrix Remodeling and Congestive Heart Failure in Diabetes Mellitus. 2003 , 563-582	1
105	Changing Demographics of the Aging Population with Heart Failure and Implications for Therapy. 2014 , 1-14	1
104	Komorbidity bei Erwachsenen. 2007 , 395-402	1
103	Prevention of Cardiovascular Disease in Older Adults. 2015 , 1763-1786	1

102	Left Ventricular Hypertrophy, Congestive Heart Failure, and Coronary Flow Reserve Abnormalities in Hypertension. 2005 , 250-280	1
101	Assessment of Diastolic Function by Echocardiography. 2007 , 237-261	1
100	Evaluation of Diastolic Function. 2011 , 342-345	1
99	Association Between Adiponectin and Heart Failure Risk in the Physicians' Health Study.	1
98	Diastolic function: a barometer for cardiovascular risk?. 2010 , 112, 1303-6	17
97	Heart Failure With Preserved Ejection Fraction - Time for a Paradigm Shift Beyond Diastolic Function. 2018 , 1, 8-16	1
96	Combination treatment with a calcium channel blocker and an angiotensin blocker in a rat systolic heart failure model with hypertension. 2002 , 25, 461-6	12
95	Clinical characteristics and in-hospital outcomes of acute decompensated heart failure patients with and without atrial fibrillation. 2020 , 23, 260-267	2
94	Heart Failure with Preserved Ejection Fraction [A Review]. 2012 , 9, 90-95	0
93	Left ventricular diastolic function in hypertensive patients with atrial fibrillation. 2012 , 18, 142-147	2
92	Heart failure epidemiology: European perspective. 2013 , 9, 123-7	86
91	High Sensitivity C - Reactive Protein is Associated with Diastolic Dysfunction in Young African Americans without Clinically Evident Cardiac Disease. 2011 , 5, 188-95	5
90	Relationship between Uric Acid Levels and Diagnostic and Prognostic Outcomes in Acute Heart Failure. 2012 , 5, 9-15	6
89	Echocardiographic Features of Patients With Congestive Heart Failure and Preserved Left Ventricular Pump Function: A Retrospective Study in a Selected Common Disease Cohort. 2008 , 6, 9-14	1
88	Atrial Fibrillation in Patients with Ischemic and Non-Ischemic Left Ventricular Dysfunction. 2013 , 5, 535	3
87	Atrial Fibrillation and Heart Failure: A Review of the Intersection of Two Cardiac Epidemics. 2013 , 6, 751	12
86	The impact of anxiety, depression, and suicidality on quality of life and functional status of patients with congestive heart failure and hypertension: an observational cross-sectional study. 2010 , 12,	15
85	Therapeutic interventions for heart failure with preserved ejection fraction: A summary of current evidence. 2014 , 6, 67-76	14

- 84 Adverse drug events and associated factors in heart failure therapy among the very elderly. **2011**, 14, 79-92 18
- 83 Evaluation of Quality of Life in Patients with and without Heart Failure in Primary Care. **2017**, 109, 248-252 10
- 82 Profiles of heart failure in the western region of Nepal: prognostic implications of the MELD-XI score. **2015**, 3, 1 1
- 81 Predictive Models to Enhance our Knowledge: Is It Necessary?. **2021**, 117, 624-625
- 80 Diastolic Dysfunction and Diastolic Heart Failure. **2000**, 441-452
- 79 ACE-Hemmer bei der Behandlung der Herzinsuffizienz [Ein Update. **2001**, 11-23
- 78 Left ventricular dysfunction, natriuretic peptides, and mortality in an urban population. **2001**, 86, 21-26 1
- 77 Diastolic Dysfunction: Pathophysiology, Clinical Features, and Treatment. **2002**, 259-286 1
- 76 ?????????????????????????????????????(5.?????????? : ?????????)(?67?????????????). **2003**, 11, 273-279
- 75 Prognostic Significance of Left Ventricular Diastolic Dysfunction Assessed by Color M-mode Doppler Echocardiography in Patients With Chronic Left Ventricular Systolic Dysfunction. **2004**, 2, 68-77 1
- 74 Diastolic Dysfunction in Women. **2004**, 93-101
- 73 Chronic Heart Failure. **2004**, 437-453
- 72 Diastolic Dysfunction: Pathophysiology, Clinical Features, and Treatment. **2005**, 271-301
- 71 ?????????(4. ????, ?69????????????). **2005**, 13, 253-256
- 70 Sovremennye podkhody k diagnostike arterial'noy gipertenzii. **2006**, 3, 2-10
- 69 ????????????? : ?????????????(6.????????????????????????,?70????????????). **2006**, 14, 290-297
- 68 Congestive Heart Failure: Epidemiology, Pathophysiology, and Current Therapies. **2006**, 525-544
- 67 Aging Changes Seen on Echocardiography. **2007**, 952-968

- 66 Epidemiologie: prevalentie, incidentie en prognose. **2007**, 29-45
- 65 Heart Failure. **2008**, 542-576
- 64 Challenges to the non-invasive assessment of diastolic function. **2009**, 36, 445-455 1
- 63 Heart failure with normal left ventricular ejection fraction (HFNEF). **2009**, 113-128
- 62 Chronic Heart Failure. **2009**, 333-353
- 61 ??????????. **2009**, 16, 439-445
- 60 Management of End-Stage Heart Failure: A Perspective on the Arab Gulf states. **2009**, 29, 460-466
- 59 Introduction to Heart Failure. **2010**, 3-13
- 58 Evidence-Based Management of the Patient with Congestive Heart Failure. **2011**, 497-518
- 57 Pulmonary hypertension hemodynamic assessment and response to vasodilators. **2010**, 98-117
- 56 Spherical ventricular chamber is a predictor of poor prognosis of heart failure with preserved ejection fraction. **2011**, 38, 103-110
- 55 Exercise. **2011**, 567-582
- 54 Biomarkers in diastolic heart failure diagnosing. **2011**, 17, 305-315 1
- 53 Depressed Exercise Peak Ejection Rate Detected on Ambulatory Radionuclide Monitoring Reflects End-Stage Cardiac Inotropic Reserve and Predicts Mortality in Ischaemic Cardiomyopathy. **2012**, 3, 164-171
- 52 Characteristics and Comparison of Cardiac Function of Natural Longevity People in the Xinjiang Uygur Autonomous Region of China and Japan. **2012**, 71, 49-55
- 51 Evaluation of left ventricular diastolic function in patients with atrial fibrillation by using color kinetic imaging. **2012**, 39, 9-16
- 50 Treatment algorithm in patients with stable angina. **2012**, 312-330
- 49 Medical Practice Variations in Heart Failure. **2013**, 1-28

- 48 Algorithm for Treatment of Advanced Heart Failure. **2013**, 9-34
- 47 Age-Related Changes in Vascular Biology and Implications for Heart Failure Therapy in the Aging Population. **2014**, 117-134
- 46 STUDY OF DIASTOLIC FUNCTION IN ASYMPTOMATIC HYPERTENSIVES IN TERTIARY CARE CENTRE. **2014**, 3, 907-920
- 45 Prevention of Cardiovascular Disease in Older Adults. **2014**, 1-28
- 44 Reperfusion and Vasodilator Therapy in Elderly Patients with STEMI and Heart Failure: Improving Outcomes. **2014**, 199-220
- 43 Chronic heart failure. **1999**, 1-16
- 42 ASSESSMENT OF DIASTOLIC FUNCTION BY COMBINED TRANSMITRAL AND PULMONARY VENOUS FLOW VELOCITY CURVES. **2014**, 3, 3815-3830
- 41 Chronic Heart Failure. **2015**, 215-236
- 40 ??????????????????????. **2016**, 49, 813-816
- 39 Studies for B-type Natriuretic Peptide Values and Its Association with Diastolic Echocardiographic Parameters. **2016**, 48, 394-400
- 38 Demographics of patients with heart failure who were over 80 years old and were admitted to the cardiology clinics in Turkey. **2019**, 21, 196-205
- 37 Évaluation de la fonction diastolique du ventricule gauche en réanimation pédiatrique : quelles indications, quels paramètres mesurer ?. **2019**, 28, 144-156
- 36 Assessing Diastolic Function as an Important Tool for Clinical Decision-making in Critically Ill Patients. **2020**, 28, 165-173 1
- 35 DİASTOLİK DİSFONKSİYONU OLAN ASEPTOMATİK HASTALAR İN SEMPTOMATİK HASTALARIN KARDİYAK SENKRONİZASYON BOZUKLUĞUNUN KARŞILAŞTIRILMASI.
- 34 Development and Validation of a Electrocardiographic Diagnostic Score of Heart Failure Among Patients with Hypertension Attending a Tertiary Hospital in Ibadan, Nigeria: The RISK-HHF Case-Control Study. **2020**, 32, 383-395 1
- 33 Analysis of Cardiac Contraction Patterns. **2020**, 129-174
- 32 ??????????????????????????????????????. **2020**, 32, 3-3
- 31 Cardiovascular Cerebrovascular Diseases Diabetes Mellitus: Co-morbidities that Affect Dental Care for the Older Patient. **2008**, 157-189

30	Inherited Myocardial Diseases. 2005 , 105-122	
29	Echocardiographic Assessment of Diastolic Function and Diagnosis of Diastolic Heart Failure. 2008 , 149-162	0
28	Epidemiology of Diastolic Heart Failure. 2008 , 205-212	
27	Prognosis in Diastolic Heart Failure. 2008 , 213-222	
26	Hypertrophic Cardiomyopathy. 2008 , 285-310	
25	Intravenous milrinone infusion improves congestive heart failure caused by diastolic dysfunction: a brief case series. 2005 , 32, 220-3	4
24	Are there age and sex differences in the investigation and treatment of heart failure? A population-based study. 2000 , 50, 559-63	24
23	Preventing clinical heart failure: the rationale and scientific evidence. 2002 , 88 Suppl 2, ii15-22	5
22	Limitations of the use of clinical trial results in managing heart failure in the African-American community: a time for active participation in generating applicable data. 2003 , 95, 13-6	
21	Left atrial size and force in patients with systolic chronic heart failure: Comparison with healthy controls and different cardiac diseases. 2010 , 15, e45-51	13
20	Heart failure--concepts and significance. Birth of a prognostic model. 2010 , 3, 421-9	3
19	The predicted impact of heart disease prevention and treatment initiatives on mortality in Lithuania, a middle-income country. 2011 , 8, A139	2
18	Systolic Longitudinal Function of the Left Ventricle Assessed by Speckle Tracking in Heart Failure Patients with Preserved Ejection Fraction. 2015 , 10, 194-200	3
17	Treatment Considerations for a Dual Epidemic of Atrial Fibrillation and Heart Failure. 2013 , 6, 740	3
16	Incidence and Outcomes of Acute Heart Failure With Preserved Versus Reduced Ejection Fraction in SPRINT. 2021 , CIRCHEARTFAILURE121008322	2
15	Uncovering the Role of Gut Microbiota in Amino Acid Metabolic Disturbances in Heart Failure Through Metagenomic Analysis.. 2021 , 8, 789325	3
14	Effect of SGLT2 Inhibitors on Patients with Atrial Fibrillation.. 2021 , 14, 20200502	
13	Artificial Intelligence Application in Graves Disease: Atrial Fibrillation, Heart Failure and Menstrual Changes.. 2022 ,	

- 12 Current use of inotropes according to initial blood pressure and peripheral perfusion in the treatment of congestive heart failure: findings from a multicentre observational study.. **2022**, 12, e053254 1
- 11 Depressive Symptoms and Incident Hospitalization for Heart Failure: Findings From the REGARDS Study.. **2022**, e022818 0
- 10 Basal Septal Hypertrophy as the Early Imaging Biomarker for Adaptive Phase of Remodeling Prior to Heart Failure.. **2021**, 11, 1
- 9 Improving the Characterization of Stage A and B Heart Failure by Adding Global Longitudinal Strain. **2022**, 0
- 8 Insuficiencia cardíaca con función sistólica preservada de etiología infiltrativa. El enemigo silencioso. **2016**, 57-60
- 7 Incident Heart Failure with Mildly Reduced Ejection Fraction: Frequency, Characteristics and Outcomes. **2022**, 0
- 6 Echocardiography strain: why is it used more and more?. **2022**, 24, 138-142 0
- 5 Pharmacotherapies in Heart Failure With Preserved Ejection Fraction. Publish Ahead of Print, 0
- 4 E/e₁ Ratio Predicts the Atrial Pacing-Induced Left Atrial Pressure Response in Patients with Preserved Ejection Fraction. **2023**, 59, 210 0
- 3 Prognostic value of the severity of clinical congestion in patients hospitalized for decompensated heart failure: Findings from the Japanese KCHF registry. **2023**, 0
- 2 Association of Anthracycline With Heart Failure in Patients Treated for Breast Cancer or Lymphoma, 1985-2010. **2023**, 6, e2254669 1
- 1 The study of antecedent clinical manifestations of hypertensive heart disease in cohort of hypertension. **2023**, 15, 1890-1917 0