

CITATION REPORT

List of articles citing

Quinpirole induces compulsive checking behavior in rats: A potential animal model of obsessive-compulsive disorder (OCD).

DOI: 10.1037/0735-7044.112.6.1475

Behavioral Neuroscience, 1998, 112, 1475-1485.

Source: <https://exaly.com/paper-pdf/29509289/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
276	Nicotine blocks quinpirole-induced behavior in rats: psychiatric implications. <i>Psychopharmacology</i> , 1999 , 145, 433-41	4.7	32
275	Phenotyping stereotypic behaviour: collective variables, range of variation and predictability. <i>Applied Animal Behaviour Science</i> , 1999 , 65, 191-220	2.2	31
274	Statistical discrimination of natural modes of motion in rat exploratory behavior. 2000 , 96, 119-31		127
273	Locomotor sensitization to quinpirole in rats: effects of drug abstinence and sex. <i>Psychopharmacology</i> , 2000 , 152, 304-11	4.7	18
272	Excessive lever pressing following post-training signal attenuation in rats: a possible animal model of obsessive compulsive disorder?. <i>Behavioural Brain Research</i> , 2001 , 123, 77-87	3.4	69
271	Enhancement of excessive lever-pressing after post-training signal attenuation in rats by repeated administration of the D ₂ antagonist SCH 23390 or the D ₁ agonist quinpirole, but not the D ₂ agonist SKF 38393 or the D ₂ antagonist haloperidol.. <i>Behavioral Neuroscience</i> , 2001 , 115, 1291-1300	2.1	34
270	The morphogenesis of motor rituals in rats treated chronically with the dopamine agonist quinpirole.. <i>Behavioral Neuroscience</i> , 2001 , 115, 1301-1317	2.1	62
269	Natural segmentation of the locomotor behavior of drug-induced rats in a photobeam cage. 2001 , 109, 111-21		33
268	Chronic inositol increases striatal D(2) receptors but does not modify dexamphetamine-induced motor behavior. Relevance to obsessive-compulsive disorder. 2001 , 68, 245-53		22
267	Compulsive checking behavior of quinpirole-sensitized rats as an animal model of Obsessive-Compulsive Disorder(OCD): form and control. 2001 , 2, 4		91
266	Effect of nicotine on quinpirole-induced checking behavior in rats: implications for obsessive-compulsive disorder. 2002 , 51, 164-71		43
265	Novel drug interactions at D(2) dopamine receptors: modulation of [3H]quinpirole binding by monoamine oxidase inhibitors. 2002 , 71, 2691-700		13
264	Defining the neuromolecular action of myo-inositol: application to obsessive-compulsive disorder. 2002 , 26, 21-32		36
263	Dopamine receptor supersensitivity: an outcome and index of neurotoxicity. <i>Neurotoxicity Research</i> , 2003 , 5, 111-8	4.3	29
262	Animal models of anxiety disorders. 2003 , 5, 274-81		48
261	Age differences in the sensitivity to clomipramine in an animal model of obsessive-compulsive disorder. <i>Psychopharmacology</i> , 2003 , 166, 195-201	4.7	30
260	Differences in quinpirole-induced local cerebral glucose utilization between naive and sensitized rats. 2003 , 964, 295-301		24

259	5-HT1A receptor activity disrupts spontaneous alternation behavior in rats. 2003 , 74, 559-64		16
258	Behavioral sensitization to quinpirole is not associated with increased nucleus accumbens dopamine overflow. 2003 , 44, 102-10		34
257	Compulsive behavior in the 5-HT2C receptor knockout mouse. <i>Physiology and Behavior</i> , 2003 , 78, 641-9	3.5	108
256	Effects of quinpirole on behavioral extinction. <i>Physiology and Behavior</i> , 2003 , 80, 1-7	3.5	19
255	Effects of electrical stimulation or lesion in nucleus accumbens on the behaviour of rats in a T-maze after administration of 8-OH-DPAT or vehicle. <i>Behavioural Brain Research</i> , 2003 , 140, 165-73	3.4	49
254	Voles scale locomotion to the size of the open-field by adjusting the distance between stops: a possible link to path integration. <i>Behavioural Brain Research</i> , 2003 , 141, 73-81	3.4	50
253	Selective alleviation of compulsive lever-pressing in rats by D1, but not D2, blockade: possible implications for the involvement of D1 receptors in obsessive-compulsive disorder. 2003 , 28, 77-85		64
252	Neuroleptic malignant syndrome after addition of paroxetine to olanzapine. 2003 , 23, 671-2		9
251	Risperidone-induced obsessive-compulsive symptoms: serotonin-dopamine imbalance?. 2003 , 23, 681-2		1
250	Reply to Comments on Effects of Procyclidine Administration on Cognitive Functions in Healthy Subjects: Implications for Schizophrenia. 2003 , 23, 667-668		
249	Abnormal prolactin elevation in a schizophrenic patient in treatment with quetiapine and mirtazapine. The role of opioid system. 2003 , 23, 677-9		3
248	Creatine kinase, not creatinine kinase. 2003 , 23, 668		1
247	ERRATUM. 2003 , 23, 682		
246	The effect of antipsychotics on plasma lipids. 2003 , 23, 679-80		3
245	NMDA receptors might be involved in the impairing effects of procyclidine on cognition. 2003 , 23, 666-7; author reply 667-8		3
244	Low dose risperidone in the treatment of schizophrenia-like symptoms in high-risk subjects. 2003 , 23, 674-5		4
243	Intravenous clomipramine in severe and refractory obsessive-compulsive disorder. 2003 , 23, 665-6		4
242	Extrapyramidal symptoms in children on atypical antipsychotic drugs. 2003 , 23, 675-7		2

241	The efficacy of high-dose olanzapine versus clozapine in treatment-resistant schizophrenia: a double-blind crossover study. 2003 , 23, 668-71		57
240	Atypical (olanzapine) plus conventional (fluphenazine) neuroleptic treatment associated with the neuroleptic malignant syndrome. 2003 , 23, 672-4		3
239	Comments on "Effects of interrater reliability of psychopathologic assessment on power and sample size calculations in clinical trials" by Muller and associates. 2003 , 23, 681		
238	The compulsive-like aspect of the head dipping emission in rats with chronic electrolytic lesion in the area of the median raphe nucleus. 2004 , 37, 245-50		9
237	Risperidone-induced obsessive-compulsive symptoms in two children. 2004 , 14, 155-6		2
236	Presynaptic stimulation and development of locomotor sensitization to the dopamine agonist quinpirole. 2004 , 77, 617-22		22
235	Age differences in an animal model of obsessive-compulsive disorder: participation of dopamine: dopamine in an animal model of OCD. 2004 , 78, 661-6		18
234	Effects of quinpirole on operant conditioning: perseveration of behavioral components. <i>Behavioural Brain Research</i> , 2004 , 155, 117-24	3-4	30
233	Hypophysectomy does not block sensitization to the dopamine agonist quinpirole or its modulation by the MAOI clorgyline. 2004 , 45, 23-30		6
232	Sex differences on spontaneous alternation in prepubertal rats: implications for an animal model of obsessive-compulsive disorder. 2004 , 28, 687-92		24
231	Obsessive-compulsive disorder as a disturbance of security motivation. 2004 , 111, 111-27		245
230	Psychostimulant-induced behavior as an animal model of obsessive-compulsive disorder: an ethological approach to the form of compulsive rituals. 2005 , 10, 191-202		68
229	The role of dopamine in reinforcement: changes in reinforcement sensitivity induced by D1-type, D2-type, and nonselective dopamine receptor agonists. 2005 , 84, 371-99		10
228	Altered quinpirole-induced local cerebral glucose utilization in anterior cortical regions in rats after sensitization to quinpirole. 2005 , 1042, 53-61		8
227	Obsessive-Compulsive Disorder. 2005 , 171-188		1
226	'Looping'-an exploration mechanism in a dark open field. <i>Behavioural Brain Research</i> , 2005 , 159, 27-36	3-4	27
225	Animal models of obsessive-compulsive disorder: rationale to understanding psychobiology and pharmacology. 2006 , 29, 371-90		102
224	Development and temporal organization of compulsive checking induced by repeated injections of the dopamine agonist quinpirole in an animal model of obsessive-compulsive disorder. <i>Behavioural Brain Research</i> , 2006 , 169, 303-11	3-4	30

223	Compulsive-like effects of repeated administration of quinpirole on drinking behavior in rats. <i>Behavioural Brain Research</i> , 2006 , 172, 1-13	3-4	23
222	Is obsessive-compulsive disorder an anxiety disorder?. 2006 , 30, 338-52		109
221	Current animal models of obsessive compulsive disorder: a critical review. 2006 , 30, 374-88		130
220	Rituals, stereotypy and compulsive behavior in animals and humans. <i>Neuroscience and Biobehavioral Reviews</i> , 2006 , 30, 456-71	9	126
219	Whence Collective Rituals? A Cultural Selection Model of Ritualized Behavior. 2006 , 108, 814-827		145
218	Differential effects of clorgyline on sensitization to quinpirole in rats tested in small and large environments. <i>Psychopharmacology</i> , 2006 , 186, 534-43	4-7	9
217	The signal attenuation rat model of obsessive-compulsive disorder: a review. <i>Psychopharmacology</i> , 2006 , 186, 487-503	4-7	59
216	DSP-4 prevents dopamine receptor priming by quinpirole. 2006 , 84, 3-7		21
215	Kappa-opioid agonist U69593 potentiates locomotor sensitization to the D2/D3 agonist quinpirole: pre- and postsynaptic mechanisms. 2006 , 31, 1967-81		23
214	Obsessive-compulsive disorder: boundary issues. 2007 , 12, 359-64, 367-375		57
213	Neurobiology and Pharmacotherapy of Obsessive-Compulsive Disorder. 2007 ,		
212	Kappa-opioid receptor stimulation quickens pathogenesis of compulsive checking in the quinpirole sensitization model of obsessive-compulsive disorder (OCD). <i>Behavioral Neuroscience</i> , 2007 , 121, 976-91 ^{2.1}		27
211	Compulsive-like effects of quinpirole on drinking behavior in rats are inhibited by substituting ethanol for water. <i>Behavioural Brain Research</i> , 2007 , 177, 340-6	3-4	9
210	Basal local cerebral glucose utilization is not altered after behavioral sensitization to quinpirole. 2007 , 429, 165-8		1
209	Association study between the dopamine receptor D(4) gene and obsessive-compulsive disorder. <i>European Neuropsychopharmacology</i> , 2007 , 17, 406-9	1.2	30
208	Glutamatergic dysfunction--newer targets for anti-obsessional drugs. 2007 , 2, 47-55		29
207	Modulation of quinpirole-induced compulsive-like behavior in rats by environmental changes: implications for OCD rituals and for exploration and navigation. 2007 , 8, 23		24
206	Clorgyline-induced modification of behavioral sensitization to quinpirole: effects on local cerebral glucose utilization. 2007 , 1160, 124-33		9

205	Cotreatment with the kappa opioid agonist U69593 enhances locomotor sensitization to the D2/D3 dopamine agonist quinpirole and alters dopamine D2 receptor and prodynorphin mRNA expression in rats. <i>Psychopharmacology</i> , 2007 , 194, 485-96	4-7	14
204	The influence of cost manipulation on water contrafreeloading induced by repeated exposure to quinpirole in the rat. <i>Psychopharmacology</i> , 2008 , 197, 379-90	4-7	12
203	Individual differences in schedule-induced polydipsia and the role of gabaergic and dopaminergic systems. <i>Psychopharmacology</i> , 2008 , 197, 487-98	4-7	33
202	Haloperidol both prevents and reverses quinpirole-induced nonregulatory water intake, a putative animal model of psychogenic polydipsia. <i>Psychopharmacology</i> , 2008 , 200, 157-65	4-7	20
201	Dopaminergic and serotonergic modulation of persistent behaviour in the reinforced spatial alternation model of obsessive-compulsive disorder. <i>Psychopharmacology</i> , 2008 , 200, 597-610	4-7	20
200	Striatal dopamine D(2) receptor availability in OCD with and without comorbid social anxiety disorder: preliminary findings. 2008 , 25, 1-7		112
199	Experimental therapeutics for refractory obsessive-compulsive disorder: translational approaches and new somatic developments. 2008 , 75, 174-203		5
198	Altered dopamine D2-like receptor binding in rats with behavioral sensitization to quinpirole: effects of pre-treatment with Ro 41-1049. 2008 , 592, 67-72		13
197	Stereotypic behaviour in the deer mouse: pharmacological validation and relevance for obsessive compulsive disorder. 2008 , 32, 348-55		74
196	Animal Models of ObsessiveCompulsive Disorder: From Bench to Bedside via Endophenotypes and Biomarkers. 2008 , 133-164		6
195	High frequency stimulation and temporary inactivation of the subthalamic nucleus reduce quinpirole-induced compulsive checking behavior in rats. 2008 , 210, 217-28		76
194	Mouse cognition-related behavior in the open-field: emergence of places of attraction. 2008 , 4, e1000027		23
193	Role of serotonin in obsessiveCompulsive disorder. 2008 , 3, 589-603		5
192	Amisulpride improves obsessive-compulsive symptoms in schizophrenia patients taking atypical antipsychotics: an open-label switch study. 2008 , 28, 349-52		34
191	Effects of hypophysectomy on compulsive checking and cortical dendrites in an animal model of obsessive-compulsive disorder. <i>Behavioural Pharmacology</i> , 2008 , 19, 271-83	2-4	6
190	Turning order into chaos through repetition and addition of elementary acts in obsessive-compulsive disorder (OCD). 2009 , 10, 480-7		27
189	Dopamine D2/D3 receptor agonist quinpirole impairs spatial reversal learning in rats: investigation of D3 receptor involvement in persistent behavior. <i>Psychopharmacology</i> , 2009 , 202, 611-20	4-7	86
188	Obsessive-compulsive disorder: a disorder of pessimal (non-functional) motor behavior. 2009 , 120, 288-98		64

187	High-frequency stimulation of the nucleus accumbens core and shell reduces quinpirole-induced compulsive checking in rats. <i>European Journal of Neuroscience</i> , 2009 , 29, 2401-12	3.5	71
186	Trichotillomania: neurobiology and treatment. <i>Neuroscience and Biobehavioral Reviews</i> , 2009 , 33, 831-429		83
185	Cross-species models of OCD spectrum disorders. 2009 , 170, 15-21		38
184	Ondansetron augmentation in treatment-resistant obsessive-compulsive disorder: a preliminary, single-blind, prospective study. 2009 , 23, 1047-55		44
183	Management of schizophrenia with obsessive-compulsive features. 2009 , 32, 835-51		42
182	Assessing the validity of current mouse genetic models of obsessive-compulsive disorder. <i>Behavioural Pharmacology</i> , 2009 , 20, 119-33	2.4	41
181	Influence of conditioned reinforcement on the response-maintaining effects of quinpirole in rats. <i>Behavioural Pharmacology</i> , 2009 , 20, 492-504	2.4	22
180	[Deep brain stimulation for neurological and psychiatric diseases: animal experiments on effect and mechanisms]. 2010 , 81, 711-8		3
179	Opposite roles of dopamine and orexin in quinpirole-induced excessive drinking: a rat model of psychotic polydipsia. <i>Psychopharmacology</i> , 2010 , 211, 355-66	4.7	13
178	A Cavalier King Charles dog with shadow chasing: Clinical recovery and normalization of the dopamine transporter binding after clomipramine treatment. 2010 , 5, 345-349		9
177	Features of compulsive checking behavior mediated by nucleus accumbens and orbital frontal cortex. <i>European Journal of Neuroscience</i> , 2010 , 32, 1552-63	3.5	30
176	High-frequency stimulation of deep brain structures in obsessive-compulsive disorder: the search for a valid circuit. <i>European Journal of Neuroscience</i> , 2010 , 32, 1118-27	3.5	45
175	Are there between-country differences in motor behavior of obsessive-compulsive disorder patients?. 2010 , 15, 445-55		23
174	P.1.d.014 HFS and pharmacological inactivation of the globus pallidus and nucleus entopeduncularis differentially affect quinpirole-induced compulsive checking in rats. <i>European Neuropsychopharmacology</i> , 2010 , 20, S281-S282	1.2	1
173	P.1.d.015 Postponed influence of neonatal arginine-vasopressin and the arginine-vasopressin fragment Ac-D-MPRG administration to young white rats on behaviour. <i>European Neuropsychopharmacology</i> , 2010 , 20, S282	1.2	
172	P.1.d.016 Acute effects of modafinil on affective behaviour in aggressive and timid male mice. <i>European Neuropsychopharmacology</i> , 2010 , 20, S282-S283	1.2	1
171	The Serotonergic System in Obsessive-Compulsive Disorder. <i>Handbook of Behavioral Neuroscience</i> , 2010 , 21, 547-563	0.7	1
170	Reply to Abramowitz et al.: Animal Models of OCD. 2011 , 69, e31-e32		4

169	Cortico-striatal oxidative status, dopamine turnover and relation with stereotypy in the deer mouse. <i>Physiology and Behavior</i> , 2011 , 103, 404-11	3-5	31
168	Individual differences in schedule-induced polydipsia: neuroanatomical dopamine divergences. <i>Behavioural Brain Research</i> , 2011 , 217, 195-201	3-4	26
167	Activity modulation of the globus pallidus and the nucleus entopeduncularis affects compulsive checking in rats. <i>Behavioural Brain Research</i> , 2011 , 219, 149-58	3-4	29
166	Animal models of obsessive compulsive disorder: recent findings and future directions. 2011 , 6, 725-37		27
165	Quinpirole-induced sensitization to noisy/sparse periodic input: temporal synchronization as a component of obsessive-compulsive disorder. 2011 , 179, 143-50		37
164	Translational approaches to obsessive-compulsive disorder: from animal models to clinical treatment. 2011 , 164, 1044-61		53
163	Single photon emission computed tomography (SPECT) imaging of the dopamine transporter in healthy dogs. 2011 , 188, 356-8		3
162	Glutamate abnormalities in obsessive compulsive disorder: neurobiology, pathophysiology, and treatment. 2011 , 132, 314-32		266
161	Clomipramine, but not haloperidol or aripiprazole, inhibits quinpirole-induced water contrafreeloading, a putative animal model of compulsive behavior. <i>Psychopharmacology</i> , 2011 , 218, 749-59	4-7	23
160	Approach and avoidance learning in obsessive-compulsive disorder. 2011 , 28, 166-72		30
159	Behavioral pattern analysis and dopamine release in quinpirole-induced repetitive behavior in rats. 2011 , 25, 1712-9		27
158	Obsessive-compulsive disorder. 2012 , 106, 375-90		6
157	Marked inbred mouse strain difference in the expression of quinpirole induced compulsive like behavior based on behavioral pattern analysis. <i>European Neuropsychopharmacology</i> , 2012 , 22, 657-63	1-2	17
156	Outlining new frontiers for the comprehension of obsessive-compulsive disorder: a review of its relationship with fear and anxiety. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, S81-S103	2-6	15
155	Animal behavior as a conceptual framework for the study of obsessive-compulsive disorder (OCD). <i>Behavioural Brain Research</i> , 2012 , 231, 289-96	3-4	32
154	The developmental dynamics of behavioral growth processes in rodent egocentric and allocentric space. <i>Behavioural Brain Research</i> , 2012 , 231, 309-16	3-4	16
153	D1 and D2 dopamine receptor antagonists decrease behavioral bout duration, without altering the bout's repeated behavioral components, in a naturalistic model of repetitive and compulsive behavior. <i>Behavioural Brain Research</i> , 2012 , 230, 1-10	3-4	19
152	Religious thought and behavior. 2012 , 3, 525-532		3

151	Adjustment for Multiplicity. 2012 , 81-101		
150	[Obsessive-compulsive disorder, a new model of basal ganglia dysfunction? Elements from deep brain stimulation studies]. 2012 , 168, 649-54		2
149	Deep Brain Stimulation. 2012 ,		4
148	Granisetron adjunct to fluvoxamine for moderate to severe obsessive-compulsive disorder: a randomized, double-blind, placebo-controlled trial. 2012 , 26, 883-92		45
147	Modeling Dose-Response Microarray Data in Early Drug Development Experiments Using R. 2012 ,		10
146	Current animal models of obsessive compulsive disorder: an update. 2012 , 211, 83-106		62
145	Animal models of obsessive-compulsive disorder: exploring pharmacology and neural substrates. <i>Neuroscience and Biobehavioral Reviews</i> , 2012 , 36, 47-63	9	111
144	Serotonin 2A receptor, serotonin transporter and dopamine transporter alterations in dogs with compulsive behaviour as a promising model for human obsessive-compulsive disorder. 2012 , 201, 78-87		54
143	Effects of dopamine D2 agonist quinpirole on neuronal activity of anterior cingulate cortex and striatum in rats. <i>Psychopharmacology</i> , 2013 , 227, 459-66	4-7	7
142	Effects of the 5HT2C antagonist SB242084 on the pramipexole-induced potentiation of water contrafreeloading, a putative animal model of compulsive behavior. <i>Psychopharmacology</i> , 2013 , 227, 55-66	4-7	13
141	Classical and novel approaches to the preclinical testing of anxiolytics: A critical evaluation. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 2318-30	9	47
140	Effects of the serotonergic agonist mCPP on male rats in the quinpirole sensitization model of obsessive-compulsive disorder (OCD). <i>Psychopharmacology</i> , 2013 , 227, 277-85	4-7	17
139	History of psychosurgery: a psychiatrist's perspective. 2013 , 80, S27.e1-16		40
138	Measuring behaviour in rodents: towards translational neuropsychiatric research. <i>Behavioural Brain Research</i> , 2013 , 236, 295-306	3-4	26
137	Quinpirole and 8-OH-DPAT induce compulsive checking behavior in male rats by acting on different functional parts of an OCD neurocircuit. <i>Behavioural Pharmacology</i> , 2013 , 24, 65-73	2-4	29
136	Enhanced reward-facilitating effects of d-amphetamine in rats in the quinpirole model of obsessive-compulsive disorder. 2013 , 16, 1083-91		8
135	Evaluation of animal models of obsessive-compulsive disorder: correlation with phasic dopamine neuron activity. 2013 , 16, 1295-307		29
134	Estudos de associaçã genética no transtorno obsessivo-compulsivo. 2013 , 40, 177-190		5

133	Dopaminergic control of cognitive flexibility in humans and animals. 2013 , 7, 201		125
132	Spatial reversal learning in chronically sensitized rats and in undrugged sensitized rats with dopamine d2-like receptor agonist quinpirole. <i>Frontiers in Behavioral Neuroscience</i> , 2014 , 8, 122	3.5	14
131	Emerging drugs to treat obsessive-compulsive disorder. 2014 , 19, 67-77		19
130	Performance of compulsive behavior in rats is not a unitary phenomenon - validation of separate functional components in compulsive checking behavior. <i>European Journal of Neuroscience</i> , 2014 , 40, 2971-9	3.5	11
129	Animal models of obsessive-compulsive spectrum disorders. 2014 , 19, 28-49		49
128	Separate mechanisms for development and performance of compulsive checking in the quinpirole sensitization rat model of obsessive-compulsive disorder (OCD). <i>Psychopharmacology</i> , 2014 , 231, 3707-18	4.7	17
127	P.4.c.007 Opioid receptors as potential drug targets for controlling fear responses and preventing post-traumatic stress disorder. <i>European Neuropsychopharmacology</i> , 2014 , 24, S609-S610	1.2	
126	P.4.c.006 Glutamate mGlu5 receptor antagonist MPEP reduces quinpirole-induced compulsive checking behaviour in rats. <i>European Neuropsychopharmacology</i> , 2014 , 24, S609	1.2	
125	P.4.C.005 Effect of flavonoids isolated from <i>Erythrina velutina</i> on oxidative stress in mouse brains. <i>European Neuropsychopharmacology</i> , 2014 , 24, S608-S609	1.2	
124	The dopamine D2/D3 receptor agonist quinpirole increases checking-like behaviour in an operant observing response task with uncertain reinforcement: a novel possible model of OCD. <i>Behavioural Brain Research</i> , 2014 , 264, 207-29	3.4	37
123	Rethinking Conventional Wisdom: Ecological Effects on Potential Danger Preoccupation Salience. 2015 , 43, 589-599		6
122	DISSECTING OCD CIRCUITS: FROM ANIMAL MODELS TO TARGETED TREATMENTS. 2015 , 32, 550-62		74
121	Reduced dopamine and glutamate neurotransmission in the nucleus accumbens of quinpirole-sensitized rats hints at inhibitory D2 autoreceptor function. 2015 , 134, 1081-90		17
120	Animal models of obsessive-compulsive disorder: utility and limitations. 2015 , 11, 1939-55		44
119	5-HT2A/C receptors do not mediate the attenuation of compulsive checking by mCPP in the quinpirole sensitization rat model of obsessive-compulsive disorder (OCD). <i>Behavioural Brain Research</i> , 2015 , 279, 211-7	3.4	10
118	Comorbidity Between Attention Deficit/Hyperactivity Disorder and Obsessive-Compulsive Disorder Across the Lifespan: A Systematic and Critical Review. <i>Harvard Review of Psychiatry</i> , 2015 , 23, 245-62	4.1	62
117	The cognitive roles of behavioral variability: idiosyncratic acts as the foundation of identity and as transitional, preparatory, and confirmatory phases. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 49, 55-70	9	9
116	Cannabinoids and obsessive-compulsive disorder. 2015 , 365-387		2

115	Are 5-HT3 antagonists effective in obsessive-compulsive disorder? A systematic review of literature. 2015 , 30, 70-84		17
114	Nucleus accumbens core and pathogenesis of compulsive checking. <i>Behavioural Pharmacology</i> , 2015 , 26, 200-16	2.4	11
113	Switching to zebrafish neurobehavioral models: The obsessive-compulsive disorder paradigm. 2015 , 759, 142-50		11
112	Animal Models of Tourette Syndrome and Obsessive-Compulsive Disorder. 2015 , 747-764		1
111	Cigarette smoking in obsessive-compulsive disorder and unaffected parents of OCD patients. 2015 , 30, 137-44		16
110	Histamine H3 receptor antagonist JNJ-39220675 modulates locomotor responses but not place conditioning by dopaminergic drugs. <i>Psychopharmacology</i> , 2015 , 232, 1143-53	4.7	17
109	Validity of Quinpirole Sensitization Rat Model of OCD: Linking Evidence from Animal and Clinical Studies. <i>Frontiers in Behavioral Neuroscience</i> , 2016 , 10, 209	3.5	15
108	Addressing the Complexity of Tourette's Syndrome through the Use of Animal Models. 2016 , 10, 133		7
107	A dose-response study of separate and combined effects of the serotonin agonist 8-OH-DPAT and the dopamine agonist quinpirole on locomotor sensitization, cross-sensitization, and conditioned activity. <i>Behavioural Pharmacology</i> , 2016 , 27, 439-50	2.4	7
106	[18F]-FDG PET neuroimaging in rats with quinpirole-induced checking behavior as a model for obsessive compulsive disorder. 2016 , 257, 31-38		9
105	Cultural Transmission of Precautionary Ideas: The Weighted Role of Implicit Motivation. 2016 , 16, 415-435		0
104	Excessive nest building is a unique behavioural phenotype in the deer mouse model of obsessive-compulsive disorder. 2016 , 30, 867-74		20
103	Poster Abstracts. 2016 , 36, 174-738		2
102	A review of animal models of obsessive-compulsive disorder: a focus on developmental, immune, endocrine and behavioral models. 2016 , 11, 27-43		11
101	Cortico-Basal Ganglia Circuit Function in Psychiatric Disease. 2016 , 78, 327-50		73
100	Temperament and arousal systems: A new synthesis of differential psychology and functional neurochemistry. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 64, 382-402	9	72
99	Animal models for studying obsessive-compulsive and related disorders. 2016 , 161-241		1
98	Compulsivity in obsessive-compulsive disorder and addictions. <i>European Neuropsychopharmacology</i> , 2016 , 26, 856-68	1.2	133

97	Using mice to model Obsessive Compulsive Disorder: From genes to circuits. 2016 , 321, 121-137		34
96	Obsessive-compulsive disorder: Insights from animal models. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 76, 254-279	9	51
95	Logical fallacies in animal model research. 2017 , 13, 3		21
94	From an animal model to human patients: An example of a translational study on obsessive compulsive disorder (OCD). <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 76, 67-76	9	9
93	Mechanisms of Kappa Opioid Receptor Potentiation of Dopamine D2 Receptor Function in Quinpirole-Induced Locomotor Sensitization in Rats. 2017 , 20, 660-669		9
92	Preclinical molecular imaging of glutamatergic and dopaminergic neuroreceptor kinetics in obsessive compulsive disorder. 2017 , 77, 90-98		14
91	Toxoplasma-infected subjects report an Obsessive-Compulsive Disorder diagnosis more often and score higher in Obsessive-Compulsive Inventory. 2017 , 40, 82-87		38
90	Effect of Gonadal Hormones on Neurotransmitters Implicated in the Pathophysiology of Obsessive-Compulsive Disorder: A Critical Review. 2017 , 105, 1-16		14
89	Contrafreeloading in Rats Is Adaptive and Flexible: Support for an Animal Model of Compulsive Checking. 2017 , 15, 1474704917735937		2
88	Postpartum Lactation-Mediated Behavioral Outcomes and Drug Responses in a Spontaneous Mouse Model of Obsessive-Compulsive Disorder. <i>ACS Chemical Neuroscience</i> , 2017 , 8, 2683-2697	5.7	6
87	Glutamate mGlu5 receptor antagonist, MPEP, reduces the quinpirole-induced compulsive-like checking in rats. 2017 , 15, 13-18		4
86	Detrimental effect of clomipramine on hippocampus-dependent learning in an animal model of obsessive-compulsive disorder induced by sensitization with d2/d3 agonist quinpirole. <i>Behavioural Brain Research</i> , 2017 , 317, 210-217	3.4	8
85	Chronic administration of the dopamine D agonist ropinirole invigorates performance of a rodent slot machine task, potentially indicative of less distractible or compulsive-like gambling behaviour. <i>Psychopharmacology</i> , 2017 , 234, 137-153	4.7	19
84	Rodent models of obsessive compulsive disorder: Evaluating validity to interpret emerging neurobiology. 2017 , 345, 256-273		49
83	Adult zebrafish in CNS disease modeling: a tank that's half-full, not half-empty, and still filling. 2017 , 46, 378-387		33
82	Role of the medial prefrontal cortex and nucleus accumbens in an operant model of checking behaviour and uncertainty. 2017 , 1, 2398212817733403		5
81	Nonfunctional Redundant Acts Characterize OCD, Even in OCD-Unrelated Tasks: A Demonstration in Questionnaire Completion. 2017 , 50, 389-400		2
80	Functionality versus dimensionality in psychological taxonomies, and a puzzle of emotional valence. 2018 , 373,		21

79	Free operant observing in humans: a translational approach to compulsive certainty seeking. 2018 , 71, 2052-2069		6
78	Altered serotonergic and GABAergic neurotransmission in a mice model of obsessive-compulsive disorder. <i>Behavioural Brain Research</i> , 2018 , 337, 240-245	3.4	10
77	<i>Peromyscus maniculatus bairdii</i> as a naturalistic mammalian model of obsessive-compulsive disorder: current status and future challenges. 2018 , 33, 443-455		14
76	Changes in gut microbiota during development of compulsive checking and locomotor sensitization induced by chronic treatment with the dopamine agonist quinpirole. <i>Behavioural Pharmacology</i> , 2018 , 29, 211-224	2.4	10
75	Spatio-temporal organization during group formation in rats. <i>Animal Cognition</i> , 2018 , 21, 513-529	3.1	7
74	The β -adrenoceptor blocker propranolol ameliorates compulsive-like gambling behaviour in a rodent slot machine task: implications for iatrogenic gambling disorder. <i>European Journal of Neuroscience</i> , 2019 , 50, 2401-2414	3.5	5
73	An Adenosine A Receptor Antagonist Improves Multiple Symptoms of Repeated Quinpirole-Induced Psychosis. <i>ENeuro</i> , 2019 , 6,	3.9	13
72	8-OH-DPAT Induces Compulsive-like Deficit in Spontaneous Alternation Behavior: Reversal by MDMA but Not Citalopram. <i>ACS Chemical Neuroscience</i> , 2019 , 10, 3094-3100	5.7	5
71	A Free-Operant Reward-Tracking Paradigm to Study Neural Mechanisms and Neurochemical Modulation of Adaptive Behavior in Rats. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	1
70	The Neuronal Glutamate Transporter EAAT3 in Obsessive-Compulsive Disorder. <i>Frontiers in Pharmacology</i> , 2019 , 10, 1362	5.6	7
69	The Bed Nucleus of the Stria Terminalis, Homeostatic Satiety, and Compulsions: What Can We Learn From Polydipsia?. <i>Frontiers in Behavioral Neuroscience</i> , 2019 , 13, 170	3.5	3
68	Increased Fear Memory and Glutamatergic Modulation in Compulsive Drinker Rats Selected by Schedule-Induced Polydipsia. <i>Frontiers in Behavioral Neuroscience</i> , 2019 , 13, 100	3.5	5
67	Obsessive compulsive disorder (OCD): Current treatments and a framework for neurotherapeutic research. <i>Advances in Pharmacology</i> , 2019 , 86, 237-271	5.7	3
66	Pharmacological Effects of Curcuminoids in Neurological Disorders. 2019 , 129-154		2
65	Neuroreceptor kinetics in rats repeatedly exposed to quinpirole as a model for OCD. <i>PLoS ONE</i> , 2019 , 14, e0213313	3.7	1
64	Abnormal repetitive behaviors in zebrafish and their relevance to human brain disorders. <i>Behavioural Brain Research</i> , 2019 , 367, 101-110	3.4	12
63	Obsessive-Compulsive Disorder: Puzzles and Prospects. <i>Neuron</i> , 2019 , 102, 27-47	13.9	132
62	Role of basal ganglia neurocircuitry in the pathology of psychiatric disorders. <i>Psychiatry and Clinical Neurosciences</i> , 2019 , 73, 289-301	6.2	23

61	Basolateral amygdala input to the medial prefrontal cortex controls obsessive-compulsive disorder-like checking behavior. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 3799-3804	11.5	23
60	No effect of riluzole and memantine on learning deficit following quinpirole sensitization - An animal model of obsessive-compulsive disorder. <i>Physiology and Behavior</i> , 2019 , 204, 241-247	3.5	2
59	Quantifying free behaviour in an open field using k-motif approach. <i>Scientific Reports</i> , 2019 , 9, 19873	4.9	
58	Social interaction modulates the intensity of compulsive checking in a rat model of obsessive-compulsive disorder (OCD). <i>Behavioural Brain Research</i> , 2019 , 359, 156-164	3.4	4
57	A critical inquiry into marble-burying as a preclinical screening paradigm of relevance for anxiety and obsessive-compulsive disorder: Mapping the way forward. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2019 , 19, 1-39	3.5	39
56	The Psychopharmacology of Obsessive-Compulsive Disorder: A Preclinical Roadmap. <i>Pharmacological Reviews</i> , 2020 , 72, 80-151	22.5	18
55	Dopaminergic and serotonergic modulation of social reward appraisal in zebrafish (<i>Danio rerio</i>) under circumstances of motivational conflict: Towards a screening test for anti-compulsive drug action. <i>Behavioural Brain Research</i> , 2020 , 379, 112393	3.4	2
54	Efficacy of nicotine administration on obsessions and compulsions in OCD: a systematic review. <i>Annals of General Psychiatry</i> , 2020 , 19, 57	3.4	1
53	Dissociable dopaminergic and pavlovian influences in goal-trackers and sign-trackers on a model of compulsive checking in OCD. <i>Psychopharmacology</i> , 2020 , 237, 3569-3581	4.7	2
52	The serotonergic system in obsessive-compulsive disorder. <i>Handbook of Behavioral Neuroscience</i> , 2020 , 31, 865-891	0.7	3
51	Yawning and Penile Erection Frequencies Are Resilient to Maternal Care Manipulation in the High-Yawning Subline of Sprague-Dawley Rats. <i>Frontiers in Behavioral Neuroscience</i> , 2020 , 14, 20	3.5	
50	Structural and functional MRI of altered brain development in a novel adolescent rat model of quinpirole-induced compulsive checking behavior. <i>European Neuropsychopharmacology</i> , 2020 , 33, 58-70	1.2	4
49	Crosstalk Between Kappa Opioid and Dopamine Systems in Compulsive Behaviors. <i>Frontiers in Pharmacology</i> , 2020 , 11, 57	5.6	4
48	The Effect of <i>Lactobacillus casei</i> Consumption in Improvement of Obsessive-Compulsive Disorder: an Animal Study. <i>Probiotics and Antimicrobial Proteins</i> , 2020 , 12, 1409-1419	5.5	5
47	Marble-burying behavior test as a murine model of compulsive-like behavior. <i>Journal of Pharmacological and Toxicological Methods</i> , 2020 , 102, 106676	1.7	11
46	"Fake it till You Make it"! Contaminating Rubber Hands ("Multisensory Stimulation Therapy") to Treat Obsessive-Compulsive Disorder. <i>Frontiers in Human Neuroscience</i> , 2019 , 13, 414	3.3	9
45	Effect of Escitalopram on Serum GDNF and BDNF Levels and 5-HT Level of Brain Tissue of Obsessive-Compulsive Disorder Rats. <i>Cellular and Molecular Neurobiology</i> , 2020 , 40, 991-997	4.6	2
44	The Effect of Orexin Receptor Antagonism on Quinpirole-Induced Compulsive-Like Checking Behavior in Rats. <i>Neurotoxicity Research</i> , 2020 , 38, 18-26	4.3	6

43	Social spatial cognition: social distance dynamics as an identifier of social interactions. <i>Animal Cognition</i> , 2021 , 24, 407-418	3.1	2
42	The Continuum from Temperament to Mental Illness: Dynamical Perspectives. <i>Neuropsychobiology</i> , 2021 , 80, 134-146	4	5
41	Pharmacotherapeutic Strategies and New Targets in OCD. <i>Current Topics in Behavioral Neurosciences</i> , 2021 , 49, 331-384	3.4	3
40	Animal Models for OCD Research. <i>Current Topics in Behavioral Neurosciences</i> , 2021 , 49, 55-96	3.4	2
39	Pathophysiology of Obsessive-Compulsive Disorder: Insights from Normal Function and Neurotoxic Effects of Drugs, Infection, and Brain Injury. 2021 , 1-23		
38	Social spatial cognition. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 121, 277-290	9	2
37	NOX1/NADPH Oxidase Promotes Synaptic Facilitation Induced by Repeated D Receptor Stimulation: Involvement in Behavioral Repetition. <i>Journal of Neuroscience</i> , 2021 , 41, 2780-2794	6.6	2
36	The Role of Antioxidants in the Management of Obsessive-Compulsive Disorder. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 1-15	6.7	0
35	Altered Grooming Syntax and Amphetamine-Induced Dopamine Release in EAAT3 Overexpressing Mice. <i>Frontiers in Cellular Neuroscience</i> , 2021 , 15, 661478	6.1	0
34	Bidirectional Behavioral Selection in Mice: A Novel Pre-clinical Approach to Examining Compulsivity. <i>Frontiers in Psychiatry</i> , 2021 , 12, 716619	5	1
33	The Continuum Between Temperament and Mental Illness as Dynamical Phases and Transitions. <i>Frontiers in Psychiatry</i> , 2020 , 11, 614982	5	2
32	Pathophysiology of Obsessive-Compulsive Disorder: Insights from Normal Function and Neurotoxic Effects of Drugs, Infection, and Brain Injury. 2014 , 2231-2253		4
31	Survey of Selective Neurotoxins. 2014 , 3-67		4
30	Pharmacology of Dopamine and Its Receptors. 2020 , 143-182		1
29	Psychiatric Models. 2004 , 462-474		2
28	Compulsive lever-pressing in rats is attenuated by the serotonin re-uptake inhibitors paroxetine and fluvoxamine but not by the tricyclic antidepressant desipramine or the anxiolytic diazepam. <i>Behavioural Pharmacology</i> , 2004 , 15, 241-252	2.4	49
27	The Role of Stress in Obsessive-Compulsive Disorder: A Narrative Review. <i>Harvard Review of Psychiatry</i> , 2020 , 28, 356-370	4.1	4
26	Excessive drinking and checking in the rat model of Schedule-Induced Polydipsia reveal impaired bi-directional plasticity at BNST GABA synapses.		1

25	Outlining new frontiers for the comprehension of obsessive-compulsive disorder: a review of its relationship with fear and anxiety. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34 Suppl 1, S81-91	2.6	9
24	A Psycho-Behavioral Perspective on Modelling Obsessive-Compulsive Disorder (OCD) in Animals: The Role of Context. <i>Current Medicinal Chemistry</i> , 2018 , 25, 5662-5689	4.3	5
23	Spatial navigation: implications for animal models, drug development and human studies. <i>Physiological Research</i> , 2014 , 63, S237-49	2.1	11
22	Functional Constructivism Approach to Multilevel Nature of Bio-Behavioral Diversity. <i>Frontiers in Psychiatry</i> , 2021 , 12, 641286	5	3
21	Mouse Cognition-Related Behavior in the Open-Field: Emergence of Places of Attraction. 2011 , 21-42		
20	Obsessive-Compulsive Disorders in Animals. 2012 , 61-70		
19	Tiermodelle für Zwangsstörungen. 2012 , 253-257		
18	Serotonin and Beyond: A Neurotransmitter Perspective of OCD. 220-243		
17	Quantifying free behavior in an open field using k-motif approach.		
16	The Use of Small Animal Molecular Imaging (PET) Exemplified in a Neurobiological Pathology. 2021 , 57-92		
15	Comparing the pathology of equine stereotypical behaviours to obsessive-compulsive and related disorder in humans: An exploratory Delphi study. <i>Applied Animal Behaviour Science</i> , 2022 , 248, 105571	2.2	0
14	Memantine treatment does not affect compulsive behavior or frontostriatal connectivity in an adolescent rat model for quinpirole-induced compulsive checking behavior.. <i>Psychopharmacology</i> , 2022 , 1	4.7	
13	Acute administration of a dopamine D2/D3 receptor agonist alters behavioral and neural parameters in adult zebrafish.		
12	Table_1.DOCX. 2020 ,		
11	Table_2.DOCX. 2020 ,		
10	Influence of acute and unpredictable chronic stress on spatio-temporal dynamics of exploratory activity in zebrafish with emphasis on homebase-related behaviors. 2022 , 435, 114034		1
9	A virtual library for behavioral performance in standard conditions: rodent spontaneous activity in an open field during repeated testing and after treatment with drugs or brain lesions. 2022 , 11,		1
8	A Checking Model of Obsessive-Compulsive Disorder Based on the Hypothalamic Defensive System Against a Potential Threat.		0

- 7 mCPP-induced behavioral changes in OCD research: a systematic review of rodent studies. **2022**, ○
- 6 Potential therapeutic mechanism of deep brain stimulation of the nucleus accumbens in obsessive-compulsive disorder. 16, ○
- 5 Cariprazine-Associated Obsessive-Compulsive Symptoms in a Patient With Bipolar Disorder. **2023**, 43, 79-80 ○
- 4 Expanding the use of homebase-related parameters to investigate how distinct stressful conditions affect zebrafish behaviors. **2023**, 125, 110748 ○
- 3 Acute administration of a dopamine D2/D3 receptor agonist alters behavioral and neural parameters in adult zebrafish. **2023**, 125, 110753 ○
- 2 Pathophysiology of Obsessive-Compulsive Disorder: Insights from Normal Function and Neurotoxic Effects of Drugs, Infection, and Brain Injury. **2022**, 2195-2216 ○
- 1 Insulin and Disorders of Behavioural Flexibility. **2023**, 105169 ○