

CITATION REPORT

List of articles citing

The Demography of Massive Dark Objects in Galaxy Centers

DOI: 10.1086/300353

Astronomical Journal, 1998, 115, 2285-2305.

Source: <https://exaly.com/paper-pdf/29610307/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2372	A simple mass estimate for central black holes in cuspy galaxies. 1998 , 72, 219-233		
2371	Quasar evolution. 1998 , 319, 257-283		6
2370	On Quasar Masses and Quasar Host Galaxies. 1998 , 505, L83-L86		138
2369	Evidence for a $3 \times 10^8 M_{\odot}$ Black Hole in NGC 7052 from Hubble Space Telescope Observations of the Nuclear Gas Disk. <i>Astronomical Journal</i> , 1998 , 116, 2220-2236	4.9	107
2368	A Cutoff in the X-Ray Fluctuation Power Density Spectrum of the Seyfert 1 Galaxy NGC 3516. 1999 , 514, 682-690		133
2367	Hard X-Ray Emission from Elliptical Galaxies and Its Contribution to the X-Ray Background. 1999 , 527, L21-L24		7
2366	Future Directions in AGN Research. 1999 , 194, 453-462		
2365	Ultraluminous Infrared Galaxies. 1999 , 186, 289-294		1
2364	Preface. 1999 , 194, xv-xvi		1
2363	A UV Flare at the Center of the Elliptical Galaxy NGC 4552. 1999 , 194, 389-393		1
2362	An Overview of AGN. 1999 , 194, 3-11		
2361	Quasars. 1999 , 194, 97-104		
2360	The energetic role of massive stars in the AGN phenomenon. 1999 , 193, 703-715		
2359	Formation of Low-Mass Stars in Elliptical Galaxy Cooling Flows. 1999 , 526, 114-129		24
2358	Lyman-Break Galaxies at		1257
2357	Astrophysical evidence for massive black holes. 1999 , 311, 451-462		4
2356	The demography of massive galactic black holes. 1999 , 23, 925-936		5

2355	The AGN/normal galaxy connection: Summary. 1999 , 23, 1167-1176	4
2354	Dynamical models of NGC 3115. 1999 , 303, 495-514	87
2353	Strong observational constraints on advection-dominated accretion in the cores of elliptical galaxies. 1999 , 305, 492-504	63
2352	The mass density in black holes inferred from the X-ray background. 1999 , 303, L34-L36	207
2351	Ultraluminous infrared galaxies at high redshift: their position on the Madau plot and their fate. 1999 , 305, 61-78	36
2350	Tidal disruption rates of stars in observed galaxies. 1999 , 306, 35-42	125
2349	On the origin of the hard X-ray background. 1999 , 305, L1-L5	10
2348	The AGN contribution to deep submillimetre surveys and the far-infrared background. 1999 , 305, L59-L63	84
2347	A comparative HST imaging study of the host galaxies of radio-quiet quasars, radio-loud quasars and radio galaxies -- I. 1999 , 308, 377-404	259
2346	The distribution of supermassive black holes in the nuclei of nearby galaxies. 1999 , 308, 77-81	71
2345	Globular cluster system erosion and nucleus formation in elliptical galaxies. 1999 , 308, 961-968	17
2344	A complete sample of radio sources in the North Ecliptic Cap, selected at 38 MHz - III. Further imaging observations and the photometric properties of the sample. 1999 , 308, 1087-1095	7
2343	Rates of tidal disruption of stars by massive central black holes. 1999 , 309, 447-460	283
2342	Binary quasars. 1999 , 309, 836-846	70
2341	Submillimetre observations of luminous $z > 4$ radio-quiet quasars and the contribution of AGN to the submm source population. 1999 , 309, L1-L5	51
2340	Variability of the extreme $z = 4.72$ blazar, GB 1428+4217. 1999 , 308, L6-L10	24
2339	The obscured growth of massive black holes. 1999 , 308, L39-L43	549
2338	Dynamics of the boxy elliptical galaxy NGC 1600. 1999 , 310, 879-891	22

2337	On the relationship between galaxy formation and quasar evolution. 1999 , 310, L5-L9		103
2336	Formation of the first stars and quasars. 1999 , 23, 915-924		1
2335	Ground-based and HST optical-infrared studies of quasar host galaxies at low redshift. 1999 , 23, 1131-1138		3
2334	Testing the ADAF paradigm for supermassive black holes in elliptical galaxies. 1999 , 23, 1075-1078		1
2333	Galaxy collisions. 1999 , 321, 1-137		97
2332	Initial mass spectrum of black holes in galactic nuclei. 1999 , 88, 1058-1065		
2331	Gas and Dust in Protogalaxies. 1999 , 269/270, 405-421		4
2330	Supermassive Black Holes and Galaxy Morphology. 1999 , 269/270, 269-291		14
2329	Elemental Abundances in Quasistellar Objects: Star Formation and Galactic Nuclear Evolution at High Redshifts. 1999 , 37, 487-531		306
2328	Invited Review: The Ultraviolet and Optical Continuum Emission in Active Galactic Nuclei: The Status of Accretion Disks. 1999 , 111, 1-30		208
2327	Astrophysics in 1998. 1999 , 111, 385-437		5
2326	The Survival of the Core Fundamental Plane against Galactic Mergers. 1999 , 517, 92-102		14
2325	The Black Hole Mass Distribution in Early-Type Galaxies: Cusps in [ITAL]Hubble Space Telescope/[ITAL] Photometry Interpreted through Adiabatic Black Hole Growth. <i>Astronomical Journal</i> , 1999 , 117, 744-763	4.9	107
2324	The Stellar Kinematic Fields of NGC 3379. <i>Astronomical Journal</i> , 1999 , 117, 839-854	4.9	42
2323	The Mini-Active Galactic Nucleus at the Center of the Elliptical Galaxy NGC 4552 with Hubble Space Telescope. 1999 , 519, 117-133		35
2322	Chandra Detection of Massive Black Holes in Galactic Cooling Flows. 1999 , 527, L89-L92		12
2321	A Spectacular Poststarburst Quasar. 1999 , 520, L87-L90		74
2320	Active galactic nuclei. 1999 , 96, 4749-51		13

2319	The Nature of Accreting Black Holes in Nearby Galaxy Nuclei. 1999 , 519, 89-107	490
2318	The formation of ellipticals, black holes and active galactic nuclei: a theoretical perspective. 2000 , 358, 2121-2132	4
2317	Evidence for Supermassive Black Holes in Active Galactic Nuclei from Emission-Line Reverberation. 2000 , 540, L13-L16	219
2316	The Hubble Space Telescope Survey of BL Lacertae Objects. II. Host Galaxies. 2000 , 532, 816-829	198
2315	Where Do Cooling Flows Cool?. 2000 , 535, 650-662	12
2314	Hydrodynamic Drag on a Compact Star Orbiting a Supermassive Black Hole. 2000 , 536, 663-667	50
2313	Chandra Uncovers a Hidden Low-Luminosity Active Galactic Nucleus in the Radio Galaxy Hydra A (3C 218). 2000 , 532, L91-L94	17
2312	Evidence for a Black Hole and Accretion Disk in the LINER NGC 4203. 2000 , 534, L27-L30	64
2311	Formation of a Massive Black Hole at the Center of the Superbubble in M82. 2000 , 545, L107-L111	66
2310	Black Hole Mass Estimates from Reverberation Mapping and from Spatially Resolved Kinematics. 2000 , 543, L5-L8	375
2309	Markarian 421 [CSC] Unusual Satellite Galaxy. <i>Astronomical Journal</i> , 2000 , 119, 1677-1686	4.9 9
2308	3C 48: Stellar Populations and the Kinematics of Stars and Gas in the Host Galaxy. 2000 , 528, 201-218	65
2307	On the Cosmological Evolution of the Luminosity Function and the Accretion Rate of Quasars. 2000 , 531, 42-51	55
2306	Unveiling the Active Nucleus of Centaurus A. 2000 , 528, 276-291	68
2305	Starlight in the Universe. 2000 , T85, 156-163	2
2304	Fuelling quasars with hot gas. 2000 , 311, 346-356	62
2303	Joint cosmological formation of QSOs and bulge-dominated galaxies. 2000 , 311, 279-296	79
2302	Hard X-ray emission from elliptical galaxies. 2000 , 311, 493-506	50

2301	A unified model for the evolution of galaxies and quasars. 2000 , 311, 576-588	927
2300	Low-radiative-efficiency accretion in the nuclei of elliptical galaxies. 2000 , 311, 507-521	129
2299	Deep galaxy counts, extragalactic background light and the stellar baryon budget. 2000 , 312, L9-L15	277
2298	Hubble Space Telescope observations of X-ray-selected active galactic nuclei. 2000 , 315, 498-516	64
2297	A ROSAT High Resolution Imager survey of bright nearby galaxies. 2000 , 315, 98-114	174
2296	The black hole mass-galaxy age relation. 2000 , 313, L29-L32	19
2295	Clustering of galaxies around radio quasars at $0.5 \leq z \leq 0.8$. 2000 , 316, 267-282	62
2294	Narrow-line Seyfert 1 galaxies and the evolution of galaxies and active galaxies. 2000 , 314, L17-L20	210
2293	Stellar dynamics in the Galactic Centre: proper motions and anisotropy. 2000 , 317, 348-374	285
2292	The masses of black holes in the nuclei of spirals. 2000 , 317, 488-496	43
2291	Cosmic ray generation by quasar remnants: constraints and implications. 2000 , 316, L29-L33	27
2290	X-ray absorption and rapid variability of the dwarf Seyfert nucleus of NGC 4395. 2000 , 318, 879-888	49
2289	The X-ray variability of the Seyfert 1 galaxy MCG-6-30-15 from long-ASCA and RXTE observations. 2000 , 318, 857-874	82
2288	The correlation between black hole mass and bulge velocity dispersion in hierarchical galaxy formation models. 2000 , 318, L35-L38	177
2287	Black holes and host galaxies of NLS1s. 2000 , 44, 427-429	6
2286	New insights into the narrow-line Seyfert 1 phenomenon. 2000 , 44, 469-475	24
2285	Optical, UV, and X-ray clues to the nature of narrow-line AGNs. 2000 , 44, 503-510	28
2284	Spectroscopic identification of ten faint hard X-ray sources discovered by Chandra. 2000 , 5, 143-153	70

2283	Ultra high energy cosmic rays: the theoretical challenge. 2000 , 333-334, 329-348	96
2282	The role of starbursts in the formation of galaxies and active galactic nuclei. 2000 , 358, 2077-2091	6
2281	Keck Mid-Infrared Imaging of QSO 2237+0305. 2000 , 545, 657-663	52
2280	A physical model for the hard X-ray background. 2000 , 319, 583-590	11
2279	The Canada-UK Deep Submillimeter Survey. IV. The Survey of the 14 Hour Field. <i>Astronomical Journal</i> , 2000 , 120, 2244-2268	4-9 184
2278	A Fundamental Relation between Supermassive Black Holes and Their Host Galaxies. 2000 , 539, L9-L12	3132
2277	Collisional dark matter and the origin of massive black holes. 2000 , 84, 5258-60	90
2276	New dark matter physics: Clues from halo structure. 2000 , 62,	147
2275	Particle acceleration and curvature TeV emission by rotating, supermassive black holes. 2000 , 85, 912-5	85
2274	ASTRONOMY: Enhanced: Monsters at the Heart of Galaxy Formation. 2000 , 289, 1484-5	6
2273	A Relationship between Nuclear Black Hole Mass and Galaxy Velocity Dispersion. 2000 , 539, L13-L16	2739
2272	Broad Iron Lines in Active Galactic Nuclei. 2000 , 112, 1145-1161	388
2271	The Reionization of the Universe by the First Stars and Quasars. 2001 , 39, 19-66	260
2270	The Cosmic Infrared Background: Measurements and Implications. 2001 , 39, 249-307	572
2269	A Multivariate Statistical Analysis of Spiral Galaxy Luminosities. I. Data and Results. 2001 , 137, 139-199	69
2268	Diffraction/refractive optics for high energy astronomy. 2001 , 375, 691-700	34
2267	A Theoretical Model for the [ITAL]M[/ITAL][TINF][CLC]bh[/CLC][TINF]-[RELATION] Relation for Supermassive Black Holes in Galaxies. 2001 , 551, L31-L35	87
2266	XMM-Newton first-light observations of the Hickson galaxy group 16. 2001 , 365, L110-L115	29

2265	Binary black holes and tori in AGN. 2001 , 377, 23-43		50
2264	Extragalactic Background Light, MACHOs, and the Cosmic Stellar Baryon Budget. 2001 , 204, 359-372		3
2263	The Central Kiloparsec-Scale Structure of Galaxies. 2001 , 205, 154-161		1
2262	Heating and Ionization of the Intergalactic Medium by an Early X-Ray Background. 2001 , 563, 1-8		143
2261	The M 31 double nucleus probed with OASIS and HST. 2001 , 371, 409-428		66
2260	A Survey of $[ClC]z > 5.8$ Quasars in the Sloan Digital Sky Survey. I. Discovery of Three New Quasars and the Spatial Density of Luminous Quasars at $[ClC]z \sim 6$. <i>Astronomical Journal</i> , 2001 , 122, 2833-2849	4.9	712
2259	A Moderate Cluster Cooling Flow Model. 2001 , 549, 832-839		61
2258	Cosmological Evolution Models for QSO/Active Galactic Nucleus Luminosity Functions: Effects of Spectrum-Luminosity Correlation and Massive Black Hole Remnants. 2001 , 555, 673-684		3
2257	Potential Formation Sites of Superstar Clusters in Ultraluminous Infrared Galaxies. 2001 , 557, L19-L22		19
2256	Accretion Disk Instabilities, Cold Dark Matter Models, and Their Role in Quasar Evolution. 2001 , 547, 90-98		27
2255	Tidal Spin-up of Stars in Dense Stellar Cusps around Massive Black Holes. 2001 , 549, 948-958		45
2254	Molecular Gas in Infrared-Excess, Optically Selected and the Quasars Connection with Infrared-Luminous Galaxies. <i>Astronomical Journal</i> , 2001 , 121, 1893-1902	4.9	55
2253	The $M_{BH} - M_c$ Relation as a Constraint on the Formation of Elliptical Galaxies. 2001 , 552, L13-L16		65
2252	Heii Recombination Lines from the First Luminous Objects. 2001 , 553, 73-77		57
2251	Central Structural Parameters of Early-Type Galaxies as Viewed with Nicmos on the HUBBLE SPACE TELESCOPE. <i>Astronomical Journal</i> , 2001 , 122, 653-678	4.9	161
2250	A Rapid X-Ray Flare in the Radio-loud Narrow-Line Quasar PKS 0558-04. 2001 , 554, 233-239		25
2249	Activity From Tidal Disruptions in Galactic Nuclei. 2001 , 562, L137-L140		10
2248	Constraining the Lifetime of Quasars from Their Spatial Clustering. 2001 , 547, 27-38		132

2247	Quasar Clustering and the Lifetime of Quasars. 2001 , 547, 12-26		255
2246	The M σ Relation for Supermassive Black Holes. 2001 , 547, 140-145		366
2245	Star Formation-Regulated Growth of Black Holes in Protogalactic Spheroids. 2001 , 554, L151-L154		83
2244	Hubble Space Telescope Imaging in the Chandra Deep Field-South. I. Multiple Active Galactic Nucleus Populations. 2001 , 560, 127-138		23
2243	The Frequency of Active and Quiescent Galaxies with Companions: Implications for the Feeding of the Nucleus. <i>Astronomical Journal</i> , 2001 , 122, 2243-2256	4-9	103
2242	Ultraluminous Infrared Galaxies: Mergers of Sub-L* Galaxies?. 2001 , 563, 546-554		45
2241	Peering through the Dust: Evidence for a Supermassive Black Hole at the Nucleus of Centaurus A from VLT Infrared Spectroscopy. 2001 , 549, 915-937		76
2240	Supermassive Black Holes in Bulges. 2001 , 550, 65-74		111
2239	Evidence of a Supermassive Black Hole in the Galaxy NGC 1023 from the Nuclear Stellar Dynamics. 2001 , 550, 75-86		58
2238	Erratum: "Molecular Gas in Infrared-Excess, Optically Selected Quasars and the Connection with Infrared-luminous Galaxies" [<i>Astron. J.</i> [BF]121[BF], 1893 (2001)]. <i>Astronomical Journal</i> , 2001 , 121, 3285-3285	4-9	17
2237	Circumnuclear Stellar Population, Morphology, and Environment of Seyfert 2 Galaxies: An Evolutionary Scenario. 2001 , 559, 147-156		93
2236	The Inner Light-Year of the Nearest Seyfert 1 Nucleus in NGC 4395. 2001 , 553, L23-L26		23
2235	What Is the Highest Plausible Redshift of Luminous Quasars?. 2001 , 552, 459-463		198
2234	Radio Observations of Infrared-Luminous High-Redshift Quasi-Stellar Objects. <i>Astronomical Journal</i> , 2001 , 122, 1679-1687	4-9	34
2233	Cold Dark Matter and Strong Gravitational Lensing: Concord or Conflict?. 2001 , 561, 46-60		123
2232	Periastron shifts of stellar orbits near the Galactic Center. 2001 , 374, 95-104		117
2231	A Correlation between Galaxy Light Concentration and Supermassive Black Hole Mass. 2001 , 563, L11-L14		272
2230	[ITAL]Chandra[/ITAL] Limits on X-Ray Emission Associated with the Supermassive Black Holes in Three Giant Elliptical Galaxies. 2001 , 555, L21-L24		121

2229	In the beginning: the first sources of light and the reionization of the universe. 2001 , 349, 125-238	916
2228	Evidence for a massive dark object in NGC 4350. 2001 , 320, 124-130	12
2227	The cluster environments of powerful radio-loud and radio-quiet active galactic nuclei. 2001 , 321, 515-524	66
2226	On the fate of gas in ultraluminous infrared galaxies at low and high redshift. 2001 , 323, 542-546	4
2225	The temperatures of dust-enshrouded active galactic nuclei. 2001 , 323, 547-554	7
2224	The influence of central black holes on gravitational lenses. 2001 , 323, 301-307	39
2223	Black hole demographics from the M bullet - σ relation. 2001 , 320, L30-L34	294
2222	The host galaxies of luminous radio-quiet quasars. 2001 , 322, 843-858	42
2221	The ages of quasar host galaxies. 2001 , 323, 308-330	81
2220	A submillimetre survey of the star formation history of radio galaxies. 2001 , 323, 417-444	172
2219	Radio-quiet quasar environments at 0.5 . 2001 , 323, 231-247	46
2218	An observational constraint on gravitational lensing by objects of mass $10^{9.5-10.9} M_{\odot}$. 2001 , 320, L40-L44	7
2217	Quasars and galaxy formation. 2001 , 324, 128-140	39
2216	Infrared observations of serendipitous hardChandraX-ray sources. 2001 , 324, 427-442	23
2215	The relationship between X-ray variability and the central black hole mass. 2001 , 324, 653-658	37
2214	Joint formation of QSOs and spheroids: QSOs as clocks of star formation in spheroids. 2001 , 324, 757-768	191
2213	The impact of galaxy formation on the X-ray evolution of clusters. 2001 , 325, 497-508	79
2212	The 2dF QSO Redshift Survey -- II. Structure and evolution at high redshift. 2001 , 325, 483-496	75

2211	High-resolution radio observations of Seyfert galaxies in the extended 12-m sample - II. The properties of compact radio components. 2001 , 325, 737-760	38
2210	Black hole masses from power density spectra: determinations and consequences. 2001 , 325, 865-874	63
2209	The far-infrared-submillimetre spectral energy distribution of high-redshift quasars. 2001 , 324, L17-L22	73
2208	The black hole masses of Seyfert galaxies and quasars. 2001 , 327, 199-207	225
2207	On the masses of black holes in radio-loud quasars. 2001 , 327, 1111-1115	101
2206	The loss-cone problem in dense nuclei. 2001 , 327, 995-1003	17
2205	The 2dF QSO Redshift Survey - VI. Measuring Λ CDM from redshift-space distortions in the power spectrum. 2001 , 328, 174-184	16
2204	Evolution of globular cluster systems in three galaxies of the Fornax cluster. 2001 , 328, 645-652	10
2203	The fraction of galaxies that contain active nuclei and their accretion rates. 2001 , 328, 925-930	7
2202	Evolution of active galaxies: black-hole mass–bulge relations for narrow line objects. 2001 , 6, 321-329	105
2201	On the lack of cold dust in IRAS P09104+4109 and IRAS F15307+3252: their spectral energy distributions and implications for finding dusty AGNs at high redshift. 2001 , 326, 1467-1474	11
2200	A NICMOS imaging study of high-z-quasar host galaxies. 2001 , 326, 1533-1546	111
2199	HST/WFPC2 imaging of the QDOT ultraluminous infrared galaxy sample. 2001 , 326, 1333-1352	97
2198	A sample of 6C radio sources designed to find objects at redshift $z > 4$ - III. Imaging and the radio galaxy K-z relation. 2001 , 326, 1585-1600	116
2197	First results from the Isaac Newton Telescope Wide Angle Survey: the $z > 5$ quasar survey. 2001 , 326, L45-L49	17
2196	Cooling Flows and Quasars. II. Detailed Models of Feedback-modulated Accretion Flows. 2001 , 551, 131-152	296
2195	Estimation of Central Black Hole Masses in Low-Luminosity Active Galactic Nuclei. 2001 , 53, 647-652	18
2194	Theoretical Models of Multi-Waveband QSO Luminosity Functions. 2001 , 53, 861-870	6

2193	Growth of stellar mass black holes in galactic nuclei. 2001 , 18, 3977-3982	4
2192	Million solar mass black holes at high redshift. 2001 , 18, 3983-3988	15
2191	Soft X-ray Properties of Ultraluminous IRAS Galaxies. 2001 , 1, 221-235	5
2190	Origin of galactic and extragalactic magnetic fields. 2002 , 74, 775-823	648
2189	Gravothermal collapse of self-interacting dark matter halos and the origin of massive black holes. 2002 , 88, 101301	47
2188	Emission of Positron Annihilation Line Radiation by Clusters of Galaxies. 2002 , 572, 796-809	10
2187	Black-hole galactic nuclei: a high-energy perspective. 2002 , 19, 1317-1319	1
2186	Tridimensional Spectroscopic Observation of the Interacting System NGC 7592. 2002 , 54, 393-404	4
2185	Heated Cooling Flows. 2002 , 573, 542-561	50
2184	Chandra Observations of NGC 4636--an Elliptical Galaxy in Turmoil. 2002 , 567, L115-L118	145
2183	Collisional Dynamics around Binary Black Holes in Galactic Centers. 2002 , 581, 1256-1270	31
2182	Violence in the hearts of galaxies: aberration or adolescence?. 2002 , 360, 2725-40	
2181	Emission-Line Properties of $z > 4$ Quasars. 2002 , 565, 50-62	34
2180	Hubble Space Telescope Imaging in the Chandra Deep Field South. II. WFPC2 Observations of an X-Ray Flux Limited Sample from the 1 Million Second Chandra Catalog. 2002 , 567, 657-671	20
2179	Supermassive Black Holes in BL Lacertae Objects: Estimated Masses and Their Relation to Nuclear Luminosity. <i>Astronomical Journal</i> , 2002 , 123, 2352-2357	4-9 35
2178	A Hubble Space Telescope Survey of the Mid-Ultraviolet Morphology of Nearby Galaxies. 2002 , 143, 113-158	88
2177	A Constraint on the Gravitational Lensing Magnification and Age of the Redshift $z = 6.28$ Quasar SDSS 1030+0524. 2002 , 578, 702-707	45
2176	A 20,000 M_{\odot} Black Hole in the Stellar Cluster G1. 2002 , 578, L41-L45	196

2175	Ultraviolet Hubble Space Telescope Snapshot Survey of 3CR Radio Source Counterparts at Low Redshift. 2002 , 139, 411-438	44
2174	Observational Constraints on the Self-interacting Dark Matter Scenario and the Growth of Supermassive Black Holes. 2002 , 572, 41-54	49
2173	The Kozai Mechanism and the Evolution of Binary Supermassive Black Holes. 2002 , 578, 775-786	218
2172	Gas Kinematics and the Black Hole Mass at the Center of the Radio Galaxy NGC 4335. <i>Astronomical Journal</i> , 2002 , 124, 2524-2542	4.9 27
2171	Gemini Multi-Object Spectrograph Observations of SCUBA Galaxies behind A851. 2002 , 577, L79-L82	30
2170	First Stars, Very Massive Black Holes, and Metals. 2002 , 571, 30-39	370
2169	The First Detections of the Extragalactic Background Light at 3000, 5500, and 8000 Å. III. Cosmological Implications. 2002 , 571, 107-128	56
2168	Could supermassive black holes be quintessential primordial black holes?. 2002 , 66,	115
2167	Tracing activity in distant supermassive black holes with X-rays. 2002 , 43, 339-349	2
2166	Hubble Space Telescope Imaging of the Poststarburst Quasar UN J1025+0040: Evidence for Recent Star Formation. 2002 , 114, 593-601	22
2165	Dust emission and star formation toward a redshift 5.5 QSO. 2002 , 384, L11-L14	26
2164	Are quasars accreting at super-Eddington rates?. 2002 , 388, 771-786	87
2163	Accretion during the Merger of Supermassive Black Holes. 2002 , 567, L9-L12	255
2162	The CORALS survey. 2002 , 383, 91-97	53
2161	Black hole mass and binary model for BL Lac object OJ 287. 2002 , 388, L48-L52	39
2160	Supermassive black hole masses of AGNs with elliptical hosts. 2002 , 389, 742-751	51
2159	AGN and the Demographics of Supermassive Black Holes. 2002 , 184, 335-342	
2158	The Population of AGNs in Nearby Galaxies. 2002 , 184, 13-22	

2157	The Obscured AGN Population Probed by X-ray Observations. 2002 , 184, 225-233	
2156	On the Relationship between Radio Emission and Black Hole Mass in Galactic Nuclei. 2002 , 564, 120-132	259
2155	Heating of the intracluster medium by quasar outflows. 2002 , 23, 101-105	3
2154	Feeding black holes at galactic centres by capture from isothermal cusps. 2002 , 7, 385-394	64
2153	Testing minimum energy with powerful radio sources in clusters of galaxies. 2002 , 46, 117-120	8
2152	HST NICMOS imaging of $z \sim 2$ radio-quiet quasars. 2002 , 46, 175-180	1
2151	Radio-loud low luminosity AGN. 2002 , 46, 225-229	4
2150	Multiwavelength study of the nuclei of a volume-limited sample of galaxies - I. X-ray observations. 2002 , 319, 17-42	32
2149	The SCUBA Bright Quasar Survey (SBQS): 850- μ m observations of the z=4 sample. 2002 , 329, 149-162	86
2148	Radiation drag driven mass accretion in a clumpy interstellar medium: implications for the supermassive black hole-to-bulge relation. 2002 , 329, 572-578	46
2147	Physical implications of the X-ray properties of galaxy groups and clusters. 2002 , 330, 329-343	134
2146	The SCUBA 8-mJy survey -- I. Submillimetre maps, sources and number counts. 2002 , 331, 817-838	312
2145	A submillimetre difference between radio galaxies and radio quasars: evidence for quasar-heated dust and synchronized submillimetre and radio source activity. 2002 , 331, 435-444	51
2144	On the black hole-bulge mass relation in active and inactive galaxies. 2002 , 331, 795-804	419
2143	Evolution of massive binary black holes. 2002 , 331, 935-958	265
2142	Two-integral Schwarzschild models. 2002 , 331, 959-968	25
2141	Measuring the broad-band power spectra of active galactic nuclei with RXTE. 2002 , 332, 231-250	310
2140	Testing tidal-torque theory - I. Spin amplitude and direction. 2002 , 332, 325-338	163

2139	Heating of the intracluster medium by quasar outflows. 2002 , 333, 145-155	65
2138	The 60- μ m extragalactic background radiation intensity, dust-enshrouded active galactic nuclei and the assembly of groups and clusters of galaxies. 2002 , 333, 222-230	9
2137	Galaxy formation in pre-heated intergalactic media. 2002 , 333, 768-778	52
2136	Galaxy cores as relics of black hole mergers. 2002 , 331, L51-L55	120
2135	Observational constraints on growth of massive black holes. 2002 , 335, 965-976	698
2134	Chemical evolution in a model for the joint formation of quasars and spheroids. 2002 , 334, 444-458	58
2133	The 2dF QSO Redshift Survey â. A measurement of the luminosity dependence of QSO clustering. 2002 , 335, 459-464	43
2132	A SAURON study of M32: measuring the intrinsic flattening and the central black hole mass. 2002 , 335, 517-525	137
2131	Submillimetre observations of hyperluminous infrared galaxies. 2002 , 335, 1163-1175	61
2130	Old elliptical galaxies at $z \approx 1.5$ and the Kormendy relation. 2002 , 336, 1342-1350	18
2129	Sunyaev-Zel'dovich effect from quasar-driven blast waves. 2002 , 337, 242-246	27
2128	Reddening-independent quasar selection from a wide-field optical and near-infrared imaging survey. 2002 , 337, 1153-1162	20
2127	On the black hole massâradio luminosity relation for flat-spectrum radio-loud quasars. 2002 , 336, L38-L42	52
2126	HST imaging of radio galaxies at $z=0.2$: a comparison with quasar hosts and normal ellipticals. 2002 , 46, 171-174	2
2125	The importance of radio sources in accounting for the highest mass black holes. 2002 , 46, 211-214	1
2124	Modelling the merging history of Binary SMBHs in Hierarchical Models of Galaxy Formation. 2002 , 281, 501-504	13
2123	Formation and evolution of galactic nuclei, black holes. 2003 , 284, 551-559	1
2122	Extragalactic contributions to the CMB signal. 2003 , 4, 891-899	

2121	First Chandra observations of galaxies. 2003 , 32, 2013-2020	1
2120	Supermassive black holes in radio-loud AGN. 2003 , 47, 173-178	3
2119	The properties of low redshift radiogalaxies: the fundamental plane and central black hole mass. 2003 , 47, 179-182	1
2118	Radio galaxy host properties spanning three dex in radio luminosity. 2003 , 47, 187-191	3
2117	The growth history of giant black holes and the radio dichotomy of quasars. 2003 , 47, 193-197	1
2116	Radio galaxies: unification and dust properties. 2003 , 47, 199-204	1
2115	The ultra-deep 20 cm Australia telescope survey of the Chandra Deep Field South. 2003 , 47, 391-396	2
2114	A Fundamental Plane of black hole activity. 2003 , 345, 1057-1076	864
2113	The B-band luminosities of quasar host galaxies. 2003 , 346, 304-318	24
2112	GALICS- I. A hybrid N-body/semi-analytic model of hierarchical galaxy formation. 2003 , 343, 75-106	257
2111	Probing the absorbing haloes around two high-redshift radio galaxies with VLT-UVES. 2003 , 338, 263-272	37
2110	Stellar collisions in galactic centres: black hole growth and colour gradients. 2003 , 339, 189-211	10
2109	Near-infrared imaging and the K-z relation for radio galaxies in the 7C Redshift Survey. 2003 , 339, 173-188	163
2108	Double-double radio galaxies: remnants of merged supermassive binary black holes. 2003 , 340, 411-416	75
2107	The imprint of the cosmic dark ages on the near-infrared background. 2003 , 339, 973-982	118
2106	X-ray background synthesis: the infrared connection. 2003 , 339, 1095-1102	54
2105	The SCUBA Bright Quasar Survey (SBQS) III. Unveiling the quasar epoch at submillimetre wavelengths. 2003 , 339, 1183-1188	74
2104	X-ray bright groups and their galaxies. 2003 , 340, 485-498	34

2103	The masses of central supermassive black holes and the variability time-scales in gamma-ray loud blazars. 2003 , 340, 632-638	40
2102	Massive black hole remnants of the first stars in galactic haloes. 2003 , 340, 647-656	76
2101	Quasars, their host galaxies and their central black holes. 2003 , 340, 1095-1135	419
2100	Parametric versus non-parametric modelling? Statistical evidence based on P-value curves. 2003 , 340, 1190-1198	5
2099	Galaxy merging, the fundamental plane of elliptical galaxies and the MBH – σ relation. 2003 , 342, 501-512	135
2098	Fundamental galaxy parameters for radio-loud active galactic nuclei and the black hole-radio power connection. 2003 , 342, 889-900	24
2097	Host galaxies and black hole masses of low- and high-luminosity radio-loud active nuclei. 2003 , 343, 505-511	36
2096	Major mergers of haloes, the growth of massive black holes and the evolving luminosity function of quasars. 2003 , 343, 692-704	20
2095	Emission linewidths and QSO black hole mass estimates from the 2dF QSO Redshift Survey. 2003 , 343, 705-718	48
2094	Detection of type 2 quasars in the radio galaxies B3 0731+438 and 3C 257. 2003 , 342, L53-L57	12
2093	Galactic cannibalism in the galaxy cluster C0337-2522 at $z = 0.59$. 2003 , 344, 748-760	37
2092	Quasars as probes of the submillimetre cosmos at $z > 5$. Preliminary SCUBA photometry. 2003 , 344, L74-L78	90
2091	Active galactic nuclei and the minor merger hypothesis. 2003 , 346, 1078-1088	12
2090	Soft X-ray sources at the centers of the elliptical galaxies NGC 4472 and NGC 4649. 2003 , 29, 298-303	17
2089	X-ray reverberation studies of AGN. 2003 , 32, 2021-2030	
2088	SCUBA observations of high redshift radio galaxies. 2003 , 47, 303-307	5
2087	SWIRE: TheSIRTFWide-Area Infrared Extragalactic Survey. 2003 , 115, 897-927	551
2086	The formation of cluster elliptical galaxies as revealed by extensive star formation. 2003 , 425, 264-7	144

2085	The coincidence and angular clustering of Chandra and SCUBA sources. 2003 , 338, 303-311		71
2084	Hot Gas in and Around Elliptical Galaxies. 2003 , 41, 191-239		266
2083	Gravitational lensing by a charged black hole of string theory. 2003 , 67,		130
2082	Black Hole-Bulge Relation for Narrow-Line Objects. 2003 , 55, 143-148		16
2081	Relations between Galaxy Formation and the Environments of Quasars. 2003 , 55, 133-142		35
2080	Evolution of massive binary black holes. 2003 , 20, S55-S63		2
2079	On the Black Hole α Bulge Mass Ratios in Narrow-Line Seyfert I Galaxies. 2003 , 3, 119-124		5
2078	Gravitational Waves Probe the Coalescence Rate of Massive Black Hole Binaries. 2003 , 583, 616-631		257
2077	Accretion onto the Supermassive Black Hole in M87. 2003 , 582, 133-140		244
2076	Probing distant massive black holes with LISA. 2003 , 20, S37-S43		11
2075	The Universe Was Reionized Twice. 2003 , 591, 12-37		240
2074	On the Formation of an Eccentric Disk via Disruption of a Bulge Core near a Massive Black Hole. <i>Astronomical Journal</i> , 2003 , 125, 2998-3004	4.9	4
2073	Sensitive Observations at 1.4 and 250 GHz of $z > 5$ QSOs. <i>Astronomical Journal</i> , 2003 , 126, 15-23	4.9	69
2072	Kinematics of 10 Early-Type Galaxies from Hubble Space Telescope and Ground-based Spectroscopy. 2003 , 596, 903-929		106
2071	Black Holes, Galaxy Formation, and the M_{BH} - Relation. 2003 , 596, L27-L29		579
2070	Chandra Detections of SCUBA Galaxies around High- z Radio Sources. 2003 , 599, 86-91		25
2069	Low-Frequency Gravitational Waves from Massive Black Hole Binaries: Predictions for LISA and Pulsar Timing Arrays. 2003 , 590, 691-706		217
2068	Discovery of a Clustered Quasar Pair at $z \approx 6$: Biased Peaks in Early Structure Formation. 2003 , 596, 67-71		31

2067	A Relation between Supermassive Black Hole Mass and Quasar Metallicity?. 2003 , 596, 72-84		60
2066	A Low-Mass Central Black Hole in the Bulgeless Seyfert 1 Galaxy NGC 4395. 2003 , 588, L13-L16		252
2065	The Submillimeter Properties of Broad Absorption Line Quasars. 2003 , 598, 909-915		45
2064	The X-Ray Faint Emission of the Supermassive Nuclear Black Hole of IC 1459. 2003 , 588, 175-185		50
2063	Black Hole Growth and Activity in a Λ Cold Dark Matter Universe. 2003 , 593, 56-68		121
2062	The Lack of Broad-Line Regions in Low Accretion Rate Active Galactic Nuclei as Evidence of Their Origin in the Accretion Disk. 2003 , 589, L13-L16		102
2061	Quasar Elemental Abundances at High Redshifts. 2003 , 589, 722-732		99
2060	Formation of Supermassive Black Holes in Galactic Bulges: A Rotating Collapse Model Consistent with the MBH- σ Relation. 2003 , 591, 125-137		23
2059	PKS 0736+017: A Striking Optical Flare and Intriguing Microvariability. <i>Astronomical Journal</i> , 2003 , 126, 37-46	4-9	28
2058	Giant Ly α Nebulae Associated with High-Redshift Radio Galaxies. 2003 , 592, 755-766		114
2057	The Relation between Black Hole Mass, Bulge Mass, and Near-Infrared Luminosity. 2003 , 589, L21-L24		1254
2056	An Accretion Model for the Growth of the Central Black Hole Associated with Ionization Instability in Quasars. 2003 , 590, 52-57		4
2055	Does M15 Possess an Intermediate-Mass Black Hole in Its Core?. 2003 , 595, 187-194		54
2054	The Host Galaxies of Narrow-Line Seyfert 1 Galaxies: Evidence for Bar-Driven Fueling. <i>Astronomical Journal</i> , 2003 , 126, 1690-1698	4-9	98
2053	Cosmological Evolution of the Hard X-Ray Active Galactic Nucleus Luminosity Function and the Origin of the Hard X-Ray Background. 2003 , 598, 886-908		849
2052	Lensing and the Centers of Distant Early-Type Galaxies. 2003 , 582, 17-29		45
2051	The Assembly and Merging History of Supermassive Black Holes in Hierarchical Models of Galaxy Formation. 2003 , 582, 559-573		695
2050	The Black Hole-Bulge Relationship in Quasars. 2003 , 583, 124-133		238

2049	Massive Elliptical Galaxies at High Redshift: NICMOS Imaging of $z \sim 1$ Radio Galaxies. 2003 , 585, 90-111	40
2048	A Survey of $z \sim 5.7$ Quasars in the Sloan Digital Sky Survey. II. Discovery of Three Additional Quasars at $z \sim 6$. <i>Astronomical Journal</i> , 2003 , 125, 1649-1659	49 604
2047	Central Mass Concentration and Bar Dissolution in Nearby Spiral Galaxies. 2003 , 582, 190-195	33
2046	Protoquasars: Physical States and Observable Properties. 2003 , 583, 85-91	54
2045	A Search for Dwarf Seyfert Nuclei. VI. Properties of Emission-Line Nuclei in Nearby Galaxies. 2003 , 583, 159-177	125
2044	Spectroscopic Confirmation of a Substantial Population of Luminous Red Galaxies at Redshifts $z \sim 2$. 2003 , 587, L83-L87	114
2043	Missing Link Found? The Unaway Path to supermassive black holes. 2003 , 208, 157-166	
2042	Black Holes for Computational Astrophysicists. 2003 , 208, 167-176	
2041	High-excitation CO in a quasar host galaxy at $z = 6.42$. 2003 , 409, L47-L50	177
2040	The black hole mass of low redshift radiogalaxies. 2003 , 399, 869-878	98
2039	An optical imaging study of $0.4 \leq z \leq 0.8$ quasar host galaxies. 2003 , 404, 883-899	10
2038	Strong gravitational lensing: Why no central black holes?. 2003 , 397, 415-420	24
2037	A 1.2 mm MAMBO/IRAM 30 m study of dust emission from optically luminous $z \sim 2$ quasars. 2003 , 398, 857-865	93
2036	On the central black hole mass in Mkn 501. 2003 , 397, 121-125	26
2035	Non-Keplerian rotation in the nucleus of NGC 1068: Evidence for a massive accretion disk?. 2003 , 398, 517-524	108
2034	The spatial clustering of radio sources in NVSS and FIRST; implications for galaxy clustering evolution. 2003 , 405, 53-72	96
2033	The central engines of radio-loud quasars. 2003 , 409, 887-898	27
2032	Constraints on QSO Models from a Relation between the QSO Luminosity Function and the Local Black Hole Mass Function. 2004 , 602, 603-624	66

2031	Growth of massive black holes by super-Eddington accretion. 2004 , 420, L23-L26	45
2030	Flux-limited strong gravitational lensing and dark energy. 2004 , 418, 387-392	22
2029	Chaos and secular evolution of triaxial N-body galactic models due to an imposed central mass. 2004 , 428, 905-923	19
2028	The radio galaxy K-z relation: The $10^{12} M_{\odot}$ mass limit. 2004 , 415, 931-940	103
2027	Super-Eddington accretion rates in Narrow Line Seyfert 1 galaxies. 2004 , 426, 797-808	95
2026	X-shaped radio galaxies as observational evidence for the interaction of supermassive binary black holes and accretion disc at parsec scale. 2004 , 347, 1357-1369	61
2025	Powerful, obscured active galactic nuclei among X-ray hard, optically dim serendipitous Chandra sources. 2004 , 348, 529-550	46
2024	Implications for unified schemes from the quasar fraction and emission-line luminosities in radio-selected samples. 2004 , 349, 503-517	72
2023	Linking radio to infrared: a radio source count model. 2004 , 349, 1353-1360	2
2022	Chandra observations of five X-ray transient galactic nuclei. 2004 , 349, L1-L5	24
2021	High-redshift quasars and the supermassive black hole mass budget: constraints on quasar formation models. 2004 , 350, 456-472	45
2020	XMM-Newton surveys of the Canada-France Redshift Survey fields - II. The X-ray catalogues, the properties of the host galaxies and the redshift distribution. 2004 , 350, 785-797	10
2019	The 2dF galaxy redshift survey: clustering properties of radio galaxies. 2004 , 350, 1485-1494	48
2018	Local supermassive black holes, relics of active galactic nuclei and the X-ray background. 2004 , 351, 169-185	1110
2017	A sample of radio galaxies spanning three decades in radio luminosity - I. The host galaxy properties and black hole masses. 2004 , 351, 347-361	90
2016	Quasar host galaxy star formation activity from multicolour data. 2004 , 352, 399-415	93
2015	The cosmological evolution of quasar black hole masses. 2004 , 352, 1390-1404	441
2014	Radio emission from early-type galaxies and cosmic microwave background experiments. 2004 , 354, 1005-1010	11

2013	The anti-hierarchical growth of supermassive black holes. 2004 , 353, 1035-1047		137
2012	Gas stripping by radiation drag from an interstellar cloud. 2004 , 354, 176-182		6
2011	Massive black hole seeds from low angular momentum material. 2004 , 354, 292-304		223
2010	Supermassive black hole demography: the match between the local and accreted mass functions. 2004 , 354, 1020-1030		265
2009	Tracing the cosmological assembly of stars and supermassive black holes in galaxies. 2004 , 354, L37-L42		111
2008	Cosmic evolution of quasar clustering: implications for the host haloes. 2004 , 355, 1010-1030		179
2007	Galaxy formation: caught in the act?. 2004 , 430, 979-80		5
2006	Massive black hole remnants of the first stars - I. Abundance in present-day galactic haloes. 2004 , 354, 427-442		41
2005	Relativistic jets. 2004 , 48, 1151-1155		5
2004	The high energy view of blazars. 2004 , 132, 76-85		5
2003	Indicators of black-hole mass and Eddington accretion ratio from QSO X-ray and UV spectra. 2004 , 34, 2584-2587		
2002	Revised Rates of Stellar Disruption in Galactic Nuclei. 2004 , 600, 149-161		252
2001	A Snapshot Survey for Gravitational Lenses amongz4.0 Quasars. I. Thez>5.7 Sample. <i>Astronomical Journal</i> , 2004 , 127, 1305-1312	4.9	49
2000	A Population of Massive Globular Clusters in NGC 5128. 2004 , 610, 233-246		69
1999	Low-Frequency Gravitational Radiation from Coalescing Massive Black Hole Binaries in Hierarchical Cosmologies. 2004 , 611, 623-632		165
1998	Can Supermassive Black Holes Sufficiently Heat Cool Cores of Galaxy Clusters?. 2004 , 612, 797-804		17
1997	On the Nature of X-RayâBright, Optically Normal Galaxies. 2004 , 612, 724-728		100
1996	An Attempt to Probe the Radio Jet Collimation Regions in NGC 4278, NGC 4374 (M84), and NGC 6166. <i>Astronomical Journal</i> , 2004 , 127, 119-124	4.9	44

1995	A Physical Model for the Coevolution of QSOs and Their Spheroidal Hosts. 2004 , 600, 580-594	779
1994	Two Active Nuclei in 3C 294. 2004 , 600, 626-633	7
1993	An Unbiased Census of Active Galactic Nuclei in the Two Micron All Sky Survey. <i>Astronomical Journal</i> , 2004 , 127, 646-655	4-9 27
1992	Black Hole Spin Evolution. 2004 , 602, 312-319	222
1991	Exploring Narrow-Line Seyfert 1 Galaxies through the Physical Properties of Their Hosts. <i>Astronomical Journal</i> , 2004 , 127, 3168-3179	4-9 72
1990	X-Ray Measurement of Dark Matter Temperature in A1795. 2004 , 611, 175-185	16
1989	Colors of Active Galactic Nucleus Host Galaxies at 0.5 . 2004 , 614, 586-606	159
1988	The X-Ray Spectrum of the $z = 6.30$ QSO SDSS J1030+0524. 2004 , 611, L13-L16	24
1987	On the Black Hole Mass-Bulge Mass Relation. 2004 , 604, L89-L92	1169
1986	The Cosmological Evolution of Metal Enrichment in Quasar Host Galaxies. 2004 , 610, 80-92	19
1985	Self-Gravitating Eccentric Disk Models for the Double Nucleus of M31. 2004 , 611, 245-269	20
1984	Implications of Quasar Black Hole Masses at High Redshifts. 2004 , 611, 761-769	36
1983	Gravitational Waves from Supermassive Black Hole Coalescence in a Hierarchical Galaxy Formation Model. 2004 , 615, 19-28	83
1982	The Cosmic Evolution of Quasar Host Galaxies. 2004 , 604, 495-507	35
1981	The Destruction of Bars by Central Mass Concentrations. 2004 , 604, 614-631	167
1980	Nuclear Spirals as Signatures of Supermassive Black Holes. 2004 , 613, L105-L108	4
1979	Gravitational Lensing Signatures of Supermassive Black Holes in Future Radio Surveys. 2004 , 617, 81-101	17
1978	Why Are Massive Black Holes Small in Disk Galaxies?. 2004 , 601, L21-L24	14

1977	Comparison of Bar Strengths and Fractions of Bars in Active and Nonactive Galaxies. 2004 , 607, 103-124		115
1976	A Complete Sample of Soft X-Ray-selected AGNs. I. The Data. <i>Astronomical Journal</i> , 2004 , 127, 156-179	4.9	121
1975	Multiwavelength Observations of the Gas-rich Host Galaxy of PDS 456: A New Challenge for the ULIRG-to-QSO Transition Scenario. 2004 , 601, 723-734		26
1974	Difficulties with Recovering the Masses of Supermassive Black Holes from Stellar Kinematical Data. 2004 , 602, 66-92		133
1973	Multiwavelength Scaling Relations for Nuclei of Seyfert Galaxies. 2004 , 600, L31-L34		13
1972	Cosmological Growth History of Supermassive Black Holes and Demographics in the High-zUniverse: Do Lyman Break Galaxies Have Supermassive Black Holes?. 2004 , 606, 139-150		5
1971	Reasoning From Fossils: Learning from the Local Black Hole Population about the Evolution of Quasars. 2004 , 606, 763-773		70
1970	Active Galactic Nucleus Emission-Line Properties Versus the Eddington Ratio. 2004 , 608, 136-148		90
1969	Nuclear Properties of a Sample of Nearby Spiral Galaxies from Hubble Space Telescope STIS Imaging. <i>Astronomical Journal</i> , 2004 , 128, 1124-1137	4.9	25
1968	Core Depletion from Coalescing Supermassive Black Holes. 2004 , 613, L33-L36		122
1967	Cosmic Star Formation History from Local Observations and an Outline for Galaxy Formation and Evolution. 2004 , 603, 108-118		10
1966	Gemini Imaging of QSO Host Galaxies at $z \sim 2$. 2004 , 606, 126-138		30
1965	Multiwavelength Properties of the X-Ray Sources in the Groth-Westphal Strip Field. <i>Astronomical Journal</i> , 2004 , 127, 3180-3191	4.9	10
1964	Active Galactic Nuclei with Candidate Intermediate-Mass Black Holes. 2004 , 610, 722-736		223
1963	Discovery of a Transient U-Band Dropout in a Lyman Break Survey: A Tidally Disrupted Star at $z = 3.3$?. 2004 , 612, 690-697		26
1962	Obscured and Unobscured Active Galactic Nuclei in the Spitzer Space Telescope First Look Survey. 2004 , 154, 166-169		549
1961	A Deep, High-Resolution Survey at 74 MHz. 2004 , 150, 417-430		41
1960	White Dwarfs near Black Holes: A New Paradigm for Type I Supernovae. 2004 , 610, 368-377		22

1959	On the Dark Side of Quasar Evolution. 2004 , 615, 130-134	8
1958	Evolution of Massive Black Hole Binaries. 2004 , 602, 93-102	93
1957	Chandra Observations of the Quiescent Nuclear Black Hole of NGC 821: Evidence of Nuclear Activity?. 2004 , 616, 730-737	21
1956	Active galaxies and radiative heating. 2005 , 363, 667-83; discussion 683	24
1955	AGN and the necessity of feedback. 2005 , 363, 695-704; discussion 703-4	1
1954	The legacy and large-scale distribution of active galaxies. 2005 , 363, 613-9; discussion 619	2
1953	Black holes, cooling flows and galaxy formation. 2005 , 363, 751-9	
1952	Calibrating the Galaxy Halo-Black Hole Relation Based on the Clustering of Quasars. 2005 , 621, 95-103	29
1951	Tracing the Nuclear Accretion History of the Red Galaxy Population. 2005 , 626, 723-732	24
1950	A Universal Density Profile for Dark and Luminous Matter?. 2005 , 624, L85-L88	172
1949	Two Extreme Double-peaked Line Emitters in the Sloan Digital Sky Survey. 2005 , 625, L35-L38	23
1948	Measuring Supermassive Black Holes in Distant Galaxies with Central Lensed Images. 2005 , 627, L93-L96	18
1947	The Relationship between Stellar and Black Hole Mass in Submillimeter Galaxies. 2005 , 635, 853-863	163
1946	The AGN-Starburst Connection, Galactic Superwinds, and M BH - σ . 2005 , 635, L121-L123	207
1945	Golden Binary Gravitational-Wave Sources: Robust Probes of Strong-Field Gravity. 2005 , 623, 689-699	39
1944	The Centers of Early-Type Galaxies with Hubble Space Telescope. V. New WFPC2 Photometry. <i>Astronomical Journal</i> , 2005 , 129, 2138-2185	4.9 278
1943	Imaging of SDSS $z > 6$ Quasar Fields: Gravitational Lensing, Companion Galaxies, and the Host Dark Matter Halos. 2005 , 626, 657-665	60
1942	NGC 770: A Counterrotating Core in a Low-Luminosity Elliptical Galaxy. <i>Astronomical Journal</i> , 2005 , 129, 2617-2627	4.9 28

1941	Star Captures by Quasar Accretion Disks: A Possible Explanation of the $M\text{--}\sigma$ Relation. 2005 , 619, 30-40	65
1940	The Stromgren Sphere, the Environment, and the Reionization in the Local Universe of the Highest Redshift QSOs. 2005 , 620, 31-43	37
1939	The Cosmic Evolution of Hard X-Ray-selected Active Galactic Nuclei. <i>Astronomical Journal</i> , 2005 , 129, 578-609	4.9 342
1938	Dynamical and Photometric Imprints of Feedback Processes on the Formation and Evolution of E/S0 Galaxies. 2005 , 629, 816-824	45
1937	Radiation Pressure-supported Starburst Disks and Active Galactic Nucleus Fueling. 2005 , 630, 167-185	520
1936	A Possible Detection of M31* with Chandra. 2005 , 632, 1042-1047	19
1935	An Intermediate-Mass Black Hole in the Globular Cluster G1: Improved Significance from New Keck and Hubble Space Telescope Observations. 2005 , 634, 1093-1102	198
1934	[Oii] Emission in Quasar Host Galaxies: Evidence for a Suppressed Star Formation Efficiency. 2005 , 629, 680-685	110
1933	Integral Field Spectroscopy of the Central Regions of 3C 120: Evidence of a Past Merging Event. 2005 , 621, 146-166	24
1932	AGN Host Galaxies at $z \sim 0.4\text{--}1.3$: Bulge-dominated and Lacking Merger-AGN Connection. 2005 , 627, L97-L100	170
1931	Collapse of Singular Isothermal Spheres to Black Holes. 2005 , 618, 438-450	7
1930	Passively Evolving Early-Type Galaxies at $1.4 < z < 2.5$ in the Hubble Ultra Deep Field. 2005 , 626, 680-697	665
1929	Equilibrium Disk-Bulge-Halo Models for the Milky Way and Andromeda Galaxies. 2005 , 631, 838-855	180
1928	Multiwavelength Monitoring of the Dwarf Seyfert 1 Galaxy NGC 4395. I. A Reverberation-based Measurement of the Black Hole Mass. 2005 , 632, 799-808	232
1927	Constraints on the Process that Regulates the Growth of Supermassive Black Holes Based on the Intrinsic Scatter in the $M_{\text{bh}}\text{--}\sigma_{\text{ph}}$ Relation. 2005 , 634, 910-920	32
1926	Which Globular Clusters Contain Intermediate-Mass Black Holes?. 2005 , 620, 238-243	110
1925	The DEEP Groth Strip Survey. VIII. The Evolution of Luminous Field Bulges at Redshift $z \sim 1$. 2005 , 157, 175-217	34
1924	Molecular Gas and Nuclear Activity in Radio Galaxies Detected by IRAS. 2005 , 159, 197-213	67

1923	Evolution of Accretion Disks around Massive Black Holes: Constraints from the Demography of Active Galactic Nuclei. 2005 , 634, 901-909	28
1922	The Two-sided Parsec-Scale Structure of the Low-Luminosity Active Galactic Nucleus in NGC 4278. 2005 , 622, 178-186	41
1921	Growth of Intermediate-Mass Black Holes in the Hierarchical Formation of Small Spiral Galaxies in the High-z Universe. 2005 , 628, 129-136	9
1920	Black Hole Binary Mergers. 2005 , 13, 339-342	
1919	Integral Field Spectroscopy of 23 Spiral Bulges. 2005 , 160, 76-86	24
1918	Feedback and Brightest Cluster Galaxy Formation: ACS Observations of the Radio Galaxy TN J1338+942 at $z=4.1$. 2005 , 630, 68-81	39
1917	QSO Narrow [Oiii] Line Width and Host Galaxy Luminosity. 2005 , 626, 89-94	28
1916	Host Galaxies of High-Redshift Active Galactic Nuclei in the Great Observatories Origins Deep Surveys Fields. 2005 , 629, 72-87	15
1915	Spatial Correlation of Massive Black Hole Mergers: Probing the Formation Mechanism and Reionization. 2005 , 635, 143-148	3
1914	Luminosity-dependent Quasar Lifetimes: Reconciling the Optical and X-Ray Quasar Luminosity Functions. 2005 , 632, 81-91	70
1913	A comparative study of correlations between arrival directions of ultra-high-energy cosmic rays and positions of their potential astrophysical sources. 2005 , 23, 175-189	18
1912	Stellar processes near the massive black hole in the Galactic center. 2005 , 419, 65-142	233
1911	Faint radio-loud quasars: clues to their evolution. 2005 , 357, 1267-1280	26
1910	Radiative feedback from quasars and the growth of massive black holes in stellar spheroids. 2005 , 358, 168-180	186
1909	A comprehensive set of simulations of high-velocity collisions between main-sequence stars. 2005 , 358, 1133-1158	51
1908	Correlations between bright submillimetre sources and low-redshift galaxies. 2005 , 358, 875-882	16
1907	Dynamical evolution of intermediate-mass black holes and their observable signatures in the nearby Universe. 2005 , 358, 913-922	74
1906	The elliptical galaxy colour-magnitude relation as a discriminant between the monolithic and merger paradigms. 2005 , 360, 60-68	51

1905	Feedback from quasars in star-forming galaxies and the triggering of massive galactic winds. 2005 , 359, 283-294	37
1904	Supermassive black hole mass measurements for NGC 1300 and 2748 based on Hubble Space Telescope emission-line gas kinematics. 2005 , 359, 504-520	46
1903	The density structure around quasars from optical depth statistics?. 2005 , 361, 1015-1029	39
1902	The nature of the molecular gas system in the core of NGC 1275. 2005 , 359, 755-764	81
1901	Interactions of jets with inhomogeneous cloudy media. 2005 , 359, 781-800	59
1900	Realistic event rates for detection of supermassive black hole coalescence by LISA. 2005 , 361, 1145-1152	34
1899	MCG-6-30-15: long time-scale X-ray variability, black hole mass and active galactic nuclei high states. 2005 , 359, 1469-1480	130
1898	Submillimetre photometry of X-ray absorbed quasi-stellar objects: their formation and evolutionary status. 2005 , 360, 610-618	61
1897	Infrared mergers and infrared quasi-stellar objects with galactic winds - III. Mrk 231: an exploding young quasi-stellar object with composite outflow/broad absorption lines (and multiple expanding superbubbles). 2005 , 360, 416-446	24
1896	The 2dF-SDSS LRG and QSO (2SLAQ) Survey: thez2005, 360, 839-852	176
1895	The host galaxies of radio-loud active galactic nuclei: mass dependences, gas cooling and active galactic nuclei feedback. 2005 , 362, 25-40	529
1894	Modelling feedback from stars and black holes in galaxy mergers. 2005 , 361, 776-794	1523
1893	GRAPE-SPH chemodynamical simulation of elliptical galaxies -- II. Scaling relations and the fundamental plane. 2005 , 361, 1216-1226	38
1892	Self-regulated black hole accretion, the $M-\dot{M}$ relation and the growth of bulges in galaxies. 2005 , 361, 1387-139266	
1891	Density-potential pairs for spherical stellar systems with Sfsic light profiles and (optional) power-law cores. 2005 , 362, 197-212	71
1890	Dissipationless mergers of elliptical galaxies and the evolution of the fundamental plane. 2005 , 362, 184-196	99
1889	Dark matter in elliptical galaxies - II. Estimating the mass within the virial radius. 2005 , 363, 705-722	203
1888	Can bars be destroyed by a central mass concentration?-- I. Simulations. 2005 , 363, 496-508	121

1887	Active Galactic Nuclei In Cosmological Simulations â. Formation of black holes and spheroids through mergers. 2005 , 364, 407-423	73
1886	A log-quadratic relation between the nuclear black hole masses and velocity dispersions of galaxies. 2005 , 365, 1082-1098	53
1885	On the photometric redshift estimates for FR II radio galaxies. 2005 , 31, 221-226	3
1884	Energy input from quasars regulates the growth and activity of black holes and their host galaxies. 2005 , 433, 604-7	2225
1883	The discovery of a type II quasar at $z = 1.65$ with integral-field spectroscopy. 2005 , 358, L11-L15	10
1882	A Fundamental Plane of Black Hole Activity: Pushing Forward the Unification Scheme. 2005 , 300, 45-53	8
1881	Finding Faint Intermediate-Mass Black Holes in the Radio Band. 2005 , 300, 239-245	10
1880	Supermassive Black Holes in Galactic Nuclei: Past, Present and Future Research. 2005 , 116, 523-624	576
1879	Global Dynamics in Self-Consistent Models of Elliptical Galaxies. 2005 , 92, 157-188	20
1878	High-redshift quasar host galaxies with adaptive optics. 2005 , 439, 497-512	17
1877	The Parkes quarter-Jansky flat-spectrum sample. 2005 , 434, 133-148	97
1876	The basic parameters of high-loud blazars. 2005 , 436, 799-804	35
1875	The early stage of a cosmic collision? XMM-Newton unveils two obscured AGN in the galaxy pair ESO509-IG066. 2005 , 429, L9-L12	37
1874	The Gravitational Wave Signal from Massive Black Hole Binaries and Its Contribution to the LISA Data Stream. 2005 , 623, 23-30	113
1873	Fast growth of supermassive black holes in galaxies. 2005 , 436, 805-815	28
1872	The merging/AGN connection. 2005 , 429, L21-L24	17
1871	The supermassive black hole in the Seyfert 2 galaxy NGC 5252. 2005 , 431, 465-475	33
1870	Black holes in astrophysics. 2005 , 7, 199-199	134

1869	A Redshift Survey of the Submillimeter Galaxy Population. 2005 , 622, 772-796	962
1868	Mid-Infrared Selection of Active Galaxies. 2005 , 631, 163-168	717
1867	Classifying the Zoo of Ultraluminous X-ray Sources. 2005 , 5, 153-158	8
1866	Low-frequency gravitational radiation from coalescing massive black holes. 2005 , 22, S363-S368	6
1865	Nuclear Accretion in Galaxies of the Local Universe: Clues from Chandra Observations. 2005 , 624, 155-161	116
1864	Black Holes in Galaxy Mergers: Evolution of Quasars. 2005 , 630, 705-715	452
1863	IS THERE A RELATIONSHIP BETWEEN THE MASS OF A SMBH AND THE KINETIC ENERGY OF ITS HOST ELLIPTICAL GALAXY?. 2005 , 14, 1861-1872	23
1862	Atomic X-ray spectroscopy of accreting black holes. 2005 , 83, 1179-1242	5
1861	Black hole accretion. 2005 , 307, 77-80	38
1860	Tracing cosmic evolution with clusters of galaxies. 2005 , 77, 207-258	579
1859	The nuclear orbital distribution in galaxies as a fossil record of black hole formation from integral-field spectroscopy. 2005 , 22, S347-S353	28
1858	A primer on hierarchical galaxy formation: the semi-analytical approach. 2006 , 69, 3101-3156	399
1857	Spectral line variability amplitudes in active galactic nuclei. 2006 , 454, 459-472	23
1856	The cosmological history of accretion onto dark halos and supermassive black holes. 2006 , 459, 43-54	17
1855	The K-band properties of Seyfert 2 galaxies. 2006 , 453, 863-868	18
1854	Measuring supermassive black holes with gas kinematics: the active S0 galaxy NGC 3998. 2006 , 460, 439-448	48
1853	Multiwavelength Monitoring of the Dwarf Seyfert 1 Galaxy NGC 4395. III. Optical Variability and X-Ray/UV/Optical Correlations. 2006 , 650, 88-101	18
1852	Active galactic nuclei in the mid-IR. 2006 , 451, 443-456	45

1851	On the X-ray, optical emission line and black hole mass properties of local Seyfert galaxies. 2006 , 455, 173-185	237
1850	The Relation between Quasar and Merging Galaxy Luminosity Functions and the Merger-driven Star Formation History of the Universe. 2006 , 652, 864-888	184
1849	The Unified Model of Active Galactic Nuclei. I. Non-hidden Broad-Line Region Seyfert 2 and Narrow-Line Seyfert 1 Galaxies. 2006 , 653, 137-151	45
1848	High-Resolution Absorption Spectroscopy of Multiphase, High-Metallicity Gas Associated with the Luminous Quasar HE 0226-110. 2006 , 645, 868-889	29
1847	Detection and Fundamental Applications of Individual First Galaxies. 2006 , 648, 47-53	17
1846	Clustering of Star-forming Galaxies Near a Radio Galaxy at $z = 5.2$. 2006 , 637, 58-73	67
1845	Connecting Galaxy Evolution, Star Formation, and the Cosmic X-Ray Background. 2006 , 639, 740-752	84
1844	A Comprehensive Study of 2000 Narrow Line Seyfert 1 Galaxies from the Sloan Digital Sky Survey. I. The Sample. 2006 , 166, 128-153	244
1843	The Star-forming Torus and Stellar Dynamical Black Hole Mass in the Seyfert 1 Nucleus of NGC 3227. 2006 , 646, 754-773	165
1842	Quasar Luminosity Functions from Joint Evolution of Black Holes and Host Galaxies. 2006 , 650, 42-56	139
1841	Interaction of Massive Black Hole Binaries with Their Stellar Environment. I. Ejection of Hypervelocity Stars. 2006 , 651, 392-400	136
1840	Clues to Active Galactic Nucleus Growth from Optically Variable Objects in the Hubble Ultra Deep Field. 2006 , 639, 731-739	19
1839	Probing the Coevolution of Supermassive Black Holes and Quasar Host Galaxies. 2006 , 640, 114-125	119
1838	Measuring Stellar Velocity Dispersions in Active Galaxies. 2006 , 641, 117-132	82
1837	Ultraviolet Detection of the Tidal Disruption of a Star by a Supermassive Black Hole. 2006 , 653, L25-L28	140
1836	Spheroid ages, kinematics, and BH relations. 2006 , 2, 39-42	
1835	On the Correlations of Massive Black Holes with Their Host Galaxies. 2006 , 637, 96-103	103
1834	A Sample of IRAS-Infrared-selected Seyfert 1.5 Galaxies: Infrared Color (60, 25)-dominated Eigenvector 1. 2006 , 638, 106-119	29

1833	A DeepHubble Space Telescope H-Band Imaging Survey of Massive Gas-rich Mergers. 2006 , 643, 707-723	82
1832	Cosmic Evolution of Black Holes and Spheroids. I. The MBH- σ Relation at $z \sim 0.36$. 2006 , 645, 900-919	154
1831	Host Galaxies of Hard X-Ray-selected Type 2 Active Galactic Nuclei at Intermediate Redshifts. 2006 , 647, 892-900	6
1830	The Extragalactic Lens VLBI Imaging Survey (ELVIS). I. A Search for the Central Image in the Gravitational Lens PMN J1838-427. 2006 , 648, 73-80	7
1829	The Starburst in the Abell 1835 Cluster Central Galaxy: A Case Study of Galaxy Formation Regulated by an Outburst from a Supermassive Black Hole. 2006 , 648, 164-175	77
1828	Three-Body Kick to a Bright Quasar Out of Its Galaxy during a Merger. 2006 , 638, L75-L78	33
1827	Constraints on the Star Formation Rate in Active Galaxies. 2006 , 642, 702-710	77
1826	The Stellar, Gas, and Dynamical Masses of Star-forming Galaxies at $z \sim 2$. 2006 , 646, 107-132	416
1825	Evolutionary Implications from SDSS J085338.27+033246.1: A Spectacular Narrow-Line Seyfert 1 Galaxy with Young Poststarburst. 2006 , 648, 158-163	14
1824	Probing the Coevolution of Supermassive Black Holes and Galaxies Using Gravitationally Lensed Quasar Hosts. 2006 , 649, 616-634	326
1823	The Clustering of Low-Luminosity Active Galactic Nuclei. 2006 , 650, 727-748	45
1822	The Feedback-regulated Growth of Black Holes and Bulges through Gas Accretion and Starbursts in Cluster Central Dominant Galaxies. 2006 , 652, 216-231	390
1821	Accretion and Nuclear Activity of Quiescent Supermassive Black Holes. I. X-Ray Study. 2006 , 640, 126-142	50
1820	Radio and Millimeter Observations of $z \sim 2$ Luminous QSOs. <i>Astronomical Journal</i> , 2006 , 132, 1307-1315	4.9 7
1819	The Evolution of the MBH- σ Relation. 2006 , 641, 90-102	210
1818	X-Rays from the Globular Cluster G1: Intermediate-Mass Black Hole or Low-Mass X-Ray Binary?. 2006 , 644, L45-L48	55
1817	Fueling Low-Level AGN Activity through Stochastic Accretion of Cold Gas. 2006 , 166, 1-36	216
1816	An Upper Limit to the Degree of Evolution between Supermassive Black Holes and Their Host Galaxies. 2006 , 652, 107-111	43

1815	Deep ATLAS Radio Observations of the Chandra Deep Field-South/Spitzer Wide-Area Infrared Extragalactic Field. <i>Astronomical Journal</i> , 2006 , 132, 2409-2423	4.9	138
1814	Binary Quasars in the Sloan Digital Sky Survey: Evidence for Excess Clustering on Small Scales. <i>Astronomical Journal</i> , 2006 , 131, 1-23	4.9	222
1813	A Sample of Low-Redshift BL Lacertae Objects. II. EVN and MERLIN Data and Multiwavelength Analysis. 2006 , 646, 801-814		52
1812	Dynamical Cusp Regeneration. 2006 , 648, 890-899		56
1811	CO Detection and Millimeter Continuum Emission from Low Surface Brightness Galaxies. 2006 , 651, 853-860		39
1810	From Supermassive Black Holes to Dwarf Elliptical Nuclei: A Mass Continuum. 2006 , 644, L17-L20		143
1809	Testing Models of Supermassive Black Hole Seed Formation through Gravity Waves. 2006 , 639, 7-22		42
1808	Die Kosmogonie der Schwarzen Lher. <i>Astrophysik</i> . 2006 , 37, 16-23		
1807	Radiative pressure feedback by a quasar in a galactic bulge. 2006 , 373, L16-L20		70
1806	The answer is blowing in the wind: simulating the interaction of jets with dynamic cluster atmospheres. 2006 , 373, L65-L69		96
1805	The many lives of active galactic nuclei: cooling flows, black holes and the luminosities and colours of galaxies. 2006 , 365, 11-28		2688
1804	Supermassive black hole mass functions at intermediate redshifts from spheroid and AGN luminosity functions. 2006 , 365, 134-146		25
1803	Forming supermassive black holes by accreting dark and baryon matter. 2006 , 365, 345-351		22
1802	The central kinematics of NGC 1399 measured with 14 pc resolution. 2006 , 367, 2-18		64
1801	NGC 4435: a bulge-dominated galaxy with an unforeseen low-mass central black hole. 2006 , 366, 1050-1066		26
1800	Laser Interferometer Space Antenna double black holes: dynamics in gaseous nuclear discs. 2006 , 367, 103-112		95
1799	The SAURON project-IV. The mass-to-light ratio, the virial mass estimator and the Fundamental Plane of elliptical and lenticular galaxies. 2006 , 366, 1126-1150		806
1798	Simulating wide-field quasar surveys from the optical to near-infrared. 2006 , 367, 717-731		26

1797	The nature of the HE0450-2958 system. 2006 , 367, 1746-1750	46
1796	Runaway collisions in young star clusters - I. Methods and tests. 2006 , 368, 121-140	61
1795	Modelling the quasi-stellar object luminosity and spatial clustering at low redshifts. 2006 , 368, 1269-1280	17
1794	The effect of gravitational recoil on black holes forming in a hierarchical universe. 2006 , 368, 1381-1391	43
1793	Evolutionary unification in composite active galactic nuclei. 2006 , 368, 1001-1015	30
1792	Jet-gas interactions in $z'2.5$ radio galaxies: evolution of the ultraviolet line and continuum emission with radio morphology. 2006 , 369, 1103-1114	45
1791	On the evolution of the black hole: spheroid mass ratio. 2006 , 368, 1395-1403	145
1790	Orientation dependency of broad-line widths in quasars and consequences for black hole mass estimation. 2006 , 369, 182-188	73
1789	Evolution in the black hole mass-bulge mass relation: a theoretical perspective. 2006 , 369, 1808-1812	90
1788	The black hole in NGC 3379: a comparison of gas and stellar dynamical mass measurements with HST and integral-field data. 2006 , 370, 559-579	70
1787	Consistency of the black hole mass determination in AGN from the reverberation and the X-ray excess variance method. 2006 , 370, 1534-1540	28
1786	Modelling the galaxy bimodality: shutdown above a critical halo mass. 2006 , 370, 1651-1665	340
1785	On the radio properties of the highest redshift quasars. 2006 , 371, 695-702	11
1784	Numerical simulations on the relative importance of starbursts and AGN in ultraluminous infrared galaxies. 2006 , 371, 805-820	11
1783	Supermassive black hole formation during the assembly of pre-galactic discs. 2006 , 371, 1813-1823	311
1782	Emission-line diagnostics of low-metallicity active galactic nuclei. 2006 , 371, 1559-1569	164
1781	The BH mass of nearby QSOs: a comparison of the bulge luminosity and virial methods. 2006 , 373, 551-560	38
1780	Stellar and gaseous velocity dispersions in type II AGNs at 0.3 . 2006 , 372, 876-884	18

1779	Constraints on the accretion history of massive black holes from faint X-ray counts. 2006 , 373, 121-127	37
1778	The X-ray emission of Lyman break galaxies. 2006 , 373, 217-230	40
1777	The evolution of host mass and black hole mass in quasi-stellar objects from the 2dF QSO Redshift Survey. 2006 , 373, 613-622	36
1776	The effect of stellar feedback and quasar winds on the active galactic nucleus population. 2006 , 373, 1173-1187	57
1775	Decoupling the host and nuclear spectra of type I AGNs using integral field spectroscopy: A test on 3C 120. 2006 , 49, 501-507	23
1774	In search of first light: New technologies and new ideas. 2006 , 50, 75-83	2
1773	New instrument concepts for observational cosmology. 2006 , 50, 237-243	1
1772	Molecular gas in low-redshift Palomar-Green quasi-stellar objects. 2006 , 50, 657-664	2
1771	The formation of the first black holes and their host halos. 2006 , 50, 672-676	15
1770	Lensed quasar hosts. 2006 , 50, 689-693	13
1769	Did galaxy assembly and supermassive black-hole growth go hand-in-hand?. 2006 , 50, 821-828	8
1768	Cosmology at low frequencies: The 21cm transition and the high-redshift Universe. 2006 , 433, 181-301	846
1767	The James Webb Space Telescope. 2006 , 123, 485-606	754
1766	Active Galaxies in the UV. 2006 , 303, 123-132	3
1765	Weighing black holes in the universe. 2006 , 1, 135-142	
1764	Masses of distant radio galaxies: A coherent view for evolution and origin. 2006 , 327, 135-138	
1763	A new technique for decoupling the host and nuclear spectra of type I AGNs using integral field spectroscopy. 2006 , 327, 167-170	11
1762	On the evolution of the black-hole/spheroid mass ratio. 2006 , 327, 213-216	4

1761	Evolutionary models of powerful radio galaxies. 2006 , 327, 235-240	4
1760	Investigating radio-loud AGN with multi-wavelength surveys. 2006 , 327, 249-257	
1759	AGN in deep radio/X-ray surveys: Hunting the earliest massive galaxies. 2006 , 327, 278-281	
1758	Extragalactic radio sources, IGM magnetic fields, and AGN-based energy flows. 2006 , 327, 517-522	7
1757	A Unified, Merger-driven Model of the Origin of Starbursts, Quasars, the Cosmic X-Ray Background, Supermassive Black Holes, and Galaxy Spheroids. 2006 , 163, 1-49	1327
1756	Dynamics of galaxy cores and supermassive black holes.. 2006 , 69,	80
1755	Do Radio-loud Active Galactic Nuclei really follow the same M BH \propto host Relation as Normal Galaxies?. 2006 , 6, 655-662	2
1754	Strong field gravitational lensing in scalar-tensor theories. 2006 , 23, 6101-6113	51
1753	The Masses of Nuclear Black Holes in Luminous Elliptical Galaxies and Implications for the Space Density of the Most Massive Black Holes. 2007 , 662, 808-834	320
1752	Four Quasars above Redshift 6 Discovered by the Canada-France High-zQuasar Survey. <i>Astronomical Journal</i> , 2007 , 134, 2435-2450	4.9 191
1751	Unequal mass binary black hole plunges and gravitational recoil. 2007 , 24, S33-S42	144
1750	Insights from simulations of star formation. 2007 , 70, 337-356	17
1749	Intermediate and extreme mass-ratio inspirals—astrophysics, science applications and detection using LISA. 2007 , 24, R113-R169	303
1748	Supermassive recoil velocities for binary black-hole mergers with antialigned spins. 2007 , 98, 231101	249
1747	IMPROVED TESTS ON THE RELATIONSHIP BETWEEN THE KINETIC ENERGY OF GALAXIES AND THE MASS OF THEIR CENTRAL BLACK HOLES. 2007 , 16, 1261-1272	17
1746	Astronomy. Inside a cosmic train wreck. 2007 , 316, 1852-4	
1745	Gravitational Recoil from Spinning Binary Black Hole Mergers. 2007 , 661, 430-436	144
1744	An Observed Fundamental Plane Relation for Supermassive Black Holes. 2007 , 669, 67-73	144

1743	The Black Hole Mass-Galaxy Bulge Relationship for QSOs in the Sloan Digital Sky Survey Data Release 3. 2007 , 662, 131-144		166
1742	Evolution of Supermassive Black Hole Binaries and Acceleration of Jet Precession in Galactic Nuclei. 2007 , 671, 1272-1283		27
1741	The Importance of Dry and Wet Merging on the Formation and Evolution of Elliptical Galaxies. 2007 , 658, 65-77		76
1740	Anticorrelation between the Mass of a Supermassive Black Hole and the Mass Accretion Rate in Type 1 Ultraluminous Infrared Galaxies and Nearby QSOs. 2007 , 661, 660-671		37
1739	Suppressed Star Formation in Circumnuclear Regions in Seyfert Galaxies. 2007 , 661, L143-L146		18
1738	An Atlas of the Circumnuclear Regions of 75 Seyfert Galaxies in the Near-Ultraviolet with the Hubble Space Telescope Advanced Camera for Surveys. <i>Astronomical Journal</i> , 2007 , 134, 648-667	4-9	52
1737	Interactions of a Light Hypersonic Jet with a Nonuniform Interstellar Medium. 2007 , 173, 37-69		116
1736	The FIRST-2MASS Red Quasar Survey. 2007 , 667, 673-703		113
1735	How Mergers May Affect the Mass Scaling Relation between Gravitationally Bound Systems. 2007 , 671, 1098-1107		191
1734	The Compact, Conical, Accretion-Disk Warm Absorber of the Seyfert 1 Galaxy NGC 4051 and Its Implications for IGM-Galaxy Feedback Processes. 2007 , 659, 1022-1039		153
1733	Black Hole Masses and Eddington Ratios of AGNs at z=2007, 667, 97-116		27
1732	Aromatic Features in AGNs: Star-forming Infrared Luminosity Function of AGN Host Galaxies. 2007 , 669, 841-861		99
1731	Gravitational Recoil Velocities from Eccentric Binary Black Hole Mergers. 2007 , 656, L9-L12		45
1730	Correlations between Central Massive Objects and Their Host Galaxies: From Bulgeless Spirals to Ellipticals. 2007 , 663, 61-70		22
1729	How Rapidly Do Supermassive Black Holes Grow at Early Times?. 2007 , 665, 107-119		96
1728	A Feedback Compression Star Formation Model and the Black Hole-Bulge Relations. 2007 , 667, 92-96		2
1727	Active Galactic Nuclei with Double-Peaked Balmer Lines. I. Black Hole Masses and Eddington Ratios. 2007 , 668, 721-729		12
1726	A Theoretical Interpretation of the Black Hole Fundamental Plane. 2007 , 669, 45-66		145

1725	Cosmic Evolution of Black Holes and Spheroids. II. Scaling Relations at $z = 0.36$. 2007 , 667, 117-130	126
1724	Molecular Gas Observations of the Reddened Quasar 3C 318. <i>Astronomical Journal</i> , 2007 , 133, 564-567	4.9 18
1723	The Host Galaxy of the Quasar HE 0450-0958. 2007 , 658, 107-113	21
1722	Dynamical Models of Elliptical Galaxies in $z = 0.5$ Clusters. I. Data-Model Comparison and Evolution of Galaxy Rotation. 2007 , 668, 738-755	23
1721	The Central Engines of Narrow-Line Seyfert 1 Galaxies. 2007 , 654, 799-813	44
1720	A Physical Framework for Grand Unification of Galaxies and Active Galactic Nuclei. I. Origin of the Black Hole Mass-Bulge Velocity Dispersion Relation. 2007 , 654, L37-L40	6
1719	Clustering Analyses of 300,000 Photometrically Classified Quasars. I. Luminosity and Redshift Evolution in Quasar Bias. 2007 , 658, 85-98	146
1718	Clustering Analyses of 300,000 Photometrically Classified Quasars. II. The Excess on Very Small Scales. 2007 , 658, 99-106	96
1717	Interaction of Massive Black Hole Binaries with Their Stellar Environment. II. Loss Cone Depletion and Binary Orbital Decay. 2007 , 660, 546-555	69
1716	Radio Sources in Galaxy Clusters: Radial Distribution, and 1.4 GHz and K-band Bivariate Luminosity Function. 2007 , 170, 71-94	83
1715	A Supermassive Black Hole Fundamental Plane for Ellipticals. 2007 , 662, L67-L70	18
1714	Photometric Properties of the Most Massive High-Redshift Galaxies. 2007 , 667, 60-78	14
1713	Bulge and Halo Kinematics Across the Hubble Sequence. 2007 , 668, 94-109	53
1712	Detection of $1.6 \times 10^{10} M_{\odot}$ of Molecular Gas in the Host Galaxy of the $z = 5.77$ SDSS Quasar J0927+2001. 2007 , 666, L9-L12	45
1711	The CO Tully-Fisher Relation and Implications for the Host Galaxies of High-Redshift Quasars. 2007 , 669, 821-829	54
1710	Discovery of Radio Jets in $z \sim 2$ Ultraluminous Infrared Galaxies with Deep 9.7 μm Silicate Absorption. 2007 , 667, L17-L20	31
1709	The Black Hole Mass and Extreme Orbital Structure in NGC 1399. 2007 , 671, 1321-1328	49
1708	The Nuclear to Host Galaxy Relation of High-Redshift Quasars. 2007 , 660, 1039-1050	33

1707	Clustering of High-Redshift ($z \approx 2.9$) Quasars from the Sloan Digital Sky Survey. <i>Astronomical Journal</i> , 2007 , 133, 2222-2241	4.9	292
1706	Galaxy Bulge Formation: Interplay with Dark Matter Halo and Central Supermassive Black Hole. 2007 , 664, 198-203		14
1705	The Intrinsically X-Ray Weak Quasar PHL 1811. I. X-Ray Observations and Spectral Energy Distribution. 2007 , 663, 103-117		77
1704	Discovery of a Transient X-Ray Source in the Compact Stellar Nucleus of NGC 2403. 2007 , 664, 277-283		9
1703	Bulges and Disklike Components in the Host Galaxies of Low-Redshift 3CR Sources: A Near-Infrared View of Their Radial Brightness Profiles. 2007 , 667, 780-812		26
1702	Multiwavelength Study of Massive Galaxies at $z \sim 2$. II. Widespread Compton-thick Active Galactic Nuclei and the Concurrent Growth of Black Holes and Bulges. 2007 , 670, 173-189		278
1701	Millimeter Interferometric HCN(1-0) and HCO+(1-0) Observations of Luminous Infrared Galaxies. <i>Astronomical Journal</i> , 2007 , 134, 2366-2384	4.9	75
1700	Virial Masses of Black Holes from Single Epoch Spectra of Active Galactic Nuclei. 2007 , 168, 1-18		42
1699	Observational Evidence for the Coevolution of Galaxy Mergers, Quasars, and the Blue/Red Galaxy Transition. 2007 , 659, 976-996		91
1698	Metal-Enriched Gaseous Halos around Distant Radio Galaxies: Clues to Feedback in Galaxy Formation. <i>Astronomical Journal</i> , 2007 , 133, 2607-2623	4.9	38
1697	The Habitat Segregation between Lyman Break Galaxies and Ly α Emitters around a QSO at $z \sim 5$. 2007 , 663, 765-773		47
1696	Radiative Feedback from Massive Black Holes in Elliptical Galaxies: AGN Flaring and Central Starburst Fueled by Recycled Gas. 2007 , 665, 1038-1056		301
1695	Probing Gravity with Spacetime Sirens. 2007 , 668, L143-L146		71
1694	An Observational Determination of the Bolometric Quasar Luminosity Function. 2007 , 654, 731-753		786
1693	A Log-Quadratic Relation for Predicting Supermassive Black Hole Masses from the Host Bulge Sersic Index. 2007 , 655, 77-87		175
1692	Reconstructing the Cosmic Evolution of Quasars from the Age Distribution of Local Early-Type Galaxies. 2007 , 658, 721-730		17
1691	The Luminosities, Sizes, and Velocity Dispersions of Brightest Cluster Galaxies: Implications for Formation History. <i>Astronomical Journal</i> , 2007 , 133, 1741-1755	4.9	179
1690	Variability of Moderate-Luminosity Active Galactic Nuclei at $z = 0.36$. 2007 , 661, 60-69		20

1689	Dressing a Naked Quasar: Star Formation and Active Galactic Nucleus Feedback in HE 0450-2958. 2007 , 662, 872-877		28
1688	Millimeter and Radio Observations of $z \sim 6$ Quasars. <i>Astronomical Journal</i> , 2007 , 134, 617-627	4-9	68
1687	The Centers of Early-Type Galaxies with Hubble Space Telescope. VI. Bimodal Central Surface Brightness Profiles. 2007 , 664, 226-256		183
1686	Formation of $z \sim 6$ Quasars from Hierarchical Galaxy Mergers. 2007 , 665, 187-208		237
1685	A Unifying Framework for Self-consistent Gravitational Lensing and Stellar Dynamics Analyses of Early-Type Galaxies. 2007 , 666, 726-746		48
1684	Gravitational Stability of Circumnuclear Disks in Elliptical Galaxies. 2007 , 669, 232-240		22
1683	The Formation of Stellar Galactic Nuclei through Dissipative Gas Dynamics. 2007 , 24, 77-94		44
1682	Supermassive black holes from OASIS and SAURON integral-field kinematics. 2007 , 3, 215-218		1
1681	A black hole fundamental plane. 2007 , 3, 219-222		
1680	The spectral decomposition of Active Galactic Nuclei with double-peaked Balmer lines from SDSS. 2007 , 3, 237-238		
1679	Binary black holes: Spin dynamics and gravitational recoil. 2007 , 76,		99
1678	Searching for hidden AGN in nearby star-forming galaxies with Chandra. 2007 , 468, 129-137		22
1677	An XMM-Newton study of hyper-luminous infrared galaxies. 2007 , 471, 775-786		17
1676	Mrk 609: resolving the circumnuclear structure with near-infrared integral field spectroscopy. 2007 , 466, 451-466		21
1675	The influence of AGN nuclear parameters on the FRI/FRII dichotomy. 2007 , 470, 531-538		32
1674	AEGIS: The Color-Magnitude Relation for X-Ray-selected Active Galactic Nuclei. 2007 , 660, L11-L14		188
1673	Identifications of FIRST radio sources in the NOAO Deep Wide-Field Survey. 2007 , 328, 577-585		7
1672	Old metal-rich globular cluster populations: Peak color and peak metallicity trends with mass of host spheroids. 2007 , 328, 551-555		1

1671 Supermassive black holes in local galaxies. **2007**, 8, 16-25

1670 Feedback from radio-loud AGN. **2007**, 51, 168-173

27

1669 Satellite accretion on to massive galaxies with central black holes. **2007**, 374, 1227-1241

30

1668 Modelling active galactic nuclei: ongoing problems for the faint-end of the luminosity function. **2007**, 375, 649-656

13

1667 Luminosity dependence in the Fundamental Plane projections of elliptical galaxies. **2007**, 377, 402-414

72

1666 Evidence for overdensity around quasars from the proximity effect. **2007**, 377, 657-666

46

1665 Dynamics of triple black hole systems in hierarchically merging massive galaxies. **2007**, 377, 957-976

90

1664 The imprint of massive black hole formation models on the LISA data stream. **2007**, 377, 1711-1716

131

1663 The Millennium Galaxy Catalogue: the local supermassive black hole mass function in early- and late-type galaxies. **2007**, 378, 198-210

45

1662 Ratios of star cluster core and half-mass radii: a cautionary note on intermediate-mass black holes in star clusters. **2007**, 379, 93-99

86

1661 Luminosity and stellar mass functions of discs and spheroids in the SDSS and the supermassive black hole mass function. **2007**, 379, 841-866

71

1660 Environmental dependence of active galactic nuclei activity in the supercluster A901/2. **2007**, 380, 1467-1487

51

1659 A unified model for AGN feedback in cosmological simulations of structure formation. **2007**, 380, 877-900

609

1658 The presence of intermediate-mass black holes in globular clusters and their connection with extreme horizontal branch stars. **2007**, 381, 103-116

48

1657 Radio galaxies in the 2SLAQ Luminous Red Galaxy Survey. The evolution of low-power radio galaxies to $z \sim 0.7$. **2007**, 381, 211-227

75

1656 Black hole growth in hierarchical galaxy formation. **2007**, 382, 1394-1414

114

1655 The role of thermal evaporation in galaxy formation. **2007**, 382, 1481-1493

29

1654 The 2dF-SDSS LRG and QSO survey: QSO clustering and the L-z degeneracy. **2007**, 383, 565-580

179

1653	Extreme recoils: impact on the detection of gravitational waves from massive black hole binaries. 2007 , 382, L6-L10	20
1652	Neutrino radiation of the AGN black holes. 2007 , 310, 93-110	10
1651	Halo ejection in distant radio galaxies: jet feedback in massive galaxy formation. 2007 , 311, 305-309	4
1650	The Effect of Radiative Efficiency on the Growth of the Black Hole Mass. 2007 , 31, 109-116	
1649	Precision Cosmology: Successes and Challenges. 2007 , 173, 1-5	14
1648	Distant radio galaxies and their environments. 2008 , 15, 67-144	253
1647	The X-ray-infrared/submillimetre connection and the legacy era of cosmology. 2008 , 329, 127-130	1
1646	The relation between the Black hole mass and the Bulge mass for low redshift AGNs. Part I: Ground-based observations. 2008 , 42, 544-549	10
1645	Cosmological physics with black holes (and possibly white dwarfs). 2008 , 51, 884-890	16
1644	Dark matter accretion wakes of high-redshift black holes. 2008 , 51, 898-905	
1643	Adaptive optics: Observations and prospects for studies of active Galactic Nuclei. 2008 , 52, 307-322	6
1642	The effect of radiation pressure on dusty absorbing gas around active galactic nuclei. 2008 , 385, L43-L47	85
1641	The Compton-thick quasar at the heart of the high-redshift giant radio galaxy 6C'0905+39. 2008 , 385, L125-L129	6
1640	Supermassive black holes in galactic bulges. 2008 ,	0
1639	The effect of galaxy mass ratio on merger-driven starbursts. 2008 , 384, 386-409	361
1638	Tracing intermediate-mass black holes in the Galactic Centre. 2008 , 384, 323-330	54
1637	Radio galaxies in the 2SLAQ Luminous Red Galaxy survey - II. The stellar populations of radio-loud and radio-quiet LRGs. 2008 , 384, 692-700	10
1636	Two-dimensional kinematics of SLACS lenses - I. Phase-space analysis of the early-type galaxy SDSS J2321â097 atzâD.1?. 2008 , 384, 987-1002	49

1635	High-resolution radio observations of submillimetre galaxies. 2008 , 385, 893-904	97
1634	The impact of radio feedback from active galactic nuclei in cosmological simulations: formation of disc galaxies. 2008 , 385, 161-180	81
1633	Compact massive objects in Virgo galaxies: the black hole population. 2008 , 384, 1387-1392	32
1632	The role of AGN in the colour transformation of galaxies at redshifts $z \sim 1$. 2008 , 385, 2049-2060	82
1631	Modelling the cosmological co-evolution of supermassive black holes and galaxies \hat{M} . BH scaling relations and the AGN luminosity function. 2008 , 385, 1846-1858	92
1630	Is AGN feedback necessary to form red elliptical galaxies?. 2008 , 387, 13-30	104
1629	The black hole mass \hat{M} stellar velocity dispersion correlation: bulges versus pseudo-bulges. 2008 , 386, 2242-2252	162
1628	Consequences of dark matter self-annihilation for galaxy formation. 2008 , 388, 1652-1666	8
1627	On the geometry of broad emission region in quasars. 2008 , 387, 1237-1247	63
1626	Evolution in the discs and bulges of group galaxies since $z=0.4$. 2008 , 387, 1605-1621	24
1625	Effects of AGN feedback on Λ CDM galaxies. 2008 , 388, 587-602	111
1624	The duty cycle of local radio galaxies. 2008 , 388, 625-637	89
1623	A synthesis model for AGN evolution: supermassive black holes growth and feedback modes. 2008 , ???-???	110
1622	Testing the evolutionary link between submillimetre galaxies and quasars: CO observations of QSOs at $z \sim 2$. 2008 , 389, 45-62	135
1621	Spitzer/IRAC infrared colours of submillimetre-bright galaxies. 2008 , 389, 333-340	48
1620	The rate of secular evolution in elliptical galaxies with central masses. 2008 , 389, 1709-1721	8
1619	X-ray selected AGN in groups at redshifts $z \sim 1$. 2008 , 391, 183-189	32
1618	The stochastic gravitational-wave background from massive black hole binary systems: implications for observations with Pulsar Timing Arrays. 2008 , 390, 192-209	258

1617	Constraining the quasar population with the broad-line width distribution. 2008,	22
1616	Mid-Infrared spectroscopic properties of ultra-luminous infrared quasars. 2008, 390, 336-348	42
1615	Measuring the inclination and mass-to-light ratio of axisymmetric galaxies via anisotropic Jeans models of stellar kinematics. 2008, 390, 71-86	292
1614	Simulations of the Sunyaev-Zel'dovich effect from quasars. 2008, 390, 535-544	22
1613	Effects of gravitational-wave recoil on the dynamics and growth of supermassive black holes. 2008,	36
1612	The correlation of black hole mass with metallicity index of host spheroid. 2008, 390, 814-818	10
1611	Rapidly spinning massive black holes in active galactic nuclei: evidence from the black hole mass function. 2008,	3
1610	A semi-analytic model for the co-evolution of galaxies, black holes and active galactic nuclei. 2008, 391, 481-506	792
1609	Use of neural networks for the identification of new λ 6 QSOs from FIRST-SDSS DR5. 2008, 391, 369-382	17
1608	Why are AGN found in high-mass galaxies?. 2008, 391, 785-792	17
1607	Nuclear Activity in Nearby Galaxies. 2008, 46, 475-539	736
1606	CATS: OPTICAL TO NEAR-INFRARED COLORS OF THE BULGE AND DISK OF TWO $z=0.7$ GALAXIES USING HUBBLE SPACE TELESCOPE AND KECK LASER ADAPTIVE OPTICS IMAGING. <i>Astronomical Journal</i> , 2008, 136, 1523-1532	4.9 3
1605	Black Hole Accretion in Low-Mass Galaxies since $z \sim 1$. 2008, 688, 794-806	16
1604	A Cosmological Framework for the Co-evolution of Quasars, Supermassive Black Holes, and Elliptical Galaxies. I. Galaxy Mergers and Quasar Activity. 2008, 175, 356-389	958
1603	DOPING: A NEW NON-PARAMETRIC DEPROJECTION SCHEME. 2008, 17, 195-201	1
1602	Feedback of Active Galactic Nuclei in Seyfert 2 Galaxies. 2008, 8, 537-546	
1601	Growth of Black Holes and Their Host Spheroids in (Sub)mm-loud High-Redshift QSOs. 2008, 8, 12-24	14
1600	Populating the Galaxy Velocity Dispersion: Supermassive Black Hole Mass Diagram, A Catalogue of (M_{bh} , σ) Values. 2008, 25, 167-175	74

1599	Properties of Active Galaxies Deduced from HiObservations. 2008 , 681, 128-140	45
1598	Evolution of chemical abundances in Seyfert galaxies. 2008 , 478, 335-351	22
1597	Evolution of the Bar Fraction in COSMOS: Quantifying the Assembly of the Hubble Sequence. 2008 , 675, 1141-1155	240
1596	A Molecular Einstein Ring at $z=4.12$: Imaging the Dynamics of a Quasar Host Galaxy Through a Cosmic Lens. 2008 , 686, 851-858	56
1595	Understanding the AGN-Host Connection in Partially Obscured Active Galactic Nuclei. I. The Nature of AGN+HiiComposites. 2008 , 679, 86-100	27
1594	The Eddington Limit in Cosmic Rays: An Explanation for the Observed Faintness of Starbursting Galaxies. 2008 , 687, 202-215	105
1593	Active Galactic Nuclei in Void Regions. 2008 , 673, 715-729	47
1592	Gemini and Hubble Space Telescope Evidence for an Intermediate-Mass Black Hole in η Centauri. 2008 , 676, 1008-1015	167
1591	A Flexible Method of Estimating Luminosity Functions. 2008 , 682, 874-895	36
1590	The Nature of CO Emission from documentclass{aastex} usepackage{amsbsy} usepackage{amssymb} usepackage{bm} usepackage{mathrsfs} usepackage{pifont} usepackage{stmaryrd} usepackage{textcomp} usepackage{portland,xspace} usepackage{amsmath,amsxtra} usepackage{OT2,OT1}fontenc) newcommand{cyr} {	38
1589	Modeling the Dust Properties of $z \sim 6$ Quasars with ART2 All-Wavelength Radiative Transfer with Adaptive Refinement Tree. 2008 , 678, 41-63	51
1588	The Role of Galactic Winds on Molecular Gas Emission from Galaxy Mergers. 2008 , 176, 331-354	74
1587	Biases in Virial Black Hole Masses: An SDSS Perspective. 2008 , 680, 169-190	395
1586	The Accuracy of Morphological Decomposition of Active Galactic Nucleus Host Galaxies. 2008 , 683, 644-658	45
1585	The VLA Survey of the Chandra Deep Field South. I. Overview and the Radio Data. 2008 , 179, 71-94	76
1584	Decomposition of the Host Galaxies of Active Galactic Nuclei Using Hubble Space Telescope Images. 2008 , 179, 283-305	46
1583	Mass Functions of the Active Black Holes in Distant Quasars from the Sloan Digital Sky Survey Data Release 3. 2008 , 674, L1-L4	103
1582	The Self-Regulated Growth of Supermassive Black Holes. 2008 , 686, 815-828	73

1581	THE BLACK HOLE-BULGE RELATIONSHIP IN LUMINOUS BROAD-LINE ACTIVE GALACTIC NUCLEI AND HOST GALAXIES. <i>Astronomical Journal</i> , 2008 , 135, 928-946	4.9	81
1580	Evidence for Quasar Activity Triggered by Galaxy Mergers in HST Observations of Dust-reddened Quasars. 2008 , 674, 80-96		170
1579	Direct Cosmological Simulations of the Growth of Black Holes and Galaxies. 2008 , 676, 33-53		381
1578	Mid-Infrared Spectroscopy of High-Redshift Obscured Quasars. 2008 , 674, 676-685		30
1577	Resolving Gas Dynamics in the Circumnuclear Region of a Disk Galaxy in a Cosmological Simulation. 2008 , 678, 154-167		43
1576	Constraining the Mass Profiles of Stellar Systems: Schwarzschild Modeling of Discrete Velocity Data Sets. 2008 , 682, 841-860		30
1575	Galaxy Bulges and their Black Holes: a Requirement for the Quenching of Star Formation. 2008 , 682, 355-360		74
1574	Weighing the Quiescent Central Black Hole in an Elliptical Galaxy with X-Ray-Emitting Gas. 2008 , 683, 161-171		44
1573	Optical to Near-Infrared Spectrum of a Massive Evolved Galaxy at $z=1.26$. 2008 , 685, 767-772		8
1572	Obscuring Active Galactic Nuclei with Nuclear Starburst Disks. 2008 , 685, 787-800		54
1571	An Evolutionary Model for Submillimeter Galaxies. 2008 , 688, 972-989		33
1570	Toward Precise Constraints on the Growth of Massive Black Holes. 2008 , 689, 732-754		55
1569	The Dramatic Size Evolution of Elliptical Galaxies and the Quasar Feedback. 2008 , 689, L101-L104		193
1568	CosmoMHD: A Cosmological Magnetohydrodynamics Code. 2008 , 174, 1-12		36
1567	The Fundamental Plane of QSOs and the Relationship between Host and Nucleus. 2008 , 678, 22-40		21
1566	High-Redshift QSOs in the SWIRE Survey and the $z \sim 3$ QSO Luminosity Function. 2008 , 675, 49-70		58
1565	Probing the Central Regions of Nearby Compact Elliptical Galaxies. 2008 , 677, 238-248		19
1564	A Supermassive Binary Black Hole with Triple Disks. 2008 , 682, 1134-1140		77

1563	Fossil Ionized Bubbles around Dead Quasars during Reionization. 2008 , 686, 25-40	17
1562	AGN Environments in the Sloan Digital Sky Survey. I. Dependence on Type, Redshift, and Luminosity. 2008 , 688, 180-189	27
1561	A Self-consistent NLTE-Spectra Synthesis Model of FeLoBAL QSOs. 2008 , 676, 857-867	8
1560	Distances from Stellar Kinematics for Peculiar Virgo Cluster Spiral Galaxies. 2008 , 683, 78-93	32
1559	Nuclear Black Hole Formation in Clumpy Galaxies at High Redshift. 2008 , 684, 829-834	33
1558	A Population of Radio-Loud Narrow-Line Seyfert 1 Galaxies with Blazar-Like Properties?. 2008 , 685, 801-827	176
1557	Clustering of Intermediate-Luminosity X-Ray-Selected Active Galactic Nuclei at $z \sim 3$. 2008 , 673, L13-L16	23
1556	On the Detection of High-Redshift Black Holes with ALMA through CO and H ₂ Emission. 2008 , 678, L5-L8	39
1555	The History and Morphology of Helium Reionization. 2008 , 681, 1-17	73
1554	Discovery of a Relationship between Spiral Arm Morphology and Supermassive Black Hole Mass in Disk Galaxies. 2008 , 678, L93-L96	62
1553	The Estimate of Kinetic Power of Jets in FR II Radio Galaxies: Existence of Invisible Components?. 2008 , 685, 828-838	29
1552	The Origin of the Intrinsic Scatter in the Relation Between Black Hole Mass and Bulge Luminosity for Nearby Active Galaxies. 2008 , 687, 767-827	69
1551	Caught in Formation: The Nuclear-Cluster-to-Be in NGC 2139. 2008 , 688, 990-999	18
1550	Dissipation and Extra Light in Galactic Nuclei. I. Gas-Rich Merger Remnants. 2008 , 679, 156-181	133
1549	WEIGHING THE BLACK HOLES IN λ SUBMILLIMETER-EMITTING GALAXIES HOSTING ACTIVE GALACTIC NUCLEI. <i>Astronomical Journal</i> , 2008 , 135, 1968-1981	4-9 154
1548	A deep INTEGRAL hard X-ray survey of the 3C 273/Coma region. 2008 , 485, 707-718	23
1547	Host galaxies of bright high redshift quasars: luminosities and colours. 2008 , 478, 311-319	37
1546	UV/Optical Detections of Candidate Tidal Disruption Events by GALEX and CFHTLS*. 2008 , 676, 944-969	186

1545	Absorption properties and evolution of active galactic nuclei. 2008 , 490, 905-922	282
1544	Recent star formation in nearby 3CR radio-galaxies from UV/HST observations. 2008 , 489, 989-1002	53
1543	Evidence for powerful AGN winds at high redshift: dynamics of galactic outflows in radio galaxies during the "Quasar Era" 2008 , 491, 407-424	230
1542	Evolution of tidal disruption candidates discovered by XMM-Newton. 2008 , 489, 543-554	118
1541	THE COSMOLOGICAL CONSEQUENCE OF AN OBSCURED AGN POPULATION ON THE RADIATION EFFICIENCY. 2009 , 692, 964-972	24
1540	CORRELATIONS BETWEEN SUPERMASSIVE BLACK HOLES, VELOCITY DISPERSIONS, AND MASS DEFICITS IN ELLIPTICAL GALAXIES WITH CORES. 2009 , 691, L142-L146	113
1539	BOUNDS ON BLACK HOLE SPINS. 2009 , 696, L32-L36	25
1538	OBSERVATIONAL LIMITS ON TYPE 1 ACTIVE GALACTIC NUCLEUS ACCRETION RATE IN COSMOS. 2009 , 700, 49-55	53
1537	THE STRUCTURE AND DYNAMICS OF MASSIVE EARLY-TYPE GALAXIES: ON HOMOLOGY, ISOTHERMALITY, AND ISOTROPY INSIDE ONE EFFECTIVE RADIUS. 2009 , 703, L51-L54	262
1536	THE EVOLUTION OF THE BH- σ RELATION INFERRED FROM THE AGE DISTRIBUTION OF LOCAL EARLY-TYPE GALAXIES AND ACTIVE GALACTIC NUCLEI EVOLUTION. 2009 , 694, 867-878	65
1535	HOST GALAXIES, CLUSTERING, EDDINGTON RATIOS, AND EVOLUTION OF RADIO, X-RAY, AND INFRARED-SELECTED AGNs. 2009 , 696, 891-919	352
1534	THE RELATION BETWEEN COMPACT, QUIESCENT HIGH-REDSHIFT GALAXIES AND MASSIVE NEARBY ELLIPTICAL GALAXIES: EVIDENCE FOR HIERARCHICAL, INSIDE-OUT GROWTH. 2009 , 697, 1290-1298	361
1533	A CENSUS OF X-RAY NUCLEAR ACTIVITY IN NEARBY GALAXIES. 2009 , 699, 281-297	58
1532	PROBING THE EXCITATION OF EXTREME STARBURSTS: HIGH-RESOLUTION MID-INFRARED SPECTROSCOPY OF BLUE COMPACT DWARFS. 2009 , 704, 1159-1173	28
1531	FEEDBACK FROM CENTRAL BLACK HOLES IN ELLIPTICAL GALAXIES. I. MODELS WITH EITHER RADIATIVE OR MECHANICAL FEEDBACK BUT NOT BOTH. 2009 , 699, 89-104	116
1530	RADIATIVELY INEFFICIENT ACCRETION IN NEARBY GALAXIES. 2009 , 699, 626-637	205
1529	IMAGING THE MOLECULAR GAS IN $A_z = 3.9$ QUASAR HOST GALAXY AT 0.3" RESOLUTION: A CENTRAL, SUB-KILOPARSEC SCALE STAR FORMATION RESERVOIR IN APM 08279+5255. 2009 , 690, 463-485	74
1528	EQUAL- AND UNEQUAL-MASS MERGERS OF DISK AND ELLIPTICAL GALAXIES WITH BLACK HOLES. 2009 , 690, 802-821	183

1527	A NEW APPROACH FOR PROBING CIRCUMBINARY DISKS. 2009 , 691, L5-L8	11
1526	HOW DO DISKS SURVIVE MERGERS?. 2009 , 691, 1168-1201	391
1525	UNDERSTANDING THE AGN-HOST CONNECTION IN BROAD Mg II EMISSION-SELECTED AGN-HOST HYBRID QUASARS. 2009 , 696, 741-748	4
1524	QUASAR CLUSTERING FROM SDSS DR5: DEPENDENCES ON PHYSICAL PROPERTIES. 2009 , 697, 1656-1673	171
1523	THE VLA SURVEY OF THE CHANDRA DEEP FIELD-SOUTH. III. X-RAY SPECTRAL PROPERTIES OF RADIO SOURCES. 2009 , 698, 740-755	21
1522	MASS FUNCTIONS OF THE ACTIVE BLACK HOLES IN DISTANT QUASARS FROM THE LARGE BRIGHT QUASAR SURVEY, THE BRIGHT QUASAR SURVEY, AND THE COLOR-SELECTED SAMPLE OF THE SDSS FALL EQUATORIAL STRIPE. 2009 , 699, 800-816	238
1521	COLOR DISTRIBUTIONS, NUMBER, AND MASS DENSITIES OF MASSIVE GALAXIES AT 1.5. 2009 , 700, 799-819	39
1520	EVIDENCE FOR AN INTERMEDIATE LINE REGION IN ACTIVE GALACTIC NUCLEI'S INNER TORUS REGION AND ITS EVOLUTION FROM NARROW TO BROAD LINE SEYFERT I GALAXIES. 2009 , 700, 1173-1189	42
1519	GAS ACCRETION BY STAR CLUSTERS AND THE FORMATION OF ULTRALUMINOUS X-RAY SOURCES FROM CUSPS OF COMPACT REMNANTS. 2009 , 705, L153-L157	6
1518	REVISITING THE "FUNDAMENTAL PLANE" OF BLACK HOLE ACTIVITY AT EXTREMELY LOW LUMINOSITIES. 2009 , 703, 1034-1043	79
1517	CO-EVOLUTION OF SUPERMASSIVE BLACK HOLE AND HOST GALAXY FROM $z \sim 1$ TO $z = 0$. 2009 , 696, 1051-1062	5
1516	UPPER LIMITS ON THE MASSES OF 105 SUPERMASSIVE BLACK HOLES FROM HUBBLE SPACE TELESCOPE/SPACE TELESCOPE IMAGING SPECTROGRAPH ARCHIVAL DATA. 2009 , 692, 856-868	57
1515	B2 0902+34: A COLLAPSING PROTOGIANT ELLIPTICAL GALAXY AT $z = 3.4$. 2009 , 694, 314-326	18
1514	EPISODIC RANDOM ACCRETION AND THE COSMOLOGICAL EVOLUTION OF SUPERMASSIVE BLACK HOLE SPINS. 2009 , 697, L141-L144	54
1513	SIGNATURES OF BLACK HOLE SPIN IN GALAXY EVOLUTION. 2009 , 699, L52-L54	11
1512	A REVISED BROAD-LINE REGION RADIUS AND BLACK HOLE MASS FOR THE NARROW-LINE SEYFERT 1 NGC 4051. 2009 , 702, 1353-1366	86
1511	ANISOTROPIC ACTIVE GALACTIC NUCLEUS OUTFLOWS AND ENRICHMENT OF THE INTERGALACTIC MEDIUM. I. METAL DISTRIBUTION. 2009 , 704, 1002-1020	27
1510	LOCAL LYMAN BREAK GALAXY ANALOGS: THE IMPACT OF MASSIVE STAR-FORMING CLUMPS ON THE INTERSTELLAR MEDIUM AND THE GLOBAL STRUCTURE OF YOUNG, FORMING GALAXIES. 2009 , 706, 203-222	95

1509	The bolometric luminosity of type 2 AGN from extinction-corrected [OIII]. 2009 , 504, 73-79	115
1508	THREE SPECTACULAR H II-BURIED ACTIVE GALACTIC NUCLEUS GALAXIES FROM THE SLOAN DIGITAL SKY SURVEY. 2009 , 698, 859-864	4
1507	COSMIC EVOLUTION OF STAR FORMATION IN TYPE-1 QUASAR HOSTS SINCE $z=1$. 2009 , 703, 1107-1122	37
1506	SUPERMASSIVE BLACK HOLES IN THE HIERARCHICAL UNIVERSE: A GENERAL FRAMEWORK AND OBSERVATIONAL TESTS. 2009 , 704, 89-108	81
1505	DENSITY AND KINEMATIC CUSPS IN M54 AT THE HEART OF THE SAGITTARIUS DWARF GALAXY: EVIDENCE FOR A $10^4 M_{\odot}$ BLACK HOLE?. 2009 , 699, L169-L173	62
1504	ACTIVE GALACTIC NUCLEUS HOST GALAXY MORPHOLOGIES IN COSMOS. 2009 , 691, 705-722	161
1503	Globular cluster system erosion in elliptical galaxies. 2009 , 507, 183-193	18
1502	ACTIVE GALACTIC NUCLEI WITH DOUBLE-PEAKED NARROW LINES: ARE THEY DUAL ACTIVE GALACTIC NUCLEI?. 2009 , 705, L76-L80	123
1501	THE LICK AGN MONITORING PROJECT: BROAD-LINE REGION RADII AND BLACK HOLE MASSES FROM REVERBERATION MAPPING OF H β . 2009 , 705, 199-217	294
1500	How quasars and galaxies get to know each other. 2009 , 500, 527-528	
1499	THE COSMIC EVOLUTION OF ACTIVE GALACTIC NUCLEI IN GALAXY CLUSTERS. 2009 , 694, 1309-1316	68
1498	MOIRCS DEEP SURVEY. III. ACTIVE GALACTIC NUCLEI IN MASSIVE GALAXIES AT $z=2-4$. 2009 , 699, 1354-1364	23
1497	THE BLACK HOLE MASS-BULGE LUMINOSITY RELATIONSHIP FOR ACTIVE GALACTIC NUCLEI FROM REVERBERATION MAPPING AND HUBBLE SPACE TELESCOPE IMAGING. 2009 , 694, L166-L170	114
1496	THE STARBURST-ACTIVE GALACTIC NUCLEUS CONNECTION: THE ROLE OF YOUNG STELLAR POPULATIONS IN FUELING SUPERMASSIVE BLACK HOLES. 2009 , 695, L130-L133	35
1495	A QUINTET OF BLACK HOLE MASS DETERMINATIONS. 2009 , 695, 1577-1590	68
1494	LUMINOUS BURIED ACTIVE GALACTIC NUCLEI AS A FUNCTION OF GALAXY INFRARED LUMINOSITY REVEALED THROUGH SPITZER LOW-RESOLUTION INFRARED SPECTROSCOPY. 2009 , 694, 751-764	34
1493	The host galaxy of 3C 279. 2009 , 505, 601-604	27
1492	HOST GALAXIES OF LUMINOUS TYPE 2 QUASARS AT $z \sim 0.5$. 2009 , 702, 1098-1117	57

1491	THE PROPERTIES OF QUASAR HOSTS AT THE PEAK OF THE QUASAR ACTIVITY. 2009 , 703, 1663-1671	22
1490	A DEEPHUBBLE SPACE TELESCOPEH-BAND IMAGING SURVEY OF MASSIVE GAS-RICH MERGERS. II. THE QUEST QSOs. 2009 , 701, 587-606	106
1489	A candidate tidal disruption event in the Galaxy cluster Abell 3571. 2009 , 495, L9-L12	53
1488	Environments of nearby quasars in Sloan Digital Sky Survey. 2009 , 501, 145-155	22
1487	DETERMINING QUASAR BLACK HOLE MASS FUNCTIONS FROM THEIR BROAD EMISSION LINES: APPLICATION TO THE BRIGHT QUASAR SURVEY. 2009 , 692, 1388-1410	38
1486	ON THE SIZE AND COMOVING MASS DENSITY EVOLUTION OF EARLY-TYPE GALAXIES. 2009 , 698, 1232-1243	120
1485	QUASARS ARE NOT LIGHT BULBS: TESTING MODELS OF QUASAR LIFETIMES WITH THE OBSERVED EDDINGTON RATIO DISTRIBUTION. 2009 , 698, 1550-1569	117
1484	MERGERS OF LUMINOUS EARLY-TYPE GALAXIES IN THE LOCAL UNIVERSE AND GRAVITATIONAL WAVE BACKGROUND. 2009 , 692, 511-521	23
1483	A CHARACTERISTIC DIVISION BETWEEN THE FUELING OF QUASARS AND SEYFERTS: FIVE SIMPLE TESTS. 2009 , 694, 599-609	110
1482	OBSERVATIONAL CONSTRAINTS ON THE CO-EVOLUTION OF SUPERMASSIVE BLACK HOLES AND GALAXIES. 2009 , 707, 1566-1577	39
1481	PAIRING OF SUPERMASSIVE BLACK HOLES IN UNEQUAL-MASS GALAXY MERGERS. 2009 , 696, L89-L92	95
1480	HOST GALAXIES OF $z=4$ QUASARS, . 2009 , 704, 415-438	16
1479	HEAVILY OBSCURED AGN IN STAR-FORMING GALAXIES AT $z \sim 2$. 2009 , 706, 535-552	66
1478	Chemical evolution of high-redshift radio galaxies. 2009 , 503, 721-730	56
1477	DETECTIONS OF WATER ICE, HYDROCARBONS, AND 3.3 μ m PAH IN $z \sim 2$ ULIRGs. 2009 , 703, 270-284	24
1476	A HERTZSPRUNG-RUSSELL-LIKE DIAGRAM FOR GALAXIES: THEM σ_8 VERSUS M_{HI} RELATION. 2009 , 703, 1502-1510	29
1475	QUASARS PROBING QUASARS. III. NEW CLUES TO FEEDBACK, QUENCHING, AND THE PHYSICS OF MASSIVE GALAXY FORMATION. 2009 , 690, 1558-1584	92
1474	THE RADIUS-LUMINOSITY RELATIONSHIP FOR ACTIVE GALACTIC NUCLEI: THE EFFECT OF HOST-GALAXY STARLIGHT ON LUMINOSITY MEASUREMENTS. II. THE FULL SAMPLE OF REVERBERATION-MAPPED AGNs. 2009 , 697, 160-181	424

1473	LONG-TERM MONITORING OF BRIGHT BLAZARS WITH A DEDICATED CHERENKOV TELESCOPE. 2009 , 18, 1645-1649		2
1472	MOLECULAR GAS AND THE HOST-GALAXY SYSTEM OF THEz~ 0.3 QSO PG 1700+518. <i>Astronomical Journal</i> , 2009 , 138, 262-271	4.9	14
1471	IS THERE A SUPERMASSIVE BLACK HOLE AT THE CENTER OF THE MILKY WAY?. 2009 , 18, 889-910		43
1470	LUMINOUS THERMAL FLARES FROM QUIESCENT SUPERMASSIVE BLACK HOLES. 2009 , 698, 1367-1379		183
1469	Advanced localization of massive black hole coalescences with LISA. 2009 , 26, 094035		19
1468	LISA detection of massive black hole binaries: imprint of seed populations and extreme recoils. 2009 , 26, 094033		18
1467	The estimations of four basic parameters for gamma-ray loud blazars. 2009 , 9, 538-546		10
1466	A New Mechanism for Massive Binary Black-Hole Evolution. 2009 , 61, 65-74		42
1465	THE RADIO LUMINOSITY FUNCTION AND GALAXY EVOLUTION IN THE COMA CLUSTER. <i>Astronomical Journal</i> , 2009 , 137, 4450-4467	4.9	19
1464	Radio source populations: Results from SDSS. 2009 , 330, 184-189		40
1463	FIRIÅ far-infrared interferometer. 2009 , 23, 245-276		30
1462	X-ray absorption and reflection in active galactic nuclei. 2009 , 17, 47-104		131
1461	Is there an upper limit to black hole masses?. 2009 , 393, 838-845		60
1460	Supermassive black holes, star formation and downsizing of elliptical galaxies. 2009 , 392, 475-482		29
1459	AGN-starburst connection in NGC 7582: Gemini near-infrared spectrograph integral field unit observations. 2009 , 393, 783-797		75
1458	ΛCDM predictions for galaxy protoclusters - I. The relation between galaxies, protoclusters and quasars at. 2009 , 394, 577-594		69
1457	The mass of the black hole in Centaurus A from SINFONI AO-assisted integral-field observations of stellar kinematics. 2009 , 394, 660-674		88
1456	Kinematic properties of early-type galaxy haloes using planetary nebulae. 2009 , 394, 1249-1283		166

1455	The evolution of star formation in quasar host galaxies. 2009 , 397, 265-280	35
1454	Black hole spin and radio loudness in a Λ cold dark matter universe. 2009 , 395, 625-636	37
1453	A statistical analysis of the Two-Dimensional XMM-Newton Group Survey: the impact of feedback on group properties. 2009 , 395, 1287-1308	28
1452	The HELIX XMM survey - XII. The infrared/submillimetre view of an X-ray selected type 2 quasar at $z \approx 1.2$. 2009 , 395, 2189-2195	22
1451	Modelling the cosmological co-evolution of supermassive black holes and galaxies - II. The clustering of quasars and their dark environment. 2009 , 396, 423-438	75
1450	The impact of feedback on disc galaxy scaling relations. 2009 , 396, 141-164	118
1449	Stellar mass loss, rotation and the chemical enrichment of early-type galaxies. 2009 , 396, 1151-1162	21
1448	The spatial distribution of X-ray selected AGN in the Chandra deep fields: a theoretical perspective. 2009 , 396, 1404-1414	14
1447	Galaxy morphology in the Λ CDM cosmology. 2009 , 396, 1972-1984	92
1446	Two-phase galaxy formation. 2009 , 397, 534-547	35
1445	Infrared-red cores in nearby elliptical galaxies. 2009 , 397, 1966-1975	14
1444	The small scatter in BH-host correlations and the case for self-regulated BH growth. 2009 , 398, 303-311	44
1443	Are most low-luminosity active galactic nuclei really obscured?. 2009 , 398, 333-349	56
1442	Towards a complete census of AGN in nearby Galaxies: a large population of optically unidentified AGN. 2009 , 398, 1165-1193	149
1441	The SAURON Project - XIV. No escape from Vesc: a global and local parameter in early-type galaxy evolution. 2009 , 398, 1835-1857	71
1440	Studying X-ray reprocessing and continuum variability in quasars: PG 1211+143. 2009 , 399, 750-761	17
1439	Empirical constraints on the evolution of the relationship between black hole and galaxy mass: scatter matters. 2009 , 399, 1988-1994	20
1438	Testing the starburst/AGN connection with SWIRE X-ray/70 μ m sources. 2009 , 399, 663-670	27

1437	Determination of masses of the central black holes in NGC 524 and 2549 using laser guide star adaptive optics. 2009 , 399, 1839-1857	54
1436	Growing the first bright quasars in cosmological simulations of structure formation. 2009 , 400, 100-122	112
1435	A QSO host galaxy and its Ly α emission at $z=6.43$. 2009 , 400, 843-850	30
1434	The Millennium Galaxy Catalogue: the M_{BH} - L_{spheroid} derived supermassive black hole mass function. 2009 , 400, 1451-1460	40
1433	Journey to the M_{BH} - σ relation: the fate of low-mass black holes in the Universe. 2009 , 400, 1911-1918	127
1432	Are red 2MASS QSOs young?. 2009 , 394, 533-546	30
1431	Constraining star formation and AGN in ~ 2 massive galaxies using high-resolution MERLIN radio observations. 2009 , 395, 1249-1256	18
1430	Central mass-to-light ratios and dark matter fractions in early-type galaxies. 2009 , 396, 1132-1150	104
1429	Eddington ratio and accretion efficiency in active galactic nuclei evolution. 2009 , 396, 1217-1221	15
1428	Cosmological simulations of the growth of supermassive black holes and feedback from active galactic nuclei: method and tests. 2009 , 398, 53-74	574
1427	M_{BH} - σ relation in Sloan Digital Sky Survey flat-spectrum radio quasars. 2009 , 397, 1705-1710	15
1426	On the nature of the near-UV extended light in Seyfert galaxies. 2009 , 399, 842-860	5
1425	The growth of supermassive black holes in pseudo-bulges, classical bulges and elliptical galaxies. 2009 , 399, 621-627	44
1424	A candidate sub-parsec supermassive binary black hole system. 2009 , 458, 53-5	161
1423	The role of black holes in galaxy formation and evolution. 2009 , 460, 213-9	244
1422	Galaxy formation: Anatomy of elliptical galaxies. 2009 , 460, 333-4	8
1421	Radiation pressure and absorption in AGN: results from a complete unbiased sample from Swift. 2009 , 394, L89-L92	50
1420	The Seyfert AGN RX J0136.9-510 and the spectral state of super Eddington accretion flows. 2009 , 398, L16-L20	31

1419	Correlation of black hole-bulge masses by AGN jets. 2009 , 398, L41-L43	16
1418	Submillimetre surveys: the prospects for Herschel. 2009 , 399, L11-L15	20
1417	The discovery of a typical radio galaxy at. 2009 , 398, L83-L87	28
1416	The demography of supermassive black holes: Growing monsters at the heart of galaxies. 2009 , 53, 57-77	79
1415	Giant radio galaxies: Old long-lived quasars?. 2009 , 53, 1086-1100	19
1414	Quasinormal modes of black holes and black branes. 2009 , 26, 163001	981
1413	DISSIPATION AND EXTRA LIGHT IN GALACTIC NUCLEI. IV. EVOLUTION IN THE SCALING RELATIONS OF SPHEROIDS. 2009 , 691, 1424-1458	203
1412	HST /ACS EMISSION LINE IMAGING OF LOW-REDSHIFT 3CR RADIO GALAXIES. I. THE DATA. 2009 , 183, 278-294	27
1411	DISSIPATION AND EXTRA LIGHT IN GALACTIC NUCLEI. II. SPHERICAL GALAXIES. 2009 , 181, 135-182	187
1410	STRUCTURE AND FORMATION OF ELLIPTICAL AND SPHEROIDAL GALAXIES. 2009 , 182, 216-309	688
1409	THE MILLENNIUM GALAXY CATALOGUE: EXPLORING THE COLOR-CONCENTRATION BIMODALITY VIA BULGE-DISK DECOMPOSITION. 2009 , 699, 105-117	48
1408	AN UPPER LIMIT ON THE MASS OF THE BLACK HOLE IN URSA MINOR DWARF GALAXY. 2009 , 699, L113-L117	23
1407	THE M- σ AND M-L RELATIONS IN GALACTIC BULGES, AND DETERMINATIONS OF THEIR INTRINSIC SCATTER. 2009 , 698, 198-221	1043
1406	Quasars, Feedback, and Galaxy Formation. 2009 , 5, 421-428	
1405	The Role of Quasars in Galaxy Formation. 2009 , 5, 17-25	1
1404	What Do Statistics Reveal About the MBH-Bulge Correlation and Co-Evolution?. 2009 , 5, 161-171	1
1403	Determination of the Intrinsic Scatter in the MBH-Bulge and MBH-Bulge Relations. 2009 , 5, 189-194	1
1402	AGN Evolution from Large and Deep X-Ray Surveys. 2009 , 5, 231-238	

1401	Near-Eddington Luminosity Flares from Quiescent Supermassive Black Holes. 2009 , 5, 319-324		
1400	Growing Supermassive Black Holes in Cosmological Simulations of Structure Formation. 2009 , 5, 445-450		
1399	The race between stars and quasars in reionizing cosmic hydrogen. 2009 , 2009, 022-022		15
1398	SELF-CONSISTENT MODELS OF THE AGN AND BLACK HOLE POPULATIONS: DUTY CYCLES, ACCRETION RATES, AND THE MEAN RADIATIVE EFFICIENCY. 2009 , 690, 20-41		352
1397	THE EVOLUTION OF BLACK HOLE SCALING RELATIONS IN GALAXY MERGERS. 2009 , 707, L184-L189		74
1396	RADIO SOURCE FEEDBACK IN GALAXY EVOLUTION. 2009 , 699, 525-538		28
1395	SPATIALLY RESOLVED STELLAR POPULATIONS OF EIGHT GOODS-SOUTH ACTIVE GALACTIC NUCLEI AT $z \sim 1$. <i>Astronomical Journal</i> , 2009 , 137, 470-497	4.9	8
1394	THE CHANDRA COSMOS SURVEY. I. OVERVIEW AND POINT SOURCE CATALOG. 2009 , 184, 158-171		341
1393	Merger of massive black holes using N-body simulations with post-Newtonian corrections. 2009 , 154, 012049		9
1392	Evolution of supermassive black hole spins in the Λ CDM cosmology. 2009 , 189, 012013		1
1391	Large Dynamic Range Simulations of Galaxies Hosting Supermassive Black Holes. 2010 , 6, 153-159		0
1390	AGN and Host Galaxies in the COSMOS Survey. 2010 , 6, 21-25		
1389	ON THE COSMIC EVOLUTION OF THE SCALING RELATIONS BETWEEN BLACK HOLES AND THEIR HOST GALAXIES: BROAD-LINE ACTIVE GALACTIC NUCLEI IN THE zCOSMOS SURVEY. 2010 , 708, 137-157		243
1388	FEEDBACK FROM CENTRAL BLACK HOLES IN ELLIPTICAL GALAXIES. II. CAN PURELY MECHANICAL ENERGY FEEDBACK MODELS WORK?. 2010 , 711, 268-283		25
1387	MERGERS AND BULGE FORMATION IN Λ CDM: WHICH MERGERS MATTER?. 2010 , 715, 202-229		299
1386	DARK MATTER HALO MERGERS: DEPENDENCE ON ENVIRONMENT. 2010 , 715, 342-354		9
1385	THE GREAT OBSERVATORIES ALL-SKY LIRG SURVEY: COMPARISON OF ULTRAVIOLET AND FAR-INFRARED PROPERTIES. 2010 , 715, 572-588		142
1384	HerschelATLAS: The cosmic star formation history of quasar host galaxies. 2010 , 518, L7		34

1383	THE SPITZER HIGH-REDSHIFT RADIO GALAXY SURVEY. 2010 , 725, 36-62	75
1382	The AGN fraction of submm-selected galaxies and contributions to the submm/mm-wave extragalactic background light. 2010 , 514, A10	8
1381	ON THE RADIATIVE EFFICIENCIES, EDDINGTON RATIOS, AND DUTY CYCLES OF LUMINOUS HIGH-REDSHIFT QUASARS. 2010 , 718, 231-250	72
1380	MEASURING GAS ACCRETION AND ANGULAR MOMENTUM NEAR SIMULATED SUPERMASSIVE BLACK HOLES. 2010 , 716, 1386-1396	21
1379	A RUNAWAY BLACK HOLE IN COSMOS: GRAVITATIONAL WAVE OR SLINGSHOT RECOIL?. 2010 , 717, 209-222	88
1378	ACTIVE GALACTIC NUCLEI CLUSTERING IN THE LOCAL UNIVERSE: AN UNBIASED PICTURE FROM SWIFT -BAT. 2010 , 716, L209-L213	48
1377	Spectral energy distribution of hyperluminous infrared galaxies. 2010 , 515, A99	19
1376	TESTING A PREDICTION OF THE MERGER ORIGIN OF EARLY-TYPE GALAXIES: A CORRELATION BETWEEN STELLAR POPULATIONS AND ASYMMETRY. 2010 , 724, 694-713	5
1375	COSMOLOGICAL EVOLUTION OF MASSIVE BLACK HOLES: EFFECTS OF EDDINGTON RATIO DISTRIBUTION AND QUASAR LIFETIME. 2010 , 725, 388-393	27
1374	GALAXY ZOO: THE FUNDAMENTALLY DIFFERENT CO-EVOLUTION OF SUPERMASSIVE BLACK HOLES AND THEIR EARLY- AND LATE-TYPE HOST GALAXIES. 2010 , 711, 284-302	152
1373	A COMPARISON OF X-RAY AND MID-INFRARED SELECTION OF OBSCURED ACTIVE GALACTIC NUCLEI. 2010 , 708, 584-597	50
1372	CONSTRAINTS ON BLACK HOLE GROWTH, QUASAR LIFETIMES, AND EDDINGTON RATIO DISTRIBUTIONS FROM THE SDSS BROAD-LINE QUASAR BLACK HOLE MASS FUNCTION. 2010 , 719, 1315-1334	137
1371	MOMENTUM DRIVING: WHICH PHYSICAL PROCESSES DOMINATE ACTIVE GALACTIC NUCLEUS FEEDBACK?. 2010 , 722, 642-652	207
1370	AMUSE-VIRGO. II. DOWN-SIZING IN BLACK HOLE ACCRETION. 2010 , 714, 25-36	79
1369	TIME-DEPENDENT MODELS FOR THE AFTERGLOWS OF MASSIVE BLACK HOLE MERGERS. 2010 , 714, 404-422	50
1368	THE NGC 404 NUCLEUS: STAR CLUSTER AND POSSIBLE INTERMEDIATE-MASS BLACK HOLE. 2010 , 714, 713-731	126
1367	REVERBERATION MAPPING MEASUREMENTS OF BLACK HOLE MASSES IN SIX LOCAL SEYFERT GALAXIES. 2010 , 721, 715-737	252
1366	RELATIVISTIC SUPPRESSION OF BLACK HOLE RECOILS. 2010 , 715, 1006-1011	62

1365	STAR FORMATION AND UV COLORS OF THE BRIGHTEST CLUSTER GALAXIES IN THE REPRESENTATIVE XMM-NEWTON CLUSTER STRUCTURE SURVEY. 2010 , 715, 881-896	56
1364	COSMIC EVOLUTION OF SIZE AND VELOCITY DISPERSION FOR EARLY-TYPE GALAXIES. 2010 , 718, 1460-1475	108
1363	COLA. III. RADIO DETECTION OF ACTIVE GALACTIC NUCLEI IN COMPACT MODERATE LUMINOSITY INFRARED GALAXIES. 2010 , 720, 555-568	20
1362	THE EXTRAORDINARY MID-INFRARED SPECTRAL PROPERTIES OF FeLoBAL QUASARS. 2010 , 717, 868-877	20
1361	BINARY QUASARS AT HIGH REDSHIFT. I. 24 NEW QUASAR PAIRS AT $z \sim 3-4$. 2010 , 719, 1672-1692	91
1360	X-RAY CONSTRAINTS ON THE ACTIVE GALACTIC NUCLEI PROPERTIES IN SPITZER-INFRARED SPECTROGRAPH IDENTIFIED $z \sim 2$ ULTRALUMINOUS INFRARED GALAXIES. 2010 , 710, 212-226	33
1359	THE INTEGRATED RELATIVISTIC IRON LINE FROM ACTIVE GALACTIC NUCLEI: CHASING THE SPIN EVOLUTION OF SUPERMASSIVE BLACK HOLES. 2010 , 716, L27-L30	4
1358	THE MYSTERIOUS MERGER OF NGC 6868 AND NGC 6861 IN THE TELESCOPIUM GROUP. 2010 , 711, 1316-1332	16
1357	THE EDDINGTON LIMIT IN COSMIC RAYS: AN EXPLANATION FOR THE OBSERVED LACK OF LOW-MASS RADIO-LOUD QUASARS AND THE $M_{\text{radio}}-M_{\text{X-ray}}$ RELATION. 2010 , 710, 891-902	9
1356	EPISODIC ACTIVITIES OF SUPERMASSIVE BLACK HOLES AT REDSHIFT $z \sim 2$: DRIVEN BY MERGERS?. 2010 , 710, 878-885	9
1355	FEEDBACK FROM CENTRAL BLACK HOLES IN ELLIPTICAL GALAXIES. III. MODELS WITH BOTH RADIATIVE AND MECHANICAL FEEDBACK. 2010 , 717, 708-723	189
1354	SCATTERED X-RAYS IN OBSCURED ACTIVE GALACTIC NUCLEI AND THEIR IMPLICATIONS FOR GEOMETRICAL STRUCTURE AND EVOLUTION. 2010 , 711, 144-156	35
1353	THE SUPERMASSIVE BLACK HOLE AND DARK MATTER HALO OF NGC 4649 (M60). 2010 , 711, 484-494	77
1352	SPITZER-INFRARED LOW-RESOLUTION SPECTROSCOPIC STUDY OF BURIED ACTIVE GALACTIC NUCLEI IN A COMPLETE SAMPLE OF NEARBY ULTRALUMINOUS INFRARED GALAXIES. 2010 , 709, 801-815	38
1351	A RELATIONSHIP BETWEEN AGN JET POWER AND RADIO POWER. 2010 , 720, 1066-1072	289
1350	THE $M_{\text{radio}}-M_{\text{X-ray}}$ RELATION DERIVED FROM SPHERE OF INFLUENCE ARGUMENTS. 2010 , 711, L108-L111	43
1349	SYNCHROTRON EMISSION FROM ELLIPTICAL GALAXIES CONSEQUENT TO ACTIVE GALACTIC NUCLEUS OUTBURSTS. 2010 , 711, 125-137	27
1348	THE NUCLEAR X-RAY EMISSION OF NEARBY EARLY-TYPE GALAXIES. 2010 , 717, 640-652	50

1347	Formation of supermassive black holes. 2010 , 18, 279-315	457
1346	Galaxy formation theory. 2010 , 495, 33-86	221
1345	Extrapolating SMBH correlations down the mass scale: the case for IMBHs in globular clusters. 2010 , 325, 47-58	11
1344	Evolution and instabilities of disks harboring super massive black holes. 2010 , 327, 259-266	1
1343	Detection of IMBHs from microlensing in globular clusters. 2010 , 15, 450-459	8
1342	Measurements of the Stellar Velocity Dispersions of Seyfert Galaxies. 2010 , 34, 245-254	
1341	Dark matter haloes determine the masses of supermassive black holes. 2010 , 405, L1-L5	95
1340	Fossil gas and the electromagnetic precursor of supermassive binary black hole mergers. 2010 , 407, 2007-2016	51
1339	How do massive black holes get their gas?. 2010 , 407, 1529-1564	352
1338	Quasar radio-loudness and the elliptical core problem. 2010 , 407, 2393-2398	4
1337	Ages and metallicities of central and satellite galaxies: implications for galaxy formation and evolution. 2010 , 407, 937-954	89
1336	Deep, ultra-high-resolution radio imaging of submillimetre galaxies using Very Long Baseline Interferometry. 2010 , 408, 342-351	18
1335	Radiation pressure, absorption and AGN feedback in the Chandra Deep Fields. 2010 , 408, 1714-1720	25
1334	Jet-regulated cooling catastrophe. 2010 , 409, 985-1001	122
1333	Local and global environmental effects on galaxies and active galactic nuclei. 2010 , 409, 936-952	22
1332	The Tully-Fisher relations of early-type spiral and S0 galaxies. 2010 , 409, 1330-1346	155
1331	The growth of massive black holes in galaxy merger simulations with feedback by radiation pressure. 2010 , no-no	45
1330	The RASS6dFGS catalogue: a sample of X-ray selected AGN from the 6dF Galaxy Survey. 2010 , 401, 1151-1165	21

1329	Characterizing the far-infrared properties of distant X-ray detected AGNs: evidence for evolution in the infrared? X-ray luminosity ratio. 2010 , 401, 995-1012	37
1328	Simulating the effect of active galactic nuclei feedback on the metal enrichment of galaxy clusters. 2010 , 401, 1670-1690	178
1327	Constraining the black hole mass spectrum with gravitational wave observations - I. The error kernel. 2010 , 401, 2706-2714	10
1326	On the X-ray properties of sub-mm-selected galaxies. 2010 , 401, 2763-2772	63
1325	Two-phase galaxy formation: the evolutionary properties of galaxies. 2010 , 402, 2113-2126	10
1324	Simulations of momentum feedback by black hole winds. 2010 , 402, 789-802	27
1323	Faint-end quasar luminosity functions from cosmological hydrodynamic simulations. 2010 , 402, 1927-1936	33
1322	The central energy source of 70 \bar{b} -selected galaxies: starburst or AGN?. 2010 , 403, 1474-1490	21
1321	Star formation and AGN activity in SDSS cluster galaxies. 2010 ,	82
1320	Gravitational recoil: effects on massive black hole occupation fraction over cosmic time. 2010 ,	17
1319	The building up of the black holeâstellar mass relation. 2010 ,	17
1318	Mass-dependent evolution of the relation between the supermassive black hole mass and host spheroid mass since $z \sim 1$. 2010 ,	4
1317	Ongoing star formation in AGN host galaxy discs: a view from core-collapse supernovae. 2010 , no-no	2
1316	An excess of star-forming galaxies in the fields of high-redshift QSOs. 2010 , no-no	11
1315	Towards a complete census of active galactic nuclei in nearby galaxies: the incidence of growing black holes. 2010 , 406, 597-611	53
1314	Evidence of different star formation histories for high- and low-luminosity radio galaxies. 2010 , no-no	7
1313	The evolution of radio-loud active galactic nuclei as a function of black hole spin. 2010 , no-no	46
1312	Constraints on black hole duty cycles and the black hole-halo relation from SDSS quasar clustering. 2010 , no-no	21

1311	A large sample of low surface brightness disc galaxies from the SDSS - II. Metallicities in surface brightness bins. 2010 , 409, 213-225	16
1310	The kinematic connection between galaxies and dark matter haloes. 2010 , 407, 2-16	138
1309	A non-parametric estimate of mass "scoured" in galaxy cores. 2010 , 407, 447-457	18
1308	A bright off-nuclear X-ray source: a type II supernova, a bright ULX or a recoiling supermassive black hole in CXO J122518.6+144545. 2010 , 407, 645-650	48
1307	How is star formation quenched in massive galaxies?. 2010 , 407, 749-771	59
1306	A near-IR study of the host galaxies of 2 Jy radio sources at $0.03 < z < 0.5$ - I. The data?. 2010 , 407, 1739-1766	33
1305	The stellar kinematic signature of massive black hole binaries. 2010 , 407, 1497-1513	4
1304	Quasar feedback: more bang for your buck. 2010 , 401, 7-14	332
1303	Mergers, active galactic nuclei and "normal" galaxies: contributions to the distribution of star formation rates and infrared luminosity functions. 2010 , 402, 1693-1713	107
1302	Gas, dust and stars in the SCUBA galaxy, SMM J0136: the EVLA reveals a colossal galactic nursery. 2010 ,	57
1301	Detection of a dark substructure through gravitational imaging. 2010 , 408, 1969-1981	152
1300	On the evolution of the intrinsic scatter in black hole versus galaxy mass relations. 2010 , 407, 1016-1032	70
1299	Low redshift AGN in the Hamburg/ESO Survey. 2010 , 516, A87	96
1298	SELF CONSISTENT MODEL FOR THE EVOLUTION OF ECCENTRIC MASSIVE BLACK HOLE BINARIES IN STELLAR ENVIRONMENTS: IMPLICATIONS FOR GRAVITATIONAL WAVE OBSERVATIONS. 2010 , 719, 851-864	101
1297	A CORRELATION BETWEEN CENTRAL SUPERMASSIVE BLACK HOLES AND THE GLOBULAR CLUSTER SYSTEMS OF EARLY-TYPE GALAXIES. 2010 , 720, 516-521	73
1296	A mass estimate of an intermediate-mass black hole in Centauri. 2010 , 514, A52	17
1295	The MBH "M" star relation of obscured AGNs at high redshift. 2010 , 522, L3	18
1294	EPISODIC STAR FORMATION COUPLED TO REIGNITION OF RADIO ACTIVITY IN 3C 236. 2010 , 715, 172-185	27

1293	THE EVOLUTION OF CENTRAL GROUP GALAXIES IN HYDRODYNAMICAL SIMULATIONS. 2010 , 709, 218-240		90
1292	THE FAINT END OF THE QUASAR LUMINOSITY FUNCTION AT $z \sim 4$. 2010 , 710, 1498-1514		39
1291	OPTICAL IFU OBSERVATIONS OF THE BRIGHTEST CLUSTER GALAXY NGC 4696: THE CASE FOR A MINOR MERGER AND SHOCK-EXCITED FILAMENTS. 2010 , 724, 267-284		55
1290	Nearby early-type galaxies with ionized gas. 2010 , 519, A40		96
1289	Black holes and galactic density cusps. 2010 , 522, A28		10
1288	EXAMINING SUBGRID MODELS OF SUPERMASSIVE BLACK HOLES IN COSMOLOGICAL SIMULATION. 2010 , 723, 1308-1318		12
1287	EVOLUTION OF GASEOUS DISK VISCOSITY DRIVEN BY SUPERNOVA EXPLOSION. II. STRUCTURE AND EMISSIONS FROM STAR-FORMING GALAXIES AT HIGH REDSHIFT. 2010 , 725, 2359-2380		1
1286	UNDERSTANDING AGN-HOST CONNECTION IN PARTIALLY OBSCURED ACTIVE GALACTIC NUCLEI. III. PROPERTIES OF ROSAT-SELECTED SDSS ACTIVE GALACTIC NUCLEI. 2010 , 719, 1157-1167		8
1285	EDDINGTON-LIMITED ACCRETION AND THE BLACK HOLE MASS FUNCTION AT REDSHIFT 6. <i>Astronomical Journal</i> , 2010 , 140, 546-560	4.9	241
1284	MORPHOLOGIES OF RADIO-, X-RAY-, AND MID-INFRARED-SELECTED ACTIVE GALACTIC NUCLEI. <i>Astronomical Journal</i> , 2010 , 140, 533-545	4.9	27
1283	WITNESSING THE BIRTH OF A QUASAR. <i>Astronomical Journal</i> , 2010 , 140, 642-651	4.9	19
1282	Angular momentum and the formation of stars and black holes. 2010 , 73, 014901		21
1281	EVOLUTION OF SUPERMASSIVE BLACK HOLES FROM COSMOLOGICAL SIMULATIONS. 2010 , 19, 1233-1240		11
1280	Supermassive black hole spin-flip during the inspiral. 2010 , 27, 194009		7
1279	Mass Function of Binary Massive Black Holes in Active Galactic Nuclei. 2010 , 62, 1351-1360		10
1278	Final spins from the merger of precessing binary black holes. 2010 , 81,		58
1277	Gravitational wave background from binary systems. 2011 , 84,		91
1276	A close nuclear black-hole pair in the spiral galaxy NGC 3393. 2011 , 477, 431-4		82

1275	Reconstructing the massive black hole cosmic history through gravitational waves. 2011 , 83,	89
1274	RELATION BETWEEN GLOBULAR CLUSTERS AND SUPERMASSIVE BLACK HOLES IN ELLIPTICALS AS A MANIFESTATION OF THE BLACK HOLE FUNDAMENTAL PLANE. 2011 , 728, L24	20
1273	The bolometric output and host-galaxy properties of obscured AGN in the XMM-COSMOS survey. 2011 , 534, A110	50
1272	INSIGHTS ON THE FORMATION, EVOLUTION, AND ACTIVITY OF MASSIVE GALAXIES FROM ULTRACOMPACT AND DISKY GALAXIES AT $z=2$. 2011 , 743, 87	54
1271	The stars and stellar evolution. 2011 , 35-76	
1270	The dynamics of charged particles in magnetic fields. 2011 , 178-192	
1269	Interstellar gas and magnetic fields. 2011 , 333-377	
1268	A POWERFUL AGN OUTBURST IN RBS 797. 2011 , 732, 71	33
1267	HUBBLE SPACE TELESCOPE IMAGING OF POST-STARBURST QUASARS. 2011 , 741, 106	32
1266	GRB 110328A/SWIFT J164449.3+573451: THE TIDAL OBLITERATION OF A DEEPLY PLUNGING STAR?. 2011 , 742, 32	41
1265	PKS 1814-637: a powerful radio-loud AGN in a disk galaxy. 2011 , 535, A97	44
1264	DISCOVERY OF NUCLEAR X-RAY SOURCES IN SINGS GALAXIES. 2011 , 731, 60	48
1263	FIRST RESULTS FROM THE 3D-HST SURVEY: THE STRIKING DIVERSITY OF MASSIVE GALAXIES AT $z > 1$. 2011 , 743, L15	94
1262	One-zone models for spheroidal galaxies with a central supermassive black-hole. 2011 , 525, A115	16
1261	OBSERVATIONAL SELECTION EFFECTS AND THEM- β RELATION. 2011 , 738, 17	27
1260	Molecular Gas at High Redshift. 2011 , 167-177	2
1259	The black holes of radio galaxies during the "Quasar Era" masses, accretion rates, and evolutionary stage. 2011 , 525, A43	28
1258	The cosmic far-infrared background buildup since redshift 2 at 70 and 160 microns in the COSMOS and GOODS fields. 2011 , 525, A52	30

- 1257 EVOLUTION OF [O III] λ 5007 EMISSION-LINE PROFILES IN NARROW EMISSION-LINE GALAXIES. **2011**, 741, 50 17
- 1256 TESTING A SCALE-INDEPENDENT METHOD TO MEASURE THE MASS OF BLACK HOLES. **2011**, 735, 16 17
- 1255 THE DARK SIDE OF QSO FORMATION AT HIGH REDSHIFTS. **2011**, 736, 66 24
- 1254 MASS OF THE SOUTHERN BLACK HOLE IN NGC 6240 FROM LASER GUIDE STAR ADAPTIVE OPTICS. **2011**, 743, 32 23
- 1253 Preface. **2011**, xiii-xvi
- 1252 High energy astrophysics – an introduction. **2011**, 3-34 12
- 1251 Interactions of high energy photons. **2011**, 228-278
- 1250 Active galaxies. **2011**, 585-609
- 1249 The galaxies. **2011**, 77-98
- 1248 Clusters of galaxies. **2011**, 99-128
- 1247 Ionisation losses. **2011**, 131-153
- 1246 Radiation of accelerated charged particles and bremsstrahlung of electrons. **2011**, 154-177 0
- 1245 Synchrotron radiation. **2011**, 193-227 0
- 1244 Nuclear interactions. **2011**, 279-297
- 1243 Aspects of plasma physics and magnetohydrodynamics. **2011**, 298-330
- 1242 Dead stars. **2011**, 378-442
- 1241 Accretion power in astrophysics. **2011**, 443-492
- 1240 Cosmic rays. **2011**, 493-535

1239 The origin of cosmic rays in our Galaxy. **2011**, 536-560

1238 The acceleration of high energy particles. **2011**, 561-582

1237 Black holes in the nuclei of galaxies. **2011**, 610-636

1236 The vicinity of the black hole. **2011**, 637-660

1235 Extragalactic radio sources. **2011**, 661-680

1234 Compact extragalactic sources and superluminal motions. **2011**, 681-713

1

1233 Cosmological aspects of high energy astrophysics. **2011**, 714-752

1232 Appendix: Astronomical conventions and nomenclature. **2011**, 753-782

1231 Bibliography. **2011**, 783-824

1230 COSMOLOGICAL EVOLUTION OF SUPERMASSIVE BLACK HOLES. I. MASS FUNCTION AT 0 . **2011**, 742, 33

32

1229 Black hole accretion and host galaxies of obscured quasars in XMM-COSMOS. **2011**, 535, A80

72

1228 FEEDBACK FROM CENTRAL BLACK HOLES IN ELLIPTICAL GALAXIES: TWO-DIMENSIONAL MODELS COMPARED TO ONE-DIMENSIONAL MODELS. **2011**, 737, 26

186

1227 Optical and infrared properties of active galactic nuclei in the Lockman Hole. **2011**, 529, A135

17

1226 Selection effects in the black hole-bulge relation and its evolution. **2011**, 535, A87

57

1225 The mass-metallicity relation of SDSS quasars. **2011**, 527, A100

38

1224 ECCENTRIC EVOLUTION OF SUPERMASSIVE BLACK HOLE BINARIES. **2011**, 731, L9

33

1223 EMU: Evolutionary Map of the Universe. **2011**, 28, 215-248

251

1222 ULTRAVIOLET CONTINUUM COLOR VARIABILITY OF LUMINOUS SLOAN DIGITAL SKY SURVEY QSOs. **2011**, 731, 50

29

1221	THE BULK OF THE BLACK HOLE GROWTH SINCE $z \sim 1$ OCCURS IN A SECULAR UNIVERSE: NO MAJOR MERGER-AGN CONNECTION. 2011 , 726, 57	275
1220	HUBBLE SPACE TELESCOPE MORPHOLOGIES OF $z \sim 2$ DUST-OBSCURED GALAXIES. II. BUMP SOURCES. 2011 , 733, 21	23
1219	THE TEMPERATURE OF HOT GAS HALOS OF EARLY-TYPE GALAXIES. 2011 , 738, 57	27
1218	MASSIVE BLACK HOLES IN STELLAR SYSTEMS: "QUIESCENT" ACCRETION AND LUMINOSITY. 2011 , 730, 145	14
1217	A CHANDRA STUDY OF THE LARGE-SCALE SHOCK AND COOL FILAMENTS IN HYDRA A: EVIDENCE FOR SUBSTANTIAL GAS DREDGE-UP BY THE CENTRAL OUTBURST. 2011 , 732, 13	38
1216	THE RADIATIVE EFFICIENCY OF ACCRETION FLOWS IN INDIVIDUAL ACTIVE GALACTIC NUCLEI. 2011 , 728, 98	215
1215	THE STRUCTURE AND DYNAMICS OF AN ACTIVE GALACTIC NUCLEUS TORUS: CO LINE PREDICTIONS FOR ALMA FROM THREE-DIMENSIONAL HYDRODYNAMICAL SIMULATIONS WITH X-RAY-DRIVEN CHEMISTRY. 2011 , 730, 48	18
1214	SHINING LIGHT ON MERGING GALAXIES. I. THE ONGOING MERGER OF A QUASAR WITH A "GREEN VALLEY" GALAXY. 2011 , 735, 54	7
1213	HOST GALAXY PROPERTIES OF THE SWIFT/BAT ULTRA HARD X-RAY SELECTED ACTIVE GALACTIC NUCLEUS. 2011 , 739, 57	97
1212	THE BLACK HOLE MASS IN M87 FROM GEMINI/NIFS ADAPTIVE OPTICS OBSERVATIONS. 2011 , 729, 119	282
1211	CONSTRAINING THE DARK ENERGY EQUATION OF STATE USING LISA OBSERVATIONS OF SPINNING MASSIVE BLACK HOLE BINARIES. 2011 , 732, 82	35
1210	AEGIS: DEMOGRAPHICS OF X-RAY AND OPTICALLY SELECTED ACTIVE GALACTIC NUCLEI. 2011 , 728, 38	64
1209	BLACK HOLE MASS AND BULGE LUMINOSITY FOR LOW-MASS BLACK HOLES. 2011 , 737, L45	50
1208	SUZAKU VIEW OF THE SWIFT/BAT ACTIVE GALACTIC NUCLEI. III. APPLICATION OF NUMERICAL TORUS MODELS TO TWO NEARLY COMPTON THICK ACTIVE GALACTIC NUCLEI (NGC 612 AND NGC 3081). 2011 , 729, 31	32
1207	GALAXY FORMATION WITH SELF-CONSISTENTLY MODELED STARS AND MASSIVE BLACK HOLES. I. FEEDBACK-REGULATED STAR FORMATION AND BLACK HOLE GROWTH. 2011 , 738, 54	71
1206	AN ALTERNATIVE APPROACH TO MEASURING REVERBERATION LAGS IN ACTIVE GALACTIC NUCLEI. 2011 , 735, 80	227
1205	THE BLACK HOLE MASS IN THE BRIGHTEST CLUSTER GALAXY NGC 6086. 2011 , 728, 100	29
1204	RADIATIVELY INEFFICIENT ACCRETION FLOWS INDUCED BY GRAVITATIONAL-WAVE EMISSION BEFORE MASSIVE BLACK HOLE COALESCENCE. 2011 , 726, L14	6

1203	CONSTRAINING HALO OCCUPATION PROPERTIES OF X-RAY ACTIVE GALACTIC NUCLEI USING CLUSTERING OF CHANDRA SOURCES IN THE BOOTES SURVEY REGION. 2011 , 741, 15	47
1202	ARE RADIO ACTIVE GALACTIC NUCLEI POWERED BY ACCRETION OR BLACK HOLE SPIN?. 2011 , 727, 39	91
1201	THE EFFECTS OF X-RAY FEEDBACK FROM ACTIVE GALACTIC NUCLEI ON HOST GALAXY EVOLUTION. 2011 , 738, 16	22
1200	REDSHIFT EVOLUTION OF THE GALAXY VELOCITY DISPERSION FUNCTION. 2011 , 737, L31	67
1199	IS THERE A BLACK HOLE IN NGC 4382?. 2011 , 741, 38	18
1198	SUPERMASSIVE BLACK HOLE GROWTH IN STARBURST GALAXIES OVER COSMIC TIME: CONSTRAINTS FROM THE DEEPEST CHANDRA FIELDS. 2011 , 742, 3	85
1197	ACCRETION RATE AND THE PHYSICAL NATURE OF UNOBSERVED ACTIVE GALAXIES. 2011 , 733, 60	101
1196	A NEW DIAGNOSTIC OF ACTIVE GALACTIC NUCLEI: REVEALING HIGHLY ABSORBED SYSTEMS AT REDSHIFT >0.3 . 2011 , 736, 104	143
1195	Sub-millimeter detected $z \sim 2$ radio-quiet QSOs. 2011 , 531, A128	4
1194	Multiwavelength campaign on Mrk 509. 2011 , 534, A42	11
1193	A KILOPARSEC-SCALE BINARY ACTIVE GALACTIC NUCLEUS CONFIRMED BY THE EXPANDED VERY LARGE ARRAY. 2011 , 740, L44	76
1192	OPTICAL PROPERTIES OF HOST GALAXIES OF EXTRAGALACTIC NUCLEAR WATER MASERS. 2011 , 742, 73	23
1191	How do galaxies acquire their mass?. 2011 , 533, A5	53
1190	VERY HIGH ENERGY γ -RAY EMISSION FROM PASSIVE SUPERMASSIVE BLACK HOLES: CONSTRAINTS FOR NGC 1399. 2011 , 738, 142	4
1189	ORBIT-BASED DYNAMICAL MODELS OF THE SOMBRERO GALAXY (NGC 4594). 2011 , 739, 21	38
1188	AGN UNIFICATION AT $z \sim 1$: COLORS AND GRADIENTS IN X-RAY AGN HOSTS. 2011 , 740, 3	11
1187	H.E.S.S. OBSERVATIONS OF THE GLOBULAR CLUSTERS NGC 6388 AND M15 AND SEARCH FOR A DARK MATTER SIGNAL. 2011 , 735, 12	25
1186	EFFECT OF A DARK MATTER HALO ON THE DETERMINATION OF BLACK HOLE MASSES. 2011 , 729, 21	61

1185	DISCOVERY OF THE DISTURBED RADIO MORPHOLOGY IN THE INTERACTING BINARY QUASAR FIRST J164311.3+315618. 2011 , 736, 125	8
1184	RESOLVING THE DYNAMICAL MASS OF $Az \sim 1.3$ QUASI-STELLAR OBJECT HOST GALAXY USING SINFONI AND LASER GUIDE STAR ASSISTED ADAPTIVE OPTICS. 2011 , 739, 90	11
1183	EXTERNAL MASS ACCUMULATION ONTO CORE POTENTIALS: IMPLICATIONS FOR STAR CLUSTERS, GALAXIES, AND GALAXY CLUSTERS. 2011 , 735, 25	23
1182	HERSCHEL-ATLAS GALAXY COUNTS AND HIGH-REDSHIFT LUMINOSITY FUNCTIONS: THE FORMATION OF MASSIVE EARLY-TYPE GALAXIES. 2011 , 742, 24	134
1181	RELATIVISTIC JET FEEDBACK IN EVOLVING GALAXIES. 2011 , 728, 29	139
1180	A DISTINCTIVE DISK-JET COUPLING IN THE SEYFERT-1 ACTIVE GALACTIC NUCLEUS NGC 4051. 2011 , 729, 19	30
1179	SUZAKU VIEW OF THE SWIFT/BAT ACTIVE GALACTIC NUCLEI. IV. NATURE OF TWO NARROW-LINE RADIO GALAXIES (3C 403 AND IC 5063). 2011 , 738, 70	25
1178	SUCCESSIVE MERGER OF MULTIPLE MASSIVE BLACK HOLES IN A PRIMORDIAL GALAXY. 2011 , 728, L31	6
1177	THE NON-CAUSAL ORIGIN OF THE BLACK-HOLE-GALAXY SCALING RELATIONS. 2011 , 734, 92	252
1176	Grand unification of AGN activity in the Λ CDM cosmology. 2011 , 410, 53-74	197
1175	Accretion on to black holes formed by direct collapse. 2011 , 410, 919-933	72
1174	On the spin-temperature evolution during the epoch of reionization. 2011 , 410, 1377-1390	17
1173	The central black hole mass of the high- β but low-bulge-luminosity lenticular galaxy NGC 1332?. 2011 , 410, 1223-1236	55
1172	Searching for Compton-thick active galactic nuclei at $z \sim 0.1$. 2011 , 411, 1231-1244	44
1171	Correlation of black hole and bulge masses: driven by energy but correlated with momentum. 2011 , 411, 1803-1808	27
1170	Orientation effects in quasar spectra: the broad- and narrow-line regions. 2011 , 412, 213-222	32
1169	The accretion disc particle method for simulations of black hole feeding and feedback. 2011 , 412, 269-276	47
1168	Relativistic encounters in dense stellar systems. 2011 , 412, 551-554	3

1167	Recoiling black holes in merging galaxies: relationship to active galactic nucleus lifetimes, starbursts and the MBH- σ relation. 2011 , 412, 2154-2182	90
1166	Galactic coronae in the intracluster environment: semiconfined stellar-feedback-driven outflows. 2011 , 413, 347-358	14
1165	Dynamical black hole masses of BL Lac objects from the Sloan Digital Sky Survey. 2011 , 413, 805-812	20
1164	The dependence of AGN activity on stellar and halo mass in semi-analytic models. 2011 , 413, 957-970	28
1163	Inverse-Compton ghosts and double-lobed radio sources in the X-ray sky. 2011 , 413, 1107-1120	28
1162	Towards an understanding of the evolution of the scaling relations for supermassive black holes. 2011 , 413, 1158-1164	47
1161	Black hole clustering in cosmological hydrodynamic simulations: evidence for mergers. 2011 , 413, 1383-1394	26
1160	Black holes and galactic density cusps - I. Radial orbit cusps and bulges. 2011 , 413, 1633-1642	7
1159	HerMES: SPIRE emission from radio-selected active galactic nuclei?. 2011 , 413, 1777-1786	25
1158	Flays as a diagnostic of the origin of core radiation in low-luminosity active galactic nuclei. 2011 , 413, 1845-1851	11
1157	Active galactic nucleus feedback drives the colour evolution of local galaxies. 2011 , 413, 2815-2826	26
1156	Large-scale gas dynamics in the adhesion model: implications for the two-phase massive galaxy formation scenario. 2011 , 413, 3022-3038	9
1155	Defining the intrinsic AGN infrared spectral energy distribution and measuring its contribution to the infrared output of composite galaxies?. 2011 , 414, 1082-1110	310
1154	Contemporaneous Chandra HETG and Suzaku X-ray observations of NGC 4051. 2011 , 414, 1965-1986	36
1153	The transition between BL Lac objects and flat spectrum radio quasars. 2011 , 414, 2674-2689	208
1152	The effect of variations in the input physics on the cosmic distribution of metals predicted by simulations. 2011 , 415, 353-371	45
1151	Herschel-ATLAS: the link between accretion luminosity and star formation in quasar host galaxies?. 2011 , no-no	30
1150	Violent interaction between the active galactic nucleus and the hot gas in the core of the galaxy cluster Sfsic 159â03. 2011 , 415, 3369-3379	25

1149	A simple model for AGN feedback in nearby early-type galaxies. 2011 , 415, 3798-3806	40
1148	Modelling galaxy and AGN evolution in the infrared: black hole accretion versus star formation activity. 2011 , no-no	10
1147	The halo occupation distribution of black holes. 2011 , 416, 1591-1600	13
1146	Molecular accretion in the core of the galaxy cluster 2A 0335+096. 2011 , 416, 2060-2067	12
1145	The nature of X-ray-absorbed quasi-stellar objects. 2011 , 416, 2792-2801	18
1144	Optical properties of high-frequency radio sources from the Australia Telescope 20 GHz (AT20G) Survey. 2011 , 417, 2651-2675	37
1143	Smoothed particle hydrodynamics simulations of black hole accretion: a step to model black hole feedback in galaxies. 2011 , 418, 591-611	29
1142	Tidal disruption rate of stars by supermassive black holes obtained by direct N-body simulations. 2011 , 418, 1308-1324	42
1141	The near-infrared radius-luminosity relationship for active galactic nuclei. 2011 , 413, L106-L109	13
1140	Supermassive black holes: connecting the growth to the cosmic star formation rate. 2011 , 418, L30-L34	6
1139	An actively accreting massive black hole in the dwarf starburst galaxy Henize 2-10. 2011 , 470, 66-8	164
1138	The Spitzer/IRAC view of black hole–bulge scaling relations. 2011 , 413, 1479-1494	140
1137	Feeding supermassive black holes through supersonic turbulence and ballistic accretion. 2011 , 413, 2633-2650	66
1136	An XMM-Newton spectral survey of 12 \mathbb{E} selected galaxies - II. Implications for AGN selection and unification. 2011 , 414, 3084-3104	66
1135	Arecibo Legacy Fast ALFA H i data stacking - II. H i content of the host galaxies of active galactic nuclei. 2011 , 416, 1739-1744	34
1134	Mass of the black hole in the Seyfert 1.5 galaxy H 0507+164 from reverberation mapping. 2011 , no-no	3
1133	Galaxy pairs in the Sloan Digital Sky Survey - IV. Interactions trigger active galactic nuclei. 2011 , 418, 2043-2053	255
1132	X-ray redshifts with the International X-ray Observatory (IXO). 2011 , 48, 1304-1310	1

1131	The estimation of black-hole masses in distant radio galaxies. 2011 , 55, 302-309	3
1130	N-body simulations of gravitational dynamics. 2011 , 126, 1	80
1129	The SMBH mass versus M_{BH} relation: a comparison between real data and numerical models. 2011 , 43, 1007-1024	12
1128	Exploring intermediate and massive black-hole binaries with the Einstein Telescope. 2011 , 43, 485-518	61
1127	Shedding light on the galaxy luminosity function. 2011 , 19, 1	46
1126	Revisit of Local X-Ray Luminosity Function of Active Galactic Nuclei with the MAXI Extragalactic Survey. 2011 , 63, S937-S945	27
1125	Shadows of colliding black holes. 2011 , 84,	23
1124	Characterizing spinning black hole binaries in eccentric orbits with LISA. 2011 , 83,	21
1123	A possible relativistic jetted outburst from a massive black hole fed by a tidally disrupted star. 2011 , 333, 203-6	380
1122	Infrared $3\text{--}5\ \mu\text{m}$ Spectroscopy of Nearby PG QSOs and AGN Nuclear Starburst Connections in High-Luminosity AGN Populations. 2011 , 63, S447-S456	29
1121	The Dark Matter Halo Density Profile, Spiral Arm Morphology, and Supermassive Black Hole Mass of M33. 2011 , 2011, 1-8	7
1120	CANDELS: THE COSMIC ASSEMBLY NEAR-INFRARED DEEP EXTRAGALACTIC LEGACY SURVEY. 2011 , 197, 35	1279
1119	RADIO GALAXY 3C 230 OBSERVED WITH GEMINI LASER ADAPTIVE-OPTICS INTEGRAL-FIELD SPECTROSCOPY. <i>Astronomical Journal</i> , 2011 , 142, 172	4.9 6
1118	COALESCENCE RATE OF SUPERMASSIVE BLACK HOLE BINARIES DERIVED FROM COSMOLOGICAL SIMULATIONS: DETECTION RATES FOR LISA AND ET. 2011 , 20, 2399-2417	6
1117	A FUNDAMENTAL EQUATION FOR SUPERMASSIVE BLACK HOLES. 2011 , 20, 2305-2315	7
1116	Discovery of an Excess of H Emitters around 4C 23.56 at $z = 2.48$. 2011 , 63, S415-S435	54
1115	The Cosmic History of Black Hole Growth from Deep Multiwavelength Surveys. 2012 , 2012, 1-21	18
1114	A Practical Guide to the Massive Black Hole Cosmic History. 2012 , 2012, 1-16	12

1113	A Method of Identifying AGNs Based on Emission-Line Excess and the Nature of Low-Luminosity AGNs in the Sloan Digital Sky Survey. I. A New Method. 2012 , 64, 36	6
1112	A Method of Identifying AGNs Based on Emission-Line Excess and the Nature of Low-Luminosity AGNs in the Sloan Digital Sky Survey. II. The Nature of Low-Luminosity AGNs. 2012 , 64, 37	10
1111	Photon trapping enables super-Eddington growth of black hole seeds in galaxies at high redshift. 2012 , 425, 2892-2902	29
1110	Seeking for the Leading Actor on the Cosmic Stage: Galaxies versus Supermassive Black Holes. 2012 , 2012, 1-3	2
1109	Evidence for AGN Feedback in Galaxy Clusters and Groups. 2012 , 2012, 1-24	74
1108	A LOCAL BASELINE OF THE BLACK HOLE MASS SCALING RELATIONS FOR ACTIVE GALAXIES. II. MEASURING STELLAR VELOCITY DISPERSION IN ACTIVE GALAXIES. 2012 , 201, 29	19
1107	THE CHANDRA COSMOS SURVEY. III. OPTICAL AND INFRARED IDENTIFICATION OF X-RAY POINT SOURCES. 2012 , 201, 30	184
1106	Destructible Bars in Disk Galaxies under the Dynamical Influence of a Massive Central Black Hole. 2012 , 64, 5	11
1105	MEASURING THE JET POWER OF FLAT-SPECTRUM RADIO QUASARS. 2012 , 756, 161	9
1104	High-order expansions of the Detweiler-Whiting singular field in Schwarzschild spacetime. 2012 , 86,	35
1103	Effects of post-Newtonian spin alignment on the distribution of black-hole recoils. 2012 , 85,	33
1102	INFRARED SPECTROSCOPY OF NEARBY RADIO ACTIVE ELLIPTICAL GALAXIES. 2012 , 203, 14	8
1101	A LARGE SYSTEMATIC SEARCH FOR CLOSE SUPERMASSIVE BINARY AND RAPIDLY RECOILING BLACK HOLES. 2012 , 201, 23	135
1100	BAR EFFECTS ON CENTRAL STAR FORMATION AND ACTIVE GALACTIC NUCLEUS ACTIVITY. 2012 , 198, 4	77
1099	The Low-Mass End of the MBH/Mhost Relation in Quasars. 2012 , 2012, 1-11	7
1098	Clustering of X-Ray-Selected AGN. 2012 , 2012, 1-19	22
1097	Mass Functions of Supermassive Black Holes across Cosmic Time. 2012 , 2012, 1-21	35
1096	The current status of galaxy formation. 2012 , 12, 917-946	145

1095	On the origin of X-shaped radio galaxies. 2012 , 12, 127-146	23
1094	THE ACS FORNAX CLUSTER SURVEY. VI. THE NUCLEI OF EARLY-TYPE GALAXIES IN THE FORNAX CLUSTER. 2012 , 203, 5	101
1093	MEASUREMENT OF GALACTIC LOGARITHMIC SPIRAL ARM PITCH ANGLE USING TWO-DIMENSIONAL FAST FOURIER TRANSFORM DECOMPOSITION. 2012 , 199, 33	58
1092	RECALIBRATION OF THE VIRIAL FACTOR AND $M_{BH} - \sigma$ RELATION FOR LOCAL ACTIVE GALAXIES. 2012 , 203, 6	106
1091	Classifying Active Galactic Nuclei from the zCOSMOS 20k spectroscopic survey. Looking for a mass trend. 2012 , 372, 012074	
1090	A Dynamical N-body model for the central region of Centauri. 2012 , 538, A19	33
1089	Black holes in pseudobulges: demography and models. 2012 , 540, A23	31
1088	THE NATURE OF LoBAL QSOs. I. SEDs AND MID-INFRARED SPECTRAL PROPERTIES. 2012 , 755, 29	18
1087	REVERBERATION MAPPING RESULTS FOR FIVE SEYFERT 1 GALAXIES. 2012 , 755, 60	149
1086	THE ABSENCE OF RADIO EMISSION FROM THE GLOBULAR CLUSTER G1. 2012 , 755, L1	47
1085	SPITZER- AND HERSCHEL-BASED SPECTRAL ENERGY DISTRIBUTIONS OF 24 β BRIGHT $z \sim 0.3-3.0$ STARBURSTS AND OBSCURED QUASARS. 2012 , 757, 13	51
1084	FIRST-2MASS RED QUASARS: TRANSITIONAL OBJECTS EMERGING FROM THE DUST. 2012 , 757, 51	107
1083	BLACK HOLE MASS AND EDDINGTON RATIO DISTRIBUTION FUNCTIONS OF X-RAY-SELECTED BROAD-LINE AGNs AT $z \sim 1.4$ IN THE SUBARUXMM-NEWTON DEEP FIELD. 2012 , 761, 143	36
1082	EXTREME CORONAL LINE EMITTERS: TIDAL DISRUPTION OF STARS BY MASSIVE BLACK HOLES IN GALACTIC NUCLEI?. 2012 , 749, 115	64
1081	GOODS-Herschel: ultra-deep XMM-Newton observations reveal AGN/star-formation connection. 2012 , 546, A58	82
1080	ENVIRONMENTAL EFFECTS ON THE GROWTH OF SUPERMASSIVE BLACK HOLES AND ACTIVE GALACTIC NUCLEUS FEEDBACK. 2012 , 745, 13	15
1079	PRIMUS: THE DEPENDENCE OF AGN ACCRETION ON HOST STELLAR MASS AND COLOR. 2012 , 746, 90	201
1078	MONTE CARLO SIMULATIONS OF GLOBULAR CLUSTER EVOLUTION. VI. THE INFLUENCE OF AN INTERMEDIATE-MASS BLACK HOLE. 2012 , 750, 31	39

1077	The mean star formation rate of X-ray selected active galaxies and its evolution from $z \sim 2.5$: results from PEP-Herschel. 2012 , 545, A45	219
1076	SPITZER OBSERVATIONS OF YOUNG RED QUASARS. 2012 , 757, 125	54
1075	COMOVING SPACE DENSITY AND OBSCURED FRACTION OF HIGH-REDSHIFT ACTIVE GALACTIC NUCLEI IN THE SUBARU/XMM-NEWTON DEEP SURVEY. 2012 , 758, 49	22
1074	THE RELATION BETWEEN GALAXY MORPHOLOGY AND ENVIRONMENT IN THE LOCAL UNIVERSE: AN RC3-SDSS PICTURE. 2012 , 746, 160	42
1073	THE LICK AGN MONITORING PROJECT: RECALIBRATING SINGLE-EPOCH VIRIAL BLACK HOLE MASS ESTIMATES. 2012 , 747, 30	90
1072	MODELING THE INFRARED EMISSION IN CYGNUS A. 2012 , 747, 46	23
1071	BREAKING THE LAW: THE M_{bh} - $M_{spheroid}$ RELATIONS FOR CORE-SBIC AND SBIC GALAXIES. 2012 , 746, 113	103
1070	DISCOVERY OF AN ACTIVE SUPERMASSIVE BLACK HOLE IN THE BULGELESS GALAXY NGC 4561. 2012 , 757, 179	27
1069	EVOLUTION OF QUIESCENT AND STAR-FORMING GALAXIES SINCE $z \sim 1.5$ AS A FUNCTION OF THEIR VELOCITY DISPERSIONS. 2012 , 760, 62	39
1068	X-RAY PROPERTIES EXPECTED FROM ACTIVE GALACTIC NUCLEUS FEEDBACK IN ELLIPTICAL GALAXIES. 2012 , 744, 21	26
1067	DIRECT EVIDENCE FOR TERMINATION OF OBSCURED STAR FORMATION BY RADIATIVELY DRIVEN OUTFLOWS IN REDDENED QSOs. 2012 , 745, 178	80
1066	A BRIGHTEST CLUSTER GALAXY WITH AN EXTREMELY LARGE FLAT CORE. 2012 , 756, 159	58
1065	CANDELS: CONSTRAINING THE AGN-MERGER CONNECTION WITH HOST MORPHOLOGIES AT $z \sim 2$. 2012 , 744, 148	285
1064	PHYSICS OF COEVOLUTION OF GALAXIES AND SUPERMASSIVE BLACK HOLES. 2012 , 755, 28	28
1063	THE FERMI BUBBLE AS A SOURCE OF COSMIC RAYS IN THE ENERGY RANGE $>10^{15}$ eV. 2012 , 746, 116	27
1062	Growing supermassive black holes: sub-grid modelling and intermediate-scale processes. 2012 , 372, 012003	
1061	Dynamical processes in galaxy centers. 2012 , 372, 012041	4
1060	Discovery of an Intermediate Mass Black Hole at the center of the starburst/Seyfert composite galaxy IRAS 01072+4954. 2012 , 372, 012048	1

1059	The AGN-Starburst Connection traced by the Nitrogen Abundance. 2012 , 8, 273-274	
1058	Supermassive black holes: Coevolution (or not) of black holes and host galaxies. 2012 , 8, 241-256	
1057	A UNIFORMLY SELECTED SAMPLE OF LOW-MASS BLACK HOLES IN SEYFERT 1 GALAXIES. 2012 , 755, 167	79
1056	A SPECTACULAR OUTFLOW IN AN OBSCURED QUASAR. 2012 , 746, 86	119
1055	THE RELATIONSHIP BETWEEN BLACK HOLE GROWTH AND STAR FORMATION IN SEYFERT GALAXIES. 2012 , 746, 168	130
1054	THE IMPACT OF INTERACTIONS, BARS, BULGES, AND ACTIVE GALACTIC NUCLEI ON STAR FORMATION EFFICIENCY IN LOCAL MASSIVE GALAXIES. 2012 , 758, 73	187
1053	RADIATIVE AND MOMENTUM-BASED MECHANICAL ACTIVE GALACTIC NUCLEUS FEEDBACK IN A THREE-DIMENSIONAL GALAXY EVOLUTION CODE. 2012 , 754, 125	127
1052	SPECTRAL ENERGY DISTRIBUTIONS OF TYPE 1 ACTIVE GALACTIC NUCLEI IN THE COSMOS SURVEY. I. THE XMM-COSMOS SAMPLE. 2012 , 759, 6	60
1051	A SEARCH FOR AN INTERMEDIATE-MASS BLACK HOLE IN THE CORE OF THE GLOBULAR CLUSTER NGC 6266. 2012 , 745, 175	26
1050	THE DEPENDENCE OF QUENCHING UPON THE INNER STRUCTURE OF GALAXIES AT 0.5 z . 2012 , 760, 131	167
1049	MODERATE-LUMINOSITY GROWING BLACK HOLES FROM 1.25 z . 2012 , 761, 75	31
1048	THE FIRST HYPER-LUMINOUS INFRARED GALAXY DISCOVERED BYWISE. 2012 , 755, 173	120
1047	A TALE OF TWO POPULATIONS: THE CONTRIBUTION OF MERGER AND SECULAR PROCESSES TO THE EVOLUTION OF ACTIVE GALACTIC NUCLEI. 2012 , 751, 72	38
1046	RAPID COEVAL BLACK HOLE AND HOST GALAXY GROWTH IN MRC 1138-262: THE HUNGRY SPIDER. 2012 , 755, 146	47
1045	AN OBSERVED LINK BETWEEN ACTIVE GALACTIC NUCLEI AND VIOLENT DISK INSTABILITIES IN HIGH-REDSHIFT GALAXIES. 2012 , 757, 81	64
1044	WHAT TURNS GALAXIES OFF? THE DIFFERENT MORPHOLOGIES OF STAR-FORMING AND QUIESCENT GALAXIES SINCE $z \sim 2$ FROM CANDELS. 2012 , 753, 167	222
1043	SUPERMASSIVE BLACK HOLES, PSEDOBULGES, AND THE NARROW-LINE SEYFERT 1 GALAXIES. 2012 , 754, 146	69
1042	RESOLVING THE RADIO SOURCE BACKGROUND: DEEPER UNDERSTANDING THROUGH CONFUSION. 2012 , 758, 23	163

1041	An over-massive black hole in the compact lenticular galaxy NGC 1277. 2012 , 491, 729-31	156
1040	-[r]elation between supermassive black holes and the velocity dispersion of globular cluster systems. 2012 , 426, L51-L55	19
1039	Why are active galactic nuclei and host galaxies misaligned?. 2012 , 425, 1121-1128	32
1038	A multiwavelength survey of AGN in massive clusters: AGN detection and cluster AGN fraction. 2012 , 425, 1215-1238	12
1037	On the relative contribution of high-redshift galaxies and active galactic nuclei to reionization. 2012 , 425, 1413-1420	77
1036	Origin of the antihierarchical growth of black holes. 2012 , 426, 237-257	95
1035	The importance of galaxy interactions in triggering type II quasar activity. 2012 , 426, 276-295	47
1034	The role of stellar mass and environment for cluster blue fraction, AGN fraction and star formation indicators from a targeted analysis of Abell 1691. 2012 , 426, 1632-1646	16
1033	Black holes in the early Universe. 2012 , 75, 124901	69
1032	Tidal-disruption rate of stars by spinning supermassive black holes. 2012 , 85,	100
1031	Generic effective source for scalar self-force calculations. 2012 , 85,	20
1030	Type 1 AGN at low-z- II. The relative strength of narrow lines and the nature of intermediate type AGN. 2012 , 426, 2703-2718	62
1029	Using the Bright UltrahardXMM-Newton survey to define an IR selection of luminous AGN based onWISE colours. 2012 , 426, 3271-3281	208
1028	On the masses of OJ287 black holes. 2012 , 427, 77-83	49
1027	The ATLAS 5.5 GHz survey of the extendedChandraDeep Field South: catalogue, source counts and spectral indices. 2012 , 426, 2342-2358	20
1026	The evolutionary connection between QSOs and SMGs: molecular gas in far-infrared luminous QSOs at $z \sim 2.5$. 2012 , 426, 3201-3210	28
1025	Accreting supermassive black holes in the COSMOS field and the connection to their host galaxies. 2012 , 427, 3103-3133	178
1024	Star formation in high-redshift quasars: excess [O ii] emission in the radio-loud population. 2012 , 427, 2401-2410	34

1023 Quasars in the Cosmic Environment. **2012**, 439-520

1022 What drives the growth of black holes?. **2012**, 56, 93-121 365

1021 Shadows of multi-black holes: Analytic exploration. **2012**, 86, 71

1020 THE DEMOGRAPHICS OF BROAD-LINE QUASARS IN THE MASS-LUMINOSITY PLANE. I. TESTING FWHM-BASED VIRIAL BLACK HOLE MASSES. **2012**, 746, 169 84

1019 EXPLORING THE UNUSUALLY HIGH BLACK-HOLE-TO-BULGE MASS RATIOS IN NGC 4342 AND NGC 4291: THE ASYNCHRONOUS GROWTH OF BULGES AND BLACK HOLES. **2012**, 753, 140 33

1018 DUAL ACTIVE GALACTIC NUCLEI: DEPROJECTING THE BINARY CORES. **2012**, 757, 124 3

1017 DISENTANGLING AGN AND STAR FORMATION IN SOFT X-RAYS. **2012**, 758, 82 18

1016 THE TIDAL DISRUPTION OF GIANT STARS AND THEIR CONTRIBUTION TO THE FLARING SUPERMASSIVE BLACK HOLE POPULATION. **2012**, 757, 134 102

1015 PHOTOMETRIC REVERBERATION MAPPING OF THE BROAD EMISSION LINE REGION IN QUASARS. **2012**, 747, 62 32

1014 Modeling AGN outbursts from supermassive black hole binaries. **2012**, 39, 06008 2

1013 THE HALO OCCUPATION DISTRIBUTION OF SDSS QUASARS. **2012**, 755, 30 56

1012 THE COSMIC EVOLUTION OF MASSIVE BLACK HOLES AND GALAXY SPHEROIDS: GLOBAL CONSTRAINTS AT REDSHIFT $z \sim 1.2$. **2012**, 761, 5 29

1011 PARSEC-SCALE RADIO EMISSION FROM THE LOW-LUMINOSITY ACTIVE GALACTIC NUCLEUS IN THE DWARF STARBURST GALAXY HENIZE 2-10. **2012**, 750, L24 60

1010 Determining gravitational wave radiation from close galaxy pairs using a binary population synthesis approach. **2012**, 540, A67 5

1009 MOLECULAR GAS IN INFRARED ULTRALUMINOUS QSO HOSTS. **2012**, 750, 92 37

1008 A NEW SAMPLE OF CANDIDATE INTERMEDIATE-MASS BLACK HOLES SELECTED BY X-RAY VARIABILITY. **2012**, 751, 39 25

1007 BLACK-HOLE-BULGE RELATIONSHIP OF POST-STARBURST QUASARS AT $z \sim 0.3$. **2012**, 756, 162 17

1006 Is IRAS 01072+4954 a True-Seyfert 2?. **2012**, 544, A129 16

1005	FAR-IR/SUBMILLIMETER SPECTROSCOPIC COSMOLOGICAL SURVEYS: PREDICTIONS OF INFRARED LINE LUMINOSITY FUNCTIONS FORz2012, 745, 171	31
1004	Unusual quasars from the Sloan Digital Sky Survey selected by means of Kohonen self-organising maps. 2012 , 541, A77	32
1003	Mass estimate of theSwiftJ 164449.3+573451 supermassive black hole based on the 3:2 QPO resonance hypothesis. 2012 , 548, A3	14
1002	DYNAMICAL MEASUREMENTS OF BLACK HOLE MASSES IN FOUR BRIGHTEST CLUSTER GALAXIES AT 100 Mpc. 2012 , 756, 179	97
1001	Unveiling the nucleus of NGC 7172. 2012 , 544, A105	21
1000	HS 1700+6416: the first high-redshift unlensed narrow absorption line-QSO showing variable high-velocity outflows. 2012 , 544, A2	30
999	CO-EVOLUTION OF GALAXIES AND CENTRAL BLACK HOLES: OBSERVATIONAL EVIDENCE ON THE TRIGGER OF AGN FEEDBACK. 2012 , 750, 54	17
998	Are luminous radio-loud active galactic nuclei triggered by galaxy interactions?. 2012 , 419, 687-705	75
997	Intrinsic disc emission and the soft X-ray excess in active galactic nuclei. 2012 , 420, 1848-1860	325
996	The near-IR Mbh-L and Mbh-n relations. 2012 , 419, 2264-2292	47
995	Effects of supermassive binary black holes on gravitational lenses. 2012 , 419, 2424-2432	4
994	On the correlations between galaxy properties and supermassive black hole mass. 2012 , 419, 2497-2528	145
993	The evolution of active galactic nuclei across cosmic time: what is downsizing?. 2012 , 419, 2797-2820	137
992	The origins of active galactic nuclei obscuration: the "torus" as a dynamical, unstable driver of accretion. 2012 , 420, 320-339	92
991	Variability in blazars: clues from PKS 2155-04. 2012 , 420, 604-612	76
990	Electromagnetic counterparts of supermassive black hole binaries resolved by pulsar timing arrays. 2012 , 420, 705-719	57
989	On the cosmological evolution of the black hole-host galaxy relation in quasars. 2012 , 420, 732-744	19
988	Self-regulated growth of supermassive black holes by a dual jet-heating active galactic nucleus feedback mechanism: methods, tests and implications for cosmological simulations. 2012 , 420, 2662-2683	228

987	Afterglow model for the radio emission from the jetted tidal disruption candidate Swift J1644+57. 2012 , no-no	33
986	Deep 1.1 mm-wavelength imaging of the GOODS-S field by AzTEC/ASTE - II. Redshift distribution and nature of the submillimetre galaxy population. 2012 , 420, 957-985	93
985	PTF10iya: a short-lived, luminous flare from the nuclear region of a star-forming galaxy. 2012 , 420, 2684-2699	76
984	The host galaxies and black hole-to-galaxy mass ratios of luminous quasars at $z \approx 4$. 2012 , 420, 3621-3631	51
983	Dynamical delays between starburst and AGN activity in galaxy nuclei. 2012 , 420, L8-L12	72
982	Spectroscopy of the spatially extended Ly α emission around a quasar at $z = 6.4$. 2012 , 421, L77-L81	12
981	Estimating black hole masses in quasars using broad optical and UV emission lines. 2012 , 56, 49-63	61
980	Exploring the nature of orbits in a galactic model with a massive nucleus. 2012 , 17, 576-588	21
979	Primordial seeds of supermassive black holes. 2012 , 711, 1-5	61
978	High-redshift formation and evolution of central massive objects. The census of BH seeds. 2012 , 421, 1465-1475	70
977	On the fundamental dichotomy in the local radio-AGN population: accretion, evolution and host galaxy properties. 2012 , 421, 1569-1582	396
976	Galaxy formation in warm dark matter cosmology. 2012 , 421, 2384-2394	58
975	Galaxy Zoo: dust lane early-type galaxies are tracers of recent, gas-rich minor mergers?. 2012 , 423, 59-67	44
974	Formation of galactic nuclei with multiple supermassive black holes at high redshifts. 2012 , 422, 1306-1323	53
973	Extending the $M_{\text{BH}} - M_{\text{bulge}}$ diagram with dense nuclear star clusters. 2012 , 422, 1586-1591	50
972	Long-term X-ray variability of Swift J1644+57. 2012 , 422, 1625-1639	44
971	The XMM Cluster Survey: the interplay between the brightest cluster galaxy and the intracluster medium via AGN feedback. 2012 , 422, 2213-2229	60
970	Evolution of the luminosity function and obscuration of active galactic nuclei: comparison between X-ray and infrared. 2012 , 423, 464-477	9

969	Type 1 AGN at low z- I. Emission properties. 2012 , 423, 600-631	79
968	A search for active galactic nuclei in the most extreme UV-selected starbursts using the European VLBI Network. 2012 , 423, 1325-1334	27
967	The formation of galaxies hosting ~ 6 quasars. 2012 , 423, 2397-2406	34
966	The evolution of massive black holes and their spins in their galactic hosts. 2012 , 423, 2533-2557	140
965	Feeding compact bulges and supermassive black holes with low angular momentum cosmic gas at high redshift. 2012 , 423, 3616-3630	89
964	Prospects of observing a quasar H ii region during the epoch of reionization with the redshifted 21-cm signal. 2012 , 424, 762-778	31
963	Residual cooling and persistent star formation amid active galactic nucleus feedback in Abell 2597. 2012 , 424, 1042-1060	21
962	Early black holes in cosmological simulations: luminosity functions and clustering behaviour. 2012 , 424, 1892-1898	22
961	Very small scale clustering of quasars from a complete quasar lens survey. 2012 , 424, 1363-1371	47
960	Accretion, growth of supermassive black holes, and feedback in galaxy mergers. 2012 , 424, 1461-1470	26
959	Bolometric luminosities and Eddington ratios of X-ray selected active galactic nuclei in the XMM-COSMOS survey. 2012 , 425, 623-640	253
958	Gravitational Wave Science with Laser Interferometers and Pulsar Timing. 2013 , 43, 314-319	3
957	Active galactic nuclei – the physics of individual sources and the cosmic history of formation and evolution. 2013 , 8, 609-629	10
956	Coevolution (Or Not) of Supermassive Black Holes and Host Galaxies. 2013 , 51, 511-653	2099
955	The luminosity function of narrow-line Seyfert 1 galaxies based on SDSS data (DR7). 2013 , 57, 317-326	2
954	Hint for a faint intermediate mass black hole in the Ursa Minor dwarf galaxy. 2013 , 23-24, 107-112	7
953	Energy, momentum and mass outflows and feedback from thick accretion discs around rotating black holes. 2013 , 436, 3856-3874	116
952	The effects of galaxy shape and rotation on the X-ray haloes of early-type galaxies. 2013 , 433, 2259-2274	19

951	A black-hole mass measurement from molecular gas kinematics in NGC4526. 2013 , 494, 328-30	67
950	THE EVOLUTION OF ACTIVE GALACTIC NUCLEI IN WARM DARK MATTER COSMOLOGY. 2013 , 766, 110	22
949	STEPS TOWARD UNVEILING THE TRUE POPULATION OF ACTIVE GALACTIC NUCLEI: PHOTOMETRIC CHARACTERIZATION OF ACTIVE GALACTIC NUCLEI IN COSMOS. 2013 , 766, 123	1
948	THE CARNEGIE-IRVINE GALAXY SURVEY. III. THE THREE-COMPONENT STRUCTURE OF NEARBY ELLIPTICAL GALAXIES. 2013 , 766, 47	88
947	THE RESPONSE OF METAL-RICH GAS TO X-RAY IRRADIATION FROM A MASSIVE BLACK HOLE AT HIGH REDSHIFT: PROOF OF CONCEPT. 2013 , 771, 50	15
946	TESTING DIAGNOSTICS OF NUCLEAR ACTIVITY AND STAR FORMATION IN GALAXIES AT $z > 1$. 2013 , 763, L6	44
945	WIDESPREAD AND HIDDEN ACTIVE GALACTIC NUCLEI IN STAR-FORMING GALAXIES AT REDSHIFT > 0.3 . 2013 , 764, 176	87
944	GRB060218 AS A TIDAL DISRUPTION OF A WHITE DWARF BY AN INTERMEDIATE-MASS BLACK HOLE. 2013 , 769, 85	34
943	Pitch angle variations in spiral galaxies. 2013 , 436, 1074-1083	26
942	The ATLAS3D project âV. Benchmark for early-type galaxies scaling relations from 260 dynamical models: mass-to-light ratio, dark matter, Fundamental Plane and Mass Plane. 2013 , 432, 1709-1741	424
941	Observations of feedback from radio-quiet quasars âII. Kinematics of ionized gas nebulae. 2013 , 436, 2576-2597	206
940	A correlation between the stellar and [Fe ii] velocity dispersions in active galaxies. 2013 , 429, 2587-2593	6
939	AGN-driven quenching of star formation: morphological and dynamical implications for early-type galaxies. 2013 , 433, 3297-3313	177
938	The location and impact of jet-driven outflows of cold gas: the case of 3C 293. 2013 , 435, L58-L62	50
937	Cosmological growth and feedback from supermassive black holes. 2013 , 432, 3381-3390	12
936	A study of AGN and supernova feedback in simulations of isolated and merging disc galaxies. 2013 , 434, 3606-3627	27
935	Spectral energy distributions of type 1 AGN in XMM-COSMOS âII. Shape evolution. 2013 , 438, 1288-1304	24
934	Observations of feedback from radio-quiet quasars âI. Extents and morphologies of ionized gas nebulae. 2013 , 430, 2327-2345	131

933	The supermassive black hole massâ€¦sic index relations for bulges and elliptical galaxies. 2013 , 434, 387-397	33
932	Molecular gas in the centre of nearby galaxies from VLT/SINFONI integral field spectroscopy â€¦. Morphology and mass inventory?. 2013 , 428, 2389-2406	61
931	AGN outflows trigger starbursts in gas-rich galaxies. 2013 , 433, 3079-3090	86
930	A comparative study of AGN feedback algorithms. 2013 , 431, 2513-2534	51
929	Constraining the last 7 billion years of galaxy evolution in semi-analytic models. 2013 , 428, 2001-2016	37
928	The merger fraction of active and inactive galaxies in the local Universe through an improved non-parametric classification. 2013 , 431, 2661-2672	37
927	REVISITING THE SCALING RELATIONS OF BLACK HOLE MASSES AND HOST GALAXY PROPERTIES. 2013 , 764, 184	754
926	On the radio luminosity distribution of active galactic nuclei and the black hole fundamental plane. 2013 , 429, 1970-1980	32
925	Detection of H α emission from z > 3.5 submillimetre luminous galaxies with AKARI-FUHYU spectroscopy. 2013 , 436, 395-400	3
924	The Chandra-COSMOS survey â€¦IV. X-ray spectra of the bright sample. 2013 , 431, 978-996	48
923	Accretion-driven evolution of black holes: Eddington ratios, duty cycles and active galaxy fractions. 2013 , 428, 421-446	120
922	Evolution of faint radio sources in the VIDEO-XMM3 field. 2013 , 436, 1084-1095	49
921	Extreme-mass-ratio-bursts from extragalactic sources. 2013 , 433, 3572-3583	18
920	The doubling of stellar black hole nuclei. 2013 , 430, 2732-2738	11
919	Herschel-ATLAS/GAMA: a difference between star formation rates in strong-line and weak-line radio galaxies?. 2013 , 429, 2407-2424	48
918	The strong environmental dependence of black hole scaling relations. 2013 , 436, 2708-2721	8
917	The roles of star formation and AGN activity of IRS sources in the HerMES fields. 2013 , 434, 2426-2437	34
916	The ubiquity of supermassive black holes in the Hubble sequence. 2013 , 435, 3085-3095	20

915	Classification and analysis of emission-line galaxies using mean field independent component analysis. 2013 , 430, 3510-3536	16
914	Type 1 AGN at low z . The optical narrow-line ratios. 2013 , 431, 836-857	46
913	e-MERLIN observations at 5 GHz of the GOODS-N region: pinpointing AGN cores in high-redshift galaxies. 2013 , 432, 2798-2807	7
912	The ATLAS3D project. Mass size and mass distributions of early-type galaxies: bulge fraction drives kinematics, mass-to-light ratio, molecular gas fraction and stellar initial mass function. 2013 , 432, 1862-1893	401
911	A survey of molecular gas in luminous sub-millimetre galaxies. 2013 , 429, 3047-3067	326
910	The preferentially magnified active nucleus in IRAS F10214+4724. VLBI observations of the radio core. 2013 , 434, 3322-3336	7
909	Clustering, bias and the accretion mode of X-ray-selected AGN. 2013 , 428, 1382-1394	51
908	Can AGN feedback-driven star formation explain the size evolution of massive galaxies?. 2013 , 431, 2350-2355	46
907	Blowing cold flows away: the impact of early AGN activity on the formation of a brightest cluster galaxy progenitor. 2013 , 428, 2885-2900	78
906	Astrophysics of super-massive black hole mergers. 2013 , 30, 244007	34
905	Probing nuclear activity versus star formation at $z \sim 0.8$ using near-infrared multi-object spectroscopy. 2013 , 429, 3449-3471	11
904	Chaotic cold accretion on to black holes. 2013 , 432, 3401-3422	242
903	Uncovering obscured luminous AGN with WISE. 2013 , 434, 941-955	71
902	Ground-state ^{12}CO emission and a resolved jet at 115 GHz (rest frame) in the radio-loud quasar 3C 318. 2013 , 435, 3376-3384	5
901	Scintillation is an indicator of astrometric stability. 2013 , 434, 585-594	7
900	PRIMUS: INFRARED AND X-RAY AGN SELECTION TECHNIQUES AT 0.2. 2013 , 770, 40	60
899	BLACK HOLE-GALAXY CORRELATIONS WITHOUT SELF-REGULATION. 2013 , 770, 5	78
898	CENTRAL STELLAR MASS DEFICITS IN THE BULGES OF LOCAL LENTICULAR GALAXIES, AND THE CONNECTION WITH COMPACT $z \sim 1.5$ GALAXIES. 2013 , 768, 36	58

897	THE BLACK HOLE-BULGE MASS RELATION OF ACTIVE GALACTIC NUCLEI IN THE EXTENDED CHANDRA DEEP FIELD-SOUTH SURVEY. 2013 , 767, 13	76
896	THE EXTENDED NARROW-LINE REGION OF TWO TYPE-I QUASI-STELLAR OBJECTS. 2013 , 767, 117	3
895	THE EVOLUTION OF ACTIVE GALACTIC NUCLEI AND THEIR SPINS. 2013 , 775, 94	92
894	Black holes in Lorentz-violating gravity theories. 2013 , 30, 244010	73
893	INSIGHT INTO ACTIVE GALACTIC NUCLEUS AND HOST GALAXY CO-EVOLUTION FROM HARD X-RAY EMISSION. 2013 , 768, 176	7
892	THE <i>nu</i> STAREXTRAGALACTIC SURVEY: A FIRST SENSITIVE LOOK AT THE HIGH-ENERGY COSMIC X-RAY BACKGROUND POPULATION. 2013 , 773, 125	64
891	SMM J04135+10277: A CANDIDATE EARLY-STAGE "WET-DRY" MERGER OF TWO MASSIVE GALAXIES AT $z = 2.8$. 2013 , 765, L31	12
890	LONG-TERM SPECTRAL EVOLUTION OF TIDAL DISRUPTION CANDIDATES SELECTED BY STRONG CORONAL LINES. 2013 , 774, 46	36
889	MODELING MID-INFRARED DIAGNOSTICS OF OBSCURED QUASARS AND STARBURSTS. 2013 , 768, 168	38
888	ON THE STAR FORMATION-AGN CONNECTION AT $z \approx 0.3$. 2013 , 765, L33	38
887	The preferentially magnified active nucleus in IRAS F10214+4724 $\hat{=}$. Lens model and spatially resolved radio emission. 2013 , 430, 2-21	5
886	A CROSS-CORRELATION ANALYSIS OF ACTIVE GALACTIC NUCLEI AND GALAXIES USING VIRTUAL OBSERVATORY: DEPENDENCE ON VIRIAL MASS OF SUPERMASSIVE BLACK HOLE. 2013 , 775, 43	14
885	CONSTRAINTS ON HYPERLUMINOUS QSO LIFETIMES VIA FLUORESCENT Ly β EMITTERS AT $Z \approx 2.7$. 2013 , 775, L3	42
884	FURTHER EVIDENCE FOR A SUPERMASSIVE BLACK HOLE MASS-PITCH ANGLE RELATION. 2013 , 769, 132	36
883	CALIBRATING C-IV-BASED BLACK HOLE MASS ESTIMATORS. 2013 , 770, 87	65
882	REDSHIFT 6.4 HOST GALAXIES OF 108 SOLAR MASS BLACK HOLES: LOW STAR FORMATION RATE AND DYNAMICAL MASS. 2013 , 770, 13	112
881	THE INFLUENCE OF DARK MATTER HALOS ON DYNAMICAL ESTIMATES OF BLACK HOLE MASS: 10 NEW MEASUREMENTS FOR HIGH- z EARLY-TYPE GALAXIES. <i>Astronomical Journal</i> , 2013 , 146, 45	4-9 68
880	Black hole demography: from scaling relations to models. 2013 , 30, 244001	29

879	A CORRELATION BETWEEN STAR FORMATION RATE AND AVERAGE BLACK HOLE ACCRETION IN STAR-FORMING GALAXIES. 2013 , 773, 3	145
878	EFFECTS OF CIRCUMNUCLEAR DISK GAS EVOLUTION ON THE SPIN OF CENTRAL BLACK HOLES. 2013 , 767, 37	23
877	DEPLETED GALAXY CORES AND DYNAMICAL BLACK HOLE MASSES. <i>Astronomical Journal</i> , 2013 , 146, 160	4.9 48
876	Binary Black Hole Accretion Flows From a Misaligned Circumbinary Disk. 2013 , 65, 86	14
875	X-RAY NUCLEAR ACTIVITY IN S4G BARRED GALAXIES: NO LINK BETWEEN BAR STRENGTH AND CO-OCCURRENT SUPERMASSIVE BLACK HOLE FUELING. 2013 , 776, 50	40
874	Radiative efficiency, variability and Bondi accretion on to massive black holes: the transition from radio AGN to quasars in brightest cluster galaxies. 2013 , 432, 530-553	114
873	Numerical estimates of the accretion rate on to intermediate-mass black holes. 2013 , 430, 2789-2796	4
872	A 34.5 day quasi-periodic oscillation in Γ ray emission from the blazar PKS 2247-131. 2018 , 9, 4599	23
871	Supermassive black holes and their feedback effects in the IllustrisTNG simulation. 2018 , 479, 4056-4072	160
870	The Lick AGN Monitoring Project 2011: Dynamical Modeling of the Broad-line Region. 2018 , 866, 75	39
869	The power of infrared AGN selection in mergers: a theoretical study. 2018 , 478, 3056-3071	59
868	The nature of the variable millimetre-selected AGN in the brightest cluster galaxy of Abell 851. 2018 , 481, L54-L58	1
867	The Massive and Distant Clusters of WISE Survey. IV. The Distribution of Active Galactic Nuclei in Galaxy Clusters at $z \sim 1$. 2018 , 869, 131	10
866	AGN contamination of galaxy-cluster thermal X-ray emission: predictions for eRosita from cosmological simulations. 2018 , 481, 2213-2227	13
865	Circumnuclear Star Formation and AGN Activity: Clues from Surface Brightness Radial Profile of PAHs and $[\text{S}]{\text{IV}}$. 2018 , 859, 124	11
864	Black Hole-Galaxy Scaling Relationships for Active Galactic Nuclei with Reverberation Masses. 2018 , 864, 146	34
863	A Dependence of the Tidal Disruption Event Rate on Global Stellar Surface Mass Density and Stellar Velocity Dispersion. 2018 , 853, 39	35
862	impetus: consistent SPH calculations of 3D spherical Bondi accretion on to a black hole. 2018 , 477, 4308-4329	6

861	Active galactic nucleus outflows in galaxy discs. 2018 , 476, 2288-2307		10
860	Post-Newtonian evolution of massive black hole triplets in galactic nuclei â. A robust lower limit to the nHz stochastic background of gravitational waves. 2018 , 477, 2599-2612		30
859	Evolution of galaxy sizeâstellar mass relation from the Kilo-Degree Survey. 2018 , 480, 1057-1080		31
858	Red Misfits in the Sloan Digital Sky Survey: properties of star-forming red galaxies. 2018 , 476, 5284-5302		13
857	Normal black holes in bulge-less galaxies: the largely quiescent, merger-free growth of black holes over cosmic time. 2018 , 476, 2801-2812		32
856	Is there a relationship between AGN and star formation in IR-bright AGNs?. 2018 , 478, 4238-4254		22
855	Accretion of clumpy cold gas onto massive black hole binaries: a possible fast route to binary coalescence. 2018 , 479, 3438-3455		9
854	The Stripe 82 1â GHz Very Large Array Snapshot Survey: host galaxy properties and accretion rates of radio galaxies. 2018 , 480, 358-370		14
853	How to constrain mass and spin of supermassive black holes through their disk emission. 2018 , 612, A59		14
852	Analytical Model for the Dynamical Motion of the Bulges of Two Interacting Galaxies. <i>Astronomical Journal</i> , 2018 , 156, 215	4.9	1
851	How black holes stop their host galaxy from growing without AGN feedback. 2018 , 480, 5673-5688		1
850	A Systematic Analysis of Stellar Populations in the Host Galaxies of SDSS Type I QSOs. 2018 , 864, 32		2
849	Cosmological simulations of black hole growth II: how (in)significant are merger events for fuelling nuclear activity?. 2018 , 481, 341-360		31
848	Made-to-measure modelling of observed galaxy dynamics. 2018 , 473, 2288-2303		11
847	High-redshift AGN in the Chandra Deep Fields: the obscured fraction and space density of the sub-L* population. 2018 , 473, 2378-2406		68
846	WISDOM Project â. Molecular gas measurement of the supermassive black hole mass in the barred lenticular galaxy NGC4429. 2018 , 473, 3818-3834		31
845	Two-component Jaffe models with a central black hole â. The spherical case. 2018 , 473, 5476-5491		14
844	Clustering of galaxies around AGNs in the HSC Wide surveyâ 2018 , 70,		4

843	Quasar outflows at $z \sim 6$: the impact on the host galaxies. 2018 , 473, 4003-4020	27
842	SDSS-IV MaNGA: identification of active galactic nuclei in optical integral field unit surveys. 2018 , 474, 1499-1514	23
841	LOFAR-BoEs: properties of high- and low-excitation radio galaxies at 0.5'. 2018 , 475, 3429-3452	27
840	The Star Formation Reference Survey α . Activity demographics and host-galaxy properties for infrared-selected galaxies. 2018 , 475, 1485-1507	6
839	Enhancement of galaxy overdensity around quasar pairs at z' . 2018 , 70,	18
838	A Hubble Space Telescope imaging study of four FeLoBAL quasar host galaxies. 2018 , 475, 3213-3239	3
837	MAGI: many-component galaxy initializer. 2018 , 475, 2269-2281	14
836	The effect of accretion environment at large radius on hot accretion flows. 2018 , 476, 954-960	5
835	The descendants of the first quasars in the BlueTides simulation. 2018 , 474, 597-603	16
834	The combined effect of AGN and supernovae feedback in launching massive molecular outflows in high-redshift galaxies. 2018 , 475, 5688-5703	28
833	Luminous and Obscured Quasars and Their Host Galaxies. 2018 , 4,	1
832	A new powerful and highly variable disc wind in an AGN α star-forming galaxy, the case of MCG-03-58-007. 2018 , 479, 3592-3603	21
831	A catalogue of faint local radio AGN and the properties of their host galaxies. 2018 , 479, 807-816	6
830	X-Ray and Gamma-Ray Observations of the Fermi Bubbles and NPS/Loop I Structures. 2018 , 6, 27	27
829	A Uniformly Selected Sample of Low-mass Black Holes in Seyfert 1 Galaxies. II. The SDSS DR7 Sample. 2018 , 235, 40	23
828	The effect of AGN feedback on the migration time-scale of supermassive black holes binaries. 2018 , 480, 439-450	9
827	(M_{\bullet} - σ) relation in spherical systems. 2018 , 39, 1	1
826	Active Galactic Nucleus Feedback in an Elliptical Galaxy with the Most Updated AGN Physics. I. Low Angular Momentum Case. 2018 , 857, 121	60

825	Primordial black holes as generators of cosmic structures. 2018 , 478, 3756-3775	107
824	The Hunt for Intermediate-mass Black Holes in the JWST Era. 2018 , 861, 142	16
823	Starburst-AGN mixing: TYPHOON observations of NGC 1365, NGC 1068, and the effect of spatial resolution on the AGN fraction. 2018 , 479, 4907-4935	12
822	Massive black hole and Population III galaxy formation in overmassive dark-matter haloes with violent merger histories. 2018 , 479, 4017-4027	21
821	Looking at cosmic near-infrared background radiation anisotropies. 2018 , 90,	23
820	The many flavours of photometric redshifts. 2019 , 3, 212-222	74
819	The impact of improved plasma diagnostics on modeling the X-ray Universe. 2019 , 14, C07012-C07012	4
818	A Comprehensive and Uniform Sample of Broad-line Active Galactic Nuclei from the SDSS DR7. 2019 , 243, 21	14
817	Single metal-poor ultra compact dwarf galaxy at one kiloparsec distance from the low-mass elliptical galaxy FCC 47. 2019 , 625, A50	14
816	Correlations between supermassive black holes, hot atmospheres, and the total masses of early-type galaxies. 2019 , 488, L134-L142	9
815	A Precision Measurement of the Mass of the Black Hole in NGC 3258 from High-resolution ALMA Observations of Its Circumnuclear Disk. 2019 , 881, 10	18
814	Tracing black hole and galaxy co-evolution in the Romulus simulations. 2019 , 489, 802-819	18
813	Optically variable AGN in the three-year VST survey of the COSMOS field. 2019 , 627, A33	7
812	Preliminary study on parameter estimation accuracy of supermassive black hole binary inspirals for TianQin. 2019 , 99,	26
811	Investigating the co-evolution of massive black holes in dual active galactic nuclei and their host galaxies via galaxy merger simulations. 2019 , 62, 1	5
810	Robust identification of active galactic nuclei through HST optical variability in GOODS-S: comparison with the X-ray and mid-IR-selected samples?. 2019 , 487, 4285-4304	8
809	An ALMA survey of the SCUBA-2 Cosmology Legacy Survey UKIDSS/UDS field: source catalogue and properties. 2019 , 487, 4648-4668	52
808	Black hole mass estimation for active galactic nuclei from a new angle. 2019 , 487, 3404-3418	22

807	Ground-based Pan-STARRS narrow-band imaging of local luminous infrared galaxies. II. Bulge structure and star formation activity. 2019 , 71,	
806	Intermediate-mass black hole growth and feedback in dwarf galaxies at high redshifts. 2019 , 487, 5549-5563	18
805	NIHAO α XXII. Introducing black hole formation, accretion, and feedback into the NIHAO simulation suite. 2019 , 487, 5476-5489	7
804	Possible evolution of the circum-galactic medium around QSOs with QSO age and cosmic time revealed by Ly α haloes. 2019 , 488, 120-134	3
803	NGC 326: X-shaped no more. 2019 , 488, 3416-3422	25
802	Revealing the differences in the SMBH accretion rate distributions of starburst and non-starburst galaxies. 2019 , 487, 4071-4082	7
801	Separating line emission from star formation, shocks, and AGN ionization in NGC 1068. 2019 , 487, 4153-4168	14
800	Action-based models for dwarf spheroidal galaxies and globular clusters. 2019 , 488, 2423-2439	5
799	GASP XVIII: star formation quenching due to AGN feedback in the central region of a jellyfish galaxy. 2019 , 487, 3102-3111	19
798	Fundamental metallicity relation in CALIFA, SDSS-IV MaNGA, and high-z galaxies. 2019 , 627, A42	30
797	The astrophysics of nanohertz gravitational waves. 2019 , 27, 1	78
796	Smaller stellar disc scale lengths in rich environments. 2019 , 489, 2216-2226	1
795	Does black hole growth depend fundamentally on host-galaxy compactness?. 2019 , 490, 1135-1155	14
794	Accelerating AGN jets to parsec scales using general relativistic MHD simulations. 2019 , 490, 2200-2218	46
793	Radiation-driven outflows in AGNs: revisiting feedback effects of scattered and reprocessed photons. 2019 , 490, 2567-2578	4
792	Spin evolution and feedback of supermassive black holes in cosmological simulations. 2019 , 490, 4133-4153	18
791	The discovery of secondary lobes in the Seyfert galaxy NGC 2639. 2019 , 490, L26-L31	9
790	The impact of black hole seeding in cosmological simulations. 2019 , 483, 4640-4648	5

789	On Constraining the Growth History of Massive Black Holes via Their Distribution on the Spin-Mass Plane. 2019 , 873, 101	14
788	Maximum parsimony analysis of the effect of the environment on the evolution of galaxies. 2019 , 630, A63	3
787	The fundamental relation between supermassive black holes and their host galaxies. 2019 , 490, 600-612	22
786	A Catastrophic Failure to Build a Massive Galaxy around a Supermassive Black Hole at $z = 3.84$. 2019 , 881, 145	1
785	Direct N-body Simulations of Tidal Disruption Rate Evolution in Unequal-mass Galaxy Mergers. 2019 , 883, 132	3
784	Discovery of an edge-on galaxy with X-shaped bi-cone in SDSS J171359.00+333625.5. 2019 , 490, 3830-3839	3
783	Measuring Supermassive Black Hole Masses: Correlation between the Redshifts of the Fe iii UV Lines and the Widths of Broad Emission Lines. 2019 , 880, 96	8
782	A NuSTAR and XMM-Newton Study of the Two Most Actively Star-forming Green Pea Galaxies (SDSS J0749+3337 and SDSS J0822+2241). 2019 , 881, 48	4
781	Active Galactic Nuclei Feedback at the Parsec Scale. 2019 , 882, 55	1
780	WISDOM project III. Resolving molecular gas in Keplerian rotation around the supermassive black hole in NGC 0383. 2019 , 490, 319-330	18
779	A new class of galaxy models with a central BH III. The spherical case. 2019 , 490, 2656-2667	5
778	Introduction to Black Holes. 2019 , 1263, 012007	1
777	SDSS-IV/SPIDERS: A catalogue of X-ray selected AGN properties. 2019 , 625, A123	10
776	Cosmological mass transport on galactic nuclei and the growth of high-z quasars. 2019 , 340, 108-111	
775	A flat trend of star formation rate with X-ray luminosity of galaxies hosting AGN in the SCUBA-2 Cosmology Legacy Survey. 2019 , 486, 4320-4333	10
774	Black Hole Mass Scaling Relations for Spiral Galaxies. I. $M_{BH} \propto M_{*,sph}$. 2019 , 873, 85	40
773	Exploring He II $\lambda 640$ emission line properties at $z \sim 2$. 2019 , 624, A89	27
772	Black holes, gravitational waves and fundamental physics: a roadmap. 2019 , 36, 143001	248

771	The Role of Major Mergers and Nuclear Star Formation in Nearby Obscured Quasars. 2019 , 877, 52	19
770	Galaxy formation and evolution science in the era of the Large Synoptic Survey Telescope. 2019 , 1, 450-462	9
769	Black Hole Mass Scaling Relations for Early-type Galaxies. I. $M_{BH} \propto M_{sph}$ and $M_{BH} \propto M_{gal}$. 2019 , 876, 155	40
768	Slowing down of cosmic growth of supermassive black holes: theoretical prediction of the Eddington ratio distribution. 2019 , 487, 409-419	4
767	The gas fractions of dark matter haloes hosting simulated $\sim L^*$ galaxies are governed by the feedback history of their black holes. 2019 , 485, 3783-3793	42
766	Supermassive black hole demographics: evading $M_{BH} \propto M_{sph}$ 2019 , 487, 4827-4831	7
765	The Host-galaxy Properties of Type 1 versus Type 2 Active Galactic Nuclei. 2019 , 878, 11	24
764	[O iii] Emission line properties in a new sample of heavily reddened quasars at $z > 2$. 2019 , 487, 2594-2613	15
763	Evidence for a Young Stellar Population in Nearby Type 1 Active Galaxies. 2019 , 876, 35	10
762	The dependence of the X-ray AGN clustering on the properties of the host galaxy. 2019 , 483, 1374-1387	6
761	simba: Cosmological simulations with black hole growth and feedback. 2019 , 486, 2827-2849	257
760	Unveiling the 100 pc scale nuclear radio structure of NGC 6217 with e-MERLIN and the VLA. 2019 , 486, 4962-4979	3
759	Optical Properties of Infrared-bright Dust-obscured Galaxies Viewed with Subaru Hyper Suprime-Cam. 2019 , 876, 132	6
758	The $(M-\sigma)$ relation between supermassive black holes and their host galaxies. 2019 , 51, 1	4
757	Kinematics of the Broad-line Region of 3C 273 from a 10 yr Reverberation Mapping Campaign. 2019 , 876, 49	45
756	WISDOM project â. A molecular gas dynamical measurement of the supermassive black hole mass in NGC 524. 2019 , 485, 4359-4374	17
755	Post-Newtonian evolution of massive black hole triplets in galactic nuclei â. Implications for LISA. 2019 , 486, 4044-4060	51
754	The Accretion History of AGNs. I. Supermassive Black Hole Population Synthesis Model. 2019 , 871, 240	42

753	Improved Dynamical Constraints on the Masses of the Central Black Holes in Nearby Low-mass Early-type Galactic Nuclei and the First Black Hole Determination for NGC 205. 2019 , 872, 104	56
752	Testing the Evolutionary Link between Type 1 and Type 2 Quasars with Measurements of the Interstellar Medium. 2019 , 873, 90	21
751	Expanding the Sample: The Relationship between the Black Hole Mass of BCGs and the Total Mass of Galaxy Clusters. 2019 , 875, 141	12
750	The Limitations of Optical Spectroscopic Diagnostics in Identifying Active Galactic Nuclei in the Low-mass Regime. 2019 , 870, L2	20
749	Discovering AGN-driven winds through their infrared emission λ . General method and wind location. 2019 , 482, 3915-3932	19
748	Probing the Jet Turnover Frequency Dependence on Black Hole Mass and Mass Accretion Rate. 2019 , 875, 82	
747	Total density profile of massive early-type galaxies in H horizon-AGN simulation: impact of AGN feedback and comparison with observations. 2019 , 483, 4615-4627	16
746	Spin dynamics of a millisecond pulsar orbiting closely around a massive black hole. 2019 , 485, 1053-1066	8
745	The LoTSS view of radio AGN in the local Universe. 2019 , 622, A17	56
744	Infrared Contributions of X-Ray Selected Active Galactic Nuclei in Dusty Star-forming Galaxies. 2019 , 871, 87	16
743	Primordial-black-hole mergers in dark-matter spikes. 2019 , 99,	17
742	X-ray spectroscopy of the candidate AGNs in Henize 2 λ 0 and NGC 4178: likely supernova remnants. 2019 , 485, 5604-5615	7
741	Evident black hole-bulge coevolution in the distant universe. 2019 , 485, 3721-3737	31
740	The New Numerical Galaxy Catalogue (NNGC): properties of active galactic nuclei and their host galaxies. 2019 , 482, 4846-4873	17
739	Comparison of cosmological simulations and deep submillimetre galaxy surveys. 2019 , 484, 1852-1864	9
738	Growth of intermediate mass black holes by tidal disruption events in the first star clusters. 2019 , 484, 4665-4677	14
737	Broadband Spectral Energy Distributions of SDSS-selected Quasars and of Their Host Galaxies: Intense Activity at the Onset of AGN Feedback. 2019 , 871, 136	5
736	Accurate Identification of Galaxy Mergers with Imaging. 2019 , 872, 76	16

735	Multi-wavelength Properties of Type 1 and Type 2 AGN Host Galaxies in the Chandra-COSMOS Legacy Survey. 2019 , 872, 168	24
734	The Fe ii/Mg ii Flux Ratio of Low-luminosity Quasars at $z \sim 3$. 2019 , 874, 22	19
733	Extremely Low Molecular Gas Content in a Compact, Quiescent Galaxy at $z = 1.522$. 2019 , 873, L19	21
732	Effect of richness on AGN and star formation activities in SDSS galaxy groups. 2019 , 484, 3806-3817	9
731	Numerical simulations of AGN wind feedback on black hole accretion: probing down to scales within the sphere of influence. 2019 , 482, 4642-4653	5
730	The SCUBA-2 web survey: I. Observations of CO(3 \rightarrow 2) in hyper-luminous QSO fields. 2019 , 485, 753-769	5
729	Suppression of Low-mass Galaxy Formation around Quasars at $z \sim 2$. 2019 , 870, 45	10
728	Deep Chandra Observations of ESO 428-G014. IV. The Morphology of the Nuclear Region in the Hard Continuum and Fe K α line. 2019 , 870, 69	13
727	Quantifying Star Formation Activity in the Inner 1 kpc of Local MIR Bright QSOs. 2019 , 871, 190	5
726	MACER Improved: AGN Feedback Computed in Rotating Early-type Galaxies at High Resolution. 2019 , 872, 167	16
725	Co-evolution of supermassive black holes with galaxies from semi-analytic model: stochastic gravitational wave background and black hole clustering. 2019 , 483, 503-513	2
724	Stellar tidal disruption events in general relativity. 2019 , 51, 1	34
723	LoTSS/HETDEX: Optical quasars. 2019 , 622, A11	25
722	What is the real accretion rate on to a black hole for low-angular-momentum accretion?. 2019 , 484, 1724-1734	5
721	Formation of the first generation of stars and blackholes in the Universe. 2019 , 95, 17-28	2
720	The AGN-galaxy connection: Low-redshift benchmark & lessons learnt. 2019 , 15, 144-156	
719	Tips learned from panchromatic modeling of AGNs. 2019 , 15, 167-171	
718	Density diagnostics of photoionized outflows in active galactic nuclei. 2019 , 15, 274-277	

717	Connecting black holes and galaxies in faint radio populations at cosmic noon. 2019 , 15, 132-137	
716	X-ray emission of $z > 2.5$ active galactic nuclei can be obscured by their host galaxies. 2019 , 623, A172	28
715	The X-Ray Halo Scaling Relations of Supermassive Black Holes. 2019 , 884, 169	26
714	The Black Hole–Bulge Mass Relation Including Dwarf Galaxies Hosting Active Galactic Nuclei. 2019 , 887, 245	25
713	Clustering of Ly α Emitters around Quasars at $z \sim 4$. 2019 , 886, 79	6
712	Dynamic spherical collapses towards growing black holes in relativistically degenerate or hot host mass reservoirs. 2019 ,	0
711	Constraining nuclear star cluster formation using MUSE-AO observations of the early-type galaxy FCC 47. 2019 , 628, A92	18
710	Massive galaxies on the road to quenching: ALMA observations of powerful high redshift radio galaxies. 2019 , 621, A27	19
709	Obscured AGN at 1.5 2019 , 626, A9	23
708	ALMA captures feeding and feedback from the active galactic nucleus in NGC 613. 2019 , 632, A33	20
707	Probing gaseous halos of galaxies with radio jets. 2019 , 627, A113	5
706	Wakefield acceleration towards ZeV from a black hole emanating astrophysical jets. 2019 , 34, 1943018	1
705	How to Fuel an AGN: Mapping Circumnuclear Gas in NGC 6240 with ALMA. 2019 , 885, L21	5
704	Quasar main sequence: A line or a plane. 2019 , 632, A41	3
703	Radio loudness along the quasar main sequence. 2019 , 630, A110	16
702	LoTSS/HETDEX: Disentangling star formation and AGN activity in gravitationally lensed radio-quiet quasars. 2019 , 622, A18	5
701	The XXL Survey. 2019 , 625, A111	7
700	Low-mass and high-mass supermassive black holes in radio-loud AGNs are spun-up in different evolution paths. 2019 , 19, 144	1

699	Hydrodynamical simulations of the triggering of nuclear activities by minor mergers of galaxies. 2019 , 19, 177	2
698	Characterisation of the continuum and kinematical properties of nearby NLS1. 2019 , 629, A50	1
697	Radio spectral index distribution of SDSS-FIRST sources across optical diagnostic diagrams. 2019 , 630, A83	12
696	Hidden or missing outflows in highly obscured galaxy nuclei?. 2019 , 623, A29	13
695	Black hole mass of central galaxies and cluster mass correlation in cosmological hydro-dynamical simulations. 2019 , 630, A144	10
694	. 2019 ,	
693	Tidal disruption events as a site of an evolving relativistic spectral line. 2019 , 340, 570-576	1
692	Formation of supermassive primordial black holes by Affleck-Dine mechanism. 2019 , 100,	8
691	ALMA Reveals a Gas-rich, Maximum Starburst in the Hyperluminous, Dust-obscured Quasar W0533â401 at $z \sim 2.9$. 2019 , 887, 74	8
690	The Galaxyâ Gas Content Regulated by the Dark Matter Halo Mass Results in a Superlinear $M_{BH} \propto M_{gas}$ Relation. 2019 , 885, L36	11
689	Subaru High- z Exploration of Low-Luminosity Quasars (SHELLQs). VIII. A less biased view of the early co-evolution of black holes and host galaxies. 2019 , 71,	26
688	ALMA images the many faces of the NGC 1068 torus and its surroundings. 2019 , 632, A61	51
687	The Most Massive Galaxies with Large Depleted Cores: Structural Parameter Relations and Black Hole Masses. 2019 , 886, 80	11
686	Bondi accretion for adiabatic flows onto a massive black hole with an accretion disc. 2019 , 631, A13	3
685	ChandraCOSMOS Legacy Survey: Clustering dependence of Type 2 active galactic nuclei on host galaxy properties. 2019 , 632, A88	5
684	Multifrequency JVLA observations of the X-shaped radio galaxy in Abell 3670. 2019 , 631, A173	3
683	A study of the scaling relation ($M_{bullet} \propto R_{e}^{\sigma^3}$) for supermassive black holes and an update of the corresponding theoretical model. 2019 , 364, 1	3
682	Constraints on individual supermassive binary black holes using observations of PSR J1909â744. 2019 , 19, 178	5

681	GABE: Galaxy Assembly with Binary Evolution. 2019 , 19, 151	2
680	Resolving the Interstellar Medium in Ultraluminous Infrared QSO Hosts with ALMA. 2019 , 887, 24	7
679	Hot Atmospheres, Cold Gas, AGN Feedback and the Evolution of Early Type Galaxies: A Topical Perspective. 2019 , 215, 1	45
678	The aftermath of the Great Collision between our Galaxy and the Large Magellanic Cloud. 2019 , 483, 2185-2196	22
677	The host galaxies of luminous type 2 AGNs at $z \sim 0.3$. 2019 , 483, 1829-1849	6
676	HST/COS observations of the newly discovered obscuring outflow in NGC 3783. 2019 , 621, A12	10
675	How frequent are close supermassive binary black holes in powerful jet sources?. 2019 , 482, 240-261	26
674	The quenching and morphological evolution of central galaxies is facilitated by the feedback-driven expulsion of circumgalactic gas. 2020 , 491, 4462-4480	52
673	Exploring AGN and star formation activity of massive galaxies at cosmic noon. 2020 , 497, 3273-3296	15
672	Science with the TianQin Observatory: Preliminary results on Galactic double white dwarf binaries. 2020 , 102,	29
671	Robotic reverberation mapping of the broad-line radio galaxy 3C 120. 2020 , 497, 2910-2929	3
670	Universal bolometric corrections for active galactic nuclei over seven luminosity decades. 2020 , 636, A73	48
669	Populating the Low-mass End of the $M_{\text{BH}} - \sigma_{*}$ Relation. 2020 , 898, L3	22
668	Quenching as a Contest between Galaxy Halos and Their Central Black Holes. 2020 , 897, 102	33
667	SDSS-IV MaNGA: stellar population correlates with stellar root-mean-square velocity V_{rms} gradients or total-density-profile slopes at fixed effective velocity dispersion σ_{*} . 2020 , 495, 4820-4827	2
666	The bolometric quasar luminosity function at $z' = 0$. 2020 , 495, 3252-3275	55
665	Line-driven disc wind in near-Eddington active galactic nuclei: decrease of mass accretion rate due to powerful outflow. 2020 , 494, 3616-3626	16
664	Evidence for an accreting massive black hole in He II $\lambda 1010$ from adaptive optics integral field spectroscopy. 2020 , 494, 2004-2011	6

663	Semi-analytic modelling of AGNs: autocorrelation function and halo occupation. 2020 , 497, 1-18	3
662	SMM J04135+10277: a distant QSO starburst system caught by ALMA. 2020 , 493, 3744-3756	9
661	Galaxy mergers in eagle do not induce a significant amount of black hole growth yet do increase the rate of luminous AGN. 2020 , 494, 5713-5733	20
660	Q wind code release: a non-hydrodynamical approach to modelling line-driven winds in active galactic nuclei. 2020 , 495, 402-412	4
659	Quasar Sightline and Galaxy Evolution (QSAGE) survey III. Galaxy overdensities around UV luminous quasars at $z \sim 1$. 2020 , 497, 3083-3096	6
658	The fates of merging supermassive black holes and a proposal for a new class of X-ray sources. 2020 , 498, 3807-3816	3
657	Subaru Hyper Suprime-Cam view of quasar host galaxies at $z < 1$. 2020 , 72,	7
656	An obscured AGN population hidden in the VIPERS galaxies: identification through spectral energy distribution decomposition. 2020 , 495, 1853-1873	9
655	The XXL Survey. 2020 , 638, A46	2
654	JetISM interactions near the microquasars GRS 1758-58 and 1E 1740.7-942. 2020 , 497, 3504-3524	7
653	RAiSE X: searching for radio galaxies in X-ray surveys. 2020 , 493, 5181-5194	4
652	Black Holes and the Supermassive Compact Object at the Galactic Center: Multi-arts of Thought and Nature. 2020 , 1, 100063	0
651	Discovery and follow-up of ASASSN-19dj: an X-ray and UV luminous TDE in an extreme post-starburst galaxy. 2020 , 500, 1673-1696	24
650	The rise of active galactic nuclei in the galaxy evolution and assembly semi-analytic model. 2020 , 496, 3943-3960	7
649	Star formation in luminous LoBAL quasars at $2.0 < z < 2.5$. 2020 , 498, 1469-1479	1
648	The effect of differential accretion on the gravitational wave background and the present-day MBH binary population. 2020 , 498, 537-547	9
647	The star formation properties of the observed and simulated AGN Universe: BAT versus EAGLE. 2020 , 498, 2323-2338	2
646	Dark-ages reionization and galaxy formation simulation XVIII. The high-redshift evolution of black holes and their host galaxies. 2020 , 494, 2747-2759	9

645	Study of central intensity ratio of early-type galaxies from low-density environment. 2020 , 500, 1343-1349	1
644	Science with the TianQin observatory: Preliminary result on extreme-mass-ratio inspirals. 2020 , 102,	14
643	An updated comparison of the (M_{bullet}) vs ($M_{\text{G}}\sigma^2$) relation with (M_{bullet}) vs (σ) and the problem of the masses of galaxies. 2020 , 365, 1	2
642	Radio morphologyâaccretion mode link in FanaroffâBiley type II low-excitation radio galaxies. 2020 , 493, 4355-4366	12
641	No Significant Evolution of Relations between Black Hole Mass and Galaxy Total Stellar Mass Up to $z \sim 2.5$. 2020 , 889, 32	20
640	Subaru Infrared Adaptive Optics-assisted High-spatial-resolution Imaging Search for Luminous Dual Active Galactic Nuclei in Nearby Ultraluminous Infrared Galaxies. 2020 , 891, 140	5
639	The Case for the Fundamental MBHâRelation. 2020 , 8,	9
638	Observations of luminous infrared galaxies with the Spitzer Space Telescope. 2020 , 4, 467-477	7
637	Measuring the mass of the supermassive black hole of the lenticular galaxy NGC 4546. 2020 , 495, 2620-2629	1
636	Spatially Resolved Spectroscopic Properties of Low-Redshift Star-Forming Galaxies. 2020 , 58, 99-155	65
635	Cosmological Simulation of Galaxy Groups and Clusters. I. Global Effect of Feedback from Active Galactic Nuclei. 2020 , 889, 60	2
634	The radio-loud narrow-line Seyfert 1 galaxy 1H 0323+342 in a galaxy merger. 2020 , 496, 1757-1765	3
633	The disc-like host galaxies of radio-loud narrow-line Seyfert 1s. 2020 , 492, 1450-1464	21
632	The Interplay between Star Formation and Black Hole Accretion in Nearby Active Galaxies. 2020 , 896, 108	20
631	Host galaxy properties and environment of obscured and unobscured X-ray selected active galactic nuclei in the COSMOS survey. 2020 , 494, 1189-1202	4
630	Understanding the Fundamental Plane and the Tully Fisher Relation. 2020 , 7,	4
629	Redshift evolution of the Fundamental Plane relation in the IllustrisTNG simulation. 2020 , 492, 5930-5939	8
628	Rates of Stellar Tidal Disruption. 2020 , 216, 1	24

627	The Host Galaxies of Tidal Disruption Events. 2020 , 216, 1	22
626	Dynamical Evolution of Cosmic Supermassive Binary Black Holes and Their Gravitational-wave Radiation. 2020 , 897, 86	7
625	Hard-X-ray-selected active galactic nuclei π . A radio view at high frequencies. 2020 , 495, 3943-3960	4
624	INO: Interplanetary network of optical lattice clocks. 2020 , 29, 1940002	4
623	A SCUBA-2 850 μ m survey of heavily reddened quasars at $z \sim 2$. 2020 , 492, 5280-5290	3
622	The Mass Relations between Supermassive Black Holes and Their Host Galaxies at 1 2020 , 888, 37	34
621	Centrifugal acceleration of protons by a supermassive black hole. 2020 , 492, 4884-4891	5
620	Extending the variability selection of active galactic nuclei in the W-CDF-S and SERVS/SWIRE region. 2020 , 634, A50	4
619	Probing black hole accretion tracks, scaling relations, and radiative efficiencies from stacked X-ray active galactic nuclei. 2020 , 493, 1500-1511	16
618	The relationship between black hole mass and galaxy properties: examining the black hole feedback model in IllustrisTNG. 2020 , 493, 1888-1906	68
617	Cosmological simulations of massive black hole seeds: predictions for next-generation electromagnetic and gravitational wave observations. 2020 , 491, 4973-4992	7
616	The performance of photometric reverberation mapping at high redshift and the reliability of damped random walk models. 2020 , 492, 3940-3959	2
615	Testing the relativistic Doppler boost hypothesis for supermassive binary black holes candidates via broad emission line profiles. 2020 , 491, 4023-4030	6
614	Physical properties of the CDFS X-ray sources through fitting spectral energy distributions. 2020 , 492, 1887-1901	2
613	Cool outflows in galaxies and their implications. 2020 , 28, 1	115
612	A consistency test for determining whether ultracompact dwarf galaxies could be the remnant nuclei of thressed galaxies. 2020 , 492, 3263-3271	8
611	NuSTAR Discovery of a Compton-thick, Dust-obscured Galaxy: WISE J0825+3002. 2020 , 888, 8	9
610	The Correlation between Black Hole Mass and Stellar Mass for Classical Bulges and the Cores of Ellipticals. 2021 , 907, 6	6

609	The black hole masses of extremely luminous radio-WISE selected galaxies. 2021 , 502, 1527-1548	1
608	The Sloan Digital Sky Survey Reverberation Mapping Project: The M BH–Host Relations at 0.2 z 0.6 from Reverberation Mapping and Hubble Space Telescope Imaging. 2021 , 906, 103	5
607	OUP accepted manuscript.	0
606	GAMA/XXL: X-ray point sources in low-luminosity galaxies in the GAMA G02/XXL-N field. 2021 , 502, 3101-3112	
605	Infrared emission of $z \sim 6$ galaxies: AGN imprints. 2021 , 503, 2349-2368	8
604	Observational Evidence for Enhanced Black Hole Accretion in Giant Elliptical Galaxies. 2021 , 908, 85	4
603	Ultramassive Black Holes in the Most Massive Galaxies: M BH– σ_8 versus M BH– R_b . 2021 , 908, 134	2
602	SUPER. 2021 , 646, A96	11
601	Supermassive black holes in cosmological simulations I: MBH– M^* relation and black hole mass function. 2021 , 503, 1940-1975	19
600	X-ray flux in SED modelling: An application of X-CIGALE in the XMM-XXL field. 2021 , 646, A29	10
599	AGN Triality of Triple Mergers: Multiwavelength Classifications. 2021 , 907, 72	1
598	Did NANOGrav See a Signal from Primordial Black Hole Formation?. 2021 , 126, 051303	61
597	Relation between AGN type and host galaxy properties. 2021 , 646, A167	6
596	UV line-driven disc wind as the origin of UltraFast Outflows in AGN. 2021 , 503, 1442-1458	6
595	Early-type Galaxiesx. 2021 , 93-135	
594	A Restless Supermassive Black Hole in the Galaxy J0437+2456. 2021 , 909, 141	1
593	Galaxy Mergers up to z 2021, 909, 124	6
592	Morphological evolution of supermassive black hole merger hosts and multimessenger signatures. 2021 , 503, 3629-3642	1

591	Black Hole and Galaxy Coevolution in Moderately Luminous Active Galactic Nuclei at $z \sim 1.4$ in SXDF. 2021 , 909, 188	1
590	BAT AGN Spectroscopic Survey XXVII: scattered X-Ray radiation in obscured active galactic nuclei. 2021 , 504, 428-443	6
589	WISDOM project âVII. Molecular gas measurement of the supermassive black hole mass in the elliptical galaxy NGC 7052. 2021 , 503, 5984-5996	5
588	The radio galaxy population in the simba simulations. 2021 , 503, 3492-3509	9
587	Millisecond pulsars modify the radio-star-formation-rate correlation in quiescent galaxies. 2021 , 103,	4
586	X-ray binary accretion states in active galactic nuclei? Sensing the accretion disc of supermassive black holes with mid-infrared nebular lines. 2021 , 504, 5726-5740	2
585	Observations of the E-ray-emitting narrow-line Seyfert 1, SBS'0846+513, and its host galaxy. 2021 , 504, 5188-5198	4
584	Exploring the Universe with dark light scalars. 2021 , 103,	5
583	The Complex Gaseous and Stellar Environments of the Nearby Dual Active Galactic Nucleus Mrk 739. 2021 , 911, 100	2
582	Detection of low-frequency gravitational waves. 2021 , 78, 886-891	
581	The Diverse Morphology, Stellar Population, and Black Hole Scaling Relations of the Host Galaxies of Nearby Quasars. 2021 , 911, 94	5
580	The origin of bulges and discs in the CALIFA survey âI. Morphological evolution. 2021 , 504, 3058-3073	4
579	JetâAccretion System in the Nearby mJy Radio Galaxies. 2021 , 911, 17	2
578	Is the binding energy of galaxies related to their core black hole mass?. 2021 , 42, 1	
577	Properties of loss cone stars in a cosmological galaxy merger remnant. 2021 , 649, A41	0
576	PhotonâPhoton Interactions and the Opacity of the Universe in Gamma Rays. 2021 , 7, 146	4
575	Hubble Space Telescope [O iii] emission-line kinematics in two nearby QSO2s: a case for X-ray feedback. 2021 , 505, 3054-3069	1
574	A Complete 16 h Selected Galaxy Sample at $z \sim 1$: Mid-infrared Spectral Energy Distributions. 2021 , 912, 161	1

573	Feedback from Active Galactic Nuclei in Galaxy Groups. 2021 , 7, 142	13
572	Stellar collisions in flattened and rotating Population III star clusters. 2021 , 649, A160	2
571	CON-quest. 2021 , 649, A105	7
570	Compaction-driven black hole growth. 2021 , 505, 172-190	3
569	Host galaxy and orientation differences between different AGN types. 2021 , 650, A75	4
568	The 450 Day X-Ray Monitoring of the Changing-look AGN 1ES 1927+654. 2021 , 255, 7	11
567	On the scaling relations of bulges and early-type galaxies. 2021 , 506, 452-467	
566	Subaru High-z Exploration of Low-luminosity Quasars (SHELLQs). XIII. Large-scale Feedback and Star Formation in a Low-luminosity Quasar at $z = 7.07$ on the Local Black Hole to Host Mass Relation. 2021 , 914, 36	8
565	Reverberation mapping of active galactic nuclei: from X-ray corona to dusty torus. 2021 , 24, 102557	12
564	The Search for Binary Supermassive Black Holes among Quasars with Offset Broad Lines Using the Very Long Baseline Array. 2021 , 914, 37	1
563	A note on the interpretation of the statistical analysis of the $(M_{\text{bullet}}-M_{\text{G}}\sigma^2)$ scaling relation. 2021 , 366, 1	
562	Observing the host galaxies of high-redshift quasars with JWST: predictions from the BlueTides simulation. 2021 , 506, 1209-1228	4
561	Event Horizon Telescope observations of the jet launching and collimation in Centaurus A.	13
560	Powerful multiphase outflows in the central region of Cygnus A.	4
559	A hard X-ray view of luminous and ultra-luminous infrared galaxies in GOALS $\hat{\Pi}$. AGN obscuration along the merger sequence. 2021 , 506, 5935-5950	2
558	Active galactic nuclei catalog from the AKARI NEP-Wide field. 2021 , 651, A108	2
557	Radiative Driving of the AGN Outflows in the Narrow-line Seyfert 1 Galaxy NGC 4051* $\hat{\Pi}$ 2021 , 916, 31	3
556	Rise and fall of post-starburst galaxies in Magneticum Pathfinder. 2021 , 506, 4516-4542	4

555	Kiloparsec-scale AGN outflows and feedback in merger-free galaxies. 2021 , 507, 3985-3997	5
554	Capturing dual AGN activity and kiloparsec-scale outflows in IRAS 20210+1121.	1
553	X-ray Properties of Spitzer/IRAC Selected AGNs. 2021 , 14, 517-523	
552	Radiation hydrodynamics simulations of line-driven AGN disc winds: metallicity dependence and black hole growth. 2021 , 507, 904-913	1
551	LLAMA: Stellar populations in the nuclei of ultra-hard X-ray-selected AGN and matched inactive galaxies.	1
550	Strong Correlation between Fe ii/Mg ii Ratio and Eddington Ratio of Type 1 Active Galactic Nuclei. 2021 , 917, 107	1
549	A universal relation between the properties of supermassive black holes, galaxies, and dark matter haloes. 2021 , 507, 4274-4293	1
548	Feeding the Accretion Disk from the Dusty Torus in a Reddened Quasar. 2021 , 916, 86	3
547	The Detectability of Kiloparsec-scale Dual Active Galactic Nuclei: The Impact of Galactic Structure and Black Hole Orbital Properties. 2021 , 916, 110	1
546	Impact of gas-based seeding on supermassive black hole populations at $z \approx 7$. 2021 , 507, 2012-2036	2
545	The S4G Sample: Absorption Properties of AGNs by WISE, 3XMM, and FIRST/NVSS. 2021 , 14, 857-863	
544	On the link between nuclear star cluster and globular cluster system mass, nucleation fraction and environment.	0
543	Ionized Gas Outflows in Low-excitation Radio Galaxies Are Radiation Driven. 2021 , 918, 65	3
542	An ALMA Gas-dynamical Mass Measurement of the Supermassive Black Hole in the Local Compact Galaxy UGC 2698. 2021 , 919, 77	3
541	The role of AGN and obscuration in the position of the host galaxy relative to the main sequence. 2021 , 653, A74	4
540	Spatially Resolving the Kinematics of the ~ 100 fs Quasar Broad-line Region Using Spectroastrometry. II. The First Tentative Detection in a Luminous Quasar at $z = 2.3$. 2021 , 919, 31	3
539	Frequency and nature of central molecular outflows in nearby star-forming disk galaxies. 2021 , 653, A172	3
538	AGN and star formation at cosmic noon: comparison of data to theoretical models. 2021 , 508, 762-780	1

537	The origins of massive black holes.	8
536	OUP accepted manuscript.	5
535	Robotic Reverberation Mapping of the Southern Seyfert NGC 3783. 2021 , 906, 50	5
534	The Diagnostic Potential of JWST in Characterizing Elusive AGNs. 2021 , 906, 35	11
533	Jets and AGN Feedback. 369-394	1
532	Formation and Evolution of Supermassive Black Holes. 2006 , 159-193	2
531	X-ray Surveys of the Obscured Universe. 2000 , 423-432	6
530	Introduction to Cosmic Rays. 2001 , 1-26	23
529	Observational Evidence for Supermassive Black Holes. 2004 , 1-51	3
528	Modeling the Accretion History of Supermassive Black Holes. 2004 , 127-145	3
527	The Formation and Evolution of the First Massive Black Holes. 2004 , 147-185	9
526	The James Webb Space Telescope. 2009 , 1-29	11
525	AGN Feedback in Elliptical Galaxies: Numerical Simulations. 2012 , 83-120	26
524	The Hosts Galaxies of Radio-Loud and Radio-Quiet Quasars. 2001 , 3-12	2
523	The Nucleus-Host Galaxy Connection in Radio-Loud AGN. 2001 , 13-20	1
522	The Radio Loudness Dichotomy: Environment or Black-Hole Mass?. 2001 , 27-32	2
521	A Nicmos Imaging Study of Quasar Host Galaxy Evolution. 2001 , 327-332	2
520	Large-Scale Structure Formation: From the First Non-linear Objects to Massive Galaxy Clusters. 2016 , 93-139	4

519	Hot Atmospheres of Galaxies, Groups, and Clusters of Galaxies. 2020 , 279-310	3
518	Gravitational Recoil and Astrophysical Impact. 2015 , 185-202	3
517	Galaxy Bulges and Their Massive Black Holes: A Review. 2016 , 263-313	81
516	Nuclear Star Clusters and Bulges. 2016 , 107-124	5
515	New Eyes for Galaxies Investigation. 2016 , 697-737	1
514	AGN Reverberation Mapping. 2016 , 249-266	5
513	Active Galactic Nuclei at the Crossroads of Astrophysics. 2007 , 147-162	4
512	Special Features of Galactic Dynamics. 2007 , 297-389	10
511	First Light. 2008 , 1-159	2
510	Evolution of Supermassive Black Holes. 2007 , 174-182	1
509	Galaxies Hosting AGN Activity and Their Environments. 2010 , 119-126	2
508	The Starburst-AGN Connection. 2001 , 88-94	16
507	Supermassive Black Hole Accretion and Feedback. 2019 , 95-157	1
506	Evolution of Active Galactic Nuclei. 2013 , 503-566	23
505	Elliptical and Disk Galaxy Structure and Modern Scaling Laws. 2013 , 91-139	59
504	Mass Distribution and Rotation Curve in the Galaxy. 2013 , 985-1037	12
503	Energy Flow in The Universe. 2001 , 283-293	3
502	Ultraluminous Infrared Galaxies. 1999 , 289-294	10

501	Supermassive Black Holes in Galactic Nuclei. 1999 , 157-186	107
500	Modelling the Merging History of Binary SMBHs in Hierarchical Models of Galaxy Formation. 2002 , 501-504	1
499	High Energy Astrophysics. 2011 ,	293
498	AGN types and unification model. 2019 , 15, 29-43	1
497	Non-parametric deprojection of surface brightness profiles of galaxies in generalised geometries. 2010 , 510, A45	3
496	Black hole growth and starburst activity at $z=0.6$ in the Chandra Deep Field South. 2009 , 507, 1277-1289	83
495	Quasar induced galaxy formation: a new paradigm?. 2009 , 507, 1359-1374	37
494	The mass function of nearby black hole candidates. 2010 , 521, A55	21
493	Black holes and galactic density cusps. 2011 , 526, A13	11
492	The scaling relation between the mass of supermassive black holes and the kinetic energy of random motions of the host galaxies. 2012 , 537, A48	16
491	AGN-host galaxy connection: morphology and colours of X-ray selected AGN at $z \sim 2$. 2012 , 541, A118	21
490	The circumnuclear cold gas environments of the powerful radio galaxies 3C 236 and 4C 31.04. 2012 , 546, A22	13
489	New calibration and some predictions of the scaling relations between the mass of supermassive black holes and the properties of the host galaxies. 2013 , 558, A108	7
488	Triggering active galactic nuclei in hierarchical galaxy formation: disk instability vs. interactions. 2014 , 569, A37	56
487	The nuclear gas disk of NGC 1566 dissected by SINFONI and ALMA. 2015 , 583, A104	19
486	Galaxy-wide outflows in ~ 1.5 luminous obscured quasars revealed through near-IR slit-resolved spectroscopy. 2015 , 574, A82	61
485	Physical properties of AGN host galaxies as a probe of supermassive black hole feeding mechanisms. 2015 , 576, A32	12
484	Star formation in $z > 1$ 3CR host galaxies as seen by Herschel. 2015 , 575, A80	45

483	A low-luminosity type-1 QSO sample. 2015 , 575, A128	9
482	A low-luminosity type-1 QSO sample. 2016 , 587, A138	10
481	The XXL Survey. 2016 , 592, A5	30
480	Relative growth of black holes and the stellar components of galaxies. 2016 , 594, A99	5
479	Infrared signature of active massive black holes in nearby dwarf galaxies. 2017 , 602, A28	23
478	Extreme submillimetre starburst galaxies. 2018 , 619, A169	19
477	Ratio of black hole to galaxy mass of an extremely red dust-obscured galaxy at $z = 2.52$. 2018 , 620, L3	8
476	Six new supermassive black hole mass determinations from adaptive-optics assisted SINFONI observations. 2019 , 625, A62	20
475	The parallelism between galaxy clusters and early-type galaxies. 2020 , 641, A94	6
474	Search and analysis of giant radio galaxies with associated nuclei (SAGAN). 2020 , 642, A153	16
473	The DIANOGA simulations of galaxy clusters: characterising star formation in protoclusters. 2020 , 642, A37	13
472	SUPER. 2020 , 642, A147	28
471	Search and analysis of giant radio galaxies with associated nuclei (SAGAN). 2020 , 643, A111	4
470	SUPER. 2020 , 644, A175	11
469	Broad-line region configuration of the supermassive binary black hole candidate PG1302-102 in the relativistic Doppler boosting scenario. 2021 , 645, A15	5
468	Deep imaging of Q2112+059: A bright host galaxy but no DLA absorber. 2001 , 368, 408-413	4
467	Adaptive optics imaging of low and intermediate redshift quasars. 2001 , 371, 97-106	25
466	Symmetry of black hole ejections in mergers of galaxies. 2001 , 371, 795-805	6

465	A new Monte Carlo code for star cluster simulations. 2001 , 375, 711-738	57
464	A 1.2 mm MAMBO/IRAM-30 m survey of dust emission from the highest redshift PSS quasars. 2001 , 374, 371-381	134
463	Fe K α line: A tool to probe massive binary black holes in Active Galactic Nuclei?. 2001 , 377, 17-22	22
462	Black hole mass and velocity dispersion of narrow line region in active galactic nuclei and narrow line Seyfert 1 galaxies. 2001 , 377, 52-59	101
461	Growth of supermassive black holes and metallicity in quasars. 2001 , 376, L39-L42	3
460	The extended counterpart of submm source Lockman 850.1. 2001 , 378, 70-75	45
459	The dividing line between FR I and FR II radio-galaxies. 2001 , 379, L1-L4	137
458	On black hole masses, radio-loudness and bulge luminosities of Seyfert galaxies. 2001 , 380, 31-39	20
457	Position-velocity diagrams of ionized gas in the inner regions of disk galaxies. 2002 , 388, 50-67	11
456	On-axis spatially resolved spectroscopy of low redshift quasar host galaxies: HE 1503+0228, at $z=0.135$. 2002 , 394, 863-872	15
455	Elemental abundances in the broad emission line region of quasars at redshifts larger than 4. 2003 , 398, 891-899	29
454	R-band imaging of the host galaxies of RGB BL Lacertae objects. 2003 , 400, 95-118	68
453	Spatially resolved spectrophotometric analysis and modelling of the Superantennae. 2003 , 403, 119-134	49
452	The near-infrared properties of the host galaxies of radio quasars. 2003 , 406, 435-451	26
451	Radio emission and the optical isophotal twist of radio-loud ellipticals. 2003 , 410, 139-141	1
450	Evolution of BL Lacertae host galaxies. 2004 , 418, 813-825	32
449	The structure and radiation spectra of illuminated accretion disks in AGN. 2004 , 420, 1-16	43
448	An optical imaging study of 0.4-0.8 quasar host galaxies. 2005 , 443, 61-78	3

447	XMM-Newton observations of Extremely Red Objects and the link with luminous, X-ray obscured quasars. 2005 , 432, 69-81	76
446	Black hole growth by accretion. 2005 , 432, 463-466	39
445	Starbursting nuclear CO disks of early-type spiral galaxies. 2005 , 431, 887-891	19
444	Are radio galaxies and quiescent galaxies different? Results from the analysis of HST brightness profiles. 2005 , 439, 487-496	28
443	The luminous host galaxies of high redshift BL Lac objects. 2005 , 440, 831-843	22
442	Molecular gas in Nuclei of Galaxies (NUGA). 2005 , 441, 1011-1030	128
441	The contribution of rotational velocity to the FP of elliptical galaxies. 2005 , 443, 133-141	14
440	Quasars in the MAMBO blank field survey. 2006 , 448, 823-829	19
439	Multi wavelength study of the gravitational lens system RXS J1131-1231. 2006 , 451, 865-879	41
438	Nuclei of Galaxies. 2007 , 464, 553-563	36
437	The host galaxies of radio-quiet quasars at $z \sim 0.5$. 2007 , 462, 525-533	13
436	Radio observations of the Chandra Deep Field South. 2007 , 466, 119-126	17
435	The VVDS type-1 AGN sample: the faint end of the luminosity function. 2007 , 472, 443-454	111
434	Optical colours of AGN in the extended Chandra deep field South: obscured black holes in early type galaxies. 2007 , 475, 115-120	22
433	The polyhedral nature of LINERs: an XMM-Newton view of LINERs in radio galaxies. 2008 , 478, 723-737	17
432	Measuring supermassive black holes with gas kinematics. 2008 , 479, 355-363	27
431	XMM-Newton and Chandra observations of the globular cluster NGC 6388. 2008 , 478, 763-768	19
430	The cosmological properties of AGN in the XMM-Newton Hard Bright Survey. 2008 , 487, 119-130	76

429	Spectroscopy of bright quasars: emission lines and internal extinction. 2008 , 488, 887-895		2
428	The XMM-Newton serendipitous survey. 2009 , 493, 55-69		87
427	A Kinematic Link Between Boxy Bulges, Stellar Bars, and Nuclear Activity in NGC 3079 and NGC 4388. <i>Astronomical Journal</i> , 1999 , 118, 2108-2122	4.9	29
426	Axisymmetric, Three-Integral Models of Galaxies: A Massive Black Hole in NGC 3379. <i>Astronomical Journal</i> , 2000 , 119, 1157-1171	4.9	200
425	Canada-France-Hawaii Telescope Adaptive Optics Observations of the Central Kinematics in M15. <i>Astronomical Journal</i> , 2000 , 119, 1268-1281	4.9	85
424	The Evolution of the Stellar Hosts of Radio Galaxies. <i>Astronomical Journal</i> , 2000 , 120, 68-79	4.9	39
423	The Black Hole in IC 1459 from [ITAL]HUBBLE SPACE TELESCOPE[/ITAL][ITAL]Hubble Space Telescope[/ITAL] Observations of the Ionized Gas Disk. <i>Astronomical Journal</i> , 2000 , 120, 1221-1237	4.9	49
422	The Discovery of a Luminous [CLC][ITAL]z[/ITAL][/CLC] = 5.80 Quasar from the Sloan Digital Sky Survey. <i>Astronomical Journal</i> , 2000 , 120, 1167-1174	4.9	226
421	Stellar Populations in the Host Galaxies of Markarian 1014, IRAS 07598+6508, and Markarian 231. <i>Astronomical Journal</i> , 2000 , 120, 1750-1763	4.9	48
420	On the Formation of Disk Galaxies and Massive Central Objects. 1999 , 510, 125-135		88
419	Why Quasar Pairs are Binary Quasars and Not Gravitational Lenses. 1999 , 510, 590-596		80
418	Constraints from the Hubble Deep Field on High-Redshift Quasar Models. 1999 , 514, 535-543		35
417	Radiative Transfer in a Clumpy Universe. III. The Nature of Cosmological Ionizing Sources. 1999 , 514, 648-659		564
416	The Host Galaxies of Three Radio-loud Quasars: 3C 48, 3C 345, and B2 1425+267. 1999 , 520, 67-77		58
415	The Sunyaev-Zeldovich Effect by Cocoons of Radio Galaxies. 1999 , 522, 66-73		29
414	Central Rotation Curves of Spiral Galaxies. 1999 , 523, 136-146		175
413	The Distribution of Stars near the Supermassive Black Hole in the Galactic Center. 1999 , 527, 835-850		88
412	A Photometric and Kinematic Study of the Stars and Interstellar Medium in the Central 2 Kiloparsecs of NGC 3379. 2000 , 529, 866-874		9

411	The Role of a Massive Central Singularity in Galactic Mergers on the Survival of the Core Fundamental Plane. 2000 , 531, 232-244	25
410	ASCA Observations of α -type LINERs: Evidence for a Stellar Source of Ionization. 2000 , 533, 729-743	39
409	On the Lack of X-Ray Iron Line Reverberation in MCG α -30-15: Implications for the Black Hole Mass and Accretion Disk Structure. 2000 , 533, 811-820	47
408	Why Are Rotating Elliptical Galaxies Less Elliptical at X-Ray Frequencies?. 2000 , 539, 675-686	12
407	Radio Sources in Low-Luminosity Active Galactic Nuclei. I. VLA Detections of Compact, Flat-Spectrum Cores. 2000 , 542, 186-196	113
406	Synchrotron Emission from Hot Accretion Flows and the Cosmic Microwave Background Anisotropy. 2000 , 542, 68-73	9
405	Measuring the Virial Temperature of Galactic Halos through Electron Scattering of Quasar Emission Lines. 1998 , 508, L115-L118	2
404	Quasars and Ultraluminous Infrared Galaxies: At the Limit?. 1999 , 511, L67-L70	54
403	The Evolution of the BL Lacertae Objects. 1999 , 516, L9-L12	11
402	Cosmological Luminosity Evolution of the QSO/Active Galactic Nucleus Population. 1999 , 518, L77-L81	4
401	The Black Hole σ - M_{bulge} Mass Relation in Active Galactic Nuclei. 1999 , 519, L39-L42	107
400	X-Ray Emission from the First Quasars. 1999 , 521, L9-L12	33
399	On the Cusp around Central Black Holes in Luminous Elliptical Galaxies. 1999 , 525, L77-L80	24
398	Two Different Accretion Classes in Seyfert 1 Galaxies and QSOs. 1999 , 526, L5-L8	48
397	Accretion Rates onto Massive Black Holes in Four Quiescent Elliptical Galaxies. 2000 , 533, L111-L114	9
396	On the Role of Minor Galaxy Mergers in the Formation of Active Galactic Nuclei. 2000 , 536, L73-L76	27
395	Red Quasars and Quasar Evolution: The Case of BAL QSO FIRST J155633.8+351758. <i>Astronomical Journal</i> , 2000 , 120, 2859-2867	4-9 20
394	Detection of a Far-Infrared Excess with DIRBE at 60 and 100 Microns. 2000 , 544, 81-97	105

393	On Black Hole Masses and Radio Loudness in Active Galactic Nuclei. 2000 , 543, L111-L114		242
392	A Possible Evolutionary Connection between Active Galactic Nuclei and Starbursts in LINER[CLC]s[/CLC]. 2000 , 544, L31-L34		5
391	Black Hole Mass, Velocity Dispersion, and the Radio Source in Active Galactic Nuclei. 2000 , 544, L91-L94		161
390	Influence of Cooled Interstellar Gas on the Fundamental Plane of Elliptical Galaxies. 2000 , 545, 181-189		4
389	Escape of Ionizing Radiation from High-Redshift Galaxies. 2000 , 545, 86-99		102
388	The Shape and Orientation of NGC 3379: Implications for Nuclear Decoupling. <i>Astronomical Journal</i> , 2001 , 121, 244-253	4.9	25
387	Limits on the Accretion Rates onto Massive Black Holes in Nearby Galaxies. 2001 , 547, 731-739		46
386	X-Ray Images of Hot Accretion Flows. 2001 , 548, 213-218		6
385	The Nature of the Hard X-Ray Background Sources: Optical, Near-Infrared, Submillimeter, and Radio Properties. <i>Astronomical Journal</i> , 2001 , 121, 662-682	4.9	181
384	Host Galaxies and Circumgalactic Environment of λ -Line Seyfert 1 Nuclei. <i>Astronomical Journal</i> , 2001 , 121, 702-709	4.9	40
383	Accretion onto Nearby Supermassive Black Holes: [ITAL]Chandra[/ITAL] Constraints on the Dominant Cluster Galaxy NGC 6166. 2001 , 550, L19-L23		57
382	NICMOS Imaging of the Host Galaxies of $z \sim 2$ Radio-quiet Quasars. 2001 , 550, 122-141		70
381	The Radio Luminosity-Black Hole Mass Correlation for Quasars from the FIRST Bright Quasar Survey and a Unification Scheme for Radio-loud and Radio-quiet Quasars. 2001 , 551, L17-L21		140
380	Probing High-Redshift Radiation Fields with Gamma-Ray Absorption. 2001 , 553, 25-32		24
379	The Heating of Intracluster Gas by the Jet Activities of Active Galactic Nuclei: Is the Preheating Scenario Realistic?. 2001 , 553, L145-L148		25
378	On the Linearity of the Black Hole-Bulge Mass Relation in Active and in Nearby Galaxies. 2001 , 553, 677-682		108
377	Extended Ly α Emission around Young Quasars: A Constraint on Galaxy Formation. 2001 , 556, 87-92		114
376	On The Parent Population of Radio Galaxies and the FR I-II Dichotomy. 2001 , 556, 749-755		12

375	Intergalactic Magnetic Fields from Quasar Outflows. 2001 , 556, 619-634	162
374	Hydrodynamic Simulation of the Cosmological X-Ray Background. 2001 , 557, 67-87	78
373	The Merger History of Supermassive Black Holes in Galaxies. 2001 , 558, 535-542	141
372	Constraints on Warm Dark Matter from Cosmological Reionization. 2001 , 558, 482-496	135
371	Empirical Diagnostics of the Starburst-AGN Connection. 2001 , 558, 81-108	147
370	A Search for Signatures of Quasar Evolution: Comparison of the Shapes of the Rest-Frame Optical/Ultraviolet Continua of Quasars at $z > 3$ and $z \sim 0.1$. 2001 , 136, 225-264	39
369	Using Pulsars to Detect Massive Black Hole Binaries via Gravitational Radiation: Sagittarius A* and Nearby Galaxies. 2001 , 562, 297-302	54
368	A Radiation-Hydrodynamical Model for Supermassive Black Holeâ€”Bulge Mass Relation and Quasar Formation. 2001 , 560, L29-L32	60
367	Inclinations and Black Hole Masses of Seyfert 1 Galaxies. 2001 , 561, L59-L62	49
366	Spiral Galaxies with [ITAL]HST[/ITAL]/NICMOS. II. Isophotal Fits and Nuclear Cusp Slopes. <i>Astronomical Journal</i> , 2002 , 123, 184-194	4.9 26
365	Missing Link Found? The â€œRunawayâ€”Path to Supermassive Black Holes. 2001 , 562, L19-L22	231
364	Black Holes of Active and Quiescent Galaxies. I. The Black Holeâ€”Bulge Relation Revisited. 2002 , 565, 762-772	123
363	Nuclear Cusps and Cores in Early-Type Galaxies as Relics of Binary Black Hole Mergers. 2002 , 566, 801-808	68
362	Limits on the Mass of the Central Black Hole in 16 Nearby Bulges. 2002 , 567, 237-246	38
361	The Evolution of Cuspy Triaxial Galaxies Harboring Central Black Holes. 2002 , 567, 817-827	55
360	Black Hole Growth in Dark Matter and the MBHâ€”Relation. 2002 , 569, 83-90	26
359	A Classic Type 2 QSO. 2002 , 571, 218-225	190
358	Determining Central Black Hole Masses in Distant Active Galaxies. 2002 , 571, 733-752	325

357	The Black Hole Mass of BL Lacertae Objects from the Stellar Velocity Dispersion of the Host Galaxy. 2002 , 569, L35-L38		67
356	The Relation between Mid-Infrared Emission and Black Hole Mass in Active Galactic Nuclei: A Direct Way to Probe Black Hole Growth?. 2002 , 571, L1-L5		13
355	Constraining the Lifetime of Quasars with the Present-Day Mass Function of Supermassive Black Holes. 2002 , 576, 75-80		11
354	The Luminosity Function of QSO Host Galaxies. 2002 , 576, 61-74		66
353	Black Hole Mass Estimates of Radio-selected Quasars. 2002 , 576, 81-88		61
352	The Population of Faint Optically Selected Active Galactic Nuclei at $z \sim 3$. 2002 , 576, 653-659		119
351	Radio/X-Ray Luminosity Relation for X-Ray-Bright Galactic Nuclei: Implications for Weighing Supermassive Black Holes. <i>Astronomical Journal</i> , 2002 , 124, 1948-1953	4-9	6
350	The Accretion Rates and Spectral Energy Distributions of BL Lacertae Objects. 2002 , 579, 554-559		33
349	The Host Galaxies of Radio-loud Active Galactic Nuclei: The Black Hole-Galaxy Connection. 2002 , 580, 96-103		28
348	A Search for Active Galactic Nuclei in Sc Galaxies with H α Spectra. 2002 , 581, 925-931		12
347	The Cosmic Density of Massive Black Holes from Galaxy Velocity Dispersions. <i>Astronomical Journal</i> , 2002 , 124, 3035-3041	4-9	107
346	Internal Dynamics, Structure, and Formation of Dwarf Elliptical Galaxies. I. A Keck/Hubble Space Telescope Study of Six Virgo Cluster Dwarf Galaxies. <i>Astronomical Journal</i> , 2002 , 124, 3073-3087	4-9	145
345	Axisymmetric Dynamical Models of the Central Regions of Galaxies. 2003 , 583, 92-115		302
344	The Black Hole Masses and Host Galaxies of BL Lacertae Objects. 2003 , 583, 134-144		88
343	Faint Active Galactic Nuclei and the Ionizing Background. 2003 , 584, 110-128		64
342	The Nuclear Accretion in the FR I Radio Galaxy IC 4296 from Chandra and Very Long Baseline Array Observations. 2003 , 585, 677-686		45
341	An Obscured Radio Galaxy at High Redshift. 2003 , 582, L71-L74		13
340	Cosmic Star Formation History Associated with Quasar Activity: An Approach Using the Black Hole-Bulge Mass Correlation. 2003 , 588, 113-118		9

339	The Host Galaxies of Optically Bright Quasi-stellar Objects: Molecular Gas in [CLC][ITAL]z[/ITAL][[/CLC] @ 0.1 Palomar-Green Quasi-stellar Objects. 2003 , 585, L105-L108	85
338	Effects of Wandering on the Coalescence of Black Hole Binaries in Galactic Centers. 2003 , 592, 32-41	36
337	Hubble Space Telescope Imaging in the Chandra Deep Field-South. III. Quantitative Morphology of the 1 Million Second Chandra Counterparts and Comparison with the Field Population. 2003 , 595, 685-697	29
336	Self-regulated Growth of Supermassive Black Holes in Galaxies as the Origin of the Optical and X-Ray Luminosity Functions of Quasars. 2003 , 595, 614-623	355
335	An Extended Star Formation History for the Galactic Center from Hubble Space Telescope NICMOS Observations. 2004 , 601, 319-339	142
334	A Complete Sample of Soft X-Ray-selected AGNs. II. Statistical Analysis. <i>Astronomical Journal</i> , 2004 , 127, 1799-1810	4.9 140
333	The Black Hole Mass versus Velocity Dispersion Relation in QSOs/Active Galactic Nuclei: Observational Appearance and Black Hole Growth. 2004 , 610, 93-104	10
332	The Physical Connections among Infrared QSOs, Palomar-Green QSOs, and Narrow-Line Seyfert 1 Galaxies. 2005 , 625, 78-88	66
331	HST STIS Spectroscopy of the Triple Nucleus of M31: Two Nested Disks in Keplerian Rotation around a Supermassive Black Hole. 2005 , 631, 280-300	165
330	Black Hole Masses and Host Galaxy Evolution of Radio-Loud Active Galactic Nuclei. 2005 , 631, 762-772	89
329	UV/Optical Nuclear Activity in the gE Galaxy NGC 1399. 2005 , 635, 305-310	12
328	The Diffuse Emission and a Variable Ultraluminous X-Ray Point Source in the Elliptical Galaxy NGC 3379. 2005 , 635, 1053-1061	23
327	Determining the Properties and Evolution of Red Galaxies from the Quasar Luminosity Function. 2006 , 163, 50-79	139
326	Spitzer Observations of Massive, Red Galaxies at High Redshift. 2006 , 640, 92-113	274
325	How Much Mass Do Supermassive Black Holes Eat in Their Old Age?. 2006 , 643, 641-651	74
324	The Co-Formation of Spheroids and Quasars Traced in their Clustering. 2007 , 662, 110-130	85
323	Exploring Supermassive Black Hole Growth with ALMA. 2007 , 663, 924-932	7
322	The Most Massive Black Holes in the Universe: Effects of Mergers in Massive Galaxy Clusters. 2007 , 667, 813-825	28

321	Dynamical Models of Elliptical Galaxies in $z = 0.5$ Clusters. II. Mass-to-Light Ratio Evolution without Fundamental Plane Assumptions. 2007 , 668, 756-771	44
320	Selection Bias in Observing the Cosmological Evolution of the M_{BH} and M_{EL} Relationships. 2007 , 670, 249-260	193
319	A Population of Massive and Evolved Galaxies at $z \sim 5$. 2008 , 676, 781-806	86
318	Tidal Disruption of Stellar Objects by Hard Supermassive Black Hole Binaries. 2008 , 676, 54-69	31
317	The Evolutionary History of Galactic Bulges: Photometric and Spectroscopic Studies of Distant Spheroids in the GOODS Fields. 2008 , 680, 70-91	26
316	The Influence of Initial Mass Segregation on the Runaway Merging of Stars. 2008 , 682, 1195-1204	10
315	Radio and Infrared Selected Optically Invisible Sources in the Boötes NDWFS. 2008 , 688, 885-904	8
314	Galaxy Bulges as Tests of CDM versus MOND in Strong Gravity. 2008 , 686, 1019-1029	6
313	THE CHANDRA DEEP PROTOCLUSTER SURVEY: EVIDENCE FOR AN ENHANCEMENT OF AGN ACTIVITY IN THE SSA22 PROTOCLUSTER AT $z = 3.09$. 2009 , 691, 687-695	75
312	ON THE OCCUPATION FRACTION OF SEED BLACK HOLES IN HIGH-REDSHIFT DARK MATTER HALOS. 2009 , 701, 360-368	30
311	THREE-DIMENSIONAL SIMULATIONS OF TIDALLY DISRUPTED SOLAR-TYPE STARS AND THE OBSERVATIONAL SIGNATURES OF SHOCK BREAKOUT. 2009 , 705, 844-853	79
310	X-RAY POINT SOURCES AND RADIO GALAXIES IN CLUSTERS OF GALAXIES. 2009 , 705, 854-867	28
309	CAN DRY MERGING EXPLAIN THE SIZE EVOLUTION OF EARLY-TYPE GALAXIES?. 2009 , 706, L86-L90	101
308	AN ACTIVE GALACTIC NUCLEUS DRIVEN SHOCK IN THE INTRACLUSTER MEDIUM AROUND THE RADIO GALAXY 3C 310. 2012 , 749, 19	20
307	DISK ASSEMBLY AND THE M_{BH} - σ RELATION OF SUPERMASSIVE BLACK HOLES. 2013 , 765, 23	20
306	Electromagnetic signatures of supermassive black hole binaries resolved by PTAs. 2013 , 30, 224012	18
305	Theoretical investigation for the relation (supermassive black hole mass) \propto (spiral arm pitch angle): a correlation for galaxies with classical bulges. 571, 012118	1
304	X-ray observations of luminous dusty quasars at $z > 2$. 2020 , 495, 2652-2663	10

303	Testing the evolution of correlations between supermassive black holes and their host galaxies using eight strongly lensed quasars. 2020 , 501, 269-280	4
302	WISDOM project âVI. Exploring the relation between supermassive black hole mass and galaxy rotation with molecular gas. 2020 , 500, 1933-1952	9
301	Two-component galaxy models with a central BH âII. The ellipsoidal case. 2020 , 500, 1054-1070	1
300	The rocky road to quiescence: compaction and quenching of quasar host galaxies at $z \sim 2$. 2020 , 500, 3667-3688	11
299	Revealing the relation between black hole growth and host-galaxy compactness among star-forming galaxies. 2020 , 500, 4989-5008	8
298	Spatially offset black holes in the Horizon-AGN simulation and comparison to observations. 2020 , 500, 4639-4657	7
297	An active galactic nucleus recognition model based on deep neural network. 2021 , 501, 3951-3961	7
296	Correlations between supermassive black holes and hot gas atmospheres in IllustrisTNG and X-ray observations. 2021 , 501, 2210-2230	8
295	Cosmological reionization. 2000 , 358, 2021-2033	12
294	From bright binaries to bumpy backgrounds: Mapping realistic gravitational wave skies with pulsar-timing arrays. 2020 , 102,	15
293	AEDGE: Atomic Experiment for Dark Matter and Gravity Exploration in Space. 2020 , 7,	76
292	Search for black holes. 2003 , 173, 345	31
291	STELLAR AND BLACK HOLE MASS DENSITIES AS EMPIRICAL TRACERS OF CO-EVOLUTION SHOW LOCK-STEP GROWTH SINCE $z \sim 3$. 2016 , 826, 67	3
290	A REVERBERATION-BASED BLACK HOLE MASS FOR MCG-06-30-15. 2016 , 830, 136	30
289	The Ubiquity of AGN Winds in Seyfert 1 Galaxies at Low Redshift. <i>Astronomical Journal</i> , 2020 , 160, 176 4-9	3
288	Recalibration of $[O\ II]\lambda 727$ as a Star Formation Rate Estimator for Active and Inactive Galaxies. 2019 , 882, 89	8
287	On the Role of the Hot Feedback Mode in Active Galactic Nuclei Feedback in an Elliptical Galaxy. 2019 , 885, 16	9
286	The MOSDEF Survey: A Census of AGN-driven Ionized Outflows at $z = 1.4 \pm 0.8$. 2019 , 886, 11	32

285	The Sloan Digital Sky Survey Reverberation Mapping Project: Initial CIV Lag Results from Four Years of Data. 2019 , 887, 38	39
284	A Catalog of AGN Host Galaxies Observed with HST/ACS: Correlations between Star Formation and AGN Activity. 2020 , 888, 78	14
283	Mass Segregation in Eccentric Nuclear Disks: Enhanced Tidal Disruption Event Rates for High-mass Stars. 2020 , 890, 175	8
282	The MBHBM? Project. I. Measurement of the Central Black Hole Mass in Spiral Galaxy NGC 3504 Using Molecular Gas Kinematics. 2020 , 892, 68	14
281	The Evolving AGN Duty Cycle in Galaxies Since $z \sim 3$ as Encoded in the X-Ray Luminosity Function. 2020 , 892, 17	14
280	AGNs Are Not That Cool: Revisiting the Intrinsic AGN Far-infrared Spectral Energy Distribution. 2020 , 894, 21	6
279	From Nuclear to Circumgalactic: Zooming in on AGN-driven Outflows at $z \sim 2.2$ with SINFONI. 2020 , 894, 28	13
278	AGN X-Ray Irradiation of CO Gas in NGC 2110 Revealed by Chandra and ALMA. 2020 , 895, 135	6
277	Correlations between Black Holes and Host Galaxies in the Illustris and IllustrisTNG Simulations. 2020 , 895, 102	15
276	Testing the Fidelity of Simulations of Black Hole-Galaxy Coevolution at $z \sim 1.5$ with Observations. 2020 , 896, 159	3
275	Pairing of Massive Black Holes in Merger Galaxies Driven by Dynamical Friction. 2020 , 896, 113	6
274	Hot Dust-obscured Galaxies with Excess Blue Light. 2020 , 897, 112	5
273	High- z Universe Probed via Lensing by QSOs (HULQ). I. Number Estimates of QSO-Galaxy and QSO-Galaxy Lenses. 2020 , 897, 163	1
272	The Black Hole Mass-Color Relations for Early- and Late-type Galaxies: Red and Blue Sequences. 2020 , 898, 83	8
271	The Sloan Digital Sky Survey Reverberation Mapping Project: Mg II Lag Results from Four Years of Monitoring. 2020 , 901, 55	20
270	The CaFe Project: Optical Fe II and Near-infrared Ca II Triplet Emission in Active Galaxies. I. Photoionization Modeling. 2020 , 902, 76	5
269	Defining the (Black Hole)-Spheroid Connection with the Discovery of Morphology-dependent Substructure in the $M_{BH} \text{ vs } M_{sph}$ and $M_{BH} \text{ vs } M_{sph}$ Diagrams: New Tests for Advanced Theories and Realistic Simulations. 2020 , 903, 97	4
268	A Multiwavelength Analysis of the Faint Radio Sky (COSMOS-XS): the Nature of the Ultra-faint Radio Population. 2020 , 903, 139	12

267	Galaxy and Mass Assembly (GAMA): A WISE Study of the Activity of Emission-line Systems in G23. 2020 , 903, 91	2
266	The Impact of Outflows Driven by Active Galactic Nuclei on Metals in and around Galaxies. 2020 , 904, 8	2
265	The Pairing Probability of Massive Black Holes in Merger Galaxies in the Presence of Radiative Feedback. 2020 , 905, 123	1
264	The Chandra Deep Wide-field Survey: A New Chandra Legacy Survey in the Boötes Field. I. X-Ray Point Source Catalog, Number Counts, and Multiwavelength Counterparts. 2020 , 251, 2	8
263	On the M- σ Relationship and SMBH Mass Estimates of Selected Nearby Galaxies. 2013 , 03, 1-9	1
262	Nuclear Activity in Circumnuclear Ring Galaxies. 2016 , 06, 219-235	2
261	STARBURST AND AGN CONNECTIONS AND MODELS. 2003 , 36, 167-175	60
260	The MBHBM? Project â€œI. Molecular gas kinematics in the lenticular galaxy NGC 3593 reveal a supermassive black hole.	2
259	Broadband Modeling of Low-luminosity Active Galactic Nuclei Detected in Gamma Rays. 2021 , 919, 137	0
258	A Hubble Space Telescope Imaging Survey of Low-redshift Swift-BAT Active Galaxies*. 2021 , 256, 40	2
257	Relativistic scattering of a fast spinning neutron star by a massive black hole.	1
256	A Detailed View of the Broad-line Region in NGC 3783 from Velocity-resolved Reverberation Mapping. 2021 , 920, 112	1
255	A peculiar Type II QSO identified via broad-band detection of extreme nebular line emission.	3
254	Properties of Very Broad Line MgII Radio-Loud and Radio-Quiet Quasars. 2021 , 9, 74	0
253	Gas and Dust in Protogalaxies. 2000 , 405-421	1
252	Supermassive Black Holes and Galaxy Morphology. 2000 , 269-291	1
251	Collisional dynamics around black hole binaries in galactic centres. 2000 , 62-71	
250	Radiation-Hydrodynamical Model for the QSO Formation. 2001 , 307-312	

- 249 Semi-Analytic Galaxy Formation: Understanding the High Redshift Universe. **2001**, 295-306
- 248 Near-Infrared Imaging of Steep Spectrum Radio Quasars. **2001**, 95-100
- 247 A Molecular Gas Survey of Z 2001, 177-184
- 246 Host Galaxies and Environment of Narrow Line Seyfert 1 Nuclei. **2001**, 273-275
- 245 The Host Galaxies of Luminous Radio-Quiet Quasars. **2001**, 21-26
- 244 Agn Host Galaxies: HST at $Z \sim 0.1$ and Gemini Adaptive Optics at $Z \sim 2$. **2001**, 215-222
- 243 Dark Matter as Determined from Energetic Particles. **2001**, 355-361
- 242 Collisional Dynamics of Black Holes and Star Clusters Using Massively Parallel Computing. **2001**, 57-68
- 241 Host Galaxies of Low Luminosity Quasars at Intermediate Redshift. **2001**, 321-326
- 240 Collisional Dynamics of Black Holes, Star Clusters and Galactic Nuclei. **2002**, 48-67
- 239 MASSIVE BLACK HOLE EVOLUTION IN RADIO-LOUD ACTIVE GALACTIC NUCLEI. **2003**, 36, 177-187
- 238 The Physical Evolution of Mass and Dust in Distant Galaxies. **2004**, 523-534
- 237 Global Dynamics in Self-Consistent Models of Elliptical Galaxies. **2005**, 157-188
- 236 Hardening in a Stellar Time-Evolving Background: Prospects for LISA. **2007**, 101-105
- 235 Radio-Loud AGN Heating in Elliptical Galaxies and Clusters. **2007**, 166-171
- 234 Coevolution and Downsizing of Supermassive Black Holes and Galactic Bulges. **2008**, 283-289
- 233 The Host Galaxy Properties of Powerful Radio Sources Across Cosmic Time. **2010**, 167-173
- 232 THE GALAXY-BLACK HOLE CONNECTION IN THE LOCAL UNIVERSE. **2010**, 25, 77-82

231 Feedback and Environmental Effects in Elliptical Galaxies. **2012**, 55-82

230 The Hot ISM of Elliptical Galaxies: A Brief History. **2012**, 1-19

0

229 Quasars Classes and Their Relationships. **2012**, 217-286

228 References. 269-318

227 Quasars in the Life of Astronomers. **2012**, 11-90

0

226 Active Galactic Nuclei. **2013**, 297-320

225 DUST-OBSCURED RADIO AGNS FROM THE WISE SURVEY. **2012**, 27, 289-290

224 EVOLUTION OF LUMINOUS INFRARED GALAXIES REVEALED BY NEAR-INFRARED MULTI-BAND IMAGING OF THEIR HOSTS. **2012**, 27, 301-303

223 Astrophysical Black Holes: Evidence of a Horizon?. **2013**, 399-436

222 Measuring the Masses of Supermassive Black Holes. **2013**, 253-275

1

221 Active Galactic Nuclei. **2013**, 305-386

220 A Spectroscopic Survey of the Submillimeter Galaxy Population: 85 Redshifts Using Keck/LRIS-B. **1997**, 15-21

219 Structure and Assembly of the Most Massive Galaxies Present at $z \sim 2$. **2015**, 161-221

218 Summary, Implications, and Future Work. **2015**, 223-236

217 A RELATION BETWEEN ACTIVE BLACK HOLES AND STAR FORMATION OF LOCAL ACTIVE GALAXIES. **2015**, 30, 341-343

216 Review. **2016**, 1-26

215 Introduction. **2016**, 1-27

214 The Physics of Galaxy Formation and Evolution. **2016**, 585-695

- 213 No Submillimetre Signature of Star Formation Suppression Among X-Ray Luminous AGN. **2016**, 143-153
- 212 Introduction. **2016**, 1-35
- 211 Introduction. **2016**, 1-47
- 210 Introduction. **2017**, 1-38
- 209 Central accumulation of magnetic flux in massive Seyfert galaxies as a possible engine to trigger ultrahigh energy cosmic rays. **2017**, 96, 1
- 208 The Active Trinity in the Centers of Galaxies. **2018**, 1-27
- 207 Black Holes Across Cosmic History: A Journey Through 13.8 Billion Years. **2019**, 159-212
- 206 Inference with Two Variables: Correlation Testing and Line Fitting. **2019**, 159-181
- 205 The role of LoBALs in quasar evolution. **2019**, 15, 285-289
- 204 Unveiling the physical processes that regulate galaxy evolution with SPICA observations. **2019**, 15, 17-22
- 203 Revisiting the Sołtan Argument Based on a Semianalytical Model for Galaxy and Black Hole Evolution. **2020**, 898, 63
- 202 Ultradense Gas at the Dusty Torus Scale in a Partially Obscured Quasar. **2020**, 900, 47 1
- 201 Infrared-detected AGNs in the local Universe. **2020**, 640, A68 3
- 200 A Wide and Deep Exploration of Radio Galaxies with Subaru HSC (WERGS). IV. Rapidly Growing (Super)Massive Black Holes in Extremely Radio-loud Galaxies. **2021**, 921, 51 1
- 199 The extreme properties of the nearby hyper-Eddington accreting active galactic nucleus in IRAS 04416+1215. 2
- 198 The Black Hole-star Formation Connection Over Cosmic Time. **2021**, 133, 104101 0
- 197 Active galactic nucleus feedback in an elliptical galaxy with the most updated AGN physics: Parameter explorations. **2020**, 501, 398-410 2
- 196 ALMA detects molecular gas in the halo of the powerful radio galaxy TXS 0828+193. **2021**, 501, 5973-5980 1

- 195 Faint Quasars Live in the Same Number Density Environments as Lyman Break Galaxies at $z \sim 4$. **2020**, 905, 125 1
- 194 A Closer Look at Two of the Most Luminous Quasars in the Universe. **2021**, 906, 12 2
- 193 Introduction. **2021**, 1-43
- 192 The quasar main sequence and its potential for cosmology. **2019**, 15, 66-71
- 191 Tracing AGN feedback, from the SMBH horizon up to cluster scales. **2019**, 15, 218-222
- 190 Determine the mass of supermassive black hole in the centre of M31 in different methods. **2020**,
- 189 Consequences of a Generalized Newtonian Gravity with an Exponential Factor. **2020**, 10, 224-234
- 188 The intriguing case of Was 49b. **2020**, 15, 153-157
- 187 OUP accepted manuscript. 1
- 186 Feeding and feedback in nuclei of galaxies. **2020**, 15, 307-311 0
- 185 X-ray Simulations of Polar Gas in Accreting Supermassive Black Holes. 0
- 184 Supermassive black holes in cosmological simulations II: The AGN population and predictions for upcoming X-ray missions. 4
- 183 Finding faint intermediate-mass black holes in the radio band. **2005**, 239-245
- 182 A fundamental plane of black hole activity: Pushing forward the unification scheme. **2005**, 45-53
- 181 Which Properties of Galaxies can Likely Evolve (and be Measured)?. **2005**, 37-50
- 180 Observations of an Evolving Universe. **2005**, 51-111
- 179 Galaxy Formation and Evolution in the Cold Universe. **2004**, 1-104
- 178 The Links Between AGN and Galaxy Formation. 211-228

177	The Universe at High Redshift. 2000 , 1-59	
176	Cosmology with ISO. 1999 , 415-449	
175	Active Galaxies in the UV. 2006 , 123-132	
174	Active Galactic Nuclei. 2007 , 325-342	
173	Dynamics of the Hot Intracluster Medium. 2008 , 31-69	
172	Active galactic nuclei in the early universe. 2007 , 159-175	
171	Integral-Field Studies of the High-Redshift Universe. 2007 , 381-385	
170	Nuclear Activity in Galaxies driven by Binary Supermassive Black Holes. 2007 , 242-246	
169	Toward Conquering the Parameter Space of Gravitational Wave Signals from Black Hole Coalescence. 2008 , 19-32	0
168	Completing the Census of AGN in GOODS-S/HUDF: New Ultradeep Radio Imaging and Predictions for JWST. 2020 , 901, 168	4
167	The impact of disturbed galaxy clusters on the kinematics of active galactic nuclei. 2020 , 499, 3792-3805	
166	Link between radio-loud AGNs and host-galaxy shape. 2020 , 644, A12	1
165	Constraining the host galaxy halos of massive black holes from LISA event rates. 2020 , 2020, 055-055	1
164	Basic considerations for the observability of kinematically offset binary AGN. 2020 , 500, 4065-4077	2
163	The stratified disc wind of MCG-03-58-007. 2020 , 500, 291-300	2
162	Non-isotropic feedback from accreting spinning black holes. 2020 , 500, 4788-4800	0
161	Low-redshift quasars in the SDSS Stripe 82. Associated companion galaxies and signature of star formation. 2020 , 501, 419-439	0
160	Dual AGN Candidates with Double-peaked [O iii] Lines Matching that of Confirmed Dual AGNs. 2020 , 904, 23	2

159	OUP accepted manuscript.	4
158	Dynamical Friction Modeling of Massive Black Holes in Cosmological Simulations and Effects on Merger Rate Predictions.	5
157	Inside-out star formation quenching and the need for a revision of bulge-disk decomposition concepts for spiral galaxies.	0
156	XXL-HSC: An updated catalogue of high-redshift ($z>3.5$) X-ray AGN in the XMM-XXL northern field. Constraints on the bright end of the logN-logS.	0
155	Past, Present, and Future of the Scaling Relations of Galaxies and Active Galactic Nuclei. 2021 , 8,	2
154	Optical Spectroscopy of Dual Quasar Candidates from the Subaru HSC-SSP program. 2021 , 922, 83	1
153	Host galaxy properties of X-ray active galactic nuclei in the local Universe.	0
152	Galaxy Core Formation by Supermassive Black Hole Binaries: The Importance of Realistic Initial Conditions and Galaxy Morphology. 2021 , 922, 40	
151	Why do Black Holes Trace Bulges (& Central Surface Densities), Instead of Galaxies as a Whole?.	3
150	The Type II AGN-host galaxy connection. Insights from the VVDS and VIPERS surveys.	1
149	X-ray spectral features and classification of selected QSOs. 2021 , 25,	0
148	The Growth Rate of Supermassive Black Holes and Its Dependence on the Stellar Mass of Galaxies at the Present Epoch. 2021 , 47, 515-533	0
147	The quenching of galaxies, bulges, and disks since cosmic noon. A machine learning approach for identifying causality in astronomical data.	4
146	Co-evolution of massive black holes and their host galaxies at high redshift: discrepancies from six cosmological simulations and the key role of JWST.	2
145	Consistent Analysis of the AGN LF in X-Ray and MIR in the XMM-LSS Field. 2022 , 924, 133	1
144	A Quasar-based Supermassive Black Hole Binary Population Model: Implications for the Gravitational Wave Background. 2022 , 924, 93	1
143	Black hole-galaxy scaling relations in FIRE: the importance of black hole location and mergers. 2022 , 511, 506-535	4
142	Relativistic X-Ray Reverberation from Super-Eddington Accretion Flow. 2022 , 925, 151	0

141	Toward measuring the spin of obscured supermassive black holes. 2022 , 658, A68	
140	OUP accepted manuscript.	1
139	The Black Hole-Galaxy Connection: Interplay between Feedback, Obscuration, and Host Galaxy Substructure. 2022 , 925, 203	0
138	Detection of a radio-filled X-ray cavity within the interstellar medium of NGC 5141.	
137	A Catalog of 204 Offset and Dual Active Galactic Nuclei (AGNs): Increased AGN Activation in Major Mergers and Separations under 4 kpc. 2021 , 923, 36	2
136	The First Large Absorption Survey in H i (FLASH): I. Science goals and survey design. 2022 , 39,	1
135	Dramatic Changes in the Observed Velocity of the Accretion Disk Wind in MCG-03-58-007 Are Revealed by XMM-Newton and NuSTAR. 2022 , 926, 219	0
134	A Systematic Analysis of Stellar Populations in the Host Galaxies of Changing-look AGNs. 2022 , 926, 184	0
133	Black hole virial masses from single-epoch photometry. The miniJPAS test case.	1
132	Accretion mode versus radio morphology in the LOFAR Deep Fields. 2022 , 511, 3250-3271	0
131	A multiwavelength-motivated X-ray model for the Circinus Galaxy. 2022 , 511, 5768-5781	0
130	Optical and JWST Mid-IR Emission Line Diagnostics for Simultaneous IMBH and Stellar Excitation in $z \sim 0$ Dwarf Galaxies*. 2022 , 927, 165	0
129	The Kiloparsec-scale Neutral Atomic Carbon Outflow in the Nearby Type 2 Seyfert Galaxy NGC 1068: Evidence for Negative AGN Feedback. 2022 , 927, L32	0
128	Gemini NIFS survey of feeding and feedback processes in nearby active galaxies ≤ 1 . Stellar populations. 2022 , 512, 3906-3921	2
127	The Close AGN Reference Survey (CARS). 2022 , 659, A124	3
126	The (Black Hole Mass)-[Spheroid Stellar Density] Relations: $M_{\text{BH}} \propto M_{\text{Sph}}^{\alpha}$ and $M_{\text{BH}} \propto M_{\text{Sph}}^{\beta}$. 2022 , 927, 67	1
125	Rapid Growth of Seed Black Holes during Early Bulge Formation. 2022 , 927, 237	1
124	Galaxy and Mass Assembly (GAMA): The Weak Environmental Dependence of Quasar Activity at $0.1 < z < 0.35$. 2022 , 928, 192	0

123	The impact of black hole feedback on the UV luminosity and stellar mass assembly of high-redshift galaxies. 2022 , 510, 5661-5675	2
122	On the Mass Loading of AGN-driven Outflows in Elliptical Galaxies and Clusters. 2021 , 923, 256	1
121	Toward Determining the Number of Observable Supermassive Black Hole Shadows. 2021 , 923, 260	3
120	Hard X-Ray Irradiation Potentially Drives Negative AGN Feedback by Altering Molecular Gas Properties. 2021 , 257, 64	1
119	The incidence of X-ray selected AGN in nearby galaxies. 2022 , 510, 4556-4572	1
118	Multiphase Outflows in High-redshift Quasar Host Galaxies. 2021 , 923, 59	2
117	The Complete Local-Volume Groups Sample $\hat{\Pi}$ IV. Star formation and gas content in group-dominant galaxies. 2022 , 510, 4191-4207	2
116	Radio Galaxy Zoo: giant radio galaxy classification using multidomain deep learning. 2022 , 510, 4504-4524	2
115	Spectacular 240 kpc double-sided relativistic jets in a spiral-hosted narrow-line Seyfert 1 galaxy.	0
114	Chemical Abundance of $z \sim 6$ Quasar Broad-Line Regions in the XQR-30 Sample.	3
113	The Gravitational Wave Universe Toolbox: A software package to simulate observation of the gravitational wave universe with different detectors.	0
112	VLA detects CO(1 $\hat{0}$) emission in the $z = 3.65$ quasar SDSS J160705+533558. 2022 , 660, A60	
111	On the detectability of massive black hole merger events by Laser Interferometry Space Antenna. 2022 , 512, 6007-6020	0
110	The Curious Case of ASASSN-20hx: A Slowly Evolving, UV- and X-Ray-Luminous, Ambiguous Nuclear Transient. 2022 , 930, 12	4
109	The ESO-VLT MikiS Survey Reloaded: Velocity Dispersion Profile and Rotation Curve of NGC 1904*. 2022 , 929, 186	1
108	First Sagittarius A* Event Horizon Telescope Results. I. The Shadow of the Supermassive Black Hole in the Center of the Milky Way. 2022 , 930, L12	23
107	Orbital alignment and mass segregation in galactic nuclei via vector resonant relaxation.	2
106	Comparison of the star formation of X-ray-selected AGN in eFEDS with star-forming galaxies.	0

105	Properties of IR-selected active galactic nuclei.	0
104	The star-formation rates of QSOs.	0
103	Baryon cycles in the biggest galaxies. 2022 , 973, 1-109	4
102	RESOLVE and ECO: Finding Low-metallicity $z \sim 0$ Dwarf AGN Candidates Using Optimized Emission-line Diagnostics. 2022 , 931, 44	0
101	Polarization and variability of compact sources measured in Planck time-ordered data.	
100	Massive black hole mergers with orbital information: predictions from the ASTRID simulation.	2
99	Selecting and modelling remnant AGNs with limited spectral coverage.	1
98	The importance of black hole repositioning for galaxy formation simulations.	5
97	Electromagnetic counterparts to massive black-hole mergers. 2022 , 25,	1
96	Hard-X-ray-selected Active Galactic Nuclei III. Spectral Energy Distributions in the 5-45 GHz domain.	0
95	Predicting Supermassive Black Hole Mass with Machine Learning Methods.	
94	The Past and Future of Mid-Infrared Studies of AGN. 2022 , 8, 356	1
93	Massive Black Hole Binaries from the TNG50-3 Simulation. I. Coalescence and LISA Detection Rates. 2022 , 933, 104	2
92	Variable Active Galactic Nuclei in the Galaxy Evolution Explorer Time Domain Survey. 2022 , 933, 37	
91	Concordance between Observations and Simulations in the Evolution of the Mass Relation between Supermassive Black Holes and Their Host Galaxies. 2022 , 933, 132	1
90	Galaxies in the central regions of simulated galaxy clusters.	0
89	The Black Hole Mass Function across Cosmic Time. II. Heavy Seeds and (Super)Massive Black Holes. 2022 , 934, 66	
88	The VMC survey XLIX. Discovery of a population of quasars dominated by nuclear dust emission behind the Magellanic Clouds. 2022 , 515, 6046-6065	1

- 87 A Wide and Deep Exploration of Radio Galaxies with Subaru HSC (WERGS). VII. Redshift Evolution of Radio Galaxy Environments at $z = 0.3$. **2022**, 934, 68 0
- 86 The Role of AGN in Luminous Infrared Galaxies from the Multiwavelength Perspective. **2022**, 8, 392 0
- 85 A fresh look at AGN spectral energy distribution fitting with the XMM-SERVS AGN sample. **2022**, 515, 5617-5628
- 84 The SAMI galaxy survey: galaxy size can explain the offset between star-forming and passive galaxies in the mass-metallicity relationship. 2
- 83 Radio Dichotomy in Quasars with $H\beta$ FWHM greater than $15,000 \text{ km s}^{-1}$.
- 82 Classification and Jet Power of Fermi Blazars. **2022**, 935, 4 0
- 81 Active Galactic Nuclei signatures in Red Geyser galaxies from Gemini GMOS-IFU observations. 1
- 80 An AGN with an Ionized Gas Outflow in a Massive Quiescent Galaxy in a Protocluster at $z = 3.09$. **2022**, 935, 89 0
- 79 Galactic Bulge Black Hole Co-evolution, Feeding and Feedback of AGNs. **2022**, 233-279
- 78 The Star-forming Main Sequence of the Host Galaxies of Low-redshift Quasars. **2022**, 934, 130 0
- 77 Photometric variability in star-forming galaxies as evidence for low-mass AGN and a precursor to quenching. **2022**, 515, 5905-5913
- 76 MOCCA-SURVEY Database I: tidal disruption events of white dwarfs in globular clusters and young mass clusters. **2022**, 515, 4038-4054
- 75 XXL-HSC: Link between AGN activity and star formation in the early Universe ($z > 3.5$). 0
- 74 Unravelling the nature of the dual AGN in the galaxy pair system IRAS 05589+2828 and 2MASX J06021107+2828382.
- 73 Collimation of the kiloparsec-scale radio jets in NGC 2663. **2022**, 516, 1865-1880 1
- 72 Cooling Envelope Model for Tidal Disruption Events. **2022**, 937, L12 0
- 71 Reconstructing AGN X-ray spectral parameter distributions with Bayesian methods. II. Population inference. 0
- 70 Hubble Space Telescope Captures UGC 12591: bulge/disc properties, star formation and missing baryons in a very massive and fast-spinning hybrid galaxy. **2022**, 517, 99-117 1

69	Testing the robustness of DYNAMITE triaxial Schwarzschild modelling: The effects of correcting the orbit mirroring.	2
68	WISDOM Project XIII. Feeding molecular gas to the supermassive black hole in the starburst AGN-host galaxy Fairall 49. 2022 , 516, 4066-4083	0
67	Measurement of AGN dust extinction based on the near-infrared flux variability of WISE data. 2022 , 516, 2876-2886	0
66	Reconstructing AGN X-ray spectral parameter distributions with Bayesian methods. I. Spectral analysis.	0
65	Dwarf AGNs from Variability for the Origins of Seeds (DAVOS): Intermediate-mass black hole demographics from optical synoptic surveys.	0
64	Empirical scenaria of galaxy evolution.	0
63	Peculiar Black Hole Accretion Rates in AGN with Highest Star Formation Rates in the Universe. 2022 , 134, 094103	0
62	A panchromatic view of infrared quasars: Excess star formation and radio emission in the most heavily obscured systems.	0
61	Comparison of star formation histories of AGN and non-AGN galaxies.	0
60	Simulations of black hole fueling in isolated and merging galaxies with an explicit, multiphase ISM.	1
59	Adaptive optics and VLBA imaging observations of recoiling supermassive black hole candidates. 2022 , 517, 4081-4091	0
58	Trinity I: Self-consistently modeling the dark matter halo-galaxy-supermassive black hole connection from $z = 0$ to $z = 10$.	1
57	IFU observations of the inner 200 pc of NGC 4546: gas rotation, non-circular motions and ionised outflows.	0
56	Revisiting the Affleck-Dine mechanism for primordial black hole formation. 2022 , 2022, 048	0
55	Quashing a suspected selection bias in galaxy samples having dynamically-measured supermassive black holes.	0
54	Gravitational lensing effects of supermassive black holes in cluster environments.	1
53	A Generative Model for Quasar Spectra. 2022 , 938, 17	0
52	The probability of galaxy-galaxy strong lensing events in hydrodynamical simulations of galaxy clusters.	0

- 51 Anomalies in physical cosmology. **2022**, 447, 169159 ○
- 50 A fast-rising tidal disruption event from a candidate intermediate-mass black hole. ○
- 49 Is the star formation rate in $z \sim 6$ quasars overestimated?. ○
- 48 Chemical evolution of elliptical galaxies I: supernovae and AGN feedback. ○
- 47 Testing the evolutionary pathways of galaxies and their supermassive black holes and the impact of feedback from Active Galactic Nuclei via large multiwavelength datasets. ○
- 46 Broadband X-Ray Spectral Analysis of the Dual AGN System Mrk 739. **2022**, 939, 88 ○
- 45 Opening the Era of Quasar-host Studies at High Redshift with JWST. **2022**, 939, L28 ○
- 44 Appreciating mergers for understanding the non-linear M_{BH}^* , spheroid and M_{BH}^* , galaxy relations, updated herein, and the implications for the (reduced) role of AGN feedback. **2022**, 518, 2177-2200 ○
- 43 The Relation between Globular Cluster Systems and Supermassive Black Holes in Spiral Galaxies. III. The Link to the M_{BH}^* Correlation. **2022**, 941, 53 ○
- 42 Extreme Nature of Four Blue-excess Dust-obscured Galaxies Revealed by Optical Spectroscopy. **2022**, 941, 195 ○
- 41 GOALS-JWST: Tracing AGN Feedback on the Star-forming Interstellar Medium in NGC 7469. **2022**, 941, L36 ○
- 40 The impact of the AGN and the torus properties on the evolution of spiral galaxies. **2022**, 519, 861-870 ○
- 39 Black hole solutions in the quadratic Weyl conformal geometric theory of gravity. **2022**, 82, ○
- 38 Deciphering the extreme X-ray variability of the nuclear transient eRASSt J045650.3-203750. A likely repeating partial tidal disruption event. ○
- 37 High-sensitivity VLBI observations of water masers in the Seyfert galaxy NGC 1068. ○
- 36 The Correlation Between Black Hole Accretion and Star Formation Rate Based on IllustrisTNG100-1. **2022**, 2386, 012077 ○
- 35 The galaxy morphology-density relation in the EAGLE simulation. **2022**, 518, 5260-5278 ○
- 34 Jets in radio galaxies and quasars: an observational perspective. **2022**, 43, ○

- 33 Extreme-mass-ratio burst detection with TianQin. **2022**, 106, ○
- 32 Supermassive Black Hole Winds in X-rays: SUBWAYS. I. Ultra-fast outflows in QSOs beyond the local Universe. ○
- 31 SDSS-FIRST-selected interacting galaxies. Optical long-slit spectroscopy study using MODS at the LBT. ○
- 30 Stellar feedback-regulated black hole growth: driving factors from nuclear to halo scales. 1
- 29 Reading the tea leaves in the Mbh-M*, sph and Mbh-Re, sph diagrams: dry and gaseous mergers with remnant angular momentum. ○
- 28 The ngEHT's Role in Measuring Supermassive Black Hole Spins. **2023**, 11, 6 1
- 27 An Elusive Population of Massive Disk Galaxies Hosting Double-lobed Radio-loud Active Galactic Nuclei. **2022**, 941, 95 ○
- 26 NuSTAR Observes Two Bulgeless Galaxies: No Hard X-Ray AGN Detected in NGC 4178 or J0851+3926. **2023**, 943, 109 ○
- 25 Investigating the Narrow-line Region Dynamics in Nearby Active Galaxies. **2023**, 943, 98 ○
- 24 Rapid search for massive black hole binary coalescences using deep learning. **2023**, 841, 137904 ○
- 23 A Preferential Growth Channel for Supermassive Black Holes in Elliptical Galaxies at $z > 2$. **2023**, 943, 133 ○
- 22 Velocity Offset Between Emission and Absorption Lines Might Be an Effective Indicator of a Dual Core System. **2023**, 944, 4 ○
- 21 Enhanced Star Formation Efficiency in the Central Regions of Nearby Quasar Hosts. **2023**, 944, 30 ○
- 20 Jet Feedback in Star-Forming Galaxies. **2023**, 11, 29 ○
- 19 Tracing the Evolution of SMBHs and Stellar Objects in Galaxy Mergers: A Multi-mass Direct N-body Model. **2023**, 944, 109 ○
- 18 Black hole and galaxy co-evolution in radio-loud active galactic nuclei at $z \sim 0.3$. **2023**, 672, A164 ○
- 17 The ESO-VLT MikiS Survey Reloaded: Exploring the Internal Kinematics of NGC 6440*. **2023**, 944, 162 ○
- 16 The AGNIFS survey: spatially resolved observations of hot molecular and ionized outflows in nearby active galaxies. **2023**, 521, 1832-1848 ○

- 15 Comparing the ages of galaxies hosting X-ray-selected AGN in COSMOS. Obscured AGN are associated with older galaxies. ○
- 14 Where intermediate-mass black holes could hide in the Galactic Centre. **2023**, 672, A63 ○
- 13 The co-evolution of supermassive black holes and galaxies in luminous AGN over a wide range of redshift. **2023**, 672, A98 ○
- 12 Study of Central Intensity Ratio of Seyfert Galaxies in Nearby Universe. **2023**, 23, 045008 ○
- 11 Probing the rapid formation of black holes and their Galaxy hosts in QSOs. **2023**, 521, 3058-3076 ○
- 10 The Large Sky Area Multi-Object Fiber Spectroscopic Telescope (LAMOST) Quasar Survey: Quasar Properties from Data Releases 6 to 9. **2023**, 265, 25 ○
- 9 Astrophysics with the Laser Interferometer Space Antenna. **2023**, 26, 1
- 8 ALMA Lensing Cluster Survey: Properties of Millimeter Galaxies Hosting X-Ray-detected Active Galactic Nuclei. **2023**, 945, 121 ○
- 7 The growth of intermediate mass black holes through tidal captures and tidal disruption events. **2023**, 521, 2930-2948 ○
- 6 CEERS Key Paper. II. A First Look at the Resolved Host Properties of AGN at $3 < z < 5$ with JWST. **2023**, 946, L14 ○
- 5 Dynamics of Molecular Gas in the Central Region of the Quasar I Zwicky 1. **2023**, 946, 45 ○
- 4 Off-centre supermassive black holes in bright central galaxies. **2023**, 522, 948-955 ○
- 3 The Post-recombination Era. **2023**, 539-559 ○
- 2 Spectral energy distribution profiles from AGN accretion disc in multi-gap setup. ○
- 1 Overmassive central black holes in the cosmological simulations astrid and Illustris TNG50. **2023**, 522, 4963-4971 ○