Psychological impact of emergency Cesarean section in section, instrumental and normal vaginal delivery

Journal of Psychosomatic Obstetrics and Gynaecology 19, 135-144

DOI: 10.3109/01674829809025691

Citation Report

#	Article	IF	CITATIONS
1	The relationship between stress-coping and vasomotor symptoms in postmenopausal women. Maturitas, 1998, 31, 29-34.	1.0	31
2	What makes new mothers unhappy: psychological distress one year after birth in Italy and France. Social Science and Medicine, 1999, 49, 1651-1661.	1.8	61
3	Elective cesarean section versus vaginal delivery: a paradigm shift in obstetrics?. Der Gynakologe, 2000, 33, 849-856.	1.0	8
4	Psychological aspects of caesarean section. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2001, 15, 109-126.	1.4	106
5	Women's perceptions and experiences of childbirth in United Arab Emirates. Journal of Perinatal Medicine, 2001, 29, 298-307.	0.6	15
6	Traumatic Stress after Childbirth: The Role of Obstetric Variables. Journal of Psychosomatic Obstetrics and Gynaecology, 2002, 23, 31-39.	1.1	141
7	Predicting psychological well-being after emergency caesarean section: A preliminary study. Journal of Reproductive and Infant Psychology, 2002, 20, 25-36.	0.9	27
8	Relations between anxiety disorders and fear of childbirth during late pregnancy. Clinical Psychology and Psychotherapy, 2002, 9, 122-130.	1.4	102
9	Psychosocial outcomes of vaginal and cesarean births in Taiwanese primiparas. Research in Nursing and Health, 2002, 25, 452-458.	0.8	14
10	Fear of childbirth: a neglected dilemma. Acta Obstetricia Et Gynecologica Scandinavica, 2003, 82, 201-208.	1.3	308
11	An evaluation of midwives' counseling of pregnant women in fear of childbirth. Acta Obstetricia Et Gynecologica Scandinavica, 2003, 82, 10-17.	1.3	101
12	Fear of pregnancy and childbirth. Postgraduate Medical Journal, 2003, 79, 505-510.	0.9	129
13	Post-traumatic stress following childbirth: A review of the emerging literature and directions for research and practice. Psychology, Health and Medicine, 2003, 8, 159-168.	1.3	89
14	Maternal postnatal depression: causes and consequences. International Journal of Circumpolar Health, 2003, 62, 308-309.	0.5	7
15	Principal components analysis of the Perceptions of Labour and Delivery Scale and revised scoring criteria. Journal of Reproductive and Infant Psychology, 2004, 22, 157-165.	0.9	13
16	Group Counseling for Mothers After Emergency Cesarean Section: A Randomized Controlled Trial of Intervention. Birth, 2004, 31, 247-253.	1.1	45
17	A Negative Birth Experience: Prevalence and Risk Factors in a National Sample. Birth, 2004, 31, 17-27.	1.1	480
18	Does pain relief during delivery decrease the risk of postnatal depression?. Acta Obstetricia Et Gynecologica Scandinavica, 2004, 83, 257-261.	1.3	83

#	Article	IF	CITATIONS
19	Maternal outcomes at 2 years after planned cesarean section versus planned vaginal birth for breech presentation at term: The international randomized Term Breech Trial. American Journal of Obstetrics and Gynecology, 2004, 191, 917-927.	0.7	374
20	Psychological Issues in Childbirth. Women and Therapy, 2004, 27, 133-150.	0.6	5
21	Posttraumatic stress disorder following preeclampsia and HELLP syndrome. Journal of Psychosomatic Obstetrics and Gynaecology, 2004, 25, 183-187.	1.1	53
22	How do obstetric variables influence the dimensions of the birth experience as assessed by Salmon's item list (SIL-Ger)?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2004, 115, 43-50.	0.5	36
23	Traumatic stress in late pregnancy. Journal of Anxiety Disorders, 2004, 18, 127-142.	1.5	88
24	Patient Choice Cesarean: An Evidence-Based Review. Obstetrical and Gynecological Survey, 2004, 59, 601-616.	0.2	179
25	Post-Traumatic Stress Disorder Due to Childbirth. Nursing Research, 2004, 53, 216-224.	0.8	219
26	The development and process evaluation of an information-based intervention for pregnant women aimed at addressing rates of caesarean section. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 1605-1614.	1.1	7
27	The changing motives of cesarean section: from the ancient world to the twenty-first century. Archives of Gynecology and Obstetrics, 2005, 271, 281-285.	0.8	53
28	Towards a conceptual framework for understanding post-traumatic stress symptoms following childbirth and implications for further research. Journal of Psychosomatic Obstetrics and Gynaecology, 2006, 27, 99-105.	1.1	82
29	Post-traumatic symptoms after childbirth: What should we offer?. Journal of Psychosomatic Obstetrics and Gynaecology, 2006, 27, 107-112.	1.1	45
32	Posttraumatic stress following childbirth: A review. Clinical Psychology Review, 2006, 26, 1-16.	6.0	323
33	Fear of Childbirth and Pregnancy-Related Anxiety in Women Conceiving With Assisted Reproduction. Obstetrics and Gynecology, 2006, 108, 70-76.	1.2	87
34	Cesarean Delivery on Maternal Request. Obstetrics and Gynecology, 2006, 108, 1517-1529.	1.2	125
35	Postnatal depression and postâ€traumatic stress after childbirth: Prevalence, course and coâ€occurrence. Journal of Reproductive and Infant Psychology, 2006, 24, 107-120.	0.9	122
36	Fear of childbirth and obstetrical events as predictors of postnatal symptoms of depression and post-traumatic stress disorder. Journal of Psychosomatic Obstetrics and Gynaecology, 2007, 28, 239-242.	1.1	55
37	Psychosomatic disorders in pregnancy. Current Opinion in Obstetrics and Gynecology, 2007, 19, 126-132.	0.9	18
38	Is preparation for emergency obstetric anaesthesia adequate? A maternal questionnaire survey. International Journal of Obstetric Anesthesia, 2007, 16, 336-340.	0.2	178

#	Article	IF	CITATIONS
39	Maternal adjustment five months after birth: the impact of the subjective experience of childbirth and emotional support from the partner. Journal of Reproductive and Infant Psychology, 2007, 25, 190-202.	0.9	70
40	Psychosocial impact of early-onset hypertensive disorders and related complications in pregnancy. American Journal of Obstetrics and Gynecology, 2007, 197, 158.e1-158.e6.	0.7	30
41	Sense of coherence and symptoms of post-traumatic stress after emergency caesarean section. Acta Obstetricia Et Gynecologica Scandinavica, 2007, 86, 1090-1096.	1.3	44
42	Looking back on birth three years later: Factors associated with a negative appraisal in England and in the Netherlands. Journal of Reproductive and Infant Psychology, 2008, 26, 323-339.	0.9	14
43	Fear of childbirth in obstetrically lowâ€risk nulliparous women in Sweden and Denmark. Journal of Reproductive and Infant Psychology, 2008, 26, 340-350.	0.9	68
45	Women's experiences of labor, surgery and first postnatal week by an emergency cesarean section. Journal of Japan Academy of Midwifery, 2008, 22, 37-48.	0.0	11
46	On becoming a first-time mother after an emergency Caesarean section. Journal of Health Psychology, 2009, 14, 967-981.	1.3	21
47	Postnatal quality of life in women after normal vaginal delivery and caesarean section. BMC Pregnancy and Childbirth, 2009, 9, 4.	0.9	70
48	Brazilian network for the surveillance of maternal potentially life threatening morbidity and maternal near-miss and a multidimensional evaluation of their long term consequences. Reproductive Health, 2009, 6, 15.	1.2	52
49	Fear of childbirth according to parity, gestational age, and obstetric history. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 67-73.	1.1	253
50	Women's fear of childbirth and preference for cesarean section – a crossâ€sectional study at various stages of pregnancy in Sweden. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 807-813.	1.3	269
51	A counselling model for postpartum women after distressing birth experiences. Midwifery, 2009, 25, e21-e30.	1.0	66
52	Rationale for a Long-term Evaluation of the Consequences of Potentially Life-threatening Maternal Conditions and Maternal "Near-miss―Incidents Using a Multidimensional Approach. Journal of Obstetrics and Gynaecology Canada, 2010, 32, 730-738.	0.3	40
53	Genetic evidence of multiple loci in dystocia - difficult labour. BMC Medical Genetics, 2010, 11, 105.	2.1	15
54	Women's experience of an emergency caesarean birth. Journal of Clinical Nursing, 2010, 19, 2824-2831.	1.4	13
55	Midwives' experience of encountering women with posttraumatic stress symptoms after childbirth. Sexual and Reproductive Healthcare, 2010, 1, 55-60.	0.5	13
56	Experience of support among mothers with and without post-traumatic stress symptoms following emergency caesarean section. Sexual and Reproductive Healthcare, 2010, 1, 175-180.	0.5	21
57	Exploration of a cognitive model to predict post-traumatic stress symptoms following childbirth. Journal of Anxiety Disorders, 2010, 24, 353-359.	1.5	69

#	Article	IF	Citations
58	Posttraumatic stress following childbirth in homelike- and hospital settings. Journal of Psychosomatic Obstetrics and Gynaecology, 2011, 32, 88-97.	1.1	108
59	Symptoms of post-traumatic stress after preeclampsia. Journal of Psychosomatic Obstetrics and Gynaecology, 2011, 32, 126-134.	1.1	34
60	Posttraumatic stress symptoms and postpartum depression in couples after childbirth: The role of partner support and attachment. Journal of Anxiety Disorders, 2011, 25, 520-530.	1.5	118
61	Caesarean section on maternal request: is justification necessary?. The Obstetrician and Gynaecologist, 2011, 13, 263-269.	0.2	16
62	No Longer Pregnant, Not Yet a Mother. Qualitative Health Research, 2012, 22, 595-606.	1.0	49
63	Pregnancy-Related Maternal Risk Factors of Attention-Deficit Hyperactivity Disorder: A Case-Control Study. ISRN Pediatrics, 2012, 2012, 1-5.	1.2	27
64	No relationship between fear of childbirth and pregnancy-/delivery-outcome in a low-risk Dutch pregnancy cohort delivering at home or in hospital. Journal of Psychosomatic Obstetrics and Gynaecology, 2012, 33, 99-105.	1.1	36
65	Maternal experiences and the mother–infant dyad's development: introducing the Interview of Mother's Experiences (I-ME). Journal of Reproductive and Infant Psychology, 2012, 30, 21-50.	0.9	3
66	Between life and death: Women's experiences of coming close to death, and surviving a severe postpartum haemorrhage and emergency hysterectomy. Midwifery, 2012, 28, 228-235.	1.0	53
67	Can angle of progression in pregnant women before onset of labor predict mode of delivery?. Ultrasound in Obstetrics and Gynecology, 2012, 40, 332-337.	0.9	49
68	Prevalence and risk factors of childbirth-related post-traumatic stress symptoms. BMC Pregnancy and Childbirth, 2012, 12, 88.	0.9	139
69	Womenâ $\in$ <sup>TM</sup> s experiences after early versus postponed oxytocin treatment of slow progress in first childbirth â $\in$ " a randomized controlled trial. Sexual and Reproductive Healthcare, 2012, 3, 61-65.	0.5	16
70	The psychological impact of a cancer diagnosed during pregnancy: determinants of longâ€term distress. Psycho-Oncology, 2012, 21, 444-450.	1.0	56
71	Mode of delivery and postpartum emotional distress: a cohort study of 55 814 women. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 298-305.	1.1	63
72	The impact of subjective birth experiences on post-traumatic stress symptoms: a longitudinal study. Archives of Women's Mental Health, 2013, 16, 1-10.	1.2	200
73	Undiagnosed breech: Towards a woman-centred approach. British Journal of Midwifery, 2013, 21, 316-322.	0.1	10
74	Anxiety and anxiety sensitivity as predictors of fear of childbirth: different patterns for nulliparous and parous women. Journal of Psychosomatic Obstetrics and Gynaecology, 2014, 35, 22-28.	1.1	74
75	Impact of clinical factors and personality on the decision to have a second child. Longitudinal cohortâ€study of firstâ€time mothers. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 182-188.	1.3	5

#	ARTICLE	IF	CITATIONS
76	Planned caesarean section or trial of vaginal delivery? A meta-analysis. Current Opinion in Obstetrics and Gynecology, 2014, 26, 461-468.	0.9	9
77	The influence of women's preferences and actual mode of delivery on post-traumatic stress symptoms following childbirth: a population-based, longitudinal study. BMC Pregnancy and Childbirth, 2014, 14, 191.	0.9	74
78	Neuroendocrinology of childbirth and mother–child attachment: The basis of an etiopathogenic model of perinatal neurobiological disorders. Frontiers in Neuroendocrinology, 2014, 35, 459-472.	2.5	64
81	The efficacy of â€~debriefing' after childbirth: Is there a case for targeted intervention?. Journal of Reproductive and Infant Psychology, 2015, 33, 308-320.	0.9	23
82	Health-related quality of life five years after birth of the first child. Sexual and Reproductive Healthcare, 2015, 6, 101-107.	0.5	23
83	Stress and the Commensal Microbiota: Importance in Parturition and Infant Neurodevelopment. Frontiers in Psychiatry, 2015, 6, 5.	1.3	53
84	Post-natal psychopathology and bonding with the infant among first-time mothers undergoing a caesarian section and vaginal delivery: Sense of coherence and social support as moderators. Psychology and Health, 2015, 30, 441-455.	1.2	30
85	The impact of obstetric mode of delivery on childhood behavior. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1557-1567.	1.6	47
86	Childbirth pain and postpartum depression. Trends in Anaesthesia and Critical Care, 2015, 5, 95-100.	0.4	9
87	A cross-sectional study to determine utility of childbirth fear screening in maternity practice – An Australian perspective. Women and Birth, 2015, 28, 310-316.	0.9	28
88	Pelvic pain after childbirth. Pain, 2016, 157, 710-716.	2.0	16
89	A WEB-BASED SURVEY OF MOTHER-INFANT BOND, ATTACHMENT EXPERIENCES, AND METACOGNITION IN POSTTRAUMATIC STRESS FOLLOWING CHILDBIRTH. Infant Mental Health Journal, 2016, 37, 259-273.	0.7	23
90	How does delivery method influence factors that contribute to women's childbirth experiences?. Midwifery, 2016, 43, 21-28.	1.0	61
91	The aetiology of post-traumatic stress following childbirth: a meta-analysis and theoretical framework. Psychological Medicine, 2016, 46, 1121-1134.	2.7	401
92	Internet-provided cognitive behaviour therapy of posttraumatic stress symptoms following childbirth—a randomized controlled trial. Cognitive Behaviour Therapy, 2016, 45, 287-306.	1.9	54
93	International migration as a determinant of emergency caesarean. Women and Birth, 2016, 29, e89-e98.	0.9	16
94	The co-existence of depression, anxiety and post-traumatic stress symptoms in the perinatal period: A systematic review. Midwifery, 2016, 36, 70-79.	1.0	50
95	Transperineal sonographic assessment of angle of progression as a predictor of successful vaginal delivery following induction of labor. Ultrasound in Obstetrics and Gynecology, 2017, 49, 240-245.	0.9	27

#	ARTICLE	IF	Citations
96	Severe fear of childbirth indicates high perinatal costs for Swedish women giving birth to their first child. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 438-446.	1.3	33
97	Women's self-reported experience of unplanned caesarean section: Results of a Swedish study. Midwifery, 2017, 50, 253-258.	1.0	27
98	Perspectives on perinatal stressful and traumatic experiences. European Journal of Trauma and Dissociation, 2017, 1, 111-120.	0.6	5
99	Childhood body mass is positively associated with cesarean birth in Y ucatec M aya subsistence farmers. American Journal of Human Biology, 2017, 29, e22920.	0.8	12
100	Prediction of posttraumatic stress disorder symptomatology after childbirth – A Croatian longitudinal study. Women and Birth, 2017, 30, e17-e23.	0.9	27
101	Inflammation and Microbiota and Gut Reconditioning. , 2017, , 1609-1660.		1
102	The Influence of Acculturation on Traumatic Stress Following Childbirth Among Hispanic Adolescents. Hispanic Health Care International, 2017, 15, 99-106.	0.5	5
103	Just another ordinary bad birth? A narrative analysis of first time mothers' traumatic birth experiences. Health Care for Women International, 2018, 39, 619-643.	0.6	15
104	Client experiences with perinatal healthcare for high-risk and low-risk women. Women and Birth, 2018, 31, e380-e388.	0.9	8
105	Predicting posttraumatic stress and depression symptoms among adolescents in the extended postpartum period. Heliyon, 2018, 4, e00965.	1.4	11
106	Childbirth fear and related factors among pregnant and postpartum women in Malawi. BMC Pregnancy and Childbirth, 2018, 18, 391.	0.9	42
107	A Spatial View of How United States Cesarean Section Rates Changed from 1990 to 2014. Professional Geographer, 2019, 71, 762-769.	1.0	3
108	Novel Hybrid Extraction Systems for Fetal Heart Rate Variability Monitoring Based on Non-Invasive Fetal Electrocardiogram. IEEE Access, 2019, 7, 131758-131784.	2.6	35
109	Delivery mode is associated with maternal mental health following childbirth. Archives of Women's Mental Health, 2019, 22, 817-824.	1.2	84
110	Women's psychosocial outcomes following an emergency caesarean section: A systematic literature review. BMC Pregnancy and Childbirth, 2019, 19, 535.	0.9	34
111	Determinants of cesarean-related complications: high number of repeat cesarean, operation type or placental pathologies?. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 3768-3774.	0.7	4
112	Correlation between Kind of Cesarean Section and Posttraumatic Stress Disorder in Greek Women. International Journal of Environmental Research and Public Health, 2020, 17, 1592.	1.2	27
113	Women's, partners' and healthcare providers' views and experiences of assisted vaginal birth: a systematic mixed methods review. Reproductive Health, 2020, 17, 83.	1.2	13

#	ARTICLE	IF	CITATIONS
114	Factors Associated with Postpartum Post-Traumatic Stress Disorder (PTSD) Following Obstetric Violence: A Cross-Sectional Study. Journal of Personalized Medicine, 2021, 11, 338.	1.1	22
115	Obstetric factors associated with postpartum postâ€traumatic stress disorder after spontaneous vaginal birth. Birth, 2021, 48, 406-415.	1.1	9
116	Labor prior to cesarean delivery associated with higher post-discharge opioid consumption. PLoS ONE, 2021, 16, e0253990.	1.1	4
117	Outcomes of attempted vaginal births after previous recurrent operative vaginal deliveries: An individual cumulative risk analysis. Birth, 2022, 49, 80-86.	1.1	1
118	A Woman Afraid to Deliver: How to Manage Childbirth Anxiety., 2017,, 3-31.		20
120	Prediction of emergency cesarean section by measurable maternal and fetal characteristics. Journal of Investigative Medicine, 2020, 68, 799-806.	0.7	22
121	Post-traumatic stress disorder and childbirth. , 2006, , 170-205.		2
122	Morbiditäund Mortalitä , 1985, , 333-360.		0
123	Caring Experience of Childbirth Primipara Undergone Emergency Cesarean Section: A Systematic Review. Jurnal Keperawatan Maternitas, 2019, 2, 25.	0.1	0
124	Measuring Adolescent Birth Trauma: Development, Adaptation, and Evaluation of the Psychometric Properties for the Childbirth Trauma Index. Journal of Nursing Measurement, 2020, 28, 489-502.	0.2	1
125	Tipo de parto y sensibilidad materna: Efectos en el desarrollo socioemocional de niños y niñas al año de edad. Acta Colombiana De Psicologia, 2020, 23, 241-266.	0.1	2
126	Cesarean effects on adolescentsâ∈™ birth experiences: counterfactual analysis. Trends in Psychiatry and Psychotherapy, 2020, 42, 318-328.	0.4	2
127	Un décès en néonatalogie. , 2020, , 79-84.		0
128	Tipo de parto y sensibilidad materna: Efectos en el desarrollo socioemocional de niños y niñas al año de edad. Acta Colombiana De Psicologia, 2020, 23, 241-266.	0.1	0
129	The Role of Personality Traits and Delivery Experience in Fear of Childbirth: A Prospective Study. Journal of Clinical Psychology in Medical Settings, 2022, 29, 750-759.	0.8	1
130	Anxiety reduction through obstetric consultation combined with ultrasound examination in women after cesarean section. Journal of Affective Disorders Reports, 2022, 8, 100342.	0.9	0
131	Associations among Caesarean Section Birth, Post-Traumatic Stress, and Postpartum Depression Symptoms. International Journal of Environmental Research and Public Health, 2022, 19, 4900.	1.2	18
132	Mode of birth and development of maternal postnatal <scp>postâ€traumatic</scp> stress disorder: A mixedâ€methods systematic review and <scp>metaâ€analysis</scp> . Birth, 2022, 49, 616-627.	1.1	10

## CITATION REPORT

#	ARTICLE	IF	CITATIONS
133	The association of cesarean section with overweight and neurodevelopment of Chinese children aged $1\hat{a}\in$ "5 months. Frontiers in Pediatrics, 0, 10, .	0.9	0
134	The Involvement of Past Traumatic Life Events in the Development of Postpartum PTSD after Cesarean Delivery. Healthcare (Switzerland), 2022, 10, 1761.	1.0	1
135	Cesarean Delivery and Mental Health., 0, , .		0
136	Factors associated with fear of childbirth in a subsequent pregnancy: a nationwide case–control analysis in Finland. BMC Women's Health, 2023, 23, .	0.8	5