

Cardiac Muscle Cell Hypertrophy and Apoptosis Induced by the Mitogen-activated Protein Kinase Family

Journal of Biological Chemistry

273, 2161-2168

DOI: [10.1074/jbc.273.4.2161](https://doi.org/10.1074/jbc.273.4.2161)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The p38 MAP Kinase Pathway and Its Biological Function. Trends in Cardiovascular Medicine, 1998, 8, 220-228. | 2.3 | 142 |
| 2 | Cellular mechanisms of cardiac hypertrophy. Journal of Molecular Medicine, 1998, 76, 725-746. | 1.7 | 362 |
| 3 | Cardiomyocytes and non-muscle cells in cardiac hypertrophy: a molecular perspective. Progress in Pediatric Cardiology, 1998, 9, 183-197. | 0.2 | 2 |
| 4 | Apoptosis. Circulation Research, 1998, 82, 1111-1129. | 2.0 | 746 |
| 5 | Stimulation of the p38 Mitogen-activated Protein Kinase Pathway in Neonatal Rat Ventricular Myocytes by the G Protein-coupled Receptor Agonists, Endothelin-1 and Phenylephrine: A Role in Cardiac Myocyte Hypertrophy?. Journal of Cell Biology, 1998, 142, 523-535. | 2.3 | 299 |
| 6 | Tyrosine Kinase and c-Jun NH ₂ -Terminal Kinase Mediate Hypertrophic Responses to Prostaglandin F ₂ ± in Cultured Neonatal Rat Ventricular Myocytes. Circulation Research, 1998, 83, 167-178. | 2.0 | 62 |
| 7 | Stress-Responsive Mitogen-Activated Protein Kinases (c-Jun N-Terminal Kinases and p38) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 500 | 2.0 | 487 |
| 8 | Mechanical Stretch Induces Hypertrophic Responses in Cardiac Myocytes of Angiotensin II Type 1a Receptor Knockout Mice. Journal of Biological Chemistry, 1998, 273, 24037-24043. | 1.6 | 127 |
| 9 | p38 Mitogen-activated Protein Kinase Mediates the Transcriptional Induction of the Atrial Natriuretic Factor Gene through a Serum Response Element. Journal of Biological Chemistry, 1998, 273, 20636-20643. | 1.6 | 116 |
| 10 | The Low Molecular Weight GTPase Rho Regulates Myofibril Formation and Organization in Neonatal Rat Ventricular Myocytes. Journal of Biological Chemistry, 1998, 273, 7725-7730. | 1.6 | 176 |
| 11 | Cardiac Hypertrophy Induced by Mitogen-activated Protein Kinase Kinase 7, a Specific Activator for c-Jun NH ₂ -terminal Kinase in Ventricular Muscle Cells. Journal of Biological Chemistry, 1998, 273, 5423-5426. | 1.6 | 303 |
| 12 | The Raf-MEK-ERK Cascade Represents a Common Pathway for Alteration of Intracellular Calcium by Ras and Protein Kinase C in Cardiac Myocytes. Journal of Biological Chemistry, 1998, 273, 21730-21735. | 1.6 | 72 |
| 13 | Enhanced G _q signaling: A common pathway mediates cardiac hypertrophy and apoptotic heart failure. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 10140-10145. | 3.3 | 498 |
| 14 | Prostaglandin F ₂ ± (PGF ₂ ±) and the Isoprostane, 8,12-iso-Isoprostane F ₂ ±-III, Induce Cardiomyocyte Hypertrophy. Journal of Biological Chemistry, 1998, 273, 22442-22452. | 1.6 | 115 |
| 15 | Specific Inhibitors of p38 Mitogen-activated Protein Kinase Block 3T3-L1 Adipogenesis. Journal of Biological Chemistry, 1998, 273, 32111-32120. | 1.6 | 325 |
| 16 | A Ras-Dependent Pathway Regulates RNA Polymerase II Phosphorylation in Cardiac Myocytes: Implications for Cardiac Hypertrophy. Molecular and Cellular Biology, 1998, 18, 6729-6736. | 1.1 | 68 |
| 17 | Opposing Effects of Jun Kinase and p38 Mitogen-Activated Protein Kinases on Cardiomyocyte Hypertrophy. Molecular and Cellular Biology, 1998, 18, 3518-3526. | 1.1 | 223 |
| 18 | Stimulation of multiple mitogen-activated protein kinase sub-families by oxidative stress and phosphorylation of the small heat shock protein, HSP25/27, in neonatal ventricular myocytes. Biochemical Journal, 1998, 333, 581-589. | 1.7 | 176 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Role of p38 mitogen-activated protein kinase in HIV type 1 production in vitro. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 7422-7426. | 3.3 | 95 |
| 20 | Calcineurin Enhances Acetylcholinesterase mRNA Stability during C2-C12 Muscle Cell Differentiation. Molecular Pharmacology, 1999, 56, 886-894. | 1.0 | 31 |
| 21 | Cell density and contraction regulate p38 MAP kinase-dependent responses in neonatal rat cardiac myocytes. American Journal of Physiology - Heart and Circulatory Physiology, 1999, 277, H331-H341. | 1.5 | 12 |
| 22 | Regulation of Mitogen-Activated Protein Kinases by Sphingolipid Products in Oligodendrocytes. Journal of Neuroscience, 1999, 19, 7458-7467. | 1.7 | 57 |
| 23 | GF α 13 stimulates gene expression and increases cell size in cultured neonatal rat ventricular myocytes. Cardiovascular Research, 1999, 42, 140-148. | 1.8 | 17 |
| 24 | Mast Cells Cause Apoptosis of Cardiomyocytes and Proliferation of Other Intramyocardial Cells In Vitro. Circulation, 1999, 100, 1443-1449. | 1.6 | 109 |
| 25 | Cell Stress and MKK6b-mediated p38 MAP Kinase Activation Inhibit Tumor Necrosis Factor-induced I κ B Phosphorylation and NF- κ B Activation. Journal of Biological Chemistry, 1999, 274, 22176-22183. | 1.6 | 90 |
| 26 | An Inhibitor of p38 Mitogen-activated Protein Kinase Protects Neonatal Cardiac Myocytes from Ischemia. Journal of Biological Chemistry, 1999, 274, 6272-6279. | 1.6 | 278 |
| 27 | Insulin-like Growth Factor I-mediated Activation of the Transcription Factor cAMP Response Element-binding Protein in PC12 Cells. Journal of Biological Chemistry, 1999, 274, 2829-2837. | 1.6 | 111 |
| 28 | p38 Mitogen-activated Protein Kinase Pathway Promotes Skeletal Muscle Differentiation. Journal of Biological Chemistry, 1999, 274, 5193-5200. | 1.6 | 423 |
| 29 | Prevention of Cardiac Hypertrophy by Calcineurin Inhibition. Circulation Research, 1999, 84, 623-632. | 2.0 | 114 |
| 30 | p38 Mitogen-activated Protein Kinase Activation Is Required for Fibroblast Growth Factor-2-stimulated Cell Proliferation but Not Differentiation. Journal of Biological Chemistry, 1999, 274, 17491-17498. | 1.6 | 131 |
| 31 | Insulin-like Growth Factor-I Induces bcl-2 Promoter through the Transcription Factor cAMP-Response Element-binding Protein. Journal of Biological Chemistry, 1999, 274, 27529-27535. | 1.6 | 179 |
| 32 | Transforming Growth Factor- β 2 Induces Collagenase-3 Expression by Human Gingival Fibroblasts via p38 Mitogen-activated Protein Kinase. Journal of Biological Chemistry, 1999, 274, 37292-37300. | 1.6 | 191 |
| 33 | Extracellular Signal-regulated Protein Kinase Activation Is Required for the Anti-hypertrophic Effect of Atrial Natriuretic Factor in Neonatal Rat Ventricular Myocytes. Journal of Biological Chemistry, 1999, 274, 24858-24864. | 1.6 | 84 |
| 34 | Activation of p38 Mitogen-Activated Protein Kinase by Oxidized LDL in Vascular Smooth Muscle Cells. Circulation Research, 1999, 84, 831-839. | 2.0 | 76 |
| 35 | Angiotensin II Signaling in Vascular Smooth Muscle Cells Under High Glucose Conditions. Hypertension, 1999, 33, 378-384. | 1.3 | 100 |
| 36 | p38 Mitogen-activated Protein Kinase Is Involved in Fas Ligand Expression. Journal of Biological Chemistry, 1999, 274, 25769-25776. | 1.6 | 72 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Apoptosis: a potential target for discovering novel therapies for cardiovascular diseases. <i>Current Opinion in Chemical Biology</i> , 1999, 3, 474-480. | 2.8 | 36 |
| 38 | Roles of Extracellular Signal-regulated Kinase 1/2 and p38 Mitogen-activated Protein Kinase in the Signal Transduction of Basic Fibroblast Growth Factor in Endothelial Cells during Angiogenesis. <i>Japanese Journal of Cancer Research</i> , 1999, 90, 647-654. | 1.7 | 127 |
| 39 | NDF/hereregulin-induced cell cycle changes and apoptosis in breast tumour cells: role of PI3 kinase and p38 MAP kinase pathways. <i>Oncogene</i> , 1999, 18, 3440-3451. | 2.6 | 89 |
| 40 | Antioxidant Action of Carvedilol: A Potential Role in Treatment of Heart Failure. <i>Heart Failure Reviews</i> , 1999, 4, 39-52. | 1.7 | 14 |
| 41 | Mechanisms Involved in the Cardiac Protection Efficacy of Carvedilol. <i>Heart Failure Reviews</i> , 1999, 4, 29-38. | 1.7 | 0 |
| 42 | Changes in Gene Expression during the Transition from Compensated Hypertrophy to Heart Failure. <i>Heart Failure Reviews</i> , 1999, 4, 361-378. | 1.7 | 0 |
| 43 | Endothelin-1 activates p38 mitogen-activated protein kinase via endothelin-A receptor in rat myocardial cells. <i>Molecular and Cellular Biochemistry</i> , 1999, 199, 119-124. | 1.4 | 9 |
| 44 | Defective IL-12 production in mitogen-activated protein (MAP) kinase kinase 3 (Mkk3)-deficient mice. <i>EMBO Journal</i> , 1999, 18, 1845-1857. | 3.5 | 342 |
| 45 | Activation of protein kinase cascades in the heart by hypertrophic G protein-coupled receptor agonists. <i>American Journal of Cardiology</i> , 1999, 83, 64-69. | 0.7 | 105 |
| 46 | Mechanism of adrenomedullin-stimulated hyaluronic acid release in rat mesangial cells. <i>European Journal of Pharmacology</i> , 1999, 370, 313-318. | 1.7 | 10 |
| 47 | SB203580 reverses adrenomedullin's effect on proliferation and apoptosis in cultured mesangial cells. <i>European Journal of Pharmacology</i> , 1999, 371, 75-82. | 1.7 | 20 |
| 48 | MAP kinase pathways. <i>Progress in Biophysics and Molecular Biology</i> , 1999, 71, 479-500. | 1.4 | 749 |
| 49 | Inhibition of Stress-Activated p38 Mitogen-Activated Protein Kinase Induces Low-Density Lipoprotein Receptor Expression. <i>Trends in Cardiovascular Medicine</i> , 1999, 9, 201-205. | 2.3 | 16 |
| 50 | Cocaine and apoptosis in myocardial cells. , 1999, 257, 208-216. | | 41 |
| 51 | Signaling Pathways for Cardiac Hypertrophy and Failure. <i>New England Journal of Medicine</i> , 1999, 341, 1276-1283. | 13.9 | 790 |
| 52 | Signaling in Myocardial Hypertrophy. <i>Circulation Research</i> , 1999, 84, 633-646. | 2.0 | 186 |
| 53 | Ischemia induced activation of heat shock protein 27 kinases and casein kinase 2 in the preconditioned rabbit heart. <i>Biochemistry and Cell Biology</i> , 1999, 77, 559-567. | 0.9 | 40 |
| 54 | Cardiac hypertrophy, sorting out the circuitry. <i>Current Opinion in Genetics and Development</i> , 1999, 9, 267-274. | 1.5 | 87 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Calcineurin inhibitors and cardiac hypertrophy. <i>Lancet</i> , The, 1999, 353, 1290-1292. | 6.3 | 24 |
| 56 | Loss of a gp130 Cardiac Muscle Cell Survival Pathway Is a Critical Event in the Onset of Heart Failure during Biomechanical Stress. <i>Cell</i> , 1999, 97, 189-198. | 13.5 | 629 |
| 57 | Chronic Phospholamban Sarcoplasmic Reticulum Calcium ATPase Interaction Is the Critical Calcium Cycling Defect in Dilated Cardiomyopathy. <i>Cell</i> , 1999, 99, 313-322. | 13.5 | 482 |
| 58 | Pro-inflammatory Cytokines Stimulate Mitogen-activated Protein Kinase Subfamilies, Increase Phosphorylation of c-Jun and ATF2 and Upregulate c-Jun Protein in Neonatal Rat Ventricular Myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 1999, 31, 2087-2099. | 0.9 | 71 |
| 59 | Cardiac Fatty Acid Metabolism and the Induction of Apoptosis. <i>American Journal of the Medical Sciences</i> , 1999, 318, 15-21. | 0.4 | 20 |
| 60 | Transmembrane signalling mechanisms regulating expression of cationic amino acid transporters and inducible nitric oxide synthase in rat vascular smooth muscle cells. <i>Biochemical Journal</i> , 1999, 344, 265-272. | 1.7 | 44 |
| 61 | Regulation of the MEF2 Family of Transcription Factors by p38. <i>Molecular and Cellular Biology</i> , 1999, 19, 21-30. | 1.1 | 402 |
| 62 | A Low-Affinity Serum Response Element Allows Other Transcription Factors To Activate Inducible Gene Expression in Cardiac Myocytes. <i>Molecular and Cellular Biology</i> , 1999, 19, 1841-1852. | 1.1 | 27 |
| 63 | Activation of extracellular signal-regulated protein kinase1,2 results in down-regulation of decorin expression in fibroblasts. <i>Biochemical Journal</i> , 2000, 349, 19. | 1.7 | 13 |
| 64 | Sustained activation of p42/p44 mitogen-activated protein kinase during recovery from simulated ischaemia mediates adaptive cytoprotection in cardiomyocytes. <i>Biochemical Journal</i> , 2000, 350, 891-899. | 1.7 | 73 |
| 65 | Advances in the molecular mechanisms of heart failure. <i>Current Opinion in Cardiology</i> , 2000, 15, 128-135. | 0.8 | 25 |
| 66 | Prospects for Gene Therapy for Heart Failure. <i>Circulation Research</i> , 2000, 86, 616-621. | 2.0 | 151 |
| 67 | Metabolic aspects of programmed cell survival and cell death in the heart. <i>Cardiovascular Research</i> , 2000, 45, 538-548. | 1.8 | 108 |
| 68 | Activation of p38 Kinase Links Tau Phosphorylation, Oxidative Stress, and Cell Cycle-Related Events in Alzheimer Disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2000, 59, 880-888. | 0.9 | 328 |
| 69 | Angiotensin II-induced cardiac hypertrophy is associated with associated with different mitogen-activated protein kinase activation in normotensive and hypertensive mice. <i>Journal of Hypertension</i> , 2000, 18, 1307-1317. | 0.3 | 45 |
| 70 | Myosin light chain kinase mediates sarcomere organization during cardiac hypertrophy in vitro. <i>Nature Medicine</i> , 2000, 6, 183-188. | 15.2 | 135 |
| 71 | TAK1 is activated in the myocardium after pressure overload and is sufficient to provoke heart failure in transgenic mice. <i>Nature Medicine</i> , 2000, 6, 556-563. | 15.2 | 324 |
| 72 | Phenylephrine protects neonatal rat cardiomyocytes from hypoxia and serum deprivation-induced apoptosis. <i>Cell Death and Differentiation</i> , 2000, 7, 773-784. | 5.0 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Marathon running transiently increases c-Jun NH2-terminal kinase and p38 ^{̂3} activities in human skeletal muscle. <i>Journal of Physiology</i> , 2000, 526, 663-669. | 1.3 | 93 |
| 74 | Adenovirus technology for gene manipulation and functional studies. <i>Drug Discovery Today</i> , 2000, 5, 10-16. | 3.2 | 46 |
| 75 | The p38 signal transduction pathway Activation and function. <i>Cellular Signalling</i> , 2000, 12, 1-13. | 1.7 | 1,462 |
| 76 | p38 MAP kinases: beyond the stress response. <i>Trends in Biochemical Sciences</i> , 2000, 25, 257-260. | 3.7 | 526 |
| 77 | Regulation of MEF2 by p38 MAPK and Its Implication in Cardiomyocyte Biology. <i>Trends in Cardiovascular Medicine</i> , 2000, 10, 19-22. | 2.3 | 101 |
| 78 | ̂1-Adrenergic receptor regulation: basic science and clinical implications. , 2000, 88, 281-309. | | 211 |
| 79 | Alterations in adrenergic receptor signaling in heart failure. , 2000, 5, 7-16. | | 42 |
| 80 | Cardiac signal transduction. <i>Journal of Nuclear Cardiology</i> , 2000, 7, 63-71. | 1.4 | 3 |
| 81 | Ligand-independent signals from angiotensin II type 2 receptor induce apoptosis. <i>EMBO Journal</i> , 2000, 19, 4026-4035. | 3.5 | 124 |
| 82 | Molecular determinants that mediate selective activation of p38 MAP kinase isoforms. <i>EMBO Journal</i> , 2000, 19, 1301-1311. | 3.5 | 198 |
| 83 | The effects of neurohormonal antagonism on pathologic left ventricular remodeling in heart failure. <i>Current Cardiology Reports</i> , 2000, 2, 90-98. | 1.3 | 3 |
| 84 | The p38 MAPK inhibitor, SB203580, abrogates ischaemic preconditioning in rat heart but timing of administration is critical. <i>Basic Research in Cardiology</i> , 2000, 95, 472-478. | 2.5 | 96 |
| 85 | Inconsistent relation of MAPK activation to infarct size reduction by ischemic preconditioning in pigs. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H1111-H1119. | 1.5 | 66 |
| 86 | MAP kinase pathways activated by stress: The p38 MAPK pathway. <i>Critical Care Medicine</i> , 2000, 28, N67-N77. | 0.4 | 293 |
| 87 | Adenosine induces endothelial apoptosis by activating protein tyrosine phosphatase: a possible role of p38 ^{̂1} . <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2000, 279, L733-L742. | 1.3 | 28 |
| 88 | Nitric oxide modulates mechanical strain-induced activation of p38 MAPK in mesangial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 279, F243-F251. | 1.3 | 18 |
| 89 | Molecular Mechanism of Mechanical Stress-induced Cardiac Hypertrophy.. <i>International Heart Journal</i> , 2000, 41, 117-129. | 0.6 | 24 |
| 90 | The Akt-Glycogen Synthase Kinase 3 ^{̂2} Pathway Regulates Transcription of Atrial Natriuretic Factor Induced by ̂2-Adrenergic Receptor Stimulation in Cardiac Myocytes. <i>Journal of Biological Chemistry</i> , 2000, 275, 14466-14475. | 1.6 | 234 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Î±B-crystallin Gene Induction and Phosphorylation by MKK6-activated p38. Journal of Biological Chemistry, 2000, 275, 23825-23833. | 1.6 | 138 |
| 92 | A Role for Focal Adhesion Kinase in Phenylephrine-induced Hypertrophy of Rat Ventricular Cardiomyocytes. Journal of Biological Chemistry, 2000, 275, 19250-19257. | 1.6 | 123 |
| 93 | Calcineurin Promotes Protein Kinase C and c-Jun NH2-terminal Kinase Activation in the Heart. Journal of Biological Chemistry, 2000, 275, 13571-13579. | 1.6 | 205 |
| 94 | Activation of Extracellular Signal-regulated Kinase 1/2 Inhibits Type I Collagen Expression by Human Skin Fibroblasts. Journal of Biological Chemistry, 2000, 275, 34634-34639. | 1.6 | 55 |
| 95 | Toward Antiapoptosis as a New Treatment Modality. Circulation Research, 2000, 86, 371-376. | 2.0 | 77 |
| 96 | Role of Mitogen-Activated Protein Kinases in Ischemia and Reperfusion Injury. Circulation Research, 2000, 86, 607-609. | 2.0 | 109 |
| 97 | Integrin Activation and Focal Complex Formation in Cardiac Hypertrophy. Journal of Biological Chemistry, 2000, 275, 35624-35630. | 1.6 | 118 |
| 98 | The effect of angiotensin II on mitogen-activated protein kinase in human cardiomyocytes. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2000, 1, 379-384. | 1.0 | 13 |
| 99 | Calcineurin Expression, Activation, and Function in Cardiac Pressure-Overload Hypertrophy. Circulation, 2000, 101, 2431-2437. | 1.6 | 143 |
| 100 | Apoptosis-related genes expressed in cardiovascular development and disease: an EST approach. Cardiovascular Research, 2000, 45, 621-629. | 1.8 | 17 |
| 101 | p38 Mitogen-Activated Protein Kinase Mediates Tumor Necrosis Factor-Î±-Induced Apoptosis in Rat Fetal Brown Adipocytes*. Endocrinology, 2000, 141, 4383-4395. | 1.4 | 59 |
| 102 | Signalling via stress-activated mitogen-activated protein kinases in the cardiovascular system. Cardiovascular Research, 2000, 45, 826-842. | 1.8 | 90 |
| 103 | Mammalian G-protein function in vivo: New insights through altered gene expression. , 2000, 140, 63-133. | | 19 |
| 104 | Mechanical stress-induced cardiac hypertrophy: mechanisms and signal transduction pathways. Cardiovascular Research, 2000, 47, 23-37. | 1.8 | 429 |
| 105 | Targeted inhibition of calcineurin prevents agonist-induced cardiomyocyte hypertrophy. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 1196-1201. | 3.3 | 282 |
| 106 | Calcineurin and Beyond. Circulation Research, 2000, 87, 731-738. | 2.0 | 217 |
| 107 | Î²2-Adrenergic Receptor-induced p38 MAPK Activation Is Mediated by Protein Kinase A Rather than by Gi or Gî²î³ in Adult Mouse Cardiomyocytes. Journal of Biological Chemistry, 2000, 275, 40635-40640. | 1.6 | 113 |
| 108 | Gene 33/Mig-6, a Transcriptionally Inducible Adapter Protein That Binds GTP-Cdc42 and Activates SAPK/JNK. Journal of Biological Chemistry, 2000, 275, 17838-17847. | 1.6 | 123 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Involvement of p38 Mitogen-Activated Protein Kinase Activation in Bromocriptine-Induced Apoptosis in Rat Pituitary GH3 Cells. <i>Biology of Reproduction</i> , 2000, 62, 1486-1494. | 1.2 | 55 |
| 110 | Calcineurin-Mediated Hypertrophy Protects Cardiomyocytes From Apoptosis In Vitro and In Vivo. <i>Circulation Research</i> , 2000, 86, 255-263. | 2.0 | 203 |
| 111 | Deficiency of the Stress Kinase P38 β Results in Embryonic Lethality. <i>Journal of Experimental Medicine</i> , 2000, 191, 859-870. | 4.2 | 271 |
| 112 | The role of differential activation of p38 α -mitogen-activated protein kinase in preconditioned ventricular myocytes. <i>FASEB Journal</i> , 2000, 14, 2237-2246. | 0.2 | 152 |
| 113 | G β 3-dependent Phosphoinositide 3-Kinase Activation in Hearts with in Vivo Pressure Overload Hypertrophy. <i>Journal of Biological Chemistry</i> , 2000, 275, 4693-4698. | 1.6 | 183 |
| 114 | High-Efficiency, Long-Term Cardiac Expression of Foreign Genes in Living Mouse Embryos and Neonates. <i>Circulation</i> , 2000, 101, 178-184. | 1.6 | 58 |
| 115 | Adrenergic regulation of myocardial apoptosis. <i>Cardiovascular Research</i> , 2000, 45, 713-719. | 1.8 | 128 |
| 116 | Regulation of TNF Expression by Multiple Mitogen-Activated Protein Kinase Pathways. <i>Journal of Immunology</i> , 2000, 164, 6349-6358. | 0.4 | 114 |
| 117 | Apoptosis in cardiac diseases: stress- and mitogen-activated signaling pathways. <i>Cardiovascular Research</i> , 2000, 45, 560-569. | 1.8 | 142 |
| 118 | p38 Mitogen-activated Protein Kinase Pathway Protects Adult Rat Ventricular Myocytes against β -Adrenergic Receptor-stimulated Apoptosis. <i>Journal of Biological Chemistry</i> , 2000, 275, 19395-19400. | 1.6 | 143 |
| 119 | Suppression by Metallothionein of Doxorubicin-induced Cardiomyocyte Apoptosis through Inhibition of p38 Mitogen-activated Protein Kinases. <i>Journal of Biological Chemistry</i> , 2000, 275, 13690-13698. | 1.6 | 190 |
| 120 | Hsp25 and the p38 MAPK Pathway Are Involved in Differentiation of Cardiomyocytes. <i>Developmental Biology</i> , 2000, 218, 146-160. | 0.9 | 103 |
| 121 | Activation of Mitogen-Activated Protein Kinases Is Required for β 1-Adrenergic Agonist-Induced Cell Scattering in Transfected HepG2 Cells. <i>Experimental Cell Research</i> , 2000, 258, 109-120. | 1.2 | 19 |
| 122 | Independent Role of p38 and ERK1/2 Mitogen-Activated Kinases in the Upregulation of Matrix Metalloproteinase-1. <i>Experimental Cell Research</i> , 2000, 258, 135-144. | 1.2 | 87 |
| 123 | Epidermal Growth Factor Induces Hypertrophic Responses and Stat5 Activation in Rat Ventricular Cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2000, 32, 599-610. | 0.9 | 20 |
| 124 | Differential Translocation or Phosphorylation of Alpha B Crystallin Cannot be Detected in Ischemically Preconditioned Rabbit Cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2000, 32, 1301-1314. | 0.9 | 24 |
| 125 | Involvement of a p38 Mitogen-activated Protein Kinase Phosphatase in Protecting Neonatal Rat Cardiac Myocytes from Ischemia. <i>Journal of Molecular and Cellular Cardiology</i> , 2000, 32, 1585-1588. | 0.9 | 49 |
| 126 | Many Pathways to Cardiac Hypertrophy. <i>Journal of Molecular and Cellular Cardiology</i> , 2000, 32, 1381-1384. | 0.9 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | The Stress-responsive MAP Kinase p38 is Activated by Low-flow Ischemia in the in situ Porcine Heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2000, 32, 1787-1794. | 0.9 | 22 |
| 128 | Induction of VEGF Gene Transcription by IL-1 β is Mediated Through Stress-activated MAP Kinases and Sp1 Sites in Cardiac Myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2000, 32, 1955-1967. | 0.9 | 108 |
| 129 | Effects of Active and Negative Mutants of Ras on Rat Arterial Neointima Formation. <i>Journal of Surgical Research</i> , 2000, 94, 124-132. | 0.8 | 27 |
| 130 | p38 MAPK and NF- κ B Collaborate to Induce Interleukin-6 Gene Expression and Release. <i>Journal of Biological Chemistry</i> , 2000, 275, 23814-23824. | 1.6 | 311 |
| 131 | Cyclic GMP-dependent and -independent regulation of MAP kinases by sodium nitroprusside in isolated cardiomyocytes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2000, 1496, 277-284. | 1.9 | 37 |
| 132 | Essential Role of p38 β MAP Kinase in Placental but Not Embryonic Cardiovascular Development. <i>Molecular Cell</i> , 2000, 6, 109-116. | 4.5 | 468 |
| 133 | A Raf-induced, MEK-independent signaling pathway regulates atrial natriuretic factor gene expression in cardiac muscle cells. <i>FEBS Letters</i> , 2000, 467, 1-6. | 1.3 | 14 |
| 134 | Carbon Monoxide Generated by Heme Oxygenase 1 Suppresses Endothelial Cell Apoptosis. <i>Journal of Experimental Medicine</i> , 2000, 192, 1015-1026. | 4.2 | 910 |
| 135 | Genetic Dissection of Cardiac Growth Control Pathways. <i>Annual Review of Physiology</i> , 2000, 62, 289-320. | 5.6 | 281 |
| 136 | Molecular and Cellular Stress Pathways In Ischemic Heart Disease: Targets for Regulated Gene Therapy. <i>Cell and Molecular Response To Stress</i> , 2000, 1, 99-112. | 0.4 | 1 |
| 137 | Inhibition of Extracellular Signal-Regulated Kinase Enhances Ischemia/Reoxygenation-Induced Apoptosis in Cultured Cardiac Myocytes and Exaggerates Reperfusion Injury in Isolated Perfused Heart. <i>Circulation Research</i> , 2000, 86, 692-699. | 2.0 | 382 |
| 138 | FROM THE SARCOMERE TO THE NUCLEUS: Role of Genetics and Signaling in Structural Heart Disease. <i>Annual Review of Genomics and Human Genetics</i> , 2000, 1, 179-223. | 2.5 | 67 |
| 139 | Future perspectives and potential implications of cardiac myocyte apoptosis. <i>Cardiovascular Research</i> , 2000, 45, 795-801. | 1.8 | 38 |
| 140 | Cytoplasmic Signaling Pathways That Regulate Cardiac Hypertrophy. <i>Annual Review of Physiology</i> , 2001, 63, 391-426. | 5.6 | 616 |
| 141 | MAP Kinases. <i>Chemical Reviews</i> , 2001, 101, 2449-2476. | 23.0 | 812 |
| 142 | Alterations of Load-Induced p38 MAP Kinase Activation in Failing Rat Hearts. <i>Biochemical and Biophysical Research Communications</i> , 2001, 285, 503-507. | 1.0 | 7 |
| 143 | Role of G Proteins and Modulation of p38 MAPK Activation in the Protection by Nitric Oxide against Ischemia-Induced Reoxygenation Injury. <i>Biochemical and Biophysical Research Communications</i> , 2001, 286, 995-1002. | 1.0 | 27 |
| 144 | Reactive Oxygen Species in Mechanical Stress-Induced Cardiac Hypertrophy. <i>Biochemical and Biophysical Research Communications</i> , 2001, 289, 901-907. | 1.0 | 118 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Pericardial Fluid from Patients with Ischemic Heart Disease Induces Myocardial Cell Apoptosis via an Oxidant Stress-sensitive p38 Mitogen-activated Protein Kinase Pathway. <i>Journal of Molecular and Cellular Cardiology</i> , 2001, 33, 419-430. | 0.9 | 14 |
| 146 | p38 MAPK Activity is Not Increased Early During Sustained Coronary Artery Occlusion in Preconditioned Versus Control Rabbit Heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2001, 33, 681-690. | 0.9 | 33 |
| 147 | Stage-specific Differential Activation of Mitogen-activated Protein Kinases in Hypertrophied and Failing Rat Hearts. <i>Journal of Molecular and Cellular Cardiology</i> , 2001, 33, 733-744. | 0.9 | 42 |
| 148 | Activation of p38 MAPK Induced by a Multi-cycle Ischaemic Preconditioning Protocol is Associated with Attenuated p38 MAPK Activity During Sustained Ischaemia and Reperfusion. <i>Journal of Molecular and Cellular Cardiology</i> , 2001, 33, 769-778. | 0.9 | 92 |
| 149 | Decreased p38 MAPK Activity in End-Stage Failing Human Myocardium: p38 MAPK $\hat{\imath}$ is the Predominant Isoform Expressed in Human Heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2001, 33, 1527-1540. | 0.9 | 84 |
| 150 | Tissue Distribution and Functional Expression of a cDNA Encoding a Novel Mixed Lineage Kinase. <i>Journal of Molecular and Cellular Cardiology</i> , 2001, 33, 1739-1750. | 0.9 | 31 |
| 151 | Src Family Kinase and Adenosine Differentially Regulate Multiple MAP Kinases in Ischemic Myocardium: Modulation of MAP Kinases Activation by Ischemic Preconditioning. <i>Journal of Molecular and Cellular Cardiology</i> , 2001, 33, 1989-2005. | 0.9 | 47 |
| 152 | p38 MAPK Activation Triggers Pharmacologically-induced $\hat{\imath}$ -adrenergic Preconditioning, but Not Ischaemic Preconditioning. <i>Journal of Molecular and Cellular Cardiology</i> , 2001, 33, 2157-2177. | 0.9 | 26 |
| 153 | New and emerging pharmacological strategies in the management of chronic heart failure. <i>Current Opinion in Pharmacology</i> , 2001, 1, 126-133. | 1.7 | 7 |
| 154 | Signal transduction in cardiac hypertrophy " dissecting compensatory versus pathological pathways utilizing a transgenic approach. <i>Current Opinion in Pharmacology</i> , 2001, 1, 134-140. | 1.7 | 36 |
| 155 | Mitogen-Activated Protein (MAP) Kinase Pathways: Regulation and Physiological Functions*. <i>Endocrine Reviews</i> , 2001, 22, 153-183. | 8.9 | 3,352 |
| 156 | Role of p38 mitogen-activated protein kinase in cardiac myocyte secretion of the inflammatory cytokine TNF- $\hat{\imath}$. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001, 280, H1970-H1981. | 1.5 | 54 |
| 157 | Molecular and cellular mechanisms of cardiotoxicity.. <i>Environmental Health Perspectives</i> , 2001, 109, 27-34. | 2.8 | 78 |
| 158 | Time course of the MAPK and PI3-kinase response within 24 h of skeletal muscle overload. <i>Journal of Applied Physiology</i> , 2001, 91, 2079-2087. | 1.2 | 47 |
| 159 | Influence of the Angiotensin II AT1 Receptor Antagonist on Reperfusion Injury in Rat Myocardial Ischemia Model. <i>Sunhwan'gi</i> , 2001, 31, 1150. | 0.3 | 1 |
| 160 | Mammalian Mitogen-Activated Protein Kinase Signal Transduction Pathways Activated by Stress and Inflammation. <i>Physiological Reviews</i> , 2001, 81, 807-869. | 13.1 | 3,019 |
| 161 | Stress-activated protein kinase phosphorylation during cardioprotection in the ischemic myocardium. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001, 281, H1184-H1192. | 1.5 | 84 |
| 162 | p38 MAP kinase negatively regulates cyclin D1 expression in airway smooth muscle cells. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2001, 280, L955-L964. | 1.3 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Menadione mimics the infarct-limiting effect of preconditioning in isolated rat hearts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001, 281, H590-H595. | 1.5 | 36 |
| 165 | Proinflammatory Cytokine Inhibitor Prolongs the Survival of Rats With Heart Failure Induced by Pressure Overload. <i>Japanese Circulation Journal</i> , 2001, 65, 584-585. | 1.0 | 5 |
| 166 | 1 p38 MAP Kinase: Molecular Target for the Inhibition of Pro-inflammatory Cytokines. <i>Progress in Medicinal Chemistry</i> , 2001, 38, 1-60. | 4.1 | 146 |
| 167 | c-Jun N-terminal kinase-interacting protein 1 inhibits gene expression in response to hypertrophic agonists in neonatal rat ventricular myocytes. <i>Biochemical Journal</i> , 2001, 358, 489. | 1.7 | 14 |
| 168 | Heme Oxygenase-1 Protects Pancreatic β Cells from Apoptosis Caused by Various Stimuli. <i>Journal of Investigative Medicine</i> , 2001, 49, 566-571. | 0.7 | 86 |
| 169 | Differential Activation of Mitogen-Activated Protein Kinase Cascades and Apoptosis by Protein Kinase C μ and δ in Neonatal Rat Ventricular Myocytes. <i>Circulation Research</i> , 2001, 89, 882-890. | 2.0 | 151 |
| 170 | Protein kinases and kinase-modulated effectors in the late phase of ischemic preconditioning. <i>Basic Research in Cardiology</i> , 2001, 96, 207-218. | 2.5 | 48 |
| 171 | Cardiac hypertrophy and failure: lessons learned from genetically engineered mice. <i>Acta Physiologica Scandinavica</i> , 2001, 173, 103-111. | 2.3 | 26 |
| 172 | p38 MAPK and MAPK kinase 3/6 mRNA and activities are increased in early diabetic glomeruli. <i>Kidney International</i> , 2001, 60, 543-552. | 2.6 | 92 |
| 173 | p38 β MAP kinase protects rat mesangial cells from TNF- α -induced apoptosis. <i>Journal of Cellular Biochemistry</i> , 2001, 82, 556-565. | 1.2 | 34 |
| 174 | ERK 1,2 and p38 pathways are involved in the proliferative stimuli mediated by urokinase in osteoblastic SaOS-2 cell line. <i>Journal of Cellular Biochemistry</i> , 2001, 83, 92-98. | 1.2 | 52 |
| 175 | Adrenergic regulation of cardiac myocyte apoptosis. <i>Journal of Cellular Physiology</i> , 2001, 189, 257-265. | 2.0 | 203 |
| 176 | Inhibition of p38 mitogen-activated protein kinase provides neuroprotection in cerebral focal ischemia. <i>Medicinal Research Reviews</i> , 2001, 21, 129-145. | 5.0 | 252 |
| 177 | Beta-cell adaptation and decompensation during the progression of diabetes. <i>Diabetes</i> , 2001, 50, S154-S159. | 0.3 | 387 |
| 178 | Growth hormone signalling and apoptosis in neonatal rat cardiomyocytes. <i>Molecular and Cellular Biochemistry</i> , 2001, 223, 35-46. | 1.4 | 44 |
| 179 | Activation of multiple MAPK pathways (ERKs, JNKs, p38-MAPK) by diverse stimuli in the amphibian heart. <i>Molecular and Cellular Biochemistry</i> , 2001, 221, 63-69. | 1.4 | 29 |
| 180 | Molecular Mechanisms of Cardiac Hypertrophy Induced by Toxicants. <i>Cardiovascular Toxicology</i> , 2001, 1, 267-284. | 1.1 | 37 |
| 181 | Activated MEK5 induces serial assembly of sarcomeres and eccentric cardiac hypertrophy. <i>EMBO Journal</i> , 2001, 20, 2757-2767. | 3.5 | 252 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 182 | Regulation of MAP kinases by docking domains. <i>Biology of the Cell</i> , 2001, 93, 5-14. | 0.7 | 115 |
| 183 | Inhibitors of p38 MAP kinase increase the survival of transplanted dopamine neurons. <i>Brain Research</i> , 2001, 891, 185-196. | 1.1 | 38 |
| 184 | Peroxynitrite induces GADD34, 45, and 153 VIA p38 MAPK in human neuroblastoma SH-SY5Y cells. <i>Free Radical Biology and Medicine</i> , 2001, 30, 213-221. | 1.3 | 116 |
| 185 | Gene therapy in heart failure. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2001, 15, 301-312. | 1.7 | 1 |
| 186 | Ras Regulates NFAT3 Activity in Cardiac Myocytes. <i>Journal of Biological Chemistry</i> , 2001, 276, 3524-3530. | 1.6 | 83 |
| 187 | Oxidative Preconditioning and Apoptosis in L-cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 26357-26364. | 1.6 | 77 |
| 188 | MEK7-dependent Activation of p38 MAP Kinase in Keratinocytes. <i>Journal of Biological Chemistry</i> , 2001, 276, 8059-8063. | 1.6 | 51 |
| 189 | Activation of Cardiac c-Jun NH 2 -Terminal Kinases and p38-Mitogen-Activated Protein Kinases With Abrupt Changes in Hemodynamic Load. <i>Hypertension</i> , 2001, 37, 1222-1228. | 1.3 | 56 |
| 190 | p38 Mitogen-activated Protein Kinase Activates Peroxisome Proliferator-activated Receptor δ . <i>Journal of Biological Chemistry</i> , 2001, 276, 44495-44501. | 1.6 | 243 |
| 191 | Antischemic Effects of SB203580 Are Mediated Through the Inhibition of p38 Mitogen-Activated Protein Kinase. <i>Circulation Research</i> , 2001, 89, 750-752. | 2.0 | 64 |
| 192 | p38 MAPK Regulates Group Ila Phospholipase A2 Expression in Interleukin-1 β -stimulated Rat Neonatal Cardiomyocytes. <i>Journal of Biological Chemistry</i> , 2001, 276, 43842-43849. | 1.6 | 18 |
| 193 | Hypoxia-induced Proliferative Response of Vascular Adventitial Fibroblasts Is Dependent on G Protein-mediated Activation of Mitogen-activated Protein Kinases. <i>Journal of Biological Chemistry</i> , 2001, 276, 15631-15640. | 1.6 | 105 |
| 194 | Tissue-specific GATA factors are transcriptional effectors of the small GTPase RhoA. <i>Genes and Development</i> , 2001, 15, 2702-2719. | 2.7 | 206 |
| 195 | The in vivo role of p38 MAP kinases in cardiac remodeling and restrictive cardiomyopathy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 12283-12288. | 3.3 | 309 |
| 196 | Regulation of Cardiomyocyte Mechanotransduction by the Cardiac Cycle. <i>Circulation</i> , 2001, 103, 1459-1464. | 1.6 | 58 |
| 197 | Activation of NF- κ B is required for hypertrophic growth of primary rat neonatal ventricular cardiomyocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 6668-6673. | 3.3 | 299 |
| 198 | p38 MAP Kinase Regulates Vascular Smooth Muscle Cell Collagen Synthesis by Angiotensin II in SHR But Not in WKY. <i>Hypertension</i> , 2001, 37, 574-580. | 1.3 | 81 |
| 199 | Analyzing JNK and p38 mitogen-activated protein kinase activity. <i>Methods in Enzymology</i> , 2001, 332, 319-336. | 0.4 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 200 | Overexpression of 12-Lipoxygenase Causes Cardiac Fibroblast Cell Growth. <i>Circulation Research</i> , 2001, 88, 70-76. | 2.0 | 40 |
| 201 | Early growth retardation induced by excessive exposure to glucocorticoids in utero selectively increases cardiac GLUT1 protein expression and Akt/protein kinase B activity in adulthood. <i>Journal of Endocrinology</i> , 2001, 169, 11-22. | 1.2 | 47 |
| 202 | Obscurin, a giant sarcomeric Rho guanine nucleotide exchange factor protein involved in sarcomere assembly. <i>Journal of Cell Biology</i> , 2001, 154, 123-136. | 2.3 | 256 |
| 203 | Cardiac Overexpression of a G _q Inhibitor Blocks Induction of Extracellular Signal-Regulated Kinase and c-Jun NH ₂ -Terminal Kinase Activity in In Vivo Pressure Overload. <i>Circulation</i> , 2001, 103, 1453-1458. | 1.6 | 130 |
| 204 | Roads to Survival. <i>Circulation Research</i> , 2001, 88, 552-554. | 2.0 | 30 |
| 205 | Integrin β 1 Signaling Is Necessary for Transforming Growth Factor- β 2 Activation of p38MAPK and Epithelial Plasticity. <i>Journal of Biological Chemistry</i> , 2001, 276, 46707-46713. | 1.6 | 354 |
| 206 | The Dual-Specificity Phosphatase MKP-1 Limits the Cardiac Hypertrophic Response In Vitro and In Vivo. <i>Circulation Research</i> , 2001, 88, 88-96. | 2.0 | 149 |
| 207 | Endothelin-1 Induces Serine Phosphorylation of the Adaptor Protein p66Shc and Its Association with 14-3-3 Protein in Glomerular Mesangial Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 26640-26647. | 1.6 | 41 |
| 208 | Nuclear Factor κ B-inducing Kinase and κ B Kinase-1 Signal Skeletal Muscle Cell Differentiation. <i>Journal of Biological Chemistry</i> , 2001, 276, 20228-20233. | 1.6 | 38 |
| 209 | MEK6 Regulates Human Involucrin Gene Expression via a p38 β - and p38 δ -dependent Mechanism. <i>Journal of Biological Chemistry</i> , 2001, 276, 27214-27220. | 1.6 | 45 |
| 210 | Activation of Lectin-Like Oxidized Low-Density Lipoprotein Receptor-1 Induces Apoptosis in Cultured Neonatal Rat Cardiac Myocytes. <i>Circulation</i> , 2001, 104, 2948-2954. | 1.6 | 74 |
| 211 | p38 Mitogen-Activated Protein Kinase-Dependent Activation of Protein Phosphatases 1 and 2A Inhibits MEK1 and MEK2 Activity and Collagenase 1 (MMP-1) Gene Expression. <i>Molecular and Cellular Biology</i> , 2001, 21, 2373-2383. | 1.1 | 183 |
| 212 | Reperfusion-Activated Akt Kinase Prevents Apoptosis in Transgenic Mouse Hearts Overexpressing Insulin-Like Growth Factor-1. <i>Circulation Research</i> , 2001, 88, 609-614. | 2.0 | 144 |
| 213 | Hemodynamic Overload-Induced Activation of Myocardial Mitogen-Activated Protein Kinases In Vivo. <i>Hypertension</i> , 2001, 37, 52-57. | 1.3 | 14 |
| 214 | Calcineurin Enhances MAPK Phosphatase-1 Expression and p38 MAPK Inactivation in Cardiac Myocytes. <i>Journal of Biological Chemistry</i> , 2001, 276, 15913-15919. | 1.6 | 79 |
| 215 | Differential Regulation of Mitogen-Activated Protein Kinases in the Failing Human Heart in Response to Mechanical Unloading. <i>Circulation</i> , 2001, 104, 2273-2276. | 1.6 | 87 |
| 216 | Signal transduction of ischemic preconditioning. <i>Cardiovascular Research</i> , 2001, 52, 181-198. | 1.8 | 280 |
| 217 | Requirement of Nuclear Factor of Activated T-cells in Calcineurin-mediated Cardiomyocyte Hypertrophy. <i>Journal of Biological Chemistry</i> , 2002, 277, 48617-48626. | 1.6 | 114 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 218 | Green Tea Polyphenol Stimulates a Ras, MEK1, MEK3, and p38 Cascade to Increase Activator Protein 1 Factor-dependent Involucrin Gene Expression in Normal Human Keratinocytes. <i>Journal of Biological Chemistry</i> , 2002, 277, 1828-1836. | 1.6 | 127 |
| 219 | Smad3 Mediates Transforming Growth Factor- β -induced Collagenase-3 (Matrix Metalloproteinase-13) Expression in Human Gingival Fibroblasts. <i>Journal of Biological Chemistry</i> , 2002, 277, 46338-46346. | 1.6 | 93 |
| 220 | Osmoregulation of Natriuretic Peptide Receptor Signaling in Inner Medullary Collecting Duct. <i>Journal of Biological Chemistry</i> , 2002, 277, 6037-6043. | 1.6 | 31 |
| 221 | Guanine Nucleotide Exchange Factor-like Factor (Rlf) Induces Gene Expression and Potentiates β -1-Adrenergic Receptor-induced Transcriptional Responses in Neonatal Rat Ventricular Myocytes. <i>Journal of Biological Chemistry</i> , 2002, 277, 15286-15292. | 1.6 | 10 |
| 222 | IL-4 Up-Regulates the Expression of Tissue Inhibitor of Metalloproteinase-2 in Dermal Fibroblasts Via the p38 Mitogen-Activated Protein Kinase-Dependent Pathway. <i>Journal of Immunology</i> , 2002, 168, 1895-1902. | 0.4 | 82 |
| 223 | In the Cellular Garden of Forking Paths: How p38 MAPKs Signal for Downstream Assistance. <i>Biological Chemistry</i> , 2002, 383, 1519-36. | 1.2 | 146 |
| 224 | Activation of p38 MAPK Enhances Collagenase-1 (Matrix Metalloproteinase (MMP)-1) and Stromelysin-1 (MMP-3) Expression by mRNA Stabilization. <i>Journal of Biological Chemistry</i> , 2002, 277, 32360-32368. | 1.6 | 195 |
| 225 | Novel Protein Kinase C Isoforms Regulate Human Keratinocyte Differentiation by Activating a p38 Mitogen-activated Protein Kinase Cascade That Targets CCAAT/Enhancer-binding Protein β . <i>Journal of Biological Chemistry</i> , 2002, 277, 31753-31760. | 1.6 | 85 |
| 226 | p38 MAP kinase is a mediator of ischemic preconditioning in pigs. <i>Cardiovascular Research</i> , 2002, 55, 690-700. | 1.8 | 74 |
| 227 | Activation of NADPH Oxidase During Progression of Cardiac Hypertrophy to Failure. <i>Hypertension</i> , 2002, 40, 477-484. | 1.3 | 471 |
| 228 | Differential Activation of the c-Jun N-Terminal Kinase Pathway in Arsenite-Induced Apoptosis and Sensitization of Chemically Resistant Compared to Susceptible B-Lymphoma Cell Lines. <i>Toxicological Sciences</i> , 2002, 68, 82-92. | 1.4 | 21 |
| 229 | p38 Mitogen-Activated Protein Kinase Mediates a Negative Inotropic Effect in Cardiac Myocytes. <i>Circulation Research</i> , 2002, 90, 190-196. | 2.0 | 164 |
| 230 | A Dominant-negative p38 MAPK Mutant and Novel Selective Inhibitors of p38 MAPK Reduce Insulin-stimulated Glucose Uptake in 3T3-L1 Adipocytes without Affecting GLUT4 Translocation. <i>Journal of Biological Chemistry</i> , 2002, 277, 50386-50395. | 1.6 | 115 |
| 231 | Involvement of Nuclear Factor- κ B and Apoptosis Signal-Regulating Kinase 1 in G-Protein-Coupled Receptor Agonist-Induced Cardiomyocyte Hypertrophy. <i>Circulation</i> , 2002, 105, 509-515. | 1.6 | 353 |
| 232 | Integrins Play a Critical Role in Mechanical Stress-Induced p38 MAPK Activation. <i>Hypertension</i> , 2002, 39, 233-238. | 1.3 | 179 |
| 233 | Induction of apoptosis in vascular smooth muscle cells by mechanical stretch. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 282, H1709-H1716. | 1.5 | 75 |
| 234 | Fibronectin- and protein kinase C-mediated activation of ERK/MAPK are essential for proplateletlike formation. <i>Blood</i> , 2002, 99, 3579-3584. | 0.6 | 54 |
| 235 | Activation of c-Jun N-terminal kinase promotes survival of cardiac myocytes after oxidative stress. <i>Biochemical Journal</i> , 2002, 362, 561. | 1.7 | 105 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 236 | Transcription inhibitor actinomycin-D abolishes the cardioprotective effect of ischemic preconditioning. <i>Cardiovascular Research</i> , 2002, 55, 602-618. | 1.8 | 32 |
| 237 | Activation of the glucose transporter GLUT4 by insulin. <i>Biochemistry and Cell Biology</i> , 2002, 80, 569-578. | 0.9 | 117 |
| 238 | Cardiac Expression and Subcellular Localization of the p38 Mitogen-activated Protein Kinase Member, Stress-activated Protein Kinase-3 (SAPK3). <i>Journal of Molecular and Cellular Cardiology</i> , 2002, 34, 413-426. | 0.9 | 57 |
| 239 | What is the Unique Function of SAPK3/p38 β in Cardiac Myocytes?. <i>Journal of Molecular and Cellular Cardiology</i> , 2002, 34, 597-600. | 0.9 | 8 |
| 240 | Transcriptional Activation of the BNP Gene by Lipopolysaccharide is Mediated Through GATA Elements in Neonatal Rat Cardiac Myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2002, 34, 649-659. | 0.9 | 115 |
| 241 | Phenylephrine Promotes Phosphorylation of Bad in Cardiac Myocytes Through the Extracellular Signal-regulated Kinases 1/2 and Protein Kinase A. <i>Journal of Molecular and Cellular Cardiology</i> , 2002, 34, 749-763. | 0.9 | 50 |
| 242 | Dissociation of Stress-activated Protein Kinase (p38-MAPK and JNKs) Phosphorylation from the Protective Effect of Preconditioning in vivo. <i>Journal of Molecular and Cellular Cardiology</i> , 2002, 34, 1019-1028. | 0.9 | 18 |
| 243 | Differentiation state-selective roles of p38 isoforms in human intestinal epithelial cell anoikis. <i>Gastroenterology</i> , 2002, 123, 1980-1991. | 0.6 | 62 |
| 244 | Reciprocal modulation of mitogen-activated protein kinases and mitogen-activated protein kinase phosphatase 1 and 2 in failing human myocardium. <i>Journal of Cardiac Failure</i> , 2002, 8, 86-92. | 0.7 | 41 |
| 245 | Chapter IX Mapping neuropathology with inducible and constitutive transcription factors. <i>Handbook of Chemical Neuroanatomy</i> , 2002, , 217-251. | 0.3 | 0 |
| 246 | Apoptosis and Heart Failure. <i>American Journal of Cardiovascular Drugs</i> , 2002, 2, 43-57. | 1.0 | 61 |
| 247 | Modulation of Endothelial Cell Apoptosis by Heme Oxygenase-1-Derived Carbon Monoxide. <i>Antioxidants and Redox Signaling</i> , 2002, 4, 321-329. | 2.5 | 123 |
| 248 | Examining signaling specificity to transcription factors. <i>Methods</i> , 2002, 26, 217-225. | 1.9 | 1 |
| 249 | Mitogen-activated protein kinases regulate HO-1 gene transcription after ischemia-reperfusion lung injury. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2002, 283, L815-L829. | 1.3 | 98 |
| 250 | PYK2 expression and phosphorylation increases in pressure overload-induced left ventricular hypertrophy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H695-H706. | 1.5 | 46 |
| 251 | The relative order of mKATP channels, free radicals and p38 MAPK in preconditioning's protective pathway in rat heart. <i>Cardiovascular Research</i> , 2002, 55, 681-689. | 1.8 | 78 |
| 252 | Hypoxia-induced cleavage of caspase-3 and DFF45/ICAD in human failed cardiomyocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H990-H995. | 1.5 | 31 |
| 253 | The effect of aging on p38 signaling pathway activity in the mouse liver and in response to ROS generated by 3-nitropropionic acid. <i>Mechanisms of Ageing and Development</i> , 2002, 123, 1423-1435. | 2.2 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 254 | Mechanical stress-induced apoptosis in the cardiovascular system. <i>Progress in Biophysics and Molecular Biology</i> , 2002, 78, 105-137. | 1.4 | 53 |
| 255 | Involvement of p38 mitogen-activated protein kinase in the induction of interleukin-12 p40 production in mouse macrophages by berberine, a benzodioxoloquinolizine alkaloid. <i>Biochemical Pharmacology</i> , 2002, 63, 1901-1910. | 2.0 | 48 |
| 256 | Reactive Oxygen Species, Mitochondria, and NAD(P)H Oxidases in the Development and Progression of Heart Failure. <i>Congestive Heart Failure</i> , 2002, 8, 132-140. | 2.0 | 349 |
| 257 | Merosin-integrin promotion of skeletal myofiber cell survival: Differentiation state-distinct involvement of p60Fyn tyrosine kinase and p38 β stress-activated MAP kinase. <i>Journal of Cellular Physiology</i> , 2002, 191, 69-81. | 2.0 | 38 |
| 258 | Inhibition of tumor necrosis factor- α -dependent cardiomyocyte apoptosis by metallothionein. <i>Cardiovascular Toxicology</i> , 2002, 2, 209-217. | 1.1 | 19 |
| 259 | Gutless Adenoviral Vectors - Promising Tools for Gene Therapy. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2002, 34, 95-100. | 0.3 | 3 |
| 260 | Phorbol esters inhibit fibroblast growth factor-2-stimulated fibroblast proliferation by a p38 MAP kinase dependent pathway. <i>Oncogene</i> , 2002, 21, 1978-1988. | 2.6 | 14 |
| 261 | Pharmacologically activated migration of aortic endothelial cells is mediated through p38 SAPK. <i>British Journal of Pharmacology</i> , 2002, 136, 597-603. | 2.7 | 19 |
| 262 | Sequential Activation of the MEK-Extracellular Signal-Regulated Kinase and MKK3/6-p38 Mitogen-Activated Protein Kinase Pathways Mediates Oncogenic ras-Induced Premature Senescence. <i>Molecular and Cellular Biology</i> , 2002, 22, 3389-3403. | 1.1 | 346 |
| 263 | Signaling pathways and late-onset gene induction associated with renal mesangial cell hypertrophy. <i>EMBO Journal</i> , 2002, 21, 5427-5436. | 3.5 | 63 |
| 264 | Interaction of Xenobiotics with Myocardial Signal Transduction Pathways. <i>Cardiovascular Toxicology</i> , 2002, 2, 01-24. | 1.1 | 2 |
| 265 | Key Role of P38 Mitogen-Activated Protein Kinase and the Lipoxygenase Pathway in Angiotensin II Actions in H295R Adrenocortical Cells. <i>Endocrine</i> , 2002, 18, 295-302. | 2.2 | 41 |
| 266 | Distinct Roles of p42/p44 ^{ERK} and p38 MAPK in Oxidant-Induced AP-1 Activation and Cardiomyocyte Hypertrophy. <i>Cardiovascular Toxicology</i> , 2003, 3, 119-134. | 1.1 | 26 |
| 267 | Mitogen-activated protein kinases: a new therapeutic target in cardiac pathology. <i>Molecular and Cellular Biochemistry</i> , 2003, 247, 127-138. | 1.4 | 162 |
| 268 | Mechanism of cell death of rat cardiac fibroblasts induced by serum depletion. <i>Molecular and Cellular Biochemistry</i> , 2003, 251, 119-126. | 1.4 | 13 |
| 269 | Bisphosphonate Induced Growth Inhibition of Breast Cancer Cells is Augmented by p38 Inhibition. <i>Breast Cancer Research and Treatment</i> , 2003, 81, 231-241. | 1.1 | 24 |
| 270 | Mechanisms of Apoptosis in the Heart. <i>Journal of Clinical Immunology</i> , 2003, 23, 447-459. | 2.0 | 123 |
| 271 | Activation of p38 MAPK suppresses matrix metalloproteinase-1 gene expression induced by platelet-derived growth factor. <i>Archives of Dermatological Research</i> , 2003, 294, 552-558. | 1.1 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 272 | Overexpression of 12-Lipoxygenase and Cardiac Fibroblast Hypertrophy. <i>Trends in Cardiovascular Medicine</i> , 2003, 13, 129-136. | 2.3 | 34 |
| 273 | p38 MAP kinase activation mediates $\hat{\beta}$ -globin gene induction in erythroid progenitors. <i>Experimental Hematology</i> , 2003, 31, 1089-1096. | 0.2 | 78 |
| 274 | Dynamic expression of p38 $\hat{\beta}$ 2 MAPK in neurons and astrocytes after transient focal ischemia. <i>Brain Research</i> , 2003, 976, 120-124. | 1.1 | 14 |
| 275 | Characterization of apoptosis signal transduction pathways in HL-5 cardiomyocytes exposed to ischemia/reperfusion oxidative stress model. <i>Journal of Cellular Physiology</i> , 2003, 195, 27-37. | 2.0 | 60 |
| 276 | Involvement of S6 kinase and p38 mitogen activated protein kinase pathways in strain-induced alignment and proliferation of bovine aortic smooth muscle cells. <i>Journal of Cellular Physiology</i> , 2003, 195, 202-209. | 2.0 | 41 |
| 277 | Matrix Metalloproteinase-19 Expression in Dermal Wounds and by Fibroblasts in Culture. <i>Journal of Investigative Dermatology</i> , 2003, 121, 997-1004. | 0.3 | 50 |
| 278 | Methylglyoxal induces apoptosis through activation of p38 mitogen-activated protein kinase in rat mesangial cells. <i>Kidney International</i> , 2003, 63, 947-957. | 2.6 | 113 |
| 279 | High glucose activates the p38 MAPK pathway in cultured human peritoneal mesothelial cells. <i>Kidney International</i> , 2003, 63, 958-968. | 2.6 | 35 |
| 280 | GLUT4 activation: thoughts on possible mechanisms. <i>Acta Physiologica Scandinavica</i> , 2003, 178, 287-296. | 2.3 | 78 |
| 281 | Mitogen-activated protein kinases in chronic intestinal inflammation - targeting ancient pathways to treat modern diseases. <i>Alimentary Pharmacology and Therapeutics</i> , 2003, 18, 17-32. | 1.9 | 25 |
| 282 | Stress-responsive JNK mitogen-activated protein kinase mediates aspirin-induced suppression of B16 melanoma cellular proliferation. <i>British Journal of Pharmacology</i> , 2003, 138, 1156-1162. | 2.7 | 32 |
| 283 | Malondialdehyde inhibits cardiac contractile function in ventricular myocytes via a p38 mitogen-activated protein kinase-dependent mechanism. <i>British Journal of Pharmacology</i> , 2003, 139, 1310-1316. | 2.7 | 46 |
| 284 | Kinases as therapeutic targets for heart failure. <i>Nature Reviews Drug Discovery</i> , 2003, 2, 99-113. | 21.5 | 106 |
| 285 | p38 MAP kinases: key signalling molecules as therapeutic targets for inflammatory diseases. <i>Nature Reviews Drug Discovery</i> , 2003, 2, 717-726. | 21.5 | 1,076 |
| 286 | Signaling Through PI3K/Akt Mediates Stretch and PDGF-BB-Dependent DNA Synthesis in Bladder Smooth Muscle Cells. <i>Journal of Urology</i> , 2003, 169, 2388-2393. | 0.2 | 62 |
| 287 | Oxidative Stress-Induced Signal Transduction Pathways in Cardiac Myocytes: Involvement of ROS in Heart Diseases. <i>Antioxidants and Redox Signaling</i> , 2003, 5, 789-794. | 2.5 | 186 |
| 288 | Cardiac Hypertrophy: The Good, the Bad, and the Ugly. <i>Annual Review of Physiology</i> , 2003, 65, 45-79. | 5.6 | 1,287 |
| 289 | Preconditioning the Myocardium: From Cellular Physiology to Clinical Cardiology. <i>Physiological Reviews</i> , 2003, 83, 1113-1151. | 13.1 | 925 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 290 | Redefining the roles of p38 and JNK signaling in cardiac hypertrophy: dichotomy between cultured myocytes and animal models. <i>Journal of Molecular and Cellular Cardiology</i> , 2003, 35, 1385-1394. | 0.9 | 210 |
| 291 | The radical balance between life and death. <i>Journal of Molecular and Cellular Cardiology</i> , 2003, 35, 599-602. | 0.9 | 12 |
| 292 | Disruption of a single copy of the p38 MAP kinase gene leads to cardioprotection against ischemia-reperfusion. <i>Biochemical and Biophysical Research Communications</i> , 2003, 302, 56-60. | 1.0 | 67 |
| 293 | TACE is required for fetal murine cardiac development and modeling. <i>Developmental Biology</i> , 2003, 261, 371-380. | 0.9 | 97 |
| 294 | Ischemia-reperfusion decreases protein tyrosine phosphorylation and p38 mitogen-activated protein kinase phosphorylation in rat lung transplants. <i>Journal of Heart and Lung Transplantation</i> , 2003, 22, 338-346. | 0.3 | 22 |
| 295 | p38 Isoform Mxi2 Binds to Extracellular Signal-Regulated Kinase 1 and 2 Mitogen-Activated Protein Kinase and Regulates Its Nuclear Activity by Sustaining Its Phosphorylation Levels. <i>Molecular and Cellular Biology</i> , 2003, 23, 3079-3090. | 1.1 | 45 |
| 296 | Role of 12-Lipoxygenase in the Stimulation of p38 Mitogen-Activated Protein Kinase and Collagen $\alpha 5(\text{IV})$ in Experimental Diabetic Nephropathy and in Glucose-Stimulated Podocytes. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 3178-3187. | 3.0 | 67 |
| 297 | p38 Isoforms Have Opposite Effects on AP-1-dependent Transcription through Regulation of c-Jun. <i>Journal of Biological Chemistry</i> , 2003, 278, 4831-4839. | 1.6 | 136 |
| 298 | Roles of Cardiac Transcription Factors in Cardiac Hypertrophy. <i>Circulation Research</i> , 2003, 92, 1079-1088. | 2.0 | 335 |
| 299 | Correlation of Mitogen-Activated Protein Kinase Activities with Cell Survival and Apoptosis in Porcine Granulosa Cells. <i>Zoological Science</i> , 2003, 20, 193-201. | 0.3 | 34 |
| 300 | Carbon Monoxide Inhibition of Apoptosis during Ischemia-Reperfusion Lung Injury Is Dependent on the p38 Mitogen-activated Protein Kinase Pathway and Involves Caspase 3. <i>Journal of Biological Chemistry</i> , 2003, 278, 1248-1258. | 1.6 | 251 |
| 301 | Diverse Mechanisms of Myocardial p38 Mitogen-Activated Protein Kinase Activation. <i>Circulation Research</i> , 2003, 93, 254-261. | 2.0 | 126 |
| 302 | Effect of Angiotensin II type 2 Receptor Blockade on Activation of Mitogen-Activated Protein Kinases after Ischemia-Reperfusion in Isolated Working Rat Hearts. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2003, 8, 285-296. | 1.0 | 5 |
| 303 | The Small GTP-binding Protein Rac1 Induces Cardiac Myocyte Hypertrophy through the Activation of Apoptosis Signal-regulating Kinase 1 and Nuclear Factor- κB . <i>Journal of Biological Chemistry</i> , 2003, 278, 20770-20777. | 1.6 | 64 |
| 304 | Interleukin-3 Stimulation of mcl-1 Gene Transcription Involves Activation of the PU.1 Transcription Factor through a p38 Mitogen-Activated Protein Kinase-Dependent Pathway. <i>Molecular and Cellular Biology</i> , 2003, 23, 1896-1909. | 1.1 | 78 |
| 305 | Hypoxia, angiotensin-II, and norepinephrine mediated apoptosis is stimulus specific in canine failed cardiomyocytes: a role for p38 MAPK, Fas-L and cyclin D1. <i>European Journal of Heart Failure</i> , 2003, 5, 121-129. | 2.9 | 42 |
| 306 | Inhibition of p38 MAPK decreases myocardial TNF-alpha expression and improves myocardial function and survival in endotoxemia. <i>Cardiovascular Research</i> , 2003, 59, 893-900. | 1.8 | 90 |
| 307 | The MKK6-p38 MAPK pathway prolongs the cardiac contractile calcium transient, downregulates SERCA2, and activates NF-AT. <i>Cardiovascular Research</i> , 2003, 59, 46-56. | 1.8 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 308 | A Regulatory Role for p38 β MAPK in Keratinocyte Differentiation. <i>Journal of Biological Chemistry</i> , 2003, 278, 34277-34285. | 1.6 | 129 |
| 309 | Mechanisms of Lysophosphatidic Acid-induced DNA Synthesis in Vascular Smooth Muscle Cells. <i>Journal of Cardiovascular Pharmacology</i> , 2003, 41, 381-387. | 0.8 | 30 |
| 310 | Mechanical force regulation of myofibroblast differentiation in cardiac fibroblasts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 285, H1871-H1881. | 1.5 | 222 |
| 311 | Adrenomedullin gene delivery attenuates myocardial infarction and apoptosis after ischemia and reperfusion. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 285, H1506-H1514. | 1.5 | 115 |
| 312 | Mitogen-Activated Protein Kinases-Mediated Signaling in Cardiac Pathology: A Perspective of Novel Therapeutic Targets?. , 2003, , 67-86. | | 1 |
| 313 | Stress kinase phosphorylation is increased in pacing-induced heart failure in rabbits. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 285, H2084-H2090. | 1.5 | 27 |
| 314 | Is treating cardiac hypertrophy salutary or detrimental: the two faces of Janus. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 284, H1043-H1047. | 1.5 | 46 |
| 315 | Load-Induced Transcriptional Activation of c-junin Rat Myocardium. <i>Circulation Research</i> , 2003, 92, 243-251. | 2.0 | 37 |
| 316 | Cellular Functions of Mitogen-activated Protein Kinases and Protein Tyrosine Phosphatases in Ovarian Granulosa Cells. <i>Journal of Reproduction and Development</i> , 2004, 50, 47-55. | 0.5 | 15 |
| 317 | Reactive Oxygen Species as Mediators of Signal Transduction in Ischemic Preconditioning. <i>Antioxidants and Redox Signaling</i> , 2004, 6, 449-469. | 2.5 | 134 |
| 318 | p38 β Mitogen-activated Protein Kinase Sensitizes Cells to Apoptosis Induced by Different Stimuli. <i>Molecular Biology of the Cell</i> , 2004, 15, 922-933. | 0.9 | 213 |
| 319 | Leptin Stimulates Tissue Inhibitor of Metalloproteinase-1 in Human Hepatic Stellate Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 4292-4304. | 1.6 | 153 |
| 320 | p38 β Mitogen-Activated Protein Kinase Plays a Critical Role in Cardiomyocyte Survival but Not in Cardiac Hypertrophic Growth in Response to Pressure Overload. <i>Molecular and Cellular Biology</i> , 2004, 24, 10611-10620. | 1.1 | 212 |
| 321 | Protein kinase activation and myocardial ischemia/reperfusion injury. <i>Cardiovascular Research</i> , 2004, 61, 427-436. | 1.8 | 306 |
| 322 | Role of p38 β Map Kinase in Type I Interferon Signaling. <i>Journal of Biological Chemistry</i> , 2004, 279, 970-979. | 1.6 | 106 |
| 323 | Targeted Inhibition of p38 Mitogen-activated Protein Kinase Antagonizes Cardiac Injury and Cell Death Following Ischemia-Reperfusion in Vivo. <i>Journal of Biological Chemistry</i> , 2004, 279, 15524-15530. | 1.6 | 202 |
| 324 | Glycogen Synthase Kinase-3 β Regulates Growth, Calcium Homeostasis, and Diastolic Function in the Heart. <i>Journal of Biological Chemistry</i> , 2004, 279, 21383-21393. | 1.6 | 115 |
| 325 | Activation of Endothelial Nitric-oxide Synthase by the p38 MAPK in Response to Black Tea Polyphenols. <i>Journal of Biological Chemistry</i> , 2004, 279, 46637-46643. | 1.6 | 123 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 326 | Mechanical Stretch Induces Phosphorylation of p38-MAPK and Apoptosis in Human Saphenous Vein. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 451-456. | 1.1 | 44 |
| 327 | Lack of p38 MAP Kinase Activation in TRAIL-Resistant Cells is Not Related to the Resistance to TRAIL-Mediated Cell Death. <i>Cancer Biology and Therapy</i> , 2004, 3, 296-301. | 1.5 | 16 |
| 328 | p38 ^{Î±} Mitogen-Activated Protein Kinase Inhibition Improves Cardiac Function and Reduces Myocardial Damage in Isoproterenol-Induced Acute Myocardial Injury in Rats. <i>Journal of Cardiovascular Pharmacology</i> , 2004, 44, 486-492. | 0.8 | 37 |
| 329 | Protein phosphatase 2A-mediated cross-talk between p38 MAPK and ERK in apoptosis of cardiac myocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 286, H2204-H2212. | 1.5 | 137 |
| 330 | The Pro-hypertrophic Basic Helix-Loop-Helix Protein p8 Is Degraded by the Ubiquitin/Proteasome System in a Protein Kinase B/Akt- and Glycogen Synthase Kinase-3-dependent Manner, whereas Endothelin Induction of p8 mRNA and Renal Mesangial Cell Hypertrophy Require NFAT4. <i>Journal of Biological Chemistry</i> , 2004, 279, 20950-20958. | 1.6 | 35 |
| 331 | Protein Kinase C δ Regulates Keratinocyte Death and Survival by Regulating Activity and Subcellular Localization of a p38 ^{Î±} -Extracellular Signal-Regulated Kinase 1/2 Complex. <i>Molecular and Cellular Biology</i> , 2004, 24, 8167-8183. | 1.1 | 381 |
| 332 | Osteopontin Modulates Myocardial Hypertrophy in Response to Chronic Pressure Overload in Mice. <i>Hypertension</i> , 2004, 44, 826-831. | 1.3 | 99 |
| 333 | Inhibition of the Na ⁺ /H ⁺ exchanger attenuates the deterioration of ventricular function during pacing-induced heart failure in rabbits. <i>Cardiovascular Research</i> , 2004, 63, 273-282. | 1.8 | 63 |
| 334 | Inhibition of p38 MAPK activity fails to attenuate contractile dysfunction in a mouse model of low-flow ischemia. <i>Cardiovascular Research</i> , 2004, 61, 123-131. | 1.8 | 27 |
| 335 | Differential roles of extracellular signal-regulated kinase 1/2 and p38MAPK in mechanical load-induced procollagen α 1(I) gene expression in cardiac fibroblasts. <i>Cardiovascular Research</i> , 2004, 61, 736-744. | 1.8 | 78 |
| 336 | Protein kinase C and extracellular signal regulated kinase are involved in cardiac hypertrophy of rats with progressive renal injury. <i>European Journal of Clinical Investigation</i> , 2004, 34, 85-93. | 1.7 | 19 |
| 337 | Stress-Activated MAP Kinases in Cardiac Remodeling and Heart Failure New Insights from Transgenic Studies. <i>Trends in Cardiovascular Medicine</i> , 2004, 14, 50-55. | 2.3 | 117 |
| 338 | FR167653 diminishes infarct size in a murine model of myocardial ischemia-reperfusion injury. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2004, 128, 588-594. | 0.4 | 16 |
| 339 | Stress-activated protein kinasesâ€”tumor suppressors or tumor initiators?. <i>Seminars in Cancer Biology</i> , 2004, 14, 271-282. | 4.3 | 92 |
| 340 | Inhibition of Cardiac Myocyte Contraction by 4-Hydroxy-α-2-Nonenal. <i>Cardiovascular Toxicology</i> , 2004, 4, 21-28. | 1.1 | 17 |
| 341 | Effect of angiotensin II type 2 receptor blockade on mitogen activated protein kinases during myocardial ischemia-reperfusion. <i>Molecular and Cellular Biochemistry</i> , 2004, 258, 211-218. | 1.4 | 10 |
| 342 | Nitric oxide and promotion of cardiac myocyte apoptosis. <i>Molecular and Cellular Biochemistry</i> , 2004, 263, 35-53. | 1.4 | 21 |
| 343 | p38 and JNK have distinct regulatory functions on the development of apoptosis during simulated ischaemia and reperfusion in neonatal cardiomyocytes. <i>Basic Research in Cardiology</i> , 2004, 99, 338-50. | 2.5 | 76 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 344 | Calcium signaling via voltage-dependent L-type Ca ²⁺ channels. <i>Signal Transduction</i> , 2004, 4, 195-205. | 0.7 | 3 |
| 345 | Retinoblastoma suppression of matrix metalloproteinase 1, but not interleukin-6, through a p38-dependent pathway in rheumatoid arthritis synovial fibroblasts. <i>Arthritis and Rheumatism</i> , 2004, 50, 78-87. | 6.7 | 20 |
| 346 | Inhibition of phenylephrine-induced cardiac hypertrophy by docosahexaenoic acid. <i>Journal of Cellular Biochemistry</i> , 2004, 92, 1141-1159. | 1.2 | 28 |
| 347 | Human intestinal epithelial crypt cell survival and death: Complex modulations of Bcl-2 homologs by Fak, PI3-K/Akt-1, MEK/Erk, and p38 signaling pathways. <i>Journal of Cellular Physiology</i> , 2004, 198, 209-222. | 2.0 | 56 |
| 348 | Different roles of ERK and p38 MAP kinases during tube formation from endothelial cells cultured in 3-dimensional collagen matrices. <i>Journal of Cellular Physiology</i> , 2004, 200, 360-369. | 2.0 | 56 |
| 349 | ERK and p38 mediate high-glucose-induced hypertrophy and TGF- β 2 expression in renal tubular cells. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F120-F126. | 1.3 | 114 |
| 350 | Mitogen-activated Protein Kinases and Mitogen-activated Protein Kinase Phosphatases Mediate the Inhibitory Effects of All-trans Retinoic Acid on the Hypertrophic Growth of Cardiomyocytes. <i>Journal of Biological Chemistry</i> , 2004, 279, 54905-54917. | 1.6 | 65 |
| 351 | p38 mitogen-activated protein kinase inhibition improves cardiac function and attenuates left ventricular remodeling following myocardial infarction in the rat. <i>Journal of the American College of Cardiology</i> , 2004, 44, 1679-1689. | 1.2 | 157 |
| 352 | The p38 MAP kinase pathway as a therapeutic target in inflammatory disease. <i>Current Opinion in Pharmacology</i> , 2004, 4, 372-377. | 1.7 | 382 |
| 353 | Calcium-calcineurin signaling in the regulation of cardiac hypertrophy. <i>Biochemical and Biophysical Research Communications</i> , 2004, 322, 1178-1191. | 1.0 | 391 |
| 354 | Anti-oxidants and apoptosis: attenuation of doxorubicin induced cardiomyopathy by carvedilol. <i>Journal of Molecular and Cellular Cardiology</i> , 2004, 37, 817-821. | 0.9 | 14 |
| 355 | Altered Activity of Signaling Pathways in Diaphragm and Tibialis Anterior Muscle of Dystrophic Mice. <i>Experimental Biology and Medicine</i> , 2004, 229, 503-511. | 1.1 | 35 |
| 356 | LEFT VENTRICULAR CONTRACTILE DYSFUNCTION AS A COMPLICATION OF THERMAL INJURY. <i>Shock</i> , 2004, 22, 495-507. | 1.0 | 63 |
| 357 | Glycogen Synthase Kinase-3.BETA. is Involved in the Process of Myocardial Hypertrophy Stimulated by Insulin-Like Growth Factor-1. <i>Circulation Journal</i> , 2004, 68, 247-253. | 0.7 | 21 |
| 358 | p38 MAPK/HSP25 signaling mediates cadmium-induced contraction of mesangial cells and renal glomeruli. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 288, F1133-F1143. | 1.3 | 46 |
| 359 | Mitogen-Activated Protein Kinases (p38 and c-Jun NH ₂ -Terminal Kinase) Are Differentially Regulated During Cardiac Volume and Pressure Overload Hypertrophy. <i>Cell Biochemistry and Biophysics</i> , 2005, 43, 061-076. | 0.9 | 37 |
| 360 | Mechanical stretch induces podocyte hypertrophy in vitro ¹ . <i>Kidney International</i> , 2005, 67, 157-166. | 2.6 | 86 |
| 361 | Activation and signaling of the p38 MAP kinase pathway. <i>Cell Research</i> , 2005, 15, 11-18. | 5.7 | 1,352 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 362 | Increased Phosphorylation and Activation of Mitogen-Activated Protein Kinase p38 in Scleroderma Fibroblasts. <i>Journal of Investigative Dermatology</i> , 2005, 125, 247-255. | 0.3 | 45 |
| 363 | Critical roles of Raf/MEK/ERK and PI3K/AKT signaling and inactivation of p38 MAP kinase in the differentiation and survival of monocyte-derived immature dendritic cells. <i>Experimental Hematology</i> , 2005, 33, 564-572. | 0.2 | 83 |
| 364 | Co-induction of β -crystallin and MAPKAPK-2 in astrocytes in the penumbra after transient focal cerebral ischemia. <i>Experimental Brain Research</i> , 2005, 163, 421-429. | 0.7 | 37 |
| 365 | The temporal relationship between p38 MAPK and HSP27 activation in ischaemic and pharmacological preconditioning. <i>Basic Research in Cardiology</i> , 2005, 100, 35-47. | 2.5 | 48 |
| 366 | Apoptosis in the cardiovascular system: incidence, regulation, and therapeutic options. , 2005, , 156-187. | | 0 |
| 367 | Involvement of mitogen-activated protein kinases in adriamycin-induced cardiomyopathy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 288, H1925-H1930. | 1.5 | 99 |
| 368 | PYK2 regulates SERCA2 gene expression in neonatal rat ventricular myocytes. <i>American Journal of Physiology - Cell Physiology</i> , 2005, 289, C471-C482. | 2.1 | 51 |
| 369 | Differential cardioprotective/cardiotoxic effects mediated by β -adrenergic receptor subtypes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H2441-H2449. | 1.5 | 82 |
| 370 | Cardioprotection induced by cardiac-specific overexpression of fibroblast growth factor-2 is mediated by the MAPK cascade. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H2167-H2175. | 1.5 | 56 |
| 371 | AFos Dissociates Cardiac Myocyte Hypertrophy and Expression of the Pathological Gene Program. <i>Circulation</i> , 2005, 111, 1645-1651. | 1.6 | 37 |
| 372 | p38 MAP-kinase in cultured adult rat ventricular cardiomyocytes: expression and involvement in hypertrophic signalling. <i>European Journal of Heart Failure</i> , 2005, 7, 453-460. | 2.9 | 15 |
| 373 | Role of F-actin organization in p38 MAP kinase-mediated apoptosis and necrosis in neonatal rat cardiomyocytes subjected to simulated ischemia and reoxygenation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H2310-H2318. | 1.5 | 51 |
| 374 | Temporary blockade of contractility during reperfusion elicits a cardioprotective effect of the p38 MAP kinase inhibitor SB-203580. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 288, H2726-H2734. | 1.5 | 21 |
| 375 | GH-releasing peptides improve cardiac dysfunction and cachexia and suppress stress-related hormones and cardiomyocyte apoptosis in rats with heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H1643-H1651. | 1.5 | 66 |
| 376 | p38 MAP Kinase Mediates Inflammatory Cytokine Induction in Cardiomyocytes and Extracellular Matrix Remodeling in Heart. <i>Circulation</i> , 2005, 111, 2494-2502. | 1.6 | 134 |
| 377 | Calcium-activated RAF/MEK/ERK Signaling Pathway Mediates p53-dependent Apoptosis and Is Abrogated by β -Crystallin through Inhibition of RAS Activation. <i>Molecular Biology of the Cell</i> , 2005, 16, 4437-4453. | 0.9 | 173 |
| 378 | Cell signalling in the cardiovascular system: an overview. <i>Heart</i> , 2005, 91, 1366-1374. | 1.2 | 46 |
| 379 | Thyroid Hormone Induces Cardiac Myocyte Hypertrophy in a Thyroid Hormone Receptor β -1-Specific Manner that Requires TAK1 and p38 Mitogen-Activated Protein Kinase. <i>Molecular Endocrinology</i> , 2005, 19, 1618-1628. | 3.7 | 78 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 380 | Intracellular acidosis-activated p38 MAPK signaling and its essential role in cardiomyocyte hypoxic injury. <i>FASEB Journal</i> , 2005, 19, 109-111. | 0.2 | 41 |
| 381 | Heat Shock Protein-70 Mediates the Cytoprotective Effect of Carbon Monoxide: Involvement of p38 ^β MAPK and Heat Shock Factor-1. <i>Journal of Immunology</i> , 2005, 175, 2622-2629. | 0.4 | 135 |
| 382 | Phosphorylation-Dependent Degradation of p300 by Doxorubicin-Activated p38 Mitogen-Activated Protein Kinase in Cardiac Cells. <i>Molecular and Cellular Biology</i> , 2005, 25, 2673-2687. | 1.1 | 108 |
| 383 | Cocaine Induces Apoptosis in Fetal Rat Myocardial Cells through the p38 Mitogen-Activated Protein Kinase and Mitochondrial/Cytochrome c Pathways. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 312, 112-119. | 1.3 | 38 |
| 384 | Exercise Stimulates Pgc-1 ^β Transcription in Skeletal Muscle through Activation of the p38 MAPK Pathway. <i>Journal of Biological Chemistry</i> , 2005, 280, 19587-19593. | 1.6 | 575 |
| 385 | Cardiomyocyte-Specific Knockout and Agonist of Peroxisome Proliferator-Activated Receptor- ^β Both Induce Cardiac Hypertrophy in Mice. <i>Circulation Research</i> , 2005, 97, 372-379. | 2.0 | 238 |
| 386 | Overexpression of Mitogen-activated Protein Kinase Kinase 6 in the Heart Improves Functional Recovery from Ischemia in Vitro and Protects against Myocardial Infarction in Vivo. <i>Journal of Biological Chemistry</i> , 2005, 280, 669-676. | 1.6 | 77 |
| 387 | p38 MAP kinase inhibition enables proliferation of adult mammalian cardiomyocytes. <i>Genes and Development</i> , 2005, 19, 1175-1187. | 2.7 | 516 |
| 388 | MACROPHAGE MIGRATION INHIBITORY FACTOR WITHIN THE ALVEOLAR SPACES INDUCES CHANGES IN THE HEART DURING LATE EXPERIMENTAL SEPSIS. <i>Shock</i> , 2005, 24, 556-563. | 1.0 | 25 |
| 389 | p38 Mitogen-Activated Protein Kinase Activates eNOS in Endothelial Cells by an Estrogen Receptor α -Dependent Pathway in Response to Black Tea Polyphenols. <i>Circulation Research</i> , 2005, 96, 1072-1078. | 2.0 | 81 |
| 390 | Assembly and Signaling of Adhesion Complexes. <i>Current Topics in Developmental Biology</i> , 2005, 68, 183-225. | 1.0 | 45 |
| 391 | Receptor-Signaling Pathways in Heart Failure. , 2005, , 123-143. | | 0 |
| 392 | Preconditioning: Gender Effects1. <i>Journal of Surgical Research</i> , 2005, 129, 202-220. | 0.8 | 22 |
| 393 | Regulation of vertebrate myotome development by the p38 MAP kinase-MEF2 signaling pathway. <i>Developmental Biology</i> , 2005, 283, 171-179. | 0.9 | 87 |
| 394 | MK2 gene knockout mouse hearts carry anti-apoptotic signal and are resistant to ischemia reperfusion injury. <i>Journal of Molecular and Cellular Cardiology</i> , 2005, 38, 93-97. | 0.9 | 44 |
| 395 | STRESS signaling pathways that modulate cardiac myocyte apoptosis. <i>Journal of Molecular and Cellular Cardiology</i> , 2005, 38, 47-62. | 0.9 | 304 |
| 396 | Peroxyntirite activates ERK via Raf-1 and MEK, independently from EGF receptor and p21 in H9C2 cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2005, 38, 765-775. | 0.9 | 63 |
| 397 | The role of p38 in the regulation of Na ⁺ /Ca ²⁺ exchanger expression in adult cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2005, 38, 735-743. | 0.9 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 398 | Antimycin A induced cardioprotection is dependent on pre-ischemic p38-MAPK activation but independent of MKK3. <i>Journal of Molecular and Cellular Cardiology</i> , 2005, 39, 709-717. | 0.9 | 18 |
| 399 | The immunophilin ligand FK506, but not the P38 kinase inhibitor SB203580, improves function of adult rat muscle reinnervated from transplants of embryonic neurons. <i>Neuroscience</i> , 2005, 130, 619-630. | 1.1 | 18 |
| 400 | Inhibition of p38 mitogen-activated protein kinase protects the heart against cardiac remodeling in mice with heart failure resulting from myocardial infarction. <i>Journal of Cardiac Failure</i> , 2005, 11, 74-81. | 0.7 | 57 |
| 401 | The Role of Apoptosis Signal-Regulating Kinase 1 in Cardiomyocyte Apoptosis. <i>Antioxidants and Redox Signaling</i> , 2006, 8, 1729-1736. | 2.5 | 29 |
| 402 | P38 MAP Kinase Activity Is Correlated With Angiotensin II Type 1 Receptor Blocker-Induced Left Ventricular Reverse Remodeling in Spontaneously Hypertensive Heart Failure Rats. <i>Journal of Cardiac Failure</i> , 2006, 12, 479-486. | 0.7 | 15 |
| 403 | Pleiotropic Effects of the Î²-Adrenoceptor Blocker Carvedilol on Calcium Regulation during Oxidative Stress-Induced Apoptosis in Cardiomyocytes. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 318, 45-52. | 1.3 | 41 |
| 404 | c-Jun N-Terminal Kinases Mediate Reactivation of Akt and Cardiomyocyte Survival After Hypoxic Injury In Vitro and In Vivo. <i>Circulation Research</i> , 2006, 98, 111-118. | 2.0 | 127 |
| 405 | MAP-quest: Could we produce constitutively active variants of MAP kinases?. <i>Molecular and Cellular Endocrinology</i> , 2006, 252, 231-240. | 1.6 | 18 |
| 406 | Oxidative stress and DNA damage—DNA repair system in vascular smooth muscle cells in artery and vein grafts. <i>Journal of Cardiothoracic-Renal Research</i> , 2006, 1, 59-72. | 0.1 | 7 |
| 407 | The regulation of rotenone-induced inflammatory factor production by ATP-sensitive potassium channel expressed in BV-2 cells. <i>Neuroscience Letters</i> , 2006, 394, 131-135. | 1.0 | 31 |
| 408 | PARP inhibition prevents postinfarction myocardial remodeling and heart failure via the protein kinase C/glycogen synthase kinase-3Î² pathway†. <i>Journal of Molecular and Cellular Cardiology</i> , 2006, 41, 149-159. | 0.9 | 52 |
| 409 | Pressure overload induces greater hypertrophy and mortality in female mice with p38 MAPK inhibition. <i>Journal of Molecular and Cellular Cardiology</i> , 2006, 41, 680-688. | 0.9 | 15 |
| 410 | Activation of MAPKs in thrombin-stimulated ventricular myocytes is dependent on Ca ²⁺ -independent PLA2. <i>American Journal of Physiology - Cell Physiology</i> , 2006, 290, C1350-C1354. | 2.1 | 12 |
| 411 | Inhibition of overactivated p38 MAPK can restore hematopoiesis in myelodysplastic syndrome progenitors. <i>Blood</i> , 2006, 108, 4170-4177. | 0.6 | 120 |
| 412 | Distinct gene expression profiles in adult mouse heart following targeted MAP kinase activation. <i>Physiological Genomics</i> , 2006, 25, 50-59. | 1.0 | 41 |
| 413 | Signaling Pathways Involved in the Cardioprotective Effects of Cannabinoids. <i>Journal of Pharmacological Sciences</i> , 2006, 102, 155-166. | 1.1 | 29 |
| 414 | Diabetes alters vascular mechanotransduction: pressure-induced regulation of mitogen activated protein kinases in the rat inferior vena cava. <i>Cardiovascular Diabetology</i> , 2006, 5, 18. | 2.7 | 8 |
| 415 | Mitogen activated protein kinase signaling in the kidney: target for intervention?. <i>Signal Transduction</i> , 2006, 6, 32-53. | 0.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 416 | Oxidative Metabolism, Apoptosis and Perinatal Brain Injury. <i>Brain Pathology</i> , 1999, 9, 93-117. | 2.1 | 133 |
| 417 | Role of Mitogen-Activated Protein (MAP) Kinases in Cardiovascular Diseases. <i>Cardiovascular Drug Reviews</i> , 2005, 23, 247-254. | 4.4 | 13 |
| 418 | Role of inositol 1,4,5-trisphosphate receptors in alpha1-adrenergic receptor-induced cardiomyocyte hypertrophy. <i>Acta Pharmacologica Sinica</i> , 2006, 27, 895-900. | 2.8 | 17 |
| 419 | Role of Ca ²⁺ and transmitters of the sympathetic nervous system in transduction of stress signal in cardiomyocytes. <i>Journal of Evolutionary Biochemistry and Physiology</i> , 2006, 42, 117-127. | 0.2 | 0 |
| 420 | Osteoclast differentiation requires TAK1 and MKK6 for NFATc1 induction and NF- κ B transactivation by RANKL. <i>Cell Death and Differentiation</i> , 2006, 13, 1879-1891. | 5.0 | 127 |
| 421 | Isoform-Specific Regulation of the Actin-Organizing Protein Palladin during TGF- β 1-Induced Myofibroblast Differentiation. <i>Journal of Investigative Dermatology</i> , 2006, 126, 2387-2396. | 0.3 | 83 |
| 422 | Effects of various oxidants and antioxidants on the p38-MAPK signalling pathway in the perfused amphibian heart. <i>Molecular and Cellular Biochemistry</i> , 2006, 291, 107-117. | 1.4 | 20 |
| 423 | Inhibition of p38 mitogen-activated protein kinase attenuates left ventricular dysfunction by mediating pro-inflammatory cardiac cytokine levels in a mouse model of diabetes mellitus. <i>Diabetologia</i> , 2006, 49, 2507-2513. | 2.9 | 144 |
| 424 | Oxidative signaling in renal epithelium: Critical role of cytosolic phospholipase A2 and p38SAPK. <i>Free Radical Biology and Medicine</i> , 2006, 41, 213-221. | 1.3 | 22 |
| 425 | Inhibition of phosphorylation of p38 MAPK involved in the protection of nephropathy by emodin in diabetic rats. <i>European Journal of Pharmacology</i> , 2006, 553, 297-303. | 1.7 | 64 |
| 426 | Leptin enhances α 1(I) collagen gene expression in LX-2 human hepatic stellate cells through JAK-mediated H ₂ O ₂ -dependent MAPK pathways. <i>Journal of Cellular Biochemistry</i> , 2006, 97, 188-197. | 1.2 | 67 |
| 427 | Extracellular pH changes activate the p38-MAPK signalling pathway in the amphibian heart. <i>Journal of Experimental Biology</i> , 2006, 209, 1344-1354. | 0.8 | 19 |
| 428 | Myocyte-Restricted Focal Adhesion Kinase Deletion Attenuates Pressure Overload-Induced Hypertrophy. <i>Circulation Research</i> , 2006, 99, 636-645. | 2.0 | 96 |
| 429 | Targeted deletion of Puma attenuates cardiomyocyte death and improves cardiac function during ischemia-reperfusion. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 291, H52-H60. | 1.5 | 125 |
| 430 | Alterations in oxidative phosphorylation complex proteins in the hearts of transgenic mice that overexpress the p38 MAP kinase activator, MAP kinase kinase 6. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 291, H2462-H2472. | 1.5 | 28 |
| 431 | Differential Regulation of Cardiomyocyte Survival and Hypertrophy by MDM2, an E3 Ubiquitin Ligase. <i>Journal of Biological Chemistry</i> , 2006, 281, 3679-3689. | 1.6 | 82 |
| 432 | Opposing effect of p38 MAP kinase and JNK inhibitors on the development of heart failure in the cardiomyopathic hamster. <i>Cardiovascular Research</i> , 2006, 69, 888-898. | 1.8 | 60 |
| 433 | A direct interaction between TGF- β 2 activated kinase 1 and the TGF- β 2 type II receptor: Implications for TGF- β 2 signalling and cardiac hypertrophy. <i>Cardiovascular Research</i> , 2006, 69, 432-439. | 1.8 | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 434 | Estrogen receptor- β mediates acute myocardial protection in females. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H2204-H2209. | 1.5 | 163 |
| 435 | Selective inhibition of p38 β MAPK improves cardiac function and reduces myocardial apoptosis in rat model of myocardial injury. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 291, H1972-H1977. | 1.5 | 60 |
| 436 | The complex pattern of SMAD signaling in the cardiovascular system \sim . <i>Cardiovascular Research</i> , 2006, 69, 15-25. | 1.8 | 141 |
| 437 | Identification of Cell Cycle Regulatory and Inflammatory Genes As Predominant Targets of p38 Mitogen-Activated Protein Kinase in the Heart. <i>Circulation Research</i> , 2006, 99, 485-493. | 2.0 | 59 |
| 438 | TAB-1 Modulates Intracellular Localization of p38 MAP Kinase and Downstream Signaling. <i>Journal of Biological Chemistry</i> , 2006, 281, 6087-6095. | 1.6 | 74 |
| 439 | Cardiac Hypertrophy: A Risk Factor for QT-Prolongation and Cardiac Sudden Death. <i>Toxicologic Pathology</i> , 2006, 34, 58-66. | 0.9 | 87 |
| 440 | Effect of Simultaneous Inhibition of Epidermal Growth Factor Receptor and Cyclooxygenase-2 in HER-2/Neu-Positive Breast Cancer. <i>Clinical Cancer Research</i> , 2006, 12, 6161-6169. | 3.2 | 17 |
| 441 | p38 Mitogen-Activated Protein Kinase Mediates the Fas-Induced Mitochondrial Death Pathway in CD8 + T Cells. <i>Molecular and Cellular Biology</i> , 2006, 26, 2118-2129. | 1.1 | 77 |
| 442 | Myostatin Regulates Cardiomyocyte Growth Through Modulation of Akt Signaling. <i>Circulation Research</i> , 2006, 99, 15-24. | 2.0 | 155 |
| 443 | Role of the p38 Mitogen-Activated Protein Kinase Pathway in the Generation of Arsenic Trioxide ϵ Dependent Cellular Responses. <i>Cancer Research</i> , 2006, 66, 6763-6771. | 0.4 | 80 |
| 444 | Inflame My Heart (by p38-MAPK). <i>Circulation Research</i> , 2006, 99, 455-458. | 2.0 | 37 |
| 445 | p38 Kinase rescues failing myocardium after myocardial infarction: evidence for angiogenic and anti ϵ apoptotic mechanisms. <i>FASEB Journal</i> , 2006, 20, 1907-1909. | 0.2 | 58 |
| 446 | Estrogen Prevents Cardiomyocyte Apoptosis through Inhibition of Reactive Oxygen Species and Differential Regulation of p38 Kinase Isoforms. <i>Journal of Biological Chemistry</i> , 2006, 281, 6760-6767. | 1.6 | 177 |
| 447 | Deletion of the Inducible 70-kDa Heat Shock Protein Genes in Mice Impairs Cardiac Contractile Function and Calcium Handling Associated With Hypertrophy. <i>Circulation</i> , 2006, 113, 2589-2597. | 1.6 | 93 |
| 448 | Activation of TGF- β 1-TAK1-p38 MAPK pathway in spared cardiomyocytes is involved in left ventricular remodeling after myocardial infarction in rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H709-H715. | 1.5 | 106 |
| 449 | cGMP-dependent Protein Kinase Type I Inhibits TAB1-p38 Mitogen-activated Protein Kinase Apoptosis Signaling in Cardiac Myocytes. <i>Journal of Biological Chemistry</i> , 2006, 281, 32831-32840. | 1.6 | 79 |
| 450 | The Antiapoptotic Effect of Heme Oxygenase-1 in Endothelial Cells Involves the Degradation of p38 β MAPK Isoform. <i>Journal of Immunology</i> , 2006, 177, 1894-1903. | 0.4 | 99 |
| 451 | Calcineurin Activation Is Not Necessary for Doxorubicin-Induced Hypertrophy in H9c2 Embryonic Rat Cardiac Cells: Involvement of the Phosphoinositide 3-Kinase-Akt Pathway. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 319, 934-940. | 1.3 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 452 | The Human Sef-a Isoform Utilizes Different Mechanisms to Regulate Receptor Tyrosine Kinase Signaling Pathways and Subsequent Cell Fate. <i>Journal of Biological Chemistry</i> , 2006, 281, 39225-39235. | 1.6 | 29 |
| 453 | Inhibition of histone deacetylases triggers pharmacologic preconditioning effects against myocardial ischemic injury. <i>Cardiovascular Research</i> , 2007, 76, 473-481. | 1.8 | 131 |
| 454 | Diazoxide Prevents Diabetes through Inhibiting Pancreatic β -Cells from Apoptosis via Bcl-2/Bax Ratio and p38- β Mitogen-Activated Protein Kinase. <i>Endocrinology</i> , 2007, 148, 81-91. | 1.4 | 61 |
| 455 | Role of p38MAPK in β -AR-induced cardiomyopathy: at the heart of the matter?. <i>Future Cardiology</i> , 2007, 3, 387-389. | 0.5 | 1 |
| 456 | p38-MAPK Induced Dephosphorylation of β -Tropomyosin Is Associated With Depression of Myocardial Sarcomeric Tension and ATPase Activity. <i>Circulation Research</i> , 2007, 100, 408-415. | 2.0 | 86 |
| 457 | Mitogen-Activated Protein Kinases in Heart Development and Diseases. <i>Circulation</i> , 2007, 116, 1413-1423. | 1.6 | 264 |
| 458 | Hyperactive Variants of p38 β Induce, whereas Hyperactive Variants of p38 γ Suppress, Activating Protein 1-mediated Transcription. <i>Journal of Biological Chemistry</i> , 2007, 282, 91-99. | 1.6 | 45 |
| 459 | Can the cardiomyocyte cell cycle be reprogrammed?. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 42, 706-721. | 0.9 | 72 |
| 460 | Novel strategies for inhibition of the p38 MAPK pathway. <i>Trends in Pharmacological Sciences</i> , 2007, 28, 286-295. | 4.0 | 139 |
| 461 | Leptin represses matrix metalloproteinase-1 gene expression in LX2 human hepatic stellate cells. <i>Journal of Hepatology</i> , 2007, 46, 124-133. | 1.8 | 71 |
| 462 | Impaired extracellular matrix degradation in aortic vessels of cirrhotic rats. <i>Journal of Hepatology</i> , 2007, 46, 440-446. | 1.8 | 16 |
| 463 | Leptin Signaling and Obesity. <i>Circulation Research</i> , 2007, 101, 545-559. | 2.0 | 285 |
| 464 | Cardiac Hypertrophy: Mechanisms and Therapeutic Opportunities. <i>Antioxidants and Redox Signaling</i> , 2007, 9, 623-652. | 2.5 | 89 |
| 465 | Cardiac Myocyte Cell Cycle Control in Development, Disease, and Regeneration. <i>Physiological Reviews</i> , 2007, 87, 521-544. | 13.1 | 501 |
| 466 | p38 MAPK Signaling in Oral-related Diseases. <i>Journal of Dental Research</i> , 2007, 86, 812-825. | 2.5 | 53 |
| 467 | Role of p38 mitogen-activated protein kinases in cardioprotection of morphine preconditioning. <i>Chinese Medical Journal</i> , 2007, 120, 777-781. | 0.9 | 10 |
| 468 | p38 β and p38 δ mitogen-activated protein kinase isoforms regulate invasion and growth of head and neck squamous carcinoma cells. <i>Oncogene</i> , 2007, 26, 5267-5279. | 2.6 | 122 |
| 469 | Role of p38 mitogen-activated protein kinase in cardiac remodelling. <i>British Journal of Pharmacology</i> , 2007, 150, 130-135. | 2.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 470 | Role of p38 mitogen-activated protein kinase pathway on heart failure in the infant rat after burn injury. <i>International Journal of Experimental Pathology</i> , 2008, 89, 55-63. | 0.6 | 10 |
| 471 | P38 MAPK inhibition enhancing ATO-induced cytotoxicity against multiple myeloma cells. <i>British Journal of Haematology</i> , 2008, 140, 169-180. | 1.2 | 43 |
| 472 | Negative regulation of Akt activity by p38 β -MAPK kinase in cardiomyocytes involves membrane localization of PP2A through interaction with caveolin-1. <i>Cellular Signalling</i> , 2007, 19, 62-74. | 1.7 | 57 |
| 473 | Potential of p38-MAPK inhibitors in the treatment of ischaemic heart disease. , 2007, 116, 192-206. | | 84 |
| 474 | Regulation of Ncx1 Gene Expression in the Normal and Hypertrophic Heart. <i>Annals of the New York Academy of Sciences</i> , 2007, 1099, 195-203. | 1.8 | 30 |
| 475 | p38 MAP Kinase Regulation of Oligodendrocyte Differentiation with CREB as a Potential Target. <i>Neurochemical Research</i> , 2007, 32, 293-302. | 1.6 | 51 |
| 476 | Differential regulation of HSP70 expression by the JNK kinases SEK1 and MKK7 in mouse embryonic stem cells treated with cadmium. <i>Journal of Cellular Biochemistry</i> , 2008, 104, 1771-1780. | 1.2 | 12 |
| 477 | UNDERSTANDING THE ROLE OF TRANSFORMING GROWTH FACTOR β 2 SIGNALLING IN THE HEART: OVERVIEW OF STUDIES USING GENETIC MOUSE MODELS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008, 35, 335-341. | 0.9 | 39 |
| 478 | Cardioprotective Signaling by Endothelin. <i>Trends in Cardiovascular Medicine</i> , 2008, 18, 233-239. | 2.3 | 42 |
| 479 | Arsenite-Induced Germline Apoptosis through a MAPK-Dependent, p53-independent Pathway in <i>Caenorhabditis elegans</i> . <i>Chemical Research in Toxicology</i> , 2008, 21, 1530-1535. | 1.7 | 23 |
| 480 | Heme Oxygenase-1 and the Vascular Bed: From Molecular Mechanisms to Therapeutic Opportunities. <i>Antioxidants and Redox Signaling</i> , 2008, 10, 1767-1812. | 2.5 | 238 |
| 481 | Transient activation of P38 MAP kinase and up-regulation of Pim-1 kinase in cardiac hypertrophy despite no activation of AMPK. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 45, 404-410. | 0.9 | 14 |
| 482 | Know thy Sef: A novel class of feedback antagonists of receptor tyrosine kinase signaling. <i>International Journal of Biochemistry and Cell Biology</i> , 2008, 40, 2040-2052. | 1.2 | 35 |
| 483 | Anti-tumor effect of β -elemene in glioblastoma cells depends on p38 MAPK activation. <i>Cancer Letters</i> , 2008, 264, 127-134. | 3.2 | 156 |
| 484 | Targeting p38-MAPK in the ischaemic heart: kill or cure?. <i>Current Opinion in Pharmacology</i> , 2008, 8, 141-146. | 1.7 | 72 |
| 485 | Long-Term but Not Short-Term p38 Mitogen-Activated Protein Kinase Inhibition Improves Cardiac Function and Reduces Cardiac Remodeling Post-Myocardial Infarction. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 325, 741-750. | 1.3 | 53 |
| 486 | Sympathetic Activation Causes Focal Adhesion Signaling Alteration in Early Compensated Volume Overload Attributable to Isolated Mitral Regurgitation in the Dog. <i>Circulation Research</i> , 2008, 102, 1127-1136. | 2.0 | 41 |
| 487 | Transcriptional regulation by the p38 MAPK signaling pathway in mammalian cells. , 2007, , 51-79. | | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 488 | Designing Heart Performance by Gene Transfer. <i>Physiological Reviews</i> , 2008, 88, 1567-1651. | 13.1 | 52 |
| 489 | PPAR- α in the Cardiovascular System. <i>PPAR Research</i> , 2008, 2008, 1-10. | 1.1 | 39 |
| 490 | Differential Role of Mitogen-Activated Protein Kinases in Response to Manganese Treatment in Substantia Nigra Dopaminergic Neurons. <i>Journal of Health Science</i> , 2008, 54, 244-249. | 0.9 | 2 |
| 491 | MAPK signalling in cardiovascular health and disease: molecular mechanisms and therapeutic targets. <i>Clinical Science</i> , 2008, 115, 203-218. | 1.8 | 395 |
| 492 | Group B Streptococcal β -Hemolysin/Cytolysin Directly Impairs Cardiomyocyte Viability and Function. <i>PLoS ONE</i> , 2008, 3, e2446. | 1.1 | 27 |
| 493 | Mitogen Activated Protein Kinase Activated Protein Kinase 2 Regulates Actin Polymerization and Vascular Leak in Ventilator Associated Lung Injury. <i>PLoS ONE</i> , 2009, 4, e4600. | 1.1 | 53 |
| 494 | Induction of germline apoptosis by cobalt and relevant signal transduction pathways in <i>Caenorhabditis elegans</i> . <i>Toxicology Mechanisms and Methods</i> , 2009, 19, 541-546. | 1.3 | 7 |
| 495 | Procaspase 8 and Bax Are Up-regulated by Distinct Pathways in Streptococcal Pyrogenic Exotoxin B-induced Apoptosis. <i>Journal of Biological Chemistry</i> , 2009, 284, 33195-33205. | 1.6 | 16 |
| 496 | p38 MAPK Is a Major Regulator of MafA Protein Stability under Oxidative Stress. <i>Molecular Endocrinology</i> , 2009, 23, 1281-1290. | 3.7 | 34 |
| 497 | Dietary-Induced Obesity Hastens the Progression From Concentric Cardiac Hypertrophy to Pump Dysfunction in Spontaneously Hypertensive Rats. <i>Hypertension</i> , 2009, 54, 1376-1383. | 1.3 | 24 |
| 498 | Local wound p38 MAPK inhibition attenuates burn-induced cardiac dysfunction. <i>Surgery</i> , 2009, 146, 775-786. | 1.0 | 13 |
| 499 | Myocardial Survival Signaling in Response to Stem Cell Transplantation. <i>Journal of the American College of Surgeons</i> , 2009, 208, 607-613. | 0.2 | 13 |
| 500 | Genistein enhances TRAIL-induced apoptosis through inhibition of p38 MAPK signaling in human hepatocellular carcinoma Hep3B cells. <i>Chemico-Biological Interactions</i> , 2009, 180, 143-150. | 1.7 | 53 |
| 501 | Isoflavone genistein protects human vascular endothelial cells against tumor necrosis factor- α -induced apoptosis through the p38 β mitogen-activated protein kinase. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2009, 14, 66-76. | 2.2 | 23 |
| 503 | p38 MAP Kinase Inhibits Neutrophil Development Through Phosphorylation of C/EBP β on Serine 21. <i>Stem Cells</i> , 2009, 27, 2271-2282. | 1.4 | 34 |
| 504 | Activation of PKC- δ and SHP-1 by hyperglycemia causes vascular cell apoptosis and diabetic retinopathy. <i>Nature Medicine</i> , 2009, 15, 1298-1306. | 15.2 | 375 |
| 505 | Development of Arterial Calcification in Adiponectin-Deficient Mice: Adiponectin Regulates Arterial Calcification. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 1461-1468. | 3.1 | 76 |
| 506 | The transcription factor MEF2C mediates cardiomyocyte hypertrophy induced by IGF-1 signaling. <i>Biochemical and Biophysical Research Communications</i> , 2009, 388, 155-160. | 1.0 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 507 | Treatment with a p38 MAPK inhibitor attenuates cisplatin nephrotoxicity starting after the beginning of renal damage. <i>Life Sciences</i> , 2009, 84, 590-597. | 2.0 | 37 |
| 508 | Emodin suppresses cell proliferation and fibronectin expression via p38MAPK pathway in rat mesangial cells cultured under high glucose. <i>Molecular and Cellular Endocrinology</i> , 2009, 307, 157-162. | 1.6 | 64 |
| 509 | The Potential of p38 MAPK Inhibitors to Modulate Periodontal Infections. <i>Current Drug Metabolism</i> , 2009, 10, 55-67. | 0.7 | 46 |
| 510 | Mechanisms of Remodelling A Question of Life (Stem Cell Production) and Death (Myocyte Apoptosis). <i>Circulation Journal</i> , 2009, 73, 1973-1982. | 0.7 | 38 |
| 511 | Effect of p38 MAP kinases on contractility and ischemic injury in intact heart. <i>Acta Physiologica Hungarica</i> , 2009, 96, 307-323. | 0.9 | 5 |
| 512 | Cyclic AMP stimulates Mrp2 translocation by activating p38 β MAPK in hepatic cells. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, G667-G674. | 1.6 | 13 |
| 513 | The role of p38 β mitogen-activated protein kinase gene in the HELLP syndrome. <i>Cell Stress and Chaperones</i> , 2010, 15, 95-100. | 1.2 | 9 |
| 514 | BNIP3 induces IL6 and calcineurin/NFAT3 hypertrophic-related pathways in H9c2 cardiomyoblast cells. <i>Molecular and Cellular Biochemistry</i> , 2010, 345, 241-247. | 1.4 | 16 |
| 515 | Molecular distinction between physiological and pathological cardiac hypertrophy: Experimental findings and therapeutic strategies. , 2010, 128, 191-227. | | 694 |
| 516 | β 1-Adrenergic receptor vs adenylyl cyclase 6 expression in cardiac myocytes: Differences in transgene localization and intracellular signaling. <i>Cellular Signalling</i> , 2010, 22, 584-589. | 1.7 | 7 |
| 517 | Characterization of a novel MK3 splice variant from murine ventricular myocardium. <i>Cellular Signalling</i> , 2010, 22, 1502-1512. | 1.7 | 5 |
| 518 | Effect of pressure overload-induced hypertrophy on the expression and localization of p38 MAP kinase isoforms in the mouse heart. <i>Cellular Signalling</i> , 2010, 22, 1634-1644. | 1.7 | 50 |
| 519 | Modulation of doxorubicin-induced cardiac dysfunction in dominant-negative p38 β mitogen-activated protein kinase mice. <i>Free Radical Biology and Medicine</i> , 2010, 49, 1422-1431. | 1.3 | 47 |
| 520 | TNF α -mediated signal transduction pathway is a major determinant of apoptosis in dilated cardiomyopathy. <i>Journal of Cellular and Molecular Medicine</i> , 2010, 14, 1988-1997. | 1.6 | 19 |
| 521 | Distinctive ERK and p38 signaling in remote and infarcted myocardium during post ∞ MI remodeling in the mouse. <i>Journal of Cellular Biochemistry</i> , 2010, 109, 1185-1191. | 1.2 | 38 |
| 522 | Selective blockade of protein kinase B protects the rat and human myocardium against ischaemic injury. <i>Journal of Physiology</i> , 2010, 588, 2173-2191. | 1.3 | 11 |
| 523 | MAPK-Activated Protein Kinase-2 in Cardiac Hypertrophy and Cyclooxygenase-2 Regulation in Heart. <i>Circulation Research</i> , 2010, 106, 1434-1443. | 2.0 | 101 |
| 524 | Specific Regulation of Noncanonical p38 β Activation by Hsp90-Cdc37 Chaperone Complex in Cardiomyocyte. <i>Circulation Research</i> , 2010, 106, 1404-1412. | 2.0 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 525 | Nickel-induced apoptosis and relevant signal transduction pathways in <i>Caenorhabditis elegans</i> . <i>Toxicology and Industrial Health</i> , 2010, 26, 249-256. | 0.6 | 20 |
| 526 | Differential Regulation of Vascular Tone and Remodeling via Stimulation of Type 2 and Type 6 Adenylyl Cyclases in the Ductus Arteriosus. <i>Circulation Research</i> , 2010, 106, 1882-1892. | 2.0 | 44 |
| 527 | Tanshinone IIA Inhibits miR-1 Expression through p38 MAPK Signal Pathway in Post-infarction Rat Cardiomyocytes. <i>Cellular Physiology and Biochemistry</i> , 2010, 26, 991-998. | 1.1 | 80 |
| 528 | Protein Kinases as Drug Development Targets for Heart Disease Therapy. <i>Pharmaceuticals</i> , 2010, 3, 2111-2145. | 1.7 | 30 |
| 529 | Angiotensin-(1 α 7) improves cardiac remodeling and inhibits growth-promoting pathways in the heart of fructose-fed rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 298, H1003-H1013. | 1.5 | 64 |
| 530 | Mitogen-Activated Protein Kinase Signaling in the Heart: Angels Versus Demons in a Heart-Breaking Tale. <i>Physiological Reviews</i> , 2010, 90, 1507-1546. | 13.1 | 610 |
| 531 | Pharmacological Strategies to Contend Against Myocardial Reperfusion Damage: Diverse Chemicals for Multiple Targets. <i>Current Medicinal Chemistry</i> , 2010, 17, 2261-2273. | 1.2 | 7 |
| 532 | Multifarious molecular signaling cascades of cardiac hypertrophy: Can the muddy waters be cleared?†. <i>Pharmacological Research</i> , 2010, 62, 365-383. | 3.1 | 86 |
| 533 | β -Adrenergic receptor stimulated Ncx1 upregulation is mediated via a CaMKII/AP-1 signaling pathway in adult cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2010, 48, 342-351. | 0.9 | 34 |
| 534 | The activation of p38 α , and not p38 β , mitogen-activated protein kinase is required for ischemic preconditioning. <i>Journal of Molecular and Cellular Cardiology</i> , 2010, 48, 1324-1328. | 0.9 | 29 |
| 535 | Activation of ASK1, downstream MAPKK and MAPK isoforms during cardiac ischaemia. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010, 1802, 733-740. | 1.8 | 20 |
| 536 | Gambogic acid inhibits proliferation of A549 cells through apoptosis inducing through up-regulation of the p38 MAPK cascade. <i>Journal of Asian Natural Products Research</i> , 2011, 13, 993-1002. | 0.7 | 20 |
| 537 | Effects of Beraprost Sodium, a Prostaglandin I ₂ Analog, on High Glucose-Induced Proliferation and Oxidative Stress in a Rat Glomerular Mesangial Cell Line. <i>Pharmacology</i> , 2011, 87, 350-358. | 0.9 | 3 |
| 538 | Therapeutic regulation of cardiac fibroblast function: targeting stress-activated protein kinase pathways. <i>Future Cardiology</i> , 2011, 7, 673-691. | 0.5 | 22 |
| 539 | p38 β MAPK affords cytoprotection against oxidative stress-induced astrocyte apoptosis via induction of β -crystallin and its anti-apoptotic function. <i>Neuroscience Letters</i> , 2011, 501, 132-137. | 1.0 | 24 |
| 540 | Distinct regulation of B-type natriuretic peptide transcription by p38 MAPK isoforms. <i>Molecular and Cellular Endocrinology</i> , 2011, 338, 18-27. | 1.6 | 27 |
| 541 | The p38 mitogen-activated protein kinase pathway—A potential target for intervention in infarction, hypertrophy, and heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2011, 51, 485-490. | 0.9 | 134 |
| 542 | Activation of the Renin-Angiotensin System in Heart Failure. , 2011, , 134-151. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 543 | Rapid Disruption of Cellular Integrity of Zinc-treated Astroglia Is Regulated by p38 MAPK and Ca ²⁺ -dependent Mechanisms. <i>Experimental Neurobiology</i> , 2011, 20, 45-53. | 0.7 | 9 |
| 544 | Integrin Signaling, Cell Survival, and Anoikis: Distinctions, Differences, and Differentiation. <i>Journal of Signal Transduction</i> , 2011, 2011, 1-18. | 2.0 | 113 |
| 545 | CaMKII is involved in cadmium activation of MAPK and mTOR pathways leading to neuronal cell death. <i>Journal of Neurochemistry</i> , 2011, 119, 1108-1118. | 2.1 | 85 |
| 546 | Moxonidine improves cardiac structure and performance in SHR through inhibition of cytokines, p38 MAPK and Akt. <i>British Journal of Pharmacology</i> , 2011, 164, 946-957. | 2.7 | 25 |
| 547 | p38 phosphorylates Rb on Ser567 by a novel, cell cycle-independent mechanism that triggers Rb-Hdm2 interaction and apoptosis. <i>Oncogene</i> , 2011, 30, 588-599. | 2.6 | 42 |
| 548 | Activation of mitogen activated protein kinases in post-infarcted patients. <i>Journal of Thrombosis and Thrombolysis</i> , 2011, 31, 424-430. | 1.0 | 2 |
| 549 | A pro-survival effect of polyamine depletion on norepinephrine-mediated apoptosis in cardiac cells: role of signaling enzymes. <i>Amino Acids</i> , 2011, 40, 1127-1137. | 1.2 | 13 |
| 550 | N-acetylglucosamine Conjugated to Nanoparticles Enhances Myocyte Uptake and Improves Delivery of a Small Molecule p38 Inhibitor for Post-infarct Healing. <i>Journal of Cardiovascular Translational Research</i> , 2011, 4, 631-643. | 1.1 | 36 |
| 551 | p38 ^β Promotes Breast Cancer Cell Motility and Metastasis through Regulation of RhoGTPase, Cytoskeletal Architecture, and a Novel Leading Edge Behavior. <i>Cancer Research</i> , 2011, 71, 6338-6349. | 0.4 | 53 |
| 552 | Attenuation of CHOP-mediated Myocardial Apoptosis in Pressure-overloaded Dominant Negative p38 ^β Mitogen-activated Protein Kinase Mice. <i>Cellular Physiology and Biochemistry</i> , 2011, 27, 487-496. | 1.1 | 37 |
| 553 | C-Reactive Protein Overexpression Exacerbates Pressure Overload-Induced Cardiac Remodeling Through Enhanced Inflammatory Response. <i>Hypertension</i> , 2011, 57, 208-215. | 1.3 | 66 |
| 554 | Genetic analysis of specific and redundant roles for p38 ^α and p38 ^β MAPKs during mouse development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 12764-12769. | 3.3 | 53 |
| 555 | New Therapeutic Targets in Cardiology. <i>Circulation</i> , 2012, 126, 357-368. | 1.6 | 68 |
| 556 | Characterization of hsp27 kinases activated by elevated aortic pressure in heart. <i>Molecular and Cellular Biochemistry</i> , 2012, 371, 31-42. | 1.4 | 6 |
| 557 | Effects of activation of vitamin D receptor and phosphorus on left ventricular hypertrophy in chronic kidney disease. <i>Hipertension Y Riesgo Vascular</i> , 2012, 29, 130-135. | 0.3 | 1 |
| 558 | Mitogen-Activated Protein Kinase and Natural Phenolic Compounds in Cardiovascular Remodeling. <i>Studies in Natural Products Chemistry</i> , 2012, 38, 159-190. | 0.8 | 1 |
| 559 | ERK1/2 and p38 MAPKs Are Complementarily Involved in Estradiol 17 β -d-Glucuronide-Induced Cholestasis: Crosstalk with cPKC and PI3K. <i>PLoS ONE</i> , 2012, 7, e49255. | 1.1 | 26 |
| 560 | Angiotensins Inhibit Cell Growth in GH3 Lactosomatotroph Pituitary Tumor Cell Culture: A Possible Involvement of the p44/42 and p38 MAPK Pathways. <i>Scientific World Journal</i> , The, 2012, 2012, 1-10. | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 561 | Infecting mice with recombinant Ad5-BPI23-Fc β 1 virus protects against systemic Escherichia coli challenge. <i>Journal of Medical Microbiology</i> , 2012, 61, 1262-1269. | 0.7 | 5 |
| 562 | Role of p38 inhibition in cardiac ischemia/reperfusion injury. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 513-524. | 0.8 | 41 |
| 563 | The p38 mitogen-activated protein kinases modulate endothelial cell survival and tissue repair. <i>Inflammation Research</i> , 2012, 61, 233-244. | 1.6 | 9 |
| 564 | Isoproterenol induced hypertrophy and associated signaling pathways are modulated by Somatostatin in H9c2 cells. <i>International Journal of Cardiology</i> , 2013, 167, 1012-1022. | 0.8 | 15 |
| 565 | Glucagon-like peptide-1 (GLP-1) and protective effects in cardiovascular disease: a new therapeutic approach for myocardial protection. <i>Cardiovascular Diabetology</i> , 2013, 12, 90. | 2.7 | 37 |
| 566 | 17 β -Oestradiol prevents cardiovascular dysfunction in postmenopausal metabolic syndrome by affecting SIRT1/AMPK/H3 acetylation. <i>British Journal of Pharmacology</i> , 2013, 170, 779-795. | 2.7 | 62 |
| 567 | Mechanism and consequence of the autoactivation of p38 mitogen-activated protein kinase promoted by TAB1. <i>Nature Structural and Molecular Biology</i> , 2013, 20, 1182-1190. | 3.6 | 95 |
| 568 | Characterization of synergistic anti-cancer effects of docosahexaenoic acid and curcumin on DMBA-induced mammary tumorigenesis in mice. <i>BMC Cancer</i> , 2013, 13, 418. | 1.1 | 52 |
| 569 | Exogenous nitric oxide negatively regulates the nitrosylation p38 mitogen-activated protein kinase activation during cerebral ischaemia and reperfusion. <i>Neuropathology and Applied Neurobiology</i> , 2013, 39, 284-297. | 1.8 | 24 |
| 570 | Role of cytochrome P450-mediated arachidonic acid metabolites in the pathogenesis of cardiac hypertrophy. <i>Drug Metabolism Reviews</i> , 2013, 45, 173-195. | 1.5 | 41 |
| 571 | Preventing p38 MAPK-Mediated MafA Degradation Ameliorates β -Cell Dysfunction under Oxidative Stress. <i>Molecular Endocrinology</i> , 2013, 27, 1078-1090. | 3.7 | 20 |
| 572 | Hydrogen sulfide attenuates doxorubicin-induced cardiotoxicity by inhibition of the p38 MAPK pathway in H9c2 cells. <i>International Journal of Molecular Medicine</i> , 2013, 31, 644-650. | 1.8 | 66 |
| 573 | Heart Rate After Cardiac Transplantation—Lessons From the Tortoise and the Shrew. <i>Transplantation</i> , 2013, 95, 259-265. | 0.5 | 6 |
| 574 | A-Kinase Anchoring Protein Lbc Coordinates a p38 Activating Signaling Complex Controlling Compensatory Cardiac Hypertrophy. <i>Molecular and Cellular Biology</i> , 2013, 33, 2903-2917. | 1.1 | 37 |
| 575 | Thymoquinone Induces Apoptosis in Oral Cancer Cells Through P38 Inhibition. <i>The American Journal of Chinese Medicine</i> , 2013, 41, 683-696. | 1.5 | 53 |
| 576 | Selective inhibition of ATPase activity during contraction alters the activation of p38 MAP kinase isoforms in skeletal muscle. <i>Journal of Cellular Biochemistry</i> , 2013, 114, 1445-1455. | 1.2 | 18 |
| 577 | Baicalin Attenuates Acute Myocardial Infarction of Rats via Mediating the Mitogen-Activated Protein Kinase Pathway. <i>Biological and Pharmaceutical Bulletin</i> , 2013, 36, 988-994. | 0.6 | 35 |
| 578 | Mitochondrial p38 and Manganese Superoxide Dismutase Interaction Mediated by Estrogen in Cardiomyocytes. <i>PLoS ONE</i> , 2014, 9, e85272. | 1.1 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 579 | GÎ±q signalling: The new and the old. Cellular Signalling, 2014, 26, 833-848. | 1.7 | 81 |
| 580 | p38Î³ mitogen-activated protein kinase regulates the expression of tight junction protein ZO-1 in differentiating human epidermal keratinocytes. Archives of Dermatological Research, 2014, 306, 131-141. | 1.1 | 18 |
| 581 | An image processing approach to analyze morphological features of microscopic images of muscle fibers. Computerized Medical Imaging and Graphics, 2014, 38, 803-814. | 3.5 | 5 |
| 582 | Silver nanoparticles induce apoptotic cell death in cultured cerebral cortical neurons. Molecular and Cellular Toxicology, 2014, 10, 173-179. | 0.8 | 27 |
| 583 | Cardioprotective Role of P38 MAPK During Myocardial Infarction Via Parallel Activation of Î±â€œCrystallin B and Nrf2. Journal of Cellular Physiology, 2014, 229, 1272-1282. | 2.0 | 38 |
| 584 | Tumor suppressor gene ING3 induces cardiomyocyte hypertrophy via inhibition of AMPK and activation of p38 MAPK signaling. Archives of Biochemistry and Biophysics, 2014, 562, 22-30. | 1.4 | 12 |
| 586 | Human cord blood stem cell paracrine factors activate the survival protein kinase Akt and inhibit death protein kinases JNK and p38 in injured cardiomyocytes. Cytotherapy, 2014, 16, 1158-1168. | 0.3 | 13 |
| 587 | Profilin-1 Promotes the Development of Hypertension-induced Artery Remodeling. Journal of Histochemistry and Cytochemistry, 2014, 62, 298-310. | 1.3 | 16 |
| 588 | Crosstalk between mitogen-activated protein kinases and mitochondria in cardiac diseases: Therapeutic perspectives. , 2014, 144, 202-225. | | 127 |
| 589 | TSC-22 up-regulates collagen 3a1 gene expression in the rat heart. BMC Cardiovascular Disorders, 2015, 15, 122. | 0.7 | 2 |
| 590 | Identification of anesthetic-induced expression changes using DNA microarray. Molecular Medicine Reports, 2015, 11, 589-596. | 1.1 | 5 |
| 591 | WDR12, a Member of Nucleolar PeBoW-Complex, Is Up-Regulated in Failing Hearts and Causes Deterioration of Cardiac Function. PLoS ONE, 2015, 10, e0124907. | 1.1 | 7 |
| 592 | The case for inhibiting p38 mitogen-activated protein kinase in heart failure. Frontiers in Pharmacology, 2015, 6, 102. | 1.6 | 55 |
| 593 | Differential Role of Leptin and Adiponectin in Cardiovascular System. International Journal of Endocrinology, 2015, 2015, 1-13. | 0.6 | 145 |
| 594 | Low-dose radiation affects cardiac physiology: gene networks and molecular signaling in cardiomyocytes. American Journal of Physiology - Heart and Circulatory Physiology, 2015, 309, H1947-H1963. | 1.5 | 51 |
| 595 | Mitogen-activated protein kinase phosphatase-1: A critical phosphatase manipulating mitogen-activated protein kinase signaling in cardiovascular disease (Review). International Journal of Molecular Medicine, 2015, 35, 1095-1102. | 1.8 | 17 |
| 596 | Effect of panax notoginseng saponins injection on the p38MAPK pathway in lung tissue in a rat model of hypoxic pulmonary hypertension. Chinese Journal of Integrative Medicine, 2015, 21, 147-151. | 0.7 | 12 |
| 597 | SR calcium handling dysfunction, stress-response signaling pathways, and atrial fibrillation. Frontiers in Physiology, 2015, 6, 46. | 1.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 598 | Green synthesis of peptide-templated gold nanoclusters as novel fluorescence probes for detecting protein kinase activity. <i>Chemical Communications</i> , 2015, 51, 10006-10009. | 2.2 | 72 |
| 599 | Mouse models for the study of postnatal cardiac hypertrophy. <i>IJC Heart and Vasculature</i> , 2015, 7, 131-140. | 0.6 | 12 |
| 600 | Remodelling after an Infarct: Crosstalk between Life and Death. <i>Cardiology</i> , 2016, 135, 68-76. | 0.6 | 9 |
| 601 | Collagen regulates transforming growth factor- β receptors of HL-1 cardiomyocytes through activation of stretch and integrin signaling. <i>Molecular Medicine Reports</i> , 2016, 14, 3429-3436. | 1.1 | 5 |
| 602 | Pioglitazone Protected against Cardiac Hypertrophy via Inhibiting AKT/GSK3 β and MAPK Signaling Pathways. <i>PPAR Research</i> , 2016, 2016, 1-11. | 1.1 | 35 |
| 603 | Zinc delays the progression of obesity-related glomerulopathy in mice via down-regulating p38 MAPK-mediated inflammation. <i>Obesity</i> , 2016, 24, 1244-1256. | 1.5 | 23 |
| 604 | Characterisation of equine satellite cell transcriptomic profile response to β -hydroxy- β -methylbutyrate (HMB). <i>British Journal of Nutrition</i> , 2016, 116, 1315-1325. | 1.2 | 12 |
| 605 | Long Noncoding RNA PICSAR Promotes Growth of Cutaneous Squamous Cell Carcinoma by Regulating ERK1/2 Activity. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1701-1710. | 0.3 | 61 |
| 606 | Cardiomyocyte-Specific Human Bcl2-Associated Anthanogene 3 P209L Expression Induces Mitochondrial Fragmentation, Bcl2-Associated Anthanogene 3 Haploinsufficiency, and Activates p38 Signaling. <i>American Journal of Pathology</i> , 2016, 186, 1989-2007. | 1.9 | 36 |
| 607 | Endoplasmic reticulum (ER) stress triggers Hax1-dependent mitochondrial apoptotic events in cardiac cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2016, 21, 1227-1239. | 2.2 | 14 |
| 608 | The Stress-Response MAP Kinase Signaling in Cardiac Arrhythmias. <i>Reviews of Physiology, Biochemistry and Pharmacology</i> , 2016, 172, 77-100. | 0.9 | 11 |
| 609 | Zinc deficiency exacerbates while zinc supplement attenuates cardiac hypertrophy in high-fat diet-induced obese mice through modulating p38 MAPK-dependent signaling. <i>Toxicology Letters</i> , 2016, 258, 134-146. | 0.4 | 31 |
| 610 | Analyzing the anti-ischemia-reperfusion injury effects of ginsenoside Rb1 mediated through the inhibition of p38 MAPK. <i>Canadian Journal of Physiology and Pharmacology</i> , 2016, 94, 97-103. | 0.7 | 29 |
| 611 | Valproic Acid Induced Human Retinal Pigment Epithelial Cell Death as Well as its Survival after Hydrogen Peroxide Damage is Mediated by P38 Kinase. <i>Advances in Experimental Medicine and Biology</i> , 2016, 854, 765-772. | 0.8 | 4 |
| 612 | p38 MAP kinases in the heart. <i>Gene</i> , 2016, 575, 369-376. | 1.0 | 112 |
| 613 | Perm1 enhances mitochondrial biogenesis, oxidative capacity, and fatigue resistance in adult skeletal muscle. <i>FASEB Journal</i> , 2016, 30, 674-687. | 0.2 | 46 |
| 614 | Electrical and mechanical stimulation of cardiac cells and tissue constructs. <i>Advanced Drug Delivery Reviews</i> , 2016, 96, 135-155. | 6.6 | 210 |
| 615 | Cycloviobuxinum D alleviates cardiac hypertrophy in hyperthyroid rats by preventing apoptosis of cardiac cells and inhibiting the p38 mitogen-activated protein kinase signaling pathway. <i>Chinese Journal of Integrative Medicine</i> , 2017, 23, 770-778. | 0.7 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 616 | Expression of claudin-11 by tumor cells in cutaneous squamous cell carcinoma is dependent on the activity of p38. <i>Experimental Dermatology</i> , 2017, 26, 771-777. | 1.4 | 12 |
| 617 | p38 Mitogen-Activated Protein Kinase Signaling Mediates Exenatide-Stimulated Microglial β -Endorphin Expression. <i>Molecular Pharmacology</i> , 2017, 91, 451-463. | 1.0 | 27 |
| 618 | The significance of the washout period in preconditioning. <i>Cardiovascular Therapeutics</i> , 2017, 35, e12252. | 1.1 | 2 |
| 619 | MK5 haplodeficiency attenuates hypertrophy and preserves diastolic function during remodeling induced by chronic pressure overload in the mouse heart. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017, 313, H46-H58. | 1.5 | 15 |
| 620 | Differential roles of PKC isoforms (PKCs) and Ca ²⁺ in GnRH and phorbol 12-myristate 13-acetate (PMA) stimulation of p38MAPK phosphorylation in immortalized gonadotrope cells. <i>Molecular and Cellular Endocrinology</i> , 2017, 439, 141-154. | 1.6 | 11 |
| 621 | Cardiac myocyte p38 kinase regulates angiogenesis via myocyte-endothelial cell cross-talk during stress-induced remodeling in the heart. <i>Journal of Biological Chemistry</i> , 2017, 292, 12787-12800. | 1.6 | 25 |
| 622 | Arctiin protects against cardiac hypertrophy through inhibiting MAPKs and AKT signaling pathways. <i>Journal of Pharmacological Sciences</i> , 2017, 135, 97-104. | 1.1 | 26 |
| 623 | Suppression of MAPK11 or HIPK3 reduces mutant Huntingtin levels in Huntington's disease models. <i>Cell Research</i> , 2017, 27, 1441-1465. | 5.7 | 52 |
| 624 | Kinase inhibitor screening using artificial neural networks and engineered cardiac biowires. <i>Scientific Reports</i> , 2017, 7, 11807. | 1.6 | 25 |
| 625 | Cardiac Immunomodulation. , 2017, , 681-714. | | 1 |
| 626 | Sodium Tanshinone IIA Sulfonate Prevents Radiation-Induced Toxicity in H9c2 Cardiomyocytes. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-13. | 0.5 | 9 |
| 627 | Bezafibrate Attenuates Pressure Overload-Induced Cardiac Hypertrophy and Fibrosis. <i>PPAR Research</i> , 2017, 2017, 1-12. | 1.1 | 18 |
| 628 | Interrelationship between diabetes mellitus and heart failure: the role of peroxisome proliferator-activated receptors in left ventricle performance. <i>Heart Failure Reviews</i> , 2018, 23, 389-408. | 1.7 | 13 |
| 629 | Sequential gene regulatory events leading to glucocorticoid-evoked apoptosis of CEM human leukemic cells: interactions of MAPK, MYC and glucocorticoid pathways. <i>Molecular and Cellular Endocrinology</i> , 2018, 471, 118-130. | 1.6 | 3 |
| 630 | Effects of Anti-Inflammatory Medications in Patients With Coronary Artery Disease: A Focus on Losmapimod. <i>Cardiology in Review</i> , 2018, 26, 152-156. | 0.6 | 7 |
| 632 | Gentisic acid attenuates pressure overload-induced cardiac hypertrophy and fibrosis in mice through inhibition of the ERK1/2 pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 5964-5977. | 1.6 | 30 |
| 633 | The serine/threonine-protein kinase/endoribonuclease IRE1 β protects the heart against pressure overload-induced heart failure. <i>Journal of Biological Chemistry</i> , 2018, 293, 9652-9661. | 1.6 | 20 |
| 634 | Cardiac fibroblast-specific p38 MAP kinase promotes cardiac hypertrophy via a putative paracrine interleukin-6 signaling mechanism. <i>FASEB Journal</i> , 2018, 32, 4941-4954. | 0.2 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 635 | Beneficial Effect of Silymarin in Pressure Overload Induced Experimental Cardiac Hypertrophy. <i>Cardiovascular Toxicology</i> , 2019, 19, 23-35. | 1.1 | 11 |
| 636 | Cardiac Fibroblast p38 MAPK: A Critical Regulator of Myocardial Remodeling. <i>Journal of Cardiovascular Development and Disease</i> , 2019, 6, 27. | 0.8 | 61 |
| 637 | p38-Regulated/activated protein kinase plays a pivotal role in protecting heart against ischemia-reperfusion injury and preserving cardiac performance. <i>American Journal of Physiology - Cell Physiology</i> , 2019, 317, C525-C533. | 2.1 | 4 |
| 638 | C1q-TNF-related protein-3 attenuates pressure overload-induced cardiac hypertrophy by suppressing the p38/CREB pathway and p38-induced ER stress. <i>Cell Death and Disease</i> , 2019, 10, 520. | 2.7 | 52 |
| 639 | The Role of Signaling Pathways of Inflammation and Oxidative Stress in Development of Senescence and Aging Phenotypes in Cardiovascular Disease. <i>Cells</i> , 2019, 8, 1383. | 1.8 | 141 |
| 640 | Neuroendocrine Impairments of Polycystic Ovary Syndrome. <i>Endocrinology</i> , 2019, 160, 2230-2242. | 1.4 | 56 |
| 641 | Cardiac Hypertrophy. , 2019, , 63-86. | | 1 |
| 642 | Pretreatment of <i>Tribulus terrestris</i> L. causes anti-ischemic cardioprotection through MAPK mediated anti-apoptotic pathway in rat. <i>Biomedicine and Pharmacotherapy</i> , 2019, 111, 1342-1352. | 2.5 | 16 |
| 643 | The Crosstalk between Acetylation and Phosphorylation: Emerging New Roles for HDAC Inhibitors in the Heart. <i>International Journal of Molecular Sciences</i> , 2019, 20, 102. | 1.8 | 36 |
| 644 | NMDA receptor-driven calcium influx promotes ischemic human cardiomyocyte apoptosis through a p38 MAPK-mediated mechanism. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 4872-4882. | 1.2 | 12 |
| 645 | Effect of α -Ski on atrial remodelling in a rapid atrial pacing canine model. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 1795-1803. | 1.6 | 4 |
| 646 | Development of a Cardiac Sarcomere Functional Genomics Platform to Enable Scalable Interrogation of Human <i>TNNT2</i> Variants. <i>Circulation</i> , 2020, 142, 2262-2275. | 1.6 | 31 |
| 647 | Mechanisms of Herbal Nephroprotection in diabetes mellitus. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-31. | 1.0 | 17 |
| 648 | p38 β genetic ablation protects female mice from anthracycline cardiotoxicity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 319, H775-H786. | 1.5 | 7 |
| 649 | The Role of microRNAs in Heart Failure: A Systematic Review. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 161. | 1.1 | 23 |
| 650 | p38 MAPK Pathway in the Heart: New Insights in Health and Disease. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7412. | 1.8 | 73 |
| 652 | Extracellular heat shock protein HSC70 protects against lipopolysaccharide-induced hypertrophic responses in rat cardiomyocytes. <i>Biomedicine and Pharmacotherapy</i> , 2020, 128, 110370. | 2.5 | 10 |
| 653 | Neutrophil-Mediated Cardiac Damage After Acute Myocardial Infarction: Significance of Defining a New Target Cell Type for Developing Cardioprotective Drugs. <i>Antioxidants and Redox Signaling</i> , 2020, 33, 689-712. | 2.5 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 654 | Stretch-Induced Biased Signaling in Angiotensin II Type 1 and Apelin Receptors for the Mediation of Cardiac Contractility and Hypertrophy. <i>Frontiers in Physiology</i> , 2020, 11, 181. | 1.3 | 18 |
| 655 | Translating Translation to Mechanisms of Cardiac Hypertrophy. <i>Journal of Cardiovascular Development and Disease</i> , 2020, 7, 9. | 0.8 | 18 |
| 656 | Structure-guided optimization of a novel class of ASK1 inhibitors with increased sp3 character and an exquisite selectivity profile. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020, 30, 127405. | 1.0 | 5 |
| 657 | Dexmedetomidine protects intestinal ischemia-reperfusion injury via inhibiting p38 MAPK cascades. <i>Experimental and Molecular Pathology</i> , 2020, 115, 104444. | 0.9 | 19 |
| 658 | The protective effect of isosteviol sodium on cardiac function and myocardial remodelling in transverse aortic constriction rat. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 1166-1177. | 1.6 | 5 |
| 659 | Cell Cycle Regulation in Cardiomyocytes. , 2021, , 25-39. | | 0 |
| 660 | MK2a€Deficient Mice Are Bradycardic and Display Delayed Hypertrophic Remodeling in Response to a Chronic Increase in Afterload. <i>Journal of the American Heart Association</i> , 2021, 10, e017791. | 1.6 | 5 |
| 661 | The Cardioprotective Mechanism of Phenylaminoethyl Selenides (PAESe) Against Doxorubicin-Induced Cardiotoxicity Involves Frataxin. <i>Frontiers in Pharmacology</i> , 2020, 11, 574656. | 1.6 | 9 |
| 662 | Interleukin-6 ablation does not alter morphofunctional heart characteristics but modulates physiological and inflammatory markers after strenuous exercise. <i>Cytokine</i> , 2021, 142, 155494. | 1.4 | 4 |
| 663 | Mechanisms of Postnatal I ² -Cell Mass Regulation. <i>Growth Hormone</i> , 2001, , 289-297. | 0.2 | 2 |
| 664 | Familial Dilated Cardiomyopathy. <i>Developments in Cardiovascular Medicine</i> , 2000, , 195-218. | 0.1 | 2 |
| 665 | Detection of Cardiac Signaling in the Injured and Hypertrophied Heart. <i>Methods in Molecular Medicine</i> , 2005, 112, 291-303. | 0.8 | 4 |
| 666 | p38 MAPK in cardiac remodeling and failure: cytokine signaling and beyond. , 2003, , 293-312. | | 1 |
| 667 | p38 MAPK Family. , 2018, , 3728-3739. | | 1 |
| 668 | Molecular Background of 18F-2-deoxy-D-glucose (FDG) Uptake in the Ischemic Heart. , 2003, , 421-441. | | 1 |
| 669 | Induction of prostaglandin endoperoxide synthase 2 by mitogen-activated protein kinase cascades. <i>Biochemical Journal</i> , 2000, 352, 419-424. | 1.7 | 22 |
| 670 | Unpuzzling COVID-19: tissue-related signaling pathways associated with SARS-CoV-2 infection and transmission. <i>Clinical Science</i> , 2020, 134, 2137-2160. | 1.8 | 68 |
| 672 | Redox-dependent dimerization of p38I± mitogen-activated protein kinase with mitogen-activated protein kinase kinase 3. <i>Journal of Biological Chemistry</i> , 2017, 292, 16161-16173. | 1.6 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 673 | Expression of human collagenase-3 (MMP-13) by fetal skin fibroblasts is induced by transforming growth factor- β via p38 mitogen-activated protein kinase. <i>FASEB Journal</i> , 2001, 15, 1098-1100. | 0.2 | 6 |
| 674 | Cardiac Fatty Acid Metabolism and the Induction of Apoptosis. <i>American Journal of the Medical Sciences</i> , 1999, 318, 15. | 0.4 | 33 |
| 675 | Signaling Pathways Involved in Desflurane-induced Postconditioning in Human Atrial Myocardium In Vitro. <i>Anesthesiology</i> , 2008, 109, 1036-1044. | 1.3 | 22 |
| 677 | Pressure-independent enhancement of cardiac hypertrophy in natriuretic peptide receptor A-deficient mice. <i>Journal of Clinical Investigation</i> , 2001, 107, 975-984. | 3.9 | 275 |
| 678 | Alterations in cardiac adrenergic signaling and calcium cycling differentially affect the progression of cardiomyopathy. <i>Journal of Clinical Investigation</i> , 2001, 107, 967-974. | 3.9 | 173 |
| 679 | Suppressor of cytokine signaling-3 is a biomechanical stress-inducible gene that suppresses gp130-mediated cardiac myocyte hypertrophy and survival pathways. <i>Journal of Clinical Investigation</i> , 2001, 108, 1459-1467. | 3.9 | 138 |
| 680 | The role of the Grb2-p38 MAPK signaling pathway in cardiac hypertrophy and fibrosis. <i>Journal of Clinical Investigation</i> , 2003, 111, 833-841. | 3.9 | 184 |
| 681 | The suppressor of cytokine signaling-1 (SOCS1) is a novel therapeutic target for enterovirus-induced cardiac injury. <i>Journal of Clinical Investigation</i> , 2003, 111, 469-478. | 3.9 | 107 |
| 682 | Targeted inhibition of p38 MAPK promotes hypertrophic cardiomyopathy through upregulation of calcineurin-NFAT signaling. <i>Journal of Clinical Investigation</i> , 2003, 111, 1475-1486. | 3.9 | 184 |
| 683 | Targeted inhibition of p38 MAPK promotes hypertrophic cardiomyopathy through upregulation of calcineurin-NFAT signaling. <i>Journal of Clinical Investigation</i> , 2003, 111, 1475-1486. | 3.9 | 265 |
| 684 | A requirement for the rac1 GTPase in the signal transduction pathway leading to cardiac myocyte hypertrophy. <i>Journal of Clinical Investigation</i> , 1998, 102, 929-937. | 3.9 | 129 |
| 685 | Inhibition of p38 MAPK rescues cardiomyopathy induced by overexpressed β 2-adrenergic receptor, but not β 1-adrenergic receptor. <i>Journal of Clinical Investigation</i> , 2007, 117, 1335-1343. | 3.9 | 53 |
| 686 | Role of the stress-activated protein kinases in endothelin-induced cardiomyocyte hypertrophy. <i>Journal of Clinical Investigation</i> , 1998, 102, 1311-1320. | 3.9 | 179 |
| 687 | Regulation of cardiac hypertrophy in vivo by the stress-activated protein kinases/c-Jun NH2-terminal kinases. <i>Journal of Clinical Investigation</i> , 1999, 104, 391-398. | 3.9 | 158 |
| 688 | Mechanical strain activates BNP gene transcription through a p38/NF- κ B-dependent mechanism. <i>Journal of Clinical Investigation</i> , 1999, 104, 1603-1612. | 3.9 | 196 |
| 689 | Myocyte hypertrophy: the long and winding RhoA. <i>Journal of Clinical Investigation</i> , 1999, 103, 1619-1620. | 3.9 | 17 |
| 690 | p38 mitogen-activated protein kinase is required for TGF β 2-mediated fibroblastic transdifferentiation and cell migration. <i>Journal of Cell Science</i> , 2002, 115, 3193-3206. | 1.2 | 396 |
| 691 | Angiotensin II-Induced Ventricular Hypertrophy and Extracellular Signal-Regulated Kinase Activation Are Suppressed in Mice Overexpressing Brain Natriuretic Peptide in Circulation. <i>Hypertension Research</i> , 2003, 26, 847-853. | 1.5 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 692 | Calcium Signaling Is Involved in Cadmium-Induced Neuronal Apoptosis via Induction of Reactive Oxygen Species and Activation of MAPK/mTOR Network. PLoS ONE, 2011, 6, e19052. | 1.1 | 158 |
| 693 | Estrogen Protects the Female Heart from Ischemia/Reperfusion Injury through Manganese Superoxide Dismutase Phosphorylation by Mitochondrial p38 ^β at Threonine 79 and Serine 106. PLoS ONE, 2016, 11, e0167761. | 1.1 | 28 |
| 694 | SB202190 inhibits endothelial cell apoptosis via induction of autophagy and heme oxygenase-1. Oncotarget, 2018, 9, 23149-23163. | 0.8 | 9 |
| 695 | Identification of Caspase-Independent PKC.ε-JNK/p38 MAPK Signaling Module in Response to Metabolic Inhibition in H9c2 Cells. The Japanese Journal of Physiology, 2004, 54, 23-29. | 0.9 | 16 |
| 696 | Fibrosis as a Therapeutic Target Post-Myocardial Infarction. Current Pharmaceutical Design, 2005, 11, 477-487. | 0.9 | 46 |
| 697 | Gadd45 Proteins as Critical Signal Transducers Linking NF-κB to MAPK Cascades. Current Cancer Drug Targets, 2009, 9, 915-930. | 0.8 | 72 |
| 698 | Physiological versus pathological cardiac hypertrophy. , 2005, , 117-136. | | 6 |
| 699 | p38 ^β MAPK pathway: A key factor in colorectal cancer therapy and chemoresistance. World Journal of Gastroenterology, 2014, 20, 9744. | 1.4 | 181 |
| 700 | p38 Mitogen-Activated Protein Kinase and Hematologic Malignancies. Archives of Pathology and Laboratory Medicine, 2009, 133, 1850-1856. | 1.2 | 27 |
| 701 | Molecular Mechanism of Mechanical Stress-Induced Cardiac Hypertrophy. Progress in Experimental Cardiology, 2000, , 109-121. | 0.0 | 0 |
| 702 | Strategies to prevent apoptosis. , 2000, , 232-246. | | 0 |
| 703 | Role of Oxidative Stress, Cytokines, and Apoptosis in Myocardial Dysfunction. Developments in Cardiovascular Medicine, 2000, , 193-209. | 0.1 | 0 |
| 704 | Oxidative stress in heart failure. , 2000, , 262-284. | | 1 |
| 705 | P38 Inhibition. , 2000, , . | | 0 |
| 706 | Cardiac Hypertrophic Signaling the Good, the Bad and the Ugly. Developments in Cardiovascular Medicine, 2002, , 131-156. | 0.1 | 1 |
| 707 | Ischaemic and Pharmacological Preconditioning Is Associated with Attenuation of p38 MAPK Activation During Sustained Ischaemia and Reperfusion. Progress in Experimental Cardiology, 2003, , 249-273. | 0.0 | 0 |
| 708 | Mechanism of cell death of rat cardiac fibroblasts induced by serum depletion. , 2003, , 119-126. | | 2 |
| 709 | Protein Kinase C Signaling and Expression of the Diabetic Cardiac Phenotype. Progress in Experimental Cardiology, 2003, , 409-426. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 710 | JAK/Stat Signaling in Cardiac Diseases. Progress in Experimental Cardiology, 2003, , 349-356. | 0.0 | 0 |
| 711 | Stress-activated signals and their role in myocardial ischemia. , 2003, , 271-291. | | 0 |
| 712 | Novel Aspects of Mechanical Signaling in Cardiac Tissue. Progress in Experimental Cardiology, 2003, , 181-198. | 0.0 | 0 |
| 713 | Mechanisms of Stress Response Signaling and Recovery in the Liver of Young versus Aged Mice: The p38 MAPK and SOCS Families of Regulatory Proteins. , 2003, , 515-529. | | 0 |
| 714 | Apoptosis and Necrosis. , 2004, , 72-79. | | 0 |
| 715 | Reactive Oxygen Species, Na ⁺ /H ⁺ Exchange and Ca ²⁺ Overload During Myocardial Ischemia/Reperfusion Injury: The Paradox Explained?. Progress in Experimental Cardiology, 2004, , 229-238. | 0.0 | 0 |
| 716 | Expression Systems to Analyze Transgenes in the Heart. Basic Science for the Cardiologist, 2004, , 201-210. | 0.1 | 0 |
| 717 | 415 P38 kinase rescues failing myocardium after myocardial infarction: evidence for angiogenic and anti-apoptotic mechanisms. European Journal of Heart Failure, Supplement, 2006, 5, 96-97. | 0.2 | 1 |
| 718 | Receptor Signaling Pathways in Heart Failure: Transgenic Mouse Models. , 2008, , 89-111. | | 0 |
| 719 | Proliferation of cardiomyocytes a question unresolved. Frontiers in Bioscience - Elite, 2009, E1, 528-536. | 0.9 | 6 |
| 720 | Molecular Signaling Mechanisms of Myocardial Stretch: Implications for Heart Disease. , 2009, , 55-81. | | 3 |
| 721 | Cell Cycle and Differentiation in the Cardiovascular System. , 2010, , 179-202. | | 1 |
| 723 | p38 MAPK Family of Signal Transduction Proteins. , 2012, , 1323-1331. | | 0 |
| 724 | Cardiac Function and Organ Blood Flow at Early Stage Following Severe Burn. , 0, , . | | 0 |
| 725 | Preconditioning in the Heart. , 2013, , 51-101. | | 0 |
| 726 | Curcumin and Cardiovascular Diseases. , 2013, , 487-500. | | 0 |
| 727 | Signaling Pathways in Cardiac Hypertrophy. Lecture Notes in Electrical Engineering, 2014, , 1617-1626. | 0.3 | 0 |
| 728 | Journal of JCS Cardiologists, 1999, 7, 89-102. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 729 | High-throughput analysis of kinase inhibitor drugs on cardiac function using engineered heart tissue constructs. <i>Frontiers in Bioengineering and Biotechnology</i> , 0, 4, . | 2.0 | 0 |
| 730 | The Progression of Hypertensive Heart Disease to Left Ventricular Hypertrophy and Heart Failure. , 2016, , 59-74. | | 0 |
| 731 | p38 MAPK Family. , 2017, , 1-12. | | 0 |
| 732 | Adenine Decreases Hypertrophic Effects through Interleukin-18 Receptor. <i>Chinese Journal of Physiology</i> , 2019, 62, 139-147. | 0.4 | 2 |
| 735 | The Role of Adrenoceptors in Mechanotransduction. , 2007, , 106-119. | | 0 |
| 737 | Transmembrane signalling mechanisms regulating expression of cationic amino acid transporters and inducible nitric oxide synthase in rat vascular smooth muscle cells. <i>Biochemical Journal</i> , 1999, 344 Pt 1, 265-72. | 1.7 | 6 |
| 738 | Sustained activation of p42/p44 mitogen-activated protein kinase during recovery from simulated ischaemia mediates adaptive cytoprotection in cardiomyocytes. <i>Biochemical Journal</i> , 2000, 350 Pt 3, 891-9. | 1.7 | 24 |
| 739 | Induction of prostaglandin endoperoxide synthase 2 by mitogen-activated protein kinase cascades. <i>Biochemical Journal</i> , 2000, 352 Pt 2, 419-24. | 1.7 | 5 |
| 740 | Role of mitogen-activated protein kinase in cardiac hypertrophy and heart failure. <i>Experimental and Clinical Cardiology</i> , 2003, 8, 173-83. | 1.3 | 62 |
| 744 | Signaling pathways mediating the response to hypertrophic stress in the heart. <i>Gene Expression</i> , 1999, 7, 337-48. | 0.5 | 27 |
| 745 | Mechanism of cell death of rat cardiac fibroblasts induced by serum depletion. <i>Molecular and Cellular Biochemistry</i> , 2003, 251, 119-26. | 1.4 | 6 |
| 746 | Neferine attenuates doxorubicin-induced fibrosis and hypertrophy in H9c2 cells. <i>Journal of Biochemical and Molecular Toxicology</i> , 2022, 36, e23054. | 1.4 | 7 |
| 747 | Signaling cascades in the failing heart and emerging therapeutic strategies. <i>Signal Transduction and Targeted Therapy</i> , 2022, 7, 134. | 7.1 | 18 |
| 749 | Animal Models to Study Cardiac Arrhythmias. <i>Circulation Research</i> , 2022, 130, 1926-1964. | 2.0 | 14 |
| 750 | Application of emetine in SARS-CoV-2 treatment: regulation of p38 MAPK signaling pathway for preventing emetine-induced cardiac complications. <i>Cell Cycle</i> , 2022, 21, 2379-2386. | 1.3 | 11 |
| 751 | The Role of PKC-MAPK Signalling Pathways in the Development of Hyperglycemia-Induced Cardiovascular Complications. <i>International Journal of Molecular Sciences</i> , 2022, 23, 8582. | 1.8 | 17 |
| 752 | Stress Kinase Signaling in Cardiac Myocytes. , 2022, , 67-110. | | 0 |
| 753 | Liver-heart cross-talk mediated by coagulation factor XI protects against heart failure. <i>Science</i> , 2022, 377, 1399-1406. | 6.0 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 755 | Doxorubicin-induced Toxicity Through the p38 MAPK Protein Kinase Pathway. , 0, 19, 9-15. | | 1 |
| 756 | Efficacy and Safety of ARRY-371797 in <i>LMNA</i>-Related Dilated Cardiomyopathy: A Phase 2 Study. Circulation Genomic and Precision Medicine, 2023, 16, . | 1.6 | 1 |
| 758 | Notch1 Is Involved in Physiologic Cardiac Hypertrophy of Mice via the p38 Signaling Pathway after Voluntary Running. International Journal of Molecular Sciences, 2023, 24, 3212. | 1.8 | 1 |
| 759 | Cardiomyocyte Apoptosis Is Associated with Contractile Dysfunction in Stem Cell Model of MYH7 E848G Hypertrophic Cardiomyopathy. International Journal of Molecular Sciences, 2023, 24, 4909. | 1.8 | 2 |
| 760 | Effect of artesunate on cardiovascular complications in periodontitis in a type I diabetes rat model and related mechanisms. Journal of Endocrinological Investigation, 0, , . | 1.8 | 0 |
| 761 | Myocardial Remodeling with Ventricular Assist Devices. , 0, , . | | 0 |