Clonal Distribution of the Three Alleles of the Gal(α1â€ GenepapGamongEscherichia coliStrains from Patients v

Journal of Infectious Diseases 177, 651-661 DOI: 10.1086/514230

Citation Report

#	Article	IF	CITATIONS
1	<i>papG</i> Alleles of <i>Escherichia coli</i> Strains Causing Firstâ€Episode or Recurrent Acute Cystitis in Adult Women. Journal of Infectious Diseases, 1998, 177, 97-101.	4.0	89
2	Extended Virulence Genotypes of <i>Escherichia coli</i> Strains from Patients with Urosepsis in Relation to Phylogeny and Host Compromise. Journal of Infectious Diseases, 2000, 181, 261-272.	4.0	1,091
3	Evidence of Commonality between Canine and Human Extraintestinal Pathogenic Escherichia coli Strains That Express papG Allele III. Infection and Immunity, 2000, 68, 3327-3336.	2.2	98
4	Improved Repetitive-Element PCR Fingerprinting for Resolving Pathogenic and Nonpathogenic Phylogenetic Groups within Escherichia coli. Vaccine Journal, 2000, 7, 265-273.	2.6	80
5	Distribution of papG alleles among uropathogenic Escherichia coli isolated from different species. FEMS Microbiology Letters, 2001, 202, 205-208.	1.8	18
6	Virulence factors of Escherichia coli isolated from urine of diabetic women with asymptomatic bacteriuria: correlation with clinical characteristics. Antonie Van Leeuwenhoek, 2001, 80, 119-127.	1.7	22
7	Distribution ofpapGalleles among uropathogenicEscherichia coliisolated from different species. FEMS Microbiology Letters, 2001, 202, 205-208.	1.8	15
8	Phylogenetic and Pathotypic Similarities betweenEscherichia coliIsolates from Urinary Tract Infections in Dogs and Extraintestinal Infections in Humans. Journal of Infectious Diseases, 2001, 183, 897-906.	4.0	92
9	Canine Feces as a Reservoir of Extraintestinal Pathogenic Escherichia coli. Infection and Immunity, 2001, 69, 1306-1314.	2.2	105
10	Novel Molecular Variants of Allele I of theEscherichia coli P Fimbrial Adhesin GenepapG. Infection and Immunity, 2001, 69, 2318-2327.	2.2	20
11	Urinary Tract Pathogens in Complicated Infection and in Elderly Individuals. Journal of Infectious Diseases, 2001, 183, S5-S8.	4.0	77
12	Ongoing Horizontal and Vertical Transmission of Virulence Genes and papA Alleles among Escherichia coliBlood Isolates from Patients with Diverse-Source Bacteremia. Infection and Immunity, 2001, 69, 5363-5374.	2.2	99
13	pap Genotype and P Fimbrial Expression in Escherichia coli Causing Bacteremic and Nonbacteremic Febrile Urinary Tract Infection. Clinical Infectious Diseases, 2001, 32, 1523-1531.	5.8	37
14	Analysis of Urinary Escherichia coli Isolates for Ability To Produce Shiga Toxin. Journal of Clinical Microbiology, 2002, 40, 2247-2248.	3.9	11
15	Phylogenetic Analysis and Prevalence of Urosepsis Strains of Escherichia coli Bearing Pathogenicity Island-Like Domains. Infection and Immunity, 2002, 70, 3216-3226.	2.2	162
16	Virulence Factors of Eescherichia coli Isolated from Urine of Diabetic Women with Asymptomatic Bacteriuria. , 2000, 485, 249-254.		2
17	Epidemiological Correlates of Virulence Genotype and Phylogenetic Background amongEscherichia coliBlood Isolates from Adults with Diverseâ€6ource Bacteremia. Journal of Infectious Diseases, 2002, 185, 1439-1447.	4.0	88
18	Global Molecular Epidemiology of the O15:K52:H1 Extraintestinal Pathogenic Escherichia coli Clonal Group: Evidence of Distribution beyond Europe. Journal of Clinical Microbiology, 2002, 40, 1913-1923.	3.9	53

ARTICLE IF CITATIONS Predominance of the papGII allele with high sequence homology to that of human isolates among 19 1.9 25 avian pathogenic Escherichia coli (APEC). Veterinary Microbiology, 2003, 97, 245-257. Best pharmacological practice: urinary tract infections. Expert Opinion on Pharmacotherapy, 2003, 4, 1.8 19 693-704. Presence and Characterization of Extraintestinal Pathogenic Escherichia coli Virulence Genes in F165-Positive E. coli Strains Isolated from Diseased Calves and Pigs. Journal of Clinical Microbiology, 21 3.9 45 2003, 41, 1375-1385. Renal Allograft Injury Is Associated with Urinary Tract Infection Caused by Escherichia coli Bearing Adherence Factors. American Journal of Transplantation, 2006, 6, 2375-2383. Characteristics of cytotoxic necrotizing factor and cytolethal distending toxin producing Escherichia coli strains isolated from meat samples in Northern Ireland. Food Microbiology, 2006, 23, 23 4.2 19 491-497. Role of P-fimbrial-mediated adherence in pyelonephritis and persistence of uropathogenic Escherichia coli (UPEC) in the mammalian kidney. Kidney International, 2007, 72, 19-25. 5.2 209 A subset of mucosa-associated Escherichia coli isolates from patients with colon cancer, but not Crohn's disease, share pathogenicity islands with urinary pathogenic E. coli. Microbiology (United) Tj ETQq0 0 0 rgBTa/Overlock 10 Tf 50 25 Virulence factors and biofilm production among Escherichia coli strains causing bacteraemia of 1.8 26 urinary tract origin. Journal of Medical Microbiology, 2008, 57, 1329-1334. Occurrence and characteristics of cytotoxic necrotizing factors, cytolethal distending toxins and 27 other virulence factors in *i*>Escherichia coli/*i*>from human blood and faecal samples. Epidemiology 2.1 17 and Infection, 2008, 136, 752-760. Bacterial adhesins to host components in periodontitis. Periodontology 2000, 2010, 52, 12-37. 13.4 A systematic review of outbreak and non-outbreak studies of extraintestinal pathogenic<i>Escherichia coli</i>causing community-acquired infections. Epidemiology and Infection, 29 2.1 37 2010, 138, 1679-1690. Escherichia coli 83972 Expressing a P fimbriae Oligosaccharide Receptor Mimic Impairs Adhesion of 4.0 Uropathogenic E. coli. Journal of Infectious Diseases, 2012, 206, 1242-1249. Uropathogenic Escherichia coli., 2013, , 275-304. $\mathbf{31}$ 9 P1PK, GLOB, and FORS Blood Group Systems and GLOB Collection: Biochemical and Clinical Aspects. Do We Understand It All Yet?. Transfusion Medicine Reviews, 2014, 28, 126-136. 33 The Pathogenesis of <i>Escherichia coli</i> Urinary Tract Infection., 0, , . 12 PapG subtype-specific binding characteristics of Escherichia coli towards globo-series 2.5 14 glycosphingolipids of human kidney and bladder uroepithelial cells. Glycobiology, 2019, 29, 789-802. Clinical and bacteriologic correlates of the papG alleles among Escherichia coli strains from 35 2.0 23 children with acute cystitis. Pediatric Infectious Disease Journal, 1999, 18, 446-451. Diversity of Hemagglutination Phenotypes among P-Fimbriated Wild-Type Strains of <i>Escherichia coli</i> in Relation to <i>papG</i> Allele Repertoire. Vaccine Journal, 1998, 5, 160-170.

CITATION REPORT

~	_
(ITATION	DEDODT
CITATION	KEPUKI

#	Article	IF	CITATIONS
37	<i>papG</i> Alleles among <i>Escherichia coli</i> Strains Causing Urosepsis: Associations with Other Bacterial Characteristics and Host Compromise. Infection and Immunity, 1998, 66, 4568-4571.	2.2	55
38	<i>Escherichia coli</i> Serotype O15:K52:H1 as a Uropathogenic Clone. Journal of Clinical Microbiology, 2000, 38, 201-209.	3.9	63
39	Adhesins, Receptors, and Target Substrata Involved in the Adhesion of Pathogenic Bacteria to Host Cells and Tissues. , 0, , 177-405.		1
43	Evaluation of cell surface hydrophobicity and biofilm formation as pathogenic determinants among ESBL producing uropathogenic Escherichia coli. Indian Journal of Microbiology Research, 2021, 8, 263-267.	0.1	Ο
44	Distribution of papG alleles among uropathogenic Escherichia coli from reproductive age women. Journal of Biomedical Science, 2022, 29, .	7.0	1