

CITATION REPORT

List of articles citing

Incremental prognostic value of myocardial perfusion single photon emission computed tomography for the prediction of cardiac death: differential stratification for risk of cardiac death and myocardial infarction

DOI: 10.1161/01.cir.97.6.535
Circulation, 1998, 97, 535-43.

Source: <https://exaly.com/paper-pdf/29652318/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1065	Myocardial Perfusion Imaging. 48-51		
1064	Misalignment between emission scan and X-ray CT derived attenuation maps causes artificial defects in attenuation corrected myocardial perfusion SPECT.		0
1063	Incremental prognostic value of adenosine myocardial perfusion single-photon emission computed tomography in women with suspected coronary artery disease. 1998 , 82, 725-30		67
1062	Screening with exercise thallium testing after coronary-artery-bypass grafting. 1998 , 351, 1586; author reply 1586-7		
1061	Risk assessment using single-photon emission computed tomographic technetium-99m sestamibi imaging. 1998 , 32, 57-62		343
1060	Comparative prognostic value of automatic quantitative analysis versus semiquantitative visual analysis of exercise myocardial perfusion single-photon emission computed tomography. 1998 , 32, 1987-95		117
1059	Noninvasive risk stratification after myocardial infarction: which test is best?. 1998 , 136, 565-9		2
1058	Advantages of diagnostic nuclear medicine part 2: cardiac and other nonmusculoskeletal disorders. 1999 , 27, 51-7		
1057	Long-term additive prognostic value of thallium-201 myocardial perfusion imaging over clinical and exercise stress test in low to intermediate risk patients : study in 1137 patients with 6-year follow-up. <i>Circulation</i> , 1999 , 100, 1521-7	16.7	142
1056	Incremental prognostic value of rest-redistribution (201)Tl single-photon emission computed tomography. <i>Circulation</i> , 1999 , 100, 1964-70	16.7	36
1055	Exercise testing to predict outcome in patients with angina. 1999 , 14, 63-5		7
1054	Survival analysis for cardiac risk stratification. 1999 , 14, 451-3		1
1053	Wintergreen panel summaries. <i>Journal of Nuclear Cardiology</i> , 1999 , 6, 93-155	2.1	21
1052	Economic evaluation studies in nuclear medicine: the need for standardization. 1999 , 26, 663-80		15
1051	First-pass radionuclide angiography guidelines for interpretation and reporting. <i>Journal of Nuclear Cardiology</i> , 1999 , 6, G53-G84	2.1	1
1050	Comparison of the polar maps method and the summed stress score for predicting outcome in medically treated patients with coronary artery disease. 1999 , 83, 258-9, A5		2
1049	Risk-stratification parameters in patient selection for coronary artery bypass grafting. 1999 , 83, 3-9		3

1048	Comparison of the prognostic value of qualitative versus quantitative stress tomographic perfusion imaging. 1999 , 83, 945-8, A9	6
1047	Long-term prognostic value of Duke treadmill score and exercise thallium-201 imaging performed one to three years after percutaneous transluminal coronary angioplasty. 1999 , 84, 1323-7	26
1046	The ongoing evolution of risk stratification using myocardial perfusion imaging in patients with known or suspected coronary artery disease. 1999 , 8, 66-71	6
1045	Cardiological applications of nuclear medicine. 1999 , 354, 661-6	62
1044	Imaging guidelines for nuclear cardiology procedures. <i>Journal of Nuclear Cardiology</i> , 1999 , 6, G47-G84	2.1 105
1043	ACC/AHA/ACP-ASIM guidelines for the management of patients with chronic stable angina: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Management of Patients With Chronic Stable Angina). 1999 , 33, 2092-197	482
1042	The role of nuclear cardiology in clinical decision making. 1999 , 29, 280-97	38
1041	Incremental prognostic value of myocardial perfusion single photon emission computed tomography in patients with diabetes mellitus. 1999 , 138, 1025-32	143
1040	Radionuclide imaging of the heart. 1999 , 60, 878-83	1
1039	Prevention Conference V: Beyond secondary prevention: identifying the high-risk patient for primary prevention: tests for silent and inducible ischemia: Writing Group II. <i>Circulation</i> , 2000 , 101, E12-6 ^{16.7}	57
1038	Attenuation corrected cardiac perfusion SPECT. 2000 , 15, 330-6	14
1037	Diagnostic and prognostic value of myocardial perfusion imaging in patients with known or suspected stable coronary artery disease. 2000 , 17, 587-95	4
1036	The ongoing evolution of risk stratification using myocardial perfusion imaging in patients with known or suspected coronary artery disease. 2000 , 9, S9-S14	
1035	Methodological considerations in the assessment of noninvasive testing using outcomes research: pitfalls and limitations. 2000 , 43, 215-30	20
1034	Cardiac screening before non-cardiac operations. 2000 , 37, 385-454	
1033	Identification of severe and extensive coronary artery disease by postexercise regional wall motion abnormalities in Tc-99m sestamibi gated single-photon emission computed tomography. 2000 , 86, 1171-5	103
1032	Increased prognostic value of combined myocardial perfusion imaging and exercise electrocardiography in patients with coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2000 , 7, 616-22 ²¹	9
1031	Clinical Policy: Critical Issues in the Evaluation and Management of Adult Patients Presenting With Suspected Acute Myocardial Infarction or Unstable Angina. 2000 , 35, 521-544	66

1030	Prognostic value and quality of life in patients with normal rest thallium-201/stress technetium 99m-tetrofosmin dual-isotope myocardial SPECT. <i>Journal of Nuclear Cardiology</i> , 2000 , 7, 333-41	2.1	34
1029	Accuracy of exercise testing in the assessment of the severity of myocardial ischemia as determined by means of technetium-99m tetrofosmin SPECT scintigraphy. <i>Journal of Nuclear Cardiology</i> , 2000 , 7, 575-83	2.1	11
1028	Imaging techniques to predict cardiovascular risk. 2000 , 2, 300-7		6
1027	Automatic quantification of defect size using normal templates: a comparative clinical study of three commercially available algorithms. 2000 , 27, 1827-34		12
1026	Prognostic implications of infarct size assessed by myocardial perfusion single-photon emission tomography. 2000 , 27, 269-72		4
1025	Cardiac fluorine-18 fluorodeoxyglucose imaging using a dual-head gamma camera with coincidence detection: a clinical pilot study. 2000 , 27, 676-85		10
1024	Cost-effectiveness of stress echocardiography for assessment of coronary artery disease: what we know and what we need to know. 2000 , 1, 22-31		4
1023	Diagnostic testing. 2000 , 27, 785-802;viii		
1022	Perfusion imaging. 2000 , 35, 30B-31B		
1021	When to stress patients after coronary artery bypass surgery? Risk stratification in patients early and late post-CABG using stress myocardial perfusion SPECT: implications of appropriate clinical strategies. 2001 , 37, 144-52		93
1020	Independent contribution of myocardial perfusion defects to exercise capacity and heart rate recovery for prediction of all-cause mortality in patients with known or suspected coronary heart disease. 2001 , 37, 1558-64		67
1019	Prognostic value of dobutamine stress technetium-99m-sestamibi single-photon emission computed tomography myocardial perfusion imaging: stratification of a high-risk population. 2001 , 38, 1511-7		52
1018	Association of mitral annulus calcification, aortic valve sclerosis and aortic root calcification with abnormal myocardial perfusion single photon emission tomography in subjects age 2001, 38, 1988-93		64
1017	Cardiac nuclear medicine in monitoring patients with coronary heart disease. 2001 , 31, 223-37		21
1016	Intracoronary administration of recombinant human vascular endothelial growth factor to patients with coronary artery disease. 2001 , 142, 872-80		182
1015	The clinical use of imaging techniques with exercise testing. 2001 , 28, 181-98 ,viii		1
1014	Technetium-99m-labeled myocardial perfusion agents: Are they better than thallium-201?. 2001 , 9, 160-72		22
1013	Interpretive intra- and interobserver reproducibility of rest/stress 99Tcm-sestamibi myocardial perfusion SPECT in a consecutive group of male patients with stable angina pectoris before and after percutaneous transluminal angioplasty. <i>Nuclear Medicine Communications</i> , 2001 , 22, 531-7	1.6	25

1012	Guidelines for the management of patients with chronic stable angina: diagnosis and risk stratification. 2001 , 135, 530-47		20
1011	The prognostic value of myocardial perfusion scintigraphy: investigators, are you (mis)leading us?. 2001 , 28, 1299-305		
1010	The prognostic value of myocardial perfusion scintigraphy: investigators, are you (mis)leading us?. 2001 , 28, 1439-46		
1009	Validation of a model of left ventricular segmentation for interpretation of SPET myocardial perfusion images. 2001 , 28, 1624-9		16
1008	Selective dual nuclear scanning in low-risk patients with chest pain to reliably identify and exclude acute coronary syndromes. 2001 , 38, 207-15		35
1007	Serial changes on quantitative myocardial perfusion SPECT in patients undergoing revascularization or conservative therapy. <i>Journal of Nuclear Cardiology</i> , 2001 , 8, 428-37	2.1	25
1006	Comparison of Tl-201 with Tc-99m-labeled myocardial perfusion agents: technical, physiologic, and clinical issues. <i>Journal of Nuclear Cardiology</i> , 2001 , 8, 482-98	2.1	42
1005	Beyond the cholesterol profile: monitoring therapeutic effectiveness of statin therapy. <i>Journal of Nuclear Cardiology</i> , 2001 , 8, 528-32	2.1	5
1004	Incremental prognostic value of technetium-99m-tetrofosmin exercise myocardial perfusion imaging for predicting outcomes in patients with suspected or known coronary artery disease. 2001 , 88, 101-6		65
1003	Nuclear cardiology and electron-beam computed tomography: competitive or complementary?. 2001 , 88, 51E-55E		14
1002	Principal uses of myocardial perfusion scintigraphy in the management of patients with known or suspected coronary artery disease. 2001 , 43, 281-302		22
1001	Physiologic assessment of coronary artery stenoses. 2001 , 26, 423-92		3
1000	Recent advances in myocardial perfusion imaging. 2001 , 26, 1-140		4
999	Prediction of mortality by exercise echocardiography: a strategy for combination with the duke treadmill score. <i>Circulation</i> , 2001 , 103, 2566-71	16.7	159
998	Effect of power Doppler and digital subtraction techniques on the comparison of myocardial contrast echocardiography with SPECT. 2001 , 85, 549-55		13
997	Myocardial perfusion imaging for the detection of coronary artery disease in patients with known or suspected disease. 2002 , 3, F2-F4		2
996	Prognostic value of myocardial perfusion imaging in patients with known or suspected coronary artery disease. 2002 , 3, F5-F7		1
995	Value of stress myocardial perfusion single photon emission computed tomography in patients with normal resting electrocardiograms: an evaluation of incremental prognostic value and cost-effectiveness. <i>Circulation</i> , 2002 , 105, 823-9	16.7	164

994	Prediction of outcomes in hypertensive patients with suspected coronary disease. 2002 , 39, 1113-8		26
993	Stress single photon emission computed tomography in patients with normal electrocardiograms. <i>Circulation</i> , 2002 , 106, e71-2; author reply e71-2	16.7	
992	Cost-effectiveness of myocardial perfusion imaging in the evaluation of patients with known or suspected coronary artery disease. 2002 , 3, F15-F18		2
991	Clenbuterol diminishes aerobic performance in horses. 2002 , 34, 1976-85		37
990	Correlation between thallium-201 myocardial perfusion defects and the functional severity of coronary artery stenosis as assessed by pressure-derived myocardial fractional flow reserve. <i>Circulation Journal</i> , 2002 , 66, 1105-9	2.9	50
989	Long-term outcome of a residual scar from myocardial infarction after coronary artery bypass grafting: a 100-month study using myocardial perfusion scintigraphy. <i>Circulation Journal</i> , 2002 , 66, 445-9 ^{2.9}		5
988	Effects of adjustment for referral bias on the sensitivity and specificity of single photon emission computed tomography for the diagnosis of coronary artery disease. 2002 , 112, 290-7		78
987	High coronary artery calcium scores pose an extremely elevated risk for hard events. 2002 , 39, 225-30		249
986	Reversible regional wall motion abnormalities on exercise technetium-99m-gated cardiac single photon emission computed tomography predict high-grade angiographic stenoses. 2002 , 39, 991-8		93
985	Outcome after abnormal exercise echocardiography for patients with good exercise capacity: prognostic importance of the extent and severity of exercise-related left ventricular dysfunction. 2002 , 39, 1345-52		68
984	Adenosine and dipyridamole in nuclear imaging: pharmacoeconomic considerations. 2002 , 2, 555-63		
983	Nuclear Techniques and Stress Echocardiography. 2002 , 30, 34-36		
982	Comparison of various pharmacological stress imaging techniques for diagnosing coronary artery disease. 2002 , 6, 89-90		
981	From thallium scan to molecular imaging. 2002 , 4, 387-98		8
980	Exercise echocardiography and thallium-201 single-photon emission computed tomography stress test for 5- and 10-year prognosis of mortality and specific cardiac events. 2002 , 15, 1326-34		13
979	Comparison between Echocardiography and Gated SPECT in the Assessment of Left Ventricular Wall Motion in Patients with Acute Myocardial Infarction. 2002 , 32, 781		
978	Prevalence and prognostic value of perfusion defects detected by stress technetium-99m sestamibi myocardial perfusion single-photon emission computed tomography in asymptomatic patients with diabetes mellitus and no known coronary artery disease. 2002 , 90, 827-32		130
977	Diagnosing coronary artery disease in diabetic patients. 2002 , 18, 201-8		12

976	Early prediction of regional functional recovery in reperfused myocardium using single-injection resting quantitative electrocardiographic gated SPET. 2002 , 29, 458-64		9
975	Incremental prognostic value of myocardial SPET with dual-isotope rest (201)Tl/stress (99m)Tc-tetrofosmin. 2002 , 29, 46-52		15
974	Clinical relevance of left ventricular volume assessment by gated myocardial SPET in patients with coronary artery disease. 2002 , 29, 957-66		12
973	Criteria for definition of regional functional improvement on quantitative post-stress gated myocardial SPET after bypass surgery in patients with ischaemic cardiomyopathy. 2002 , 29, 1078-82		10
972	Risk stratification in patients with remote prior myocardial infarction using rest-stress myocardial perfusion SPECT: prognostic value and impact on referral to early catheterization. <i>Journal of Nuclear Cardiology</i> , 2002 , 9, 23-32	2.1	39
971	Comparison of the cost-effectiveness of stress myocardial SPECT and stress echocardiography in suspected coronary artery disease considering the prognostic value of false-negative results. <i>Journal of Nuclear Cardiology</i> , 2002 , 9, 515-22	2.1	21
970	Prognostic significance of ischemic electrocardiographic changes during adenosine infusion in patients with normal myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2003 , 10, 9-16	2.1	77
969	Risk stratification of the normal perfusion scan: does normal stress perfusion always mean very low risk?. <i>Journal of Nuclear Cardiology</i> , 2003 , 10, 87-91	2.1	8
968	Pharmacologic radionuclide myocardial perfusion imaging. 2003 , 5, 16-24		6
967	General utilities of multislice tomography in the cardiac field. 2003 , 28, 44-51		16
966	Prognostic value of cardiac autonomic neuropathy independent and incremental to perfusion defects in patients with diabetes and suspected coronary artery disease. 2003 , 92, 1458-61		20
965	Incremental value of exercise technetium-99m tetrofosmin myocardial perfusion single-photon emission computed tomography for the prediction of cardiac events. 2003 , 91, 408-11		38
964	Rest perfusion defects in patients with no history of myocardial infarction predict the presence of a critical coronary artery stenosis. <i>Journal of Nuclear Cardiology</i> , 2003 , 10, 656-62	2.1	3
963	Is a revision of the "nuclear cardiology warranty" in order?. <i>Journal of Nuclear Cardiology</i> , 2003 , 10, 329-32		4
962	Perioperative and long-term prognostic value of dipyridamole Tc-99m sestamibi myocardial tomography in patients evaluated for elective vascular surgery. <i>Journal of Nuclear Cardiology</i> , 2003 , 10, 464-72	2.1	15
961	Stress-related variations in left ventricular function as assessed with gated myocardial perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2003 , 10, 456-63	2.1	18
960	First annual Mario S. Verani, MD, Memorial lecture: clinical value of myocardial perfusion imaging in coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2003 , 10, 529-42	2.1	22
959	Detecting vulnerable plaque using peripheral blood: inflammatory and cellular markers. 2003 , 16, 231-42		30

958 Myocardial Perfusion Imaging. **2003**, 7, 29-35

957 Esophageal dysfunction in patients with atypical chest pain investigated with esophageal scintigraphy and myocardial perfusion imaging: an outcome study. *Journal of Nuclear Cardiology*, **2003**, 10, 490-7 2.1 10

956 [Value of gated-SPECT in defining the post-revascularization prognosis of patients with ischemic cardiomyopathy]. **2003**, 56, 281-8 2

955 What lies beyond a chronically occluded coronary artery, and what should we do about it?. *Journal of Nuclear Cardiology*, **2003**, 10, 92-4 2.1

954 Transient ischemic dilation ratio of the left ventricle is a significant predictor of future cardiac events in patients with otherwise normal myocardial perfusion SPECT. **2003**, 42, 1818-25 165

953 Adenosine myocardial perfusion single-photon emission computed tomography in women compared with men. Impact of diabetes mellitus on incremental prognostic value and effect on patient management. **2003**, 41, 1125-33 231

952 Determinants of risk and its temporal variation in patients with normal stress myocardial perfusion scans: what is the warranty period of a normal scan?. **2003**, 41, 1329-40 288

951 Long-term outcome of patients with silent versus symptomatic ischemia six months after percutaneous coronary intervention and stenting. **2003**, 42, 33-40 87

950 Prospective serial evaluation of myocardial perfusion and lipids during the first six months of pravastatin therapy: coronary artery disease regression single photon emission computed tomography monitoring trial. **2003**, 42, 600-10 52

949 New insights into the relationship between myocardial perfusion and lipid-lowering. **2003**, 42, 611-3 5

948 Role of myocardial perfusion imaging for risk stratification in suspected or known coronary artery disease. **2003**, 89, 1291-7 49

947 Contemporary cardiology and hysteric nucleophobia. **2003**, 114, 131-4 9

946 Contrast-enhanced MRI and routine single photon emission computed tomography (SPECT) perfusion imaging for detection of subendocardial myocardial infarcts: an imaging study. **2003**, 361, 374-9 1019

945 Early use of glycoprotein IIb/IIIa inhibitors in the ED treatment of non-ST-segment elevation acute coronary syndromes: a local quality improvement initiative. **2003**, 21, 302-8 13

944 Impact of viability, ischemia, scar tissue, and revascularization on outcome after aborted sudden death. *Circulation*, **2003**, 108, 1954-9 16.7 89

943 Comparison of the short-term survival benefit associated with revascularization compared with medical therapy in patients with no prior coronary artery disease undergoing stress myocardial perfusion single photon emission computed tomography. *Circulation*, **2003**, 107, 2900-7 16.7 1095

942 Prognostic impact of hemodynamic response to adenosine in patients older than age 55 years undergoing vasodilator stress myocardial perfusion study. *Circulation*, **2003**, 107, 2894-9 16.7 77

941 Clinical and economic impact of exercise electrocardiography and exercise echocardiography in clinical practice. **2003**, 24, 1153-63 64

940	New frontiers in risk stratification using stress myocardial perfusion single photon emission computed tomography. 2003 , 18, 494-502		5
939	Prediction of cardiac death in hypertensive patients with suspected or known coronary artery disease by stress technetium-99m tetrofosmin myocardial perfusion imaging. 2003 , 21, 1945-51		16
938	Does electron beam computer tomography provide added value in the diagnosis of coronary artery disease?. 2003 , 18, 385-93		8
937	Myocardial SPECT. 2003 , 46, 180		
936	Anforderungen des klinisch tätigen Kardiologen an die nuklearkardiologische Diagnostik. 2004 , 27, 141-146		1
935	Nuklearkardiologische Methoden zur Prognosebeurteilung und Risikostratifizierung bei koronarer Herzkrankheit. 2004 , 27, 176-185		3
934	Outcome prediction in patients at high risk for coronary artery disease: comparison between 99mTc tetrofosmin and 99mTc sestamibi. 2004 , 232, 58-65		17
933	The prognostic value of vasodilator myocardial perfusion imaging in octogenarians. 2004 , 13, 239-45, quiz 246-7		9
932	Incremental benefit of myocardial contrast to combined dipyridamole-exercise stress echocardiography for the assessment of coronary artery disease. <i>Circulation</i> , 2004 , 110, 1108-13	16.7	87
931	Assessment of prognosis in chronic coronary artery disease. 2004 , 90 Suppl 5, v10-5		8
930	Cardiac abnormalities in diabetic patients with neuropathy: effects of aldose reductase inhibitor administration. 2004 , 27, 448-54		70
929	Risk factors for silent myocardial ischemia in high-risk type 1 diabetic patients. 2004 , 27, 1745-7		9
928	Carotid atherosclerosis is correlated with extent and severity of coronary artery disease evaluated by myocardial perfusion scintigraphy. 2004 , 55, 281-8		32
927	Nuclear Cardiology and Correlative Imaging. 2004 ,		2
926	Prognostic relevance of symptoms versus objective evidence of coronary artery disease in diabetic patients. 2004 , 25, 543-50		141
925	Comparison of myocardial gated single photon emission computerised tomography, planar radionuclide ventriculography and echocardiography in evaluating left ventricular ejection fraction, wall thickening and wall motion. 2004 , 58, 1120-6		6
924	Effect of pravastatin on myocardial perfusion after percutaneous transluminal coronary angioplasty. 2004 , 93, 1391-3, A6		52
923	Prognostic value of dobutamine stress echocardiography in patients with systemic hypertension and known or suspected coronary artery disease. 2004 , 94, 733-9		16

922	Preoperative risk stratification for endovascular surgery using pharmacologic stress myocardial imaging. 2004 , 94, 1471-4		3
921	Clinical usefulness of ECG-gated 18F-FDG PET combined with 99mTc-MIBI gated SPECT for evaluating myocardial viability and function. <i>Annals of Nuclear Medicine</i> , 2004 , 18, 375-83	2.5	14
920	Myocardial perfusion scintigraphy: the evidence. 2004 , 31, 261-91		352
919	Quantification of myocardial perfusion defects using three different software packages. 2004 , 31, 229-32		18
918	Long-term prognostic value of exercise 99mTc-MIBI SPET myocardial perfusion imaging in patients after percutaneous coronary intervention. 2004 , 31, 655-62		27
917	An overview of contemporary nuclear cardiology. 2004 , 6, 13-9		
916	Tolerance of MRI vs. SPECT myocardial perfusion studies--a patient survey. 2004 , 19, 410-6		7
915	Quantitative Tc-99m sestamibi attenuation-corrected SPECT: development and multicenter trial validation of myocardial perfusion stress gender-independent normal database in an obese population. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 263-72	2.1	81
914	In retroSPECT: the prognostic value of nuclear cardiology-past, present, and future. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 237-8	2.1	
913	Comparison of risk stratification with pharmacologic and exercise stress myocardial perfusion imaging: a meta-analysis. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 551-61	2.1	145
912	The role of stress myocardial perfusion imaging in the risk stratification of patients with remote myocardial infarction. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 656-9	2.1	
911	Prognostic value of stress Tc-99m tetrofosmin SPECT in patients with previous myocardial infarction: impact of scintigraphic extent of coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 704-9	2.1	17
910	Prognostic value of gated myocardial perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 171-85	2.1	438
909	The prognostic value of ECG-gated SPECT imaging in patients undergoing stress Tc-99m sestamibi myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 253-62	2.1	76
908	Clinical value of attenuation correction in stress-only Tc-99m sestamibi SPECT imaging. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 273-81	2.1	89
907	Prognostic validation of a 17-segment score derived from a 20-segment score for myocardial perfusion SPECT interpretation. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 414-23	2.1	196
906	Postischemic stunning after adenosine vasodilator stress. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 534-41	2.1	40
905	Observer variability in the evaluation of dual-isotope Tl-201/Tc-99m sestamibi rest/stress myocardial perfusion SPECT in men and women with known or suspected stable angina pectoris. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 710-8	2.1	22

904	Incremental prognostic value of left ventricular function by myocardial ECG-gated FDG PET imaging in patients with ischemic cardiomyopathy. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 542-50	2.1	32
903	Treatment of Churg-Strauss syndrome with high-dose intravenous immunoglobulin. 2004 , 92, 80-7		90
902	Technetium 99m sestamibi myocardial perfusion imaging predicts clinical outcome in the community outpatient setting. The Nuclear Utility in the Community (NUC) Study. 2004 , 43, 213-23		98
901	Utility of myocardial perfusion imaging in patients with low-risk treadmill scores. 2004 , 43, 194-9		61
900	Risk stratification using stress myocardial perfusion imaging: don't neglect the value of clinical variables. 2004 , 43, 209-12		8
899	The incremental prognostic value of percentage of heart rate reserve achieved over myocardial perfusion single-photon emission computed tomography in the prediction of cardiac death and all-cause mortality: superiority over 85% of maximal age-predicted heart rate. 2004 , 44, 423-30		125
898	Prognostic implications of atrial fibrillation in patients undergoing myocardial perfusion single-photon emission computed tomography. 2004 , 44, 1062-70		47
897	Relationship between stress-induced myocardial ischemia and atherosclerosis measured by coronary calcium tomography. 2004 , 44, 923-30		339
896	Does the extent of malperfusion or ischemia on stress testing predict future cardiac events?. 2004 , 117, 58-9		4
895	Automated quantification of 99mTc sestamibi myocardial perfusion compared with visual analysis. <i>Nuclear Medicine Communications</i> , 2004 , 25, 833-8	1.6	6
894	The prognostic value of myocardial perfusion imaging in patients with suspected or known coronary artery disease. <i>Nuclear Medicine Communications</i> , 2004 , 25, 217-20	1.6	1
893	Systematic review of the prognostic effectiveness of SPECT myocardial perfusion scintigraphy in patients with suspected or known coronary artery disease and following myocardial infarction. <i>Nuclear Medicine Communications</i> , 2005 , 26, 217-29	1.6	26
892	NOGA-guided analysis of regional myocardial perfusion abnormalities treated with intramyocardial injections of plasmid encoding vascular endothelial growth factor A-165 in patients with chronic myocardial ischemia: subanalysis of the EUROINJECT-ONE multicenter double-blind randomized study. <i>Circulation</i> , 2005 , 112, 1157-65	16.7	61
891	Dobutamine myocardial scintigraphy for the prediction of cardiac events after heart transplantation. <i>Nuclear Medicine Communications</i> , 2005 , 26, 607-12	1.6	28
890	Diabetes mellitus: evaluation of patients with known or suspected coronary artery disease and the role played by myocardial perfusion imaging. <i>Nuclear Medicine Communications</i> , 2005 , 26, 587-91	1.6	2
889	Radionuclide-based insights into the pathophysiology of ischemic heart disease: beyond diagnosis. 2005 , 53, 176-91		5
888	Comparison of post-exercise and post-vasodilator stress myocardial stunning as assessed by electrocardiogram-gated single-photon emission computed tomography. <i>Circulation Journal</i> , 2005 , 69, 1338-45	2.9	31
887	Incremental value of regional wall motion analysis immediately after exercise for the detection of single-vessel coronary artery disease: study by separate acquisition, dual-isotope ECG-gated single-photon emission computed tomography. <i>Circulation Journal</i> , 2005 , 69, 301-5	2.9	32

886	Scintigraphic prediction of left ventricular functional recovery early after primary coronary angioplasty using single-injection quantitative electrocardiographic gated SPECT. <i>Nuclear Medicine Communications</i> , 2005 , 26, 505-11	1.6	4
885	Value of pharmacologic stress myocardial perfusion imaging for preoperative risk stratification for aortic surgery. <i>Circulation Journal</i> , 2005 , 69, 558-63	2.9	19
884	Cardiovascular risk assessment in cancer patients undergoing major surgery. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 151-7	2.1	1
883	Assessment of left ventricular function during upright treadmill exercise with tantalum 178 and multiwire gamma camera. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 560-6	2.1	8
882	Prognostic value of myocardial perfusion SPECT versus exercise electrocardiography in patients with ST-segment depression on resting electrocardiography. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 655-61	2.1	8
881	Role of regional myocardial dysfunction by gated myocardial perfusion SPECT in the prognostic evaluation of patients with coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 5-8	2.1	14
880	Information Statement - Approved November 2004. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 131-142	2.1	15
879	Myocardial perfusion SPECT imaging in patients with myocardial bridging. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 318-23	2.1	19
878	The clinical importance of electrocardiographic changes during pharmacologic stress testing with radionuclide myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 466-72	2.1	9
877	Cost-effectiveness of myocardial perfusion imaging: a summary of the currently available literature. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 750-9	2.1	39
876	Use of pro-atrial natriuretic peptide in the detection of myocardial ischaemia. 2005 , 35, 450-6		3
875	Incremental prognostic power of single-photon emission computed tomographic myocardial perfusion imaging in patients with known or suspected coronary artery disease. 2005 , 95, 182-8		31
874	Heart rate response during dipyridamole stress as a predictor of mortality in patients with normal myocardial perfusion and normal electrocardiograms. 2005 , 95, 1159-64		34
873	Prognostic value of combined perfusion and function by stress technetium-99m sestamibi gated SPECT myocardial perfusion imaging in patients with suspected or known coronary artery disease. 2005 , 95, 1351-7		32
872	Comparison of prognostic value of negative dobutamine stress echocardiography versus single-photon emission computed tomography after acute myocardial infarction. 2005 , 96, 13-6		5
871	Sequential single-photon emission computed tomography myocardial perfusion imaging. 2005 , 96, 28J-39J		5
870	Anatomic distribution of myocardial ischemia as a determinant of exercise-induced ST-segment depression. 2005 , 96, 1356-60		12
869	Prevalence of symptomatic and silent stress-induced perfusion defects in diabetic patients with suspected coronary artery disease referred for myocardial perfusion scintigraphy. 2005 , 32, 60-9		18

868	[Value of gated SPECT myocardial perfusion imaging for individual cardiac risk assessment]. 2005 , 94 Suppl 4, IV/81-84		
867	Exercise single-photon emission computed tomography provides effective risk stratification of elderly men and elderly women. <i>Circulation</i> , 2005 , 111, 1771-6	16.7	62
866	[Scintigraphic procedures in internal medicine--indications, limits, possibilities]. <i>Deutsche Medizinische Wochenschrift</i> , 2005 , 130, 2833-42; quiz 2843-6	0	5
865	Treatment of stable angina: medical and invasive therapy--implications for the elderly. 2005 , 14, 183-92; quiz 193-4		1
864	Correspondence between left ventricular 17 myocardial segments and coronary arteries. 2005 , 26, 2637-43		95
863	Acute myocardial infarction following a negative evaluation of chest pain. 2005 , 27, 26-31		0
862	Prognosis of patients with good exercise capacity and mildly abnormal exercise echocardiography results: identification of an at-risk subgroup. 2005 , 18, 644-8		4
861	Cardiovascular imaging to quantify the evolution of cardiac diseases in clinical development. 2005 , 10 Suppl 1, S1-9		8
860	Cardiac single-photon emission-computed tomography using combined cone-beam/fan-beam collimation. 2005 , 52, 143-153		5
859	Marked differences between patients referred for stress echocardiography and myocardial perfusion imaging studies. 2005 , 149, 888-93		6
858	Use of N-terminal pro-B-type natriuretic peptide to detect myocardial ischemia. 2005 , 118, 1287		45
857	The use of nuclear cardiology in clinical decision making. 2005 , 35, 62-72		53
856	A prognostic score for prediction of cardiac mortality risk after adenosine stress myocardial perfusion scintigraphy. 2005 , 45, 722-9		80
855	Comparison of treadmill exercise versus dipyridamole stress with myocardial perfusion imaging using rubidium-82 positron emission tomography. 2005 , 45, 1227-34		40
854	Ethnic differences in the prognostic value of stress technetium-99m tetrofosmin gated single-photon emission computed tomography myocardial perfusion imaging. 2005 , 45, 1494-504		54
853	Prognostic value of lung sestamibi uptake in myocardial perfusion imaging of patients with known or suspected coronary artery disease. 2005 , 45, 1676-82		22
852	Guidelines on the management of stable angina pectoris: executive summary: The Task Force on the Management of Stable Angina Pectoris of the European Society of Cardiology. 2006 , 27, 1341-81		981
851	Quantitative Analysis in Nuclear Medicine Imaging. 2006 ,		64

850	Risk stratification with electrocardiographic-gated dobutamine stress technetium-99m sestamibi single-photon emission tomographic imaging: value of heart rate response and assessment of left ventricular function. 2006 , 47, 781-8		26
849	Worsening of left ventricular ejection fraction induced by dipyridamole on Tl-201 gated myocardial perfusion imaging predicts significant coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, 225-232	2.1	4
848	Prognostic value of myocardial perfusion contrast echocardiography in patients with suggested or known ischemic heart disease. 2006 , 19, 1203-10		8
847	SPECT myocardial perfusion imaging in morbidly obese patients: Image quality, hemodynamic response to pharmacologic stress, and diagnostic and prognostic value. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, 202-209	2.1	9
846	[Nuclear cardiology, an evidence-based sub-speciality]. 2006 , 25, 271-5		
845	[Guidelines on the management of stable angina pectoris. Executive summary]. 2006 , 59, 919-70		22
844	Treadmill exercise produces larger perfusion defects than dipyridamole stress N-13 ammonia positron emission tomography. 2006 , 47, 411-6		51
843	What is the prognostic value of myocardial perfusion imaging using rubidium-82 positron emission tomography?. 2006 , 48, 1029-39		291
842	Use of B-type natriuretic peptide in the detection of myocardial ischemia. 2006 , 151, 1223-30		70
841	Evaluation of no-reflow phenomenon using 201TlCl/123I-BMIPP dual-isotope myocardial SPECT. 2006 , 73, 258-64		3
840	Prognostic Applications of Exercise Testing. 2006 , 249-290		
839	[Adenosine myocardial perfusion SPECT with Tc-99m-MIBI in patients with obstructive coronary artery disease: correlation between quantitative coronary angiography and intravascular ultrasound measurements]. <i>Arquivos Brasileiros De Cardiologia</i> , 2006 , 86, 3-13	1.2	1
838	SPECT myocardial perfusion imaging. 2006 , 45, 74-81		6
837	Quantitative Analysis in Myocardial SPECT Imaging. 2006 , 471-493		3
836	Explorations radio-isotopiques en cardiologie. 2006 , 1, 1-10		
835	Explorations radio-isotopiques en cardiologie. 2006 , 1, 1-10		
834	Modalities to assess myocardial viability in the modern cardiology era. 2006 , 17, 567-76		3
833	Myocardial perfusion scintigraphy. 2006 , 6, 263-6		1

832	Cardiac imaging improves risk stratification in high-risk patients undergoing surgical revascularization. 2006 , 7, 51-6		3
831	Combined assessment of left ventricular perfusion and function by gated single-photon emission computed tomography for the risk stratification of high-risk hypertensive patients. 2006 , 24, 767-73		13
830	Prognostic value of normal exercise 99mTc-sestamibi myocardial tomography in patients with angiographic coronary artery disease. <i>Nuclear Medicine Communications</i> , 2006 , 27, 333-8	1.6	10
829	Prediction of coronary heart disease by erectile dysfunction in men referred for nuclear stress testing. 2006 , 166, 201-6		49
828	Prognostic utility of sestamibi lung uptake does not require adjustment for stress-related variables: a retrospective cohort study. 2006 , 6, 2		5
827	Prognostic value of myocardial perfusion imaging in patients with known or suspected stable angina pectoris: evaluation in a setting in which myocardial perfusion imaging did not influence the choice of treatment. 2006 , 26, 288-95		10
826	The added value of ECG-gating for the diagnosis of myocardial infarction using myocardial perfusion scintigraphy and artificial neural networks. 2006 , 26, 301-4		6
825	Myocardial perfusion and function single photon emission computed tomography. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, e97-120	2.1	65
824	Lack of correlation between coronary artery calcium and myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, 333-7	2.1	12
823	Technetium tetrofosmin myocardial perfusion imaging in women. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, 603-4	2.1	
822	Multicenter intercomparison assessment of consistency of left ventricular function from a gated cardiac SPECT phantom. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, 801-10	2.1	8
821	Depressed heart rate response to vasodilator stress for myocardial SPECT predicts mortality in patients after myocardial infarction. 2006 , 22, 663-70		9
820	SPECT myocardial perfusion imaging in morbidly obese patients: image quality, hemodynamic response to pharmacologic stress, and diagnostic and prognostic value. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, 202-9	2.1	45
819	Worsening of left ventricular ejection fraction induced by dipyridamole on Tl-201 gated myocardial perfusion imaging predicts significant coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, 225-32	2.1	24
818	Surveillance study for creating the national clinical database related to ECG-gated myocardial perfusion SPECT of ischemic heart disease: J-ACCESS study design. <i>Annals of Nuclear Medicine</i> , 2006 , 20, 195-202	2.5	30
817	Usefulness of exercise myocardial scintigraphy in multivessel coronary disease after incomplete revascularization with coronary stenting. 2006 , 97, 207-15		14
816	Comparison of the long-term survival benefits associated with revascularization or medical therapy in patients with known coronary artery disease undergoing transesophageal atrial pacing stress echocardiography. 2006 , 97, 804-9		4
815	Nuclear cardiology: present and future. 2006 , 31, 557-629		41

814	The role of non-invasive imaging in the risk stratification of asymptomatic diabetic subjects. 2006 , 27, 905-12		48
813	Incremental cost-effectiveness of exercise echocardiography vs. SPECT imaging for the evaluation of stable chest pain. 2006 , 27, 2448-58		59
812	Cardiac image fusion from stand-alone SPECT and CT: clinical experience. 2007 , 48, 696-703		174
811	Prognostic value of myocardial perfusion imaging in symptomatic and asymptomatic patients after percutaneous coronary intervention. 2007 , 107, 38-43		5
810	A critical discussion of computer analysis in medical imaging. 2007 , 4, 347-9		7
809	Cardiovascular molecular imaging. 2007 , 244, 337-55		58
808	Quantitative gated single-photon emission computed tomography with (99m)Tc sestamibi predicts major cardiac events in elderly patients with known or suspected coronary artery disease: the QGS-Prognostic Value in the Elderly (Q-PROVE) Study. <i>Circulation Journal</i> , 2007 , 71, 1029-34	2.9	19
807	Prognostic value of myocardial perfusion single-photon emission computed tomography for the prediction of future cardiac events in a Japanese population: a middle-term follow-up study. <i>Circulation Journal</i> , 2007 , 71, 1580-5	2.9	40
806	Prognostic value of normal stress myocardial perfusion imaging in Japanese population. <i>Circulation Journal</i> , 2008 , 72, 611-7	2.9	42
805	The use of perfusion scintigraphy to differentiate proximal right coronary artery stenosis from distal right coronary artery stenosis in patients with inferior left ventricular ischaemia. <i>Nuclear Medicine Communications</i> , 2007 , 28, 35-40	1.6	1
804	Prediction of mortality in patients with coronary artery disease undergoing vasodilator stress testing: a comparison between 99mTc-tetrofosmin and 99mTc-sestamibi. <i>Nuclear Medicine Communications</i> , 2007 , 28, 457-63	1.6	1
803	Cardiologie nucléaire. 2007 , 2, 1-26		
802	Design and rationale for the Myocardial Stem Cell Administration After Acute Myocardial Infarction (MYSTAR) Study: a multicenter, prospective, randomized, single-blind trial comparing early and late intracoronary or combined (percutaneous intramyocardial and intracoronary) administration of autologous cultured mesenchymal stem cells to patients after acute myocardial infarction. 2007 , 153, 212.e1-7		40
801	Effect of exercise training on ventricular function, dyssynchrony, resting myocardial perfusion, and clinical outcomes in patients with heart failure: a nuclear ancillary study of Heart Failure and A Controlled Trial Investigating Outcomes of Exercise TraiNing (HF-ACTION); design and rationale. 2007 , 154, 46-53		13
800	Effects of a myocardial ischaemia-guided therapeutic program on survival and incidence of coronary events in asymptomatic patients with diabetes: the ARCADIA study. 2007 , 33, 459-65		3
799	Neurohormonal activation and left ventricular ejection fraction in patients with suspected myocardial ischemia. <i>International Journal of Cardiology</i> , 2007 , 120, 248-53	3.2	6
798	Comparison of computed tomographic angiography versus rubidium-82 positron emission tomography for the detection of patients with anatomical coronary artery disease. 2007 , 23, 801-7		13
797	Risk stratification using stress echocardiography: incremental prognostic value over historic, clinical, and stress electrocardiographic variables across a wide spectrum of bayesian pretest probabilities for coronary artery disease. 2007 , 20, 244-52		36

796	The prognostic value of normal exercise myocardial perfusion imaging and exercise echocardiography: a meta-analysis. 2007 , 49, 227-37		354
795	A Novel Index of Microcirculatory Resistance for Invasively Assessing Myocardial Viability after Primary Angioplasty for Treating Acute Myocardial Infarction: Comparison with FDG-PET Imaging. 2007 , 37, 318		1
794	GUIDELINES ON THE MANAGEMENT OF STABLE ANGINA PECTORIS (ENDING). 2007 , 3, 69-100		
793	Mortality risk associated with ejection fraction differs across resting nuclear perfusion findings. <i>Journal of Nuclear Cardiology</i> , 2007 , 14, 165-73	2.1	11
792	A randomized trial of exercise treadmill ECG versus stress SPECT myocardial perfusion imaging as an initial diagnostic strategy in stable patients with chest pain and suspected CAD: cost analysis. <i>Journal of Nuclear Cardiology</i> , 2007 , 14, 174-86	2.1	35
791	A normal stress SPECT scan is an effective gatekeeper for coronary angiography. <i>Journal of Nuclear Cardiology</i> , 2007 , 14, 187-93	2.1	13
790	Is it possible for myocardial perfusion imaging to avoid missing any patients with high-risk coronary disease?. <i>Journal of Nuclear Cardiology</i> , 2007 , 14, 492-6	2.1	6
789	"Mismatch" in regional myocardial perfusion defects during exercise and pharmacologic vasodilation: a noninvasive marker of epicardial vasomotor dysfunction?. <i>Journal of Nuclear Cardiology</i> , 2007 , 14, 769-74	2.1	9
788	American Society of Nuclear Cardiology review of the ACCF/ASNC appropriateness criteria for single-photon emission computed tomography myocardial perfusion imaging (SPECT MPI). <i>Journal of Nuclear Cardiology</i> , 2007 , 14, e26-38	2.1	43
787	Fragmented QRS complexes not typical of a bundle branch block: a marker of greater myocardial perfusion tomography abnormalities in coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2007 , 14, 347-53	2.1	54
786	A hypertensive response to exercise is associated with transient ischemic dilation on myocardial perfusion SPECT imaging. <i>Journal of Nuclear Cardiology</i> , 2007 , 14, 537-43	2.1	12
785	Variation in heart rate influences the assessment of transient ischemic dilation in myocardial perfusion scintigraphy. 2007 , 7, 1		4
784	Single- vs. dual-head SPECT for detection of myocardial ischemia and viability in a large study population. 2007 , 31, 228-33		2
783	Value of electrocardiographically gated single-photon emission computed tomographic myocardial perfusion scintigraphy in a cohort of symptomatic postmenopausal women. 2007 , 99, 1096-9		16
782	Usefulness of stress cardiac single-photon emission computed tomographic imaging late after percutaneous coronary intervention for assessing cardiac events and time to such events. 2007 , 100, 436-41		23
781	Identification of advanced coronary artery disease with exercise myocardial perfusion imaging: the clinical value of a novel approach for assessing lung thallium-201 uptake. 2007 , 34, 573-83		7
780	Accuracy of 64-slice CT angiography for the detection of functionally relevant coronary stenoses as assessed with myocardial perfusion SPECT. 2007 , 34, 1162-71		107
779	Adenosine myocardial contrast echo in intermediate severity coronary stenoses: a prospective two-center study. 2007 , 23, 311-21		9

778	Frühdagnostik und Risikostratifizierung der koronaren Herzerkrankung bei mittlerer Vortestwahrscheinlichkeit durch gated SPECT. 2007 , 2, V28-V36		
777	The oft neglected rest study. <i>Journal of Nuclear Cardiology</i> , 2008 , 15, 739-42	2.1	3
776	Prognostic predictors and outcomes in patients with abnormal myocardial perfusion imaging and angiographically insignificant coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2008 , 15, 754-61	2.1	15
775	Prognostic estimation of coronary artery disease risk with resting perfusion abnormalities and stress ischemia on myocardial perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2008 , 15, 762-73	2.1	40
774	Comparison of SSS and SRS calculated from normal databases provided by QPS and 4D-MSPECT manufacturers and from identical institutional normals. 2008 , 35, 311-8		22
773	Prognostic study of risk stratification among Japanese patients with ischemic heart disease using gated myocardial perfusion SPECT: J-ACCESS study. 2008 , 35, 319-28		130
772	Evaluation of a decision support system for interpretation of myocardial perfusion gated SPECT. 2008 , 35, 1523-9		18
771	Surveillance study for creating the national clinical database relating to ECG-gated myocardial perfusion SPECT of asymptomatic ischemic heart disease in patients with type-2 diabetes mellitus: J-ACCESS 2 study design. <i>Annals of Nuclear Medicine</i> , 2008 , 22, 13-21	2.5	8
770	Evaluation of myocardial perfusion and function by gated SPECT in patients with Behçet's disease. <i>Annals of Nuclear Medicine</i> , 2008 , 22, 287-95	2.5	13
769	Usefulness of 201TlCl/ 123I-BMIPP dual-myocardial SPECT for patients with non-ST segment elevation myocardial infarction. <i>Annals of Nuclear Medicine</i> , 2008 , 22, 363-9	2.5	6
768	Prognostic table for predicting major cardiac events based on J-ACCESS investigation. <i>Annals of Nuclear Medicine</i> , 2008 , 22, 891-7	2.5	9
767	Myocardial first-pass perfusion cardiovascular magnetic resonance: history, theory, and current state of the art. 2008 , 10, 18		157
766	Three dimensional first-pass myocardial perfusion imaging at 3T: feasibility study. 2008 , 10, 57		45
765	Impact of inducible ischemia by stress SPECT in cardiac risk assessment in diabetic patients: rationale and design of a prospective, multicenter trial. <i>Journal of Nuclear Cardiology</i> , 2008 , 15, 100-4	2.1	16
764	Evaluation of the American College of Cardiology Foundation/American Society of Nuclear Cardiology appropriateness criteria for SPECT myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2008 , 15, 337-44	2.1	58
763	Comparison of findings on stress myocardial perfusion imaging in men with versus without erectile dysfunction and without prior heart disease. 2008 , 101, 502-5		10
762	Comparison of sensitivity, specificity, positive predictive value, and negative predictive value of stress testing versus 64-multislice coronary computed tomography angiography in predicting obstructive coronary artery disease diagnosed by coronary angiography. 2008 , 101, 774-5		32
761	Effectiveness of anemia and chronic kidney disease as predictors for presence and severity of coronary artery disease in patients undergoing stress myocardial perfusion study. 2008 , 102, 266-71		10

760	Relation of exercise capacity and body mass index to mortality in patients with intermediate to high risk of coronary artery disease. 2008 , 102, 1028-33		25
759	Pronóstico de la enfermedad coronaria crítica mediante gated-SPECT de perfusión miocárdica. 2008 , 8, 25B-34B		
758	Stress cardiac single-photon emission computed tomographic imaging late after coronary artery bypass surgery for risk stratification and estimation of time to cardiac events. 2008 , 136, 46-51		16
757	Prognostic estimation of coronary artery disease risk with resting perfusion abnormalities and stress ischemia on myocardial perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2008 , 15, 762-773	2.1	0
756	Multidetector computed tomography coronary artery plaque predictors of stress-induced myocardial ischemia by SPECT. 2008 , 197, 700-9		98
755	Use of multidetector computed tomography after mildly abnormal myocardial perfusion stress testing in a large single-specialty cardiology practice. 2008 , 2, 372-8		6
754	The oft neglected rest study. <i>Journal of Nuclear Cardiology</i> , 2008 , 15, 739-742	2.1	
753	Prognostic predictors and outcomes in patients with abnormal myocardial perfusion imaging and angiographically insignificant coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2008 , 15, 754-761	2.1	
752	Optimal medical therapy with or without percutaneous coronary intervention to reduce ischemic burden: results from the Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation (COURAGE) trial nuclear substudy. <i>Circulation</i> , 2008 , 117, 1283-91	16.7	1183
751	Radiopharmaceutical agents for myocardial perfusion imaging. <i>Circulation</i> , 2008 , 118, 1668-74	16.7	69
750	Single-photon emission computed tomography myocardial perfusion defects are associated with an increased risk of all-cause death, cardiovascular death, and sudden cardiac death. 2008 , 1, 180-8		47
749	Clinical value, cost-effectiveness, and safety of myocardial perfusion scintigraphy: a position statement. 2008 , 29, 557-63		100
748	MR perfusion imaging. What will be its impact for detection of coronary disease in the future?. 2008 , 29, 434-5		5
747	Prognostic utility of 64-slice computed tomography in patients with suspected but no documented coronary artery disease. 2009 , 30, 362-71		104
746	MR-IMPACT: comparison of perfusion-cardiac magnetic resonance with single-photon emission computed tomography for the detection of coronary artery disease in a multicentre, multivendor, randomized trial. 2008 , 29, 480-9		504
745	Ischemia induced by transesophageal atrial pacing stress echocardiography predicts long-term mortality. 2008 , 111, 111-8		
744	Functionally relevant coronary artery disease: comparison of 64-section CT angiography with myocardial perfusion SPECT. 2008 , 248, 414-23		173
743	Cardiac radionuclide imaging in stable coronary artery disease and acute coronary syndromes. 2009 , 89, 63-78		13

742	Noninvasive diagnosis and prognosis assessment in chronic coronary artery disease: stress testing with and without imaging perspective. 2008 , 1, 257-69; discussion 269		28
741	Response to Letters Regarding Article, "Optimal Medical Therapy With or Without Percutaneous Coronary Intervention to Reduce Ischemic Burden: Results From the Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation (COURAGE) Trial Nuclear Substudy" <i>Circulation</i> , 2008 , 118, 1118-1120	16.7	0
740	Predictive value of myocardial perfusion single-photon emission computed tomography and the impact of renal function on cardiac death. <i>Circulation</i> , 2008 , 118, 2540-9	16.7	84
739	Additional value of myocardial perfusion imaging during dobutamine stress magnetic resonance for the assessment of coronary artery disease. 2008 , 1, 122-30		48
738	Quantification of regional myocardial blood flow using first-pass multidetector-row computed tomography and adenosine triphosphate in coronary artery disease. <i>Circulation Journal</i> , 2008 , 72, 1086-91	2.9	46
737	Incremental prognostic value of cardiac function assessed by ECG-gated myocardial perfusion SPECT for the prediction of future acute coronary syndrome. <i>Circulation Journal</i> , 2008 , 72, 2035-9	2.9	25
736	Fixed defect on rest/stress Tc-99m sestamibi study underestimates myocardial ischemia: comparison with 24-hour thallium-201 study for short- and intermediate-term follow-up. 2008 , 33, 168-71		1
735	PRO: Preoperative coronary revascularization in high-risk patients undergoing vascular surgery. 2008 , 106, 759-63		9
734	Comparison of outcome after myocardial infarction in patients with and without abnormalities on previous stress Tc-99m tetrofosmin myocardial perfusion imaging. 2008 , 33, 852-5		
733	Normal or near normal myocardial perfusion stress imaging in patients with severe coronary artery disease. 2008 , 9, 820-5		11
732	Radionuclide imaging of myocardium with mental stress in the investigation of thoracic pain. <i>Arquivos Brasileiros De Cardiologia</i> , 2009 , 93, e63-6, e51-4	1.2	2
731	Is computed tomography coronary angiography the most accurate and effective noninvasive imaging tool to evaluate patients with acute chest pain in the emergency department? CT coronary angiography is the most accurate and effective noninvasive imaging tool for evaluating patients with acute chest pain in the emergency department. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 264-75		10
730	Prediction of cardiac events in patients having left bundle-branch block with/without chest pain using dipyridamole technetium-99m-sestamibi myocardial perfusion imaging. 2009 , 18, 310-6		1
729	Incremental prognostic value of myocardial perfusion imaging in patients referred to stress single-photon emission computed tomography with renal dysfunction. 2009 , 2, 429-36		47
728	Comparison between the prognostic value of left ventricular function and myocardial perfusion reserve in patients with ischemic heart disease. 2009 , 50, 214-9		153
727	Risk assessment and predictive value of coronary artery disease testing. 2009 , 50, 1296-306		29
726	Diagnostic accuracy of computed tomography coronary angiography and evaluation of stress-only single-photon emission computed tomography/computed tomography hybrid imaging: comparison of prospective electrocardiogram-triggering vs. retrospective gating. 2009 , 30, 600-7		74
725	Noninvasive assessment of myocardial ischemia in the future: fusion of anatomical and functional images?. 2009 , 5, 125-8		1

724	Stable coronary artery disease: prognostic value of myocardial perfusion SPECT in relation to coronary calcium scoring--long-term follow-up. 2009 , 252, 682-90		31
723	Are shades of gray prognostically useful in reporting myocardial perfusion single-photon emission computed tomography?. 2009 , 2, 290-8		36
722	Anatomic and functional assessment of coronary artery disease: convergence of 2 aims in a single setting. 2009 , 2, 163-5		6
721	Directions and magnitudes of misregistration of CT attenuation-corrected myocardial perfusion studies: incidence, impact on image quality, and guidance for reregistration. 2009 , 50, 1471-8		29
720	ACCF/ASNC/ACR/AHA/ASE/SCCT/SCMR/SNM 2009 appropriate use criteria for cardiac radionuclide imaging: a report of the American College of Cardiology Foundation Appropriate Use Criteria Task Force, the American Society of Nuclear Cardiology, the American College of Radiology, the American Heart Association, the American Society of Echocardiography, the Society of Cardiac Computed Tomography, the Society of Cardiac Magnetic Resonance, and the Society of Nuclear Medicine. <i>Circulation</i> , 2009 , 119, e561-87	16.7	229
719	Normal myocardial perfusion scan portends a benign prognosis independent from the pretest probability of coronary artery disease: Sub-analysis of the J-ACCESS study. <i>Journal of Cardiology</i> , 2009 , 54, 93-100	3	7
718	Usefulness of abnormal heart rate recovery on exercise stress testing to predict high-risk findings on single-photon emission computed tomography myocardial perfusion imaging in men. 2009 , 103, 611-4		10
717	Correlation of antecedent stress myocardial perfusion imaging with the infarct related artery in ST-elevation myocardial infarction. 2009 , 25, 145-9		1
716	CT angiography for evaluation of coronary artery disease in inner-city outpatients: an initial prospective comparison with stress myocardial perfusion imaging. 2009 , 25, 303-13		17
715	Cardiac myocardial perfusion imaging using dual source computed tomography. 2009 , 25, 209-216		13
714	Hemodynamic variables during stress testing can predict referral to early catheterization but failed to show a prognostic impact on emerging cardiac events in patients aged 70 years and older undergoing exercise (99m)Tc-sestamibi myocardial perfusion scintigraphy. 2009 , 25, 569-79		2
713	Prognostic value of myocardial perfusion and ventricular function in a Japanese multicenter cohort study (J-ACCESS): the first-year total events and hard events. <i>Annals of Nuclear Medicine</i> , 2009 , 23, 373-81 ⁵		13
712	Correlation of left ventricular dyssynchrony with myocardial stunning using dual single photon emission computed tomography of (123)iodine-beta-methyl iodophenyl pentadecanoic acid and (201)thallium scintigraphy after reperfusion therapy. <i>Annals of Nuclear Medicine</i> , 2009 , 23, 799-805	2.5	1
711	Prognostic value of myocardial perfusion SPECT images in combination with the maximal heart rate at exercise testing in Japanese patients with suspected ischemic heart disease: a sub-analysis of J-ACCESS. <i>Annals of Nuclear Medicine</i> , 2009 , 23, 849-54	2.5	5
710	Positionspapier Nuklearkardiologie. 2009 , 3, 283-293		0
709	Integrated imaging of cardiac anatomy, physiology, and viability. 2009 , 11, 125-32		1
708	Threshold, incidence, and predictors of prognostically high-risk silent ischemia in asymptomatic patients without prior diagnosis of coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2009 , 16, 193-200		60
707	Vascular dysfunction measured by fingertip thermal monitoring is associated with the extent of myocardial perfusion defect. <i>Journal of Nuclear Cardiology</i> , 2009 , 16, 431-9	2.1	19

706	Risk stratification with attenuation corrected stress Tc-99m sestamibi SPECT myocardial perfusion imaging in the absence of ECG-gating due to arrhythmias. <i>Journal of Nuclear Cardiology</i> , 2009 , 16, 533-9	2.1	26
705	Witnessing ischemia or proofing coronary atherosclerosis: two different windows on the same or on different pathways precipitating cardiovascular events?. <i>Journal of Nuclear Cardiology</i> , 2009 , 16, 447-55	2.1	3
704	Comparison of dobutamine stress echocardiography, dobutamine SPECT, and adenosine SPECT myocardial perfusion imaging in patients with end-stage renal disease. <i>Journal of Nuclear Cardiology</i> , 2009 , 16, 507-15	2.1	14
703	Influence of 99mTc-tetrofosmin SPECT myocardial perfusion imaging on the prediction of future adverse cardiac events. <i>Journal of Nuclear Cardiology</i> , 2009 , 16, 540-8	2.1	10
702	Prognostic validation of an algorithm to convert myocardial perfusion SPECT imaging data from a 12-segment model to a 17-segment model. <i>Journal of Nuclear Cardiology</i> , 2009 , 16, 605-13	2.1	6
701	Prognostic value of myocardial perfusion scintigraphy in type 2 diabetic patients with mild, stable angina pectoris. <i>Journal of Nuclear Cardiology</i> , 2009 , 16, 524-32	2.1	9
700	Long-term effects of a multimodal behavioral intervention on myocardial perfusion--a randomized controlled trial. 2009 , 16, 219-26		14
699	Prognostic significance of stress myocardial gated SPECT among Japanese patients referred for coronary angiography: A study of data from the J-ACCESS database. 2009 , 36, 1329-37		16
698	Prognostic significance of stress myocardial ECG-gated perfusion imaging in asymptomatic patients with diabetic chronic kidney disease on initiation of haemodialysis. 2009 , 36, 1315-21		34
697	Prognostic risk stratification of myocardial ischaemia evaluated by gated myocardial perfusion SPECT in patients with chronic kidney disease. 2009 , 36, 1835-41		45
696	Effects of a cognitive stress challenge on myocardial perfusion and plasma cortisol in coronary heart disease patients with depression. 2009 , 25, 267-278		13
695	The Clinical Impact of Myocardial Perfusion Scintigraphy in the Evaluation of Coronary Artery Disease in 2009. 2009 , 13, 59-66		
694	Use of copeptin in the detection of myocardial ischemia. 2009 , 399, 69-73		33
693	Use of changes in B-type natriuretic peptides to detect ischemia in selected patients. <i>International Journal of Cardiology</i> , 2009 , 136, 40-6	3.2	8
692	Myocardial perfusion, function, and dyssynchrony in patients with heart failure: baseline results from the single-photon emission computed tomography imaging ancillary study of the Heart Failure and A Controlled Trial Investigating Outcomes of Exercise Training (HF-ACTION) Trial. 2009 , 158, S53-63		16
691	Adenosine-induced stress myocardial perfusion imaging using dual-source cardiac computed tomography. 2009 , 54, 1072-84		331
690	Prediction of new-onset refractory congestive heart failure using gated myocardial perfusion SPECT imaging in patients with known or suspected coronary artery disease subanalysis of the J-ACCESS database. 2009 , 2, 1393-400		21
689	Myocardial contrast echocardiography enhances long-term prognostic value of supine bicycle stress two-dimensional echocardiography. 2009 , 22, 1220-7		16

688 Short Stay Management of Chest Pain. **2009**,

687 Prevalence of coronary heart disease in patients with aortic aneurysm and/or peripheral artery disease. **2009**, 103, 1215-20 26

686 Clinical and technical considerations for stress myocardial perfusion imaging with multidetector computed tomography. **2009**, 3 Suppl 2, S74-80 2

685 Current advances in vasodilator pharmacological stress perfusion imaging. **2009**, 39, 204-9 17

684 Prognostic value of treadmill exercise and dobutamine stress positron emission tomography. **2009**, 25, e220-4 12

683 Prediction of myocardial infarction versus cardiac death by stress echocardiography. **2009**, 22, 261-7 7

682 Improved myocardial perfusion in stable angina pectoris by oral lumbrokinase: a pilot study. **2009**, 15, 539-44 16

681 Combined analysis of multislice computed tomography coronary angiography and stress-rest myocardial perfusion imaging in detecting patients with significant proximal coronary artery stenosis. *Nuclear Medicine Communications*, **2009**, 30, 789-96 1.6 5

680 Combining chronic kidney disease with 201thallium/123iodine beta methyl iodophenyl pentadecanoic acid dual myocardial single-photon emission computed tomography findings is useful for the evaluation of cardiac event risk. *Nuclear Medicine Communications*, **2009**, 30, 54-61 1.6 3

679 Incremental prognostic value of stress/rest gated perfusion SPECT in patients with coronary artery disease--subanalysis of the J-ACCESS study. *Circulation Journal*, **2009**, 73, 2288-93 2.9 21

678 Association between increasing levels of hemoglobin A1c and coronary atherosclerosis in asymptomatic individuals without diabetes mellitus. **2010**, 21, 157-63 22

677 The diagnostic accuracy of 64-detector cardiac computed tomography compared with stress nuclear imaging in patients undergoing invasive cardiac catheterization. **2010**, 34, 645-51 15

676 Noninvasive cardiovascular imaging in coronary artery disease. **2010**, 2, 271-288

675 Vasodilator stress impairs the left ventricular function obtained with gated single-photon emission computed tomography in patients with known or suspected coronary artery disease. *Circulation Journal*, **2010**, 74, 2666-73 2.9 3

674 Prognostic value of normal stress myocardial perfusion imaging and ventricular function in Japanese asymptomatic patients with type 2 diabetes--a study based on the J-ACCESS-2 database. *Circulation Journal*, **2010**, 74, 1916-21 2.9 24

673 Prognostic value of post-ischemic stunning as assessed by gated myocardial perfusion single-photon emission computed tomography: a subanalysis of the J-ACCESS study. *Circulation Journal*, **2010**, 74, 1591-9 2.9 23

672 Low-dose CT coronary angiography for the prediction of myocardial ischaemia. **2010**, 20, 56-64 17

671 Cardiac PET-CT: advanced hybrid imaging for the detection of coronary artery disease. **2010**, 18, 90-8 49

670	Reliability of myocardial perfusion gated SPECT for the reproducible evaluation of resting left ventricular functional parameters in long-term follow-up. 2010 , 37, 1722-9		7
669	Significant association of female gender with lower degree of pathological 99mTc-sestamibi scintigraphy results as well as higher cardiac-related deaths free survival in elderly patients. 2010 , 105, 901-9		
668	Stress/rest myocardial perfusion scintigraphy in patients without significant coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 38-44	2.1	20
667	Abnormal myocardial perfusion in the absence of anatomically significant coronary artery disease: implications and clinical significance. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 8-12	2.1	2
666	Incremental value of combining 64-slice computed tomography angiography with stress nuclear myocardial perfusion imaging to improve noninvasive detection of coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 19-26	2.1	63
665	Right and left ventricular uptake with Rb-82 PET myocardial perfusion imaging: markers of left main or 3 vessel disease. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 52-60	2.1	12
664	Direct comparison of rest and adenosine stress myocardial perfusion CT with rest and stress SPECT. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 27-37	2.1	83
663	Multimodality cardiac imaging. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 4-7	2.1	4
662	Myocardial perfusion SPECT identifies patients with left bundle branch block patterns at high risk for future coronary events. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 216-24	2.1	6
661	The prognosis of a normal stress-only Tc-99m myocardial perfusion imaging study. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 370-7	2.1	84
660	Reduced isotope dose with rapid SPECT MPI imaging: initial experience with a CZT SPECT camera. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 1009-14	2.1	104
659	Quantification of myocardial perfusion SPECT studies in Chinese population with Western normal databases. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 486-93	2.1	12
658	Assessment of the relationship between stenosis severity and distribution of coronary artery stenoses on multislice computed tomographic angiography and myocardial ischemia detected by single photon emission computed tomography. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 791-802	2.1	31
657	Single photon-emission computed tomography. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 941-73	2.1	299
656	Coronary flow reserve by CT perfusion. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 540-3	2.1	1
655	Diagnosis and prognosis of coronary artery disease: PET is superior to SPECT: Pro. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 683-95	2.1	20
654	Structural epicardial disease and microvascular function are determinants of an abnormal longitudinal myocardial blood flow difference in cardiovascular risk individuals as determined with PET/CT. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 1023-33	2.1	23
653	Value of coronary CTA in patients with known or suspected CAD and non-diagnostic initial myocardial perfusion testing: current evidence and clinical considerations. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 1101-6	2.1	9

652	Early insights of cardiac risk and treatment response with quantitative PET monitoring of coronary-specific endothelial dysfunction and myocardial perfusion reserve. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 985-9	2.1	1
651	Clinical significance of ischemic electrocardiographic changes during stress myocardial perfusion imaging: sub-analysis of the J-ACCESS study. <i>Annals of Nuclear Medicine</i> , 2010 , 24, 215-24	2.5	7
650	Does myocardial perfusion imaging provide incremental prognostic information to left ventricular ejection fraction?. 2010 , 12, 155-61		8
649	Reduction in downstream test utilization following introduction of coronary computed tomography in a cardiology practice. 2010 , 26, 359-66		15
648	Gate-keeper to coronary angiography: comparison of exercise testing, myocardial perfusion SPECT and individually tailored approach for risk stratification. 2010 , 26, 871-9		6
647	Clinical characteristics in patients showing ischemic electrocardiographic changes during adenosine triphosphate loading single-photon emission computed tomography. <i>Journal of Cardiology</i> , 2010 , 55, 370-6	3	5
646	The impact of chronic kidney disease as a predictor of major cardiac events in patients with no evidence of coronary artery disease. <i>Journal of Cardiology</i> , 2010 , 55, 328-36	3	16
645	Relation between prognosis and myocardial perfusion imaging from the difference of end-point criterion for exercise stress testing: a sub-analysis of the J-ACCESS study. <i>Journal of Cardiology</i> , 2010 , 56, 51-8	3	6
644	Comparison of high risk stress myocardial perfusion imaging findings in men with rapid versus prolonged recovery of ST-segment depression after exercise stress testing. 2010 , 105, 1361-4		4
643	Results of interventional treatment of stress positive coronary artery disease. 2010 , 105, 1535-9		9
642	Alternative strategies for the management of chronic stable angina. 2010 , 35, 384-446		4
641	Systolic 3D first-pass myocardial perfusion MRI: Comparison with diastolic imaging in healthy subjects. 2010 , 63, 858-64		18
640	Impact of drug-eluting stent length on outcomes less is more...more or less. 2010 , 3, 189-90		1
639	Prognostic study of cardiac and renal events in Japanese patients with chronic kidney disease and cardiovascular risk using myocardial perfusion SPECT: J-ACCESS 3 study design. 2010 , 14, 379-85		10
638	Coronary Artery Calcification: Pathogenesis, Imaging, and Risk Stratification. 2010 , 332-355		
637	Coronary Artery Disease Detection. 2010 , 225-243		1
636	Actualizaci3n de protocolos de cardiolog3a nuclear para evaluaci3n y manejo de enfermedad coronaria: Sociedad Chilena de Cardiolog3a y Cirug3a Cardiovascular. 2010 , 29,		1
635	123I-metaiodobenzylguanidine imaging in the era of implantable cardioverter defibrillators: beyond ejection fraction. 2010 , 51, 1171-3		1

- 634 Additive Value of B-Type Natriuretic Peptide on Rest Tl-Dipyridamole Stress Tc-Sestamibi Gated Myocardial SPECT in Patients with Normal Left Ventricular Systolic Function. **2010**, 2010, 642045
- 633 Detection of myocardial perfusion abnormalities: standard dual-source coronary computed tomography angiography versus rest/stress technetium-99m single-photo emission CT. **2010**, 83, 652-60 11
- 632 Bone marrow cell transplantation improves cardiac, autonomic, and functional indexes in acute anterior myocardial infarction patients (Cardiac Study). **2010**, 12, 172-80 44
- 631 Low to intermediate probability of coronary artery disease: comparison of coronary CT angiography with first-pass MR myocardial perfusion imaging. **2010**, 254, 384-92 13
- 630 Myocardial perfusion imaging with multidetector CT: beyond lumenography. **2010**, 254, 321-3 13
- 629 Indikationen zur Myokardperfusionsszintigrafie unter Berücksichtigung der Appropriateness-Kriterien. **2010**, 33, 66-71
- 628 Quantifizierung der Perfusion und Risikostratifizierung durch die Myokardperfusionss-SPECT. **2010**, 33, 91-104
- 627 Evaluation of myocardial abnormalities and ischemia. **2010**, 48, 771-82 2
- 626 Prognostic value of 64-slice cardiac computed tomography severity of coronary artery disease, coronary atherosclerosis, and left ventricular ejection fraction. **2010**, 55, 1017-28 222
- 625 Single-photon emission computed tomography myocardial perfusion imaging and the risk of sudden cardiac death in patients with coronary disease and left ventricular ejection fraction >35%. **2010**, 56, 206-14 49
- 624 Assessment of advanced coronary artery disease: advantages of quantitative cardiac magnetic resonance perfusion analysis. **2010**, 56, 561-9 124
- 623 Stress and rest dynamic myocardial perfusion imaging by evaluation of complete time-attenuation curves with dual-source CT. **2010**, 3, 811-20 157
- 622 Renal function and risk stratification of diabetic and nondiabetic patients undergoing evaluation for coronary artery disease. **2010**, 3, 734-45 21
- 621 Comparison of the extent and severity of myocardial perfusion defects measured by CT coronary angiography and SPECT myocardial perfusion imaging. **2010**, 3, 1010-9 61
- 620 Prognostic implications of stress-induced transient ischemic dilation of the left ventricle in patients with systolic dysfunction and fixed perfusion defects. *International Journal of Cardiology*, **2010**, 140, 323-32 12
- 619 Prevalence of silent myocardial ischemia in single and multiple lacunar infarcts and large vessel disease stroke. **2010**, 112, 658-61 3
- 618 Perspectives of nuclear diagnostic imaging in diabetic cardiomyopathy. **2010**, 20, 208-16 9
- 617 Comparative effectiveness of exercise electrocardiography with or without myocardial perfusion single photon emission computed tomography in women with suspected coronary artery disease: results from the What Is the Optimal Method for Ischemia Evaluation in Women (WOMEN) trial. *Circulation*, **2011**, 124, 1239-49 16.7 183

616	Myocardial perfusion scintigraphy: past, present and future. 2011 , 84 Spec No 3, S229-36		16
615	Prognostic value of CT angiography in coronary bypass patients. 2011 , 4, 496-502		35
614	Semiconductor detectors allow low-dose-low-dose 1-day SPECT myocardial perfusion imaging. 2011 , 52, 1204-9		49
613	Influence of atorvastatin on coronary calcifications and myocardial perfusion defects in systemic lupus erythematosus patients: a prospective, randomized, double-masked, placebo-controlled study. 2011 , 13, R117		42
612	Cardiovascular outcomes are predicted by exercise-stress myocardial perfusion imaging: Impact on death, myocardial infarction, and coronary revascularization procedures. 2011 , 161, 900-7		19
611	Relationship of technetium-99m tetrofosmin-gated rest single-photon emission computed tomography myocardial perfusion imaging to death and hospitalization in heart failure patients: results from the nuclear ancillary study of the HF-ACTION trial. 2011 , 161, 1038-45		6
610	Real-world estimated effective radiation doses from commonly used cardiac testing and procedural modalities. 2011 , 27, 613-8		17
609	Prediction of future cardiac events using myocardial perfusion SPECT: a middle-term follow-up study. 2011 , 30, 360-364		
608	A new algorithm for the management of stable coronary artery disease incorporating CT coronary angiography and fractional flow reserve: how we can improve outcomes and reduce costs. 2011 , 194, 666-669		
607	A new algorithm for the management of stable coronary artery disease incorporating CT coronary angiography and fractional flow reserve: how we can improve outcomes and reduce costs. Comment. 2011 , 194, 667-8; author reply 669		
606	Detection of Silent Ischemia in Patients with Type 2 Diabetes. 2011 ,		2
605	Myocardial perfusion scintigraphy: techniques, interpretation, indications and reporting. 2011 , 31, 625-34		24
604	Multislice computed tomography angiography in the diagnosis of coronary artery disease. <i>Journal of Geriatric Cardiology</i> , 2011 , 8, 104-13	1.7	16
603	Coronary artery calcification detected by PET/CT scan as a marker of myocardial ischemia/coronary artery disease. <i>Nuclear Medicine Communications</i> , 2011 , 32, 273-8	1.6	6
602	Iodine-123 metaiodobenzylguanidine myocardial imaging in haemodialysed patients asymptomatic for coronary artery disease: a preliminary report. <i>Nuclear Medicine Communications</i> , 2011 , 32, 515-21	1.6	5
601	The value of attenuation correction by hybrid SPECT/CT imaging on infarct size quantification in male patients with previous inferior myocardial infarct. <i>Nuclear Medicine Communications</i> , 2011 , 32, 1026-32	1.6	10
600	Hybrid SPECT/CT for attenuation correction of stress myocardial perfusion imaging. 2011 , 36, 344-9		17
599	Less invasive approach to the assessment of coronary artery disease. -Morphological vs. physiological paradigm-. <i>Circulation Journal</i> , 2011 , 75, 1573-4	2.9	1

598	Combined assessment of myocardial perfusion and function by ECG-gated myocardial perfusion single-photon emission computed tomography for the prediction of future cardiac events in patients with type 2 diabetes mellitus. <i>Circulation Journal</i> , 2011 , 75, 376-82	2.9	11
597	Discordance between the morphological and physiological information of 64-slice MSCT coronary angiography and myocardial perfusion imaging in patients with intermediate to high probability of coronary artery disease. <i>Circulation Journal</i> , 2011 , 75, 1670-7	2.9	5
596	Validation of automated quantitation of myocardial perfusion and fatty acid metabolism abnormalities on SPECT images. <i>Circulation Journal</i> , 2011 , 75, 2187-95	2.9	22
595	Estimation of cardiac event risk by gated myocardial perfusion imaging and quantitative scoring methods based on a multi-center J-ACCESS database. <i>Circulation Journal</i> , 2011 , 75, 2417-23	2.9	18
594	Arm exercise stress perfusion imaging predicts clinical outcome. 2011 , 111, 1546-53		5
593	A template-based approach to semi-quantitative SPECT myocardial perfusion imaging: Independent of normal databases. 2011 , 38, 4186-95		4
592	Clinical data do not improve artificial neural network interpretation of myocardial perfusion scintigraphy. 2011 , 31, 240-5		1
591	Long-term clinical outcomes after deferral of percutaneous coronary intervention of intermediate coronary stenoses based on coronary pressure-derived fractional flow reserve. <i>Journal of Cardiology</i> , 2011 , 58, 32-7	3	11
590	Prediction of future cardiac events using myocardial perfusion SPECT: a middle-term follow-up study. 2011 , 30, 360-4		2
589	Assessment of myocardial ischemia with cardiovascular magnetic resonance. 2011 , 54, 191-203		20
588	Survival by stress modality in patients with a normal myocardial perfusion study. 2011 , 107, 986-9		16
587	Very high coronary calcium score unmasks obstructive coronary artery disease in patients with normal SPECT MPI. 2011 , 97, 998-1003		55
586	Addition of atropine to submaximal exercise stress testing in patients evaluated for suspected ischaemia with SPECT imaging: a randomized, placebo-controlled trial. 2011 , 38, 245-51		6
585	Prognostic implications of post-stress ejection fraction decrease detected by gated SPECT in the absence of stress-induced perfusion abnormalities. 2011 , 38, 485-90		16
584	Myocardial perfusion scintigraphy in Germany in 2009: utilization and state of the practice. 2011 , 38, 1485-92		10
583	Influence of chronic inflammation and autoimmunity on coronary calcifications and myocardial perfusion defects in systemic lupus erythematosus patients. 2011 , 60, 973-80		21
582	Intima-media thickness, myocardial perfusion and laboratory risk factors of atherosclerosis in patients with breast cancer treated with anthracycline-based chemotherapy. 2011 , 28, 1281-7		29
581	Clinical usefulness of combinatorial protocol with stress only myocardial perfusion SPECT, CTA and SPECT/CTA 3-dimensional fusion image. <i>Annals of Nuclear Medicine</i> , 2011 , 25, 387-95	2.5	0

580	Impact of chronic kidney disease and stress myocardial perfusion imaging as a predictor of cardiovascular events. <i>Annals of Nuclear Medicine</i> , 2011 , 25, 616-24	2.5	7
579	Correlation of chronic kidney disease, diabetes and peripheral artery disease with cardiovascular events in patients using stress myocardial perfusion imaging. <i>Annals of Nuclear Medicine</i> , 2011 , 25, 634-42 ⁵	2.5	6
578	Wide-beam reconstruction half-time SPECT improves diagnostic certainty and preserves normalcy and accuracy: a quantitative perfusion analysis. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 52-61	2.1	22
577	Incremental prognostic value of coronary flow reserve assessed with single-photon emission computed tomography. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 612-9	2.1	25
576	Non-invasive risk assessment in patients with chronic kidney disease. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 472-85	2.1	2
575	The future of SPECT MPI: time and dose reduction. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 580-7	2.1	40
574	Ninth annual Mario S. Verani memorial lecture : testing our tests: the evidence bar is rising. Regulatory considerations in the development of cardiac imaging agents. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 547-60	2.1	1
573	Myocardial perfusion GSPECT imaging in patients with myocardial bridging. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 1059-65	2.1	29
572	Incremental prognostic value of coronary flow reserve assessed with single-photon emission computed tomography. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 541-3	2.1	1
571	Accelerated, high spatial resolution cardiovascular magnetic resonance myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 952-8	2.1	5
570	Prognostic value of automated vs visual analysis for adenosine stress myocardial perfusion SPECT in patients without prior coronary artery disease: a case-control study. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 1003-9; quiz 1010-4	2.1	14
569	Clinical role of the Duke Activity Status Index in the selection of the optimal type of stress myocardial perfusion imaging study in patients with known or suspected ischemic heart disease. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 1015-20	2.1	19
568	Hybrid SPECT-CT and PET-CT: Current Concepts and Developments. 2011 , 4, 468-475		1
567	[Cardiac hybrid imaging]. 2011 , 6, 32-42		0
566	CT coronary calcification: What does a score of "0" mean?. 2011 , 13, 49-56		14
565	Importance of residual myocardial ischemia after intervention in the genesis of cardiovascular events among patients with chronic coronary artery disease. 2011 , 13, 280-6		1
564	Small average differences in attenuation corrected images between men and women in myocardial perfusion scintigraphy: a novel normal stress database. 2011 , 11, 18		4
563	Clinical value of myocardial perfusion scintigraphy as a screening tool in liver transplant candidates. 2011 , 17, 261-9		13

562	Changes in myocardial ischemic burden following percutaneous coronary intervention of chronic total occlusions. 2011 , 78, 337-43		74
561	Validation of minimal luminal area measured by intravascular ultrasound for assessment of functionally significant coronary stenosis comparison with myocardial perfusion imaging. 2011 , 4, 665-71		27
560	[Diagnostic imaging in patients with coronary artery disease: the nuclear medicine physicians' view]. <i>Deutsche Medizinische Wochenschrift</i> , 2011 , 136, 2094-9	o	o
559	Diagnostic performance of combined noninvasive coronary angiography and myocardial perfusion imaging using 320-MDCT: the CT angiography and perfusion methods of the CORE320 multicenter multinational diagnostic study. 2011 , 197, 829-37		101
558	Prediction of short-term cardiovascular events using quantification of global myocardial flow reserve in patients referred for clinical 82Rb PET perfusion imaging. 2011 , 52, 726-32		172
557	Carotid artery longitudinal displacement predicts 1-year cardiovascular outcome in patients with suspected coronary artery disease. 2011 , 31, 1668-74		53
556	Impact of scar burden by single-photon emission computed tomography myocardial perfusion imaging on patient outcomes following cardiac resynchronization therapy. 2011 , 32, 93-103		123
555	Assessment of cardiac ischaemia and viability: role of cardiovascular magnetic resonance. 2011 , 32, 799-809		57
554	Cardiac hybrid imaging. 2011 , 32, 2100-8		73
553	Pathological 99mTc-sestamibi myocardial perfusion scintigraphy is independently associated with emerging cardiac events in elderly patients with known or suspected coronary artery disease. 2011 , 52, 52-8		1
552	Improved outcome prediction by SPECT myocardial perfusion imaging after CT attenuation correction. 2011 , 52, 196-200		57
551	Association of heart structure and function abnormalities with laboratory findings in patients with systemic lupus erythematosus. 2011 , 20, 936-44		14
550	64-slice CT angiography for the detection of functionally significant coronary stenoses: comparison with stress myocardial perfusion imaging. 2012 , 85, 368-76		8
549	Emerging role of multimodality imaging to evaluate patients at risk for sudden cardiac death. 2012 , 5, 525-35		21
548	Does imaging-guided selection of patients with ischemic heart failure for high risk revascularization improve identification of those with the highest clinical benefit?: Imaging-guided selection of patients with ischemic heart failure for high-risk revascularization improves identification of those with the highest clinical benefit. 2012 , 5, 262-70; discussion 270		24
547	The central role of the nurse in process improvement relating to pharmacologic stress testing. 2012 , 27, 345-55		1
546	Pursuing the "Holy Grail". 2012 , 5, 167-70		4
545	Nuclear perfusion imaging for functional evaluation of patients with known or suspected coronary artery disease: the future is now. 2012 , 8, 603-22		3

544 Stable Angina pectoris: wann Revaskularisation und wann Medikament?. **2012**, 1, 30-37

543 Coronary calcium score as an adjunct to nuclear myocardial perfusion imaging for risk stratification before noncardiac surgery. **2012**, 53, 1081-6 17

542 . **2012**, 2

541 2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS guideline for the diagnosis and management of patients with stable ischemic heart disease: executive summary: a report of the American College of Cardiology Foundation/American Heart Association task force on practice guidelines, and the 16.7 268

540 2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association task force on practice guidelines, and the American 16.7 537

539 Cardiac hybrid imaging. **2012**, 13, 51-60 35
Association, Society for Cardiovascular Angiography and Interventions, and Society of Thoracic Surgeons. *Circulation*, **2012**, 126, e354-471

538 Toward a practical template-based approach to semiquantitative SPECT myocardial perfusion imaging. **2012**, 39, 1374-85 0

537 Cardiologie nucléaire. **2012**, 7, 1-26 1

536 Diagnostic and prognostic value of gated myocardial perfusion single-photon emission computed tomography in low-risk patients with left bundle-branch block. *Nuclear Medicine Communications*, **2012**, 33, 491-7 1.6 4

535 Prognostic implications of the difference between left ventricular ejection fractions after stress and at rest in addition to the quantification of myocardial perfusion abnormalities obtained with gated SPECT. **2012**, 37, 748-54 7

534 Why Are We Interested in Myocardial Perfusion?. **2012**, 45-55

533 Cardiac event risk in Japanese subjects estimated using gated myocardial perfusion imaging, in conjunction with diabetes mellitus and chronic kidney disease. *Circulation Journal*, **2012**, 76, 168-75 2.9 33

532 Guidelines for clinical use of cardiac nuclear medicine (JCS 2010) âdigest version â*Circulation Journal*, **2012**, 76, 761-7 2.9 58

531 Cardiovascular events in Japan. Lessons from the J-ACCESS multicenter prognostic study using myocardial perfusion imaging. *Circulation Journal*, **2012**, 76, 1313-21 2.9 16

530 2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the Diagnosis and Management of Patients With Stable Ischemic Heart Disease: Executive Summary: A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the 139

529 2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the American 1138

528 Risk stratification of cardiovascular events in patients at all stages of chronic kidney disease using myocardial perfusion SPECT. *Journal of Cardiology*, **2012**, 60, 377-82 3 27

527 Economic outcome of cardiac CT-based evaluation and standard of care for suspected acute coronary syndrome in the emergency department: a decision analytic model. **2012**, 19, 265-73 9

526	Myocardial perfusion by CT versus hybrid imaging. 2012 , 30, 135-46		1
525	Coronary revascularization does not decrease cardiac events in patients with stable ischemic heart disease but might do in those who showed moderate to severe ischemia. <i>International Journal of Cardiology</i> , 2012 , 158, 246-52	3.2	36
524	High spatial resolution myocardial perfusion imaging during high dose dobutamine/atropine stress magnetic resonance using k-t SENSE. <i>International Journal of Cardiology</i> , 2012 , 158, 411-6	3.2	16
523	The emerging role of cardiac computed tomography for the assessment of coronary perfusion: a systematic review and meta-analysis. 2012 , 28, 413-22		35
522	SPECT myocardial perfusion imaging as an adjunct to coronary calcium score for the detection of hemodynamically significant coronary artery stenosis. 2012 , 12, 116		10
521	Nuclear medicine technologists are able to accurately determine when a myocardial perfusion rest study is necessary. 2012 , 12, 97		2
520	Normal stress databases in myocardial perfusion scintigraphy--how many subjects do you need?. 2012 , 32, 455-62		1
519	Baseline stress myocardial perfusion imaging results and outcomes in patients with stable ischemic heart disease randomized to optimal medical therapy with or without percutaneous coronary intervention. 2012 , 164, 243-50		131
518	Patient management after noninvasive cardiac imaging results from SPARC (Study of myocardial perfusion and coronary anatomy imaging roles in coronary artery disease). 2012 , 59, 462-74		143
517	Diagnostic performance of noninvasive myocardial perfusion imaging using single-photon emission computed tomography, cardiac magnetic resonance, and positron emission tomography imaging for the detection of obstructive coronary artery disease: a meta-analysis. 2012 , 59, 1719-28		325
516	BOLD new directions in myocardial ischemia imaging-myocardial oxygenation assessment by cardiac magnetic resonance. 2012 , 59, 1965-7		7
515	Percutaneous coronary intervention use in the United States: defining measures of appropriateness. 2012 , 5, 229-35		43
514	Comparison of the prognostic value of normal regadenoson with normal adenosine myocardial perfusion imaging with propensity score matching. 2012 , 5, 1014-21		34
513	Risk stratification and prognostic assessment by myocardial perfusion-gated SPECT in patients with left bundle-branch block and low-intermediate cardiac risk. <i>Annals of Nuclear Medicine</i> , 2012 , 26, 559-70 ^{2.5}		8
512	PET: Is myocardial flow quantification a clinical reality?. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 1044-59 ^{2.1}		56
511	Prognosis in the era of comparative effectiveness research: where is nuclear cardiology now and where should it be?. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 1026-43	2.1	86
510	The prognosis of a normal Tl-201 stress-only SPECT MPI study. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 914-21	2.1	13
509	Prognostic value of quantitative high-speed myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 1113-23	2.1	29

508	Stress first myocardial perfusion imaging: is it time to put to rest the "rest first" strategy for most patients?. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 1106-9	2.1	1
507	Prognostic value of myocardial perfusion scintigraphy in elderly patients with hypertension: a 10-year follow-up analysis. 2012 , 39, 1570-80		3
506	Referring physicians underestimate the extent of abnormalities in final reports from myocardial perfusion imaging. 2012 , 2, 27		5
505	Use of coronary CT angiography in the diagnosis of patients with suspected coronary artery disease: findings and clinical indications. <i>Journal of Geriatric Cardiology</i> , 2012 , 9, 115-22	1.7	6
504	Body mass index and rest myocardial perfusion defect predicts cardiac death in patients with chronic heart failure. 2012 , 28 Suppl 1, 77-85		5
503	The interpolated projection data estimation method improves the image quality of myocardial perfusion SPECT with a short acquisition time. <i>Annals of Nuclear Medicine</i> , 2012 , 26, 123-30	2.5	4
502	The clinical value of single photon emission computed tomography myocardial perfusion imaging in cardiac risk stratification of very elderly patients (≥80 years) with suspected coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 244-55	2.1	22
501	Does location matter? Prognostic value of single-photon emission computed tomography myocardial perfusion imaging by vascular territory. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 458-64	2.1	3
500	Myocardial perfusion imaging in very elderly patients with suspected coronary artery disease: never too late!. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 224-6	2.1	1
499	Quantitative analysis of perfusion studies: strengths and pitfalls. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 338-46	2.1	26
498	Does the location of perfusion defects matter? An old question with a new answer. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 412-4	2.1	
497	Comparing slow- versus high-speed CT for attenuation correction of cardiac SPECT perfusion studies. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 719-26	2.1	10
496	Utility of cardiac computed tomography angiography to exclude clinically significant obstructive coronary artery disease in patients after myocardial perfusion imaging. 2012 , 109, 165-8		19
495	The complementary roles of radionuclide myocardial perfusion imaging and cardiac computed tomography. 2012 , 47, 228-39		3
494	Cardiac MR perfusion image processing techniques: a survey. 2012 , 16, 767-85		28
493	Cardiac PET, CT, and MR: what are the advantages of hybrid imaging?. 2012 , 14, 24-31		15
492	Electrocardiographic changes during vasodilator SPECT myocardial perfusion imaging: does it affect diagnosis or prognosis?. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 84-91	2.1	10
491	Nomograms for estimating coronary artery disease prognosis with gated stress myocardial perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 43-52	2.1	22

490	Myocardial perfusion imaging and risk classification for coronary heart disease in diabetic patients. The IDIS study: a prospective, multicentre trial. 2012 , 39, 387-95		30
489	Three-dimensional first-pass myocardial perfusion MRI using a stack-of-spirals acquisition. 2013 , 69, 839-44		33
488	Prognostic Value of Normal Perfusion but Impaired Left Ventricular Function in the Diabetic Heart on Quantitative Gated Myocardial Perfusion SPECT. 2013 , 47, 151-7		4
487	Is ischemia the most powerful indicator of myocardial viability?. 2013 , 15, 354		
486	Imagerie en coupes du cœur et des vaisseaux. 2013 ,		
485	Adding attenuation corrected images in myocardial perfusion imaging reduces the need for a rest study. 2013 , 13, 14		8
484	A Critical Review of Different Imaging Methods for the Assessment of Myocardial Ischemia. 2013 , 6, 117-127		3
483	Diagnosing coronary artery disease with hybrid PET/CT: it takes two to tango. <i>Journal of Nuclear Cardiology</i> , 2013 , 20, 874-90	2.1	38
482	The prognosis for prognosis remains excellent. <i>Journal of Nuclear Cardiology</i> , 2013 , 20, 501-3	2.1	1
481	The prognostic value of cardiac SPECT performed at the primary care physician's office. <i>Journal of Nuclear Cardiology</i> , 2013 , 20, 519-28	2.1	27
480	Incremental diagnostic benefit of resolution recovery software in patients with equivocal myocardial perfusion single-photon emission computed tomography (SPECT). <i>Journal of Nuclear Cardiology</i> , 2013 , 20, 545-52	2.1	6
479	Is ischemia really bad for you?. 2013 , 62, 2148-9		1
478	Myocardial perfusion imaging after coronary revascularization: a clinical appraisal. 2013 , 40, 1275-82		9
477	Microalbuminuria predicts silent myocardial ischaemia in type 2 diabetes patients. 2013 , 40, 548-57		9
476	Current status of cardiac CT for the detection of myocardial ischemia. 2013 , 38, 359-66		1
475	Recent insights into the treatment of stable CAD : FFR-guided PCI vs. medical therapy. 2013 , 38, 376-81		2
474	The role of radionuclide imaging in heart failure. <i>Journal of Nuclear Cardiology</i> , 2013 , 20, 1173-83	2.1	4
473	Prognosis of patients without perfusion defects with and without rest study in myocardial perfusion scintigraphy. 2013 , 3, 58		9

472	High-sensitivity troponin T and C-reactive protein to identify patients without cardiac structural and functional abnormalities as assessed by cardiac CT and SPECT imaging: can biomarkers predict cardiac health?. 2013 , 29, 865-73		4
471	Lessons learned from MPI and physiologic testing in randomized trials of stable ischemic heart disease: COURAGE, BARI 2D, FAME, and ISCHEMIA. <i>Journal of Nuclear Cardiology</i> , 2013 , 20, 969-75	2.1	29
470	Evaluating gender differences in prognosis following SPECT myocardial perfusion imaging among patients with diabetes and known or suspected coronary disease in the modern era. <i>Journal of Nuclear Cardiology</i> , 2013 , 20, 1021-9	2.1	8
469	Predictors of cardiovascular events in hemodialysis patients after stress myocardial perfusion imaging. 2013 , 17, 568-75		1
468	Scar extent, left ventricular end-diastolic volume, and wall motion abnormalities identify high-risk patients with previous myocardial infarction: a multiparametric approach for prognostic stratification. 2013 , 34, 104-11		41
467	Coronary pressure-derived fractional flow reserve in the assessment of coronary artery stenoses. 2013 , 23, 958-67		18
466	Prognostic value of automated SPECT scoring system for coronary artery disease in stress myocardial perfusion and fatty acid metabolism imaging. 2013 , 29, 253-62		14
465	The predictive value of chronic kidney disease for assessing cardiovascular events under consideration of pretest probability for coronary artery disease in patients who underwent stress myocardial perfusion imaging. 2013 , 29, 513-9		2
464	Les nouvelles techniques non invasives d'evaluation d'une sthose coronaire. 2013 , 2013, 9-15		
463	Single resting hsTnT level predicts abnormal myocardial stress test in acute chest pain patients with normal initial standard troponin. 2013 , 6, 72-82		32
462	Repeated sauna therapy improves myocardial perfusion in patients with chronically occluded coronary artery-related ischemia. <i>International Journal of Cardiology</i> , 2013 , 167, 237-43	3.2	37
461	Cardiac autonomic imaging with SPECT tracers. <i>Journal of Nuclear Cardiology</i> , 2013 , 20, 128-43; quiz 146	2.1	48
460	Prognostic value of adenosine cardiac magnetic resonance imaging in patients presenting with chest pain. 2013 , 112, 46-50		9
459	Relationship between silent myocardial ischemia and coronary artery disease risk factors. <i>Journal of Nuclear Cardiology</i> , 2013 , 20, 731-8	2.1	16
458	Stable Angina. 2013 , 419-438		
457	View point: what should the future design of clinical imaging studies be?. 2013 , 34, 2432-5		5
456	Predictors of post-stress LVEF drop 6 months after reperfused myocardial infarction: a gated myocardial perfusion SPECT study. <i>Annals of Nuclear Medicine</i> , 2013 , 27, 112-22	2.5	3
455	Prognosis of normal stress-only gated-SPECT myocardial perfusion imaging: a single center study. 2013 , 29, 1639-44		11

454	2013 ESC guidelines on the management of stable coronary artery disease: the Task Force on the management of stable coronary artery disease of the European Society of Cardiology. 2013 , 34, 2949-3003		3076
453	Coronary artery imaging with single-source rapid kilovolt peak-switching dual-energy CT. 2013 , 268, 702-9		63
452	Usefulness of exercise test and myocardial perfusion-gated single photon emission computed tomography to improve the prediction of major events. 2013 , 6, 531-41		24
451	Myocardial perfusion imaging with PET. 2013 , 5, 35-46		44
450	In mildly symptomatic patients, should an invasive strategy with catheterization and revascularization be routinely undertaken?: in mildly symptomatic patients, an invasive strategy with catheterization and revascularization should be routinely undertaken. 2013 , 6, 107-13; discussion 113		
449	High coronary artery calcium score affects clinical outcome despite normal stress myocardial perfusion imaging and normal left ventricular ejection fraction. 2013 , 24, 142-7		4
448	Procedure guidelines for radionuclide myocardial perfusion imaging with single-photon emission computed tomography. <i>Nuclear Medicine Communications</i> , 2013 , 34, 813-26	1.6	5
447	Impact of appropriate use on the prognostic value of single-photon emission computed tomography myocardial perfusion imaging. <i>Circulation</i> , 2013 , 128, 1634-43	16.7	85
446	Benefit of revascularization for stable ischaemic heart disease: the jury is still out. 2013 , 34, 1534-8		6
445	Reduction in occupational and patient radiation exposure from myocardial perfusion imaging: impact of stress-only imaging and high-efficiency SPECT camera technology. 2013 , 54, 1251-7		41
444	Limites de la tomoscintigraphie myocardique (TSM). 2013 , 87-94		
443	Long-term prognostic value of inducible and resting perfusion defects detected by single-photon emission computed tomography in the era of wide availability of coronary revascularization. 2013 , 33, 218-23		6
442	Advanced cardiovascular magnetic resonance myocardial perfusion imaging: high-spatial resolution versus 3-dimensional whole-heart coverage. 2013 , 6, 339-48		31
441	Morphologic and functional assessment of coronary artery disease--potential application of computed tomography angiography and myocardial perfusion imaging. <i>Circulation Journal</i> , 2013 , 77, 411-7	2.9	16
440	Combined computed tomography angiography (CTA) and single photon emission computed tomography is not superior to CTA plus high-risk plaque assessment in predicting future cardiac events--is it true?. <i>Circulation Journal</i> , 2013 , 77, 317-8	2.9	
439	Computed tomography attenuation correction improves the risk stratification accuracy of myocardial perfusion imaging. <i>Nuclear Medicine Communications</i> , 2013 , 34, 495-500	1.6	10
438	SPECT myocardial perfusion in cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy. 2013 , 38, e426-8		3
437	Post-stress perfusion abnormalities detected on myocardial perfusion single-photon emission computed tomography predict long-term mortality after elective abdominal aortic aneurysm repair. <i>Circulation Journal</i> , 2013 , 77, 1229-34	2.9	1

436	The relationship between fractional flow reserve, platelet reactivity and platelet leukocyte complexes in stable coronary artery disease. <i>PLoS ONE</i> , 2013 , 8, e83198	3.7	4
435	Stress myocardial perfusion SPECT. <i>Journal of the Japanese Coronary Association</i> , 2014 , 20, 132-136		
434	Ischemic burden and clinical outcome: is one 'culprit' ischemic segment by dobutamine stress magnetic resonance predictive?. <i>PLoS ONE</i> , 2014 , 9, e115182	3.7	3
433	Influence of the arm position in myocardial perfusion imaging acquisition. 2014 , 60, 311-7		2
432	Detection of post-exercise stunning by early gated SPECT myocardial perfusion imaging: results from the IAEA multi-center study. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 1168-76	2.1	21
431	Age-related risk of major adverse cardiac event risk and coronary artery disease extent and severity by coronary CT angiography: results from 15 187 patients from the International Multisite CONFIRM Study. 2014 , 15, 586-94		56
430	Single-photon emission computed tomography myocardial perfusion imaging-assessed stress perfusion defect severity is associated with mortality independent of ethnicity in an Asian population. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 1148-57	2.1	
429	Prognosis of vulnerable plaque on computed tomographic coronary angiography with normal myocardial perfusion image. 2014 , 15, 332-40		26
428	Is myocardial ischemia really bad for you?. 2014 , 12, 131-4		4
427	Independent prognostic value of MRI beyond existing methods of determining cardiovascular risk - is there a role?. 2014 , 12, 13-6		
426	Selected CD133+ progenitor cells to promote angiogenesis in patients with refractory angina: final results of the PROGENITOR randomized trial. 2014 , 115, 950-60		51
425	Cardiac imaging to investigate suspected cardiac pain in the post-treadmill era. 2014 , 14, 475-81		1
424	Prognostic value of regadenoson myocardial single-photon emission computed tomography in patients with different degrees of renal dysfunction. 2014 , 15, 933-40		19
423	Rapid-acquisition myocardial perfusion scintigraphy (MPS) on a novel gamma camera using multipinhole collimation and miniaturized cadmium-zinc-telluride (CZT) detectors: prognostic value and diagnostic accuracy in a 'real-world' nuclear cardiology service. 2014 , 15, 275-83		29
422	Myocardial CT perfusion imaging and SPECT for the diagnosis of coronary artery disease: a head-to-head comparison from the CORE320 multicenter diagnostic performance study. 2014 , 272, 407-16		89
421	Should early post-stress imaging be performed on a routine clinical basis for myocardial perfusion studies?. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 1177-80	2.1	1
420	Sex differences in mental stress-induced myocardial ischemia in young survivors of an acute myocardial infarction. 2014 , 76, 171-80		75
419	Clinical Applications of SPECT-CT. 2014 ,		5

4 ¹⁸	The white-coat effect is an independent predictor of myocardial ischemia in resistant hypertension. 2014 , 23, 276-80		10
4 ¹⁷	Dose optimization in nuclear medicine. 2014 , 44, 193-201		15
4 ¹⁶	Computer-aided diagnosis system outperforms scoring analysis in myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 416-23	2.1	14
4 ¹⁵	Prognostic role of stress/rest myocardial perfusion scintigraphy in patients with cardiac syndrome x. <i>International Journal of Cardiology</i> , 2014 , 173, 467-71	3.2	6
4 ¹⁴	Predicting outcome in the COURAGE trial (Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation): coronary anatomy versus ischemia. 2014 , 7, 195-201		125
4 ¹³	Assessing the prognostic implications of myocardial perfusion studies: identification of patients at risk vs patients who may benefit from intervention?. 2014 , 16, 472		6
4 ¹²	Assessing clinical impact of myocardial perfusion studies: ischemia or other prognostic indicators?. 2014 , 16, 465		1
4 ¹¹	CT-based attenuation correction in Tl-201 myocardial perfusion scintigraphy is less effective than non-corrected SPECT for risk stratification. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 519-31	2.1	6
4 ¹⁰	Regadenoson in Europe: first-year experience of regadenoson stress combined with submaximal exercise in patients undergoing myocardial perfusion scintigraphy. 2014 , 41, 511-21		20
4 ⁰⁹	Comprehensive plaque assessment by coronary CT angiography. 2014 , 11, 390-402		222
4 ⁰⁸	Percutaneous coronary intervention should be guided by fractional flow reserve measurement. <i>Circulation</i> , 2014 , 129, 1860-70	16.7	25
4 ⁰⁷	Assessment of ischaemic burden in angiographic three-vessel coronary artery disease with high-resolution myocardial perfusion cardiovascular magnetic resonance imaging. 2014 , 15, 701-8		18
4 ⁰⁶	The myocardium supplied by a chronic total occlusion is a persistently ischemic zone. 2014 , 83, 9-16		89
4 ⁰⁵	Radioiodinated acebutolol as a new highly selective radiotracer for myocardial perfusion imaging. 2014 , 57, 593-9		18
4 ⁰⁴	The role of nuclear cardiology in the diagnosis and risk stratification of women with ischemic heart disease. 2014 , 44, 423-38		3
4 ⁰³	Evaluation of the stable coronary artery disease patient: anatomy trumps physiology. 2014 , 24, 332-40		3
4 ⁰²	Prognostic value of Rb-82 positron emission tomography myocardial perfusion imaging in coronary artery bypass patients. 2014 , 15, 787-92		9
4 ⁰¹	Increased fibrosis and progression to heart failure in MRL mice following ischemia/reperfusion injury. 2014 , 23, 327-34		13

400	Clinical decision making with myocardial perfusion imaging in patients with known or suspected coronary artery disease. 2014 , 44, 320-9		38
399	Novel insights into the pathophysiology of different forms of stress testing. 2014 , 47, 338-43		6
398	New insights from major prospective cohort studies with cardiac nuclear imaging. 2014 , 16, 482		1
397	Nuclear myocardial perfusion imaging with a cadmium-telluride semiconductor detector gamma camera in patients with acute myocardial infarction. <i>Annals of Nuclear Medicine</i> , 2014 , 28, 646-55	2.5	1
396	Prediction of all-cause mortality from gated-SPECT global myocardial wall thickening: comparison with ejection fraction and global longitudinal 2D-strain. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 86-95	2.1	8
395	Importance of correct patient positioning in myocardial perfusion SPECT when using a CZT camera. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 695-702	2.1	29
394	Improving Nuclear Cardiology Practice. 2014 , 7, 1		
393	Ischemic burden by 3-dimensional myocardial perfusion cardiovascular magnetic resonance: comparison with myocardial perfusion scintigraphy. 2014 , 7, 647-54		31
392	B-type natriuretic peptide and clinical judgment in the detection of exercise-induced myocardial ischemia. 2014 , 127, 427-35		15
391	Usefulness of automated assessment of nuclear cardiology for prediction of major cardiac events in Japanese patients with known or suspected coronary artery disease: comparison with conventional visual assessment in a large-scale prognostic study. <i>Journal of Cardiology</i> , 2014 , 64, 395-400	3	8
390	Guía de Práctica Clínica de la ESC 2013 sobre diagnóstico y tratamiento de la cardiopatía isquémica estable. 2014 , 67, 135.e1-135.e81		9
389	Comparative definitions for moderate-severe ischemia in stress nuclear, echocardiography, and magnetic resonance imaging. 2014 , 7, 593-604		127
388	Effect of myocardial perfusion pattern on frequency and severity of mitral regurgitation in patients with known or suspected coronary artery disease. 2014 , 114, 355-61		10
387	Rationale and design of J-ACCESS 4: prognostic impact of reducing myocardial ischemia identified using ECG-gated myocardial perfusion SPECT in Japanese patients with coronary artery disease. <i>Journal of Cardiology</i> , 2014 , 63, 159-64	3	11
386	Prediction of cardiovascular events in pre-dialysis chronic kidney disease patients with normal SPECT myocardial perfusion imaging. <i>Journal of Cardiology</i> , 2014 , 63, 154-8	3	7
385	Usefulness of stress myocardial perfusion imaging and baseline clinical factors for predicting cardiovascular events in patients with prior coronary artery disease. <i>Circulation Journal</i> , 2014 , 78, 1676-83 ⁹		7
384	Diagnostic performance of a novel cadmium-zinc-telluride gamma camera system assessed using fractional flow reserve. <i>Circulation Journal</i> , 2014 , 78, 2727-34	2.9	23
383	Impact of insurance carrier, prior authorization, and socioeconomic status on appropriate use of SPECT myocardial perfusion imaging in private community-based office practice. 2015 , 38, 267-73		10

382	Role of cardiac multidetector computed tomography beyond coronary angiography. <i>Circulation Journal</i> , 2015 , 79, 712-20	2.9	17
381	The value of core lab stress echocardiography interpretations: observations from the ISCHEMIA Trial. 2015 , 13, 47		6
380	Perfusion vector-a new method to quantify myocardial perfusion scintigraphy images: a simulation study with validation in patients. 2015 , 5, 121		1
379	Prognostic value of coronary computed tomography in patients with non-significant perfusion defects by myocardial perfusion SPECT. 2015 , 70, 647-652		
378	Myocardial revascularization in patients with stable angina: for which benefit?. 2015 , 27, 303-312		
377	How to Utilize Coronary Computed Tomography Angiography in the Treatment of Coronary Artery Disease. 2015 , 23, 204-8		7
376	Cardiovascular mortality prediction in veterans with arm exercise vs pharmacologic myocardial perfusion imaging. 2015 , 170, 362-70		3
375	Mutation detection in candidate genes for parauberculosis resistance in sheep. 2015 ,		
374	Medical therapy, percutaneous coronary intervention and prognosis in patients with chronic total occlusions. 2015 , 101, 1907-14		27
373	A randomized, multicenter, multivendor study of myocardial perfusion imaging with regadenoson CT perfusion vs single photon emission CT. 2015 , 9, 103-12.e1-2		56
372	Evaluation of inter-departmental variability of ejection fraction and cardiac volumes in myocardial perfusion scintigraphy using simulated data. 2015 , 2, 2		5
371	Invasive coronary physiology for assessing intermediate lesions. 2015 , 8, e001942		20
370	Routine angiographic surveillance for risk stratification in PCI-treated patients: fact or fiction?. 2015 , 36, 71-4		3
369	Patient position alters attenuation effects in multipinhole cardiac SPECT. 2015 , 42, 1233-40		10
368	Hybrid SPECT/CCTA Imaging in the Work-up of Patients with Suspected Coronary Artery Disease. 2015 , 8, 1		1
367	The Potential Impact of Functional Imaging on Decision Making and Outcome in Patients Undergoing Surgical Revascularization. 2015 , 63, 270-6		1
366	Early resting myocardial computed tomography perfusion for the detection of acute coronary syndrome in patients with coronary artery disease. 2015 , 8, e002404		23
365	. 2015 , 62, 832-839		11

364	Incremental value of a single high-sensitivity cardiac troponin I measurement to rule out myocardial ischemia. 2015 , 128, 638-46		25
363	Molecular and Multimodality Imaging in Cardiovascular Disease. 2015 ,		
362	Revascularization vs. Medical Therapy in Stable Ischemic Heart Disease. 2015 , 58, 299-305		6
361	Myocardial ischemic reduction evidenced by gated myocardial perfusion imaging after treatment results in good prognosis in patients with coronary artery disease. <i>Journal of Cardiology</i> , 2015 , 65, 278-84		16
360	Radionuclide myocardial perfusion imaging for the evaluation of patients with known or suspected coronary artery disease in the era of multimodality cardiovascular imaging. 2015 , 57, 644-53		19
359	Added prognostic value of ischaemic threshold in radionuclide myocardial perfusion imaging: a common-sense integration of exercise tolerance and ischaemia severity. 2015 , 42, 750-60		4
358	Multi-modality imaging for the assessment of myocardial perfusion with emphasis on stress perfusion CT and MR imaging. 2015 , 31 Suppl 1, 1-21		4
357	Scatter correction improves concordance in SPECT MPI with a dedicated cardiac SPECT solid-state camera. <i>Journal of Nuclear Cardiology</i> , 2015 , 22, 334-43	2.1	19
356	Looking at the whole picture. <i>Journal of Nuclear Cardiology</i> , 2015 , 22, 901-2	2.1	1
355	The significance of automatically measured transient ischemic dilation in identifying severe and extensive coronary artery disease in regadenoson, single-isotope technetium-99m myocardial perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2015 , 22, 526-34	2.1	26
354	An Increasing Population with Metabolic Syndrome and/or Diabetes Mellitus in the Middle East—There an Added Value of Coronary Calcium Scoring to Myocardial Perfusion Imaging?. 2015 , 8, 1		
353	Role of coronary physiology in the contemporary management of coronary artery disease. 2015 , 3, 148-55		2
352	Impact of image processing in the detection of ischaemia using CZT-SPECT/CT. <i>Nuclear Medicine Communications</i> , 2015 , 36, 60-8	1.6	5
351	Combined coronary angiography and myocardial perfusion by computed tomography in the identification of flow-limiting stenosis - The CORE320 study: An integrated analysis of CT coronary angiography and myocardial perfusion. 2015 , 9, 438-45		48
350	Does risk for major adverse cardiac events in patients undergoing vasodilator stress with adjunctive exercise differ from patients undergoing either standard exercise or vasodilator stress with myocardial perfusion imaging?. <i>Journal of Nuclear Cardiology</i> , 2015 , 22, 22-35	2.1	17
349	Significance of worsening renal function and nuclear cardiology for predicting cardiac death in patients with known or suspected coronary artery disease. <i>Journal of Cardiology</i> , 2015 , 66, 423-9	3	4
348	Prognostic Contribution of Exercise Capacity, Heart Rate Recovery, Chronotropic Incompetence, and Myocardial Perfusion Single-Photon Emission Computerized Tomography in the Prediction of Cardiac Death and All-Cause Mortality. 2015 , 116, 1678-84		19
347	Application of the newly developed Japanese adenosine normal database for adenosine stress myocardial scintigraphy. <i>Annals of Nuclear Medicine</i> , 2015 , 29, 730-9	2.5	

346	Comparison of the prognostic value of regadenoson and adenosine myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2015 , 22, 600-7	2.1	18
345	Fractional flow reserve versus angiography for guidance of PCI in patients with multivessel coronary artery disease (FAME): 5-year follow-up of a randomised controlled trial. 2015 , 386, 1853-60		295
344	Controversies in Cardiology. 2015 ,		
343	The significance of early post-exercise ST segment normalization. 2015 , 48, 803-8		1
342	A second look with prone SPECT myocardial perfusion imaging reduces the need for angiography in patients at low risk for cardiac death or MI. <i>Journal of Nuclear Cardiology</i> , 2015 , 22, 115-22	2.1	11
341	Prognostic Value of Major Cardiac Event Risk Score Estimated With Gated Myocardial Perfusion Imaging in Japanese Patients With Coronary Artery Disease. 2016 , 57, 408-16		1
340	Diagnostic and Prognostic Role of Myocardial Perfusion Scintigraphy in Kidney Transplant Candidates: Narrative Review. 2016 , 11, heartint.500023		
339	The effect of beta blocker withdrawal on myocardial SPECT modeled from adenosine 13N-ammonia PET. 2016 , 55, 29-33		
338	Fractional Flow Reserve-guided Percutaneous Coronary Intervention: Standing the Test of Time. 2016 , 1, 225-232		
337	Clinical significance of right ventricular activity on treadmill thallium-201 myocardial single-photon emission computerized tomography using cadmium-zinc-telluride cameras. <i>Nuclear Medicine Communications</i> , 2016 , 37, 650-7	1.6	5
336	Diagnostic value of ischemia severity at myocardial perfusion imaging in elderly persons with suspected coronary disease. 2016 , 17, 719-28		3
335	Synthesis and characterization of lipophilic cationic Ga(III) complexes based on the H2CHXdedpa and H2dedpa ligands and their 67/68Ga radiolabeling studies. 2016 , 6, 103763-103773		4
334	Rationale and Design of the CREDENCE Trial: computed Tomographic evaluation of atherosclerotic DEterminants of myocardial Ischemia. 2016 , 16, 190		15
333	Right Ventricular Dysfunction Impairs Effort Tolerance Independent of Left Ventricular Function Among Patients Undergoing Exercise Stress Myocardial Perfusion Imaging. 2016 , 9,		22
332	The best treatment option in the management of patients with chronic total occlusion of a single coronary artery: Debate continues. <i>International Journal of Cardiology</i> , 2016 , 214, 79-80	3.2	1
331	Imaging of coronary atherosclerosis - evolution towards new treatment strategies. 2016 , 13, 533-48		32
330	Diagnostic Performance of 3D 'Bull's Eye Display of SPECT and 'Coronary CTA' Fusion. 2016 , 9, 703-11		7
329	Value Based Imaging for Coronary Artery Disease: Implications for Nuclear Cardiology and Cardiac CT. 2016 , 349-380		

328	Cardiac CT Imaging. 2016,		4
327	Revascularization for Silent Myocardial Ischemia. 2016, 111-124		
326	Quality Evaluation in Non-Invasive Cardiovascular Imaging. 2016,		1
325	Adult Gamma Camera Myocardial Perfusion Imaging: Diagnostic Reference Levels and Achievable Administered Activities Derived From ACR Accreditation Data. 2016, 13, 688-95		9
324	The coronary arterial anatomy of the 17-segment model using 3-Tesla cardiac magnetic resonance imaging. 2016, 47, 1303-1311		0
323	Comparison of non-attenuation corrected and attenuation corrected myocardial perfusion SPECT. 2016, 47, 783-792		3
322	The role of nuclear cardiac imaging in risk stratification of sudden cardiac death. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 1380-1398	2.1	4
321	Usefulness of the novel risk estimation software, Heart Risk View, for the prediction of cardiac events in patients with normal myocardial perfusion SPECT. <i>Annals of Nuclear Medicine</i> , 2016, 30, 716-721 ⁵		2
320	Enhanced detection of early photons in time-domain optical imaging by running in the "dead-time" regime. 2016, 41, 3225-8		9
319	Perilipin 5 is protective in the ischemic heart. <i>International Journal of Cardiology</i> , 2016, 219, 446-54	3.2	29
318	Prognostic Value of Cardiovascular Magnetic Resonance and Single-Photon Emission Computed Tomography in Suspected Coronary Heart Disease: Long-Term Follow-up of a Prospective, Diagnostic Accuracy Cohort Study. 2016, 165, 1-9		58
317	Left Atrial Volume Assessed by Coronary Computed Tomography in Mid Ventricular Diastasis Predicts Adverse Events. 2016, 31, 318-21		3
316	Reproducibility and clinical potential of myocardial mass at risk calculated by a novel software utilizing cardiac computed tomography information. 2016, 31, 218-25		9
315	Diagnostic accuracy of cadmium-zinc-telluride-based myocardial perfusion SPECT: impact of attenuation correction using a co-registered external computed tomography. 2016, 17, 1036-43		16
314	Uncontrolled risk factors and worsening perfusion pattern on SPECT myocardial perfusion imaging in medically treated patients with stable chronic ischaemic heart disease. 2016, 43, 1513-21		
313	Outcome of patients with high-risk Duke treadmill score and normal myocardial perfusion imaging on spect. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 1291-1300	2.1	12
312	Major cardiac event risk scores estimated with gated myocardial perfusion imaging in Japanese patients with coronary artery disease. <i>Journal of Cardiology</i> , 2016, 67, 64-70	3	9
311	Impact of Cell Therapy on Myocardial Perfusion and Cardiovascular Outcomes in Patients With Angina Refractory to Medical Therapy: A Systematic Review and Meta-Analysis. 2016, 118, 984-93		56

310	Prognostic Utility of Calcium Scoring as an Adjunct to Stress Myocardial Perfusion Scintigraphy in End-Stage Renal Disease. 2016 , 117, 1387-96			15
309	Cardiovascular outcomes after pharmacologic stress myocardial perfusion imaging. 2016 , 174, 138-46			4
308	Prognostic Value of Myocardial Perfusion SPECT After Intravenous Bolus Administration of Nicorandil in Patients with Acute Ischemic Heart Failure. 2016 , 57, 385-91			4
307	Conservative versus invasive stable ischemic heart disease management strategies: what do we plan to learn from the ISCHEMIA trial?. 2016 , 12, 35-44			4
306	Direct comparison of cardiac troponin I and cardiac troponin T in the detection of exercise-induced myocardial ischemia. 2016 , 49, 421-432			17
305	Noninvasive imaging markers associated with sudden cardiac death. 2016 , 26, 348-60			10
304	Three-dimensional whole-heart vs. two-dimensional high-resolution perfusion-CMR: a pilot study comparing myocardial ischaemic burden. 2016 , 17, 900-8			10
303	Prognostic value of the cadmium-zinc-telluride camera: A comparison with a conventional (Anger) camera. <i>Journal of Nuclear Cardiology</i> , 2016 , 23, 1280-1287	2.1		12
302	Prognostic impact of location and extent of vessel-related ischemia at myocardial perfusion scintigraphy in patients with or at risk for coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2016 , 23, 274-84	2.1		17
301	Prognostic implications of stress modality on mortality risk and cause of death in patients undergoing office-based SPECT myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2016 , 23, 202-11	2.1		21
300	Prognostic significance of ischemia location on stress myocardial perfusion SPECT: Tracing the fingerprints of the widow maker. <i>Journal of Nuclear Cardiology</i> , 2016 , 23, 285-6	2.1		3
299	Comparative analysis of full-time, half-time, and quarter-time myocardial ECG-gated SPECT quantification in normal-weight and overweight patients. <i>Journal of Nuclear Cardiology</i> , 2017 , 24, 876-887 ^{2,1}			13
298	Computer derived transient ischemic dilation ratio for identifying extensive coronary artery disease using a CZT camera and imaging in the upright position. <i>Journal of Nuclear Cardiology</i> , 2017 , 24, 1702-1708 ^{2,1}			6
297	Relation between quantitative coronary CTA and myocardial ischemia by adenosine stress myocardial CT perfusion. <i>Journal of Nuclear Cardiology</i> , 2017 , 24, 1253-1262	2.1		10
296	Diagnostic and Prognostic Value of Lead aVR During Exercise Testing in Patients Suspected of Having Myocardial Ischemia. 2017 , 119, 959-966			8
295	Noteworthy Literature Published in 2016 for Abdominal Organ Transplant Anesthesiologists. 2017 , 21, 70-80			
294	Outcomes-Based CV Imaging Research Endpoints and Trial Design: From Pixels to Patient Satisfaction. 2017 , 10, 253-263			2
293	Myocardial perfusion imaging with PET. 2017 , 33, 1021-1031			57

292	Long-Term Prognostic Value of Appropriate Myocardial Perfusion Imaging. 2017 , 119, 1957-1962		4
291	Incremental Value of Transthoracic Doppler Echocardiography-Assessed Coronary Flow Reserve in Patients With Suspected Myocardial Ischemia Undergoing Myocardial Perfusion Scintigraphy. 2017 , 6,		27
290	Prognostic Value of Myocardial Perfusion Imaging with a Cadmium-Zinc-Telluride SPECT Camera in Patients Suspected of Having Coronary Artery Disease. 2017 , 58, 1459-1463		13
289	Prognostic Value of Coronary CT Angiography With Selective PET Perfusion Imaging in Coronary Artery Disease. 2017 , 10, 1361-1370		34
288	Long-term prognostic implications of myocardial perfusion imaging in octogenarians: an all-comer, cohort study. 2017 , 44, 1547-1558		2
287	New Promises for Refining Risk Stratification From Anatomical and Functional Assessment of Stable Chest Pain. <i>Circulation</i> , 2017 , 135, 2333-2335	16.7	1
286	Prognostic value of normal positron emission tomography myocardial perfusion imaging in patients with known or suspected coronary artery disease: a meta-analysis. 2017 , 90, 20160702		4
285	Prognostic Value of Noninvasive Cardiovascular Testing in Patients With Stable Chest Pain: Insights From the PROMISE Trial (Prospective Multicenter Imaging Study for Evaluation of Chest Pain). <i>Circulation</i> , 2017 , 135, 2320-2332	16.7	196
284	Prognostic Value of Combined CT Angiography and Myocardial Perfusion Imaging versus Invasive Coronary Angiography and Nuclear Stress Perfusion Imaging in the Prediction of Major Adverse Cardiovascular Events: The CORE320 Multicenter Study. 2017 , 284, 55-65		52
283	Improvement in automated quantitation of myocardial perfusion abnormality by using iterative reconstruction image in combination with resolution recovery, attenuation and scatter corrections for the detection of coronary artery disease. <i>Annals of Nuclear Medicine</i> , 2017 , 31, 181-189	2.5	0
282	Quantitative plaque features from coronary computed tomography angiography to identify regional ischemia by myocardial perfusion imaging. 2017 , 18, 499-507		25
281	PET should not replace routine SPECT MPS for the assessment of patients with known or suspected CAD. <i>Journal of Nuclear Cardiology</i> , 2017 , 24, 1960-1964	2.1	2
280	Correlation of Fractional Flow Reserve With Ischemic Burden Measured by Cardiovascular Magnetic Resonance Perfusion Imaging. 2017 , 120, 1913-1919		5
279	The elusive role of myocardial perfusion imaging in stable ischemic heart disease: Is ISCHEMIA the answer?. <i>Journal of Nuclear Cardiology</i> , 2017 , 24, 1610-1618	2.1	2
278	The radiation dose to overweighted patients undergoing myocardial perfusion SPECT can be significantly reduced: validation of a linear weight-adjusted activity administration protocol. <i>Journal of Nuclear Cardiology</i> , 2017 , 24, 1912-1921	2.1	5
277	Predictors and prognostic impact of silent coronary artery disease in asymptomatic high-risk patients with diabetes mellitus. <i>International Journal of Cardiology</i> , 2017 , 244, 37-42	3.2	26
276	SPECT/CT in der Nuklearkardiologischen Bildgebung. 2017 , 40, 54-63		
275	Prognostic value of a faster, low-radiation myocardial perfusion SPECT protocol in a CZT camera. 2017 , 33, 2049-2056		9

274	Is ischemia the only factor predicting cardiovascular outcomes in all diabetes mellitus patients? 2017 , 16, 51		17
273	Use of Sex-Specific Clinical and Exercise Risk Scores to Identify Patients at Increased Risk for All-Cause Mortality. 2017 , 2, 15-22		5
272	Cardiovascular Screening for the Asymptomatic Patient with Diabetes: More Cons Than Pros. 2017 , 2017, 8927473		11
271	Myocardial Perfusion in Rheumatoid Arthritis Patients: Associations with Traditional Risk Factors and Novel Biomarkers. 2017 , 2017, 6509754		9
270	Impact of Follow-Up Ischemia on Myocardial Perfusion Single-Photon Emission Computed Tomography in Patients with Coronary Artery Disease. 2017 , 58, 934-943		2
269	Fully quantitative cardiovascular magnetic resonance myocardial perfusion ready for clinical use: a comparison between cardiovascular magnetic resonance imaging and positron emission tomography. 2017 , 19, 78		65
268	Cardiovascular prognosis in patients with preserved left ventricular ejection fraction and no significant ischemia. 2017 , Volume 8, 41-48		
267	Long-term prognostic value of single-photon emission computed tomography myocardial perfusion imaging after primary PCI for STEMI. 2018 , 19, 1287-1293		3
266	Innovations in Cardiac CTA. 2018 , 5-30		
265	Prognostic value of normal stress myocardial perfusion imaging and ventricular function in Japanese patients with chronic kidney disease: a study based on the J-ACCESS-3 database. 2018 , 45, 1101-1107		1
264	The success of opening single chronic total occlusion lesions to improve myocardial viability trial (SOS-COMEDY): Study protocol of a prospective multicenter study. 2018 , 97, e0443		
263	Myocardial flow reserve derived by dynamic perfusion single-photon emission computed tomography reflects the severity of coronary atherosclerosis. 2018 , 34, 1493-1501		7
262	Nuclear Cardiology. 2018 , 167-172		
261	The incremental clinical value of cardiac hybrid SPECT/CTA imaging in coronary artery disease. <i>Nuclear Medicine Communications</i> , 2018 , 39, 469-478	1.6	3
260	Mental Stress-Induced-Myocardial Ischemia in Young Patients With Recent Myocardial Infarction: Sex Differences and Mechanisms. <i>Circulation</i> , 2018 , 137, 794-805	16.7	90
259	Quantification of Myocardial Perfusion Defect Size in Rats: Comparison between Quantitative Perfusion SPECT and Autoradiography. 2018 , 20, 544-550		2
258	Attenuation correction in myocardial perfusion imaging affects the assessment of infarct size in women with previous inferior infarct. <i>Nuclear Medicine Communications</i> , 2018 , 39, 290-296	1.6	3
257	Results of Serial Myocardial Perfusion Imaging in End-Stage Renal Disease. 2018 , 121, 661-667		0

256	Vasodilator Stress Single-Photon Emission Computed Tomography or Contrast Stress Echocardiography Association with Hard Cardiac Events in Suspected Coronary Artery Disease. 2018 , 31, 683-691		1
255	Association between non-perfusion parameters and presence of ischemia in gated-SPECT myocardial perfusion imaging studies. <i>Journal of Nuclear Cardiology</i> , 2018 , 25, 609-615	2.1	9
254	The power of stress echocardiography and myocardial perfusion scintigraphy in predicting long-term outcome. Nothing lasts forever. <i>Journal of Nuclear Cardiology</i> , 2018 , 25, 480-482	2.1	1
253	Prognostic value of one millisievert exercise myocardial perfusion imaging in patients without known coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2018 , 25, 120-130	2.1	8
252	Ischemia burden on stress SPECT MPI predicts long-term outcomes after revascularization in stable coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2018 , 25, 958-966	2.1	4
251	Prognostic impact of myocardial perfusion single photon emission computed tomography in patients with major extracardiac findings by computed tomography for attenuation correction. <i>Journal of Nuclear Cardiology</i> , 2018 , 25, 1574-1583	2.1	11
250	Fully automated analysis of attenuation-corrected SPECT for the long-term prediction of acute myocardial infarction. <i>Journal of Nuclear Cardiology</i> , 2018 , 25, 1353-1360	2.1	11
249	Effect of Chronic Total Occlusion Percutaneous Coronary Intervention on Clinical Outcomes in Elderly Patients. 2018 , 355, 174-182		10
248	Feasibility of combined risk stratification with coronary CT angiography and stress myocardial SPECT in patients with chronic coronary artery disease. <i>Annals of Nuclear Medicine</i> , 2018 , 32, 22-33	2.5	2
247	Impact of initial myocardial perfusion imaging versus invasive coronary angiography on outcomes in coronary artery disease: a nationwide cohort study. 2018 , 45, 567-574		7
246	A Practical Guide for Fractional Flow Reserve Guided Revascularisation. 2018 , 27, 406-419		10
245	Serum apolipoprotein B is inversely associated with eccentric left ventricular hypertrophy in peritoneal dialysis patients. 2018 , 50, 155-165		2
244	Correlation between early revascularization and major cardiac events demonstrated by ischemic myocardium in Japanese patients with stable coronary artery disease. <i>Journal of Cardiology</i> , 2018 , 71, 44-51	3	8
243	Prognostic Value of I-BMIPP SPECT in Patients with Nonischemic Heart Failure with Preserved Ejection Fraction. 2018 , 59, 259-265		12
242	Revascularization Approaches. 2018 , 337-354		1
241	[Predictive value of dipyridamole myocardial perfusion tomography on survival]. 2018 , 146, 831-839		1
240	OBSOLETE: Myocardial Perfusion Imaging. 2018 ,		
239	. 2018 ,		0

238	Linking cell function with perfusion: insights from the transcatheter delivery of bone marrow-derived CD133 cells in ischemic refractory cardiomyopathy trial (RECARDIO). 2018 , 9, 235		8
237	Risk Stratification and Treatment of Coronary Disease in Chronic Kidney Disease and End-Stage Kidney Disease. 2018 , 38, 582-599		13
236	Radial Pulse Spectrum Analysis as Risk Markers to Improve the Risk Stratification of Silent Myocardial Ischemia in Type 2 Diabetic Patients. 2018 , 6, 1900509		4
235	Cardiac Magnetic Resonance in Stable Coronary Artery Disease: Added Prognostic Value to Conventional Risk Profiling. 2018 , 2018, 2806148		2
234	Should functional assessment of lesion severity be used to guide coronary bypass?. 2018 , 33, 565-570		
233	Single Photon Emission Computed Tomography (SPECT) Myocardial Perfusion Imaging Guidelines: Instrumentation, Acquisition, Processing, and Interpretation. <i>Journal of Nuclear Cardiology</i> , 2018 , 25, 1784-1846	2.1	126
232	Scar burden, not intraventricular conduction delay pattern, is associated with outcomes in ischemic cardiomyopathy patients receiving cardiac resynchronization therapy. 2018 , 15, 1664-1672		3
231	Ischemia-based Coronary Revascularization: Beyond Anatomy and Fractional Flow Reserve. 2018 , 48, 16-23		0
230	Fractional Flow Reserve. 2018 , 313-328		
229	Performance of computed tomography-derived fractional flow reserve using reduced-order modelling and static computed tomography stress myocardial perfusion imaging for detection of haemodynamically significant coronary stenosis. 2018 , 19, 1234-1243		22
228	Effects of Caffeine on Myocardial Blood Flow: A Systematic Review. 2018 , 10,		13
227	Prospective Comparison of FFR Derived From Coronary CT Angiography With SPECT Perfusion Imaging in Stable Coronary Artery Disease: The ReASSESS Study. 2018 , 11, 1640-1650		62
226	Validity of inducible ischaemia as a surrogate for adverse outcomes in stable coronary artery disease. 2018 , 104, 1733-1738		6
225	High efficiency gamma camera enables ultra-low fixed dose stress/rest myocardial perfusion imaging. 2019 , 20, 218-224		8
224	Nuclear cardiology reporting: Leaving an impression. <i>Journal of Nuclear Cardiology</i> , 2019 , 26, 1886-1887	2.1	3
223	Quantification of Myocardial Mass Subtended by a Coronary Stenosis Using Intracoronary Physiology. 2019 , 12, e007322		8
222	Risk Stratification of Cardiovascular Events in Very Elderly Patients with Known or Suspected Coronary Artery Disease Who Had Normal Single-photon Emission Computed Tomographic Myocardial Perfusion Imaging Findings. 2019 , 58, 3351-3359		
221	Algorithmic Versus Expert Human Interpretation of Instantaneous Wave-Free Ratio Coronary Pressure-Wire Pull Back Data. 2019 , 12, 1315-1324		13

220	Heart rate reserve is a long-term risk predictor in women undergoing myocardial perfusion imaging. 2019 , 46, 2032-2041		9
219	Non-invasive CT-derived fractional flow reserve and static rest and stress CT myocardial perfusion imaging for detection of haemodynamically significant coronary stenosis. 2019 , 35, 2103-2112		9
218	Performance of Traditional Pretest Probability Estimates in Stable Patients Undergoing Myocardial Perfusion Imaging. 2019 , 12, e008473		3
217	Follow-up Care and Management. 2019 , 301-320		
216	Stress ECG Testing with Nuclear Myocardial Perfusion Imaging Techniques. 2019 , 67-86		
215	Leveraging latest computer science tools to advance nuclear cardiology. <i>Journal of Nuclear Cardiology</i> , 2019 , 26, 1501-1504	2.1	1
214	Debates over NICE Guideline Update: What Are the Roles of Nuclear Cardiology in the Initial Evaluation of Stable Chest Pain?. 2019 , 53, 301-312		1
213	Noninvasive assessment of coronary atherosclerosis by cardiac computed tomography for risk stratifying patients with suspected coronary heart disease. 2019 , 13, 235-241		3
212	The Long March into Clinical Practice: Cardiac CT and Its Competitors. 2019 , 19-33		
211	Prognostic Value of Vasodilator Stress Cardiac Magnetic Resonance Imaging: A Multicenter Study With 48 000 Patient-Years of Follow-up. 2019 , 4, 256-264		48
210	The prognostic value of ultra low-dose thallium myocardial perfusion protocol using CZT SPECT. 2019 , 35, 1163-1167		3
209	SPECT myocardial perfusion imaging-based ischemia-guided early coronary revascularization improves survival: More fuel to the fire. <i>Journal of Nuclear Cardiology</i> , 2021 , 28, 1688-1691	2.1	1
208	. 2019 ,		
207	The additional prognostic value of myocardial perfusion SPECT in patients with known coronary artery disease with high exercise capacity. <i>Journal of Nuclear Cardiology</i> , 2021 , 28, 2056-2066	2.1	3
206	Myocardial perfusion imaging detects mechanical dyssynchrony in left ventricular infarcted and noninfarcted areas early after acute myocardial infarction in a porcine model. <i>Nuclear Medicine Communications</i> , 2019 , 40, 115-123	1.6	2
205	Ischemic burden assessment of myocardial perfusion CT, compared with SPECT using semi-quantitative and quantitative approaches. <i>International Journal of Cardiology</i> , 2019 , 278, 287-294	3-2	3
204	Prognostic significance of coronary artery calcium scoring and single-photon emission computed tomographic myocardial perfusion imaging on major adverse cardiac events in patients at low risk for suspected coronary artery disease. 2019 , 74, 508-514		2
203	The effect of CT-based attenuation correction on the automatic perfusion score of myocardial perfusion imaging using a dedicated cardiac solid-state CZT SPECT/CT. <i>Journal of Nuclear Cardiology</i> , 2019 , 26, 236-245	2.1	6

202	Additional value of systolic wall thickening in myocardial stunning evaluated by stress-rest gated perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2019 , 26, 833-840	2.1	6
201	Prediction of cardiac death after adenosine myocardial perfusion SPECT based on machine learning. <i>Journal of Nuclear Cardiology</i> , 2019 , 26, 1746-1754	2.1	42
200	Prognostic utility of splenic response ratio in dipyridamole PET myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2019 , 26, 1888-1897	2.1	5
199	Effect of reduced photon count levels and choice of normal data on semi-automated image assessment in cardiac SPECT. <i>Journal of Nuclear Cardiology</i> , 2020 , 27, 1469-1482	2.1	2
198	Sex and age differences in the association of heart rate responses to adenosine and myocardial ischemia in patients undergoing myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2020 , 27, 159-170	2.1	8
197	Cardiovascular risk prediction models with myocardial perfusion imaging in chronic kidney disease: ACCESSing digits or focusing on the patient?. <i>Journal of Nuclear Cardiology</i> , 2020 , 27, 51-52	2.1	1
196	Regadenoson SPECT MPI post-troponin elevation in two different patient populations: A reliable risk-stratification tool. <i>Journal of Nuclear Cardiology</i> , 2020 , 27, 2332-2336	2.1	1
195	Better characterization of dipyridamole-induced myocardial stunning by systolic wall thickening. A gated perfusion SPECT study. <i>Journal of Nuclear Cardiology</i> , 2020 , 27, 137-146	2.1	2
194	Prognostic significance of ischemic electrocardiographic changes with regadenoson stress myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2020 , 27, 1521-1532	2.1	8
193	[Comparison of the prognostic value of different clinical, angiographic and scintigraphic scores in stable coronary patients after acute coronary syndrome]. 2020 , 69, 12-23		
192	Anatomical and functional coronary imaging to predict long-term outcome in patients with suspected coronary artery disease: the EVINCI-outcome study. 2020 , 21, 1273-1282		22
191	The Fallacies of fractional flow reserve. <i>International Journal of Cardiology</i> , 2020 , 302, 34-35	3.2	4
190	ISCHEMIA Trial: A Hope or a Hype for Patients with Stable Coronary Artery Disease?. 2020 , 133, e218-e219		1
189	Physiology over Angiography to Determine Lesion Severity: the FAME Trials. 2020 , 9, 409-418		
188	Prognostic value of myocardial perfusion imaging with D-SPECT camera in patients with ischemia and no obstructive coronary artery disease (INOCA). <i>Journal of Nuclear Cardiology</i> , 2020 , 1	2.1	5
187	Koronare Herzkrankheit: Aktueller Stand der klinischen Anwendung der Myokardperfusionsszintigrafie im Rahmen des chronischen Koronarsyndroms. 2020 , 43, 20-27		
186	Automated abstraction of myocardial perfusion imaging reports using natural language processing. <i>Journal of Nuclear Cardiology</i> , 2020 , 1	2.1	3
185	Role of DECT in coronary artery disease: a comparative study with ICA and SPECT. 2020 , 26, 420-428		

184	Cost-effectiveness of myocardial perfusion SPECT and stress test according to coronary revascularization therapy, cardiac events and total mortality: Register of 8496 patients. 2020 , 39, 212-219		
183	Multimodal Optical Imaging by Microendoscope. 2020 ,		
182	Beyond traditional cardiovascular risk factors: Could frailty and other morbidities explain the worse prognosis in patients undergoing pharmacologic stress?. <i>Journal of Nuclear Cardiology</i> , 2020 , 1	2.1	0
181	Direct comparisons of left ventricular volume and function by simultaneous cardiac magnetic resonance imaging and gated 13N-ammonia positron emission tomography. <i>Nuclear Medicine Communications</i> , 2020 , 41, 383-388	1.6	3
180	Prognostic value of coronary risk factors, exercise capacity and single photon emission computed tomography in liver transplantation candidates: A 5-year follow-up study. <i>Journal of Nuclear Cardiology</i> , 2020 , 1	2.1	1
179	Effect of Elevated Calcium Score on Normal Myocardial Perfusion Study on Clinician Management of Coronary Artery Disease Risk Factors. 2020 , 19, 58-61		
178	The evolution of the prognostic value of regadenoson SPECT myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2020 , 1	2.1	
177	Incremental prognostic value of aortic stiffness in addition to myocardial ischemia by cardiac magnetic resonance imaging. 2020 , 20, 287		7
176	Anatomic or functional testing in stable patients with suspected CAD: contemporary role of cardiac CT in the ISCHEMIA trial era. 2020 , 36, 1351-1362		2
175	Dynamic ultrafast CZT imaging: Time for a paradigm change in myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2020 , 1	2.1	2
174	Incremental value of myocardial wall motion and thickening to perfusion alone by gated SPECT myocardial perfusion imaging for viability assessment in patients with ischemic heart failure. <i>Journal of Nuclear Cardiology</i> , 2020 , 1	2.1	3
173	Effect of correction methods on image resolution of myocardial perfusion imaging using single photon emission computed tomography combined with computed tomography hybrid systems. 2020 , 4, 015011		
172	On-site assessment of computed tomography-derived fractional flow reserve in comparison with myocardial perfusion imaging and invasive fractional flow reserve. 2020 , 35, 1331-1340		5
171	Visually assessed coronary and cardiac calcium outperforms perfusion data during scintigraphy in the prediction of adverse outcomes. <i>International Journal of Cardiology</i> , 2020 , 312, 123-128	3.2	1
170	Transient ischaemic dilation and post-stress wall motion abnormality increase risk in patients with less than moderate ischaemia: analysis of the REFINE SPECT registry. 2020 , 21, 567-575		12
169	Prognostic Significance of the Residual SYNTAX Score and Ischemic Reduction Detected with Nuclear Cardiology for Prediction of Major Cardiac Events after Revascularization. 2020 , 59, 1361-1371		3
168	Predictors of abnormality in thallium myocardial perfusion scans for type 2 diabetes. 2021 , 36, 180-188		0
167	Death and Myocardial Infarction Following Initial Revascularization Versus Optimal Medical Therapy in Chronic Coronary Syndromes With Myocardial Ischemia: A Systematic Review and Meta-Analysis of Contemporary Randomized Controlled Trials. 2021 , 10, e019114		5

166	Prognostic Performance of Myocardial Perfusion and Function. 2021 , 325-368		
165	Cardiovascular event risk estimated after coronary revascularization and optimal medical therapy: J-ACCESS4 prognostic study. <i>Annals of Nuclear Medicine</i> , 2021 , 35, 241-252	2.5	0
164	Exercise and Pharmacologic Stress Testing. 2021 , 517-544		
163	JCS 2018 Guideline on Diagnosis of Chronic Coronary Heart Diseases. <i>Circulation Journal</i> , 2021 , 85, 402-573		11
162	Clinical implications and debates on the ISCHEMIA trial. 2021 ,		0
161	Preoperative Stress Test and Postoperative MI in Patients Requiring Lower Extremity Bypass for Critical Limb Ischemia. 2021 , 72, 529-534		1
160	Prognostic value of regional myocardial flow reserve derived from N-ammonia positron emission tomography in patients with suspected coronary artery disease. 2021 , 1		0
159	Simultaneous assessment of coronary flow reserve and left ventricular function during vasodilator stress evaluated by N-ammonia hybrid PET/MRI. 2021 , 76, 472.e1-472.e9		0
158	Prognostic Value of Diastolic Dysfunction Derived From D-SPECT in Coronary Artery Disease Patients With Normal Ejection Fraction. 2021 , 8, 700027		1
157	Myocardial Perfusion and Viability Imaging in Coronary Artery Disease: Clinical Value in Diagnosis, Prognosis, and Therapeutic Guidance. 2021 , 134, 968-975		2
156	Predictors of outcome in the ISCHEMIA-CKD trial: Anatomy versus ischemia. 2022 , 243, 187-200		0
155	One-step anatomic and function testing by cardiac CT versus second-line functional testing in symptomatic patients with coronary artery stenosis: head-to-head comparison of CT-derived fractional flow reserve and myocardial perfusion imaging. 2021 , 17, 576-583		2
154	Nuclear Cardiology. 2022 , 185-192		1
153	Regadenoson Stress Testing: A Comprehensive Review With a Focused Update. 2021 , 13, e12940		2
152	Gated SPECT beyond myocardial perfusion: assessment of mechanical left ventricular synchrony. <i>Journal of Nuclear Cardiology</i> , 2021 , 1	2.1	0
151	Nuclear Imaging in Ischemic Heart Disease. 2012 , 63-81		1
150	Risk Stratification and Patient Management. 2013 , 247-288		1
149	SPECT Detection of Coronary Artery Disease. 2003 , 63-77		2

148	Myocardial Perfusion Scintigraphy in Diabetes: Current Status and Limitations. 2009 , 305-323		1
147	Perfusion Measurements of the Myocardium. 2015 , 1279-1354		1
146	Cost-effectiveness of myocardial perfusion SPECT and stress test according to coronary revascularization therapy, cardiac events and total mortality: Register of 8,496 patients. 2020 , 39, 212-219		0
145	Design and evaluation of an adaptive multipinhole collimator for high-performance clinical and preclinical imaging. <i>Nuclear Medicine Communications</i> , 2016 , 37, 313-21	1.6	6
144	Silent ischemic heart disease and pericardial fat volume in HIV-infected patients: a case-control myocardial perfusion scintigraphy study. <i>PLoS ONE</i> , 2013 , 8, e72066	3.7	28
143	Cardiac function in patients with early cirrhosis during maximal beta-adrenergic drive: a dobutamine stress study. <i>PLoS ONE</i> , 2014 , 9, e109179	3.7	11
142	Strategies for Primary Prevention of Coronary Heart Disease Based on Risk Stratification by the ACC/AHA Lipid Guidelines, ATP III Guidelines, Coronary Calcium Scoring, and C-Reactive Protein, and a Global Treat-All Strategy: A Comparative--Effectiveness Modeling Study. <i>PLoS ONE</i> , 2015 , 10, e0138092	3.7	24
141	Coronary-to-pulmonary artery fistula in adults: Evaluation with thallium-201 myocardial perfusion SPECT. <i>PLoS ONE</i> , 2017 , 12, e0189269	3.7	9
140	Trends and Perspectives of Stress Myocardial Perfusion Imaging in Japan. <i>Annals of Nuclear Cardiology</i> , 2017 , 3, 186-189	0.3	2
139	Interpretation of myocardial perfusion SPECT with attenuation correction. Part 2. 2020 , 101, 6-18		2
138	Use of bio-informatics assessment schema (BIAS) to improve diagnosis and prognosis of myocardial perfusion data: results from the NHLBI-sponsored women's ischemia syndrome evaluation (WISE). 2016 , 6, 424-431		2
137	A New Relational Database Including Clinical Data and Myocardial Perfusion Imaging Findings in Coronary Artery Disease. 2019 , 15, 661-671		7
136	Assessment of Myocardial Ischemia Using Stress Perfusion Cardiovascular Magnetic Resonance. 2018 , 2, 65		2
135	Diagnostic value of SPECT, PET and PET/CT in the diagnosis of coronary artery disease: A systematic review. 2011 , 7, e9		14
134	[Myocardial perfusion single-photon emission computer tomography and coronary angiography results in patients with different pretest probability of ischemic heart disease]. 2020 , 92, 30-36		2
133	[Myocardial perfusion scintigraphy - short form of the German guideline]. 2013 , 52, 51-63; quiz N22		5
132	[Myokard-Perfusions-SPECT. Myocardial perfusion SPECT - Update S1 guideline]. 2017 , 56, 115-123		2
131	Update of the Brazilian Guideline on Nuclear Cardiology - 2020. <i>Arquivos Brasileiros De Cardiologia</i> , 2020 , 114, 325-429	1.2	4

130	Physiologic approach for coronary intervention. 2013 , 28, 1-7	4
129	Long-term prognosis of end-stage renal disease patients with normal myocardial perfusion as determined by single photon emission computed tomography. 2018 , 33, 148-156	3
128	Fragmented QRS on surface electrocardiogram is not a reliable predictor of myocardial scar, angiographic coronary disease or long term adverse outcomes. 2014 , 4, 279-86	9
127	Myocardial Perfusion Imaging: A Brief Review of Nuclear and Nonnuclear Techniques and Comparative Evaluation of Recent Advances. 2019 , 34, 263-270	5
126	Medical Image Acquisition and Processing: Clinical Validation. 2014 , 04, 205-209	5
125	Myocardial Segmentation of Area at Risk Based on Coronary Computed Tomography Angiography and Voronoi Diagram in Comparison with Magnetic Resonance Perfusion Imaging. 2017 , 07, 9-22	2
124	Coronary plaque imaging by coronary computed tomography angiography. 2014 , 6, 148-59	4
123	Clinical use of nuclear cardiology in the assessment of heart failure. 2010 , 2, 344-56	10
122	Myocardial ischemia is a key factor in the management of stable coronary artery disease. 2014 , 6, 130-9	17
121	Diagnostic Value of Angiography-Derived IMR for Coronary Microcirculation and Its Prognostic Implication After PCI. 2021 , 8, 735743	0
120	Nukliddiagnostik. 2001 , 102-118	
119	Effect of power Doppler and digital subtraction techniques on the comparison of myocardial contrast echocardiography with SPECT. 2001 , 85, 549-555	
118	Gated Myocardial Perfusion Spect for Diagnosis and Prognosis of Patients with Coronary Artery Disease. 2002 , 137-155	
117	Myocardial Blood Flow and Perfusion: Radionuclide Techniques. 2002 , 555-577	
116	Gated Myocardial SPECT. 2003 , 46, 981	
115	Application of stress echocardiography to the prediction of outcomes. 2003 , 167-205	
114	Risk Stratification and Patient Management. 2003 , 97-113	
113	????????????????????SPECT??? : cost effectiveness?????(4.????????????????????)(?67?????????????). 2003 , 11, 261-266	

112 Myocardial Perfusion Imaging for Cardiac Risk Stratification. **2004**, 253-278

111 Nuclear Cardiology for Imaging the Effects of Therapy. **2004**, 279-308

110 Correlation of Nuclear Imaging with Cardiac MRI. **2004**, 378-394

109 DPC??cost-effective?(3.??)(?68????????????????????). **2005**, 13, 47-52

108 Prognostic Assessment by Noninvasive Imaging. Part a. Clinical Decision-making in Patients with Suspected or Known Coronary Artery Disease. **2006**, 189-208

107 Correlation between Thrombolysis in Myocardial Infarction, the Myocardial Perfusion Grade and the Myocardial Viability Indices after Primary Percutaneous Coronary Intervention in ST Segment Elevation Myocardial Infarction. **2007**, 37, 581

106 Myocardial Perfusion Imaging Utilizing Single Photon Emission Computed Tomography Techniques. **2007**, 841-853

105 14 Nucleaire cardiologie. **2008**, 135-139

104 SHORT-TERM PROGNOSTIC VALUE OF REST Tc99m-MIBI GATED SPECT AFTER ACUTE NON-Q WAVE MYOCARDIAL INFARCTION. **2008**, 5,

103 ??MRI???????(7.???????:??CT???:MR?PET???,?72????????????????). **2008**, 16, 293-297

102 Provocative Testing. **2009**, 155-184

101 Tecniche diagnostiche per lo studio dell'pparato cardiovascolare. **2010**, 405-440

100 Nuclear Cardiology. **2010**, 127-151

99 Nuclear Cardiology and Detection of Coronary Artery Disease. **2010**, 249-265

98 Prognostic Implications of MPI Stress SPECT. **2010**, 267-286

97 Cost-Effectiveness of Myocardial Perfusion Single-Photon Emission Computed Tomography. **2010**, 400-412

96 Nuclear Cardiology and Positron Emission Tomography in the Assessment of Patients with Cardiovascular Disease. **2010**, 809-824

95 Noninvasive Imaging of the Vulnerable Myocardium: Cardiac MRI and CT Based. **2011**, 433-451

- 94 Stress Echocardiography Versus Radionuclide Imaging. **2010**, 159-176
- 93 Advances in myocardial perfusion and left ventricular function imaging using single photon emission tomography. **2010**, 52, 513-522
- 92 Nuklearkardiologie. **2011**, 1015-1108
- 91 . **2011**, 70, 78-83
- 90 The Atherosclerotic Process and Its Relationship to Coronary Blood Flow. **2011**, 162-167
- 89 Noninvasive Stress Testing. 293-302
- 88 Myocardial Perfusion Scintigraphy with ^{99m}Tc-MIBI. **2012**, 65-85
- 87 Substrate Assessment: Echocardiography, MRI, and CCT. **2012**, 191-215
- 86 ??????????(PET)??: ?????????????????(1.????????????????,?75????????????). **2011**, 19, 205-210
- 85 Prognostic value of coronary artery calcium score in combination with cardiac stress single-photon emission tomography imaging in an asymptomatic population. **2011**, 53, 698-702
- 84 Fractional Flow Reserve. **2013**, 349-361
- 83 Invasive assessment and management of intermediate coronary narrowings. **2012**, 302-311
- 82 Cardiac Imaging. 296-344
- 81 Guidelines for revascularization: The evidence base matures. **2012**, 2012, 29-35 2
- 80 Coronary CT angiography: Beyond morphological stenosis analysis. **2013**, 5, 444-52 3
- 79 Physiologic Evaluation of Patients with Ischemic Heart Disease. **2014**, 193-205
- 78 SPECT/CT for Imaging of Coronary Artery Disease. **2014**, 177-199
- 77 Diagnosing CAD: additional markers from myocardial perfusion SPECT. **2013**, 27, 467-77 2

- 76 Cardiovascular System. **2014**, 157-189
- 75 Perfusion Measurements of the Myocardium: Radionuclide Methods and Related Techniques. **2014**, 1-89
- 74 Survival Analysis for Cardiac Risk Stratification. In reply. **1999**, 14, 451-452 1
- 73 Nuclear Cardiology 2: Myocardial Perfusion, Metabolism, Infarction, and Receptor Imaging. **2015**, 463-528
- 72 Adding CT Measurements of Coronary Artery Calcification to Nuclear Myocardial Perfusion Imaging for Risk Stratification. **2015**, 225-239
- 71 Optimal Management of Multivessel CAD: PCI Versus CABG Surgery Versus Medical Therapy Alone. **2015**, 203-219
- 70 Optimal Treatment Strategies for Improvement Prognosis in Elderly Patients with Coronary Artery Disease. **2015**, 74, 137-140
- 69 innovation of cardiac imaging. **2016**, 75, 48-51
- 68 The Complexity of the Non-invasive Cardiac Imaging Process. **2016**, 29-36
- 67 Angina due to Obstructive Atherosclerotic Coronary Artery Disease: Diagnosis and Patient Risk Stratification. **2016**, 37-63
- 66 Recent Research Topics in Nuclear Cardiology from the YIA Session of JSNC 2015. *Annals of Nuclear Cardiology*, **2016**, 2, 186-187 0.3
- 65 Cardiac MR Protocol Selection. **2016**, 123-137
- 64 Recent clinical role of nuclear cardiology for coronary artery disease. *Journal of the Japanese Coronary Association*, **2016**, 22, 99-105
- 63 Importance of evaluation for severity of myocardial ischemia: interpreted from clinical trials. *Journal of the Japanese Coronary Association*, **2018**, 24, 79-83
- 62 Art and Science. *Annals of Nuclear Cardiology*, **2018**, 4, 1-4 0.3
- 61 Myocardial Perfusion Imaging. **2018**, 404-424
- 60 Prognostic Risk Stratification of Cardiac Events Evaluated by Aortic Calcification in Elderly Patients with Chronic Kidney Disease. *Annals of Nuclear Cardiology*, **2019**, 5, 35-43 0.3 2
- 59 Myocardial Perfusion by Coronary Computed Tomography in the Evaluation of Myocardial Ischemia: Simultaneous Stress Protocol with SPECT. *Arquivos Brasileiros De Cardiologia*, **2019**, 113, 1092-1101 1.2 0

58	Nuclear investigative techniques and their interpretation in the heart and vascular disease. <i>Annals of Cardiac Anaesthesia</i> , 2020 , 23, 262-271	1.3	1
57	Invasive Physiological Assessment: From Binary to Continuous. <i>Arquivos Brasileiros De Cardiologia</i> , 2020 , 114, 265-267	1.2	1
56	Verification of Coronary Computed Tomography-Derived Fractional Flow Reserve Measurement Site for Detection of Significant Coronary Artery Disease.. <i>Circulation Reports</i> , 2021 , 3, 716-723	0.7	0
55	Cardiovascular event risk estimated by myocardial perfusion SPECT combined with clinical data. <i>Journal of Cardiology</i> , 2021 ,	3	1
54	Status of Nuclear Cardiology Progress in Japan 2020. <i>Journal of Coronary Artery Disease</i> , 2020 , 26, 82-90.	0.1	0
53	Comparability of scintigraphy data with coronary angiography after surgical myocardial revascularization. <i>Regional Blood Circulation and Microcirculation</i> , 2019 , 18, 23-28	0.3	1
52	Clinical Applications of Nuclear Cardiology. 2020 , 233-276		
51	Adding Coronary Calcium Score to Exercise Treadmill Test: An Alternative to Refine Coronary Artery Disease Risk Stratification in Patients with Intermediate Risk Chest Pain. <i>Global Heart</i> , 2020 , 15, 22	2.9	
50	Nuclear Cardiology and Cardiac Computed Tomography in Assessment of Patients with Known or Suspected Chronic Coronary Artery Disease. 2006 , 239-259		
49	Diagnostik und interventionelle Therapie der koronaren Herzkrankheit. 2006 , 230-249		
48	Nuclear Imaging with Exercise Testing. 2009 , 121-142		
47	Stable Angina. 2005 , 451-470		
46	Heart. 2007 , 95-117		
45	Basis of Cardiac Imaging 2: Myocardial Perfusion, Metabolism, Infarction, and Receptor Imaging in Coronary Artery Disease and Congestive Heart Failure. 2006 , 352-394		
44	Nuclear Cardiology – The Situation in Europe. 2008 , 645-685		
43	Direct correlation between ischemic burden induced by dipyridamole and stress peak filling rate: a gated perfusion single-photon emission computed tomography study. <i>Nuclear Medicine Communications</i> , 2021 , 42, 173-181	1.6	
42	Myocardial perfusion imaging and cardiovascular outcomes in a cancer population. <i>Texas Heart Institute Journal</i> , 2009 , 36, 205-13	0.8	16
41	Prognostic Value of Functional Variables as Assessed by Gated Thallium-201 Myocardial Perfusion Single Photon Emission Computed Tomography for Major Adverse Cardiac Events in Patients with Coronary Artery Disease. <i>Acta Cardiologica Sinica</i> , 2013 , 29, 243-50	1.1	3

40	The Incremental Diagnostic Performance of Coronary Computed Tomography Angiography Added to Myocardial Perfusion Imaging in Patients with Intermediate-to-High Cardiovascular Risk. <i>Acta Cardiologica Sinica</i> , 2016 , 32, 145-55	1.1	5
39	Chinese expert consensus on the non-invasive imaging examination pathways of stable coronary artery disease. <i>Journal of Geriatric Cardiology</i> , 2018 , 15, 30-40	1.7	3
38	Image quality characteristics of myocardial perfusion SPECT imaging using state-of-the-art commercial software algorithms: evaluation of 10 reconstruction methods. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 10, 375-386	2.2	
37	Assessing mental stress on myocardial perfusion and myocardial blood flow in women without obstructive coronary disease: protocol for a mechanistic clinical trial. <i>BMJ Open</i> , 2020 , 10, e038362	3	1
36	The Role of Myocardial Perfusion Imaging in Patients with Diabetes Mellitus. <i>Medicina Interna (Bucharest, Romania: 1991)</i> , 2021 , 18, 31-37	0.1	
35	Association of Mental Stress-Induced Myocardial Ischemia With Cardiovascular Events in Patients With Coronary Heart Disease. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 1818-1828	27.4	7
34	Predictive value of SPECT myocardial perfusion imaging in patients with unrevascularized coronary chronic total occlusion. <i>Annals of Nuclear Medicine</i> , 2021 , 1	2.5	
33	Relation of abnormal cardiac stress testing with outcomes in patients undergoing renal transplantation. <i>PLoS ONE</i> , 2021 , 16, e0260718	3.7	
32	OUP accepted manuscript. <i>Journal of Computational Design and Engineering</i> ,	4.6	1
31	Proceedings of the 4th Invitational Wintergreen Conference. Wintergreen, Virginia, USA. July 12-14, 1998. Abstracts. <i>Journal of Nuclear Cardiology</i> , 1999 , 6, 93-155	2.1	9
30	Computed tomographic imaging within nuclear cardiology. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 131-421	4.1	4
29	Prevalence of myocardial perfusion scintigraphy derived ischemia in coronary lesions with discordant fractional flow reserve and non-hyperemic pressure ratios.. <i>International Journal of Cardiology</i> , 2022 ,	3.2	0
28	Role of coronary computed tomography angiography (CTA) post the ISCHEMIA trial: Precision prevention based on coronary CTA-derived coronary atherosclerosis.. <i>Journal of Cardiology</i> , 2021 ,	3	1
27	SPECT/CT for Imaging of Coronary Artery Disease. 2022 , 209-227		
26	Three-dimensional Fusion of Myocardial Perfusion SPECT and Invasive Coronary Angiography Guides Coronary Revascularization.. <i>Journal of Nuclear Cardiology</i> , 2022 , 1	2.1	1
25	Clinical Utility of a Slow TI Washout Rate in the Detection of Multi-Vessel Coronary Artery Disease Using a Simultaneous Acquisition Rest Tc/Stress TI Protocol and a Semiconducting Gamma Camera.. <i>Circulation Journal</i> , 2022 ,	2.9	0
24	[Clinical use of Cardiac Nuclear Medicine in Germany].. <i>Deutsche Medizinische Wochenschrift</i> , 2022 , 147, 538-548	0	
23	Assessing mental stress on myocardial perfusion and myocardial blood flow in women without obstructive coronary disease: protocol for a mechanistic clinical trial. 2020 , 10, e038362		2

22 One-stop shop cardiovascular imaging. 9-21

21 Stress Echocardiography. **2016**, 237-283

20 Valor Prognóstico de Rigidez Arterial usando Ressonância Magnética Cardiovascular em Idosos com Suspeita ou Confirmação de Doença Arterial Coronariana. *Arquivos Brasileiros De Cardiologia*, **2022**, 118, 961-971 1.2 1

19 Imaging tests for coronary artery disease risk assessment: Anatomy, physiology, or both?. *International Journal of Cardiology*, **2022**, 3.2

18 Prediction of multivessel coronary artery disease and candidates for stress-only imaging using multivariable models with myocardial perfusion imaging. *Annals of Nuclear Medicine*, 2.5 0

17 Circulatory System (Cardiovascular and Lymphatic Systems). **2022**, 323-383

16 Combined myocardial perfusion scintigraphy and computed tomography: diagnostic and prognostic value in coronary artery disease. *Russian Journal of Cardiology*, **2022**, 27, 4925 1.3 1

15 Myocardial Viability – An Important Decision Making Factor in the Treatment Protocol for Patients with Ischemic Heart Disease. *Acta Medica Bulgarica*, **2022**, 49, 59-64 0.2

14 Comparison between Machine Learning and Multiple Linear Regression to Identify Abnormal Thallium Myocardial Perfusion Scan in Chinese Type 2 Diabetes. *Diagnostics*, **2022**, 12, 1619 3.8

13 Clinical Cases of Hybrid Cardiac Imaging. **2022**, 191-202

12 Prognostic value of combined coronary angiography-derived IMR and myocardial perfusion imaging by CZT SPECT in INOCA. 0

11 Prognostic risk stratification based on left ventricular mechanical dyssynchrony in patients at low or intermediate risk of major cardiac events using the J-ACCESS risk model. 0

10 Can blood inflammation markers predict the severity of ischemia at myocardial perfusion scintigraphy. **2022**,

9 Potential Impact of SPECT Resolution on Quantification of Left Ventricular Volumes and Ejection Fraction: A Phantom Study. 0

8 The War for the Best Therapy in Coronary Artery Disease Is Far From Being Won. **2022**, 80, e167 0

7 Anatomical and Functional Approaches in the Assessment of Ischemia in Ischemic Heart Disease: Analysis of Major World Research. **2022**, 62, 66-73 0

6 Prognostic implications of myocardial perfusion imaging by 82-rubidium positron emission tomography in male and female patients with angina and no perfusion defects. 0

5 Effect of nonobstructive coronary stenosis on coronary microvascular dysfunction and long-term outcomes in patients with INOCA. 0

- 4 Prognostic value of myocardial flow reserve derived by quantitative SPECT for patients with intermediate coronary stenoses. ○
- 3 J-ACCESS investigation and nuclear cardiology in Japan: implications for heart failure. ○
- 2 Cardiac computed tomography: from anatomy to function. **2023**, 25, C49-C57 ○
- 1 Diagnosis of diffuse ischemia with SPECT relative perfusion imaging: How to eat soup with a fork?. ○