

# CITATION REPORT

List of articles citing

Incorporation rates, stabilities, cytotoxicities and release of liposomal tetracycline and doxycycline in human serum

DOI: 10.1093/jac/42.6.831

Journal of Antimicrobial Chemotherapy, 1998, 42, 831-4.

**Source:** <https://exaly.com/paper-pdf/29662087/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
21	LITERATURE ALERTS. <i>Journal of Microencapsulation</i> , <b>1999</b> , 16, 793-807	3.4	1
20	[In vitro inhibition of Chlamydia trachomatis growth by liposome-encapsulated cyclines]. <i>Pathologie Et Biologie</i> , <b>2001</b> , 49, 53-6		2
19	Effects of cationic liposome-encapsulated doxycycline on experimental Chlamydia trachomatis genital infection in mice. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2001</b> , 47, 323-31	5.1	8
18	Pharmacokinetics of cationic liposome-encapsulated doxycycline in mice challenged with genital infection by Chlamydia trachomatis. <i>Chemotherapy</i> , <b>2004</b> , 50, 17-21	3.2	3
17	The effect of different lipid components on the in vitro stability and release kinetics of liposome formulations. <i>Drug Delivery</i> , <b>2004</b> , 11, 33-9	7	154
16	Use of liposomized tetracycline in elimination of Wolbachia endobacterium of human lymphatic filariid Brugia malayi in a rodent model. <i>Journal of Drug Targeting</i> , <b>2005</b> , 13, 375-81	5.4	20
15	Chlamydia trachomatis persistence: an update. <i>Microbiological Research</i> , <b>2006</b> , 161, 9-19	5.3	83
14	VEGF-targeted short hairpin RNA inhibits intraperitoneal ovarian cancer growth in nude mice. <i>Oncology</i> , <b>2009</b> , 77, 385-94	3.6	13
13	Efficient inhibition of non-small-cell lung cancer xenograft by systemic delivery of plasmid-encoding short-hairpin RNA targeting VEGF. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , <b>2010</b> , 25, 65-73	3.9	15
12	Improvement in the antifilarial efficacy of doxycycline and rifampicin by combination therapy and drug delivery approach. <i>Journal of Drug Targeting</i> , <b>2010</b> , 18, 343-50	5.4	22
11	Plasmid-based STAT3-siRNA efficiently inhibits breast tumor growth and metastasis in mice. <i>Neoplasia</i> , <b>2011</b> , 58, 538-47	3.3	12
10	Formulation and pharmacokinetic evaluation of tetracycline-loaded solid lipid nanoparticles for subcutaneous injection in mice. <i>Chemical and Pharmaceutical Bulletin</i> , <b>2011</b> , 59, 260-5	1.9	19
9	Inhibition of indoleamine 2,3-dioxygenase activity by levo-1-methyl tryptophan blocks gamma interferon-induced Chlamydia trachomatis persistence in human epithelial cells. <i>Infection and Immunity</i> , <b>2011</b> , 79, 4425-37	3.7	43
8	Therapeutic upregulation of Class A scavenger receptor member 5 inhibits tumor growth and metastasis. <i>Cancer Science</i> , <b>2012</b> , 103, 1631-9	6.9	33
7	Nanoliposomal minocycline for ocular drug delivery. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , <b>2013</b> , 9, 130-40	6	39
6	RNA interference targeting human FAK and EGFR suppresses human non-small-cell lung cancer xenograft growth in nude mice. <i>Cancer Gene Therapy</i> , <b>2013</b> , 20, 101-8	5.4	11
5	Antimicrobial properties of liposomal azithromycin for Pseudomonas infections in cystic fibrosis patients. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2015</b> , 70, 784-96	5.1	29

4	A Novel Loading Method for Doxycycline Liposomes for Intracellular Drug Delivery: Characterization of In Vitro and In Vivo Release Kinetics and Efficacy in a J774A.1 Cell Line Model of Mycobacterium smegmatis Infection. <i>Drug Metabolism and Disposition</i> , <b>2015</b> , 43, 1236-45	4	12
3	Biochemical Features of Beneficial Microbes: Foundations for Therapeutic Microbiology. <i>Microbiology Spectrum</i> , <b>2017</b> , 5,	8.9	43
2	Reactivating Hippocampal-Mediated Memories to Disrupt the Reconsolidation of Fear.		
1	Reactivating hippocampal-mediated memories during reconsolidation to disrupt fear. <b>2022</b> , 13,		0