CITATION REPORT List of articles citing

A prospective 12-year study of subsyndromal and syndromal depressive symptoms in unipolar major depressive disorders

DOI: 10.1001/archpsyc.55.8.694 Archives of General Psychiatry, 1998, 55, 694-700.

Source: https://exaly.com/paper-pdf/29665498/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
621	Major depressive disorder: a prospective study of residual subthreshold depressive symptoms as predictor of rapid relapse. <i>Journal of Affective Disorders</i> , 1998 , 50, 97-108	6.6	449
620	Implications of failing to achieve successful long-term maintenance treatment of recurrent unipolar major depression. 1998 , 44, 348-60		193
619	Late-onset minor and major depression: early evidence for common neuroanatomical substrates detected by using MRI. 1998 , 95, 7654-8		151
618	Dysthymia: clinical picture, extent of overlap with chronic fatigue syndrome, neuropharmacological considerations, and new therapeutic vistas. <i>Journal of Affective Disorders</i> , 1999 , 52, 275-90	6.6	39
617	Depression and partial remission after short-term treatment. 1999 , 53, 117-120		2
616	Bipolar II versus unipolar chronic depression: a 312-case study. 1999 , 40, 418-21		15
615	The K-SADS and diagnosis of major depressive disorder. 1999 , 38, 1065-9		15
614	Persistence of depressive symptoms and cardiovascular death among patients with affective disorder. 1999 , 61, 755-61		18
613	The prevalence and differential diagnosis of subclinical depressive syndromes in inpatients 60 years and older. 2000 , 69, 251-60		30
612	Current World Literature. 2000 , 13, 99-138		
611	Prognosis of depression. 2000 , 13, 81-85		8
610	Adverse outcome of subsyndromal and syndromal levels of depressive symptom severity. 2000 , 62, 47	2-3	4
609	Dysthymic disorder: current status and future directions. 2000 , 13, 171-177		5
608	Cerebral white matter lesions and depressive symptoms in elderly adults. <i>Archives of General Psychiatry</i> , 2000 , 57, 1071-6		333
607	Implications of depression in rheumatoid arthritis: do subtypes really matter?. 2000 , 13, 23-32		12
606	Subsyndromal symptomatic depression: a new concept. 2000 , 12, 30-9		78
605	Using epidemiological data to model efficiency in reducing the burden of depression*. 2000 , 3, 175-18	6	75

(2001-2000)

604	The Inventory of Depressive Symptomatology (IDS): Clinician (IDS-C) and Self-Report (IDS-SR) ratings of depressive symptoms. 2000 , 9, 45-59	251
603	Randomized trial of case-finding for depression in elderly primary care patients. 2000 , 15, 293-300	107
602	Should we screen for depression? Caveats and potential pitfalls. 2000 , 9, 101-121	71
601	Course and chronicity of unipolar major depressive disorder: Commentary on Joiner 2000 , 7, 219-223	3
600	Depression: "vicious" or variable?. 2000 , 7, 232-235	2
599	A comparison of diagnostic interviews for depression in the Stirling County study: challenges for psychiatric epidemiology. <i>Archives of General Psychiatry</i> , 2000 , 57, 230-6	55
598	Evidence-based guidelines for treating depressive disorders with antidepressants: a revision of the 1993 British Association for Psychopharmacology guidelines. British Association for Psychopharmacology. 2000 , 14, 3-20	305
597	Psychosocial disability during the long-term course of unipolar major depressive disorder. <i>Archives of General Psychiatry</i> , 2000 , 57, 375-80	420
596	Subthreshold disorders in psychiatry: clinical reality, methodological artifact, and the double-threshold problem. 2000 , 41, 1-7	80
595	Public health consequences of different thresholds for the diagnosis of mental disorders. 2000 , 41, 14-8	40
594	Depressive spectrum diagnoses. 2000 , 41, 39-47	102
593	Subthreshold depressive and anxiety disorders in the elderly. 2000 , 15, 173-82	55
592	Prevalence of subthreshold forms of psychiatric disorders in persons making suicide attempts in Hungary. 2000 , 15, 354-61	20
591	Methodological issues in developing new acute treatments for patients with bipolar illness. 2000 , 48, 615-24	19
590	Managing depression in medical outpatients. 2000 , 343, 1942-50	293
589	The role of the brain reward system in depression. 2001 , 25, 781-823	181
588	Infant mental health and variability of parental depression symptoms. 2001, 40, 1375-82	42
587	[Prevalence and characteristics of major depression and dysthymia in primary care]. 2001 , 27, 623-8	8

586	Predictors, prodromes and incidence of postpartum depression. 2001 , 22, 103-12		105
585	Psychiatric disorders in tinnitus patients without severe hearing impairment: 24 month follow-up of patients at an audiological clinic. 2001 , 40, 133-40		113
584	Prevalence and clinical correlates of residual depressive symptoms in bipolar II disorder. 2001 , 70, 232-	8	59
583	Is clinical depression distinct from subthreshold depressive symptoms? A review of the continuity issue in depression research. 2001 , 189, 498-506		115
582	Recurrent unipolar depression requires prolonged treatment. 2001 , 178, 294-5		6
581	Should depression be managed as a chronic disease?. 2001 , 322, 419-21		154
580	Residual symptoms and impairment in major depression in the community. 2001 , 158, 1645-51		49
579	Validity and efficiency of screening for history of depression by self-report 2001 , 13, 163-170		25
578	The development and evaluation of the brief depression screen in medically ill disability claimants. 2001 , 31, 389-400		5
577	Concepts of depression: sporadic revolutions of continuous evolution. 2001 , 16, S3-S6		1
576	The benefits of a broader perspective in case-finding for disease management of depression: early lessons from the PROSPECT Study. 2001 , 16, 570-6		8
575	Early-onset versus late-onset bipolar II chronic depression. 2001 , 13, 45-9		3
574	Subsyndromal depression in adolescents after a brief psychotherapy trial: course and outcome. <i>Journal of Affective Disorders</i> , 2001 , 63, 51-8	6.6	34
573	The continuity of depression symptoms: use of cluster analysis for profile identification in patient and student samples. <i>Journal of Affective Disorders</i> , 2001 , 65, 67-73	6.6	21
572	Correlates of analogue and clinical depression: a further test of the phenomenological continuity hypothesis. <i>Journal of Affective Disorders</i> , 2001 , 66, 175-83	6.6	45
571	Dysthymia and cyclothymia in psychiatric practice a century after Kraepelin. <i>Journal of Affective Disorders</i> , 2001 , 62, 17-31	6.6	88
570	The interaction of drug- and psychotherapy in the long-term treatment of depression. <i>Journal of Affective Disorders</i> , 2001 , 62, 131-7	6.6	37
569	Emerging targets for the treatment of depressive disorder. 2001 , 5, 601-612		5

568	Treatment of the Depressions of Bereavement. 2001 , 44, 782-797	44
567	Five-year risk of cardiac mortality in relation to initial severity and one-year changes in depression symptoms after myocardial infarction. 2002 , 105, 1049-53	552
566	Smoking and depression: an examination of mechanisms of comorbidity. 2002 , 159, 947-53	163
565	Managing depression as a chronic disease: a randomised trial of ongoing treatment in primary care. 2002 , 325, 934	115
564	The long-term natural history of the weekly symptomatic status of bipolar I disorder. <i>Archives of General Psychiatry</i> , 2002 , 59, 530-7	1450
563	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders, Part 2: Maintenance treatment of major depressive disorder and treatment of chronic depressive disorders and subthreshold depressions. 2002 , 3, 69-86	101
562	A descriptive analysis of minor depression. 2002 , 159, 637-43	130
561	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders, Part 1: Acute and continuation treatment of major depressive disorder. 2002 , 3, 5-43	252
560	The natural history of late-life depression: a 6-year prospective study in the community. <i>Archives of General Psychiatry</i> , 2002 , 59, 605-11	328
559	Duration of major depressive episodes in the general population: results from The Netherlands Mental Health Survey and Incidence Study (NEMESIS). 2002 , 181, 208-13	333
558	Effects of adding cognitive therapy to fluoxetine dose increase on risk of relapse and residual depressive symptoms in continuation treatment of major depressive disorder. 2002 , 22, 474-80	48
557	Impact of ongoing primary care intervention on long term outcomes in uninsured and insured patients with depression. 2002 , 40, 1210-22	16
556	Differences in resting state regional cerebral blood flow assessed with 99mTc-HMPAO SPECT and brain atlas matching between depressed patients with and without tinnitus. 2002 , 23, 429-39	29
555	Current issues in psychiatric epidemiology. 2002 , 15, 181-186	2
554	Assessment and treatment of depression in disability claimants: a cost-benefit simulation study. 2002 , 190, 3-9	9
553	Coping with the catch-22s of depression: a guide for educating patients. 2002 , 66, 103-44	
553	Marital quality, coping with conflict, marital complaints, and affection in couples with a depressed wife 2002 , 16, 26-37	131

550	Emotional disorders in primary care 2002 , 70, 798-809		60
549	Remission in major depressive disorder: a comparison of pharmacotherapy, psychotherapy, and control conditions. 2002 , 159, 1354-60		159
548	Epidemiological perspectives for the development of future diagnostic systems. 2002, 35, 158-61		30
547	Psychosocial intervention development for the prevention and treatment of depression: promoting innovation and increasing access. 2002 , 52, 610-30		231
546	Residual symptoms and comorbidity in panic disorder. 2002 , 17, 399-406		11
545	A three-component model for reengineering systems for the treatment of depression in primary care. 2002 , 43, 441-50		98
544	Treatment and Prevention of Depression. 2002 , 3, 39-77		306
543	Dimensional diagnosis of depression: adding the dimension of course to severity, and comparison to the DSM. 2002 , 43, 420-6		14
542	The prevalence, clinical relevance, and public health significance of subthreshold depressions. 2002 , 25, 685-98		198
541	Spectrum and nosology: implications for DSM-V. 2002 , 25, 855-85, viii-ix		26
540	The Clinical and Public Health Relevance of Current Research on Subthreshold Depressive Symptoms to Elderly Patients. 2002 , 10, 233-238		42
539	Clinically Significant Non-Major Depression: Old Concepts, New Insights. 2002 , 10, 239-255		76
538	Response Speed and Rate of Remission in Primary and Specialty Care of Elderly Patients With Depression. 2002 , 10, 583-591		26
537	Deaths worldwide 1990-2020: pessimistic projection. 2002 , 325, 937-937		
536	Emerging Treatment Options in Treatment-Resistant Depression and Anxiety Disorders. 2002 , 9, 25-32		
535	Case review vs. usual care in primary care patients with depression: a pilot study. 2002 , 24, 71-80		14
534	Prevalence and underrecognition of dysthymia among psychiatric outpatients in SD Paulo, Brazil. <i>Journal of Affective Disorders</i> , 2002 , 69, 193-9	6.6	10
533	Interpersonal dysfunction in depressed women: impairments independent of depressive symptoms. <i>Journal of Affective Disorders</i> , 2002 , 72, 145-56	6.6	116

532	Marital distress, co-occurring depression, and marital therapy: a review. 2002 , 28, 299-314	45
531	Het beloop van depressie. 2003 , 19, 252-255	
530	Prevalence of mood disorders in a national sample of young American adults. 2003, 38, 618-24	57
529	Social stress and women's risk for recurrent depression. 2003 , 6, 9-13	34
528	The comparative clinical phenotype and long term longitudinal episode course of bipolar I and II: a clinical spectrum or distinct disorders?. <i>Journal of Affective Disorders</i> , 2003 , 73, 19-32	259
527	Prevalence of sub-threshold depression in elderly patients with chronic obstructive pulmonary disease. 2003 , 18, 412-6	74
526	Guideline for the management of late-life depression in primary care. 2003, 18, 829-38	81
525	Residual symptoms in elderly major depression remitters. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 15-%.5	20
524	Alterations of rCBF and mitochondrial dysfunction in major depressive disorder: a case report. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 233-9	22
523	The excess cost of depression in South Australia: a population-based study. 2003 , 37, 362-73	46
522	Affective disorders. 2003 , 29, 247-61	20
521	Genetic epidemiology of self-reported lifetime DSM-IV major depressive disorder in a population-based twin sample of female adolescents. 2003 , 44, 988-96	53
520	Background and rationale for the sequenced treatment alternatives to relieve depression (STAR*D) study. 2003 , 26, 457-94, x	373
519	Research issues in the study of difficult-to-treat depression. 2003 , 53, 743-53	136
518	Depression in Kraepelinian schizophrenia. 2003 , 44, 1-6	18
517	A prospective investigation of the natural history of the long-term weekly symptomatic status of bipolar II disorder. <i>Archives of General Psychiatry</i> , 2003 , 60, 261-9	860
516	Depression and other psychological risks following myocardial infarction. Archives of General	2.52
	Psychiatry, 2003 , 60, 627-36	253

514	Recent developments in the psychobiology and pharmacotherapy of depression: optimising existing treatments and novel approaches for the future. 2003 , 12, 65-86	19
513	'Real-life burden of depression' surveysGP and patient perspectives on treatment and management of recurrent depression. 2003 , 19, 526-31	7
512	Estrogen replacement therapy, subsyndromal depression, and orthostatic blood pressure regulation. 2003 , 29, 101-6	5
511	Will the genomics revolution revolutionize psychiatry?. 2003 , 160, 625-35	109
510	Bipolar II disorder and major depressive disorder: continuity or discontinuity?. 2003, 4, 166-71	46
509	Stability as a distinction between Axis I and Axis II disorders. 2003 , 17, 373-86	62
508	Dysthymia and Major Depression: Distinct Conditions or Different Stages Along a One-Dimensional Continuum?. 2003 , 17, 335-346	4
507	Depressive Episode und rezidivierende depressive Stflung. 2003 , 1159-1210	O
506	3 Epidemiologie affektiver Erkrankungen. 2004 ,	
505	Australian and New Zealand clinical practice guidelines for the treatment of depression. 2004 , 38, 389-407	125
504	Telephone-based treatment for family practice patients with mild depression. 2004 , 94, 785-92	35
503	The burden of major depression avoidable by longer-term treatment strategies. <i>Archives of General Psychiatry</i> , 2004 , 61, 1097-103	149
502	Clinical results for patients with major depressive disorder in the Texas Medication Algorithm Project. <i>Archives of General Psychiatry</i> , 2004 , 61, 669-80	225
501	Inter-episode mood lability in mood disorders: residual symptom or natural course of illness?. 2004 , 58, 480-6	22
500	Australian and New Zealand clinical practice guidelines for the treatment of depression. 2004 , 38, 389-407	137
499	Personal characteristics associated with consistency of recall of depressed or anhedonic mood in the 13-year follow-up of the Baltimore Epidemiologic Catchment Area survey. <i>Acta Psychiatrica</i> 6.5 <i>Scandinavica</i> , 2004 , 109, 345-54	31
498	Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design. 2004 , 25, 119-42	725
497	Subsyndromal depression: prevalence, use of health services and quality of life in an Australian population. 2004 , 39, 293-8	103

496	Double depression in an Australian population. 2004 , 39, 921-6	13
495	A prospective, longitudinal study of percentage of time spent ill in patients with bipolar I or bipolar II disorders. 2004 , 6, 62-6	119
494	Is remission of depressive symptoms in primary care a realistic goal? A meta-analysis. 2004 , 5, 19	21
493	High somatic distress with high long-term stability in selected patients with chronic depression: a 3-year follow-up of ratings with Karolinska Scales of Personality (KSP). 2004 , 58, 415-20	5
492	Depression during Pregnancy: Overview of Clinical Factors. 2004 , 24, 157-79	100
491	Broad and specific personality dimensions associated with major depression in a nationally representative sample. 2004 , 45, 246-53	54
490	99mTc-HMPAO distribution at SPECT is associated with succinate-cytochrome c reductase (SCR) activity in subjects with psychiatric disorders. 2004 , 31, 277-82	4
489	[Evolution of depressive disorders]. 2004 , 33, 1469-73	
488	One-year course of the first vs. multiple episodes of depressionPolish naturalistic study. 2004 , 19, 258-63	3
487	Characterizing the long-term course of individuals with major depressive disorder. 2004 , 192, 65-8	3
486	Maintenance treatment of insomnia: what can we learn from the depression literature?. 2004 , 161, 19-24	32
485	Prevalence of depression during pregnancy: systematic review. 2004 , 103, 698-709	1108
484	Monitoring depression care: in search of an accurate quality indicator. 2004 , 42, 522-31	39
483	Randomized, placebo-controlled trial of fluoxetine for acute treatment of minor depressive disorder. 2004 , 161, 1864-71	63
482	Relationship of variability in residual symptoms with recurrence of major depressive disorder during maintenance treatment. 2004 , 161, 1877-84	35
481	Longitudinal syndromal and sub-syndromal symptoms after severe depression: 10-year follow-up study. 2004 , 184, 330-6	75
480	Two-year stability and change of schizotypal, borderline, avoidant, and obsessive-compulsive personality disorders. 2004 , 72, 767-75	190
479	Is the Promissory Note of Personality as Vulnerability to Depression in Default? Reply to Zuroff, Mongrain, and Santor (2004) 2004 , 130, 512-517	14

478	Empirical testing of two models for staging antidepressant treatment resistance. 2005 , 25, 336-41		79
477	Definitions and distinctions among depressive syndromes and symptoms: implications for a better understanding of the depression-cardiovascular disease association. 2005 , 67 Suppl 1, S6-9		51
476	Subthreshold Mood Disorders. 2005 , 117-143		
475	Relationship of Variability in Residual Symptoms With Recurrence of Major Depressive Disorder During Maintenance Treatment. 2005 , 3, 161-169		
474	Depression: An Update for the Clinician. 2005 , 3, 3-12		2
473	Two-year prospective naturalistic study of remission from major depressive disorder as a function of personality disorder comorbidity. 2005 , 73, 78-85		92
472	Avoidance and processing as predictors of symptom change and positive growth in an integrative therapy for depression. 2005 , 12, 111-22		118
471	Parental bonding and depressive affect: the mediating role of coping resources. 2005 , 44, 371-95		32
470	Positive and negative depression coping in low-income African American women. 2005 , 28, 106-16		13
469	Cost-effectiveness of cognitive-behavioural therapy and drug interventions for major depression. 2005 , 39, 683-692		8
468	Subthreshold depression is linked to the functional polymorphism of the 5HT transporter gene. Journal of Affective Disorders, 2005, 87, 291-7	6.6	62
467	Negative mood regulation (NMR) expectancies: a test of incremental validity. 2005, 39, 263-270		17
466	Psychodynamic psychotherapy and the treatment of depression. 2005 , 4, 6-9		1
465	Standardized clinical outcome rating scale for depression for use in clinical practice. 2005 , 22, 36-40		6
464	Mitteilungen DGPPN. 2005 , 76, 103-125		4
463	The relationship of major depressive disorder to bipolar disorder: Continuous or discontinuous?. 2005 , 3, 131-139		
462	The impact of residual symptoms on outcome of major depression. 2005 , 7, 441-6		38
461	The Depressive Spectrum: Reconceptualizing the Relationship between Dysthymic, Subthreshold and Major Depressions. 2005 , 47-69		3

460 Current Prognosis of Depression. **2005**, 223-251

459	Recurrent brief depression as an indicator of severe mood disorders. 2005 , 109-130	1
458	Is depression a chronic illness? For the motion. 2005 , 1, 101-6	7
457	Quality improvement for depression in primary care: do patients with subthreshold depression benefit in the long run?. 2005 , 162, 1149-57	56
456	Measuring the severity of depression and remission in primary care: validation of the HAMD-7 scale. 2005 , 173, 1327-34	95
455	Neuropsychological differences between late-onset and recurrent geriatric major depression. 2005 , 162, 691-8	144
454	Cost-effectiveness of cognitive-behavioural therapy and drug interventions for major depression. 2005 , 39, 683-92	69
453	Chronic depression: medication (nefazodone) or psychotherapy (CBASP) is effective when the other is not. <i>Archives of General Psychiatry</i> , 2005 , 62, 513-20	110
452	Anxiety and Depression in COPD: A Call (and Need) for Further Research. 2005, 2, 199-201	13
451	A Descriptive Analysis of Minor Depression. 2005 , 3, 98-105	1
450	Women's and doctors' accounts of their experiences of depression in primary care: the influence of social and moral reasoning on patients' and doctors' decisions. 2005 , 1, 61-71	47
449	Is a "Mitochondrial Psychiatry" in the Future? A Review. 2005 , 1, 255-271	52
448	The relationship of major depressive disorder to bipolar disorder: continuous or discontinuous?. 2005 , 7, 462-70	20
447	Psychosocial disability in the course of bipolar I and II disorders: a prospective, comparative, longitudinal study. <i>Archives of General Psychiatry</i> , 2005 , 62, 1322-30	428
446	Importance of Subsyndromal Symptoms of Depression in Elderly Patients. 2005, 13, 597-606	40
445	Remission from depression: a review of venlafaxine clinical and economic evidence. 2005 , 23, 567-81	11
444	Duloxetine: pharmacoeconomic implications of an antidepressant that alleviates painful physical symptoms. 2005 , 6, 707-13	8
443	Depression in pregnant women seeking smoking cessation treatment. 2005 , 30, 1195-208	40

442	The medical management of depression. 2005 , 353, 1819-34	304
441	Depressed patients and treatment adherence. <i>Lancet, The,</i> 2006 , 367, 2041-3	27
440	[Epidemiology of mental diseases in the elderly]. 2006 , 32 Pt 4, S1091-4	1
439	Generalized anxiety disorder: What are we missing?. 2006 , 16 Suppl 2, S101-8	22
438	Depressive symptom patterns in patients with chronic schizophrenia and subsyndromal depression. 2006 , 86, 226-33	45
437	Depression in children and adolescents: linking risk research and prevention. 2006 , 31, S104-25	201
436	Measurable outcomes in psychiatric disorders: remission as a marker of wellness. 2006 , 28, 1882-91	36
435	Neurocognitive deficits and disability in major depressive disorder. 2006 , 145, 39-48	352
434	Service innovations: developing a specialised (tertiary) service for the treatment of affective disorders. 2006 , 30, 103-105	4
433	Zur Erfassung der depressiven Persfilichkeitsstflung. 2006 , 54, 199-207	1
432	Depression: epidemic or pseudo-epidemic?. 2006 , 99, 436-436	
431	Sub-syndromal and syndromal symptoms in the longitudinal course of bipolar disorder. 2006 , 189, 118-23	118
430	Depression: epidemic or pseudo-epidemic?. 2006 , 99, 436	
429	Mood patterns and classification in bipolar disorder. 2006 , 19, 1-8	35
428	The meaning of depression: Swedish nurses' perceptions of depressed inpatients. 2006, 13, 269-78	4
427	[Personality, personality disorders and depression]. 2006 , 77, 863-76; quiz 877-8	9
426	Rates and predictors of depression treatment among pregnant women in hospital-affiliated obstetrics practices. 2006 , 28, 289-95	95
425	The distinct temperament profiles of bipolar I, bipolar II and unipolar patients. <i>Journal of Affective Disorders</i> , 2006 , 92, 19-33	107

424	[The exploration of the depressive personality disorder]. 2006 , 56, 56-62	2
423	Familial aggregation of illness chronicity in recurrent, early-onset major depression pedigrees. 2006 , 163, 1554-60	45
422	Report by the ACNP Task Force on response and remission in major depressive disorder. 2006 , 31, 1841-53	469
421	Early Affiliation and Social Engagement With Peers: Prospective Risk and Protective Factors for Childhood Depressive Behaviors. 2006 , 14, 50-61	12
420	Prevalence and effects of mood disorders on work performance in a nationally representative sample of U.S. workers. 2006 , 163, 1561-8	545
419	Early discontinuation of antidepressant treatment in adults is very common in the USA. 2006 , 9, 65	2
418	Depressive symptoms in coronary artery disease patients after hypertension treatment. 2006 , 40, 597-604	18
417	Bipolar II and the bipolar spectrum. 2006 , 60, 7-26	17
416	Gender issues in depression. 2007 , 19, 247-55	189
415	Is there a continuity between bipolar and depressive disorders?. 2007 , 76, 70-6	51
414	A cohort study of people with diabetes and their first foot ulcer: the role of depression on	
	mortality. 2007 , 30, 1473-9	152
413	Symptomatic Remission in Patients with Bipolar Mania: Results from a Double-Blind, Placebo-Controlled Trial of Risperidone Monotherapy. 2007, 2, 213-224	152
413	Symptomatic Remission in Patients with Bipolar Mania: Results from a Double-Blind,	152
	Symptomatic Remission in Patients with Bipolar Mania: Results from a Double-Blind, Placebo-Controlled Trial of Risperidone Monotherapy. 2007 , 2, 213-224	
412	Symptomatic Remission in Patients with Bipolar Mania: Results from a Double-Blind, Placebo-Controlled Trial of Risperidone Monotherapy. 2007, 2, 213-224 Managing complex problems: treatment for common mental disorders in the UK. 2007, 16, 302-8 Efficacy and safety of desvenlafaxine succinate in the treatment of major depressive disorder. 2007	8
412 411	Symptomatic Remission in Patients with Bipolar Mania: Results from a Double-Blind, Placebo-Controlled Trial of Risperidone Monotherapy. 2007, 2, 213-224 Managing complex problems: treatment for common mental disorders in the UK. 2007, 16, 302-8 Efficacy and safety of desvenlafaxine succinate in the treatment of major depressive disorder. 2007, 2, 361-371	8
412 411 410	Symptomatic Remission in Patients with Bipolar Mania: Results from a Double-Blind, Placebo-Controlled Trial of Risperidone Monotherapy. 2007, 2, 213-224 Managing complex problems: treatment for common mental disorders in the UK. 2007, 16, 302-8 Efficacy and safety of desvenlafaxine succinate in the treatment of major depressive disorder. 2007, 2, 361-371 Patient Management ExerciseforBipolarDisorder. 2007, 5, 20-32 Discontinuities and cognitive changes in an exposure-based cognitive therapy for depression. 2007,	8

406	High-quality remission: potential benefits of the melatonergic approach for patients with major depressive disorder. 2007 , 22 Suppl 2, S21-5	25
405	Challenging the unipolar-bipolar division: does mixed depression bridge the gap?. 2007 , 31, 97-103	14
404	Assessing and treating depression in primary care medicine. 2007 , 120, 105-8	31
403	Measurement-based care for refractory depression: a clinical decision support model for clinical research and practice. 2007 , 88 Suppl 2, S61-71	74
402	Short-term stability of diagnoses of major and minor depression in older medical inpatients. 2007 , 48, 38-45	2
401	Le destin de lβisode dβressif. 2007 , 33, 709-712	1
400	Traitements antidβresseurs : crittles dDaluation du rBultat thflapeutique. 2007 , 33, 666-671	0
399	Conduite □tenir devant une dβression r§istante. 2007 , 33, 703-704	О
398	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders in Primary Care. 2007 , 8, 67-104	249
397	Depresi subumbral. 2007 , 14, 211-216	О
396	Subsyndromal depressive symptoms in middle-aged and older persons with schizophrenia. 2007 , 15, 1005-14	28
395	A critical overview of the pharmacologic management of treatment-resistant depression. 2007 , 30, 13-29	33
394	The clinical significance of subsyndromal depression in older primary care patients. 2007, 15, 214-23	122
393	A budget-impact and cost-effectiveness model for second-line treatment of major depression. 2007 , 13, S8-18	18
392	Psychosocial outcomes following electroconvulsive therapy in a community setting: retrospective chart review with 2-year follow-up. 2007 , 52, 598-604	4
391	Treatment of Major Depressive Disorder in Patients Failing Initial Therapy: An Excel-Based Pharmacoeconomic Model. 2007 , 13, 1-18	3
390	Risk of Recurrence of Depression During Long-Term Antidepressant Treatment. 2007, 12, 1-7	201
389	Preliminary open trial of interpersonal counseling for subsyndromal depression following miscarriage. 2007 , 24, 219-22	42

(2008-2007)

388	A three-year follow-up of major depression, dysthymia, minor depression and subsyndromal depression: results from a population-based study. 2007 , 24, 62-5		45
387	Dimensionality and the category of major depressive episode. 2007 , 16 Suppl 1, S41-51		55
386	Web-based tools can be used reliably to detect patients with major depressive disorder and subsyndromal depressive symptoms. 2007 , 7, 12		31
385	Becoming the best mom that I can: women's experiences of managing depression during pregnancya qualitative study. 2007 , 7, 13		17
384	Long-term social functioning after depression treated by psychiatrists: a review. 2007 , 9, 25-37		125
383	Epidemiology of subtypes of depression. Acta Psychiatrica Scandinavica, 2007, 115, 85-9	6.5	64
382	A comparison of the familiality of chronic depression in recurrent early-onset depression pedigrees using different definitions of chronicity. <i>Journal of Affective Disorders</i> , 2007 , 100, 171-7	6.6	18
381	Self-reported data from patients with bipolar disorder: frequency of brief depression. <i>Journal of Affective Disorders</i> , 2007 , 101, 227-33	6.6	30
380	Mindfulness-based cognitive therapy for residual depressive symptoms. 2007 , 80, 193-203		172
379	A 4-year follow-up study of syndromal and sub-syndromal anxiety and depression symptoms in the general population: the HUNT study. 2008 , 43, 192-9		26
378	Mental health and well-being in a 6-year follow-up of patients with depression: assessments of patients and clinicians. 2008 , 43, 688-96		41
377	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. 2008 , 17, 121-40		694
376	Naturalistic outcomes of minor and subsyndromal depression in older primary care patients. 2008 , 23, 773-81		30
375	Long-term suicide risk of depression in the Lundby cohort 1947-1997severity and gender. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 117, 185-91	6.5	127
374	The impact of clinical significance criteria on subthreshold depression prevalence rates. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 443-50	6.5	33
373	Depression and self-rated health are proximal predictors of episodes of sustained change in pain in independently living, community dwelling elders. 2008 , 9, 1035-49		10
372	Patient satisfaction with antidepressants: an Internet-based study. <i>Journal of Affective Disorders</i> , 2008 , 107, 155-60	6.6	9
371	Pharmacotherapy of mood disorders. 2008 , 4, 53-91		53

370	Evidence-based guidelines for treating depressive disorders with antidepressants: a revision of the 2000 British Association for Psychopharmacology guidelines. 2008 , 22, 343-96	341
369	Psychotropic drug considerations in depressed patients with metabolic disturbances. 2008 , 121, 647-55	15
368	The Rothschild Scale for Antidepressant Tachyphylaxis: reliability and validity. 2008, 49, 508-13	9
367	Reviewing the diagnostic validity and utility of mixed depression (depressive mixed states). 2008 , 23, 40-8	38
366	Capturing complexity: the case for a new classification system for mental disorders in primary care. 2008 , 23, 469-76	48
365	Prediction of response to antidepressants: is quantitative EEG (QEEG) an alternative?. 2008, 14, 263-5	10
364	Subthreshold symptoms of depression in preadolescent girls are stable and predictive of depressive disorders. 2008 , 47, 1433-42	69
363	Doctor please tell me what is best for me and my baby. 2008 , 3, 5-7	
362	Pharmacogenetics of major depression: insights from level 1 of the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) trial. 2008 , 12, 321-30	17
361	Outcomes in major depressive disorder: the evolving concept of remission and its implications for treatment. 2008 , 9, 102-14	77
360	Depression later in life∃n approach for the family practitioner. 2008 , 50, 38-43	
359	Population-based study of first onset and chronicity in major depressive disorder. <i>Archives of General Psychiatry</i> , 2008 , 65, 513-20	380
358	Variations in heritability of cortisol reactivity to stress as a function of early familial adversity among 19-month-old twins. <i>Archives of General Psychiatry</i> , 2008 , 65, 211-8	92
357	Clinical features and functioning of patients with minor depression. 2008 , 77, 384-9	43
356	Addressing circadian rhythm disturbances in depressed patients. 2008 , 22, 13-8	14
356 355	Addressing circadian rhythm disturbances in depressed patients. 2008 , 22, 13-8 Differentiating interpersonal correlates of depressive symptoms and social anxiety in adolescence: implications for models of comorbidity. 2008 , 37, 337-49	14 77
	Differentiating interpersonal correlates of depressive symptoms and social anxiety in adolescence:	

352	Women and major depressive disorder: clinical perspectives on causal pathways. 2008, 17, 1583-90	75
351	Reducing the burden of depression. 2008 , 53, 420-7	20
350	A brief review of antidepressant efficacy, effectiveness, indications, and usage for major depressive disorder. 2008 , 50, 428-36	45
349	References. 2008 , 397-405	
348	Psychiatric outcomes 10 years after treatment with antidepressants or anxiolytics. 2008, 193, 327-31	10
347	The effect of cognitive behavior therapy-based psychotherapy applied in a forest environment on physiological changes and remission of major depressive disorder. 2009 , 6, 245-54	64
346	Diretrizes da World Federation of Societies of Biological Psychiatry (WFSBP) para tratamento biolgico de transtornos depressivos unipolares, 1" parte: tratamento agudo e de continuaß do transtorno depressivo maior. 2009 , 36, 17-57	1
345	Major depression: revisiting the concept and diagnosis. 2009 , 15, 279-285	10
344	Chronische Depression. 2009 , 57, 245-251	3
2.42		
343	Handbook of Depression. 2009,	
343	From descartes to desipramine: psychopharmacology and the self. 2009 , 46, 38-59	6
		6
342	From descartes to desipramine: psychopharmacology and the self. 2009 , 46, 38-59 Phenotypic and discordant-monozygotic analyses of stress and perceived social support as	
342	From descartes to desipramine: psychopharmacology and the self. 2009 , 46, 38-59 Phenotypic and discordant-monozygotic analyses of stress and perceived social support as antecedents to or sequelae of risk for depression. 2009 , 12, 469-88 The relationship between cognitive function and clinical and functional outcomes in major	6
34 ² 34 ¹ 34 ⁰	Phenotypic and discordant-monozygotic analyses of stress and perceived social support as antecedents to or sequelae of risk for depression. 2009, 12, 469-88 The relationship between cognitive function and clinical and functional outcomes in major depressive disorder. 2009, 39, 393-402	66
34 ² 34 ¹ 34 ⁰	Phenotypic and discordant-monozygotic analyses of stress and perceived social support as antecedents to or sequelae of risk for depression. 2009, 12, 469-88 The relationship between cognitive function and clinical and functional outcomes in major depressive disorder. 2009, 39, 393-402 Does hypomania distinguish bipolar II disorder from major depressive disorder?. 2009, 78, 55-8 The phenomenology of recurrent brief depression with and without hypomanic features. <i>Journal of</i>	666
34 ² 34 ¹ 34 ⁰ 339	From descartes to desipramine: psychopharmacology and the self. 2009, 46, 38-59 Phenotypic and discordant-monozygotic analyses of stress and perceived social support as antecedents to or sequelae of risk for depression. 2009, 12, 469-88 The relationship between cognitive function and clinical and functional outcomes in major depressive disorder. 2009, 39, 393-402 Does hypomania distinguish bipolar II disorder from major depressive disorder?. 2009, 78, 55-8 The phenomenology of recurrent brief depression with and without hypomanic features. Journal of Affective Disorders, 2009, 112, 151-64 The functional impact of subsyndromal depressive symptoms in bipolar disorder: data from	6 66 6

334	A systematic review of long-term studies of drug treated and non-drug treated depression. <i>Journal of Affective Disorders</i> , 2009 , 118, 9-18	48
333	[Subdiagnostic depression. Are there treatments with clinically relevant effects?]. 2009 , 80, 532-4, 536-9	10
332	[Core symptoms of depression. Effectiveness of antidepressant therapy]. 2009 , 80, 515-6, 518, 520 passim	6
331	Psychoeducation versus treatment as usual in diabetic patients with subthreshold depression: preliminary results of a randomized controlled trial. 2009 , 10, 78	13
330	How many well vs. unwell days can you expect over 10 years, once you become depressed?. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 290-7	9
329	A prospective study examining the effects of gender and sexual/physical abuse on mood outcomes in patients with co-occurring bipolar I and substance use disorders. 2009 , 11, 425-33	20
328	Psychiatric nosology is ready for a paradigm shift in DSM-V 2009 , 16, 24-40	29
327	Recent developments in the epidemiology of bipolar disorder in adults and children: Magnitude, correlates, and future directions 2009 , 16, 121-133	36
326	[Depression and the elderly]. 2009 , 35, 269-80	8
325	A prediction rule for diagnosing hypomania. 2009 , 33, 317-22	7
324	Fifty years with the Hamilton scales for anxiety and depression. A tribute to Max Hamilton. 2009 , 78, 202-11	47
323	Minor Depression as a Short-Term Risk Factor in Outpatients With Congestive Heart Failure. 2009 , 50, 493-499	16
322	Frontal EEG predictors of treatment outcome in major depressive disorder. 2009 , 19, 772-7	128
321	The role of L-methylfolate in depressive disorders. 2009 , 14, 2-7	36
320	A marginal structural model to estimate the causal effect of antidepressant medication treatment on viral suppression among homeless and marginally housed persons with HIV. <i>Archives of General Psychiatry</i> , 2010 , 67, 1282-90	90
319	Life course perspectives on the epidemiology of depression. 2010 , 55, 622-32	86
318	The Long-Term Course and Clinical Management of Bipolar I and Bipolar II Disorders. 2010 , 17-30	3
317	Short sleep duration in prevalent and persistent psychological distress in young adults: the DRIVE study. 2010 , 33, 1139-45	113

(2010-2010)

316	A population-based analysis of distinguishers of bipolar disorder from major depressive disorder. Journal of Affective Disorders, 2010 , 125, 103-10	6.6	39
315	An adjunctive Management of Depression Program for difficult-to-treat depressed patients and their families. 2010 , 27, 27-34		8
314	The emerging modern face of mood disorders: a didactic editorial with a detailed presentation of data and definitions. 2010 , 9, 14		15
313	Evolving refractory major depressive disorder diagnostic and treatment paradigms: toward closed-loop therapeutics. 2010 , 3, 7		24
312	Personality disorders predict relapse after remission from an episode of major depressive disorder: a 6-year prospective study. 2010 , 71, 1629-35		88
311	The sex-specific role of plasma folate in mediating the association of dietary quality with depressive symptoms. 2010 , 140, 338-47		29
310	Relationship between baseline severity of depression and antidepressant treatment outcome. 2011 , 44, 27-32		14
309	The epidemiology of chronic major depressive disorder and dysthymic disorder: results from the National Epidemiologic Survey on Alcohol and Related Conditions. 2010 , 71, 1645-56		72
308	A model for maternal depression. 2010 , 19, 1747-57		20
307	The antidepressant agomelatine improves the quality of life of depressed patients: implications for remission. 2010 , 24, 21-6		21
306	Effects of pharmacotherapy and psychotherapy in depressed primary-care patients: a randomized, controlled trial including a patients' choice arm. 2010 , 13, 31-44		71
305	Personality disorders and mood disorders: perspectives on diagnosis and classification from studies of longitudinal course and familial associations. 2010 , 24, 83-108		25
304	Residual symptoms after remission of major depressive disorder with citalopram and risk of relapse: a STAR*D report. 2010 , 40, 41-50		283
303	Chronic interferon-alpha administration disrupts sleep continuity and depth in patients with hepatitis C: association with fatigue, motor slowing, and increased evening cortisol. 2010 , 68, 942-9		86
302	Reactivation of posttraumatic stress in male disaster survivors: the role of residual symptoms. 2010 , 24, 397-402		34
301	The impact of comorbid dysthymic disorder on outcome in personality disorders. 2010 , 51, 449-57		9
300	[Depressions: current concepts]. 2010 , 36 Suppl 5, S104-7		2
299	Subthreshold depression and successful aging in older women. 2010 , 18, 212-20		89

298	Agomelatine in the treatment of major depressive disorder: potential for clinical effectiveness. 2010 , 24, 479-99	98
297	Predicting recurrence of depression. 2011 , 183, 1955-6	5
296	Predictors of long-term prognosis of depression. 2011 , 183, 1969-76	71
295	Maternal postnatal depression and the development of depression in offspring up to 16 years of age. 2011 , 50, 460-70	290
294	La risposta subottimale al trattamento antidepressivo: definizione e implicazioni cliniche. 2011, 30, 58-64	
293	Cognitive functioning and the natural course of depressive symptoms in late life. 2011 , 19, 664-72	16
292	Prevalence and clinical course of depression: a review. 2011 , 31, 1117-25	327
291	[Duration of antidepressant drug treatment and its determinants in France]. 2011 , 37 Suppl 1, S36-41	15
290	Beyond the serotonin hypothesis: mitochondria, inflammation and neurodegeneration in major depression and affective spectrum disorders. 2011 , 35, 730-43	215
289	Comparison of agomelatine and escitalopram on nighttime sleep and daytime condition and efficacy in major depressive disorder patients. 2011 , 26, 252-62	67
288	Risk factors for chronic depressiona systematic review. <i>Journal of Affective Disorders</i> , 2011 , 129, 1-13 6.6	153
287	Quality of marital relationship and depression: results of a 10-year prospective follow-up study. Journal of Affective Disorders, 2011 , 128, 64-71	32
286	A tune in "a minor" can "b major": a review of epidemiology, illness course, and public health implications of subthreshold depression in older adults. <i>Journal of Affective Disorders</i> , 2011 , 129, 126-42 ^{6.6}	330
285	Recognition and subsequent treatment of patients with sub-threshold symptoms of depression in primary care. <i>Journal of Affective Disorders</i> , 2011 , 130, 99-105	15
284	Symptomatic subsyndromal depression in hospitalized hypertensive patients. <i>Journal of Affective Disorders</i> , 2011 , 135, 168-76	5
283	Recommended management of treatment-refractory depression. 2011 , 22, 28-37	
282	The Inventory Of Depressive Symptomatology (IDS-C(28)) is more sensitive to changes in depressive symptomatology than the Hamilton Depression Rating Scale (HAMD(17)) in patients with mild major, minor or subsyndromal depression. 2011 , 261, 357-67	19
281	General and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders: a report by the WPA section of pharmacopsychiatry. 2011 , 261 Suppl 3, 207-45	29

The postpartum depression screening scale: is it valid to screen for antenatal depression?. 2011, 14, 227-38 280 19 Terugvalpreventie bij depressie. 2011, 54, 65-67 279 Huidige behandeling depressie is weggegooid geld. 2011, 39, 26-31 278 A randomised evaluation of CollAborative care and active surveillance for Screen-Positive EldeRs 26 with sub-threshold depression (CASPER): study protocol for a randomized controlled trial. 2011, 12, 225 Quality assessment of observational studies in psychiatry: an example from perinatal psychiatric 276 59 research. 2011. 20. 224-34 Residual sleep beliefs and sleep disturbance following Cognitive Behavioral Therapy for major 28 275 depression. 2011, 28, 464-70 Epidemiology of chronic and nonchronic major depressive disorder: results from the national 274 53 epidemiologic survey on alcohol and related conditions. 2011, 28, 622-31 Electroencephalography-derived biomarkers of antidepressant response. 2011, 19, 144-54 273 92 Long term outcome of thermal anterior capsulotomy for chronic, treatment refractory depression. 272 54 2011, 82, 594-600 Co-morbidity between major depressive disorder and anxiety disorders: shared etiology or direct 86 271 causation?. 2011, 41, 2023-34 The association of depression, risky sexual behaviours and herpes simplex virus type 2 in adults in 270 22 NHANES, 2005-2008. 2012, 88, 40-4 Late-life depressive symptoms, religiousness, and mood in the last week of life. 2012, 2012, 754031 269 Parsing trait and state effects of depression severity on neurocognition: Evidence from a 26-year 268 24 longitudinal study. 2012, 121, 830-7 Are antidepressants useful in the treatment of minor depression: a critical update of the current 267 12 literature. 2012, 25, 1-6 Abstract. 2012, 16, 1-55 266 265 Depression and coronary heart disease. 2012, 2012, 743813 35 Self-reported life satisfaction and alcohol use: a 15-year follow-up of healthy adult twins. 2012, 47, 160-8 264 34 Residual sleep disturbances in patients remitted from major depressive disorder: a 4-year 263 53 naturalistic follow-up study. 2012, 35, 1153-61

262	Stress and depressive symptoms in Latin Americans in Toronto. 2012 , 5, 108-115	1
261	Are there meaningful differences between major depressive disorder, dysthymic disorder, and their subthreshold variants?. 2012 , 200, 766-72	6
260	Alcohol use disorders and the course of depressive and anxiety disorders. 2012 , 200, 476-84	70
259	Guided self-help concreteness training as an intervention for major depression in primary care: a Phase II randomized controlled trial. 2012 , 42, 1359-71	139
258	Abnormal fatty acid composition in the frontopolar cortex of patients with affective disorders. 2012 , 2, e204	25
257	Psychosocial and neurocognitive functioning in unipolar and bipolar depression: a 12-month prospective study. 2012 , 196, 145-53	58
256	Temporal patterns of anxious and depressed mood in generalized anxiety disorder: a daily diary study. 2012 , 50, 131-41	76
255	Sociodemographic and psychiatric determinants of attrition in the Netherlands Study of Depression and Anxiety (NESDA). 2012 , 53, 63-70	117
254	Predictors of remission in depression to individual and combined treatments (PReDICT): study protocol for a randomized controlled trial. 2012 , 13, 106	72
253	How does subjective experience of pain relate to psychopathology among psychiatric patients?. 2012 , 34, 534-40	13
252	The epidemiology of depression and the evolution of treatment. 2012 , 73 Suppl 1, 5-9	54
251	A pilot randomised controlled trial of personalised care for depressed patients with symptomatic coronary heart disease in South London general practices: the UPBEAT-UK RCT protocol and recruitment. 2012 , 12, 58	11
250	Pharmacology and neuroimaging of antidepressant action. 2012 , 106, 643-55	
249	Love hurts (in more ways than one): specificity of psychological symptoms as predictors and consequences of romantic activity among early adolescent girls. 2012 , 68, 403-20	27
248	Interpersonal psychotherapy: evaluation, support, triage. 2012 , 19, 106-12	12
247	Dimensional paradigm of the long-term course of unipolar major depressive disorder. 2012 , 29, 167-71	9
246	Affective disorders. 2012 , 38, 201-19	65
245	Receptor targets for antidepressant therapy in bipolar disorder: an overview. <i>Journal of Affective Disorders</i> , 2012 , 138, 222-38	35

(2013-2012)

244	Can effects of antidepressants in patients with mild depression be considered as clinically significant?. <i>Journal of Affective Disorders</i> , 2012 , 138, 183-91	6.6	20
243	Depressive symptoms and subjective and objective sleep in community-dwelling older women. 2012 , 60, 635-43		86
242	Another major function of the anterior cingulate cortex: the representation of requirements. 2012 , 36, 90-110		43
241	Food insecurity, depression and the modifying role of social support among people living with HIV/AIDS in rural Uganda. 2012 , 74, 2012-9		216
240	An online mindfulness intervention targeting socioemotional regulation in fibromyalgia: results of a randomized controlled trial. 2013 , 46, 273-84		81
239	Examining the developmental interface of cortisol and depression symptoms in young adolescent girls. 2013 , 38, 2291-9		20
238	Mental disorders as "brain diseases" and Jaspers' legacy. 2013 , 12, 1-3		18
237	Longitudinal course of symptom severity and fluctuation in patients with treatment-resistant unipolar and bipolar depression. 2013 , 207, 143-9		26
236	The clinical utility of different quantitative methods for measuring treatment resistance in major depression. <i>Journal of Affective Disorders</i> , 2013 , 150, 231-6	6.6	9
235	When knowing what to do is not sufficient to make good decisions: deficient use of explicit understanding in remitted patients with histories of suicidal acts. 2013 , 210, 485-90		27
234	Treatment-resistant Depression. 2013 , 21-41		1
233	Selected pregnancy and delivery outcomes after exposure to antidepressant medication: a systematic review and meta-analysis. 2013 , 70, 436-43		187
232	IMP-3 expression in keratoacanthomas and squamous cell carcinomas of the skin: an immunohistochemical study. 2013 , 57, e6		16
231	Overt irritability/anger in unipolar major depressive episodes: past and current characteristics and implications for long-term course. 2013 , 70, 1171-80		115
230	Relationships among neurocognition, symptoms, and functioning in treatment-resistant depression. 2013 , 28, 272-81		31
229	Subsyndromal depression in the United States: prevalence, course, and risk for incident psychiatric outcomes. 2013 , 43, 1401-14		79
228	When does depression become a disorder? Using recurrence rates to evaluate the validity of proposed changes in major depression diagnostic thresholds. 2013 , 12, 44-52		83
227	Investigating differences in treatment effect estimates between propensity score matching and weighting: a demonstration using STAR*D trial data. 2013 , 22, 138-44		11

226	Walking Ability and Its Relationship to Self-Rated Health in Later Life. 2013 , 36, 17-32		9
225	Major Depressive Disorder. 2013 , 19, 7		3
224	Depression and its relation with uncontrolled hypertension and increased cardiovascular risk. 2014 , 10, 8-13		9
223	Classification, Causes, and Epidemiology. 2014 , 1-12		1
222	Mindfulness-Based Cognitive Therapy for Bipolar Disorder. 2014 , 77-94		8
221	[Chronic depressionepidemiological data and therapeutic options]. 2014, 82, 155-71; quiz 172-3		4
220	[Subsyndromal delirium experience in psychiatry expectations for postoperative management]. 2014 , 49, 436-41		O
219	The impact of an unfavorable depression course on network size and loneliness in older people: a longitudinal study in the community. 2014 , 29, 1010-7		40
218	Reducing symptoms of major depressive disorder through a systematic training of general emotion regulation skills: protocol of a randomized controlled trial. 2014 , 14, 20		13
217	The effectiveness of the cognitive behavioral analysis system of psychotherapy for chronic depression: a randomized controlled trial. 2014 , 83, 263-9		53
216	The four-year course of major depressive disorder: the role of staging and risk factor determination. 2014 , 83, 279-88		33
215	The impact of lifestyle factors on the 2-year course of depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2014 , 159, 73-9	6.6	22
214	Efficacy and tolerability of antidepressants for sub-threshold depression and for mild major depressive disorder. <i>Journal of Affective Disorders</i> , 2014 , 166, 48-58	6.6	29
213	Cortisol reactivity to experimentally manipulated psychosocial stress in young adults at varied risk for depression. 2014 , 31, 44-52		25
212	The effects of low- and high-dose-rate brachytherapy on depressive symptoms in prostate cancer patients. 2014 , 19, 1080-4		1
211	Fear of recurrence and its impact on quality of life in patients with hematological cancers in the course of allogeneic hematopoietic SCT. 2014 , 49, 1217-22		47
210	The effects of depression and chronic diseases on the work outcomes of employees: a prospective study in Northwest China. 2014 , 128, 734-42		6
209	A double-blind, placebo-controlled study of edivoxetine as an adjunctive treatment for patients with major depressive disorder who are partial responders to selective serotonin reuptake inhibitor treatment. <i>Journal of Affective Disorders</i> , 2014 , 167, 215-23	6.6	10

208	[Social cognition in patients with mood disorders: part I: major depressive disorder: a comprehensive review of the literature]. 2014 , 28, 74-83		6
207	Long-term effects of psychotherapy on moderate depression: a comparative study of narrative therapy and cognitive-behavioral therapy. <i>Journal of Affective Disorders</i> , 2014 , 167, 64-73	6.6	16
206	Handbook of Depression. 2014 ,		1
205	Depressive symptoms and circadian activity rhythm disturbances in community-dwelling older women. 2014 , 22, 349-61		27
204	Subjective and objective sleep disturbance and longitudinal risk of depression in a cohort of older women. 2014 , 37, 1179-87		84
203	Detecting recurrent major depressive disorder within primary care rapidly and reliably using short questionnaire measures. 2014 , 64, e31-7		6
202	The use of antidepressants in pregnancy: focus on maternal risks. 2015 , 37, 56-63		6
201	Psychiatric Epidemiology. 2015 , 407-434		1
200	Frontal alpha asymmetry as a pathway to behavioural withdrawal in depression: Research findings and issues. 2015 , 292, 56-67		49
199	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. 2015 , 29, 459-525		381
198	Improving the assessment of depression remission with the Remission Evaluation and Mood Inventory Tool. 2015 , 50, 383-97		3
197	Sadness and mild cognitive impairment as predictors for interferon-alpha-induced depression in patients with hepatitis C. 2015 , 206, 45-51		13
196	The pharmacodynamic properties of lurasidone and their role in its antidepressant efficacy in bipolar disorder. 2015 , 25, 335-42		18
195	Markers of stress and inflammation as potential mediators of the relationship between exercise and depressive symptoms: findings from the TRAILS study. 2015 , 52, 352-8		6
194	What are residual symptoms in schizophrenia spectrum disorder? Clinical description and 1-year persistence within a naturalistic trial. 2015 , 265, 107-16		15
193	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of unipolar depressive disorders. part 2: maintenance treatment of major depressive disorder-update 2015. 2015 , 16, 76-95		116
192	Depressive and anxiety symptom trajectories from school age through young adulthood in samples with autism spectrum disorder and developmental delay. 2015 , 54, 369-76.e3		131
191	Depression: discrete or continuous?. 2015 , 48, 69-78		16

190	Longitudinal symptom course in adults with recurrent depression: Impact on impairment and risk of psychopathology in offspring. <i>Journal of Affective Disorders</i> , 2015 , 182, 32-8	6.6	15	
189	Cognitive reactivity, self-depressed associations, and the recurrence of depression. <i>Journal of Affective Disorders</i> , 2015 , 183, 300-9	6.6	21	
188	Food Insecurity is Longitudinally Associated with Depressive Symptoms Among Homeless and Marginally-Housed Individuals Living with HIV. 2015 , 19, 1527-34		66	
187	Associations of PER3 and RORA Circadian Gene Polymorphisms and Depressive Symptoms in Older Adults. 2015 , 23, 1075-87		19	
186	Total serum cholesterol, atherogenic indices and their longitudinal association with depressive symptoms among US adults. 2015 , 5, e518		23	
185	Borderline Personality and Mood Disorders. 2015,		1	
184	Associations of the Ratios of n-3 to n-6 Dietary Fatty Acids With Longitudinal Changes in Depressive Symptoms Among US Women. 2015 , 181, 691-705		29	
183	Functional impairment in patients with major depression in clinical remission: results from the VIVAL-D-Rem, a nationwide, naturalistic, cross-sectional survey. 2015 , 30, 129-41		5	
182	Long-term morbidity in bipolar-I, bipolar-II, and unipolar major depressive disorders. <i>Journal of Affective Disorders</i> , 2015 , 178, 71-8	6.6	90	
181	Nonlinear dynamics of mood regulation in bipolar disorder. 2015 , 17, 139-49		17	
180	Prophylactic efficacy of fluoxetine, escitalopram, sertraline, paroxetine, and concomitant psychotherapy in major depressive disorder: outcome after long-term follow-up. 2015 , 225, 680-6		12	
179	Longitudinal association between pain, and depression and anxiety over four years. 2015 , 78, 64-70		92	
178	Psychological and physical functioning difficulties associated with complex activity limitations among U.S. adults. 2015 , 8, 70-9		4	
177	Major depression in primary care: making the diagnosis. 2016 , 57, 591-597		16	
176	Intimate Partner Violence and Depression Symptom Severity among South African Women during Pregnancy and Postpartum: Population-Based Prospective Cohort Study. 2016 , 13, e1001943		92	
175	Relative hypocortisolism is associated with obesity and the metabolic syndrome in recurrent affective disorders. <i>Journal of Affective Disorders</i> , 2016 , 204, 187-96	6.6	11	
174	Duration of depressive symptoms and mortality risk: the English Longitudinal Study of Ageing (ELSA). 2016 , 208, 337-42		49	
173	Evidence-Based Applications of Combination Psychotherapy and Pharmacotherapy for Depression. 2016 , 14, 156-173		15	

172	Discovery of serum protein biomarkers in drug-free patients with major depressive disorder. 2016 , 69, 60-8	43
171	Duration of depressive symptoms significantly related to increase in mortality. 2016 , 208, 593	
170	Authors' reply. 2016 , 208, 593-4	
169	The Dutch Measure for quantification of Treatment Resistance in Depression (DM-TRD): an extension of the Maudsley Staging Method. <i>Journal of Affective Disorders</i> , 2016 , 205, 365-371	33
168	A Useful Tool for Clinicians Managing Depressed Patients. 2016 , 173, 1075-1076	
167	White blood cell inflammatory markers are associated with depressive symptoms in a longitudinal study of urban adults. 2016 , 6, e895	21
166	The relation between depressive and obsessive-compulsive symptoms in obsessive-compulsive disorder: Results from a large, naturalistic follow-up study. <i>Journal of Affective Disorders</i> , 2016 , 203, 241-247	25
165	Respiratory sinus arrhythmia reactivity to a sad film predicts depression symptom improvement and symptomatic trajectory. 2016 , 99, 108-13	22
164	Long-term effects of depression treatment. 2016 , 3, 95-6	10
163	Food insufficiency, depression, and the modifying role of social support: Evidence from a population-based, prospective cohort of pregnant women in peri-urban South Africa. 2016 , 151, 69-77	69
162	Predicting the transition from anxiety to depressive symptoms in early adolescence: Negative anxiety response style as a moderator of sequential comorbidity. <i>Journal of Affective Disorders</i> , 6.6 2016 , 190, 757-763	27
161	Path analysis of the chronicity of depression using the comprehensive developmental model framework. 2016 , 70, 380-91	5
160	Blunted neural responses to reward in remitted major depression: A high-density event-related potential study. 2016 , 1, 87-95	46
159	Transcranial Magnetic Stimulation of Left Dorsolateral Prefrontal Cortex Induces Brain Morphological Changes in Regions Associated with a Treatment Resistant Major Depressive Episode: An Exploratory Analysis. 2016 , 9, 577-83	49
158	Residual symptoms and functionality in depressed outpatients: A one-year observational study in Switzerland with escitalopram. <i>Journal of Affective Disorders</i> , 2016 , 197, 245-50	23
157	[How to define treatment-resistant depression?]. 2016 , 45, 323-8	11
156	Gait Speed and the Natural Course of Depressive Symptoms in Late Life; An Independent Association With Chronicity?. 2016 , 17, 331-5	20
155	Cyclical corticosterone administration sensitizes depression-like behavior in rats. 2017 , 650, 45-51	11

154	Etiology in psychiatry: embracing the reality of poly-gene-environmental causation of mental illness. 2017 , 16, 121-129		119
153	Responses to Positive Affect in Daily Life: Positive Rumination and Dampening Moderate the Association Between Daily Events and Depressive Symptoms. 2017 , 39, 412-425		25
152	Pharmacological treatment of unipolar depressive disorders: summary of WFSBP guidelines. 2017 , 21, 166-176		75
151	Longitudinal Association of Sleep Duration with Depressive Symptoms among Middle-aged and Older Chinese. 2017 , 7, 11794		28
150	Impact of antidepressant treatment during pregnancy on obstetric outcomes among women previously treated for depression: an observational cohort study. 2017 , 37, 1003-1009		7
149	On the Maintenance of Expectations in Major Depression - Investigating a Neglected Phenomenon. 2017 , 8, 9		25
148	Depression and Anxiety Prevention Based on Cognitive Behavioral Therapy for At-Risk Adolescents: A Meta-Analytic Review. 2017 , 8, 1066		36
147	[Processes of attention to children and adolescents under 20 years in La Castalda: evolution of the concept of childhood in psychiatry]. 2017 , 59, 468-476		1
146	Association of translocator protein total distribution volume with duration of untreated major depressive disorder: a cross-sectional study. 2018 , 5, 339-347		140
145	Utilization of psychiatric care and antidepressants among people with different severity of depression: a population-based cohort study in Stockholm, Sweden. 2018 , 53, 607-615		7
144	Time-dependent depressive symptoms and risk of cardiovascular and all-cause mortality among the Chinese elderly: The Beijing Longitudinal Study of Aging. 2018 , 72, 356-362		10
143	Gut microbiome and depression: what we know and what we need to know. 2018 , 29, 629-643		126
142	Cognitive Behavioral Therapy Is Associated With Enhanced Cognitive Control Network Activity in Major Depression and Posttraumatic Stress Disorder. 2018 , 3, 311-319		23
141	Fathering moderates the effects of maternal depression on the family process. 2018 , 30, 27-38		24
140	Treating late-life depression: Comparing the effects of internet-delivered cognitive behavior therapy across the adult lifespan. <i>Journal of Affective Disorders</i> , 2018 , 226, 58-65	6.6	23
139	Food insecurity, social networks and symptoms of depression among men and women in rural Uganda: a cross-sectional, population-based study. 2018 , 21, 838-848		36
138	Suicidal Ideation among Women Court-Referred to Batterer Intervention Programs. 2018 , 13, 143-157		4
137	Diagnosis and Classification of Mental Illness. 70-86		

136	Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for the treatment of panic disorder, social anxiety disorder and generalised anxiety disorder. 2018 , 52, 1109-1172	74
135	The association between the number of previous episodes and modifiable vulnerability factors in remitted patients with recurrent depression. 2018 , 13, e0206495	6
134	Course of major depressive disorder after pregnancy and the postpartum period. 2018, 35, 1130-1136	5
133	Characterizing, Assessing, and Treating Cognitive Dysfunction in Major Depressive Disorder. 2018 , 26, 241-249	10
132	Depressive spectrum states in a population-based cohort of 70-year olds followed over 9 years. 2018 , 33, 1028-1037	4
131	Mitochondrial DNA m.13514G>A heteroplasmy is associated with depressive symptoms in the elderly. 2018 , 33, 1319-1326	2
130	Persistent depressive symptoms and cognitive decline in older adults. 2018 , 213, 638-644	27
129	Depression is associated with self-rated frailty in older adults from an outpatient clinic: a prospective study. 2019 , 31, 425-434	14
128	Impaired reward-related learning signals in remitted unmedicated patients with recurrent depression. 2019 , 142, 2510-2522	15
127	Preventing depression in the community by voluntary sector providers (PERSUADE): intervention development and protocol for a parallel randomised controlled feasibility trial. 2019 , 9, e023791	1
126	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. 2019 , 17, 101	14
125	Normal Versus Pathological Mood: Implications for Diagnosis. 2019 , 15, 179-205	16
124	Erwartungsfokussierte psychotherapeutische Interventionen bei Personen mit depressiver Symptomatik. 2019 , 29, 281-291	7
123	A review on the relation between soil and mycotoxins: Effect of aflatoxin on field, food and finance. 2019 , 70, 882	17
122	Predicting clinical course in major depressive disorder: The association between DM-TRD score and symptom severity over time in 1115 outpatients. 2019 , 36, 345-352	10
121	Adolescent and adult differences in major depression symptom profiles. <i>Journal of Affective Disorders</i> , 2019 , 243, 175-181	61
120	Medication Adherence, Health Care Utilization, and Costs in Patients With Major Depressive Disorder Initiating Adjunctive Atypical Antipsychotic Treatment. 2019 , 41, 221-232	4
119	The Massachusetts General Hospital Guide to Depression. 2019 ,	3

118	Difficult-to-treat depression: A clinical and research roadmap for when remission is elusive. 2019 , 53, 109-118	27
117	Depression After Traumatic Brain Injury. 2019 , 87-105	
116	Ethnic differences in response to directive vs. non-directive brief intervention for subsyndromal depression. 2019 , 29, 186-197	2
115	Pain as a risk factor for suicidal ideation. A population-based longitudinal cohort study. 2020 , 63, 54-61	5
114	Adverse childhood experiences and adult mood problems: evidence from a five-decade prospective birth cohort. 2020 , 50, 2444-2451	10
113	Longitudinal Changes in Depressive Symptoms and Risks of Cardiovascular Disease and All-Cause Mortality: A Nationwide Population-Based Cohort Study. 2020 , 75, 2200-2206	11
112	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. 2020 , 1-10	0
111	Stress sensitization to depression following childhood adversity: Moderation by HPA axis and serotonergic multilocus profile scores. 2021 , 33, 1264-1278	3
110	Definition and Identification of Patients with Treatment-Resistant Depression in Real-World Clinical Practice Settings Across Asia. 2020 , 16, 2929-2941	2
109	Cost-effectiveness of an indicated preventive intervention for depression in adolescents: a model to support decision making. <i>Journal of Affective Disorders</i> , 2020 , 277, 789-799	4
108	Change in Defense Mechanisms and Depression in a Pilot Study of Antidepressive Medications Plus 20 Sessions of Psychotherapy for Recurrent Major Depression. 2020 , 208, 261-268	13
107	Water and mental health. 2020 , 7, e1461	26
106	The Association Between Shift Work And Affective Disorders: A Systematic Review. 2021 , 38, 182-200	5
105	Serotonin receptor inhibitor is associated with falls independent of frailty in older adults. 2021 , 25, 219-224	4
104	ADHD in adults with recurrent depression.	
103	19th Latest Advances in Psychiatry International Symposium. 2021 , 25, 39-43	
102	Gene expression signatures differentiating major depressive disorder from subsyndromal symptomatic depression. 2021 , 13, 13124-13137	О
101	The stage-specifically accelerated brain aging in never-treated first-episode patients with depression. 2021 , 42, 3656-3666	5

100	Validation of a novel online depression symptom severity rating scale: the R8 Depression. 2021 , 19, 163		2
99	Can We Prevent Depression in At-Risk Older Adults Using Self-Help? The UK SHARD Trial of Behavioral Activation. 2021 ,		2
98	Common and specific determinants of 9-year depression and anxiety course-trajectories: A machine-learning investigation in the Netherlands Study of Depression and Anxiety (NESDA). Journal of Affective Disorders, 2021, 293, 295-304	6	3
97	Maternal depressed mood and child development over the first five years of life in South Africa. Journal of Affective Disorders, 2021 , 294, 346-356	6	1
96	ADHD in adults with recurrent depression. <i>Journal of Affective Disorders</i> , 2021 , 295, 1153-1160 6.0	6	О
95	Apps and gaps in bipolar disorder: A systematic review on electronic monitoring for episode prediction. <i>Journal of Affective Disorders</i> , 2021 , 295, 1190-1200	6	2
94	Mood Disorders. 93		3
93	Therapieresistenz unipolarer depressiver Erkrankungen: Hūfigkeit, Prāliktoren, Risikofaktoren. 2005 , 21-37		7
92	Borderline Personality Disorder and Mood Disorders: Longitudinal Course and Interactions. 2015 , 175-187		1
91	Cognitive Behavioral Therapy for Bipolar Disorder. 2016 , 87-103		0
90	Taking People as They Are: Evolutionary Psychopathology, Uncomplicated Depression, and Distinction between Normal and Disordered Sadness. 2017 , 37-72		2
89	Depressive Stflungen. 2017 , 1711-1817		1
88	Depression and the Family. 2005, 225-280		12
87	Depression in primary care. 1-16		1
86	Follow-up of monotherapy remitters in the PReDICT study: Maintenance treatment outcomes and clinical predictors of recurrence. 2018 , 86, 189-199		9
85	The perils of murky emotions: Emotion differentiation moderates the prospective relationship between naturalistic stress exposure and adolescent depression. 2020 , 20, 927-938		16
84	Characteristics of subjects with comorbidity of symptoms of generalized anxiety and major depressive disorders and the corresponding threshold and subthreshold conditions in an Arab general population sample. 2012 , 18, CR160-73		7

82	Can a one-item mood scale do the trick? Predicting relapse over 5.5-years in recurrent depression. 2012 , 7, e46796	27
81	Mood-Reactive Self-Esteem and Depression Vulnerability: Person-Specific Symptom Dynamics via Smart Phone Assessment. 2015 , 10, e0129774	19
80	The Role of Campus Data in Representing Depression Among College Students: Exploratory Research. 2020 , 7, e12503	3
79	Behavioral Indicators on a Mobile Sensing Platform Predict Clinically Validated Psychiatric Symptoms of Mood and Anxiety Disorders. 2017 , 19, e75	62
78	Behavioral Treatment of Insomnia. 2008 , 71-90	1
77	Various forms of depression. 2006 , 8, 151-61	42
76	Effects of different antidepressant treatments on the core of depression. 2008, 10, 309-20	3
75	Incomplete remission in depression: role of psychiatric and somatic comorbidity. 2008, 10, 453-60	25
74	Towards achieving remission in the treatment of depression. 2008 , 10, 371-5	14
73	Treatment strategies to improve and sustain remission in major depressive disorder. 2008 , 10, 377-84	52
72	Epidemiology of mental disorders in children and adolescents. 2009 , 11, 7-20	630
71	Should antidepressants be used in minor depression?. 2018 , 20, 223-228	6
70	Folate Augmentation of TreatmentEvaluation for Depression (FolATED): randomised trial and economic evaluation. 2014 , 18, vii-viii, 1-159	20
69	CollAborative care and active surveillance for Screen-Positive EldeRs with subthreshold depression (CASPER): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. 2017 , 21, 1-196	7
68	Cognitive-behavioural therapy and short-term psychoanalytic psychotherapy versus brief psychosocial intervention in adolescents with unipolar major depression (IMPACT): a multicentre, pragmatic, observer-blind, randomised controlled trial. 2017 , 21, 1-94	42
67	Remission with venlafaxine extended release or selective serotonin reuptake inhibitors in depressed patients: a randomized, open-label study. 2011 , 13,	8
66	A review of the literature on the selegiline transdermal system: an effective and well-tolerated monoamine oxidase inhibitor for the treatment of depression. 2008 , 10, 25-30	17
65	Examining the efficacy of adjunctive aripiprazole in major depressive disorder: a pooled analysis of 2 studies. 2008 , 10, 440-7	33

Clinical Practice Guidelines for Management of Depression in Elderly. 2018, 60, S341-S362 64 27 A stepped care programme for depression management: an uncontrolled pre-post study in primary 63 21 and secondary care in The Netherlands. 2008, 8, e05 Treatment of Depression in Pregnancy: Current Trend. 2021, 16, 12-16 62 Dysthymie. 2002, 87-107 61 Slitomas residuales y comorbilidad en el trastorno de angustia. 2003, 10, 248-256 60 Hearts Sing the Blues Too: Depression in Elderly Cardiac Patients. 2004, 27-67 59 Curso anual del primer episodio de depresi\(\textit{B}\) frente a episodios m\(\textit{T}\)tiples de depresi\(\textit{B}\). Un estudio 58 naturalista polaco. **2004**, 11, 485-490 Psychological treatment centres: the case against. **2006**, 332, 1154-5 57 6 Stemmingsstoornissen. 2008, 195-229 56 \circ Pharmacological Approaches to Treatment-Resistant Depression. 2008, 621-634 55 Depressive Stflungen. 2008, 1401-1472 54 Bereavement in Later Life. 2008, 221-238 53 Geriatric Nonmajor Depressive Syndromes: Minor Depression, Dysthymia, and Subsyndromal 52 1 Depression. 2008, 15-36 Principles of therapy. 2009, 27-43 51 Classification, causes, and epidemiology. 2009, 1-10 50 Outcomes in the Treatment of Major Depressive Disorder. **2009**, 22-53 49 Principles of therapy. 2011, 27-43 48 Classification, causes, and epidemiology. 2011, 1-10 47

46	The Outcome of Late-Life Depressive Disorders. 2010 , 502-507	
45	9 Cognitieve therapie ter preventie van terugval bij depressie en angststoornissen. 2011 , 231-260	
44	Depressive StEungen. 2011 , 1575-1664	
43	Psychological Co-morbidities of COPD. 2011 , 415-453	
42	4 Cognitieve therapie bij de depressieve stoornis. 2011 , 87-122	
41	Unipolar depressive Stflungen. 2012 , 961-991	
40	Principles of Therapy. 2014 , 31-49	
39	Care of People with Psychiatric Subthreshold Disorders. 1999 , 429-439	
38	Depressive StEungen. 2016 , 1-107	
37	Which kinds of work stress are related with which types of depression? Workplace satisfaction and subtypes of depression in rural Australians. 2019 , 5, 034-041	
36	Randomized Controlled Trials and the Efficacy of Psychotropic Medications. 2020, 1-56	
35	Changes in the levels of comet parameters before and after fluoxetine therapy in major depression patients. 2020 , 53, 194-200	1
34	Does baseline leisure-time physical activity level predict future depressive symptoms or physical activity among depressive patients? Findings from a Finnish five-year cohort study. 2021 , 75, 356-361	0
33	Aktueller Stand und Perspektiven der Forschung. 2005 , 3-19	2
32	AlgorithmusgestEzte Behandlung stationEer Patienten: das Berliner Algorithmusprojekt. 2005 , 477-487	
31	Interventionspotenziale. 2006, 359-370	1
30	Affektive Stflungen. 2008 , 873-909	
29	Treating mood disorders. 2003 , 28, 9-10	1

28	Managing bipolar disorder from urgent situations to maintenance therapy. 2007 , 9, 367-80		1
27	Validity of the bereavement exclusion criterion for the diagnosis of major depressive episode. 2007 , 6, 102-7		59
26	Depression in adults: psychological treatments and care pathways. 2007, 2007,		
25	Depression in adults: drug and physical treatments. 2007 , 2007,		3
24	Depression in adults: drug and physical treatments. 2011 , 2011,		8
23	A feasibility study of a telephone-supported self-care intervention for depression among adults with a comorbid chronic physical illness in primary care. <i>Mental Health in Family Medicine</i> , 2012 , 9, 257-7	73	12
22	Patient reported self-help strategies and the perceived benefits for managing sub-threshold depressive symptoms: A nested qualitative study of Australian primary care attendees. <i>Health and Social Care in the Community</i> , 2021 ,	2.6	
21	Autonomic vulnerability to biased perception of social inclusion in borderline personality disorder. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2021 , 8, 28	4.9	O
20	Contributing factors to heterogeneity in the timing of the onset of major depressive episode: results from a national study <i>Journal of Affective Disorders</i> , 2021 , 299, 585-585	6.6	O
19	Outcome of First-admission Depression Treated in a Specialized Mood Disorders Service. <i>Journal of Psychiatric Practice</i> , 2020 , 26, 461-471	1.3	
18	Clinical efficacy of Shugan granule in the treatment of mixed anxiety-depressive disorder: A multicenter, randomized, double-blind, placebo-controlled trial <i>Journal of Ethnopharmacology</i> , 2022 , 115032	5	
17	Acupuncture for Subthreshold Depression: Study Protocol for a Randomized Controlled Trial <i>Frontiers in Psychiatry</i> , 2021 , 12, 772360	5	
16	The clinical and societal burden of incident major depressive disorder: a population-wide cohort study in Stockholm <i>Acta Psychiatrica Scandinavica</i> , 2022 ,	6.5	O
15	Time for united action on depression: a Lancet-World Psychiatric Association Commission <i>Lancet, The,</i> 2022 , 399, 957-1022	40	23
14	Mental health as a pathway linking intimate partner violence to postpartum adherence to HIV treatment in urban South Africa. <i>SSM Mental Health</i> , 2022 , 100112		O
13	Dimensions and Predictors of Personal Recovery in Major Depression. <i>Comprehensive Approach To Psychiatry</i> , 2022 , 225-244	0.7	
12	Simultaneous Bilateral Frontal and Bilateral Cerebellar Transcranial Direct Current Stimulation in Treatment-Resistant Depression Linical Effects and Electrical Field Modelling of a Novel Electrodes Montage. <i>Biomedicines</i> , 2022 , 10, 1681	4.8	1
11	What does Staying welllafter depression mean? Chronic low grade symptomatology after treatment for depression is common. 2022 ,		

10	Thematic analysis of the raters experiences administering scales to assess depression and suicide in Arab schizophrenia patients. 2022 , 22,	0
9	Working memory updating in individuals with bipolar and unipolar depression: fMRI study. 2022 , 12,	O
8	Randomized Controlled Trials and the Efficacy of Psychotropic Medications. 2022, 305-359	O
7	Progression of depressive symptoms after early exposure to famine: The China Health and Retirement Longitudinal Study. 2023 , 322, 46-51	O
6	Validation of the Longitudinal Interval Follow-Up Evaluation for the Long-Term Measurement of Mood Symptoms in Bipolar Disorder. 2022 , 12, 1717	O
5	Associations of stressful life events with subthreshold depressive symptoms and major depressive disorder: The moderating role of gender. 2023 ,	O
4	Sex differences in changes of depressive symptoms among older adults before and during the COVID-19 pandemic: evidence from two longitudinal cohorts. 2023 , 23,	О
3	Therapieresistenz unipolarer depressiver Erkrankung: Definition, Hūfigkeit, Charakteristika, Prdiktoren und Risikofaktoren. 2022 , 3-32	O
2	Integrating genetics and transcriptomics to study major depressive disorder: a conceptual framework, bioinformatic approaches, and recent findings. 2023 , 13,	0
1	Emotional Disorders, Dispositional Mindfulness, and Mediating Role of Acceptance in Undergraduate and Postgraduate Students. 025609092311664	Ο