

# CITATION REPORT

List of articles citing

Using an animal model of deficient sensorimotor gating to study the pathophysiology and new treatments of schizophrenia

DOI: 10.1093/oxfordjournals.schbul.a033326  
Schizophrenia Bulletin, 1998, 24, 285-301.

**Source:** <https://exaly.com/paper-pdf/29736047/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
655	DNA Microarrays for Polymorphism Detection and Genotyping: Utility in the Understanding of Complex Neuropsychiatric Diseases. <b>1999</b> , 4, 59-74		1
654	. <b>1999</b> ,		3
653	Potential therapeutic targets for schizophrenia. <b>1999</b> , 3, 571-586		1
652	Cross-species studies of sensorimotor gating of the startle reflex. <b>1999</b> , 877, 202-16		126
651	The gene encoding proline dehydrogenase modulates sensorimotor gating in mice. <b>1999</b> , 21, 434-9		241
650	Picrotoxin in the medial prefrontal cortex impairs sensorimotor gating in rats: reversal by haloperidol. <b>1999</b> , 144, 347-54		71
649	Sex differences in sensorimotor gating of the human startle reflex: all smoke?. <b>1999</b> , 146, 228-32		59
648	Assessing prepulse inhibition of startle in wild-type and knockout mice. <b>1999</b> , 147, 11-3		31
647	Human and animal studies of schizophrenia-related gating deficits. <b>1999</b> , 1, 31-40		98
646	The adenosine A1 receptor agonist N6-cyclopentyladenosine blocks the disruptive effect of phencyclidine on prepulse inhibition of the acoustic startle response in the rat. <b>1999</b> , 369, 325-9		24
645	Cholinergic modulation of the acoustic startle response in the caudal pontine reticular nucleus of the rat. <b>1999</b> , 370, 101-7		53
644	Effects of sustained phencyclidine exposure on sensorimotor gating of startle in rats. <b>1999</b> , 21, 28-39		56
643	Therapeutic Implications of the Hyperglutamatergic Effects of NMDA Antagonists. <b>1999</b> , 21, S143-S157		46
642	Cytotoxic lesion of the medial prefrontal cortex abolishes the partial reinforcement extinction effect, attenuates prepulse inhibition of the acoustic startle reflex and induces transient hyperlocomotion, while sparing spontaneous object recognition memory in the rat. <b>2000</b> , 95, 675-89		57
641	Effects of neurotensin administered into the ventral tegmental area on prepulse inhibition of startle. <b>1999</b> , 106, 189-93		15
640	The neurobiology of startle. <b>1999</b> , 59, 107-28		1016
639	Ontogeny of isolation rearing-induced deficits in sensorimotor gating in rats. <b>1999</b> , 67, 385-92		96

638	Does neurotensin mediate the effects of antipsychotic drugs?. <b>1999</b> , 46, 340-51	73
637	The regulation of forebrain dopamine transmission: relevance to the pathophysiology and psychopathology of schizophrenia. <b>1999</b> , 46, 40-55	205
636	Cognition and control in schizophrenia: a computational model of dopamine and prefrontal function. <b>1999</b> , 46, 312-28	418
635	The phenotypic characteristics of heterozygous reeler mouse. <b>1999</b> , 10, 1329-34	192
634	Connecting the "dots" of brain dysfunction in schizophrenia: what does the picture look like?. <b>1999</b> , 56, 791-3	19
633	Threat perceptions and avoidance in recurrent dreams. <b>2000</b> , 23, 1017-1018	4
632	A human perspective: commentary on Swerdlow et al., 'Animal models of deficient sensorimotor gating: what we know, what we think we know, and what we hope to know soon'. <b>2000</b> , 11, 209-10	1
631	Animal models of deficient sensorimotor gating: what we know, what we think we know, and what we hope to know soon. <b>2000</b> , 11, 185-204	347
630	Spatial and associative learning deficits induced by neonatal excitotoxic hippocampal damage in rats: further evaluation of an animal model of schizophrenia. <b>2000</b> , 11, 257-68	80
629	The perception of self-produced sensory stimuli in patients with auditory hallucinations and passivity experiences: evidence for a breakdown in self-monitoring. <b>2000</b> , 30, 1131-9	350
628	"Early" and "late" effects of sustained haloperidol on apomorphine- and phencyclidine-induced sensorimotor gating deficits. <b>2000</b> , 23, 517-27	33
627	Regulation of sensorimotor gating of the startle reflex by serotonin 2A receptors. Ontogeny and strain differences. <b>2000</b> , 23, 623-32	26
626	Birth insult alters dopamine-mediated behavior in a precocial species, the guinea pig. Implications for schizophrenia. <b>2000</b> , 23, 654-66	41
625	Ontogeny of phencyclidine and apomorphine-induced startle gating deficits in rats. <b>2000</b> , 65, 449-57	39
624	Neonatal herpes simplex virus type 1 brain infection affects the development of sensorimotor gating in rats. <b>2000</b> , 863, 233-40	38
623	PHNO, a selective dopamine D2 receptor agonist, does not reduce prepulse inhibition of the startle reflex in rats. <b>2000</b> , 151, 38-48	23
622	Effects of caffeine on sensorimotor gating of the startle reflex in normal control subjects: impact of caffeine intake and withdrawal. <b>2000</b> , 151, 368-78	46
621	Enhancement of antipsychotic-like effects by combined treatment with the alpha1-adrenoceptor antagonist prazosin and the dopamine D2 receptor antagonist raclopride in rats. <b>2000</b> , 107, 1229-38	49

620	How does the dreaming brain explain the dreaming mind?. <b>2000</b> , 23, 904-907	127
619	Toward understanding the biology of a complex phenotype: rat strain and substrain differences in the sensorimotor gating-disruptive effects of dopamine agonists. <i>Journal of Neuroscience</i> , <b>2000</b> , 20, 4325-36	157
618	Lucid dreaming: Evidence and methodology. <b>2000</b> , 23, 962-964	34
617	Sorting out additions to the understanding of cognition during sleep. <b>2000</b> , 23, 973-975	3
616	Koch's postulates confirm cholinergic modulation of REM sleep. <b>2000</b> , 23, 966-966	0
615	How and why the brain makes dreams: A report card on current research on dreaming. <b>2000</b> , 23, 914-916	3
614	Conceptual coordination bridges information processing and neurophysiology. <b>2000</b> , 23, 919-922	1
613	Great simulation, dreams, and domain-specificity. <b>2000</b> , 23, 1004-1004	
612	Where is the forest? Where is the dream?. <b>2000</b> , 23, 943-945	4
611	Dreaming is not a non-conscious electrophysiologic state. <b>2000</b> , 23, 984-988	
610	Dreaming as an active construction of meaning. <b>2000</b> , 23, 907-908	1
609	Spandrels of the night? <b>2000</b> , 23, 966-967	1
608	Neural constraints on cognition in sleep. <b>2000</b> , 23, 994-995	1
607	Some myths are slow to die. <b>2000</b> , 23, 999-1000	1
606	Nielsen's concept of covert REM sleep is a path toward a more realistic view of sleep psychophysiology. <b>2000</b> , 23, 983-984	2
605	Iterative processing of information during sleep may improve consolidation. <b>2000</b> , 23, 919-919	1
604	Evolutionary psychology can ill afford adaptationist and mentalist credulity. <b>2000</b> , 23, 1013-1014	1
603	Novel concepts of sleep-wakefulness and neuronal information coding. <b>2000</b> , 23, 968-971	

602	Toward a new neuropsychological isomorphism. <b>2000</b> , 23, 980-981	1
601	REM and NREM mentation: Nielsen's model once again supports the supremacy of REM. <b>2000</b> , 23, 913-914	1
600	REM sleep: Desperately seeking isomorphism. <b>2000</b> , 23, 931-934	4
599	The mechanism of the REM state is more than a sum of its parts. <b>2000</b> , 23, 1008-1009	
598	The pharmacology of threatening dreams. <b>2000</b> , 23, 1016-1017	2
597	Forebrain mechanisms of dreaming are activated from a variety of sources. <b>2000</b> , 23, 1035-1040	2
596	State-dependent modulation of cognitive function. <b>2000</b> , 23, 945-946	
595	A more general evolutionary hypothesis about dream function. <b>2000</b> , 23, 972-973	5
594	The divorce of REM sleep and dreaming. <b>2000</b> , 23, 922-924	2
593	The illusory function of dreams: Another example of cognitive bias. <b>2000</b> , 23, 971-972	4
592	Dream research: Integration of physiological and psychological models. <b>2000</b> , 23, 1001-1003	15
591	New multiplicities of dreaming and REMing. <b>2000</b> , 23, 953-955	4
590	A new approach for explaining dreaming and REM sleep mechanisms. <b>2000</b> , 23, 558-559	
589	The prevalence of typical dream themes challenges the specificity of the threat simulation theory. <b>2000</b> , 23, 940-941	5
588	The waking-to-dreaming continuum and the effects of emotion. <b>2000</b> , 23, 947-950	8
587	Nightmares: Friend or foe?. <b>2000</b> , 23, 965-965	3
586	Search activity: A key to resolving contradictions in sleep/dream investigation. <b>2000</b> , 23, 996-999	1
585	Needed: A new theory. <b>2000</b> , 23, 928-930	3

584	Insights from functional neuroimaging studies of behavioral state regulation in healthy and depressed subjects. <b>2000</b> , 23, 979-980	
583	The contents of consciousness during sleep: Some theoretical problems. <b>2000</b> , 23, 995-996	1
582	Dreams and sleep: Are new schemas revealing?. <b>2000</b> , 23, 976-976	0
581	Shedding old assumptions and consolidating what we know: Toward an attention-based model of dreaming. <b>2000</b> , 23, 924-928	9
580	Inclusive versus exclusive approaches to sleep and dream research. <b>2000</b> , 23, 1011-1013	13
579	Reflexive and orienting properties of REM sleep dreaming and eye movements. <b>2000</b> , 23, 950-950	1
578	The interpretation of physiology. <b>2000</b> , 23, 955-956	5
577	The ghost of Sigmund Freud haunts Mark Solms's dream theory. <b>2000</b> , 23, 951-952	6
576	Papez dreams: Mechanism and phenomenology of dreaming. <b>2000</b> , 23, 961-962	
575	Time course of dreaming and sleep organization. <b>2000</b> , 23, 1000-1000	1
574	REM sleep = dreaming: The never-ending story. <b>2000</b> , 23, 916-917	1
573	“The dream of reason creates monsters” . . . especially when we neglect the role of emotions in REM-states. <b>2000</b> , 23, 988-990	4
572	Mental states during dreaming and daydreaming: Some methodological loopholes. <b>2000</b> , 23, 917-918	14
571	One machinery, multiple cognitive states: The value of the AIM model. <b>2000</b> , 23, 993-994	
570	The dramaturgy of dreams in Pleistocene minds and our own. <b>2000</b> , 23, 946-947	
569	Continued vitality of the Freudian theory of dreaming. <b>2000</b> , 23, 1004-1006	2
568	Sleep, not REM sleep, is the royal road to dreams. <b>2000</b> , 23, 911-912	2
567	Play, dreams, and simulation. <b>2000</b> , 23, 918-919	7

566	Each distinct type of mental state is supported by specific brain functions. <b>2000</b> , 23, 941-943	6
565	Dreaming as play. <b>2000</b> , 23, 953-953	11
564	Dreaming has content and meaning not just form. <b>2000</b> , 23, 959-961	5
563	All brain work [including recall] is state-dependent. <b>2000</b> , 23, 964-965	2
562	Dream production is not chaotic. <b>2000</b> , 23, 967-968	2
561	Sleep can be related to memory, even if REM sleep is not. <b>2000</b> , 23, 971-971	5
560	Metaphoric threat is more real than real threat. <b>2000</b> , 23, 992-993	11
559	Mesolimbic dopamine and the neuropsychology of dreaming: Some caution and reconsiderations. <b>2000</b> , 23, 930-931	2
558	Critical brain characteristics to consider in developing dream and memory theories. <b>2000</b> , 23, 977-978	
557	Sleep, dreaming, and brain activation. <b>2000</b> , 23, 939-940	1
556	Neuronal basis of dreaming and mentation during slow-wave (non-REM) sleep. <b>2000</b> , 23, 1009-1011	10
555	Dreams have meaning but no function. <b>2000</b> , 23, 910-911	4
554	Expanding Nielsen's covert REM model, questioning Solms's approach to dreaming and REM sleep, and reinterpreting the Vertes & Eastman view of REM sleep and memory. <b>2000</b> , 23, 981-983	4
553	The problem of dreaming in NREM sleep continues to challenge reductionist (two generator) models of dream generation. <b>2000</b> , 23, 956-958	2
552	REM sleep is not committed to memory. <b>2000</b> , 23, 1057-1063	11
551	Schizophrenia spectrum disorders in persons exposed to ionizing radiation as a result of the Chernobyl accident. <i>Schizophrenia Bulletin</i> , <b>2000</b> , 26, 751-73	1.3 84
550	Post-traumatic nightmares as a dysfunctional state. <b>2000</b> , 23, 978-979	7
549	Dream science 2000: A response to commentaries on Dreaming and the brain. <b>2000</b> , 23, 1019-1035	9

548	The case against memory consolidation in REM sleep: Balderdash!. <b>2000</b> , 23, 934-936	4
547	Dreaming is not an adaptation. <b>2000</b> , 23, 936-939	12
546	Internally-generated activity, non-episodic memory, and emotional salience in sleep. <b>2000</b> , 23, 908-909	3
545	REM sleep deprivation: The wrong paradigm leading to wrong conclusions. <b>2000</b> , 23, 912-913	29
544	Did ancestral humans dream for their lives?. <b>2000</b> , 23, 1063-1082	18
543	Neurotransmitter mechanisms of dreaming: Implication of modulatory systems based on dream intensity. <b>2000</b> , 23, 990-992	36
542	Covert REM sleep effects on REM mentation: Further methodological considerations and supporting evidence. <b>2000</b> , 23, 1040-1057	25
541	Impaired prepulse inhibition of acoustic startle in schizophrenia. <b>2000</b> , 47, 662-9	199
540	Antipsychoticlike effects of amoxapine, without catalepsy, using the prepulse inhibition of the acoustic startle reflex test in rats. <b>2000</b> , 47, 670-6	11
539	Amygdaloid N-methyl-D-aspartate and gamma-aminobutyric acid(A) receptors regulate sensorimotor gating in a dopamine-dependent way in rats. <b>2000</b> , 98, 55-60	52
538	The pharmacology of latent inhibition as an animal model of schizophrenia. <b>2000</b> , 33, 275-307	202
537	Role of the substantia nigra pars reticulata in sensorimotor gating, measured by prepulse inhibition of startle in rats. <b>2000</b> , 117, 153-62	61
536	Effects of local infusions of dopaminergic drugs into the medial prefrontal cortex of rats on latent inhibition, prepulse inhibition and amphetamine induced activity. <b>2000</b> , 107, 111-21	78
535	Long-term effects of prenatal stress experiences and postnatal maternal separation on emotionality and attentional processes. <b>2000</b> , 107, 133-44	195
534	10 microg CCK-4 premedication and 35% CO2 challenge in healthy volunteers. <b>2000</b> , 24, 409-18	8
533	Schizotypy and leadership: a contrasting model for deficit symptoms, and a possible therapeutic role for sex hormones. <b>2000</b> , 54, 537-52	11
532	Identification of brainstem interneurons projecting to the trigeminal motor nucleus and adjacent structures in the rabbit. <b>2000</b> , 19, 175-95	79
531	Using intracranial electrical stimulation to study the timing of prepulse inhibition of the startle reflex. <b>2000</b> , 5, 67-74	30



530	Mismatch negativity correlates with psychotic experiences induced by NMDA-antagonist in healthy volunteers. <i>Schizophrenia Research</i> , <b>2000</b> , 41, 145-146	3.6	
529	Prepulse inhibition effects do not correlate with anti-saccadic abnormalities in schizophrenia. <i>Schizophrenia Research</i> , <b>2000</b> , 41, 146-147	3.6	1
528	Long term cognitive effects of risperidone. <i>Schizophrenia Research</i> , <b>2000</b> , 41, 200-201	3.6	6
527	Evidence for the involvement of the hippocampus in the pathophysiology of schizophrenia. <b>2000</b> , 10, 389-95		57
526	172. Neural correlates of procedural learning: a functional MRI study. <b>2000</b> , 47, S52		
525	173. Age of onset of psychotic symptoms predicts information processing deficits in schizophrenia. <b>2000</b> , 47, S52		
524	Impact of prepulse characteristics on the detection of sensorimotor gating deficits in schizophrenia. <i>Schizophrenia Research</i> , <b>2001</b> , 49, 171-8	3.6	235
523	Vasopressin-deficient rats exhibit sensorimotor gating deficits that are reversed by subchronic haloperidol. <b>2001</b> , 50, 425-33		54
522	Sensorimotor gating deficits in bipolar disorder patients with acute psychotic mania. <b>2001</b> , 50, 418-24		215
521	The role of neurotensin in the pathophysiology of schizophrenia and the mechanism of action of antipsychotic drugs. <b>2001</b> , 50, 856-72		66
520	The changing roles and targets for animal models of schizophrenia. <b>2001</b> , 50, 845-55		109
519	Selective immunolesioning of cholinergic neurons in nucleus basalis magnocellularis impairs prepulse inhibition of acoustic startle. <b>2001</b> , 108, 299-305		9
518	A systems model of altered consciousness: integrating natural and drug-induced psychoses. <b>2001</b> , 56, 495-507		198
517	Pharmacology and behavioral pharmacology of the mesocortical dopamine system. <b>2001</b> , 63, 241-320		372
516	Genetic animal models: focus on schizophrenia. <b>2001</b> , 24, 527-33		178
515	Evaluation of the alpha2C-adrenoceptor as a neuropsychiatric drug target studies in transgenic mouse models. <b>2001</b> , 68, 2277-85		73
514	The metabotropic glutamate receptor antagonist 2-methyl-6-(phenylethynyl)-pyridine (MPEP) blocks fear conditioning in rats. <b>2001</b> , 41, 1-7		138
513	References. <b>2001</b> , 295-334		

512	Enhanced neurotensin neurotransmission is involved in the clinically relevant behavioral effects of antipsychotic drugs: evidence from animal models of sensorimotor gating. <i>Journal of Neuroscience</i> , <b>2001</b> , 21, 601-8	6.6	67
511	The timing of neurodevelopmental abnormality in schizophrenia: an integrative review of the neuroimaging literature. <b>2001</b> , 6, 233-55		6
510	Matching strategies for drug studies of prepulse inhibition in humans. <b>2001</b> , 12, 45-52		21
509	Behavioral characterization of dopamine D1 receptor null mutant mice.. <b>2001</b> , 115, 1129-1144		136
508	Schizophrenia Spectrum Disorders: A Review. <b>2001</b> , 311-405		4
507	Effects of phencyclidine on prepulse inhibition of acoustic startle response in the macaque. <b>2001</b> , 156, 165-8		30
506	Drug-induced potentiation of prepulse inhibition of acoustic startle reflex in mice: a model for detecting antipsychotic activity?. <b>2001</b> , 156, 273-83		111
505	The adenosine A2A agonist CGS 21680 reverses the reduction in prepulse inhibition of the acoustic startle response induced by phencyclidine, but not by apomorphine and amphetamine. <b>2001</b> , 156, 187-93		17
504	The nitric oxide synthase inhibitor, L-NAME, block phencyclidine-induced disruption of prepulse inhibition in mice. <b>2001</b> , 156, 182-6		44
503	Auditory information processing in rat genotypes with different dopaminergic properties. <b>2001</b> , 156, 352-9		22
502	Brain stem circuits mediating prepulse inhibition of the startle reflex. <b>2001</b> , 156, 216-24		305
501	Neural circuit regulation of prepulse inhibition of startle in the rat: current knowledge and future challenges. <b>2001</b> , 156, 194-215		890
500	Environmental animal models for sensorimotor gating deficiencies in schizophrenia: a review. <b>2001</b> , 156, 305-26		165
499	Effects of acute versus chronic treatment with typical or atypical antipsychotics on d-amphetamine-induced sensorimotor gating deficits in rats. <b>2001</b> , 156, 291-304		44
498	The effect of neuroleptic medication on prepulse inhibition in schizophrenia patients: current status and future issues. <b>2001</b> , 156, 259-65		62
497	The DBA/2J strain and prepulse inhibition of startle: a model system to test antipsychotics?. <b>2001</b> , 156, 284-90		100
496	Combined alpha 2-adrenergic/D2 dopamine receptor blockade fails to reproduce the ability of clozapine to reverse phencyclidine-induced deficits in prepulse inhibition of startle. <b>2001</b> , 159, 105-10		15
495	Chronic intracerebroventricular exposure to beta-amyloid(1-40) impairs object recognition but does not affect spontaneous locomotor activity or sensorimotor gating in the rat. <b>2001</b> , 136, 93-100		15

494	Medial prefrontal lesions attenuate conditioned reflex facilitation but do not affect prepulse modification of the eyeblink reflex in rabbits. <b>2001</b> , 140, 318-25	4
493	[The startle reflex in schizophrenia research]. <b>2001</b> , 72, 844-52	5
492	Targeting schizophrenia in mice. <b>2001</b> , 105, 50-52	6
491	Information processing deficits in withdrawing alcoholics. <b>2001</b> , 6, 239-245	11
490	Increased sensitivity of dopamine systems following reproductive experience in rats. <b>2001</b> , 68, 481-9	35
489	Removing zinc from synaptic vesicles does not impair spatial learning, memory, or sensorimotor functions in the mouse. <b>2001</b> , 891, 253-65	110
488	Regulation of sensorimotor gating in rats by hippocampal NMDA: anatomical localization. <b>2001</b> , 898, 195-203	40
487	Estrogen increases prepulse inhibition of acoustic startle in rats. <b>2001</b> , 425, 33-41	78
486	Startle and sensorimotor gating in rats lacking CCK-A receptors. <b>2001</b> , 24, 663-70	16
485	Fluoxetine combined with a serotonin-1A receptor antagonist reversed reward deficits observed during nicotine and amphetamine withdrawal in rats. <b>2001</b> , 25, 55-71	135
484	Genetic aspects of schizophrenia. <b>2001</b> , 1, 158-163	8
483	Phencyclidine (PCP)-induced deficits of prepulse inhibition in monkeys. <b>2001</b> , 12, 117-20	54
482	Transcranial magnetic stimulation: a new investigational and treatment tool in psychiatry. <b>2002</b> , 14, 406-15	60
481	Neuronal nicotinic acetylcholine receptors: involvement in Alzheimer's disease and schizophrenia. <b>2002</b> , 1, 5-20	45
480	Animal Models in Biological Psychiatry. 37-44	21
479	Information processing deficits in acutely psychotic schizophrenia patients medicated and unmedicated at the time of admission. <i>American Journal of Psychiatry</i> , <b>2002</b> , 159, 1375-81	11.9 64
478	Prenatal Programming of Depression and Schizophrenia?. <b>2002</b> , 1, 113-127	2
477	Animal Models of Cognitive Disorders. 211-233	

476	Reduced tumor growth, experimental metastasis formation, and angiogenesis in rats with a hyperreactive dopaminergic system. <b>2002</b> , 16, 1465-7		73
475	Basal ganglia volumes in first-episode schizophrenia and healthy comparison subjects. <b>2002</b> , 51, 801-8		72
474	Prepulse inhibition of the startle response in risperidone-treated patients: comparison with typical antipsychotics. <i>Schizophrenia Research</i> , <b>2002</b> , 55, 139-46	3.6	87
473	The mGluR5 antagonist MPEP, but not the mGluR2/3 agonist LY314582, augments PCP effects on prepulse inhibition and locomotor activity. <b>2002</b> , 43, 1199-209		123
472	Neurotensin: an endogenous antipsychotic?. <b>2002</b> , 2, 99-103		44
471	Acquisition of a novel behavior induces higher levels of Arc mRNA than does overtrained performance. <b>2002</b> , 110, 617-26		103
470	Rivastigmine antagonizes deficits in prepulse inhibition induced by selective immunolesioning of cholinergic neurons in nucleus basalis magnocellularis. <b>2002</b> , 114, 91-8		29
469	Effects of ketamine and apomorphine on inferior colliculus and caudal pontine reticular nucleus evoked potentials during prepulse inhibition of the startle reflex in rats. <b>2002</b> , 128, 161-8		18
468	Reduced prepulse inhibition in rats with entorhinal cortex lesions. <b>2002</b> , 134, 201-7		29
467	Neurophysiological Research in Psychiatry. 125-180		1
466	Neurobiology of Schizophrenia. 197-236		
465	. <b>2002</b> ,		6
464	Effects of ovariectomy and estradiol on acoustic startle responses in rats. <b>2002</b> , 74, 103-9		19
463	Current research on respiratory viral infections: Fourth International Symposium. <b>2002</b> , 55, 227-78		26
462	IL-2/15 receptor-beta gene deletion alters neurobehavioral performance. <b>2002</b> , 929, 218-25		24
461	Reduced anxiety-- and depression-like behaviors in Emx1 homozygous mutant mice. <b>2002</b> , 937, 32-40		31
460	Prenatal immune challenge disrupts sensorimotor gating in adult rats. Implications for the etiopathogenesis of schizophrenia. <b>2002</b> , 26, 204-15		246
459	Disruption of prepulse inhibition of startle reflex in a neurodevelopmental model of schizophrenia: reversal by clozapine, olanzapine and risperidone but not by haloperidol. <b>2002</b> , 27, 1-11		137

458	Provisional mapping of quantitative trait loci modulating the acoustic startle response and prepulse inhibition of acoustic startle. <b>2002</b> , 27, 765-81	55
457	Prepulse inhibition deficits in patients with panic disorder. <b>2002</b> , 15, 55-60	133
456	"Typical" but not "atypical" antipsychotic effects on startle gating deficits in prepubertal rats. <b>2002</b> , 161, 38-46	17
455	Effects of corticotropin-releasing factor on prepulse inhibition of the acoustic startle response in two rat strains. <b>2002</b> , 161, 296-303	50
454	Dopamine agonist effects on startle and sensorimotor gating in normal male subjects: time course studies. <b>2002</b> , 161, 189-201	47
453	Effects of typical and atypical antipsychotics on prepulse inhibition in schizophrenia: a critical evaluation of current evidence and directions for future research. <b>2002</b> , 162, 97-101	123
452	SR146131, a cholecystokinin-A receptor agonist, antagonizes prepulse inhibition deficits produced by dizocilpine and DOI. <b>2002</b> , 164, 285-93	7
451	NMDA receptor antagonists ketamine and PCP have direct effects on the dopamine D(2) and serotonin 5-HT(2) receptors-implications for models of schizophrenia. <b>2002</b> , 7, 837-44	360
450	Reduced prefrontal activity predicts exaggerated striatal dopaminergic function in schizophrenia. <b>2002</b> , 5, 267-71	542
449	The mouse: genetics meets behaviour. <b>2002</b> , 3, 114-23	136
448	Identification of quantitative trait loci for prepulse inhibition in rats. <b>2003</b> , 165, 270-9	33
447	Effect of treatment status on prepulse inhibition of acoustic startle in schizophrenia. <b>2003</b> , 167, 63-71	54
446	Lamotrigine prevents ketamine but not amphetamine-induced deficits in prepulse inhibition in mice. <b>2003</b> , 169, 240-6	57
445	Neural correlates of tactile prepulse inhibition: a functional MRI study in normal and schizophrenic subjects. <b>2003</b> , 122, 99-113	139
444	Behavioral phenotyping of mice in pharmacological and toxicological research. <b>2003</b> , 55, 69-83	234
443	Inhibition of auditory evoked potentials and prepulse inhibition of startle in DBA/2J and DBA/2Hsd inbred mouse substrains. <b>2003</b> , 992, 85-95	51
442	Exposure of mice to a predator odor increases acoustic startle but does not disrupt the rewarding properties of VTA intracranial self-stimulation. <b>2003</b> , 982, 195-210	41
441	Heritable differences in the effects of amphetamine but not DOI on startle gating in albino and hooded outbred rat strains. <b>2003</b> , 75, 191-7	28

440	Molecular aspects of glutamate dysregulation: implications for schizophrenia and its treatment. <b>2003</b> , 97, 153-79	255
439	Pharmacogenomics and animal models of schizophrenia. <b>2003</b> , 60, 95-103	1
438	Comparative genome- and proteome analysis of cerebral cortex from MK-801-treated rats. <b>2003</b> , 71, 526-33	81
437	Schizophrenia: from phenomenology to neurobiology. <b>2003</b> , 27, 269-306	202
436	Prepulse inhibition of acoustic startle in aromatase knock-out mice: effects of age and gender. <b>2003</b> , 2, 93-102	37
435	Deficient prepulse inhibition of acoustic startle in Hooded-Wistar rats compared with Sprague-Dawley rats. <b>2003</b> , 30, 254-61	32
434	Disruption of prepulse inhibition in mice lacking mGluR1. <b>2003</b> , 18, 3361-6	71
433	Disrupted sensory gating in pathological gambling. <b>2003</b> , 54, 474-84	29
432	Deficits in prepulse inhibition and habituation in never-medicated, first-episode schizophrenia. <b>2003</b> , 54, 121-8	208
431	Extreme reduction of dipeptidyl peptidase IV activity in F344 rat substrains is associated with various behavioral differences. <b>2003</b> , 80, 123-34	51
430	Ketamine-induced changes in rat behaviour: A possible animal model of schizophrenia. <b>2003</b> , 27, 687-700	215
429	Prestimulus modification of the startle reflex: relationship to personality and physiological markers of dopamine function. <b>2003</b> , 62, 17-26	23
428	Antisense hippocampal knockdown of NMDA-NR1 by HVJ-liposome vector induces deficit of prepulse inhibition but not of spatial memory. <b>2003</b> , 45, 473-81	16
427	Dopamine depletion of the nucleus accumbens reverses isolation-induced deficits in prepulse inhibition in rats. <b>2003</b> , 119, 233-40	69
426	Prepulse inhibition of acoustic startle in subjects with schizophrenia treated with olanzapine or haloperidol. <b>2003</b> , 120, 1-12	43
425	The effects of systemic NT69L, a neurotensin agonist, on baseline and drug-disrupted prepulse inhibition. <b>2003</b> , 143, 7-14	45
424	Theory, methods and new directions in the psychophysiology of the schizophrenic process and schizotypy. <b>2003</b> , 48, 221-45	27
423	Behavioral phenotype of the reeler mutant mouse: effects of RELN gene dosage and social isolation. <b>2003</b> , 117, 1257-75	97

422	Acoustic startle and prepulse inhibition in 40 inbred strains of mice. <b>2003</b> , 117, 716-27		93
421	Differential role of serotonergic projections arising from the dorsal and median raphe nuclei in locomotor hyperactivity and prepulse inhibition. <b>2003</b> , 28, 2138-47		42
420	Dopamine D1 rather than D2 receptor agonists disrupt prepulse inhibition of startle in mice. <b>2003</b> , 28, 108-18		90
419	Neurodevelopmental animal models of schizophrenia: effects on prepulse inhibition. <b>2003</b> , 3, 459-71		93
418	Transliminality correlates positively with aberrations in memory. <i>Perceptual and Motor Skills</i> , <b>2003</b> , 96, 1300-4	2.2	1
417	Sensitivity to sensorimotor gating-disruptive effects of apomorphine in two outbred parental rat strains and their F1 and N2 progeny. <b>2003</b> , 28, 226-34		20
416	Amphetamine effects on prepulse inhibition across-species: replication and parametric extension. <b>2003</b> , 28, 640-50		73
415	Castration reduces the effect of serotonin-1A receptor stimulation on prepulse inhibition in rats. <b>2003</b> , 117, 1407-15		33
414	Inhibition of subliminally primed responses is mediated by the caudate and thalamus: evidence from functional MRI and Huntington's disease. <b>2003</b> , 126, 713-23		142
413	Neurotensin, schizophrenia, and antipsychotic drug action. <b>2004</b> , 59, 327-49		44
412	Apomorphine-induced prepulse inhibition disruption is associated with a paradoxical enhancement of prepulse stimulus reactivity. <b>2004</b> , 29, 240-8		60
411	Reversal of sensorimotor gating deficits in Brattleboro rats by acute administration of clozapine and a neurotensin agonist, but not haloperidol: a potential predictive model for novel antipsychotic effects. <b>2004</b> , 29, 731-8		65
410	Neurotensin receptor antagonist SR 142948A alters Fos expression and extrapyramidal side effect profile of typical and atypical antipsychotic drugs. <b>2004</b> , 29, 2200-7		22
409	The selective serotonin-2A receptor antagonist M100907 reverses behavioral deficits in dopamine transporter knockout mice. <b>2004</b> , 29, 221-8		112
408	Effects of amisulpride, risperidone and chlorpromazine on auditory and visual latent inhibition, prepulse inhibition, executive function and eye movements in healthy volunteers. <b>2004</b> , 18, 156-72		42
407	What is the functional significance of hippocampal pathology in schizophrenia?. <i>Schizophrenia Bulletin</i> , <b>2004</b> , 30, 367-92	1.3	48
406	Recovery of sensorimotor gating without G protein adaptation after repeated D2-like dopamine receptor agonist treatment in rats. <b>2004</b> , 308, 487-94		26
405	Sensorimotor gating deficits in transgenic mice expressing a constitutively active form of Gs alpha. <b>2004</b> , 29, 494-501		30

404	The Effects of dizocilpine and phencyclidine on prepulse inhibition of the acoustic startle reflex and on prepulse-elicited reactivity in C57BL6 mice. <b>2004</b> , 29, 1865-77	80
403	Functional dissociation between serotonergic pathways in dorsal and ventral hippocampus in psychotomimetic drug-induced locomotor hyperactivity and prepulse inhibition in rats. <b>2004</b> , 20, 3424-32	28
402	Menstrual cycle phase effects on prepulse inhibition of acoustic startle. <b>2004</b> , 41, 401-6	116
401	Convergent evidence for impaired AKT1-GSK3beta signaling in schizophrenia. <b>2004</b> , 36, 131-7	786
400	Evidence that the gene encoding ZDHHC8 contributes to the risk of schizophrenia. <b>2004</b> , 36, 725-31	258
399	Effect of adrenalectomy and corticosterone replacement on prepulse inhibition and locomotor activity in mice. <b>2004</b> , 142, 543-50	30
398	Lesions of the laterodorsal tegmental nucleus disrupt prepulse inhibition of the acoustic startle reflex. <b>2004</b> , 78, 229-37	16
397	Prenatal exposure of Long-Evans rats to 17alpha-ethinylestradiol modifies neither latent inhibition nor prepulse inhibition of the startle reflex but elicits minor deficits in exploratory behavior. <b>2004</b> , 152, 177-87	10
396	Effects on rat thalamic proteome by acute and subchronic MK-801-treatment. <b>2004</b> , 505, 103-9	11
395	Correlation between cataleptic freezing and prepulse inhibition of the startle reflex in rats. <b>2004</b> , 34, 413-6	3
394	Interactions of the mGluR5 gene with breeding and maternal factors on startle and prepulse inhibition in mice. <b>2004</b> , 6, 79-90	34
393	Heritable differences in the dopaminergic regulation of sensorimotor gating. I. Apomorphine effects on startle gating in albino and hooded outbred rat strains and their F1 and N2 progeny. <b>2004</b> , 174, 441-51	31
392	Effects of clozapine on behavioral and metabolic traits relevant for schizophrenia in two mouse strains. <b>2004</b> , 171, 162-72	21
391	Altered prepulse inhibition in rats treated prenatally with the antimetabolic Ara-C: an animal model for sensorimotor gating deficits in schizophrenia. <b>2004</b> , 174, 177-89	18
390	Preattentive and attentional cognitive deficits as targets for treating schizophrenia. <b>2004</b> , 174, 75-85	159
389	Factors governing prepulse inhibition and prepulse facilitation of the acoustic startle response in mice. <b>2004</b> , 152, 403-12	60
388	Enhancement of prepulse inhibition of startle in mice by the H3 receptor antagonists thioperamide and ciproxifan. <b>2004</b> , 153, 69-76	63
387	Combined prenatal and chronic postnatal vitamin D deficiency in rats impairs prepulse inhibition of acoustic startle. <b>2004</b> , 81, 651-5	51



386	Latent inhibition is spared by N-methyl-D-aspartate (NMDA)-induced ventral hippocampal lesions, but is attenuated following local activation of the ventral hippocampus by intracerebral NMDA infusion. <b>2004</b> , 124, 183-94	31
385	Effects of serotonin-dopamine antagonists on prepulse inhibition and neurotransmitter contents in the rat cortex. <b>2004</b> , 366, 130-4	6
384	Neonatal impact of leukemia inhibitory factor on neurobehavioral development in rats. <b>2004</b> , 48, 345-53	40
383	Perinatal inflammatory cytokine challenge results in distinct neurobehavioral alterations in rats: implication in psychiatric disorders of developmental origin. <b>2004</b> , 50, 67-75	71
382	The role of Zic genes in neural development. <b>2004</b> , 26, 205-21	195
381	Méthodes et modèles en neurosciences: approches biologique et psychobiologique des troubles du comportement. <b>2004</b> , 1, 1-14	
380	Neural cell adhesion molecule-null mice are not deficient in prepulse inhibition of the startle response. <b>2005</b> , 16, 1009-12	8
379	Normal levels of prepulse inhibition in the euthymic phase of bipolar disorder. <b>2005</b> , 35, 1737-46	28
378	Differences in prepulse inhibition (PPI) between Wistar and Sprague-Dawley rats clarified by a new method of PPI standardization. <b>2005</b> , 119, 66-77	27
377	Towards an immuno-precipitated neurodevelopmental animal model of schizophrenia. <b>2005</b> , 29, 913-47	377
376	Nicotine use in schizophrenia: the self medication hypotheses. <b>2005</b> , 29, 1021-34	350
375	Prepulse inhibition of the acoustic startle reflex and oculomotor control. <b>2005</b> , 42, 473-82	7
374	An investigation of prepulse inhibition in pediatric bipolar disorder. <b>2005</b> , 7, 198-203	29
373	Hippocampal alpha5 subunit-containing GABAA receptors modulate the expression of prepulse inhibition. <b>2005</b> , 10, 201-7	78
372	Phenotype of schizophrenia: a review and formulation. <b>2005</b> , 10, 27-39	219
371	Characterization of the effects of corticotropin-releasing factor on prepulse inhibition of the acoustic startle response in Brown Norway and Wistar-Kyoto rats. <b>2005</b> , 507, 125-34	13
370	Using animal models to develop therapeutics for Tourette Syndrome. <b>2005</b> , 108, 281-93	47
369	The potential role of lamotrigine in schizophrenia. <b>2005</b> , 181, 415-36	45

368	Enhanced effect of dopaminergic stimulation on prepulse inhibition in mice deficient in the alpha subunit of G(z). <b>2005</b> , 183, 358-67	24
367	Distinct influences of neonatal epidermal growth factor challenge on adult neurobehavioral traits in four mouse strains. <b>2005</b> , 35, 615-29	40
366	Neurotensin-deficient mice have deficits in prepulse inhibition: restoration by clozapine but not haloperidol, olanzapine, or quetiapine. <b>2005</b> , 315, 256-64	46
365	Structural brain correlates of prepulse inhibition of the acoustic startle response in healthy humans. <b>2005</b> , 26, 1052-8	81
364	Atomoxetine and nicotine enhance prepulse inhibition of acoustic startle in C57BL/6 mice. <b>2005</b> , 377, 85-90	36
363	Slow habituation of induced gamma and beta oscillations in association with unreality experiences in schizotypy. <b>2005</b> , 56, 15-24	8
362	Prenatal exposure to a repeated variable stress paradigm elicits behavioral and neuroendocrinological changes in the adult offspring: potential relevance to schizophrenia. <b>2005</b> , 156, 251-61	255
361	Association between violent behaviour and impaired prepulse inhibition of the startle response in antisocial personality disorder and schizophrenia. <b>2005</b> , 158, 159-66	39
360	HZE radiation and dopaminergic modification of startle and prepulse inhibition in mice. <b>2005</b> , 86, 103-10	13
359	Sensorimotor gating and habituation of the startle response in schizophrenic patients randomly treated with amisulpride or olanzapine. <b>2006</b> , 59, 536-45	91
358	Immune activation during pregnancy in mice leads to dopaminergic hyperfunction and cognitive impairment in the offspring: a neurodevelopmental animal model of schizophrenia. <b>2006</b> , 59, 546-54	362
357	Insulin receptor deficits in schizophrenia and in cellular and animal models of insulin receptor dysfunction. <i>Schizophrenia Research</i> , <b>2006</b> , 84, 1-14	3.6 121
356	Strain-dependent behavioral alterations induced by peripheral interleukin-1 challenge in neonatal mice. <b>2006</b> , 166, 19-31	10
355	Prepulse inhibition is different in two inbred mouse strains (CPB-K and BALB/cJ) with different hippocampal NMDA receptor densities. <b>2006</b> , 166, 78-84	13
354	Nicotine and clozapine selectively reverse a PCP-induced deficit of PPI in BALB/cByJ but not NMRI mice: comparison with risperidone. <b>2006</b> , 167, 118-27	28
353	Effects of copper metabolism on neurological functions in Wistar and Wilson's disease model rats. <b>2006</b> , 349, 1079-86	46
352	Attenuation of the prepulse inhibition of the acoustic startle response within and between sessions. <b>2006</b> , 71, 256-63	27
351	Requirement of tryptophan hydroxylase during development for maturation of sensorimotor gating. <b>2006</b> , 363, 345-54	10

350	Recent progress in animal modeling of immune inflammatory processes in schizophrenia: implication of specific cytokines. <b>2006</b> , 56, 2-13	145
349	Schizophrenia: a unique translational opportunity in behavioral neuroendocrinology. <b>2006</b> , 50, 602-11	22
348	SCH 23390 in the prefrontal cortex enhances the effect of apomorphine on prepulse inhibition of rats. <b>2006</b> , 51, 438-46	21
347	Medial prefrontal cortex volume loss in rats with isolation rearing-induced deficits in prepulse inhibition of acoustic startle. <b>2006</b> , 141, 1113-21	98
346	[Experimental models of schizophrenia--a review]. <b>2006</b> , 28, 135-41	6
345	Experience increases the prepulse inhibition of the acoustic startle response in mice. <b>2006</b> , 120, 16-23	18
344	Fibroblast growth factor receptor signaling affects development and function of dopamine neurons - inhibition results in a schizophrenia-like syndrome in transgenic mice. <b>2006</b> , 97, 1243-58	87
343	Pharmacology of the atypical antipsychotic remoxipride, a dopamine D2 receptor antagonist. <b>2001</b> , 7, 265-82	19
342	Impaired sensory gating and attention in rats with developmental abnormalities of the mesocortex. Implications for schizophrenia. <b>2000</b> , 911, 486-94	22
341	Effects of haloperidol and clozapine on sensorimotor gating deficits induced by 5-hydroxytryptamine depletion in the brain. <b>2006</b> , 147, 800-7	13
340	Effect of 5-HT2C receptor antagonist RS 102221 on mouse behavior. <b>2006</b> , 142, 76-9	9
339	A behavioural and functional neuroimaging investigation into the effects of nicotine on sensorimotor gating in healthy subjects and persons with schizophrenia. <b>2006</b> , 184, 589-99	95
338	The acute effects of d-amphetamine and methamphetamine on attention and psychomotor performance. <b>2006</b> , 187, 154-69	93
337	Pharmacokinetic and behavioral characterization of a long-term antipsychotic delivery system in rodents and rabbits. <b>2007</b> , 190, 201-11	16
336	Maladaptation to mental stress mitigated by the adaptive immune system via depletion of naturally occurring regulatory CD4+CD25+ cells. <b>2006</b> , 66, 552-63	133
335	Cannabidiol reverses MK-801-induced disruption of prepulse inhibition in mice. <b>2006</b> , 31, 795-803	133
334	Psychostimulant-induced attenuation of hyperactivity and prepulse inhibition deficits in Adcyap1-deficient mice. <i>Journal of Neuroscience</i> , <b>2006</b> , 26, 5091-7	6.6 67
333	Animal Models of Psychosis. <b>2006</b> , 193-220	5

- 332 Transgenic and Knockout Models of Neuropsychiatric Disorders. **2006**, 2
- 331 Constitutive activation of Galphas within forebrain neurons causes deficits in sensorimotor gating because of PKA-dependent decreases in cAMP. **2007**, 32, 577-88 58
- 330 Cannabinoid receptor antagonists counteract sensorimotor gating deficits in the phencyclidine model of psychosis. **2007**, 32, 2098-107 56
- 329 A cyclooxygenase-2 inhibitor ameliorates behavioral impairments induced by striatal administration of epidermal growth factor. *Journal of Neuroscience*, **2007**, 27, 10116-27 6.6 31
- 328 Neurobehavioral and immunological consequences of prenatal immune activation in rats. Influence of antipsychotics. **2007**, 32, 1791-804 112
- 327 The effects of the preferential 5-HT<sub>2A</sub> agonist psilocybin on prepulse inhibition of startle in healthy human volunteers depend on interstimulus interval. **2007**, 32, 1876-87 109
- 326 Minocycline attenuates hyperlocomotion and prepulse inhibition deficits in mice after administration of the NMDA receptor antagonist dizocilpine. **2007**, 32, 2004-10 92
- 325 Dynamic organization of the emotional brain: responsivity, stability, and instability. **2007**, 13, 349-70 49
- 324 Reduced sleep spindle activity in schizophrenia patients. *American Journal of Psychiatry*, **2007**, 164, 483-92.9 335
- 323 A fMRI investigation of startle gating deficits in schizophrenia patients treated with typical or atypical antipsychotics. *International Journal of Neuropsychopharmacology*, **2007**, 10, 463-77 5.8 95
- 322 The cellular and behavioral consequences of interleukin-1 alpha penetration through the blood-brain barrier of neonatal rats: a critical period for efficacy. **2007**, 150, 234-50 23
- 321 Deficient prepulse inhibition induced by selective breeding of rats can be restored by the dopamine D<sub>2</sub> antagonist haloperidol. **2007**, 177, 364-7 33
- 320 The effects of chronic administration of established and putative antipsychotics on natural prepulse inhibition deficits in Brattleboro rats. **2007**, 181, 278-86 41
- 319 Alterations in serum amino acid concentrations in male and female schizophrenic patients. **2007**, 380, 186-90 29
- 318 Translating basic science to improve pharmacotherapy for nicotine dependence. **2007**, 9 Suppl 4, S583-98 6
- 317 Overview of animal models of schizophrenia. **2007**, Chapter 9, Unit 9.24 18
- 316 Phenomenology and Clinical Science of Schizophrenia. **2007**,
- 315 Effects of combined exposure to pyridostigmine bromide and shaker stress on acoustic startle response, pre-pulse inhibition and open field behavior in mice. **2007**, 27, 276-83 9

314	Lack of association between the interleukin-1 gene complex and schizophrenia in a Japanese population. <b>2007</b> , 61, 364-9	14
313	Minocycline, a second-generation tetracycline, as a neuroprotective agent in an animal model of schizophrenia. <b>2007</b> , 1154, 154-62	65
312	Nicotine and nicotinic system in hypoglutamatergic models of schizophrenia. <b>2007</b> , 12, 233-46	17
311	Acute or subchronic clozapine treatment does not ameliorate prepulse inhibition (PPI) deficits in CPB-K mice with low levels of hippocampal NMDA receptor density. <b>2007</b> , 194, 93-102	10
310	Neurobehavioral mutants identified in an ENU-mutagenesis project. <b>2007</b> , 18, 559-72	18
309	Effects of administration of sodium glutamate during the neonatal period on behavior and blood corticosterone levels in male mice. <b>2007</b> , 37, 827-33	5
308	Relationship between PPI and baseline startle response. <b>2007</b> , 1, 27-37	17
307	Behavioural and neurochemical effects of post-weaning social isolation in rodents-relevance to developmental neuropsychiatric disorders. <b>2008</b> , 32, 1087-102	613
306	Realistic expectations of prepulse inhibition in translational models for schizophrenia research. <b>2008</b> , 199, 331-88	412
305	Effects of tryptophan deficiency on prepulse inhibition of the acoustic startle in rats. <b>2008</b> , 198, 191-200	8
304	Glycine and D: -serine, but not D: -cycloserine, attenuate prepulse inhibition deficits induced by NMDA receptor antagonist MK-801. <b>2008</b> , 198, 363-74	42
303	Effects of nicotine on quinpirole- and dizocilpine (MK-801)-induced sensorimotor gating impairments in rats. <b>2008</b> , 200, 403-11	10
302	The anthraquinone derivative Emodin ameliorates neurobehavioral deficits of a rodent model for schizophrenia. <b>2008</b> , 115, 521-30	30
301	Altered pre-pulse inhibition in adult rats treated neonatally with domoic acid. <b>2008</b> , 35, 157-60	31
300	From genes to psychoses and back: the role of the 5HT2alpha-receptor and prepulse inhibition in schizophrenia. <b>2008</b> , 258 Suppl 5, 40-3	17
299	Cholinergic input from the ventral nucleus of the trapezoid body to cochlear root neurons in rats. <b>2008</b> , 506, 452-68	37
298	Effects of estrous stage and time of day on prepulse inhibition in female rats. <b>2008</b> , 173, 295-8	15
297	Abnormal social behaviors in mice lacking Fgf17. <b>2008</b> , 7, 344-54	90

296	Phospholipase C-beta1 knockout mice exhibit endophenotypes modeling schizophrenia which are rescued by environmental enrichment and clozapine administration. <b>2008</b> , 13, 661-72		106
295	Uncontrollable voices and their relationship to gating deficits in schizophrenia. <i>Schizophrenia Research</i> , <b>2008</b> , 101, 185-94	3.6	38
294	Inactivation of the 5-HT(7) receptor partially blocks phencyclidine-induced disruption of prepulse inhibition. <b>2008</b> , 63, 98-105		49
293	The dopamine D(3) receptor Ser9Gly polymorphism modulates prepulse inhibition of the acoustic startle reflex. <b>2008</b> , 64, 235-40		49
292	Sensorimotor gating of schizophrenia patients is influenced by 5-HT2A receptor polymorphisms. <b>2008</b> , 64, 434-7		67
291	Impaired sensorimotor gating of the acoustic startle response in the prodrome of schizophrenia. <b>2008</b> , 64, 766-73		118
290	Acoustic Startle in Mice and Rats. <b>2008</b> , 603-611		1
289	Cholinergic mechanism underlying prepulse inhibition of the startle response in rats. <b>2008</b> , 155, 326-35		47
288	Reducing post-traumatic anxiety by immunization. <b>2008</b> , 22, 1108-1114		96
287	Nicotine withdrawal disrupts both foreground and background contextual fear conditioning but not pre-pulse inhibition of the acoustic startle response in C57BL/6 mice. <b>2008</b> , 190, 174-81		37
286	Immune activation during mid-gestation disrupts sensorimotor gating in rat offspring. <b>2008</b> , 190, 156-9		101
285	Cortical grey matter volume and sensorimotor gating in schizophrenia. <b>2008</b> , 44, 1206-14		56
284	In vitro and in vivo pharmacological profile of AS057278, a selective d-amino acid oxidase inhibitor with potential anti-psychotic properties. <b>2008</b> , 18, 200-14		100
283	Prepulse inhibition and "psychosis-proneness" in healthy individuals: an fMRI study. <b>2008</b> , 23, 274-80		60
282	Behavioral and physiological characterization of sensorimotor gating in the goldfish startle response. <b>2008</b> , 99, 1493-502		33
281	Sensorimotor gating and attentional set-shifting are improved by the mu-opioid receptor agonist morphine in healthy human volunteers. <i>International Journal of Neuropsychopharmacology</i> , <b>2008</b> , 11, 655-69	5.8	25
280	Involvement of pallidotegmental neurons in methamphetamine- and MK-801-induced impairment of prepulse inhibition of the acoustic startle reflex in mice: reversal by GABAB receptor agonist baclofen. <b>2008</b> , 33, 3164-75		66
279	Behavioural alterations in rats following neonatal hypoxia and effects of clozapine: implications for schizophrenia. <b>2008</b> , 41, 138-45		23

278	Advances in endophenotyping schizophrenia. <b>2008</b> , 7, 11-8		75
277	[Pharmacological profiles and clinical effects of blonanserin (Lonasen) on schizophrenia]. <b>2008</b> , 132, 351-60		11
276	Stimulus quality affects expression of the acoustic startle response and prepulse inhibition in mice. <b>2008</b> , 122, 516-26		20
275	Restricted cortical and amygdaloid removal of vesicular glutamate transporter 2 in preadolescent mice impacts dopaminergic activity and neuronal circuitry of higher brain function. <i>Journal of Neuroscience</i> , <b>2009</b> , 29, 2238-51	6.6	46
274	Phosphodiesterase 10A inhibitor activity in preclinical models of the positive, cognitive, and negative symptoms of schizophrenia. <b>2009</b> , 331, 574-90		222
273	NMDA receptor phosphorylation at a site affected in schizophrenia controls synaptic and behavioral plasticity. <i>Journal of Neuroscience</i> , <b>2009</b> , 29, 11965-72	6.6	39
272	Deficient sensorimotor gating induced by selective breeding in rats is improved by entopeduncular nucleus lesions. <b>2009</b> , 34, 351-6		13
271	Lipopolysaccharide reduces tactile startle response magnitude but not prepulse inhibition in rats: a dose-response examination. <b>2009</b> , 93, 47-53		7
270	A cog in cognition: how the alpha 7 nicotinic acetylcholine receptor is geared towards improving cognitive deficits. <b>2009</b> , 122, 302-11		137
269	TC-5619: an alpha7 neuronal nicotinic receptor-selective agonist that demonstrates efficacy in animal models of the positive and negative symptoms and cognitive dysfunction of schizophrenia. <b>2009</b> , 78, 803-12		133
268	Neuregulin 1 transgenic mice display reduced mismatch negativity, contextual fear conditioning and social interactions. <b>2009</b> , 1294, 116-27		103
267	Prenatal exposure to infection: a primary mechanism for abnormal dopaminergic development in schizophrenia. <b>2009</b> , 206, 587-602		83
266	Are DBA/2 mice associated with schizophrenia-like endophenotypes? A behavioural contrast with C57BL/6 mice. <b>2009</b> , 206, 677-98		44
265	Phenotypic characterization of mice heterozygous for a null mutation of glutamate carboxypeptidase II. <b>2009</b> , 63, 625-35		22
264	Increased expression of the NR2A NMDA receptor subunit in the prefrontal cortex of rats reared in isolation. <b>2009</b> , 63, 836-46		41
263	Chromosome 8p as a potential hub for developmental neuropsychiatric disorders: implications for schizophrenia, autism and cancer. <b>2009</b> , 14, 563-89		170
262	Lipopolysaccharide produces dose-dependent reductions of the acoustic startle response without impairing prepulse inhibition in male rats. <b>2009</b> , 23, 101-7		15
261	Voluntary exercise in C57 mice is anxiolytic across several measures of anxiety. <b>2009</b> , 197, 31-40		102

260	Neural basis of psychosis-related behaviour in the infection model of schizophrenia. <b>2009</b> , 204, 322-34		122
259	The neurotensin agonist NT69L improves sensorimotor gating deficits in rats induced by a glutamatergic antagonist, but not by dopaminergic agonists. <b>2009</b> , 202, 192-7		4
258	Effects of social isolation rearing on the limbic brain: a combined behavioral and magnetic resonance imaging volumetry study in rats. <b>2009</b> , 159, 21-30		79
257	Dopaminergic hypofunctions and prepulse inhibition deficits in mice lacking midkine. <b>2009</b> , 33, 541-6		18
256	Metallothionein-3 deficient mice exhibit abnormalities of psychological behaviors. <b>2009</b> , 467, 11-4		18
255	Sensorimotor gating depends on polymorphisms of the serotonin-2A receptor and catechol-O-methyltransferase, but not on neuregulin-1 Arg38Gln genotype: a replication study. <b>2009</b> , 66, 614-20		85
254	The relationship between prepulse inhibition and general psychopathology in patients with schizophrenia treated with long-acting risperidone. <i>Schizophrenia Research</i> , <b>2009</b> , 115, 215-21	3.6	27
253	Deficit in prepulse inhibition in mice caused by dietary n-3 fatty acid deficiency. <b>2009</b> , 123, 1218-25		28
252	Habituation in prepulse inhibition is affected by a polymorphism on the NMDA receptor 2B subunit gene (GRIN2B). <b>2010</b> , 20, 191-8		16
251	Animal Models and Procedures for CNS Disorders. <b>2010</b> , 14-69		
250	Epigenetics and biomarkers in the staging of neuropsychiatric disorders. <b>2010</b> , 18, 347-66		17
249	Somatostatin-28 modulates prepulse inhibition of the acoustic startle response, reward processes and spontaneous locomotor activity in rats. <b>2010</b> , 44, 421-9		5
248	The anthraquinone derivative emodin attenuates methamphetamine-induced hyperlocomotion and startle response in rats. <b>2010</b> , 97, 392-8		11
247	Electrophysiology meets fMRI: neural correlates of the startle reflex assessed by simultaneous EMG-fMRI data acquisition. <b>2010</b> , 31, 1675-85		38
246	Complexin2 null mutation requires a 'second hit' for induction of phenotypic changes relevant to schizophrenia. <b>2010</b> , 9, 592-602		21
245	Dysregulation of kisspeptin and neurogenesis at adolescence link inborn immune deficits to the late onset of abnormal sensorimotor gating in congenital psychological disorders. <b>2010</b> , 15, 415-25		32
244	Cytokine hypothesis of schizophrenia pathogenesis: evidence from human studies and animal models. <b>2010</b> , 64, 217-30		160
243	. <b>2010</b> ,		5



242	Abnormal long-range neural synchrony in a maternal immune activation animal model of schizophrenia. <i>Journal of Neuroscience</i> , <b>2010</b> , 30, 12424-31	6.6	105
241	Altered auditory processing in patients with panic disorder: a pilot study. <b>2010</b> , 11, 945-55		15
240	Focusing on new monoamine oxidase inhibitors. <b>2010</b> , 20, 909-39		57
239	Sensorimotor gating of schizophrenia patients depends on Catechol O-methyltransferase Val158Met polymorphism. <i>Schizophrenia Bulletin</i> , <b>2010</b> , 36, 341-6	1.3	51
238	Evidence for a role of progesterone in menstrual cycle-related variability in prepulse inhibition in healthy young women. <b>2010</b> , 35, 929-37		30
237	Models of neurodevelopmental abnormalities in schizophrenia. <b>2010</b> , 4, 435-81		51
236	Induction of Toll-like receptor 3-mediated immunity during gestation inhibits cortical neurogenesis and causes behavioral disturbances. <b>2010</b> , 1,		70
235	Recent patents on positive allosteric modulators of the metabotropic glutamate 5 receptor as a potential treatment for schizophrenia. <b>2010</b> , 5, 23-34		18
234	Convergent evidence shows a positive association of interleukin-1 gene complex locus with susceptibility to schizophrenia in the Caucasian population. <i>Schizophrenia Research</i> , <b>2010</b> , 120, 131-42	3.6	59
233	The effects of glycine transporter I inhibitor, N-methylglycine (sarcosine), on ketamine-induced alterations in sensorimotor gating and regional brain c-Fos expression in rats. <b>2010</b> , 469, 127-30		24
232	Effects of aripiprazole on MK-801-induced prepulse inhibition deficits and mitogen-activated protein kinase signal transduction pathway. <b>2010</b> , 471, 53-7		35
231	Khat use and neurobehavioral functions: suggestions for future studies. <b>2010</b> , 132, 554-63		68
230	Chronic NT69L potently prevents drug-induced disruption of prepulse inhibition without causing tolerance. <b>2010</b> , 207, 118-24		14
229	Acoustic hypersensitivity in adult rats after neonatal ventral hippocampus lesions. <b>2010</b> , 207, 161-8		16
228	The lonely mouse: verification of a separation-induced model of depression in female mice. <b>2010</b> , 207, 196-207		103
227	Schizophrenia-relevant behaviours in a genetic mouse model for Y2 deficiency. <b>2010</b> , 207, 434-40		22
226	Effects of neurotensin-2 receptor deletion on sensorimotor gating and locomotor activity. <b>2010</b> , 212, 174-8		4
225	Epidemiology-driven neurodevelopmental animal models of schizophrenia. <b>2010</b> , 90, 285-326		288

224	Enhancement of acoustic prepulse inhibition by contextual fear conditioning in mice is maintained even after contextual fear extinction. <b>2010</b> , 34, 183-8	13
223	Sensorimotor gating in neurotensin-1 receptor null mice. <b>2010</b> , 58, 173-8	16
222	Ontogeny of sensorimotor gating and immune impairment induced by prenatal immune challenge in rats: implications for the etiopathology of schizophrenia. <b>2010</b> , 15, 372-83	125
221	Serotonin and Schizophrenia. <b>2010</b> , 21, 585-620	11
220	Animal models of schizophrenia. <b>2010</b> , 4, 391-433	62
219	Behavioral Neurobiology of Schizophrenia and Its Treatment. <b>2010</b> ,	6
218	Impaired hierarchical control within the lateral prefrontal cortex in schizophrenia. <b>2011</b> , 70, 73-80	24
217	theraTRACE <sup>®</sup> : a mechanism unbiased in vivo platform for phenotypic screening and drug repositioning. <b>2011</b> , 8, 89-95	2
216	15 Prenatal infections and long-term mental outcome: Modeling schizophrenia-related dysfunctions using the prenatal PolyI:C model in mice. <b>2011</b> ,	
215	Sensorimotor gating and vigilance-dependent choice accuracy: a within-subject correlative analysis in wild-type C57BL/6 mice. <b>2011</b> , 217, 178-87	11
214	Extended access to methamphetamine self-administration affects sensorimotor gating in rats. <b>2011</b> , 217, 386-90	24
213	Pharmacological characterizations of memantine-induced disruption of prepulse inhibition of the acoustic startle response in mice: involvement of dopamine D2 and 5-HT2A receptors. <b>2011</b> , 218, 165-73	18
212	Involvement of the cholinergic system in conditioning and perceptual memory. <b>2011</b> , 221, 443-65	92
211	Lesions of the entopeduncular nucleus in rats prevent apomorphine-induced deficient sensorimotor gating. <b>2011</b> , 220, 281-7	12
210	The 22q11.2 microdeletion: fifteen years of insights into the genetic and neural complexity of psychiatric disorders. <b>2011</b> , 29, 259-81	98
209	Spontaneously Hypertensive Rats (SHR) present deficits in prepulse inhibition of startle specifically reverted by clozapine. <b>2011</b> , 35, 1748-52	52
208	Hippocampal serotonin depletion facilitates the enhancement of prepulse inhibition by risperidone: possible role of 5-HT(2C) receptors in the dorsal hippocampus. <b>2011</b> , 61, 458-67	10
207	Cognitive and socio-emotional deficits in platelet-derived growth factor receptor- $\beta$ gene knockout mice. <i>PLoS ONE</i> , <b>2011</b> , 6, e18004	3-7 44

206	Evaluation of social and physical enrichment in modulation of behavioural phenotype in C57BL/6J female mice. <i>PLoS ONE</i> , <b>2011</b> , 6, e24755	3.7	66
205	Schizophrenia-relevant behaviors in a genetic mouse model of constitutive Nurr1 deficiency. <b>2011</b> , 10, 589-603		34
204	Impact of TCF4 on the genetics of schizophrenia. <b>2011</b> , 261 Suppl 2, S161-5		18
203	Inhibition of cerebral type 1 cannabinoid receptors is associated with impaired auditory mismatch negativity generation in the ketamine model of schizophrenia. <b>2011</b> , 218, 611-20		20
202	Nitric oxide modulates dopaminergic regulation of prepulse inhibition in the basolateral amygdala. <b>2011</b> , 25, 1639-48		10
201	Further characterization of the predictive validity of the Brattleboro rat model for antipsychotic efficacy. <b>2011</b> , 25, 836-41		9
200	Clozapine and PD149163 elevate prepulse inhibition in Brown Norway rats. <b>2011</b> , 125, 268-72		16
199	Activation of nociceptin/orphanin FQ peptide receptors disrupts visual but not auditory sensorimotor gating in BALB/cByJ mice: comparison to dopamine receptor agonists. <b>2012</b> , 37, 378-89		14
198	Sensorimotor gating and D2 receptor signalling: evidence from a molecular genetic approach. <i>International Journal of Neuropsychopharmacology</i> , <b>2012</b> , 15, 1427-40	5.8	14
197	Glutamatergic animal models of schizophrenia. <b>2012</b> , 18, 1593-604		29
196	Antipsychotic profile of cannabidiol and rimonabant in an animal model of emotional context processing in schizophrenia. <b>2012</b> , 18, 4960-5		37
195	Animal models of psychiatric disorders. <b>2012</b> , 106, 137-66		23
194	A two-hit model: behavioural investigation of the effect of combined neonatal MK-801 administration and isolation rearing in the rat. <b>2012</b> , 26, 1252-64		36
193	Brain imaging correlates of emerging schizophrenia. <b>2012</b> , 2, 147-154		1
192	Growth restriction alters adult spatial memory and sensorimotor gating in a sex-specific manner. <b>2012</b> , 3, 59-68		5
191	Behavioral animal models of antipsychotic drug actions. <i>Handbook of Experimental Pharmacology</i> , <b>2012</b> , 361-406	3.2	26
190	La recherche en psychiatrie. <b>2012</b> , 31-85		
189	Sex effects on neurodevelopmental outcomes of innate immune activation during prenatal and neonatal life. <b>2012</b> , 62, 228-36		42

188	To poly(I:C) or not to poly(I:C): advancing preclinical schizophrenia research through the use of prenatal immune activation models. <b>2012</b> , 62, 1308-21		178
187	Is lead exposure in early life an environmental risk factor for Schizophrenia? Neurobiological connections and testable hypotheses. <b>2012</b> , 33, 560-74		68
186	Consequences of early life MK-801 administration: long-term behavioural effects and relevance to schizophrenia research. <b>2012</b> , 227, 276-86		53
185	Deep brain stimulation of the subthalamic nucleus in the 6-hydroxydopamine rat model of Parkinson's disease: effects on sensorimotor gating. <b>2012</b> , 230, 243-50		11
184	Deep brain stimulation of the entopeduncular nucleus in rats prevents apomorphine-induced deficient sensorimotor gating. <b>2012</b> , 232, 130-6		14
183	Impaired sensorimotor gating in unmedicated adults with obsessive-compulsive disorder. <b>2012</b> , 37, 1216-23		126
182	Chronic blockade of CB(1) receptors reverses startle gating deficits and associated neurochemical alterations in rats reared in isolation. <b>2012</b> , 167, 1652-64		9
181	The development of sensorimotor reflexes in albino mice; albino rats and black-hooded rats. <b>2012</b> , 30, 545-53		12
180	Neonatal domoic acid treatment produces alterations to prepulse inhibition and latent inhibition in adult rats. <b>2012</b> , 103, 338-44		17
179	Olfactory processing, sex effects and heterogeneity in schizophrenia. <i>Schizophrenia Research</i> , <b>2012</b> , 135, 144-51	3.6	29
178	7 neuronal nicotinic receptor agonist (TC-7020) reverses increased striatal dopamine release during acoustic PPI testing in a transgenic mouse model of schizophrenia. <i>Schizophrenia Research</i> , <b>2012</b> , 136, 82-7	3.6	19
177	Phenotypic In Vivo Screening to Identify New, Unpredicted Indications for Existing Drugs and Drug Candidates. <b>2012</b> , 253-290		6
176	Current Antipsychotics. <i>Handbook of Experimental Pharmacology</i> , <b>2012</b> ,	3.2	5
175	The developing utility of zebrafish models for cognitive enhancers research. <b>2012</b> , 10, 263-71		35
174	The relationship between acoustic startle response measures and cognitive functions in Japanese patients with schizophrenia. <b>2012</b> , 14, 131-8		9
173	DOI-induced deficits in prepulse inhibition in Wistar rats are reversed by mGlu2/3 receptor stimulation. <b>2012</b> , 102, 6-12		14
172	Akt1 deficiency in schizophrenia and impairment of hippocampal plasticity and function. <b>2012</b> , 22, 230-40		64
171	A sensitive period for GABAergic interneurons in the dentate gyrus in modulating sensorimotor gating. <i>Journal of Neuroscience</i> , <b>2013</b> , 33, 6691-704	6.6	31

170	A fast cholinergic modulation of the primary acoustic startle circuit in rats. <b>2014</b> , 219, 1555-73		17
169	Multimodal image analysis of sensorimotor gating in healthy women. <b>2013</b> , 1499, 61-8		13
168	Modeling Schizophrenia in Animals. <b>2013</b> , 727-755		2
167	Evidences for a progressive microglial activation and increase in iNOS expression in rats submitted to a neurodevelopmental model of schizophrenia: reversal by clozapine. <i>Schizophrenia Research</i> , <b>2013</b> , 151, 12-9	3.6	82
166	Mapping brain regions in which deep brain stimulation affects schizophrenia-like behavior in two rat models of schizophrenia. <b>2013</b> , 6, 490-9		49
165	Theoretical and practical considerations behind the use of laboratory animals for the study of Tourette syndrome. <b>2013</b> , 37, 1085-100		20
164	<i>Prunella vulgaris</i> attenuates prepulse inhibition deficit and attention disruption induced by MK-801 in mice. <b>2013</b> , 27, 1763-9		9
163	Exploring the role of 5-HT1A receptors in the regulation of prepulse inhibition in mice: implications for cross-species comparisons. <b>2013</b> , 4, 149-60		7
162	Serotonergic hallucinogens as translational models relevant to schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , <b>2013</b> , 16, 2165-80	5.8	39
161	Moderate-level prenatal alcohol exposure enhances acoustic startle magnitude and disrupts prepulse inhibition in adult rhesus monkeys. <b>2013</b> , 37, 1729-36		6
160	Sex-dependent alterations in BDNF-TrkB signaling in the hippocampus of reelin heterozygous mice: a role for sex steroid hormones. <b>2013</b> , 126, 389-99		19
159	Mice lacking the Parkinson's related GPR37/PAEL receptor show non-motor behavioral phenotypes: age and gender effect. <b>2013</b> , 12, 465-77		18
158	Animal models for predicting the efficacy and side effects of antipsychotic drugs. <b>2013</b> , 35 Suppl 2, S132-9		31
157	Aberrant neural synchrony in the maternal immune activation model: using translatable measures to explore targeted interventions. <b>2013</b> , 7, 217		27
156	Motor coordination in inbred mouse strains and the crucial role of the cerebellum. 81-87		1
155	Audition. 36-44		2
154	Startle behavior and prepulse inhibition. 171-178		
153	Synaptic plasticity, neural circuits, and the emerging role of altered short-term information processing in schizophrenia. <b>2014</b> , 6, 28		69

152	Positive allosteric modulation of GABAB receptors ameliorates sensorimotor gating in rodent models. <b>2014</b> , 20, 679-84	11
151	Minocycline rescues decrease in neurogenesis, increase in microglia cytokines and deficits in sensorimotor gating in an animal model of schizophrenia. <b>2014</b> , 38, 175-84	125
150	MitoPark mice, an animal model of Parkinson's disease, show enhanced prepulse inhibition of acoustic startle and no loss of gating in response to the adenosine A(2A) antagonist SCH 412348. <b>2014</b> , 231, 1325-37	9
149	Long-term consequences of neonatal fluoxetine exposure in adult rats. <b>2014</b> , 74, 1038-51	40
148	Neurobiologic Underpinnings of Social Cognition and Metacognition in Schizophrenia Spectrum Disorders. <b>2014</b> , 1-27	2
147	Alterations in the hippocampal and striatal catecholaminergic fiber densities of heterozygous reeler mice. <b>2014</b> , 275, 404-19	7
146	The effects of atomoxetine and methylphenidate on the prepulse inhibition of the acoustic startle response in mice. <b>2014</b> , 54, 206-15	2
145	Preventive effect of Hippic acid on prepulse inhibition deficits in a juvenile two-hit model of schizophrenia. <b>2014</b> , 272, 261-70	19
144	A behavioural test battery to investigate tic-like symptoms, stereotypies, attentional capabilities, and spontaneous locomotion in different mouse strains. <b>2014</b> , 267, 95-105	12
143	Distinct behavioral consequences of short-term and prolonged GABAergic depletion in prefrontal cortex and dorsal hippocampus. <b>2014</b> , 8, 452	17
142	Mice repeatedly exposed to Group-A Haemolytic Streptococcus show perseverative behaviors, impaired sensorimotor gating, and immune activation in rostral diencephalon. <b>2015</b> , 5, 13257	22
141	Relationships among parvalbumin-immunoreactive neuron density, phase-locked gamma oscillations, and autistic/schizophrenic symptoms in PDGFR- $\beta$ knock-out and control mice. <i>PLoS ONE</i> , <b>2015</b> , 10, e0119258	3-7 47
140	Disturbance of sensorimotor filtering in the 6-OHDA rodent model of Parkinson's disease. <b>2015</b> , 125, 71-8	8
139	Exposure to HIV-1 Tat in brain impairs sensorimotor gating and activates microglia in limbic and extralimbic brain regions of male mice. <b>2015</b> , 291, 209-218	40
138	Finasteride administration potentiates the disruption of prepulse inhibition induced by forced swim stress. <b>2015</b> , 289, 55-60	5
137	Experimental Models on Effects of Psychostimulants. <b>2015</b> , 120, 107-29	5
136	Glutamate synapses in human cognitive disorders. <b>2015</b> , 38, 127-49	147
135	High levels of impulsivity in rats are not accompanied by sensorimotor gating deficits and locomotor hyperactivity. <b>2015</b> , 121, 13-20	0

134	The HIV-1 transgenic rat model of neuroHIV. <b>2015</b> , 48, 336-49	58
133	Prenatal LPS-exposure--a neurodevelopmental rat model of schizophrenia--differentially affects cognitive functions, myelination and parvalbumin expression in male and female offspring. <b>2015</b> , 57, 17-30	103
132	Neuronal activity of the prefrontal cortex is reduced in rats selectively bred for deficient sensorimotor gating. <b>2015</b> , 56, 174-84	15
131	Recent advances in the neuropsychopharmacology of serotonergic hallucinogens. <b>2015</b> , 277, 99-120	160
130	The noradrenergic projection from the locus coeruleus to the cochlear root neurons in rats. <b>2015</b> , 220, 1477-96	16
129	Modeling Schizophrenia in Animals. <b>2016</b> , 353-381	
128	Animal Models of Tourette Syndrome-From Proliferation to Standardization. <i>Frontiers in Neuroscience</i> , <b>2016</b> , 10, 132	5.1 15
127	Of rodents and men: understanding the emergence of motor and cognitive symptoms in Huntington disease. <b>2016</b> , 27, 403-14	4
126	Emerging toxicity of 5,6-methylenedioxy-2-aminoindane (MDAI): Pharmacokinetics, behaviour, thermoregulation and LD50 in rats. <b>2016</b> , 69, 49-59	22
125	Detailed pharmacological evaluation of methoxetamine (MXE), a novel psychoactive ketamine analogue-Behavioural, pharmacokinetic and metabolic studies in the Wistar rat. <b>2016</b> , 126, 102-110	25
124	Unaltered cocaine self-administration in the prenatal LPS rat model of schizophrenia. <b>2016</b> , 69, 38-48	8
123	Schizophrenia and neurosurgery: A dark past with hope of a brighter future. <b>2016</b> , 34, 53-58	13
122	Synthesis and pharmacological characterization of novel N-(trans-4-(2-(4-(benzo[d]isothiazol-3-yl)piperazin-1-yl)ethyl)cyclohexyl)amides as potential multireceptor atypical antipsychotics. <b>2016</b> , 123, 332-353	10
121	Effect of stress and attention on startle response and prepulse inhibition. <b>2016</b> , 165, 179-86	19
120	Effect of Valeriana fauriei extract on the offspring of adult rats exposed to prenatal stress. <b>2016</b> , 38, 251-8	6
119	Investigation of the role of alpha-2 adrenergic receptors on prepulse inhibition of acoustic startle reflex in rats. <b>2016</b> , 70, 501-507	4
118	The prepulse inhibition deficit appearance is largely independent on the circadian cycle, body weight, and the gender of vasopressin deficient Brattleboro rat. <b>2016</b> , 50, 16-23	7
117	Positive Allosteric Modulation of the Muscarinic M1 Receptor Improves Efficacy of Antipsychotics in Mouse Glutamatergic Deficit Models of Behavior. <b>2016</b> , 359, 354-365	15

116	AVN-101: A Multi-Target Drug Candidate for the Treatment of CNS Disorders. <b>2016</b> , 53, 583-620	27
115	Gender and estrous cycle influences on behavioral and neurochemical alterations in adult rats neonatally administered ketamine. <b>2016</b> , 76, 519-32	19
114	Efficient and biologically relevant consensus strategy for Parkinson's disease gene prioritization. <b>2016</b> , 9, 12	15
113	Alterations to prepulse inhibition magnitude and latency in adult rats following neonatal treatment with domoic acid and social isolation rearing. <b>2016</b> , 298, 310-7	13
112	A Hardware-and-Software System for Experimental Studies of the Acoustic Startle Response in Laboratory Rodents. <b>2016</b> , 160, 410-3	1
111	Rasd2 Modulates Prefronto-Striatal Phenotypes in Humans and 'Schizophrenia-Like Behaviors' in Mice. <b>2016</b> , 41, 916-27	16
110	Lesions of the paraventricular thalamic nucleus attenuates prepulse inhibition of the acoustic startle reflex. <b>2017</b> , 642, 31-36	3
109	Morphological correlates of sex differences in acoustic startle response and prepulse inhibition through projections from locus coeruleus to cochlear root neurons. <b>2017</b> , 222, 3491-3508	10
108	BDNF rescues prefrontal dysfunction elicited by pyramidal neuron-specific DTNBP1 deletion in vivo. <b>2017</b> , 9, 117-131	9
107	Long-term non-contact tracking of caged rodents. <b>2017</b> ,	3
106	Kalirin reduction rescues psychosis-associated behavioral deficits in APP <sup>swe</sup> /PSEN1 <sup>dE9</sup> transgenic mice. <b>2017</b> , 54, 59-70	7
105	Synthesis and biological investigation of tetrahydropyridopyrimidinone derivatives as potential multireceptor atypical antipsychotics. <b>2017</b> , 25, 4904-4916	9
104	Cannabinoids and Vanilloids in Schizophrenia: Neurophysiological Evidence and Directions for Basic Research. <b>2017</b> , 8, 399	19
103	Modeling Schizophrenia in Animals. <b>2017</b> , 587-617	
102	Controlling of glutamate release by neuregulin3 via inhibiting the assembly of the SNARE complex. <b>2018</b> , 115, 2508-2513	20
101	Synthesis and biological evaluation of a series of novel pyridinecarboxamides as potential multi-receptor antipsychotic drugs. <b>2018</b> , 28, 606-611	7
100	Deconstructing Schizophrenia: Advances in Preclinical Models for Biomarker Identification. <b>2018</b> , 40, 295-323	10
99	Psilocin and ketamine microdosing: effects of subchronic intermittent microdoses in the elevated plus-maze in male Wistar rats. <b>2018</b> , 29, 530-536	17



98	Direct and indirect nigrofugal projections to the nucleus reticularis pontis caudalis mediate in the motor execution of the acoustic startle reflex. <b>2018</b> , 223, 2733-2751		5
97	Low Field Magnetic Stimulation Ameliorates Schizophrenia-Like Behavior and Up-Regulates Neuregulin-1 Expression in a Mouse Model of Cuprizone-Induced Demyelination. <b>2018</b> , 9, 675		6
96	Haploinsufficiency of autism spectrum disorder candidate gene NUA1 impairs cortical development and behavior in mice. <b>2018</b> , 9, 4289		11
95	Intranasal oxytocin administration promotes emotional contagion and reduces aggression in a mouse model of callousness. <b>2018</b> , 143, 250-267		26
94	Moving Object Detection Through Robust Matrix Completion Augmented With Objectness. <b>2018</b> , 12, 1313-1323		11
93	Behavioural, Pharmacokinetic, Metabolic, and Hyperthermic Profile of 3,4-Methylenedioxypyrovalerone (MDPV) in the Wistar Rat. <b>2018</b> , 9, 144		11
92	Sex Differences in Psychiatric Disease: A Focus on the Glutamate System. <i>Frontiers in Molecular Neuroscience</i> , <b>2018</b> , 11, 197	6.1	48
91	Somatic Gene Transfer Using a Recombinant Adenoviral Vector (rAAV9) Encoding Pseudophosphorylated Human Thr175 Tau in Adult Rat Hippocampus Induces Tau Pathology. <b>2018</b> , 77, 685-695		3
90	Ulk2 controls cortical excitatory-inhibitory balance via autophagic regulation of p62 and GABAA receptor trafficking in pyramidal neurons. <b>2018</b> , 27, 3165-3176		24
89	NMDAR Hypofunction Animal Models of Schizophrenia. <i>Frontiers in Molecular Neuroscience</i> , <b>2019</b> , 12, 185	6.1	48
88	Establishing an effective dose for chronic intracerebroventricular administration of clozapine in mice. <b>2019</b> , 31, 305-315		0
87	Thimet Oligopeptidase (EC 3.4.24.15) Key Functions Suggested by Knockout Mice Phenotype Characterization. <b>2019</b> , 9,		12
86	A window into the brain: Tools to assess pre-clinical efficacy of biomaterials-based therapies on central nervous system disorders. <b>2019</b> , 148, 68-145		16
85	Differential effect of NMDA receptor GluN2C and GluN2D subunit ablation on behavior and channel blocker-induced schizophrenia phenotypes. <b>2019</b> , 9, 7572		14
84	Functional Connectivity Between Sensory-Motor Subnetworks Reflects the Duration of Untreated Psychosis and Predicts Treatment Outcome of First-Episode Drug-Naïve Schizophrenia. <b>2019</b> , 4, 697-705		7
83	Schizophrenia-like reduced sensorimotor gating in intact inbred and outbred rats is associated with decreased medial prefrontal cortex activity and volume. <b>2019</b> , 44, 1975-1984		20
82	Effects of early postnatal MK-801 treatment on behavioral properties in rats: Differences according to treatment schedule. <b>2019</b> , 370, 111926		2
81	Altered prepulse inhibition of the acoustic startle response in BDNF-deficient mice in a model of early postnatal hypoxia: implications for schizophrenia. <b>2019</b> , 269, 439-447		4

80	Implications of Information Theory for Computational Modeling of Schizophrenia. <b>2017</b> , 1, 82-101		15
79	Role of prefrontal cortical 5-HT receptors and serotonin transporter in the behavioral deficits in post-pubertal rats following neonatal lesion of the ventral hippocampus. <b>2020</b> , 377, 112226		6
78	Map2k7 Haploinsufficiency Induces Brain Imaging Endophenotypes and Behavioral Phenotypes Relevant to Schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, 211-223	1.3	4
77	Dissociation between schizophrenia-relevant behavioral profiles and volumetric brain measures after long-lasting social isolation in Roman rats. <b>2020</b> , 155, 43-55		5
76	Transgenic Mouse. <i>Methods in Molecular Biology</i> , <b>2020</b> ,	1.4	
75	Deciphering midbrain mechanisms underlying prepulse inhibition of startle. <b>2020</b> , 185, 101734		13
74	Pre-Gestational intake of <i>Lactobacillus helveticus</i> NS8 has anxiolytic effects in adolescent Sprague Dawley offspring. <b>2020</b> , 10, e01714		5
73	BAHD1 haploinsufficiency results in anxiety-like phenotypes in male mice. <i>PLoS ONE</i> , <b>2020</b> , 15, e0232789,7		1
72	Quantifying the Acoustic Startle Response in Mice Using Standard Digital Video. <b>2020</b> , 14, 83		2
71	Prepulse inhibition of the acoustic startle reflex and P50 gating in aging and alzheimer's disease. <b>2020</b> , 59, 101028		10
70	Parvalbumin Interneuron Activation-Dependent Adult Hippocampal Neurogenesis Is Required for Treadmill Running to Reverse Schizophrenia-Like Phenotypes. <b>2020</b> , 8, 24		4
69	Serotonin and schizophrenia. <b>2020</b> , 31, 711-743		4
68	Naphyrone (naphthylpyrovalerone): Pharmacokinetics, behavioural effects and thermoregulation in Wistar rats. <b>2021</b> , 26, e12906		2
67	Synthesis and biological evaluation of novel antipsychotic trans-4-(2-(1,2,4,5-tetrahydro-3H-benzo[d]azepin-3-yl)ethyl)cyclohexan-1-amine derivatives targeting dopamine/serotonin receptor subtypes. <b>2021</b> , 31, 127681		1
66	Phasic activation of the locus coeruleus attenuates the acoustic startle response by increasing cortical arousal. <b>2021</b> , 11, 1409		2
65	Prepulse Inhibition in Cocaine Addiction and Dual Pathologies. <b>2021</b> , 11,		1
64	Neural mapping of prepulse-induced startle reflex modulation as indices of sensory information processing in healthy and clinical populations: A systematic review. <b>2021</b> , 42, 5495-5518		4
63	Alterations in the gut microbiota contribute to cognitive impairment induced by the ketogenic diet and hypoxia. <b>2021</b> , 29, 1378-1392.e6		7

62	Oxytocin attenuates schizophrenia-like reduced sensorimotor gating in outbred and inbred rats in line with strain differences in CD38 gene expression. <b>2021</b> , 240, 113547		3
61	A Hypomorphic Model Recapitulates Key Aspects of the Leukodystrophy HBSL. <b>2020</b> , 14, 625879		2
60	Antipsychotic Agents. <b>2003</b> , 599-672		5
59	Animal Models for Schizophrenia: A Brief Overview. <b>2008</b> , 163-184		1
58	Schizophrenia Endophenotypes as Treatment Targets. <b>2009</b> , 113-122		0
57	Rat Latent Inhibition and Prepulse Inhibition are Sensitive to Different Manipulations of the Social Environment: A Comprehensive Study of the Environmental Approach to Neurodevelopmental Models of Schizophrenia. <b>2000</b> , 231-245		4
56	Promises and Limitations of Transgenic and Knockout Mice in Modeling Psychiatric Symptoms. <b>2000</b> , 55-77		2
55	Strategies for Behaviorally Phenotyping the Transgenic Mouse. <i>Methods in Molecular Biology</i> , <b>2020</b> , 2066, 171-194	1.4	1
54	Animal models for schizophrenia: an introduction. <b>2000</b> , 35-53		1
53	Dopamine Glutamate Interactions. <i>Handbook of Experimental Pharmacology</i> , <b>2002</b> , 117-133	3.2	5
52	Acoustic startle response and its modulation in schizophrenia and autism spectrum disorder in Asian subjects. <i>Schizophrenia Research</i> , <b>2018</b> , 198, 16-20	3.6	18
51	Defizite der sensomotorischen Filterleistung bei psychiatrischen Erkrankungen. <i>Zeitschrift für Neuropsychologie = Journal of Neuropsychology</i> , <b>2008</b> , 19, 139-163	0.5	11
50	Personality Correlates of Prepulse Inhibition of the Startle Reflex at Three Lead Intervals. <i>Journal of Psychophysiology</i> , <b>2002</b> , 16, 82-91	1	9
49	Mental Disorders Across the Life Span and the Role of Executive Function Networks. <b>2012</b> , 245-268		1
48	Transliminality, brain function, and synesthesia. <i>Journal of Nervous and Mental Disease</i> , <b>2001</b> , 189, 190-218	1.8	20
47	Insights and treatment options for psychiatric disorders guided by functional MRI. <i>Journal of Clinical Investigation</i> , <b>2003</b> , 112, 10-8	15.9	8
46	Normalization of information processing deficits in schizophrenia with clozapine. <i>American Journal of Psychiatry</i> , <b>1999</b> , 156, 1046-51	11.9	181
45	The melanin-concentrating hormone (MCH) system modulates behaviors associated with psychiatric disorders. <i>PLoS ONE</i> , <b>2011</b> , 6, e19286	3.7	17

44	Mesocortical Dopamine Phenotypes in Mice Lacking the Sonic Hedgehog Receptor Cdon. <i>ENeuro</i> , <b>2016</b> , 3,	3.9	7
43	Maternal influenza infection causes marked behavioral and pharmacological changes in the offspring. <i>Journal of Neuroscience</i> , <b>2003</b> , 23, 297-302	6.6	747
42	Brain mechanisms of hallucinogens and entactogens. <i>Dialogues in Clinical Neuroscience</i> , <b>2001</b> , 3, 265-79	5.7	67
41	Kognitív és pszichofiziológiai zavarok szkizofréniában. <i>Magyar Pszichológiai Szemle</i> , <b>2001</b> , 56, 135-184	0	
40	Discussion: developmental disorders of the brain. <b>2002</b> , 99-102		
39	TRANSLIMINALITY CORRELATES POSITIVELY WITH ABERRATIONS IN MEMORY. <i>Perceptual and Motor Skills</i> , <b>2003</b> , 96, 1300	2.2	
38	Startle Response. <b>2007</b> , 561-568		0
37	Inhibición prepulso y propensión a la psicosis en individuos sanos: un estudio de RMf. <i>European Psychiatry (Ed Española)</i> , <b>2008</b> , 15, 339-346		
36	Prenatal Viral Infection in Mouse: An Animal Model of Schizophrenia. <i>Advances in Neurobiology</i> , <b>2011</b> , 113-136	2.1	
35	Neurobehavioral testing for developmental toxicity. <b>2011</b> , 346-387		
34	Central Nervous System. <i>SpringerBriefs in Space Development</i> , <b>2012</b> , 33-41		
33	Tiermodelle für schizophrene Störungen. <b>2012</b> , 239-244		
32	Acoustic Startle Reflex and Prepulse Inhibition. <i>Current Protocols in Mouse Biology</i> , <b>2012</b> , 2, 25-35	1.1	4
31	Deneysel İzofreni Modelleri. <i>Kocaeli Üniversitesi Sağlık Bilimleri Dergisi</i> , <b>2015</b> , 1, 12-20	0.4	
30	Exogenous Nicotine Replacement in Symptomatic Schizophrenia. <i>MOJ Addiction Medicine &amp; Therapy</i> , <b>2016</b> , 2,		
29	Haploinsufficiency of autism candidate gene NUA1 impairs cortical development and behavior.		
28	Deneysel İzofreni modellerinin oluşturulması ve deneysel yöntemlerle İzofreni belirtilerinin değerlendirilmesi. <i>Mersin Üniversitesi Sağlık Bilimleri Dergisi</i> , 351-359	0.2	1
27	SK3-overexpression drives sex-dimorphic working and social memory impairment in mice.		

26	Genetics of schizophrenia: from animal models to clinical studies. <i>Journal of Psychiatry and Neuroscience</i> , <b>2002</b> , 27, 336-47	4.5	13
25	Animal models of schizophrenia: a critical review. <i>Journal of Psychiatry and Neuroscience</i> , <b>2001</b> , 26, 395-410	4.5	104
24	Schizophrenia: an integrative approach to modelling a complex disorder. <i>Journal of Psychiatry and Neuroscience</i> , <b>2006</b> , 31, 157-67	4.5	20
23	Nr4a2 Transcription Factor in Hippocampal Synaptic Plasticity, Memory and Cognitive Dysfunction: A Perspective Review. <i>Frontiers in Molecular Neuroscience</i> , <b>2021</b> , 14, 786226	6.1	0
22	Combined Antagonism of 5-HT and NMDA Receptors Reduces the Aggression of Monoamine Oxidase a Knockout Mice.. <i>Pharmaceuticals</i> , <b>2022</b> , 15,	5.2	1
21	Developmental delay and late onset HBSL pathology in hypomorphic Dars1 mice.. <i>Neurochemical Research</i> , <b>2022</b> , 1	4.6	0
20	Evaluating the Modulation of the Acoustic Startle Reflex in Children and Adolescents Vertical EOG and EEG: Sex, Age, and Behavioral Effects.. <i>Frontiers in Neuroscience</i> , <b>2022</b> , 16, 798667	5.1	2
19	Data_Sheet_1.xlsx. <b>2020</b> ,		
18	Data_Sheet_2.xlsx. <b>2020</b> ,		
17	Image 1.EPS. <b>2020</b> ,		
16	Image 2.EPS. <b>2020</b> ,		
15	Image 3.EPS. <b>2020</b> ,		
14	Video_1.MP4. <b>2020</b> ,		
13	Video_2.AVI. <b>2020</b> ,		
12	Image_1.EPS. <b>2020</b> ,		
11	Image_2.EPS. <b>2020</b> ,		
10	Image_3.EPS. <b>2020</b> ,		
9	Bisphenol A Exposure Induces Sensory Processing Deficits in Larval Zebrafish during Neurodevelopment.. <i>ENeuro</i> , <b>2022</b> , 9,	3.9	

8	The 5-HT5A receptor antagonist ASP5736 ameliorates several abnormal behaviors in an Fmr1-targeted transgenic male rat model of fragile X syndrome. <i>International Journal of Neuropsychopharmacology</i> ,	5.8	○
7	Animal Behavior in Psychedelic Research. <b>2022</b> , 74, 1176-1205		○
6	WNK3 kinase maintains neuronal excitability by reducing inwardly rectifying K <sup>+</sup> conductance in layer V pyramidal neurons of mouse medial prefrontal cortex. 15,		○
5	Mice lacking Ptpn22 exhibit deficits in goal-directed behavior and female-specific impairments in sensorimotor gating.		○
4	Characterizing the relationship between L-DOPA-induced-dyskinesia and psychosis-like behaviors in a bilateral rat model of Parkinson's disease. <b>2023</b> , 176, 105965		○
3	Animal models for the evaluation of antipsychotic agents.		○
2	Elucidation of the mechanism underlying impaired sensorimotor gating in patients with primary blepharospasm using prepulse inhibition. 14,		○
1	Atypical antipsychotics antagonize GABA <sub>A</sub> receptors in the ventral tegmental area GABA neurons to relieve psychotic behaviors.		1