

CITATION REPORT

List of articles citing

Pathophysiology of positive thought disorder in schizophrenia

DOI: 10.1192/bjp.173.3.231

British Journal of Psychiatry, 1998, 173, 231-5.

Source: <https://exaly.com/paper-pdf/29740840/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
127	Language lateralization in patients with formal thought disorder. 169-180		
126	Functional neuroimaging in schizophrenia. 60-76		
125	Dopamine receptors and schizophrenia: contribution of molecular genetics and clinical neuropsychology. 1999 , 2, 197-227		13
124	New insights on the neuroanatomy of schizophrenia. 1999 , 1, 41-5		4
123	Role of Antipsychotic Polypharmacotherapy in the Treatment of Schizophrenia. 1999 , 12, 179-188		20
122	Functional neuroimaging in psychiatry. 1999 , 354, 1359-70		29
121	Frontal lobe psychopathology: mania, depression, confabulation, catatonia, perseveration, obsessive compulsions, and schizophrenia. 1999 , 62, 138-72		91
120	Cognitive neuroscience: origins and promise. 2000 , 126, 873-89		105
119	Young children with Velo-Cardio-Facial syndrome (CATCH-22). Psychological and language phenotypes. 2000 , 9, 109-14		23
118	Functional Neuroimaging Studies of Schizophrenia. 2000 , 523-544		4
117	Common and distinct neural substrates for pragmatic, semantic, and syntactic processing of spoken sentences: an fMRI study. 2000 , 12, 321-41		274
116	A PET investigation of the attribution of intentions with a nonverbal task. 2000 , 11, 157-66		537
115	Differential activation of temporal cortex during sentence completion in schizophrenic patients with and without formal thought disorder. <i>Schizophrenia Research</i> , 2001 , 50, 27-40	3.6	78
114	Functional neuroanatomy of auditory working memory in schizophrenia: relation to positive and negative symptoms. 2001 , 13, 433-46		131
113	Thought disorder in attention-deficit hyperactivity disorder. 2001 , 40, 965-72		31
112	Neural correlates of formal thought disorder in schizophrenia: preliminary findings from a functional magnetic resonance imaging study. 2001 , 58, 769-74		173
111	Thought and Language Index: an instrument for assessing thought and language in schizophrenia. <i>British Journal of Psychiatry</i> , 2002 , 181, 326-30	5.4	87

110	Decreased dopamine D2 receptor binding in the anterior cingulate cortex in schizophrenia. 2002 , 59, 25-30		154
109	Positive and negative thought disorder and psychopathology in childhood among subjects with adulthood schizophrenia. <i>Schizophrenia Research</i> , 2002 , 58, 231-9	3.6	47
108	Determination of regional cerebral function with FDG-PET imaging in neuropsychiatric disorders. 2002 , 32, 13-34		31
107	Neuroanatomy and neurophysiology in schizophrenia. 2002 , 43, 93-110		64
106	Working memory correlates of three symptom clusters in schizophrenia. <i>Psychiatry Research</i> , 2002 , 110, 49-61	9.9	63
105	Schizophrenia and Brain Imaging. 649-661		
104	Cerebral correlates of selective attention in schizophrenic patients with formal thought disorder: a controlled H2 15O-PET study. <i>Psychiatry Research - Neuroimaging</i> , 2002 , 115, 137-53	2.9	10
103	Methodological considerations regarding the association of Stroop and verbal fluency performance with the symptoms of schizophrenia. <i>Schizophrenia Research</i> , 2003 , 61, 207-14	3.6	38
102	Abnormal processing of speech during oddball target detection in schizophrenia. 2003 , 20, 889-97		42
101	Neuroanatomical correlates of formal thought disorder in schizophrenia. 2003 , 8, 81-8		26
100	Cognitive neurobiology of volition and agency in schizophrenia. 2003 , 223-242		1
99	Thought disorder and nucleus accumbens in childhood: a structural MRI study. <i>Psychiatry Research - Neuroimaging</i> , 2004 , 130, 43-55	2.9	23
98	Cingulate gyrus volume and metabolism in the schizophrenia spectrum. <i>Schizophrenia Research</i> , 2004 , 71, 249-62	3.6	125
97	Hypofrontality in men with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2005 , 186, 203-8	5.4	28
96	Synaptic differences in the patch matrix compartments of subjects with schizophrenia: a postmortem ultrastructural study of the striatum. 2005 , 20, 324-35		25
95	Cerebral metabolic changes induced by clozapine in schizophrenia and related to clinical improvement. 2005 , 178, 17-26		58
94	Synaptic differences in the postmortem striatum of subjects with schizophrenia: a stereological ultrastructural analysis. 2005 , 56, 185-97		42
93	Borderline- und antisoziale Persönlichkeitsstörung. 2005 , 321-346		

92	Visual search irregularities in schizophrenia depend on display size switching. 2005 , 10, 137-52		4
91	Formal thought disorder in schizophrenia: an executive or a semantic deficit?. 2005 , 35, 121-32		85
90	Effects of psychotic state and task demand on prefrontal function in schizophrenia: an fMRI study of overt verbal fluency. 2005 , 162, 485-94		91
89	The effect of working memory performance on functional MRI in schizophrenia. <i>Schizophrenia Research</i> , 2005 , 74, 179-94	3.6	82
88	Functional brain imaging of symptoms and cognition in schizophrenia. 2005 , 150, 299-308		32
87	Abnormal object recall and anterior cingulate overactivation correlate with formal thought disorder in schizophrenia. 2006 , 59, 452-9		59
86	Functional magnetic resonance imaging of internal source monitoring in schizophrenia: recognition with and without recollection. <i>Schizophrenia Research</i> , 2006 , 87, 160-71	3.6	38
85	Do you hear what I hear? Neural correlates of thought disorder during listening to speech in schizophrenia. <i>Schizophrenia Research</i> , 2006 , 86, 130-7	3.6	32
84	Thought disorder in schizophrenia is associated with both executive dysfunction and circumscribed impairments in semantic function. 2006 , 36, 475-84		72
83	Correlations between rCBF and symptoms in two independent cohorts of drug-free patients with schizophrenia. <i>Neuropsychopharmacology</i> , 2006 , 31, 221-30	8.7	113
82	The dual origin hypothesis: an evolutionary brain-behavior framework for analyzing psychiatric disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2006 , 30, 526-50	9	17
81	A case of evolving post-ictal language disturbance secondary to a left temporal arteriovenous malformation: jargon aphasia or formal thought disorder?. 2006 , 11, 465-79		3
80	Increased temporal and prefrontal activity in response to semantic associations in schizophrenia. 2007 , 64, 138-51		93
79	Schizophrenia and semantic memory. 133-146		1
78	Apport de l'imagerie cérébrale dans la schizophrénie pour une meilleure compréhension des déficits cognitifs et de la physiopathologie de cette affection. 2007 , 4, 1-17		1
77	Brain activation mediates the association between structural abnormality and symptom severity in schizophrenia. 2007 , 36, 188-93		26
76	Impaired multisensory processing in schizophrenia: deficits in the visual enhancement of speech comprehension under noisy environmental conditions. <i>Schizophrenia Research</i> , 2007 , 97, 173-83	3.6	137
75	Regional gray matter volume abnormalities in the at risk mental state. 2007 , 61, 1148-56		258

74	The neural correlates of ego-disturbances (passivity phenomena) and formal thought disorder in schizophrenia. 2008 , 258 Suppl 5, 22-7		17
73	Differential synaptic changes in the striatum of subjects with undifferentiated versus paranoid schizophrenia. 2008 , 62, 616-27		23
72	Effect of retrieval effort and switching demand on fMRI activation during semantic word generation in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 99, 312-23	3.6	48
71	Hippocampal dysfunction during free word association in male patients with schizophrenia. <i>Schizophrenia Research</i> , 2008 , 101, 242-55	3.6	39
70	Two new scales of formal thought disorder in schizophrenia. <i>Psychiatry Research</i> , 2008 , 157, 225-34	9.9	25
69	Functional neuroimaging in schizophrenia: diagnosis and drug discovery. 2008 , 29, 91-8		120
68	Structural correlates of psychopathological symptom dimensions in schizophrenia: a voxel-based morphometric study. 2008 , 39, 1600-12		140
67	[Neurobiological foundations of thought and language disorder in schizophrenia]. 2008 , 76 Suppl 1, S24-32		6
66	Structural and metabolic changes in language areas linked to formal thought disorder. <i>British Journal of Psychiatry</i> , 2009 , 194, 130-8	5.4	92
65	Dopamine dysregulation in the brain network of decision-making: Can this explain the psychopathology of schizophrenia?. 2009 , 131-151		
64	Is executive impairment associated with schizophrenic syndromes? A meta-analysis. 2009 , 39, 381-92		89
63	Reduced language lateralization in first-episode schizophrenia: an fMRI index of functional asymmetry. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 171, 82-93	2.9	79
62	Superior temporal lobe dysfunction and frontotemporal dysconnectivity in subjects at risk of psychosis and in first-episode psychosis. 2009 , 30, 4129-37		159
61	[Functional magnetic resonance tomography in patients with schizophrenia: neural correlates of symptoms, cognition and emotion]. 2009 , 80, 1103-16		2
60	Altered reward functions in patients on atypical antipsychotic medication in line with the revised dopamine hypothesis of schizophrenia. 2009 , 206, 121-32		95
59	Anatomical abnormalities of the anterior cingulate cortex in schizophrenia: bridging the gap between neuroimaging and neuropathology. 2009 , 35, 973-93		177
58	Language in schizophrenia Part 1: an Introduction. 2010 , 4, 576-589		123
57	Role of PET in the Investigation of Neuropsychiatric Disorders. 2010 , 5, 223-42		0

56	Using computational patients to evaluate illness mechanisms in schizophrenia. 2011 , 69, 997-1005		30
55	Proton magnetic resonance spectroscopy and thought disorder in childhood schizophrenia. <i>Schizophrenia Research</i> , 2011 , 133, 82-90	3.6	27
54	Left but not right hemisphere semantic processing abnormalities in language comprehension in subjects with schizotypy traits. <i>Psychiatry Research</i> , 2011 , 185, 84-91	9.9	5
53	1H MRSI and social communication deficits in pediatric complex partial seizures. 2011 , 52, 1705-14		1
52	Positron emission tomography in psychiatric disorders. 2011 , 1228, E13-25		16
51	Impaired temporoparietal deactivation with working memory load in antipsychotic-naïve patients with first-episode schizophrenia. 2011 , 12, 271-81		26
50	Testing the hypothesis that formal thought disorders are severe mood disorders. 2011 , 37, 1136-46		30
49	Semantic network disconnection in formal thought disorder. <i>Neuropsychobiology</i> , 2012 , 66, 14-23	4	33
48	Faulty suppression of irrelevant material in patients with thought disorder linked to attenuated frontotemporal activation. 2012 , 2012, 176290		56
47	Title Page / Table of Contents. <i>Neuropsychobiology</i> , 2012 , 66, 1-3	4	
46	Association of formal thought disorder in schizophrenia with structural brain abnormalities in language-related cortical regions. <i>Schizophrenia Research</i> , 2013 , 146, 308-13	3.6	45
45	Amelioration of anergia and thought disorder with adjunctive high frequency cerebellar vermal repetitive transcranial magnetic stimulation in schizophrenia: a case report. <i>Schizophrenia Research</i> , 2013 , 143, 225-7	3.6	6
44	Distinct structural alterations independently contributing to working memory deficits and symptomatology in paranoid schizophrenia. 2013 , 49, 1063-72		23
43	Frequency and neural correlates of pauses in patients with formal thought disorder. 2013 , 4, 127		12
42	Formal Thought Disorder and language impairment in schizophrenia. 2013 , 71, 55-60		20
41	Extensive brain structural network abnormality in first-episode treatment-naive patients with schizophrenia: morphometrical and covariation study. 2014 , 44, 2489-501		23
40	Functional abnormalities in the left ventrolateral prefrontal cortex during a semantic fluency task, and their association with thought disorder in patients with schizophrenia. 2014 , 85 Pt 1, 518-26		40
39	Neural correlates of the relationship between discourse coherence and sensory monitoring in schizophrenia. 2014 , 55, 77-87		21

38	Working memory dysfunction in delusional disorders: an fMRI investigation. 2014 , 56, 43-9		9
37	Age effects on cerebral grey matter and their associations with psychopathology, cognition and treatment response in previously untreated schizophrenia patients. 2014 , 20, 29-36		3
36	A Hierarchical Generative Framework of Language Processing: Linking Language Perception, Interpretation, and Production Abnormalities in Schizophrenia. 2015 , 9, 643		53
35	Structural covariance in schizophrenia and first-episode psychosis: An approach based on graph analysis. 2015 , 71, 89-96		10
34	Structural correlates of formal thought disorder in schizophrenia: An ultra-high field multivariate morphometry study. <i>Schizophrenia Research</i> , 2015 , 168, 305-12	3.6	35
33	Symptoms and Neurobiological Models of Language in Schizophrenia. 2016 , 887-897		
32	The prognostic value of formal thought disorder following first episode psychosis. <i>Schizophrenia Research</i> , 2016 , 178, 29-34	3.6	15
31	Inner Speech and Clarity of Self-Concept in Thought Disorder and Auditory-Verbal Hallucinations. 2016 , 204, 885-893		11
30	Resting state perfusion in the language network is linked to formal thought disorder and poor functional outcome in schizophrenia. 2017 , 136, 506-516		14
29	Formal thought disorder in people at ultra-high risk of psychosis. 2017 , 3, 165-170		11
28	Neural correlates of formal thought disorder: An activation likelihood estimation meta-analysis. 2017 , 38, 4946-4965		31
27	Systems Neuroscience of Psychosis: Mapping Schizophrenia Symptoms onto Brain Systems. <i>Neuropsychobiology</i> , 2017 , 75, 100-116	4	41
26	Is formal thought disorder in schizophrenia related to structural and functional aberrations in the language network? A systematic review of neuroimaging findings. <i>Schizophrenia Research</i> , 2018 , 199, 2-16	3.6	43
25	Formal thought disorders: from phenomenology to neurobiology. <i>Lancet Psychiatry</i> , 2018 , 5, 515-526	3.3	49
24	A systematic review of the structural neuroimaging correlates of thought disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 84, 299-315	9	28
23	S-Ketamine-Induced NMDA Receptor Blockade during Natural Speech Production and Its Implications for Formal Thought Disorder in Schizophrenia: A Pharmacology-fMRI Study. <i>Neuropsychopharmacology</i> , 2018 , 43, 1324-1333	8.7	5
22	Formal thought disorder is related to aberrations in language-related white matter tracts in patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 279, 40-50	2.9	15
21	A systematic review of task-based functional neuroimaging studies investigating language, semantic and executive processes in thought disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 94, 59-75	9	15

20	Neuroimaging of Schizophrenia and Other Primary Psychotic Disorders. 2019 ,		5
19	Neuroimaging and Psychopathological Domains. 2019 , 57-155		1
18	Evidence for gesture-speech mismatch detection impairments in schizophrenia. <i>Psychiatry Research</i> , 2019 , 273, 15-21	9.9	21
17	Benefits of BCG-induced metabolic switch from oxidative phosphorylation to aerobic glycolysis in autoimmune and nervous system diseases. <i>Journal of Internal Medicine</i> , 2020 , 288, 641-650	10.8	10
16	Lower speech connectedness linked to incidence of psychosis in people at clinical high risk. <i>Schizophrenia Research</i> , 2021 , 228, 493-501	3.6	7
15	Neurobiological substrates of the positive formal thought disorder in schizophrenia revealed by seed connectome-based predictive modeling. <i>NeuroImage: Clinical</i> , 2021 , 30, 102666	5.3	3
14	Dissecting the neurobiology of linguistic disorganisation and impoverishment in schizophrenia. <i>Seminars in Cell and Developmental Biology</i> , 2021 ,	7.5	2
13	Neuroimaging Studies of Nonpsychotic First-Degree Relatives of People With Schizophrenia. 2004 , 179-210		2
12	Formale Denkstufenen âBildgebung. 2008 , 443-455		1
11	Frontale Dysfunktionen als Biologische Faktoren bei der Borderline- und antisozialen Persônlichkeitsstufen?. 2002 , 291-313		2
10	Differences in waveforms of cerebral evoked potentials among healthy subjects, schizophrenics, manic-depressives and epileptics. <i>Journal of Medical Investigation</i> , 2007 , 54, 303-15	1.2	5
9	Ressonância magnética funcional e sua contribuição para o estudo da cognição em esquizofrenia. <i>Revista Brasileira De Psiquiatria</i> , 2001 , 23, 38-41	2.6	
8	Imaging Brain Structure and Function in Schizophrenia. 2003 , 225-256		
7	Loose Associations. 1		
6	Brain Imaging and Function âDiscussion. 1999 , 323-327		
5	Wahrnehmung âBildgebung. 2008 , 155-165		
4	Functional neuroimaging in mental disorders. <i>World Psychiatry</i> , 2004 , 3, 6-11	14.4	12
3	Gamma camera imaging in psychiatric disorders. 2022 ,		

2 Natural Language Processing markers in first episode psychosis and people at clinical high-risk.. 8.6 ○
Translational Psychiatry, **2021**, 11, 630

1   2011, 4, ○