# CITATION REPORT List of articles citing

Temporal relationships between physical symptoms and psychiatric disorder. Results from a national birth cohor

DOI: 10.1192/bjp.173.3.255 British Journal of Psychiatry, 1998, 173, 255-61.

Source: https://exaly.com/paper-pdf/29798229/citation-report.pdf

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper   | IF  | Citations |
|-----|---|-----|-----------|
| 127 | Generalized pain, fibromyalgia and regional pain: an epidemiological view. <b>1999</b> , 13, 403-14   |     | 57        |
| 126 | Unraveling the association between chronic widespread pain and psychological distress: an epidemiological approach. <b>1999</b> , 47, 109-14    |     | 9         |
| 125 | Mental health matters too: Gynaecological symptoms and depression in South Asia. <b>1999</b> , 7, 30-38   |     | 44        |
| 124 | Physical illness and parasuicide: evidence from the European Parasuicide Study Interview Schedule (EPSIS/WHO-EURO). <b>1999</b> , 29, 149-63    |     | 44        |
| 123 | Current World Literature. Current Opinion in Psychiatry, 2000, 13, 237-265  | 4.9 | 1         |
| 122 | Surveys of morbidity and psychiatric comorbidity. Current Opinion in Psychiatry, 2000, 13, 201-207  | 4.9 | 8         |
| 121 | Psychological determinants of fibromyalgia and related syndromes. <b>2000</b> , 4, 276-86   |     | 33        |
| 120 | Is "somatisation" a defense against the acknowledgment of psychiatric disorder?. 2001, 50, 119-24   |     | 15        |
| 119 | Medically unexplained symptoms: an epidemiological study in seven specialities. <b>2001</b> , 51, 361-7   |     | 364       |
| 118 | Somatising in children and adolescents. 2. Management and outcomes. <b>2001</b> , 7, 388-398  |     | 9         |
| 117 | Epidemiology of unexplained fatigue and major depression in the community: the Baltimore ECA follow-up, 1981-1994. <b>2001</b> , 31, 1037-44    |     | 95        |
| 116 | The distribution of psychiatric and somatic III health: associations with personality and socioeconomic status. <b>2001</b> , 63, 239-47        |     | 62        |
| 115 | The role of psychiatric disorders in fibromyalgia. <b>2001</b> , 3, 157-64  |     | 41        |
| 114 | Factors associated with the temporomandibular disorder, pain dysfunction syndrome (PDS): Manchester case-control study. <b>2001</b> , 7, 321-30 |     | 69        |
| 113 | Features of somatization predict the onset of chronic widespread pain: results of a large population-based study. <b>2001</b> , 44, 940-6       |     | 261       |
| 112 | Chronic widespread pain in the population: a seven year follow up study. <i>Annals of the Rheumatic Diseases</i> , <b>2002</b> , 61, 1071-4     | 2.4 | 116       |
| 111 | Propensity to psychiatric and somatic ill-health: evidence from a birth cohort. <b>2002</b> , 32, 793-803                                       |     | 50        |

## (2006-2002)

| 110 | Recurrent pain, emotional distress, and health service use in childhood. <b>2002</b> , 141, 76-83  | 143 |
|-----|--|-----|
| 109 | Does chronic pain predict future psychological distress?. <b>2002</b> , 96, 239-245  | 67  |
| 108 | Childhood experience of illness as a risk factor for medically unexplained symptoms. <b>2002</b> , 43, 139-46  | 32  |
| 107 | The association between psychological factors and oro-facial pain: a community-based study. <b>2002</b> , 6, 427-34  | 22  |
| 106 | The future of consultation-liaison psychiatry. <b>2003</b> , 37, 150-9   | 26  |
| 105 | Using chronic pain to predict depressive morbidity in the general population. <b>2003</b> , 60, 39-47  | 414 |
| 104 | Associations between fatigue attributions and fatigue, health, and psychosocial work characteristics: a study among employees visiting a physician with fatigue. <b>2003</b> , 60 Suppl 1, i99-104 | 15  |
| 103 | Social precursors to onset and recovery from episodes of common mental illness. <b>2003</b> , 33, 299-306  | 53  |
| 102 | Factors leading to poor physical health in people with psychosis. <b>2004</b> , 13, 141-5  | 5   |
| 101 | Neuroticism, a central link between somatic and psychiatric morbidity: path analysis of prospective data. <b>2004</b> , 34, 521-31   | 65  |
| 100 | More data on major depression as an antecedent risk factor for first onset of chronic back pain. <b>2005</b> , 35, 1275-82   | 115 |
| 99  | History of depression and women's current health and functioning during midlife. 2005, 27, 200-8   | 33  |
| 98  | Depression and comorbid pain as predictors of disability, employment, insurance status, and health care costs. <b>2005</b> , 56, 468-74  | 76  |
| 97  | Psychosocial aspects of chronic widespread pain and fibromyalgia. <b>2005</b> , 27, 675-83   | 85  |
| 96  | Persistent presentation of medically unexplained symptoms in general practice. <b>2006</b> , 23, 414-20  | 144 |
| 95  | The association of depression and painful physical symptomsa review of the European literature. <b>2006</b> , 21, 379-88   | 68  |
| 94  | Health problems in children and adolescents before and after a man-made disaster. <b>2006</b> , 45, 94-103   | 36  |
| 93  | Psychosocial responses to environmental incidents: a review and a proposed typology. <b>2006</b> , 60, 413-22  | 34  |

| 92 | Depression in the medically ill. 3-18   | 9   |
|----|---|-----|
| 91 | Descriptive epidemiology of major depression in Canada. <b>2006</b> , 51, 84-90   | 240 |
| 90 | How ubiquitous are physical and psychological complaints in young and middle adulthood? A longitudinal perspective. <b>2006</b> , 41, 881-8                   | 7   |
| 89 | Comorbid painful physical symptoms and depression: prevalence, work loss, and help seeking. <b>2006</b> , 92, 185-93  | 150 |
| 88 | The course of post-disaster health problems of victims with pre-disaster psychological problems as presented in general practice. <b>2006</b> , 23, 378-84    | 19  |
| 87 | Functional somatic syndromes. 125-148   | О   |
| 86 | Experimental neuropathy in mice is associated with delayed behavioral changes related to anxiety and depression. <b>2007</b> , 104, 1570-7, table of contents | 99  |
| 85 | Medically unexplained symptoms in children and adolescents. <b>2007</b> , 27, 855-71  | 117 |
| 84 | Do psychological distress and somatization contribute to misattribution of asthma? A Chilean study. <b>2007</b> , 62, 23-30                                   | 8   |
| 83 | Pain in depression: STAR*D study findings. <b>2007</b> , 63, 113-22   | 64  |
| 82 | Encyclopedia of Pain. <b>2007</b> , 1984-1984   |     |
| 81 | Encyclopedia of Pain. <b>2007</b> , 1841-1841   |     |
| 80 | Encyclopedia of Pain. <b>2007</b> , 2030-2032   |     |
| 79 | Patients with persistent medically unexplained symptoms in general practice: characteristics and quality of care. <b>2007</b> , 8, 33                         | 84  |
| 78 | Public health perspectivehow to improve the musculoskeletal health of the population. <b>2007</b> , 21, 191-204   | 26  |
| 77 | So what is so good about clinical experience? A mental health nursing perspective. <b>2007</b> , 7, 164-72  | 50  |
| 76 | Onverklaarde chronische klachten verdwijnen niet altijd. <b>2007</b> , 50, 85-90  | 1   |
| 75 | Universal risk factors for multifactorial diseases: LifeLines: a three-generation population-based study. <b>2008</b> , 23, 67-74                             | 226 |

### (2010-2008)

| 74 | depressive inpatients. <b>2008</b> , 64, 78-86  | 2   |
|----|---|-----|
| 73 | The diagnostic process. <b>2008</b> , 1-17  | 2   |
| 72 | Combined effects of major depression, pain and somatic disorders on general functioning in the general adult population. <b>2008</b> , 138, 310-317   | 24  |
| 71 | Mental health problems and the presentation of minor illnesses: data from a 30-year follow-up in general practice. <b>2008</b> , 14 Suppl 1, 38-43  | 12  |
| 70 | The relation of pain and depression with various health-promoting behaviors in African American elders <b>2008</b> , 53, 85-92  | 5   |
| 69 | Epidemiology of chronic pain with psychological comorbidity: prevalence, risk, course, and prognosis. <b>2008</b> , 53, 224-34  | 189 |
| 68 | General hospital psychiatry. 515-539  |     |
| 67 | Enhanced care by generalists for functional somatic symptoms and disorders in primary care. 2009,   | 2   |
| 66 | The Role of Childhood Adversities in Adult-Onset Spinal Pain. 154-164   | 1   |
| 65 | Physical Health Problems after Disasters. 67-93   | 14  |
| 64 | Psychiatric disorder, irritable bowel syndrome, and extra-intestinal symptoms in a population-based sample of twins. <i>American Journal of Gastroenterology</i> , <b>2009</b> , 104, 686-94                              | 18  |
| 63 | Factors contributing to pain chronicity. <b>2009</b> , 13, 7-11   | 22  |
| 62 | Orofacial pain in young adults and associated childhood and adulthood factors: results of the population study, Wales, United Kingdom. <b>2009</b> , 37, 438-50   | 16  |
| 61 | 5-HT(1A) receptor function in major depressive disorder. <b>2009</b> , 88, 17-31  | 421 |
| 60 | The detection of depression in palliative care. <b>2009</b> , 3, 55-60  | 37  |
| 59 | The use of playfulness in the treatment of chronic pain. <b>2010</b> , 10, 375-7  | 1   |
| 58 | Difficult ("heartsink") patients and clinical communication difficulties. 2010, 1   | 1   |
| 57 | Managing complex patients on a medical psychiatric unit: an observational study of university hospital costs associated with medical service use, length of stay, and psychiatric intervention. <b>2010</b> , 68, 295-302 | 45  |

| 56 | Unexplained somatic symptoms during major depression: prevalence and clinical impact in a national sample of Italian psychiatric outpatients. <b>2011</b> , 44, 116-24  | 21  |
|----|---|-----|
| 55 | Diencephalic and brainstem mechanisms in migraine. <b>2011</b> , 12, 570-84   | 367 |
| 54 | Mood and menopause: findings from the Study of Womenß Health Across the Nation (SWAN) over 10 years. <b>2011</b> , 38, 609-25   | 107 |
| 53 | The development of evidence-based European guidelines on the management of depression in palliative cancer care. <b>2011</b> , 47, 702-12   | 97  |
| 52 | The Association Between Chronic Back Pain and Psychiatric Disorders; Results from a Longitudinal Population-Based Study. <b>2011</b> ,  | 2   |
| 51 | The risk of temporomandibular disorder in patients with depression: a population-based cohort study. <b>2011</b> , 39, 525-31   | 37  |
| 50 | Medically unexplained symptoms in gynaecology. <b>2011</b> , 13, 154-160  | 2   |
| 49 | Synergistic interaction effect between job control and social support at work on general psychological distress. <b>2011</b> , 84, 77-89  | 39  |
| 48 | Pain complaints as risk factor for mental distress: a three-year follow-up study. <b>2011</b> , 20, 509-16  | 15  |
| 47 | Antidepressants for the treatment of depression in palliative care: systematic review and meta-analysis. <b>2011</b> , 25, 36-51  | 108 |
| 46 | Genetic and environmental contributions to the overlap between psychological, fatigue and somatic symptoms: a twin study in Sri Lanka. <b>2011</b> , 14, 53-63  | 17  |
| 45 | Invalidating Musculoskeletal Pain is Associated with Psychological Distress and Drug Consumption: A Spanish Population Casellontrol Study. <b>2011</b> , 19, 76-86  | 3   |
| 44 | Gender differences in prevalence of depression among patients receiving palliative care: the role of dependency. <b>2012</b> , 26, 696-702  | 11  |
| 43 | Observational evidence that urbanisation and neighbourhood deprivation are associated with escalation in chronic pharmacological pain treatment: a longitudinal population-based study in the Netherlands. <b>2012</b> , 2, | 6   |
| 42 | Association of past and recent major depression and menstrual characteristics in midlife: Study of Women® Health Across the Nation. <b>2012</b> , 19, 959-66  | 14  |
| 41 | Epidemiology of postpartum depressive symptoms among Canadian women: regional and national results from a cross-sectional survey. <b>2012</b> , 57, 537-46  | 65  |
| 40 | Phenomena associated with sick leave among primary care patients with Medically Unexplained Physical Symptoms: a systematic review. <b>2012</b> , 30, 147-55  | 33  |
| 39 | The mental health gender-gap in urban India: patterns and narratives. <b>2012</b> , 75, 1660-72   | 21  |

### (2021-2012)

| 38 | Prognostic significance of functional somatic symptoms in adolescence: a 15-year community-based follow-up study of adolescents with depression compared with healthy peers. <i>BMC Psychiatry</i> , <b>2012</b> , 12, 90       | 4.2   | 62   |
|----|---|-------|------|
| 37 | Multiple somatic symptoms predict impaired health status in functional somatic syndromes. <b>2013</b> , 20, 194-205   |       | 43   |
| 36 | Fineyre just got symptoms without sciencer Medical trainees Pacquisition of negative attitudes towards patients with medically unexplained symptoms. <b>2013</b> , 91, 249-54   |       | 33   |
| 35 | Relief of depression and pain improves daily functioning and quality of life in patients with major depressive disorder. <b>2013</b> , 47, 93-8   |       | 11   |
| 34 | Enhanced care by generalists for functional somatic symptoms and disorders in primary care. <b>2013</b> , CD  | 00814 | 2 33 |
| 33 | Are multiple physical symptoms a poor prognostic factor or just a marker of depression severity? Secondary analysis of the GenPod trial. <b>2014</b> , 163, 40-6  |       | 1    |
| 32 | D₿ression, anxittet confusion en soins palliatifs. <b>2014</b> , 13, 219-225  |       | 1    |
| 31 | Depression and pain impair daily functioning and quality of life in patients with major depressive disorder. <b>2014</b> , 166, 173-8   |       | 34   |
| 30 | Persistent analgesic use and the association with chronic pain and other risk factors in the population-a longitudinal study from the Troms Study and the Norwegian Prescription Database. <b>2016</b> , 72, 977-85             |       | 5    |
| 29 | The type and prevalence of the use of analgesics among inpatients in a geriatric psychiatry department. <b>2016</b> , 6, 13-21  |       | 1    |
| 28 | Functional urological disorders: a sensitized defence response in the bladder-gut-brain axis. <b>2017</b> , 14, 153-163   |       | 49   |
| 27 | Factors related to the improvement in quality of life for depressed inpatients treated with fluoxetine. <i>BMC Psychiatry</i> , <b>2017</b> , 17, 309   | 4.2   | 13   |
| 26 | Incident Chronic Spinal Pain and Depressive Disorders: Data From the National Comorbidity Survey. <i>Journal of Pain</i> , <b>2019</b> , 20, 481-488  | 5.2   | 5    |
| 25 | Preclinical Considerations about Affective Disorders and Pain: A Broadly Intertwined, yet Often Under-Explored, Relationship Having Major Clinical Implications. <i>Medicina (Lithuania)</i> , <b>2020</b> , 56,                | 3.1   | 2    |
| 24 | Biocybernetic model for the diagnosis and treatment of chronic pain. <i>Kybernetes</i> , <b>2021</b> , 50, 369-385  | 2     | 0    |
| 23 | Intrinsic reward circuit connectivity profiles underlying symptom and quality of life outcomes following antidepressant medication: a report from the iSPOT-D trial. <i>Neuropsychopharmacology</i> , <b>2021</b> , 46, 809-819 | 8.7   | 4    |
| 22 | Prenatal electrocardiogram testing and postpartum depression: A population-based cohort study <i>Obstetric Medicine</i> , <b>2022</b> , 15, 31-39   | 1.5   |      |
| 21 | Depression and Its Effect on the Menstrual Cycle. <i>Cureus</i> , <b>2021</b> , 13, e16532  | 1.2   | 1    |

| 20 | Medically unexplained symptoms: assessment and management. Clinical Medicine, 2021, 21, 13-18  | 1.9  | 4   |
|----|--|------|-----|
| 19 | Somatoform disorders. <i>Current Opinion in Psychiatry</i> , <b>1999</b> , 12, 163-168   | 4.9  | 4   |
| 18 | Childhood risk factors for adults with medically unexplained symptoms: results from a national birth cohort study. <i>American Journal of Psychiatry</i> , <b>1999</b> , 156, 1796-800                         | 11.9 | 69  |
| 17 | The importance of somatic symptoms in depression in primary care. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , <b>2005</b> , 7, 167-76  |      | 182 |
| 16 | Literaturverzeichnis. <b>2000</b> , 245-267  |      |     |
| 15 | Principles of Disability: Benefits and Underwriting. <b>2006</b> , 145-162   |      |     |
| 14 | Principles of Disability: Benefits and Underwriting. <b>2006</b> , 145-162   |      |     |
| 13 | Psychiatric Disorder, Irritable Bowel Syndrome, and Extra-Intestinal Symptoms in a Population-Based Sample of Twins. <i>American Journal of Gastroenterology</i> , <b>2009</b> , 104, 686-694                  | 0.7  |     |
| 12 | Physical Illness and Medical Needs of Women with Mental Disorders. <b>2010</b> , 81-105  |      |     |
| 11 | A potential relationship between diffuse musculoskeletal pain and hypogonadism. <i>BMJ Case Reports</i> , <b>2010</b> , 2010,  | 0.9  | 2   |
| 10 | References. 189-197  |      |     |
| 9  | The Association Between Psychological Factors and Orofacial Pain and Its Effect on Quality of Life: A Hospital Based Study. <i>Journal of Clinical and Diagnostic Research JCDR</i> , <b>2015</b> , 9, ZC39-43 | Ο    | 3   |
| 8  | Beyond somatisation: a review of the understanding and treatment of medically unexplained physical symptoms (MUPS). <i>British Journal of General Practice</i> , <b>2003</b> , 53, 231-9                       | 1.6  | 141 |
| 7  | Association of occupational physical demands and psychosocial working environment with disabling shoulder pain. <i>Annals of the Rheumatic Diseases</i> , <b>2001</b> , 60, 852-8                              | 2.4  | 37  |
| 6  | Symptom prevalence and burden, and the risk of depression among patients with advanced cancer attending two South African oncology units <i>Ecancermedicalscience</i> , <b>2022</b> , 16, 1349                 | 2.7  | 1   |
| 5  | Chronic Pain: Among Tertiary Care Psychiatric Out-Patients in Singapore-Prevalence and Associations with Psychiatric Disorders <i>Pain Research and Management</i> , <b>2022</b> , 2022, 1825132               | 2.6  |     |
| 4  | Depressive symptoms and palliative care concerns among patients with non-communicable diseases in two Southern African countries. <b>2022</b> ,  |      | О   |
| 3  | Among the swedish generation of adolescents who experience an increased trend of psychosomatic symptoms. Do they develop depression and/or anxiety disorders as they grow older?. <b>2022</b> , 22,            |      | О   |

#### CITATION REPORT

The Relationship Between Somatization and Depression Types: Comparison of Unipolar Depression and Bipolar Depression.

О

Psychiatric disorders, personality traits, and childhood traumatic events predicting incidence and persistence of chronic pain: results from the CoLaus|PsyCoLaus study. 2023, Publish Ahead of Print,

О