

# HIV-1 genetic subtype A/B recombinant strain causing a users in Kaliningrad

Aids

12, 1907-1919

DOI: 10.1097/00002030-199814000-00023

Citation Report

#	ARTICLE	IF	CITATIONS
1	HIV Type 1 Subtype E in Russia. <i>AIDS Research and Human Retroviruses</i> , 1997, 13, 725-727.	1.1	11
2	Rubella gene sequencing as a clinician's tool. <i>Lancet, The</i> , 1998, 352, 1799-1800.	13.7	7
3	Presence of Multiple HIV Subtypes and a High Frequency of Subtype Chimeric Viruses in Heterosexually Infected Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 1999, 22, 325.	2.1	15
4	An HIV Type 1 Subtype A Outbreak among Injecting Drug Users in Latvia. <i>AIDS Research and Human Retroviruses</i> , 1999, 15, 1487-1490.	1.1	25
5	Evolution of the HIV epidemic in Kaliningrad, Russia. <i>Journal of Clinical Virology</i> , 1999, 12, 37-42.	3.1	19
6	Circulation of Subtype A and gagA/envB Recombinant HIV Type 1 Strains among Injecting Drug Users in St. Petersburg, Russia, Correlates with Geographical Origin of Infections. <i>AIDS Research and Human Retroviruses</i> , 1999, 15, 1577-1583.	1.1	56
7	The HIV/AIDS Epidemic among Drug Injectors in Eastern Europe: Patterns, Trends and Determinants. <i>Journal of Drug Issues</i> , 1999, 29, 729-776.	1.2	39
8	Presence of Multiple HIV Subtypes and a High Frequency of Subtype Chimeric Viruses in Heterosexually Infected Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 1999, 22, 325.	2.1	24
9	V3 Serotyping of HIV-1 Infection: Correlation With Genotyping and Limitations. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1999, 20, 432-441.	0.3	21
10	Molecular epidemiology of HIV-1: An example of Asia. <i>Advances in Pharmacology</i> , 2000, 49, 417-436.	2.0	0
11	Most env and gag Subtype A HIV-1 Viruses Circulating in West and West Central Africa Are Similar to the Prototype AG Recombinant Virus IBNG. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2000, 23, 363-374.	2.1	100
12	Social change and HIV in the former USSR: the making of a new epidemic. <i>Social Science and Medicine</i> , 2000, 50, 1547-1556.	3.8	85
13	A gag gene heteroduplex mobility assay for subtyping HIV-1. <i>Journal of Virological Methods</i> , 2000, 87, 41-51.	2.1	24
14	Virtually Full-Length Subtype F and F/D Recombinant HIV-1 from Africa and South America. <i>Virology</i> , 2000, 269, 95-104.	2.4	44
15	Molecular and Biological Interactions between Two HIV-1 Strains from a Coinfected Patient Reveal the First Evidence in Favor of Viral Synergism. <i>Virology</i> , 2000, 274, 105-119.	2.4	19
16	Biological phenotype and coreceptor usage of human immunodeficiency virus. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2000, 47, 131-142.	0.8	6
17	A Recent Outbreak of Human Immunodeficiency Virus Type 1 Infection in Southern China Was Initiated by Two Highly Homogeneous, Geographically Separated Strains, Circulating Recombinant Form AE and a Novel BC Recombinant. <i>Journal of Virology</i> , 2000, 74, 11286-11295.	3.4	277
18	Silent Mutation in the V3 Region Characteristic of HIV Type 1 env Subtype B Strains from Injecting Drug Users in the Former Soviet Union. <i>AIDS Research and Human Retroviruses</i> , 2000, 16, 291-294.	1.1	7

#	ARTICLE	IF	CITATIONS
19	Most env and gag Subtype A HIV-1 Viruses Circulating in West and West Central Africa Are Similar to the Prototype AG Recombinant Virus IBNG. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2000, 23, 363-374.	2.1	95
20	Testing the Hypothesis of a Recombinant Origin of Human Immunodeficiency Virus Type 1 Subtype E. <i>Journal of Virology</i> , 2000, 74, 10752-10765.	3.4	65
21	Unprecedented Degree of Human Immunodeficiency Virus Type 1 (HIV-1) Group M Genetic Diversity in the Democratic Republic of Congo Suggests that the HIV-1 Pandemic Originated in Central Africa. <i>Journal of Virology</i> , 2000, 74, 10498-10507.	3.4	295
22	The Explosive Human Immunodeficiency Virus Type 1 Epidemic among Injecting Drug Users of Kathmandu, Nepal, Is Caused by a Subtype C Virus of Restricted Genetic Diversity. <i>Journal of Virology</i> , 2000, 74, 1149-1157.	3.4	52
23	Observations of the management of sexually transmitted diseases in the Russian Federation: a challenge of confidentiality. <i>International Journal of STD and AIDS</i> , 2000, 11, 563-567.	1.1	8
24	Timing the Ancestor of the HIV-1 Pandemic Strains. <i>Science</i> , 2000, 288, 1789-1796.	12.6	819
25	Significance of HIV-1 Genetic Subtypes. <i>Scandinavian Journal of Infectious Diseases</i> , 2000, 32, 455-463.	1.5	26
26	An AB Recombinant and Its Parental HIV Type 1 Strains in the Area of the Former Soviet Union: Low Requirements for Sequence Identity in Recombination. <i>AIDS Research and Human Retroviruses</i> , 2000, 16, 1047-1053.	1.1	63
27	An HIV Type 1 Subtype A Strain of Low Genetic Diversity Continues to Spread among Injecting Drug Users in Russia: Study of the New Local Outbreaks in Moscow and Irkutsk. <i>AIDS Research and Human Retroviruses</i> , 2001, 17, 257-261.	1.1	51
28	Serological approaches to subtyping of HIV-1 in injecting drug users in Russia: evidence of subtype homogeneity at the main sites of the epidemic. <i>International Journal of STD and AIDS</i> , 2001, 12, 34-40.	1.1	1
29	HIV-1 genetic diversity in Galicia Spain: BG intersubtype recombinant viruses circulating among injecting drug users. <i>Aids</i> , 2001, 15, 509-516.	2.2	76
30	High proportion of unrelated HIV-1 intersubtype recombinants in the Mbeya region of southwest Tanzania. <i>Aids</i> , 2001, 15, 1461-1470.	2.2	54
31	Diverse BF recombinants have spread widely since the introduction of HIV-1 into South America. <i>Aids</i> , 2001, 15, F41-F47.	2.2	132
32	Injection-Related Risk Behaviors in Young Urban and Suburban Injection Drug Users in Chicago (1997-1999). <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2001, 27, 71-78.	2.1	38
33	Injection-Related Risk Behaviors in Young Urban and Suburban Injection Drug Users in Chicago (1997-1999). <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2001, 27, 71-78.	2.1	36
34	Immune control of HIV: the obstacles of HLA and viral diversity. <i>Nature Immunology</i> , 2001, 2, 473-475.	14.5	153
35	HIV-1 subtyping using phylogenetic analysis of pol gene sequences. <i>Journal of Virological Methods</i> , 2001, 94, 45-54.	2.1	101
36	Evolutionary and immunological implications of contemporary HIV-1 variation. <i>British Medical Bulletin</i> , 2001, 58, 19-42.	6.9	423

#	ARTICLE	IF	CITATIONS
37	Relationship between HIV-1 Env subtypes A and D and disease progression in a rural Ugandan cohort. <i>Aids</i> , 2001, 15, 293-299.	2.2	104
38	Wild <i>Mandrillus sphinx</i> Are Carriers of Two Types of Lentivirus. <i>Journal of Virology</i> , 2001, 75, 7086-7096.	3.4	133
39	A New Human Immunodeficiency Virus Type 1 Circulating Recombinant Form from Tanzania. <i>AIDS Research and Human Retroviruses</i> , 2001, 17, 423-431.	1.1	49
40	HIV Type 1 Genetic Diversity and Genotypic Drug Susceptibility in the Republic of Moldova. <i>AIDS Research and Human Retroviruses</i> , 2001, 17, 1297-1304.	1.1	27
41	Evidence of Two Distinct Subsubtypes within the HIV-1 Subtype A Radiation. <i>AIDS Research and Human Retroviruses</i> , 2001, 17, 675-688.	1.1	82
42	Common Genetic Arrangements among Human Immunodeficiency Virus Type 1 Subtype A and D Recombinant Genomes Vertically Transmitted in Tanzania. <i>AIDS Research and Human Retroviruses</i> , 2002, 18, 947-956.	1.1	16
43	The Epidemiology of HIV and AIDS. , 2002, , 200-217.		15
44	Oh Brother, Where Art Thou? A Bayes Factor Test for Recombination with Uncertain Heritage. <i>Systematic Biology</i> , 2002, 51, 715-728.	5.6	47
45	HIV-1 Subtypes and Recombinants. , 2002, , 263-281.		4
46	CRF06-cpx: A New Circulating Recombinant Form of HIV-1 in West Africa Involving Subtypes A, G, K, and J. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2002, 29, 522-530.	2.1	50
47	Diversity of mosaic structures and common ancestry of human immunodeficiency virus type 1 BF intersubtype recombinant viruses from Argentina revealed by analysis of near full-length genome sequences. <i>Journal of General Virology</i> , 2002, 83, 107-119.	2.9	85
48	Selection for Human Immunodeficiency Virus Type 1 Recombinants in a Patient with Rapid Progression to AIDS. <i>Journal of Virology</i> , 2002, 76, 10674-10684.	3.4	68
49	Human Immunodeficiency Virus Type 1 Recombination: Rate, Fidelity, and Putative Hot Spots. <i>Journal of Virology</i> , 2002, 76, 11273-11282.	3.4	226
50	Explosive spread and high prevalence of HIV infection among injecting drug users in Togliatti City, Russia. <i>Aids</i> , 2002, 16, F25-F31.	2.2	126
51	First Report of CRF03_AB Recombinant HIV Type 1 in Injecting Drug Users in Ukraine. <i>AIDS Research and Human Retroviruses</i> , 2002, 18, 1145-1149.	1.1	11
52	Maintaining Low HIV Type 1 Env Genetic Diversity among Injection Drug Users Infected with a B/C Recombinant and CRF01_AE HIV Type 1 in Southern China. <i>AIDS Research and Human Retroviruses</i> , 2002, 18, 167-170.	1.1	29
53	Diversity Considerations in HIV-1 Vaccine Selection. <i>Science</i> , 2002, 296, 2354-2360.	12.6	731
54	Prevalence and origin of HIV-1 group M subtypes among patients attending a Belgian hospital in 1999. <i>Virus Research</i> , 2002, 85, 95-107.	2.2	37

#	ARTICLE	IF	CITATIONS
55	Bootstrap Confidence Levels for HIV-1 Recombination. <i>Journal of Molecular Evolution</i> , 2002, 54, 200-209.	1.8	10
56	Generation of a Consensus Sequence from Prevalent and Incident HIV-1 Infections in West Africa to Guide AIDS Vaccine Development. <i>Virology</i> , 2002, 302, 155-163.	2.4	50
57	Analysis, Quantification, and Evolutionary Consequences of HIV-1 in Vitro Recombination. <i>Virology</i> , 2002, 304, 392-402.	2.4	17
58	HIV Sequence Signatures and Similarities. , 2002, , 55-72.		25
59	Conditions for widespread heterosexual spread of HIV in the Russian Federation: implications for research, monitoring and prevention. <i>International Journal of Drug Policy</i> , 2003, 14, 45-62.	3.3	45
60	A competition model of HIV with recombination effect. <i>Mathematical and Computer Modelling</i> , 2003, 38, 1051-1065.	2.0	3
61	Human Immunodeficiency Virus in Uzbekistan: Epidemiological and Genetic Analyses. <i>AIDS Research and Human Retroviruses</i> , 2003, 19, 731-738.	1.1	35
62	Spreading of HIV-1 Subtype G and envB/gagG Recombinant Strains among Injecting Drug Users in Lisbon, Portugal. <i>AIDS Research and Human Retroviruses</i> , 2003, 19, 511-517.	1.1	54
63	Characterization of HIV Type 1 Heterosexual Transmission in Yunnan, China. <i>AIDS Research and Human Retroviruses</i> , 2003, 19, 1051-1055.	1.1	28
64	Molecular Cloning and Analysis of Full-Length Genome of HIV Type 1 Strains Prevalent in Countries of the Former Soviet Union. <i>AIDS Research and Human Retroviruses</i> , 2003, 19, 933-939.	1.1	15
65	HIV in central and eastern Europe. <i>Lancet, The</i> , 2003, 361, 1035-1044.	13.7	183
66	Travel and the spread of HIV-1 genetic variants. <i>Lancet Infectious Diseases, The</i> , 2003, 3, 22-27.	9.1	155
67	HIV Type 1 Diversity in Northeastern Romania in 2000-2001 Based on Phylogenetic Analysis of Pol Sequences from Patients Failing Antiretroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2003, 19, 1155-1161.	1.1	12
68	New HIV Type 1 CRF01_AE/B Recombinants Displaying Unique Distribution of Breakpoints from Incident Infections among Injecting Drug Users in Thailand. <i>AIDS Research and Human Retroviruses</i> , 2003, 19, 667-674.	1.1	28
69	Recombination of HIV Type 1 CRF01_AE/B in Ethiopia: Possible Link of EthHIV-1 CRF01_AE/B to Subtype C Sequences from the High-Prevalence Epidemics in India and Southern Africa. <i>AIDS Research and Human Retroviruses</i> , 2003, 19, 999-1008.	1.1	28
70	A New Circulating Recombinant Form, CRF15_01B, Reinforces the Linkage between IDU and Heterosexual Epidemics in Thailand. <i>AIDS Research and Human Retroviruses</i> , 2003, 19, 561-567.	1.1	100
71	Retroviral recombination review of genetic analyses. <i>Frontiers in Bioscience - Landmark</i> , 2003, 8, d143-155.	3.0	44
72	An HIV Type 1 Subtype A Outbreak among Injecting Drug Users in Kazakhstan. <i>AIDS Research and Human Retroviruses</i> , 2004, 20, 1134-1136.	1.1	33

#	ARTICLE	IF	CITATIONS
73	HIV-1 co/super-infection in intravenous drug users. <i>Aids</i> , 2004, 18, 1413-1421.	2.2	62
74	Active Generation and Selection for HIV Intersubtype A/D Recombinant Forms in a Coinfected Patient in Kenya. <i>AIDS Research and Human Retroviruses</i> , 2004, 20, 255-258.	1.1	17
75	HIV Type 1 Circulating Recombinant Form CRF09_cpx from West Africa Combines Subtypes A, F, G, and May Share Ancestors with CRF02_AG and Z321. <i>AIDS Research and Human Retroviruses</i> , 2004, 20, 819-826.	1.1	24
76	Development of a Novel Human Immunodeficiency Virus Type 1 Subtyping Tool, Subtype Analyzer (STAR): Analysis of Subtype Distribution in London. <i>AIDS Research and Human Retroviruses</i> , 2004, 20, 457-464.	1.1	19
77	Diversity of Human Immunodeficiency Virus Type 1 Subtype A and CRF03_AB Protease in Eastern Europe: Selection of the V77I Variant and Its Rapid Spread in Injecting Drug User Populations. <i>Journal of Virology</i> , 2004, 78, 11276-11287.	3.4	30
78	Molecular epidemiology of HIV: Tracking AIDS pandemic. <i>Pediatrics International</i> , 2004, 46, 236-244.	0.5	44
79	Temporal trends in the HIV-1 epidemic in Russia: Predominance of subtype A. <i>Journal of Medical Virology</i> , 2004, 74, 191-196.	5.0	68
80	Rapid Epidemic Spread of HIV Type 1 Subtype A1 among Intravenous Drug Users in Latvia and Slower Spread of Subtype B among Other Risk Groups. <i>AIDS Research and Human Retroviruses</i> , 2004, 20, 245-249.	1.1	32
81	The Changing Molecular Epidemiology of HIV Type 1 among Northern Thai Drug Users, 1999 to 2002. <i>AIDS Research and Human Retroviruses</i> , 2004, 20, 465-475.	1.1	72
82	Two Viral Strains and a Possible Novel Recombinant Are Responsible for the Explosive Injecting Drug Use-Associated HIV Type 1 Epidemic in Estonia. <i>AIDS Research and Human Retroviruses</i> , 2004, 20, 1148-1156.	1.1	50
83	The evolution of HIV and its consequences. <i>Infectious Disease Clinics of North America</i> , 2004, 18, 369-394.	5.1	17
84	The Genetic Diversity and Global Molecular Epidemiology of HIV. , 2004, , 43-53.		0
85	HLA-A and -B allele expression and ability to develop anti-Gag cross-clade responses in subtype C HIV-1-infected Ethiopians. <i>Human Immunology</i> , 2004, 65, 648-659.	2.4	11
86	Screening of HIV-1 Isolates by Reverse Heteroduplex Mobility Assay and Identification of Non-B Subtypes in Italy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2004, 37, 1295-1306.	2.1	24
87	Intersubtype BF Recombinants of HIV-1 in a Population of Injecting Drug Users in Argentina. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2004, 36, 630-636.	2.1	23
88	Re-analysis of 34 full-length HIV-1 intersubtype recombinant sequences. <i>Infection, Genetics and Evolution</i> , 2005, 5, 225-229.	2.3	4
89	Characteristics of HIV-1 env1 V3 loop sequences for subtype A1 variant spread in Eastern Europe. <i>Infection, Genetics and Evolution</i> , 2005, 5, 45-53.	2.3	10
90	Analysis of complex HIV-1 intersubtype recombinants using a Bayesian scanning method. <i>Infection, Genetics and Evolution</i> , 2005, 5, 219-224.	2.3	3

#	ARTICLE	IF	CITATIONS
91	Evaluation of a modified version of Heteroduplex Mobility Assay for rapid screening of HIV-1 isolates in epidemics characterized by mono/dual clade predominance. <i>Journal of Virological Methods</i> , 2005, 124, 123-134.	2.1	5
92	Subtype analysis and mutations to antiviral drugs in HIV-1-infected patients from Mozambique before initiation of antiretroviral therapy: Results from the DREAM programme. <i>Journal of Medical Virology</i> , 2005, 76, 452-458.	5.0	35
93	Analysis of drug resistance-associated mutations in treatment-naïve individuals infected with different genetic forms of HIV-1 circulating in countries of the former Soviet Union. <i>Journal of Medical Virology</i> , 2005, 77, 337-344.	5.0	26
94	High plasma HIV load in the CRF01_AE outbreak among injecting drug users in Finland. <i>Scandinavian Journal of Infectious Diseases</i> , 2005, 37, 276-283.	1.5	15
95	Human Retroviral Infections in the Tropics. , 2005, , 852-883.		0
96	Dual multiple change-point model leads to more accurate recombination detection. <i>Bioinformatics</i> , 2005, 21, 3034-3042.	4.1	136
97	The HIV Type 1 Epidemic in Belarus: Predominance of Eastern European Subtype A Strains and Circulation of Subtype B Viruses. <i>AIDS Research and Human Retroviruses</i> , 2005, 21, 830-833.	1.1	21
98	Prevalence of resistance-associated mutations in newly diagnosed HIV-1 patients in Greece. <i>Virus Research</i> , 2005, 112, 115-122.	2.2	45
99	Predictors of risky needle use following interventions with injection drug users in Ukraine. <i>Drug and Alcohol Dependence</i> , 2006, 82, S49-S55.	3.2	29
100	Strong HIV and hepatitis disclosure norms and frequent risk behaviors among Hungarian drug injectors. <i>Drug and Alcohol Dependence</i> , 2006, 82, S65-S69.	3.2	21
101	Molecular Epidemiology of HIV Type 1 in Ukraine: Birthplace of an Epidemic. <i>AIDS Research and Human Retroviruses</i> , 2006, 22, 709-714.	1.1	49
102	HIV-1 Genetic Diversity and Genotypic Drug Susceptibility in the Republic of Georgia. <i>AIDS Research and Human Retroviruses</i> , 2006, 22, 470-476.	1.1	31
103	HIV Epidemiology in the Northwestern Federal District of Russia: Dominance of HIV Type 1 Subtype A. <i>AIDS Research and Human Retroviruses</i> , 2006, 22, 1074-1080.	1.1	31
104	Can home-made injectable opiates contribute to the HIV epidemic among injection drug users in the countries of the former Soviet Union?. <i>Addiction</i> , 2006, 101, 731-737.	3.3	20
105	The Rate of Epidemiological And Virological Changes during The Transition from Nascent to Concentrated HIV Epidemic Stage in The Former Soviet Union Countries. <i>AIDS Research and Human Retroviruses</i> , 2007, 23, 183-192.	1.1	9
106	A Nascent HIV Type 1 Epidemic among Injecting Drug Users in Kabul, Afghanistan Is Dominated by Complex AD Recombinant Strain, CRF35_AD. <i>AIDS Research and Human Retroviruses</i> , 2007, 23, 834-839.	1.1	41
107	HIV Genetic Diversity: Biological and Public Health Consequences. <i>Current HIV Research</i> , 2007, 5, 23-45.	0.5	74
108	Identification and Characterization of HIV Type 1 Subtypes Present in the Kingdom of Saudi Arabia: High Level of Genetic Diversity Found. <i>AIDS Research and Human Retroviruses</i> , 2007, 23, 667-674.	1.1	16

#	ARTICLE	IF	CITATIONS
109	Phylogenetic Surveillance of Viral Genetic Diversity and the Evolving Molecular Epidemiology of Human Immunodeficiency Virus Type 1. <i>Journal of Virology</i> , 2007, 81, 13050-13056.	3.4	81
110	Increasing HIV-1 Genetic Diversity in Europe. <i>Journal of Infectious Diseases</i> , 2007, 196, 1120-1124.	4.0	34
111	An outbreak of HIV-1 subtype G among Italian injecting drug users. <i>Aids</i> , 2007, 21, 1213-1215.	2.2	21
112	Migration and transmission of blood-borne infections among injection drug users: Understanding the epidemiologic bridge. <i>Drug and Alcohol Dependence</i> , 2007, 90, 107-119.	3.2	76
113	Identification of a Novel Circulating Recombinant Form (CRF) 36_cpx in Cameroon That Combines Two CRFs (O1_AE and O2_AG) with Ancestral Lineages of Subtypes A and G. <i>AIDS Research and Human Retroviruses</i> , 2007, 23, 1008-1019.	1.1	30
114	Hot and Cold: Spatial Fluctuation in HIV-1 Recombination Rates. , 2007, , .		2
115	Autochthonous horizontal transmission of a CRF02_AG strain revealed by a human immunodeficiency virus type 1 diversity survey in a small city in inner state of Rio de Janeiro, Southeast Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2007, 102, 809-815.	1.6	15
116	Distinguishing molecular forms of HIV-1 in Asia with a high-throughput, fluorescent genotyping assay, MHAbce v.2. <i>Virology</i> , 2007, 358, 178-191.	2.4	46
117	Molecular determinants of HIV-1 intersubtype recombination potential. <i>Virology</i> , 2007, 363, 437-446.	2.4	37
118	Stimulant Injectors in Ukraine: The Next Wave of the Epidemic?. <i>AIDS and Behavior</i> , 2008, 12, 652-661.	2.7	34
119	Multiple HIV-1 introductions into the Swedish intravenous drug user population. <i>Infection, Genetics and Evolution</i> , 2008, 8, 545-552.	2.3	13
120	Reidentification of the Recombination Map of CRF03_AB: Evidence for a New Additional Mosaic A Subtype Segment. <i>AIDS Research and Human Retroviruses</i> , 2008, 24, 1337-1339.	1.1	1
121	Molecular Epidemiology of HIV Type 1 in Northern Brazil: Identification of Subtypes C and D and the Introduction of CRF02_AG in the Amazon Region of Brazil. <i>AIDS Research and Human Retroviruses</i> , 2009, 25, 961-966.	1.1	47
122	Molecular Epidemiology of HIV-1 in St Petersburg, Russia: Predominance of Subtype A, Former Soviet Union Variant, and Identification of Intrasubtype Subclusters. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009, 51, 332-339.	2.1	38
123	Identifying recombinants in human and primate immunodeficiency virus sequence alignments using quartet scanning. <i>BMC Bioinformatics</i> , 2009, 10, 126.	2.6	57
124	Segmenting bacterial and viral DNA sequence alignments with a trans-dimensional phylogenetic factorial hidden Markov model. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2009, 58, 307-327.	1.0	8
125	Tracing the HIV-1 subtype B mobility in Europe: a phylogeographic approach. <i>Retrovirology</i> , 2009, 6, 49.	2.0	114
127	Short Communication: Molecular Epidemiology of HIV Type 1 in the Republic of Dagestan, Russian Federation: Virtually Uniform Circulation of Subtype A, Former Soviet Union Variant, with Predominance of the V77I<sub>PR</sub> Subvariant. <i>AIDS Research and Human Retroviruses</i> , 2010, 26, 395-400.	1.1	10



#	ARTICLE	IF	CITATIONS
128	Genetic Subtypes of HIV Type 1 Circulating in Slovakia. <i>AIDS Research and Human Retroviruses</i> , 2010, 26, 1103-1107.	1.1	7
129	Molecular Characterization of HIV Type 1 Strains from Newly Diagnosed Patients in Cyprus (2007-2009) Recovers Multiple Clades Including Unique Recombinant Strains and Lack of Transmitted Drug Resistance. <i>AIDS Research and Human Retroviruses</i> , 2011, 27, 1183-1199.	1.1	16
130	Human Retroviral Infections in the Tropics. , 2011, , 541-558.		0
131	Circulation of multiple patterns of unique recombinant forms B/CRF02_AG in France. <i>Aids</i> , 2011, 25, 1371-1377.	2.2	16
132	Individual and Network Interventions With Injection Drug Users in 5 Ukraine Cities. <i>American Journal of Public Health</i> , 2011, 101, 336-343.	2.7	38
133	Extensive HLA-driven viral diversity following a narrow-source HIV-1 outbreak in rural China. <i>Blood</i> , 2011, 118, 98-106.	1.4	36
134	HIV-1 evolution in relation to molecular epidemiology and antiretroviral resistance. <i>Annals of the New York Academy of Sciences</i> , 2011, 1230, 108-118.	3.8	10
135	Subtype diversity associated with the development of HIV-1 resistance to integrase inhibitors. <i>Journal of Medical Virology</i> , 2011, 83, 751-759.	5.0	67
136	Emerging transmitted drug resistance in treatment-naïve human immunodeficiency virus-1 CRF06_cpx-infected patients in Estonia. <i>Scandinavian Journal of Infectious Diseases</i> , 2011, 43, 122-128.	1.5	13
137	A New Unique Recombinant HIV Type 1 Isolated from a Child Born to an HIV-Infected Mother. <i>AIDS Research and Human Retroviruses</i> , 2011, 27, 1323-1326.	1.1	5
138	The HIV Epidemic: High-Income Countries. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2012, 2, a007195-a007195.	6.2	33
139	“Krokodil”™ and other home-produced drugs for injection: A perspective from Ukraine. <i>International Journal of Drug Policy</i> , 2013, 24, 277-278.	3.3	22
140	Structural analysis of the envelope gp120 V3 loop for some HIV-1 variants circulating in the countries of Eastern Europe. <i>Journal of Biomolecular Structure and Dynamics</i> , 2013, 31, 665-683.	3.5	6
141	A uniquely prevalent nonnucleoside reverse transcriptase inhibitor resistance mutation in Russian subtype A HIV-1 viruses. <i>Aids</i> , 2014, 28, F1-F8.	2.2	32
142	Identification of a new HIV-1 BC circulating recombinant form (CRF60_BC) in Italian young men having sex with men. <i>Infection, Genetics and Evolution</i> , 2014, 23, 176-181.	2.3	29
143	Short Communication: Molecular Epidemiology, Phylogeny, and Phylodynamics of CRF63_02A1, a Recently Originated HIV-1 Circulating Recombinant Form Spreading in Siberia. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, 912-919.	1.1	20
144	Phylogeographic analysis on the travel-related introduction of HIV-1 non-B subtypes to Northern Poland. <i>Infection, Genetics and Evolution</i> , 2014, 27, 121-130.	2.3	6
145	Short Communication: Molecular Epidemiology of HIV Type 1 Infection in Kazakhstan: CRF02_AG Prevalence Is Increasing in the Southeastern Provinces. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, 769-774.	1.1	19

#	ARTICLE	IF	CITATIONS
146	Risky behavior and correlates of HIV and Hepatitis C Virus infection among people who inject drugs in three cities in Afghanistan. <i>Drug and Alcohol Dependence</i> , 2014, 143, 127-133.	3.2	22
147	Impact of incarceration experiences on reported HIV status and associated risk behaviours and disease comorbidities. <i>European Journal of Public Health</i> , 2015, 25, 1089-1094.	0.3	5
148	Utility of Metagenomic Next-Generation Sequencing for Characterization of HIV and Human Pegivirus Diversity. <i>PLoS ONE</i> , 2015, 10, e0141723.	2.5	37
149	HIV-1 A1 Subtype Epidemic in Italy Originated from Africa and Eastern Europe and Shows a High Frequency of Transmission Chains Involving Intravenous Drug Users. <i>PLoS ONE</i> , 2016, 11, e0146097.	2.5	25
150	Primate immunodeficiency virus classification and nomenclature: Review. <i>Infection, Genetics and Evolution</i> , 2016, 46, 150-158.	2.3	47
151	Overview of HIV molecular epidemiology among people who inject drugs in Europe and Asia. <i>Infection, Genetics and Evolution</i> , 2016, 46, 256-268.	2.3	26
152	A putative HIV-1 subtype C/CRF11_cpx unique recombinant from South Africa. <i>SpringerPlus</i> , 2016, 5, 285.	1.2	4
153	Molecular epidemiology of HIV-1 among the HIV infected people of Manipur, Northeastern India: Emergence of unique recombinant forms. <i>Journal of Medical Virology</i> , 2017, 89, 989-999.	5.0	6
154	HIV-1 Genetic Diversity in Recently Diagnosed Infections in Moscow: Predominance of A <sub>1</sub> FSU, Frequent Branching in Clusters, and Circulation of the Iberian Subtype G Variant. <i>AIDS Research and Human Retroviruses</i> , 2018, 34, 629-634.	1.1	16
155	A New HIV-1 Circulating Recombinant Form (CRF98_cpx) Between CRF06_cpx and Subtype B Identified in Southwestern France. <i>AIDS Research and Human Retroviruses</i> , 2018, 34, 1005-1009.	1.1	5
156	The Policy-Driven HIV Epidemic Among Opioid Users in the Russian Federation. <i>Current HIV/AIDS Reports</i> , 2018, 15, 259-265.	3.1	14
157	Local Epidemics Gone Viral: Evolution and Diffusion of the Italian HIV-1 Recombinant Form CRF60_BC. <i>Frontiers in Microbiology</i> , 2019, 10, 769.	3.5	6
158	The Changing Epidemiological Profile of HIV-1 Subtype B Epidemic in Ukraine. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 155-163.	1.1	7
159	The case of Scott County: injection drug use and the HIV and hepatitis C virus outbreak. , 2021, , 11-24.		0
160	Phylogenetic analysis of HIV-1 shows frequent cross-country transmission and local population expansions. <i>Virus Evolution</i> , 2021, 7, veab055.	4.9	5
161	Molecular Epidemiology of HIV in Asia and the Pacific. , 2004, , 181-205.		6
162	HIV in Eastern Europe. , 2011, , 319-336.		2
163	Human immunodeficiency virus vaccines. , 2008, , 1213-1251.		2

#	ARTICLE	IF	CITATIONS
164	Global Molecular Epidemiology of HIV: Understanding the Genesis of AIDS Pandemic. <i>Advances in Pharmacology</i> , 2008, 56, 1-25.	2.0	20
165	HIV-1 co-infection, superinfection and recombination. <i>Sexual Health</i> , 2004, 1, 239.	0.9	31
166	HIV-1 subtype G and BG recombinant viruses in Spanish natives: evidence of characteristic mutations in reverse transcriptase and protease. <i>Aids</i> , 2001, 15, 1907-1910.	2.2	10
167	Different subtype distributions in two cities in Myanmar. <i>Aids</i> , 2003, 17, 633-636.	2.2	13
168	Re-analysis of human immunodeficiency virus type 1 isolates from Cyprus and Greece, initially designated "subtype I", reveals a unique complex A/G/H/K/? mosaic pattern. <i>Journal of General Virology</i> , 2001, 82, 575-580.	2.9	21
169	Characterization of a Highly Replicative Intergroup M/O Human Immunodeficiency Virus Type 1 Recombinant Isolated from a Cameroonian Patient. <i>Journal of Virology</i> , 1999, 73, 7368-7375.	3.4	99
170	HIV-1 Subtype D Infections among Caucasians from Northwestern Poland"Phylogenetic and Clinical Analysis. <i>PLoS ONE</i> , 2012, 7, e31674.	2.5	21
171	Prevalence and spatiotemporal dynamics of HIV-1 Circulating Recombinant Form 03_AB (CRF03_AB) in the Former Soviet Union countries. <i>PLoS ONE</i> , 2020, 15, e0241269.	2.5	8
172	Genetic Characterization of HIV-1 Strains Among the Injecting Drug Users in Nagaland, India. <i>The Open Virology Journal</i> , 2011, 5, 96-102.	1.8	2
173	HIV Recombination and Pathogenesis " Biological and Epidemiological Implications. , 0, , .		1
174	Title is missing!. <i>Uirusu</i> , 2000, 50, 123-138.	0.1	0
175	Recombination and Molecular Epidemiology of HIV-1 and Enteroviruses. , 2002, , 97-119.		0
176	Determination of the invariant structural elements for the third variable domain of the HIV-1 gp120 protein by molecular modeling. <i>Mathematical Biology and Bioinformatics</i> , 2011, 6, 298-311.	0.6	0
177	CRF06-cpx: A New Circulating Recombinant Form of HIV-1 in West Africa Involving Subtypes A, G, K, and J. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2002, 29, 522-530.	2.1	0
182	Different subtype distributions in two cities in Myanmar: evidence for independent clusters of HIV-1 transmission. <i>Aids</i> , 2003, 17, 633-6.	2.2	4
183	Updated European Recommendations for the Clinical Use of HIV Drug Resistance Testing. <i>Antiviral Therapy</i> , 2004, 9, 829-848.	1.0	114
184	L'infection par le VIH-SIDA en Ouzbékistan: ractions "inconnu des mutations postsoviétiques? <i>Revue D'Etudes Comparatives Est-Ouest</i> , 2010, N° 41, 95-116.	0.1	1
185	Genetic diversity of the human immunodeficiency virus (HIV-1) in the Kaliningrad region. <i>Voprosy Virusologii</i> , 2022, 67, 310-321.	0.7	4

#	ARTICLE	IF	CITATIONS
186	Genetic diversity of HIV-1 at the current stage of the epidemic in the Russian Federation: an increase in the prevalence of recombinant forms. <i>HIV Infection and Immunosuppressive Disorders</i> , 2023, 15, 61-72.	0.3	0
187	Recombinant Forms of HIV-1 in the Last Decade of the Epidemic in the Russian Federation. <i>Viruses</i> , 2023, 15, 2312.	3.3	1