

CITATION REPORT

List of articles citing

Normal values for ambulatory blood pressure and differences between casual blood pressure and ambulatory blood pressure: results from a Danish population survey

DOI: 10.1097/00004872-199816100-00004
Journal of Hypertension, 1998, 16, 1415-24.

Source: <https://exaly.com/paper-pdf/29836161/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
79	Ambulatory blood pressure: normality and comparison with other measurements. Hypertension Working Group. <i>Hypertension</i> , 1999 , 34, 818-25	8.5	96
78	Defining ambulatory and home blood pressure normality: further considerations based on data from the PAMELA study. <i>Journal of Hypertension</i> , 2001 , 19, 995-9	1.9	31
77	Higher blood pressure among Inuit migrants in Denmark than among the Inuit in Greenland. <i>Journal of Epidemiology and Community Health</i> , 2002 , 56, 279-84	5.1	29
76	Ambulatory blood pressure characteristics in normotensive and treated hypertensive older people. <i>Journal of Human Hypertension</i> , 2002 , 16, 177-84	2.6	10
75	Masked hypertension. <i>Hypertension</i> , 2002 , 40, 795-6	8.5	399
74	Genotyping of the Apolipoprotein B R3500Q Mutation Using Immobilized Locked Nucleic Acid Capture Probes. <i>Clinical Chemistry</i> , 2002 , 48, 657-660	5.5	31
73	Noninvasive 24-hour ambulatory blood pressure monitoring: overview of technology and clinical applications. <i>Pharmacotherapy</i> , 2002 , 22, 597-612	5.8	23
72	The effect of six polymorphisms in the Apolipoprotein B gene on parameters of lipid metabolism in a Danish population. <i>Clinical Genetics</i> , 2002 , 61, 126-34	4	21
71	No interactions between polymorphisms in the beta3-adrenergic receptor gene and the PPAR-gamma gene on the risk of the insulin resistance syndrome in the Danish MONICA cohort. <i>Diabetologia</i> , 2003 , 46, 729-31	10.3	6
70	Blood pressure measurement in an ambulatory setting: concordance between physician and patient self-measurement. <i>Journal of Human Hypertension</i> , 2003 , 17, 45-50	2.6	17
69	Effects of stress and behavioral interventions in hypertension: what is masked hypertension?. <i>Journal of Clinical Hypertension</i> , 2003 , 5, 171-4, 176	2.3	10
68	Gastrointestinal dysfunction in a community sample of subjects with symptoms of irritable bowel syndrome. <i>Digestion</i> , 2003 , 67, 14-9	3.6	10
67	The Norwegian office-, home-, and ambulatory blood pressure study (NOHA). <i>Blood Pressure</i> , 2003 , 12, 211-9	1.7	20
66	Twenty-four-hour ambulatory blood pressure in community-dwelling elderly men and women, aged 60-102 years. <i>Journal of Hypertension</i> , 2003 , 21, 1641-7	1.9	24
65	Serum inhibin B and follicle-stimulating hormone levels as tools in the evaluation of infertile men: significance of adequate reference values from proven fertile men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 2873-9	5.6	130
64	Prevalence and clinical significance of isolated ambulatory hypertension in young subjects screened for stage 1 hypertension. <i>Hypertension</i> , 2004 , 44, 170-4	8.5	60
63	The platelet polymorphism PLA2 is a genetic risk factor for myocardial infarction. <i>Journal of Internal Medicine</i> , 2004 , 255, 637-44	10.8	40

62	Masked hypertension: how can the condition be detected?. <i>Blood Pressure Monitoring</i> , 2004 , 9, 297-9	1.3	36
61	Laboratory, reading center, and coordinating center data management methods in the Jackson Heart Study. <i>American Journal of the Medical Sciences</i> , 2004 , 328, 131-44	2.2	194
60	Are published characteristics of the ambulatory blood pressure generalizable to rural Chinese? The JingNing population study. <i>Blood Pressure Monitoring</i> , 2005 , 10, 125-34	1.3	62
59	Masked hypertension in adults. <i>Blood Pressure Monitoring</i> , 2005 , 10, 307-10	1.3	37
58	Large-scale studies of the Leu72Met polymorphism of the ghrelin gene in relation to the metabolic syndrome and associated quantitative traits. <i>Diabetic Medicine</i> , 2005 , 22, 1157-60	3.5	42
57	Ambulatory blood pressure and mortality: a population-based study. <i>Hypertension</i> , 2005 , 45, 499-504	8.5	245
56	Letter regarding article by Segal et al, "Prognostic value of ambulatory and home blood pressures compared with office blood pressure in the general population". <i>Circulation</i> , 2005 , 112, e244; author reply e245-6	16.7	2
55	Studies of the Gly482Ser polymorphism of the peroxisome proliferator-activated receptor gamma coactivator 1alpha (PGC-1alpha) gene in Danish subjects with the metabolic syndrome. <i>Diabetes Research and Clinical Practice</i> , 2005 , 67, 175-9	7.4	32
54	Ambulatory arterial stiffness index predicts stroke in a general population. <i>Journal of Hypertension</i> , 2006 , 24, 2247-53	1.9	114
53	Ambulatory blood pressure monitoring and target organ damage: effects of age and sex. <i>Blood Pressure Monitoring</i> , 2006 , 11, 9-15	1.3	24
52	Prognostic value of aortic pulse wave velocity as index of arterial stiffness in the general population. <i>Circulation</i> , 2006 , 113, 664-70	16.7	1142
51	Influence of age and sex on prevalence of masked hypertension determined from home blood pressure measurements. <i>Journal of Human Hypertension</i> , 2007 , 21, 94-5	2.6	5
50	Masked hypertension: a review. <i>Hypertension Research</i> , 2007 , 30, 479-88	4.7	162
49	Masked hypertension, a review of the literature. <i>Blood Pressure Monitoring</i> , 2007 , 12, 267-73	1.3	29
48	The natural history of hypertension: prehypertension or masked hypertension?. <i>Journal of Clinical Hypertension</i> , 2007 , 9, 807-10	2.3	28
47	Twenty-four hour ambulatory blood pressure in a population of elderly men. <i>Journal of Internal Medicine</i> , 2008 , 248, 501-510	10.8	
46	Diagnostic thresholds for ambulatory blood pressure moving lower: a review based on a meta-analysis-clinical implications. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 377-81	2.3	30
45	Italian society of hypertension guidelines for conventional and automated blood pressure measurement in the office, at home and over 24 hours. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2008 , 15, 283-310	2.9	49

44	Franz Volhard lecture: should doctors still measure blood pressure? The missing patients with masked hypertension. <i>Journal of Hypertension</i> , 2008 , 26, 2259-67	1.9	52
43	Personality characteristics influencing determinacy of day and night blood pressure and heart rate. <i>Blood Pressure</i> , 2009 , 18, 30-5	1.7	12
42	Determinants of negative white-coat effect in treated hypertensive patients: the Jichi Morning Hypertension Research (J-MORE) study. <i>American Journal of Hypertension</i> , 2009 , 22, 35-40	2.3	8
41	Hipertensi3 arterial enmascarada. M3 preguntas que respuestas. <i>Hipertension Y Riesgo Vascular</i> , 2009 , 26, 95-97	0.5	
40	Causal mechanisms of masked hypertension: socio-psychological aspects. <i>Blood Pressure Monitoring</i> , 2010 , 15, 90-2	1.3	10
39	Definition of ambulatory blood pressure targets for diagnosis and treatment of hypertension in relation to clinic blood pressure: prospective cohort study. <i>BMJ, The</i> , 2010 , 340, c1104	5.9	110
38	Exaggerated blood pressure response to exercise--a new portent of masked hypertension. <i>Clinical and Experimental Hypertension</i> , 2010 , 32, 560-8	2.2	32
37	Masked hypertension: evaluation, prognosis, and treatment. <i>American Journal of Hypertension</i> , 2010 , 23, 941-8	2.3	78
36	ACCF/AHA 2011 expert consensus document on hypertension in the elderly: a report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus documents developed in collaboration with the American Academy of Neurology, American Geriatrics Society, American Society for Preventive Cardiology, American Society of Hypertension, American Society of Nephrology, Association of Black Cardiologists and European Society of Hypertension. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 2034-114	15.1	325
35	ACCF/AHA 2011 expert consensus document on hypertension in the elderly: a report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus Documents developed in collaboration with the American Academy of Neurology, American Geriatrics Society, American Society for Preventive Cardiology, American Society of Hypertension, American Society of Nephrology, Association of Black Cardiologists and European Society of Hypertension. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 2034-114		100
34	Age and the difference between awake ambulatory blood pressure and office blood pressure: a meta-analysis. <i>Blood Pressure Monitoring</i> , 2011 , 16, 159-67	1.3	34
33	What is the blood pressure goal for the elder patient 75 years of age or older?. <i>Current Cardiology Reports</i> , 2011 , 13, 485-91	4.2	2
32	Genetics of the ceramide/sphingosine-1-phosphate rheostat in blood pressure regulation and hypertension. <i>BMC Genetics</i> , 2011 , 12, 44	2.6	28
31	ACCF/AHA 2011 expert consensus document on hypertension in the elderly: a report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus Documents. <i>Circulation</i> , 2011 , 123, 2434-506	16.7	255
30	Genetic variation in the natriuretic peptide system, circulating natriuretic peptide levels, and blood pressure: an ambulatory blood pressure study. <i>American Journal of Hypertension</i> , 2012 , 25, 1095-100	2.3	10
29	Cost-effectiveness of secondary screening modalities for hypertension. <i>Blood Pressure Monitoring</i> , 2013 , 18, 1-7	1.3	17
28	Vitamin D status and chronic obstructive pulmonary disease: a prospective general population study. <i>PLoS ONE</i> , 2014 , 9, e90654	3.7	27
27	The association of the additional height index with atopic diseases, non-atopic asthma, ischaemic heart disease and mortality: a population-based study. <i>BMJ Open</i> , 2014 , 4, e003933	3	2

26	Age-specific differences between conventional and ambulatory daytime blood pressure values. <i>Hypertension</i> , 2014 , 64, 1073-9	8.5	60
25	Ambulatory blood pressure monitoring in the elderly: features and perspectives. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 1052-6	4.5	6
24	How should we manage a patient with masked hypertension?. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2015 , 22, 11-6	2.9	1
23	Clinic Blood Pressure Underestimates Ambulatory Blood Pressure in an Untreated Employer-Based US Population: Results From the Masked Hypertension Study. <i>Circulation</i> , 2016 , 134, 1794-1807	16.7	52
22	Effects of invitation to participate in health surveys on the incidence of cardiovascular disease: a randomized general population study. <i>International Journal of Epidemiology</i> , 2017 , 46, 603-611	7.8	9
21	Predictors of the Home-Clinic Blood Pressure Difference: A Systematic Review and Meta-Analysis. <i>American Journal of Hypertension</i> , 2016 , 29, 614-25	2.3	39
20	Interarm Difference in Systolic Blood Pressure in Different Ethnic Groups and Relationship to the "White Coat Effect": A Cross-Sectional Study. <i>American Journal of Hypertension</i> , 2017 , 30, 884-891	2.3	8
19	Reproductive hormones and metabolic syndrome in 24 testicular cancer survivors and their biological brothers. <i>Andrology</i> , 2017 , 5, 718-724	4.2	4
18	Leydig cell dysfunction, systemic inflammation and metabolic syndrome in long-term testicular cancer survivors. <i>European Journal of Cancer</i> , 2017 , 84, 9-17	7.5	10
17	Ambulatory Blood Pressure Monitoring: A Complementary Strategy for Hypertension Diagnosis and Management in Low-Income and Middle-Income Countries. <i>Cardiology Clinics</i> , 2017 , 35, 117-124	2.5	8
16	A randomized general population study of the effects of repeated health checks on incident diabetes. <i>Endocrine</i> , 2018 , 60, 122-128	4	2
15	Longitudinal Changes in Serum Levels of Testosterone and Luteinizing Hormone in Testicular Cancer Patients after Orchiectomy Alone or Bleomycin, Etoposide, and Cisplatin. <i>European Urology Focus</i> , 2018 , 4, 591-598	5.1	13
14	Hypertension, white-coat hypertension and masked hypertension in Australia: findings from the Australian Diabetes, Obesity, and Lifestyle Study 3. <i>Journal of Hypertension</i> , 2019 , 37, 1615-1623	1.9	7
13	Quality of Life in Long-Term Testicular Cancer Survivors With Compensated Leydig Cell Dysfunction. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e65-e71	3.3	2
12	Current status of white coat hypertension: where are we?. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2020 , 14, 1753944720931637	3.4	8
11	Twenty-four hour ambulatory blood pressure in a population of elderly men. <i>Journal of Internal Medicine</i> , 2000 , 248, 501-10	10.8	23
10	Ambulatory blood pressure monitoring. <i>Southern Medical Journal</i> , 2003 , 96, 563-8	0.6	16
9	Ambulatory blood pressure monitoring can unmask hypertension in patients with psoriasis vulgaris. <i>Medical Science Monitor</i> , 2013 , 19, 501-9	3.2	7

8	Decoding white coat hypertension. <i>World Journal of Clinical Cases</i> , 2017 , 5, 82-92	1.6	17
7	No association between loss-of-function mutations in filaggrin and diabetes, cardiovascular disease, and all-cause mortality. <i>PLoS ONE</i> , 2013 , 8, e84293	3.7	5
6	Blutdruckmessung. 2001 , 18-35		
5	Clinical Significance and Treatment Requirements in White Coat and Masked Hypertension. 2012 , 13-24		
4	Causes of Resistant Hypertension. 2013 , 77-94		
3	Blood Pressure Measurement in Older Patients With Hypertension. 2005 , 119-134		
2	Effect of Testosterone Replacement Therapy on Quality of Life and Sexual Function in Testicular Cancer Survivors With Mild Leydig Cell Insufficiency: Results From a Randomized Double-blind Trial.. <i>Clinical Genitourinary Cancer</i> , 2022 ,	3.3	0
1	A randomised double-blind single centre study of testosterone replacement therapy or placebo in testicular cancer survivors with mild Leydig cell insufficiency (Einstein-intervention). <i>Clinical Genitourinary Cancer</i> , 2022 ,	3.3	0