
CITATION REPORT List of articles citing



DOI: 10.1128/mmbr.62.1.1-34.1998 Microbiology and Molecular Biology Reviews, 1998, 62, 1-34.

Source: https://exaly.com/paper-pdf/29904811/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper IF	Citations
1529	Sugar transporters from bacteria, parasites and mammals: structure-activity relationships. 1998 , 23, 476-81	94
1528	Multiple antibiotic resistance and efflux. 1998 , 1, 516-23	245
1527	Unified inventory of established and putative transporters encoded within the complete genome of Saccharomyces cerevisiae. 1998 , 430, 116-25	180
1526	Genome sequencing and informatics: new tools for biochemical discoveries. 1998 , 117, 1129-33	11
1525	Microbial genome analyses: global comparisons of transport capabilities based on phylogenies, bioenergetics and substrate specificities. 1998 , 277, 573-92	262
1524	Molecular phylogeny as a basis for the classification of transport proteins from bacteria, archaea and eukarya. 1998 , 40, 81-136	94
1523	Structure-function relationships in OxlT, the oxalate/formate transporter of Oxalobacter formigenes. Topological features of transmembrane helix 11 as visualized by site-directed fluorescent labeling. 1998 , 273, 17962-7	32
1522	Functional symmetry of UhpT, the sugar phosphate transporter of Escherichia coli. 1998 , 273, 33735-40	25
1521	Evolutionary origins of multidrug and drug-specific efflux pumps in bacteria. 1998 , 12, 265-74	169
1520	Molecular cloning and characterization of Tap, a putative multidrug efflux pump present in Mycobacterium fortuitum and Mycobacterium tuberculosis. 1998 , 180, 5836-43	151
1519	Evolutionary origins of multidrug and drug-specific efflux pumps in bacteria. 1998 , 12, 265-274	174
1518	Pattern of Mutations that Results in Loss of Reduced Folate Carrier Function under Antifolate Selective Pressure Augmented by Chemical Mutagenesis. 1999 , 56, 68-76	49
1517	A putative cell surface receptor for anemia-inducing feline leukemia virus subgroup C is a member of a transporter superfamily. 1999 , 73, 6500-5	102
1516	References. 1999 , 345-385	
1515	Function and regulation of yeast hexose transporters. <i>Microbiology and Molecular Biology Reviews</i> , 1999 , 63, 554-69	511
1514	Altered substrate selectivity in a mutant of an intrahelical salt bridge in UhpT, the sugar phosphate carrier of Escherichia coli. 1999 , 274, 6148-53	23
1513	Functional and biochemical characterization of Escherichia coli sugar efflux transporters. 1999 , 274, 22977-8	34 57

1512	Cloning and functional expression of a gene encoding a P1 type nucleoside transporter from Trypanosoma brucei. 1999 , 274, 30244-9	39
1511	Pht2;1 encodes a low-affinity phosphate transporter from Arabidopsis. 1999 , 11, 2153-66	165
1510	A conserved amino acid motif (R-X-G-R-R) in the Glut1 glucose transporter is an important determinant of membrane topology. 1999 , 274, 24721-5	48
1509	The identification of a new family of sugar efflux pumps in Escherichia coli. 1999 , 31, 1845-51	37
1508	A new gene, encoding an anion transporter, is mutated in sialic acid storage diseases. 1999 , 23, 462-5	221
1507	Analysis of the proteome of Mycobacterium tuberculosis in silico. 1999 , 79, 329-42	239
1506	Discrimination among reduced folates and methotrexate as transport substrates by a phenylalanine substitution for serine within the predicted eighth transmembrane domain of the reduced folate carrier. 1999 , 58, 1615-24	25
1505	Phylogenetic characterization of novel transport protein families revealed by genome analyses. 1999 , 1422, 1-56	189
1504	Phosphate permeases of Saccharomyces cerevisiae: structure, function and regulation. 1999 , 1422, 255-72	67
1503	Structure and function of facilitative sugar transporters. 1999 , 11, 496-502	60
1502	A functional-phylogenetic system for the classification of transport proteins. 1999 , Suppl 32-33, 84-94	72
1501	FLR1 gene (ORF YBR008c) is required for benomyl and methotrexate resistance in Saccharomyces cerevisiae and its benomyl-induced expression is dependent on pdr3 transcriptional regulator. 1999 , 15, 1595-608	71
1500	Eukaryotic transmembrane solute transport systems. 1999 , 190, 61-136	38
1499	Flexible programs for the prediction of average amphipathicity of multiply aligned homologous proteins: application to integral membrane transport proteins. 1999 , 16, 173-9	15
1498	Genome archeology leading to the characterization and classification of transport proteins. 1999 , 2, 555-61	51
1497	Paralogous genes encoding transport proteins in microbial genomes. 1999 , 150, 689-99	11
1496	Transport of organic anions by the lysosomal sialic acid transporter: a functional approach towards the gene for sialic acid storage disease. 1999 , 446, 65-8	16
1495	The novel transmembrane Escherichia coli proteins involved in the amino acid efflux. 1999 , 452, 228-32	89

1494	Characterization of purified and unidirectionally reconstituted Pho84 phosphate permease of Saccharomyces cerevisiae. 1999 , 458, 1-5	19
1493	Intracellular localization of an active green fluorescent protein-tagged Pho84 phosphate permease in Saccharomyces cerevisiae. 1999 , 462, 37-42	48
1492	Melibiose carrier of Escherichia coli: use of cysteine mutagenesis to identify the amino acids on the hydrophilic face of transmembrane helix 2. 1999 , 1420, 63-72	15
1491	Nitrate and Ammonium Nutrition of Plants: Physiological and Molecular Perspectives. 1999 , 30, 1-90	202
1490	PHOSPHATE ACQUISITION. 1999 , 50, 665-693	1225
1489	Multiresistance genes of Rhizobium etli CFN42. 2000 , 13, 572-7	87
1488	Families of transmembrane sugar transport proteins. 2000 , 35, 699-710	234
1487	Localization of the histidine kinase PilS to the poles of Pseudomonas aeruginosa and identification of a localization domain. 2000 , 36, 153-62	48
1486	The structure-function relationship of functionally distinct but structurally similar hexose transporters from Trypanosoma congolense. 2000 , 267, 4850-60	7
1485	Engineering bacteria for bioremediation. 2000 , 11, 262-70	349
1484	Identification and substrate specificity of a ferrichrome-type siderophore transporter (Arn1p) in Saccharomyces cerevisiae. 2000 , 186, 221-7	96
1483	Diversity of transport mechanisms: common structural principles. 2000 , 25, 397-401	54
1482	Hexose transport in asexual stages of Plasmodium falciparum and kinetoplastidae. 2000 , 16, 516-21	34
1481	Antibiotic efflux pumps. 2000 , 60, 457-70	268
1480	Lysosomal transport disorders. 2000 , 23, 278-92	43
1479	Cloning, sequencing and analysis of the pucC genes from Rubrivivax gelatinosus strain 151 and Rhodopseudomonas acidophila strain 10050. 2000 , 65, 69-82	3
1478	Cloning of the cellular receptor for feline leukemia virus subgroup C (FeLV-C), a retrovirus that induces red cell aplasia. 2000 , 95, 1093-1099	102

(2000-2000)

1476	Second-site suppressor mutations of inactivating substitutions at gly247 of the tetracycline efflux protein, Tet(B). 2000 , 182, 6514-6	13
1475	Desferrioxamine-mediated iron uptake in Saccharomyces cerevisiae. Evidence for two pathways of iron uptake. 2000 , 275, 10709-15	154
1474	Siderophore-iron uptake in saccharomyces cerevisiae. Identification of ferrichrome and fusarinine transporters. 2000 , 275, 16354-9	135
1473	Distinct protein domains of the yeast Golgi GDP-mannose transporter mediate oligomer assembly and export from the endoplasmic reticulum. 2000 , 275, 17718-27	67
1472	Families of transmembrane transporters selective for amino acids and their derivatives. 2000 , 146 (Pt 8), 1775-1795	162
1471	The amino acid/polyamine/organocation (APC) superfamily of transporters specific for amino acids, polyamines and organocations. 2000 , 146 (Pt 8), 1797-1814	220
1470	Characterization and expression of monosaccharide transporters (osMSTs) in rice. 2000, 41, 940-7	46
1469	A revised model for the structure and function of the lactose permease. Evidence that a face on transmembrane segment 2 is important for conformational changes. 2000 , 275, 23240-6	18
1468	Bacteria are not what they eat: that is why they are so diverse. 2000 , 182, 257-63	48
1467	Vectorial metabolism and the evolution of transport systems. 2000 , 182, 5029-35	75
1466	Four conserved cytoplasmic sequence motifs are important for transport function of the Leishmania inositol/H(+) symporter. 2000 , 275, 5687-93	27
1465	Multiple hexose transporters of Schizosaccharomyces pombe. 2000 , 182, 2153-62	62
1464	Evidence for interactions between helices 5 and 8 and a role for the interdomain loop in tetracycline resistance mediated by hybrid Tet proteins. 2000 , 275, 6101-6	14
1463	The central cytoplasmic loop of the major facilitator superfamily of transport proteins governs efficient membrane insertion. 2000 , 97, 8938-43	39
1462	A reaction-induced fourier transform-infrared spectroscopic study of the lactose permease. A transmembrane potential perturbs carboxylic acid residues. 2000 , 275, 28695-700	3
1461	Efflux-mediated resistance to fluoroquinolones in gram-positive bacteria and the mycobacteria. 2000 , 44, 2595-9	88
1460	A gene cluster involved in metal homeostasis in the cyanobacterium Synechocystis sp. strain PCC 6803. 2000 , 182, 1507-14	85
1459	The TetA(K) tetracycline/H(+) antiporter from Staphylococcus aureus: mutagenesis and functional analysis of motif C. 2000 , 182, 1492-8	40

1458	GLUTX1, a novel mammalian glucose transporter expressed in the central nervous system and insulin-sensitive tissues. 2000 , 275, 4607-12	181
1457	The EmrR protein represses the Escherichia coli emrRAB multidrug resistance operon by directly binding to its promoter region. 2000 , 44, 2905-7	48
1456	Genetic investigation of the catabolic pathway for degradation of abietane diterpenoids by Pseudomonas abietaniphila BKME-9. 2000 , 182, 3784-93	40
1455	Characterization of SotA and SotB, two Erwinia chrysanthemi proteins which modify isopropyl-beta-D-thiogalactopyranoside and lactose induction of the Escherichia coli lac promoter. 2000 , 182, 1340-5	9
1454	Fungal transporters involved in efflux of natural toxic compounds and fungicides. 2000, 30, 1-15	253
1453	Mapping of five new putative anion transporter genes in human and characterization of SLC26A6, a candidate gene for pancreatic anion exchanger. 2000 , 70, 102-12	169
1452	Microbial genome analyses: comparative transport capabilities in eighteen prokaryotes. 2000 , 301, 75-100	243
1451	Nitrate transporters in plants: structure, function and regulation. 2000 , 1465, 219-35	404
1450	Monosaccharide transporters in plants: structure, function and physiology. 2000 , 1465, 263-74	136
1449	The reduced folate carrier in L1210 murine leukemia cells is a 58-kDa protein. 2000 , 1466, 7-10	15
1448	Sugar recognition mutants of the melibiose carrier of Escherichia coli: possible structural information concerning the arrangement of membrane-bound helices and sugar/cation recognition site. 2000 , 1509, 123-30	7
1447	Properties of a reconstituted eukaryotic hexose/proton symporter solubilized by structurally related non-ionic detergents: specific requirement of phosphatidylcholine for permease stability. 2000 , 1463, 407-18	16
1446	The C-terminal tetrapeptide HWFW of the Chlorella HUP1 hexose/H(+)-symporter is essential for full activity and an alpha-helical structure of the C-terminus. 2000 , 468, 225-30	6
1445	Interaction between the critical aromatic amino acid residues Tyr(352) and Phe(504) in the yeast Gal2 transporter. 2000 , 471, 103-7	6
1444	Efflux-mediated resistance to fluoroquinolones in gram-negative bacteria. 2000, 44, 2233-41	270
1443	A functional-phylogenetic classification system for transmembrane solute transporters. Microbiology and Molecular Biology Reviews, 2000, 64, 354-411	643
1442	MACRONUTRIENT UTILIZATION BY PHOTOSYNTHETIC EUKARYOTES AND THE FABRIC OF INTERACTIONS. 2001 , 52, 163-210	146
1441	TRANSPORTERS RESPONSIBLE FOR THE UPTAKE AND PARTITIONING OF NITROGENOUS SOLUTES. 2001 , 52, 659-688	231

1440	Phylogeny of multidrug transporters. 2001 , 12, 205-13	254
1439	Properties of the cysteine-less Pho84 phosphate transporter of Saccharomyces cerevisiae. 2001 , 287, 837-42	4
1438	Towards the molecular mechanism of Na(+)/solute symport in prokaryotes. 2001, 1505, 131-43	45
1437	Bacterial transporters for sulfate and organosulfur compounds. 2001 , 152, 279-90	73
1436	A novel gene from Myxococcus xanthus that facilitates membrane translocation of an extracellular endoglucanase in Escherichia coli?. 2001 , 152, 487-92	
1435	The structure and function of drug pumps. 2001 , 9, 71-9	77
1434	Biodegradation of aromatic compounds by Escherichia coli. <i>Microbiology and Molecular Biology Reviews</i> , 2001 , 65, 523-69, table of contents	269
1433	Mutational analysis of the functional role of conserved arginine and lysine residues in transmembrane domains of the murine reduced folate carrier. 2001 , 59, 1022-8	34
1432	Evidence that fungal MEP proteins mediate diffusion of the uncharged species NH(3) across the cytoplasmic membrane. 2001 , 21, 5733-41	73
1431	Chapter 8 Microbial water channels and glycerol facilitators. 2001 , 51, 335-370	12
1430	Genes determining pathogenicity to pea are clustered on a supernumerary chromosome in the fungal plant pathogen Nectria haematococca. 2001 , 25, 305-14	146
1429	The putative monocarboxylate permeases of the yeast Saccharomyces cerevisiae do not transport monocarboxylic acids across the plasma membrane. 2001 , 18, 1131-43	49
1428	One of two tandem Arabidopsis genes homologous to monosaccharide transporters is senescence-associated. 2001 , 46, 447-57	75
1427	The lactose transport protein is a cooperative dimer with two sugar translocation pathways. 2001 , 20, 3056-62	55
1426	Maize yellow stripe1 encodes a membrane protein directly involved in Fe(III) uptake. 2001, 409, 346-9	745
1425	Impact of the reduced folate carrier on the accumulation of active thiamin metabolites in murine leukemia cells. 2001 , 276, 1114-8	75
1424	Structure/function relationships in OxlT, the oxalate-formate transporter of oxalobacter formigenes. Assignment of transmembrane helix 11 to the translocation pathway. 2001 , 276, 8753-60	22
1423	Genetic loci of Streptococcus mitis that mediate binding to human platelets. 2001 , 69, 1373-80	83

1422	Topology of a human equilibrative, nitrobenzylthioinosine (NBMPR)-sensitive nucleoside transporter (hENT1) implicated in the cellular uptake of adenosine and anti-cancer drugs. 2001 , 276, 45270-5	116
1421	Transmembrane segment 11 of UhpT, the sugar phosphate carrier of Escherichia coli, is an alpha-helix that carries determinants of substrate selectivity. 2001 , 276, 25107-13	18
1420	Genes involved in control of galactose uptake in Lactobacillus brevis and reconstitution of the regulatory system in Bacillus subtilis. 2001 , 183, 3224-36	35
1419	Characterization of P55, a multidrug efflux pump in Mycobacterium bovis and Mycobacterium tuberculosis. 2001 , 45, 800-4	102
1418	Topology of OxlT, the oxalate transporter of Oxalobacter formigenes, determined by site-directed fluorescence labeling. 2001 , 183, 2490-6	32
1417	A transcriptional regulator of a pristinamycin resistance gene in Streptomyces coelicolor. 2001 , 276, 1479-85	50
1416	A three-dimensional model of the human facilitative glucose transporter Glut1. 2001 , 276, 44970-5	48
1415	Cloning and genetic characterization of dca genes required for beta-oxidation of straight-chain dicarboxylic acids in Acinetobacter sp. strain ADP1. 2001 , 67, 4817-27	49
1414	Negative Regulation of Phosphate Starvation-Induced Genes. 2001, 127, 1854-1862	74
1413	A phosphate transporter from Medicago truncatula involved in the acquisition of phosphate released by arbuscular mycorrhizal fungi. 2002 , 14, 2413-29	621
1412	Charged amino acids conserved in the aromatic acid/H+ symporter family of permeases are required for 4-hydroxybenzoate transport by PcaK from Pseudomonas putida. 2002 , 184, 1444-8	28
1411	Pyridoxal 5-phosphate inhibition of substrate selectivity mutants of UhpT, the sugar 6-phosphate carrier of Escherichia coli. 2002 , 184, 3756-8	2
1410	Hpt, a bacterial homolog of the microsomal glucose- 6-phosphate translocase, mediates rapid intracellular proliferation in Listeria. 2002 , 99, 431-6	199
1409	A chloroplast phosphate transporter, PHT2;1, influences allocation of phosphate within the plant and phosphate-starvation responses. 2002 , 14, 1751-66	263
1408	Altering retroviral tropism using a random-display envelope library. 2002 , 5, 329-35	35
1407	Bcmfs1, a novel major facilitator superfamily transporter from Botrytis cinerea, provides tolerance towards the natural toxic compounds camptothecin and cercosporin and towards fungicides. 2002 , 68, 4996-5004	92
1406	Chemotaxis of Ralstonia eutropha JMP134(pJP4) to the herbicide 2,4-dichlorophenoxyacetate. 2002 , 68, 968-72	81
1405	Structure/function relationships in OxlT, the oxalate/formate antiporter of Oxalobacter formigenes: assignment of transmembrane helix 2 to the translocation pathway. 2002 , 277, 20372-8	17

1404	Molecular and developmental biology of inorganic nitrogen nutrition. 2002 , 1, e0011	149
1403	Phosphate transport and homeostasis in Arabidopsis. 2002 , 1, e0024	140
1402	Regulation of the Streptomyces coelicolor calcium-dependent antibiotic by absA, encoding a cluster-linked two-component system. 2002 , 184, 794-805	76
1401	Ammonium/methylammonium transport (Amt) proteins facilitate diffusion of NH3 bidirectionally. 2002 , 99, 3926-31	104
1400	Identification and characterization of the Arabidopsis PHO1 gene involved in phosphate loading to the xylem. 2002 , 14, 889-902	386
1399	Resistance to multiple novel antifolates is mediated via defective drug transport resulting from clustered mutations in the reduced folate carrier gene in human leukaemia cell lines. 2002 , 367, 741-50	65
1398	Efflux-mediated antibiotic resistance in Gram-positive bacteria. 2002 , 13, 1-13	8
1397	Identification of an immunodominant drug efflux pump in Burkholderia cepacia. 2002 , 49, 619-24	30
1396	The multidrug resistance transporters of the major facilitator superfamily, 6 years after disclosure of Saccharomyces cerevisiae genome sequence. 2002 , 98, 215-26	59
1395	Drug resistance in yeastsan emerging scenario. 2002 , 46, 155-201	51
1394	Membrane Transport and Metabolism in Leishmania Parasites. 2002 , 75-87	
1393	Bacterial Membrane Transport: Superfamilies of Transport Proteins. 2002,	
1392	Microarray analysis of orthologous genes: conservation of the translational machinery across species at the sequence and expression level. 2003 , 4, R4	19
1391	Development, validation, and application of PCR primers for detection of tetracycline efflux genes of gram-negative bacteria. 2002 , 68, 1786-93	192
1390	Protein-translocating outer membrane porins of Gram-negative bacteria. 2002 , 1562, 6-31	156
1389	Bacterial chemotaxis to pollutants and plant-derived aromatic molecules. 2002 , 5, 266-73	134
1388	Genomic structure and evolutionary context of the human feline leukemia virus subgroup C receptor (hFLVCR) gene: evidence for block duplications and de novo gene formation within duplicons of the hFLVCR locus. 2002 , 286, 203-13	18
1387	Functional cloning and characterization of a plant efflux carrier for multidrug and heavy metal detoxification. 2002 , 277, 5360-8	212

1386	Past-A, a novel proton-associated sugar transporter, regulates glucose homeostasis in the brain. 2002 , 22, 9160-5	17
1385	Evolution of transport proteins. 2001 , 23, 1-10	12
1384	The Multidrug Transporters Belonging to Major Facilitator Superfamily (MFS) in Mycobacterium tuberculosis. 2002 , 8, 714-724	94
1383	Phylogenetic analysis of bacterial communities associated with ectoparasitic chewing lice of pocket gophers: a culture-independent approach. 2002 , 44, 78-93	23
1382	Mechanisms of bacterial biocide and antibiotic resistance. 2002 , 92, 55S-64S	288
1381	Enzyme I and HPr from Lactobacillus casei: their role in sugar transport, carbon catabolite repression and inducer exclusion. 2000 , 36, 570-84	79
1380	Characterization of the 2-ketogluconate utilization operon in Pseudomonas aeruginosa PAO1. 2000 , 37, 561-73	27
1379	Export of the siderophore enterobactin in Escherichia coli: involvement of a 43 kDa membrane exporter. 2002 , 44, 1225-34	130
1378	The Salmonella enterica sv. Typhimurium smvA, yddG and ompD (porin) genes are required for the efficient efflux of methyl viologen. 2002 , 46, 687-98	69
1377	On the mechanism of substrate specificity by resistance nodulation division (RND)-type multidrug resistance pumps: the large periplasmic loops of MexD from Pseudomonas aeruginosa are involved in substrate recognition. 2002 , 46, 889-901	101
1376	Knock-out of a putative transporter results in altered blue-light signalling in Chlamydomonas. 2002 , 31, 577-87	7
1375	Cloning, functional expression and expression studies of the nitrate transporter gene from Chlorella sorokiniana (strain 211-8k). 2003 , 52, 855-64	14
1374	A semiautomated approach to gene discovery through expressed sequence tag data mining: discovery of new human transporter genes. 2003 , 5, E1	15
1373	Characterization of the expression of Phaseolus vulgaris OCT1, a dehydration-regulated gene that encodes a new type of phloem transporter. 2003 , 51, 341-9	9
1372	Phosphate transport in plants. 2003, 248, 71-83	151
1371	Regulation of phosphate acquisition in Saccharomyces cerevisiae. 2003 , 43, 225-44	122
1370	Sequence and phylogenetic analyses of 4 TMS junctional proteins of animals: connexins, innexins, claudins and occludins. 2003 , 194, 59-76	66
1369	Molecular genetics of fungal siderophore biosynthesis and uptake: the role of siderophores in iron uptake and storage. 2003 , 62, 316-30	243

(2003-2003)

Identification of plant-regulated genes in Ustilago maydis by enhancer-trapping mutagenesis. 2003 , 270, 303-14	60
Transport of organic anions across the basolateral membrane of proximal tubule cells. 2003 , 146, 95-158	228
Organic cation transporters. 2003 , 150, 36-90	218
Absorption of sugars and amino acids by the epidermis of Aphidius ervi larvae. 2003 , 49, 1115-24	25
Overexpression of Glut-1 and increased glucose metabolism in tumors are associated with a poor prognosis in patients with oral squamous cell carcinoma. 2003 , 97, 1015-24	297
Current perspectives on established and putative mammalian oligopeptide transporters. 2003 , 92, 691-714	92
Phloem loading and unloading of sugars and amino acids. 2003 , 26, 37-56	281
The multidrug/oligosaccharidyl-lipid/polysaccharide (MOP) exporter superfamily. 2003, 270, 799-813	187
Molecular mechanisms of iron uptake in fungi. 2003 , 47, 1185-97	257
Tracing pathways of transport protein evolution. 2003 , 48, 1145-56	125
A phosphate transporter from Medicago truncatula is expressed in the photosynthetic tissues of the plant and located in the chloroplast envelope. 2003 , 157, 291-302	39
Identification and disruption of btlA, a locus involved in bile tolerance and general stress resistance in Listeria monocytogenes. 2003 , 218, 31-8	29
Large diversity in transport-mediated methotrexate resistance in human leukemia cell line CCRF-CEM established in a high concentration of leucovorin. 2003 , 94, 210-4	8
Three-dimensional crystallization of the Escherichia coli glycerol-3-phosphate transporter: a member of the major facilitator superfamily. 2003 , 12, 2748-56	93
TetL tetracycline efflux protein from Bacillus subtilis is a dimer in the membrane and in detergent solution. 2003 , 42, 13969-76	22
Multidrug efflux pumps and resistance: regulation and evolution. 2003 , 6, 446-51	167
Projection structure of the bacterial oxalate transporter OxlT at 3.4A resolution. 2003, 144, 320-6	23
The ion transporter superfamily. 2003 , 1618, 79-92	89
	Transport of organic anions across the basolateral membrane of proximal tubule cells. 2003, 146, 95-158 Organic cation transporters. 2003, 150, 36-90 Absorption of sugars and amino acids by the epidermis of Aphidius ervi larvae. 2003, 49, 1115-24 Overexpression of Glut-1 and increased glucose metabolism in tumors are associated with a poor prognosis in patients with oral squamous cell carcinoma. 2003, 97, 1015-24 Current perspectives on established and putative mammalian oligopeptide transporters. 2003, 92, 691-714 Phloem loading and unloading of sugars and amino acids. 2003, 26, 37-56 The multidrug/oligosaccharidyl-lipid/polysaccharide (MOP) exporter superfamily. 2003, 270, 799-813 Molecular mechanisms of iron uptake in fungi. 2003, 47, 1185-97 Tracing pathways of transport protein evolution. 2003, 48, 1145-56 A phosphate transporter from Medicago truncatula is expressed in the photosynthetic tissues of the plant and located in the chloroplast envelope. 2003, 157, 291-302 Identification and disruption of btlA, a locus involved in bile tolerance and general stress resistance in Listeria monocytogenes. 2003, 218, 31-8 Large diversity in transport-mediated methotrexate resistance in human leukemia cell line CCRF-CEM established in a high concentration of leucovorin. 2003, 94, 210-4 Three-dimensional crystallization of the Escherichia coli glycerol-3-phosphate transporter: a member of the major facilitator superfamily. 2003, 12, 2748-56 TetL tetracycline efflux protein from Bacillus subtilis is a dimer in the membrane and in detergent solution. 2003, 42, 13969-76 Multidrug efflux pumps and resistance: regulation and evolution. 2003, 6, 446-51 Projection structure of the bacterial oxalate transporter OxIT at 3.4A resolution. 2003, 144, 320-6

1350	The tripartite tricarboxylate transporter (TTT) family. 2003, 154, 457-65	66
1349	Collection and characterisation of bacterial membrane proteins. 2003 , 555, 170-5	30
1348	Structure and mechanism of the glycerol-3-phosphate transporter from Escherichia coli. 2003 , 301, 616-20	862
1347	Sialic acid storage disease and related disorders. 2003 , 7, 113-21	24
1346	A new rate law describing microbial respiration. 2003 , 69, 2340-8	123
1345	Genetic characterization of glucose transporter function in Leishmania mexicana. 2003 , 100, 3901-6	114
1344	Functional characterization of Candida albicans ABC transporter Cdr1p. 2003 , 2, 1361-75	122
1343	Identification and characterization of genes required for biosynthesis and transport of the siderophore vibrioferrin in Vibrio parahaemolyticus. 2003 , 185, 6938-49	83
1342	Hydroxycinnamate (hca) catabolic genes from Acinetobacter sp. strain ADP1 are repressed by HcaR and are induced by hydroxycinnamoyl-coenzyme A thioesters. 2003 , 69, 5398-409	52
1341	Structural model for 12-helix transporters belonging to the major facilitator superfamily. 2003 , 185, 1712-8	98
1340	Characterization of the Aspergillus nidulans transporters for the siderophores enterobactin and triacetylfusarinine C. 2003 , 371, 505-13	109
1339	Type II protein secretion and its relationship to bacterial type IV pili and archaeal flagella. 2003 , 149, 3051-3072	297
1338	Structure and function of efflux pumps that confer resistance to drugs. 2003 , 376, 313-38	208
1337	Regulation of NRT1 and NRT2 gene families of Arabidopsis thaliana: responses to nitrate provision. 2003 , 44, 304-17	247
1336	Identification of oligomerization and drug-binding domains of the membrane fusion protein EmrA. 2003 , 278, 12903-12	50
1335	Second-site suppressor mutations for the serine 202 to phenylalanine substitution within the interdomain loop of the tetracycline efflux protein Tet(C). 2003 , 278, 28588-92	7
1334	Transmembrane segments 1, 5, 7 and 8 are required for high-affinity glucose transport by Saccharomyces cerevisiae Hxt2 transporter. 2003 , 372, 247-52	22
1333	Functional cloning and expression of emeA, and characterization of EmeA, a multidrug efflux pump from Enterococcus faecalis. 2003 , 26, 266-70	40

1332	Functional characterization of cysteine residues in GlpT, the glycerol 3-phosphate transporter of Escherichia coli. 2003 , 185, 3863-70	17
1331	Comprehensive chimeric analysis of amino acid residues critical for high affinity glucose transport by Hxt2 of Saccharomyces cerevisiae. 2004 , 279, 30274-8	11
1330	Diversity of microbial sialic acid metabolism. <i>Microbiology and Molecular Biology Reviews</i> , 2004 , 68, 132-5 ₂ , 2	427
1329	Two perfectly conserved arginine residues are required for substrate binding in a high-affinity nitrate transporter. 2004 , 101, 17549-54	33
1328	Nucleotide sequence and evolution of the five-plasmid complement of the phytopathogen Pseudomonas syringae pv. maculicola ES4326. 2004 , 186, 5101-15	42
1327	Membrane sphingolipid-ergosterol interactions are important determinants of multidrug resistance in Candida albicans. 2004 , 48, 1778-87	118
1326	NorM, an Erwinia amylovora multidrug efflux pump involved in in vitro competition with other epiphytic bacteria. 2004 , 70, 693-703	69
1325	In silico and transcriptional analysis of carbohydrate uptake systems of Streptomyces coelicolor A3(2). 2004 , 186, 1362-73	79
1324	Ralstonia solanacearum iron scavenging by the siderophore staphyloferrin B is controlled by PhcA, the global virulence regulator. 2004 , 186, 7896-904	60
1323	Diverse organization of genes of the beta-ketoadipate pathway in members of the marine Roseobacter lineage. 2004 , 70, 1658-68	39
1322	Transmembrane segment 3 of the Glut1 glucose transporter is an outer helix. 2004, 279, 46876-81	17
1321	TransportDB: a relational database of cellular membrane transport systems. 2004 , 32, D284-8	157
1320	Structure and expression profile of the Arabidopsis PHO1 gene family indicates a broad role in inorganic phosphate homeostasis. 2004 , 135, 400-11	167
1319	Role of hexose transport in control of glycolytic flux in Saccharomyces cerevisiae. 2004 , 70, 5323-30	85
1318	Relative proximity and orientation of helices 4 and 8 of the GLUT1 glucose transporter. 2004 , 279, 26540-5	15
1317	Analysis of transmembrane segment 8 of the GLUT1 glucose transporter by cysteine-scanning mutagenesis and substituted cysteine accessibility. 2004 , 279, 10494-9	35
1316	The Clostridium perfringens TetA(P) efflux protein contains a functional variant of the Motif A region found in major facilitator superfamily transport proteins. 2004 , 150, 127-134	28
1315	Copper ions stimulate polyphosphate degradation and phosphate efflux in Acidithiobacillus ferrooxidans. 2004 , 70, 5177-82	128

1314	Genomic diversity of Burkholderia pseudomallei clinical isolates: subtractive hybridization reveals a Burkholderia mallei-specific prophage in B. pseudomallei 1026b. 2004 , 186, 3938-50	59
1313	Molecular and cellular physiology of renal organic cation and anion transport. 2004 , 84, 987-1049	347
1312	A two-component high-affinity nitrate uptake system in barley. 2005 , 41, 442-50	134
1311	GlcP constitutes the major glucose uptake system of Streptomyces coelicolor A3(2). 2005 , 55, 624-36	60
1310	AMyxococcus xanthus rppA-mmrAdouble mutant exhibits reduced uptake of amino acids and tolerance of some antimicrobials. 2004 , 238, 145-150	1
1309	The structural basis of substrate translocation by the Escherichia coli glycerol-3-phosphate transporter: a member of the major facilitator superfamily. 2004 , 14, 405-12	7 ²
1308	Identification and characterization of a nitrate transporter gene in Neurospora crassa. 2004 , 42, 21-34	15
1307	NPT4, a new microsomal phosphate transporter: mutation analysis in glycogen storage disease type Ic. 2004 , 27, 725-33	20
1306	Sucrose fermentation by Saccharomyces cerevisiae lacking hexose transport. 2004 , 8, 26-33	39
1305	Phosphate transport in Arabidopsis: Pht1;1 and Pht1;4 play a major role in phosphate acquisition from both low- and high-phosphate environments. 2004 , 39, 629-42	550
1305 1304	from both low- and high-phosphate environments. 2004 , 39, 629-42 Cloning, sequencing and partial characterisation of sorbitol transporter (srlT) gene encoding	550
	from both low- and high-phosphate environments. 2004 , 39, 629-42 Cloning, sequencing and partial characterisation of sorbitol transporter (srlT) gene encoding phosphotransferase system, glucitol/sorbitol-specific IIBC components of Erwinia herbicola ATCC	
1304	from both low- and high-phosphate environments. 2004 , 39, 629-42 Cloning, sequencing and partial characterisation of sorbitol transporter (srlT) gene encoding phosphotransferase system, glucitol/sorbitol-specific IIBC components of Erwinia herbicola ATCC 21998. 2004 , 31, 143-9 Characterization of a protein of the plastid inner envelope having homology to animal inorganic	2
1304	Cloning, sequencing and partial characterisation of sorbitol transporter (srlT) gene encoding phosphotransferase system, glucitol/sorbitol-specific IIBC components of Erwinia herbicola ATCC 21998. 2004, 31, 143-9 Characterization of a protein of the plastid inner envelope having homology to animal inorganic phosphate, chloride and organic-anion transporters. 2004, 218, 406-16 Control of H+/lactose coupling by ionic interactions in the lactose permease of Escherichia coli. 2004, 198, 135-46	38
1304 1303 1302	Cloning, sequencing and partial characterisation of sorbitol transporter (srlT) gene encoding phosphotransferase system, glucitol/sorbitol-specific IIBC components of Erwinia herbicola ATCC 21998. 2004, 31, 143-9 Characterization of a protein of the plastid inner envelope having homology to animal inorganic phosphate, chloride and organic-anion transporters. 2004, 218, 406-16 Control of H+/lactose coupling by ionic interactions in the lactose permease of Escherichia coli. 2004, 198, 135-46	2 38 6
1304 1303 1302 1301	Cloning, sequencing and partial characterisation of sorbitol transporter (srlT) gene encoding phosphotransferase system, glucitol/sorbitol-specific IIBC components of Erwinia herbicola ATCC 21998. 2004, 31, 143-9 Characterization of a protein of the plastid inner envelope having homology to animal inorganic phosphate, chloride and organic-anion transporters. 2004, 218, 406-16 Control of H+/lactose coupling by ionic interactions in the lactose permease of Escherichia coli. 2004, 198, 135-46 Essential residues in the chromate transporter ChrA of Pseudomonas aeruginosa. 2004, 232, 107-12 Solvent partitioning and whole-cell sitosterol bioconversion activity in aqueous-organic two-phase	2 38 6 25
1304 1303 1302 1301 1300	Cloning, sequencing and partial characterisation of sorbitol transporter (srlT) gene encoding phosphotransferase system, glucitol/sorbitol-specific IIBC components of Erwinia herbicola ATCC 21998. 2004, 31, 143-9 Characterization of a protein of the plastid inner envelope having homology to animal inorganic phosphate, chloride and organic-anion transporters. 2004, 218, 406-16 Control of H+/lactose coupling by ionic interactions in the lactose permease of Escherichia coli. 2004, 198, 135-46 Essential residues in the chromate transporter ChrA of Pseudomonas aeruginosa. 2004, 232, 107-12 Solvent partitioning and whole-cell sitosterol bioconversion activity in aqueous-organic two-phase systems. 2004, 34, 342-353 Phylogeny of efflux-mediated tetracycline resistance genes and related proteins revisited. 2004,	2 38 6 25 29

1296 Efflux-mediated drug resistance in bacteria. 2004 , 64, 159-204	489
Predicting the three-dimensional structure of the human facilitative glucose transporter glut1 by a novel evolutionary homology strategy: insights on the molecular mechanism of substrate migration, and binding sites for glucose and inhibitory molecules. 2004 , 87, 2990-9	158
1294 Structure and transport mechanism of the bacterial oxalate transporter OxlT. 2004 , 87, 3600-7	51
The YedZ family: possible heme binding proteins that can be fused to transporters and electron carriers. 2004 , 8, 129-40	18
1292 Identification of a human heme exporter that is essential for erythropoiesis. 2004 , 118, 757-66	311
1291 Structural modeling of dual-affinity purified Pho84 phosphate transporter. 2004 , 578, 262-8	31
1290 Disulfiram is a potent modulator of multidrug transporter Cdr1p of Candida albicans. 2004 , 322, 52	0-5 42
Novel hexad repeats conserved in a putative transporter with restricted expression in cell types associated with growth, calcium exchange and homeostasis. 2004 , 293, 31-42	18
Polyspecific organic cation transporters: their functions and interactions with drugs. 2004 , 25, 375-8	81 158
1287 Glycerol-3-phosphate transporter of Escherichia coli: structure, function and regulation. 2004 , 155,	623-9 64
Identification of Francisella tularensis genes encoding exported membrane-associated proteins using TnphoA mutagenesis of a genomic library. 2004 , 37, 205-13	7
$_{f 1285}$ Phylogeny as a guide to structure and function of membrane transport proteins. 2004 , 21, 171-81	135
The phytoalexin-inducible multidrug efflux pump AcrAB contributes to virulence in the fire blight pathogen, Erwinia amylovora. 2004 , 17, 43-54	153
$_{f 12}8_{f 3}$ Toxicity: Resistance Pathways for Metalloids and Toxic Metals. 2004 , 1-13	2
Relative contribution of OAT and OCT transporters to organic electrolyte transport in rabbit proximal tubule. 2004 , 287, F999-1010	39
Inhibition of glucose uptake in murine cardiomyocyte cell line HL-1 by cardioprotective drugs dilazep and dipyridamole. 2004 , 286, H627-32	11
1280 Active membrane transport and receptor proteins from bacteria. 2005 , 33, 867-72	20
The yicM (nepI) gene of Escherichia coli encodes a major facilitator superfamily protein involved in efflux of purine ribonucleosides. 2005 , 250, 39-47	16

1278	Two acid-inducible promoters from Lactococcus lactis require the cis-acting ACiD-box and the transcription regulator RcfB. 2005 , 56, 735-46	38
1277	Investigating the role of ABC transporters in multifungicide insensitivity in Phytophthora infestans. 2006 , 7, 17-29	8
1276	Molecular responses to acidosis of central chemosensitive neurons in brain. 2005 , 17, 799-808	14
1275	Role of organic cation transporters in the renal handling of therapeutic agents and xenobiotics. 2005 , 204, 309-19	104
1274	Sequence analysis of the plasmid genome of the probiotic strain Lactobacillus paracasei NFBC338 which includes the plasmids pCD01 and pCD02. 2005 , 54, 160-75	25
1273	Shikimic acid production by a modified strain of E. coli (W3110.shik1) under phosphate-limited and carbon-limited conditions. 2005 , 92, 541-52	68
1272	Structural and functional characterization of AtPTR3, a stress-induced peptide transporter of Arabidopsis. 2005 , 11, 226-36	32
1271	Phosphate Acquisition. 2005, 274, 37-49	396
1270	The reduced folate carrier gene is a novel selectable marker for recombinant protein overexpression. 2005 , 68, 616-24	12
1269	GmN70 and LjN70. Anion transporters of the symbiosome membrane of nodules with a transport preference for nitrate. 2005 , 137, 1435-44	40
1268	Phospholipids as determinants of membrane protein topology. Phosphatidylethanolamine is required for the proper topological organization of the gamma-aminobutyric acid permease (GabP) of Escherichia coli. 2005 , 280, 26032-8	82
1267	When coupled to natural transformation in Acinetobacter sp. strain ADP1, PCR mutagenesis is made less random by mismatch repair. 2005 , 71, 7610-2	4
1266	Altered oxyanion selectivity in mutants of UhpT, the Pi-linked sugar phosphate carrier of Escherichia coli. 2005 , 280, 3376-81	6
1265	Cysteine-scanning mutagenesis and substituted cysteine accessibility analysis of transmembrane segment 4 of the Glut1 glucose transporter. 2005 , 280, 39562-8	30
1264	Missense mutations that inactivate the Aspergillus nidulans nrtA gene encoding a high-affinity nitrate transporter. 2005 , 169, 1369-77	15
1263	Phosphate acquisition. 2005 , 37-49	14
1262	Aberrant lysosomal carbohydrate storage accompanies endocytic defects and neurodegeneration in Drosophila benchwarmer. 2005 , 170, 127-39	109
1261	Localization of a substrate binding domain of the human reduced folate carrier to transmembrane domain 11 by radioaffinity labeling and cysteine-substituted accessibility methods. 2005 , 280, 36206-13	30

(2005-2005)

1260	Comparative genomic analyses of the bacterial phosphotransferase system. <i>Microbiology and Molecular Biology Reviews</i> , 2005 , 69, 608-34	217
1259	Complete genome sequence and analysis of the multiresistant nosocomial pathogen Corynebacterium jeikeium K411, a lipid-requiring bacterium of the human skin flora. 2005 , 187, 4671-82	168
1258	A conserved glutamate residue in transmembrane helix 10 influences substrate specificity of rabbit OCT2 (SLC22A2). 2005 , 280, 34813-22	59
1257	The phagosomal transporter A couples threonine acquisition to differentiation and replication of Legionella pneumophila in macrophages. 2005 , 102, 9924-9	111
1256	Substitutions in the interdomain loop of the Tn10 TetA efflux transporter alter tetracycline resistance and substrate specificity. 2005 , 151, 2315-2322	14
1255	Subtype-specific affinity for corticosterone of rat organic cation transporters rOCT1 and rOCT2 depends on three amino acids within the substrate binding region. 2005 , 67, 1612-9	82
1254	Phytohormones and Signal Transduction Pathways in Plants. 2005 , 137-147	2
1253	Role of Mycobacterium tuberculosis Ser/Thr kinase PknF: implications in glucose transport and cell division. 2005 , 187, 3415-20	79
1252	Experimental tests of a homology model for OxlT, the oxalate transporter of Oxalobacter formigenes. 2005 , 102, 8513-8	21
1251	Higher plant plastids and cyanobacteria have folate carriers related to those of trypanosomatids. 2005 , 280, 38457-63	76
1250	Membrane topology of the Escherichia coli AmpG permease required for recycling of cell wall anhydromuropeptides and AmpC beta-lactamase induction. 2005 , 49, 1145-9	32
1249	Engineering of a novel Saccharomyces cerevisiae wine strain with a respiratory phenotype at high external glucose concentrations. 2005 , 71, 6185-92	33
1248	epsABCJ genes are involved in the biosynthesis of the exopolysaccharide mauran produced by Halomonas maura. 2005 , 151, 2841-2851	19
1247	Comparative analyses of fundamental differences in membrane transport capabilities in prokaryotes and eukaryotes. 2005 , 1, e27	124
1246	The nucleoside transport proteins, NupC and NupG, from Escherichia coli: specific structural motifs necessary for the binding of ligands. 2005 , 3, 462-70	53
1245	Opportunities for genetic investigation afforded by Acinetobacter baylyi, a nutritionally versatile bacterial species that is highly competent for natural transformation. 2005 , 59, 519-51	90
1244	Biphenyl uptake by psychrotolerant Pseudomonas sp. strain Cam-1 and mesophilic Burkholderia sp. strain LB400. 2005 , 51, 399-404	8
1243	The putative high-affinity nitrate transporter NRT2.1 represses lateral root initiation in response to nutritional cues. 2005 , 102, 13693-8	293

1242	Importance of the GP dipeptide of the antiporter motif and other membrane-embedded proline and glycine residues in tetracycline efflux protein Tet(L). 2005 , 44, 12896-904	19
1241	Functional interactions between the subunits of the lactose transporter from Streptococcus thermophilus. 2005 , 350, 102-11	13
1240	Secretion systems for secondary metabolites: how producer cells send out messages of intercellular communication. 2005 , 8, 282-93	136
1239	Alkaline pH homeostasis in bacteria: new insights. 2005 , 1717, 67-88	502
1238	Investigation of a putative role for FLVCR, a cytoplasmic heme exporter, in Diamond-Blackfan anemia. 2005 , 35, 189-92	21
1237	Symbiotic phosphate transport in arbuscular mycorrhizas. 2005 , 10, 22-9	322
1236	Salbutamol is actively absorbed across human bronchial epithelial cell layers. 2005 , 18, 165-70	58
1235	Topological analysis of integral membrane constituents of prokaryotic ABC efflux systems. 2005 , 156, 270-7	22
1234	Root Development and Nutrient Uptake. 2006 , 25, 279-301	145
1233	Copper tolerance of the thermoacidophilic archaeon Sulfolobus metallicus: possible role of polyphosphate metabolism. 2006 , 152, 59-66	112
1232	Cytochrome c: occurrence and functions. 2006 , 106, 90-115	208
1231	Tandem and single genes of three membrane-bound nitrate transporters in the nar gene cluster of the moderately halophilic denitrifier, Halomonas halodenitrificans. 2006 , 17, 363-9	2
1230	Lessons from lactose permease. 2006 , 35, 67-91	266
1229	Molecular characterization of a glycerophosphoinositol transporter in mammalian cells. 2006 , 580, 6789-96	13
1228	Transcriptome analysis of a shikimic acid producing strain of Escherichia coli W3110 grown under carbon- and phosphate-limited conditions. 2006 , 126, 528-45	48
1227	Conserved Asp327 of walker B motif in the N-terminal nucleotide binding domain (NBD-1) of Cdr1p of Candida albicans has acquired a new role in ATP hydrolysis. 2006 , 45, 14726-39	24
1226	Analysis of substrate-binding elements in OxlT, the oxalate:formate antiporter of Oxalobacter formigenes. 2006 , 45, 10344-50	13
1225	Extra domains in secondary transport carriers and channel proteins. 2006 , 1758, 1557-79	36

(2006-2006)

1224	Heterologous expression and localization of gentisate transporter Ncg12922 from Corynebacterium glutamicum ATCC 13032. 2006 , 346, 555-61	11
1223	Macrophage MHC receptor 2: a novel receptor on allograft (H-2D(d)K(d))-induced macrophage (H-2D(b)K(b)) recognizing an MHC class I molecule, H-2K(d), in mice. 2006 , 384, 1-8	18
1222	Sequence alignment and homology threading reveals prokaryotic and eukaryotic proteins similar to lactose permease. 2006 , 358, 1060-70	43
1221	Conservation of residues involved in sugar/H(+) symport by the sucrose permease of Escherichia coli relative to lactose permease. 2006 , 358, 1051-9	27
1220	Adaptation of Legionella pneumophila to the host environment: role of protein secretion, effectors and eukaryotic-like proteins. 2006 , 9, 86-94	133
1219	Rh proteins vs Amt proteins: an organismal and phylogenetic perspective on CO2 and NH3 gas channels. 2006 , 13, 85-94	48
1218	Biological gas channels for NH3 and CO2: evidence that Rh (Rhesus) proteins are CO2 channels. 2006 , 13, 103-10	89
1217	The Amt/MEP/Rh family: structure of AmtB and the mechanism of ammonia gas conduction. 2006 , 21, 419-29	49
1216	Membrane topology of the chromate transporter ChrA of Pseudomonas aeruginosa. 2006 , 262, 178-84	23
1215	Evolution of gene families: the multidrug resistance transporter genes in five related yeast species. 2006 , 6, 345-55	74
1214	A DHA14 drug efflux gene from Xanthomonas albilineans confers high-level albicidin antibiotic resistance in Escherichia coli. 2006 , 101, 151-60	15
1213	Author index. 2006 , 7, 17-29	25
1212	Effects of lactose permease of Escherichia coli on the anisotropy and electrostatic surface potential of liposomes. 2006 , 119, 101-5	16
1211	The gene cluster for fluorometabolite biosynthesis in Streptomyces cattleya: a thioesterase confers resistance to fluoroacetyl-coenzyme A. 2006 , 13, 475-84	51
121 0	2,4-Dichlorophenoxyacetic acid (2,4-D) utilization by Delftia acidovorans MC1 at alkaline pH and in the presence of dichlorprop is improved by introduction of the tfdK gene. 2006 , 17, 263-73	9
1209	Iron transport in Escherichia coli: all has not been said and done. 2006 , 19, 159-72	46
1208	A suppressor analysis of residues involved in cation transport in the lactose permease: identification of a coupling sensor. 2006 , 211, 101-13	3
1207	Genome-wide analysis of differentially expressed genes from Penicillium chrysogenum grown with a repressing or a non-repressing carbon source. 2006 , 49, 85-96	12

1206	Iron uptake in fungi: a system for every source. 2006 , 1763, 636-45	174
1205	A novel MFS transporter encoding gene in Fusarium verticillioides probably involved in iron-siderophore transport. 2006 , 110, 1102-10	3
1204	Functional influence of N-glycosylation in OCT2-mediated tetraethylammonium transport. 2006 , 290, F1118-26	33
1203	CeRh1 (rhr-1) is a dominant Rhesus gene essential for embryonic development and hypodermal function in Caenorhabditis elegans. 2006 , 103, 5881-6	18
1202	A three-dimensional model of human organic anion transporter 1: aromatic amino acids required for substrate transport. 2006 , 281, 38071-9	65
1201	Identification of the mstE gene encoding a glucose-inducible, low affinity glucose transporter in Aspergillus nidulans. 2006 , 281, 8339-46	36
1200	Structure of the multidrug transporter EmrD from Escherichia coli. 2006 , 312, 741-4	323
1199	Comprehensive mapping of receptor-functioning domains in feline leukemia virus subgroup C receptor FLVCR1. 2006 , 80, 1742-51	29
1198	Identification of a gene cluster for biosynthesis of mannosylerythritol lipids in the basidiomycetous fungus Ustilago maydis. 2006 , 72, 5469-77	120
1197	Cyanobacteria metal interactions: requirements, toxicity, and ecological implications. 2006 , 32, 127-37	74
1196	A selC-associated genomic island of the extraintestinal avian pathogenic Escherichia coli strain BEN2908 is involved in carbohydrate uptake and virulence. 2006 , 188, 977-87	55
1195	Lactose-over-glucose preference in Bifidobacterium longum NCC2705: glcP, encoding a glucose transporter, is subject to lactose repression. 2006 , 188, 1260-5	92
1194	Eight amino acid residues in transmembrane segments of yeast glucose transporter Hxt2 are required for high affinity transport. 2006 , 281, 18532-8	14
1193	Role of transmembrane segment 10 in efflux mediated by the staphylococcal multidrug transport protein QacA. 2006 , 281, 792-9	27
1192	Gene expression and signaling pathways by extracellular acidification. 2006 , 580, 267-74; discussion 351-9	1
1191	lbtA and lbtB are required for production of the Legionella pneumophila siderophore legiobactin. 2006 , 188, 1351-63	56
1190	A gene cluster involved in the biosynthesis of vanchrobactin, a chromosome-encoded siderophore produced by Vibrio anguillarum. 2006 , 152, 3517-3528	41
1189	Transmembrane segment 12 of the Glut1 glucose transporter is an outer helix and is not directly involved in the transport mechanism. 2006 , 281, 36993-8	28

(2007-2006)

1188	Down-regulation of eukaryotic nitrate transporter by nitrogen-dependent ubiquitinylation. 2006 , 281, 13268-13274	25
1187	Effect of ammonia production by Colletotrichum gloeosporioides on pelB activation, pectate lyase secretion, and fruit pathogenicity. 2006 , 72, 1034-9	47
1186	Genome sequence of the chemolithoautotrophic nitrite-oxidizing bacterium Nitrobacter winogradskyi Nb-255. 2006 , 72, 2050-63	141
1185	Structural determination of wild-type lactose permease. 2007 , 104, 15294-8	193
1184	Human body temperature (37degrees C) increases the expression of iron, carbohydrate, and amino acid utilization genes in Escherichia coli K-12. 2007 , 189, 5429-40	28
1183	Identification by comprehensive chimeric analysis of a key residue responsible for high affinity glucose transport by yeast HXT2. 2007 , 282, 13146-50	18
1182	Diversification of NRT2 and the origin of its fungal homolog. 2007 , 24, 1731-43	24
1181	A novel major facilitator superfamily protein at the tonoplast influences zinc tolerance and accumulation in Arabidopsis. 2007 , 143, 1705-19	177
1180	Identification of an N-acetylglucosamine transporter that mediates hyphal induction in Candida albicans. 2007 , 18, 965-75	109
1179	TransportDB: a comprehensive database resource for cytoplasmic membrane transport systems and outer membrane channels. 2007 , 35, D274-9	296
1178	Genome-wide investigation of aromatic acid transporters in Corynebacterium glutamicum. 2007 , 153, 857-865	59
1177	EstB-mediated hydrolysis of the siderophore triacetylfusarinine C optimizes iron uptake of Aspergillus fumigatus. 2007 , 6, 1278-85	59
1176	Flip-flop of fluorescently labeled phospholipids in proteoliposomes reconstituted with Saccharomyces cerevisiae microsomal proteins. 2007 , 6, 1625-34	36
1175	Isolation and characterization of a novel haloacid permease from Burkholderia cepacia MBA4. 2007 , 73, 4874-80	22
1174	A genomic strategy for cloning, expressing and purifying efflux proteins of the major facilitator superfamily. 2007 , 59, 1265-70	14
1173	Distinct roles of nitrate and nitrite in regulation of expression of the nitrate transport genes in the moss Physcomitrella patens. 2007 , 48, 484-97	16
1172	A genomic view of sugar transport in Mycobacterium smegmatis and Mycobacterium tuberculosis. 2007 , 189, 5903-15	73
1171	Involvement of the cynABDS operon and the CO2-concentrating mechanism in the light-dependent transport and metabolism of cyanate by cyanobacteria. 2007 , 189, 1013-24	26

1170	TolC is required for pathogenicity of Xylella fastidiosa in Vitis vinifera grapevines. 2007, 20, 403-10	62
1169	Comprehensive analysis of transport proteins encoded within the genome of Bdellovibrio bacteriovorus. 2007 , 90, 424-46	24
1168	Microcins, gene-encoded antibacterial peptides from enterobacteria. 2007 , 24, 708-34	263
1167	Transport and metabolism of glycerophosphodiesters produced through phospholipid deacylation. 2007 , 1771, 337-42	36
1166	Transport capabilities of eleven gram-positive bacteria: comparative genomic analyses. 2007 , 1768, 1342-66	83
1165	Characterization of the multidrug efflux regulator AcrR from Escherichia coli. 2007, 361, 85-90	57
1164	MgMfs1, a major facilitator superfamily transporter from the fungal wheat pathogen Mycosphaerella graminicola, is a strong protectant against natural toxic compounds and fungicides. 2007 , 44, 378-88	70
1163	Crystal structure of the transcriptional regulator AcrR from Escherichia coli. 2007 , 374, 591-603	63
1162	Multiplex real-time SYBR Green I PCR assay for detection of tetracycline efflux genes of Gram-negative bacteria. 2007 , 21, 245-56	46
1161	The novel neuronal ceroid lipofuscinosis gene MFSD8 encodes a putative lysosomal transporter. 2007 , 81, 136-46	146
1160	Glucose uptake and growth of glucose-limited chemostat cultures of Aspergillus niger and a disruptant lacking MstA, a high-affinity glucose transporter. 2007 , 153, 1963-1973	28
1159	Sugar transport systems of Bifidobacterium longum NCC2705. 2007 , 12, 9-19	85
1158	Glucose uptake pathway-specific regulation of synthesis of neotrehalosadiamine, a novel autoinducer produced in Bacillus subtilis. 2007 , 189, 65-75	22
1157	Isolation and characterization of biofilm formation-defective mutants of Staphylococcus aureus. 2007 , 75, 1079-88	120
1156	Kinetic evidence is consistent with the rocker-switch mechanism of membrane transport by GlpT. 2007 , 46, 12190-7	42
1155	Siderophore-based iron acquisition and pathogen control. <i>Microbiology and Molecular Biology Reviews</i> , 2007 , 71, 413-51	1027
1154	Distribution and physiology of ABC-type transporters contributing to multidrug resistance in bacteria. <i>Microbiology and Molecular Biology Reviews</i> , 2007 , 71, 463-76	199
1153	Phosphate in the arbuscular mycorrhizal symbiosis: transport properties and regulatory roles. 2007 , 30, 310-322	2 90

1152	Nitrate reductases: structure, functions, and effect of stress factors. 2007 , 72, 1151-60	57
1151	GriC and GriD constitute a carboxylic acid reductase involved in grixazone biosynthesis in Streptomyces griseus. 2007 , 60, 380-7	21
1150	A suite of sucrose transporters expressed in coats of developing legume seeds includes novel pH-independent facilitators. 2007 , 49, 750-64	89
1149	Disruption of AtOCT1, an organic cation transporter gene, affects root development and carnitine-related responses in Arabidopsis. 2007 , 51, 154-64	34
1148	Analysis of an EST library from the dinoflagellate (Symbiodinium sp.) symbiont of reef-building corals1. 2007 , 43, 1010-1021	99
1147	Functional biology of plant phosphate uptake at root and mycorrhiza interfaces. 2007, 173, 11-26	504
1146	Conservation and divergence of both phosphate- and mycorrhiza-regulated physiological responses and expression patterns of phosphate transporters in solanaceous species. 2007 , 173, 817-831	138
1145	Activation of quiescent infections by postharvest pathogens during transition from the biotrophic to the necrotrophic stage. 2007 , 268, 1-8	69
1144	Phylogenetic analysis of the chromate ion transporter (CHR) superfamily. 2007, 274, 6215-27	44
1143	Heme carrier protein 1 (HCP1) expression and functional analysis in the retina and retinal pigment epithelium. 2007 , 313, 1251-9	8
1142	Conformational change in an MFS protein: MD simulations of LacY. 2007 , 15, 873-84	63
1141	Genes required for glycolipid synthesis and lipoteichoic acid anchoring in Staphylococcus aureus. 2007 , 189, 2521-30	138
1140	Docking and homology modeling explain inhibition of the human vesicular glutamate transporters. 2007 , 16, 1819-29	42
1139	Amino acids that confer transport of raffinose and maltose sugars in the raffinose permease (RafB) of Escherichia coli as implicated by spontaneous mutations at Val-35, Ser-138, Ser-139, Gly-389 and Ile-391. 2007 , 220, 87-95	7
1138	Polyspecific organic cation transporters: structure, function, physiological roles, and biopharmaceutical implications. 2007 , 24, 1227-51	832
1137	Molecular cloning and expression analysis of a monosaccharide transporter gene OsMST4 from rice (Oryza sativa L.). 2007 , 65, 439-51	34
1136	Characterisation and expression of monosaccharide transporters in lupins, Lupinus polyphyllus and L. albus. 2007 , 120, 697-705	5
1135	A sugar transporter (MfsX) is also required by Dickeya dadantii 3937 for in planta fitness. 2007 , 73, 274-280	8

1134	Mechanisms of bacterial resistance to chromium compounds. 2008, 21, 321-32	257
1133	Molecular analysis of physiological responses to changes in nitrogen in a marine macroalga, Porphyra yezoensis (Rhodophyta). 2008 , 24, 629-39	23
1132	Comparative molecular biological analysis of membrane transport genes in organisms. 2008, 66, 565-85	26
1131	Mechanisms modulating fungal attack in post-harvest pathogen interactions and their control. 2008 , 121, 281-289	35
1130	Crystallization and preliminary X-ray diffraction analysis of the multidrug efflux transporter NorM from Neisseria gonorrhoeae. 2008 , 64, 289-92	4
1129	Crystallization of the hydantoin transporter Mhp1 from Microbacterium liquefaciens. 2008, 64, 1172-4	7
1128	SREA is involved in regulation of siderophore biosynthesis, utilization and uptake in Aspergillus nidulans. 2001 , 41, 1077-89	129
1127	The lifestyle of Corynebacterium urealyticum derived from its complete genome sequence established by pyrosequencing. 2008 , 136, 11-21	73
1126	Myo-inositol facilitators IolT1 and IolT2 enhance D-mannitol formation from D-fructose in Corynebacterium glutamicum. 2009 , 290, 227-35	19
1125	Ins and outs of glucose transport systems in eubacteria. 2008 , 32, 891-907	89
1124	Resistance to fluoroquinolones by the combination of target site mutations and enhanced expression of genes for efflux pumps in Shigella flexneri and Shigella sonnei strains isolated in Korea. 2008 , 14, 760-5	37
1123	A gene repertoire for nitrogen transporters in Laccaria bicolor. 2008 , 180, 343-364	64
1122	Involvement of ZFR1 of Fusarium verticillioides in kernel colonization and the regulation of FST1, a putative sugar transporter gene required for fumonisin biosynthesis on maize kernels. 2008 , 9, 203-11	50
1121	Single amino acid substitutions in either YhjD or MsbA confer viability to 3-deoxy-d-manno-oct-2-ulosonic acid-depleted Escherichia coli. 2008 , 67, 633-48	41
112 0	Na+/myo-inositol symporters and Na+/H+-antiport in Mesembryanthemum crystallinum. 2008 , 24, 511-522	7
1119	MFS transportome of the human pathogenic yeast Candida albicans. <i>BMC Genomics</i> , 2008 , 9, 579 4.5	81
1118	Embryonic expression patterns of Drosophila ACS family genes related to the human sialin gene. 2008 , 8, 275-83	7
1117	Synergism between natural products and antibiotics against infectious diseases. 2008 , 15, 639-52	514

1116	Processing sites involved in intron splicing of Armillaria natural product genes. 2008 , 112, 216-24	17
1115	Iron and siderophores in fungal-host interactions. 2008 , 112, 170-83	124
1114	Cell free expression and functional reconstitution of eukaryotic drug transporters. 2008, 47, 4552-64	63
1113	Relative substrate affinities of wild-type and mutant forms of the Escherichia coli sugar transporter GalP determined by solid-state NMR. 2008 , 25, 474-84	15
1112	Comparative genomics of mutualistic viruses of Glyptapanteles parasitic wasps. 2008 , 9, R183	89
1111	Ins and outs of major facilitator superfamily antiporters. 2008 , 62, 289-305	362
1110	Salt-bridge dynamics control substrate-induced conformational change in the membrane transporter GlpT. 2008 , 378, 828-39	50
1109	Siderophores in fungal physiology and virulence. 2008 , 46, 149-87	295
1108	Organic Anion and Cation Transporters in Renal Elimination of Drugs. 2008, 2045-2080	2
1107	Gene expression in Fusarium graminearum grown on plant cell wall. 2008, 45, 738-48	36
1107	Gene expression in Fusarium graminearum grown on plant cell wall. 2008, 45, 738-48 A perspective on the structural studies of inner membrane electrochemical potential-driven transporters. 2008, 1778, 1805-13	36
,	A perspective on the structural studies of inner membrane electrochemical potential-driven	
1106	A perspective on the structural studies of inner membrane electrochemical potential-driven transporters. 2008 , 1778, 1805-13 High yield cell-free production of integral membrane proteins without refolding or detergents.	4
1106	A perspective on the structural studies of inner membrane electrochemical potential-driven transporters. 2008, 1778, 1805-13 High yield cell-free production of integral membrane proteins without refolding or detergents. 2008, 1778, 1237-50 A novel catalytic mechanism for ATP hydrolysis employed by the N-terminal nucleotide-binding	4 87
1106 1105 1104	A perspective on the structural studies of inner membrane electrochemical potential-driven transporters. 2008, 1778, 1805-13 High yield cell-free production of integral membrane proteins without refolding or detergents. 2008, 1778, 1237-50 A novel catalytic mechanism for ATP hydrolysis employed by the N-terminal nucleotide-binding domain of Cdr1p, a multidrug ABC transporter of Candida albicans. 2008, 1778, 2143-53 Characterization of the Pseudomonas pseudoalcaligenes CECT5344 Cyanase, an enzyme that is not	4 87 10
1106 1105 1104 1103	A perspective on the structural studies of inner membrane electrochemical potential-driven transporters. 2008, 1778, 1805-13 High yield cell-free production of integral membrane proteins without refolding or detergents. 2008, 1778, 1237-50 A novel catalytic mechanism for ATP hydrolysis employed by the N-terminal nucleotide-binding domain of Cdr1p, a multidrug ABC transporter of Candida albicans. 2008, 1778, 2143-53 Characterization of the Pseudomonas pseudoalcaligenes CECT5344 Cyanase, an enzyme that is not essential for cyanide assimilation. 2008, 74, 6280-8 Amino acid residues in transmembrane domain 10 of organic anion transporting polypeptide 1B3	4 87 10 39
1106 1105 1104 1103	A perspective on the structural studies of inner membrane electrochemical potential-driven transporters. 2008, 1778, 1805-13 High yield cell-free production of integral membrane proteins without refolding or detergents. 2008, 1778, 1237-50 A novel catalytic mechanism for ATP hydrolysis employed by the N-terminal nucleotide-binding domain of Cdr1p, a multidrug ABC transporter of Candida albicans. 2008, 1778, 2143-53 Characterization of the Pseudomonas pseudoalcaligenes CECT5344 Cyanase, an enzyme that is not essential for cyanide assimilation. 2008, 74, 6280-8 Amino acid residues in transmembrane domain 10 of organic anion transporting polypeptide 1B3 are critical for cholecystokinin octapeptide transport. 2008, 47, 9090-7	4 87 10 39

1098	High-affinity cation binding to organic cation transporter 1 induces movement of helix 11 and blocks transport after mutations in a modeled interaction domain between two helices. 2008 , 73, 50-61	47
1097	Transcriptional regulation of NAD metabolism in bacteria: genomic reconstruction of NiaR (YrxA) regulon. 2008 , 36, 2032-46	54
1096	Modeling of glycerol-3-phosphate transporter suggests a potential 'tilt' mechanism involved in its function. 2008 , 6, 885-904	12
1095	Transmembrane segment 6 of the Glut1 glucose transporter is an outer helix and contains amino acid side chains essential for transport activity. 2008 , 283, 11550-5	24
1094	Structural signatures and membrane helix 4 in GLUT1: inferences from human blood-brain glucose transport mutants. 2008 , 283, 16732-42	34
1093	Synaptic vesicle protein 2 binds adenine nucleotides. 2008 , 283, 20628-34	31
1092	The glucose-6-phosphate transporter is a phosphate-linked antiporter deficient in glycogen storage disease type Ib and Ic. 2008 , 22, 2206-13	49
1091	Helix dynamics in a membrane transport protein: comparative simulations of the glycerol-3-phosphate transporter and its constituent helices. 2008 , 25, 571-83	22
1090	Function of a mycobacterial major facilitator superfamily pump requires a membrane-associated lipoprotein. 2008 , 190, 1783-91	45
1089	The phagosomal nutrient transporter (Pht) family. 2008 , 154, 42-53	31
1088	An Rh1-GFP fusion protein is in the cytoplasmic membrane of a white mutant strain of Chlamydomonas reinhardtii. 2008 , 1, 1007-20	14
1087	A placenta-specific receptor for the fusogenic, endogenous retrovirus-derived, human syncytin-2. 2008 , 105, 17532-7	135
1086	Cross-species global proteomics reveals conserved and unique processes in Phytophthora sojae and Phytophthora ramorum. 2008 , 7, 1501-16	34
1085	Functional cloning and characterization of the multidrug efflux pumps NorM from Neisseria gonorrhoeae and YdhE from Escherichia coli. 2008 , 52, 3052-60	61
1084	Expression and function of the rat vesicular monoamine transporter 2. 2008 , 294, C1004-11	26
·		26
1083	Expression and function of the rat vesicular monoamine transporter 2. 2008 , 294, C1004-11	

1080	Duplication and gene conversion in the Drosophila melanogaster genome. 2008 , 4, e1000305	58
1079	The functional roles of the His247 and His281 residues in folate and proton translocation mediated by the human proton-coupled folate transporter SLC46A1. 2009 , 284, 17846-57	55
1078	The phosphate transporter PHT4;6 is a determinant of salt tolerance that is localized to the Golgi apparatus of Arabidopsis. 2009 , 2, 535-52	75
1077	Role of the glutamate 185 residue in proton translocation mediated by the proton-coupled folate transporter SLC46A1. 2009 , 297, C66-74	43
1076	Rational mutational analysis of a multidrug MFS transporter CaMdr1p of Candida albicans by employing a membrane environment based computational approach. 2009 , 5, e1000624	21
1075	Integration of evolutionary features for the identification of functionally important residues in major facilitator superfamily transporters. 2009 , 5, e1000522	15
1074	Genetic variations of the SLC22A4 gene in Chinese and Indian populations of Singapore. 2009 , 24, 475-81	12
1073	Efflux in fungi: la pille de rBistance. 2009 , 5, e1000486	146
1072	Identification of a feline leukemia virus variant that can use THTR1, FLVCR1, and FLVCR2 for infection. 2009 , 83, 6706-16	21
1071	An iron-regulated LysR-type element mediates antimicrobial peptide resistance and virulence in Yersinia pseudotuberculosis. 2009 , 155, 2168-2181	12
1070	The tep1 gene of Sinorhizobium meliloti coding for a putative transmembrane efflux protein and N-acetyl glucosamine affect nod gene expression and nodulation of alfalfa plants. 2009 , 9, 17	2
1069	Topological analysis of a haloacid permease of a Burkholderia sp. bacterium with a PhoA-LacZ reporter. 2009 , 9, 233	11
1068	A NUP98-positive acute myeloid leukemia with a t(11;12)(p15;q13) without HOXC cluster gene involvement. 2009 , 193, 109-11	7
1067	Sequence analysis of a DNA fragment fromSinorhizobium fredii USDA257 which extends the nitrogen fixation host range ofRhizobium species NGR234 to soybean,Glycine max (L.) Merr cultivar Peking. 2009 , 48, 110-119	1
1066	Identification, cloning, and functional characterization of EmrD-3, a putative multidrug efflux pump of the major facilitator superfamily from Vibrio cholerae O395. 2009 , 191, 903-11	40
1065	The glycerophosphoinositols: cellular metabolism and biological functions. 2009 , 66, 3449-67	26
1064	Evidence for the transport of maltose by the sucrose permease, CscB, of Escherichia coli. 2009 , 228, 79-88	7
1063	State-dependent block of Na+ channels by articaine via the local anesthetic receptor. 2009 , 229, 1-9	10

1062	Membrane Porters of ATP-Binding Cassette Transport Systems Are Polyphyletic. 2009, 231, 1-9	64
1061	Novel gene clusters involved in arsenite oxidation and resistance in two arsenite oxidizers: Achromobacter sp. SY8 and Pseudomonas sp. TS44. 2009 , 83, 715-25	75
1060	Physiological adaptation of Corynebacterium glutamicum to benzoate as alternative carbon source - a membrane proteome-centric view. 2009 , 9, 3635-51	35
1059	Molecular assays reveal the presence and diversity of genes encoding pea footrot pathogenicity determinants in Nectria haematococca and in agricultural soils. 2009 , 106, 1629-39	7
1058	Characterization of the individual glucose uptake systems of Lactococcus lactis: mannose-PTS, cellobiose-PTS and the novel GlcU permease. 2009 , 71, 795-806	60
1057	Growth landscape formed by perception and import of glucose in yeast. 2009 , 462, 875-9	65
1056	Concentration of GPI-anchored proteins upon ER exit in yeast. 2009 , 10, 186-200	134
1055	Hexose and pentose transport in ascomycetous yeasts: an overview. 2009 , 9, 511-25	103
1054	Type VI secretion modulates quorum sensing and stress response in Vibrio anguillarum. 2009 , 11, 3018-28	108
1053	Differential gene expression profiling in mucus glands of honey bee (Apis mellifera) drones during sexual maturation. 2009 , 40, 481-495	15
1052	Model of the exofacial substrate-binding site and helical folding of the human Glut1 glucose transporter based on scanning mutagenesis. 2009 , 48, 5934-42	54
1051	Biochemical analysis of the biosynthetic pathway of an anticancer tetracycline SF2575. 2009 , 131, 17677-89	62
1050	Combination of different molecular mechanisms leading to fluconazole resistance in a Candida lusitaniae clinical isolate. 2009 , 63, 188-93	16
1049	The ABC transporter ATR1 is necessary for efflux of the toxin cercosporin in the fungus Cercospora nicotianae. 2009 , 46, 146-58	31
1048	Identification of a key residue determining substrate affinity in the human glucose transporter GLUT1. 2009 , 1788, 1051-5	15
1047	Structure-function study of the glucose-6-phosphate transporter, an eukaryotic antiporter deficient in glycogen storage disease type Ib. 2009 , 96, 32-7	15
1046	Efflux-mediated drug resistance in bacteria: an update. 2009 , 69, 1555-623	590
1045	Structural basis of substrate selectivity in the glycerol-3-phosphate: phosphate antiporter GlpT. 2009 , 97, 1346-53	35

(2010-2009)

1044	Development and Function of the Arbuscular Mycorrhizal Symbiosis in Petunia. 2009 , 131-156	1
1043	Nitrogen Assimilation and its Regulation. 2009 , 69-113	16
1042	Role of YiaX2 in L-ascorbate transport in Klebsiella pneumoniae 13882. 2009 , 55, 1319-22	2
1041	Two distinct groups of fungal catalase/peroxidases. 2009 , 37, 772-7	30
1040	The transporter CefM involved in translocation of biosynthetic intermediates is essential for cephalosporin production. 2009 , 418, 113-24	44
1039	Bacterial Membrane Transport: Superfamilies of Transport Proteins. 2009,	2
1038	Capturing Functional Motions of Membrane Channels and Transporters with Molecular Dynamics Simulation. 2010 , 7, 2481-2500	8
1037	Neutropenia in type Ib glycogen storage disease. 2010 , 17, 36-42	58
1036	Mutations in FLVCR2 are associated with proliferative vasculopathy and hydranencephaly-hydrocephaly syndrome (Fowler syndrome). 2010 , 86, 471-8	45
1035	Mutations in FLVCR1 cause posterior column ataxia and retinitis pigmentosa. 2010 , 87, 643-54	66
1034	SCO3900, co-transcripted with three downstream genes, is involved in the differentiation of Streptomyces coelicolor. 2010 , 60, 268-73	8
1033	Sugar transporters in efficient utilization of mixed sugar substrates: current knowledge and outlook. 2010 , 85, 471-80	97
1032	Broad-host-range plasmid-mediated metabolic perturbations in Pseudomonas fluorescens 13525. 2010 , 88, 209-18	11
1031	HvNax3a locus controlling shoot sodium exclusion derived from wild barley (Hordeum vulgare ssp. spontaneum). 2010 , 10, 277-91	111
1030	Identification of the VP92R gene from infectious spleen and kidney necrosis virus. 2010, 41, 210-7	3
1029	Evolutionary ancestry and novel functions of the mammalian glucose transporter (GLUT) family. 2010 , 10, 152	32
1028	Interaction of the heterotrimeric G protein alpha subunit SSG-1 of Sporothrix schenckii with proteins related to stress response and fungal pathogenicity using a yeast two-hybrid assay. 2010 , 10, 317	12
1027	Pseudomonas aeruginosa Elactamase induction requires two permeases, AmpG and AmpP. 2010 , 10, 328	35

1026	Escherichia coli genes that reduce the lethal effects of stress. 2010 , 10, 35	33
1025	Optimizing pentose utilization in yeast: the need for novel tools and approaches. 2010 , 3, 24	116
1024	Defining topological features of membrane proteins by nanoelectrospray ionisation mass spectrometry. 2010 , 24, 276-84	9
1023	Morphogenic regulator EFG1 affects the drug susceptibilities of pathogenic Candida albicans. 2010 , 10, 587-96	32
1022	Sugar transporters of the major facilitator superfamily in aphids; from gene prediction to functional characterization. 2010 , 19 Suppl 2, 97-112	43
1021	Structure of a fucose transporter in an outward-open conformation. 2010 , 467, 734-8	226
1020	The 3,4-dihydroxyphenylacetic acid catabolon, a catabolic unit for degradation of biogenic amines tyramine and dopamine in Pseudomonas putida U. 2010 , 12, 1684-704	15
1019	The Fowler syndrome-associated protein FLVCR2 is an importer of heme. 2010 , 30, 5318-24	72
1018	The autoinducer-2 exporter superfamily. 2010 , 18, 195-205	14
1017	Identification and heterologous expression of genes involved in anaerobic dissimilatory phosphite oxidation by Desulfotignum phosphitoxidans. 2010 , 192, 5237-44	19
1016	Diamond Blackfan Anemia at the Crossroad between Ribosome Biogenesis and Heme Metabolism. 2010 , 2010, 790632	21
1015	Cotrafficking of SV2 and synaptotagmin at the synapse. 2010 , 30, 5569-78	119
1014	Genetic and proteomic analysis of factors affecting serum cholesterol reduction by Lactobacillus acidophilus A4. 2010 , 76, 4829-35	35
1013	Metabolic engineering of Saccharomyces cerevisiae for lactose/whey fermentation. 2010 , 1, 164-71	55
1012	LmrS is a multidrug efflux pump of the major facilitator superfamily from Staphylococcus aureus. 2010 , 54, 5406-12	118
1011	Involvement of a novel ABC transporter and monoalkyl phthalate ester hydrolase in phthalate ester catabolism by Rhodococcus jostii RHA1. 2010 , 76, 1516-23	62
1010	WITHDRAWN: A phosphate transporter from the root endophytic fungus Piriformospora indica plays a role in phosphate transport to the host plant. 2010 , 285, 26532-44	226
1009	Two coregulated efflux transporters modulate intracellular heme and protoporphyrin IX availability in Streptococcus agalactiae. 2010 , 6, e1000860	45

(2011-2010)

1008	Expression and lysosomal targeting of CLN7, a major facilitator superfamily transporter associated with variant late-infantile neuronal ceroid lipofuscinosis. 2010 , 19, 4497-514	38
1007	Proteomics of plasma membranes from poplar trees reveals tissue distribution of transporters, receptors, and proteins in cell wall formation. 2010 , 9, 368-87	56
1006	Glucose transporters in the 21st Century. 2010 , 298, E141-5	575
1005	Functionally important amino acids in the Arabidopsis thylakoid phosphate transporter: homology modeling and site-directed mutagenesis. 2010 , 49, 6430-9	11
1004	Heme scavenging and the other facets of hemopexin. 2010 , 12, 305-20	183
1003	A study of the evolution of inverted-topology repeats from LeuT-fold transporters using AlignMe. 2010 , 49, 10702-13	87
1002	Microarray analysis of efflux pump genes in multidrug-resistant Mycobacterium tuberculosis during stress induced by common anti-tuberculous drugs. 2010 , 16, 21-8	107
1001	Helix dynamics in LacY: helices II and IV. 2010 , 396, 617-26	25
1000	The expression of ELK transcription factors in adult DRG: Novel isoforms, antisense transcripts and upregulation by nerve damage. 2010 , 44, 165-77	19
999	Purification and characterization of mammalian glucose transporters expressed in Pichia pastoris. 2010 , 70, 81-7	13
998	Allosteric and transport behavior analyses of a fucose transporter with network models. 2011 , 7, 4661	11
997	Influence of C4-dicarboxylic acid transporters on succinate production. 2011 , 13, 2179	10
996	Update on mechanisms of plant cell wall biosynthesis: how plants make cellulose and other (1->4)-ED-glycans. 2011 , 155, 171-84	106
995	Comprehensive sequence and whole-life-cycle expression profile analysis of the phosphate transporter gene family in rice. 2011 , 4, 1105-22	99
994	Phytosiderophore efflux transporters are crucial for iron acquisition in graminaceous plants. 2011 , 286, 5446-54	322
993	Oligomeric state of the oxalate transporter, OxlT. 2011 , 50, 8445-53	6
992	Sugar recognition by CscB and LacY. 2011 , 50, 11009-14	13
991	Quantitative proteomic analysis of the interaction between the endophytic plant-growth-promoting bacterium Gluconacetobacter diazotrophicus and sugarcane. 2011 , 24, 562-76	54

990	Measurement of glucose uptake in cultured cells. 2011 , Chapter 12, Unit 12.14.1-22	24
989	Hexose transporter GLUT1 harbors several distinct regulatory binding sites for flavones and tyrphostins. 2011 , 50, 8834-45	39
988	Sensing and Signaling of PO43[]2011, 191-224	1
987	Structure and expression profile of the phosphate Pht1 transporter gene family in mycorrhizal Populus trichocarpa. 2011 , 156, 2141-54	98
986	Renal transport of organic anions and cations. 2011 , 1, 1795-835	40
985	Evolution from a natural flavones nucleus to obtain 2-(4-Propoxyphenyl)quinoline derivatives as potent inhibitors of the S. aureus NorA efflux pump. 2011 , 54, 5722-36	84
984	Comparative genomics of the pathogenic ciliate Ichthyophthirius multifiliis, its free-living relatives and a host species provide insights into adoption of a parasitic lifestyle and prospects for disease control. 2011 , 12, R100	89
983	Gene expression profiling of a fish parasite Ichthyophthirius multifiliis: Insights into development and senescence-associated avirulence. 2011 , 6, 382-92	8
982	Patch clamp analysis of the respiratory chain in Bacillus subtilis. 2011 , 1808, 1103-7	14
981	New microbial mannan catabolic pathway that involves a novel mannosylglucose phosphorylase. 2011 , 408, 701-6	74
980	The alternating-access mechanism of MFS transporters arises from inverted-topology repeats. 2011 , 407, 698-715	143
979	Exploring multiple drug and herbicide resistance in plantsspotlight on transporter proteins. 2011 , 180, 196-203	36
978	Plant sucrose transporters from a biophysical point of view. 2011 , 4, 395-406	53
977	Multidrug resistance in hydrocarbon-tolerant Gram-positive and Gram-negative bacteria. 2011 , 57, 1-18	28
976	The homeostasis of iron, copper, and zinc in paracoccidioides brasiliensis, cryptococcus neoformans var. Grubii, and cryptococcus gattii: a comparative analysis. 2011 , 2, 49	39
975	Molecular cloning, characterization and expression analysis of two members of the Pht1 family of phosphate transporters in Glycine max. 2011 , 6, e19752	23
974	Disrupted in renal carcinoma 2 (DIRC2), a novel transporter of the lysosomal membrane, is proteolytically processed by cathepsin L. 2011 , 439, 113-28	25
973	Combining modelling and mutagenesis studies of synaptic vesicle protein 2A to identify a series of residues involved in racetam binding. 2011 , 39, 1341-7	19

972	Xenobiotic efflux in bacteria and fungi: a genomics update. 2011 , 77, 237-306	11
971	The novel putative transporter NPT1 plays a critical role in early stages of Plasmodium berghei sexual development. 2011 , 81, 1343-57	22
970	Oligopeptide transport and regulation of extracellular proteolysis are required for growth of Aspergillus fumigatus on complex substrates but not for virulence. 2011 , 82, 917-35	32
969	Differential gene expression of E. coli O157:H7 in ground beef extract compared to tryptic soy broth. 2011 , 76, M79-87	26
968	Bacterial protein complexes investigation using blue native PAGE. 2011 , 166, 47-62	19
96 7	Transcriptional profiling of stage specific gene expression in the parasitic ciliate Ichthyophthirius multifiliis. 2011 , 178, 29-39	17
966	Francisella tularensis membrane complexome by blue native/SDS-PAGE. 2011 , 75, 257-69	17
965	The structural basis of secondary active transport mechanisms. 2011 , 1807, 167-88	312
964	Functional analysis of pharmacogenetic variants of human organic cation/carnitine transporter 2 (hOCTN2) identified in Singaporean populations. 2011 , 82, 1692-9	12
963	Characterization of opaque2 modifier QTLs and candidate genes in recombinant inbred lines derived from the K0326Y quality protein maize inbred. 2011 , 122, 783-94	40
962	Interactions of the proteins of neuronal ceroid lipofuscinosis: clues to function. 2011, 68, 453-74	44
961	Evolution of the oligopeptide transporter family. 2011 , 240, 89-110	37
960	Identification of a novel bacterial K(+) channel. 2011 , 242, 153-64	3
959	Transcriptome analysis shows differential gene expression in the saprotrophic to parasitic transition of Pochonia chlamydosporia. 2011 , 90, 1981-94	20
958	Conformational changes of the multispecific transporter organic anion transporter 1 (OAT1/SLC22A6) suggests a molecular mechanism for initial stages of drug and metabolite transport. 2011 , 61, 251-9	16
957	Molecular characterization, transcriptional regulation and function analysis of nitrate transporters in plants. 2011 , 5, 291-298	2
956	More than just a metabolic regulatorelucidation and validation of new targets of PdhR in Escherichia coli. 2011 , 5, 197	26
955	Transport genes and chemotaxis in Laribacter hongkongensis: a genome-wide analysis. 2011 , 1, 28	5

954	Global analysis of gene expression in response to L-Cysteine deprivation in the anaerobic protozoan parasite Entamoeba histolytica. <i>BMC Genomics</i> , 2011 , 12, 275	48
953	Genomic insights into the versatility of the plant growth-promoting bacterium Azospirillum amazonense. <i>BMC Genomics</i> , 2011 , 12, 409	39
952	Abyssomicin biosynthesis: formation of an unusual polyketide, antibiotic-feeding studies and genetic analysis. 2011 , 12, 1401-10	57
951	Conserved residues in the aromatic acid/H+ symporter family are important for benzoate uptake by NCgl2325 in Corynebacterium glutamicum. 2011 , 65, 527-532	10
950	Efflux pumps of the resistance-nodulation-division family: a perspective of their structure, function, and regulation in gram-negative bacteria. 2011 , 77, 109-46	27
949	The MFS efflux proteins of gram-positive and gram-negative bacteria. 2011 , 77, 147-66	10
948	Metabolic engineering of bacteria for utilization of mixed sugar substrates for improved production of chemicals and fuel ethanol. 2011 , 2, 303-313	6
947	Robust utilization of phospholipase-generated metabolites, glycerophosphodiesters, by Candida albicans: role of the CaGit1 permease. 2011 , 10, 1618-27	9
946	Gex1 is a yeast glutathione exchanger that interferes with pH and redox homeostasis. 2011 , 22, 2054-67	45
945	Exploiting Genomics to Understand the Interactions Between Root-Knot Nematodes and Pasteuria penetrans. 2011 , 91-113	2
944	Regulation and function of Escherichia coli sugar efflux transporter A (SetA) during glucose-phosphate stress. 2011 , 193, 143-53	32
943	Influence of multidrug efflux systems on methylene blue-mediated photodynamic inactivation of Candida albicans. 2011 , 66, 1525-32	69
942	The solute carrier families have a remarkably long evolutionary history with the majority of the human families present before divergence of Bilaterian species. 2011 , 28, 1531-41	115
941	Mfc1 is a novel forespore membrane copper transporter in meiotic and sporulating cells. 2011 , 286, 34356-72	2 33
940	The molecular basis of folate salvage in Plasmodium falciparum: characterization of two folate transporters. 2011 , 286, 44659-68	40
939	Histatin 5 uptake by Candida albicans utilizes polyamine transporters Dur3 and Dur31 proteins. 2011 , 286, 43748-43758	47
938	A haploid genetic screen identifies the major facilitator domain containing 2A (MFSD2A) transporter as a key mediator in the response to tunicamycin. 2011 , 108, 11756-65	79
937	Involvement of the smeAB multidrug efflux pump in resistance to plant antimicrobials and contribution to nodulation competitiveness in Sinorhizobium meliloti. 2011 , 77, 2855-62	30

936	Structural modeling and electron paramagnetic resonance spectroscopy of the human Na+/H+ exchanger isoform 1, NHE1. 2011 , 286, 634-48	39
935	Identification and analysis of seven HDE esponsive miRNAs and 32 new miRNAs in the seedlings of rice (Oryza sativa L. ssp. indica). 2011 , 39, 2821-33	195
934	Structural requirements for the activity of the MirB ferrisiderophore transporter of Aspergillus fumigatus. 2012 , 11, 1333-44	43
933	The genome of the obligate intracellular parasite Trachipleistophora hominis: new insights into microsporidian genome dynamics and reductive evolution. 2012 , 8, e1002979	105
932	Alternating access mechanism in the POT family of oligopeptide transporters. 2012, 31, 3411-21	162
931	Alanine scanning mutagenesis of a high-affinity nitrate transporter highlights the requirement for glycine and asparagine residues in the two nitrate signature motifs. 2012 , 447, 35-42	10
930	Analysis of the genome of the sexually transmitted insect virus Helicoverpa zea nudivirus 2. 2012 , 4, 28-61	24
929	Members of the Francisella tularensis phagosomal transporter subfamily of major facilitator superfamily transporters are critical for pathogenesis. 2012 , 80, 2390-401	18
928	Multiple mechanisms contribute to lateral transfer of an organophosphate degradation (opd) island in Sphingobium fuliginis ATCC 27551. 2012 , 2, 1541-54	13
927	Mfc1 is a novel copper transporter during meiosis. 2012 , 5, 118-21	7
927 926	Mfc1 is a novel copper transporter during meiosis. 2012, 5, 118-21 Vba5p, a novel plasma membrane protein involved in amino acid uptake and drug sensitivity in Saccharomyces cerevisiae. 2012, 76, 1993-5	7
	Vba5p, a novel plasma membrane protein involved in amino acid uptake and drug sensitivity in	
926	Vba5p, a novel plasma membrane protein involved in amino acid uptake and drug sensitivity in Saccharomyces cerevisiae. 2012 , 76, 1993-5 Identification of the Bombyx red egg gene reveals involvement of a novel transporter family gene	10
926	Vba5p, a novel plasma membrane protein involved in amino acid uptake and drug sensitivity in Saccharomyces cerevisiae. 2012 , 76, 1993-5 Identification of the Bombyx red egg gene reveals involvement of a novel transporter family gene in late steps of the insect ommochrome biosynthesis pathway. 2012 , 287, 17706-17714 Reduction of glucose uptake through inhibition of hexose transporters and enhancement of their	10 44
926 925 924	Vba5p, a novel plasma membrane protein involved in amino acid uptake and drug sensitivity in Saccharomyces cerevisiae. 2012, 76, 1993-5 Identification of the Bombyx red egg gene reveals involvement of a novel transporter family gene in late steps of the insect ommochrome biosynthesis pathway. 2012, 287, 17706-17714 Reduction of glucose uptake through inhibition of hexose transporters and enhancement of their endocytosis by methylglyoxal in Saccharomyces cerevisiae. 2012, 287, 701-711	10 44 22
926 925 924 923	Vba5p, a novel plasma membrane protein involved in amino acid uptake and drug sensitivity in Saccharomyces cerevisiae. 2012, 76, 1993-5 Identification of the Bombyx red egg gene reveals involvement of a novel transporter family gene in late steps of the insect ommochrome biosynthesis pathway. 2012, 287, 17706-17714 Reduction of glucose uptake through inhibition of hexose transporters and enhancement of their endocytosis by methylglyoxal in Saccharomyces cerevisiae. 2012, 287, 701-711 Sialin (SLC17A5) functions as a nitrate transporter in the plasma membrane. 2012, 109, 13434-9 The major facilitator superfamily-type protein LbtC promotes the utilization of the legiobactin	10 44 22 112
926 925 924 923	Vba5p, a novel plasma membrane protein involved in amino acid uptake and drug sensitivity in Saccharomyces cerevisiae. 2012, 76, 1993-5 Identification of the Bombyx red egg gene reveals involvement of a novel transporter family gene in late steps of the insect ommochrome biosynthesis pathway. 2012, 287, 17706-17714 Reduction of glucose uptake through inhibition of hexose transporters and enhancement of their endocytosis by methylglyoxal in Saccharomyces cerevisiae. 2012, 287, 701-711 Sialin (SLC17A5) functions as a nitrate transporter in the plasma membrane. 2012, 109, 13434-9 The major facilitator superfamily-type protein LbtC promotes the utilization of the legiobactin siderophore by Legionella pneumophila. 2012, 158, 721-735 The juvenile Batten disease protein, CLN3, and its role in regulating anterograde and retrograde	10 44 22 112 24

918	Novel transporter required for biogenesis of cbb3-type cytochrome c oxidase in Rhodobacter capsulatus. 2012 , 3,	57
917	Structural biology: Bundles of insights into sugar transporters. 2012 , 490, 348-50	27
916	A novel member of the trehalose transporter family functions as an h(+)-dependent trehalose transporter in the reabsorption of trehalose in malpighian tubules. 2012 , 3, 290	32
915	Dynamics of the L-fucose/H+ symporter revealed by fluorescence spectroscopy. 2012 , 109, 14847-51	18
914	The nonribosomal synthesis of diketopiperazines in tRNA-dependent cyclodipeptide synthase pathways. 2012 , 29, 961-79	104
913	Isolation and functional analysis of Thmfs1, the first major facilitator superfamily transporter from the biocontrol fungus Trichoderma harzianum. 2012 , 34, 1857-62	17
912	Isolation of cold-responsive genes from garlic, Allium sativum. 2012 , 34, 93-101	7
911	Positional cloning of a gene responsible for the cts mutation of the silkworm, Bombyx mori. 2012 , 55, 493-504	12
910	Characterization for mfs_1 gene from Riemerella anatipestifer by bioinformatics analysis. 2012,	
909	Ion binding and internal hydration in the multidrug resistance secondary active transporter NorM investigated by molecular dynamics simulations. 2012 , 51, 1281-7	28
908	Functionally important amino acids in rice sucrose transporter OsSUT1. 2012 , 51, 3284-91	15
907	Membrane protein-lipid selectivity: enhancing sensitivity for modeling FRET data. 2012 , 116, 2438-45	10
906	MhbT is a specific transporter for 3-hydroxybenzoate uptake by Gram-negative bacteria. 2012 , 78, 6113-20	22
905	Phosphatidylethanolamine-lactose permease interaction: a comparative study based on FRET. 2012 , 116, 14023-8	7
904	References. 2012 , 231-284	
903	Analysis of gene expression from the Wolbachia genome of a filarial nematode supports both metabolic and defensive roles within the symbiosis. 2012 , 22, 2467-77	140
902	The Pht1;9 and Pht1;8 transporters mediate inorganic phosphate acquisition by the Arabidopsis thaliana root during phosphorus starvation. 2012 , 195, 356-371	165
901	Functional characterization of the rice SPX-MFS family reveals a key role of OsSPX-MFS1 in controlling phosphate homeostasis in leaves. 2012 , 196, 139-148	112

(2012-2012)

900	Mutational analysis of putative phosphate- and proton-binding sites in the Saccharomyces cerevisiae Pho84 phosphate:H(+) transceptor and its effect on signalling to the PKA and PHO pathways. 2012 , 445, 413-22	42
899	Mutations of FLVCR1 in posterior column ataxia and retinitis pigmentosa result in the loss of heme export activity. 2012 , 49, 60-6	21
898	The genome of the xerotolerant mold Wallemia sebi reveals adaptations to osmotic stress and suggests cryptic sexual reproduction. 2012 , 49, 217-26	83
897	Identification of a permease gene involved in lactose utilisation in Aspergillus nidulans. 2012 , 49, 415-25	27
896	First evidence for the presence of efflux pump in the earthworm Eisenia andrei. 2012, 75, 40-5	16
895	Molecular identification and analysis of arsenite stress-responsive miRNAs in rice. 2012 , 60, 6524-36	78
894	Emergence of antibiotic-resistant extremophiles (AREs). 2012 , 16, 697-713	12
893	Comparative genomic analysis and phylogenetic position of Theileria equi. <i>BMC Genomics</i> , 2012 , 13, 603 $_{4.5}$	79
892	Transporter Proteins. 2012 , 129-174	
891	Identification of glucose kinase-dependent and -independent pathways for carbon control of primary metabolism, development and antibiotic production in Streptomyces coelicolor by quantitative proteomics. 2012 , 86, 1490-507	41
890	Nonredundant regulation of rice arbuscular mycorrhizal symbiosis by two members of the phosphate transporter1 gene family. 2012 , 24, 4236-51	214
889	8.12 Membrane Proteins for Secondary Active Transport and their Molecular Mechanisms. 2012 , 265-288	1
888	A comparison of the clavam biosynthetic gene clusters in Streptomyces antibioticus TI 718 and Streptomyces clavuligerus. 2012 , 58, 413-25	7
887	Role of monosaccharide transport proteins in carbohydrate assimilation, distribution, metabolism, and homeostasis. 2012 , 2, 863-914	99
886	Genomics of Root Hairs. 2012 , 93-116	
885	Proteolytic cleavage of the disease-related lysosomal membrane glycoprotein CLN7. 2012 , 1822, 1617-28	23
884	Antifolates in cancer therapy: structure, activity and mechanisms of drug resistance. 2012 , 15, 183-210	291
883	Proton-coupled dynamics in lactose permease. 2012 , 20, 1893-904	46

882	A major facilitator superfamily protein participates in the reddish brown pigmentation in Bombyx mori. 2012 , 58, 1397-405	12
881	Pyrazolo[4,3-c][1,2]benzothiazines 5,5-dioxide: a promising new class of Staphylococcus aureus NorA efflux pump inhibitors. 2012 , 55, 3568-72	71
880	Molecular Mechanism of d-Xylitol Production in Yeasts: Focus on Molecular Transportation, Catabolic Sensing and Stress Response. 2012 , 85-107	3
879	The shoot is important for high-affinity nitrate uptake in Egeria densa, a submerged vascular plant. 2012 , 125, 669-78	13
878	Identification and characterisation of the gene cluster for the anti-MRSA antibiotic bottromycin: expanding the biosynthetic diversity of ribosomal peptides. 2012 , 3, 3516	59
877	Resistance to Fluoroquinolone by a Combination of Efflux and Target Site Mutations in Enteroaggregative Escherichia coli Isolated in Korea. 2012 , 3, 239-44	9
876	Crystal structure of a bacterial homologue of glucose transporters GLUT1-4. 2012 , 490, 361-6	351
875	Searching for innovative quinolone-like scaffolds: synthesis and biological evaluation of 2,1-benzothiazine 2,2-dioxide derivatives. 2012 , 3, 1092	14
874	A putative cell surface receptor for white spot syndrome virus is a member of a transporter superfamily. 2012 , 7, e33216	24
873	Mutational analysis of the respiratory nitrate transporter NarK2 of Mycobacterium tuberculosis. 2012 , 7, e45459	16
872	Benzoxazinoids in root exudates of maize attract Pseudomonas putida to the rhizosphere. 2012 , 7, e35498	292
871	Transcriptional profiling of ESTs from the biocontrol fungus Chaetomium cupreum. 2012 , 2012, 340565	2
870	Simulations of substrate transport in the multidrug transporter EmrD. 2012 , 80, 1620-32	18
869	Biosynthetic concepts for the production of Elactam antibiotics in Penicillium chrysogenum. 2012 , 7, 225-36	24
868	Identification of a 21 amino acid peptide conferring 3-hydroxypropionic acid stress-tolerance to Escherichia coli. 2012 , 109, 1347-52	20
867	Comparative LD mapping using single SNPs and haplotypes identifies QTL for plant height and biomass as secondary traits of drought tolerance in maize. 2012 , 30, 407-418	47
866	Characterization of NADP+-specific L-rhamnose dehydrogenase from the thermoacidophilic Archaeon Thermoplasma acidophilum. 2012 , 16, 447-54	16
865	Comparative genomics and functional analysis of the NiaP family uncover nicotinate transporters from bacteria, plants, and mammals. 2012 , 12, 25-34	22

(2013-2012)

864	Bacterial glyphosate resistance conferred by overexpression of an E. coli membrane efflux transporter. 2012 , 39, 641-7	26
863	Metabolic adaptation of human pathogenic and related nonpathogenic bacteria to extra- and intracellular habitats. 2012 , 36, 435-62	84
862	The major facilitator superfamily (MFS) revisited. 2012 , 279, 2022-35	294
861	A burst of ABC genes in the genome of the polyphagous spider mite Tetranychus urticae. <i>BMC Genomics</i> , 2013 , 14, 317	90
860	NorA efflux pump inhibitory activity of coumarins from Mesua ferrea. 2013 , 90, 140-50	63
859	Beginning to understand the role of sugar carriers in Colletotrichum lindemuthianum: the function of the gene mfs1. 2013 , 51, 70-81	16
858	Identification of MFS proteins in sorghum using semantic similarity. 2013 , 132, 105-13	4
857	HVP10 encoding V-PPase is a prime candidate for the barley HvNax3 sodium exclusion gene: evidence from fine mapping and expression analysis. 2013 , 237, 1111-22	31
856	miR-7641 modulates the expression of CXCL1 during endothelial differentiation derived from human embryonic stem cells. 2013 , 36, 353-8	22
855	Functional characterization of the hexose transporter Hxt13p: an efflux pump that mediates resistance to miltefosine in yeast. 2013 , 61, 23-32	8
854	The SLC37 family of phosphate-linked sugar phosphate antiporters. 2013 , 34, 601-11	20
853	A putative Eglucoside transporter gene BbAGT1 contributes to carbohydrate utilization, growth, conidiation and virulence of filamentous entomopathogenic fungus Beauveria bassiana. 2013 , 164, 480-9	10
852	Electrophysiological characterization of uncoupled mutants of LacY. 2013 , 52, 8261-6	14
851	Cell biology and function of neuronal ceroid lipofuscinosis-related proteins. 2013 , 1832, 1866-81	101
850	Genome-wide transcriptional response of Trichoderma reesei to lignocellulose using RNA sequencing and comparison with Aspergillus niger. <i>BMC Genomics</i> , 2013 , 14, 541	76
849	Comparative genomics of transport proteins in developmental bacteria: Myxococcus xanthus and Streptomyces coelicolor. 2013 , 13, 279	17
848	Cellodextrin transporters play important roles in cellulase induction in the cellulolytic fungus Penicillium oxalicum. 2013 , 97, 10479-88	37
847	This is about the in and the out. 2013 , 20, 654-5	20

846	The role of kidney in glucose homeostasisSGLT2 inhibitors, a new approach in diabetes treatment. 2013 , 6, 519-39	12
845	Structural advances for the major facilitator superfamily (MFS) transporters. 2013 , 38, 151-9	257
844	Functional analysis of novel variants in the organic cation/ergothioneine transporter 1 identified in Singapore populations. 2013 , 10, 2509-16	20
843	Visualizing functional motions of membrane transporters with molecular dynamics simulations. 2013 , 52, 569-87	39
842	Structure and mechanism of a nitrate transporter. 2013 , 3, 716-23	73
841	Metal-mediated crystallization of the xylose transporter XylE from Escherichia coli in three different crystal forms. 2013 , 184, 375-8	6
840	Utilizing a highly responsive gene, yhjX, in E. coli based production of 1,4-butanediol. 2013, 103, 68-73	7
839	SCO4008, a putative TetR transcriptional repressor from Streptomyces coelicolor A3(2), regulates transcription of sco4007 by multidrug recognition. 2013 , 425, 3289-300	8
838	Analysis and characterization of eight estradiol inducible genes and a strong promoter from the steroid degrading marine bacterial strain S19-1. 2013 , 202, 159-67	4
837	Phenotypic changes in spores and vegetative cells of Bacillus anthracis associated with BenK. 2013 , 57, 41-51	
836	Role of the yeast multidrug transporter Qdr2 in cation homeostasis and the oxidative stress response. 2013 , 13, 97-106	24
835	Organic Anion and Cation Transporters in Renal Elimination of Drugs. 2013 , 2425-2455	1
834	Simulation studies of the mechanism of membrane transporters. 2013 , 924, 361-405	7
833	The BaeSR regulon is involved in defense against zinc toxicity in E. coli. 2013 , 5, 372-83	55
832	LysR family activator-regulated major facilitator superfamily transporters are involved in Vibrio cholerae antimicrobial compound resistance and intestinal colonisation. 2013 , 41, 188-92	19
831	Crystal structure of a eukaryotic phosphate transporter. 2013 , 496, 533-6	170
830	Identification and functional analysis of the gene cluster for fructan utilization in Prevotella intermedia. 2013 , 515, 291-7	4
829	Re-evolution of the 2-phenylquinolines: ligand-based design, synthesis, and biological evaluation of a potent new class of Staphylococcus aureus NorA efflux pump inhibitors to combat antimicrobial resistance. 2013 , 56, 4975-89	37

(2013-2013)

828	Cloning and heterologous expression of the aurachin RE biosynthesis gene cluster afford a new cytochrome P450 for quinoline N-hydroxylation. 2013 , 14, 1085-93	22
827	Heterologous expression of OsSIZ1, a rice SUMO E3 ligase, enhances broad abiotic stress tolerance in transgenic creeping bentgrass. 2013 , 11, 432-45	62
826	Heme and FLVCR-related transporter families SLC48 and SLC49. 2013 , 34, 669-82	58
825	Common folds and transport mechanisms of secondary active transporters. 2013 , 42, 51-72	200
824	Crystal structure of a nitrate/nitrite exchanger. 2013 , 497, 647-51	81
823	Functional analysis of the novel mycorrhiza-specific phosphate transporter AsPT1 and PHT1 family from Astragalus sinicus during the arbuscular mycorrhizal symbiosis. 2013 , 198, 836-852	83
822	LbNrt RNA silencing in the mycorrhizal symbiont Laccaria bicolor reveals a nitrate-independent regulatory role for a eukaryotic NRT2-type nitrate transporter. 2013 , 5, 353-66	15
821	Structure-function analysis of the human ferroportin iron exporter (SLC40A1): effect of hemochromatosis type 4 disease mutations and identification of critical residues. 2013 , 34, 1371-80	41
820	Deducing Transport Protein Evolution Based on Sequence, Structure, and Function. 2013, 315-339	1
819	Drug discovery and human African trypanosomiasis: a disease less neglected?. 2013 , 5, 1801-41	31
818	Expression of glucose transporters in cancers. 2013 , 1835, 164-9	235
817	An extended proteome map of the lysosomal membrane reveals novel potential transporters. 2013 , 12, 1572-88	132
816	Molecular cloning and expression analysis of a gene for sucrose transporter from pear (Pyrus bretschneideri Rehd.) fruit. 2013 , 73, 63-9	22
815	Structure and pH-induced structural rearrangements of the putative multidrug efflux pump EmrD in liposomes probed by site-directed spin labeling. 2013 , 52, 7964-74	12
814	ZIFL1.1 transporter modulates polar auxin transport by stabilizing membrane abundance of multiple PINs in Arabidopsis root tip. 2013 , 8, doi: 10.4161/psb.25688	7
813	WDR81 is necessary for purkinje and photoreceptor cell survival. 2013 , 33, 6834-44	26
812	The ABC-type efflux pump MacAB protects Salmonella enterica serovar typhimurium from oxidative stress. 2013 , 4, e00630-13	67
811	Combining genetic mapping with genome-wide expression in experimental autoimmune encephalomyelitis highlights a gene network enriched for T cell functions and candidate genes regulating autoimmunity. 2013 , 22, 4952-66	8

810	Molecular control of sucrose utilization in Escherichia coli W, an efficient sucrose-utilizing strain. 2013 , 79, 478-87	63
809	Structural and functional characterization of an orphan ATP-binding cassette ATPase involved in manganese utilization and tolerance in Leptospira spp. 2013 , 195, 5583-91	3
808	Microarray-based identification of differentially expressed genes in intracellular Brucella abortus within RAW264.7 cells. 2013 , 8, e67014	19
807	A major facilitator superfamily transporter plays a dual role in polar auxin transport and drought stress tolerance in Arabidopsis. 2013 , 25, 901-26	140
806	Identification of a target gene and activating stimulus for the YpdA/YpdB histidine kinase/response regulator system in Escherichia coli. 2013 , 195, 807-15	30
805	Evolutionary mix-and-match with MFS transporters II. 2013 , 110, E4831-8	23
804	Escherichia coli resistance to nonbiocidal antibiofilm polysaccharides is rare and mediated by multiple mutations leading to surface physicochemical modifications. 2013 , 57, 3960-8	18
803	Implication of glycerol and phospholipid transporters in Mycoplasma pneumoniae growth and virulence. 2013 , 81, 896-904	38
802	Novel Regulatory Mechanisms of Pathogenicity and Virulence to Combat MDR in Candida albicans. 2013 , 2013, 240209	15
801	Azole susceptibility and transcriptome profiling in Candida albicans mitochondrial electron transport chain complex I mutants. 2013 , 57, 532-42	66
800	Structure of the YajR transporter suggests a transport mechanism based on the conserved motif A. 2013 , 110, 14664-9	121
799	The transporter-opsin-G protein-coupled receptor (TOG) superfamily. 2013 , 280, 5780-800	42
798	Role of efflux pumps in the antibiotic resistance of bacteria embedded in a biofilm. 2013 , 4, 223-9	223
797	A link between host plant adaptation and pesticide resistance in the polyphagous spider mite Tetranychus urticae. 2013 , 110, E113-22	252
796	Characterizing the hexose-6-phosphate transport system of Vibrio cholerae, a utilization system for carbon and phosphate sources. 2013 , 195, 1800-8	14
795	mhpT encodes an active transporter involved in 3-(3-hydroxyphenyl)propionate catabolism by Escherichia coli K-12. 2013 , 79, 6362-8	16
794	Novel tripartite aromatic acid transporter essential for terephthalate uptake in Comamonas sp. strain E6. 2013 , 79, 6148-55	43
793	Evolutionary mix-and-match with MFS transporters. 2013 , 110, 5870-4	52

(2014-2013)

Identification of metabolic pathways influenced by the G-protein coupled receptors GprB and GprD in Aspergillus nidulans. 2013 , 8, e62088	16
Loss of the SV2-like protein SVOP produces no apparent deficits in laboratory mice. 2013 , 8, e68215	6
Transcriptome analysis of encystation in Entamoeba invadens. 2013 , 8, e74840	38
Industrial robustness: understanding the mechanism of tolerance for the Populus hydrolysate-tolerant mutant strain of Clostridium thermocellum. 2013 , 8, e78829	19
Comparative genome analysis of Megasphaera sp. reveals niche specialization and its potential role in the human gut. 2013 , 8, e79353	73
Putative sugar transporters of the mustard leaf beetle Phaedon cochleariae: their phylogeny and role for nutrient supply in larval defensive glands. 2013 , 8, e84461	12
RND multidrug efflux pumps: what are they good for?. 2013 , 4, 7	126
Are vesicular neurotransmitter transporters potential treatment targets for temporal lobe epilepsy?. 2013 , 7, 139	39
Modulation of Bacterial Multidrug Resistance Efflux Pumps of the Major Facilitator Superfamily. 2013 , 2013,	86
Inside Arbuscular Mycorrhizal Roots [Molecular Probes to Understand the Symbiosis. 2013, 6, plantgenome20	012 , 06.00
Function, Structure, and Evolution of the Major Facilitator Superfamily: The LacY Manifesto. 2014 , 2014, 1-20	9
Combined metagenomic and phenomic approaches identify a novel salt tolerance gene from the human gut microbiome. 2014 , 5, 189	18
Antimicrobial Peptide Resistance Mechanisms of Gram-Positive Bacteria. 2014 , 3, 461-92	75
Protein Ser/Thr Kinases and Phosphatases in Myxococcus xanthus. 2014 , 191-210	1
Overall Transport Capabilities of Bacillus subtilis. 2014 , 111-128	6
Folding energetics and oligomerization of polytopic Helical transmembrane proteins. 2014 , 564, 281-96	19
De novo transcriptome of Ischnura elegans provides insights into sensory biology, colour and vision genes. <i>BMC Genomics</i> , 2014 , 15, 808	40
Functional implications and ubiquitin-dependent degradation of the peptide transporter Ptr2 in	14
	In Aspergillus nidulans. 2013, 8, e62088 Loss of the SV2-like protein SVOP produces no apparent deficits in laboratory mice. 2013, 8, e68215 Transcriptome analysis of encystation in Entamoeba invadens. 2013, 8, e74840 Industrial robustness: understanding the mechanism of tolerance for the Populus hydrolysate-tolerant mutant strain of Clostridium thermocellum. 2013, 8, e78829 Comparative genome analysis of Megasphaera sp. reveals niche specialization and its potential role in the human gut. 2013, 8, e79353 Putative sugar transporters of the mustard leaf beetle Phaedon cochleariae: their phylogeny and role for nutrient supply in larval defensive glands. 2013, 8, e84461 RND multidrug efflux pumps: what are they good for?. 2013, 4, 7 Are vesicular neurotransmitter transporters potential treatment targets for temporal lobe epilepsy?. 2013, 7, 139 Modulation of Bacterial Multidrug Resistance Efflux Pumps of the Major Facilitator Superfamily. 2013, 2013, 133 Inside Arbuscular Mycorrhizal Roots iMolecular Probes to Understand the Symbiosis. 2013, 6, plantgenome 2013, 2013, 14, 120 Combined metagenomic and Evolution of the Major Facilitator Superfamily: The LacY Manifesto. 2014, 2014, 1-20 Combined metagenomic and phenomic approaches identify a novel salt tolerance gene from the human gut microbiome. 2014, 5, 189 Antimicrobial Peptide Resistance Mechanisms of Gram-Positive Bacteria. 2014, 3, 461-92 Protein Ser/Thr Kinases and Phosphatases in Myxococcus xanthus. 2014, 191-210 Overall Transport Capabilities of Bacillus subtilis. 2014, 111-128 Folding energetics and oligomerization of polytopic Belical transmembrane proteins. 2014, 564, 281-96 De novo transcriptome of Ischnura elegans provides insights into sensory biology, colour and vision genes. <i>BMC Genomics</i> , 2014, 15, 808

774	Additional Bioinformatic Analyses Involving Protein Sequences. 2014 , 183-207	O
773	Beyond cellular detoxification: a plethora of physiological roles for MDR transporter homologs in plants. 2014 , 5, 201	43
772	Genetic analysis of DEFECTIVE KERNEL1 loop function in three-dimensional body patterning in Physcomitrella patens. 2014 , 166, 903-19	28
771	Proton-coupled sugar transport in the prototypical major facilitator superfamily protein XylE. 2014 , 5, 4521	95
770	The SLC37 family of sugar-phosphate/phosphate exchangers. 2014 , 73, 357-82	33
769	Intron retention in the 5'UTR of the novel ZIF2 transporter enhances translation to promote zinc tolerance in arabidopsis. 2014 , 10, e1004375	77
768	The tRNA-dependent biosynthesis of modified cyclic dipeptides. 2014 , 15, 14610-31	48
767	Analysis of the genome and transcriptome of Cryptococcus neoformans var. grubii reveals complex RNA expression and microevolution leading to virulence attenuation. 2014 , 10, e1004261	260
766	Memory and fitness optimization of bacteria under fluctuating environments. 2014 , 10, e1004556	134
765	Heme and erythropoieis: more than a structural role. 2014 , 99, 973-83	94
765 764	Heme and erythropoieis: more than a structural role. 2014 , 99, 973-83 Closure of the cytoplasmic gate formed by TM5 and TM11 during transport in the oxalate/formate exchanger from Oxalobacter formigenes. 2014 , 53, 7735-44	94
	Closure of the cytoplasmic gate formed by TM5 and TM11 during transport in the oxalate/formate	
764	Closure of the cytoplasmic gate formed by TM5 and TM11 during transport in the oxalate/formate exchanger from Oxalobacter formigenes. 2014 , 53, 7735-44	5
764 763	Closure of the cytoplasmic gate formed by TM5 and TM11 during transport in the oxalate/formate exchanger from Oxalobacter formigenes. 2014, 53, 7735-44 OsPT2, a phosphate transporter, is involved in the active uptake of selenite in rice. 2014, 201, 1183-1191	5
764 763 762	Closure of the cytoplasmic gate formed by TM5 and TM11 during transport in the oxalate/formate exchanger from Oxalobacter formigenes. 2014, 53, 7735-44 OsPT2, a phosphate transporter, is involved in the active uptake of selenite in rice. 2014, 201, 1183-1191 The expression of antibiotic resistance genes in antibiotic-producing bacteria. 2014, 93, 391-402 Engineering of Corynebacterium glutamicum for growth and production of L-ornithine, L-lysine,	5 172 43
764 763 762 761	Closure of the cytoplasmic gate formed by TM5 and TM11 during transport in the oxalate/formate exchanger from Oxalobacter formigenes. 2014, 53, 7735-44 OsPT2, a phosphate transporter, is involved in the active uptake of selenite in rice. 2014, 201, 1183-1191 The expression of antibiotic resistance genes in antibiotic-producing bacteria. 2014, 93, 391-402 Engineering of Corynebacterium glutamicum for growth and production of L-ornithine, L-lysine, and lycopene from hexuronic acids. 2014, 1, Utilization of organophosphate:phosphate antiporter for isotope-labeling experiments in E. coli.	5 172 43 17
764 763 762 761 760	Closure of the cytoplasmic gate formed by TM5 and TM11 during transport in the oxalate/formate exchanger from Oxalobacter formigenes. 2014, 53, 7735-44 OsPT2, a phosphate transporter, is involved in the active uptake of selenite in rice. 2014, 201, 1183-1191 The expression of antibiotic resistance genes in antibiotic-producing bacteria. 2014, 93, 391-402 Engineering of Corynebacterium glutamicum for growth and production of L-ornithine, L-lysine, and lycopene from hexuronic acids. 2014, 1, Utilization of organophosphate:phosphate antiporter for isotope-labeling experiments in E. coli. 2014, 361, 52-61	5 172 43 17 3

(2014-2014)

756	Reliability of nine programs of topological predictions and their application to integral membrane channel and carrier proteins. 2014 , 24, 161-90	15
755	Functional architecture of MFS D-glucose transporters. 2014 , 111, E719-27	67
754	GxySBA ABC transporter of Agrobacterium tumefaciens and its role in sugar utilization and vir gene expression. 2014 , 196, 3150-9	12
753	A Major Facilitator Superfamily protein encoded by TcMucK gene is not required for cuticle pigmentation, growth and development in Tribolium castaneum. 2014 , 49, 43-8	1
752	Adaptive responses to glucose restriction enhance cell survival, antioxidant capability, and autophagy of the protozoan parasite Trichomonas vaginalis. 2014 , 1840, 53-64	59
75 ¹	Metabolic engineering of Escherichia coli for biosynthesis of D-galactonate. 2014 , 37, 383-91	6
750	Major facilitator superfamily porters, LacY, FucP and XylE of Escherichia coli appear to have evolved positionally dissimilar catalytic residues without rearrangement of 3-TMS repeat units. 2014 , 24, 82-90	12
749	ABC Transporters and Their Role in Protecting Insects from Pesticides and Their Metabolites. 2014 , 1-72	60
748	Crystal structure of the human glucose transporter GLUT1. 2014 , 510, 121-5	457
747	Biology of glucose transport in the mammary gland. 2014 , 19, 3-17	73
(Essential letters in the fungal alphabet: ABC and MFS transporters and their roles in survival and	
746	pathogenicity. 2014 , 85, 201-53	53
746		53 29
	pathogenicity. 2014 , 85, 201-53 Global transcriptional response of Acinetobacter baumannii to a subinhibitory concentration of	
745	pathogenicity. 2014 , 85, 201-53 Global transcriptional response of Acinetobacter baumannii to a subinhibitory concentration of tigecycline. 2014 , 44, 337-44 The NorM MATE transporter from N. gonorrhoeae: insights into drug and ion binding from	29
745 744	pathogenicity. 2014, 85, 201-53 Global transcriptional response of Acinetobacter baumannii to a subinhibitory concentration of tigecycline. 2014, 44, 337-44 The NorM MATE transporter from N. gonorrhoeae: insights into drug and ion binding from atomistic molecular dynamics simulations. 2014, 107, 460-468	29 16
745744743	Global transcriptional response of Acinetobacter baumannii to a subinhibitory concentration of tigecycline. 2014, 44, 337-44 The NorM MATE transporter from N. gonorrhoeae: insights into drug and ion binding from atomistic molecular dynamics simulations. 2014, 107, 460-468 Metal nanobullets for multidrug resistant bacteria and biofilms. 2014, 78, 88-104	29 16 83
745 744 743 742	Global transcriptional response of Acinetobacter baumannii to a subinhibitory concentration of tigecycline. 2014, 44, 337-44 The NorM MATE transporter from N. gonorrhoeae: insights into drug and ion binding from atomistic molecular dynamics simulations. 2014, 107, 460-468 Metal nanobullets for multidrug resistant bacteria and biofilms. 2014, 78, 88-104 Crystal structure of the E. coli peptide transporter YbgH. 2014, 22, 1152-1160 Structure- and context-based analysis of the GxGYxYP family reveals a new putative class of	29 16 83 47

738	Characterization of tetA-like gene encoding for a major facilitator superfamily efflux pump in Streptococcus thermophilus. 2014 , 355, 61-70		13
737	Identification of mycoparasitism-related genes against the phytopathogen Sclerotinia sclerotiorum through transcriptome and expression profile analysis in Trichoderma harzianum. <i>BMC Genomics</i> , 2014 , 15, 204	4.5	60
736	Characterization of the transcriptome and temperature-induced differential gene expression in QPX, the thraustochytrid parasite of hard clams. <i>BMC Genomics</i> , 2014 , 15, 245	4.5	20
735	Auxin secretion by Bacillus amyloliquefaciens FZB42 both stimulates root exudation and limits phosphorus uptake in Triticum aestivium. 2014 , 14, 51		45
734	Comparative metabolism of cellulose, sophorose and glucose in Trichoderma reesei using high-throughput genomic and proteomic analyses. 2014 , 7, 41		87
733	Functional characterization of a xylose transporter in Aspergillus nidulans. 2014 , 7, 46		46
732	Rewiring yeast sugar transporter preference through modifying a conserved protein motif. 2014 , 111, 131-6		122
731	Thiamin function, metabolism, uptake, and transport. 2014 , 53, 821-35		171
730	Analysis of gene expression changes in Trichophyton rubrum after skin interaction. 2014 , 63, 642-648		11
729	Methylated glycans as conserved targets of animal and fungal innate defense. 2014 , 111, E2787-96		55
728	New insights into the isopenicillin N transport in Penicillium chrysogenum. 2014 , 22, 89-103		15
727	The loss of the inducible Aspergillus carbonarius MFS transporter MfsA leads to ochratoxin A overproduction. 2014 , 181, 1-9		10
726	Gene disruption of Mfsd8 in mice provides the first animal model for CLN7 disease. 2014 , 65, 12-24		33
725	Molecular cloning and expression analysis of the sucrose transporter gene family from Theobroma cacao L. 2014 , 546, 336-41		13
724	Expression, purification and reconstitution of the 4-hydroxybenzoate transporter PcaK from Acinetobacter sp. ADP1. 2014 , 101, 68-75		13
723	Heme in pathophysiology: a matter of scavenging, metabolism and trafficking across cell membranes. 2014 , 5, 61		194
722	Structure prediction of magnetosome-associated proteins. 2014 , 5, 9		66
721	Sulfur, Phosphorus, and Iron Metabolism. 2014 , 359-375		4

720 Lactic Acid Bacteria. **2015**, 55-79

719	Phosphorus and Plant Nutrition: An Overview. 2015 , 353-378		8
718	Measurement of Glucose Uptake in Cultured Cells. 2015 , 71, 12.14.1-12.14.26		50
717	Paths and determinants for Penicillium janthinellum to resist low and high copper. <i>Scientific Reports</i> , 2015 , 5, 10590	4.9	7
716	Identification of residues important for substrate uptake in a glucose transporter from the filamentous fungus Trichoderma reesei. <i>Scientific Reports</i> , 2015 , 5, 13829	4.9	23
715	Comparative genome analysis of Weissella ceti, an emerging pathogen of farm-raised rainbow trout. <i>BMC Genomics</i> , 2015 , 16, 1095	4.5	7
714	A GntR family transcription factor positively regulates mycobacterial isoniazid resistance by controlling the expression of a putative permease. 2015 , 15, 214		9
713	Characterization of a novel zebrafish (Danio rerio) gene, wdr81, associated with cerebellar ataxia, mental retardation and dysequilibrium syndrome (CAMRQ). 2015 , 16, 96		4
712	Glucose Transporters in Cardiac Metabolism and Hypertrophy. 2015 , 6, 331-51		115
711	Heavy metal transport by the CusCFBA efflux system. 2015 , 24, 1720-36		20
710	Expression, purification, and functional characterization of the insulin-responsive facilitative glucose transporter GLUT4. 2015 , 24, 2008-19		18
709	A transferable plasticity region in Campylobacter coli allows isolates of an otherwise non-glycolytic food-borne pathogen to catabolize glucose. 2015 , 98, 809-30		23
708	Improved xylose uptake in Saccharomyces cerevisiae due to directed evolution of galactose permease Gal2 for sugar co-consumption. 2015 , 119, 99-111		24
707	Fungal association and utilization of phosphate by plants: success, limitations, and future prospects. 2015 , 6, 984		66
706	Bacillus cereus ellx protein BC3310 - a multidrug transporter of the unknown major facilitator family, UMF-2. 2015 , 6, 1063		8
705	Multidrug efflux pumps from Enterobacteriaceae, Vibrio cholerae and Staphylococcus aureus bacterial food pathogens. 2015 , 12, 1487-547		86
704	Identification of functional candidates amongst hypothetical proteins of Treponema pallidum ssp. pallidum. 2015 , 10, e0124177		31
703	De Novo Assembly and Genome Analyses of the Marine-Derived Scopulariopsis brevicaulis Strain LF580 Unravels Life-Style Traits and Anticancerous Scopularide Biosynthetic Gene Cluster. 2015 , 10, e0	014039	8 ²⁴

702	Regulation by SoxR of mfsA, Which Encodes a Major Facilitator Protein Involved in Paraquat Resistance in Stenotrophomonas maltophilia. 2015 , 10, e0123699	13
701	Molecular Mechanism Underlying the Plant NRT1.1 Dual-Affinity Nitrate Transporter. 2015 , 6, 386	38
700	Understanding nitrate assimilation and its regulation in microalgae. 2015 , 6, 899	155
699	Development of a SCAR (sequence-characterised amplified region) marker for acid resistance-related gene in Lactobacillus plantarum. 2015 , 19, 355-61	1
698	The diversity of membrane transporters encoded in bacterial arsenic-resistance operons. 2015 , 3, e943	29
697	Increasing Avermectin Production in Streptomyces avermitilis by Manipulating the Expression of a Novel TetR-Family Regulator and Its Target Gene Product. 2015 , 81, 5157-73	37
696	Heterologous expression of MlcE in provides resistance to natural and semi-synthetic statins. 2015 , 2, 117-123	11
695	Enriching the annotation of Mycobacterium tuberculosis H37Rv proteome using remote homology detection approaches: insights into structure and function. 2015 , 95, 14-25	8
694	Integration of chemotaxis, transport and catabolism in Pseudomonas putida and identification of the aromatic acid chemoreceptor PcaY. 2015 , 96, 134-47	45
693	Gating topology of the proton-coupled oligopeptide symporters. 2015 , 23, 290-301	67
692	Histological and proteomics analysis of apple defense responses to the development of Colletotrichum gloeosporioides on leaves. 2015 , 89, 97-107	8
691	Functional analysis of the GlcP promoter in Streptomyces peucetius var. caesius. 2015 , 175, 3207-17	6
690	Identification and expression analysis of a gene encoding a shikimate transporter of Corynebacterium glutamicum. 2015 , 161, 254-263	10
689	Plant phosphorus acquisition in a common mycorrhizal network: regulation of phosphate transporter genes of the Pht1 family in sorghum and flax. 2015 , 205, 1632-1645	92
688	Genetic determinants of reutericyclin biosynthesis in Lactobacillus reuteri. 2015, 81, 2032-41	39
687	Identification and molecular characterization of Medicago truncatula NRT2 and NAR2 families. 2015 , 154, 256-69	23
686	Proteome analysis of pear reveals key genes associated with fruit development and quality. 2015 , 241, 1363-79	33
685	A Time-Course Proteomic Analysis of Rice Triggered by Plant Activator BTH. 2015 , 34, 392-409	4

(2015-2015)

684	Mycobacterium smegmatis MSMEG_3705 encodes a selective major facilitator superfamily efflux pump with multiple roles. 2015 , 70, 801-9		4
683	P-glycoprotein in autoimmune rheumatic diseases. 2015 , 14, 594-600		30
682	Protonation of Glu(135) Facilitates the Outward-to-Inward Structural Transition of Fucose Transporter. 2015 , 109, 542-51		9
681	Molecular architecture of the bacterial tripartite multidrug efflux pump focusing on the adaptor bridging model. 2015 , 53, 355-64		12
680	Structural Symmetry in Membrane Proteins. 2015 , 44, 311-37		87
679	Computation and Functional Studies Provide a Model for the Structure of the Zinc Transporter hZIP4. 2015 , 290, 17796-17805		51
678	Production and secretion of naphthoquinones is mediated by the MFS transporter MFS1 in the entomopathogenic fungus Ophiocordyceps sp. BCC1869. 2015 , 31, 1543-54		24
677	Remaining Challenges in the Metabolic Engineering of Yeasts for Biofuels. 2015 , 209-237		
676	Use of non-conventional yeast improves the wine aroma profile of Ribolla Gialla. 2015 , 42, 997-1010		38
675	Membrane transporters in self resistance of Cercospora nicotianae to the photoactivated toxin cercosporin. 2015 , 61, 601-20		15
674	Genetic manipulation of a high-affinity PHR1 target cis-element to improve phosphorous uptake in Oryza sativa L. 2015 , 87, 429-40		30
673	Genomic and transcriptomic analysis of the endophytic fungus Pestalotiopsis fici reveals its lifestyle and high potential for synthesis of natural products. <i>BMC Genomics</i> , 2015 , 16, 28	4.5	83
672	The internal gene duplication and interrupted coding sequences in the MmpL genes of Mycobacterium tuberculosis: Towards understanding the multidrug transport in an evolutionary perspective. 2015 , 305, 413-23		30
671	Cell biology of the NCL proteins: What they do and don't do. 2015 , 1852, 2242-55		117
670	Classical Targets in Drug Discovery. 2015 , 87-142		
669	Identification of seven novel virulence genes from Xanthomonas citri subsp. citri by Tn5-based random mutagenesis. 2015 , 53, 330-6		13
668	Role of transcription factor NimR (YeaM) in sensitivity control of Escherichia coli to 2-nitroimidazole. 2015 , 362, 1-8		15
667	Increased phosphate transport of Arabidopsis thaliana Pht1;1 by site-directed mutagenesis of tyrosine 312 may be attributed to the disruption of homomeric interactions. 2015 , 38, 2012-22		35

666	Comparative Sequence-Function Analysis of the Major Facilitator Superfamily: The "Mix-and-Match" Method. 2015 , 557, 521-49	2
665	In silico approaches for the identification of virulence candidates amongst hypothetical proteins of Mycoplasma pneumoniae 309. 2015 , 59 Pt A, 67-80	22
664	Structure and mechanism of the mammalian fructose transporter GLUT5. 2015 , 526, 397-401	148
663	Aspergillus niger membrane-associated proteome analysis for the identification of glucose transporters. 2015 , 8, 150	29
662	Substrate-bound structure of the E. coli multidrug resistance transporter MdfA. 2015 , 25, 1060-73	107
661	Structural basis for dynamic mechanism of nitrate/nitrite antiport by NarK. 2015 , 6, 7097	30
660	EResorcylate catabolic-pathway genes in the soil actinomycete Rhodococcus jostii RHA1. 2015 , 81, 7656-65	8
659	Mapping-by-sequencing of Ligon-lintless-1 (Li 1) reveals a cluster of neighboring genes with correlated expression in developing fibers of Upland cotton (Gossypium hirsutum L.). 2015 , 128, 1703-12	14
658	Dynamic and Coordinated Expression Changes of Rice Small RNAs in Response to Xanthomonas oryzae pv. oryzae. 2015 , 42, 625-637	12
657	The Phytosiderophore Efflux Transporter TOM2 Is Involved in Metal Transport in Rice. 2015 , 290, 27688-99	45
656	The Ku-Mar zinc finger: A segment-swapped zinc ribbon in MarR-like transcription regulators related to the Ku bridge. 2015 , 191, 281-9	4
655	A novel functional glucose transporter in the white shrimp Litopenaeus vannamei -LvGLUT2- is up-regulated during hypoxia in hepatopancreas. 2015 , 112, 61-7	13
654	Isolation and characterisation of transport-defective substrate-binding mutants of the tetracycline antiporter TetA(B). 2015 , 1848, 2261-70	5
653	The cell envelope proteome of Aggregatibacter actinomycetemcomitans. 2015 , 30, 97-110	8
652	The Structure and Function of OxlT, the Oxalate Transporter of Oxalobacter formigenes. 2015 , 248, 641-50	4
651	The major facilitator superfamily transporter ZIFL2 modulates cesium and potassium homeostasis in Arabidopsis. 2015 , 56, 148-62	28
650	Docking analysis insights quercetin can be a non-antibiotic adjuvant by inhibiting Mmr drug efflux pump in Mycobacterium sp. and its homologue EmrE in Escherichia coli. 2015 , 33, 1819-34	13
649	Induction of the Escherichia coli yijE gene expression by cystine. 2015 , 79, 218-22	7

(2016-2015)

648	Drug resistance to Mycobacterium tuberculosis: from the traditional Chinese view to modern systems biology. 2015 , 41, 399-410	9
647	Exploring the diversity of arsenic resistance genes from acid mine drainage microorganisms. 2015 , 17, 1910-25	29
646	Molecular insights into proton coupled peptide transport in the PTR family of oligopeptide transporters. 2015 , 1850, 488-99	77
645	Tetracaine, a local anesthetic, preferentially induces translational inhibition with processing body formation rather than phosphorylation of eIF2\(\text{H}\)n yeast. 2015 , 61, 43-53	4
644	Life on the edge: functional genomic response of Ignicoccus hospitalis to the presence of Nanoarchaeum equitans. 2015 , 9, 101-14	33
643	Homology modeling, molecular dynamics, and virtual screening of NorA efflux pump inhibitors of. 2016 , 10, 3237-3252	30
642	RNA Sequencing Reveals Xyr1 as a Transcription Factor Regulating Gene Expression beyond Carbohydrate Metabolism. 2016 , 2016, 4841756	16
641	Understanding the Role of the Master Regulator XYR1 in Trichoderma reesei by Global Transcriptional Analysis. 2016 , 7, 175	52
640	A Survey of the Gene Repertoire of Gigaspora rosea Unravels Conserved Features among Glomeromycota for Obligate Biotrophy. 2016 , 7, 233	79
639	Tricking Arthrinium malaysianum into Producing Industrially Important Enzymes Under 2-Deoxy D-Glucose Treatment. 2016 , 7, 596	5
638	Identification of Genes Required for Secretion of the Francisella Oxidative Burst-Inhibiting Acid Phosphatase AcpA. 2016 , 7, 605	2
637	Functional Characterization of a Hexose Transporter from Root Endophyte Piriformospora indica. 2016 , 7, 1083	17
636	A Numbering System for MFS Transporter Proteins. 2016 , 3, 21	21
635	NRT2.4 and NRT2.5 Are Two Half-Size Transporters from the Chlamydomonas NRT2 Family. 2016 , 6, 20	4
634	Genome Anatomy of Pyrenochaeta unguis-hominis UM 256, a Multidrug Resistant Strain Isolated from Skin Scraping. 2016 , 11, e0162095	5
633	pH Regulation of Electrogenic Sugar/H+ Symport in MFS Sugar Permeases. 2016 , 11, e0156392	16
632	Mutations in the Heme Exporter FLVCR1 Cause Sensory Neurodegeneration with Loss of Pain Perception. 2016 , 12, e1006461	30
631	Identification of a Novel L-rhamnose Uptake Transporter in the Filamentous Fungus Aspergillus niger. 2016 , 12, e1006468	28

630	Properties and Phylogeny of 76 Families of Bacterial and Eukaryotic Organellar Outer Membrane Pore-Forming Proteins. 2016 , 11, e0152733		16
629	Genomic Analyses of Cladophialophora bantiana, a Major Cause of Cerebral Phaeohyphomycosis Provides Insight into Its Lifestyle, Virulence and Adaption in Host. 2016 , 11, e0161008		12
628	A Putative Small Solute Transporter Is Responsible for the Secretion of G377 and TRAP-Containing Secretory Vesicles during Plasmodium Gamete Egress and Sporozoite Motility. 2016 , 12, e1005734		32
627	Genomic Identification and Expression Analysis of the Phosphate Transporter Gene Family in Poplar. 2016 , 7, 1398		24
626	The "racemic approach" in the evaluation of the enantiomeric NorA efflux pump inhibition activity of 2-phenylquinoline derivatives. 2016 , 129, 182-189		12
625	Epidemiology and molecular mechanisms of antifungal resistance in Candida and Aspergillus. 2016 , 59, 198-219		104
624	Identification and characterization of putative xylose and cellobiose transporters in. 2016, 9, 204		34
623	Functional Characterization of Pneumocystis carinii Inositol Transporter 1. 2016 , 7,		6
622	Key Residues and Phosphate Release Routes in the Saccharomyces cerevisiae Pho84 Transceptor: THE ROLE OF TYR179 IN FUNCTIONAL REGULATION. 2016 , 291, 26388-26398		8
621	Global transcriptional analysis suggests Lasiodiplodia theobromae pathogenicity factors involved in modulation of grapevine defensive response. <i>BMC Genomics</i> , 2016 , 17, 615	4.5	33
620	Improvement of ectoine productivity by using sugar transporter-overexpressing Halomonas elongata. 2016 , 89, 63-8		15
620 619	Improvement of ectoine productivity by using sugar transporter-overexpressing Halomonas		15
	Improvement of ectoine productivity by using sugar transporter-overexpressing Halomonas elongata. 2016 , 89, 63-8 Longitudinal Changes in Glucose Metabolism of Denervated Muscle after Complete Peripheral		
619	Improvement of ectoine productivity by using sugar transporter-overexpressing Halomonas elongata. 2016 , 89, 63-8 Longitudinal Changes in Glucose Metabolism of Denervated Muscle after Complete Peripheral Nerve Injury. 2016 , 18, 741-7 The Renaissance of Neurospora crassa: How a Classical Model System is Used for Applied Research.		8
619 618	Improvement of ectoine productivity by using sugar transporter-overexpressing Halomonas elongata. 2016, 89, 63-8 Longitudinal Changes in Glucose Metabolism of Denervated Muscle after Complete Peripheral Nerve Injury. 2016, 18, 741-7 The Renaissance of Neurospora crassa: How a Classical Model System is Used for Applied Research. 2016, 59-96 Accurate Prediction of Ligand Affinities for a Proton-Dependent Oligopeptide Transporter. 2016,		8 7
619618617	Improvement of ectoine productivity by using sugar transporter-overexpressing Halomonas elongata. 2016, 89, 63-8 Longitudinal Changes in Glucose Metabolism of Denervated Muscle after Complete Peripheral Nerve Injury. 2016, 18, 741-7 The Renaissance of Neurospora crassa: How a Classical Model System is Used for Applied Research. 2016, 59-96 Accurate Prediction of Ligand Affinities for a Proton-Dependent Oligopeptide Transporter. 2016, 23, 299-309 Proteome scale census of major facilitator superfamily transporters in Trichoderma reesei using		8 7 27
619618617616	Improvement of ectoine productivity by using sugar transporter-overexpressing Halomonas elongata. 2016, 89, 63-8 Longitudinal Changes in Glucose Metabolism of Denervated Muscle after Complete Peripheral Nerve Injury. 2016, 18, 741-7 The Renaissance of Neurospora crassa: How a Classical Model System is Used for Applied Research. 2016, 59-96 Accurate Prediction of Ligand Affinities for a Proton-Dependent Oligopeptide Transporter. 2016, 23, 299-309 Proteome scale census of major facilitator superfamily transporters in Trichoderma reesei using protein sequence and structure based classification enhanced ranking. 2016, 585, 166-176		8 7 27 21

(2016-2016)

612	Harnessing the power of fungal siderophores for the imaging and treatment of human diseases. 2016 , 327-328, 84-109	29
611	pHluorin enables insights into the transport mechanism of antiporter Mdr1: R215 is critical for drug/H+ antiport. 2016 , 473, 3127-45	8
610	Enterococcal Metabolite Cues Facilitate Interspecies Niche Modulation and Polymicrobial Infection. 2016 , 20, 493-503	60
609	Enzymes in the p-hydroxyphenylacetate degradation pathway of Acinetobacter baumannii. 2016 , 134, 353-366	16
608	The fungal resistome: a risk and an opportunity for the development of novel antifungal therapies. 2016 , 8, 1503-20	6
607	Iron Uptake by Plants and Fungi. 2016 , 155-204	
606	Resistance to Macrolide Antibiotics in Public Health Pathogens. 2016 , 6,	86
605	Lipids modulate the conformational dynamics of a secondary multidrug transporter. 2016 , 23, 744-51	81
604	Structures and Transport Mechanisms of RND Efflux Pumps. 2016 , 3-28	4
603	Structural and Functional Landscape of MFS and MATE Efflux Pumps. 2016 , 29-44	3
602	Unconventional endosome-like compartment and retromer complex in Toxoplasma gondii govern parasite integrity and host infection. 2016 , 7, 11191	37
601	Antimicrobial Drug Efflux Pumps in Staphylococcus aureus. 2016 , 165-195	2
600	Siderophores; iron scavengers: the novel & promising targets for pathogen specific antifungal therapy. 2016 , 20, 1477-1489	19
599	Insight into determinants of substrate binding and transport in a multidrug efflux protein. <i>Scientific Reports</i> , 2016 , 6, 22833	9
598	Phosphorus metabolism and transport in arbuscular mycorrhizal symbiosis. 2016 , 197-216	9
597	Nucleoside uptake in Vibrio cholerae and its role in the transition fitness from host to environment. 2016 , 99, 470-83	15
596	Transport protein evolution deduced from analysis of sequence, topology and structure. 2016 , 38, 9-17	32
595	Pseudomonas aeruginosa: targeting cell-wall metabolism for new antibacterial discovery and development. 2016 , 8, 975-92	12

594	Overexpression of sucrose transporter gene PbSUT2 from Pyrus bretschneideri, enhances sucrose content in Solanum lycopersicum fruit. 2016 , 105, 150-161	21
593	Iron deficiency resistance mechanisms enlightened by gene expression analysis in Paenibacillus riograndensis SBR5. 2016 , 167, 501-9	4
592	Screening of the SLC17A8 gene as a causative factor for autosomal dominant non-syndromic hearing loss in Koreans. 2016 , 17, 6	15
591	Genomic characterization and assessment of the virulence and antibiotic resistance of the novel species Paenibacillus sp. strain VT-400, a potentially pathogenic bacterium in the oral cavity of patients with hematological malignancies. 2016 , 8, 6	17
590	Future prospects of antibacterial metal nanoparticles as enzyme inhibitor. 2016, 68, 939-947	57
589	Genome-Based Selection and Characterization of Fusarium circinatum-Specific Sequences. 2016 , 6, 631-9	8
588	Genomic comparison of virulent and non-virulent Streptococcus agalactiae in fish. 2016, 39, 13-29	25
587	Inorganic Phosphate and Sulfate Transport in S. cerevisiae. 2016 , 892, 253-269	13
586	Understanding transport by the major facilitator superfamily (MFS): structures pave the way. 2016 , 17, 123-32	214
585	Comparative transcriptome analysis of Bombyx mori spinnerets and Filippi's glands suggests their role in silk fiber formation. 2016 , 68, 89-99	18
584	Identification of the coupling step in Na(+)-translocating NADH:quinone oxidoreductase from real-time kinetics of electron transfer. 2016 , 1857, 141-149	11
583	Local Anesthetics and Antipsychotic Phenothiazines Interact Nonspecifically with Membranes and Inhibit Hexose Transporters in Yeast. 2016 , 202, 997-1012	8
582	The Transporter Classification Database (TCDB): recent advances. 2016 , 44, D372-9	434
581	Shared Molecular Mechanisms of Membrane Transporters. 2016 , 85, 543-72	228
580	Mechanisms of Drug Efflux and Strategies to Overcome Them as a Way to Control Microbial Growth. 2016 , 115-132	1
579	A mathematical model of microbial folate biosynthesis and utilisation: implications for antifolate development. 2016 , 12, 923-33	12
578	Antibiotics Resistance in Rhizobium: Type, Process, Mechanism and Benefit for Agriculture. 2016 , 72, 804-16	31
577	An overview of bacterial efflux pumps and computational approaches to study efflux pump inhibitors. 2016 , 8, 195-210	15

576	Molecular characterization and expression pattern of sorbitol transporter gene PbSOT2 in Pear (Pyrus bretschneideri Rehd.) fruit. 2016 , 96, 128-137	7
575	Involvement of Agrobacterium tumefaciens Galacturonate Tripartite ATP-Independent Periplasmic (TRAP) Transporter GaaPQM in Virulence Gene Expression. 2016 , 82, 1136-1146	9
574	Activating and Elucidating Metabolism of Complex Sugars in Yarrowia lipolytica. 2016 , 82, 1334-1345	56
573	Candida Efflux ATPases and Antiporters in Clinical Drug Resistance. 2016 , 892, 351-376	15
572	Antifungals: Mechanism of Action and Drug Resistance. 2016 , 892, 327-349	80
571	The Female Post-Mating Response Requires Genes Expressed in the Secondary Cells of the Male Accessory Gland in Drosophila melanogaster. 2016 , 202, 1029-41	40
570	Virome-associated antibiotic-resistance genes in an experimental aquaculture facility. 2016, 92,	30
569	The iron-responsive microsomal proteome of Aspergillus fumigatus. 2016 , 136, 99-111	19
568	Discovery of potent and orally bioavailable inhibitors of Human Uric Acid Transporter 1 (hURAT1) and binding mode prediction using homology model. 2016 , 26, 277-282	20
567	Genome-Guided Discovery of Natural Products and Biosynthetic Pathways from Australia Untapped Microbial Megadiversity. 2016 , 69, 129	5
566	High throughput de novo RNA sequencing elucidates novel responses in Penicillium chrysogenum under microgravity. 2016 , 39, 223-31	5
565	Vba4p, a vacuolar membrane protein, is involved in the drug resistance and vacuolar morphology of Saccharomyces cerevisiae. 2016 , 80, 279-87	9
564	Life Stage-specific Proteomes of Legionella pneumophila Reveal a Highly Differential Abundance of Virulence-associated Dot/Icm effectors. 2016 , 15, 177-200	18
563	Tabtoxinine-Elactam is a Eltealth Elactam antibiotic that evades Elactamase-mediated antibiotic resistance. 2016 , 7, 118-127	13
562	Sequence variation of Bemisia tabaci Chemosensory Protein 2 in cryptic species B and Q: New DNA markers for whitefly recognition. 2016 , 576, 284-91	10
561	Stepwise Functional Evolution in a Fungal Sugar Transporter Family. 2016 , 33, 352-66	11
560	NPKS uptake, sensing, and signaling and miRNAs in plant nutrient stress. 2016 , 253, 767-786	37
559	Glucose Transporters at the Blood-Brain Barrier: Function, Regulation and Gateways for Drug Delivery. 2017 , 54, 1046-1077	154

558	Amino acid composition analysis of human secondary transport proteins and implications for reliable membrane topology prediction. 2017 , 35, 929-949		8
557	Comparison of green and albino individuals of the partially mycoheterotrophic orchid Epipactis helleborine on molecular identities of mycorrhizal fungi, nutritional modes and gene expression in mycorrhizal roots. 2017 , 26, 1652-1669		41
556	Mechanistic Understanding of Lanthipeptide Biosynthetic Enzymes. 2017, 117, 5457-5520		224
555	Thyme essential oil as an alternative mechanism: biofungicide-causing sensitivity of Mycosphaerella graminicola. 2017 , 122, 932-939		13
554	A comparative genomic analysis of putative pathogenicity genes in the host-specific sibling species Colletotrichum graminicola and Colletotrichum sublineola. <i>BMC Genomics</i> , 2017 , 18, 67	4.5	28
553	A fungal wheat pathogen evolved host specialization by extensive chromosomal rearrangements. 2017 , 11, 1189-1204		101
552	Molecular Biology of Multidrug Resistance Efflux Pumps of the Major Facilitator Superfamily from Bacterial Food Pathogens. 2017 , 303-329		0
551	Ultrasonic irradiation of low intensity with a mode of sweeping frequency enhances the membrane permeability and cell growth rate of Candida tropicalis. 2017 , 37, 518-528		26
550	Cationic amino acid transporters play key roles in the survival and transmission of apicomplexan parasites. 2017 , 8, 14455		40
549	Do Mammalian Cells Really Need to Export and Import Heme?. 2017 , 42, 395-406		33
548	Process development of itaconic acid production by a natural wild type strain of Aspergillus terreus to reach industrially relevant final titers. 2017 , 101, 4063-4072		60
547	In-silico screening, identification and validation of a novel vaccine candidate in the fight against Plasmodium falciparum. 2017 , 116, 1293-1305		7
546	Glucose uptake in Azotobacter vinelandii occurs through a GluP transporter that is under the control of the CbrA/CbrB and Hfq-Crc systems. <i>Scientific Reports</i> , 2017 , 7, 858	4.9	16
545	Camelus dromedarius glucose transporter 4: in silico analysis, cloning, expression, purification and characterisation in E. coli. 2017 , 123, 254-264		
544	Plant Breeding for Improving Nutrient Uptake and Utilization Efficiency. 2017, 221-246		6
543	Comparative analysis of gene expression profiles for several migrating cell types identifies cell migration regulators. 2017 , 148, 40-55		7
542	Tools and Techniques to Study Multidrug Transporters of Yeasts. 2017 , 183-207		1
541	Improved Potency of Indole-Based NorA Efflux Pump Inhibitors: From Serendipity toward Rational Design and Development. 2017 , 60, 517-523		24

540	Efflux as a mechanism of antimicrobial drug resistance in clinical relevant microorganisms: the role of efflux inhibitors. 2017 , 21, 23-36	26
539	Benzoate transport in Pseudomonas putida CSV86. 2017 , 364,	12
538	Identification of a High-Affinity Pyruvate Receptor in Escherichia coli. <i>Scientific Reports</i> , 2017 , 7, 1388 4.9	24
537	Characterization of a major facilitator superfamily transporter in Shiraia bambusicola. 2017 , 168, 664-672	14
536	A novel streptococcal cell-cell communication peptide promotes pneumococcal virulence and biofilm formation. 2017 , 105, 554-571	26
535	Computational Discovery and Experimental Validation of Inhibitors of the Human Intestinal Transporter OATP2B1. 2017 , 57, 1402-1413	13
534	Structural Biology Meets Drug Resistance: An Overview on Multidrug Resistance Transporters. 2017 , 97, 165-175	1
533	Post-translational regulation of nitrogen transporters in plants and microorganisms. 2017 , 68, 2567-2580	32
532	Membrane Phase-Dependent Occlusion of Intramolecular GLUT1 Cavities Demonstrated by Simulations. 2017 , 112, 1176-1184	11
531	Antibiotic Resistance: Mechanisms and Impact. 2017 , 1-41	
530	Functional Roles of Highly Conserved Amino Acid Sequence Motifs A and C in Solute Transporters of the Major Facilitator Superfamily. 2017 , 111-140	2
529	Differential Gene Expression in Five Isolates of the Clam Pathogen, Quahog Parasite Unknown (QPX). 2017 , 64, 647-654	5
528	Differential expression of miRNAs and associated gene targets in grapevine leafroll-associated virus 3-infected plants. 2017 , 162, 987-996	13
527	Multi-omics approach to study global changes in a triclosan-resistant mutant strain of Acinetobacter baumannii ATCC 17978. 2017 , 49, 74-80	2
526	Biogenesis, transport and remodeling of lysophospholipids in Gram-negative bacteria. 2017 , 1862, 1404-1413	37
525	Classification Systems of Secondary Active Transporters. 2017 , 38, 305-315	105
524	Endophyte-Promoted Nutrient Acquisition: Phosphorus and Iron. 2017 , 21-42	17
523	Affinity and path of binding xylopyranose unto E. ´coli xylose permease. 2017 , 494, 202-206	7

522	The effect of insecticide synergist treatment on genome-wide gene expression in a polyphagous pest. <i>Scientific Reports</i> , 2017 , 7, 13440	4.9	21
521	Computational Analysis of the Molecular Mechanism of RamR Mutations Contributing to Antimicrobial Resistance in Salmonella enterica. <i>Scientific Reports</i> , 2017 , 7, 13418	4.9	5
520	WDR81 mutations cause extreme microcephaly and impair mitotic progression in human fibroblasts and Drosophila neural stem cells. 2017 , 140, 2597-2609		19
519	Bacterial catabolism of lignin-derived aromatics: New findings in a recent decade: Update on bacterial lignin catabolism. 2017 , 9, 679-705		129
518	Mycobacterium tuberculosis Major Facilitator Superfamily Transporters. 2017 , 250, 573-585		19
517	Characteristics of 29 novel atypical solute carriers of major facilitator superfamily type: evolutionary conservation, predicted structure and neuronal co-expression. 2017 , 7,		26
516	Understanding the Arbuscule at the Heart of Endomycorrhizal Symbioses in Plants. 2017 , 27, R952-R96	3	98
515	Eukaryotic transporters for hydroxyderivatives of benzoic acid. <i>Scientific Reports</i> , 2017 , 7, 8998	4.9	6
514	Complete genome sequence analysis of the fish pathogen Flavobacterium columnare provides insights into antibiotic resistance and pathogenicity related genes. 2017 , 111, 203-211		9
513	A mechanism for a single nucleotide intron shift. 2017 , 45, 9085-9092		9
512	NRT1.5/NPF7.3 Functions as a Proton-Coupled H/K Antiporter for K Loading into the Xylem in Arabidopsis. 2017 , 29, 2016-2026		96
511	EsGLUT4 and CHHBP are involved in the regulation of glucose homeostasis in the crustacean. 2017 , 6, 1279-1289		5
510	Metabolic and evolutionary patterns in the extremely acidophilic archaeon Ferroplasma acidiphilum Y. <i>Scientific Reports</i> , 2017 , 7, 3682	4.9	11
509	Comparative genomic analysis of Paenibacillus sp. SSG-1 and its closely related strains reveals the effect of glycometabolism on environmental adaptation. <i>Scientific Reports</i> , 2017 , 7, 5720	4.9	7
508	Posterior column ataxia with retinitis pigmentosa coexisting with sensory-autonomic neuropathy and leukemia due to the homozygous p.Pro221Ser FLVCR1 mutation. 2017 , 174, 732-739		16
507	A new chemotype inhibitor for the human organic cation transporter 3 (hOCT3). 2017 , 27, 4440-4445		6
506	Proton-solute coupling mechanism of the maltose transporter from Saccharomyces cerevisiae. <i>Scientific Reports</i> , 2017 , 7, 14375	4.9	12
505	Active Gating, Molecular Pumping, and Turnover Determination in Biomimetic Lipidic Cubic Mesophases with Reconstituted Membrane Proteins. 2017 , 11, 11687-11693		9

504	Cyanate distribution and uptake in North Atlantic coastal waters. 2017, 62, 2538-2549	7
503	The Novel Membrane-Bound Proteins MFSD1 and MFSD3 are Putative SLC Transporters Affected by Altered Nutrient Intake. 2017 , 61, 199-214	21
502	The macrolide antibiotic renaissance. 2017 , 174, 2967-2983	133
501	Antibiotics: Pharmacokinetics, toxicity, resistance and multidrug efflux pumps. 2017 , 133, 43-62	74
500	Using cellular fitness to map the structure and function of a major facilitator superfamily effluxer. 2017 , 13, 964	6
499	Structural biology of solute carrier (SLC) membrane transport proteins. 2017 , 34, 1-32	74
498	Distribution of glucose transporters in renal diseases. 2017 , 24, 64	32
497	Comprehensive Genomic Identification and Expression Analysis of the Phosphate Transporter (PHT) Gene Family in Apple. 2017 , 8, 426	28
496	Fluconazole resistance in species: a current perspective. 2017 , 10, 237-245	182
495	The Complex Relationship between Virulence and Antibiotic Resistance. 2017 , 8,	129
494	Functional Investigation of Iron-Responsive Microsomal Proteins, including MirC, in. 2017, 8, 418	10
493	Viromes As Genetic Reservoir for the Microbial Communities in Aquatic Environments: A Focus on Antimicrobial-Resistance Genes. 2017 , 8, 1095	20
492	Putative Membrane-Bound Transporters MFSD14A and MFSD14B Are Neuronal and Affected by Nutrient Availability. 2017 , 10, 11	12
491	The Neuronal and Peripheral Expressed Membrane-Bound UNC93A Respond to Nutrient Availability in Mice. 2017 , 10, 351	5
490	Metadata Analysis of Gene Expression Data Identified Common CAZymes Encoding Gene Expression Profiles Involved in Cellulose and Hemicellulose Degradation. 2017 , 13, 85-99	15
489	The superfamily keeps growing: Identification in trypanosomatids of RibJ, the first riboflavin transporter family in protists. 2017 , 11, e0005513	6
488	Treating tuberculosis with high doses of anti-TB drugs: mechanisms and outcomes. 2017, 16, 67	16

486	Dealing with iron metabolism in rice: from breeding for stress tolerance to biofortification. 2017 , 40, 312-325	22
485	Identification of the structural determinants for efficient glucose transport via segment swapping between two fungal glucose transporters. 2017 , 7, 25109-25117	1
484	Bibliography. 2017 , 77-83	
483	Role of bacterial efflux pumps in biofilm formation. 2018 , 73, 2003-2020	148
482	Genome analysis of two novel Pseudomonas strains exhibiting differential hypersensitivity reactions on tobacco seedlings reveals differences in nonflagellar T3SS organization and predicted effector proteins. 2018 , 7, e00553	4
481	Genetic and phenotypic analysis of carbohydrate metabolism and transport in Lactobacillus reuteri. 2018 , 272, 12-21	29
480	The ins and outs of vesicular monoamine transporters. 2018 , 150, 671-682	33
479	Impact of Hypoglycemia on Brain Metabolism During Diabetes. 2018 , 55, 9075-9088	21
478	DeepEfflux: a 2D convolutional neural network model for identifying families of efflux proteins in transporters. 2018 , 34, 3111-3117	24
477	4-Hydroxybenzaldehyde sensitizes Acinetobacter baumannii to amphenicols. 2018 , 102, 2323-2335	11
476	Assay Conditions Influence Affinities of Rat Organic Cation Transporter 1: Analysis of Mutagenesis in the Modeled Outward-Facing Cleft by Measuring Effects of Substrates and Inhibitors on Initial Uptake. 2018 , 93, 402-415	13
475	Chaski, a novel Drosophila lactate/pyruvate transporter required in glia cells for survival under nutritional stress. <i>Scientific Reports</i> , 2018 , 8, 1186	21
474	Sugar compartmentation as an environmental stress adaptation strategy in plants. 2018, 83, 106-114	15
473	Quantifying the Evolutionary Conservation of Genes Encoding Multidrug Efflux Pumps in the ESKAPE Pathogens To Identify Antimicrobial Drug Targets. 2018 , 3,	15
472	Characterization and heterologous expression of the neoabyssomicin/abyssomicin biosynthetic gene cluster from Streptomyces koyangensis SCSIO 5802. 2018 , 17, 28	32
471	Stress and damage mechanisms in Dendrobium nobile Lindl. protocorm-like bodies during pre- and post-liquid nitrogen exposure in cryopreservation revealed by iTRAQ proteomic analysis. 2018 , 54, 253-272	9
470	Glycine Betaine Monooxygenase, an Unusual Rieske-Type Oxygenase System, Catalyzes the Oxidative -Demethylation of Glycine Betaine in Chromohalobacter salexigens DSM 3043. 2018 , 84,	12
469	A Single-Cell View of the BtsSR/YpdAB Pyruvate Sensing Network in Escherichia coli and Its Biological Relevance. 2018 , 200,	17

468	Starvation- and xenobiotic-related transcriptomic responses of the sulfanilic acid-degrading bacterium, Novosphingobium resinovorum SA1. 2018 , 102, 305-318	7
467	Generation of Conformation-Specific Antibody Fragments for Crystallization of the Multidrug Resistance Transporter MdfA. 2018 , 1700, 97-109	7
466	Amino acid deprivation and central carbon metabolism regulate the production of outer membrane vesicles and tubes by Francisella. 2018 , 107, 523-541	19
465	Thermodynamic secrets of multidrug resistance: A new take on transport mechanisms of secondary active antiporters. 2018 , 27, 595-613	10
464	Insights into the genome and proteome of Sphingomonas paucimobilis strain 20006FA involved in the regulation of polycyclic aromatic hydrocarbon degradation. 2017 , 34, 7	12
463	Toxoplasma gondii TFP1 is an essential transporter family protein critical for microneme maturation and exocytosis. 2018 , 109, 225	18
462	Identification of salt-induced transcripts by suppression subtractive hybridization and their expression analysis under the combination of salt and elevated CO2 conditions in Salicornia brachiata. 2018 , 40, 1	1
461	Cloning of the Bisucaberin B Biosynthetic Gene Cluster from the Marine Bacterium , and Heterologous Production of Bisucaberin B. 2018 , 16,	1
460	The Potential for Convergence between Synthetic Biology and Bioelectronics. 2018, 7, 231-244	32
459	Outward open conformation of a Major Facilitator Superfamily multidrug/H antiporter provides insights into switching mechanism. 2018 , 9, 4005	31
458	Analysis of the Transcriptome in During Enzymatic Degradation of Sugarcane Bagasse. 2018 , 6, 123	9
457	Direct protein-lipid interactions shape the conformational landscape of secondary transporters. 2018 , 9, 4151	70
456	The Duality of the MAPK Signaling Pathway in the Control of Metabolic Processes and Cellulase Production in Trichoderma reesei. <i>Scientific Reports</i> , 2018 , 8, 14931	18
455	Unraveling the Role of Heme in Neurodegeneration. 2018 , 12, 712	23
454	New Genomic Approaches to Enhance Biomass Degradation by the Industrial Fungus. 2018 , 2018, 1974151	20
453	Large-scale whole-exome sequencing association studies identify rare functional variants influencing serum urate levels. 2018 , 9, 4228	31
452	A dual substrate-accessing mechanism of a major facilitator superfamily protein facilitates lysophospholipid flipping across the cell membrane. 2018 , 293, 19919-19931	6
451	Cellobiose fermentation by Saccharomyces cerevisiae: Comparative analysis of intra versus extracellular sugar hydrolysis. 2018 , 75, 59-67	7

450	Highly Sensitive and Selective Biosensor for a Disaccharide Based on an AraC-Like Transcriptional Regulator Transduced with Bioluminescence Resonance Energy Transfer. 2018 , 90, 12986-12993	13
449	A novel MFSD8 mutation in a Russian patient with neuronal ceroid lipofuscinosis type 7: a case report. 2018 , 19, 151	6
448	Action of Phytochemicals on Insulin Signaling Pathways Accelerating Glucose Transporter (GLUT4) Protein Translocation. 2018 , 23,	38
447	Epistatic control of intrinsic resistance by virulence genes in Listeria. 2018 , 14, e1007525	16
446	Free Energy Landscape of the Complete Transport Cycle in a Key Bacterial Transporter. 2018 , 4, 1146-1154	25
445	The draft genomes of Elizabethkingia anophelis of equine origin are genetically similar to three isolates from human clinical specimens. 2018 , 13, e0200731	8
444	Invasion of midgut epithelial cells by a persistently transmitted virus is mediated by sugar transporter 6 in its insect vector. 2018 , 14, e1007201	35
443	Glia-neuron energy metabolism in health and diseases: New insights into the role of nervous system metabolic transporters. 2018 , 309, 23-31	83
442	Encyclopedia of Biophysics. 2018 , 1-13	
441	Identification of Bacterial Genes Expressed During Diatom-Bacteria Interactions Using an in Vivo Expression Technology Approach. 2018 , 5,	4
440	SAV4189, a MarR-Family Regulator in , Activates Avermectin Biosynthesis. 2018 , 9, 1358	18
439	Utilization of urea and cyanate in waters overlying and within the eastern tropical north Pacific oxygen deficient zone. 2018 , 94,	14
438	Genes under positive selection in the core genome of pathogenic Bacillus cereus group members. 2018 , 65, 55-64	8
437	Host-Pathogen Interactions Mediated by MDR Transporters in Fungi: As Pleiotropic as it Gets!. 2018 , 9,	15
436	The Physiopathological Role of the Exchangers Belonging to the SLC37 Family. 2018 , 6, 122	17
435	Biological conversion of aromatic monolignol compounds by a Pseudomonas isolate from sediments of the Baltic Sea. 2018 , 8, 32	17
434	Identification of the protocatechuate transporter gene in Sphingobium sp. strain SYK-6 and effects of overexpression on production of a value-added metabolite. 2018 , 102, 4807-4816	20
433	DdvK, a Novel Major Facilitator Superfamily Transporter Essential for 5,5'-Dehydrodivanillate Uptake by Sphingobium sp. Strain SYK-6. 2018 , 84,	15

432	An Uncharacterized Major Facilitator Superfamily Transporter From Exhibits Dual Functions as a Na(Li, K)/H Antiporter and a Multidrug Efflux Pump. 2018 , 9, 1601	13
43 ¹	Molecular and functional characterization of glucose transporter genes of the fox tapeworm Echinococcus multilocularis. 2018 , 225, 7-14	2
430	Substrate Transport. 2018 , 287-302	
429	Identification of Compounds That Decrease Glioblastoma Growth and Glucose Uptake in Vitro. 2018 , 13, 2048-2057	18
428	Bioinformatic characterization of the Anoctamin Superfamily of Ca2+-activated ion channels and lipid scramblases. 2018 , 13, e0192851	29
427	A MFS-like plasma membrane transporter required for Leishmania virulence protects the parasites from iron toxicity. 2018 , 14, e1007140	12
426	A new family of nitrate/nitrite transporters involved in denitrification. 2019 , 22, 19-28	7
425	Periodic and coordinated gene expression between a diazotroph and its diatom host. 2019 , 13, 118-131	22
424	The Synaptic Vesicle Glycoprotein 2: Structure, Function, and Disease Relevance. 2019 , 10, 3927-3938	22
423	Enhancing peptaibols production in the biocontrol fungus Trichoderma longibrachiatum SMF2 by elimination of a putative glucose sensor. 2019 , 116, 3030-3040	2
422	Deciphering the Molecular Recognition Mechanism of Multidrug Resistance NorA Efflux Pump Using a Supervised Molecular Dynamics Approach. 2019 , 20,	9
421	Improving ionic liquid tolerance in Saccharomyces cerevisiae through heterologous expression and directed evolution of an ILT1 homolog from Yarrowia lipolytica. 2019 , 46, 1715-1724	9
420	Meta-omics reveals genetic flexibility of diatom nitrogen transporters in response to environmental changes. 2019 ,	17
419	Molecular Characterization of , the Putative Sodium Dependent High-Affinity Nitrate Transporter of L. 2019 , 20,	2
418	Adaption of Generic Metabolic Models to Specific Cell Lines for Improved Modeling of Biopharmaceutical Production and Prediction of Processes. 2019 , 127-162	
417	Transcriptomic and functional analysis of the oosome, a unique form of germ plasm in the wasp Nasonia vitripennis. 2019 , 17, 78	3
416	The effect of anti-tuberculosis drugs therapy on mRNA efflux pump gene expression of in collected from tuberculosis patients. 2019 , 32, 100609	10
415	Antimicrobial Efflux Pumps. 2019 , 167-179	1

414	Molecular and cellular physiology of organic cation transporter 2. 2019 , 317, F1669-F1679	12
413	Multiomic Fermentation Using Chemically Defined Synthetic Hydrolyzates Revealed Multiple Effects of Lignocellulose-Derived Inhibitors on Cell Physiology and Xylose Utilization in. 2019 , 10, 2596	8
412	The Varied Role of Efflux Pumps of the MFS Family in the Interplay of Bacteria with Animal and Plant Cells. <i>Microorganisms</i> , 2019 , 7,	34
411	Structure-Function Analysis Reveals Amino Acid Residues of Phosphate Transporter PHT1;1 Crucial for Its Activity. 2019 , 10, 1158	4
410	Interactions Between Phosphorus, Zinc, and Iron Homeostasis in Nonmycorrhizal and Mycorrhizal Plants. 2019 , 10, 1172	34
409	Current Progress on Equilibrative Nucleoside Transporter Function and Inhibitor Design. 2019 , 24, 953-968	8
408	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. 2019 , 51, 1459-1474	122
407	Comparison of Antibiotic Resistance Mechanisms in Antibiotic-Producing and Pathogenic Bacteria. 2019 , 24,	29
406	More Transporters, More Substrates: The Arabidopsis Major Facilitator Superfamily Revisited. 2019 , 12, 1182-1202	32
405	Metabolic reconstruction of the genome of candidate Desulfatiglans TRIP_1 and identification of key candidate enzymes for anaerobic phenanthrene degradation. 2019 , 21, 1267-1286	17
404	Effect on growth, sugar consumption, and aerobic ethanol fermentation of homologous expression of the sugar transporter gene Pshxt1 in the white rot fungus Phanerochaete sordida YK-624. 2019 , 128, 537-543	5
403	Back to the Salt Mines: Genome and Transcriptome Comparisons of the Halophilic Fungus and Its Halotolerant Relative. 2019 , 10,	3
402	Expression Profiles of a Tung Tree Phosphate Transporter cDNA and Structural Characteristics of the Encoded Protein. 2019 , 53, 162-168	1
401	Secondary Active Transporters. 2019 , 92, 275-299	13
400	Conformational Studies of Glucose Transporter 1 (GLUT1) as an Anticancer Drug Target. 2019 , 24,	8
399	Synergistic interactions of phytochemicals with antimicrobial agents: Potential strategy to counteract drug resistance. 2019 , 308, 294-303	89
398	Regulates the Growth of in the Presence of a Subinhibitory Concentration of Gentamicin and Mediates the Adaptive Resistance to Gentamicin. 2019 , 10, 1180	4
397	smFRET Probing Reveals Substrate-Dependent Conformational Dynamics of E. ´coli Multidrug MdfA. 2019 , 116, 2296-2303	6

396	Variation of a major facilitator superfamily gene contributes to differential cadmium accumulation between rice subspecies. 2019 , 10, 2562	69
395	Laboratory Evolution Assays and Whole-Genome Sequencing for the Development and Safety Evaluation of With Stable Resistance to Gentamicin. 2019 , 10, 1235	8
394	Three Genes Define a Bacterial-Like Arsenic Tolerance Mechanism in the Arsenic Hyperaccumulating Fern Pteris vittata. 2019 , 29, 1625-1633.e3	30
393	Efflux pump inhibitors of clinically relevant multidrug resistant bacteria. 2019 , 39, 2460-2504	55
392	A review on remediation of cyanide containing industrial wastes using biological systems with special reference to enzymatic degradation. 2019 , 35, 70	22
391	Expression of GLUT1 in Pseudopalisaded and Perivascular Tumor Cells Is an Independent Prognostic Factor for Patients With Glioblastomas. 2019 , 78, 389-397	7
390	Global study of MFS superfamily transporters in arabidopsis and grapes reveals their functional diversity in plants. 2019 , 18, 100179	5
389	New insight into the classification and evolution of glucose transporters in the Metazoa. 2019 , 33, 7519-7528	7
388	Ion channels and transporters in diabetic kidney disease. 2019 , 83, 353-396	12
387	Extracellular gating of glucose transport through GLUT 1. 2019 , 511, 573-578	5
386	Physiological Genomics of Multistress Resistance in the Yeast Cell Model and Factory: Focus on MDR/MXR Transporters. 2019 , 58, 1-35	2
385	Synaptic vesicle protein 2: A multi-faceted regulator of secretion. 2019 , 95, 130-141	11
384	Cu Transport by the Extended Family of CcoA-like Transporters (CalT) in Proteobacteria. <i>Scientific Reports</i> , 2019 , 9, 1208	8
383	A Major Facilitator Superfamily Peptide Transporter From Influences Bioethanol Production From Lignocellulosic Material. 2019 , 10, 295	1
382	Tissue-specific profiling of membrane proteins in the salicin sequestering juveniles of the herbivorous leaf beetle, Chrysomela populi. 2019 , 109, 81-91	6
381	Rei1-like protein regulates nutritional metabolism and transport required for the asexual cycle in vitro and in vivo of a fungal insect pathogen. 2019 , 21, 2772-2786	10
380	Biogenesis and secretion of micronemes in Toxoplasma gondii. 2019 , 21, e13018	36
379	In situ transcriptomic and metabolomic study of the loss of photosynthesis in the leaves of mixotrophic plants exploiting fungi. 2019 , 98, 826-841	12

378	The tyrosine transporter of Toxoplasma gondii is a member of the newly defined apicomplexan amino acid transporter (ApiAT) family. 2019 , 15, e1007577		23
377	Characterization of highly conserved G-quadruplex motifs as potential drug targets in Streptococcus pneumoniae. <i>Scientific Reports</i> , 2019 , 9, 1791	4.9	28
376	New Insights into the Symbiotic Relationship between Orchids and Fungi. 2019 , 9, 585		16
375	Quantifying secondary transport at single-molecule resolution. 2019 , 575, 528-534		22
374	Imbalanced Regulation of Fungal Nutrient Transports According to Phosphate Availability in a Symbiocosm Formed by Poplar, Sorghum, and. 2019 , 10, 1617		7
373	Genome-wide survey of efflux pump-coding genes associated with Cronobacter survival, osmotic adaptation, and persistence. 2019 , 30, 32-42		6
372	Annotating the 'hypothetical' in hypothetical proteins: In-silico analysis of uncharacterised proteins for the Apicomplexan parasite, Neospora caninum. 2019 , 265, 29-37		3
371	Genome-wide analysis of the MATE gene family in potato. 2019 , 46, 403-414		14
370	Novel antibacterial modalities against methicillin resistant derived from plants. 2019 , 59, S153-S161		13
369	Comprehensive review of antimicrobial activities of plant flavonoids. 2019 , 18, 241-272		268
369 368	Comprehensive review of antimicrobial activities of plant flavonoids. 2019 , 18, 241-272 A newly generated neuronal cell model of CLN7 disease reveals aberrant lysosome motility and impaired cell survival. 2019 , 126, 196-205		268 11
	A newly generated neuronal cell model of CLN7 disease reveals aberrant lysosome motility and		
368	A newly generated neuronal cell model of CLN7 disease reveals aberrant lysosome motility and impaired cell survival. 2019 , 126, 196-205 Insights into major facilitator superfamily domain-containing protein-2a (Mfsd2a) in physiology and		11
368 367	A newly generated neuronal cell model of CLN7 disease reveals aberrant lysosome motility and impaired cell survival. 2019 , 126, 196-205 Insights into major facilitator superfamily domain-containing protein-2a (Mfsd2a) in physiology and pathophysiology. What do we know so far?. 2020 , 98, 29-41 Transcriptome analyses of the ginseng root rot pathogens and to identify radicical resistance		11
368 367 366	A newly generated neuronal cell model of CLN7 disease reveals aberrant lysosome motility and impaired cell survival. 2019, 126, 196-205 Insights into major facilitator superfamily domain-containing protein-2a (Mfsd2a) in physiology and pathophysiology. What do we know so far?. 2020, 98, 29-41 Transcriptome analyses of the ginseng root rot pathogens and to identify radicical resistance mechanisms. 2020, 44, 161-167 New evolving strategies revealed by transcriptomic analysis of a fur mutant of the cyanotrophic		11 19 4
368 367 366 365	A newly generated neuronal cell model of CLN7 disease reveals aberrant lysosome motility and impaired cell survival. 2019, 126, 196-205 Insights into major facilitator superfamily domain-containing protein-2a (Mfsd2a) in physiology and pathophysiology. What do we know so far?. 2020, 98, 29-41 Transcriptome analyses of the ginseng root rot pathogens and to identify radicicol resistance mechanisms. 2020, 44, 161-167 New evolving strategies revealed by transcriptomic analysis of a fur mutant of the cyanotrophic bacterium Pseudomonas pseudoalcaligenes CECT 5344. 2020, 13, 148-161 Leishmania heme uptake involves LmFLVCRb, a novel porphyrin transporter essential for the		11 19 4 3
368 367 366 365 364	A newly generated neuronal cell model of CLN7 disease reveals aberrant lysosome motility and impaired cell survival. 2019, 126, 196-205 Insights into major facilitator superfamily domain-containing protein-2a (Mfsd2a) in physiology and pathophysiology. What do we know so far?. 2020, 98, 29-41 Transcriptome analyses of the ginseng root rot pathogens and to identify radicicol resistance mechanisms. 2020, 44, 161-167 New evolving strategies revealed by transcriptomic analysis of a fur mutant of the cyanotrophic bacterium Pseudomonas pseudoalcaligenes CECT 5344. 2020, 13, 148-161 Leishmania heme uptake involves LmFLVCRb, a novel porphyrin transporter essential for the parasite. 2020, 77, 1827-1845 Biotechnological mechanism for improving plant remobilization of phosphorus during leaf		11 19 4 3

(2020-2020)

360	Probable role for major facilitator superfamily domain containing 6 (MFSD6) in the brain during variable energy consumption. 2020 , 130, 476-489		7
359	The complete genome sequence of the nitrile biocatalyst Rhodocccus rhodochrous ATCC BAA-870. <i>BMC Genomics</i> , 2020 , 21, 3	4.5	3
358	The redox-sensing MarR-type repressor HypS controls hypochlorite and antimicrobial resistance in Mycobacterium smegmatis. 2020 , 147, 252-261		6
357	Isolation and functional characterisation of the PHT1 gene encoding a high-affinity phosphate transporter in Camellia oleifera. 2020 , 95, 553-564		О
356	Organic Cation Transporters in Health and Disease. 2020 , 72, 253-319		95
355	Cloning and Molecular Characterization of CcNRT2.1/CcNAR2, a Putative Inducible High Affinity Nitrate Transport System in Capsicum chinense Jacq. Roots. 2020 , 13, 73-90		1
354	Genome mining and homologous comparison strategy for digging exporters contributing self-resistance in natamycin-producing Streptomyces strains. 2020 , 104, 817-831		6
353	Characterization of the complex of the lysosomal membrane transporter MFSD1 and its accessory subunit GLMP. 2020 , 34, 14695-14709		1
352	A Novel Plasmid pALWVS1.4 from Acinetobacter lwoffii Strain VS15, Carrying the Chloramphenicol Resistance Gene. 2020 , 89, 637-640		О
351	Adaptive laboratory evolution of Escherichia coli lacking cellular byproduct formation for enhanced acetate utilization through compensatory ATP consumption. 2020 , 62, 249-259		9
350	Iron deficiency triggered transcriptome changes in bread wheat. 2020 , 18, 2709-2722		6
349	Schematic overview of oligosaccharides, with survey on their major physiological effects and a focus on milk ones. 2020 , 1, 100013		5
348	Genome-wide association analysis of sucrose concentration in soybean (Glycine max L.) seed based on high-throughput sequencing. 2020 , 13, e20059		3
347	Transcriptomic Analysis of in Solid Dairy Matrix Reveals an Aerobic Lifestyle Adapted to Rind. <i>Microorganisms</i> , 2020 , 8,	4.9	О
346	Microbial communities and gene contributions in smokeless tobacco products. 2020 , 104, 10613-10629		5
345	Bio- and Nanotechnology as the Key for Clinical Application of Salivary Peptide Histatin: A Necessary Advance. <i>Microorganisms</i> , 2020 , 8,	4.9	3
344	Transcriptional shifts in delignification-defective mutants of the white-rot fungus Pleurotus ostreatus. 2020 , 594, 3182-3199		5
343	Antimicrobial Mechanism of pBD2 against. 2020 , 25,		6

342	Is Vital for Renal Function in Fruit Flies and Membrane Potential in Cells: A First In-Depth Characterization of the Putative Solute Carrier UNC93A. 2020 , 8, 580291	1
341	Power of two: combination of therapeutic approaches involving glucose transporter (GLUT) inhibitors to combat cancer. 2020 , 1874, 188457	9
340	Dynamical Behavior of the Human Ferroportin Homologue from : Insight into the Ligand Recognition Mechanism. 2020 , 21,	2
339	SUT1.1 is a high affinity sucrose-proton co-transporter. 2020 , 4, e00260	2
338	Plant glucose transporter structure and function. 2020 , 472, 1111-1128	4
337	The expression patterns and putative function of nitrate transporter 2.5 in plants. 2020 , 15, 1815980	4
336	Differential Expression and PAH Degradation: What s G4 Can Tell Us?. 2020 , 2020, 8831331	3
335	Novel xylose transporter Cs4130 expands the sugar uptake repertoire in recombinant strains at high xylose concentrations. 2020 , 13, 145	8
334	Genome Sequences of Strains Revealed Common Genes in Both Serratomolides Gene Clusters. 2020 , 9,	2
333	Carbon Source Influence on Extracellular pH Changes along Bacterial Cell-Growth. 2020 , 11,	7
332	Microaerobic fermentation alters lactose metabolism in Escherichia coli. 2020 , 104, 5773-5785	3
331	Transcriptomic Analysis of the Early Strobilar Development of. 2020 , 9,	3
330	Bacillus velezensis LG37: transcriptome profiling and functional verification of GlnK and MnrA in ammonia assimilation. <i>BMC Genomics</i> , 2020 , 21, 215	O
329	Global Survey and Expressions of the Phosphate Transporter Gene Families in and Their Roles in Phosphorus Response. 2020 , 21,	8
328	Expansion of the Major Facilitator Superfamily (MFS) to include novel transporters as well as transmembrane-acting enzymes. 2020 , 1862, 183277	22
327	Genome-based species-specific primers for rapid identification of six species of Lactobacillus acidophilus group using multiplex PCR. 2020 , 15, e0230550	9
326	Borage extracts affect wild rocket quality and influence nitrate and carbon metabolism. 2020 , 26, 649-660	6
325	Identification and functional characterization of major facilitator superfamily (MFS) transporters. 2020 , 84, 1373-1383	1

(2021-2020)

324	Structure, function and regulation of mammalian glucose transporters of the SLC2 family. 2020 , 472, 1155-1175	27
323	Identification of QTLs Containing Resistance Genes for Sclerotinia Stem Rot in Using Comparative Transcriptomic Studies. 2020 , 11, 776	20
322	Importance of efflux pumps in subjugating antibiotic resistance. 2020 , 273-299	1
321	Gene family expansion of pinewood nematode to detoxify its host defence chemicals. 2020 , 29, 940-955	8
320	Engineering of Pentose Transport in for Biotechnological Applications. 2019 , 7, 464	25
319	Ligand-based design of GLUT inhibitors as potential antitumor agents. 2020 , 28, 115395	6
318	The molecular basis for sugar import in malaria parasites. 2020 , 578, 321-325	28
317	Identification of the genes involved in growth characters of medicinal fungus Ophiocordyceps sinensis based on Agrobacterium tumefaciens-mediated transformation. 2020 , 104, 2663-2674	4
316	Biochemical routes for uptake and conversion of xylose by microorganisms. 2020 , 13, 21	39
315	Bioinformatic Analysis of the Flavin-Dependent Amine Oxidase Superfamily: Adaptations for Substrate Specificity and Catalytic Diversity. 2020 , 432, 3269-3288	8
314	TMT-based proteomic analysis of the fish-borne spoiler Pseudomonas psychrophila subjected to chitosan oligosaccharides in fish juice system. 2020 , 90, 103494	11
313	Expression and purification of the heme exporter FLVCR1a. 2020 , 172, 105637	1
312	The Implications for Cells of the Lipid Switches Driven by Protein-Membrane Interactions and the Development of Membrane Lipid Therapy. 2020 , 21,	9
311	AM-Induced Alteration in the Expression of Genes, Encoding Phosphorus Transporters and Enzymes of Carbohydrate Metabolism in. 2020 , 9,	Ο
310	Resistome, Mobilome and Virulome Analysis of and spp. Strains Isolated in Italian Aquaculture Centers. <i>Microorganisms</i> , 2020 , 8,	9
309	Generation and characterization of inner photoreceptor-specific enhancer-trap lines using a novel piggyBac-Gal4 element in Drosophila. 2020 , 104, e21675	
308	Toxoplasma secretory proteins and their roles in parasite cell cycle and infection. 2020, 607-704	O
307	Update on Candida krusei, a potential multidrug-resistant pathogen. 2021 , 59, 14-30	25

306	Identification and characterization of NRT gene family reveals their critical response to nitrate regulation during adventitious root formation and development in apple rootstock. 2021 , 275, 109642	12
305	Phylogeny resolved, metabolism revealed: functional radiation within a widespread and divergent clade of sponge symbionts. 2021 , 15, 503-519	7
304	Toward a Molecular Basis of Cellular Nucleoside Transport in Humans. 2021 , 121, 5336-5358	6
303	Cryptic phosphorylation in nucleoside natural product biosynthesis. 2021 , 17, 213-221	8
302	Visualizing the nonlinear changes of a drug-proton antiporter from inward-open to occluded state. 2021 , 534, 272-278	4
301	Energy coupling of membrane transport and efficiency of sucrose dissimilation in yeast. 2021 , 65, 243-254	1
300	Phylogenetic and Biogeographic Patterns of Vibrio parahaemolyticus Strains from North America Inferred from Whole-Genome Sequence Data. 2021 , 87,	2
299	Phosphate availability and ectomycorrhizal symbiosis with Pinus sylvestris have independent effects on the Paxillus involutus transcriptome. 2021 , 31, 69-83	1
298	Efflux pump inhibitors: new updates. 2021 , 73, 1-16	10
297	Role of Transportome in the Gills of Chinese Mitten Crabs in Response to Salinity Change: A Meta-Analysis of RNA-Seq Datasets. 2021 , 10,	3
296	Is BCH Code Useful to DNA Classification as an Alignment-Free Method?. 2021 , 9, 68552-68560	1
295	Transcript Analysis of Two Spinach Cultivars Reveals the Complexity of Salt Tolerance Mechanisms. 2021 , 1, 64-75	1
294	Stressed out: Bacterial response to high salinity using compatible solute biosynthesis and uptake systems, lessons from. 2021 , 19, 1014-1027	8
293	Sulfur transfer from the endophytic fungus Serendipita indica improves maize growth and requires the sulfate transporter SiSulT. 2021 , 33, 1268-1285	13
292	Classical targets in drug discovery. 2021 , 111-183	
291	A Phosphonate Natural Product Made by Pantoea ananatis is Necessary and Sufficient for the Hallmark Lesions of Onion Center Rot. 2021 , 12,	6
2 90	Effects of Simulated Microgravity on the Proteome and Secretome of the Polyextremotolerant Black Fungus. 2021 , 12, 638708	3
289	The Sugar Porter gene family of Piriformospora indica: Nomenclature, Transcript Profiling and Characterization.	1

288	Comparative population genomic analyses of transporters within the Asgard archaeal superphylum. 2021 , 16, e0247806	О
287	Physiological Functions of Bacterial "Multidrug" Efflux Pumps. 2021 , 121, 5417-5478	22
286	Enhancement of the antibiotic activity by quercetin against Staphylococcus aureus efflux pumps. 2021 , 53, 157-167	4
285	Efflux Transporters' Engineering and Their Application in Microbial Production of Heterologous Metabolites. 2021 , 10, 646-669	7
284	Biogenesis and discharge of the rhoptries: Key organelles for entry and hijack of host cells by the Apicomplexa. 2021 , 115, 453-465	10
283	Whole-Cell Biosensors Aid Exploration of Vanillin Transmembrane Transport. 2021 , 69, 3114-3123	O
282	Ferulic acid, an abundant maize phenolic, regulates ABC and MFS transporter gene expression in the maize pathogen Cochliobolus heterostrophus. 2021 , 128, 1383-1391	1
281	Characterization of aromatic acid/proton symporters in Pseudomonas putida KT2440 toward efficient microbial conversion of lignin-related aromatics. 2021 , 64, 167-179	10
280	Approaches for Mitigating Microbial Biofilm-Related Drug Resistance: A Focus on Micro- and Nanotechnologies. 2021 , 26,	5
279	Disarming the Host: Detoxification of Plant Defense Compounds During Fungal Necrotrophy. 2021 , 12, 651716	7
278	Discovery of a major QTL for root-knot nematode (Meloidogyne incognita) resistance in cultivated sweetpotato (Ipomoea batatas). 2021 , 134, 1945-1955	2
277	Outcomes in hepatocellular carcinoma patients undergoing sorafenib treatment: toxicities, cellular oxidative stress, treatment adherence, and quality of life: Erratum. 2021 , 32, 345-364	1
276	Structures and General Transport Mechanisms by the Major Facilitator Superfamily (MFS). 2021 , 121, 5289-5335	32
275	Phosphate Transporter MdPHT1;7 Enhances Phosphorus Accumulation and Improves Low Phosphorus and Drought Tolerance. 2021 , 64, 403-416	O
274	Cysteine Mutants of the Major Facilitator Superfamily-Type Transporter CcoA Provide insight into Copper Import.	
273	Novel Lignin-Capped Silver Nanoparticles against Multidrug-Resistant Bacteria. 2021 , 13, 22098-22109	17
272	Bacterial Resistance to Antimicrobial Agents. 2021 , 10,	27
271	Antibiotic resistome mostly relates to bacterial taxonomy along a suburban transmission chain. 2022 , 16, 1	O

270	Key computational findings reveal proton transfer as driving the functional cycle in the phosphate transporter PiPT. 2021 , 118,	3
269	MamZ protein plays an essential role in magnetosome maturation process of Magnetospirillum gryphiswaldense MSR-1. 1	1
268	Insights into the Role of the Discontinuous TM7 Helix of Human Ferroportin through the Prism of the Asp325 Residue. 2021 , 22,	
267	Endophytic Strain Uses Different Novelty Molecular Pathways to Enhance Plant Growth. 2021 , 12, 692313	3
266	Untargeted Metabolomics Uncovers the Essential Lysine Transporter in. 2021 , 11,	4
265	MFS1, a Pleiotropic Transporter in Dermatophytes That Plays a Key Role in Their Intrinsic Resistance to Chloramphenicol and Fluconazole. 2021 , 7,	1
264	The Role of Glucose Transporters in Oral Squamous Cell Carcinoma. 2021 , 11,	5
263	Metabolic engineering of Escherichia coli for biosynthesis of Ehicotinamide mononucleotide from nicotinamide. 2021 , 14, 2581-2591	1
262	Electrophysiological characterization of a diverse group of sugar transporters from Trichoderma reesei. <i>Scientific Reports</i> , 2021 , 11, 14678	1
261	An optogenetic assay method for electrogenic transporters using Escherichia coli co-expressing light-driven proton pump. 2021 , 30, 2161-2169	1
260	Rett Syndrome Spectrum in Monogenic Developmental-Epileptic Encephalopathies and Epilepsies: A Review. 2021 , 12,	3
259	Establishment of a new and efficient Agrobacterium-mediated transformation system in the nematicidal fungus Purpureocillium lilacinum. 2021 , 249, 126773	2
258	Genome-wide identification, characterization and expression analysis of MATE family genes in apple (Malus Idomestica Borkh). <i>BMC Genomics</i> , 2021 , 22, 632	3
257	Sclerocarya birrea: Review of the pharmacology of its antidiabetic effects and toxicity. 2021 , 15, 164-173	
256	Review of Phosphite as a Plant Nutrient and Fungicide. 2021 , 5, 52	10
255	Role of Placental Glucose Transporters in Determining Fetal Growth. 2021 , 1	4
254	The A756T Mutation of the Gene Associated With Resistance to Itraconazole in Isolated From Mycotic Mastitis of Cows. 2021 , 8, 634286	0
253	Cysteine Mutants of the Major Facilitator Superfamily-Type Transporter CcoA Provide Insight into Copper Import. 2021 , 12, e0156721	

252	How do antiporters exchange substrates across the cell membrane? An atomic-level description of the complete exchange cycle in NarK. 2021 , 29, 922-933.e3		3
251	Transporter engineering for the development of cyanobacteria as cell factories: A text analytics guided survey. 2021 , 107816		
250	Escherichia coli AraJ boosts utilization of arabinose in metabolically engineered cyanobacterium Synechocystis sp. PCC 6803. 2021 , 11, 115		О
249	Non-biodegradable objects may boost microbial growth in water bodies by harnessing bubbles. 2021 , 8, 210646		1
248	Characterization of apicomplexan amino acid transporters (ApiATs) in the malaria parasite Plasmodium falciparum.		
247	Directed evolution of Zymomonas mobilis sugar facilitator Glf to overcome glucose inhibition. 2021		1
246	Metabolic Regulation of Sugar Assimilation for Lipid Production in BCC7051 through Comparative Transcriptome Perspective. 2021 , 10,		3
245	The Role of Mfsd2a in Nervous System Diseases. 2021 , 15, 730534		2
244	Molecular mechanism of sugar transport in plants unveiled by structures of glucose/H symporter STP10. 2021 , 7, 1409-1419		3
243	Mechanism of temperature stress acclimation and the role of transporters in plants. 2022 , 413-457		О
242	Insect derived extra oral GH32 plays a role in susceptibility of wheat to Hessian fly. <i>Scientific Reports</i> , 2021 , 11, 2081	4.9	2
241	Widespread distribution of genes in Proteobacteria reveals key enzymes for 5-hydroxymethylfurfural conversion. 2021 , 19, 2160-2169		2
240	A functional-phylogenetic system for the classification of transport proteins. 1999 , 75, 84-94		14
239	Physics of Protein-DNA Interaction. 2002, 1-68		2
238	Regulation of the Legionella pneumophila Life Cycle. 2008 , 95-111		1
237	Mechanisms modulating fungal attack in post-harvest pathogen interactions and their control. 2007 , 281-289		3
236	Metabolism of Inorganic Sulfur Compounds in Purple Bacteria. 2009 , 595-622		13
235	Metabolism of Sulphur-Containing Organic Compounds. 2004 , 323-357		13

234	Methods for Measuring Nitrate Reductase, Nitrite Levels, and Nitric Oxide from Plant Tissues. 2020 , 2057, 15-26	2
233	Carrier-Mediated Mechanisms for Cellular Drug Transport. 2004 , 107-128	1
232	Multidrug resistance: phylogenetic characterization of superfamilies of secondary carriers that include drug exporters. 2010 , 637, 47-64	43
231	Proline, Glycinebetaine, and Trehalose Uptake and Inter-Organ Transport in Plants Under Stress. 2019 , 201-223	6
230	Functional Properties of Organic Cation Transporter OCT1, Binding of Substrates and Inhibitors, and Presumed Transport Mechanism. 2016 , 49-72	1
229	Active Efflux as a Mechanism of Resistance to Antimicrobial Drugs. 2017 , 131-148	4
228	Transport of Sugars and Sugar Alcohols by Lactic Acid Bacteria. 2009 , 149-163	3
227	Cell surface receptors for gammaretroviruses. 2003 , 281, 29-106	57
226	Equilibrative Nucleoside Transport Proteins. 2003, 321-337	5
225	Glucose Transport. 2003 , 339-372	2
224	Molecular Genetics of Iron Uptake and Homeostasis in Fungi. 2004 , 3-31	4
223	Similarities and Differences Between Cancer and Yeast Carbohydrate Metabolism. 2014, 121-140	4
222	Molecular archeological studies of transmembrane transport systems. 2010 , 29-43	1
221	Secretion of natural and synthetic toxic compounds from filamentous fungi by membrane transporters of the ATP-binding cassette and major facilitator superfamily. 2002 , 719-734	7
220	Phosphate transport in plants. 2003 , 71-83	3
219	Sulphur and phosphorus transport systems in plants. 2002 , 109-118	4
218	Plant Responses to Nutritional Stresses. 2001 , 249-269	11
217	Molecular Regulation of Phosphate Acquisition in Plants. 1999 , 95-103	2

216	Mfsd2a: A Physiologically Important Lysolipid Transporter in the Brain and Eye. 2020 , 1276, 223-234	11
215	Renal Handling of Organic Solutes. 2011 , 252-292	5
214	Visual exploration of large normal mode spaces to study protein flexibility. 2020, 90, 73-83	О
213	The evolution of MarR family transcription factors as counter-silencers in regulatory networks. 2020 , 55, 1-8	9
212	Chapter 10:Molecular Mechanisms of Active Transport Across the Cellular Membrane. 2010 , 248-286	2
211	Association between the membrane transporter proteins and type 2 diabetes mellitus. 2020 , 13, 287-297	2
210	Identification of the citrate exporter Cex1 of Yarrowia lipolytica. 2020 , 20,	2
209	Identification of structural and functional domains of the tetracycline efflux protein TetA(P) from Clostridium perfringens. 1999 , 145 (Pt 10), 2947-55	14
208	A novel valanimycin-resistance determinant (vlmF) from Streptomyces viridifaciens MG456-hF10. 2000 , 146 (Pt 2), 345-352	14
207	L-[U-14C] lactate binding to a 43 kDa protein in plasma membranes of Candida utilis. 2000 , 146 (Pt 3), 695-699	1
206	Comamonas testosteroni BR6020 possesses a single genetic locus for extradiol cleavage of protocatechuate. 2001 , 147, 2157-2167	42
205	High-affinity nitrate/nitrite transporters NrtA and NrtB of Aspergillus nidulans exhibit high specificity and different inhibitor sensitivity. 2015 , 161, 1435-46	9
204	Enhanced functionalisation of major facilitator superfamily transporters via fusion of C-terminal protein domains is both extensive and varied in bacteria. 2019 , 165, 419-424	5
203	Molecular mechanism of high affinity sugar transport in plants unveiled by structures of glucose/H+ symporter STP10.	1
202	Characterization of the apicomplexan amino acid transporter (ApiAT) family inToxoplasma gondii.	2
201	Transcriptomic and functional analysis of the oosome, a unique form of germ plasm in the waspNasonia vitripennis.	1
200	Conformational Transition Pathways in Major Facilitator Superfamily Transporters.	1
199	Differences in Metformin and Thiamine Uptake between Human and Mouse Organic Cation Transporter 1: Structural Determinants and Potential Consequences for Intrahepatic Concentrations. 2020 , 48, 1380-1392	12

198	Cations (Zn, Fe). 107-129	2
197	Molecular cloning and functional expression in lactobacillus plantarum 80 of xylT, encoding the D-xylose-H+ symporter of Lactobacillus brevis. 1998 , 64, 4720-8	54
196	CHR, a novel family of prokaryotic proton motive force-driven transporters probably containing chromate/sulfate antiporters. 1998 , 180, 5799-802	80
195	Identification and characterization of a gene cluster for synthesis of the polyketide antibiotic 2,4-diacetylphloroglucinol from Pseudomonas fluorescens Q2-87. 1999 , 181, 3155-63	260
194	Genetic analysis of a chromosomal region containing vanA and vanB, genes required for conversion of either ferulate or vanillate to protocatechuate in Acinetobacter. 1999 , 181, 3494-504	77
193	The physiological contribution of Acinetobacter PcaK, a transport system that acts upon protocatechuate, can be masked by the overlapping specificity of VanK. 1999 , 181, 3505-15	48
192	Glucose transport in the extremely thermoacidophilic Sulfolobus solfataricus involves a high-affinity membrane-integrated binding protein. 1999 , 181, 4285-91	82
191	A Zymomonas mobilis mutant with delayed growth on high glucose concentrations. 1999 , 181, 4598-604	10
190	Conserved cytoplasmic loops are important for both the transport and chemotaxis functions of PcaK, a protein from Pseudomonas putida with 12 membrane-spanning regions. 1999 , 181, 5068-74	36
189	Characterization of the phthalate permease OphD from Burkholderia cepacia ATCC 17616. 1999 , 181, 6197-9	32
188	Cloning and characterization of a tetracycline resistance determinant present in Agrobacterium tumefaciens C58. 1999 , 181, 618-26	39
187	Arg-52 in the melibiose carrier of Escherichia coli is important for cation-coupled sugar transport and participates in an intrahelical salt bridge. 1999 , 181, 6377-86	20
186	The lactate-proton symport of Saccharomyces cerevisiae is encoded by JEN1. 1999 , 181, 2620-3	128
185	Metabolic Compensation of Fitness Costs Is a General Outcome for Antibiotic-Resistant Mutants Overexpressing Efflux Pumps. 2017 , 8,	37
184	Structural features of the glutamate transporter family. <i>Microbiology and Molecular Biology Reviews</i> , 1999 , 63, 293-307	. 117
183	Nuclear Ssr4 Is Required for the and Asexual Cycles and Global Gene Activity of Beauveria bassiana. 2020 , 5,	8
182	Discovery of Euryhaline Phycoerythrobilin-Containing and Its Mechanisms for Adaptation to Estuarine Environments. 2020 , 5,	2
181	The mitochondrial heme exporter FLVCR1b mediates erythroid differentiation. 2012 , 122, 4569-79	117

(2007-2020)

180	Glucose Transporter-1 (GLUT-1) Expression is Associated with Tumor Size and Poor Prognosis in Locally Advanced Gastric Cancer. 2020 , 26, e920778	7
179	Cellular Growth Arrest and Persistence from Enzyme Saturation. 2016 , 12, e1004825	20
178	Molecular determinants for the thermodynamic and functional divergence of uniporter GLUT1 and proton symporter XylE. 2017 , 13, e1005603	18
177	Novel roles of cAMP receptor protein (CRP) in regulation of transport and metabolism of carbon sources. 2011 , 6, e20081	171
176	Adaptative potential of the Lactococcus lactis IL594 strain encoded in its 7 plasmids. 2011 , 6, e22238	32
175	Ligand-induced movements of inner transmembrane helices of Glut1 revealed by chemical cross-linking of di-cysteine mutants. 2012 , 7, e31412	4
174	On the evolution of hexose transporters in kinetoplastid Protozoans [corrected]. 2012, 7, e36303	1
173	BC4707 is a major facilitator superfamily multidrug resistance transport protein from Bacillus cereus implicated in fluoroquinolone tolerance. 2012 , 7, e36720	19
172	Biochemical and molecular characterization of the gentisate transporter GenK in Corynebacterium glutamicum. 2012 , 7, e38701	21
171	Strategies for Wheat Stripe Rust Pathogenicity Identified by Transcriptome Sequencing. 2013 , 8, e67150	76
170	Single cell kinetics of phenotypic switching in the arabinose utilization system of E. coli. 2014 , 9, e89532	35
169	High-affinity glucose transport in Aspergillus nidulans is mediated by the products of two related but differentially expressed genes. 2014 , 9, e94662	19
168	The Putative SLC Transporters Mfsd5 and Mfsd11 Are Abundantly Expressed in the Mouse Brain and Have a Potential Role in Energy Homeostasis. 2016 , 11, e0156912	20
167	Structure determination of a major facilitator peptide transporter: Inward facing PepTSt from Streptococcus thermophilus crystallized in space group P3121. 2017 , 12, e0173126	15
166	Structural prediction of two novel human atypical SLC transporters, MFSD4A and MFSD9, and their neuroanatomical distribution in mice. 2017 , 12, e0186325	5
165	Analysis of Carbohydrate Metabolism Genes of Spongospora subterranea Using 454 Pyrosequencing. 2014 , 67, 7247-7260	5
164	Mechanisms and significance of fungicide resistance. 2008 , 39, 286-95	34
163	Three-Dimensional Structure of MFS Transporter and Its Transport Mechanism. 2007 , 47, 317-322	1

162	Transporters at CNS barrier sites: obstacles or opportunities for drug delivery?. 2014 , 20, 1422-49		146
161	Functional and Structural Roles of the Major Facilitator Superfamily Bacterial Multidrug Efflux Pumps. <i>Microorganisms</i> , 2020 , 8,	9	31
160	Modulation of antimicrobial efflux pumps of the major facilitator superfamily in. 2018, 4, 1-18		20
159	Uptake of Polycyclic Aromatic Hydrocarbons across Bacterial Membrane. 2020 , 10, 331-348		3
158	Isolation and Characterization of the Colletotrichum acutatum ABC Transporter CaABC1. 2014 , 30, 375-83		5
157	The shoot of Ranunculus nipponicus var. submersus, a submerged vascular plant, can actively take up nitrate from cool water. 2015 , 32, 97-102		4
156	Comparative Genome Analysis and Evaluation of Probiotic Characteristics of Strain JDFM LP11. 2018 , 38, 878-888		11
155	Prediction driven functional annotation of hypothetical proteins in the major facilitator superfamily of S. aureus NCTC 8325. 2016 , 12, 254-262		10
154	Data enabled prediction analysis assigns folate/biopterin transporter (BT1) family to 36 hypothetical membrane proteins in Leishmania donovani. 2019 , 15, 697-708		1
153	Pumping iron. 2014 , 3, e03997		2
152	Screening of candidate substrates and coupling ions of transporters by thermostability shift assays. 2018 , 7,		26
151	The lysosomal transporter MFSD1 is essential for liver homeostasis and critically depends on its accessory subunit GLMP. 2019 , 8,		9
150	Genome streamlining in a minute herbivore that manipulates its host plant. 2020, 9,		9
149	Distribution of Multidrug Efflux Pump Genes in Enterococci spp. Isolated from Bovine Milk Samples and Their Antibiotic Resistance Patterns. 2013 , 49, 126-130		3
148	CgMFS1, a Major Facilitator Superfamily Transporter, Is Required for Sugar Transport, Oxidative Stress Resistance, and Pathogenicity of from. 2021 , 43, 1548-1557		1
147	Fungal strategies of potassium extraction from silicates of different resistance as manifested in differential weathering and gene expression. 2021 , 316, 168-168		O
146	Lysosomal sialic acid transporter sialin (SLC17A5): sialic acid storage disease (SASD). 2003 , 233-239		1
145	On the problem of multidrug resistance: hypermutability as a mechanism to defense metabolic targets from toxic xenobiotics. 2004 , 20, 193-206		

(2017-2006)

The Green Alga Chlamydomonas as a Tool to Study the Nitrate Assimilation Pathway in Plants. 2006 144 , 125-158 Root Membrane Activities Relevant to Nutrient Acquisition at the PlantBoil Interface. 2007, 151-172 143 Nitrogen Transport and Metabolism in Mycorrhizal Fungi and Mycorrhizas. 2008, 393-429 142 Drug Transport in Living Systems. 1 141 Multidrug Resistance in Fungi: The Role of Pleiotropic Drug Resistance Genes. 2010, 147-171 140 Chapter 26:Chromogens, Fluorogens, Trojan Horses and their Use in Culture Media. 2011, 623-646 139 138 Drug Transport in Living Systems. 115-132 Alternating Access Within the POT Family of Oligopeptide Proton Symporters. 2014, 159-179 137 Antibiotic Resistance in the Staphylococci. 587-597 136 The Role of the Phagosomal Transporter (Pht) Family of Proteins in Legionella pneumophila 135 Pathogenesis. 288-291 Mechanisms of Bacterial Resistance to the Action of Antibacterial Agents. 87-95 134 Metal Response in Cupriavidus metallidurans: Insights into the Structure-Function Relationship of 133 Proteins. 2015, 1-70 [Value of the expression of Ki-67 and membrane protein glucose transporter GLUT1 in the 132 1 diagnosis of neoplastic transformation of the oral mucosal epithelium]. 2016, 78, 15-19 Antibiotic Resistance Mechanisms Focusing on Quinolones Resistance in Vibrio cholera. 2016, 131 Inpress, Antibiotic Resistance Mechanisms Focusing on Quinolones Resistance in Vibrio CHOLERAE. 2016, 4, 130 Transcriptional study of the ABC transporter-encoding genes in response to fungicide treatment 129 and during plant infection in the phytopathogenic fungusBotrytis cinerea. Substrate Transport. 2017, 1-16 128 Evaluation of MexB and MexY Genes Expression in Carbapenem-Resistant Pseudomonas 127 aeruginosa Strains Isolated from Educational Hospitals of Qazvin and Tehran, Iran. 2017, In Press,

Screening of candidate substrates and coupling ions of transporters by thermostability shift assays. 126 Bacterial Membrane Transport: Secondary Transport Proteins. 1-13 125 Asian Zika virus isolate significantly changes the transcriptional profile and alternative RNA splicing 124 events in a neuroblastoma cell line. Plant Roots and Mineral Nutrition: An Overview of Molecular Basis of Uptake and Regulation, and 123 Strategies to Improve Nutrient Use Efficiency (NUE). 2020, 131-184 Molecular and physiological characterization of the monosaccharide transporters gene family in 122 1 Medicago truncatula. 2020, 71, 3110-3125 Bacillus velezensis LG37: Transcriptome profiling and functional verification of GlnK and MnrA in 121 ammonia (NH4+) assimilation. How antiporters exchange substrates across the cell membrane? An atomic-level description of the 120 complete exchange cycle in NarK. The conformational distribution of a major facilitator superfamily peptide transporter is modulated 119 by the membrane composition. Bacillus velezensis LG37: Transcriptome profiling and functional verification of GlnK and NmtA in 118 ammonia (NH4+) assimilation. A phylogenetic analysis between humans and D. melanogaster: A repertoire of solute carriers in 117 humans and flies. 2022, 809, 146033 Bacillus velezensis LG37: Transcriptome profiling and functional verification of GlnK and MnrA in 116 ammonia (NH4+) assimilation. Sugar Transport Across Epithelia. 2020, 211-254 115 Molecular Characterization of Resistance-Nodulation-cell Division Efflux Pump Genes in 114 Multidrug-Resistant .. 2021, 13, 177-179 Molekulare Mechanismen der Pharmakokinetik. 2006, 19-49 113 Negative regulation of phosphate starvation-induced genes. 2001, 127, 1854-62 112 25 Structural comparison of bacterial multidrug efflux pumps of the major facilitator superfamily. 111 15 **2015**, 10, 131-140 Ste20 is crucial for dimorphic switching of sporothrix schenckii and affects its global transcriptome. 110 2020, 13, 411-424 Characterization of Apicomplexan Amino Acid Transporters (ApiATs) in the Malaria Parasite

Plasmodium falciparum. 2021, e0074321

109

108	The Fly Homologue of MFSD11 Is Possibly Linked to Nutrient Homeostasis and Has a Potential Role in Locomotion: A First Characterization of the Atypical Solute Carrier CG18549 in Drosophila Melanogaster. 2021 , 12,		
107	lncRsp1, a long noncoding RNA, influences Fgsp1 expression and sexual reproduction in Fusarium graminearum. 2021 ,		1
106	Identification and functional annotation of hypothetical proteins of uropathogenic strain CFT073 towards designing antimicrobial drug targets. 2021 , 1-12		2
105	Trachea as a Novel Model of COPD. 2021 , 22,		O
104	Structure and mechanism of oxalate transporter OxlT in an oxalate-degrading bacterium in the gut microbiota.		
103	Differential regulation of degradation and immune pathways underlies adaptation of the ectosymbiotic nematode Laxus oneistus to oxic-anoxic interfaces.		1
102	Prevalence and correlates of phenazine resistance in culturable bacteria from a dryland wheat field.		
101	Molecular Physiology of Nitrate Sensing by Roots. 2021 , 39-60		
100	Bacterial Drug Efflux Pump Inhibitors from Plants. 2022, 487-532		O
99	Metagenomic and recombinationanalyses of antimicrobial resistance genes from recreational waters of Black Sea coastal areas and other marine environments unveil extensive evidence for their both intrageneric and intergeneric transmission across genetically very diverse microbial		O
98	Mechanisms of long-distance allosteric couplings in proton-binding membrane transporters 2022 , 128, 199-239		1
97	GLUT3 inhibitor discovery through in silico ligand screening and in vivo validation in eukaryotic expression systems <i>Scientific Reports</i> , 2022 , 12, 1429	4.9	1
96	Exploring the transportome of the biosurfactant producing yeast Starmerella bombicola <i>BMC Genomics</i> , 2022 , 23, 22	4.5	3
95	Molecular Mechanisms of Antimicrobial Resistance in Staphylococcus aureus Biofilms. 2022 , 291-314		
94	AAV9/MFSD8 gene therapy is effective in preclinical models of neuronal ceroid lipofuscinosis type 7 disease 2022 ,		3
93	Investigation of sugar binding kinetics of the E. coli sugar/H symporter XylE using solid supported membrane-based electrophysiology 2021 , 101505		O
92	Comprehensive Transcriptomic Analysis of Heterotrophic Nitrifying Bacterium sp. TN-10 in Response to Nitrogen Stress <i>Microorganisms</i> , 2022 , 10,	4.9	О
91	Contributions of sugar transporters to crop yield and fruit quality 2022,		2

analysis of comparative affinity of phytosiderophore and bacillibactin for iron uptake by YSL15 and YSL18 receptors of .. **2022**, 1-14

89	Prevalence and correlates of phenazine resistance in culturable bacteria from a dryland wheat field 2022 , aem0232021	1
88	Novel mutation in gene in a family diagnosed with 3M syndrome. 2019 , 98,	1
87	Genetic Fortification of Rice to Address Hidden Hunger: Progress and Prospects. 2022 , 63-103	
86	Autophagy in the Neuronal Ceroid Lipofuscinoses (Batten Disease) 2022, 10, 812728	1
85	A Novel, Apparently Silent Variant in Causes Neuronal Ceroid Lipofuscinosis with Marked Intrafamilial Variability 2022 , 23,	1
84	PIN3 positively regulates the late initiation of ovule primordia in Arabidopsis thaliana 2022 , 18, e1010077	О
83	Insights into the glycerol transport of Yarrowia lipolytica 2022,	O
82	Production of effective phyto-antimicrobials via metabolic engineering strategies 2022,	1
81	Sugar transporters and their molecular tradeoffs during abiotic stress responses in plants 2022 , e13652	3
80	Mycorrhizal Mediated Partitioning of Phosphorus: Ectomycorrhizal (Populus x canescens x Paxillus involutus) Potential to Exploit Simultaneously Organic and Mineral Phosphorus Sources. 2022 , 2,	O
79	N-acetylglucosamine transporter, Ngt1, undergoes sugar-responsive endosomal trafficking in Candida albicans. 2021 ,	
78	Diverse Functions of Plant Zinc-Induced Facilitator-like Transporter for Their Emerging Roles in Crop Trait Enhancement 2021 , 11,	1
77	Bacterial effluxome as a barrier against antimicrobial agents: structural biology aspects and drug targeting 2021 , 2013695	
76	CLN7 is an organellar chloride channel regulating lysosomal function 2021 , 7, eabj9608	6
75	Denitrification in foraminifera has ancient origins and is complemented by associated bacteria.	
74	Antibiotic resistance modifying ability of phytoextracts in anthrax biological agent Bacillus anthracis and emerging superbugs: a review of synergistic mechanisms. 2021 , 20, 79	О
73	A nosocomial salmonellosis outbreak caused by bla-carrying extensively drug-resistant Salmonella enterica serovar Goldcoast in a hospital respiratory care ward in Taiwan 2022 ,	O

(2022-2018)



54	Evolutionary balance between foldability and functionality of a glucose transporter 2022,		О
53	Genomic, morphological, and biochemical analyses of a multi-metal resistant but multi-drug susceptible strain of Bordetella petrii from hospital soil <i>Scientific Reports</i> , 2022 , 12, 8439	4.9	1
52	SLCO5A1 and synaptic assembly genes contribute to impulsivity in juvenile myoclonic epilepsy.		
51	Denitrification in foraminifera has an ancient origin and is complemented by associated bacteria. 2022 , 119,		O
50	Pre-assembled Cas9 ribonucleoprotein-mediated gene deletion identifies the carbon catabolite repressor and its target genes in Coprinopsis cinerea.		
49	A comparative genomic analysis of lichen-forming fungi reveals new insights into fungal lifestyles. <i>Scientific Reports</i> , 2022 , 12,	4.9	
48	Determinants of sugar-induced influx in the mammalian fructose transporter GLUT5.		0
47	Differential regulation of degradation and immune pathways underlies adaptation of the ectosymbiotic nematode Laxus oneistus to oxic-anoxic interfaces. <i>Scientific Reports</i> , 2022 , 12,	4.9	1
46	Light Conditions Determine Optimal CO2 Concentrations for Nannochloropsis oceanica Growth with Carbon Fixation. <i>ACS Sustainable Chemistry and Engineering</i> , 2022 , 10, 8799-8814	8.3	О
45	Genomic and proteomic characterization of two strains of Shigella flexneri 2 isolated from infants stool samples in Argentina. <i>BMC Genomics</i> , 2022 , 23,	4.5	O
44	Multidrug Efflux Pumps in Bacteria and Efflux Pump Inhibitors. Postepy Mikrobiologii, 2022,	0.4	
43	LC-MS/MS-Based Fungicide Accumulation Assay to Demonstrate Efflux Activity in the Wheat Pathogen Zymoseptoria tritici. <i>Microorganisms</i> , 2022 , 10, 1494	4.9	
42	Role of Iron and Iron Overload in the Pathogenesis of Invasive Fungal Infections in Patients with Hematological Malignancies. 2022 , 11, 4457		
41	Contribution of Stenotrophomonas maltophilia MfsC transporter to protection against diamide and the regulation of its expression by the diamide responsive repressor DitR. 2022 , 17, e0272388		
40	A Novel Major Facilitator Superfamily Transporter Gene Aokap4 near the Kojic Acid Gene Cluster Is Involved in Growth and Kojic Acid Production in Aspergillus oryzae. 2022 , 8, 885		О
39	Pathogenicity Factors of Botryosphaeriaceae Associated with Grapevine Trunk Diseases: New Developments on Their Action on Grapevine Defense Responses. 2022 , 11, 951		1
38	Genome-wide identification and expression analysis of MATE gene family in citrus fruit (Citrus clementina). 2022 , 114, 110446		0
37	CLN7/MFSD8 may be an important factor for SARS-CoV-2 cell entry. 2022 , 25, 105082		1

36	Synthesizing glycine betaine via choline oxidation pathway as an osmoprotectant strategy in Haloferacales. 2022 , 847, 146886	1
35	OPORNOIGRONKOWCIW ZIDCISTYCH NA RODKI PRZECIWBAKTERYJNE. 2003, 1, 18-24	O
34	Abundant antibiotic resistance genes in rhizobiome of the human edible Moringa oleifera medicinal plant. 13,	0
33	Biology of Peptide Transporter 2 in Mammals: New Insights into Its Function, Structure and Regulation. 2022 , 11, 2874	O
32	Multidrug Efflux Pumps in Bacteria and Efflux Pump Inhibitors. 2022, 61, 105-114	O
31	Guilty by association: Importers, exporters and MscS -type mechanosensitive channels encoded in biosynthetic gene clusters for the stress-protectant ectoine.	O
30	Transcriptome analysis of the response of Hypomyces chrysospermus to cadmium stress. 13,	0
29	Systematic Identification of CpxRA-Regulated Genes and Their Roles in Escherichia coli Stress Response.	1
28	Exploration of the presence and abundance of multidrug resistance efflux genes in oil and gas environments. 2022 , 168,	0
27	The Holistic Review on Occurrence, Biology, Diagnosis, and Treatment of Oral Squamous Cell Carcinoma. 2022 ,	O
26	The prognostic marker FLVCR2 associated with tumor progression and immune infiltration for acute myeloid leukemia. 10,	O
25	Genomic Data Mining Reveals Abundant Uncharacterized Transporters in Coccidioides immitis and Coccidioides posadasii. 2022 , 8, 1064	O
24	Mutagenesis and functional analysis of SotB: A multidrug transporter of the major facilitator superfamily from Escherichia coli. 13,	O
23	The effect of inoculation with Rhizophagus irregularis on the expression level of phosphate transporter genes in the roots of Medicago lupulina under conditions of low phosphorus level in the substrate. 2022 , 1096, 012004	O
22	EgNRT2.3 and EgNAR2 expression are controlled by nitrogen deprivation and encode proteins that function as a two-component nitrate uptake system in oil palm. 2022 , 279, 153833	O
21	Distantly Related Homologue of UhpT in Pseudomonas aeruginosa. 2022 , 1, 266-278	0
20	Preassembled Cas9 Ribonucleoprotein-Mediated Gene Deletion Identifies the Carbon Catabolite Repressor and Its Target Genes in Coprinopsis cinerea.	1
19	Rhizobia Contribute to Salinity Tolerance in Common Beans (Phaseolus vulgaris L.). 2022 , 11, 3628	1

18	Function of a pathway-associated major facilitator superfamily gene hsaf-orf1 in the biosynthesis of the antifungal HSAF in Lysobacter enzymogenes. 2023 , 130, 133173	0
17	Generalized Transition State Theory Treatment of Water-Assisted Proton Transport Processes in Proteins. 2022 , 126, 10452-10459	O
16	Small multidrug resistance protein EmrE phenotypically associates with OmpW, DcrB and YggM for osmotic stress protection by betaine in Escherichia coli. 2022 , 168,	0
15	Detection of major facilitator superfamily (MFS) transporter in Enterobacteriaceae isolated from chicken. 2022 , 1107, 012050	Ο
14	MATE transporter GFD1 cooperates with sugar transporters, mediates carbohydrate partitioning, and controls grain filling duration, grain size and number in rice.	0
13	The probiotic and immunomodulation effects of Limosilactobacillus reuteri RGW1 isolated from calf feces. 12,	O
12	Identification and Characterization of a Novel Major Facilitator Superfamily (MFS) Efflux Pump SA09310 Mediating Tetracycline Resistance inStaphylococcus aureus.	0
11	The genome of Lyophyllum shimeji provides insight into the initial evolution of ectomycorrhizal fungal genomes.	O
10	Serratia marcescens antibiotic resistance mechanisms of an opportunistic pathogen: a literature review. 11, e14399	1
9	Extracellular Matrix Rigidities Regulate the Tricarboxylic Acid Cycle and Antibiotic Resistance of Three-Dimensionally Confined Bacterial Microcolonies. 2206153	O
8	Identification and Characterization of a Novel Major Facilitator Superfamily Efflux Pump, SA09310, Mediating Tetracycline Resistance in Staphylococcus aureus.	0
7	Comparative Proteomic Analysis Revealing ActJ-Regulated Proteins in Sinorhizobium meliloti.	Ο
6	WRKY transcription factors regulate phosphate uptake in plants. 2023, 208, 105241	0
5	Lysosomal trafficking of the glucose transporter GLUT1 requires sequential regulation by TXNIP and ubiquitin. 2023 , 26, 106150	O
4	Bacterial Sialic Acid Catabolism at the HostMicrobe Interface.	0
3	Cultivation of SAR202 Bacteria from the Ocean.	O
2	Structure and mechanism of oxalate transporter OxlT in an oxalate-degrading bacterium in the gut microbiota. 2023 , 14,	0
1	Deep sea treasures - insights from museum archives shed light on coral microbial diversity and functioning within deepest ocean ecosystems.	O