

Prostaglandins buffer ANG II-mediated increases in cytochrome c in VSMC

American Journal of Physiology - Renal Physiology
277, F850-F858

DOI: [10.1152/ajprenal.1999.277.6.f850](https://doi.org/10.1152/ajprenal.1999.277.6.f850)

Citation Report

#	ARTICLE	IF	CITATIONS
1	EP ₁ and EP ₄ receptors mediate prostaglandin E ₂ actions in the microcirculation of rat kidney. American Journal of Physiology - Renal Physiology, 2000, 279, F755-F764.	2.7	66
2	Eicosanoid regulation of the renal vasculature. American Journal of Physiology - Renal Physiology, 2000, 279, F965-F981.	2.7	151
3	Role of 20-hydroxyeicosatetraenoic acid in the renal and vasoconstrictor actions of angiotensin II. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2002, 283, R60-R68.	1.8	126
4	Cloning and expression of the rabbit prostaglandin EP2 receptor. BMC Pharmacology, 2002, 2, 14.	0.4	22
5	Effects of chloride channel blockers on rat renal vascular responses to angiotensin II and norepinephrine. American Journal of Physiology - Renal Physiology, 2004, 286, F323-F330.	2.7	20
6	Acute Effects of Cyclooxygenase-2 Inhibition on Renal Function in Heterozygous Ren-2-Transgenic Rats on Normal or Low Sodium Intake. Kidney and Blood Pressure Research, 2004, 27, 203-210.	2.0	7
7	Calcium and chloride channel activation by angiotensin II-AT1 receptors in preglomerular vascular smooth muscle cells. American Journal of Physiology - Renal Physiology, 2005, 289, F760-F767.	2.7	25
8	High-Throughput Screening of Phosphodiesterase Activity in Living Cells. , 2005, 307, 045-062.		5
9	Angiotensin II-induced calcium signaling in the afferent arteriole from rats with two-kidney, one-clip hypertension. American Journal of Physiology - Renal Physiology, 2006, 291, F140-F147.	2.7	26
10	Increased renal vascular reactivity to ANG II after unilateral nephrectomy in the rat involves 20-HETE. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2006, 291, R977-R986.	1.8	25
11	Acute inhibition of superoxide formation and Rac1 activation by nitric oxide and iloprost in human vascular smooth muscle cells in response to the thromboxane A2 analogue, U46619. Prostaglandins Leukotrienes and Essential Fatty Acids, 2008, 78, 247-255.	2.2	27
13	EP1c Times for Angiotensin. Hypertension, 2010, 55, 846-848.	2.7	5
14	Cyclooxygenase (COX) Inhibitors and the Newborn Kidney. Pharmaceuticals, 2012, 5, 1160-1176.	3.8	12
15	Inactivation of the E-Prostanoid 3 Receptor Attenuates the Angiotensin II Pressor Response via Decreasing Arterial Contractility. Arteriosclerosis, Thrombosis, and Vascular Biology, 2012, 32, 3024-3032.	2.4	49
16	The Renin-Angiotensin System. , 2013, , 427-450.		2
17	Prostaglandin E2 Mediates Connecting Tubule Glomerular Feedback. Hypertension, 2013, 62, 1123-1128.	2.7	20
18	Antihypertensive effects of selective prostaglandin E2 receptor subtype 1 targeting. Journal of Clinical Investigation, 2007, 117, 2496-2505.	8.2	94
19	S100A13 and S100A6 exhibit distinct translocation pathways in endothelial cells. Journal of Cell Science, 2002, 115, 3149-3158.	2.0	45

#	ARTICLE	IF	CITATIONS
20	Roles of EP Receptors in the Regulation of Fluid Balance and Blood Pressure. <i>Frontiers in Endocrinology</i> , 0, 13, .	3.5	3
21	Effects of sodium restriction and cyclooxygenase-2 inhibition on the course of hypertension, proteinuria and cardiac hypertrophy in Ren-2 transgenic rats. <i>Physiological Research</i> , 2005, , 17-24.	0.9	8