

# Comparison of Interleukin-1 $\beta$ Expression by In Situ Hybridization in Monoclonal Gammopathy of Undetermined Significance and Multiple Myeloma

Blood

93, 300-305

DOI: 10.1182/blood.v93.1.300

Citation Report

#	ARTICLE	IF	CITATIONS
1	TREATMENT OF MYELOMA-RELATED COMPLICATIONS. , 2008, , 76-85.		0
2	THE ROLE OF ADHESION RECEPTORS IN THE PATHOGENESIS OF MULTIPLE MYELOMA. Hematology/Oncology Clinics of North America, 1999, 13, 1127-1143.	2.2	14
3	THE ROLE OF INTERLEUKIN-1 $\beta$ IN THE PATHOGENESIS OF MULTIPLE MYELOMA. Hematology/Oncology Clinics of North America, 1999, 13, 1117-1125.	2.2	78
4	MONOCLONAL GAMMOPATHIES OF UNDETERMINED SIGNIFICANCE. Hematology/Oncology Clinics of North America, 1999, 13, 1181-1202.	2.2	83
6	Recent advances in multiple myeloma. Current Opinion in Hematology, 2000, 7, 241-246.	2.5	9
7	Interleukin 6, tumour necrosis factor $\alpha$ , interleukin 1 $\beta$ and interleukin 1 receptor antagonist promoter or coding gene polymorphisms in multiple myeloma. British Journal of Haematology, 2000, 109, 39-45.	2.5	81
8	The role of human and viral cytokines in the pathogenesis of multiple myeloma. Seminars in Cancer Biology, 2000, 10, 383-391.	9.6	15
9	Solitary plasmacytoma of bone and asymptomatic multiple myeloma. Blood, 2000, 96, 2037-2044.	1.4	334
11	Myeloma bone disease. Seminars in Hematology, 2001, 38, 276-285.	3.4	139
12	Biology of Osteoclast Activation in Cancer. Journal of Clinical Oncology, 2001, 19, 3562-3571.	1.6	278
13	Abnormalities of bone marrow mesenchymal cells in multiple myeloma patients. Cancer, 2001, 91, 1219-1230.	4.1	106
14	IL-1 $\beta$ expression in IgM monoclonal gammopathy and its relationship to multiple myeloma. Leukemia, 2002, 16, 382-385.	7.2	28
15	MONOCLONAL GAMMOPATHIES OF UNDETERMINED SIGNIFICANCE. Reviews in Clinical and Experimental Hematology, 2002, 6, 225-252.	0.1	26
16	Myeloma interacts with the bone marrow microenvironment to induce osteoclastogenesis and is dependent on osteoclast activity. British Journal of Haematology, 2002, 116, 278-290.	2.5	271
17	RANK (receptor activator of nuclear factor $\kappa$ B) and RANKL expression in multiple myeloma. British Journal of Haematology, 2002, 117, 86-92.	2.5	111
18	Multiple myeloma: evolving genetic events and host interactions. Nature Reviews Cancer, 2002, 2, 175-187.	28.4	729
19	Molecular mechanisms of novel therapeutic approaches for multiple myeloma. Nature Reviews Cancer, 2002, 2, 927-937.	28.4	390
20	Monoclonal gammopathies of undetermined significance: a review. Immunological Reviews, 2003, 194, 112-139.	6.0	110

#	ARTICLE	IF	CITATIONS
21	Upregulation of osteoblast apoptosis by malignant plasma cells: a role in myeloma bone disease. British Journal of Haematology, 2003, 122, 39-52.	2.5	65
22	The tumor microenvironment: focus on myeloma. Cancer Treatment Reviews, 2003, 29, 11-19.	7.7	71
23	Gene expression profiling of multiple myeloma reveals molecular portraits in relation to the pathogenesis of the disease. Blood, 2003, 101, 4998-5006.	1.4	124
24	CARD Proteins as Therapeutic Targets in Cancer. Current Drug Targets, 2004, 5, 367-374.	2.1	37
25	Impaired osteoblastogenesis in myeloma bone disease: role of upregulated apoptosis by cytokines and malignant plasma cells. British Journal of Haematology, 2004, 126, 475-486.	2.5	90
26	Expression of receptor activator of NF- $\kappa$ B ligand (RANKL) mRNA in human multiple myeloma cells. Journal of Cancer Research and Clinical Oncology, 2004, 130, 469-74.	2.5	28
27	An update of novel therapeutic approaches for multiple myeloma. Current Treatment Options in Oncology, 2004, 5, 227-238.	3.0	10
28	Long-term Follow-up of 241 Patients With Monoclonal Gammopathy of Undetermined Significance: The Original Mayo Clinic Series 25 Years Later. Mayo Clinic Proceedings, 2004, 79, 859-866.	3.0	165
29	Targeting signalling pathways for the treatment of multiple myeloma. Expert Opinion on Therapeutic Targets, 2005, 9, 359-381.	3.4	33
30	Mayo Clinic Consensus Statement for the Use of Bisphosphonates in Multiple Myeloma. Mayo Clinic Proceedings, 2006, 81, 1047-1053.	3.0	221
31	Myeloma bone disease and treatment options. European Journal of Cancer, 2006, 42, 1554-1563.	2.8	35
34	New Treatment Strategies for Multiple Myeloma by Targeting BCL-2 and the Mevalonate Pathway. Current Pharmaceutical Design, 2006, 12, 327-340.	1.9	31
35	Treatment for Myeloma Bone Disease: Table 1.. Clinical Cancer Research, 2006, 12, 6279s-6284s.	7.0	41
36	Identification of Two Groups of Smoldering Multiple Myeloma Patients Who Are Either High or Low Producers of Interleukin-1. Journal of Interferon and Cytokine Research, 2006, 26, 83-95.	1.2	41
37	Complications of Multiple Myeloma. Hematology/Oncology Clinics of North America, 2007, 21, 1231-1246.	2.2	71
38	Biological and clinical significance of monoclonal gammopathy. , 2007, , 138-154.		0
39	Cytokine and chemokine profiles in multiple myeloma; significance of stromal interaction and correlation of IL-8 production with disease progression. Leukemia Research, 2007, 31, 591-598.	0.8	57
40	Bone marrow mesenchymal stem cells are abnormal in multiple myeloma. Leukemia, 2007, 21, 1079-1088.	7.2	292

#	ARTICLE	IF	CITATIONS
41	Pathogenesis and progression of monoclonal gammopathy of undetermined significance. <i>Leukemia</i> , 2008, 22, 1651-1657.	7.2	86
42	CC-Chemokine Ligand 20/Macrophage Inflammatory Protein-3 $\beta$ and CC-Chemokine Receptor 6 Are Overexpressed in Myeloma Microenvironment Related to Osteolytic Bone Lesions. <i>Cancer Research</i> , 2008, 68, 6840-6850.	0.9	68
43	The polymorphism IL-1 $\beta$ T-31C is associated with a longer overall survival in patients with multiple myeloma undergoing auto-SCT. <i>Bone Marrow Transplantation</i> , 2009, 43, 539-545.	2.4	26
44	Thrombopoietic Cytokine and P-Selectin Levels in Patients with Multiple Myeloma Undergoing Autologous Stem Cell Transplantation: Decrease in Posttransplantation P-Selectin Levels Might Predict the Degree of Maximum Response. <i>Clinical Lymphoma and Myeloma</i> , 2009, 9, 229-233.	1.4	5
45	Induction of a Chronic Disease State in Patients With Smoldering or Indolent Multiple Myeloma by Targeting Interleukin 1 $\beta$ -Induced Interleukin 6 Production and the Myeloma Proliferative Component. <i>Mayo Clinic Proceedings</i> , 2009, 84, 114-122.	3.0	236
46	Disease-specific risk for an osteonecrosis of the jaw under bisphosphonate therapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 363-370.	2.5	21
47	The cytokine/chemokine pattern in the bone marrow environment of multiple myeloma patients. <i>Experimental Hematology</i> , 2010, 38, 860-867.	0.4	72
48	Smoldering (Asymptomatic) Multiple Myeloma: Revisiting the Clinical Dilemma and Looking Into the Future. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2010, 10, 248-257.	0.4	18
49	Assessment of proliferating cell nuclear antigen and its relationship with proinflammatory cytokines and parameters of disease activity in multiple myeloma patients. <i>European Journal of Histochemistry</i> , 2011, 55, e21.	1.5	18
50	Single nucleotide polymorphisms in the promoter region of the IL1B gene influence outcome in multiple myeloma patients treated with high-dose chemotherapy independently of relapse treatment with thalidomide and bortezomib. <i>Annals of Hematology</i> , 2011, 90, 1173-1181.	1.8	23
51	Genetic variations in multiple myeloma II: association with effect of treatment. <i>European Journal of Haematology</i> , 2012, 88, 93-117.	2.2	28
52	A functional polymorphism in the promoter region of the IL-1 $\beta$ gene is associated with risk of multiple myeloma. <i>British Journal of Haematology</i> , 2012, 158, 515-518.	2.5	22
53	Complications and Special Presentations of Plasma Cell Myeloma. , 2013, , 665-680.		1
54	Monoclonal Gammopathy of Undetermined Significance. , 2013, , 751-785.		2
56	Bioinformatics analyses of differentially expressed genes associated with bisphosphonate-related osteonecrosis of the jaw in patients with multiple myeloma. <i>OncoTargets and Therapy</i> , 2015, 8, 2681.	2.0	12
57	Reduction in C-reactive protein indicates successful targeting of the IL-1/IL-6 axis resulting in improved survival in early stage multiple myeloma. <i>American Journal of Hematology</i> , 2016, 91, 571-574.	4.1	75
58	Targeting the interleukin-1 pathway in patients with hematological disorders. <i>Blood</i> , 2017, 129, 3155-3164.	1.4	60
59	pIL6-TRAIL-engineered umbilical cord mesenchymal/stromal stem cells are highly cytotoxic for myeloma cells both in vitro and in vivo. <i>Stem Cell Research and Therapy</i> , 2017, 8, 206.	5.5	25

#	ARTICLE	IF	CITATIONS
60	Platelets Enhance Multiple Myeloma Progression via IL-1 <sup>β</sup> Upregulation. Clinical Cancer Research, 2018, 24, 2430-2439.	7.0	44
61	The emerging roles of inflammasomeâ€dependent cytokines in cancer development. EMBO Reports, 2019, 20, .	4.5	77
62	Polymorphism of Interleukins and Tumor Necrosis Factor a Genes in Multiple Myeloma Patients with Autologous Hematopoietic Stem Cell Transplantation. Klinicheskaya Onkologematologiya/Clinical Oncohematology, 2021, 14, 340-346.	0.4	0
63	The Pathophysiology of Myeloma Bone Disease: Bone Remodelling and the Role of Osteoclasts. , 2021, , 7-36.		1
64	MIP-1 Alpha and Myeloma Bone Disease. Cancer Treatment and Research, 2004, 118, 83-100.	0.5	36
66	Solitary Plasmacytoma of Bone and Extramedullary Plasmacytoma. , 2004, , 111-118.		2
68	Monoclonal Gammopathy of Undetermined Significance. , 2004, , 93-126.		0
69	Monoclonal Gammopathies of Undetermined Significance and Smoldering Multiple Myeloma. , 2004, , 1-33.		1
70	New Therapeutic Approaches to Myeloma. , 2004, , 319-353.		0
72	Monoclonal Gammopathies of Undetermined Significance and Smoldering Multiple Myeloma. , 2014, , 65-80.		0
73	Chemoprevention. , 2005, , 519-528.		0
74	Cytokines in Multiple Myeloma. , 2007, , 181-197.		0
75	Establishing Monoclonal Gammopathy of Undetermined Significance as an Independent Pre-Disease State of Multiple Myeloma Using Raman Spectroscopy, Dynamical Network Biomarker Theory, and Energy Landscape Analysis. International Journal of Molecular Sciences, 2024, 25, 1570.	4.1	0