

CITATION REPORT

List of articles citing

CARBON BALANCE OF A BOREAL BOG DURING A YEAR WITH AN EXCEPTIONALLY DRY SUMMER

DOI: 10.1890/0012-9658(1999)080[0161:cboabb]2.0.co;2
Ecology, 1999, 80, 161-174.

Source: <https://exaly.com/paper-pdf/30118866/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
219	Methane production and oxidation potentials in relation to water table fluctuations in two boreal mires. 1999 , 31, 1741-1749		140
218	Climatic control of blanket mire development at Kentra Moss, north-west Scotland. 2000 , 88, 869-889		48
217	Interannual variation of soil respiration in two New England forests. 2001 , 15, 337-350		190
216	Carbon gas exchange at a southern Rocky Mountain wetland, 1996-1998. 2001 , 15, 321-335		78
215	Seasonal CO ₂ balances of a subarctic mire. 2001 , 106, 1623-1637		79
214	PAST, PRESENT, AND FUTURE PEATLAND CARBON BALANCE: AN EMPIRICAL MODEL BASED ON ²¹⁰ Pb-DATED CORES. 2001 , 11, 327-342		7
213	CO ₂ exchange in an organic field growing barley or grass in eastern Finland. 2001 , 7, 679-692		9
212	Peat as a potential analogue for the long-term evolution in landfills. 2001 , 53, 95-147		47
211	Modeling seasonal to annual carbon balance of Mer Bleue Bog, Ontario, Canada. 2002 , 16, 4-1-4-21		123
210	Comparative ecosystem-atmosphere exchange of energy and mass in a European Russian and a central Siberian bog II. Interseasonal and interannual variability of CO ₂ fluxes. 2002 , 54, 514-530		16
209	. 2002 , 54, 514-530		64
208	Plant biomass and production and CO ₂ exchange in an ombrotrophic bog. 2002 , 90, 25-36		273
207	Carbon balance and radiative forcing of Finnish peatlands 1900-2000: the impact of forestry drainage. 2002 , 8, 785-799		129
206	Tropical pasture carbon cycling: relationships between C source/sink strength, above-ground biomass and grazing. 2002 , 5, 367-376		60
205	Carbon dioxide and methane dynamics and annual carbon balance in tundra wetland in NE Europe, Russia. 2002 , 16, 62-1-62-15		63
204	Fluxes of carbon dioxide and methane from swamp and impact factors in Sanjiang Plain, China. 2003 , 48, 2749-2753		39
203	Moisture controls on Sphagnum growth and CO ₂ exchange on a cutover bog. 2003 , 40, 354-367		129

202	Geographic and temporal variations in fire history in boreal ecosystems of Alaska. 2003 , 108, FFR 8-1		72
201	Annual CO ₂ exchange and CH ₄ fluxes on a subarctic palsamire during climatically different years. 2003 , 17,		58
200	Peatland responses to varying interannual moisture conditions as measured by automatic CO ₂ chambers. 2003 , 17, n/a-n/a		130
199	Interannual variability in the peatland-atmosphere carbon dioxide exchange at an ombrotrophic bog. 2003 , 17, n/a-n/a		276
198	Dynamics of plant-mediated organic matter and nutrient cycling following water-level drawdown in boreal peatlands. 2003 , 17, n/a-n/a		105
197	Gross primary production and light response parameters of four Southern Plains ecosystems estimated using long-term CO ₂ -flux tower measurements. 2003 , 17, n/a-n/a		138
196	Development history and carbon accumulation of a slope bog in oceanic British Columbia, Canada. 2003 , 13, 225-238		33
195	Structure and Function of Peatland-Forest Ecotones in Southeastern Alaska. 2003 , 67, 1572-1581		26
194	DIEL MINERALIZATION PATTERNS OF STANDING-DEAD PLANT LITTER: IMPLICATIONS FOR CO ₂ FLUX FROM WETLANDS. <i>Ecology</i> , 2004 , 85, 2504-2518	4.6	64
193	Sensitivity of C Sequestration in Reintroduced Sphagnum to Water-Level Variation in a Cutaway Peatland. 2004 , 12, 483-493		91
192	Scots pine litter decomposition along drainage succession and soil nutrient gradients in peatland forests, and the effects of inter-annual weather variation. 2004 , 36, 1095-1109		56
191	Radar remote sensing for monitoring of dynamic ecosystem processes related to biogeochemical exchanges in tropical peatlands. 2004 , 9, 9-28		10
190	Carbon balance in East European tundra. 2004 , 18, n/a-n/a		79
189	Nitrogen deposition and increased carbon accumulation in ombrotrophic peatlands in eastern Canada. 2004 , 18, n/a-n/a		122
188	Net Ecosystem Exchange of Carbon dioxide in a Temperate Poor Fen: a Comparison of Automated and Manual Chamber Techniques. 2005 , 76, 21-45		32
187	Response of vegetation and net ecosystem carbon dioxide exchange at different peatland microforms following water table drawdown. 2006 , 111, n/a-n/a		117
186	Estimating net ecosystem exchange in a patterned ecosystem: Example from blanket bog. 2006 , 138, 231-243		55
185	Carbon balance of a European mountain bog at contrasting stages of regeneration. 2006 , 172, 708-18		49

184	Hydrological effects on carbon cycles of Canada's forests and wetlands. 2006 , 58, 16-30	37
183	Carbon in Boreal Peatlands. 2006 , 165-194	44
182	Trends in Drought Frequency and the Fate of DOC Export From British Peatlands. 2006 , 76, 339-359	50
181	Carbon Dioxide Dynamics and Controls in a Deep-water Wetland on the Qinghai-Tibetan Plateau. 2006 , 9, 673-688	56
180	Decomposition in peatlands: Reconciling seemingly contrasting results on the impacts of lowered water levels. 2006 , 38, 2011-2024	302
179	Carbon dioxide dynamics of a restored maritime peatland. 2007 , 14, 71-80	33
178	Variations in net ecosystem exchange of carbon dioxide in a boreal mire: Modeling mechanisms linked to water table position. 2007 , 112,	58
177	Influence of disturbance on carbon exchange in a permafrost collapse and adjacent burned forest. 2007 , 112, n/a-n/a	25
176	The full greenhouse gas balance of an abandoned peat meadow. 2007 , 4, 411-424	147
175	Wind erosion of blanket peat during a short period of surface desiccation (North Pennines, Northern England). 2007 , 32, 481-488	22
174	Carbon sink function of sedge and Sphagnum patches in a restored cut-away peatland: increased functional diversity leads to higher production. 2007 , 45, 921-929	35
173	CO ₂ exchange of a sedge fen in southern Finland-the impact of a drought period. 2007 , 59, 826-837	98
172	A high resolution green area index for modelling the seasonal dynamics of CO ₂ exchange in peatland vascular plant communities. 2007 , 190, 37-51	84
171	Sensitivity of CO ₂ Exchange of Fen Ecosystem Components to Water Level Variation. 2007 , 10, 718-733	119
170	Patterns in Vegetation and CO ₂ Dynamics along a Water Level Gradient in a Lowland Blanket Bog. 2007 , 10, 890-905	51
169	Temperature and Microtopography Interact to Control Carbon Cycling in a High Arctic Fen. 2008 , 11, 61-76	98
168	Emission of CO ₂ , CH ₄ and N ₂ O from freshwater marsh in northeast of China. 2008 , 88, 428-36	72
167	Recent peat accumulation rates in minerotrophic peatlands of the Bay James region, Eastern Canada, inferred by ²¹⁰ Pb and ¹³⁷ Cs radiometric techniques. 2008 , 66, 1350-8	55

166	Heatwave 2003: high summer temperature, rather than experimental fertilization, affects vegetation and CO ₂ exchange in an alpine bog. 2008 , 179, 142-154	49
165	Near-zero recent carbon accumulation in a bog with high nitrogen deposition in SW Sweden. 2008 , 14, 2152-2165	24
164	Contrasting effects of repeated summer drought on soil carbon efflux in hydric and mesic heathland soils. 2008 , 14, 2388-2404	83
163	A climatic threshold triggers the die-off of peat mosses during an extreme heat wave. 2008 , 14, 2688-2695	75
162	Experimental drought alters rates of soil respiration and methanogenesis but not carbon exchange in soil of a temperate fen. 2008 , 40, 1781-1791	82
161	Comparative analysis of soil microbial communities and their responses to the short-term drought in bog, fen, and riparian wetlands. 2008 , 40, 2874-2880	113
160	Annual CO ₂ exchange between a nutrient-poor, minerotrophic, boreal mire and the atmosphere. 2008 , 113, n/a-n/a	69
159	Short-term response of methane fluxes and methanogen activity to water table and soil warming manipulations in an Alaskan peatland. 2008 , 113,	143
158	CH ₄ and N ₂ O emissions from a forest-alas ecosystem in the permafrost taiga forest region, eastern Siberia, Russia. 2008 , 113, n/a-n/a	47
157	Net ecosystem CO ₂ exchange in a temperate cattail marsh in relation to biophysical properties. 2008 , 148, 69-81	70
156	Seasonal dynamics of CO ₂ exchange during primary succession of boreal mires as controlled by phenology of plants. 2008 , 15, 460-471	44
155	A 700-year paleoecological record of boreal ecosystem responses to climatic variation from Alaska. <i>Ecology</i> , 2008 , 89, 729-43	4.6 48
154	Full Issue in PDF / Numéro complet en form PDF. 2008 , 34, ii-S484	
153	Sensitivity of spectral indices to CO ₂ fluxes for several plant communities in a Sphagnum-dominated peatland. 2008 , 34, S414-S425	14
152	Contrasting carbon dioxide fluxes between a drying shrub wetland in Northern Wisconsin, USA, and nearby forests. 2009 , 6, 1115-1126	88
151	The multi-annual carbon budget of a peat-covered catchment. 2009 , 407, 4084-94	76
150	Connecting Atmosphere and Wetland: Trace Gas Exchange. 2009 , 3, 560-585	20
149	Acknowledging the spatial heterogeneity in modelling/reconstructing carbon dioxide exchange in a northern tundra mire. 2009 , 220, 2646-2655	31

148	Responses of CO ₂ Exchange and Primary Production of the Ecosystem Components to Environmental Changes in a Mountain Peatland. 2009 , 12, 590-603	35
147	Effects of Experimental Water Table and Temperature Manipulations on Ecosystem CO ₂ Fluxes in an Alaskan Rich Fen. 2009 , 12, 1329-1342	131
146	Carbon dioxide balance of a fen ecosystem in northern Finland under elevated UV-B radiation. 2009 , 15, 943-954	17
145	Amazonian peatlands: an ignored C sink and potential source. 2009 , 15, 2311-2320	107
144	Variability in exchange of CO ₂ across 12 northern peatland and tundra sites. 2009 , 16, no-no	85
143	Rewetting of Cutaway Peatlands: Are We Re-Creating Hot Spots of Methane Emissions?. 2009 , 17, 796-806	71
142	Dynamics of redox processes in a minerotrophic fen exposed to a water table manipulation. 2009 , 153, 379-392	80
141	Mapping vegetated wetlands of Alaska using L-band radar satellite imagery. 2009 , 35, 54-72	86
140	Full Issue in PDF / Numéro complet en PDF. 2009 , 35, ii-97	
139	Responses of Vegetation and Ecosystem CO ₂ Exchange to 9 Years of Nutrient Addition at Mer Bleue Bog. 2010 , 13, 874-887	63
138	The complete carbon budget of a drained peat catchment. 2010 , 26, 261-273	25
137	Living on the Edge: The Effects of Drought on Canada's Western Boreal Peatlands. 277-298	5
136	Greenhouse gas balances of managed peatlands in the Nordic countries [present knowledge and gaps. 2010 , 7, 2711-2738	181
135	CO ₂ fluxes at northern fens and bogs have opposite responses to inter-annual fluctuations in water table. 2010 , 37, n/a-n/a	63
134	Contrasting responses of growing season ecosystem CO ₂ exchange to variation in temperature and water table depth in two peatlands in northern Alberta, Canada. 2011 , 116,	55
133	Modeling the effects of hydrology on gross primary productivity and net ecosystem productivity at Mer Bleue bog. 2011 , 116,	38
132	Abrupt ombrotrophication of a boreal aapa mire triggered by hydrological disturbance in the catchment. 2011 , 99, no-no	30
131	Seasonal Net Ecosystem Carbon Exchange of a Regenerating Cutaway Bog: How Long Does it Take to Restore the C-Sequestration Function?. 2011 , 19, 480-489	33

130	Differences in CO ₂ dynamics between successional mire plant communities during wet and dry summers. 2011 , 22, 357-366	19
129	Response to heat stress of populations of two Sphagnum species from alpine bogs at different altitudes. 2011 , 74, 22-30	14
128	Assessing greenhouse gas emissions from peatlands using vegetation as a proxy. 2011 , 674, 67-89	158
127	Spatial variation in CO ₂ exchange at a northern aapa mire. 2011 , 104, 325-345	33
126	Methane flux dynamics during mire succession. 2011 , 165, 489-99	31
125	Predominance of Precipitation and Temperature Controls on Ecosystem CO ₂ Exchange in Zoige Alpine Wetlands of Southwest China. 2011 , 31, 413-422	48
124	Impacts of climate change and grazing intensity on soil organic carbon in alpine meadow. 2011 ,	
123	Manipulative lowering of the water table during summer does not affect CO ₂ emissions and uptake in a fen in Germany. 2011 , 21, 391-401	29
122	Drought-induced carbon loss in peatlands. 2011 , 4, 895-900	370
121	Effects of drought conditions on the carbon dioxide dynamics in a temperate peatland. 2012 , 7, 045704	69
120	The effects of site preparation practices on carbon dioxide, methane and nitrous oxide fluxes from a peaty gley soil. 2012 , 85, 1-15	18
119	Northern peatland carbon stocks and dynamics: a review. 2012 , 9, 4071-4085	389
118	Carbon dioxide exchange fluxes of a boreal peatland over a complete growing season, Komi Republic, NW Russia. 2012 , 111, 485-513	27
117	Abundance and composition of plant biomass as potential controls for mire net ecosystem CO ₂ exchange. 2012 , 90, 63-74	55
116	Peatlands, their economic value and priorities for their future management – The example of Ireland. 2012 , 29, 921-928	44
115	Carbon loss in drained forestry peatlands in Finland, estimated by re-sampling peatlands surveyed in the 1980s. 2012 , 63, 798-807	35
114	Partitioning of soil CO ₂ efflux in un-manipulated and experimentally flooded plots of a temperate fen. 2012 , 9, 3477-3489	4
113	Disturbance and the peatland carbon sink in the Oil Sands Administrative Area. 13-22	

112	Eddy Covariance Measurements over Wetlands. 2012 , 345-364	6
111	How water-level drawdown modifies litter-decomposing fungal and actinobacterial communities in boreal peatlands. 2012 , 51, 20-34	49
110	Response of peatland development and carbon cycling to climate change: a dynamic system modeling approach. 2012 , 65, 141-151	20
109	CO ₂ exchange along a hydrologic gradient in the Kenai Lowlands, AK: feedback implications of wetland drying and vegetation succession. 2013 , 6, 38-50	7
108	Actual state of European wetlands and their possible future in the context of global climate change. 2013 , 75, 3-26	73
107	Evening methane emission pulses from a boreal wetland correspond to convective mixing in hollows. 2013 , 118, 994-1005	29
106	Recovery of Methanogenesis Following Summer Drought in Soils from Two Cool Temperate Peatlands, New York State, USA. 2013 , 30, 8-16	5
105	Analysis on Distribution Characteristics of Soil Carbon Pool in Mining Subsidence Wetlands. 2013 ,	
104	Effects of simulated drought on the carbon balance of Everglades short-hydroperiod marsh. 2013 , 19, 2511-23	33
103	Effect of water table level on CO ₂ , CH ₄ and N ₂ O emissions in a freshwater marsh of Northeast China. 2013 , 61, 52-60	70
102	Responses of soil CO ₂ fluxes to short-term experimental warming in alpine steppe ecosystem, Northern Tibet. 2013 , 8, e59054	33
101	Long-term enhanced nitrogen deposition increases ecosystem respiration and carbon loss from a Sphagnum bog in the Scottish Borders. 2013 , 90, 53-61	18
100	Modelling carbon dynamics and response to environmental change along a boreal fen nutrient gradient. 2013 , 248, 148-164	24
99	The effect of water table fluctuation on soil respiration in a lower coastal plain forested wetland in the southeastern U.S.. 2013 , 118, 1748-1762	37
98	Annual carbon balance of a peatland 10 yr following restoration. 2013 , 10, 2885-2896	74
97	Delayed responses of an Arctic ecosystem to an extreme summer: impacts on net ecosystem exchange and vegetation functioning. 2014 , 11, 5877-5888	20
96	Responses of carbon dioxide flux and plant biomass to water table drawdown in a treed peatland in northern Alberta: a climate change perspective. 2014 , 11, 807-820	49
95	Can a bog drained for forestry be a stronger carbon sink than a natural bog forest?. 2014 , 11, 3477-3493	44

94	Surface water inundation in the boreal-Arctic: potential impacts on regional methane emissions. 2014 , 9, 075001		51
93	Simulation of CO ₂ and Attribution Analysis at Six European Peatland Sites Using the ECOSSE Model. 2014 , 225, 1		12
92	Increases in aboveground biomass and leaf area 85 years after drainage in a bog. 2014 , 92, 713-721		11
91	Effects of Climate Change on Peatlands in the Far North of Ontario, Canada: A Synthesis. 2014 , 46, 84-102		25
90	Can frequent precipitation moderate the impact of drought on peatmoss carbon uptake in northern peatlands?. 2014 , 203, 70-80		49
89	A 12-year record reveals pre-growing season temperature and water table level threshold effects on the net carbon dioxide exchange in a boreal fen. 2014 , 9, 055006		81
88	Plant functional types define magnitude of drought response in peatland CO ₂ exchange. <i>Ecology</i> , 2014 , 95, 123-31	4.6	63
87	Environmental and Vegetation Drivers of Seasonal CO ₂ Fluxes in a Sub-arctic Forest-Mire Ecotone. 2014 , 17, 377-393		11
86	Responses of soil respiration and its components to drought stress. 2014 , 14, 99-109		44
85	Long-term water table manipulations alter peatland gaseous carbon fluxes in Northern Michigan. 2014 , 22, 35-47		45
84	Interannual variability in the CO ₂ balance of a boreal patterned fen, James Bay, Canada. 2014 , 118, 371-387		14
83	Carbon dioxide and methane exchange at a cool-temperate freshwater marsh. 2015 , 10, 065006		23
82	Characterizing peatland carbon balance estimates using freely available Landsat ETM+ data. 2015 , 8, 493-503		9
81	Integration of palaeohydrological proxies into a peatland model: a new tool for palaeoecological studies. 2015 , 8, 214-229		2
80	Influence of Climate and Land Use Change on Carbon in Agriculture, Forest, and Peatland Ecosystems across Canada. 2015 , 47-70		
79	Simultaneous high C fixation and high C emissions in <i>Sphagnum</i> mires. 2015 , 12, 4739-4749		13
78	Connecting carbon and nitrogen storage in rural wetland soil to groundwater abstraction for urban water supply. 2015 , 21, 1704-14		12
77	Carbon dioxide flux and net primary production of a boreal treed bog: Responses to warming and water-table-lowering simulations of climate change. 2015 , 12, 1091-1111		58

76	Rain events decrease boreal peatland net CO ₂ uptake through reduced light availability. 2015 , 21, 2309-20	46
75	Rewetting former agricultural peatlands: Topsoil removal as a prerequisite to avoid strong nutrient and greenhouse gas emissions. 2015 , 84, 159-168	29
74	A 19-year long energy budget of an upland peat bog, northern England. 2015 , 520, 17-29	9
73	Russian boreal peatlands dominate the natural European methane budget. 2016 , 11, 014004	7
72	Persistent high temperature and low precipitation reduce peat carbon accumulation. 2016 , 22, 4114-4123	61
71	Variation in photosynthetic properties among bog plants. 2016 , 94, 1127-1139	20
70	Spatial variation in potential photosynthesis in Northern European bogs. 2016 , 27, 365-376	3
69	Effects of extreme experimental drought and rewetting on CO ₂ and CH ₄ exchange in mesocosms of 14 European peatlands with different nitrogen and sulfur deposition. 2016 , 22, 2285-300	15
68	Multi-decadal Changes in Water Table Levels Alter Peatland Carbon Cycling. 2017 , 20, 1042-1057	30
67	Causal mechanisms of soil organic matter decomposition: deconstructing salinity and flooding impacts in coastal wetlands. <i>Ecology</i> , 2017 , 98, 2003-2018	4.6 48
66	Predicting peatland carbon fluxes from non-destructive plant traits. 2017 , 31, 1824-1833	19
65	Evaluating the Classical Versus an Emerging Conceptual Model of Peatland Methane Dynamics. 2017 , 31, 1435-1453	16
64	Species-specific temporal variation in photosynthesis as a moderator of peatland carbon sequestration. 2017 , 14, 257-269	18
63	Southern Hemisphere bog persists as a strong carbon sink during droughts. 2017 , 14, 4563-4576	8
62	Precipitation events reduce soil respiration in a coastal wetland based on four-year continuous field measurements. 2018 , 256-257, 292-303	42
61	The Impact of Experimental Temperature and Water Level Manipulation on Carbon Dioxide Release in a Poor Fen in Northern Poland. 2018 , 38, 551-563	20
60	Precipitation frequency alters peatland ecosystem structure and CO exchange: Contrasting effects on moss, sedge, and shrub communities. 2018 , 24, 2051-2065	20
59	Short term changes in moisture content drive strong changes in Normalized Difference Vegetation Index and gross primary productivity in four Arctic moss communities. 2018 , 212, 114-120	22

58	Impact of rainfall regime on methane flux from a cool temperate fen depends on vegetation cover. 2018 , 114, 76-87	7
57	Impact of winter roads on boreal peatland carbon exchange. 2018 , 24, e201-e212	31
56	Response of hydrology and CO ₂ flux to experimentally altered rainfall frequency in a temperate poor fen, southern Ontario, Canada. 2018 , 15, 3937-3951	1
55	Persistent carbon sink at a boreal drained bog forest. 2018 , 15, 3603-3624	25
54	Impacts of drainage, restoration and warming on boreal wetland greenhouse gas fluxes. 2019 , 647, 169-181	37
53	Short-term effects of fire disturbance on CH ₄ emission from forested wetlands in the Xiaoxingān Mountains, Northeast China. 2019 , 30, 969-979	
52	Interannual and seasonal variability in carbon dioxide and methane fluxes of a pine peat bog in the Eastern Alps, Austria. 2019 , 275, 69-78	8
51	Warming impacts on boreal fen CO exchange under wet and dry conditions. 2019 , 25, 1995-2008	27
50	Net Ecosystem Carbon Balance of a Peat Bog Undergoing Restoration: Integrating CO ₂ and CH ₄ Fluxes From Eddy Covariance and Aquatic Evasion With DOC Drainage Fluxes. 2019 , 124, 884-901	14
49	Varying Vegetation Composition, Respiration and Photosynthesis Decrease Temporal Variability of the CO ₂ Sink in a Boreal Bog. 2020 , 23, 842-858	9
48	Bioindication in peatlands by means of multi-taxa indicators (Oribatida, Araneae, Carabidae, Vegetation). 2020 , 109, 105837	7
47	Carbon storage change and ¹³ C transitions of peat columns in a partially forestry-drained boreal bog. 2020 , 447, 365-378	1
46	Conversion of coastal wetlands, riparian wetlands, and peatlands increases greenhouse gas emissions: A global meta-analysis. 2020 , 26, 1638-1653	37
45	Spatially varying peatland initiation, Holocene development, carbon accumulation patterns and radiative forcing within a subarctic fen. 2020 , 248, 106596	8
44	The impact of occasional drought periods on vegetation spread and greenhouse gas exchange in rewetted fens. 2020 , 375, 20190685	10
43	Effects of water level alteration on carbon cycling in peatlands. 2020 , 6, 1806113	12
42	Roads Impact Tree and Shrub Productivity in Adjacent Boreal Peatlands. 2020 , 11, 594	1
41	A Comparison of Three Trapezoid Models Using Optical and Thermal Satellite Imagery for Water Table Depth Monitoring in Estonian Bogs. 2020 , 12, 1980	3

40	Insect herbivory dampens Subarctic birch forest C sink response to warming. 2020 , 11, 2529	9
39	Restoration of retired agricultural land to wetland mitigates greenhouse gas emissions. 2021 , 29, e13314	3
38	Temperate mire fluctuations from carbon sink to carbon source following changes in water table. 2021 , 756, 144071	6
37	Estimating the gaseous carbon budget of a degraded tidal wetland. 2021 , 160, 106147	2
36	Carbon budget response of an agriculturally used fen to different soil moisture conditions. 2021 , 300, 108319	0
35	Nitrogen and phosphorus cycling in an ombrotrophic peatland: a benchmark for assessing change. 2021 , 466, 649-674	2
34	Peat Carbon Vulnerability to Projected Climate Warming in the Hudson Bay Lowlands, Canada: A Decision Support Tool for Land Use Planning in Peatland Dominated Landscapes. 2021 , 9,	2
33	Aged soils contribute little to contemporary carbon cycling downstream of thawing permafrost peatlands. 2021 , 27, 5368-5382	3
32	Carbon balance of a Finnish bog: temporal variability and limiting factors based on 6 years of eddy-covariance data. 2021 , 18, 4681-4704	2
31	Restoration of a boreal peatland impacted by an in-situ oil sands well-pad 2: Greenhouse gas exchange dynamics. e13508	
30	Greenhouse Gas Balance in Disturbed Peatlands. 149-174	1
29	Observations and Status of Peatland Greenhouse Gas Emissions in Europe. 2008 , 243-261	47
28	Tropical and Subtropical Peats: An Overview. 2011 , 5-28	6
27	Uncertainties related to the temperature sensitivity of soil carbon decomposition. 2009 , 317-335	14
26	The Effects of Climate-Change-Induced Drought and Freshwater Wetlands. 2012 , 117-147	6
25	Interacting Controls on Ecosystem Photosynthesis and Respiration in Contrasting Peatland Ecosystems. 2014 , 253-267	3
24	CO ₂ exchange in an organic field growing barley or grass in eastern Finland. 2001 , 7, 679-692	71
23	Carbon Cycling in Wetland Forest Soils. 2002 , 311-331	3

22	Carbon Cycling in Wetland Forest Soils. 2002 ,	3
21	Early spring, severe frost events, and drought induce rapid carbon loss in high elevation meadows. 2014 , 9, e106058	16
20	Responses of carbon dioxide flux and plant biomass to drought in a treed peatland in northern Alberta: a climate change perspective.	1
19	Delayed responses of an Arctic ecosystem to an extremely dry summer: impacts on net ecosystem exchange and vegetation functioning.	2
18	Carbon dioxide flux and net primary production of a boreal treed bog: responses to warming and water table manipulations.	3
17	Can a bog drained for forestry be a stronger carbon sink than a natural bog forest?.	2
16	Simultaneous high C fixation and high C emissions in <i>Sphagnum</i> mires.	2
15	The impact of a declining water table on observed carbon fluxes at a northern temperate wetland.	3
14	Land-use and greenhouse gas balances of peatlands in the Nordic countries [present knowledge and gaps.	4
13	Annual carbon balance of a peatland 10 yr following restoration.	1
12	References Part A. <i>Global Change - the IGBP Series</i> , 2004 , 137-153	
11	Trace gas and CO ₂ contributions of northern peatlands to global warming potential. 2004 , 269-292	
10	Partitioning of soil CO ₂ efflux in un-manipulated and experimentally flooded plots of a temperate fen.	
9	Nitrogen addition turns a temperate peatland from a near-zero source into a strong sink of nitrous oxide. <i>Plant, Soil and Environment</i> , 2022 , 68, 49-58	2.2
8	Comprehensive assessment of nitrous oxide emissions and mitigation potentials across European peatlands.. <i>Environmental Pollution</i> , 2022 , 119041	9.3 0
7	Fine-Root Biomass Production and its Contribution to Organic Matter Accumulation in Sedge Fens Under Changing Climate. <i>SSRN Electronic Journal</i> ,	1
6	Effects of brackish water inflow on methane-cycling microbial communities in a freshwater rewetted coastal fen. 2022 , 19, 3625-3648	1
5	Fine-root biomass production and its contribution to organic matter accumulation in sedge fens under changing climate. 2022 , 159683	1

- 4 How degraded are the peatland and forest ecosystems in the Bieszczady Mountains (Central Europe)? An assessment using long-term records. 0
- 3 Partial cutting of a boreal nutrient-rich peatland forest causes radically less short-term on-site CO2 emissions than clear-cutting. **2023**, 332, 109361 0
- 2 Meteorological responses of carbon dioxide and methane fluxes in the terrestrial and aquatic ecosystems of a subarctic landscape. **2023**, 20, 545-572 0
- 1 Interannual variability in the ecosystem CO2 fluxes at a paludified spruce forest and ombrotrophic bog in the southern taiga. **2023**, 23, 2273-2291 1