

CITATION REPORT

List of articles citing

Anthropometric measurement error and the assessment of nutritional status

DOI: 10.1017/s0007114599001348

British Journal of Nutrition, 1999, 82, 165-77.

Source: <https://exaly.com/paper-pdf/30184237/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
779	Age differences in physique of adult males aged 30 to 86 years in Rarotonga, the Cook Islands. 2000 , 51, 229-34		3
778	Subcutaneous Adipose Tissue Distribution in 7- to 16-Year Old Boys of Calcutta in Relation to Socio-Economic Level. 2001 , 91-108		
777	Increasing body size among adult cook islanders between 1966 and 1996. 2001 , 28, 363-73		21
776	The National Center for Health Statistics reference and the growth of Indian adolescent boys. <i>American Journal of Clinical Nutrition</i> , 2001 , 74, 248-53	7	50
775	Nutritional status by socioeconomic level in an urban sample from Bilbao (Basque Country). <i>American Journal of Human Biology</i> , 2001 , 13, 668-78	2.7	4
774	The development of waist circumference percentiles in British children aged 5.0-16.9 y. 2001 , 55, 902-7		518
773	Haemoglobin status of adult non-pregnant Kazakh women living in Kzyl-Orda region, Kazakhstan. 2001 , 55, 1068-75		13
772	Socioeconomic status, body size and physical activity of adults on Rarotonga, the Cook Islands. 2001 , 28, 554-63		9
771	Body size and physical activity levels of adults on Rarotonga, the Cook Islands. 2001 , 52, 453-61		2
770	The relationship between areca nut usage and heart rate in lactating Bangladeshis. 2002 , 29, 488-94		5
769	Poor intestinal permeability in mildly stunted Nepali children: associations with weaning practices and Giardia lamblia infection. <i>British Journal of Nutrition</i> , 2002 , 88, 141-149	3.6	72
768	Nutritional status of children from Papua New Guinea: associations with socioeconomic factors. <i>American Journal of Human Biology</i> , 2002 , 14, 659-68	2.7	7
767	Serum insulin-like growth factor-I, insulin-like growth factor binding protein-3, and the pubertal growth spurt in the female rhesus monkey. 2002 , 118, 77-85		9
766	Height, weight and haemoglobin status of 6 to 59-month-old Kazakh children living in Kzyl-Orda region, Kazakhstan. 2002 , 56, 1030-8		18
765	Harmonization of anthropometric measurements for a multicenter nutrition survey in Spanish adolescents. 2003 , 19, 481-6		147
764	Anthropometric status of Kazakh children in the 1990s. 2003 , 1, 43-53		14
763	Lean body mass in preschool aged urban children in India: gender difference. 2003 , 57, 389-93		12

762	Central overweight and obesity in British youth aged 11-16 years: cross sectional surveys of waist circumference. 2003 , 326, 624		266
761	Socio-economic factors associated with physique of adults of the Purari delta of the Gulf Province, Papua New Guinea. 2003 , 30, 316-28		11
760	Intra-individual variation in resting metabolic rate during the menstrual cycle. <i>British Journal of Nutrition</i> , 2003 , 89, 811-7	3.6	47
759	Digital three-dimensional photogrammetry: evaluation of anthropometric precision and accuracy using a Genex 3D camera system. 2004 , 41, 507-18		157
758	Household food insecurity among urban poor in Thailand. 2004 , 36, 115-21		28
757	Twin study of genetic and environmental influences on adult body size, shape, and composition. 2004 , 28, 39-48		132
756	Assessment of linear growth of affluent urban Pakistani adolescents according to CDC 2000 references. 2004 , 31, 282-91		15
755	Assessing nutritional status in children with chronic liver disease. 2005 , 20, 1817-24		15
754	Can we use mid upper arm anthropometry to detect malnutrition in medical inpatients? A validation study. 2005 , 18, 287-94		33
753	Central and total adiposity are lower in overweight and obese children with high cardiorespiratory fitness. 2005 , 59, 137-41		47
752	Trends in waist circumferences in young British children: a comparative study. 2005 , 29, 157-62		76
751	Intraobserver error associated with measurements of the hand. <i>American Journal of Human Biology</i> , 2005 , 17, 368-71	2.7	86
750	Fetal programming of body composition: relation between birth weight and body composition measured with dual-energy X-ray absorptiometry and anthropometric methods in older Englishmen. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 980-7	7	195
749	Cálculo do erro técnico de medição em antropometria. 2005 , 11, 81-85		168
748	Sex differences in the relationships among weight gain, subcutaneous skinfold tissue and saltatory length growth spurts in infancy. 2005 , 58, 1238-42		20
747	Anthropometric Profile and Chronic Energy Deficiency Among Adult Santal Tribals of Jhargram, West Medinipur District, West Bengal, India: Comparison With Other Tribal Populations of Eastern India. 2006 , 45, 159-169		8
746	Non-invasive assessment of endothelial function: which technique?. 2006 , 48, 1846-50		102
745	Stimulant-related reductions of growth rates in the PATS. 2006 , 45, 1304-1313		164

744	[Adult obesity in Pelotas, Rio Grande do Sul, Brazil, and the association with socioeconomic status]. 2006 , 22, 1873-9		17
743	Iron and zinc supplementation improved iron and zinc status, but not physical growth, of apparently healthy, breast-fed infants in rural communities of northeast Thailand. 2006 , 136, 2405-11		50
742	High prevalence of undernutrition among adult Kora Mudi tribals of Bankura District, West Bengal, India. 2006 , 114, 65-68		13
741	Psychosocial stimulation improves the development of undernourished children in rural Bangladesh. 2006 , 136, 2645-52		95
740	Nutritional status of adult Santal men in Keonjhar District, Orissa, India. 2006 , 27, 353-6		8
739	Maternal body composition in relation to infant birth weight and subcutaneous adipose tissue. <i>British Journal of Nutrition</i> , 2006 , 96, 408-14	3.6	22
738	Body fat measurements in children as predictors for the metabolic syndrome: focus on waist circumference. 2006 , 65, 385-92		56
737	Anthropometric precision and accuracy of digital three-dimensional photogrammetry: comparing the Genex and 3dMD imaging systems with one another and with direct anthropometry. 2006 , 17, 477-83		229
736	Additional anthropometric measures may improve the predictability of basal metabolic rate in adult subjects. 2006 , 60, 1437-44		45
735	Medical record versus researcher measures of height and weight. 2006 , 8, 15-23		21
734	Body fat measurements in children as predictors for the metabolic syndrome: focus on waist circumference. 2006 , 65, 385-392		95
733	Body mass index and nutritional status of adult Savar tribals of Keonjhar District, Orissa, India. 2006 , 18, 3-7		9
732	Assessment of total body fat using the skinfold technique in full-term and preterm infants. 2006 , 95, 21-8		20
731	Anthropometric determinants of a clustering of lipid-related metabolic risk factors in overweight and non-overweight adolescents--influence of cardiorespiratory fitness. The Avena study. 2006 , 50, 519-27		13
730	Precision of measurement as a component of human variation. 2007 , 26, 253-6		83
729	Inter-relationships of income, chronic energy deficiency, morbidity and hospitalization among adult male slum dwellers of Midnapore, West Bengal, India. 2007 , 39, 779-86		6
728	Adiposity, physical activity, and pancreatic cancer in the National Institutes of Health-AARP Diet and Health Cohort. 2008 , 167, 586-97		86
727	Undernutrition among adult Dhimals of Naxalbari, West Bengal: comparison with other tribes of eastern India. 2007 , 28, 348-52		14

726	Maternal anthropometry as a predictor of birth weight. 2007 , 10, 965-70		29
725	Reliability studies can be designed more efficiently by using variance components estimates from different sources. 2007 , 60, 1010-4		9
724	Sex differences in skinfold variability across human populations and during the life cycle. 2007 , 34, 377-92		7
723	The prediction of body fatness by BMI and skinfold thicknesses among children and adolescents. 2007 , 34, 183-94		92
722	Adult Santal Males from Orissa and West Bengal: Comparison of Their Anthropometric Profile and Chronic Energy Deficiency. 2007 , 5, 65-69		1
721	Selected anthropometric measurements of Akwesasne Mohawk youth: skinfolds, circumferences, and breadths. <i>American Journal of Human Biology</i> , 2007 , 19, 525-36	2.7	7
720	Obesity management in liver clinics: translation of research into clinical practice. 2007 , 22, 504-9		20
719	Stunting, underweight and wasting among Integrated Child Development Services (ICDS) scheme children aged 3-5 years of Chapra, Nadia District, West Bengal, India. 2007 , 3, 216-21		25
718	Assessment of total body fat using the skinfold technique in full-term and preterm infants. 2007 , 95, 21-28		2
717	Reliability of anthropometric measurements in the WHO Multicentre Growth Reference Study. 2006 , 450, 38-46		76
716	Body Mass Index and Chronic Energy Deficiency Among Urban Bengalee Male Slum Dwellers of Kolkata, India: Relationship with Family Income. 2007 , 21, 209-215		
715	Which Measure of Abdominal Adiposity Best Relates with Body Mass Index Among Older Bengalee Hindus of Kolkata, India? A Comparison of Three Measures. 2007 , 21, 247-252		2
714	Estimation of stature from cephalo-facial anthropometry in north Indian population. <i>Forensic Science International</i> , 2008 , 181, 52.e1-6	2.6	54
713	Estimation of stature from foot length and foot breadth among the Rajbanshi: an indigenous population of North Bengal. <i>Forensic Science International</i> , 2008 , 181, 55.e1-6	2.6	49
712	Socioenvironmental conditions and nutritional status in urban and rural schoolchildren. <i>American Journal of Human Biology</i> , 2008 , 20, 399-405	2.7	17
711	Estimation of stature from footprint and foot outline dimensions in Gujjars of North India. <i>Forensic Science International</i> , 2008 , 175, 93-101	2.6	103
710	Harmonization process and reliability assessment of anthropometric measurements in a multicenter study in adolescents. 2008 , 32 Suppl 5, S58-65		176
709	Malnutrition in women with rheumatoid arthritis is not revealed by clinical anthropometrical measurements or nutritional evaluation tools. 2008 , 62, 1239-47		40

708	Body form and nutritional status among adult males of different social groups in Orissa and Bihar States in India. 2008 , 59, 235-51	5	
707	Can the administration of testosterone to men with late-onset hypogonadism be discontinued?. 2008 , 5, 366-373	1	
706	Somatotype, size and body composition of competitive female volleyball players. 2008 , 11, 337-44	48	
705	Reliability of doctors' anthropometric measurements to detect obesity. 2008 , 47, 389-93	69	
704	Novel phenotypic markers and screening score for the metabolic syndrome in adult Asian Indians. 2008 , 79, e1-5	11	
703	Nutritional assessment: its role in the provision of nutritional support. 2008 , 61, 1083-8	24	
702	Determination of stature from foot and its segments in a north Indian population. 2008 , 29, 297-303	60	
701	Pregnancy and lactation hinder growth and nutritional status of adolescent girls in rural Bangladesh. 2008 , 138, 1505-11	93	
700	Variabilidade na aferição de medidas antropométricas: comparação de dois métodos estatísticos para avaliar a calibração de entrevistadores. 2008 , 11, 278-286	9	
699	Metric Data in Archaeology: A Study of Intra-Analyst and Inter-Analyst Variation. 2009 , 74, 485-504	59	
698	Age-Related Anthropometric Changes and Undernutrition among Middle Aged and Older Savar Tribal Females of Keonjhar District, Orissa, India. 2009 , 1, 21-26	2	
697	Simple Four-Variable Screening Tool for Identification of Patients with Sleep-Disordered Breathing. 2009 ,	0	
696	Challenges of accurately measuring and using BMI and other indicators of obesity in children. 2009 , 124 Suppl 1, S3-22	131	
695	Impact of targeted food supplementation on pregnancy weight gain and birth weight in rural Bangladesh: an assessment of the Bangladesh Integrated Nutrition Program (BINP). 2009 , 12, 1205-12	18	
694	Predictors of stunting and thinness in post-menarcheal adolescent girls in rural Bangladesh. 2009 , 12, 2400-9	9	
693	Gender and locality differences in tobacco prevalence among adult Bangladeshis. 2009 , 18, 445-50	25	
692	Relation of body mass index and skinfold thicknesses to cardiovascular disease risk factors in children: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 210-6	7	118
691	Anogenital distance from birth to 2 years: a population study. 2009 , 117, 1786-90		134

690	A structural equation model of the developmental origins of blood pressure. 2009 , 38, 538-48		24
689	Components of metabolic syndrome and metachronous colorectal neoplasia. 2009 , 18, 1134-43		24
688	The reliability of routine anthropometric data collected by health workers: a cross-sectional study. 2009 , 46, 310-6		25
687	Relationship of family income and house type to body mass index and chronic energy deficiency among urban Bengalee male slum dwellers of Kolkata, India. 2009 , 60, 45-57		14
686	Physical growth in schoolchildren from Argentina: comparison with Argentinean and CDC/NCHs growth references. <i>American Journal of Human Biology</i> , 2009 , 21, 312-8	2.7	6
685	Nutritional status, body composition, and intestinal parasitism among the Mbyé-Guaraní communities of Misiones, Argentina. <i>American Journal of Human Biology</i> , 2010 , 22, 193-200	2.7	21
684	Three-dimensional surface imaging for clinical trials: improved precision and reproducibility in circumference measurements of thighs and abdomens. 2009 , 41, 767-73		15
683	Relationship between historical height loss and vertebral fractures in postmenopausal women. 2009 , 28, 1283-9		7
682	Nutrition assessment and management in children on peritoneal dialysis. 2009 , 24, 721-30		30
681	Thinness among rural children in Bengal. 2009 , 76, 817-9		5
680	Impact of anti-Giardia and anthelmintic treatment on infant growth and intestinal permeability in rural Bangladesh: a randomised double-blind controlled study. 2009 , 103, 520-9		35
679	Risk factors and adult body mass index among overweight children: the Bogalusa Heart Study. 2009 , 123, 750-7		92
678	Measurement error and ethnic comparisons of measures of abdominal obesity. 2009 , 49, 148-52		32
677	Body mass index and body fat among adult Bengalee male slum dwellers in West Bengal, India. 2009 , 3, I-IV		2
676	The validity of BMI as an indicator of body fatness and risk among children. 2009 , 124 Suppl 1, S23-34		320
675	Impact of intestinal permeability, inflammation status and parasitic infections on infant growth faltering in rural Bangladesh. <i>British Journal of Nutrition</i> , 2009 , 101, 1509-16	3.6	76
674	Report on "anthropometric failure" among rural 2-6 years old Indian Bauri caste children of West Bengal. <i>Anthropological Review</i> , 2009 , 72, 81-88	0.6	5
673	Pathways leading to early growth faltering: an investigation into the importance of mucosal damage and immunostimulation in different socio-economic groups in Nepal. <i>British Journal of Nutrition</i> , 2009 , 101, 558-67	3.6	41

672	Can Anthropometric and Body Composition Measurements During Pregnancy be Used to Predict Preeclampsia Risk?. 2009 , 5, 225-229	4
671	Undernutrition in the Kora Mudi tribal population, West Bengal, India: a comparison of body mass index and mid-upper-arm circumference. 2009 , 30, 63-7	20
670	Precision and accuracy of the 3dMD photogrammetric system in craniomaxillofacial application. 2010 , 21, 763-7	120
669	Overeenstemming tussen antropometrische methoden voor de bepaling van de gewichtstatus. 2010 , 88, 190-195	
668	Comparison between handgrip strength, subjective global assessment, anthropometry, and biochemical markers in assessing nutritional status of patients with Crohn's disease in clinical remission. 2010 , 55, 137-44	34
667	Bias in self-reported height and weight in preadolescents. 2010 , 157, 911-6	27
666	Reliability of anthropometric measures in a longitudinal cohort of patients initiating ART in West Africa. 2010 , 10, 102	36
665	Growth in children with cerebral palsy during five years after selective dorsal rhizotomy: a practice-based study. 2010 , 10, 57	9
664	Reduction of diabetes risk in routine clinical practice: are physical activity and nutrition interventions feasible and are the outcomes from reference trials replicable? A systematic review and meta-analysis. 2010 , 10, 653	106
663	Energy intake does not correlate with nutritional state in children with severe generalized cerebral palsy and intellectual disability. 2010 , 29, 617-21	18
662	Sex differences in the effect of birth order and parents' educational status on stunting: a study on Bengalee preschool children from eastern India. 2010 , 61, 271-6	12
661	How reproducibly can human ear ossicles be measured? A study of inter-observer error. 2010 , 293, 2094-106	12
660	Difference in ponderal growth and body composition among pregnant vs. never-pregnant adolescents varies by birth outcomes. 2010 , 6, 27-37	4
659	Response to the Letter entitled "BMI, waist circumference and waist-to-hip ratio: diabetes mellitus types 2" 2010 , 64, 1378-1378	
658	Anthropometric characteristics and undernutrition among adult Santal tribe of Birbhum District, West Bengal, India. 2010 , 118, 57-60	3
657	[Reliability of anthropometric data obtained in children seen at the Primary Public Healthcare Service Network in Alagoas, Brazil]. 2010 , 13, 69-82	8
656	O antropometrista na busca de dados mais confiáveis.. 2010 , 82-85	1
655	Theory and Methods. 1-2	

654	History, Methods, and General Applications of Anthropometry in Human Biology. 92-112		
653	Methods of assessing body fatness among children: Implications for the National Child Measurement Programme. 2010 , 16, 81-93		1
652	The identification of children with adverse risk factor levels by body mass index cutoffs from 2 classification systems: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 1298-305		17
651	Estimation of percentage body fat in 6- to 13-year-old children by skinfold thickness, body mass index and waist circumference. <i>British Journal of Nutrition</i> , 2010 , 104, 1565-72	3.6	30
650	Association of leg length with overweight and obesity in children aged 5-15 years: A cross-sectional study. 2010 , 37, 10-22		7
649	Assessing body composition in healthy newborn infants: reliability of dual-energy x-ray absorptiometry. 2010 , 13, 151-60		42
648	Male and female differences in variability with estimating body fat composition using skinfold calipers. 2010 , 9, 157-61		14
647	Prenatal exposure to the major DDT metabolite 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (DDE) and growth in boys from Mexico. 2010 , 110, 595-603		45
646	Measurement site for waist circumference affects its accuracy as an index of visceral and abdominal subcutaneous fat in a Caucasian population. 2010 , 140, 954-61		129
645	Adult body dimension and determinants of chronic energy deficiency among the Shabar tribe living in urban, rural and forest habitats in Orissa, India. 2010 , 37, 149-67		4
644	The relation of BMI and skinfold thicknesses to risk factors among young and middle-aged adults: the Bogalusa Heart Study. 2010 , 37, 726-37		12
643	Prevalence of undernutrition among children (5-12 years) belonging to three communities residing in a similar habitat in North Bengal, India. 2010 , 37, 198-216		22
642	Waist circumference in determining obesity and hypertension among 18-60 years old Bengalee Hindu male slum dwellers in Eastern India. 2011 , 38, 669-75		5
641	Assessment of the nutritional status of children aged 5-12 years using upper arm composition. 2011 , 38, 752-9		18
640	Obesity overview: epidemiology, health and financial impact, and guidelines for qualification for surgical therapy. 2011 , 21, 189-201		42
639	Stature estimation from inter-anterior superior iliac spinous distance: some technical considerations. 2011 , 18, 388		
638	Socio-environmental conditions, intestinal parasitic infections and nutritional status in children from a suburban neighborhood of La Plata, Argentina. 2011 , 118, 184-9		33
637	Development of an evidence-based clinical practice guideline on linear growth measurement of children. 2011 , 26, 312-24		21

636	Nutritional and metabolic status of HIV-positive patients with lipodystrophy during one year of follow-up. 2011 , 66, 407-10		6
635	Factors associated with central obesity in adults from Florianópolis, Santa Catarina: a population based-study. 2011 , 14, 296-309		16
634	The Measurement and Epidemiology of Child Obesity. 2011 , 31-42		
633	Growth Pattern and Prevalence of Underweight and Stunting Among Rural Adolescents. 2011 , 31, 17-24		1
632	Assessment of Nutritional Status by Anthropometric Indices in Santal Tribal Children. 2011 , 3, 81-85		4
631	Effect of weekly vitamin D supplements on mortality, morbidity, and growth of low birthweight term infants in India up to age 6 months: randomised controlled trial. 2011 , 342, d2975		67
630	Mother's body mass index as a predictor of infant's nutritional status in the post-emergency phase of a flood. 2011 , 35, 701-719		5
629	The Pacific Obesity Prevention in Communities project: project overview and methods. 2011 , 12 Suppl 2, 3-11		43
628	Reliability of routine clinical measurements of neonatal circumferences and research measurements of neonatal skinfold thicknesses: findings from the Born in Bradford study. 2011 , 25, 164-71		28
627	The impact of school-day variation in weight and height on National Child Measurement Programme body mass index-determined weight category in Year 6 children. 2011 , 37, 360-7		7
626	Sex estimation from foot dimensions in an indigenous Indian population. <i>Journal of Forensic Sciences</i> , 2011 , 56 Suppl 1, S148-53	1.8	23
625	Intra- and inter-observer reliability in anthropometric measurements in children. 2011 , 35 Suppl 1, S45-51		123
624	Impact of social class on body fatness among rural pre-school Bengalee Hindu children of Arambagh, West Bengal, India. 2011 , 62, 228-36		4
623	Measuring pulse wave velocity using ECG and photoplethysmography. 2011 , 35, 771-7		33
622	Epidemiology of whole body, peripheral, and central adiposity in adolescents from a Brazilian state capital. 2011 , 170, 1541-50		8
621	Nutritional vulnerability in Mbyé-Guaraní adolescents and adults from Misiones, Argentina. <i>American Journal of Human Biology</i> , 2011 , 23, 592-600	2.7	7
620	Hand-washing, subclinical infections, and growth: a longitudinal evaluation of an intervention in Nepali slums. <i>American Journal of Human Biology</i> , 2011 , 23, 621-9	2.7	54
619	Isolation by distance between spouses and its effect on children's growth in height. 2011 , 146, 14-9		9

618	Myocardial structure, function, and scar in patients with type 1 diabetes mellitus. 2011 , 124, 1737-46		62
617	Adolescent diet and metabolic syndrome in young women: results of the Dietary Intervention Study in Children (DISC) follow-up study. 2011 , 96, E1999-2008		31
616	A randomized controlled intervention with fish oil versus sunflower oil from 9 to 18 months of age: exploring changes in growth and skinfold thicknesses. 2011 , 70, 368-74		25
615	Military nutrition: maintaining health and rebuilding injured tissue. 2011 , 366, 231-40		16
614	Provision of micronutrient-fortified food from 6 months of age does not permit HIV-exposed uninfected Zambian children to catch up in growth to HIV-unexposed children: a randomized controlled trial. 2011 , 56, 166-75		28
613	A study on the reliability of sasang constitutional body trunk measurement. 2012 , 2012, 604842		28
612	The relationship between nutritional status and physical function, admission frequency, length of hospital stay, and mortality in old people living in long-term care facilities. 2012 , 20, 110-21		18
611	Validity of child anthropometric measurements in the Special Supplemental Nutrition Program for Women, Infants, and Children. 2012 , 71, 286-92		42
610	Assessment of growth in pharmacological treatment-naïve Polish boys with attention-deficit/hyperactivity disorder. 2012 , 22, 300-6		14
609	Socio-economic and demographic factors affecting the Composite Index of Anthropometric Failure (CIAF). 2012 , 39, 129-36		19
608	Estimation of stature based on foot length of Malays in Malaysia â Some technical and methodological observations. <i>Australian Journal of Forensic Sciences</i> , 2012 , 44, 107-108	1.1	
607	Prevalence of malnutrition among the missing children of northeast India: a comparison between four different sets of criteria. 2012 , 4, 305-9		5
606	Development and validation of a simple model based on anthropometry: estimating fat mass for white postmenopausal women. 2012 , 19, 467-70		2
605	Role of waist measures in characterizing the lipid and blood pressure assessment of adolescents classified by body mass index. 2012 , 166, 719-24		35
604	Computer-aided measurement of mandibular cortical width on dental panoramic radiographs for identifying osteoporosis. 2012 , 3, 36-44		18
603	Reliability and intermethod agreement for body fat assessment among two field and two laboratory methods in adolescents. 2012 , 20, 221-8		41
602	Metric characterization of the human coxal bone on a recent Italian sample and multivariate discriminant analysis to determine sex. <i>Forensic Science International</i> , 2012 , 222, 401.e1-9	2.6	21
601	Chronic inflammation is associated with overweight in Colombian school children. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012 , 22, 244-51	4.5	11

600	Comparison of different assessments for evaluating malnutrition in Chinese patients with end-stage renal disease with maintenance hemodialysis. 2012 , 32, 266-71		25
599	Measuring human remains in the field: Grid technique, total station, or MicroScribe?. <i>Forensic Science International</i> , 2012 , 221, 16-22	2.6	7
598	The effect of improved rural sanitation on diarrhoea and helminth infection: design of a cluster-randomized trial in Orissa, India. 2012 , 9, 7		56
597	Cross-sectional comparisons of BMI and waist circumference in British children: mixed public health messages. 2012 , 20, 1258-60		22
596	Validation of five simple models estimating body fat in white postmenopausal women: use in clinical practice and research. 2012 , 20, 1329-32		9
595	Percentile curves for skinfold thickness in 7- to 14-year-old children and adolescents from Jena, Germany. 2012 , 66, 613-21		24
594	Harmonization process and reliability assessment of anthropometric measurements in the elderly EXERNET multi-centre study. 2012 , 7, e41752		10
593	Critical nutritional stress among adult tribal populations of West Bengal and Orissa, India.. 2012 ,		2
592	Double burden of malnutrition among urban Bengalee adolescent boys in Midnapore, West Bengal, India. 2012 ,		
591	Double burden of malnutrition among urban Bengalee adolescent boys in Midnapore, West Bengal, India. 2012 ,		1
590	Association between tooth loss and obesity in Brazilian adults: a population-based study. 2012 , 46, 834-42		15
589	Assessing the influence of occupational and physical activity on the rate of degenerative change of the pubic symphysis in Portuguese males from the 19th to 20th century. 2012 , 148, 371-8		16
588	Low birth weight does not predict the ontogeny of relative leg length of infants and children: an allometric analysis of the NHANES III sample. 2012 , 148, 487-94		17
587	The second to fourth digit ratio and age at first marriage in semi-nomadic people from Namibia. 2012 , 41, 703-10		6
586	Estimation of stature from hand and handprint dimensions in a Western Australian population. <i>Forensic Science International</i> , 2012 , 216, 199.e1-7	2.6	35
585	Gender discrimination in undernutrition with mediating factors among Bengalee school children from Eastern India. 2012 , 63, 126-35		8
584	Reliability and accuracy of anthropometry performed by community health workers among infants under 6 months in rural Kenya. 2012 , 17, 622-9		44
583	Epidemiology: Principles and Practical Guidelines. 2013 ,		5

582	Correlations among adiposity measures in school-aged children. 2013 , 13, 99		94
581	Concordance of traditional osteometric and volume-rendered MSCT interlandmark cranial measurements. <i>International Journal of Legal Medicine</i> , 2013 , 127, 505-20	3.1	55
580	Estimation of stature using anthropometry of feet and footprints in a Western Australian population. 2013 , 20, 435-41		35
579	Reliability of cut mark analysis in human costal cartilage: the effects of blade penetration angle and intra- and inter-individual differences. <i>Forensic Science International</i> , 2013 , 231, 244-8	2.6	12
578	Sex estimation using anthropometry of feet and footprints in a Western Australian population. <i>Forensic Science International</i> , 2013 , 231, 402.e1-6	2.6	25
577	Fat mass and fat-free mass as indicators of body composition among Bengalee Muslim children. 2013 , 40, 286-93		13
576	Skinfolds and coronary heart disease risk factors are more strongly associated with BMI than with the body adiposity index. 2013 , 21, E64-70		8
575	The test-re-test reliability of routine infant anthropometry at primary care hospitals in Chongqing, PR China. 2013 , 40, 309-17		7
574	Modeling physical growth using mixed effects models. 2013 , 150, 58-67		31
573	Determination of body size measures and blood pressure levels among children. 2013 , 89, 211-4		3
572	The abilities of body mass index and skinfold thicknesses to identify children with low or elevated levels of dual-energy X-ray absorptiometry-determined body fatness. 2013 , 163, 160-6.e1		32
571	Estimation of sex from the upper limb measurements of Sudanese adults. 2013 , 20, 1041-7		19
570	Estimation of stature using lower limb measurements in Sudanese Arabs. 2013 , 20, 483-8		42
569	Effect of provision of daily zinc and iron with several micronutrients on growth and morbidity among young children in Pakistan: a cluster-randomised trial. 2013 , 382, 29-40		238
568	Estimation of stature from the upper limb measurements of Sudanese adults. <i>Forensic Science International</i> , 2013 , 228, 178.e1-7	2.6	35
567	Maternal height and child growth patterns. 2013 , 163, 549-54		134
566	The subpubic angle in sex determination: anthropometric measurements and analyses on Anatolian Caucasians using multidetector computed tomography datasets. 2013 , 20, 1004-9		19
565	Anthropometric accuracy and reproducibility in forensic anthropology case work and research. 2013 , 20, 369		

564	Estimation of sex from the lower limb measurements of Sudanese adults. <i>Forensic Science International</i> , 2013 , 229, 169.e1-7	2.6	10
563	Determination of Body Size Measures and Blood Pressure Levels among Children. 2013 , 89, 211-214		
562	Delayed flow-mediated vasodilation and carotid atherosclerosis. 2013 , 43, 49-55		14
561	Impact of instrument error on the estimated prevalence of overweight and obesity in population-based surveys. 2013 , 13, 146		14
560	Anogenital distances in newborns and children from Spain and Greece: predictors, tracking and reliability. 2013 , 27, 89-99		45
559	Lumbar vertebral canal size in adults and children: observations from a skeletal sample from London, England. 2013 , 64, 120-8		14
558	The Quality Assurance and Control Plan. 2013 , 241-260		
557	Reliability and stability of anthropometric and performance measures in highly-trained young soccer players: effect of age and maturation. 2013 , 31, 1332-43		58
556	Overweight and obesity prevention for adolescents: a cluster randomized controlled trial in a school setting. 2013 , 44, 30-9		49
555	Comparison of the Enteseal Changes of the os coxae of Portuguese Males (19th-20th centuries) with Known Occupation. 2013 , 23, 229-236		7
554	Assessment and prediction of thoracic gas volume in pregnant women: an evaluation in relation to body composition assessment using air displacement plethysmography. <i>British Journal of Nutrition</i> , 2013 , 109, 111-7	3.6	14
553	Effect of household-based drinking water chlorination on diarrhoea among children under five in Orissa, India: a double-blind randomised placebo-controlled trial. 2013 , 10, e1001497		61
552	A comparison of the Slaughter skinfold-thickness equations and BMI in predicting body fatness and cardiovascular disease risk factor levels in children. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 1417-24		74
551	Re: "Comparisons of the strength of associations with future type 2 diabetes risk among anthropometric obesity indicators, including waist-to-height ratio: a meta-analysis". 2013 , 177, 862		4
550	Relative fat distribution in relation to menarcheal status among Bengalee Hindu girls of West Bengal, India. 2013 , 4, 369-73		5
549	Assessment of Nutritional Status: A Case of Tribal Children in Assam, Northeast India. 2013 , 33, 1-7		5
548	Adiposity and Health Status among Adult Male Mundas and Oraons of Paschim Medinipur, West Bengal, India. 2013 , 2013, 1-6		
547	Measurement error of waist circumference: gaps in knowledge. 2013 , 16, 281-8		63

546 Two authors reply. **2013**, 177, 863

545 Adiposity indices in the prediction of insulin resistance in prepubertal Colombian children. **2013**, 16, 248-55 15

544 Measuring distortion of skeletal elements in Lodox Statscan-generated images. **2013**, 26, 780-6 17

543 Clinical utility and reproducibility of visceral adipose tissue measurements derived from dual-energy X-ray absorptiometry in White and African American adults. **2013**, 21, 2221-4 36

542 The inter-tester reliability of anthropometric measurement with portable tools. **2013**, 15, 34-41 5

541 Area-level deprivation and adiposity in children: is the relationship linear?. **2013**, 37, 486-92 8

540 Assessing spontaneous baroreflex in aged with pulse-pulse intervals and pulse amplitudes. **2013**, 2013, 2072-5

539 Is the body adiposity index (hip circumference/height(1.5)) more strongly related to skinfold thicknesses and risk factor levels than is BMI? The Bogalusa Heart Study. *British Journal of Nutrition*, **2013**, 109, 338-45 3.6 22

538 Anthropometric analysis of palpebral fissure dimensions and its position in South Indian ethnic adults. **2013**, 28, 26-32 23

537 Procedimentos clínicos utilizados para análise da composição corporal. **2013**, 15, 8

536 Fasting blood sugar and serum triglyceride as the risk factors of colorectal adenoma in Korean population receiving screening colonoscopy. **2013**, 2, 34-41 4

535 Nutritional Screening and Assessment. **2013**, 132-156

534 Dietary quality and 6-year anthropometric changes in a sample of French middle-aged overweight and obese adults. **2014**, 9, e87083 13

533 A study of correlations within the dimensions of lower limb parts for personal identification in a Sudanese population. **2014**, 2014, 541408 4

532 Use of upper-arm anthropometry as measure of body-composition and nutritional assessment in children and adolescents (6-20 years) of Assam, Northeast India. **2014**, 24, 243-52 14

531 Positional differences in morphology, somatotype and body composition characteristics in university level Indian footballers. **2014**, 3, 35-40 1

530 Nutrition and exercise in the management of liver cirrhosis. **2014**, 20, 7286-97 55

529 Dokumentation im pädiatrischen Alltag. **2014**, 26, 388-395

528	Weight gain, total fat gain and regional fat gain during pregnancy and the association with gestational diabetes: a population-based cohort study. 2014 , 38, 76-81		41
527	Estimation of sex from the metric assessment of digital hand radiographs in a Western Australian population. <i>Forensic Science International</i> , 2014 , 244, 314.e1-7	2.6	20
526	Ethnicity and the association between anthropometric indices of obesity and cardiovascular risk in women: a cross-sectional study. 2014 , 4, e004702		19
525	Effect of antenatal multiple micronutrient supplementation on anthropometry and blood pressure in mid-childhood in Nepal: follow-up of a double-blind randomised controlled trial. 2014 , 2, e654-63		31
524	Reliability of anthropometric measurements in European preschool children: the ToyBox-study. 2014 , 15 Suppl 3, 67-73		38
523	A study of the anthropometric correlations between upper limb measurements for personal identification in Sudanese population. 2014 , 65, 489-98		6
522	Adiposity assessments: agreement between dual-energy X-ray absorptiometry and anthropometric measures in U.S. children. 2014 , 22, 1495-504		19
521	Dietary diversity at 6 months of age is associated with subsequent growth and mediates the effect of maternal education on infant growth in urban Zambia. 2014 , 144, 1818-25		39
520	Blood pressure measurements are unreliable to diagnose hypertension in primary care. 2014 , 32, 509-17		40
519	A novel technique for infant length measurement based on stereoscopic vision. 2014 , 99, 625-8		3
518	Thinness as Major Underlying Problem Among Adolescents of Northeast India. 2014 , 34, 39-47		4
517	Prevalence of Double Nutrition Burden Among Adolescent Girls of Assam, Northeast India. 2014 , 34, 132-137		2
516	Ultrasonography is not more reliable than anthropometry for assessing visceral fat in obese children. 2014 , 9, 443-7		11
515	Sex assessment using clavicle measurements: inter- and intra-population comparisons. <i>Forensic Science International</i> , 2014 , 234, 181.e1-15	2.6	20
514	Anthropometric characteristics of Australian junior representative rugby league players. 2014 , 17, 546-51		19
513	Optimizing linear growth measurement in children. 2014 , 28, 413-9		6
512	Ability of body mass index and waist circumference to identify risk factors for non-communicable disease in the Pacific Islands. 2014 , 8, e36-45		5
511	Reliability and practicality of measuring waist circumference to monitor cardiovascular risk among community mental health center patients. 2014 , 50, 68-74		10

510	Age estimation of immature human skeletal remains from the diaphyseal length of the long bones in the postnatal period. <i>International Journal of Legal Medicine</i> , 2014 , 128, 809-24	3.1	28
509	Accuracy and reliability of measurements obtained from computed tomography 3D volume rendered images. <i>Forensic Science International</i> , 2014 , 238, 133-40	2.6	101
508	Morphometric modelling of ageing in the human pubic symphysis: sexual dimorphism in an Australian population. <i>Forensic Science International</i> , 2014 , 236, 195.e1-11	2.6	19
507	Estimation of stature from lengths of index and ring fingers in a North-eastern Indian population. 2014 , 22, 10-5		18
506	Interrelationships between anthropometric variables and overweight in childhood and adolescence. <i>American Journal of Human Biology</i> , 2014 , 26, 502-10	2.7	11
505	Body composition analysis in older adults with dementia. Anthropometry and bioelectrical impedance analysis: a critical review. 2014 , 68, 1228-33		22
504	Effectiveness of a rural sanitation programme on diarrhoea, soil-transmitted helminth infection, and child malnutrition in Odisha, India: a cluster-randomised trial. 2014 , 2, e645-53		323
503	Arm span and ulnar length are reliable and accurate estimates of recumbent length and height in a multiethnic population of infants and children under 6 years of age. 2014 , 144, 1480-7		13
502	Linear growth increased in young children in an urban slum of Haiti: a randomized controlled trial of a lipid-based nutrient supplement. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 198-208	7	92
501	Pediatric adiposity stabilized in Switzerland between 1999 and 2012. 2014 , 53, 865-75		15
500	Effect of integrated responsive stimulation and nutrition interventions in the Lady Health Worker programme in Pakistan on child development, growth, and health outcomes: a cluster-randomised factorial effectiveness trial. 2014 , 384, 1282-93		206
499	Soft tissue thickness in young north eastern Brazilian individuals with different skeletal classes. 2014 , 22, 115-20		13
498	Nutrition biomarkers and clinical outcomes in critically ill children: A critical appraisal of the literature. 2014 , 33, 191-7		34
497	Accuracy of standard craniometric measurements using multiple data formats. <i>Forensic Science International</i> , 2014 , 242, 177-185	2.6	22
496	The effect of posture on body circumferences in older adults. 2014 , 27, 80-7		10
495	Using multivariate adaptive regression splines to estimate subadult age from diaphyseal dimensions. 2014 , 154, 376-86		27
494	Delayed vasodilation is associated with cardiovascular risk. 2014 , 44, 549-56		17
493	Thinness among primary school children of the migrated Santals of Arambag, West Bengal, India. 2014 , 5, 46		1

492	Comparison of body mass index, waist circumference, and waist-to-height ratio for predicting the clustering of cardiometabolic risk factors by age in Japanese workers--Japan Epidemiology Collaboration on Occupational Health study. 2014 , 78, 1160-8		28
491	Surname-inferred Andean ancestry is associated with child stature and limb lengths at high altitude in Peru, but not at sea level. <i>American Journal of Human Biology</i> , 2015 , 27, 798-806	2.7	11
490	Beyond height and weight: a programme of school nurse assessed skinfold measurements from white British and South Asian origin children aged 4-5 years within the Born in Bradford cohort study. 2015 , 5, e008630		4
489	Interrelationships between BMI, skinfold thicknesses, percent body fat, and cardiovascular disease risk factors among U.S. children and adolescents. 2015 , 15, 188		32
488	Population-based survey of overweight and obesity and the associated factors in peri-urban and rural Eastern Uganda. 2015 , 15, 1168		40
487	A cluster randomised feasibility trial evaluating nutritional interventions in the treatment of malnutrition in care home adult residents. 2015 , 16, 433		33
486	Anthropometric Characteristics and Chronic Energy Deficiency of the Mankidias - A PTG of Northern Odisha, India. 2015 , 13, 88-93		2
485	The long-term impact of developmental stress. Evidence from later medieval and post-medieval London (AD1117-1853). 2015 , 158, 569-80		39
484	The effects of body mass index and age on cross-sectional properties of the femoral neck. 2015 , 28, 1048-57		6
483	Correlaci3n entre 3ndice de Masa Corporal y Sintomatolog3a Depresiva en una Muestra de Ni3os Preescolares de La Regi3n de Los R3os, Chile. 2015 , 33, 860-864		
482	Socio-Economic, Demographic and Lifestyle Determinants of Overweight and Obesity among Adults of Northeast India. 2015 , 25, 199-208		18
481	Prevalence of Diabetes and Associated Factors in the Uyghur and Han Population in Xinjiang, China. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 12792-802	4.6	14
480	A new, effective and low-cost three-dimensional approach for the estimation of upper-limb volume. <i>Sensors</i> , 2015 , 15, 12342-57	3.8	22
479	Correlation between Haemoglobin Level and Anthropometric Variables: A Study on Women of Reproductive Age Group, West Bengal. 2015 , 19, 185-192		1
478	Assessment of under nutrition of Bangladeshi adults using anthropometry: can body mass index be replaced by mid-upper-arm-circumference?. 2015 , 10, e0121456		49
477	Small-quantity lipid-based nutrient supplements, regardless of their zinc content, increase growth and reduce the prevalence of stunting and wasting in young burkinabe children: a cluster-randomized trial. 2015 , 10, e0122242		97
476	The Effect of Deworming on Growth in One-Year-Old Children Living in a Soil-Transmitted Helminth-Endemic Area of Peru: A Randomized Controlled Trial. 2015 , 9, e0004020		20
475	Reliability of Health-Related Physical Fitness Tests among Colombian Children and Adolescents: The FUPRECOL Study. 2015 , 10, e0140875		69

474	Estimation of Sex From Index and Ring Finger Lengths in An Indigenous Population of Eastern India. 2015 , 9, HC01-5		4
473	Association between inaccurate estimation of body size and obesity in schoolchildren. 2015 , 37, 220-6		8
472	Body Mass Index and Chronic Energy Deficiency among Adults of Tharu Population, Uttarakhand, India. 2015 , 6, 475		1
471	Changes in total and central adiposity and body fat distribution among 7-10-year-old schoolchildren in Brazil. 2015 , 18, 2105-14		8
470	Smoking and obesity among pregnant women in Iceland 2001-2010. 2015 , 25, 638-43		7
469	Validating Paediatric Morphometrics: body proportion measurement using photogrammetric anthropometry. 2015 , 28, 1357-62		6
468	Management of acute malnutrition in infants aged under 6 months (MAMI): current issues and future directions in policy and research. 2015 , 36, S30-4		34
467	Association Study of GWAS-Derived Loci with Height in Brazilian Children: Importance of MAP3K3, MMP24 and IGF1R Polymorphisms for Height Variation. 2015 , 84, 248-53		4
466	A study of scan garment accuracy and reliability. 2015 , 106, 853-861		12
465	Estimation of stature using hand and foot dimensions in Slovak adults. 2015 , 17, 92-7		48
464	Sex estimation from the tarsal bones in a Portuguese sample: a machine learning approach. <i>International Journal of Legal Medicine</i> , 2015 , 129, 651-9	3-1	49
463	Ethnic differences in BMI, subcutaneous fat, and serum leptin levels during and after pregnancy and risk of gestational diabetes. 2015 , 172, 649-56		26
462	Diabetes in rural individuals of different nutritional status and the alarming situation demands focus more on its under-nutrition association. 2015 , 121, 26-31		0
461	Association of some socio-economic and socio-demographic variables with wasting among pre-school children of North Bengal, India. 2015 , 25, 63-72		12
460	Growth and nutritional status of children from dysfunctional families with alcohol addicted parents in Poland. 2015 , 18, 101-9		6
459	Appetite testing in HIV-infected African adults recovering from malnutrition and given antiretroviral therapy. 2015 , 18, 742-51		10
458	Adiposity indicators and blood pressure in children: nothing beyond body mass index?. 2015 , 29, 211-2		1
457	Agreement between routine and research measurement of infant height and weight. 2015 , 100, 24-9		17

456	Effects of vitamin D supplementation in infancy on growth, bone parameters, body composition and gross motor development at age 3-6 years: follow-up of a randomized controlled trial. 2015 , 44, 894-905		21
455	Estimation of sex from the anthropometric ear measurements of a Sudanese population. 2015 , 17, 313-9		22
454	Estimation of stature from diversified hand anthropometric dimensions from Korean population. 2015 , 35, 9-14		23
453	Postnatal penile growth concurrent with mini-puberty predicts later sex-typed play behavior: Evidence for neurobehavioral effects of the postnatal androgen surge in typically developing boys. 2015 , 69, 98-105		53
452	Association of trimester-specific gestational weight gain with fetal growth, offspring obesity, and cardiometabolic traits in early childhood. 2015 , 212, 502.e1-14		104
451	Sex estimation using the second cervical vertebra: a morphometric analysis in a documented Portuguese skeletal sample. <i>International Journal of Legal Medicine</i> , 2015 , 129, 365-72	3.1	41
450	Effects on anthropometry and appetite of vitamins and minerals given in lipid nutritional supplements for malnourished HIV-infected adults referred for antiretroviral therapy: results from the NUSTART randomized controlled trial. 2015 , 68, 405-12		12
449	A training program for anthropometric measurements by a dedicated nutrition support team improves nutritional status assessment of the critically ill child. 2015 , 16, e82-8		19
448	BMI-specific waist circumference is better than skinfolds for health-risk determination in the general population. 2015 , 40, 134-41		2
447	Racial/ethnic standards for fetal growth: the NICHD Fetal Growth Studies. 2015 , 213, 449.e1-449.e41		243
446	Measuring obesity in the absence of a gold standard. 2015 , 17, 116-28		20
445	Optimal treatment of replicate measurements in anthropometric studies. 2015 , 42, 507-10		17
444	An assessment of sexual dimorphism and sex estimation using cervical dental measurements in a Northwest Coast archeological sample. <i>Journal of Archaeological Science: Reports</i> , 2015 , 3, 306-312	0.7	4
443	Early growth velocities and weight gain plasticity improve linear growth in Peruvian infants. 2015 , 11, 127-37		5
442	Facial soft tissue thicknesses: Noise, signal, and P. <i>Forensic Science International</i> , 2015 , 257, 114-122	2.6	24
441	Body Composition Tools for Assessment of Adult Malnutrition at the Bedside: A Tutorial on Research Considerations and Clinical Applications. 2015 , 39, 787-822		107
440	Determination of sex from various hand dimensions of Koreans. <i>Forensic Science International</i> , 2015 , 257, 521.e1-521.e10	2.6	15
439	Odontometric sex estimation on three populations of the Iron Age from Abruzzo region (central-southern Italy). 2015 , 60, 100-15		21

438	Prevalence of Under-Nutrition Measured by Composite Index of Anthropometric Failure (CIAF) Among the Bhumij Children of Northern Odisha, India. 2016 , 36, 61-67		8
437	Prediction of selected anthropometric parameters on straid length performance for college level men short and long distance runners. 2016 , 2, 134		
436	Prediction of Skeletal Medial-Lateral for transfemoral ischial containment sockets. 2016 , 53, 253-62		1
435	Interrelationships between Height and Selected Linear Body Dimensions and Estimation of Sex in Nepali-Speaking Adults from Naxalbari, Darjeeling. 2016 , 07,		
434	Computer-assisted Cobb angle measurement from posteroanterior radiographs by a curve fitting method. 2016 , 24, 4604-4610		1
433	Prevalence of Stunting and Thinness Among Adolescent Girls Belonging to the Rajbanshi Population of West Bengal, India. 2016 , 36, 147-155		5
432	Brachial Low-Flow-Mediated Constriction is Associated with Delayed Brachial Flow-Mediated Dilation. 2016 , 23, 355-63		15
431	[Not Available]. 2016 , 33, 275		4
430	Maternal Body Mass Index Is Strongly Associated with Children Z-Scores for Height and BMI. 2016 , 2016, 1-10		15
429	Metric Identification of the Same People from Images: How Reliable Is It?. 2016 , 2016, 1-10		1
428	Waist-to-height ratio as a screening tool for obesity and cardiometabolic risk. 2016 , 59, 425-431		73
427	Upper Arm Composition as an Indicator of Body Composition and Nutritional Status of Adolescent Boys Aged 10-18 Years. 2016 , 35, 152-161		2
426	A Reappraisal of Developing Permanent Tooth Length as an Estimate of Age in Human Immature Skeletal Remains. <i>Journal of Forensic Sciences</i> , 2016 , 61, 1180-9	1.8	6
425	Sexual dimorphism in growth in the relative length of the forearm and relative knee height during adolescence. 2016 , 161, 276-82		1
424	Anthropometric measurement standardization in the US-affiliated pacific: Report from the Children's Healthy Living Program. <i>American Journal of Human Biology</i> , 2016 , 28, 364-71	2.7	17
423	New CIMDER measuring tapes for screening nutritional status in children less than 5 years of age. 2016 , 41, 232-239		
422	Risk factors for mortality among malnourished HIV-infected adults eligible for antiretroviral therapy. 2016 , 16, 562		16
421	Nutritional assessment of children under five based on anthropometric measurements with image processing techniques. 2016 ,		

420	Breastmilk Output in a Disadvantaged Community with High HIV Prevalence as Determined by the Deuterium Oxide Dose-to-Mother Technique. 2016 , 11, 64-9		7
419	Alimentation et croissance des jeunes enfants Peuls ^Widou Thiengoly (Ferlo âĀhġal). 2016 , 28, 145-154		2
418	Excessive adiposity at low BMI levels among women in rural Bangladesh. <i>Journal of Nutritional Science</i> , 2016 , 5, e11	2.7	10
417	Association between body image dissatisfaction and obesity among schoolchildren aged 7-10years. 2016 , 160, 6-11		13
416	Ultrasound Quality Assurance for Singletons in the National Institute of Child Health and Human Development Fetal Growth Studies. 2016 , 35, 1725-33		26
415	A new method for accurately and precisely measuring flake platform area. <i>Journal of Archaeological Science: Reports</i> , 2016 , 8, 178-186	0.7	6
414	Development and Validation of a Technique for Casting Anatomical Features and Toolmarks. <i>Journal of Forensic Sciences</i> , 2016 , 61, 1604-1609	1.8	
413	Comparison of Preventive and Therapeutic Zinc Supplementation in Young Children in Burkina Faso: A Cluster-Randomized, Community-Based Trial. 2016 , 146, 2058-2066		12
412	Disentangling the associations between parental BMI and offspring body composition using the four-component model. <i>American Journal of Human Biology</i> , 2016 , 28, 524-33	2.7	8
411	Anthropometric correlations between parts of the upper and lower limb: models for personal identification in a Sudanese population. 2016 , 12, 257-66		2
410	Use of Replicates to Improve the Quality of Physical Measurements: Lessons Learned from A Psychometric Evaluation of an Adaptive Protocol in the National Children's Study. 2016 , 4, 525-554		1
409	True height and variability in estimates thereof across race and gender. 2016 , 29, 64-68		4
408	Micronutrient Adequacy and Dietary Diversity Exert Positive and Distinct Effects on Linear Growth in Urban Zambian Infants. 2016 , 146, 2093-2101		17
407	Neck circumference as a screening measure of overweight/obesity among Indian adults. <i>Anthropological Review</i> , 2016 , 79, 347-365	0.6	
406	Beyond BMI: How to Capture Influences from Body Composition in Health Surveys. 2016 , 5, 286-294		2
405	Sex estimation of the tibia in modern Turkish: A computed tomography study. 2016 , 23, 89-94		9
404	Socio-economic and demographic correlates of stunting among adolescents of Assam, North- east India. <i>Anthropological Review</i> , 2016 , 79, 409-425	0.6	16
403	Precision of recumbent crown-heel length when using an infantometer. 2016 , 16, 186		6

402	Anthropometric indices and measures to assess change in the nutritional status of a population: a systematic literature review. <i>BMC Nutrition</i> , 2016 , 2,	2.5	7
401	Cephalo-facial analysis to estimate stature in a Sudanese population. 2016 , 20, 80-6		6
400	A method for sex estimation using the proximal femur. <i>Forensic Science International</i> , 2016 , 266, 579.e1-579.e726		
399	Statistical Interpretation of Collected Anthropometric Data of Agricultural Workers From Northeast India and Comparison With National and International Databases. 2016 , 4, 197-210		5
398	Reliability and criterion validity of self-measured waist, hip, and neck circumferences. 2016 , 16, 49		20
397	Quantifying the proportion of deaths due to body mass index- and waist circumference-defined obesity. 2016 , 24, 735-42		17
396	The application of knemometry to measure childhood short-term growth among the indigenous Shuar of Ecuador. 2016 , 160, 353-7		4
395	Body composition and morphological assessment of nutritional status in adults: a review of anthropometric variables. 2016 , 29, 7-25		95
394	Reliability of Nasofacial Analysis Using Rhinobase [®] Software. 2016 , 40, 149-56		6
393	Smart Multi-Frequency Bioelectrical Impedance Spectrometer for BIA and BIVA Applications. 2016 , 10, 912-9		20
392	[Nutritional status in pediatric intermediate care: Assessment at admission, progression during the stay and after discharge]. 2016 , 23, 333-9		6
391	Sex estimation from measurements of the first rib in a contemporary Polish population. <i>International Journal of Legal Medicine</i> , 2016 , 130, 265-72	3.1	17
390	Adverse Left Ventricular Remodeling and Age Assessed with Cardiac MR Imaging: The Multi-Ethnic Study of Atherosclerosis. 2016 , 278, 714-22		55
389	Development and validation of an ultra-performance liquid chromatography quadrupole time of flight mass spectrometry method for rapid quantification of free amino acids in human urine. 2016 , 48, 219-34		36
388	Analysis of stature prediction from foot anthropometry: a South Korean case study. <i>Australian Journal of Forensic Sciences</i> , 2017 , 49, 9-21	1.1	4
387	Ergonomic design of an EEG headset using 3D anthropometry. 2017 , 58, 128-136		27
386	Quantification of the timing of anterior fontanelle closure in a Western Australian population. <i>Australian Journal of Forensic Sciences</i> , 2017 , 49, 142-153	1.1	3
385	Linear and appositional growth in infants and children from the prehistoric settlement of Ban Non Wat, Northeast Thailand: Evaluating biological responses to agricultural intensification in Southeast Asia. <i>Journal of Archaeological Science: Reports</i> , 2017 , 11, 435-446	0.7	6

384	Sex prediction potential of hyoid metric measurements in Iranian adults. 2017 , 25, 6-10		3
383	Development and validation of two equations based on anthropometry, estimating body fat for the Greek adult population. 2017 , 25, 408-416		8
382	Overall trends vs. individual trajectories in the second-to-fourth digit (2D:4D) and metacarpal (2M:4M) ratios during puberty and adolescence. 2017 , 162, 641-656		11
381	Evaluating the Consistency, Repeatability, and Reproducibility of Osteometric Data on Dry Bone Surfaces, Scanned Dry Bone Surfaces, and Scanned Bone Surfaces Obtained from Living Individuals. 2017 , 29, 33-53		10
380	Estimation of stature from radiographic measurement of foot dimensions: Truncated foot length may be more reliable than full foot length. 2017 , 46, 53-57		4
379	The impact of using sagittal abdominal diameter to predict major cardiovascular events in European patients with type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 418-422	4.5	13
378	Sex estimation with the total area of the proximal femur: A densitometric approach. <i>Forensic Science International</i> , 2017 , 275, 110-116	2.6	10
377	Thin-for-gestational age infants are at increased risk of neurodevelopmental delay at 2 years. 2017 , 102, F197-F202		9
376	Growing-up Unfortunate: War and Human Capital in Ethiopia. 2017 , 96, 474-489		11
375	Developmental instability and its relationship to mental health in two historic Dutch populations. 2017 , 17, 42-51		4
374	Use of upper arm anthropometry, upper arm muscle area-by-height (UAMAH) and midupper-arm-circumference (MUAC)-for-height as indicators of body composition and nutritional status among children. <i>Anthropological Review</i> , 2017 , 80, 85-102	0.6	10
373	Validity of Self-Assessed Sexual Maturation Against Physician Assessments and Hormone Levels. 2017 , 186, 172-178.e3		77
372	Home-based anthropometric, blood pressure and pulse measurements in young children by trained data collectors in the National Children's Study. 2017 , 20, 200-209		2
371	Age estimation of immature human skeletal remains from the dimensions of the girdle bones in the postnatal period. 2017 , 163, 772-783		7
370	Role of Nutrition and Feeding for the Chronically Ill Pediatric Liver Patient Awaiting Liver Transplant. 2017 , 40, 109-116		2
369	Estimation of true height: a study in population-specific methods among young South African adults. 2017 , 20, 210-219		7
368	Factors influencing diurnal variation in height among adults. 2017 , 68, 236-241		2
367	Growth of HIV-exposed uninfected, compared with HIV-unexposed, Zambian children: a longitudinal analysis from infancy to school age. 2017 , 17, 80		30

366	Examining Interobserver Reliability of Metric and Morphoscopic Characteristics of the Mandible. <i>Journal of Forensic Sciences</i> , 2017 , 62, 981-985	1.8	6
365	Assessment of Child Anthropometry in a Large Epidemiologic Study. 2017 ,		9
364	Sex determination from the femur in Portuguese populations with classical and machine-learning classifiers. 2017 , 52, 75-81		23
363	Effect of participatory women's groups and counselling through home visits on children's linear growth in rural eastern India (CARING trial): a cluster-randomised controlled trial. 2017 , 5, e1004-e1016		67
362	Sex estimation from measurements of the calcaneus: Applications for personal identification in Thailand. <i>Forensic Science International</i> , 2017 , 278, 405.e1-405.e8	2.6	15
361	Sagittal abdominal diameter predicts cardiovascular events. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 1031-1032	4.5	2
360	A novel method for sex estimation using 3D computed tomography models of tooth roots: A volumetric analysis. 2017 , 83, 202-208		10
359	Sex estimation in a contemporary Turkish population based on CT scans of the calcaneus. <i>Forensic Science International</i> , 2017 , 279, 310.e1-310.e6	2.6	15
358	Changes in Health and Fitness in Firefighter Recruits: An Observational Cohort Study. 2017 , 49, 2223-2233		14
357	3-D printing open-source click-MUAC bands for identification of malnutrition. 2017 , 20, 2063-2066		11
356	Accuracy of anthropometric measurements by general practitioners in overweight and obese patients. 2017 , 4, 23		16
355	Evaluation of the 3dMDface system as a tool for soft tissue analysis. 2017 , 20 Suppl 1, 119-124		18
354	Scan posture definition and hip girth measurement: the impact on clothing design and body scanning. 2017 , 60, 1123-1136		12
353	Sex estimation from the long bones of modern South Africans. <i>International Journal of Legal Medicine</i> , 2017 , 131, 275-285	3.1	30
352	Sexual dimorphism of the tibia in contemporary Greek-Cypriots and Cretans: Forensic applications. <i>Forensic Science International</i> , 2017 , 271, 129.e1-129.e7	2.6	14
351	Secular trends for skinfolds differ from those for BMI and waist circumference among adults examined in NHANES from 1988-1994 through 2009-2010. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 169-176	7	5
350	Height gain after two-years-of-age is associated with better cognitive capacity, measured with Raven's coloured matrices at 15-years-of-age in Malawi. 2017 , 13,		11
349	Age estimation of immature human skeletal remains from the metaphyseal and epiphyseal widths of the long bones in the post-natal period. 2017 , 162, 19-35		9

348	Estimation of sex in a contemporary Saudi population based on sternal measurements using multidetector computed tomography. 2017 , 68, 411-421		6
347	Development of smart phone-based child health screening tools for community health workers. 2017 ,		2
346	Improving the Performance of Anthropometry Measurements in the Pediatric Intensive Care Unit. 2017 , 2, e022		3
345	Are Poor Individuals Mainly Found in Poor Households? Evidence using Nutrition Data for Africa. 2017 ,		10
344	Assessment of Nutritional Status among Muslim Adolescents of Deganga, North 24 Parganas, West Bengal. 2017 , 9, 98-103		1
343	Nutritional status of adolescent girls in a rural area of Bangladesh: A cross sectional study. 2017 , 52, 221-228		3
342	Assessment of Nutritional Status among 2 to 12 Years Children of Two Districts in West Bengal, India. 2017 , 9, 118-125		1
341	Ancestry estimation of three Mediterranean populations based on cranial metrics. <i>Forensic Science International</i> , 2018 , 286, 265.e1-265.e8	2.6	11
340	Estimating gestational age at birth from fundal height and additional anthropometrics: a prospective cohort study. 2018 , 125, 1397-1404		4
339	Suboptimal infant and young child feeding practices among internally displaced persons during conflict in eastern Ukraine. 2018 , 21, 917-926		13
338	Growth Patterns and Individual Variation in Mid-sagittal Facial Soft Tissue Depth from Childhood to Adulthood. <i>Journal of Forensic Sciences</i> , 2018 , 63, 1641-1651	1.8	5
337	Estimation of stature from hand and foot dimensions in a Korean population. 2018 , 55, 87-92		28
336	Is "Latin American" population-specific? Testing sex discriminant functions from the Mexican tibia on a Chilean sample. <i>Forensic Science International</i> , 2018 , 287, 223.e1-223.e7	2.6	4
335	A comparison of manual anthropometric measurements with Kinect-based scanned measurements in terms of precision and reliability. 2018 , 59, 325-339		12
334	Breastfeeding duration, maternal body mass index, and birth weight are associated with differences in body mass index growth trajectories in early childhood. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 584-592	7	17
333	Can early-life growth disruptions predict longevity? Testing the association between vertebral neural canal (VNC) size and age-at-death. 2018 , 22, 8-17		1
332	Accuracy, precision and reliability in anthropometric surveys for ergonomics purposes in adult working populations: A literature review. 2018 , 65, 1-16		17
331	Is early life exposure to polyomaviruses and herpesviruses associated with obesity indices and metabolic traits in childhood?. 2018 , 42, 1590-1601		5

330	Investigating the sex-related geometric variation of the human cranium. <i>International Journal of Legal Medicine</i> , 2018 , 132, 1505-1514	3.1	10
329	Potential Cardioprotective Effects of Sumac Capsule in Patients With Hyperlipidemia: A Triple-Blind Randomized, Placebo-Controlled Crossover Trial. 2018 , 37, 286-292		12
328	Dual-energy X-ray absorptiometry visceral adipose tissue estimates: reproducibility and impact of pre-assessment diet. 2018 , 72, 609-612		2
327	Faltering growth in the critically ill child: prevalence, risk factors, and impaired outcome. 2018 , 177, 345-353		13
326	Reliability of length measurements collected by community nurses and health volunteers in rural growth monitoring and promotion services. 2018 , 18, 118		7
325	Introduction of iodised salt benefits infants' mental development in a community-based cluster-randomised effectiveness trial in Ethiopia. <i>British Journal of Nutrition</i> , 2018 , 119, 801-809	3.6	7
324	Reconstruction of femur length from its proximal fragments in a Bulgarian modern population. <i>Australian Journal of Forensic Sciences</i> , 2018 , 50, 403-413	1.1	1
323	Sex estimation using cervical dental measurements in an archaeological population from Iran. 2018 , 10, 439-448		9
322	Assessing Community Health: An Innovative Tool for Measuring Height and Length. 2018 , 64, 146-150		3
321	Improving nutritional status assessment in patients with chronic pancreatitis. 2018 , 18, 785-791		6
320	Reducing measurement errors during functional capacity tests in elders. 2018 , 30, 595-603		7
319	Sex determination of a Tunisian population by CT scan analysis of the skull. <i>International Journal of Legal Medicine</i> , 2018 , 132, 853-862	3.1	12
318	Validation of the Vectra H1 portable three-dimensional photogrammetry system for facial imaging. 2018 , 47, 403-410		58
317	Virtual computed tomography morphometry of the patella for estimation of sex using postmortem Japanese adult data in forensic identification. <i>Forensic Science International</i> , 2018 , 285, 206.e1-206.e6	2.6	6
316	Characterization of Thermal and Mechanical Indices from Serial Ultrasound Exams and Associations with Neonatal Anthropometry: The NICHD Fetal Growth Studies. 2018 , 35, 632-642		4
315	Applicability of 3D-dental reconstruction in cervical odontometrics. 2018 , 165, 370-377		5
314	Cephalic Index among Nepalese Medical Students. 2018 , 7, 20-23		
313	Measuring human body: Application of anthropometry and its future prospects. 2018 , 28, 235-245		

312	Nutritional status. 2018 , 1-4		
311	Tribal Health and Nutrition: A Bio-Cultural Study among Raji Tribe of Uttarakhand, India.. 2018 , 18, 311-317		
310	Longitudinal Maternal Vitamin D Status during Pregnancy Is Associated with Neonatal Anthropometric Measures. <i>Nutrients</i> , 2018 , 10,	6.7	13
309	Do skin and hair pigmentation in prepubertal and early pubertal stages correlate with 2D:4D?. <i>American Journal of Human Biology</i> , 2018 , 30, e12631	2.7	3
308	A safe, low-cost, easy-to-use 3D camera platform to assess risk of obstructed labor due to cephalopelvic disproportion. 2018 , 13, e0203865		9
307	Care home resident and staff perceptions of the acceptability of nutrition intervention trial procedures: a qualitative study embedded within a cluster randomised feasibility trial. 2018 , 8, e022307		1
306	Accuracy and reliability of a low-cost, handheld 3D imaging system for child anthropometry. 2018 , 13, e0205320		36
305	Population specificity of sex estimation from vertebrae. <i>Forensic Science International</i> , 2018 , 291, 279.e1-279.e13		
304	Subcutaneous Adiposity and Nutritional Status Among Children of Eastern-India. 2018 , 38, 38-45		
303	Measuring digit lengths with 3D digital stereophotogrammetry: A comparison across methods. <i>American Journal of Human Biology</i> , 2018 , 30, e23133	2.7	2
302	A literature review of anthropometric studies of school students for ergonomics purposes: Are accuracy, precision and reliability being considered?. 2018 , 60, 3-17		5
301	Change in quality of malnutrition surveys between 1986 and 2015. 2018 , 15, 8		5
300	Percent of body fat, fat-mass, fat-free mass and assessment of body composition among rural school-going children of Eastern-India. <i>Anthropological Review</i> , 2018 , 81, 158-173	0.6	1
299	Application and validation of Diagnose Sexuelle Probabiliste V2 tool in a miscegenated population. <i>Forensic Science International</i> , 2018 , 290, 351.e1-351.e5	2.6	9
298	Endocrine disruptors and neonatal anthropometry, NICHD Fetal Growth Studies - Singletons. 2018 , 119, 515-526		28
297	Discrepancies between reported and cadaveric body size measurements associated with a modern donated skeletal collection. 2018 , 69, 86-97		2
296	Single camera multi-view anthropometric measurement of human height and mid-upper arm circumference using linear regression. 2018 , 13, e0195600		4
295	Subjective Global Assessment (SGA) of Malnutrition. 2018 , 1-21		0

294	Missingness of Height Data from the Demographic and Health Surveys in Africa between 1991 and 2016 Was Not Random but Is Unlikely to Have Major Implications for Biases in Estimating Stunting Prevalence or the Determinants of Child Height. 2018 , 148, 781-789		6
293	The influence of biological affinity and sex on morphometric parameters of the clavicle in a South African sample. <i>American Journal of Human Biology</i> , 2018 , 30, e23144	2.7	2
292	Tracking and Variability in Childhood Levels of BMI: The Bogalusa Heart Study. 2018 , 26, 1197-1202		24
291	Estimating sex using isolated appendicular skeletal elements from Chachapoyas, Peru. 2019 , 29, 961-973		1
290	Reliability of periocular anthropometry using three-dimensional digital stereophotogrammetry. 2019 , 257, 2517-2531		10
289	Do remittances alleviate negative impacts of disaster on mental health? A case of the 2015 Nepal earthquake. 2019 , 238, 112460		6
288	Field Methods to Estimate Fat-free Mass in International Soccer Players. 2019 , 40, 619-624		5
287	Medical Imaging and Facial Soft Tissue Thickness Studies for Forensic Craniofacial Approximation: A Pilot Study on Modern Cretans. 2019 , 1138, 71-86		1
286	SMART goals setting and biometric changes in obese adults with multimorbidity: Secondary analysis of a randomized controlled trial. 2019 , 7, 2050312119858042		4
285	Evaluation of the suitability of cranial measurements obtained from surface-rendered CT scans of living people for estimating sex and ancestry. 2019 , 19, 100338		4
284	Mortality and recovery following moderate and severe acute malnutrition in children aged 6-18 months in rural Jharkhand and Odisha, eastern India: A cohort study. 2019 , 16, e1002934		5
283	Facial soft tissue thicknesses in craniofacial identification: Data collection protocols and associated measurement errors. <i>Forensic Science International</i> , 2019 , 304, 109965	2.6	11
282	Relative Fat Mass as an estimator of whole-body fat percentage among children and adolescents: A cross-sectional study using NHANES. 2019 , 9, 15279		9
281	Significant Decrease in Childhood Obesity and Waist Circumference over 15 Years in Switzerland: A Repeated Cross-Sectional Study. <i>Nutrients</i> , 2019 , 11,	6.7	7
280	Feasibility and Reliability of Physical Fitness Tests among Colombian Preschool Children. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	3
279	Three-dimensional camera anthropometry to assess risk of cephalopelvic disproportion-related obstructed labour in Ethiopia. 2019 , 9, 20190036		4
278	The impact of an income-generating activities programme on children and mothers' undernutrition in extreme poor rural Bangladeshi households. 2019 , 22, 3073-3082		0
277	Towards a new osteometric method for sexing ancient cremated human remains. Analysis of Late Bronze Age and Iron Age samples from Italy with gendered grave goods. 2019 , 14, e0209423		16

276	Illustration of Measurement Error Models for Reducing Bias in Nutrition and Obesity Research Using 2-D Body Composition Data. 2019 , 27, 489-495		3
275	Mid-upper arm circumference cut-offs for screening thinness and severe thinness in Indian adolescent girls aged 10-19 years in field settings. 2019 , 22, 2189-2199		6
274	Why primary obesity is a disease?. 2019 , 17, 169		82
273	Nutritional transition in schoolchildren from Tucumán, Argentina: A cross-sectional analysis of nutritional status and body composition. <i>American Journal of Human Biology</i> , 2019 , 31, e23257	2.7	4
272	Differential growth patterns of the abdominal aorta and vertebrae during childhood. 2019 , 32, 783-793		2
271	Social mobility of the father influences child growth: A three-generation study. <i>American Journal of Human Biology</i> , 2019 , 31, e23270	2.7	4
270	Different predictive and accuracy models for sex and stature estimation from second- and fourth-digit lengths in the Kinnaur population of Himachal Pradesh, North India: Medico-legal and forensic implications. 2019 , 59, 149-159		2
269	Reliability of routinely collected anthropometric measurements in primary care. 2019 , 19, 84		12
268	A PRELIMINARY STUDY OF SEXUAL DIMORPHISM OF SCAPULA BY COMPUTED TOMOGRAPHY IN THE MALAYSIAN POPULATION. 2019 , 12, 391		3
267	Intra-rater and inter-rater reliability of the rapid entire body assessment (REBA) tool. 2019 , 71, 111-116		28
266	SPINNE: An app for human vertebral height estimation based on artificial neural networks. <i>Forensic Science International</i> , 2019 , 298, 121-130	2.6	2
265	A comparative study on the statistical modelling for the estimation of stature in Korean adults using hand measurements. 2019 , 76, 57-67		4
264	Metric variation of the tibia in the Mediterranean: Implications in forensic identification. <i>Forensic Science International</i> , 2019 , 299, 223-228	2.6	5
263	Association of accelerated body mass index gain with repeated measures of blood pressure in early childhood. 2019 , 43, 1354-1362		4
262	Accuracy and reliability of virtual femur measurement from CT scan. 2019 , 63, 11-17		5
261	An Exploratory Double-Blind Study of Caffeine Effects on Performance and Perceived Exertion in Judo. 2019 , 126, 515-529		3
260	Longitudinal changes in maternal anthropometry in relation to neonatal anthropometry. 2019 , 22, 797-804		4
259	A Comparative Study on Fat Pattern between Tribal and Non-tribal Girls of Tripura, North-East India. 2019 , 86, 508-514		1

258	(childhood growth & development) study protocol: factors that impact linear growth in children 9 to 15 years of age in Matiari, Pakistan. 2019 , 9, e028343		2
257	Accuracy of self-reported anthropometric measures - Findings from the Finnish Twin Study. 2019 , 13, 522-528		11
256	Estimation of stature from finger and phalange lengths in a Korean adolescent. 2019 , 38, 13		4
255	Stature estimation from different combinations of foot measurements using linear and multiple regression analysis in a North Indian male population. 2019 , 62, 25-33		9
254	Most of Africa's Nutritionally Deprived Women and Children Are Not Found in Poor Households. 2019 , 101, 631-644		41
253	Quantification of secondary dentin formation based on the analysis of MDCT scans and dental OPGs in a contemporary Malaysian population. 2019 , 36, 59-66		4
252	A Review on the Nutritional Challenges of School Children From the Perspective Developing Countries. 2019 , 109-143		
251	The ergonomics of airplane seats: The problem with economy class. 2019 , 69, 90-95		11
250	Maternal adipokines longitudinally measured across pregnancy and their associations with neonatal size, length, and adiposity. 2019 , 43, 1422-1434		14
249	A multiscale model to predict current absolute risk of femoral fracture in a postmenopausal population. 2019 , 18, 301-318		14
248	Anthropometric measurement standardization for a multicenter nutrition survey in children with spinal muscular atrophy. 2019 , 73, 1646-1648		8
247	Estimating fat-free mass in elite youth male soccer players: cross-validation of different field methods and development of prediction equation. 2019 , 37, 1197-1204		7
246	Metacarpal cortical bone loss and osteoporotic fractures in the Coimbra Identified Skeletal Collection. 2019 , 29, 73-81		4
245	Adult weight measurement: decoding the terminology used in literature. 2019 , 32, 28-31		2
244	Radiometry versus osteometry in sex assessment: a study of the Cretan radius. <i>Australian Journal of Forensic Sciences</i> , 2019 , 51, 135-148	1.1	3
243	Cortical bone loss in a sample of human skeletons from the Muge Shell middens. 2019 , 11, 455-467		3
242	Relationship between abdominal adiposity, cardiovascular fitness, and biomarkers of cardiovascular risk in British adolescents. 2020 , 9, 634-644		2
241	Survival and CT defined sarcopenia in patients with intestinal failure on home parenteral support. 2020 , 39, 829-836		3

240	The Critically Ill Cirrhotic Patient. 2020 ,		
239	Healthy lifestyle moderates the relationship between cardiovascular disease with blood pressure, body composition, carotid intima-media thickness, and glycated hemoglobin among adults. 2020 , 45, 539-546		5
238	Changes in seated height in microgravity. 2020 , 83, 102995		3
237	Educational level and its relationship with body height and popliteal height in Chilean male workers. 2020 , 52, 734-745		3
236	Maternal sociodemographic and health behaviours associated with adiposity in infants as measured by air displacement plethysmography. 2019 , 140, 104887		1
235	Reliability of Periocular Anthropometry: A Comparison of Direct, 2-Dimensional, and 3-Dimensional Techniques. 2020 , 46, e23-e31		8
234	Accuracy of self-reported BMI using objective measurement in high school students. <i>Journal of Nutritional Science</i> , 2020 , 9, e35	2.7	4
233	No relationship between prenatal or early postnatal androgen exposure and autistic traits: evidence using anogenital distance and penile length measurements at birth and 3 months of age. 2021 , 62, 876-883		4
232	Mother's education level is associated with anthropometric failure among 3- to 12-year-old rural children in Purba Medinipur, West Bengal, India. 2021 , 53, 856-867		1
231	3D Point Cloud Reconstruction for Precise Anthropometry with Handheld Devices. 2020 , 6,		5
230	The Measurement of Height Via 3D Scans of the Seventh Cervical Vertebra in Iranian Adults. 2020 , 10,		
229	A novel approach quantifying the periorbital morphology: A comparison of direct, 2-dimensional, and 3-dimensional technologies. 2021 , 74, 1888-1899		4
228	Comparison of anthropometric data quality in children aged 6-23 and 24-59 months: lessons from population-representative surveys from humanitarian settings. <i>BMC Nutrition</i> , 2020 , 6, 60	2.5	1
227	A system proposal for rapid detecting of anthropometric data and affecting design strategies. 2020 , 18, 1793-1822		2
226	Stature Estimation Using Ulnar Length and Shoulder Elbow Length in a Bangladeshi Population. 2020 , 2, 2754-2762		1
225	Sexual dimorphism from vertebrae: its potential use for sex estimation in an identified osteological sample. <i>Australian Journal of Forensic Sciences</i> , 2020 , 1-13	1.1	1
224	Effect of maternal nutrient intake during 31-37 weeks gestation on offspring body composition in Samoa. 2020 , 47, 587-596		0
223	Validity assessment of the third molar maturity index (I3M) in a Lebanese sample of adolescents and young adults. <i>Australian Journal of Forensic Sciences</i> , 2020 , 1-12	1.1	2

222	Underlying Factors Explaining Physical Behaviors among Office Workers-An Exploratory Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
221	A semi-automated protocol for craniometric analysis on the subadult cranial isosurface models. 2020 , 23, 200410		1
220	Estimation of stature from lower limb anthropometry: new formulae derived from contemporary Arabian males. <i>Australian Journal of Forensic Sciences</i> , 2020 , 1-15	1.1	3
219	The independent and joint associations between muscle strength, health variables and cardiovascular disease among adults. 2020 , 1-9		1
218	Sex estimation of the scapula using 3D imaging in a modern Turkish population. 2020 , 30, 209-218		3
217	Bone histomorphometry of the clavicle in a forensic sample from Albania. <i>Forensic Science International</i> , 2020 , 313, 110335	2.6	3
216	Ontogenetic changes of diploic channels in modern humans. 2020 , 173, 96-111		3
215	Intra- and inter- observer reliability of anthropometric measurements and blood pressure in primary schoolchildren and adults: the Feel4Diabetes-study. 2020 , 20, 27		11
214	Evidences from Clinical Trials in Down Syndrome: Diet, Exercise and Body Composition. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
213	Multiple measures derived from 3D photonic body scans improve predictions of fat and muscle mass in young Swiss men. 2020 , 15, e0234552		3
212	A simple and software-independent protocol for the measurement of post-cranial bones in anthropological contexts using thin slab maximum intensity projection. 2020 , 20, 200354		2
211	Performance of mid-upper arm circumference as a screening tool for identifying adolescents with overweight and obesity. 2020 , 15, e0235063		7
210	Sociodemographic Profile, Reproductive Health and Nutritional Status Among the JuangsâA Particularly Vulnerable Tribal Group of Odisha, India. 2020 , 20, 135-149		2
209	Growth Measurement Practices from a National Survey of Neonatal Nurses. 2020 , 52, 10-17		3
208	Nurse effects on measurement error in household biosocial surveys. 2020 , 20, 45		2
207	Assessment of Malnutrition, Sarcopenia and Frailty in Patients with Cirrhosis: Which Tools Should We Use in Clinical Practice?. <i>Nutrients</i> , 2020 , 12,	6.7	25
206	A survey of the anthropometric data relating to five ethnic groups in Assam considering gender and ethnic diversity: Application of the data in designing an improvised pedal-operated Chaak. 2020 , 76, 102927		5
205	Prediction of gestational age with symphysis-fundal height and estimated uterine volume in a pregnancy cohort in Sylhet, Bangladesh. 2020 , 10, e034942		3

204	Maternal serum concentrations of bisphenol A and propyl paraben in early pregnancy are associated with male infant genital development. 2020 , 35, 913-928		19
203	Temporal mapping of the closure of the anterior fontanelle and contiguous sutures using computed tomography, in silico models of modern infants. 2020 , 237, 379-390		0
202	Utility of published skinfold thickness equations for prediction of body composition in very young New Zealand children. <i>British Journal of Nutrition</i> , 2020 , 124, 349-360	3.6	2
201	Can Ultrasound Measures of Muscle and Adipose Tissue Thickness Predict Body Composition of Premature Infants in the Neonatal Intensive Care Unit?. 2021 , 45, 323-330		1
200	Association between age at menarche and age at menopause among women of an indigenous population of North Bengal, India. 2021 , 53, 319-335		1
199	Evaluation of the Global Leadership Initiative on Malnutrition Criteria Using Different Muscle Mass Indices for Diagnosing Malnutrition and Predicting Survival in Lung Cancer Patients. 2021 , 45, 607-617		26
198	Secular trends in adiposity within the context of changes in BMI across developmental periods among Polish schoolchildren-application of the Slaughter equation. 2021 , 75, 49-56		0
197	Utility of bio-electrical impedance vector analysis for monitoring treatment of severe acute malnutrition in children. 2021 , 40, 624-631		1
196	Utility of specific bioelectrical impedance vector analysis for the assessment of body composition in children. 2021 , 40, 1147-1154		5
195	Rib histomorphometry: A reliability and validation study with a critical review of histological techniques for forensic age estimation. 2021 , 49, 101827		1
194	Measuring proboscis length in Lepidoptera: a review. 2021 , 140, 1-15		1
193	Mid-upper arm circumference as a screening tool for identifying adolescents with thinness. 2021 , 24, 457-466		3
192	Sex estimation by odontometrics of nonadult human remains from a contemporary Italian sample. 2021 , 175, 59-80		1
191	Sex estimation from reconstructed scapula models using discriminant function analysis in the Malaysian population. <i>Australian Journal of Forensic Sciences</i> , 2021 , 53, 199-210	1.1	2
190	Shape morphing technique can accurately predict pelvic bone landmarks. <i>International Journal of Legal Medicine</i> , 2021 , 135, 1617-1626	3.1	2
189	Mid Upper Arm Circumference as Screening Tool of Overweight or Obesity Among Adult Employees of Mizan Tepi University, Southwest Ethiopia. <i>SSRN Electronic Journal</i> ,	1	
188	Stature estimation from handprint measurements: an application to the medicolegal investigation. <i>Egyptian Journal of Forensic Sciences</i> , 2021 , 11, 1	1.1	1
187	Comparison of the Nutritional Status Assessment Methods for Hemodialysis Patients. 2021 , 10, 219-229		1

186	Sex estimation using scapular measurements: discriminant function analysis in a modern Italian population. <i>Australian Journal of Forensic Sciences</i> , 1-14	1.1	0
185	Effect of complementary feeding behaviour change communication delivered through community-level actors on infant growth and morbidity in rural communities of West Gojjam Zone, Northwest Ethiopia: A cluster-randomized controlled trial. 2021 , 17, e13136		2
184	Maternal dietary quality, inflammatory potential and childhood adiposity: an individual participant data pooled analysis of seven European cohorts in the ALPHABET consortium. 2021 , 19, 33		15
183	Does age estimated from teeth forming in different early life periods show differential discrepancy with known age?. <i>American Journal of Human Biology</i> , 2021 , 33, e23577	2.7	
182	Virtual morphometric method using seven cervical vertebrae for sex estimation on the Turkish population. <i>International Journal of Legal Medicine</i> , 2021 , 135, 1953-1964	3.1	0
181	Interviewer Effects in Biosocial Survey Measurements. 1525822X2199723		1
180	Waist circumference, waist-to-height ratio and BMI percentiles in children aged 5 to 19 years in India: A population-based study. 2021 , 7, 392-404		0
179	Association Between Maternal Caffeine Consumption and Metabolism and Neonatal Anthropometry: A Secondary Analysis of the NICHD Fetal Growth Studies-Singletons. 2021 , 4, e213238		4
178	Classification Tree-Based Machine Learning to Visualize and Validate a Decision Tool for Identifying Malnutrition in Cancer Patients. 2021 , 45, 1736-1748		9
177	The independent and joint associations among muscle strength, abdominal obesity and cardiometabolic variables among adults. 2021 , 1-10		0
176	Prevalence and correlates of overweight and obesity among primary school children in Kilimanjaro, Tanzania. 2021 , 16, e0249595		2
175	Sex estimation in a Turkish population using Purkaitâñ triangle: a virtual approach by 3-dimensional computed tomography (3D-CT). 1-9		0
174	The impact of improved data quality on the prevalence estimates of anthropometric measures using DHS datasets in India. 2021 , 11, 10671		3
173	The association between somatotype and nutritional status: a cross-sectional study among the adult Sabar males of Purulia, West Bengal, India. 2021 , 5,		
172	Obesity and Cancer Risk in White and Black Adults: A Prospective Cohort Study. 2021 , 29, 960-965		3
171	Stature estimation for Saudi men based on different combinations of upper limb part dimensions. 2021 , 100, e25840		
170	Analysis of the palatal rugae following Rapid Maxillary Expansion (RME) by using a 3D-3D superimposition procedure. <i>Australian Journal of Forensic Sciences</i> , 1-12	1.1	
169	Effects of a 12-Week Suspension versus Traditional Resistance Training Program on Body Composition, Bioimpedance Vector Patterns, and Handgrip Strength in Older Men: A Randomized Controlled Trial. <i>Nutrients</i> , 2021 , 13,	6.7	5

168	Posterior Tibial Slope and a New Morphometric Method With Multiplanar Reconstruction Technique in a Turkish Sample. 2021 , 13, e15472		
167	A method for increasing 3D body scanning's precision: Gryphon and consecutive scanning. 2021 , 1-21		1
166	Virtual Morphometry of the First Lumbar Vertebrae for Estimation of Sex Using Computed Tomography Data in the Turkish Population. 2021 , 13, e16597		0
165	Quantifying the ossification of the carpus: Radiographic standards for age estimation in a New South Wales paediatric population. <i>Forensic Science International: Reports</i> , 2021 , 3, 100211	1.9	
164	Technical note: Estimating original crown height in worn mandibular canines using aspects of dentin morphology. 2021 , 176, 692-702		
163	Sarcopenia in critically ill children: A bedside assessment using point-of-care ultrasound and anthropometry. 2021 , 40, 4871-4877		0
162	Audit of waist measurement methods during statutory diving medical assessments. 2021 ,		
161	Can calf circumference be a viable option for nutritional assessment in the PICU?. 2021 , 45, 356-362		0
160	Individual and Combined Association Between Healthy Lifestyle Habits With Muscle Strength According to Cardiovascular Health Status in Adults and Older Adults. 2021 , 18, 973-980		
159	Normalization of Muscle Strength Measurements in the Assessment of Cardiometabolic Risk Factors in Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
158	THREE-DIMENSIONAL (3D) ANTHROPOMETRY AND ITS APPLICATIONS IN PRODUCT DESIGN. 2021 , 281-302		
157	Morphometric analysis of foramen magnum and occipital condyle using CT images for sex determination in a Saudi Arabian population. 2021 ,		0
156	Training and Assessing Model for the Ability of Community Health Volunteers in Anthropometric Measurement Using the Rasch Stacking and Racking Analyses. 2021 , 2021, 5515712		1
155	Stature estimation using foot dimensions via 3D scanning in Taiwanese male adults. 2021 , 61, 669-677		1
154	Estimating biological sex and stature from the humerus: A pilot study using a contemporary Australian sub-population using computed tomography. <i>Forensic Science International: Reports</i> , 2021 , 4, 100227	1.9	0
153	Estimating sex among South African groups using the dentition. <i>Forensic Science International: Reports</i> , 2021 , 4, 100233	1.9	0
152	Recovery without resilience? A novel way to measure nutritional resilience in Nepal, Bangladesh, and Uganda. 2021 , 31, 100573		
151	Performance indicators and functional adaptive windows in competitive cyclists: effect of one-year strength and conditioning training programme.. 2022 , 39, 329-340		

150	A Novel method for the identification and quantification of weight faltering. 2021 , 175, 282-291		1
149	Reliability of Stereophotogrammetry for Area Measurement in the Periocular Region. 2021 , 45, 1601-1610		3
148	Estimates of fluid intake, urine output and hydration-levels in women from Somaliland: a cross-sectional study. <i>Journal of Nutritional Science</i> , 2021 , 10, e66	2.7	2
147	Epidemiology of Obesity. 2014 , 2229-2262		9
146	Agricultural Transformation and Ontogeny in Rural Populations from the Yucatan Peninsula at the turn of the Century: Studying Linear Enamel Hypoplasias and Body Composition in Adolescents. 2020 , 137-157		2
145	Subjective Global Assessment (SGA) of Malnutrition. 2019 , 643-663		1
144	Sexual dimorphism of the calcaneus in contemporary Cretans. <i>Forensic Science International</i> , 2017 , 277, 260.e1-260.e8	2.6	13
143	Measurements of Adiposity and Body Composition. 2008 , 53-83		48
142	Diagnostic performance of midupper arm circumference for detecting severe wasting among infants aged 1-6 months in Ethiopia. <i>American Journal of Clinical Nutrition</i> , 2020 ,	7	4
141	Precision of Measurements Performed by a Cadre of Anthropometrists Trained for a Large Household Nutrition Survey in Ethiopia. 2020 , 4, nzaa139		2
140	The use of massive transfusion protocol for trauma and non-trauma patients in a civilian setting: what can be done better?. 2016 , 57, 238-41		10
139	Reliability of Mid-Upper Arm Circumference Measurements taken by Community Health Nurses. 2015 , 3, 26-35		5
138	Micronutrient fortification to improve growth and health of maternally HIV-unexposed and exposed Zambian infants: a randomised controlled trial. 2010 , 5, e11165		41
137	Reliability of measurements performed by community-drawn anthropometrists from rural Ethiopia. 2012 , 7, e30345		31
136	Ethnic differences in neonatal body composition in a multi-ethnic population and the impact of parental factors: a population-based cohort study. 2013 , 8, e73058		31
135	Percentile Curves for Anthropometric Measures for Canadian Children and Youth. 2015 , 10, e0132891		14
134	Triglyceride Glucose-Body Mass Index Is a Simple and Clinically Useful Surrogate Marker for Insulin Resistance in Nondiabetic Individuals. 2016 , 11, e0149731		84
133	The Effect of Random Error on Diagnostic Accuracy Illustrated with the Anthropometric Diagnosis of Malnutrition. 2016 , 11, e0168585		21

132	Improving the quality of child anthropometry: Manual anthropometry in the Body Imaging for Nutritional Assessment Study (BINA). 2017 , 12, e0189332		12
131	Agreement between self-/home-measured and assessor-measured waist circumference at three sites in adolescents/children. 2018 , 13, e0193355		2
130	Differences in body composition between pre-menarcheal and menarcheal Bengalee Hindu girls of Madhyamgram, West Bengal, India. 2005 , 113, 141-145		2
129	Capacitaõ em antropometria como base para o fortalecimento do Sistema de Vigilância Alimentar e Nutricional no Brasil. 2012 , 25, 393-402		6
128	Avaliaõ nutricional: descriõ da concordãcia entre avaliadores. 2007 , 10, 506-516		3
127	Nutrition as a Health Determinant in Elderly Patients. 2019 , 26, 3652-3661		8
126	Design, Response Rates, and Population Characteristics of a Cross-Sectional Study in Zanzibar, Tanzania. 2016 , 5, e235		4
125	Clusters of cardiovascular risk factors and its association with muscle strength in adults. 2020 , 60, 479-485		2
124	Intrarater reliability and the value of real change for waist and hip circumference measures by a novice rater. 2010 , 110, 1053-8		4
123	Composite Index of Anthropometric Failure (CIAF) among Sonowal Kachari tribal preschool children of flood effected region of Assam, India. <i>Anthropological Review</i> , 2019 , 82, 163-174	0.6	4
122	Position-specific and Team-ranking-related Morphological Characteristics in German Amateur Soccer Players - a Descriptive Study - Anthropometry in Amateur Soccer Players -. 2011 , 23, 168-182		5
121	Metabolic syndrome, lifestyle risk factors, and distal colon adenoma: a retrospective cohort study. 2011 , 17, 4031-7		16
120	Nutritional Status of the Temiar Orang Asli Community in Kuala Betis, Gua Musang, Kelantan. 2018 , 17, 311-318		3
119	Quality Assurance for Accuracy of Anthropometric Measurements in Clinical and Epidemiological Studies: [Errare humanum est = to err is human]. 2016 , 41, 98-102		15
118	Possible Link Between Stress-related Factors and Altered Body Composition in Women with Polycystic Ovarian Syndrome. 2018 , 11, 10-18		17
117	Validity of Stature-predicted Equations using Knee Height for Elderly and Mobility Impaired Persons in Koreans. 2009 , 31, e2009004		8
116	Guidance for Systematic Integration of Undernutrition in Attributing Cause of Death in Children.. 2021 , 73, S374-S381		
115	Household Water is the Main Source of Iodine Consumption Among Women in Hargeisa, Somaliland: A Cross-Sectional Study. 2021 ,		

114	Indicators to Assess Physical Health of Children and Adolescents in Activity Research-A Scoping Review. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
113	Obesity and cancer death in white and black adults: A prospective cohort study. 2021 , 29, 2119-2125		0
112	Frame Size, Circumferences, and Skinfoldds. 2001 ,		
111	Frame Size, Circumferences, and Skinfoldds. 2007 , 611-627		
110	The development of a preliminary regression equation for estimating the weight of black South African paraplegic males using anthropometric measurements in Tshwane, South Africa. 2008 , 21, 127-131		
109	The Importance of Anthropometric Measurement Error. 2010 , 5, 495-496		
108	Vývoj a mezipohlavní rozdíly v rozměrech zubního oblouku dolní čelisti nedospělých jedinců Brněnské škola sčrovných ortodontických modelů chrupu. 2011 , 2, 13-29		
107	Obesityâ findings from the Bogalusa Heart Study. 2011 , 77-92		
106	Frame Size, Circumferences, and Skinfoldds. 2013 , 659-678		
105	Analysis of Technical Error of Manual Measurements. 2016 , 40, 641-649		1
104	Interpreting Neonatal Growth Parameters in Oman: Are we doing it right?. 2017 , 17, e411-e417		
103	Long-Term Athlete Development: Seasonal and Longitudinal Fitness Changes in Female University Rugby Players.. 2021 , 35, 3459-3465		1
102	Central obesity and hypertension among rural adults of Paschim Medinipur, West Bengal, India. <i>Anthropological Review</i> , 2019 , 82, 239-252	0.6	1
101	Frailty and Sarcopenia in the Critically Ill Patient with Cirrhosis. 2020 , 141-160		0
100	Sex estimation in a modern Turkish population using the clavicle: a computed tomography study. <i>Australian Journal of Forensic Sciences</i> , 1-12	1.1	1
99	Aging and nutrition. Paving the way to better health. 2020 , 58, 55-68		0
98	Inter-relationships between percentage body fat, relative subischial leg length and body mass index among adolescents and adults from the Limbu community of Darjeeling, West Bengal. 2020 , 1-11		1
97	Shape Morphing Technique Can Accurately Predict Pelvic Bone Landmarks.		

96	Sex estimation using subpubic angle from reconstructed three-dimensional computed tomography pelvic model in a contemporary Malaysian population. 2020 , 53, 27-35	2	
95	Initial assessment: Measurement errors and interrater reliability. 2020 , 47-56	0	
94	Stunting, underweight and wasting among Integrated Child Development Services (ICDS) scheme Children aged 6 months - 5 years of urban Surat, Western Gujarat, India. 2020 , 1		
93	Overeenstemming tussen antropometrische methoden voor de bepaling van de gewichtstatus. 2010 , 2010, 190-195		
92	EVALUATION OF ASSOCIATION OF ANTHROPOMETRIC INDICES WITH STRESS RESPONSE IN PCOS POPULATION. 2020 , 1-5	1	
91	Simple four-variable screening tool for identification of patients with sleep-disordered breathing. 2009 , 32, 939-48	48	
90	Very high prevalence of thinness using new international body mass index cut off points among 5-10 year old school children of nandigram, west Bengal, India. 2009 , 14, 129-33	4	
89	Mid-upper Arm Circumference Based Undernutrition among Bengalee Children of Chapra, West Bengal, India. 2010 , 20, 63-8	5	
88	Use of anthropometry for the prediction of regional body tissue distribution in adults: benefits and limitations in clinical practice. 2014 , 5, 373-93	10	
87	Anthropometric indices as measures of body fat assessed by DXA in relation to cardiovascular risk factors in children and adolescents: NHANES 1999-2004. 2013 , 11, 85-96	15	
86	Longitudinal measurements of total body water and body composition in healthy volunteers by online breath deuterium measurement and other near-subject methods. 2004 , 2, 99-106	5	
85	Carbohydrate Loading Practice in Bodybuilders: Effects on Muscle Thickness, Photo Silhouette Scores, Mood States and Gastrointestinal Symptoms. 2019 , 18, 772-779	2	
84	Relationships Between Anthropometry and Maximal Strength in Male Classic Powerlifters. 2020 , 13, 1512-1531		
83	Multi-detector computed tomography for the estimation of sex from sternal medullary cavity measurements in Sudanese individuals. <i>Forensic Science International: Reports</i> , 2021 , 4, 100244	1.9	
82	Utilizing foot bones for estimation of sex: a case study from modern Chilean adults. 1-16		
81	Assessment of clinical measures of total and regional body composition from a commercial 3-dimensional optical body scanner.. 2021 , 41, 211-218	1	
80	Optimizing Field Body Fat Percentage Assessment in Professional Soccer Players. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 727	2.6	2
79	Effects of Branched-Chain Amino Acids on Parameters Evaluating Sarcopenia in Liver Cirrhosis: Systematic Review and Meta-Analysis.. <i>Frontiers in Nutrition</i> , 2022 , 9, 749969	6.2	2

78	Stature and sex estimation from shoulder breadth, shoulder height, popliteal height, and knee height measurements in a Bangladeshi population. <i>Forensic Science International: Reports</i> , 2022 , 5, 100258 ¹⁹		
77	Effect of Physical Training on Body Composition in Brazilian Military.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	1
76	Digital Photogrammetry for Assessing Medial Canthal Tendon Laxity: Novel Standardized Three-Dimensional Versus Traditional Two-Dimensional Lateral Distraction Test.. <i>Journal of Oral and Maxillofacial Surgery</i> , 2022 ,	1.8	
75	Cephalic Index in Indigenous Tharu Community. <i>Journal of the Nepal Medical Association</i> , 2018 , 56, 825-829		
74	Diagnostic ability of mid-upper arm circumference-to-length ratio in detecting wasting among infants aged 1-6 months in Ethiopia.. <i>Journal of Nutritional Science</i> , 2022 , 11, e23	2.7	1
73	Application of the lateral angle method for sex determination of cremated individuals from burials of the Lusatian culture cemetery in Czernikowice, Poland. <i>Anthropological Review</i> , 2022 , 85, 63-75	0.6	0
72	Linear Regression vs. Deep Learning: A Simple Yet Effective Baseline for Human Body Measurement.. <i>Sensors</i> , 2022 , 22,	3.8	2
71	The association between skinfold thicknesses and estimated glomerular filtration rate in adolescents: a cross-sectional study.. <i>BMC Nephrology</i> , 2022 , 23, 96	2.7	
70	Estimation of stature from hand and handprint dimensions in the Brazilian population. <i>Research on Biomedical Engineering</i> , 1	1.2	
69	Validation of the Portable Next-Generation VECTRA H2 3D Imaging System for Periocular Anthropometry.. <i>Frontiers in Medicine</i> , 2022 , 9, 833487	4.9	1
68	Accuracy of a hand-held 3D imaging system for child anthropometric measurements in population-based household surveys and surveillance platforms: an effectiveness validation study in Guatemala, Kenya, and China.. <i>American Journal of Clinical Nutrition</i> , 2022 ,	7	0
67	Association of early menarche with elevated BMI, lower body height and relative leg length among 14- to 16-year-old post-menarcheal girls from a Maya community in Yucatan, Mexico. <i>Anthropological Review</i> , 2022 , 85, 85-100	0.6	
66	The Impact of Technical Error of Measurement on Somatotype Categorization. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 3056	2.6	1
65	Simple linear regression approach for evaluating models to estimate stature based on upper limb dimensions of adult Bangladeshi males. <i>Egyptian Journal of Forensic Sciences</i> , 2022 , 12,	1.1	0
64	Age estimation for two Mediterranean populations: rib histomorphometry applied to forensic identification and bone remodelling research.. <i>International Journal of Legal Medicine</i> , 2022 , 1	3.1	1
63	Variability of biomarkers used for the classification of metabolic syndrome: A repeated measurements study.. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022 ,	4.5	0
62	Agreement and error rates associated with standardized data collection protocols for skeletal and dental data on 3D virtual subadult crania.. <i>Forensic Science International</i> , 2022 , 334, 111272	2.6	0
61	Accuracy of Using Mid-Upper Arm Circumference to Detect Wasting Among Children Aged 6-59 Months in Nepal.. <i>Global Health, Science and Practice</i> , 2021 , 9, 881-889	2.8	0

60	Plasma Acylcarnitines during Pregnancy and Neonatal Anthropometry: A Longitudinal Study in a Multiracial Cohort.. <i>Metabolites</i> , 2021 , 11,	5.6	1
59	Lack of an association between dietary patterns and adiposity among primary school children in Kilimanjaro Tanzania.. <i>BMC Nutrition</i> , 2022 , 8, 35	2.5	0
58	Evaluation of dual-energy X-ray absorptiometry compared to magnetic resonance imaging for collecting measurements of the human bony pelvis.. <i>American Journal of Human Biology</i> , 2022 , e23753	2.7	
57	Changes in the prevalence of undernutrition, overweight and obesity in children and adolescents from Buenos Aires, Mendoza, and Misiones provinces (Argentina) over the last two decades.. <i>American Journal of Human Biology</i> , 2022 , e23755	2.7	0
56	Unequal Households or Communities? Decomposing the Inequality in Nutritional Status in South Asia. <i>Policy Research Working Papers</i> , 2022 ,	2.1	
55	Dietary Intake, Nutritional Status and Sensory Profile in Children with Autism Spectrum Disorder and Typical Development. <i>Nutrients</i> , 2022 , 14, 2155	6.7	0
54	Estimation of sex from cranial measurements in an Australian population. <i>Australian Journal of Forensic Sciences</i> , 1-16	1.1	
53	Nasofacial Analysis Among a Sample of Medical Students in Syria, A Cross Sectional Study. <i>SSRN Electronic Journal</i> ,	1	
52	Effects of Nordic Walking Training on Anthropometric, Body Composition and Functional Parameters in the Middle-Aged Population. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 7433	4.6	
51	Equations based on anthropometric measurements for adipose tissue, body fat, or body density prediction in children and adolescents: a scoping review. <i>Eating and Weight Disorders</i> ,	3.6	1
50	Long-term health after Severe Acute Malnutrition in children and adults- the role of the Pancreas (SAMPA): Protocol. <i>F1000Research</i> , 11, 777	3.6	
49	A Collaborative Model for Lithic Shape Digitization in Museum Settings. <i>Lithic Technology</i> , 1-12	1.2	0
48	Prevalence and Factors Associated with Overweight/Obesity in Adolescent School Girls: A Cross-Sectional Study in Kolkata, India. <i>Anthropological Review</i> , 2022 , 85, 147-162	0.6	
47	Urinary Sodium Excretion and Obesity Markers among Bangladeshi Adult Population: Pooled Data from Three Cohort Studies. <i>Nutrients</i> , 2022 , 14, 3000	6.7	0
46	The discriminative potential of palatal geometric analysis for sex discrimination and human identification. <i>Journal of Forensic Sciences</i> ,	1.8	
45	The potential of computed tomography in odontometry: application to a Mesolithic dog. <i>Journal of Archaeological Science: Reports</i> , 2022 , 45, 103552	0.7	
44	The accuracy and reliability of three instruments used to assign school furniture. 2022 , 1-9		
43	Maternal overweight and obesity and its associated factors and outcomes in human immunodeficiency virus (HIV)-infected and HIV -uninfected black South African pregnant women.		1

42	The Effect of Diet and Exercise Interventions on Body Composition in Liver Cirrhosis: A Systematic Review. 2022 , 14, 3365	2
41	Accuracy of Fully Automated 3D Imaging System for Child Anthropometry in a Low-resource Setting: an Effectiveness Evaluation in Malakal, South Sudan (Preprint).	0
40	Clinical Application of New Possible Biomarkers in the Assessment and Monitoring of Nutritional Status. 2022 , 611-625	0
39	Mid upper arm circumference as screening tool of overweight or obesity among adult employees of Mizan Tepi University, Southwest Ethiopia. 2022 , 8, e10793	0
38	Designing and validating a comparison card method for quantification of glenoid bone defect. 2022 , 12,	0
37	Long-term health after Severe Acute Malnutrition in children and adults- the role of the Pancreas (SAMPA): Protocol. 11, 777	0
36	Testing inter-observer error under a collaborative research framework for studying lithic shape variability. 2022 , 14,	0
35	Prediction of fat-free mass in a multi-ethnic cohort of infants using bioelectrical impedance: Validation against the PEA POD. 9,	0
34	Morphometry of Foramen Magnum by Using Post-Mortem Computed Tomography (PMCT) for Discriminant Analysis of Sex and Population Affinity among Malaysian Population.	0
33	Dietary Intake Correlated to Waist-to-Hip Ratio in Patients on Maintenance Hemodialysis. 2022 ,	0
32	Reproducibility of Three-Dimensional Volumetric Measurement of Periocular Tumor Models.	0
31	PreciseEdge raster RGB image segmentation algorithm reduces user input for livestock digital body measurements highly correlated to real-world measurements. 2022 , 17, e0275821	0
30	Assessment of Nutritional Status Among Children and Adolescents of Juang Tribe in Keonjhar District of Odisha, India. 0972558X2211229	0
29	Morphometry of Foramen Magnum by Using Post-Mortem Computed Tomography (PMCT) for Discriminant Analysis of Sex and Population Affinity among Malaysian Population.	0
28	Digital Single-Image Smartphone Assessment of Total Body Fat and Abdominal Fat Using Machine Learning. 2022 , 22, 8365	0
27	Assessing the accuracy of the anatomical method for stature estimation in White South African males. 1-14	1
26	Morphometry of Foramen Magnum by Using Post-Mortem Computed Tomography (PMCT) for Discriminant Analysis of Sex and Population Affinity among Malaysian Population.	0
25	Reaching new heights: Testing the performance of metric approaches to estimate stature from burned skeletal remains.	0

- 24 Estimation of Age-at-Death Using Cortical Bone Histomorphometry of the Rib and Femur: A Validation Study on a British Population. **2022**, 11, 1615 ○
- 23 A methodological comparison of discriminant function analysis and binary logistic regression for estimating sex in forensic research and case-work. 002580242211366 ○
- 22 New models to estimate fetal and young infant age with the pars basilaris biometry. **2023**, 342, 111531 ○
- 21 Effect of somatotype on the general physical fitness tests and throwing velocity on handball. 28, ○
- 20 The Russian bioimpedance database: an update. **2022**, 13, 66-72 ○
- 19 Evaluation of bioelectrical impedance analysis in measuring body fat in 6-to-12-year-old boys compared to air displacement plethysmography. 1-22 ○
- 18 Employing a three-stage procedure to develop a sizing system for medical gloves. 1-13 ○
- 17 A multifaceted exploration of ontogenetic variation in vertebral neural canal size across contemporary populations. ○
- 16 Anthropometry-based prediction equation of body composition in a population aged 12 to 88 years.. **2023**, ○
- 15 Burned and buried: A vibrational spectroscopy analysis of burial-related diagenetic changes of heat-altered human bones. ○
- 14 Urban adult overweight and obesity prevalence in North Dum Dum, West Bengal, India. 29, 80-88 ○
- 13 Glucagon-like peptide -1/glucagon receptor agonism associates with reduced metabolic adaptation and higher fat oxidation: A randomized trial. **2023**, 31, 350-362 1
- 12 Epidemiology of Obesity. **2023**, 1-47 ○
- 11 Development and validation of anthropometric predictive equations that estimate the total body water and fat-free mass in Tunisian adults. **2023**, 77, 447-453 ○
- 10 The Influence of Socioeconomic Factors on the Body Characteristics, Proportion, and Health Behavior of Children Aged 6-12 Years. **2023**, 20, 3303 ○
- 9 Three-dimensional Quantitative Standards for Assessing Outcomes of Facial Lipotransfer: A Review. ○
- 8 Assessing Mbiotisho : A smartphone application used to collect high-frequency health and nutrition data from difficult-to-reach populations. ○
- 7 Comparison of Three Diagnostic Definitions of Metabolic Syndrome and Estimation of Its Prevalence in Mongolia. **2023**, 20, 4956 ○

- 6 Sex estimation using measurements of the proximal femur in a historical population from Poland. **2023**, 86, 37-49
- 5 A Systematic Review on the Optimal Dose and Duration of Ready-to-Use Therapeutic Food (RUTF) for 6-9-Month-Old Children with Severe Wasting or Oedema. **2023**, 15, 1750
- 4 Interviewer Biases in Medical Survey Data: The Example of Blood Pressure Measurements.
- 3 Associations between anthropometric markers derived from a body scanner and relative fat-free mass in a population-based study.
- 2 Age estimation by evaluating median palatine suture closure using postmortem CT.
- 1 Age estimation by palatal suture using modified Kamijo's method. **2023**, 111706