

Relationship Between Delay in Performing Direct Coronary Intervention and Clinical Outcome in Patients With Acute Myocardial Infarction

Circulation

100, 14-20

DOI: [10.1161/01.cir.100.1.14](https://doi.org/10.1161/01.cir.100.1.14)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Frontiers in Interventional Cardiology. Circulation, 1998, 98, 1802-1820.	1.6	198
2	Balloon Angioplasty and Stent-Supported Angioplasty for Acute Myocardial Infarction. Sunhwan'gi, 1998, 28, 1185.	0.3	1
3	The Relation between Volume and Outcome in Health Care. New England Journal of Medicine, 1999, 341, 1085-1086.	13.9	3
4	Nitric oxide and postangioplasty restenosis: pathological correlates and therapeutic potential. Free Radical Biology and Medicine, 2000, 29, 1199-1221.	1.3	45
5	A successful emergency angioplasty program for patients with acute coronary syndrome in a community hospital setting: Cape Cod Hospital's 3-year experience. Journal of Emergency Nursing, 2000, 26, 564-574.	0.5	2
6	Emergency management of acute coronary syndromes. Journal of Emergency Nursing, 2000, 26, S1-S42.	0.5	2
7	Early reperfusion, late reperfusion, and the open artery hypothesis: An overview. Progress in Cardiovascular Diseases, 2000, 42, 397-404.	1.6	20
8	Transfer of Patients with Acute Myocardial Infarction for Primary or Acute Angioplasty from Hospitals without the Facilities to Perform Angioplasty Results from the Pooled Data of the Maximal Individual Therapy in Acute Myocardial Infarction (MITRA) Registry and the Myocardial Infarction Registry (MIR). Herz, 2000, 25, 667-675.	0.4	2
9	Relationship of Symptom-Onset-to-Balloon Time and Door-to-Balloon Time With Mortality in Patients Undergoing Angioplasty for Acute Myocardial Infarction. JAMA - Journal of the American Medical Association, 2000, 283, 2941.	3.8	1,047
11	Considerable Time From the Onset of Plaque Rupture and/or Thrombi Until the Onset of Acute Myocardial Infarction in Humans. Circulation, 2000, 102, 2063-2069.	1.6	151
12	Treatment of Acute Myocardial Infarction by Primary Coronary Angioplasty or Intravenous Thrombolysis. Circulation, 2000, 101, E211-2.	1.6	0
13	Relationship Between Delay in Performing Direct Coronary Angioplasty and Early Clinical Outcome in Patients With Acute Myocardial Infarction. Circulation, 2000, 102, E29-30.	1.6	39
14	Predictors of death and reinfarction at 30 days after primary angioplasty: The GUSTO IIb and RAPPORT trials. American Heart Journal, 2000, 139, 476-481.	1.2	36
15	GUSTO IV: Expanding therapeutic options in acute coronary syndromes. American Heart Journal, 2000, 140, S103-S114.	1.2	4
16	Facilitated percutaneous coronary intervention for acute myocardial infarction. Journal of Emergency Medicine, 2000, 19, S27-S32.	0.3	0
17	Decreasing hospital mortality between 1994 and 1998 in patients with acute myocardial infarction treated with primary angioplasty but not in patients treated with intravenous thrombolysis. Journal of the American College of Cardiology, 2000, 36, 2064-2071.	1.2	72
18	Primary angioplasty versus intravenous thrombolysis in acute myocardial infarction: can we define subgroups of patients benefiting most from primary angioplasty?. Journal of the American College of Cardiology, 2001, 37, 1827-1835.	1.2	108
19	Platelet Glycoprotein IIb/IIIa Inhibition with Coronary Stenting for Acute Myocardial Infarction. New England Journal of Medicine, 2001, 344, 1895-1903.	13.9	1,094

#	ARTICLE	IF	CITATIONS
20	Interventional procedures in acute myocardial infarction. <i>American Heart Journal</i> , 2001, 141, 15-25.	1.2	39
21	Statistical approaches and policies for the operations of Data and Safety Monitoring Committees. <i>American Heart Journal</i> , 2001, 141, 301-305.	1.2	13
22	Impact of prehospital delay on mortality in patients with acute myocardial infarction treated with primary angioplasty and intravenous thrombolysis. <i>American Heart Journal</i> , 2001, 142, 105-111.	1.2	51
23	Combination Therapies to Enhance Reperfusion in Acute Myocardial Infarction. <i>Thrombosis Research</i> , 2001, 103, S81-S90.	0.8	1
24	Normal Flow (TIMI-3) Before Mechanical Reperfusion Therapy Is an Independent Determinant of Survival in Acute Myocardial Infarction. <i>Circulation</i> , 2001, 104, 636-641.	1.6	439
25	Pre-hospital Delay in Treatment after Acute Myocardial Infarction. <i>Taehan Kanho Hakhoe Chi</i> , 2001, 31, 1141.	0.1	5
26	Defining the role of abciximab for acute coronary syndromes: Lessons from CADILLAC, ADMIRAL, GUSTO IV, GUSTO V, and TARGET. <i>Current Opinion in Cardiology</i> , 2001, 16, 375-383.	0.8	9
27	Progression and Clinical Recurrence of Symptomatic Middle Cerebral Artery Stenosis. <i>Stroke</i> , 2001, 32, 2898-2904.	1.0	198
28	Treatment of dyslipidemia in pre- and postmenopausal women with and without known atherosclerotic cardiovascular disease. <i>Current Cardiology Reports</i> , 2001, 3, 401-407.	1.3	5
29	Utility of mechanical rheolysis as an adjunct to rescue angioplasty and platelet inhibition in acute myocardial infarction and cardiogenic shock: A case report. <i>Catheterization and Cardiovascular Interventions</i> , 2001, 52, 220-225.	0.7	1
30	Platelet glycoprotein IIb/IIIa inhibitors combined with fibrinolytic agents to treat acute myocardial infarction. , 2001, 11, 83-91.		1
31	Acute coronary syndromes. <i>Annals of Emergency Medicine</i> , 2001, 37, S163-S181.	0.3	3
32	Comparison of impact of primary percutaneous transluminal coronary angioplasty and primary stenting on short-term mortality in patients with cardiogenic shock and evaluation of prognostic determinants. <i>American Journal of Cardiology</i> , 2001, 87, 1184-1188.	0.7	74
33	Emergency room administration of eptifibatid before primary angioplasty for ST elevation acute myocardial infarction and its effect on baseline coronary flow and procedure outcomes. <i>American Journal of Cardiology</i> , 2001, 88, 62-64.	0.7	33
34	Importance of time to reperfusion on outcomes with primary coronary angioplasty for acute myocardial infarction (results from the Stent Primary Angioplasty in Myocardial Infarction Trial). <i>American Journal of Cardiology</i> , 2001, 88, 1085-1090.	0.7	121
36	Interventions in acute myocardial infarction. <i>Current Problems in Cardiology</i> , 2001, 26, 619-672.	1.1	3
37	Update on Strategies to Improve Thrombolysis for Acute Myocardial Infarction. <i>Pharmacotherapy</i> , 2001, 21, 691-716.	1.2	4
38	C-Reactive Protein Is an Independent Predictor of the Rate of Increase in Early Carotid Atherosclerosis. <i>Circulation</i> , 2001, 104, 63-67.	1.6	189

#	ARTICLE	IF	CITATIONS
39	Endoscopy for Acute Nonvariceal Upper Gastrointestinal Tract Hemorrhage: Is Sooner Better?. Archives of Internal Medicine, 2001, 161, 1393.	4.3	171
40	Outcome after combined reperfusion therapy for acute myocardial infarction, combining pre-hospital thrombolysis with immediate percutaneous coronary intervention and stent. European Heart Journal, 2001, 22, 1128-1135.	1.0	31
41	Ventricular function after primary angioplasty for acute myocardial infarction: correlates and caveats. European Heart Journal, 2001, 22, 726-728.	1.0	5
42	Suppression of recurrent transient ischemic attacks by a statin agent. Neurology, 2001, 56, 531-532.	1.5	8
43	Fibrinolysis for Acute Myocardial Infarction. Circulation, 2001, 103, 2987-2992.	1.6	22
44	Die konventionelle Therapie bei koronarer Herzkrankheit und Herzinfarkt - ein kritischer Ãœberblick. Erfahrungsheilkunde, 2001, 50, 507-517.	0.0	0
45	Acute Myocardial Ischemia and Infarction: Making the Right Decisions in Antithrombotic and Reperfusion Therapies. Seminars in Respiratory and Critical Care Medicine, 2001, 22, 075-088.	0.8	0
46	Management of Acute Coronary Syndromes. American Journal of Respiratory and Critical Care Medicine, 2001, 164, 917-922.	2.5	5
47	Pharmacological versus catheter-based reperfusion: What is present state of the art?. European Heart Journal Supplements, 2001, 3, C47-C54.	0.0	2
48	New Treatment Options for Heparin-Induced Thrombocytopenia. Journal of Pharmacy Practice, 2002, 15, 305-317.	0.5	0
49	Effect of Estrogen Plus Progestin on Progression of Carotid Atherosclerosis in Postmenopausal Women With Heart Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2002, 22, 1692-1697.	1.1	79
50	Clinical characteristics and outcome of patients with early (<2h), intermediate (2â€“4h) and late (>4h) presentation treated by primary coronary angioplasty or thrombolytic therapy for acute myocardial infarction. European Heart Journal, 2002, 23, 550-557.	1.0	238
51	RAGE Blockade Stabilizes Established Atherosclerosis in Diabetic Apolipoprotein Eâ€“Null Mice. Circulation, 2002, 106, 2827-2835.	1.6	553
52	Prognostic significance of admission cardiac troponin T in patients treated successfully with direct percutaneous interventions for acute ST-segment elevation myocardial infarction*. Critical Care Medicine, 2002, 30, 2229-2235.	0.4	26
53	Effect of endovascular cooling on myocardial temperature, infarct size, and cardiac output in human-sized pigs. American Journal of Physiology - Heart and Circulatory Physiology, 2002, 282, H1584-H1591.	1.5	195
55	Rationale for on-site cardiac surgery for primary angioplasty: a time for reappraisal. Journal of the American College of Cardiology, 2002, 39, 1881-1889.	1.2	35
56	Patient outcomes after fibrinolytic therapy for acute myocardial infarction at hospitals with and without coronary revascularization capability. Journal of the American College of Cardiology, 2002, 40, 1034-1040.	1.2	18
58	Reperfusion in waiting: What queue should we join?. American Heart Journal, 2002, 144, 377-379.	1.2	2

#	ARTICLE	IF	CITATIONS
60	Infarto agudo de miocardio con elevaci3n del segmento ST: primeras 48 horas. EMC - Anestesia-Reanimaci3n, 2002, 28, 1-16.	0.1	0
61	Responses to Symptoms of Acute Myocardial Infarction: Reasons for Delay and Bystanders' Role. Taehan Kanho Hakhoe Chi, 2002, 32, 1063.	0.1	6
62	Logistics of Primary Angioplasty. Cardiology, 2002, 2, 321-325.	0.3	1
63	Relation of time to treatment and mortality in patients with acute myocardial infarction undergoing primary coronary angioplasty. American Journal of Cardiology, 2002, 89, 1248-1252.	0.7	146
64	Baseline characteristics, management practices, and in-hospital outcomes of patients hospitalized with acute coronary syndromes in the Global Registry of Acute Coronary Events (GRACE)**Further information about the project, along with a complete list of the study participants, can be found at www.outcomes.org/grace .. American Journal of Cardiology, 2002, 90, 358-363.	0.7	534
65	Lipoprotein abnormalities related to women's health. American Journal of Cardiology, 2002, 90, 77-84.	0.7	80
68	Is primary angioplasty for some as good as primary angioplasty for all?. Journal of General Internal Medicine, 2002, 17, 887-894.	1.3	41
69	Fibrinolytic and Mechanical Intervention Trials in ST Elevation Acute Myocardial Infarction. Journal of Interventional Cardiology, 2002, 15, 321-334.	0.5	1
70	The Advanced Practice Nurse's Role Regarding Women's Delay in Seeking Treatment with Myocardial Infarction. Journal of the American Academy of Nurse Practitioners, 2002, 14, 449-456.	1.4	7
71	Defining standards of care for facilitated and direct percutaneous coronary intervention. Clinical Cardiology, 2002, 25, 27-32.	0.7	1
72	Designing a Research Agenda to Improve the Quality of Emergency Care. Academic Emergency Medicine, 2002, 9, 1124-1130.	0.8	5
73	Reperfusion in acute myocardial infarction: Current concepts. Progress in Cardiovascular Diseases, 2003, 45, 481-492.	1.6	7
74	Relation of mortality of primary angioplasty during acute myocardial infarction to door-to-Thrombolysis In Myocardial Infarction (TIMI) time. American Journal of Cardiology, 2003, 91, 1401-1405.	0.7	51
75	Modern management of acute myocardial infarction. Current Problems in Cardiology, 2003, 28, 7-127.	1.1	0
76	The Osteoporosis Prevention and Arterial effects of tiboLone (OPAL) study: design and baseline characteristics. Contemporary Clinical Trials, 2003, 24, 752-775.	2.0	34
77	Acute Myocardial Infarction Complicated by Early Onset of Heart Failure:. Journal of Interventional Cardiology, 2003, 16, 201-208.	0.5	9
78	An International Perspective on the Time to Treatment for Acute Myocardial Infarction. Journal of Nursing Scholarship, 2003, 35, 317-323.	1.1	58
79	Glycoprotein IIb/IIIa inhibition in early intent-to-stent treatment of acute coronary syndromes: EPISTENT, ADMIRAL, CADILLAC, and TARGET. Journal of the American College of Cardiology, 2003, 41, S49-S54.	1.2	19

#	ARTICLE	IF	CITATIONS
80	Synergistic treatment of ST-segmentelevation myocardial infarction with pharmacoinvasive recanalization. <i>Journal of the American College of Cardiology</i> , 2003, 42, 646-651.	1.2	43
81	Symptom-onset-to-balloon time and mortality in patients with acute myocardial infarction treated by primary angioplasty. <i>Journal of the American College of Cardiology</i> , 2003, 42, 991-997.	1.2	396
82	Prehospital management of acute ST-elevation myocardial infarction: A time for reappraisal in North America. <i>American Heart Journal</i> , 2003, 145, 1-8.	1.2	88
83	Importance of time-to-reperfusion in patients with acute myocardial infarction with and without cardiogenic shock treated with primary percutaneous coronary intervention. <i>American Heart Journal</i> , 2003, 145, 708-715.	1.2	90
84	Regionalization of Care for Acute Ischemic Heart Disease. <i>Circulation</i> , 2003, 107, 1463-1466.	1.6	94
85	Selecting the Best Reperfusion Strategy in ST-Elevation Myocardial Infarction. <i>Circulation</i> , 2003, 108, 2828-2830.	1.6	76
86	Therapy-Dependent Influence of Time-to-Treatment Interval on Myocardial Salvage in Patients With Acute Myocardial Infarction Treated With Coronary Artery Stenting or Thrombolysis. <i>Circulation</i> , 2003, 108, 1084-1088.	1.6	138
87	All Hospitals Are Not Equal for Treatment of Patients With Acute Myocardial Infarction. <i>Circulation</i> , 2003, 108, 1768-1771.	1.6	32
88	Impact of Time to Treatment on Mortality After Prehospital Fibrinolysis or Primary Angioplasty. <i>Circulation</i> , 2003, 108, 2851-2856.	1.6	509
89	Detection of TIMI-3 Flow Before Mechanical Reperfusion With Ultrasonic Tissue Characterization in Patients With Anterior Wall Acute Myocardial Infarction. <i>Circulation</i> , 2003, 107, 3159-3164.	1.6	17
90	Carotid Intima-Media Thickness Measurements in Intervention Studies. <i>Stroke</i> , 2003, 34, 2985-2994.	1.0	318
91	Hospital Performance With Myocardial Reperfusion Therapy. <i>Critical Pathways in Cardiology</i> , 2003, 2, 197-206.	0.2	4
92	Pre- and In-Hospital Delay in Treatment and in-Hospital Mortality after Acute Myocardial Infarction. <i>Taehan Kanho Hakhoe Chi</i> , 2003, 33, 1153.	0.1	9
93	ACC/AHA Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction. <i>Circulation</i> , 2004, 110, .	1.6	99
94	Time-to-treatment significantly affects the extent of ST-segment resolution and myocardial blush in patients with acute myocardial infarction treated by primary angioplasty. <i>European Heart Journal</i> , 2004, 25, 1009-1013.	1.0	191
95	Effect of contrast enhancement on measurement of carotid artery intimal medial thickness. <i>Vascular Medicine</i> , 2004, 9, 7-12.	0.8	45
96	Arterial Biology for the Investigation of the Treatment Effects of Reducing Cholesterol (ARBITER) 2. <i>Circulation</i> , 2004, 110, 3512-3517.	1.6	891
97	ACC/AHA Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction—Executive Summary. <i>Circulation</i> , 2004, 110, 588-636.	1.6	3,307

#	ARTICLE	IF	CITATIONS
98	Coupling Drug and Catheter Therapy for Myocardial Infarction. JAMA - Journal of the American Medical Association, 2004, 291, 1000.	3.8	1
99	Prothrombin Fragment 1+2 Is Associated With Carotid Intima-Media Thickness in Subjects Free of Clinical Cardiovascular Disease. Stroke, 2004, 35, 1085-1089.	1.0	52
100	International Comparison of Factors Associated with Delay in Presentation for AMI Treatment. European Journal of Cardiovascular Nursing, 2004, 3, 225-230.	0.4	76
101	Coronary sinus retroperfusion: can forward progress still be achieved by using a backward technique?. Journal of Thoracic and Cardiovascular Surgery, 2004, 127, 1549-1552.	0.4	10
102	Reperfusion treatment of ST-elevation acute myocardial infarction. Progress in Cardiovascular Diseases, 2004, 47, 131-157.	1.6	23
103	Comparison of rapidity of coronary recanalization in men with tenecteplase versus alteplase in acute myocardial infarction. American Journal of Cardiology, 2004, 93, 1465-1468.	0.7	26
104	Magnitude and impact of treatment delays on weeknights and weekends in patients undergoing primary angioplasty for acute myocardial infarction (the cadillac trial). American Journal of Cardiology, 2004, 94, 637-640.	0.7	55
105	Reperfusion therapy for acute myocardial infarction: Drugs or devices? is this the right question?. Clinical Cardiology, 2004, 27, 254-256.	0.7	1
107	Door-to-balloon delays with PCI in acute myocardial infarction. Current Treatment Options in Cardiovascular Medicine, 2004, 6, 69-77.	0.4	4
108	12-LEAD E<scp>LECTROCARDIOGRAMS</scp>DURING B<scp>ASIC</scp>L<scp>IFE</scp>S<scp>UPPORT</scp>C<scp>ARE</scp>. Prehospital Emergency Care, 2004, 8, 212-216.	1.0	8
109	Traslado para angioplastia primaria desde un hospital sin hemodinámica. Intervalos hasta la apertura del vaso y seguridad en el traslado. Medicina Intensiva, 2004, 28, 11-17.	0.4	3
110	12-lead Electrocardiograms during Basic Life Support Care*1. Prehospital Emergency Care, 2004, 8, 212-216.	1.0	6
111	Association of duration of symptoms at presentation with angiographic and clinical outcomes after fibrinolytic therapy in patients with st-segment elevation myocardial infarction. Journal of the American College of Cardiology, 2004, 44, 980-987.	1.2	43
112	ACC/AHA Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction. Journal of the American College of Cardiology, 2004, 44, E1-E211.	1.2	1,028
113	Facilitated percutaneous coronary intervention versus primary percutaneous coronary intervention: design and rationale of the facilitated intervention with enhanced reperfusion speed to stop events (FINESSE) trial. American Heart Journal, 2004, 147, 684.	1.2	88
114	ACC/AHA Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction Executive Summary. Journal of the American College of Cardiology, 2004, 44, 671-719.	1.2	1,084
115	Association of outcome with early stroke treatment: pooled analysis of ATLANTIS, ECASS, and NINDS rt-PA stroke trials. Lancet, The, 2004, 363, 768-774.	6.3	2,316
116	Variations in pre-hospital fibrinolysis process of care: insights from the Assessment of the Safety and Efficacy of a New Thrombolytic 3 Plus international acute myocardial infarction pre-hospital care survey. European Journal of Emergency Medicine, 2004, 11, 134-140.	0.5	20

#	ARTICLE	IF	CITATIONS
117	Thrombolysis and Adjunctive Therapy in Acute Myocardial Infarction. <i>Chest</i> , 2004, 126, 549S-575S.	0.4	87
119	Women's Delay in Seeking Treatment With Myocardial Infarction. <i>Journal of Cardiovascular Nursing</i> , 2004, 19, 251-268.	0.6	111
120	Knowledge of Heart Attack Symptoms in Older Men and Women at Risk for Acute Myocardial Infarction. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2005, 25, 33-39.	0.5	25
121	Reperfusion Phenomenon is a Strong Predictor of Left Ventricular Remodeling After Acute Myocardial Infarction. <i>Circulation Journal</i> , 2005, 69, 884-889.	0.7	10
122	Part 5: Acute coronary syndromes. <i>Resuscitation</i> , 2005, 67, 249-269.	1.3	36
123	2004 American College of Cardiology/American Heart Association Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction: Implications for Emergency Department Practice. <i>Annals of Emergency Medicine</i> , 2005, 45, 363-376.	0.3	39
124	Older Emergency Department Patients With Acute Myocardial Infarction Receive Lower Quality of Care Than Younger Patients. <i>Annals of Emergency Medicine</i> , 2005, 46, 14-21.	0.3	48
126	Why do acute myocardial infarction patients not call an ambulance? An interview with patients presenting to hospital with acute myocardial infarction symptoms. <i>Internal Medicine Journal</i> , 2005, 35, 668-671.	0.5	32
127	Effect of continuous quality improvement analysis on the delivery of primary percutaneous revascularization for acute myocardial infarction: A community hospital experience. <i>Catheterization and Cardiovascular Interventions</i> , 2005, 64, 428-433.	0.7	27
128	Primary angioplasty should be performed in hospitals without on-site surgery. <i>Catheterization and Cardiovascular Interventions</i> , 2005, 65, 1-7.	0.7	6
129	Relationship Between Time of Day, Day of Week, Timeliness of Reperfusion, and In-Hospital Mortality for Patients With Acute ST-Segment Elevation Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2005, 294, 803.	3.8	377
130	Pre-hospital reperfusion therapy: a strategy to improve therapeutic outcome in patients with ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2005, 26, 2063-2074.	1.0	69
131	It's a matter of time: contemporary pre-hospital management of acute ST elevation myocardial infarction. <i>Heart</i> , 2005, 91, 1524-1526.	1.2	15
132	Part 8: Stabilization of the Patient With Acute Coronary Syndromes. <i>Circulation</i> , 2005, 112, IV-89-IV-110.	1.6	9
133	The Case for Community Hospital Angioplasty. <i>Circulation</i> , 2005, 112, 3509-3534.	1.6	33
134	Times to Treatment of Transfer Patients Undergoing Primary Percutaneous Coronary Intervention in the United States. <i>The American Journal of Geriatric Cardiology</i> , 2005, 14, 203-204.	0.7	1
135	Complete resolution of a large intracardiac mass with medical treatment: an echocardiographic follow up. <i>Heart</i> , 2005, 91, 1046-1046.	1.2	3
136	Primary percutaneous coronary intervention in acute myocardial infarction: time, time, and time!. <i>Heart</i> , 2005, 91, 993-994.	1.2	15

#	ARTICLE	IF	CITATIONS
137	Times to Treatment in Transfer Patients Undergoing Primary Percutaneous Coronary Intervention in the United States. <i>Circulation</i> , 2005, 111, 761-767.	1.6	442
138	Transfer for Primary Angioplasty. <i>Circulation</i> , 2005, 111, 718-720.	1.6	24
139	In-hospital time to treatment of patients with acute ST elevation myocardial infarction treated with primary angioplasty: determinants and outcome. Results from the registry of percutaneous coronary interventions in acute myocardial infarction of the Arbeitsgemeinschaft Leitender Kardiologischer Krankenhausärzte. <i>Heart</i> , 2005, 91, 1041-1046.	1.2	59
140	The use of GP IIb/IIIa inhibitors into new perspectives: pre-catheterization laboratory administration. <i>Country Review Ukraine</i> , 2005, 7, 110-114.	0.8	6
141	Acute Reperfusion Therapy in Acute Myocardial Infarction. <i>Emergency Medicine Clinics of North America</i> , 2005, 23, 1043-1063.	0.5	1
142	Gender Differences in Outcomes After Primary Angioplasty Versus Primary Stenting With and Without Abciximab for Acute Myocardial Infarction. <i>Circulation</i> , 2005, 111, 1611-1618.	1.6	173
143	Accustomed to enduring: Experiences of African-American women seeking care for cardiac symptoms. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2005, 34, 13-21.	0.8	23
145	Achieving Door-to-Balloon Times That Meet Quality Guidelines. <i>Journal of the American College of Cardiology</i> , 2005, 46, 1236-1241.	1.2	201
146	Pharmacological Facilitation of Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 979.	3.8	393
147	Strategies for Reducing the Door-to-Balloon Time in Acute Myocardial Infarction. <i>New England Journal of Medicine</i> , 2006, 355, 2308-2320.	13.9	721
148	Initial Approach to the Patient who has Chest Pain. <i>Cardiology Clinics</i> , 2006, 24, 1-17.	0.9	23
149	Effect of Door-to-Balloon Time on Mortality in Patients With ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2006, 47, 2180-2186.	1.2	676
150	Hospital Improvement in Time to Reperfusion in Patients With Acute Myocardial Infarction, 1999 to 2002. <i>Journal of the American College of Cardiology</i> , 2006, 47, 45-51.	1.2	197
151	ST-Segment Elevation Myocardial Infarction: Recommendations on Triage of Patients to Heart Attack Centers. <i>Journal of the American College of Cardiology</i> , 2006, 47, 1339-1345.	1.2	92
152	Door-to-Balloon Time With Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction Impacts Late Cardiac Mortality in High-Risk Patients and Patients Presenting Early After the Onset of Symptoms. <i>Journal of the American College of Cardiology</i> , 2006, 47, 289-295.	1.2	214
153	ACC/AHA/SCAI 2005 Guideline Update for Percutaneous Coronary Intervention—Summary Article. <i>Journal of the American College of Cardiology</i> , 2006, 47, 216-235.	1.2	372
154	ACC/AHA/SCAI 2005 Guideline Update for Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2006, 47, e1-e121.	1.2	435
155	Subclinical Atherosclerosis and Incipient Regional Myocardial Dysfunction in Asymptomatic Individuals. <i>Journal of the American College of Cardiology</i> , 2006, 47, 2420-2428.	1.2	93

#	ARTICLE	IF	CITATIONS
156	Examination of lower targets for low-density lipoprotein cholesterol and blood pressure in diabetes—the Stop Atherosclerosis in Native Diabetics Study (SANDS). <i>American Heart Journal</i> , 2006, 152, 867-875.	1.2	26
157	Impact of treatment delays on outcomes of primary percutaneous coronary intervention for acute myocardial infarction: Analysis from the CADILLAC trial. <i>American Heart Journal</i> , 2006, 151, 1231-1238.	1.2	111
158	Diagnostic performance and potential clinical impact of advanced care paramedic interpretation of ST-segment elevation myocardial infarction in the field. <i>Canadian Journal of Emergency Medicine</i> , 2006, 8, 401-407.	0.5	53
159	Clinical Policy: Indications for Reperfusion Therapy in Emergency Department Patients with Suspected Acute Myocardial Infarction. <i>Annals of Emergency Medicine</i> , 2006, 48, 358-383.	0.3	24
160	Primary percutaneous coronary intervention in acute myocardial infarction: Direct transportation to catheterization laboratory by emergency teams reduces door-to-balloon time. <i>Clinical Cardiology</i> , 2006, 29, 112-116.	0.7	44
161	Atherosclerosis imaging and heart failure. <i>Heart Failure Reviews</i> , 2006, 11, 279-288.	1.7	6
162	Appropriate invasive and conservative treatment approaches for patients with ST-Elevation MI. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2006, 8, 3-11.	0.4	2
163	Comparative Early and Late Outcomes After Primary Percutaneous Coronary Intervention in ST-Segment Elevation and Non-ST-Segment Elevation Acute Myocardial Infarction (from the CADILLAC) <i>Tj ETQq 170.784314 rgBT</i>	1.0	314
164	ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention—summary article: A report of the American college of cardiology/American heart association task force on practice guidelines(ACC/AHA/SCAI writing committee to update the 2001 guidelines for percutaneous coronary) <i>Tj ETQq 0 07 rgBT / 45</i>	0.7	45
165	Delays to reperfusion therapy in acute ST-segment elevation myocardial infarction: results from the AMI-QUEBEC Study. <i>Cmaj</i> , 2006, 175, 1527-1532.	0.9	31
166	Reducing the Door-to-Balloon Time for Myocardial Infarction with ST-Segment Elevation. <i>New England Journal of Medicine</i> , 2006, 355, 2364-2365.	13.9	18
167	Reducing Delay in Seeking Treatment by Patients With Acute Coronary Syndrome and Stroke. <i>Circulation</i> , 2006, 114, 168-182.	1.6	540
168	Door-to-Balloon Time in Primary Percutaneous Coronary Intervention. <i>Circulation</i> , 2006, 113, 1048-1050.	1.6	33
169	ACC/AHA/SCAI 2005 Guideline Update for Percutaneous Coronary Intervention—Summary Article. <i>Circulation</i> , 2006, 113, 156-175.	1.6	987
170	ACC/AHA/SCAI Practice Guidelines, February 21, 2006. <i>Circulation</i> , 2006, 113, e166-286.	1.6	525
171	What Is the Optimal Reperfusion Strategy for Elderly Patients With Acute MI?. <i>The American Journal of Geriatric Cardiology</i> , 2006, 15, 14-18.	0.7	0
172	Expedited transfer for primary percutaneous coronary intervention: a program evaluation. <i>Cmaj</i> , 2007, 176, 1833-1838.	0.9	40
173	Microcirculatory dysfunction in ST-elevation myocardial infarction: cause, consequence, or both?. <i>European Heart Journal</i> , 2007, 28, 788-797.	1.0	146

#	ARTICLE	IF	CITATIONS
174	Field triage to primary angioplasty combined with emergency department bypass reduces treatment delays and is associated with improved outcome. <i>European Heart Journal</i> , 2007, 28, 2313-2319.	1.0	115
175	The Timely Coupling of Mechanical Revascularization following Thrombolysis for Myocardial Infarction. <i>Cardiology</i> , 2007, 107, 337-339.	0.6	0
176	Time to Treatment in Primary Percutaneous Coronary Intervention. <i>New England Journal of Medicine</i> , 2007, 357, 1631-1638.	13.9	263
177	Emergency Department Physician Activation of the Catheterization Laboratory and Immediate Transfer to an Immediately Available Catheterization Laboratory Reduce Door-to-Balloon Time in ST-Elevation Myocardial Infarction. <i>Circulation</i> , 2007, 116, 67-76.	1.6	157
179	Myocardial Protection Via the Coronary Sinus Long-Term Effects of Intermittent Coronary Sinus Occlusion as an Adjunct to Reperfusion in Acute Myocardial Infarction. <i>Circulation Journal</i> , 2007, 72, 526-533.	0.7	24
180	National Academy of Clinical Biochemistry Laboratory Medicine Practice Guidelines. Point of Care, 2007, 6, 215-222.	0.5	6
181	Reducing Delay in Seeking Treatment by Patients With Acute Coronary Syndrome and Stroke. <i>Journal of Cardiovascular Nursing</i> , 2007, 22, 326-343.	0.6	58
182	Emergency Department Greeters Reduce Door-to-ECG Time. <i>Critical Pathways in Cardiology</i> , 2007, 6, 165-168.	0.2	17
183	Increased expression of CD40 ligand and C-reactive protein in patients with restenosis after percutaneous coronary intervention. <i>Therapy: Open Access in Clinical Medicine</i> , 2007, 4, 175-179.	0.2	0
184	Early detection and diagnosis of acute myocardial infarction: the potential for improved care with next-generation, user-friendly electrocardiographic body surface mapping. <i>American Journal of Emergency Medicine</i> , 2007, 25, 1063-1072.	0.7	26
185	Early management of ST elevation myocardial infarction: a review of practice. <i>Expert Opinion on Pharmacotherapy</i> , 2007, 8, 401-413.	0.9	1
186	Surgery for Myocardial Salvage in Acute Myocardial Infarction and Acute Coronary Syndromes. <i>Heart Failure Clinics</i> , 2007, 3, 181-210.	1.0	9
187	ST-Segment Analysis Using Wireless Technology in Acute Myocardial Infarction (STAT-MI) Trial. <i>Journal of the American College of Cardiology</i> , 2007, 50, 509-513.	1.2	125
188	Reperfusion Strategies in Acute ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2007, 50, 917-929.	1.2	132
189	The Open Artery Hypothesis. <i>Korean Circulation Journal</i> , 2007, 37, 235.	0.7	0
190	Public knowledge of heart attack symptoms in Beijing residents. <i>Chinese Medical Journal</i> , 2007, 120, 1587-1591.	0.9	22
192	The Impact of Emergency Physician-Initiated Primary Percutaneous Coronary Intervention on Mean Door-to-Balloon Time in Patients With ST-Segment-Elevation Myocardial Infarction. <i>Annals of Emergency Medicine</i> , 2007, 50, 527-534.	0.3	34
193	Emergency Department Activation of an Interventional Cardiology Team Reduces Door-to-Balloon Times in ST-Segment-Elevation Myocardial Infarction. <i>Annals of Emergency Medicine</i> , 2007, 50, 538-544.	0.3	35

#	ARTICLE	IF	CITATIONS
194	Improvement in door-to-balloon times in management of acute ST-segment elevation myocardial infarction STEMI through the initiation of â€œCode AMIâ€™. Internal Medicine Journal, 2007, 38, 071018054112005-???	0.5	10
195	METEOR: aiming at the stars for asymptomatic carotid artery atherosclerosis?*. International Journal of Clinical Practice, 2007, 61, 1242-1246.	0.8	5
196	The challenge of ST-segment elevation myocardial infarction. International Journal of Clinical Practice, 2007, 61, 2079-2092.	0.8	2
197	The Impact of Hormone Replacement Therapy on the Pathophysiology of Peripheral Arterial Disease. European Journal of Vascular and Endovascular Surgery, 2007, 34, 569-575.	0.8	12
198	Impact of Time to Treatment on Myocardial Reperfusion and Infarct Size With Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction (from the EMERALD Trial). American Journal of Cardiology, 2007, 99, 1680-1686.	0.7	86
199	Paramedic transtelephonic communication to cardiologist of clinical and electrocardiographic assessment for rapid reperfusion of ST-elevation myocardial infarction. Journal of Electrocardiology, 2007, 40, 265-270.	0.4	35
200	Time to reperfusion in acute myocardial infarction. It is time to reduce it!. Journal of Electrocardiology, 2007, 40, 257-264.e6.	0.4	23
201	The effects of facilitated primary PCI by guide wire on procedural and clinical outcomes in acute ST-segment elevation myocardial infarction. Clinical Research in Cardiology, 2007, 96, 557-565.	1.5	9
202	Systems of Care to Improve Timeliness of Reperfusion Therapy for ST-Segment Elevation Myocardial Infarction During Off Hours. JACC: Cardiovascular Interventions, 2008, 1, 88-96.	1.1	38
203	Determinants of left ventricular thrombus formation after primary percutaneous coronary intervention for anterior wall myocardial infarction. Journal of Thrombosis and Thrombolysis, 2008, 25, 141-145.	1.0	29
206	Early intervention: Which patients and how early?. Current Cardiology Reports, 2008, 10, 303-311.	1.3	2
207	Putting the benefits of percutaneous coronary revascularization into perspective: From trials to guidelines. Current Cardiology Reports, 2008, 10, 393-401.	1.3	0
208	Reperfusion options in ST-elevation myocardial infarction patients with expected delays. Current Cardiology Reports, 2008, 10, 415-423.	1.3	1
209	The V-Quick patch versus the standard 12-lead ECG system: time is the essence. International Journal of Emergency Medicine, 2008, 1, 43-48.	0.6	4
210	An analysis of door-to-balloon time in a single center to determine causes of delay and possibilities for improvement. Catheterization and Cardiovascular Interventions, 2008, 71, 152-157.	0.7	26
211	A Campaign to Improve the Timeliness of Primary Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2008, 1, 97-104.	1.1	259
212	Contemporary Approach to the Diagnosis and Management of Nonâ€™ST-Segment Elevation Acute Coronary Syndromes. Progress in Cardiovascular Diseases, 2008, 50, 311-351.	1.6	16
213	Referral of patients with ST-segment elevation acute myocardial infarction directly to the catheterization suite based on prehospital teletransmission of 12-lead electrocardiogram. Journal of Electrocardiology, 2008, 41, 49-53.	0.4	26

#	ARTICLE	IF	CITATIONS
214	Cardiac Alert: Decreasing Door-to-Balloon Time for ST Elevation Myocardial Infarction. Journal of Emergency Nursing, 2008, 34, 116-120.	0.5	3
215	Multicentre evaluation of a new point-of-care test for the determination of CK-MB in whole blood. Clinical Chemistry and Laboratory Medicine, 2008, 46, 630-8.	1.4	1
216	Association of Previous Coronary Artery Bypass Graft Surgery With Door-to-Balloon Time and In-Hospital Outcomes: A Report From the National Cardiovascular Data Registry (NCDR). Journal of the American College of Cardiology, 2008, 52, 1665-1670.	1.2	3
217	Diagnosis and Treatment of ST-Segment Elevation Myocardial Infarction. , 2008, , 48-59.		0
218	Trends in reperfusion strategies, door-to-needle and door-to-balloon times, and in-hospital mortality among patients with ST-segment elevation myocardial infarction enrolled in the National Registry of Myocardial Infarction from 1990 to 2006. American Heart Journal, 2008, 156, 1035-1044.	1.2	240
219	A survey of primary percutaneous coronary intervention for patients with ST segment elevation myocardial infarction in Canadian hospitals. Canadian Journal of Cardiology, 2008, 24, 839-843.	0.8	11
220	Symptom-to-door time in ST segment elevation myocardial infarction: Overemphasized or overlooked? Results from the AMI-McGill study. Canadian Journal of Cardiology, 2008, 24, 213-216.	0.8	19
221	Disparities in Adult African American Women's Knowledge of Heart Attack and Stroke Symptomatology: An Analysis of 2003-2005 Behavioral Risk Factor Surveillance Survey Data. Journal of Women's Health, 2008, 17, 805-813.	1.5	29
222	Angioplasty Strategies in ST-Segment Elevation Myocardial Infarction. Circulation, 2008, 118, 538-551.	1.6	45
223	Primary Percutaneous Coronary Intervention. Fundamental and Clinical Cardiology, 2008, , 91-117.	0.0	0
225	A Citywide Protocol for Primary PCI in ST-Segment Elevation Myocardial Infarction. New England Journal of Medicine, 2008, 358, 231-240.	13.9	366
226	Acute Coronary Syndrome. Archives of Internal Medicine, 2008, 168, 1049.	4.3	78
227	Characteristics that identify Hispanic women likely to be ill informed about heart attack and stroke symptoms: an analysis of 2003-2005 Behavioral Risk Factor Surveillance Survey data. Primary Health Care Research and Development, 2008, 9, .	0.5	0
229	Impact of prehospital diagnosis in the management of ST elevation myocardial infarction in the era of primary percutaneous coronary intervention: reduction of treatment delay and mortality. Journal of Cardiovascular Medicine, 2008, 9, 570-575.	0.6	33
230	Levosimendan in patients with acute myocardial ischaemia undergoing emergency surgical revascularization. European Journal of Anaesthesiology, 2008, 25, 224-229.	0.7	16
231	Time = MUSCLE the case for STEMI care improvements. Nursing Management, 2008, 39, 41.	0.2	1
232	Guidelines for Therapy of ST-Segment Elevation Acute Myocardial Infarction in Patients Presenting to Partners HealthCare System Hospital Emergency Departments. Critical Pathways in Cardiology, 2008, 7, 11-20.	0.2	1
233	Acute Coronary Syndromes and Acute Myocardial Infarction. , 2008, , 589-646.		0

#	ARTICLE	IF	CITATIONS
234	Organizational Resiliency: How Top-Performing Hospitals Respond to Setbacks in Improving Quality of Cardiac Care. <i>Journal of Healthcare Management</i> , 2008, 53, 169-181.	0.4	6
235	The Impact of Initial Treatment Delay Using Primary Angioplasty on Mortality among Patients with Acute Myocardial Infarction: from the Korea Acute Myocardial Infarction Registry. <i>Journal of Korean Medical Science</i> , 2008, 23, 357.	1.1	26
237	Can Paramedics Read ST-segment Elevation Myocardial Infarction on Prehospital 12-Lead Electrocardiograms?. <i>Prehospital Emergency Care</i> , 2009, 13, 207-214.	1.0	45
238	Systems-Based Improvement in Door-to-Balloon Times at a Large Urban Teaching Hospital. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2009, 2, 116-122.	0.9	27
239	ST-Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2009, 2, 648-655.	0.9	25
240	Benefits of reperfusion beyond infarct size limitation. <i>Cardiovascular Research</i> , 2009, 83, 269-276.	1.8	44
241	Prehospital fibrinolytic therapy followed by urgent percutaneous coronary intervention in patients with ST-elevation myocardial infarction. <i>Future Cardiology</i> , 2009, 5, 403-411.	0.5	0
242	Association of door-to-balloon time and mortality in patients admitted to hospital with ST elevation myocardial infarction: national cohort study. <i>BMJ: British Medical Journal</i> , 2009, 338, b1807-b1807.	2.4	397
243	Duration of Symptoms Is the Key Modulator of the Choice of Reperfusion for ST-Elevation Myocardial Infarction. <i>Circulation</i> , 2009, 119, 1293-1303.	1.6	36
244	Duration of Symptoms Is Not Always the Key Modulator of the Choice of Reperfusion for ST-Elevation Myocardial Infarction. <i>Circulation</i> , 2009, 119, 1304-1310.	1.6	4
245	Sustaining Improvement in Door-to-Balloon Time Over 4 Years. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2009, 2, 508-513.	0.9	40
246	Optimizing door-to-balloon times for STEMI interventions – Results from the SINCERE database. <i>Journal of the Saudi Heart Association</i> , 2009, 21, 229-243.	0.2	1
247	Association of Door-to-Balloon Time and Mortality in Patients ≥65 Years With ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2009, 104, 1198-1203.	0.7	48
248	Multicenter randomized trial of facilitated percutaneous coronary intervention with low-dose tenecteplase in patients with acute myocardial infarction: The Athens PCI trial. <i>Catheterization and Cardiovascular Interventions</i> , 2009, 74, 398-405.	0.7	8
249	Telecardiology applied to a region-wide public emergency health-care service. <i>Journal of Thrombosis and Thrombolysis</i> , 2009, 28, 23-30.	1.0	46
250	Research in action: using positive deviance to improve quality of health care. <i>Implementation Science</i> , 2009, 4, 25.	2.5	374
251	An emergency physician activated protocol, “Code STEMI” reduces door-to-balloon time and length of stay of patients presenting with ST-segment elevation myocardial infarction. <i>International Journal of Clinical Practice</i> , 2009, 63, 398-406.	0.8	24
252	Statin therapy and carotid endarterectomy: a review of trends in New South Wales, 1990–2004. <i>ANZ Journal of Surgery</i> , 2009, 79, 456-461.	0.3	1

#	ARTICLE	IF	CITATIONS
253	The association between pre-infarction angina and care-seeking behaviors and its effects on early reperfusion rates for acute myocardial infarction. <i>International Journal of Cardiology</i> , 2009, 135, 86-92.	0.8	13
254	Incidence, distribution, and prognostic impact of occluded culprit arteries among patients with non- σ ST-elevation acute coronary syndromes undergoing diagnostic angiography. <i>American Heart Journal</i> , 2009, 157, 716-723.	1.2	121
255	Achieving routine sub 30 minute door-to-balloon times in a high volume 24/7 primary angioplasty center with autonomous ambulance diagnosis and immediate catheter laboratory access. <i>American Heart Journal</i> , 2009, 158, 829-835.	1.2	9
256	Endoscopy for acute upper GI tract hemorrhage: sooner is better. <i>Gastrointestinal Endoscopy</i> , 2009, 70, 236-239.	0.5	19
257	Primary Percutaneous Angioplasty. An Analysis of Reperfusion Delays, Their Determining Factors, and Their Prognostic Implications. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009, 62, 15-22.	0.4	4
258	Implementation of Specialty Centers for Patients with ST-Segment Elevation Myocardial Infarction. <i>Prehospital Emergency Care</i> , 2009, 13, 215-222.	1.0	27
259	Evaluating the views of paramedics, cardiologists, emergency department physicians and nurses on advanced prehospital management of acute ST elevation myocardial infarction. <i>Canadian Journal of Cardiology</i> , 2009, 25, S323-S328.	0.8	3
261	The Door-to-Balloon Alliance for Quality: Who Joins National Collaborative Efforts and Why?. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2009, 35, 93-99.	0.4	22
262	Sustaining and Spreading Reduced Door-to-Balloon Times for ST-Segment Elevation Myocardial Infarction Patients. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2009, 35, 297-306.	0.4	5
263	Current Status of Emergency Care for ST-Elevation Myocardial Infarction in an Urban Setting in Japan. <i>Circulation Journal</i> , 2009, 73, 484-489.	0.7	17
264	Improvements in Time to Reperfusion. <i>Critical Pathways in Cardiology</i> , 2009, 8, 38-42.	0.2	4
265	Reducing door-to-balloon time in ST-segment elevation myocardial infarction: are we missing the forest for the trees?. <i>Interventional Cardiology</i> , 2009, 1, 143-146.	0.0	1
266	Prolonged Door-to-Balloon Time: Is Treatment Delayed Always Treatment Denied?. <i>Progress in Cardiovascular Diseases</i> , 2010, 53, 195-201.	1.6	1
267	Pharmaco-invasive Strategies Expand Access to Percutaneous Coronary Intervention in ST-Elevation Myocardial Infarction. <i>Progress in Cardiovascular Diseases</i> , 2010, 53, 188-194.	1.6	2
268	Time to Treatment and Three-Year Mortality After Primary Percutaneous Coronary Intervention for ST-Segment Elevation Myocardial Infarction- σ a DANish Trial in Acute Myocardial Infarction-2 (DANAMI-2) Substudy. <i>American Journal of Cardiology</i> , 2010, 105, 1528-1534.	0.7	45
269	Effect of Onset-to-Door Time and Door-to-Balloon Time on Mortality in Patients Undergoing Percutaneous Coronary Interventions for ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2010, 106, 143-147.	0.7	67
270	Meta-Analysis of Studies of Patients in the United Arab Emirates With ST-Elevation Myocardial Infarction Treated With Thrombolytic Agents. <i>American Journal of Cardiology</i> , 2010, 106, 1692-1695.	0.7	5
271	Response to a cardiac event in relation to cardiac knowledge and risk perception in a Lebanese sample: A cross sectional survey. <i>International Journal of Nursing Studies</i> , 2010, 47, 332-341.	2.5	16

#	ARTICLE	IF	CITATIONS
272	Impact of 24-hour in-hospital interventional cardiology team on timeliness of reperfusion for ST-segment elevation myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2010, 75, 1015-1023.	0.7	16
273	The Impact of Circadian Variation on 12-Month Mortality in Patients With Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2010, 40, 616.	0.7	11
274	Journey in Antithrombotic Strategies for ST-Elevation Myocardial Infarction. <i>Critical Pathways in Cardiology</i> , 2010, 9, 235-242.	0.2	0
275	Impact of implementation of evidence-based strategies to reduce door-to-balloon time in patients presenting with STEMI: continuous data analysis and feedback using a statistical process control plot. <i>Heart</i> , 2010, 96, 1557-1563.	1.2	11
276	Trends in Door-to-Balloon Time and Mortality in Patients With ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Archives of Internal Medicine</i> , 2010, 170, 1842-9.	4.3	130
277	Telecardiology improves quality of diagnosis and reduces delay to treatment in elderly patients with acute myocardial infarction and atypical presentation. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 615-620.	3.1	55
278	Delays in fibrinolysis as primary reperfusion therapy for acute ST-segment elevation myocardial infarction. <i>American Heart Journal</i> , 2010, 159, 998-1004.e2.	1.2	12
279	Factors influencing treatment delay for patients with acute myocardial infarction. <i>Applied Nursing Research</i> , 2010, 23, 185-190.	1.0	23
280	A Regional Prehospital Electrocardiogram Network with a Single Telecardiology "Hub" for Public Emergency Medical Service: Technical Requirements, Logistics, Manpower, and Preliminary Results. <i>Telemedicine Journal and E-Health</i> , 2011, 17, 727-733.	1.6	38
281	Impact of a nationwide public campaign on delays and outcome in Swiss patients with acute coronary syndrome. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011, 18, 297-304.	3.1	43
282	2011 ASA/ACCF/AHA/AANN/AANS/ACR/ASNR/CNS/SAIP/SCAI/SIR/SNIS/SVM/SVS Guideline on the Management of Patients With Extracranial Carotid and Vertebral Artery Disease. <i>Journal of the American College of Cardiology</i> , 2011, 57, e16-e94.	1.2	249
283	Temporal trends in patient and treatment delay among men and women presenting with ST-elevation myocardial infarction. <i>American Heart Journal</i> , 2011, 161, 91-97.	1.2	102
284	Rationale and design of the MASS COMM trial: A randomized trial to compare percutaneous coronary intervention between MASSachusetts hospitals with cardiac surgery on-site and COMMunity hospitals without cardiac surgery on-site. <i>American Heart Journal</i> , 2011, 162, 826-831.	1.2	3
285	Prehospital delay and its impact on time to treatment in ST-elevation myocardial infarction. <i>American Journal of Emergency Medicine</i> , 2011, 29, 396-400.	0.7	12
286	Impact of Prehospital Delay in Treatment Seeking on In-Hospital Complications After Acute Myocardial Infarction. <i>Journal of Cardiovascular Nursing</i> , 2011, 26, 184-193.	0.6	19
287	Triaging Women With Acute Coronary Syndrome. <i>Journal of Cardiovascular Nursing</i> , 2011, 26, 395-407.	0.6	10
288	Importance of invasive interventional strategies in resuscitated patients following sudden cardiac arrest. <i>Interventional Cardiology</i> , 2011, 3, 649-661.	0.0	5
289	Early Detection of Silent Ischemia and Diastolic Dysfunction in Asymptomatic Young Hypertensive Patients. <i>Echocardiography</i> , 2011, 28, 564-569.	0.3	11

#	ARTICLE	IF	CITATIONS
290	Relationship between symptom-onset-to-balloon time and long-term mortality in patients with acute myocardial infarction treated with drug-eluting stents. <i>Journal of Cardiology</i> , 2011, 58, 143-150.	0.8	9
291	Carotid Intima-Media Thickness Measurement: A Suitable Alternative for Cardiovascular Risk?. , 2011, , 379-395.		0
292	Intima-Media Thickness and Carotid Plaques in Cardiovascular Risk Assessment. , 2011, , 397-418.		0
293	The STAT-MI (ST-Segment Analysis Using Wireless Technology in Acute Myocardial Infarction) Trial Improves Outcomes. <i>JACC: Cardiovascular Interventions</i> , 2011, 4, 222-227.	1.1	76
294	Changes in U.S. hospitalization and mortality rates following smoking bans. <i>Journal of Policy Analysis and Management</i> , 2011, 30, 6-28.	1.1	76
295	The impact of unsuccessful percutaneous coronary intervention on short- and long-term prognosis in STEMI and NSTEMI. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 78, 514-522.	0.7	10
296	Time lag to hospitalisation and the associated determinants in patients with acute myocardial infarction: the Takashima AMI Registry, Japan. <i>Emergency Medicine Journal</i> , 2011, 28, 239-241.	0.4	6
297	Mortality Implications of Primary Percutaneous Coronary Intervention Treatment Delays: Insights From the Assessment of Pexelizumab in Acute Myocardial Infarction Trial. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2011, 4, 183-192.	0.9	26
298	Reduction of Door-to-Balloon Time by New Performance Processes in Patients With ST-segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Angiology</i> , 2011, 62, 257-264.	0.8	9
299	Cardiac Rehabilitation Wait Times. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2011, 31, 373-377.	1.2	69
300	2011 ASA/ACCF/AHA/AANN/AANS/ACR/ASNR/CNS/SAIP/SCAI/SIR/SNIS/SVM/SVS Guideline on the Management of Patients With Extracranial Carotid and Vertebral Artery Disease. <i>Circulation</i> , 2011, 124, e54-130.	1.6	100
301	Outcomes of after-hours versus regular working hours primary percutaneous coronary intervention for acute myocardial infarction. <i>BMJ Quality and Safety</i> , 2011, 20, 60-67.	1.8	13
302	Knowledge of a patient-dependant phase of acute myocardial infarction in Polish adults: the role of physician's advice. <i>European Journal of Public Health</i> , 2011, 21, 603-608.	0.1	17
303	Association of Door-In to Door-Out Time With Reperfusion Delays and Outcomes Among Patients Transferred for Primary Percutaneous Coronary Intervention. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 2540.	3.8	173
304	Mortality and ST resolution in patients admitted with STEMI: the MOMI survey of emergency service experience in a complex urban area. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2012, 1, 192-199.	0.4	2
305	Symptom onset-to-balloon time and mortality in the first seven years after STEMI treated with primary percutaneous coronary intervention. <i>Heart</i> , 2012, 98, 1738-1742.	1.2	52
306	Cognitive factors that influence delayed decision to seek treatment among older patients with acute myocardial infarction in Korea. <i>European Journal of Cardiovascular Nursing</i> , 2012, 11, 154-159.	0.4	28
307	Achieving High Quality in ST-segment Elevation Myocardial Infarction Care. <i>Critical Pathways in Cardiology</i> , 2012, 11, 32-39.	0.2	0

#	ARTICLE	IF	CITATIONS
308	On the Edge. <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, 146-149.	1.4	10
309	Primary coronary angioplasty for ST-Elevation Myocardial Infarction in Qatar: First nationwide program. <i>Global Cardiology Science & Practice</i> , 2012, 2012, 23.	0.3	8
310	Activating Primary Percutaneous Coronary Intervention for STEMI That Is Not: The Collateral Damage of Improving Door-to-Balloon Time. <i>Archives of Internal Medicine</i> , 2012, 172, 871-2.	4.3	4
311	Effect of coronary occlusion on intracardiac electrogram morphology. <i>Europace</i> , 2012, 14, 1524-1531.	0.7	1
312	Lessons Learned from the Ottawa Regional STEMI Program. <i>Interventional Cardiology Clinics</i> , 2012, 1, 567-582.	0.2	0
313	The Outcomes of Emergency Pharmacist Participation during Acute Myocardial Infarction. <i>Journal of Emergency Medicine</i> , 2012, 42, 371-378.	0.3	32
314	â€œCode STEMIâ€•Protocol Helps in Achieving Reduced Door-to-balloon Times in Patients Presenting with Acute ST-segment Elevation Myocardial Infarction during Off-hours. <i>Journal of Emergency Medicine</i> , 2012, 42, 260-266.	0.3	10
315	Perceptions of cardiac rehabilitation patients, specialists and rehabilitation programs regarding cardiac rehabilitation wait times. <i>BMC Health Services Research</i> , 2012, 12, 259.	0.9	22
316	Door-to-balloon: Where do we lose time? Single centre experience in India. <i>Indian Heart Journal</i> , 2012, 64, 582-587.	0.2	16
317	Pre-Hospital Electrocardiography by Emergency Medical Personnel. <i>Journal of the American College of Cardiology</i> , 2012, 60, 806-811.	1.2	33
318	Reduction in Treatment Times Through Formalized Data Feedback. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 848-857.	1.1	42
319	Superior outcome with direct catheter laboratory access vs ED-activated primary percutaneous coronary intervention. <i>American Journal of Emergency Medicine</i> , 2012, 30, 1118-1124.	0.7	9
320	Improving ST-Elevationâ€•Myocardial Infarction Care. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012, 5, 420-422.	0.9	1
321	Percutaneous Coronary Interventions without On-Site Cardiac Surgical Backup. <i>New England Journal of Medicine</i> , 2012, 366, 1814-1823.	13.9	17
322	Pre PCI hospital antithrombotic therapy for ST elevation myocardial infarction: striving for consensus. <i>Journal of Thrombosis and Thrombolysis</i> , 2012, 34, 20-30.	1.0	2
323	Comparison of Role of Early (Less Than Six Hours) to Later (More Than Six Hours) or No Cardiac Catheterization After Resuscitation From Out-of-Hospital Cardiac Arrest. <i>American Journal of Cardiology</i> , 2012, 109, 451-454.	0.7	73
324	Management and risk factors for mortality in very elderly patients with acute myocardial infarction. <i>Geriatrics and Gerontology International</i> , 2013, 13, 146-151.	0.7	12
325	Current treatment of ST elevation acute myocardial infarction in Japan: door-to-balloon time and total ischemic time from the J-AMI registry. <i>Cardiovascular Intervention and Therapeutics</i> , 2013, 28, 30-36.	1.2	30

#	ARTICLE	IF	CITATIONS
326	Use of Risk Assessment Analysis by Failure Mode, Effects, and Criticality to Reduce Door-to-Balloon Time. <i>Annals of Emergency Medicine</i> , 2013, 62, 388-398.e12.	0.3	21
327	Door-to-Balloon Time and Mortality among Patients Undergoing Primary PCI. <i>New England Journal of Medicine</i> , 2013, 369, 901-909.	13.9	609
328	Optimizing Reperfusion in Patients with STEMI: A Critical Evaluation of Pharmacologic and Non-Pharmacologic Strategies. <i>American Journal of Cardiovascular Drugs</i> , 2013, 13, 399-406.	1.0	0
329	Time-to-treatment and infarct size in STEMI patients undergoing primary angioplasty. <i>International Journal of Cardiology</i> , 2013, 167, 1508-1513.	0.8	16
330	Evaluation of Gender Differences in Door-to-Balloon Time in ST-Elevation Myocardial Infarction. <i>Heart Lung and Circulation</i> , 2013, 22, 861-869.	0.2	74
331	The impact of therapeutic hypothermia as adjunctive therapy in a regional primary PCI program. <i>Resuscitation</i> , 2013, 84, 460-464.	1.3	23
332	Symptom-to-needle times in ST-segment elevation myocardial infarction: Shortest route to a primary coronary intervention facility. <i>Archives of Cardiovascular Diseases</i> , 2013, 106, 162-168.	0.7	8
333	Early intravenous heart failure therapy and outcomes among older patients hospitalized for acute decompensated heart failure: Findings from the Acute Decompensated Heart Failure Registry Emergency Module (ADHERE-EM). <i>American Heart Journal</i> , 2013, 166, 349-356.	1.2	49
334	Changes in reperfusion strategy over time for ST segment elevation myocardial infarction in the Greater Paris Area: Results from the e-MUST Registry. <i>International Journal of Cardiology</i> , 2013, 168, 5149-5155.	0.8	7
335	Impact of ischemic time on post-infarction left ventricular function in ST-elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2013, 165, 523-527.	0.8	6
336	The safety and efficacy of intracoronary nitrite infusion during acute myocardial infarction (NITRITE-AMI): study protocol of a randomised controlled trial. <i>BMJ Open</i> , 2013, 3, e002813.	0.8	29
337	Time Period From Onset of Pain to Hospital Admission and Patients'™ Awareness in Acute Pancreatitis. <i>Pancreas</i> , 2013, 42, 647-654.	0.5	21
338	Plasminogen activator inhibitor-1 5G/5G genotype is associated with early spontaneous recanalization of the infarct-related artery in patients presenting with acute ST-elevation myocardial infarction. <i>Coronary Artery Disease</i> , 2013, 24, 196-200.	0.3	3
339	Impact of time-to-treatment on myocardial perfusion after primary percutaneous coronary intervention with Gp IIb/IIIa inhibitors. <i>Journal of Cardiovascular Medicine</i> , 2013, 14, 815-820.	0.6	10
340	Sex Preferences in Cardiovascular Testing: The Contribution of the Patient-Physician Discussion. <i>Academic Emergency Medicine</i> , 2013, 20, 680-688.	0.8	22
341	The effect of failure mode and effect analysis on reducing percutaneous coronary intervention hospital door-to-balloon time and mortality in ST segment elevation myocardial infarction. <i>BMJ Quality and Safety</i> , 2013, 22, 626-638.	1.8	15
342	“Picture to Puncture” <i>Circulation</i> , 2013, 127, 1139-1148.	1.6	124
343	Improvement in Door-to-Balloon (D2B) Time in Acute ST-Elevation Myocardial Infarction Through the D2B Alliance. <i>Circulation Journal</i> , 2013, 77, 383-389.	0.7	9

#	ARTICLE	IF	CITATIONS
344	Effect of Statin Therapy on the Progression of Common Carotid Artery Intima-Media Thickness: An Updated Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013, 20, 108-121.	0.9	61
345	Magnetic resonance susceptibility weighted phase imaging for the assessment of reperfusion intramyocardial hemorrhage. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1210-1220.	1.9	14
346	The prevalence and outcomes of transradial percutaneous coronary intervention for acute coronary syndrome. Analysis from the single-centre ISACS-TC Registry (International Survey of Acute Coronary) Tj ETQq0 0 0ogBT /Overlock 10 Tf		
347	Reporting Trends and Outcomes in ST-Segmentâ€Elevation Myocardial Infarction National Hospital Quality Assessment Programs. <i>Circulation</i> , 2014, 129, 194-202.	1.6	37
348	Accuracy of Prehospital Transport Time Estimation. <i>Academic Emergency Medicine</i> , 2014, 21, 9-16.	0.8	23
349	Diagnostic accuracy of ST-segment elevation myocardial infarction by various healthcare providers. <i>International Journal of Cardiology</i> , 2014, 177, 825-829.	0.8	17
350	Minimizing Transfer Time to an ST Segment Elevation Myocardial Infarction-Receiving Center. <i>Critical Pathways in Cardiology</i> , 2014, 13, 20-24.	0.2	5
351	Effect of Prehospital Cardiac Catheterization Lab Activation on Door-to-Balloon Time, Mortality, and False-Positive Activation. <i>Prehospital Emergency Care</i> , 2014, 18, 1-8.	1.0	68
352	Implementation of multiple strategies for improved door-to-balloon time in patients with ST-segment elevation myocardial infarction. <i>Heart and Vessels</i> , 2014, 29, 142-148.	0.5	9
353	Systematic Review and Meta-analysis of the Benefits of Out-of-Hospital 12-Lead ECG and Advance Notification in ST-Segment Elevation Myocardial Infarction Patients. <i>Annals of Emergency Medicine</i> , 2014, 64, 176-186.e9.	0.3	51
354	Role and timing of coronary intervention in non-ST-elevation myocardial infarction. <i>Interventional Cardiology</i> , 2014, 6, 183-198.	0.0	0
355	Reperfusion Strategies in Acute Coronary Syndromes. <i>Circulation Research</i> , 2014, 114, 1918-1928.	2.0	82
356	Intracoronary thrombolysis in patients with ST-segment elevation myocardial infarction presenting with massive intraluminal thrombus and failed aspiration. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014, 3, 229-236.	0.4	33
357	Factors associated with prehospital delay in patients with ST-segment elevation acute myocardial infarction in China. <i>American Journal of Emergency Medicine</i> , 2014, 32, 349-355.	0.7	41
358	Impact of transport pathways on the time from symptom onset of ST-segment elevation myocardial infarction to door of coronary intervention facility. <i>Journal of Cardiology</i> , 2014, 64, 11-18.	0.8	14
359	Aggressive Measures to Decrease â€œDoor to Balloonâ€Time and Incidence of Unnecessary Cardiac Catheterization: Potential Risks and Role of Quality Improvement. <i>Mayo Clinic Proceedings</i> , 2015, 90, 1614-1622.	1.4	19
360	Prehospital Transfer Pathway and Mortality in Patients Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2015, 79, 2000-2008.	0.7	15
361	Direct Transfer, Shorter Onset-to-Balloon Time, and Better Clinical Outcome in ST-Segment Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2015, 79, 1897-1899.	0.7	5

#	ARTICLE	IF	CITATIONS
362	How to measure quality of care in patients presenting with STEMI? A single-centre experience. <i>Acta Cardiologica</i> , 2015, 70, 1-11.	0.3	1
363	Comparison of primary percutaneous coronary intervention in patients with ST-elevation myocardial infarction during and prior to availability of an in-house STEMI system: Early experience and intermediate outcomes of the HARRT program for achieving routine D_2B times ≤ 60 minutes. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 86, 186-196.	0.7	7
364	Combined hypoxia and sodium nitrite pretreatment for cardiomyocyte protection <i>in vitro</i> . <i>Biotechnology Progress</i> , 2015, 31, 482-492.	1.3	11
365	Percutaneous coronary intervention in the elderly. <i>International Journal of Cardiology</i> , 2015, 199, 342-355.	0.8	23
366	Sex Differences in Reperfusion in Young Patients With ST-Segment Elevation Myocardial Infarction. <i>Circulation</i> , 2015, 131, 1324-1332.	1.6	189
367	Impact of a Novel Interventional Platform and Hospital Design on the Door-to-balloon Time in Patients Presenting With ST-segment Elevation Myocardial Infarction. <i>Critical Pathways in Cardiology</i> , 2015, 14, 39-43.	0.2	2
368	Effects of Critical Pathway on the Management of Patients With ST-elevation Acute Myocardial Infarction in an Emergency Department. <i>Critical Pathways in Cardiology</i> , 2015, 14, 31-35.	0.2	8
369	Door to Balloon Time: Is There a Point That Is Too Short?. <i>Progress in Cardiovascular Diseases</i> , 2015, 58, 230-240.	1.6	15
370	Relation between door-to-balloon times and mortality after primary percutaneous coronary intervention over time: a retrospective study. <i>Lancet</i> , 2015, 385, 1114-1122.	6.3	279
371	Infarct size reduction in acute myocardial infarction. <i>Heart</i> , 2015, 101, 155-160.	1.2	24
372	Correlation of Carotid Artery Disease Severity and Vasomotor Response of Cerebral Blood Vessels. <i>Angiology</i> , 2015, 66, 481-487.	0.8	9
373	Therapeutic Hypothermia for Cardioprotection in Acute Myocardial Infarction. <i>Yonsei Medical Journal</i> , 2016, 57, 291.	0.9	10
374	Nesiritide in patients hospitalized for acute heart failure: does timing matter? Implication for future acute heart failure trials. <i>European Journal of Heart Failure</i> , 2016, 18, 684-692.	2.9	14
375	Randomised, double-blind, placebo-controlled study investigating the effects of inorganic nitrate on vascular function, platelet reactivity and restenosis in stable angina: protocol of the NITRATE-OCT study. <i>BMJ Open</i> , 2016, 6, e012728.	0.8	6
376	Association of Guideline-Based Admission Treatments and Life Expectancy After Myocardial Infarction in Elderly Medicare Beneficiaries. <i>Journal of the American College of Cardiology</i> , 2016, 67, 2378-2391.	1.2	16
377	Culprit Vessel Revascularization Prior to Diagnostic Angiography as a Strategy to Reduce Delays in Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, e003510.	1.4	6
378	Age-dependent impact of new ESC-Guideline recommended door-to-balloon times on mid-term survival in acute ST-elevation myocardial infarction patients undergoing primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2016, 222, 242-246.	0.8	9
379	Onset-to-device time of patients who arrive at off-hours: Importance of prehospital management and public awareness for patients with ST-segment elevation myocardial infarction. <i>Cardiovascular Therapeutics</i> , 2016, 34, 475-481.	1.1	5

#	ARTICLE	IF	CITATIONS
380	Safety and Efficacy of a Pharmacoinvasive Strategy in ST-Segment Elevation Myocardial Infarction. JACC: Cardiovascular Interventions, 2016, 9, 2014-2020.	1.1	33
381	Contemporary management of ST-segment elevation myocardial infarction. Internal and Emergency Medicine, 2016, 11, 1107-1113.	1.0	4
382	A hospital-wide system to ensure rapid treatment time across the entire spectrum of emergency percutaneous intervention. Catheterization and Cardiovascular Interventions, 2016, 88, 678-689.	0.7	6
383	Impact of door-to-balloon time on long-term mortality in high- and low-risk patients with ST-elevation myocardial infarction. International Journal of Cardiology, 2016, 224, 72-78.	0.8	27
384	Pre-hospital management, procedural performance and outcomes for primary percutaneous coronary intervention in ST-elevation myocardial infarction in the Netherlands: Insights from the Dutch cohort of the APPOSITION-III trial. Netherlands Heart Journal, 2016, 24, 730-739.	0.3	6
385	Time to Treatment. Interventional Cardiology Clinics, 2016, 5, 427-437.	0.2	4
386	Association Between Hospital Practices and Door-in-door-out Time in ST-segment Elevation Myocardial Infarction. Critical Pathways in Cardiology, 2016, 15, 165-168.	0.2	3
387	Patterns of ST segment resolution after guidewire passage and thrombus aspiration in primary percutaneous coronary intervention (PPCI) for acute myocardial infarction. Open Heart, 2016, 3, e000430.	0.9	4
388	Current and novel approaches to treat patients presenting with ST elevation myocardial infarction. Expert Review of Cardiovascular Therapy, 2016, 14, 895-904.	0.6	0
389	Coordinated regional care of myocardial infarction in a rural area in Brazil: Minas Telecardio Project 2. European Heart Journal Quality of Care & Clinical Outcomes, 2016, 2, 215-224.	1.8	18
390	Reperfusion Therapy for Acute Myocardial Infarction. , 0, , .		0
391	Prodromal symptoms associated with acute coronary syndrome acute symptom presentation. European Journal of Cardiovascular Nursing, 2016, 15, e52-e59.	0.4	8
392	Efficacy of Early Invasive Management After Fibrinolysis for ST-Segment Elevation Myocardial Infarction in Relation to Initial Troponin Status. Canadian Journal of Cardiology, 2016, 32, 1221.e11-1221.e18.	0.8	7
393	Longer procedural times are independently associated with symptomatic intracranial hemorrhage in patients with large vessel occlusion stroke undergoing thrombectomy. Journal of NeuroInterventional Surgery, 2016, 8, 1217-1220.	2.0	26
394	Changes in mortality on weekend versus weekday admissions for Acute Coronary Syndrome in the United States over the past decade. International Journal of Cardiology, 2016, 210, 164-172.	0.8	51
395	The History of Primary Angioplasty and Stenting for Acute Myocardial Infarction. Current Cardiology Reports, 2016, 18, 5.	1.3	9
396	Late diagnosis of Wellens syndrome in a patient presenting with an atypical acute coronary syndrome. American Journal of Emergency Medicine, 2016, 34, 338.e3-338.e5.	0.7	3
397	Prognostic impact of non-compliance with guidelines-recommended times to reperfusion therapy in ST-elevation myocardial infarction. The FAST-MI 2010 registry. European Heart Journal: Acute Cardiovascular Care, 2017, 6, 26-33.	0.4	17

#	ARTICLE	IF	CITATIONS
398	Long-Term Prognostic Implications of the Admission Shock Index in Patients With Acute Myocardial Infarction Who Received Percutaneous Coronary Intervention. <i>Angiology</i> , 2017, 68, 339-345.	0.8	21
399	Impact of a single universal guiding catheter on door-to-balloon time in primary transradial coronary intervention for ST segment elevation myocardial infarction. <i>Cardiovascular Intervention and Therapeutics</i> , 2017, 32, 114-119.	1.2	10
400	Telemetry-assisted early detection of STEMI in patients with atypical symptoms by paramedic-performed 12-lead ECG with subsequent cardiological analysis. <i>European Journal of Emergency Medicine</i> , 2017, 24, 272-276.	0.5	4
401	Reperfusion treatment delays amongst patients with painless ST segment elevation myocardial infarction. <i>Canadian Journal of Emergency Medicine</i> , 2017, 19, 355-363.	0.5	9
402	Shorter Door-To-Balloon ST-Elevation Myocardial Infarction Time: Should There Be a Minimum Limit?. <i>Current Problems in Cardiology</i> , 2017, 42, 175-187.	1.1	8
403	Timely Reperfusion in Stroke and Myocardial Infarction Is Not Correlated. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017, 10, .	0.9	3
404	ST-segment elevation myocardial infarction, systems of care. An urgent need for policies to co-ordinate care in order to decrease in-hospital mortality. <i>International Journal of Cardiology</i> , 2017, 240, 82-86.	0.8	1
405	Effect of improved door-to-balloon time on clinical outcomes in patients with ST segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2017, 240, 66-71.	0.8	11
406	Numeracy Predicts Risk of Pre-Hospital Decision Delay: a Retrospective Study of Acute Coronary Syndrome Survival. <i>Annals of Behavioral Medicine</i> , 2017, 51, 292-306.	1.7	30
407	Effect of weekend admission on process of care and clinical outcomes for the management of acute coronary syndromes: a retrospective analysis of three UK centres. <i>BMJ Open</i> , 2017, 7, e016866.	0.8	14
408	Trends and Impact of Door-to-Balloon Time on Clinical Outcomes in Patients Aged <75, 75 to 84, and ≥85 Years With ST-Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2017, 120, 1245-1253.	0.7	13
409	Effect of Shorter Door-to-Balloon Times Over 20 Years on Outcomes of Patients With Anterior ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2017, 120, 1254-1259.	0.7	18
410	Differences in Hospital Risk-standardized Mortality Rates for Acute Myocardial Infarction When Assessed Using Transferred and Nontransferred Patients. <i>Medical Care</i> , 2017, 55, 476-482.	1.1	10
412	Exclusions in the denominators of process-based quality measures: the missing link in understanding performance or ecological fallacy?. <i>BMJ Quality and Safety</i> , 2017, 26, 169-173.	1.8	3
413	Is Normal Coronary Arteries on Coronary Angiogram Truly Benign?. <i>Indian Journal of Cardiovascular Disease in Women WINCARS</i> , 2017, 02, 077-081.	0.1	0
414	Acute Myocardial Infarction with Simultaneous Gastric Perforation. <i>Clinical Practice and Cases in Emergency Medicine</i> , 2017, 1, 179-182.	0.1	3
415	Impact of Door-to-Balloon Time in Patients With ST-Elevation Myocardial Infarction Who Arrived by Self-Transportâ€• Acute Myocardial Infarction-Kyoto Multi-Center Risk Study Group â€•. <i>Circulation Journal</i> , 2017, 81, 1693-1698.	0.7	5
416	Causes of delay in door-to-balloon time in south-east Asian patients undergoing primary percutaneous coronary intervention. <i>PLoS ONE</i> , 2017, 12, e0185186.	1.1	17

#	ARTICLE	IF	CITATIONS
417	INNOVATIONS IN CARE. Innovation in Aging, 2017, 1, 975-975.	0.0	0
418	Transradial Artery Access in Percutaneous Coronary Intervention for ST-Segment Elevation Myocardial Infarction and Cardiogenic Shock. Current Treatment Options in Cardiovascular Medicine, 2018, 20, 11.	0.4	5
419	Predicting 30-Day Hospital Readmissions in Acute Myocardial Infarction: The AMI READMITS (Renal) Tj ETQq0 0 0 rgBT /Overloc Score. Journal of the American Heart Association, 2018, 7, .	1.6	20
420	Coronary intervention door-to-balloon time and outcomes in ST-elevation myocardial infarction: a meta-analysis. Heart, 2018, 104, 1362-1369.	1.2	85
421	Ticagrelor attenuates myocardial ischaemia-related reperfusion injury possibly through downregulating galectin-3 expression in the infarct area of rats. British Journal of Clinical Pharmacology, 2018, 84, 1180-1186.	1.1	24
422	Temporal Trends in the Clinical Acuity of Patients with ST-Segment Elevation Myocardial Infarction. American Journal of Medicine, 2018, 131, 100.e9-100.e20.	0.6	21
423	In-hospital γ -CODE STEMI improves door-to-balloon time in patients undergoing primary percutaneous coronary intervention. EMA - Emergency Medicine Australasia, 2018, 30, 222-227.	0.5	7
424	Impact of Regionalization of ST-Segment Elevation Myocardial Infarction Care on Treatment Times and Outcomes for Emergency Medical Services-Transported Patients Presenting to Hospitals With Percutaneous Coronary Intervention. Circulation, 2018, 137, 376-387.	1.6	101
425	Door-to-balloon time and the determining factors in a tertiary cardiac center in Nepal. Indian Heart Journal, 2018, 70, S309-S312.	0.2	4
426	Muse Cells. Advances in Experimental Medicine and Biology, 2018, , .	0.8	3
427	Acute Myocardial Infarction, Cardioprotection, and Muse Cells. Advances in Experimental Medicine and Biology, 2018, 1103, 153-166.	0.8	9
428	Determinants of total ischemic time in primary percutaneous coronary interventions: A prospective analysis. Indian Heart Journal, 2018, 70, S275-S279.	0.2	12
429	Time to hospital arrival among patients with acute myocardial infarction in China: a report from China PEACE prospective study. European Heart Journal Quality of Care & Clinical Outcomes, 2019, 5, 63-71.	1.8	25
430	Impact of shorter door-to-balloon time on prognosis of patients with STEMI: single-center analysis with a large proportion of the patients treated within 30 min. Cardiovascular Intervention and Therapeutics, 2019, 34, 97-104.	1.2	3
431	ST-Elevation Myocardial Infarction: A Simulation Case for Evaluation of Interprofessional Performance in a Hospital. Emergency Medicine International, 2019, 2019, 1-4.	0.3	2
432	Relationship Between Troponin on Presentation and In-Hospital Mortality in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. Journal of the American Heart Association, 2019, 8, e013551.	1.6	21
433	Relation of lowering door-to-balloon time and mortality in ST segment elevation myocardial infarction patients undergoing percutaneous coronary intervention. Clinical Research in Cardiology, 2019, 108, 1053-1058.	1.5	19
434	Prehospital and in-hospital delays to care and associated factors in patients with STEMI: an observational study in 101 non-PCI hospitals in China. BMJ Open, 2019, 9, e031918.	0.8	10

#	ARTICLE	IF	CITATIONS
435	Cardioprotection Against Acute Myocardial Infarction. , 2019, , .		2
436	Effect of Prehospital Blood Draws on Length of Stay for Chest Pain Patients in the Emergency Department. <i>Critical Care Nursing Quarterly</i> , 2019, 42, 208-214.	0.4	5
437	Gender Differences in the Quality of EMS Care Nationwide for Chest Pain and Out-of-Hospital Cardiac Arrest. <i>Women's Health Issues</i> , 2019, 29, 116-124.	0.9	30
438	Door-to-balloon time and factors associated with delayed door-to-balloon time in ST-segment elevation myocardial infarction at Thailand's largest tertiary referral centre. <i>Journal of Evaluation in Clinical Practice</i> , 2019, 25, 434-440.	0.9	3
439	Triage Performance in Emergency Medicine: A Systematic Review. <i>Annals of Emergency Medicine</i> , 2019, 74, 140-152.	0.3	122
440	Impact of living alone on the care and outcomes of patients with ST-elevation myocardial infarction. <i>Journal of Cardiology</i> , 2020, 75, 628-634.	0.8	6
441	CODE STEMI Program Improves Clinical Outcome in ST Elevation Myocardial Infarction Patients: A Retrospective Cohort Study. <i>Open Access Emergency Medicine</i> , 2020, Volume 12, 315-321.	0.6	0
442	Association Between 90-Minute Door-to-Balloon Time, Selective Exclusion of Myocardial Infarction Cases, and Access Site Choice. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e009179.	1.4	9
443	The relationship between off-hours admissions for primary percutaneous coronary intervention, door-to-balloon time and mortality for patients with ST-elevation myocardial infarction in England: a registry-based prospective national cohort study. <i>BMJ Quality and Safety</i> , 2020, 29, 541-549.	1.8	13
444	Catheterization Laboratory Activation Time in Patients Transferred With ST-Segment Elevation Myocardial Infarction: Insights From the Mission: Lifeline STEMI Accelerator-2 Project. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020, 13, e006204.	0.9	6
445	Improving Door-to-Balloon Time for Patients With Acute ST-Elevation Myocardial Infarction: A Controlled Clinical Trial. <i>Current Problems in Cardiology</i> , 2021, 46, 100674.	1.1	7
446	Direct Admission of Patients With ST-Segment Elevation Myocardial Infarction to the Catheterization Laboratory Shortens Pain-to-Balloon and Door-to-Balloon Time Intervals but Only the Pain-to-Balloon Interval Impacts Short- and Long-Term Mortality. <i>Journal of the American Heart Association</i> , 2021, 10, e018343.	1.6	19
447	The feasibility of Kimny guiding catheter for ST-segment elevation myocardial infarction. <i>Tzu Chi Medical Journal</i> , 2021, 34, 102-106.	0.4	0
448	The remnant of our success. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, 1118-1119.	0.7	1
449	Door-to-balloon Time for ST-elevation MI in the Coronavirus Disease 2019 Era. <i>US Cardiology Review</i> , 0, 15, .	0.5	1
450	Evaluation of Door-to-Balloon Times After Implementation of a ST-Segment Elevation Myocardial Infarction Network. <i>Journal of Cardiovascular Nursing</i> , 2022, 37, E107-E113.	0.6	0
451	New Interventional Therapies beyond Stenting to Treat ST-Segment Elevation Acute Myocardial Infarction. <i>Journal of Cardiovascular Development and Disease</i> , 2021, 8, 100.	0.8	5
452	Controlling Reperfusion Injury With Controlled Reperfusion: Historical Perspectives and New Paradigms. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2021, 26, 504-523.	1.0	10

#	ARTICLE	IF	CITATIONS
453	The impact of pre-hospital 12-lead electrocardiogram and first contact by cardiologist in patients with ST-elevation myocardial infarction in Kanagawa, Japan. <i>Journal of Cardiology</i> , 2021, 78, 183-192.	0.8	7
454	Dynamic Regulation of Cysteine Oxidation and Phosphorylation in Myocardial Ischemia-“Reperfusion Injury. <i>Cells</i> , 2021, 10, 2388.	1.8	7
455	Things We Do for No Reasonâ„¢: Emergent hemodialysis after intravascular iodinated contrast exposure in chronic hemodialysis patients. <i>Journal of Hospital Medicine</i> , 2022, 17, 653-656.	0.7	0
456	Trends in the use of cerebrospinal drains and outcomes related to spinal cord ischemia after thoracic endovascular aortic repair and complex endovascular aortic repair in the Vascular Quality Initiative database. <i>Journal of Vascular Surgery</i> , 2021, 74, 1067-1078.	0.6	25
457	Coronary Atherosclerosis: Acute Coronary Syndromes. , 2002, , 746-779.		1
458	Intracoronary Adenosine versus Intravenous Adenosine during Primary PCI for ST-Elevation Myocardial Infarction: Which One Offers Better Outcomes in terms of Microvascular Obstruction?. <i>ISRN Cardiology</i> , 2013, 2013, 1-8.	1.6	3
459	Timing Is Everything. <i>Circulation</i> , 2001, 104, 1210-1211.	1.6	80
460	From bench to bedside. <i>Neurology</i> , 2001, 57, S12-9.	1.5	6
461	The Prevalence of Clinically Significant Ischemia in Patients Undergoing Percutaneous Coronary Intervention: A Report from the Multicenter Registry. <i>PLoS ONE</i> , 2015, 10, e0133568.	1.1	1
462	Resultados hospitalares da intervenÃ§Ã£o coronÃ¡ria percutÃ¢nea primÃ¡ria no infarto agudo do miocÃ¡rdio em pacientes com mais de 80 anos. <i>Revista Brasileira De Cardiologia Invasiva</i> , 2010, 18, 17-23.	0.1	3
464	Factors Associated With Prolonged Prehospital Delay of African Americans With Acute Myocardial Infarction. <i>American Journal of Critical Care</i> , 2006, 15, 149-157.	0.8	64
465	Call-to-balloon time dashboard in patients with ST-segment elevation myocardial infarction results in significant improvement in the logistic chain. <i>EuroIntervention</i> , 2017, 13, e564-e571.	1.4	10
466	Abortion of myocardial infarction by primary angioplasty mainly depends on preprocedural TIMI flow. <i>EuroIntervention</i> , 2011, 6, 854-859.	1.4	5
467	Experience and Outcomes of Primary Percutaneous Coronary Intervention for Patients with ST-Segment Elevation Myocardial Infarction of Tertiary Care Center in Bosnia and Herzegovina. <i>Medicinski Arhiv = Medical Archives = Archives De MÃ©decine</i> , 2017, 71, 183.	0.4	8
468	Spontaneous reperfusion before intervention improves immediate but not long-term prognosis in diabetic patients with ST-segment elevation myocardial infarction and multivessel coronary artery disease. <i>Cardiology Journal</i> , 2013, 20, 378-384.	0.5	4
469	Factors Contributing to Door-to-Balloon Times of â‰¥90 Minutes in 97% of Patients with ST-Elevation Myocardial Infarction: Our One-Year Experience with a Heart Alert Protocol. , 2010, 14, 4-11.		8
470	Delayed care in myocardial infarction and ischemic stroke patients during the COVID-19 pandemic. <i>American Journal of Emergency Medicine</i> , 2021, , .	0.7	8
471	Sex and Medium-term Outcomes of ST-Segment Elevation Myocardial Infarction in Kerala, India: A Propensity Score-“Matched Analysis. <i>CJC Open</i> , 2021, 3, S71-S80.	0.7	2

#	ARTICLE	IF	CITATIONS
472	Q-Wave Myocardial Infarction. , 2001, , 177-193.		1
473	Pathophysiological basics of acute myocardial infarction The epicardial vessel The microcirculation The myocardium. , 2004, , 12-23.		0
475	Facilitated Percutaneous Coronary Intervention for Acute Myocardial Infarction. , 2004, , 261-276.		0
476	Incidencia y Significado Cl�nico del Grado de Perfusi�n Mioc�rdica Durante la Angioplastia Primaria en el Paciente con Infarto Agudo del Miocardio. MEDICRIT Revista De Medicina Cr�tica, 2005, 2, .	0.1	0
477	Percutaneous Coronary Intervention for Acute Myocardial Infarction. , 2007, , 1021-1030.		1
478	Antiplatelet Agents. Fundamental and Clinical Cardiology, 2008, , 176-194.	0.0	0
479	Treatment Opportunities with Fibrinolytic Therapy. Fundamental and Clinical Cardiology, 2008, , 71-90.	0.0	0
480	Therapies Targeted at Preserving Microvascular Integrity and Preventing Reperfusion Injury. , 2009, , 135-167.		0
481	Overview, Rationale, and Lexicon: Primary Percutaneous Coronary Intervention in Acute Myocardial Infarction. , 2009, , 1-8.		1
482	The usefulness of pre-hospital diagnosis of acute coronary syndrome using supplemental 12-lead ECG equipped on the Doctor Car. Nihon Kyukyu Igakukai Zasshi, 2009, 20, 243-251.	0.0	1
484	Major Subgroups at Presentation. , 2009, , 15-44.		0
486	Trombolisis y Angioplast�a, dos m�todos complementarios. Revista Chilena De Cardiolog�a, 2010, 29, .	0.0	0
487	Cardioprotected Percutaneous Coronary Intervention â€“ A Case Study in a Stable Angina Patient. Interventional Cardiology Review, 2011, 6, 186.	0.7	1
488	Effect of Early Door to Balloon Time on Treatment with Adjunctive Therapy and Resultant Procedural Success in STEMI. Journal of Clinical & Experimental Cardiology, 2011, 02, .	0.0	0
490	Veiksniai, lemiantys pacient�s, s�rgusi�s �kmiu miokardo infarktu su st bangos pakilimu ir gydyt�s perkutanine koronarine intervencija, vieneri�s met�s i�gyvenamum�... Health Sciences, 2012, 22, 101-105.	0.0	0
491	PCI Considerations in Women: Gender-Specific Outcomes and Challenges. , 2014, , 227-241.		0
492	Prognosis in patients with myocardial infarction with ST-elevation depending on the timing of interventional revascularization. S�rce - B�cl Drob, 2018, 21, 36.	0.0	0
493	Left Ventricular Angiography Post Primary Percutaneous Intervention-does it Predict Subsequent Left Ventricular Dysfunction?. Journal of Clinical & Experimental Cardiology, 2016, 7, .	0.0	0

#	ARTICLE	IF	CITATIONS
495	Community-Based Pre-Hospital Electrocardiogram Transmission Program for Reducing Systemic Time Delay in Acute ST-Segment Elevation Myocardial Infarction. <i>Korean Circulation Journal</i> , 2020, 50, 709.	0.7	3
496	Relation of Pain-to-Balloon Time and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2022, 163, 38-42.	0.7	6
497	Prehospital triage for angiography-guided therapy for acute myocardial infarction. <i>Netherlands Heart Journal</i> , 2004, 12, 151-156.	0.3	2
498	Door-to-balloon time in primary percutaneous coronary intervention predicts degree of myocardial necrosis as measured using cardiac biomarkers. <i>Texas Heart Institute Journal</i> , 2010, 37, 161-5.	0.1	5
499	Emergency Department Activation of Interventional Cardiology to Reduce Door-to-Balloon Time. <i>Western Journal of Emergency Medicine</i> , 2010, 11, 363-6.	0.6	5
500	Quality measure study: progress in reducing the door-to-balloon time in patients with ST-segment elevation myocardial infarction. <i>Hawaii Medical Journal</i> , 2010, 69, 242-6.	0.4	7
501	Organizational resiliency: how top-performing hospitals respond to setbacks in improving quality of cardiac care. <i>Journal of Healthcare Management</i> , 2008, 53, 169-81; discussion 181-2.	0.4	5
503	Primary Angioplasty for the Treatment of Acute ST-Segment Elevated Myocardial Infarction: An Evidence-Based Analysis. <i>Ontario Health Technology Assessment Series</i> , 2004, 4, 1-65.	3.0	2
504	Intracoronary hypothermia for acute myocardial infarction in the isolated beating pig heart. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 558-568.	0.0	10
505	Is symptom to balloon time a better predictor of outcomes in acute ST-segment elevation myocardial infarction than door to balloon time?. <i>American Journal of Cardiovascular Disease</i> , 2018, 8, 43-47.	0.5	5
506	Impact of admission hours on each stage of care and total reperfusion delays in patients with ST elevation myocardial infarction. <i>American Journal of Cardiovascular Disease</i> , 2021, 11, 382-390.	0.5	0
507	Impact of the SARS-CoV-2 Pandemic on Primary Percutaneous Coronary Intervention for Patients with ST-Elevation Myocardial Infarction. <i>International Heart Journal</i> , 2021, 62, 1230-1234.	0.5	4
508	Identification of the high-risk patient in primary percutaneous coronary intervention: development and validation of a novel predictive index. <i>European Heart Journal</i> , 2020, 41, .	1.0	0
509	Delays to Hospital Presentation in Women and Men with ST-Segment Elevation Myocardial Infarction: A Multi-Center Analysis of Patients Hospitalized in New York City. <i>Therapeutics and Clinical Risk Management</i> , 2022, Volume 18, 1-9.	0.9	7
510	Impact of Pre-Hospital Activation of STEMI on False Positive Activation Rate and Door to Balloon Time. <i>Heart Lung and Circulation</i> , 2022, 31, 447-455.	0.2	7
511	Prolonged reperfusion delays during the COVID-19 pandemic: is faster always better?. <i>Canadian Journal of Cardiology</i> , 2022, , .	0.8	0
512	The relationship between symptom onset-to-needle time and ischemic outcomes in patients with acute myocardial infarction treated with primary PCI. <i>Journal of Cardiology</i> , 2022, 79, 626-633.	0.8	0
513	Part 5: Acute Coronary Syndromes. <i>Circulation</i> , 2005, 112, .	1.6	4

#	ARTICLE	IF	CITATIONS
515	Value of Accreditation for Chest Pain Centers. Contemporary Cardiology, 2022, , 53-60.	0.0	0
516	Door to balloon time in primary percutaneous coronary intervention in ST elevation myocardial infarction: every minute counts. Coronary Artery Disease, 2022, 33, 341-348.	0.3	4
517	Temporal trends in cardiovascular care: Insights from the COVID-19 pandemic. Frontiers in Cardiovascular Medicine, 0, 9, .	1.1	2
518	Device-Based Approaches Targeting Cardioprotection in Myocardial Infarction: The Expanding Armamentarium of Innovative Strategies. Journal of the American Heart Association, 2022, 11, .	1.6	1
519	Time to Treatment in ST-Segment Elevation Myocardial Infarction. JAMA - Journal of the American Medical Association, 2022, 328, 2016.	3.8	1
520	Temporal Trends in Reperfusion Delivery and Clinical Outcomes Following Implementation of a Regional STEMI Protocol: A 12-Year Perspective. CJC Open, 2023, 5, 181-190.	0.7	1
521	Occluded Coronary Artery among Non-ST Elevation Myocardial Infarction Patients in Department of Cardiology of a Tertiary Care Centre: A Descriptive Cross-sectional Study. Journal of the Nepal Medical Association, 2023, 61, 54-58.	0.1	0
522	Shorter door-to-balloon time, better long-term clinical outcomes in ST-segment elevation myocardial infarction patients: J-MINUET substudy. Journal of Cardiology, 2023, 81, 564-570.	0.8	3
523	Sex Differences in Symptom Complexity and Door-to-Balloon Time in Patients With ST-Elevation Myocardial Infarction. American Journal of Cardiology, 2023, 197, 101-107.	0.7	3
524	Don't go breakin' my heart: cardioprotective alterations to the mechanical and structural properties of reperfused myocardium during post-infarction inflammation. Biophysical Reviews, 2023, 15, 329-353.	1.5	1