

CITATION REPORT

List of articles citing

A critical evaluation of simple methods for the estimation of free testosterone in serum

DOI: 10.1210/jcem.84.10.6079

**Journal of Clinical Endocrinology and Metabolism,
1999, 84, 3666-72.**

Source: <https://exaly.com/paper-pdf/30265004/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2313	Dopamine autoreceptor function is lost in advanced Parkinson's disease. 1999 , 52, 120-5		58
2312	Hypothalamo-pituitary-gonadal function in aging men. 1999 , 2, 157-165		14
2311	Serum inhibin B levels in community-dwelling elderly men. 2000 , 53, 141-7		37
2310	Age-related changes of serum sex hormones, insulin-like growth factor-1 and sex-hormone binding globulin levels in men: cross-sectional data from a healthy male cohort. 2000 , 53, 689-95		186
2309	Testosterone replacement: when is there a role?. 2000 , 12 Suppl 4, S112-8		9
2308	Experimental gerontology in Belgium: from model organisms to age-related pathologies. 2000 , 35, 901-16		6
2307	Serum prostate-specific antigen concentrations are not useful for monitoring the treatment of hirsutism with oral contraceptive pills. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 2488-92 ^{5,6}		21
2306	High prevalence of the polycystic ovary syndrome and hirsutism in women with type 1 diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 4182-7	5.6	70
2305	The pathophysiological implications of circulating androgens on bone mineral density in a normal female population. 2000 , 65, 857-61		18
2304	Role of the pentanucleotide (tttta)(n) polymorphism in the promoter of the CYP11a gene in the pathogenesis of hirsutism. 2001 , 75, 797-802		55
2303	Validity of radioimmunological methods for determining free testosterone in serum. 2001 , 76, 576-82		21
2302	TNF- α and Hyperandrogenism: A Clinical, Biochemical, and Molecular Genetic Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 3761-3767	5.6	18
2301	Androgens and aging. 2001 , 38, 61-71; discussion 71-3		121
2300	Inverse association between bone turnover rate and bone mineral density in community-dwelling men >70 years of age: no major role of sex steroid status. 2001 , 29, 286-91		34
2299	Pregnancy outcomes in women with congenital virilizing adrenal hyperplasia. 2001 , 30, 207-29		64
2298	Occult Leydig cell tumor in a patient with gynecomastia. 2001 , 7, 267-71		4
2297	Practical consequences of the validation of a mathematical model in assessment of partial androgen deficiency in the aging male using bioavailable testosterone. 2001 , 4, 23-29		9

2296	Androgens in male senescence. 2001 , 497-542		7
2295	References. 2001 , 283-344		
2294	Methodology for measuring testosterone, DHT and SHBG in a clinical setting. 2001 , 641-664		5
2293	Interictal hyposexuality in male patients with epilepsy. 2001 , 59, 23-8		6
2292	Effect of cigarette smoking on levels of bioavailable testosterone in healthy men. 2001 , 100, 661-665		57
2291	Effect of cigarette smoking on levels of bioavailable testosterone in healthy men. 2001 , 100, 661		35
2290	Hormonal and anthropometric predictors of bone mass in healthy elderly men: major effect of sex hormone binding globulin, parathyroid hormone and body weight. 2001 , 12, 178-84		42
2289	The CAG repeat polymorphism in the androgen receptor gene affects bone density and bone metabolism in healthy males. 2001 , 55, 649-57		79
2288	Lack of influence of the androgen receptor gene CAG-repeat polymorphism on sex steroid status and bone metabolism in elderly men. 2001 , 55, 659-66		78
2287	A strong association between biologically active testosterone and leptin in non-obese men and women is lost with increasing (central) adiposity. 2001 , 25, 98-105		46
2286	Treatment options for a patient experiencing pruritic rash associated with transdermal testosterone: a review of the literature. 2001 , 21, 1425-35		11
2285	Sexuality of the elderly. 2001 , 66, 181-4		11
2284	Plasma prolactin/oestradiol ratio at 38 weeks gestation predicts the duration of lactational amenorrhoea. 2001 , 16, 2540-5		8
2283	TNF-alpha and hyperandrogenism: a clinical, biochemical, and molecular genetic study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 3761-7	5.6	83
2282	Testosterone levels in healthy men and the relation to behavioural and physical characteristics: facts and constructs. 2001 , 144, 183-97		186
2281	Male sexual function and its disorders: physiology, pathophysiology, clinical investigation, and treatment. 2001 , 22, 342-88		164
2280	The CAG repeat polymorphism in the AR gene affects high density lipoprotein cholesterol and arterial vasoreactivity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 4867-73	5.6	108
2279	Novel assay for determination of androgen bioactivity in human serum. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 1539-44	5.6	49

2278	Inverse correlation between sperm concentration and number of androgen receptor CAG repeats in normal men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 2585-90	5.6	89
2277	Androgen deficiency in women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 2395-401	5.6	39
2276	Androgen replacement therapy in the aging male--a critical evaluation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 2380-90	5.6	150
2275	Bioavailable estradiol may be an important determinant of osteoporosis in men: the MINOS study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 192-9	5.6	204
2274	Screening for mutations in the steroidogenic acute regulatory protein and steroidogenic factor-1 genes, and in CYP11A and dosage-sensitive sex reversal-adrenal hypoplasia gene on the X chromosome, gene-1 (DAX-1), in hyperandrogenic hirsute women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 1746-9	5.6	17
2273	Does place of birth influence endogenous hormone levels in Asian-American women?. 2002 , 87, 54-60		22
2272	Longitudinal assessment of serum free testosterone concentration predicts memory performance and cognitive status in elderly men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 5001-7	5.6	357
2271	Sex steroid hormones, upper body obesity, and insulin resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 4522-7	5.6	151
2270	Defining 'relative' androgen deficiency in aging men: how should testosterone be measured and what are the relationships between androgen levels and physical, sexual and emotional health?. 2002 , 5, 15-25		33
2269	Oral desogestrel with testosterone pellets induces consistent suppression of spermatogenesis to azoospermia in both Caucasian and Chinese men. 2002 , 17, 1490-501		74
2268	The impact of testicular and accessory sex gland function on sperm chromatin integrity as assessed by the sperm chromatin structure assay (SCSA). 2002 , 17, 3162-9		60
2267	Effects of androgen supplementation therapy on partial androgen deficiency in the aging male: a preliminary study. 2002 , 5, 47-51		28
2266	Androgens and the ageing male. 2002 , 8, 423-33		52
2265	The -597 G-->A and -174 G-->C polymorphisms in the promoter of the IL-6 gene are associated with hyperandrogenism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 1134-41	5.6	89
2264	Plasma ghrelin, obesity, and the polycystic ovary syndrome: correlation with insulin resistance and androgen levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 5625-9	5.6	155
2263	Vascular reactivity in hypogonadal men is reduced by androgen substitution. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 5030-7	5.6	69
2262	Raloxifene does not affect insulin sensitivity or glycemic control in postmenopausal women with type 2 diabetes mellitus: a randomized clinical trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 122-8	5.6	45
2261	Comment: the methionine 196 arginine polymorphism in exon 6 of the TNF receptor 2 gene (TNFRSF1B) is associated with the polycystic ovary syndrome and hyperandrogenism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 3977-83	5.6	78

2260	Suppression of spermatogenesis by etonogestrel implants with depot testosterone: potential for long-acting male contraception. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 3640-9	5.6	66
2259	Bone loss at the femoral neck in premenopausal white women: effects of weight change and sex-hormone levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 1539-43	5.6	56
2258	Increased bone resorption in moderate smokers with low body weight: the Minos study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 666-74	5.6	108
2257	An effective hormonal male contraceptive using testosterone undecanoate with oral or injectable norethisterone preparations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 530-9	5.6	97
2256	Testosterone substitution of hypogonadal men prevents the age-dependent increases in body mass index, body fat and leptin seen in healthy ageing men: results of a cross-sectional study. 2002 , 146, 505-11		42
2255	Bioavailable testosterone in men with rheumatoid arthritis-high frequency of hypogonadism. 2002 , 41, 285-9		47
2254	Interrelationships of serum testosterone and free testosterone index with FFM and strength in aging men. 2002 , 283, E284-94		130
2253	Diagnosis of hypogonadism in the aging male. 2002 , 5, 170-176		90
2252	Testosterone release from a subcutaneous, biodegradable microcapsule formulation (Viatrel) in hypogonadal men. 2002 , 23, 84-91		24
2251	Hormone replacement therapy in an anti-ageing strategy for men. 2002 , 8, 50-56		
2250	Common single nucleotide polymorphisms in intron 3 of the calpain-10 gene influence hirsutism. 2002 , 77, 581-7		29
2249	Androgen insufficiency in women: summary of critical issues. 2002 , 77 Suppl 4, S94-9		48
2248	Screening for androgen deficiency in women: methodological and interpretive issues. 2002 , 77 Suppl 4, S83-8		118
2247	Consensus Document on substitution therapy with testosterone in hypoandrogenic elderly men. 2002 , 14, 439-64		7
2246	Andropause: clinical implications of the decline in serum testosterone levels with aging in men. 2002 , 57, M76-99		300
2245	Evaluation of assays available to measure free testosterone. 2002 , 51, 554-9		259
2244	Monitoring bone density in hypogonadal men by quantitative phalangeal ultrasound. 2002 , 31, 422-9		37
2243	Androgen deficiency in the aging male: when, who, and how to investigate and treat. 2002 , 29, 975-82, x		42

2242	Indirect Measurement of Bioavailable Testosterone with the Bayer Immuno 1 System. 2002 , 48, 388-390	16
2241	Sexual maturation in relation to polychlorinated aromatic hydrocarbons: Sharpe and Skakkebaek's hypothesis revisited. 2002 , 110, 771-6	177
2240	Age dependent secretion of LH and ACTH in healthy men and patients with erectile dysfunction. 2002 , 41, 144-53; discussion 153-4	10
2239	Androgen replacement therapy and prostate safety. 2002 , 41, 113-20	75
2238	Le déficit androgénique lié à l'âge: du diagnostic biologique au traitement substitutif. 2002 , 12, 138-148	2
2237	Diagnostic approach to the aging male. 2002 , 20, 17-22	4
2236	The ageing male. 2002 , 20, 4-10	35
2235	Der Altershypogonadismus des Mannes. 2002 , 18, 241-246	1
2234	Androgen supplementation in older women: too much hype, not enough data. 2002 , 50, 1131-40	54
2233	CAG repeat length in the androgen receptor gene and gonadotrophin suppression influence the effectiveness of hormonal male contraception. 2002 , 57, 647-55	50
2232	Neck circumference a good predictor of raised insulin and free androgen index in obese premenopausal women: changes with weight loss. 2002 , 57, 769-78	46
2231	Lifestyle and nutritional determinants of bioavailable androgens and related hormones in British men. 2002 , 13, 353-63	113
2230	Waist circumference and testosterone levels in community dwelling men. The Tromsø study. 2004 , 19, 657-63	167
2229	BMD is reduced in HIV-infected men irrespective of treatment. 2004 , 19, 402-9	122
2228	The CAG repeat polymorphism in the androgen receptor gene modulates body fat mass and serum concentrations of leptin and insulin in men. 2003 , 46, 31-9	140
2227	Contribution de la testostérone biodisponible aux explorations hormonales pour le diagnostic de l'andropause. 2003 , 13, 105-109	1
2226	Diagnostic, traitement et surveillance de l'hypogonadisme de survenue tardive chez l'homme: Recommandations officielles de l'International Society for the Study of the Aging Male (ISSAM) et commentaires. 2003 , 13, 331-347	4
2225	[Hypogonadism in the elderly man. Reliable diagnosis and therapy]. 2003 , 44, 1313-21	11

2224	Obesity, and not insulin resistance, is the major determinant of serum inflammatory cardiovascular risk markers in pre-menopausal women. 2003 , 46, 625-33	120
2223	The risk of coronary heart disease in men with erectile dysfunction. 2003 , 44, 366-70; discussion 370-1	43
2222	Andropause and psychopathology: minor symptoms rather than pathological ones. 2003 , 28, 863-74	74
2221	Insulinoma presenting with hyperandrogenism: a case report and a literature review. 2003 , 253, 484-9	9
2220	Significant ethnic variation in total and free testosterone concentration. 2003 , 58, 262-6	44
2219	Diurnal rhythms of serum total, free and bioavailable testosterone and of SHBG in middle-aged men compared with those in young men. 2003 , 58, 710-7	238
2218	Association of polymorphisms in the interleukin 6 receptor complex with obesity and hyperandrogenism. 2003 , 11, 987-96	65
2217	Effects of dietary intervention on IGF-I and IGF-binding proteins, and related alterations in sex steroid metabolism: the Diet and Androgens (DIANA) Randomised Trial. 2003 , 57, 1079-88	84
2216	Declining testicular function in aging men. 2003 , 15 Suppl 4, S3-8	34
2215	Evaluation of an algorithm for calculation of serum "bioavailable" testosterone (BAT). 2003 , 36, 591-6	62
2214	Endocrine causes of impotence (nondiabetes). 2003 , 30, 73-81	5
2213	Andropause: an old concept in new clothing. 2003 , 19, 507-28	25
2212	Male hypogonadism in the primary care clinic. 2003 , 30, 743-63, vii	9
2211	Differential contribution of testosterone and estradiol in the determination of cholesterol and lipoprotein profile in healthy middle-aged men. 2003 , 166, 95-102	110
2210	Anti-androgen treatment increases circulating ghrelin levels in obese women with polycystic ovary syndrome. 2003 , 26, 629-34	63
2209	Is hyperprolactinemia associated with insulin resistance in non-obese patients with polycystic ovary syndrome?. 2003 , 26, 655-9	31
2208	Rapid polyelectrolyte-based immunofiltration technique for testosterone detection in serum samples. 2003 , 128, 1275-80	19
2207	Relationships in men of sex hormones, insulin, adiposity, and risk factors for myocardial infarction. 2003 , 52, 784-90	112

2206	Post-heparin lipolytic enzyme activities, sex hormones and sex hormone-binding globulin (SHBG) in men and women: The HERITAGE Family Study. 2003 , 171, 343-50		40
2205	Androgens in women. 2003 , 85, 363-6		119
2204	Androgens and cardiovascular disease. 2003 , 24, 313-40		579
2203	The associations of age, lifestyle factors and chronic disease with testosterone in men: the Tromsø Study. 2003 , 149, 145-52		188
2202	Andropause: an androgen deficiency state in the ageing male. 2003 , 4, 183-90		7
2201	Bioavailable estradiol and an aromatase gene polymorphism are determinants of bone mineral density changes in men over 70 years of age. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 3075-81	5.6	159
2200	Endogenous sex hormones in men aged 40-80 years. 2003 , 149, 583-9		256
2199	Seasonal variation of testosterone and waist to hip ratio in men: the Tromsø study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 3099-104	5.6	81
2198	Steroids in adult men with type 1 diabetes: a tendency to hypogonadism. 2003 , 26, 1812-8		44
2197	Longitudinal association between sex hormone levels, bone loss, and bone turnover in elderly men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 5327-33	5.6	203
2196	Oral testosterone supplementation increases muscle and decreases fat mass in healthy elderly males with low-normal gonadal status. 2003 , 58, 618-25		227
2195	Sex hormones, inflammation and the metabolic syndrome: a population-based study. 2003 , 149, 601-8		308
2194	Endocrine alterations in the aging male. 2003 , 41, 934-41		25
2193	Androgens and women at the menopause and beyond. 2003 , 58, M409-16		62
2192	Age-related change in serum concentrations of testosterone in middle-aged Korean men. 2003 , 6, 8-12		9
2191	Testosterone supplementation: why and for whom?. 2003 , 6, 184-199		8
2190	Testicular volume in relation to hormonal indices of gonadal function in community-dwelling elderly men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 179-84	5.6	105
2189	Increased risk of falls and increased bone resorption in elderly men with partial androgen deficiency: the MINOS study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 5240-7	5.6	106

2188	Testosterone replacement therapy restores normal ghrelin in hypogonadal men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 4139-43	5.6	90
2187	Interrelationships between plasma testosterone, SHBG, IGF-I, insulin and leptin in prostate cancer cases and controls. 2003 , 12, 309-15		66
2186	Self-referred patients in an aging male clinic: much more than androgen deficiency alone. 2003 , 6, 157-165		38
2185	Effect of menstrual cycle phase on the concentration of bioavailable 17-beta oestradiol and testosterone and muscle strength. 2003 , 105, 663-9		54
2184	Relationship between testosterone, sex hormone binding globulin and plasma amyloid beta peptide 40 in older men with subjective memory loss or dementia. 2003 , 5, 267-9		69
2183	The Role of Androgens in Female Sexual Dysfunction. 2004 , 79, S19-S24		53
2182	Female Androgen Insufficiency Syndrome. 2004 , 267-274		
2181	HIPOGONADISMO ASOCIADO A LA SENILIDAD EN EL VARÓN (CLIMATERIO MASCULINO - ANDROPAUSIA - ADAM). 2004 , 69, 392		1
2180	Serum interleukin-18 concentrations are increased in the polycystic ovary syndrome: relationship to insulin resistance and to obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 806-11	5.6	146
2179	Stability of adrenocortical steroidogenesis over time in healthy women and women with polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 5558-62	5.6	25
2178	Perturbed sex steroid status in men with idiopathic osteoporosis and their sons. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 4949-53	5.6	62
2177	Endogenous sex hormones in relation to age, sex, lifestyle factors, and chronic diseases in a general population: the Tromsø Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 6039-47	5.6	156
2176	Testosterone replacement therapy: current trends and future directions. 2004 , 10, 409-19		161
2175	Effects of raloxifene on gonadotrophins, sex hormones, bone turnover and lipids in healthy elderly men. 2004 , 150, 539-46		35
2174	Polycystic ovarian morphology with regular ovulatory cycles: insights into the pathophysiology of polycystic ovarian syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 4343-50	5.6	135
2173	Association of CYP17, CYP19, CYP1B1, and COMT polymorphisms with serum and urinary sex hormone concentrations in postmenopausal women. 2004 , 13, 94-101		123
2172	Impaired Leydig cell function in infertile men: a study of 357 idiopathic infertile men and 318 proven fertile controls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 3161-7	5.6	179
2171	Glucose and insulin components of the metabolic syndrome are associated with hyperandrogenism in postmenopausal women: the atherosclerosis risk in communities study. 2004 , 160, 540-8		91

2170	Measurement of total serum testosterone in adult men: comparison of current laboratory methods versus liquid chromatography-tandem mass spectrometry. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 534-43	5.6	452
2169	Association of endogenous testosterone with blood pressure and left ventricular mass in men. The Tromsø Study. 2004 , 150, 65-71		181
2168	A mathematical comparison of techniques to predict biologically available testosterone in a cohort of 1072 men. 2004 , 151, 241-9		85
2167	Effect of exercise on serum estrogens in postmenopausal women: a 12-month randomized clinical trial. 2004 , 64, 2923-8		268
2166	Changes of diurnal rhythm and levels of total and free testosterone secretion from pre to late puberty in boys: testis size of 3 ml is a transition stage to puberty. 2004 , 151, 747-57		60
2165	Male hormonal contraception: effects of injections of testosterone undecanoate and depot medroxyprogesterone acetate at eight-week intervals in chinese men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 2254-62	5.6	66
2164	Reflections concerning biochemical parameters of androgenicity. 2004 , 7, 280-9		21
2163	Low levels of endogenous estradiol protect bone mineral density in young postmenopausal women. 2004 , 7, 181-8		18
2162	A polymorphic CYP19 TTTA repeat influences aromatase activity and estrogen levels in elderly men: effects on bone metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 2803-10	5.6	141
2161	Endothelial function in post-menopausal women: effect of folic acid supplementation. 2004 , 19, 1031-5		10
2160	Surrogate end-points or primary outcomes in clinical trials in women with polycystic ovary syndrome?. 2004 , 19, 1697-704		31
2159	Depot testosterone with etonogestrel implants result in induction of azoospermia in all men for long-term contraception. 2004 , 19, 2658-67		43
2158	Evaluation of a candidate reference measurement procedure for serum free testosterone based on ultrafiltration and isotope dilution-gas chromatography-mass spectrometry. 2004 , 50, 2101-10		51
2157	A case-control study of endogenous hormones and cervical cancer. 2004 , 90, 146-52		11
2156	Association between Relative Hypogonadism and Metabolic Syndrome in Newly Diagnosed Adult Male Patients with Impaired Glucose Tolerance or Type 2 Diabetes Mellitus. 2004 , 2, 39-48		4
2155	Association of bioavailable, free, and total testosterone with insulin resistance: influence of sex hormone-binding globulin and body fat. 2004 , 27, 861-8		232
2154	Glucose intolerance in a large cohort of mediterranean women with polycystic ovary syndrome: phenotype and associated factors. 2004 , 53, 2353-8		140
2153	Effect of DHEAS on skeletal muscle over the life span: the InCHIANTI study. 2004 , 59, 466-72		74

2152	Androgen insufficiency in women: diagnostic and therapeutic implications. 2004 , 10, 421-32		52
2151	The use of testosterone after menopause. 2004 , 10, 65-9		4
2150	Androgen excess in women: experience with over 1000 consecutive patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 453-62	5.6	817
2149	Changes in sex hormone-binding globulin and testosterone during weight loss and weight maintenance in abdominally obese men with the metabolic syndrome. 2004 , 6, 208-15		221
2148	Effect of flutamide and metformin administered alone or in combination in dieting obese women with polycystic ovary syndrome. 2004 , 60, 241-9		170
2147	Age-related changes in testosterone and the role of replacement therapy in older men. 2004 , 60, 653-70		100
2146	Serum adiponectin levels in hypogonadal males: influence of testosterone replacement therapy. 2004 , 60, 500-7		137
2145	Assessment of the role of 17beta-oestradiol in bone metabolism in men: does the assay technique matter? The MINOS study. 2004 , 61, 447-57		39
2144	Bone metabolism in patients more than five years after bone marrow transplantation. 2004 , 34, 491-6		28
2143	Serum androgen levels in healthy premenopausal women with and without sexual dysfunction: Part A. Serum androgen levels in women aged 20-49 years with no complaints of sexual dysfunction. 2004 , 16, 112-20		53
2142	Endocrine aspects of sexual dysfunction in men. 2004 , 1, 69-81		103
2141	Perception of males' aging symptoms, health and well-being in elderly community-dwelling men is not related to circulating androgen levels. 2004 , 29, 201-14		74
2140	Raloxifene treatment is associated with increased serum estradiol and decreased bone remodeling in healthy middle-aged men with low sex hormone levels. 2004 , 19, 1518-24		39
2139	Low skeletal muscle mass is associated with poor structural parameters of bone and impaired balance in elderly men--the MINOS study. 2005 , 20, 721-9		195
2138	Le diagnostic du d'ficit androg'gique li' lâ'ge. 2004 , 14, 259-266		
2137	D'ficit androg'gique li' lâ'ge. Que faut-il attendre de lâ'ndrog'hoth'apie?. 2004 , 14, 267-274		
2136	Circulating testosterone and prostate cancer. A brief review. 2004 , 14, 375-380		
2135	Testost'fone circulante et cancer de la prostate. Revue de donn'ès r'centes. 2004 , 14, 381-387		

2134	[Testosterone deficiency and the problem of normal values]. 2004 , 43, 1082-6		0
2133	Role of sex steroids in the regulation of bone morphology in men. The MINOS study. 2004 , 15, 909-17		51
2132	Testosterone treatment for the aging man: the controversy. 2004 , 5, 472-7		11
2131	Androgen receptor CAG repeat length correlates with semen PSA levels in adolescence. 2004 , 59, 227-33		20
2130	High levels of circulating testosterone are not associated with increased prostate cancer risk: a pooled prospective study. 2004 , 108, 418-24		139
2129	Measurement of free testosterone in normal women and women with androgen deficiency: comparison of methods. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 525-33	5.6	247
2128	Revised 2003 consensus on diagnostic criteria and long-term health risks related to polycystic ovary syndrome (PCOS). 2004 , 19, 41-7		3811
2127	Body composition, fat distribution and metabolic characteristics in lean and obese women with polycystic ovary syndrome. 2004 , 27, 424-9		62
2126	Erectile dysfunction: symptom or disease?. 2004 , 27, 80-95		22
2125	Serum prostate specific antigen levels in women with polycystic ovary syndrome and the effect of flutamide+desogestrel/ethinyl estradiol combination. 2004 , 27, 353-6		12
2124	Low androgenization index in elderly women and elderly men with Alzheimer's disease. 2004 , 62, 301-3		86
2123	Association of the polycystic ovary syndrome with genomic variants related to insulin resistance, type 2 diabetes mellitus, and obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 2640-6	5.6	134
2122	Testosterone and sex hormone-binding globulin predict the metabolic syndrome and diabetes in middle-aged men. 2004 , 27, 1036-41		691
2121	Frequent occurrence of hypogonadotropic hypogonadism in type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 5462-8	5.6	470
2120	Prevalence and incidence of androgen deficiency in middle-aged and older men: estimates from the Massachusetts Male Aging Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 5920-6	5.6	439
2119	Current controversies in testosterone testing: aging and obesity. 2004 , 24, 119-39		12
2118	Androgens and the ageing male. 2004 , 18, 349-62		57
2117	Practical measurement of total and bioavailable estradiol in female macaques. 2004 , 340, 117-26		31

2116	Testosterone treatment improves body composition and sexual function in men with COPD, in a 6-month randomized controlled trial. 2004 , 98, 906-13		81
2115	Editorial comment. 2004 , 63, 352-353		11
2114	Serum steroid hormones, sex hormone-binding globulin concentrations, and urinary hydroxylated estrogen metabolites in post-menopausal women in relation to daidzein-metabolizing phenotypes. 2004 , 88, 399-408		46
2113	The associations of endogenous testosterone and sex hormone-binding globulin with glycosylated hemoglobin levels, in community dwelling men. The Tromsø Study. 2004 , 30, 29-34		54
2112	Revised 2003 consensus on diagnostic criteria and long-term health risks related to polycystic ovary syndrome. 2004 , 81, 19-25		3668
2111	Androgen replacement therapy in women. 2004 , 82, 273-89		57
2110	Treatment of androgen deficiency in the aging male. 2004 , 81, 1437-40		13
2109	Treatment of androgen deficiency in the aging male. 2004 , 82 Suppl 1, S46-50		1
2108	Macroprolactinemia in women presenting with hyperandrogenic symptoms: Implications for the management of polycystic ovary syndrome. 2004 , 82, 1697-9		17
2107	Serum testosterone assays--accuracy matters. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 520-4	5.6	171
2106	Hormonal and lifestyle determinants of appendicular skeletal muscle mass in men: the MINOS study. 2004 , 80, 496-503		193
2105	Free testosterone and risk for Alzheimer disease in older men. 2004 , 62, 188-93		313
2104	Androgen deficiency and its disorders in men. 2004 , 43, 154-6		
2103	Induction of testosterone metabolism by esomeprazole in a CYP2C19*2 heterozygote. 2004 , 327, 289-93		11
2102	The role of testosterone therapy in postmenopausal women: position statement of The North American Menopause Society. 2005 , 12, 496-511; quiz 649		89
2101	Session 18 â Basic endocrinology. 2005 , 20, i24-i26		
2100	Sex differences and individual differences in cognitive performance and their relationship to endogenous gonadal hormones and gonadotropins. 2005 , 119, 104-17		91
2099	Validation of 5 routine assays for serum free testosterone with a candidate reference measurement procedure based on ultrafiltration and isotope dilution-gas chromatography-mass spectrometry. 2005 , 38, 253-61		50

2098	When is bioavailable testosterone a redundant test in the diagnosis of hypogonadism in men?. 2005 , 38, 813-8	16
2097	Free testosterone is a positive, whereas free estradiol is a negative, predictor of cortical bone size in young Swedish men: the GOOD study. 2005 , 20, 1334-41	123
2096	Polymorphisms in the aromatase gene predict areal BMD as a result of affected cortical bone size: the GOOD study. 2006 , 21, 332-9	43
2095	Effect of oral versus transdermal steroidal contraceptives on androgenic markers. 2005 , 192, 2055-9	35
2094	Sex steroid level, androgen receptor polymorphism, and depressive symptoms in healthy elderly men. 2005 , 53, 636-42	64
2093	Serum total and free testosterone level of Japanese men: a population-based study. 2005 , 12, 810-4	27
2092	Normal, bound and nonbound testosterone levels in normally ageing men: results from the Massachusetts Male Ageing Study. 2005 , 62, 64-73	192
2091	Serum levels of sex hormone-binding globulin (SHBG) are not associated with lower levels of non-SHBG-bound testosterone in male newborns and healthy adult men. 2005 , 62, 498-503	36
2090	Androgens, insulin resistance and vascular disease in men. 2005 , 63, 239-50	219
2089	The association of sex hormone levels with poor mobility, low muscle strength and incidence of falls among older men and women. 2005 , 63, 152-60	129
2088	Glucagon-like peptide-1 reduces the pulsatile component of testosterone secretion in healthy males. 2005 , 35, 565-72	28
2087	Comparative study on evaluation methods for serum testosterone level for PADAM diagnosis. 2005 , 17, 259-63	35
2086	Correlations between hormones, physical, and affective parameters in aging urologic outpatients. 2005 , 47, 749-55	56
2085	Comparison of the steady-state pharmacokinetics, metabolism, and variability of a transdermal testosterone patch versus a transdermal testosterone gel in hypogonadal men. 2005 , 2, 213-26	36
2084	Telomere length versus hormonal and bone mineral status in healthy elderly men. 2005 , 126, 1115-22	60
2083	No major month to month variation in free testosterone levels in aging males. Minor impact on the biological diagnosis of 'andropause'. 2005 , 30, 638-46	26
2082	Effect of Ginkgo biloba extract on plasma steroid concentrations in healthy volunteers: a pilot study. 2005 , 25, 1337-40	6
2081	Phase II study of transdermal estradiol in androgen-independent prostate carcinoma. 2005 , 103, 717-23	38

2080	[Diagnosis of the "aging male"--what is recommended?]. 2005 , 44, 1167-72		3
2079	Sexual and physical health after sex reassignment surgery. 2005 , 34, 679-90		265
2078	Androgenic correlates of genetic variation in the gene encoding 5alpha-reductase type 1. 2005 , 50, 534-537		24
2077	Reponse des auteurs. 2005 , 15, 81-81		
2076	Evaluation of plasma testosterone: Which test and when?. 2005 , 2, 37-40		
2075	Andropause: is the emperor wearing any clothes?. 2005 , 6, 77-84		15
2074	Effects of St John's wort (<i>Hypericum perforatum</i> L.) extract on plasma androgen concentrations in healthy men and women: a pilot study. 2005 , 19, 901-6		8
2073	Behavior of free Testosterone in Patients with Prostate Cancer on Androgen Deprivation Therapy. 2005 , 20, 119-122		9
2072	Androgens: new effects on proteoglycan biosynthesis and its consequences for atherosclerosis. 2005 , 5, 521-6		1
2071	Associations among circulating sex hormones, insulin-like growth factor, lipids, and mammographic density in postmenopausal women. 2005 , 14, 1411-7		65
2070	Endogenous sex hormone levels and cognitive function in aging men: is there an optimal level?. 2005 , 64, 866-71		135
2069	Comparative assessment in young and elderly men of the gonadotropin response to aromatase inhibition. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 5717-22	5.6	52
2068	Discontinuation of estrogen replacement therapy in GH-treated hypopituitary women alters androgen status and IGF-I. 2005 , 152, 719-26		13
2067	Progesterone inhibition of the hypothalamic gonadotropin-releasing hormone pulse generator: evidence for varied effects in hyperandrogenemic adolescent girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 2810-5	5.6	82
2066	Effect of 12 month oral testosterone on testosterone deficiency symptoms in symptomatic elderly males with low-normal gonadal status. 2005 , 34, 125-30		36
2065	Androgen levels in adult females: changes with age, menopause, and oophorectomy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 3847-53	5.6	709
2064	Endogenous sex hormones and metabolic syndrome in aging men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 2618-23	5.6	368
2063	Serum testosterone and the risk of prostate cancer: potential implications for testosterone therapy. 2005 , 14, 2257-60		147

2062	Efficacy of octreotide-LAR in dieting women with abdominal obesity and polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 3854-62	5.6	36
2061	Ovarian function during puberty in girls with type 1 diabetes mellitus: response to leuprolide. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 3939-45	5.6	44
2060	Endocrine treatment of male-to-female transsexuals using gonadotropin-releasing hormone agonist. 2005 , 113, 586-92		109
2059	Endogenous progesterone and the exogenous progestin norethisterone enanthate are associated with a proinflammatory profile in healthy men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 6603-8	5.6	35
2058	Sex hormone suppression reduces resting energy expenditure and {beta}-adrenergic support of resting energy expenditure. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 3312-7	5.6	67
2057	The metabolic syndrome and smoking in relation to hypogonadism in middle-aged men: a prospective cohort study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 712-9	5.6	194
2056	Norethisterone enanthate plus testosterone undecanoate for male contraception: effects of various injection intervals on spermatogenesis, reproductive hormones, testis, and prostate. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 2005-14	5.6	78
2055	A study of the hexose-6-phosphate dehydrogenase gene R453Q and 11beta-hydroxysteroid dehydrogenase type 1 gene 83557insA polymorphisms in the polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 4157-62	5.6	59
2054	Evaluation of glucose metabolism and reproductive hormones in polycystic ovary syndrome on the basis of peroxisome proliferator-activated receptor (PPAR)-gamma2 Pro12Ala genotype. 2005 , 20, 1590-5		34
2053	Androgens stimulate human vascular smooth muscle cell proteoglycan biosynthesis and increase lipoprotein binding. 2005 , 146, 2085-90		26
2052	Associations of sex-hormone-binding globulin (SHBG) with non-SHBG-bound levels of testosterone and estradiol in independently living men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 157-62	5.6	63
2051	The metabolic syndrome and disturbances in hormone levels in long-term survivors of disseminated testicular cancer. 2005 , 23, 3718-25		161
2050	A simple method for estimating equilibrium constants for serum testosterone binding resulting in an optimal free testosterone index for use in elderly men. 2005 , 43, 613-6		11
2049	Sensation seeking, sexual curiosity and testosterone in inmates. 2005 , 51, 28-33		27
2048	Evaluation of a new automated electrochemiluminescent sex hormone-binding globulin (SHBG) immunoassay. 2005 , 43, 86-9		11
2047	Can we get away from serum total testosterone in the diagnosis of andropause?. 2005 , 8, 147-50		6
2046	The decline of androgen levels in elderly men and its clinical and therapeutic implications. 2005 , 26, 833-76		813
2045	The importance of IRS-1 Gly972Arg polymorphism in evaluating the response to metformin treatment in polycystic ovary syndrome. 2005 , 20, 1207-12		25

2044	Polymorphisms in the insulin receptor substrate-1 (IRS-1) gene and the insulin receptor substrate-2 (IRS-2) gene influence glucose homeostasis and body mass index in women with polycystic ovary syndrome and non-hyperandrogenic controls. 2005 , 20, 3184-91		57
2043	Elevated plasma concentration of asymmetric dimethylarginine that is reduced by single dose testosterone administration in idiopathic hypogonadotropic hypogonadism patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 1651-4	5.6	19
2042	Sexual dysfunction in males with chronic hepatitis C and antiviral therapy: interferon-induced functional androgen deficiency or depression?. 2005 , 185, 345-52		46
2041	The Role of the Laboratory in Diagnosing Andropause (Male Menopause). 2005 , 36, 771-773		
2040	Predictors of endothelial dysfunction in young women with polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 5088-95	5.6	149
2039	Association of body mass index, age, and cigarette smoking with serum testosterone levels in cycling women undergoing in vitro fertilization. 2005 , 83, 302-8		61
2038	Association of Gly972Arg variant of insulin receptor substrate-1 with metabolic features in women with polycystic ovary syndrome. 2005 , 84, 407-12		35
2037	Serum Müllerian-inhibiting substance levels in adolescent girls with normal menstrual cycles or with polycystic ovary syndrome. 2005 , 84, 938-44		44
2036	Measurement of total testosterone in women: comparison of a direct radioimmunoassay versus radioimmunoassay after organic solvent extraction and celite column partition chromatography. 2005 , 84, 1698-704		22
2035	Testosterone replacement therapy. 2005 , 33, 41-43		3
2034	Sarcopenia of male aging. 2005 , 34, 833-52, vii		6
2033	Androgen deficiency in the etiology and treatment of erectile dysfunction. 2005 , 32, 457-68, vi-vii		7
2032	ISA, ISSAM and EAU recommendations for the investigation, treatment and monitoring of late-onset hypogonadism in males: scientific background and rationale. 2005 , 8, 59-74		85
2031	Advances in male hormone substitution therapy. 2005 , 6, 1493-506		18
2030	The role of androgens in hormone replacement therapy. 2005 , 6, 1815-31		3
2029	Relative testosterone deficiency in older men: clinical definition and presentation. 2005 , 34, 957-72, x		5
2028	Adrenal incidentaloma diagnosed as pheochromocytoma by plasma chromogranin A and plasma metanephrines. 2005 , 28, 1040-2		9
2027	Testostfone libre ou biodisponible : dosages ou calculs. Comparaison critique de diffents modes d'approche. 2005 , 20, 65-77		1

2026	Determination de la testostfone biodisponible dans le diagnostic de l'hyperandrogisme fminin. 2005 , 20, 96-102			1
2025	PCOS: Backgrounds, evidence and problems in diagnosing the syndrome. 2005 , 1279, 10-15			4
2024	Effect of oral testosterone undecanoate on visuospatial cognition, mood and quality of life in elderly men with low-normal gonadal status. 2005 , 50, 124-33			99
2023	Circulating levels of isoflavones and markers of 5alpha-reductase activity are higher in Japanese compared with New Zealand males: what is the role of circulating steroids in prostate disease?. 2005 , 70, 974-9			7
2022	Intramuscular testosterone enanthate plus very low dosage oral levonorgestrel suppresses spermatogenesis without causing weight gain in normal young men: a randomized clinical trial. 2005 , 26, 405-13			35
2021	Increased carotid atherosclerosis in andropausal middle-aged men. 2005 , 45, 1603-8			126
2020	[New treatments for erectile dysfunction: an endocrinologist's point of view]. 2005 , 66, 33-6			
2019	Relationship between testosterone levels, insulin sensitivity, and mitochondrial function in men. 2005 , 28, 1636-42			329
2018	The polycystic ovary syndrome associated with morbid obesity may resolve after weight loss induced by bariatric surgery. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 6364-9	5.6		291
2017	Decline of serum levels of free testosterone in aging healthy Chinese men. 2005 , 8, 203-6			35
2016	Male hypogonadism : an update on diagnosis and treatment. 2005 , 4, 293-309			39
2015	Hormone Assays in Biological Fluids. 2006 ,			3
2014	Androgen therapy in women: an Endocrine Society Clinical Practice guideline. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 3697-710	5.6		247
2013	Erectile Dysfunction and TestosteroneâReplyâ 2006 , 81, 853-854			
2012	Positions statement: criteria for defining polycystic ovary syndrome as a predominantly hyperandrogenic syndrome: an Androgen Excess Society guideline. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4237-45	5.6		1491
2011	Aging in the HypothalamicâPituitaryâTesticular Axis. 2006 , 2697-2728			5
2010	SHBG gene promoter polymorphisms in men are associated with serum sex hormone-binding globulin, androgen and androgen metabolite levels, and hip bone mineral density. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 5029-37	5.6		75
2009	Are the relationships between early activation of lymphocytes and cortisol or testosterone influenced by intensified cycling training in men?. 2006 , 31, 226-34			8

2008	The metabolic syndrome is frequent in Klinefelter's syndrome and is associated with abdominal obesity and hypogonadism. 2006 , 29, 1591-8		230
2007	Review of Testim gel. 2006 , 7, 477-84		19
2006	Diagnostic significance of free salivary testosterone measurement using a direct luminescence immunoassay in healthy men and in patients with disorders of androgenic status. 2006 , 9, 111-22		31
2005	Impact of Voice in Transsexuals. 2006 , 9, 1-7		33
2004	Circulating bioactive androgens in midlife women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4387-94	5.6	36
2003	Analytical and physiological factors affecting the interpretation of serum testosterone concentration in men. 2006 , 43, 3-12		51
2002	[Evaluation of an immunoassay kit to measure free testosterone]. 2006 , 30, 598-601		4
2001	Regional variations in semen quality of community-dwelling young men from Flanders are not paralleled by hormonal indices of testicular function. 2007 , 28, 435-43		7
2000	Defining constant versus variable phenotypic features of women with polycystic ovary syndrome using different ethnic groups and populations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4361-8	5.6	103
1999	Valproate is associated with new-onset oligomenorrhea with hyperandrogenism in women with bipolar disorder. 2006 , 59, 1078-86		102
1998	Longitudinal follow-up of reproductive and metabolic features of valproate-associated polycystic ovarian syndrome features: A preliminary report. 2006 , 60, 1378-81		40
1997	Prevalence of and risk factors for androgen deficiency in middle-aged men in Hong Kong. 2006 , 55, 1488-94		37
1996	Performance characteristics of a novel tandem mass spectrometry assay for serum testosterone. 2006 , 52, 120-8		144
1995	Serum androgen levels in black, Hispanic, and white men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4326-34	5.6	105
1994	Validation of salivary testosterone as a screening test for male hypogonadism. 2006 , 9, 165-9		47
1993	The PON1-108C/T polymorphism, and not the polycystic ovary syndrome, is an important determinant of reduced serum paraoxonase activity in premenopausal women. 2006 , 21, 3157-61		15
1992	Hormonal control of inhibin B in men. 2006 , 29, 706-13		15
1991	Does testosterone have a role in erectile function?. 2006 , 119, 373-82		74

1990	Evidence against a role for ovarian hormones in the regulation of blood flow. 2006 , 86, 440-7	8
1989	Complete reversal of adult-onset isolated hypogonadotropic hypogonadism with clomiphene citrate. 2006 , 86, 1513.e5-9	9
1988	Testosterone deficiency in young women with 46,XX spontaneous premature ovarian failure. 2006 , 86, 1475-82	38
1987	Treatment of androgen deficiency in the aging male. 2006 , 86, S236-40	7
1986	Correlates of bone quality in older persons. 2006 , 39, 915-21	41
1985	Does St. John's wort interfere with the antiandrogenic effect of oral contraceptive pills?. 2006 , 74, 245-8	8
1984	Comparison of screening questionnaires for the diagnosis of hypogonadism. 2006 , 53, 424-9	119
1983	Reply to the paper assessment of screening evaluations is not straightforward by Thomas G. Travison. 2006 , 54, 307-308	
1982	The characteristics of late-onset hypogonadism, its prevalence, symptoms, and diagnosis. 2006 , 3, 187-191	4
1981	Prostate cancer risk in testosterone-treated men. 2006 , 102, 261-6	53
1980	The endocrine system in treated patients with classical galactosemia. 2006 , 89, 316-22	19
1979	Prevalence of prostate cancer among hypogonadal men with prostate-specific antigen levels of 4.0 ng/mL or less. 2006 , 68, 1263-7	168
1978	Prevalence of Metabolic Syndrome in Young Korean Women with Polycystic Ovary Syndrome. 2006 , 30, 285	3
1977	. 2006 ,	21
1976	Hormones, Metabolism, Aging and Men's Health. 225-288	11
1975	The association between obesity and the diagnosis of androgen deficiency in symptomatic ageing men. 2006 , 185, 424-7	33
1974	Short-term meal replacements followed by dietary macronutrient restriction enhance weight loss in polycystic ovary syndrome. 2006 , 84, 77-87	96
1973	Ovarian suppression with gonadotropin-releasing hormone agonist reduces whole body protein turnover in women. 2006 , 291, E483-90	10

1972	Testosterone aromatization and cognition in women: a randomized, placebo-controlled trial. 2006 , 13, 600-8	34
1971	Management of the cardinal features of andropause. 2006 , 13, 145-60	19
1970	Testosterone supplementation and the prostate: a review of the safety issue. 2006 , 5, 425-430	
1969	Effects of aromatase inhibition on sexual function and well-being in postmenopausal women treated with testosterone: a randomized, placebo-controlled trial. 2006 , 13, 37-45	67
1968	Endogenous androgen levels and well-being: differences between premenopausal and postmenopausal women. 2006 , 13, 65-71	42
1967	Quality of life in elderly men with androgen deficiency. 2006 , 38, 48-53	21
1966	Testosterone levels in men with erectile dysfunction. 2006 , 97, 1278-83	28
1965	Chronic hepatitis C infection and sex hormone levels: effect of disease severity and recombinant interferon-alpha therapy. 2006 , 36, 362-6	44
1964	Serum testosterone levels using the radioimmunoassay method in healthy Japanese male volunteers. 2006 , 5, 37-41	7
1963	PCOS according to the Rotterdam consensus criteria: Change in prevalence among WHO-II anovulation and association with metabolic factors. 2006 , 113, 1210-7	260
1962	Association between hormones and metabolic syndrome in older Italian men. 2006 , 54, 1832-8	72
1961	Undetectable salivary testosterone in young women with premature ovarian failure. 2006 , 64, 711-4	5
1960	Effect of recombinant hGH (rhGH) replacement on gonadal function in male patients with organic adult-onset GH deficiency. 2006 , 65, 717-21	9
1959	A diurnal variation in testicular hormone production is maintained following gonadotrophin suppression in normal men. 2007 , 66, 123-9	10
1958	Low testosterone levels are associated with carotid atherosclerosis in men. 2006 , 259, 576-82	131
1957	Significant impact of 5alpha-reductase type 2 polymorphisms on sperm concentration and motility. 2006 , 29, 414-20	18
1956	Peripheral INSL3 concentrations decline with age in a large population of Australian men. 2006 , 29, 618-26	94
1955	Relation of BMI and physical activity to sex hormones in postmenopausal women. 2006 , 14, 1662-77	224

1954	Sex difference in the relationship between the hypothalamic-pituitary-adrenal axis and sex hormones in obesity. 2006 , 14, 235-43	46
1953	Hormone levels in middle-aged and elderly men with and without erectile dysfunction in Taiwan. 2006 , 18, 160-3	5
1952	Outcome analysis of sildenafil citrate for erectile dysfunction of Japanese patients. 2006 , 18, 302-5	5
1951	Correlations of androgen deficiency with clinical symptoms in Taiwanese males. 2006 , 18, 343-7	17
1950	Regulation of sexual behaviour in male macaques by sex steroid modulation of the serotonergic system. 2006 , 91, 445-56	9
1949	Measurement of testosterone and its sub-fractions in Canada. 2006 , 39, 97-108	28
1948	Androgen receptor gene GGN repeat length and reproductive characteristics in young Swedish men. 2006 , 155, 347-54	31
1947	Free testosterone is an independent predictor of BMD and prevalent fractures in elderly men: MrOS Sweden. 2006 , 21, 529-35	253
1946	Leptin is a negative independent predictor of areal BMD and cortical bone size in young adult Swedish men. 2006 , 21, 1871-8	77
1945	Serum levels of specific glucuronidated androgen metabolites predict BMD and prostate volume in elderly men. 2007 , 22, 220-7	59
1944	Diagnostic criteria for polycystic ovarian syndrome. 2006 , 30, 3-11	41
1943	Sex steroid hormones in young manhood and the risk of subsequent prostate cancer: a longitudinal study in African-Americans and Caucasians (United States). 2006 , 17, 1237-44	31
1942	Endogenous sex steroids, weight change and rates of hip bone loss in older men: the MrOS study. 2006 , 17, 1329-36	43
1941	Significance of hypogonadism in erectile dysfunction. 2006 , 24, 657-67	47
1940	Bone mineral density and its determinants in diabetes: the Fremantle Diabetes Study. 2006 , 49, 863-71	66
1939	Evaluation of automated sex hormone binding globulin immunoassays. 2006 , 39, 91-4	7
1938	Impact of oral contraceptives on sex hormone-binding globulin and androgen levels: a retrospective study in women with sexual dysfunction. 2006 , 3, 104-13	94
1937	Vaginal application of testosterone: A study on pharmacokinetics and the sexual response in healthy volunteers. 2006 , 3, 541-9	15

1936	Female sexual satisfaction and pharmaceutical intervention: a critical review of the drug intervention studies in female sexual dysfunction. 2006 , 3, 763-777		25
1935	Wide variability in laboratory reference values for serum testosterone. 2006 , 3, 1085-1089		51
1934	The association between endogenous free testosterone and cognitive performance: a population-based study in 35 to 90 year-old men and women. 2006 , 31, 565-76		140
1933	Hypogonadism in male patients with cancer. 2006 , 106, 2583-91		76
1932	Endogenous sex hormones, cognitive decline, and future dementia in old men. 2006 , 60, 346-55		59
1931	Mitotane has an estrogenic effect on sex hormone-binding globulin and corticosteroid-binding globulin in humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 2165-70	5.6	59
1930	Controlled study on the combined effect of alcohol and tobacco smoking on testosterone in alcohol-dependent men. 2007 , 42, 19-23		12
1929	Treatment with flutamide, metformin, and their combination added to a hypocaloric diet in overweight-obese women with polycystic ovary syndrome: a randomized, 12-month, placebo-controlled study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 3970-80	5.6	171
1928	Endogenous testosterone levels, physical performance, and fall risk in older men. 2006 , 166, 2124-31		142
1927	Is it necessary to measure free testosterone to assess hyperandrogenemia in women? The role of calculated free and bioavailable testosterone. 2006 , 114, 182-7		18
1926	Comparison of clinical, ultrasonographic, and biochemical differences at the beginning of puberty in healthy girls born either small for gestational age or appropriate for gestational age: preliminary results. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 3377-81	5.6	35
1925	Circulating estradiol is an independent predictor of progression of carotid artery intima-media thickness in middle-aged men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4433-7	5.6	58
1924	Measurement of androgens in women. 2006 , 24, 78-85		41
1923	Clinical evaluation of women presenting with low libido and determination of whether androgen therapy might be appropriate. 2006 , 24, 86-96		
1922	Interaction between testosterone and apolipoprotein E epsilon4 status on cognition in healthy older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 1168-72	5.6	49
1921	Selective inhibition of L-type Ca ²⁺ channels in A7r5 cells by physiological levels of testosterone. 2006 , 147, 2675-80		90
1920	Association of testosterone and estradiol deficiency with osteoporosis and rapid bone loss in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 3908-15	5.6	231
1919	Levonorgestrel implants enhanced the suppression of spermatogenesis by testosterone implants: comparison between Chinese and non-Chinese men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 460-70	5.6	41

1918	Diagnostic criteria for polycystic ovary syndrome and ovarian morphology in women with type 1 diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 2250-6	5.6	81
1917	Polycystic ovarian morphology in normal women does not predict the development of polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 3878-84	5.6	61
1916	Testosterone and estradiol among older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 1336-44	5.6	253
1915	Effects of chronic osteoarthritis pain on neuroendocrine function in men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4313-8	5.6	19
1914	Adiponectin and resistin in PCOS: a clinical, biochemical and molecular genetic study. 2006 , 21, 2257-65		143
1913	Cardiovascular risk factors in healthy women with previous gestational hypertension. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 1233-8	5.6	32
1912	Testosterone gel combined with depomedroxyprogesterone acetate is an effective male hormonal contraceptive regimen and is not enhanced by the addition of a GnRH antagonist. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4374-80	5.6	68
1911	Impact of recent biochemical findings on the determination of free and bioavailable testosterone: evaluation and proposal for clinical use / Auswirkungen neuer biochemischer Befunde auf die Bestimmung von freiem und bioverfügbarem Testosteron: Evaluierung und Vorschlag für den klinischen Einsatz. 2006 , 36, 492-505		
1910	Relationship between androgenic hormones and arterial stiffness, based on longitudinal hormone measurements. 2006 , 290, E234-42		91
1909	Serum dioxin-like activity is associated with reproductive parameters in young men from the general Flemish population. 2006 , 114, 1670-6		37
1908	Relationship of fat mass and serum estradiol with lower extremity bone in persons with chronic spinal cord injury. 2006 , 290, E1098-103		22
1907	Measurement of androgens. 2006 , 324, 197-211		9
1906	Reproductive hormone levels in men exposed to persistent organohalogen pollutants: a study of inuit and three European cohorts. 2006 , 114, 1348-53		51
1905	Serum sex hormone and plasma homocysteine levels in middle-aged and elderly men. 2006 , 155, 887-93		9
1904	Effects of transdermal estrogen on levels of lipids, lipase activity, and inflammatory markers in men with prostate cancer. 2006 , 47, 349-55		21
1903	Inverse relationship between luteinizing hormone and body mass index in polycystic ovarian syndrome: investigation of hypothalamic and pituitary contributions. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 1309-16	5.6	102
1902	Racial/ethnic differences in postmenopausal endogenous hormones: the multiethnic cohort study. 2006 , 15, 1849-55		71
1901	The association of obesity and hyperandrogenemia during the pubertal transition in girls: obesity as a potential factor in the genesis of postpubertal hyperandrogenism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 1714-22	5.6	140

1900	Anabolic deficiency in men with chronic heart failure: prevalence and detrimental impact on survival. 2006 , 114, 1829-37		290
1899	The androgen receptor CAG repeat modifies the impact of testosterone on insulin resistance in women with polycystic ovary syndrome. 2006 , 155, 127-30		50
1898	Prevalence and characteristics of the polycystic ovary syndrome in overweight and obese women. 2006 , 166, 2081-6		220
1897	Sex differences of endogenous sex hormones and risk of type 2 diabetes: a systematic review and meta-analysis. 2006 , 295, 1288-99		930
1896	Low testosterone levels and the risk of anemia in older men and women. 2006 , 166, 1380-8		163
1895	Association of specific symptoms and metabolic risks with serum testosterone in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4335-43	5.6	405
1894	The effect of changes in adiposity on testosterone levels in older men: longitudinal results from the Massachusetts Male Aging Study. 2006 , 155, 443-52		125
1893	Effects of modest testosterone supplementation and exercise for 12 weeks on body composition and quality of life in elderly men. 2006 , 155, 867-75		44
1892	Serum bioavailable testosterone: assayed or calculated?. 2006 , 52, 474-81		53
1891	Testosterone therapy in adult men with androgen deficiency syndromes: an endocrine society clinical practice guideline. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 1995-2010	5.6	727
1890	Metabolic factors associated with benign prostatic hyperplasia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 2562-8	5.6	237
1889	Seasonal variation of estradiol, follicle stimulating hormone, and dehydroepiandrosterone sulfate in women and men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 3798-802	5.6	42
1888	Thyrotropin suppression by metformin. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 225-75.6		119
1887	Calculation of bioavailable and free testosterone in men: a comparison of 5 published algorithms. 2006 , 52, 1777-84		105
1886	Calculated free testosterone in men: comparison of four equations and with free androgen index. 2006 , 43, 389-97		56
1885	Correlation between testosterone and the inflammatory marker soluble interleukin-6 receptor in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 345-7	5.6	150
1884	Low testosterone and high C-reactive protein concentrations predict low hematocrit in type 2 diabetes. 2006 , 29, 2289-94		101
1883	Characterizing discrete subsets of polycystic ovary syndrome as defined by the Rotterdam criteria: the impact of weight on phenotype and metabolic features. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4842-8	5.6	194

1882	Serum GH and IGF-I are significant determinants of bone turnover but not bone mineral density in active acromegaly: a prospective study of more than 70 consecutive patients. 2006 , 155, 709-15		49
1881	Evidence for metabolic and reproductive phenotypes in mothers of women with polycystic ovary syndrome. 2006 , 103, 7030-5		74
1880	Larger testes and higher inhibin B levels in Finnish than in Danish newborn boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 2732-7	5.6	77
1879	Do statins affect androgen levels in men? Results from the Boston area community health survey. 2007 , 16, 1587-94		51
1878	Age-associated discrepancy between measured and calculated bioavailable testosterone in men. 2007 , 53, 723-8		14
1877	Determination of bioavailable testosterone [non sex hormone binding globulin (SHBG)-bound testosterone] in a population of healthy French men: influence of androstenediol on testosterone binding to SHBG. 2007 , 53, 2160-8		29
1876	Low sex hormone-binding globulin as a predictive marker for insulin resistance in women with hyperandrogenic syndrome. 2007 , 157, 499-507		41
1875	Clinical and biochemical assessment of hypogonadism in men with type 2 diabetes: correlations with bioavailable testosterone and visceral adiposity. 2007 , 30, 911-7		371
1874	Does the andropause exist?. 2007 , 3, 670-1		6
1873	Relationship between androgen levels and blood pressure in young women with polycystic ovary syndrome. 2007 , 49, 1442-7		147
1872	Measurement of serum testosterone in women; what should we do?. 2007 , 44, 5-15		36
1871	Is the effect of testosterone on body composition modulated by the androgen receptor gene CAG repeat polymorphism in elderly men?. 2007 , 156, 395-401		38
1870	Prevalence of major depressive disorder in self-referred patients in a late onset hypogonadism clinic. 2007 , 19, 407-10		18
1869	Serum estradiol and risk of stroke in elderly men. 2007 , 68, 563-8		96
1868	A pilot and feasibility study on the effects of naturopathic botanical and dietary interventions on sex steroid hormone metabolism in premenopausal women. 2007 , 16, 1601-9		26
1867	Androgen excess is associated with the increased carotid intima-media thickness observed in young women with polycystic ovary syndrome. 2007 , 22, 3197-203		108
1866	Smoking is associated with lower bone mineral density and reduced cortical thickness in young men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 497-503	5.6	112
1865	Determinants of serum total and free testosterone levels in women over the age of 65 years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 509-16	5.6	47

1864	Lack of seasonal variation in serum sex hormone levels in middle-aged to older men in the Boston area. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 4224-9	5.6	25
1863	Evidence of subpopulations with different levels of insulin resistance in women with polycystic ovary syndrome. 2007 , 22, 2974-80		35
1862	Increased frequency of reproductive health problems among fathers of boys with hypospadias. 2007 , 22, 2639-46		49
1861	Part of the interindividual variation in serum testosterone levels in healthy men reflects differences in androgen sensitivity and feedback set point: contribution of the androgen receptor polyglutamine tract polymorphism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3604-10	5.6	104
1860	Sex steroids and all-cause and cause-specific mortality in men. 2007 , 167, 1252-60		196
1859	Long-term administration of testosterone undecanoate every 3 months for testosterone supplementation in female-to-male transsexuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3470-5	5.6	85
1858	17-hydroxyprogesterone responses to gonadotropin-releasing hormone disclose distinct phenotypes of functional ovarian hyperandrogenism and polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 4208-17	5.6	39
1857	Prevalence and consequences of androgen deficiency in young male cancer survivors in a controlled cross-sectional study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3476-82	5.6	79
1856	Evaluation of biochemical hyperandrogenemia and body mass index in women presenting with amenorrhea. 2007 , 115, 298-302		9
1855	Age attenuates testosterone secretion driven by amplitude-varying pulses of recombinant human luteinizing hormone during acute gonadotrope inhibition in healthy men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3626-32	5.6	28
1854	Visceral and subcutaneous adipose tissue assessed by magnetic resonance imaging in relation to circulating androgens, sex hormone-binding globulin, and luteinizing hormone in young men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2696-705	5.6	109
1853	Hormonal profile in women with polycystic ovarian syndrome with or without type 1 diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 4742-6	5.6	41
1852	Serum estrogen, but not testosterone, levels differ between black and white men in a nationally representative sample of Americans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2519-25	5.6	128
1851	Androgens and glucuronidated androgen metabolites are associated with metabolic risk factors in men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 4130-7	5.6	38
1850	Obesity and sex steroid changes across puberty: evidence for marked hyperandrogenemia in pre- and early pubertal obese girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 430-6	5.6	188
1849	Commentary: Guideline for male testosterone therapy: a clinician's perspective. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 416-7	5.6	30
1848	Secular decline in male testosterone and sex hormone binding globulin serum levels in Danish population surveys. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 4696-705	5.6	128
1847	transient scrotal hyperthermia and levonorgestrel enhance testosterone-induced spermatogenesis suppression in men through increased germ cell apoptosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3292-304	5.6	88

1846	Prevalence of symptomatic androgen deficiency in men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 4241-7	5.6	504
1845	The impact of estradiol on bone mineral density is modulated by the specific estrogen receptor-alpha cofactor retinoblastoma-interacting zinc finger protein-1 insertion/deletion polymorphism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2300-6	5.6	5
1844	Age-related changes in serum testosterone and sex hormone binding globulin in Australian men: longitudinal analyses of two geographically separate regional cohorts. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3599-603	5.6	113
1843	Reduced serum testosterone levels in infant boys conceived by intracytoplasmic sperm injection. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2598-603	5.6	45
1842	Pharmacokinetic factors contribute to the inverse relationship between luteinizing hormone and body mass index in polycystic ovarian syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1347-52	5.6	41
1841	Obesity is the major determinant of the abnormalities in blood pressure found in young women with the polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2141-8	5.6	59
1840	Serum visfatin in relation to insulin resistance and markers of hyperandrogenism in lean and obese women with polycystic ovary syndrome. 2007 , 22, 1824-9		85
1839	Androgens and diabetes in men: results from the Third National Health and Nutrition Examination Survey (NHANES III). 2007 , 30, 234-8		256
1838	Sex steroid levels and cortical bone size in young men are associated with a uridine diphosphate glucuronosyltransferase 2B7 polymorphism (H268Y). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3697-704	5.6	23
1837	C-reactive protein before and after weight loss in overweight women with and without polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2944-51	5.6	53
1836	Men with spinal cord injury have a smaller prostate than men without. 2007 , 41, 120-3		11
1835	The diagnosis of late life hypogonadism. 2007 , 10, 217-20		17
1834	A novel polymorphism in the 17beta-hydroxysteroid dehydrogenase type 5 (aldo-keto reductase 1C3) gene is associated with lower serum testosterone levels in caucasian men. 2007 , 7, 282-9		26
1833	Endogenous sex hormone levels in postmenopausal women undergoing carotid artery endarterectomy. 2007 , 156, 687-93		37
1832	Pituitary-gonadal function in adolescent males born appropriate or small for gestational age with or without intrauterine growth restriction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1353-7	5.6	38
1831	Obesity and sex steroids during gonadotropin-releasing hormone agonist treatment for prostate cancer. 2007 , 13, 241-5		64
1830	In men older than 70 years, total testosterone remains stable while free testosterone declines with age. The Health in Men Study. 2007 , 156, 585-94		107
1829	Effect of delays in processing blood samples on measured endogenous plasma sex hormone levels in women. 2007 , 16, 1136-9		18

1828	High normal testosterone levels in infants with non-mosaic Klinefelter's syndrome. 2007 , 157, 345-50		66
1827	Clinical, endocrinological, and epigenetic features of the 46,XX male syndrome, compared with 47,XXY Klinefelter patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3458-65	5.6	170
1826	Differential gene expression profile in omental adipose tissue in women with polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 328-37	5.6	126
1825	A population-level decline in serum testosterone levels in American men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 196-202	5.6	222
1824	Androgen receptor gene CAG repeat length and body mass index modulate the safety of long-term intramuscular testosterone undecanoate therapy in hypogonadal men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3844-53	5.6	171
1823	Biochemical reference intervals for sex hormones with a new AutoDelfia method in aged men. 2007 , 45, 249-53		4
1822	Diagnostic value of calculated testosterone indices in the assessment of polycystic ovary syndrome. 2007 , 45, 202-7		38
1821	Influence of body mass index on measured and calculated androgen parameters in adult women with Hirsutism and PCOS. 2007 , 115, 380-6		25
1820	Relationship between low levels of anabolic hormones and 6-year mortality in older men: the aging in the Chianti Area (InCHIANTI) study. 2007 , 167, 2249-54		152
1819	Adipocyte fatty acid-binding protein is associated with markers of obesity, but is an unlikely link between obesity, insulin resistance, and hyperandrogenism in polycystic ovary syndrome women. 2007 , 157, 195-200		38
1818	Insulin-like factor 3: a new circulating hormone related to luteinizing hormone-dependent ovarian hyperandrogenism in the polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2066-73	5.6	35
1817	Comparison of ethinyl-estradiol plus cyproterone acetate versus metformin effects on classic metabolic cardiovascular risk factors in women with the polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2453-61	5.6	89
1816	Endocrinological markers for assessment of hyperandrogenemia in hirsute women. 2007 , 67, 35-41		16
1815	Diagnosis of polycystic ovary syndrome. 2007 , 50, 168-77		66
1814	Androgen Deficiency in Men. 2007 , 17, 101-115		1
1813	The association between androgen levels and premature coronary artery disease in men. 2007 , 18, 159-62		24
1812	Testosterone and cardiovascular disease in men. 2007 , 3, 375-381		
1811	Calculation of Bioavailable and Free Testosterone in Men: A Comparison of 5 Published Algorithms. 2007 , 2007, 415-417		

1810	Hypogonadism and androgen deficiency symptoms in testicular cancer survivors. 2007 , 69, 754-8		25
1809	Serum sex steroid hormones and lower urinary tract symptoms in Third National Health and Nutrition Examination Survey (NHANES III). 2007 , 69, 708-13		76
1808	Relationship between serum testosterone and measures of benign prostatic hyperplasia in aging men. 2007 , 70, 677-80		51
1807	Role of sex hormone-binding globulin in the relationship between sex hormones and antisocial and aggressive personality in inmates. 2007 , 152, 189-96		15
1806	Associations of androgens with physical activity and fitness in young black and white men: the CARDIA Male Hormone Study. 2007 , 44, 426-31		9
1805	Long-term measures of free testosterone predict regional cerebral blood flow patterns in elderly men. 2007 , 28, 914-20		36
1804	Position statement: Utility, limitations, and pitfalls in measuring testosterone: an Endocrine Society position statement. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 405-13	5.6	879
1803	Oral testosterone supplementation and chronic low-grade inflammation in elderly men: a 26-week randomized, placebo-controlled trial. 2007 , 154, 1228.e1-7		21
1802	Considerations for the diagnosis and treatment of testosterone deficiency in elderly men. 2007 , 120, 835-40		33
1801	The diagnosis and treatment of male osteoporosis: Defining, assessing, and preventing skeletal fragility in men. 2007 , 18, 6-17		24
1800	Associations of adiponectin with sex hormone-binding globulin levels in aging male and female populations. 2007 , 386, 69-75		41
1799	Sexual dysfunction in men and women with endocrine disorders. 2007 , 369, 597-611		220
1798	Polycystic ovary syndrome. 2007 , 370, 685-97		998
1797	No relationship between circulating levels of sex steroids and mammographic breast density: the Prospect-EPIC cohort. 2007 , 9, R53		38
1796	The use of anti-mullerian hormone in predicting menstrual response after weight loss in overweight women with polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3796-802	5.6	39
1795	Is sildenafil citrate associated with an amelioration of the symptomatology of androgen decline in the aging male?. 2007 , 177, 2267-71		8
1794	Dermatologic manifestations of polycystic ovary syndrome. 2007 , 8, 201-19		53
1793	Effects of metformin treatment in women with polycystic ovary syndrome depends on insulin resistance. 2007 , 23, 231-7		25

1792	Relation of body mass and sex steroid hormone levels to hot flushes in a sample of mid-life women. 2007 , 10, 27-37		38
1791	Analysis of the discriminant ability of shorter versions of the French ADAM questionnaire. 2007 , 10, 159-64		1
1790	The latest options and future agents for treating male hypogonadism. 2007 , 8, 2991-3008		20
1789	Functional testosterone: biochemical assessment of hypogonadism in men--report from a multidisciplinary workshop hosted by the Ontario Society of Clinical Chemists. 2007 , 10, 211-6		20
1788	An exploratory study of the effects of 12 month administration of the novel long-acting testosterone undecanoate on measures of sexual function and the metabolic syndrome. 2007 , 53, 353-7		61
1787	The validity of androgen assays. 2007 , 10, 165-72		20
1786	A prospective study of sex steroids, sex hormone-binding globulin, and non-vertebral fractures in women and men: the Tromso Study. 2007 , 157, 119-25		61
1785	Luteinizing hormone pulsatility in patients with major ovarian hyperandrogenism. 2007 , 30, 636-46		7
1784	The relative contributions of aging, health, and lifestyle factors to serum testosterone decline in men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 549-55	5.6	292
1783	Correlates of sexual functioning among mid-life women. 2007 , 10, 132-42		43
1782	Association between physical activity and BMD in young men is modulated by catechol-O-methyltransferase (COMT) genotype: the GOOD study. 2007 , 22, 1165-72		19
1781	Reproductive parameters of community-dwelling men from 2 regions in flanders are associated with the consumption of self-grown vegetables. 2007 , 28, 836-46		6
1780	Intratesticular androgens and spermatogenesis during severe gonadotropin suppression induced by male hormonal contraceptive treatment. 2007 , 28, 734-41		40
1779	Comparaci3n de dos mtodos para la determinaci3n de testosterona biodisponible en mujeres. 2007 , 54, 89-95		
1778	Ovario: estr3genos, gest3genos, andr3genos, globulina fijadora de hormonas sexuales, inhibinas y cariotipo. 2007 , 54, 174-181		
1777	Associations among androgens, estrogens, and natriuretic peptides in young women: observations from the Dallas Heart Study. 2007 , 49, 109-16		122
1776	Low serum testosterone and high serum estradiol associate with lower extremity peripheral arterial disease in elderly men. The MrOS Study in Sweden. 2007 , 50, 1070-6		88
1775	Postprandial ghrelin, cholecystokinin, peptide YY, and appetite before and after weight loss in overweight women with and without polycystic ovary syndrome. 2007 , 86, 1603-10		63

1774	Phenotypic Variation of Polycystic Ovary Syndrome. 2007 , 22, 326	4
1773	Association of hormonal dysregulation with metabolic syndrome in older women: data from the InCHIANTI study. 2007 , 292, E353-8	52
1772	TESTOSTERONA SERICA EN TRASTORNOS HIPERTENSIVOS DEL EMBARAZO. 2007 , 72,	
1771	Absence of alterations in serum sex hormone levels in idiopathic REM sleep behavior disorder. 2007 , 30, 803-6	25
1770	Endogenous androgen levels and cardiovascular risk profile in women across the adult life span. 2007 , 14, 630-8	56
1769	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. 2007 , 121, 1331-8	71
1768	Hypogonadism in men with type 2 diabetes. 2007 , 24, 269-277	6
1767	Androgens and prostate cancer risk: a prospective study. 2007 , 67, 1230-7	25
1766	Testosterone, sex hormone-binding globulin, and frailty in older men. 2007 , 55, 548-55	91
1765	Changes in BMI modulate age-associated changes in sex hormone binding globulin and total testosterone, but not bioavailable testosterone in young adult men: the CARDIA Male Hormone Study. 2007 , 31, 685-91	30
1764	Influence of ageing and some lifestyle factors on male gonadal function: a study in Bulgaria. 2007 , 39, 136-40	3
1763	Recent trends in the treatment of testosterone deficiency syndrome. 2007 , 14, 981-5	14
1762	Endogenous testosterone levels and smoking in men. The fifth Tromsø study. 2007 , 30, 137-43	65
1761	Measuring gonadotropins is of limited value in detecting hypogonadism in ageing men: the Tromsø study. 2007 , 30, 445-51	2
1760	Erectile dysfunction is associated with low bioactive testosterone levels and visceral adiposity in men with type 2 diabetes. 2007 , 30, 500-7	70
1759	Predictors of serum testosterone and DHEAS in African-American men. 2008 , 31, 50-9	11
1758	Primary testicular failure in Klinefelter's syndrome: the use of bivariate luteinizing hormone-testosterone reference charts. 2007 , 66, 276-81	38
1757	Association of endogenous sex hormone with C-reactive protein levels in middle-aged and elderly men. 2007 , 66, 394-8	30

1756	Dehydroepiandrosterone substitution in female adrenal failure: no impact on endothelial function and cardiovascular parameters despite normalization of androgen status. 2007 , 66, 426-33	23
1755	Seasonal variation in serum concentrations of reproductive hormones and urinary excretion of 6-sulfatoxymelatonin in men living north and south of the Arctic Circle: a longitudinal study. 2007 , 67, 85-92	23
1754	Migration is associated with lower total, but not free testosterone levels in South Asian men. 2007 , 67, 651-5	11
1753	The association of sex hormone levels with quantitative ultrasound, bone mineral density, bone turnover and osteoporotic fractures in older men and women. 2007 , 67, 295-303	69
1752	Salivary testosterone: a reliable approach to the diagnosis of male hypogonadism. 2007 , 67, 656-62	91
1751	The presence of germ cells in the semen of azoospermic, cryptozoospermic and severe oligozoospermic patients: stringent flow cytometric analysis and correlations with hormonal status. 2007 , 67, 767-75	15
1750	Intraindividual variation in levels of serum testosterone and other reproductive and adrenal hormones in men. 2007 , 67, 853-62	134
1749	Interactions among age, adiposity, bodyweight, lifestyle factors and sex steroid hormones in healthy Singaporean Chinese men. 2007 , 9, 611-21	34
1748	Testosterone and erectile function: from basic research to a new clinical paradigm for managing men with androgen insufficiency and erectile dysfunction. 2007 , 52, 54-70	171
1747	Relationship between the Saint Louis University ADAM questionnaire and sexual hormonal levels in a male outpatient population over 50 years of age. 2007 , 52, 1760-7	27
1746	Editorial comment on: Relation between the Saint Louis University ADAM questionnaire and sexual hormonal levels in a male outpatient population over 50 years of age. 2007 , 52, 1766-7	
1745	Sexual function and obstructive sleep apnea-hypopnea: a randomized clinical trial evaluating the effects of oral-appliance and continuous positive airway pressure therapy. 2007 , 4, 1153-62	57
1744	Subjective sexual response to testosterone replacement therapy based on initial serum levels of total testosterone. 2007 , 4, 1757-62	29
1743	Current management strategies of the postmenopausal patient with sexual health problems. 2007 , 4 Suppl 3, 235-53	46
1742	The relationship between testosterone levels, the metabolic syndrome (by two criteria), and insulin resistance in a population of men with organic erectile dysfunction. 2007 , 4, 1046-55	58
1741	Effect of hyperprolactinemia in male patients consulting for sexual dysfunction. 2007 , 4, 1485-93	100
1740	The relationship between endogenous testosterone, preandrogens, and sex hormone binding globulin and knee joint structure in women at midlife. 2007 , 37, 56-62	25
1739	Circulating sex steroids, sex hormone-binding globulin, and longitudinal changes in forearm bone mineral density in postmenopausal women and men: the Tromsø study. 2007 , 81, 65-72	44

1738	Anterior pituitary hormone replacement therapy--a clinical review. 2007 , 10, 1-15	14
1737	Reduced pulmonary function is associated with lower levels of endogenous total and free testosterone. The Tromsø study. 2007 , 22, 107-12	42
1736	Treatment-related differences in cardiovascular risk factors in long-term survivors of testicular cancer. 2007 , 1, 8-16	44
1735	Controversies in the laboratory evaluation of hypogonadism: Androgen deficiency algorithm. 2007 , 4, 51-55	
1734	Approaches to testosterone supplementation in the young adult male. 2007 , 4, 169-174	1
1733	Testosterone, diabetes mellitus, and the metabolic syndrome. 2007 , 8, 467-71	28
1732	The decrease in serum IL-18 levels after bariatric surgery in morbidly obese women is a time-dependent event. 2007 , 17, 1199-208	10
1731	Relation of demographic factors, menstrual history, reproduction and medication use to sex hormone levels in postmenopausal women. 2008 , 108, 217-31	34
1730	Daidzein-metabolizing phenotypes in relation to serum hormones and sex hormone binding globulin, and urinary estrogen metabolites in premenopausal women in the United States. 2008 , 19, 1085-93	22
1729	Comparison of sex steroid measurements in men by immunoassay versus mass spectroscopy and relationships with cortical and trabecular volumetric bone mineral density. 2008 , 19, 1465-71	64
1728	Association between repeat length of exon 1 CAG microsatellite in the androgen receptor and bone density in men is modulated by sex hormone levels. 2008 , 82, 427-35	20
1727	The increase in serum visfatin after bariatric surgery in morbidly obese women is modulated by weight loss, waist circumference, and presence or absence of diabetes before surgery. 2008 , 18, 1000-6	25
1726	Microscopic polyangiitis with sexual and reproductive system involvement: first description of a case. 2008 , 3, 183-5	
1725	Endogenous sex hormones and the risk of prostate cancer: a prospective study. 2008 , 122, 2345-50	54
1724	Radiotherapy for rectal cancer is associated with reduced serum testosterone and increased FSH and LH. 2008 , 70, 722-7	38
1723	Mutations in the insulin-like factor 3 receptor are associated with osteoporosis. 2008 , 23, 683-93	103
1722	Older men with low serum estradiol and high serum SHBG have an increased risk of fractures. 2008 , 23, 1552-60	223
1721	Higher testosterone levels are associated with increased high-density lipoprotein cholesterol in men with cardiovascular disease: results from the Massachusetts Male Aging Study. 2008 , 10, 193-200	18

1720	Postprandial triglyceride metabolism in elderly men with subnormal testosterone levels. 2008 , 10, 542-9	4
1719	The natural history of symptomatic androgen deficiency in men: onset, progression, and spontaneous remission. 2008 , 56, 831-9	69
1718	Association between testosterone and estradiol and age-related decline in physical function in a diverse sample of men. 2008 , 56, 2000-8	56
1717	The role of testosterone in the pathogenesis of prostate cancer. 2008 , 15, 472-80	48
1716	Assessment of the intratesticular resistive index by colour Doppler ultrasonography measurements as a predictor of spermatogenesis. 2008 , 101, 722-6	86
1715	Low testosterone levels and decline in physical performance and muscle strength in older men: findings from two prospective cohort studies. 2008 , 68, 42-50	45
1714	Higher serum free testosterone is associated with better cognitive function in older men, while total testosterone is not. The Health In Men Study. 2008 , 68, 404-12	54
1713	Heritability of blood concentrations of sex-steroids in relation to body composition in young adult male siblings. 2008 , 69, 129-35	38
1712	Left ventricular dysfunction in Klinefelter syndrome is associated to insulin resistance, abdominal adiposity and hypogonadism. 2008 , 69, 785-91	35
1711	Serum testosterone and bioavailable testosterone correlate with age and body size in hypogonadal men treated with testosterone undecanoate (1000 mg IM--Nebido). 2008 , 69, 642-7	13
1710	Relationship between calcium absorption and plasma dehydroepiandrosterone sulphate (DHEAS) in healthy males. 2008 , 69, 864-9	14
1709	Measurement of testosterone in the diagnosis of hypogonadism in the ageing male. 2008 , 69, 515-525	26
1708	Androgen receptor gene polymorphism and the metabolic syndrome in 60-80 years old Norwegian men. 2010 , 33, 500-6	16
1707	Endogenous sex hormones and C-reactive protein in healthy postmenopausal women. 2008 , 264, 245-53	37
1706	The association of urinary cadmium with sex steroid hormone concentrations in a general population sample of US adult men. 2008 , 8, 72	22
1705	Tibolone and transdermal E2/NETA for the treatment of female sexual dysfunction in naturally menopausal women: results of a randomized active-controlled trial. 2008 , 5, 646-56	81
1704	Assessment of sexual health in aging men in Europe: development and validation of the European Male Ageing Study sexual function questionnaire. 2008 , 5, 1374-85	63
1703	Menstrual cycle-related changes in circulating androgens in healthy women with self-reported normal sexual function. 2008 , 5, 854-863	50

1702	Different testosterone levels are associated with ejaculatory dysfunction. 2008 , 5, 1991-8	119
1701	Socioeconomic status, not race/ethnicity, contributes to variation in the prevalence of erectile dysfunction: results from the Boston Area Community Health (BACH) Survey. 2008 , 5, 1325-33	47
1700	Low levels of androgens in men with erectile dysfunction and obesity. 2008 , 5, 2454-63	92
1699	Aging Male Questionnaire in normal and complaining men. 2008 , 5, 2703-12	7
1698	Penile doppler ultrasound in patients with erectile dysfunction (ED): role of peak systolic velocity measured in the flaccid state in predicting arteriogenic ED and silent coronary artery disease. 2008 , 5, 2623-34	104
1697	Getting Urology involved in the treatment of men with erectile dysfunction, the metabolic syndrome and hypogonadism. 2008 , 5, S21-S25	
1696	Clinical awareness and diagnosis of male hypogonadism. 2008 , 5, S26-S34	2
1695	Estradiol, testosterone, differential association and aggressive and non-aggressive risk-taking in adolescent girls. 2008 , 33, 897-908	35
1694	Women with polycystic ovary syndrome are often depressed or anxious--a case control study. 2008 , 33, 1132-8	161
1693	Genome instability is increased in lymphocytes of women with polycystic ovary syndrome and is correlated with insulin resistance. 2008 , 639, 55-63	28
1692	Opioid endocrinopathy in women consuming prescribed sustained-action opioids for control of nonmalignant pain. 2008 , 9, 28-36	170
1691	Does insulin resistance, visceral adiposity, or a sex hormone alteration underlie the metabolic syndrome? Studies in women. 2008 , 57, 838-44	53
1690	Testosterone and erectile dysfunction. 2008 , 29, 593-604	48
1689	Effects of testosterone on antioxidant systems in male secondary hypogonadism. 2008 , 29, 622-9	50
1688	Investigation, treatment, and monitoring of late-onset hypogonadism in males: ISA, ISSAM, EAU, EAA, and ASA recommendations. 2009 , 30, 1-9	175
1687	A Case-Based Guide to Clinical Endocrinology. 2008 ,	1
1686	Hypogonadotropic hypogonadism in type 2 diabetes. 2008 , 11, 107-17	27
1685	Insulin resistance causing severe postmenopausal hyperandrogenism. 2008 , 100, 280-1	5

1684	Androgen receptors and testosterone in men--effects of protein ingestion, resistance exercise and fiber type. 2008 , 110, 130-7	33
1683	Body shape and size and insulin resistance as early clinical predictors of hyperandrogenic anovulation in ethnic minority adolescent girls. 2008 , 43, 115-24	13
1682	Low serum testosterone in men is inversely associated with non-fasting serum triglycerides: the Tromsø study. 2008 , 18, 256-62	45
1681	The role of testosterone in aggressive and non-aggressive risk-taking in adolescent boys. 2008 , 53, 463-71	65
1680	2d:4d, sex steroid hormones and human psychological sex differences. 2008 , 54, 340-6	21
1679	The impact of assay quality and reference ranges on clinical decision making in the diagnosis of androgen disorders. 2008 , 73, 1311-7	68
1678	The COMT val158met polymorphism is associated with prevalent fractures in Swedish men. 2008 , 42, 107-12	10
1677	Sex steroids and bone turnover markers in men with symptomatic vertebral fractures. 2008 , 43, 999-1005	25
1676	Body composition, volumetric and areal bone parameters in male-to-female transsexual persons. 2008 , 43, 1016-21	88
1675	Therapeutic response to metformin in an underweight patient with polycystic ovarian syndrome. 2008 , 90, 1197.e1-4	4
1674	Androgen deficiency in the aging male. 2008 , 90, S83-7	13
1673	[Hormonal evaluation in infertile men]. 2008 , 36, 551-6	3
1672	Associations of endogenous sex hormones and sex hormone-binding globulin with lipid profiles in aged Japanese men and women. 2008 , 398, 43-7	28
1671	Evaluaci3n de la testosterona plasm3tica en el var3n. Lo que se debe medir y lo que no. 2008 , 6, 101-114	
1670	[Menometrorrhagia: to whom, why, on which criteria to propose a hormonal exploration?]. 2008 , 37 Suppl 8, S329-33	
1669	Hormonal evaluation of the infertile male: has it evolved?. 2008 , 35, 147-55, vii	49
1668	[Changes in sexual hormones in a male population over 50 years of age. Frequency of low testosterone levels and risk factors]. 2008 , 32, 603-10	5
1667	Role of testosterone in older men: recent advances and future directions. 2008 , 3, 415-418	1

1666	Lower sex hormone-binding globulin is more strongly associated with metabolic syndrome than lower total testosterone in older men: the Health in Men Study. 2008 , 158, 785-92	82
1665	Androgen receptor gene CAG repeat length in women with metabolic syndrome. 2008 , 24, 411-6	6
1664	The investigation and management of severe hyperandrogenism pre- and postmenopause: non-tumor disease is strongly associated with metabolic syndrome and typically responds to insulin-sensitization with metformin. 2008 , 24, 87-92	14
1663	Associations of serum sex hormone-binding globulin and sex hormone concentrations with hip fracture risk in postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1796-803	5.6 63
1662	Impact of testosterone treatment on postprandial triglyceride metabolism in elderly men with subnormal testosterone levels. 2008 , 68, 641-8	36
1661	Current guidelines for the diagnosis of testosterone deficiency. 2009 , 37, 5-20	38
1660	Baldness, benign prostate hyperplasia, prostate cancer and androgen levels. 2008 , 11, 189-92	28
1659	Endogenous sex hormones and prostate cancer: a collaborative analysis of 18 prospective studies. 2008 , 100, 170-83	597
1658	Serum osteoprotegerin concentrations are decreased in women with the polycystic ovary syndrome. 2008 , 159, 225-32	12
1657	Monogenic polycystic ovary syndrome due to a mutation in the lamin A/C gene is sensitive to thiazolidinediones but not to metformin. 2008 , 159, 347-53	35
1656	Rosiglitazone increases bioactive testosterone and reduces waist circumference in hypogonadal men with type 2 diabetes. 2008 , 5, 135-7	44
1655	Analog-based free testosterone test results linked to total testosterone concentrations, not free testosterone concentrations. 2008 , 54, 512-6	46
1654	Adiponectin serum levels and their relationships to androgen concentrations and ovarian volume during puberty in girls with type 1 diabetes mellitus. 2008 , 70, 112-7	17
1653	Retinol-binding protein 4 is associated with insulin resistance, but appears unsuited for metabolic screening in women with polycystic ovary syndrome. 2008 , 158, 517-23	26
1652	Primary amenorrhea as a manifestation of polycystic ovarian syndrome in adolescents: a unique subgroup?. 2008 , 162, 521-5	22
1651	Granulosa cell survival and proliferation are altered in polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 881-7	5.6 155
1650	Investigation, treatment and monitoring of late-onset hypogonadism in males: ISA, ISSAM, EAU, EAA and ASA recommendations. 2008 , 159, 507-14	342
1649	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). 2008 , 15, 485-97	184

1648	Evaluation of Ki-67 antigen expression in the zona reticularis of the adrenal cortex of female rats in persistent estrus. 2009 , 24, 705-9	7
1647	Anti-Mullerian hormone is increased in follicular fluid from unstimulated ovaries in women with polycystic ovary syndrome. 2008 , 23, 2122-6	71
1646	Indicators for metabolic disturbances in anovulatory women with polycystic ovary syndrome diagnosed according to the Rotterdam consensus criteria. 2009 , 24, 710-7	91
1645	Sexual function in men with epilepsy: how important is testosterone?. 2008 , 70, 1346-52	46
1644	Correlation between circadian gene variants and serum levels of sex steroids and insulin-like growth factor-I. 2008 , 17, 3268-73	28
1643	Percentage extremity fat, but not percentage trunk fat, is lower in adolescent boys with anorexia nervosa than in healthy adolescents. 2008 , 88, 1478-84	24
1642	Hypogonadotropic hypogonadism in type 2 diabetes, obesity and the metabolic syndrome. 2008 , 8, 816-28	63
1641	Effects of a supraphysiological dose of testosterone on physical function, muscle performance, mood, and fatigue in men with HIV-associated weight loss. 2008 , 294, E1135-43	38
1640	Hypoactive sexual desire in transsexual women: prevalence and association with testosterone levels. 2008 , 158, 393-9	34
1639	To what extent are free testosterone (FT) values reproducible between the two Washingtons, and can calculated FT be used in lieu of expensive direct measurements?. 2008 , 129, 459-63	16
1638	Three definitions of metabolic syndrome applied to a sample of young obese men and their relation with plasma testosterone. 2008 , 11, 118-22	24
1637	Letrozole once a week normalizes serum testosterone in obesity-related male hypogonadism. 2008 , 158, 741-7	100
1636	Increased basal and pulsatile secretion of FSH and LH in young men with 47,XXY or 46,XX karyotypes. 2008 , 158, 803-10	13
1635	The association of testosterone levels with overall sleep quality, sleep architecture, and sleep-disordered breathing. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 2602-9	5.6 97
1634	Free testosterone measurement by the analog displacement direct assay: old concerns and new evidence. 2008 , 54, 458-60	52
1633	Low testosterone levels are common and associated with insulin resistance in men with diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1834-40	5.6 291
1632	The decline of serum testosterone levels in community-dwelling men over 70 years of age: descriptive data and predictors of longitudinal changes. 2008 , 159, 459-68	66
1631	Low free testosterone concentration as a potentially treatable cause of depressive symptoms in older men. 2008 , 65, 283-9	121

1630	Prevalence of polycystic ovary syndrome and hyperandrogenemia in female-to-male transsexuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1408-11	5.6	55
1629	Correlates of low testosterone and symptomatic androgen deficiency in a population-based sample. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 3870-7	5.6	122
1628	Testosterone therapy prevents gain in visceral adipose tissue and loss of skeletal muscle in nonobese aging men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 139-46	5.6	224
1627	Hypothalamic-pituitary-testicular axis disruptions in older men are differentially linked to age and modifiable risk factors: the European Male Aging Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 2737-45	5.6	639
1626	Testosterone treatment in elderly men with subnormal testosterone levels improves body composition and BMD in the hip. 2008 , 20, 378-87		117
1625	A prospective study of the prevalence of nonclassical congenital adrenal hyperplasia among women presenting with hyperandrogenic symptoms and signs. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 527-33	5.6	127
1624	Postmenopausal women with a history of irregular menses and elevated androgen measurements at high risk for worsening cardiovascular event-free survival: results from the National Institutes of Health--National Heart, Lung, and Blood Institute sponsored Women's Ischemia Syndrome Evaluation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1276-84	5.6	360
1623	Prevalence of vertebral fractures in men with acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 4649-55	5.6	113
1622	Correlations between serum testosterone, estradiol, and sex hormone-binding globulin and bone mineral density in a diverse sample of men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 2135-41	5.6	69
1621	Pituitary and testicular function in sons of women with polycystic ovary syndrome from infancy to adulthood. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 3318-24	5.6	44
1620	Laboratory measurement of testosterone. 2009 , 37, 21-31		19
1619	Obesity, body composition and metabolic disturbances in polycystic ovary syndrome. 2008 , 23, 2113-21		63
1618	Spermatogenic and steroidogenic impairment of the testicle characterizes the hereditary leucine-75-proline apolipoprotein a-I amyloidosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1850-3	5.6	14
1617	Elevated serum levels of estradiol, dihydrotestosterone, and inhibin B in adult males born small for gestational age. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1464-9	5.6	25
1616	Inverse association of testosterone and the metabolic syndrome in men is consistent across race and ethnic groups. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 3403-10	5.6	110
1615	Relations between endogenous androgens and estrogens in postmenopausal women with suspected ischemic heart disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 4268-75	5.6	21
1614	Effect of testosterone supplementation on functional mobility, cognition, and other parameters in older men: a randomized controlled trial. 2008 , 299, 39-52		360
1613	Testosterone concentration in young patients with diabetes. 2008 , 31, 2013-7		98

1612	Diagnostic criteria for polycystic ovary syndrome: pitfalls and controversies. 2008 , 30, 671-679	82
1611	Estrogen, testosterone, and sequential movement in men. 2008 , 122, 955-62	7
1610	Treatment of symptomatic androgen deficiency: results from the Boston Area Community Health Survey. 2008 , 168, 1070-6	28
1609	Androgens, exercise capacity, and muscle function in cystic fibrosis. 2008 , 134, 1258-1264	17
1608	Serum 25-hydroxyvitamin D concentrations and risk for hip fractures. 2008 , 149, 242-50	244
1607	Méthodes d'exploration de la fonction ovarienne. 2008 , 5, 1-12	
1606	Decreased androgen concentrations and diminished general and sexual well-being in women with premature ovarian failure. 2008 , 15, 23-31	111
1605	Implications of diminished ovarian reserve (DOR) extend well beyond reproductive concerns. 2008 , 15, 1086-94	35
1604	Effect of exercise on serum sex hormones in men: a 12-month randomized clinical trial. 2008 , 40, 223-33	64
1603	Polymorphisms of the luteinizing hormone/chorionic gonadotropin receptor gene: association with undescended testes and male infertility. 2008 , 18, 193-200	41
1602	The importance of the (TAAAA)n alleles at the SHBG gene promoter for the severity of coronary artery disease in postmenopausal women. 2008 , 15, 461-8	12
1601	[Strategies in laboratory medicine for the endocrinological diagnosis of ovarian disorders]. 2008 , 65, 551-7	5
1600	Risk of late-onset hypogonadism (andropause) in Brazilian men over 50 years of age with osteoporosis: usefulness of screening questionnaires. 2008 , 52, 1439-47	21
1599	[The importance of methodology in serum testosterone measurement: comparison between a direct immunoassay and a method based on high performance liquid chromatography and tandem mass spectrometry (HPLC/MS-MS)]. 2008 , 52, 1050-5	10
1598	Correlation of the Serum Testosterone Level with Insulin Resistance and Metabolic Syndrome in Patients of Erectile Dysfunction and Benign Prostatic Hyperplasia. 2008 , 49, 556	5
1597	[Kallmann syndrome: a historical [corrected] clinical and molecular review]. 2008 , 52, 8-17	7
1596	Luteinizing hormone levels are positively correlated with plasma amyloid-beta protein levels in elderly men. 2008 , 14, 201-8	38
1595	The many faces of testosterone. 2007 , 2, 567-76	47

1594	. 2009,	18
1593	Analysis of testosterone pulsatility in women with ovulatory menstrual cycles. 2009 , 53, 1040-6	9
1592	Short term testosterone replacement therapy improves libido and body composition. 2009 , 53, 996-1004	12
1591	[The diagnostic of male infertility - an important part of reproductive medicine]. 2009 , 66, 789-95	2
1590	The benefits and risks of testosterone replacement therapy: a review. 2009 , 5, 427-48	192
1589	Prevalence of hypogonadism in patients with type 2 diabetes mellitus in an Asian Indian study group. 2009 , 15, 513-20	15
1588	Impact of long-term testosterone treatment on plasma levels of free TFPI and TF-induced thrombin generation ex vivo in elderly men with low testosterone levels. 2009 , 102, 945-50	26
1587	Role of haptoglobin in polycystic ovary syndrome (PCOS), obesity and disorders of glucose tolerance in premenopausal women. 2009 , 4, e5606	27
1586	Safety and efficacy of testosterone gel in the treatment of male hypogonadism. 2009 , 4, 397-412	35
1585	ISA, ISSAM, EAU, EAA and ASA recommendations: investigation, treatment and monitoring of late-onset hypogonadism in males. 2009 , 12, 5-12	144
1584	Insulin and free oestradiol are independent risk factors for benign prostatic hyperplasia. 2009 , 12, 160-5	57
1583	Metabolic features of the reproductive phenotypes of polycystic ovary syndrome. 2009 , 15, 477-88	232
1582	Low serum testosterone increases mortality risk among male dialysis patients. 2009 , 20, 613-20	138
1581	Validation of an Arabic ADAM questionnaire for androgen deficiency screening in the Arab community. 2009 , 12, 95-9	12
1580	Elevated serum estradiol/testosterone ratio in men with primary varicose veins compared with a healthy control group. 2009 , 60, 283-9	8
1579	Recovery of persistent hypogonadism by clomiphene in males with prolactinomas under dopamine agonist treatment. 2009 , 161, 163-9	29
1578	The age-testosterone relationship in black, white, and Mexican-American men, and reasons for ethnic differences. 2009 , 12, 66-76	26
1577	Hypogonadism risk in men treated for childhood cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 4180-6	5.6 68

1576	Endogenous sex hormones and the prospective association with cardiovascular disease and mortality in men: the Tromsø Study. 2009 , 161, 435-42		132
1575	Small effect of the androgen receptor gene GGN repeat polymorphism on serum testosterone levels in healthy men. 2009 , 161, 171-7		18
1574	Physical activity and endogenous sex hormone levels in postmenopausal women: a cross-sectional study in the Prospect-EPIC Cohort. 2009 , 18, 377-83		39
1573	Determinants of interleukin-6 and C-reactive protein vary in polycystic ovary syndrome, as do effects of short- and long-term metformin therapy. 2009 , 71, 148-54		15
1572	Endogenous sex hormone levels in men are not associated with risk of venous thromboembolism: the Tromsø study. 2009 , 160, 833-8		27
1571	Effects of transdermal testosterone or oral dydrogesterone on hypoactive sexual desire disorder in transsexual women: results of a pilot study. 2009 , 161, 363-8		25
1570	Comparison of simvastatin and metformin in treatment of polycystic ovary syndrome: prospective randomized trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 4938-45	5.6	74
1569	Thyroid-stimulating hormone is associated with insulin resistance independently of body mass index and age in women with polycystic ovary syndrome. 2009 , 24, 2924-30		52
1568	Influence of age and obesity on serum estradiol, estrone, and sex hormone binding globulin concentrations following oral estrogen administration in postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 4136-43	5.6	32
1567	The effect of diurnal variation on clinical measurement of serum testosterone and other sex hormone levels in men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 907-13	5.6	266
1566	Testosterone and ill-health in aging men. 2009 , 5, 113-21		68
1565	Rationelle Diagnostik in der gynäkologischen Endokrinologie und Reproduktionsmedizin – Teil 1: Physiologie und Symptomabklärung. 2009 , 69, R43-R65		
1564	Maturation of luteinizing hormone (gonadotropin-releasing hormone) secretion across puberty: evidence for altered regulation in obese peripubertal girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 56-66	5.6	87
1563	Increased estrogen rather than decreased androgen action is associated with longer androgen receptor CAG repeats. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 277-84	5.6	116
1562	The management of hypogonadism in aging male patients. 2009 , 121, 113-21		5
1561	Hypogonadotropic hypogonadism in men with type 2 diabetes. 2009 , 121, 45-51		30
1560	Endocrinology of male infertility: evaluation and treatment. 2009 , 27, 149-58		35
1559	Relation between serum testosterone, serum estradiol, sex hormone-binding globulin, and geometrical measures of adult male proximal femur strength. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 853-60	5.6	29

1558	Resistance exercise with whey protein ingestion affects mTOR signaling pathway and myostatin in men. 2009 , 106, 1720-9		102
1557	Anthropometric and skeletal phenotype in men with idiopathic osteoporosis and their sons is consistent with deficient estrogen action during maturation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 4300-8	5.6	16
1556	Modulation of gonadotropin-releasing hormone pulse generator sensitivity to progesterone inhibition in hyperandrogenic adolescent girls--implications for regulation of pubertal maturation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2360-6	5.6	84
1555	Low serum testosterone and estradiol predict mortality in elderly men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2482-8	5.6	165
1554	The association of endogenous sex hormones, adiposity, and insulin resistance with incident diabetes in postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 4127-35 ^{5.6}		131
1553	Lower serum testosterone is independently associated with insulin resistance in non-diabetic older men: the Health In Men Study. 2009 , 161, 591-8		96
1552	Sex, diabetes and the kidney. 2009 , 296, F680-8		84
1551	Predictive accuracy and sources of variability in calculated free testosterone estimates. 2009 , 46, 137-43		140
1550	Prospective case-control study of serum mullerian inhibiting substance and breast cancer risk. 2009 , 101, 1501-9		24
1549	Bone mineral status and bone loss over time in men with chronic systolic heart failure and their clinical and hormonal determinants. 2009 , 11, 28-38		36
1548	Endurance training of moderate intensity increases testosterone concentration in young, healthy men. 2009 , 30, 489-95		38
1547	Peripheral insulin-like factor 3 concentrations are reduced in men with type 2 diabetes mellitus: effect of glycemic control and visceral adiposity on Leydig cell function. 2009 , 161, 853-9		20
1546	Effect of Roux-en-Y gastric bypass surgery on the sex steroids and quality of life in obese men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 1329-32	5.6	164
1545	Effect of testosterone supplementation on sexual functioning in aging men: a 6-month randomized controlled trial. 2009 , 21, 129-38		21
1544	The relationship between maternal and umbilical cord androgen levels and polycystic ovary syndrome in adolescence: a prospective cohort study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 3714-20	5.6	113
1543	Long-term benefits of testosterone replacement therapy on angina threshold and atheroma in men. 2009 , 161, 443-9		114
1542	Oral testosterone replacement in symptomatic late-onset hypogonadism: effects on rating scales and general safety in a randomized, placebo-controlled study. 2009 , 160, 821-31		59
1541	Measures of bioavailable serum testosterone and estradiol and their relationships with muscle mass, muscle strength and bone mineral density in postmenopausal women: a cross-sectional study. 2009 , 160, 681-7		78

1540	Testosterone: clinical relevance in ageing men. 2009 , 19, 249-261	1
1539	The relationship between sex steroid hormones and behavioural inhibition (BIS) and behavioural activation (BAS) in adolescent boys and girls. 2009 , 47, 3-7	13
1538	The association of exercise with sleep, sex steroids, sexual activities and aging in Asian men. 2009 , 6, 317-324	6
1537	Higher free testosterone level is associated with faster visual processing and more flanker interference in older men. 2009 , 34, 546-54	15
1536	Pulse pressure, an index of arterial stiffness, is associated with androgen deficiency and impaired penile blood flow in men with ED. 2009 , 6, 285-93	54
1535	Testosterone replacement therapy in naturally and surgically menopausal women. 2009 , 6, 8-18; quiz 19-20	25
1534	The influence of testosterone combined with a PDE5-inhibitor on cognitive, affective, and physiological sexual functioning in women suffering from sexual dysfunction. 2009 , 6, 777-90	63
1533	The prevalence of and risk factors for androgen deficiency in aging Taiwanese men. 2009 , 6, 936-946	52
1532	Evaluation of the effects of cigarette smoking on testosterone levels in adult men. 2009 , 6, 1763-1772	35
1531	Hypogonadism, decreased sexual desire, and long-term depression in middle-aged men. 2009 , 6, 2049-57	50
1530	Effect of long-term testosterone administration on the endometrium of female-to-male (FTM) transsexuals. 2009 , 6, 3193-200	81
1529	Effects of testosterone on ventricular repolarization in hypogonadic men. 2009 , 103, 887-90	70
1528	Hormone levels and sexual development in Flemish adolescents residing in areas differing in pollution pressure. 2009 , 212, 612-25	18
1527	Investigation, treatment, and monitoring of late-onset hypogonadism in males: ISA, ISSAM, EAU, EAA, and ASA recommendations. 2009 , 55, 121-30	195
1526	A randomized phase 1 study of testosterone replacement for patients with low-risk castration-resistant prostate cancer. 2009 , 56, 97-103	47
1525	Validation of salivary cortisol and testosterone assays in chimpanzees by liquid chromatography-tandem mass spectrometry. 2009 , 71, 696-706	35
1524	Aggression is related to frontal serotonin-1A receptor distribution as revealed by PET in healthy subjects. 2009 , 30, 2558-70	69
1523	Association between endogenous plasma hormone concentrations and fracture risk in men and women: the EPIC-Oxford prospective cohort study. 2009 , 27, 485-93	24

1522	The risk of hepatotoxicity during long-term and low-dose flutamide treatment in hirsutism. 2009 , 279, 321-7	24
1521	Association of cigarette smoking, alcohol consumption, and physical activity with sex steroid hormone levels in US men. 2009 , 20, 877-86	120
1520	Associations between endogenous sex hormone levels and mammographic and bone densities in premenopausal women. 2009 , 20, 1039-53	21
1519	Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). 2009 , 20, 811-21	29
1518	Endogenous testosterone and the prospective association with carotid atherosclerosis in men: the Tromsø study. 2009 , 24, 289-95	64
1517	Diagnostic value of prostate-specific antigen (PSA) and free prostate specific antigen (fPSA) in women with ovulatory and anovulatory polycystic ovary syndrome. 2009 , 35, 123-9	8
1516	Estradiol and progesterone-induced slowing of gonadotropin-releasing hormone pulse frequency is not reversed by subsequent administration of mifepristone. 2009 , 36, 239-45	2
1515	The prevalence and risk factors for glucose intolerance in young Korean women with polycystic ovary syndrome. 2009 , 36, 326-32	35
1514	Relative contributions of multiple determinants to bone mineral density in men. 2009 , 20, 2035-47	15
1513	Dosage de la testost�rone plasmatique : difficult�s m�thodologiques et interf�re physiopathologique. 2009 , 2009, 51-56	
1512	AR CAG repeat length is not associated with serum gonadal steroids and lipid levels in healthy men. 2009 , 32, 616-22	27
1511	Investigation, treatment and monitoring of late-onset hypogonadism in males. 2009 , 32, 1-10	101
1510	Relationship of sex steroid hormones with bone mineral density (BMD) in a nationally representative sample of men. 2009 , 70, 26-34	46
1509	Low testosterone and anaemia in men with type 2 diabetes. 2009 , 70, 547-53	47
1508	Polymorphisms of the SHBG gene contribute to the interindividual variation of sex steroid hormone blood levels in young, middle-aged and elderly men. 2009 , 70, 303-10	40
1507	Healthier lifestyle predicts higher circulating testosterone in older men: the Health In Men Study. 2009 , 70, 455-63	39
1506	Endogenous sex steroid hormones and measures of chronic kidney disease (CKD) in a nationally representative sample of men. 2009 , 71, 246-52	23
1505	Insulin-like factor 3 as a marker of testicular function in obese men. 2009 , 71, 722-6	48

1504	Association between androgens, intima-media thickness and the metabolic syndrome in obese adolescent girls. 2010 , 72, 770-4	25
1503	Serum testosterone and urinary excretion of steroid hormone metabolites after administration of a high-dose zinc supplement. 2009 , 63, 65-70	17
1502	Expression of 11beta-hydroxysteroid dehydrogenase 1 and 2 in subcutaneous adipose tissue of lean and obese women with and without polycystic ovary syndrome. 2009 , 33, 1249-56	23
1501	Androgen receptor gene polymorphism and sex hormones in elderly men: the Tromsø study. 2009 , 11, 222-8	9
1500	Stress-related development of obesity and cortisol in women. 2009 , 17, 1678-83	97
1499	Late-onset hypogonadism (LOH) and androgens: validity of the measurement of free testosterone levels in the diagnostic criteria in Japan. 2009 , 16, 168-74	45
1498	Measurement-specific bioavailable testosterone using concanavalin A precipitation: comparison of calculated and assayed bioavailable testosterone. 2009 , 16, 894-901	5
1497	Serum testosterone levels correlate with haemoglobin in middle-aged and older men. 2009 , 39, 532-8	22
1496	Testosterone and obesity in men under the age of 40 years. 2009 , 41, 76-83	21
1495	Hypogonadism-related symptoms: development and evaluation of an empirically derived self-rating instrument (HRS 'Hypogonadism Related Symptom Scale'). 2009 , 41, 297-304	7
1494	Prevalence and predictors of osteopenia and osteoporosis in adults with Type 1 diabetes. 2009 , 26, 45-52	65
1493	Relationship between higher estradiol levels and 9-year mortality in older women: the Invecchiare in Chianti study. 2009 , 57, 1810-5	25
1492	Genetic variation in sex hormone genes influences heel ultrasound parameters in middle-aged and elderly men: results from the European Male Aging Study (EMAS). 2009 , 24, 314-23	20
1491	Serum estradiol is associated with volumetric BMD and modulates the impact of physical activity on bone size at the age of peak bone mass: a study in healthy male siblings. 2009 , 24, 1075-85	54
1490	Effect of high-dose isoflavones on cognition, quality of life, androgens, and lipoprotein in post-menopausal women. 2009 , 32, 150-5	65
1489	Increased clearance of cortisol by 5beta-reductase in a subgroup of women with adrenal hyperandrogenism in polycystic ovary syndrome. 2009 , 32, 210-8	23
1488	Urinary and serum hormones profiles after testosterone enanthate administration in male hypogonadism: concerns on the detection of doping with testosterone in treated hypogonadal athletes. 2009 , 32, 445-53	13
1487	Genetic variation in exon 17 of INSR is associated with insulin resistance and hyperandrogenemia among lean Indian women with polycystic ovary syndrome. 2009 , 160, 855-62	65

1486	Lower testosterone levels predict incident stroke and transient ischemic attack in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2353-9	5.6	190
1485	Reduction in circulating testosterone relates to exercise capacity in men with chronic heart failure. 2009 , 15, 442-50		69
1484	Comparison of hormonal and metabolic markers after a high-fat, Western meal versus a low-fat, high-fiber meal in women with polycystic ovary syndrome. 2009 , 91, 1175-82		19
1483	Anti-Müllerian hormone in men with normal and reduced sperm concentration and men with undescended testes. 2009 , 91, 1812-9		54
1482	The Androgen Excess and PCOS Society criteria for the polycystic ovary syndrome: the complete task force report. 2009 , 91, 456-88		1268
1481	A strict infertility diagnosis has poor agreement with the clinical diagnosis entered into the Society for Assisted Reproductive Technology registry. 2009 , 92, 2088-90		13
1480	A novel spreadsheet method for calculating the free serum concentrations of testosterone, dihydrotestosterone, estradiol, estrone and cortisol: with illustrative examples from male and female populations. 2009 , 74, 512-9		138
1479	Androgen deficiency symptoms in testicular cancer survivors are associated with sexual problems but not with serum testosterone or therapy. 2009 , 74, 825-9		20
1478	Prominent role of low HDL-cholesterol in explaining the high prevalence of the metabolic syndrome in polycystic ovary syndrome. 2009 , 19, 797-804		31
1477	Erectile function, sexual desire, and psychological well-being in men with epilepsy. 2009 , 15, 351-7		38
1476	Differential effects of levetiracetam, carbamazepine, and lamotrigine on reproductive endocrine function in adults. 2009 , 16, 281-7		57
1475	Effects of aggressive encounters on plasma corticosteroid-binding globulin and its ligands in white-crowned sparrows. 2009 , 56, 339-47		47
1474	Family cohesion moderates the relation between free testosterone and delinquent behaviors in adolescent boys and girls. 2009 , 44, 590-7		21
1473	Testosterone deficiency syndrome: treatment and cancer risk. 2009 , 114, 96-105		18
1472	Free testosterone and free dihydrotestosterone throughout the life span of men. 2009 , 116, 118-20		24
1471	Androgen metabolism in adipose tissue: recent advances. 2009 , 301, 97-103		87
1470	[Hypogonadism, erectile dysfunction and endothelial dysfunction among HIV-infected men]. 2009 , 132, 311-21		1
1469	[Exploration of testicular function]. 2009 , 56, 18-31		1

1468	[Variations in the concentration of the sex hormone binding globulin is a major factor causing a variation in total testosterone values]. 2009 , 56, 209-12		2
1467	Sex hormone-binding globulin: a new marker of disease severity and prognosis in men with chronic heart failure. 2009 , 62, 1381-7		11
1466	Body fat content and testosterone pharmacokinetics determine gonadotropin suppression after intramuscular injections of testosterone preparations in normal men. 2009 , 30, 602-13		13
1465	ISA, ISSAM, EAU, EAA and ASA recommendations: investigation, treatment and monitoring of late-onset hypogonadism in males. 2009 , 21, 1-8		114
1464	Reference intervals for serum testosterone, SHBG, LH and FSH in males from the NORIP project. 2009 , 69, 873-9.e1-11		23
1463	Metformin administration was associated with a modification of LH, prolactin and insulin secretion dynamics in women with polycystic ovarian syndrome. 2009 , 25, 427-34		30
1462	Plasma visfatin level in lean women with PCOS: relation to proinflammatory markers and insulin resistance. 2009 , 25, 241-5		34
1461	Use of Selected Topological Indexes for Evaluation of Lipophilicity of Steroid Compounds Investigated by RP-HPTLC. 2009 , 32, 3056-3065		1
1460	Homocysteine concentrations in follicular fluid are associated with poor oocyte and embryo qualities in polycystic ovary syndrome patients undergoing assisted reproduction. 2009 , 24, 2293-302		88
1459	Sex hormone levels and subclinical atherosclerosis in postmenopausal women: the Multi-Ethnic Study of Atherosclerosis. 2009 , 204, 255-61		94
1458	Globulina transportadora de hormonas sexuales: nuevo marcador de severidad y pronóstico en varones con insuficiencia cardiaca crónica. 2009 , 62, 1381-1387		14
1457	Bone histomorphometry in male idiopathic osteoporosis. 2009 , 84, 430-8		30
1456	Sex hormones and frailty in older men: the osteoporotic fractures in men (MrOS) study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 3806-15	5.6	120
1455	Prevalence of low bone mass in relation to estrogen treatment and body composition in male-to-female transsexual persons. 2009 , 12, 306-13		43
1454	Relative androgen excess during the menopausal transition predicts incident metabolic syndrome in midlife women: study of Women's Health Across the Nation. 2009 , 16, 257-64		63
1453	Elevated sex hormone binding globulin levels may contribute to sexual dysfunction in men with chronic hepatitis C virus infection. 2009 , 43, 94-5		11
1452	Postmenopausal hormone replacement therapy modifies skeletal muscle composition and function: a study with monozygotic twin pairs. 2009 , 107, 25-33		116
1451	Low testosterone levels and the risk of metabolic syndrome in men. 2009 , 5, 217-225		1

1450	Pharmacokinetics of dehydroepiandrosterone and its metabolites after long-term oral dehydroepiandrosterone treatment in postmenopausal women. 2009 , 16, 272-8	13
1449	Polycystic Ovary Syndrome in Adolescents. 2010 , 6, 108-122	
1448	Role of Oxidative Stress in Polycystic Ovary Syndrome. 2010 , 6, 96-107	51
1447	Higher luteinizing hormone is associated with poor memory recall: the health in men study. 2010 , 19, 943-51	38
1446	Prevalence of sexual activity and associated factors in men aged 75 to 95 years: a cohort study. 2010 , 153, 693-702	69
1445	Treatment of hypogonadism with testosterone in patients with type 2 diabetes mellitus. 2010 , 16, 570-6	52
1444	Hyperandrogénie et hirsutisme. 2010 , 7, 1-8	1
1443	Early smoking is associated with peak bone mass and prevalent fractures in young, healthy men. 2010 , 25, 379-87	37
1442	Biochemical endocrinology of the hypogonadal male. 2010 , 47, 503-15	24
1441	[Laboratory work-up of testosterone]. 2010 , 49, 11-5	2
1440	Baseline serum estradiol and fracture reduction during treatment with hormone therapy: the Women's Health Initiative randomized trial. 2010 , 21, 167-77	15
1439	Gonadal sex steroid status and bone health in middle-aged and elderly European men. 2010 , 21, 1331-9	33
1438	New approach for measurement of non-SHBG-bound testosterone in human plasma. 2010 , 658, 87-90	9
1437	Effect of menstrual cycle phase on sprinting performance. 2010 , 109, 659-67	49
1436	Endogenous estrogen levels are associated with endothelial function in males independently of lipid levels. 2010 , 37, 329-35	17
1435	Association of serum cholesterol and cholesterol-lowering drug use with serum sex steroid hormones in men in NHANES III. 2010 , 21, 1575-83	18
1434	Maternal and umbilical cord androgen concentrations do not predict digit ratio (2D:4D) in girls: a prospective cohort study. 2010 , 35, 1235-44	55
1433	Treatment of erectile dysfunction due to C677T mutation of the MTHFR gene with vitamin B6 and folic acid in patients non responders to PDE5i. 2010 , 7, 216-23	14

1432	Comparison of free testosterone results by analog radioimmunoassay and calculated free testosterone in an ambulatory clinical population. 2010 , 7, 1948-53	22
1431	Symptomatic response rates to testosterone therapy and the likelihood of completing 12 months of therapy in clinical practice. 2010 , 7, 277-83	21
1430	Risk factors for incident erectile dysfunction among community-dwelling men. 2010 , 7, 712-22	8
1429	Prevalence of undiagnosed testosterone deficiency in aging athletes: does exercise training influence the symptoms of male hypogonadism?. 2010 , 7, 2591-601	18
1428	The effect of statin therapy on testosterone levels in subjects consulting for erectile dysfunction. 2010 , 7, 1547-56	67
1427	Endocrine aspects of male sexual dysfunctions. 2010 , 7, 1627-56	142
1426	Effects of testosterone supplementation on depressive symptoms and sexual dysfunction in hypogonadal men with the metabolic syndrome. 2010 , 7, 2572-82	90
1425	The determination of total testosterone and free testosterone (RIA) are not applicable to the evaluation of gonadal function in HIV-infected males. 2010 , 7, 2873-83	33
1424	Men with metabolic syndrome have lower bone mineral density but lower fracture risk--the MINOS study. 2010 , 25, 1446-54	76
1423	Prevalent fractures are related to cortical bone geometry in young healthy men at age of peak bone mass. 2010 , 25, 1433-40	30
1422	Direct measurement of serum free testosterone by ultrafiltration followed by liquid chromatography tandem mass spectrometry. 2010 , 43, 490-6	31
1421	Large effects on body mass index and insulin resistance of fat mass and obesity associated gene (FTO) variants in patients with polycystic ovary syndrome (PCOS). 2010 , 11, 12	56
1420	Moderate energy restriction with high protein diet results in healthier outcome in women. 2010 , 7, 4	12
1419	ABCD position statement on the management of hypogonadal males with type 2 diabetes. 2010 , 27, 408-412	1
1418	Free testosterone levels in umbilical-cord blood predict infant head circumference in females. 2010 , 52, e73-7	14
1417	Effects of testosterone in older men with mild-to-moderate cognitive impairment. 2010 , 58, 1419-21	11
1416	A case of selective serotonin reuptake inhibitor-induced rapid eye movement behavior disorder. 2010 , 58, 1421-2	6
1415	Characteristics of muscle fiber type are predictive of skeletal muscle mass and strength in elderly men. 2010 , 58, 2069-75	73

1414	Global gene expression profiles in skeletal muscle of monozygotic female twins discordant for hormone replacement therapy. 2010 , 9, 1098-110	29
1413	Plasma testosterone and sex hormone-binding globulin concentrations and the risk of prostate cancer among Japanese men: a nested case-control study. 2010 , 101, 2652-7	26
1412	Semen quality, reproductive hormones and fertility of men operated for hypospadias. 2010 , 33, 80-7	38
1411	Erectile dysfunction and hormonal imbalance in morbidly obese male is reversed after gastric bypass surgery: a prospective randomized controlled trial. 2010 , 33, 736-44	104
1410	Serum testosterone bioassay evaluation in a large male cohort. 2010 , 72, 87-98	5
1409	In young men, a moderate inhibition of testosterone synthesis capacity is only partly compensated by increased activity of the pituitary and the hypothalamus. 2010 , 72, 76-80	3
1408	Low free testosterone levels are associated with prevalence and incidence of depressive symptoms in older men. 2010 , 72, 232-40	49
1407	Association between sex steroids and cognition in elderly men. 2010 , 72, 393-403	48
1406	Accuracy of calculated free testosterone formulae in men. 2010 , 73, 382-8	119
1405	Effects of testosterone supplementation on markers of the metabolic syndrome and inflammation in hypogonadal men with the metabolic syndrome: the double-blinded placebo-controlled Moscow study. 2010 , 73, 602-12	254
1404	Sex steroids and mortality in men referred for coronary angiography. 2010 , 73, 613-21	44
1403	Optimal waist circumference for prediction of metabolic syndrome in young Korean women with polycystic ovary syndrome. 2010 , 18, 593-7	10
1402	Hyperandrogenemia in obese peripubertal girls: correlates and potential etiological determinants. 2010 , 18, 2118-24	36
1401	Serum testosterone is associated with aggressive prostate cancer in older men: results from the Baltimore Longitudinal Study of Aging. 2010 , 105, 824-9	72
1400	Serum testosterone is associated with aggressive prostate cancer in older men: results from the Baltimore Longitudinal Study of Aging. 2010 , 105, 884-5; author reply 885-6	4
1399	Reply. 2010 , 105, 885-886	1
1398	Testosterone Therapy for Osteoporosis in Men. 2010 , 691-712	
1397	Racial Disparities between the Sex Steroid Milieu and the Metabolic Risk Profile. 2010 , 2010,	1

1396	Are environmental levels of bisphenol a associated with reproductive function in fertile men?. 2010 , 118, 1286-91		155
1395	Treatment of type B insulin resistance: a novel approach to reduce insulin receptor autoantibodies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3641-7	5.6	63
1394	The impact of the CAG repeat polymorphism of the androgen receptor gene on muscle and adipose tissues in 20-29-year-old Danish men: Odense Androgen Study. 2010 , 162, 795-804		33
1393	Serum soluble glycoprotein 130 concentration is inversely related to insulin sensitivity in women with polycystic ovary syndrome. 2010 , 59, 1026-9		19
1392	Sex steroid hormone concentrations and risk of death in US men. 2010 , 171, 583-92		104
1391	Low testosterone and sex hormone-binding globulin levels and high estradiol levels are independent predictors of type 2 diabetes in men. 2010 , 162, 747-54		106
1390	Reduction in Ki-67 in benign breast tissue of high-risk women with the lignan secoisolariciresinol diglycoside. 2010 , 3, 1342-50		35
1389	Gender ideology, same-sex peer group affiliation and the relationship between testosterone and dominance in adolescent boys and girls. 2010 , 42, 463-75		19
1388	Rapid loss of appendicular skeletal muscle mass is associated with higher all-cause mortality in older men: the prospective MINOS study. 2010 , 91, 1227-36		81
1387	Severe XIST hypomethylation clearly distinguishes (SRY+) 46,XX-maleness from Klinefelter syndrome. 2010 , 162, 169-75		20
1386	Alberta physical activity and breast cancer prevention trial: sex hormone changes in a year-long exercise intervention among postmenopausal women. 2010 , 28, 1458-66		161
1385	Serum estradiol is associated with lean mass in elderly Swedish men. 2010 , 162, 737-45		29
1384	Plasma phthalate levels in pubertal gynecomastia. 2010 , 125, e122-9		101
1383	The subcutaneous abdominal fat and not the intraabdominal fat compartment is associated with anovulation in women with obesity and infertility. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 2107-12	5.6	30
1382	Preoperative low serum testosterone levels are associated with tumor aggressiveness in radical prostatectomy treated cancer patients. 2010 , 2, 191-201		4
1381	Circulating steroid hormones in prostate carcinogenesis. Part 1 - Androgens. 2010 , 3, 341-56		
1380	Testosterone, androgen receptor gene CAG repeat length, mood and behaviour in adolescent males. 2010 , 163, 319-28		53
1379	Impact of acute biochemical castration on insulin sensitivity in healthy adult men. 2010 , 35, 71-84		13

1378	Sex hormone-binding globulin as an independent predictor of incident type 2 diabetes mellitus in men. 2010 , 65, 503-9		66
1377	Low circulating androgens and mortality risk in heart failure. 2010 , 96, 504-9		52
1376	Characteristics of secondary, primary, and compensated hypogonadism in aging men: evidence from the European Male Ageing Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1810-8	5.6	402
1375	High-molecular-weight adiponectin is selectively reduced in women with polycystic ovary syndrome independent of body mass index and severity of insulin resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1378-85	5.6	57
1374	Endogenous hormones, androgen receptor CAG repeat length and fluid cognition in middle-aged and older men: results from the European Male Ageing Study. 2010 , 162, 1155-64		23
1373	Effects of testosterone on muscle strength, physical function, body composition, and quality of life in intermediate-frail and frail elderly men: a randomized, double-blind, placebo-controlled study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 639-50	5.6	455
1372	Sexual dysfunction in obese and overweight women. 2010 , 22, 220-6		97
1371	Low serum testosterone and increased mortality in men with coronary heart disease. 2010 , 96, 1821-5		171
1370	Association of testosterone and sex hormone-binding globulin with metabolic syndrome and insulin resistance in men. 2010 , 33, 1618-24		141
1369	Endothelial progenitor cells as a new cardiovascular risk factor in Klinefelter's syndrome. 2010 , 16, 411-7		20
1368	Testosterone concentrations in diabetic and nondiabetic obese men. 2010 , 33, 1186-92		236
1367	Analysis of Androgens and Their Derivatives. 2010 , 457-558		
1366	Validity of estimating non-sex hormone-binding globulin bound testosterone and oestradiol from total hormone measurements in boys and girls. 2010 , 47, 233-41		13
1365	Daily bisphenol A excretion and associations with sex hormone concentrations: results from the InCHIANTI adult population study. 2010 , 118, 1603-8		170
1364	Distribution of adiponectin multimeric forms in Chinese women with polycystic ovary syndrome and their relation to insulin resistance. 2010 , 163, 399-406		6
1363	Plasma sex hormone concentrations and breast cancer risk in an ethnically diverse population of postmenopausal women: the Multiethnic Cohort Study. 2010 , 17, 125-34		55
1362	Clinical Andrology. 2010 ,		1
1361	Effects of testosterone on skeletal muscle architecture in intermediate-frail and frail elderly men. 2010 , 65, 1215-9		51

1360	Assessment of theca cell function prior to controlled ovarian stimulation: the predictive value of serum basal/stimulated steroid levels. 2010 , 25, 228-34		20
1359	Insulin resistance and free androgen index correlate with the outcome of controlled ovarian hyperstimulation in non-PCOS women undergoing IVF. 2010 , 25, 504-9		28
1358	High prevalence of polycystic ovary syndrome in women born small for gestational age. 2010 , 25, 2124-31		70
1357	Association of aromatase (TTAn) repeat polymorphism length and the relationship between obesity and decreased sperm concentration. 2010 , 25, 3146-51		29
1356	Organic cation transporter 1 polymorphisms predict the metabolic response to metformin in women with the polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, E204-8	5.6	44
1355	Birth weight in relation to sex steroid status and body composition in young healthy male siblings. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1587-94	5.6	29
1354	Free testosterone levels are associated with mobility limitation and physical performance in community-dwelling men: the Framingham Offspring Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 2790-9	5.6	103
1353	Structural decay of bone microarchitecture in men with prostate cancer treated with androgen deprivation therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, E456-63	5.6	68
1352	Associations of birthweight and gestational age with reproductive and metabolic phenotypes in women with polycystic ovarian syndrome and their first-degree relatives. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 789-99	5.6	44
1351	Associations of total testosterone, sex hormone-binding globulin, calculated free testosterone, and luteinizing hormone with prevalence of abdominal aortic aneurysm in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1123-30	5.6	50
1350	Are there any sensitive and specific sex steroid markers for polycystic ovary syndrome?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 810-9	5.6	92
1349	Prevalence of vertebral fractures independent of BMD and anticancer treatment in patients with testicular germ cell tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 4933-42	5.6	10
1348	Sex hormone-binding globulin as an independent determinant of cortical bone status in men at the age of peak bone mass. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1579-86	5.6	18
1347	Frailty, serum androgens, and the CAG repeat polymorphism: results from the Massachusetts Male Aging Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 2746-54	5.6	29
1346	Cognition is not modified by large but temporary changes in sex hormones in men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 280-8	5.6	80
1345	Correlation of serum androgens with anthropometric and metabolic indices in healthy, nonobese postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 4276-82	5.6	25
1344	Effect of polymorphisms in selected genes involved in pituitary-testicular function on reproductive hormones and phenotype in aging men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1898-908	5.6	32
1343	Lipoprotein subclass patterns in women with polycystic ovary syndrome (PCOS) compared with equally insulin-resistant women without PCOS. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3933-9	5.6	33

1342	The effects of injected testosterone dose and age on the conversion of testosterone to estradiol and dihydrotestosterone in young and older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3955-64	5.6	73
1341	Urinary bisphenol A concentrations in relation to serum thyroid and reproductive hormone levels in men from an infertility clinic. 2010 , 44, 1458-63		183
1340	Immunoassay of Steroids. 2010 , 283-327		4
1339	[Evaluation of testosterone levels through distinct analytic methods in healthy men]. 2010 , 57, 301-5		1
1338	Testosterone therapy in women with chronic heart failure: a pilot double-blind, randomized, placebo-controlled study. 2010 , 56, 1310-6		142
1337	Associations of estradiol and testosterone with serum phosphorus in older men: the Osteoporotic Fractures in Men study. 2010 , 78, 415-22		36
1336	The role of testosterone in erectile dysfunction. 2010 , 7, 46-56		115
1335	Estradiol and metabolic syndrome in older italian men: The InCHIANTI Study. 2010 , 31, 155-62		39
1334	Sleep, sex steroid hormones, sexual activities, and aging in Asian men. 2010 , 31, 131-7		29
1333	Pharmacokinetics and safety of long-acting testosterone undecanoate injections in hypogonadal men: an 84-week phase III clinical trial. 2010 , 31, 457-65		49
1332	Identification of late-onset hypogonadism in middle-aged and elderly men. 2010 , 363, 123-35		1005
1331	Contribution of androgen receptor sensitivity to the relation between testosterone and sexual desire: An exploration in male-to-female transsexuals. 2010 , 33, 37-41		12
1330	The C282Y polymorphism of the hereditary hemochromatosis gene is associated with increased sex hormone-binding globulin and normal testosterone levels in men. 2010 , 33, 544-8		5
1329	Spermatogenesis in Klinefelter syndrome. 2010 , 33, 789-93		46
1328	The prevalence of polycystic ovary syndrome in a community sample assessed under contrasting diagnostic criteria. 2010 , 25, 544-51		1082
1327	Assessment of diagnostic competence of plasmatic androgens on polycystic ovary syndrome based on receiver operator characteristic curves. 2010 , 26, 600-6		8
1326	Gonadal and adrenal androgen deficiencies as independent predictors of increased cardiovascular mortality in men with type II diabetes mellitus and stable coronary artery disease. 2010 , 143, 343-8		38
1325	Association of polymorphisms in the estrogen receptors alpha, and beta (ESR1, ESR2) with the occurrence of male infertility and semen parameters. 2010 , 122, 193-203		41

1324	Low serum testosterone and frailty in older men and women. 2010 , 67, 348-52	43
1323	Obesity and testicular function. 2010 , 316, 180-6	133
1322	Associations between amino acids and bone mineral density in men with idiopathic osteoporosis. 2010 , 47, 959-65	26
1321	Metabolism of triglyceride-rich lipoproteins and lipid transfer to high-density lipoprotein in young obese and normal-weight patients with polycystic ovary syndrome. 2010 , 93, 1948-56	13
1320	Levonorgestrel effects on serum androgens, sex hormone-binding globulin levels, hair shaft diameter, and sexual function. 2010 , 93, 1997-2003	12
1319	Smoking is associated with increased free testosterone and fasting insulin levels in women with polycystic ovary syndrome, resulting in aggravated insulin resistance. 2010 , 94, 673-7	43
1318	The insulin-resistant phenotype of polycystic ovary syndrome. 2010 , 94, 1052-8	28
1317	Visfatin and leptin levels in women with polycystic ovaries undergoing ovarian stimulation. 2010 , 94, 1451-1456	45
1316	An aromatase polymorphism modulates the relationship between weight and estradiol levels in obese men. 2010 , 94, 1734-8	27
1315	The determinants of insulin sensitivity, β cell function, and glucose tolerance are different in patients with polycystic ovary syndrome than in women who do not have hyperandrogenism. 2010 , 94, 2214-21	24
1314	Effects of metformin and leuprolide acetate on insulin resistance and testosterone levels in nondiabetic postmenopausal women: a randomized, placebo-controlled trial. 2010 , 94, 2161-6	17
1313	Association of N-terminal pro B-type natriuretic peptide and sex hormone-binding globulin in non-obese peri- and postmenopausal women. 2010 , 411, 280-4	7
1312	Effects of cardiorespiratory fitness and cerebral blood flow on cognitive outcomes in older women. 2010 , 31, 2047-57	158
1311	Validation of a total testosterone assay using high-turbulence liquid chromatography tandem mass spectrometry: total and free testosterone reference ranges. 2010 , 75, 169-75	108
1310	Association between testosterone, estradiol and sex hormone binding globulin levels in men with type 1 diabetes with nephropathy. 2010 , 75, 772-8	51
1309	Sex hormones and the risk of incident prostate cancer. 2010 , 76, 1034-40	28
1308	Sex steroid hormones and cognitive functioning in healthy, older men. 2010 , 57, 352-9	43
1307	Sex hormones and bone health in males. 2010 , 503, 110-7	21

1306	Interactions of cortisol, testosterone, and resistance training: influence of circadian rhythms. 2010 , 27, 675-705		94
1305	Low free testosterone predicts frailty in older men: the health in men study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3165-72	5.6	191
1304	Importancia de la testosterona libre calculada en el diagnóstico del síndrome de déficit de testosterona. 2010 , 8, 85-88		1
1303	Effects of a monophasic combined oral contraceptive containing norgestrel acetate and 17 beta-oestradiol on ovarian function in comparison to a monophasic combined oral contraceptive containing drospirenone and ethinylestradiol. 2010 , 15, 314-25		40
1302	Testosterone therapy in men with androgen deficiency syndromes: an Endocrine Society clinical practice guideline. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 2536-59	5.6	1481
1301	Testosterone, SHBG and cardiovascular health in postmenopausal women. 2010 , 22, 91-104		45
1300	Self-referred older Asian males in a men's health clinic: the inter-relationships between androgens, metabolic parameters and quality of life measures. 2010 , 13, 233-41		10
1299	Effect of statins on estrogen and androgen levels in postmenopausal women treated with estradiol. 2011 , 14, 49-53		6
1298	Testosterone levels and psychological health status in men from a general population: the Tromsø study. 2011 , 14, 37-41		40
1297	Low free testosterone is associated with heart failure mortality in older men referred for coronary angiography. 2011 , 13, 482-8		54
1296	Clinical, ultrasound and biochemical features of polycystic ovary syndrome in adolescents: implications for diagnosis. 2011 , 26, 1469-77		101
1295	Assessment of insulin resistance and impaired glucose tolerance in lean women with polycystic ovary syndrome. 2011 , 20, 37-43		40
1294	Glucose tolerance and plasma testosterone concentrations in men. Results of the Asturias Study. 2011 , 58, 3-8		2
1293	Effects of testosterone gel treatment in hypogonadal men with liver cirrhosis. 2011 , 35, 845-54		31
1292	Influence of sex and hormone status on circulating natriuretic peptides. 2011 , 58, 618-26		98
1291	High serum testosterone is associated with reduced risk of cardiovascular events in elderly men. The MrOS (Osteoporotic Fractures in Men) study in Sweden. 2011 , 58, 1674-81		193
1290	[Glucose tolerance and plasma testosterone concentrations in men. Results of the Asturias Study]. 2011 , 58, 3-8		3
1289	Association of nocturnal penile rigidity with testosterone, metabolic syndrome, and other variables: A prospective cross-sectional pilot study. 2011 , 35, 459-467		

1288	Male late-onset hypogonadism: pathogenesis, diagnosis and treatment. 2011 , 8, 335-44	54
1287	Challenges and benefits of endogenous steroid analysis by LC-MS/MS. 2011 , 3, 2549-72	32
1286	Challenges for the endocrine laboratory in critical illness. 2011 , 25, 847-59	6
1285	The effects of metformin with lifestyle therapy in polycystic ovary syndrome: a randomized double-blind study. 2011 , 95, 1059-66.e1-7	88
1284	Role of androgen-mediated enhancement of erythropoiesis in the increased body iron stores of patients with polycystic ovary syndrome. 2011 , 95, 1730-5.e1	10
1283	Estradiol levels in men with congenital hypogonadotropic hypogonadism and the effects of different modalities of hormonal treatment. 2011 , 95, 2324-9, 2329.e1-3	25
1282	Effects of metformin in adolescents with polycystic ovary syndrome undertaking lifestyle therapy: a pilot randomized double-blind study. 2011 , 95, 2595-8.e1-6	34
1281	The reproductive and metabolic effect of rosiglitazone on Chinese women with polycystic ovarian syndrome--a double-blind randomized placebo-controlled study. 2011 , 96, 445-451.e1	9
1280	Semen quality and fertility in adult long-term survivors of childhood acute lymphoblastic leukemia. 2011 , 96, 837-42	51
1279	Determining the normal cut-off levels for hyperandrogenemia in Chinese women of reproductive age. 2011 , 154, 187-91	16
1278	Sex hormone-binding globulin and risk of hyperglycemia in patients with androgenetic alopecia. 2011 , 65, 48-53	36
1277	Depression symptoms and body dissatisfaction association among polycystic ovary syndrome women. 2011 , 71, 270-6	58
1276	Association of the (TAAAA)n repeat and Asp327Asn polymorphisms in the sex hormone-binding globulin (SHBG) gene with idiopathic male infertility and relation to serum SHBG concentrations. 2011 , 123, 37-45	14
1275	Accuracy of calculated free testosterone differs between equations and depends on gender and SHBG concentration. 2011 , 76, 48-55	46
1274	Reexamination of testosterone, dihydrotestosterone, estradiol and estrone levels across the menstrual cycle and in postmenopausal women measured by liquid chromatography-tandem mass spectrometry. 2011 , 76, 177-82	160
1273	Sleep apnea, reproductive hormones and quality of sexual life in severely obese men. 2011 , 19, 1118-23	38
1272	Differences in serum levels of CB-153 and p,p'-DDE, and reproductive parameters between men living south and north in Norway. 2011 , 32, 261-7	27
1271	Association of the SHBG gene promoter polymorphism with early markers of atherosclerosis in apparently healthy women. 2011 , 219, 205-10	9

1270	The Hirsute woman: challenges in evaluation and management. 2011 , 17, 807-18	20
1269	Diagnosis and treatment of sexual dysfunctions in late-onset hypogonadism. 2011 , 52, 725-35	6
1268	Clomiphene fails to revert hypogonadism in most male patients with conventionally treated nonfunctioning pituitary adenomas. 2011 , 55, 266-71	14
1267	Assessment and management of polycystic ovary syndrome: summary of an evidence-based guideline. 2011 , 195, S65-112	211
1266	The role of testosterone in the etiology and treatment of obesity, the metabolic syndrome, and diabetes mellitus type 2. 2011 , 2011,	47
1265	Gonadal hormone status in highly trained sprinters and in untrained men. 2011 , 25, 1079-84	11
1264	Gonadal function in male mountain bikers. 2011 , 25, 2311-5	1
1263	Clinical evaluation of the male. 29-57	2
1262	Androgen substitution with testosterone undecanoate in survivors of bilateral testicular cancer requires individually-adjusted injection intervals. 2011 , 107, 1080-7	3
1261	Cardiovascular risk factors in healthy women with previous small for gestational age infants. 2011 , 37, 1397-404	5
1260	Elevated anti-Müllerian hormone (AMH) and inhibin B levels in prepubertal girls with type 1 diabetes mellitus. 2011 , 74, 73-8	27
1259	Serum 25-hydroxyvitamin D concentration and physical function in adult men. 2011 , 74, 370-6	63
1258	Androgens modulate osteocalcin release by human visceral adipose tissue. 2011 , 75, 64-9	15
1257	Endogenous oestradiol but not testosterone is related to coronary artery disease in men. 2011 , 75, 177-83	12
1256	The prevalence of low sex steroid hormone concentrations in men in the Third National Health and Nutrition Examination Survey (NHANES III). 2011 , 75, 232-9	40
1255	Efficacy and safety of the 2% formulation of testosterone topical solution applied to the axillae in androgen-deficient men. 2011 , 75, 836-43	63
1254	Clinical experience with azoospermia: aetiology and chances for spermatozoa detection upon biopsy. 2011 , 34, 291-8	89
1253	Associations between urinary metabolites of di(2-ethylhexyl) phthalate and reproductive hormones in fertile men. 2011 , 34, 369-78	58

1252	Modest opposite associations of endogenous testosterone and oestradiol with left ventricular remodelling and function in healthy middle-aged men. 2011 , 34, e587-93	8
1251	Increased liver steatosis in anabolic-androgenic steroid users: more evidence towards toxicant-associated fatty liver disease development. 2011 , 31, 1240-1	8
1250	Frailty in relation to variations in hormone levels of the hypothalamic-pituitary-testicular axis in older men: results from the European male aging study. 2011 , 59, 814-21	49
1249	Effect of administration of oral contraceptives on the synthesis and breakdown of myofibrillar proteins in young women. 2011 , 21, 62-72	27
1248	High prevalence of prolonged QT interval in obese hypogonadal males. 2011 , 19, 2015-8	15
1247	Circulating sex hormones play no role in the association between sexual activity and the risk of prostate cancer. 2011 , 8, 905-13	12
1246	Perceived reduced sleep-related erections in subjects with erectile dysfunction: psychobiological correlates. 2011 , 8, 1780-8	19
1245	Metabolic syndrome, testosterone, and cardiovascular mortality in men. 2011 , 8, 2350-60	18
1244	Testosterone reference ranges in normally cycling healthy premenopausal women. 2011 , 8, 2924-34	31
1243	The role of testosterone in sexuality and paraphilia--a neurobiological approach. Part II: testosterone and paraphilia. 2011 , 8, 3008-29	36
1242	Sex hormone levels, genetic androgen receptor polymorphism, and anxiety in 80-year-old males. 2011 , 8, 3452-64	22
1241	The role of long-acting parenteral testosterone undecanoate compound in the induction of secondary sexual characteristics in males with hypogonadotropic hypogonadism. 2011 , 8, 3471-8	22
1240	Type 2 diabetes mellitus and testosterone: a meta-analysis study. 2011 , 34, 528-40	251
1239	Effects of testosterone on the Q-T interval in older men and older women with chronic heart failure. 2011 , 34, e415-21	30
1238	Bone mass and sex steroids in postmenarcheal adolescents and adult women with Type 1 diabetes mellitus. 2011 , 25, 19-24	21
1237	Sex steroids, insulin sensitivity and sympathetic nerve activity in relation to affective symptoms in women with polycystic ovary syndrome. 2011 , 36, 1470-9	42
1236	Elevated levels of gonadotrophins but not sex steroids are associated with musculoskeletal pain in middle-aged and older European men. 2011 , 152, 1495-1501	18
1235	Reduction in 24-hour plasma testosterone levels in subjects who showered 15 or 30 minutes after application of testosterone gel. 2011 , 31, 248-52	11

1234	Complaints of difficulty to fall asleep increase the risk of depression in later life: the health in men study. 2011 , 134, 208-16	40
1233	Anabolic status and functional impairment in men with mild chronic heart failure. 2011 , 108, 862-6	12
1232	Phenotypic profiling of parents with cryptic nonclassic congenital adrenal hyperplasia: findings in 145 unrelated families. 2011 , 164, 977-84	50
1231	[Association of nocturnal penile rigidity with testosterone, metabolic syndrome, and other variables: a prospective cross-sectional pilot study]. 2011 , 35, 459-67	4
1230	Physical activity and endogenous sex hormones in postmenopausal women: to what extent are observed associations confounded or modified by BMI?. 2011 , 22, 81-9	22
1229	Placental characteristics as a proxy measure of serum hormone and protein levels during pregnancy with a male fetus. 2011 , 22, 689-95	5
1228	Association of serum 25-hydroxyvitamin D with sex steroid hormones and interactions with smoking: implications for prostate cancer risk. 2011 , 22, 827-36	10
1227	Body fatness and sex steroid hormone concentrations in US men: results from NHANES III. 2011 , 22, 1141-51	77
1226	Vegetarianism, female gender and increasing age, but not CNBP1 genotype, are associated with reduced muscle carnosine levels in humans. 2011 , 40, 1221-9	90
1225	The influence of age on bioavailable and free testosterone is independent of body mass index and glucose levels. 2011 , 29, 541-6	11
1224	Influence of age and sex steroids on bone density and geometry in middle-aged and elderly European men. 2011 , 22, 1513-23	39
1223	Accounting for racial/ethnic variation in bone mineral content and density: the competing influences of socioeconomic factors, body composition, health and lifestyle, and circulating androgens and estrogens. 2011 , 22, 2645-54	20
1222	Influence of insulin-like growth factor binding protein (IGFBP)-1 and IGFBP-3 on bone health: results from the European Male Ageing Study. 2011 , 88, 503-10	20
1221	Il ruolo del testosterone e dell'estradiolo nell'età avanzata. 2011 , 7, 94-99	
1220	High serum zinc and serum testosterone levels were associated with excessive erythrocytosis in men at high altitudes. 2011 , 40, 472-80	23
1219	Influence of diabetes mellitus on vertebral fractures in men with acromegaly. 2011 , 40, 102-8	43
1218	Circulating sex hormones and mammographic breast density among postmenopausal women. 2011 , 2, 62-72	26
1217	Hormone replacement therapy in morphine-induced hypogonadic male chronic pain patients. 2011 , 9, 26	47

1216	Birth weight and early socio-economic disadvantage as predictors of sex hormones and sex hormone binding globulin in men at age 49-51 years. 2011 , 23, 185-9		3
1215	Preoperative hypogonadism is not an independent predictor of high-risk disease in patients undergoing radical prostatectomy. 2011 , 117, 3953-62		44
1214	Circulating estradiol, but not testosterone, is a significant predictor of high-grade prostate cancer in patients undergoing radical prostatectomy. 2011 , 117, 5029-38		31
1213	Vitamin D-binding protein modifies the vitamin D-bone mineral density relationship. 2011 , 26, 1609-16		259
1212	Liquid chromatography tandem mass spectrometry for analysis of steroids in clinical laboratories. 2011 , 44, 77-88		170
1211	Sonographic measurement of mesenteric fat predicts presence of fatty liver among subjects with polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 799-807	5.6	27
1210	Cigarette smoking and endogenous sex hormones in postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 3184-92	5.6	54
1209	Clinical review: Why is androgen replacement in males controversial?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 38-52	5.6	93
1208	Total testosterone in young men is more closely associated than free testosterone with prostate cancer disparities. 2011 , 3, 99-106		4
1207	Gynecomastia: incidence, causes and treatment. 2011 , 6, 723-730		8
1206	The Infertile Male-3: Endocrinological Evaluation. 2011 , 223-240		
1205	Effects of simvastatin and metformin on polycystic ovary syndrome after six months of treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 3493-501	5.6	80
1204	Is hypoandrogenemia a component of metabolic syndrome in males?. 2011 , 119, 30-5		18
1203	True and sham acupuncture produced similar frequency of ovulation and improved LH to FSH ratios in women with polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 3143-50	5.6	59
1202	Cardiac natriuretic peptides, obesity, and insulin resistance: evidence from two community-based studies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 3242-9	5.6	114
1201	Salivary testosterone for the diagnosis of androgen deficiency in end-stage renal disease. 2011 , 26, 677-83		19
1200	Evidence-based medicine update on testosterone replacement therapy (TRT) in male hypogonadism: focus on new formulations. 2011 , 17, 1500-11		33
1199	Genetically determined dosage of follicle-stimulating hormone (FSH) affects male reproductive parameters. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E1534-41	5.6	42

1198	The effects of intermittent or continuous energy restriction on weight loss and metabolic disease risk markers: a randomized trial in young overweight women. 2011 , 35, 714-27	413
1197	Increased plasma viscosity in young women with polycystic ovary syndrome using an oral contraceptive containing 35 µg ethinyl estradiol and 2 mg cyproterone acetate. 2011 , 27, 971-7	3
1196	Reply to F.V. Raimundo et al. 2011 , 29, 3338-3339	
1195	Effects of aerobic exercise on premenopausal sex hormone levels: results of the WISER study, a randomized clinical trial in healthy, sedentary, eumenorrheic women. 2011 , 20, 1098-106	20
1194	Circulating sex steroids during pregnancy and maternal risk of non-epithelial ovarian cancer. 2011 , 20, 324-36	18
1193	Heterogeneity in the responsiveness to long-term lifestyle intervention and predictability in obese women with polycystic ovary syndrome. 2011 , 164, 53-60	60
1192	Multimodal nutritional rehabilitation improves clinical outcomes of malnourished patients with chronic respiratory failure: a randomised controlled trial. 2011 , 66, 953-60	64
1191	Male Infertility. 2011 ,	8
1190	Influence of bone remodelling rate on quantitative ultrasound parameters at the calcaneus and DXA BMDa of the hip and spine in middle-aged and elderly European men: the European Male Ageing Study (EMAS). 2011 , 165, 977-86	24
1189	Postmenopausal serum sex steroids and risk of hormone receptor-positive and -negative breast cancer: a nested case-control study. 2011 , 4, 1626-35	95
1188	Testosterone is an independent determinant of bone mineral density in men with type 2 diabetes mellitus. 2011 , 49, 99-103	6
1187	Prevalence and clinical implications of testosterone deficiency in men with end-stage renal disease. 2011 , 26, 184-90	109
1186	Prostate cancer does not influence androgen levels: a radical prostatectomy cohort study. 2011 , 86, 161-6	1
1185	Low estradiol concentrations in men with subnormal testosterone concentrations and type 2 diabetes. 2011 , 34, 1854-9	86
1184	Methodische Aspekte zur Bestimmung der Testosteronkonzentration als Biomarker der Gesundheit des Mannes/Challenges in the measurement of serum testosterone concentrations as a biomarker of men's health. 2011 , 35, 29-33	1
1183	Challenges in the measurement of serum testosterone concentrations as a biomarker of men's health1. 2011 , 35, -	
1182	Association between the androgen levels and erectile function, cognitive functions and hypogonadism symptoms in aging males. 2011 , 14, 207-12	11
1181	The different phenotypes of polycystic ovary syndrome: no advantages for identifying women with aggravated insulin resistance or impaired lipids. 2011 , 119, 502-8	17

1180	Endocrinopathies in Male Infertility. 2011 , 47-55	1
1179	Effect of vitamin D supplementation on testosterone levels in men. 2011 , 43, 223-5	216
1178	Sexual desire in female-to-male transsexual persons: exploration of the role of testosterone administration. 2011 , 165, 331-7	53
1177	Sex hormones, insulin resistance, and diabetes mellitus among men with or at risk for HIV infection. 2011 , 58, 173-80	27
1176	In women with polycystic ovary syndrome and obesity, loss of intra-abdominal fat is associated with resumption of ovulation. 2011 , 26, 2505-12	44
1175	Prenatal and adult exposures to smoking are associated with adverse effects on reproductive hormones, semen quality, final height and body mass index. 2011 , 26, 1000-11	62
1174	Effects of a monophasic combined oral contraceptive containing norgestrel acetate and ethinylestradiol in comparison to one containing levonorgestrel and ethinylestradiol on markers of endocrine function. 2011 , 16, 458-67	43
1173	Sex hormone levels and risks of estrogen receptor-negative and estrogen receptor-positive breast cancers. 2011 , 103, 562-70	75
1172	Low free testosterone levels are associated with all-cause and cardiovascular mortality in postmenopausal diabetic women. 2011 , 34, 1771-7	25
1171	The oligomenorrhoic phenotypes of polycystic ovary syndrome are characterized by a high visceral adiposity index: a likely condition of cardiometabolic risk. 2011 , 26, 1486-94	72
1170	Associations of endogenous testosterone and lipid profiles in middle-aged to older Taiwanese men. 2011 , 23, 62-9	8
1169	Androgen receptor CAG repeat length polymorphism modifies the impact of testosterone on insulin sensitivity in men. 2011 , 164, 1013-8	19
1168	Circulating osteoprotegerin and soluble receptor activator of nuclear factor κ B ligand in polycystic ovary syndrome: relationships to insulin resistance and endothelial dysfunction. 2011 , 164, 61-8	37
1167	Effect of lifestyle intervention on features of polycystic ovarian syndrome, metabolic syndrome, and intima-media thickness in obese adolescent girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 3533-40	5.6 109
1166	Response to α Biochemical endocrinology of the hypogonadal male β by Jarvis et al.. 2011 , 48, 192-193	
1165	Anti-Müllerian hormone in women with polycystic ovary syndrome before and after therapy with metformin. 2011 , 43, 723-7	18
1164	Impact of electro-acupuncture and physical exercise on hyperandrogenism and oligo/amenorrhea in women with polycystic ovary syndrome: a randomized controlled trial. 2011 , 300, E37-45	115
1163	Testosterone, sex hormone-binding globulin and the metabolic syndrome: a systematic review and meta-analysis of observational studies. 2011 , 40, 189-207	210

1162	Urinary concentrations of parabens and serum hormone levels, semen quality parameters, and sperm DNA damage. 2011 , 119, 252-7		233
1161	Assessment of androgen concentration in women: liquid chromatography-tandem mass spectrometry and extraction RIA show comparable results. 2011 , 165, 925-33		60
1160	Elevated LH predicts ischaemic heart disease events in older men: the Health in Men Study. 2011 , 164, 569-77		38
1159	Late-onset male hypogonadism: clinical and laboratory evaluation. 2011 , 64, 459-65		8
1158	Fertility, sexuality and testicular adrenal rest tumors in adult males with congenital adrenal hyperplasia. 2012 , 166, 441-9		105
1157	Phthalate excretion pattern and testicular function: a study of 881 healthy Danish men. 2012 , 120, 1397-403		126
1156	Hypogonadism in the aging male diagnosis, potential benefits, and risks of testosterone replacement therapy. 2012 , 2012, 625434		85
1155	Associations of estrogen receptor alpha and beta gene polymorphisms with sex steroid levels and body fat content in men. 2012 , 120, 154-9		6
1154	Reduced-calorie dietary weight loss, exercise, and sex hormones in postmenopausal women: randomized controlled trial. 2012 , 30, 2314-26		129
1153	Associations of serum sex steroid hormone and 5 α -androstane-3 β -7 β -diol glucuronide concentrations with prostate cancer risk among men treated with finasteride. 2012 , 21, 1823-32		13
1152	High prevalence of hirsutism and menstrual disorders in obese adolescent girls and adolescent girls with type 1 diabetes mellitus despite different hormonal profiles. 2012 , 166, 307-16		20
1151	Associations between testosterone levels and incident prostate, lung, and colorectal cancer. A population-based study. 2012 , 21, 1319-29		56
1150	Association of testosterone levels with endothelial function in men: results from a population-based study. 2012 , 32, 481-6		43
1149	Serum myostatin levels are negatively associated with abdominal aortic calcification in older men: the STRAMBO study. 2012 , 167, 873-80		15
1148	Insulin resistance is a sufficient basis for hyperandrogenism in lipodystrophic women with polycystic ovarian syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 563-7	5.6	41
1147	Comparison of serum testosterone and estradiol measurements in 3174 European men using platform immunoassay and mass spectrometry; relevance for the diagnostics in aging men. 2012 , 166, 983-91		135
1146	Low free testosterone predicts mortality from cardiovascular disease but not other causes: the Health in Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 179-89	5.6	133
1145	Bioavailable vitamin D is more tightly linked to mineral metabolism than total vitamin D in incident hemodialysis patients. 2012 , 82, 84-9		156

1144	Common variants in the sex hormone-binding globulin gene (SHBG) and polycystic ovary syndrome (PCOS) in Mediterranean women. 2012 , 27, 3569-76		35
1143	Androgens in women before and after the menopause and post bilateral oophorectomy: clinical effects and indications for testosterone therapy. 2012 , 8, 437-46		10
1142	[Testosterone in old age: an up-date]. 2012 , 137, 2117-22		2
1141	Endocrine and clinical correlates of myostatin serum concentration in men--the STRAMBO study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 3700-8	5.6	38
1140	Metabolic, hormonal and immunological associations with global DNA methylation among postmenopausal women. 2012 , 7, 1020-8		34
1139	Stability of testosterone measured in male archival serum samples by two different methods. 2012 , 72, 555-62		10
1138	Association of baseline sex hormone levels with baseline and longitudinal changes in waist-to-hip ratio: Multi-Ethnic Study of Atherosclerosis. 2012 , 36, 1578-84		19
1137	Association of metabolic syndrome, atherosclerosis risk factors, sex hormones in ED in aboriginal Taiwanese. 2012 , 24, 141-6		8
1136	Interactions between genome-wide significant genetic variants and circulating concentrations of insulin-like growth factor 1, sex hormones, and binding proteins in relation to prostate cancer risk in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. 2012 , 175, 926-35		15
1135	Association of hypogonadism with vitamin D status: the European Male Ageing Study. 2012 , 166, 77-85		138
1134	Testosterone therapy decreases subcutaneous fat and adiponectin in aging men. 2012 , 166, 469-76		54
1133	Testosterone and sex hormone-binding globulin have significant association with metabolic syndrome in Taiwanese men. 2012 , 15, 1-6		12
1132	High sensitivity C-reactive protein and its relationship with impaired glucose regulation in lean patients with polycystic ovary syndrome. 2012 , 28, 259-63		18
1131	Sex-specific young adult reference ranges for sex hormone concentrations measured on the Siemens ADVIA Centaur/Geschlechtsspezifische Referenzbereiche für Sexualhormonkonzentrationen junger Erwachsener gemessen auf dem Siemens ADVIA Centaur. 2012 , 36,		
1130	Body compositional and cardiometabolic effects of testosterone therapy in obese men with severe obstructive sleep apnoea: a randomised placebo-controlled trial. 2012 , 167, 531-41		102
1129	Sex hormone-binding globulin and risk of clinical diabetes in American black, Hispanic, and Asian/Pacific Islander postmenopausal women. 2012 , 58, 1457-66		24
1128	Association of serum sex steroid receptor bioactivity and sex steroid hormones with breast cancer risk in postmenopausal women. 2012 , 19, 137-47		28
1127	Validity of serum testosterone, free androgen index, and calculated free testosterone in women with suspected hyperandrogenism. 2012 , 27, 471-4		42

1126	Plasma testosterone is associated with Framingham risk score. 2012 , 15, 134-9	11
1125	Effects of short-term testosterone administration on variables of the metabolic syndrome, in particular aldosterone. 2012 , 12, 401-6	3
1124	A randomized, double-blind, placebo-controlled trial of testosterone gel on body composition and health-related quality-of-life in men with hypogonadal to low-normal levels of serum testosterone and symptoms of androgen deficiency over 6 months with 12 months open-label follow-up. 2012 , 15, 198-207	70
1123	The "Aging Males' Symptoms" Scale (AMS): predictive value for lowered circulating androgens. 2012 , 15, 253-7	10
1122	Factors contributing to chronic fatigue after traumatic brain injury. 2012 , 27, 404-12	32
1121	Evolving utility of sex hormone-binding globulin measurements in clinical medicine. 2012 , 19, 183-9	65
1120	Could zinc prevent reproductive alterations caused by cigarette smoke in male rats?. 2012 , 24, 559-67	7
1119	Prevalence of functional disorders of androgen excess in unselected premenopausal women: a study in blood donors. 2012 , 27, 1209-16	60
1118	Semen apoptotic M540 body levels correlate with testis abnormalities: a study in a cohort of infertile subjects. 2012 , 27, 3393-402	27
1117	Testosterone replacement in hypogonadal men alters the HDL proteome but not HDL cholesterol efflux capacity. 2012 , 53, 1376-83	25
1116	Sexual Desire Disorders. 2012 , 34, S48-S53	
1115	Methodology for measuring testosterone, dihydrotestosterone and sex hormone-binding globulin in a clinical setting. 60-86	7
1114	Skeletal muscle myosin heavy chain isoform content in relation to gonadal hormones and anabolic-catabolic balance in trained and untrained men. 2012 , 26, 3262-9	3
1113	Hormone therapy is associated with better body composition and adipokine/glucose profiles: a study with monozygotic co-twin control design. 2012 , 19, 1329-35	20
1112	Low serum free testosterone level is associated with carotid intima-media thickness in middle-aged Japanese men. 2012 , 59, 809-15	14
1111	Clinical correlates of erectile dysfunction and premature ejaculation in men with couple infertility. 2012 , 9, 2698-707	72
1110	Long-term evaluation of cross-sex hormone treatment in transsexual persons. 2012 , 9, 2641-51	210
1109	Testosterone concentrations, using different assays, in different types of ovarian insufficiency: a systematic review and meta-analysis. 2012 , 18, 405-19	35

1108	Combination of low free testosterone and low vitamin D predicts mortality in older men referred for coronary angiography. 2012 , 77, 475-83		33
1107	Enhanced immunological response by dendritic cells in male hypogonadism. 2012 , 42, 1205-12		16
1106	Expression of the CD11c gene in subcutaneous adipose tissue is associated with cytokine level and insulin resistance in women with polycystic ovary syndrome. 2012 , 167, 705-13		16
1105	Testosterone replacement therapy in reversing "andropause": what is the proof-of-principle?. 2012 , 15, 453-65		14
1104	Reproductive hormones and interleukin-6 in serious leisure male athletes. 2012 , 112, 3765-73		22
1103	Endogenous sex hormones, blood pressure change, and risk of hypertension in postmenopausal women: the Multi-Ethnic Study of Atherosclerosis. 2012 , 224, 228-34		67
1102	Opposing effects of dehydroepiandrosterone sulfate and free testosterone on metabolic phenotype in women with polycystic ovary syndrome. 2012 , 98, 1318-25.e1		30
1101	Serum concentrations of p, p'-DDE, HCB, PCBs and reproductive hormones among men of reproductive age. 2012 , 34, 429-35		19
1100	[Relevant clinical and biological criteria for the diagnosis of androgen deficiency in the aging male (ADAM)]. 2012 , 22 Suppl 1, S21-6		0
1099	Secular trends in sex hormones and fractures in men and women. 2012 , 166, 887-95		21
1098	Elderly men with a history of distal radius fracture have significantly lower calcaneal bone density and free androgen index than age-matched controls. 2012 , 15, 59-62		10
1097	Do low testosterone levels contribute to ill-health during male ageing?. 2012 , 49, 168-82		36
1096	Age-specific reference ranges for serum testosterone and androstenedione concentrations in women measured by liquid chromatography-tandem mass spectrometry. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 408-15	5.6	126
1095	Effects of estrogen replacement and lower androgen status on skeletal muscle collagen and myofibrillar protein synthesis in postmenopausal women. 2012 , 67, 1005-13		33
1094	Beneficial effects of a high-protein, low-glycemic-load hypocaloric diet in overweight and obese women with polycystic ovary syndrome: a randomized controlled intervention study. 2012 , 31, 117-25		74
1093	Hormone levels and cognitive function in postmenopausal midlife women. 2012 , 33, 617.e11-22		9
1092	Hormone levels and cognitive function in postmenopausal midlife women. 2012 , 33, 1138-47		43
1091	Sex hormone activity in alcohol addiction: integrating organizational and activational effects. 2012 , 96, 136-63		97

1090	The hormonal response of older men to sub-maximum aerobic exercise: the effect of training and detraining. 2012 , 77, 413-8	34
1089	Epidemiology, diagnosis and management of hirsutism: a consensus statement by the Androgen Excess and Polycystic Ovary Syndrome Society. 2012 , 18, 146-70	281
1088	Relationship of sex steroid hormones with body size and with body composition measured by dual-energy X-ray absorptiometry in US men. 2012 , 23, 1881-91	26
1087	Testosterone, SHBG and differential white blood cell count in middle-aged and older men. 2012 , 71, 274-8	12
1086	High prevalence of male hypogonadism and sexual dysfunction in long-term clinically stable heart transplantation recipients. 2012 , 155, 476-7	6
1085	Sex steroid levels temporarily increase in response to acute psychosocial stress in healthy men and women. 2012 , 84, 246-53	74
1084	Caractéristiques immuno-analytiques de la testostérone. 2012 , 27, 142-145	
1083	Androgenetic alopecia as an early marker of benign prostatic hyperplasia. 2012 , 66, 401-8	28
1082	CAG repeat polymorphism in androgen receptor gene is not directly associated with polycystic ovary syndrome but influences serum testosterone levels. 2012 , 128, 107-12	35
1081	Relation of androgen receptor sensitivity and mood to sexual desire in hormonal contraception users. 2012 , 85, 470-9	32
1080	Low serum sex hormone-binding globulin: marker of inflammation?. 2012 , 413, 803-7	19
1079	Changes in insulin sensitivity during GnRH agonist treatment in premenopausal women with leiomyoma. 2012 , 413, 960-5	1
1078	Vasogenic erectile dysfunction Topiramate-induced. 2012 , 114, 70-1	14
1077	Association of IL-18 genotype with impaired glucose regulation in Korean women with polycystic ovary syndrome. 2012 , 161, 51-5	10
1076	The R453Q and D151A polymorphisms of hexose-6-phosphate dehydrogenase gene (H6PD) influence the polycystic ovary syndrome (PCOS) and obesity. 2012 , 497, 38-44	11
1075	Insulin resistance and the polycystic ovary syndrome revisited: an update on mechanisms and implications. 2012 , 33, 981-1030	928
1074	Associations of sex hormone-binding globulin and testosterone with diabetes among men and women (the Saku Diabetes study): a case control study. 2012 , 11, 130	25
1073	Pharmacokinetics of modified slow-release oral testosterone over 9 days in normal men with experimental hypogonadism. 2012 , 33, 420-6	7

1072	Serum osteoprotegerin and sex steroid levels in patients with prostate cancer. 2012 , 33, 594-600	5
1071	Association between Peyronie disease and low serum testosterone levels: detection and therapeutic considerations. 2012 , 33, 381-8	33
1070	Urinary concentrations of di(2-ethylhexyl) phthalate metabolites and serum reproductive hormones: pooled analysis of fertile and infertile men. 2012 , 33, 488-98	59
1069	Prospective inverse associations of sex hormone concentrations in men with biomarkers of inflammation and oxidative stress. 2012 , 33, 944-50	43
1068	The comparison of the aging male symptoms (AMS) scale and androgen deficiency in the aging male (ADAM) questionnaire to detect androgen deficiency in middle-aged men. 2012 , 33, 817-23	27
1067	Association between sex steroid hormones and hematocrit in a nationally representative sample of men. 2012 , 33, 1332-41	18
1066	Circulating endothelial cells as marker of endothelial damage in male hypogonadism. 2012 , 33, 1291-7	5
1065	The effect of a very low calorie diet on insulin sensitivity, beta cell function, insulin clearance, incretin hormone secretion, androgen levels and body composition in obese young women. 2012 , 72, 410-9	40
1064	Male acquired hypogonadotropic hypogonadism: diagnosis and treatment. 2012 , 73, 141-6	24
1063	Postmenopausal sex hormones in relation to body fat distribution. 2012 , 20, 1088-95	64
1062	Testosterone therapy during exercise rehabilitation in male patients with chronic heart failure who have low testosterone status: a double-blind randomized controlled feasibility study. 2012 , 164, 893-901	71
1061	Effect of subcutaneous depot-medroxyprogesterone acetate (DMPA-SC) on serum androgen markers in normal-weight, obese, and extremely obese women. 2012 , 86, 739-45	11
1060	Comparative determinations of non SHBG-bound serum testosterone, using ammonium sulfate precipitation, Concanavalin A binding or calculation in men. 2012 , 77, 1306-11	8
1059	Screening for hypogonadism in diabetes 2008/9: results from the Cheshire Primary Care cohort. 2012 , 6, 143-8	19
1058	Association of circulating adiponectin with testosterone in women during the menopausal transition. 2012 , 73, 255-60	17
1057	Polycystic ovary syndrome is a risk factor for type 2 diabetes: results from a long-term prospective study. 2012 , 61, 2369-74	142
1056	Testosterone is associated with age-related changes in bone health status, muscle strength and body composition in men. 2012 , 15, 240-5	31
1055	Hypogonadotropic hypogonadism in morbidly obese males is reversed after bariatric surgery. 2012 , 22, 1835-42	81

1054	An altered hormonal profile and elevated rate of bone loss are associated with low bone mass in professional horse-racing jockeys. 2012 , 30, 534-42	48
1053	Adipose Tissue Biology. 2012 ,	10
1052	Apolipoprotein E ϵ status modifies the effects of sex hormones on neuropsychiatric symptoms of Alzheimer's disease. 2012 , 33, 35-42	11
1051	Vitamin D binding protein and monocyte response to 25-hydroxyvitamin D and 1,25-dihydroxyvitamin D: analysis by mathematical modeling. 2012 , 7, e30773	81
1050	Sex differences in the association between serum levels of testosterone and frailty in an elderly population: the Toledo Study for Healthy Aging. 2012 , 7, e32401	52
1049	Testosterone is associated with erectile dysfunction: a cross-sectional study in Chinese men. 2012 , 7, e39234	20
1048	Prevalence of polycystic ovary syndrome in a sample of Indigenous women in Darwin, Australia. 2012 , 196, 62-6	99
1047	Late - Onset Hypogonadism - New Point of View. 2012 ,	
1046	Androgens in male senescence. 336-371	0
1045	Review of guidelines on diagnosis and treatment of testosterone deficiency. 408-420	5
1044	Female Salivary Testosterone: Measurement, Challenges and Applications. 2012 ,	4
1043	[Falsely elevated testosterone in a type 1 diabetes patients with acne and chronic renal failure on dialysis]. 2012 , 56, 319-23	1
1042	Serum sex steroid hormones and frailty in older American men of the Third National Health and Nutrition Examination Survey (NHANES III). 2012 , 15, 208-15	45
1041	Inflammatory markers and the risk of hip fracture: the Women's Health Initiative. 2012 , 27, 1167-76	83
1040	Calculated free testosterone and radioimmunoassay free testosterone as a predictor of subnormal levels of total testosterone. 2012 , 44, 673-81	3
1039	Sex steroids and bone health in older Chinese men. 2012 , 23, 1553-62	40
1038	Pharmacodynamic effects of intravenous alcohol on hepatic and gonadal hormones: influence of age and sex. 2012 , 36, 207-13	21
1037	Evidence for visfatin as an independent predictor of endothelial dysfunction in polycystic ovary syndrome. 2012 , 76, 119-25	26

1036	The relationship of testosterone and AR CAG repeat genotype with knee extensor muscle function of young and older men. 2012 , 47, 437-43	16
1035	The androgen receptor CAG repeat polymorphism as a risk factor of low serum testosterone and its cardiometabolic effects in men. 2012 , 35, 511-20	17
1034	Trends in sex hormone concentrations in US males: 1988-1991 to 1999-2004. 2012 , 35, 456-66	29
1033	Thyroid hormones and male sexual function. 2012 , 35, 668-79	47
1032	Associations between testosterone, bone mineral density, vitamin D and semen quality in fertile and infertile Chinese men. 2012 , 35, 783-92	62
1031	Sexual function in women with polycystic ovary syndrome. 2012 , 9, 224-30	38
1030	Influence of baseline serum testosterone on changes in body composition in response to testosterone therapy. 2012 , 9, 585-93	4
1029	Prevalence and predictors of sexual problems in men aged 75-95 years: a population-based study. 2012 , 9, 442-53	42
1028	Concerns about serum androgens monitoring during testosterone replacement treatments in hypogonadal male athletes: a pilot study. 2012 , 9, 873-86	13
1027	Hormonal association and sexual dysfunction in patients with impaired fasting glucose: a cross-sectional and longitudinal study. 2012 , 9, 1669-80	39
1026	Adipokines, hormonal parameters, and cardiovascular risk factors: similarities and differences between patients with erectile dysfunction of arteriogenic and nonarteriogenic origin. 2012 , 9, 2370-7	13
1025	Is testosterone treatment good for the prostate? Study of safety during long-term treatment. 2012 , 9, 2138-49	36
1024	Effects of androgenization on the white matter microstructure of female-to-male transsexuals. A diffusion tensor imaging study. 2012 , 37, 1261-9	60
1023	Total and free testosterone concentrations are strongly influenced by age and central obesity in men with type 1 and type 2 diabetes but correlate weakly with symptoms of androgen deficiency and diabetes-related quality of life. 2012 , 76, 665-73	33
1022	Association between plasma 25-OH vitamin D and testosterone levels in men. 2012 , 77, 106-12	99
1021	Low testosterone levels as an independent predictor of mortality in men with chronic liver disease. 2012 , 77, 323-8	49
1020	Total testosterone may not decline with ageing in Korean men aged 40 years or older. 2012 , 77, 296-301	11
1019	Impact of the FTO gene variation on fat oxidation and its potential influence on body weight in women with polycystic ovary syndrome. 2012 , 77, 120-5	15

1018	Oestradiol is a protective factor for non-alcoholic fatty liver disease in healthy men. 2012 , 13, 381-7	53
1017	Low free testosterone in HIV-infected men is not associated with subclinical cardiovascular disease. 2012 , 13, 358-66	10
1016	Anti-Müllerian hormone and inhibin B levels reflect altered Sertoli cell function in men with metabolic syndrome. 2012 , 44 Suppl 1, 329-34	22
1015	Abolition of endocrine dimorphism in hyperthyroid males? An argument for the positive feedback effect of hyperoestrogenaemia on LH secretion. 2012 , 44, 217-25	3
1014	S-testosterone decrease after a mixed meal in healthy men independent of SHBG and gonadotrophin levels. 2012 , 44, 405-10	23
1013	Revisiting hyper- and hypo-androgenism by tandem mass spectrometry. 2013 , 14, 185-205	20
1012	Men's Health. 2013 ,	
1011	HIV and Testosterone in Men. 2013 , 103-128	
1010	Vitamin D bioavailability and catabolism in pediatric chronic kidney disease. 2013 , 28, 1843-53	39
1009	Testosterone replacement therapy can increase circulating endothelial progenitor cell number in men with late onset hypogonadism. 2013 , 1, 563-9	22
1008	Serum PSA as a predictor of testosterone deficiency. 2013 , 10, 2518-28	73
1007	Weight loss is a major contributor to improved sexual function after bariatric surgery. 2013 , 27, 3197-204	46
1006	Androgen receptor (CAG) _n polymorphism and androgen levels in women with systemic lupus erythematosus and healthy controls. 2013 , 33, 2031-8	10
1005	Circulating free testosterone is an independent predictor of advanced disease in patients with clinically localized prostate cancer. 2013 , 31, 253-9	25
1004	Principles and pitfalls of free hormone measurements. 2013 , 27, 631-45	59
1003	Mechanical muscle function and lean body mass during supervised strength training and testosterone therapy in aging men with low-normal testosterone levels. 2013 , 61, 957-62	31
1002	Reduced circulating androgen levels after gastric bypass surgery in severely obese women. 2013 , 23, 602-7	21
1001	Age as a predictive factor of testosterone improvement in male patients after bariatric surgery: preliminary results of a monocentric prospective study. 2013 , 23, 167-72	26

1000	Associations between brominated flame retardants in house dust and hormone levels in men. 2013 , 445-446, 177-84		119
999	Vitamin D-binding protein and vitamin D status of black Americans and white Americans. 2013 , 369, 1991-2000	75	8
998	Sildenafil increases serum testosterone levels by a direct action on the testes. 2013 , 1, 913-8		41
997	The effect of severe androgen deficiency on physical function in male patients with cancer. 2013 , 45, 892-900		4
996	Effect of bilateral oophorectomy on adrenocortical function in women with polycystic ovary syndrome. 2013 , 99, 599-604		11
995	Effects of gestational and lactational exposure to heptachlor epoxide on age at puberty and reproductive function in men and women. 2013 , 121, 84-94		15
994	Effects of oral testosterone undecanoate therapy on bone mineral density and body composition in 322 aging men with symptomatic testosterone deficiency: a 1-year, randomized, placebo-controlled, dose-ranging study. 2013 , 16, 38-47		27
993	The Laboratory Diagnosis of Testosterone Deficiency. 2013 , 15-31		1
992	Approach to the patient: the adult with congenital adrenal hyperplasia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 2645-55	5.6	84
991	Metabolically healthy polycystic ovary syndrome (MH-PCOS) and metabolically unhealthy polycystic ovary syndrome (MU-PCOS): a comparative analysis of four simple methods useful for metabolic assessment. 2013 , 28, 1919-28		24
990	Hypogonadotropic hypogonadism among a population of obese men: Prevalence, risk factors and reversibility after weight loss induced by bariatric surgery. 2013 , 8, e37-e43		7
989	Metformin decreases circulating androgen and estrogen levels in nondiabetic women with breast cancer. 2013 , 13, 433-8		33
988	Sex hormone levels and risk of breast cancer with estrogen plus progestin. 2013 , 105, 1496-503		26
987	Circulating testosterone and estradiol, autonomic balance and baroreflex sensitivity in middle-aged and elderly men with heart failure. 2013 , 16, 58-66		15
986	Recommendations on the diagnosis, treatment and monitoring of late-onset hypogonadism in men - a suggested update. 2013 , 16, 143-50		34
985	An activating mutation in the kinase homology domain of the natriuretic peptide receptor-2 causes extremely tall stature without skeletal deformities. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E1988-98	5.6	63
984	The evaluation and management of testosterone deficiency: the new frontier in urology and men's health. 2013 , 14, 557-64		5
983	Acute neuro-endocrine profile and prediction of outcome after severe brain injury. 2013 , 21, 33		53

982	Association between sex hormones, glucose homeostasis, adipokines, and inflammatory markers and mammographic density among postmenopausal women. 2013 , 139, 255-65	20
981	Clinical implications of measuring prolactin levels in males of infertile couples. 2013 , 1, 764-71	36
980	Endothelial function in patients with metabolic syndrome and erectile dysfunction: a question of angiotensin imbalance?. 2013 , 1, 541-8	9
979	LC-MS Bioanalysis of Unbound Drugs in Plasma and Serum. 2013 , 317-325	2
978	Higher sex hormone-binding globulin and lower bioavailable testosterone are related to prostate cancer detection on prostate biopsy. 2013 , 47, 282-9	14
977	Association of sleep disturbances with reduced semen quality: a cross-sectional study among 953 healthy young Danish men. 2013 , 177, 1027-37	61
976	Evaluation of a sex hormone-binding globulin automated chemiluminescent assay. 2013 , 73, 480-4	2
975	Associations between sex hormones and cognitive and neuropsychiatric manifestations in vascular dementia (VaD). 2013 , 56, 85-90	6
974	Pathophysiology of human visceral obesity: an update. 2013 , 93, 359-404	1267
973	Testosterone deficiency in men: systematic review and standard operating procedures for diagnosis and treatment. 2013 , 10, 245-84	173
972	SHBG levels are associated with bone loss and vertebral fractures in patients with prostate cancer. 2013 , 24, 713-9	9
971	Vitamin D binding protein is a key determinant of 25-hydroxyvitamin D levels in infants and toddlers. 2013 , 28, 213-21	75
970	Testosterone-deficiency as a risk factor for hip fracture in elderly men. 2013 , 37, 142-146	3
969	The relation between sex hormone levels, the androgen receptor CAGn-polymorphism and depression and mortality in older men in a community study. 2013 , 38, 2083-90	13
968	Relationship between body mass index and serum testosterone concentration in patients receiving luteinizing hormone-releasing hormone agonist therapy for prostate cancer. 2013 , 81, 1005-9	6
967	Determinants of testosterone recovery after bariatric surgery: is it only a matter of reduction of body mass index?. 2013 , 99, 1872-9.e1	24
966	Higher natriuretic peptide levels associate with a favorable adipose tissue distribution profile. 2013 , 62, 752-60	79
965	Pharmacokinetics of testosterone and estradiol gel preparations in healthy young men. 2013 , 38, 171-8	64

964	Testosterone deficiency is associated with increased risk of mortality and testosterone replacement improves survival in men with type 2 diabetes. 2013 , 169, 725-33		259
963	Body mass index in relation to semen quality and reproductive hormones in New Zealand men: a cross-sectional study in fertility clinics. 2013 , 28, 3178-87		76
962	Parallel variations of insulin-like peptide 3 (INSL3) and antimüllerian hormone (AMH) in women with the polycystic ovary syndrome according to menstrual cycle pattern. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E1575-82	5.6	15
961	Androgenic sex steroids contribute to metabolic risk beyond intra-abdominal fat in overweight/obese black and white women. 2013 , 21, 1618-24		8
960	Low androstenedione/sex hormone binding globulin ratio increases fracture risk in postmenopausal women. The Women's Health in the Lund Area study. 2013 , 75, 270-5		6
959	Testosterone and temperament traits in men: Longitudinal analysis. 2013 , 38, 2243-8		22
958	[Testosterone-deficiency as a risk factor for hip fracture in elderly men]. 2013 , 37, 142-6		3
957	Síndrome de déficit de testosterona en pacientes con disfunción sexual: prevalencia y relación entre las fracciones séricas de testosterona, las características del paciente y su sintomatología. 2013 , 11, 2-8		
956	Total testosterone and sex hormone-binding globulin are associated with metabolic syndrome independent of age and body mass index in Korean men. 2013 , 74, 148-53		25
955	Use of proton pump inhibitors is associated with lower trabecular bone density in older individuals. 2013 , 57, 437-42		39
954	Sex hormone binding globulin and insulin resistance. 2013 , 78, 321-9		138
953	Do evolutionary life-history trade-offs influence prostate cancer risk? a review of population variation in testosterone levels and prostate cancer disparities. 2013 , 6, 117-33		15
952	Dietary habits and their relationship with hormones and metabolism in overweight and obese women with polycystic ovary syndrome. 2013 , 78, 52-9		44
951	Associations between visceral adipose tissue, inflammation and sex steroid concentrations in men. 2013 , 78, 373-8		53
950	Divergences in insulin resistance between the different phenotypes of the polycystic ovary syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E628-37	5.6	140
949	Adult testosterone and calculated free testosterone reference ranges by tandem mass spectrometry. 2013 , 50, 159-61		13
948	Seminal, ultrasound and psychobiological parameters correlate with metabolic syndrome in male members of infertile couples. 2013 , 1, 229-39		66
947	Serum sclerostin levels in men with idiopathic osteoporosis. 2013 , 168, 615-20		25

946	Metabolic inflexibility is a feature of women with polycystic ovary syndrome and is associated with both insulin resistance and hyperandrogenism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 2581-8	5.6	30
945	Epidemiology and Diagnosis of Hypogonadism. 2013 , 25-39		
944	Lower fracture risk in older men with higher sclerostin concentration: a prospective analysis from the MINOS study. 2013 , 28, 855-64		49
943	Diagnosing and Evaluating Androgen Deficiency, Including Andropause. 2013 , 25-34		
942	Collection Charts/Questionnaires/Testosterone Calculators/Other Aide-Memoires, etc. for the GP. 2013 , 93-97		
941	Testosterone replacement therapy with long-acting testosterone undecanoate improves sexual function and quality-of-life parameters vs. placebo in a population of men with type 2 diabetes. 2013 , 10, 1612-27		101
940	Testosterone and insulin resistance in the metabolic syndrome and T2DM in men. 2013 , 9, 479-93		159
939	Hirsutism and Virilization in the Female. 2013 , 745-756		1
938	A case-control study of fractures in men with idiopathic osteoporosis: fractures are associated with older age and low cortical bone density. 2013 , 52, 48-55		16
937	Metabolic syndrome, circulating RBP4, testosterone, and SHBG predict weight regain at 6 months after weight loss in men. 2013 , 21, 1997-2006		20
936	Racial/ethnic differences in serum sex steroid hormone concentrations in US adolescent males. 2013 , 24, 817-26		18
935	Somatic and psychological effects of low-dose aromatase inhibition in men with obesity-related hypogonadotropic hypotestosteronemia. 2013 , 169, 705-14		26
934	Reproductive aging in men. 2013 , 42, 255-70		44
933	Hypogonadism and low bone mineral density in patients on long-term intrathecal opioid delivery therapy. 2013 , 3,		34
932	Metabolic syndrome in men with low testosterone levels: relationship with cardiovascular risk factors and comorbidities and with erectile dysfunction. 2013 , 10, 2529-38		33
931	Free testosterone by direct and calculated measurement versus equilibrium dialysis in a clinical population. 2013 , 16, 164-8		24
930	Low-dose baclofen therapy raised plasma insulin-like growth factor-1 concentrations, but not into the normal range in a predictable and sustained manner in men with chronic spinal cord injury. 2013 , 36, 476-82		6
929	Definition criteria and diagnostic assessments. 2013 , 6-19		

928	Semen quality and reproductive hormones in Faroese men: a cross-sectional population-based study of 481 men. 2013 , 3,		21
927	Elevated testosterone levels in HIV-infected men: case report and a retrospective chart review. 2013 , 12, 315-8		2
926	Inverse association between serum insulin and sex hormone-binding globulin in a population survey in Sweden. 2013 , 2, 18-22		33
925	PFOS (perfluorooctanesulfonate) in serum is negatively associated with testosterone levels, but not with semen quality, in healthy men. 2013 , 28, 599-608		128
924	Prevalence of hyperandrogenic states in late adolescent and young women: epidemiological survey on Italian high-school students. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 1641-50	5.6	30
923	Metabolic effects of oral versus transdermal 17 β -estradiol (E $_2$): a randomized clinical trial in girls with Turner syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 2716-24	5.6	69
922	Bone size and bone strength are increased in obese male adolescents. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3019-28	5.6	45
921	Assessment of glucose metabolism in polycystic ovary syndrome: HbA1c or fasting glucose compared with the oral glucose tolerance test as a screening method. 2013 , 28, 2537-44		41
920	Hypogonadism: Biochemical Diagnosis, Treatment, and the Myth of Uniform Thresholds. 2013 , 10, 73-75		
919	The expression of 11 β HSDs, GR, and H6PDH in subcutaneous adipose tissue from polycystic ovary syndrome subjects. 2013 , 45, 802-7		12
918	The incidence of hypogonadotropic hypogonadism in type 2 diabetic men in Polish population. 2013 , 2013, 767496		11
917	A cohort effect on serum testosterone levels in Finnish men. 2013 , 168, 227-33		34
916	UGT2B17 Genotype and the Pharmacokinetic Serum Profile of Testosterone during Substitution Therapy with Testosterone Undecanoate. A Retrospective Experience from 207 Men with Hypogonadism. 2013 , 4, 94		7
915	Total testosterone and sex hormone-binding globulin are significantly associated with metabolic syndrome in middle-aged and elderly men. 2013 , 121, 407-12		15
914	Supplementation with vitamin D does not increase serum testosterone levels in healthy males. 2013 , 45, 675-81		43
913	Strength training and testosterone treatment have opposing effects on migration inhibitor factor levels in ageing men. 2013 , 2013, 539156		15
912	Association of circulating vitamin D concentrations with intestinal but not systemic inflammation in inflammatory bowel disease. 2013 , 19, 2634-43		80
911	Male sex hormones and systemic inflammation in Alzheimer disease. 2013 , 27, 153-6		38

910	Age-associated changes in hypothalamic-pituitary-testicular function in middle-aged and older men are modified by weight change and lifestyle factors: longitudinal results from the European Male Ageing Study. 2013 , 168, 445-55		245
909	Testosterone and the cardiovascular system: a comprehensive review of the clinical literature. 2013 , 2, e000272		131
908	Mineral metabolism and cortical volumetric bone mineral density in childhood chronic kidney disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 1930-8	5.6	73
907	Body composition of lean women with polycystic ovary syndrome. 2013 , 76, 183-198		2
906	Determining calculated free testosterone reference intervals in a normal adult male population. 2013 , 51, e209-11		
905	The role of sex hormone-binding globulin and testosterone in the risk of incident metabolic syndrome. 2013 , 20, 1061-8		20
904	Role of metabolic factors in the association between osteocalcin and testosterone in Chinese men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3463-9	5.6	17
903	Cardiovascular risk assessment using high-sensitivity C-reactive protein in patients with erectile dysfunction. 2013 , 91, 187-91		6
902	Assessment of late-onset hypogonadism among male patients with chronic obstructive pulmonary disease. 2013 , 3, 63-71		
901	Effects of testosterone treatment on body composition in males with testosterone deficiency syndrome. 2013 , 16, 184-90		17
900	Association of serum calcium with serum sex steroid hormones in men in NHANES III. 2013 , 16, 151-8		1
899	Semen quality of fertile Japanese men: a cross-sectional population-based study of 792 men. 2013 , 3,		25
898	Estrogen receptor alpha single nucleotide polymorphism as predictor of diabetes type 2 risk in hypogonadal men. 2013 , 16, 52-7		13
897	Are the Aging Male's Symptoms (AMS) scale and the Androgen Deficiency in the Aging Male (ADAM) questionnaire suitable for the screening of late-onset hypogonadism in aging Chinese men?. 2013 , 16, 92-6		18
896	Anabolic deficiencies in men with systolic heart failure: do co-morbidities and therapies really contribute significantly?. 2013 , 16, 123-31		6
895	Elderly men and women benefit equally from prolonged resistance-type exercise training. 2013 , 68, 769-79		141
894	Dairy food intake in relation to semen quality and reproductive hormone levels among physically active young men. 2013 , 28, 2265-75		63
893	No metabolic impact of surgical normalization of hyperandrogenism in postmenopausal women with ovarian androgen-secreting tumours. 2013 , 78, 533-8		12

892	Sclerostin and bone strength in women in their 10th decade of life. 2013 , 28, 2008-16	16
891	Altered sexual and reproductive functions in epileptic men taking carbamazepine. 2013 , 10, 493-9	25
890	Comparing effects of low- and high-volume moderate-intensity exercise on sexual function and testosterone in obese men. 2013 , 10, 1823-32	63
889	Testosterone concentrations in young pubertal and post-pubertal obese males. 2013 , 78, 593-9	63
888	Similar reference intervals for total testosterone in healthy young and elderly men: results from the Odense Androgen Study. 2013 , 78, 743-51	34
887	Erectile dysfunction, penile atherosclerosis, and coronary artery vasculopathy in heart transplant recipients. 2013 , 10, 2295-302	9
886	Erectile dysfunction, testosterone deficiency, and risk of coronary heart disease in a cohort of men living with HIV in Belgium. 2013 , 10, 1816-22	10
885	Growth hormone (GH) activity is associated with increased serum oestradiol and reduced anti-Müllerian hormone in healthy male volunteers treated with GH and a GH antagonist. 2013 , 1, 595-601	15
884	A prospective study on sexual function and mood in female-to-male transsexuals during testosterone administration and after sex reassignment surgery. 2013 , 39, 321-35	76
883	Obesity and age as dominant correlates of low testosterone in men irrespective of diabetes status. 2013 , 1, 906-12	21
882	Osteocalcin is associated with testosterone in the general population and selected patients with bone disorders. 2013 , 1, 469-74	34
881	Androgen activity, ischaemic heart disease and risk factors among men in NHANES III. 2013 , 43, 1273-81	11
880	Correlates of bone microarchitectural parameters and serum sclerostin levels in men: the STRAMBO study. 2013 , 28, 1760-70	43
879	The identification of prediabetes condition with ARIC algorithm predicts long-term CV events in patients with erectile dysfunction. 2013 , 10, 1114-23	19
878	Obesity and androgens: Masculinity or muscularity?. 2013 , 3, 59-61	
877	Association of androgen with skeletal muscle mass and muscle function among men and women aged 50 years and older in Taiwan: results from the I-Lan longitudinal aging study. 2013 , 16, 453-9	13
876	Association between endogenous sex steroid hormones and inflammatory biomarkers in US men. 2013 , 1, 919-28	43
875	Managing endocrine dysfunction following blast injury to the male external genitalia. 2013 , 159 Suppl 1, i45-8	9

874	Androgen profiling by liquid chromatography-tandem mass spectrometry (LC-MS/MS) in healthy normal-weight ovulatory and anovulatory late adolescent and young women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3058-67	5.6	41
873	Investigation on psychological symptoms improves ANDROTEST accuracy in predicting hypogonadism in subjects with sexual dysfunction. 2013 , 25, 34-9		7
872	Polycystic ovary syndrome and obesity do not affect vascular parameters related to early atherosclerosis in young women without glucose metabolism disturbances, arterial hypertension and severe abnormalities of lipid profile. 2013 , 29, 370-4		14
871	Sex differences in the associations of testosterone and sex hormone-binding globulin with metabolic syndrome in middle-aged and elderly Koreans: the Namwon study. 2013 , 77, 734-40		14
870	Normal metabolic flexibility despite insulin resistance women with polycystic ovary syndrome. 2013 , 60, 1107-13		13
869	Relationship between low free testosterone levels and loss of muscle mass. 2013 , 3, 1818		37
868	History and physical examination. 39-50		
867	Androgen deficiency in the male. 80-93		1
866	Psychosocial issues surrounding the use of sperm donation. 282-291		
865	Medical therapy for male infertility. 292-302		
864	Androgen deficiency in male patients diagnosed with ANCA-associated vasculitis: a cause of fatigue and reduced health-related quality of life?. 2013 , 15, R117		6
863	Semen quality of 1559 young men from four cities in Japan: a cross-sectional population-based study. 2013 , 3,		38
862	Positive association between testosterone, blood pressure, and hypertension in women: longitudinal findings from the Study of Health in Pomerania. 2013 , 31, 1106-13		20
861	Low serum testosterone as a new risk factor for chronic rejection in heart transplanted men. 2013 , 96, 501-5		9
860	Testosterone Therapy in Adult Men with Androgen Deficiency Syndromes. 2013 , 504-531		
859	Is insulin resistance an intrinsic defect in asian polycystic ovary syndrome?. 2013 , 54, 609-14		9
858	Testosterone deficiency in male: a risk factor for heart failure. 2013 , 13, 92-9		20
857	Prostatic disorders in acromegalic patients experience of a Brazilian center. 2013 , 39, 393-401		7

856	Sex steroids and sex hormone-binding globulin in postmenopausal women with nonalcoholic fatty liver disease. 2013 , 12, 405-16	35
855	Clinical significance of suboptimal hormonal levels in men with prostate cancer treated with LHRH agonists. 2013 , 7, E226-30	12
854	Are there variances of calculated free testosterone attributed to variations in albumin and sex hormone-binding globulin concentrations in men?. 2013 , 19, 236-42	2
853	Vitamin D-binding protein levels in female patients with primary hyperparathyroidism. 2013 , 19, 609-13	14
852	A practical guide to diagnosis, management and treatment of testosterone deficiency for Canadian physicians. 2010 , 4, 269-75	30
851	Cigarette smoking has a positive and independent effect on testosterone levels. 2013 , 12, 567-77	40
850	The relationship between endogenous androgens and body fat distribution in early and late postmenopausal women. 2013 , 8, e58448	17
849	Negative association between testosterone concentration and inflammatory markers in young men: a nested cross-sectional study. 2013 , 8, e61466	98
848	The circadian variation in Anti-Müllerian hormone in patients with polycystic ovary syndrome differs significantly from normally ovulating women. 2013 , 8, e68223	20
847	Downregulated expression of peroxiredoxin 4 in granulosa cells from polycystic ovary syndrome. 2013 , 8, e76460	14
846	Associations of estrogen and testosterone with insulin resistance in pre- and postmenopausal women with and without hormone therapy. 2013 , 11, 65-70	14
845	Genetic variations in the androgen receptor are associated with steroid concentrations and anthropometrics but not with muscle mass in healthy young men. 2014 , 9, e86235	15
844	Testosterone, sex hormone-binding globulin and the metabolic syndrome in men: an individual participant data meta-analysis of observational studies. 2014 , 9, e100409	131
843	Testosterone trajectories and reference ranges in a large longitudinal sample of male adolescents. 2014 , 9, e108838	30
842	Cognitive effects of testosterone and finasteride administration in older hypogonadal men. 2014 , 9, 1327-33	24
841	FTO Gene Variants Are Associated with PCOS Susceptibility and Hyperandrogenemia in Young Korean Women. 2014 , 38, 302-10	18
840	Association between sex hormone-binding globulin (SHBG) and metabolic syndrome among men. 2014 , 132, 111-5	15
839	Elevated serum androstenedione is associated with a more severe phenotype in women with polycystic ovary syndrome (PCOS). 2014 , 13, 213-21	21

- 838 Low serum testosterone concentrations in hospitalized men with poorly controlled type 2 diabetes. **2014**, 29, 574-8 5
- 837 Exercício intenso e suplementação de testosterona em portadores de insuficiência cardíaca. **2014**, 20, 119-124
- 836 Metabolic syndrome and prostate abnormalities in male subjects of infertile couples. **2014**, 16, 295-304 48
- 835 Testosterone, dihydrotestosterone, and incident cardiovascular disease and mortality in the cardiovascular health study. *Journal of Clinical Endocrinology and Metabolism*, **2014**, 99, 2061-8 5.6 82
- 834 Restoration of fertility by gonadotropin replacement in a man with hypogonadotropic azoospermia and testicular adrenal rest tumors due to untreated simple virilizing congenital adrenal hyperplasia. **2014**, 170, K11-7 12
- 833 Circulating sex hormones and terminal duct lobular unit involution of the normal breast. **2014**, 23, 2765-73 18
- 832 Vitamin D levels and bone mineral density: are LH levels involved in the pathogenesis of bone impairment in hypogonadal men?. **2014**, 37, 1225-31 8
- 831 Androgen receptor polymorphism-dependent variation in prostate-specific antigen concentrations of European men. **2014**, 23, 2048-56 7
- 830 Serum free and bio-available 25-hydroxyvitamin D correlate better with bone density than serum total 25-hydroxyvitamin D. **2014**, 74, 177-83 83
- 829 Blunted day-night changes in luteinizing hormone pulse frequency in girls with obesity: the potential role of hyperandrogenemia. *Journal of Clinical Endocrinology and Metabolism*, **2014**, 99, 2887-98^{5.6} 18
- 828 Changes in bone mineral density in newly diagnosed testicular cancer patients after anticancer treatment. *Journal of Clinical Endocrinology and Metabolism*, **2014**, 99, 4101-8 5.6 14
- 827 Osteocalcin increase after bariatric surgery predicts androgen recovery in hypogonadal obese males. **2014**, 38, 357-63 17
- 826 Serum androgen bioactivity is low in children with premature adrenarche. **2014**, 75, 645-50 12
- 825 Endocrine, metabolic, nutritional and body composition abnormalities are common in advanced intensively-treated (transplanted) multiple myeloma. **2014**, 49, 907-12 28
- 824 Prevalence of low testosterone and predisposing risk factors in men with type 1 diabetes mellitus: findings from the DCCT/EDIC. *Journal of Clinical Endocrinology and Metabolism*, **2014**, 99, E1655-60 5.6 29
- 823 Reply to Monroe and Brown. **2014**, 58, 1640-1
- 822 Effects of three different testosterone formulations in female-to-male transsexual persons. **2014**, 11, 3002-11 91
- 821 Comparing the effects of meal replacements with reduced-fat diet on weight, sexual and endothelial function, testosterone and quality of life in obese Asian men. **2014**, 26, 61-6 20

820	Androgen deficiency and dry eye syndrome in the aging male. 2014 , 55, 5046-53		26
819	Aspirin and serum estrogens in postmenopausal women: a randomized controlled clinical trial. 2014 , 7, 906-12		10
818	Urinary bisphenol A levels in young men: association with reproductive hormones and semen quality. 2014 , 122, 478-84		134
817	Caloric restriction increases serum testosterone concentrations in obese male subjects by two distinct mechanisms. 2014 , 46, 283-6		27
816	Performance of Massachusetts Male Aging Study (MMAS) and androgen deficiency in the aging male (ADAM) questionnaires in the prediction of free testosterone in patients aged 40 years or older treated in outpatient regimen. 2014 , 17, 147-54		14
815	Laboratory methods in pediatric endocrinology. 2014 , 90-106.e1		1
814	Thyroid and male reproduction. 2014 , 18, 23-31		35
813	Symptomatic androgen deficiency develops only when both total and free testosterone decline in obese men who may have incident biochemical secondary hypogonadism: Prospective results from the EMAS. 2018 , 89, 459-469		30
812	Testosterone, frailty and physical function in older men. 2018 , 13, 159-165		10
811	Vitamin D and Male Sexual Function: A Transversal and Longitudinal Study. 2018 , 2018, 3720813		8
810	Sex Differences in Reproductive Hormones During Mini-Puberty in Infants With Normal and Disordered Sex Development. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 3028-3037	5.6	41
809	Uncertainty in Measurement: Procedures for Determining Uncertainty With Application to Clinical Laboratory Calculations. 2018 , 85, 149-211		6
808	A history of undescended testes in young men with Klinefelter syndrome does not reduce the chances for successful microsurgical testicular sperm extraction. 2018 , 6, 525-531		9
807	Alterations in the vitamin D endocrine system during pregnancy: A longitudinal study of 855 healthy Norwegian women. 2018 , 13, e0195041		25
806	Effect of testosterone treatment on bone remodelling markers and mineral density in obese dieting men in a randomized clinical trial. 2018 , 8, 9099		12
805	Oestradiol level, oestrogen receptors, and mortality in elderly men: The three-city cohort study. 2018 , 89, 514-525		2
804	Testosterone Replacement Therapy in Deficient Patients With Chronic Heart Failure: A Randomized Double-Blind Controlled Pilot Study. 2018 , 23, 543-550		11
803	Treating exercise-associated low testosterone and its related symptoms. 2018 , 46, 427-434		21

802	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. 2018 , 74, 585-594		36
801	Sexual Functions in Male and Female Patients With Bipolar Disorder During Remission. 2018 , 15, 1111-1116		4
800	Association between serum levels of insulin-like growth factor-1, bioavailable testosterone, and pathologic Gleason score. 2018 , 7, 4170-4180		5
799	Prognostic Relevance of Circulating 25OHD Fractions for Early Recovery and Survival in Patients with Hip Fracture. 2018 , 7,		3
798	Insulin Sensitivity and Testicular Function in a Cohort of Adult Males Suspected of Being Insulin-Resistant. 2018 , 5, 190		9
797	The association of sex hormone-binding globulin with mortality is mediated by age and testosterone in men with type 2 diabetes. 2018 , 6, 846-853		7
796	Insulin Resistance, Hyperinsulinemia, and LH: Relative Roles in Peripubertal Obesity-Associated Hyperandrogenemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 2571-2582	5.6	8
795	Measurement of selected androgens using liquid chromatography-tandem mass spectrometry in reproductive-age women with Type 1 diabetes. 2018 , 33, 1727-1734		2
794	A practical guide to female sexual dysfunction: An evidence-based review for physicians in Canada. 2018 , 12, 211-216		15
793	Effects of endogenous sex hormones on lung function and symptom control in adolescents with asthma. 2018 , 18, 58		54
792	Testosterone Therapy in Men With Hypogonadism: An Endocrine Society Clinical Practice Guideline. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 1715-1744	5.6	634
791	Establishing reference intervals for sex hormones and SHBG in apparently healthy Chinese adult men based on a multicenter study. 2018 , 56, 1152-1160		10
790	Associations between circulating sex steroid hormones and leukocyte telomere length in men in the National Health and Nutrition Examination Survey. 2018 , 6, 542-546		7
789	Short-term combined treatment with exenatide and metformin is superior to glimepiride combined metformin in improvement of serum testosterone levels in type 2 diabetic patients with obesity. 2018 , 50, e13039		11
788	Insulin resistance and sex hormone-binding globulin are independently correlated with low free testosterone levels in obese males. 2018 , 50, e13035		8
787	New Biomarkers to Evaluate Hyperandrogenemic Women and Hypogonadal Men. 2018 , 86, 71-125		10
786	Free Vitamin D: Concepts, Assays, Outcomes, and Prospects. 2018 , 925-937		3
785	Mammographic Density and Circulating Sex Hormones: a Cross-Sectional Study in Postmenopausal Korean Women. 2018 , 9, 383-390		

784	Marker of vitamin D status in healthy children: Free or total 25-hydroxyvitamin D?. 2018 , 13, e0202237		6
783	Measured free 25-hydroxyvitamin D in healthy children and relationship to total 25-hydroxyvitamin D, calculated free 25-hydroxyvitamin D and vitamin D binding protein. 2018 , 61, 23-27		16
782	Effects of Toremifene, a Selective Estrogen Receptor Modulator, on Spontaneous and Stimulated GH Secretion, IGF-I, and IGF-Binding Proteins in Healthy Elderly Subjects. 2018 , 2, 154-165		6
781	No. 279-Female Sexual Health Consensus Clinical Guidelines. 2018 , 40, e451-e503		3
780	Combination therapy with clomiphene citrate and anastrozole is a safe and effective alternative for hypoandrogenic subfertile men. 2018 , 122, 688-694		11
779	Proandrogenic and Antiandrogenic Progestins in Transgender Youth: Differential Effects on Body Composition and Bone Metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 2147-2156	5.6	18
778	Menstrual Dysfunction in Girls From the Treatment Options for Type 2 Diabetes in Adolescents and Youth (TODAY) Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 2309-2318	5.6	15
777	Association between circulating levels of sex steroid hormones and esophageal adenocarcinoma in the FINBAR Study. 2018 , 13, e0190325		26
776	Reassessing Free-Testosterone Calculation by Liquid Chromatography-Tandem Mass Spectrometry Direct Equilibrium Dialysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 2167-2174	5.6	20
775	The Relationship Between Health-Related Quality of Life and Anabolic Hormone Levels in Middle-Aged and Elderly Men With Prediabetes: A Cross-Sectional Study. 2018 , 12, 1593-1603		3
774	Low testosterone is associated with frailty, muscle wasting and physical dysfunction among men receiving hemodialysis: a longitudinal analysis. 2019 , 34, 802-810		24
773	Phenotyping and relative quantification of vitamin D binding protein in a paediatric population by using liquid chromatography-tandem mass spectrometry. 2019 , 56, 56-63		
772	Associations Between Prediagnostic Concentrations of Circulating Sex Steroid Hormones and Esophageal/Gastric Cardia Adenocarcinoma Among Men. 2019 , 111, 34-41		25
771	Polycystic Ovary Syndrome and Hyperandrogenic States. 2019 , 520-555.e13		2
770	Evaluation of Hormonal Status. 2019 , 887-915.e4		3
769	Effects of vitamin D supplementation on metabolic and endocrine parameters in PCOS: a randomized-controlled trial. 2019 , 58, 2019-2028		28
768	Low-saturated-fat and low-cholesterol diet does not alter pubertal development and hormonal status in adolescents. 2019 , 108, 321-327		2
767	27-Hydroxycholesterol, an Endogenous SERM, and Risk of Fracture in Postmenopausal Women: A Nested Case-Cohort Study in the Women's Health Initiative. 2019 , 34, 59-66		5

766	Vitamin D metabolites are lower with active Crohn's disease and spontaneously recover with development of remission. 2019 , 12, 1756284819865144	1
765	Cross-Sectional, Primary Care-Based Study of the Prevalence of Hypoandrogenemia in Nondiabetic Young Men with Obesity. 2019 , 27, 1584-1590	7
764	Testosterone Management in Aging Males: Surveying Clinical Practices of Urologists and Endocrinologists in Israel. 2019 , 7, 409-417	2
763	Effects of SHBG rs1799941 Polymorphism on Free Testosterone Levels and Hypogonadism Risk in Young Non-Diabetic Obese Males. 2019 , 8,	2
762	Diagnosis and Treatment of Testosterone Deficiency: Updated Recommendations From the Lisbon 2018 International Consultation for Sexual Medicine. 2019 , 7, 636-649	27
761	Seminal but not Serum Levels of Holotranscobalamin are Altered in Morbid Obesity and Correlate with Semen Quality: A Pilot Single Centre Study. 2019 , 11,	0
760	Third trimester cortisol status is associated with offspring sex and polycystic ovary syndrome status: Odense Child Cohort. 2019 , 112, 764-772	4
759	Male hypogonadism: 14-year prospective outcome in 550 men with type 2 diabetes. 2019 , 2, e00064	7
758	Association of total testosterone, free testosterone, bioavailable testosterone, sex hormone-binding globulin, and hypertension. 2019 , 98, e15628	12
757	Associations Between Anxiety, Body Mass Index, and Sex Hormones in Women. 2019 , 10, 479	11
756	Effects of testosterone supplementation on body composition and lower-body muscle function during severe exercise- and diet-induced energy deficit: A proof-of-concept, single centre, randomised, double-blind, controlled trial. 2019 , 46, 411-422	21
755	Monitoring testosterone replacement therapy with transdermal gel: when and how?. 2019 , 42, 1491-1496	4
754	Is muscle mechanical function altered in polycystic ovary syndrome?. 2019 , 300, 771-776	6
753	The Predictive Value of Early-Life Trauma, Psychopathy, and the Testosterone-Cortisol Ratio for Impulsive Aggression Problems in Veterans. 2019 , 3, 2470547019871901	3
752	Vitamin D Binding Protein and the Biological Activity of Vitamin D. 2019 , 10, 718	44
751	FP728LOW LEAN TISSUE AND HIGH FAT TISSUE INDEX ARE ASSOCIATED WITH DECREASED QUALITY OF LIFE IN DIALYSIS PATIENTS. 2019 , 34,	
750	Green Tea Catechin Extract Supplementation Does Not Influence Circulating Sex Hormones and Insulin-Like Growth Factor Axis Proteins in a Randomized Controlled Trial of Postmenopausal Women at High Risk of Breast Cancer. 2019 , 149, 619-627	7
749	Free testosterone value before radical prostatectomy is related to oncologic outcomes and post-operative erectile function. 2019 , 19, 87	5

748	Long-term Effects of Moderate versus High Durations of Aerobic Exercise on Biomarkers of Breast Cancer Risk: Follow-up to a Randomized Controlled Trial. 2019 , 28, 1725-1734		5
747	Androgen and Anti-Mullerian Hormone Concentrations at Term in Newborns and Their Mothers with and without Polycystic Ovary Syndrome. 2019 , 8,		6
746	Male reproductive health in cystic fibrosis. 2019 , 18 Suppl 2, S105-S110		8
745	Prevalence of polycystic ovary syndrome in women with severe obesity - Effects of a structured weight loss programme. 2019 , 91, 750-758		7
744	Semen and reproductive hormone parameters in fertile men with and without varicocele. 2019 , 51, e13407		7
743	Skeletal muscle hypertrophy and attenuation of cardio-metabolic risk factors (SHARC) using functional electrical stimulation-lower extremity cycling in persons with spinal cord injury: study protocol for a randomized clinical trial. 2019 , 20, 526		11
742	Association Between Statin Use and Sex Hormone in the Multi-Ethnic Study of Atherosclerosis Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 4600-4606	5.6	14
741	Assessing Cachexia Acutely after Autologous Stem Cell Transplant. 2019 , 11,		5
740	Male sexual dysfunction in obesity: The role of sex hormones and small fibre neuropathy. 2019 , 14, e0221992		7
739	Sex Hormone Binding Globulin: A Review of its Interactions With Testosterone and Age, and its Impact on Mortality in Men With Type 2 Diabetes. 2019 , 7, 669-678		16
738	Adherence to diet quality indices in relation to semen quality and reproductive hormones in young men. 2019 , 34, 1866-1875		6
737	Nationally Representative Estimates of Serum Testosterone Concentration in Never-Smoking, Lean Men Without Aging-Associated Comorbidities. 2019 , 3, 1759-1770		4
736	Anogenital distance in children born of mothers with polycystic ovary syndrome: the Odense Child Cohort. 2019 , 34, 2061-2070		13
735	Changes in serum markers of patients with PCOS during consecutive clomiphene stimulation cycles: a retrospective study. 2019 , 12, 91		2
734	Dysglycemia, Not Altered Sex Steroid Hormones, Affects Cognitive Function in Polycystic Ovary Syndrome. 2019 , 3, 1858-1868		5
733	Morbid obesity-related changes in the expression of lipid receptors, transporters, and HSL in human sperm. 2019 , 36, 777-786		7
732	Sexual Function Under Adequate Estrogen Therapy in Women After Oophorectomy Versus Natural Menopause. 2019 , 28, 1124-1132		3
731	Vitamin D deficiency in children: a challenging diagnosis!. 2019 , 85, 596-601		14

730	Diagnosis of disorders of glucose tolerance in women with polycystic ovary syndrome (PCOS) at a tertiary care center: fasting plasma glucose or oral glucose tolerance test?. 2019 , 93, 86-92		9
729	Testosterone Insufficiency in Human Immunodeficiency Virus-Infected Women: A Cross-Sectional Study. 2019 , 7, 72-79		10
728	Testosterone in Men With Chronic Hepatitis C Infection and After Hepatitis C Viral Clearance. 2019 , 69, 571-576		11
727	Insulin resistance is associated with hirsutism in unselected reproductive-aged women. 2019 , 90, 586-591		3
726	Solvent- and catalyst-free synthesis of an azine-linked covalent organic framework and the induced tautomerization in the adsorption of U(VI) and Hg(II). 2019 , 21, 649-657		74
725	Changes of Vitamin D-Binding Protein, and Total, Bioavailable, and Free 25-Hydroxyvitamin D in Transgender People. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 2728-2734	5.6	6
724	The potential role of testosterone in hypertension and target organ damage in hypertensive postmenopausal women. 2019 , 14, 743-752		2
723	Testosterone imbalance may link depression and increased body weight in premenopausal women. 2019 , 9, 160		10
722	Aging and the Male Reproductive System. 2019 , 40, 906-972		36
721	Low Plasma Oxytocin Levels and Increased Psychopathology in Hypopituitary Men With Diabetes Insipidus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 3181-3191	5.6	13
720	Circulating sex hormone levels and colorectal cancer risk in Japanese postmenopausal women: The JPHC nested case-control study. 2019 , 145, 1238-1244		18
719	Paediatric and adult-onset male hypogonadism. 2019 , 5, 38		85
718	Depression Over the Lifespan in a Population-Based Cohort of Women With Polycystic Ovary Syndrome: Longitudinal Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 2809-2819 ^{5.6}		21
717	Sex-Specific Associations of Testosterone With Metabolic Traits. 2019 , 10, 90		6
716	Effects of Bariatric Surgery in Male Obesity-Associated Hypogonadism. 2019 , 29, 2115-2125		9
715	Bisphenol A differentially affects male reproductive function biomarkers in a reference population and agro pesticides users from Djutitsa, Cameroon. 2019 , 35, 324-335		3
714	Bowel preparation for colonoscopy may decrease the levels of testosterone in Korean men. 2019 , 9, 7080		1
713	Vitamin D status during pregnancy and the risk of gestational diabetes mellitus: A longitudinal study in a multiracial cohort. 2019 , 21, 1895-1905		21

712	Sleep disorders in polycystic ovary syndrome: influence of obesity and hyperandrogenism. 2019 , 65, 375-383	7
711	Impact of Metabolically Healthy Obesity in Patients with Andrological Problems. 2019 , 16, 821-832	20
710	The association between sexual dysfunction and metabolic syndrome among Turkish postmenopausal women. 2019 , 22, 472-477	1
709	Long-term weight loss maintenance, sex steroid hormones, and sex hormone-binding globulin. 2019 , 26, 417-422	7
708	Testosterone Deficiency and Other Testicular Disorders in Kidney Disease. 2019 , 113-125	
707	Effect of Testosterone on Natriuretic Peptide Levels. 2019 , 73, 1288-1296	15
706	Equilibrium Dialysis, Ultracentrifugation, and Ultrafiltration in LC-MS Bioanalysis. 2019 , 45-51	0
705	Predictors of Lifestyle Intervention Attrition or Weight Loss Success in Women with Polycystic Ovary Syndrome Who Are Overweight or Obese. 2019 , 11,	12
704	Possible link between FSH and RANKL release from adipocytes in men with impaired gonadal function including Klinefelter syndrome. 2019 , 123, 103-114	7
703	Polycystic ovary syndrome in adult women. 2019 , 152, 450-457	5
702	Distinctive Reproductive Phenotypes in Peripubertal Girls at Risk for Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 3355-3361	5.6 19
701	Association Between Vitamin D and Adrenal Parameters with Metabolic and Inflammatory Markers in Polycystic Ovary Syndrome. 2019 , 9, 3968	7
700	Prospective Study on Sexual Dysfunction in Male Chinese Liver Transplant Recipients. 2019 , 13, 1557988319835139	
699	Pharmacokinetics of the 1.5 mg levonorgestrel emergency contraceptive in women with normal, obese and extremely obese body mass index. 2019 , 99, 306-311	11
698	Decreased deiodinase activity after glucose load could lead to atherosclerosis in euthyroid women with polycystic ovary syndrome. 2019 , 65, 184-191	2
697	Increased Risk of Cardiovascular Diseases in Female Rosacea Patients: A Nested Case-control Study. 2019 , 99, 705-706	9
696	Combined nesterone-testosterone gel suppresses serum gonadotropins to concentrations associated with effective hormonal contraception in men. 2019 , 7, 878-887	15
695	Molecular Mechanisms in Skeletal Muscle Underlying Insulin Resistance in Women Who Are Lean With Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1841-1854 ^{5.6}	30

694	Assessment of free testosterone concentration. 2019 , 190, 207-211	35
693	Disrupting information alters the behavioral response to a mutual signal trait in both sexes of <i>Nicrophorus</i> (Coleoptera: Silphidae) burying beetles. 2019 , 30, 960-967	
692	Evolution of Guidelines for Testosterone Replacement Therapy. 2019 , 8,	18
691	Low-Dose Testosterone and Evoked Resistance Exercise after Spinal Cord Injury on Cardio-Metabolic Risk Factors: An Open-Label Randomized Clinical Trial. 2019 , 36, 2631-2645	30
690	Age at adiposity rebound in childhood is associated with PCOS diagnosis and obesity in adulthood-longitudinal analysis of BMI data from birth to age 46 in cases of PCOS. 2019 , 43, 1370-1379	37
689	Racial/Ethnic Differences in 25-Hydroxy Vitamin D and Parathyroid Hormone Levels and Cardiovascular Disease Risk Among Postmenopausal Women. 2019 , 8, e011021	8
688	The Optimal Indication for Testosterone Replacement Therapy in Late Onset Hypogonadism. 2019 , 8,	10
687	Lack of Improvement of Sperm Characteristics in Obese Males After Obesity Surgery Despite the Beneficial Changes Observed in Reproductive Hormones. 2019 , 29, 2045-2050	6
686	Low testosterone: Androgen deficiency, endurance exercise training, and competitive performance. 2019 , 106, 379-389	6
685	Sex hormones, obesity and type 2 diabetes: is there a link?. 2019 , 8, R1-R9	28
684	High DHEAS Level in Girls Is Associated with Earlier Pubertal Maturation and Mild Increase in Androgens throughout Puberty without Affecting Postmenarche Ovarian Morphology. 2019 , 92, 357-364	5
683	Multiple Sclerosis Patients Show Lower Bioavailable 25(OH)D and 1,25(OH)D, but No Difference in Ratio of 25(OH)D/24,25(OH)D and FGF23 Concentrations. 2019 , 11,	5
682	Effect of Testosterone Level on Mortality in Patients With Left Ventricular Assist Device. 2019 , 51, 3418-3423	0
681	Hyperandrogenism and Metabolic Syndrome Are Associated With Changes in Serum-Derived microRNAs in Women With Polycystic Ovary Syndrome. 2019 , 6, 242	10
680	Prevalence of vitamin D deficiency in women from southern Brazil and association with vitamin D-binding protein levels and GC-DBP gene polymorphisms. 2019 , 14, e0226215	2
679	. 2019 ,	6
678	Association of endogenous testosterone concentration with depression in men: a systematic review protocol. 2019 , 17, 1894-1900	1
677	Vitamin D receptor and binding protein polymorphisms in women with polycystic ovary syndrome: a case control study. 2019 , 19, 145	4

676	Sex Hormone-Binding Globulin Levels in Young Men Are Associated With Nonalcoholic Fatty Liver Disease in Midlife. 2019 , 114, 758-763	13
675	Metabolic syndrome and endocrine status in HIV-infected transwomen. 2019 , 33, 855-865	5
674	Influence of testosterone substitution on glycemic control and endothelial markers in men with newly diagnosed functional hypogonadism and type 2 diabetes mellitus: a randomized controlled trial. 2019 , 22, 241-249	19
673	Long-term testosterone therapy in type 2 diabetes is associated with reduced mortality without improvement in conventional cardiovascular risk factors. 2019 , 123, 519-529	21
672	Quality of Life in Long-Term Testicular Cancer Survivors With Compensated Leydig Cell Dysfunction. 2019 , 17, e65-e71	2
671	Short-Term Exercise Training Inconsistently Influences Basal Testosterone in Older Men: A Systematic Review and Meta-Analysis. 2018 , 9, 1878	12
670	Meat intake in relation to semen quality and reproductive hormone levels among young men in Spain. 2019 , 121, 451-460	6
669	Comparative estrogenicity of endogenous, environmental and dietary estrogens in pregnant women II: Total estrogenicity calculations accounting for competitive protein and receptor binding and potency. 2019 , 125, 341-353	9
668	Polycystic ovary syndrome in adult women. 2019 , 152, 450-457	14
667	Testosterone, sex hormone-binding globulin and risk of cardiovascular events: A report from the Outcome Reduction with an Initial Glargine Intervention trial. 2019 , 26, 847-854	6
666	Associations between testosterone and metabolic syndrome in depressed and non-depressed older men and women. 2019 , 34, 463-471	2
665	Sex Hormones and Measures of Kidney Function in the Diabetes Prevention Program Outcomes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1171-1180	5.6 6
664	Sexual Dysfunction and Sex Hormone Abnormalities in Patients With Cirrhosis: Review of Pathogenesis and Management. 2019 , 69, 2683-2695	12
663	Anogenital distance is associated with semen quality but not reproductive hormones in 1106 young men from the general population. 2019 , 34, 12-24	14
662	Effects of vitamin D supplementation on androgens in men with low testosterone levels: a randomized controlled trial. 2019 , 58, 3135-3146	14
661	Serum Vitamin D Binding Protein Level Associated with Metabolic Cardiovascular Risk Factors in Women with the Polycystic Ovary Syndrome. 2019 , 51, 54-61	5
660	Metabolic syndrome components and prostatic hyperplasia among diabetic and non-diabetic men in the Eastern DR Congo: A cross-sectional study. 2019 , 13, 776-780	
659	A body shape index (ABSI) reflects body composition changes in response to testosterone treatment in obese men. 2019 , 43, 2210-2216	2

658	Safety and Pharmacokinetics of Single-Dose Novel Oral Androgen 11βMethyl-19-Nortestosterone-17βDodecylcarbonate in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 629-638	5.6	24
657	[Dietary intake of trace elements and semen quality and reproductive hormone levels in young men: relationship with fertility]. 2019 , 17, 46-54		2
656	Altered leptin, adiponectin, resistin and ghrelin secretion may represent an intrinsic polycystic ovary syndrome abnormality. 2019 , 35, 401-405		19
655	Circulating androgen levels before and after oophorectomy in premenopausal and postmenopausal women. 2019 , 22, 169-174		8
654	Sex-Specific Associations of Androgen Receptor CAG Trinucleotide Repeat Length and of Raloxifene Treatment with Testosterone Levels and Perceived Stress in Schizophrenia. 2019 , 5, 28-41		1
653	Serum testosterone levels may influence body composition and cardiometabolic health in men with spinal cord injury. 2019 , 57, 229-239		17
652	Free testosterone correlated with erectile dysfunction severity among young men with normal total testosterone. 2019 , 31, 132-138		7
651	Sex steroids in serum and prostatic tissue of human cancerous prostate (STERKPROSER trial). 2019 , 79, 272-280		4
650	Selenium and Sex Steroid Hormones in a U.S. Nationally Representative Sample of Men: A Role for the Link between Selenium and Estradiol in Prostate Carcinogenesis?. 2019 , 28, 578-583		3
649	Dysbalanced sex hormone status is an independent predictor of decompensation and mortality in patients with liver cirrhosis. 2019 , 49, 201-211		8
648	Vitamin D supplementation does not prevent the testosterone decline in males with advanced heart failure: the EVITA trial. 2019 , 58, 673-680		7
647	Can the positive association of osteocalcin with testosterone be unmasked when the preminent hypothalamic-pituitary regulation of testosterone production is impaired? The model of spinal cord injury. 2019 , 42, 167-173		7
646	Expression of sex steroid receptors and aromatase in adipose tissue in different body regions in men with coronary artery disease with and without ischemic systolic heart failure. 2020 , 23, 141-153		6
645	Association between testosterone with type 2 diabetes in adult males, a meta-analysis and trial sequential analysis. 2020 , 23, 607-618		9
644	What is the best biological parameter to predict erectile dysfunction in men aged >55 years with type 2 diabetes?. 2020 , 11, 170-173		1
643	Mediation analysis of the alcohol-postmenopausal breast cancer relationship by sex hormones in the EPIC cohort. 2020 , 146, 759-768		6
642	The predictive value of serum testosterone level on the functional outcomes after acute ischemic stroke in males. 2020 , 23, 726-732		1
641	Association of total and calculated free testosterone with androgen deficiency symptoms in patients with type 2 diabetes. 2020 , 32, 289-296		1

640	Effects of vitamin D supplementation on metabolic and endocrine parameters in healthy premenopausal women: A randomized controlled trial. 2020 , 39, 718-726		7
639	Impaired Respiratory Function in Women With PCOS Compared With Matched Controls From a Population-Based Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	2
638	Longitudinal changes in prostate volume in a community-based cohort study of middle-aged and elderly men in rural China. 2020 , 8, 358-363		
637	Vitamin D status is not associated with reproductive parameters in young Spanish men. 2020 , 8, 323-331		6
636	Bone mineral density is preserved in men with idiopathic infertility. 2020 , 8, 315-322		2
635	Cross-sectional associations between healthy eating index and sex steroid hormones in men-National Health and Nutrition Examination Survey 1999-2002. 2020 , 8, 154-159		2
634	Current stepwise recommendations for hypogonadism screening in erectile dysfunction are not cost-effective. 2020 , 32, 297-301		0
633	Adiponectin () gene variants and haplotypes in Saudi Arabian women with polycystic ovary syndrome (PCOS): a case-control study. 2020 , 36, 66-71		5
632	Association Between High FSH, Low Progesterone, and Idiopathic Pulmonary Arterial Hypertension in Women of Reproductive Age. 2020 , 33, 99-105		3
631	The Influence of Persistent Organic Pollutants on Thyroidal, Reproductive and Adrenal Hormones After Bariatric Surgery. 2020 , 30, 1368-1378		3
630	Comparing directly measured versus mathematically calculated free serum 25-hydroxy vitamin D level in children. 2020 , 38, 271-274		1
629	Sex-specific Estrogen Levels and Reference Intervals from Infancy to Late Adulthood Determined by LC-MS/MS. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	35
628	Genetic Susceptibility Determines ECell Function and Fasting Glycemia Trajectories Throughout Childhood: A 12-Year Cohort Study (EarlyBird 76). 2020 , 43, 653-660		12
627	Weight loss more than glycemic control may improve testosterone in obese type 2 diabetes mellitus men with hypogonadism. 2020 , 8, 654-662		11
626	Testosterone Administration During Energy Deficit Suppresses Hepcidin and Increases Iron Availability for Erythropoiesis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	8
625	Hyperandrogenemia is Common in Asymptomatic Women and is Associated with Increased Metabolic Risk. 2020 , 28, 106-113		1
624	Age-related changes in serum reproductive hormone levels and prevalence of androgen deficiency in Chinese community-dwelling middle-aged and aging men: Two cross-sectional studies in the same population. 2020 , 99, e18605		4
623	Associations Between Prediagnostic Concentrations of Circulating Sex Steroid Hormones and Liver Cancer Among Postmenopausal Women. 2020 , 72, 535-547		9

622	Sex hormone levels in drug-naïve, first-episode patients with psychosis. 2020 , 24, 20-24			3
621	Discriminating hypothalamic oligomenorrhea/amenorrhea from hyperandrogenic oligomenorrhea/amenorrhea in exercising women. 2020 , 45, 707-714			8
620	The effects of age and obesity on postprandial dynamics of serum testosterone levels in men. 2020 , 92, 214-221			1
619	Fragility fractures and bone mineral density in male patients affected by type 1 and type 2 myotonic dystrophy. 2020 , 30, 28-34			3
618	Relationship of Total and Free 25-Hydroxyvitamin D to Biomarkers and Metabolic Indices in Healthy Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6		5
617	Urinary equal is associated with bioavailable testosterone but not total testosterone in women. 2020 , 67, 257-266			1
616	Association of urinary metal concentrations with blood pressure and serum hormones in Spanish male adolescents. 2020 , 182, 108958			28
615	Analysis of the Relationship between the Levels of Androgens and Biochemical Bone Markers in Men Aged 60-75 Years. 2019 , 17,			
614	Hiperandrogenismo femenino. 2020 , 13, 1007-1018			
613	Unbound Vitamin D Concentrations Are Not Decreased in Critically Ill Patients. 2020 ,			3
612	Serum Testosterone is Inversely and Sex Hormone-binding Globulin is Directly Associated with All-cause Mortality in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e625-e637	5.6		10
611	Nonalcoholic fatty liver disease in males with low testosterone concentrations. 2020 , 14, 1571-1577			4
610	Partial-AZFc deletions in Chilean men with primary spermatogenic impairment: gene dosage and Y-chromosome haplogroups. 2020 , 37, 3109-3119			1
609	Sex hormones, SHBG and risk of colon and rectal cancer among men and women in the UK Biobank. 2020 , 69, 101831			3
608	Effect of long-term testosterone therapy on molecular regulators of skeletal muscle mass and fibre-type distribution in aging men with subnormal testosterone. 2020 , 112, 154347			2
607	Associations of Sex Steroids With Changes in Calcaneal Quantitative Ultrasound Measurements: A Longitudinal Study in Chinese Male Adolescents. 2020 , 23, 588-595			
606	Prevalence of hypogonadism in patients with type 2 diabetes mellitus among the Indian population. 2020 , 14, 1299-1304			0
605	An audit of the measurement and reporting of male testosterone levels in UK clinical biochemistry laboratories. 2020 , 74, e13607			8

604	Controversies in the diagnosis of polycystic ovary syndrome. 2020 , 14, 2633494120913032		6
603	Male Sexual Function after Allogeneic Hematopoietic Stem Cell Transplantation in Childhood: A Multicenter Study. 2020 , 12,		1
602	A prospective study of anti-mullerian hormone and other ovarian and adrenal hormones in adult female acne. 2020 , 33, e13974		1
601	Testosterone Responses to Intensive, Prolonged Endurance Exercise in Women. 2020 , 1, 119-124		1
600	Characterisation of testicular function and spermatogenesis in transgender women. 2021 , 36, 5-15		4
599	Adiposity is Associated with Decreased Serum 17-Hydroxyprogesterone Levels in Non-Diabetic Obese Men Aged 18-49: A Cross-Sectional Study. 2020 , 9,		3
598	High Luteinizing Hormone and Lower Levels of Sex Hormones in Younger Men With Distal Radius Fracture. 2020 , 4, e10421		0
597	Association of Leptin with Total and Free Testosterone: Results from the National Health and Nutrition Examination Surveys. 2020 , 1, 94-100		5
596	Serum testosterone levels are not associated with the severity of penile curvature in men with Peyronie's disease-findings from a cross-sectional study. 2020 ,		2
595	Exposure to per- and polyfluoroalkyl substances (PFASs) in serum versus semen and their association with male reproductive hormones. 2020 , 266, 115330		17
594	Bioavailable testosterone is associated with symptoms of depression in adult men. 2020 , 48, 300060520941715		
593	Fertility and Pregnancy Outcomes in Women with Polycystic Ovary Syndrome Following Bariatric Surgery. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	11
592	Polycystic Ovary Syndrome (PCOS). 2020 , 1694-1706.e7		0
591	A history of cryptorchidism is associated with impaired testicular function in early adulthood: a cross-sectional study of 6376 men from the general population. 2020 , 35, 1765-1780		3
590	¹ H NMR-based metabolomics for infertility diagnosis in men with varicocele. 2020 , 37, 2233-2247		6
589	Bariatric Surgery Impact on Reproductive Hormones, Semen Analysis, and Sperm DNA Fragmentation in Men with Severe Obesity: Prospective Study. 2020 , 30, 4840-4851		8
588	11-Oxygenated C19 Steroids Do Not Distinguish the Hyperandrogenic Phenotype of PCOS Daughters from Girls with Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	6
587	Body Composition Changes in Response to Moderate- or High-Intensity Exercise Among Older Adults With or Without HIV Infection. 2020 , 85, 340-345		8

586	Changes in Metabolic Profile in the Women with a History of PCOS-A Long-Term Follow-Up Study. 2020 , 9,		5
585	Lung function changes over 8 years and testosterone markers in both sexes: UK Biobank. 2020 , 6,		2
584	Elevation of markers of endotoxemia in women with polycystic ovary syndrome. 2020 , 35, 2303-2311		6
583	Race, Ancestry, and Vitamin D Metabolism: The Multi-Ethnic Study of Atherosclerosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	8
582	Ultrasound Characterization of Disordered Antral Follicle Development in Women with Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	4
581	Protocolo diagnóstico del hipogonadismo en varones. 2020 , 13, 870-873		
580	Comparison of outcomes in intrauterine insemination, fertilisation and intracytoplasmic sperm injection in men with and without varicocele. 2020 , 17, 2155-2162		
579	Reference Intervals of Total Testosterone in Adult Filipino Men. 2020 , 2020, 8877261		
578	Measurement of Serum Testosterone in Nondiabetic Young Obese Men: Comparison of Direct Immunoassay to Liquid Chromatography-Tandem Mass Spectrometry. 2020 , 10,		2
577	ECell Glucose Sensitivity determines hyperglycaemia in Polycystic Ovary Syndrome. 2020 , 3, 35-41		
576	The Epidemiological Characteristics of Late-Onset Hypogonadism in Chinese Middle-Aged and Elderly Men: Two Cross-Sectional Studies in the Same Community. 2020 , 14, 1557988320977991		
575	Circulating Zinc and Copper Levels are Associated with Sperm Quality in Obese Men after Metabolic Surgery: A Pilot Study. 2020 , 12,		4
574	Android to gynoid fat ratio and its association with functional capacity in male patients with heart failure. 2020 , 7, 1101-1108		1
573	Reproductive hormones during pubertal transition in girls with transient Thelarche. 2020 , 93, 296-304		1
572	Testosterone replacement therapy: Pre-treatment sex hormone-binding globulin levels and age may identify clinical subgroups. 2020 , 8, 1222-1232		1
571	A New Oral Testosterone Undecanoate Formulation Restores Testosterone to Normal Concentrations in Hypogonadal Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	32
570	Is Idiopathic Hirsutism Truly Idiopathic?. 2020 , 70, 366-370		0
569	Association between metabolic syndrome, hepatic steatosis, and testosterone deficiency: evidences from studies with men and rodents. 2020 , 23, 1296-1315		6

568	Influence of Sex Hormones on the Relationship Between Body Fat and Glycated Albumin Levels. 2020 , 17, 903-910	1
567	Polycystic ovary Syndrome in Adolescents: Pitfalls in Diagnosis and Management. 2020 , 9, 193-203	6
566	Effects of Ginseng Ingestion on Salivary Testosterone and DHEA Levels in Healthy Females: An Exploratory Study. 2020 , 12,	0
565	Relationship of sex steroid hormones with bone mineral density of the lumbar spine in adult men. 2020 , 9, 139-145	1
564	Use of e-cigarettes associated with lower sperm counts in a cross-sectional study of young men from the general population. 2020 , 35, 1693-1701	8
563	The association between serum sex steroid hormone concentrations and intraprostatic inflammation in men without prostate cancer and irrespective of clinical indication for biopsy in the placebo arm of the Prostate Cancer Prevention Trial. 2020 , 80, 895-905	
562	Luteinizing Hormone Levels Relate to the Unfavorable Pathology of Prostate Cancer. 2020 , 9,	
561	Association between acrylamide exposure and sex hormones in males: NHANES, 2003-2004. 2020 , 15, e0234622	5
560	Impacts of ambient air pollution on glucose metabolism in Korean adults: a Korea National Health and Nutrition Examination Survey study. 2020 , 19, 70	18
559	Prediagnostic Circulating Levels of Sex Steroid Hormones and SHBG in Relation to Risk of Ductal Carcinoma of the Breast among UK Women. 2020 , 29, 1058-1066	3
558	2D Diffusion-Ordered H-NMR Spectroscopy Lipidomic Profiling after Oral Single Macronutrient Loads: Influence of Obesity, Sex, and Female Androgen Excess. 2020 , 64, e1900928	3
557	Increased DHEAS and Decreased Total Testosterone Serum Levels in a Subset of Men with Early-Onset Androgenetic Alopecia: Does a Male PCOS-Equivalent Exist?. 2020 , 2020, 1942126	8
556	Evaluation of Vitamin D Fractions in Obese Hypertensive Patients. 2020 , 17,	1
555	Psychological stress, stressful life events, male factor infertility, and testicular function: a cross-sectional study. 2020 , 113, 865-875	9
554	Predictors of Sexual Desire and Sexual Function in Sedentary Middle-Aged Adults: The Role of Lean Mass Index and S-Klotho Plasma Levels. The FIT-AGEING Study. 2020 , 17, 665-677	3
553	The association of age-related differences in serum total testosterone and sex hormone-binding globulin levels with the prevalence of diabetes. 2020 , 88, 104040	1
552	Neuroprotective and neurotoxic outcomes of androgens and estrogens in an oxidative stress environment. 2020 , 11, 12	16
551	Testosterone, level of the lesion and age are independently associated with prostate volume in men with chronic spinal cord injury. 2020 , 43, 1599-1606	2

550	Free vitamin D correlate better with bone mineral density and thoracolumbar junction osteoporotic vertebral fractures than serum vitamin D. 2020 , 21, 164		2
549	The role of LCPUFA- β on the obesity-associated hyperandrogenemia of pubertal girls: secondary analysis of a randomized clinical trial. 2020 , 33, 347-354		
548	Testosterone replacement therapy reduces biochemical recurrence after radical prostatectomy. 2020 , 126, 91-96		15
547	Sclerostin and Its Associations With Bone Metabolism Markers and Sex Hormones in Healthy Community-Dwelling Elderly Individuals and Adolescents. 2020 , 8, 57		4
546	Adjusting antimüllerian hormone levels for age and body mass index improves detection of polycystic ovary syndrome. 2020 , 113, 876-884.e2		1
545	Relationship between the characteristic traits of polycystic ovary syndrome and susceptibility genes. 2020 , 10, 10479		6
544	Critical evaluation of different available guidelines for late-onset hypogonadism. 2020 , 8, 1628-1641		14
543	MENSTRUAL DISORDERS AND ANDROGEN-RELATED TRAITS IN YOUNG WOMEN WITH TYPE 1 DIABETES MELLITUS: A CLINICAL STUDY. 2020 ,		0
542	Osteosarcopenia in Reproductive-Aged Women with Polycystic Ovary Syndrome: A Multicenter Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	9
541	Contrasting impact of androgens on male and female adiposity, fat distribution and insulin resistance in childhood and adolescence (EarlyBird 75). 2020 , 15, e12685		8
540	ROLE OF ANDROGEN IN LIVER FAT CONTENT IN WOMEN: METABOLICALLY ADVANTAGEOUS OR DISADVANTAGEOUS?. 2020 ,		2
539	The impact of metabolically healthy obesity in primary infertile men: Results from a cross-sectional study. 2020 , 8, 1762-1769		4
538	Impact of psychological stress measured in three different scales on testis function: A cross-sectional study of 1362 young men. 2020 , 8, 1674-1686		4
537	Lipid accumulation product and late-onset hypogonadism in middle-aged and elderly men: results from a cross-sectional study in China. 2020 , 10, e033991		1
536	European Academy of Andrology (EAA) guidelines on investigation, treatment and monitoring of functional hypogonadism in males: Endorsing organization: European Society of Endocrinology. 2020 , 8, 970-987		98
535	Male hypogonadism: a review. 2020 , 68, 335-356		4
534	Plasma and intracellular pharmacokinetics of tenofovir disoproxil fumarate and emtricitabine in transgender women receiving feminizing hormone therapy. 2020 , 75, 1242-1249		6
533	Effects of Glucagon-like Peptide-1 on the Reproductive Axis in Healthy Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	6

532	Association of Dietary Patterns With Testicular Function in Young Danish Men. 2020 , 3, e1921610	17
531	Independent Association of Erectile Dysfunction and Low Testosterone Levels With Life Dissatisfaction in Men With Chronic Spinal Cord Injury. 2020 , 17, 911-918	5
530	Using human genetics to understand the disease impacts of testosterone in men and women. 2020 , 26, 252-258	121
529	Clinically Nonfunctioning Pituitary Incidentalomas: Characteristics and Natural History. 2020 , 110, 595-603	12
528	Free 25-hydroxyvitamin-D concentrations are lower in children with renal transplant compared with chronic kidney disease. 2020 , 35, 1069-1079	4
527	Associations of Fish Oil Supplement Use With Testicular Function in Young Men. 2020 , 3, e1919462	12
526	Long-term testosterone undecanoate replacement therapy: Impact of ethnicity. 2020 , 92, 428-433	1
525	Early onset of menopause is associated with increased peripheral atherosclerotic plaque volume and progression. 2020 , 297, 25-31	5
524	The Association Between Serum Ferritin Concentration and Visceral Adiposity Estimated by Whole-Body DXA Scan in Women With Polycystic Ovary Syndrome. 2019 , 10, 873	7
523	Lower total 25-hydroxyvitamin D but no difference in calculated or measured free 25-hydroxyvitamin D serum levels in patients with primary hyperparathyroidism. 2020 , 199, 105616	1
522	Endogenous Testosterone Levels and the Risk of Incident Cardiovascular Events in Elderly Men: The MrOS Prospective Study. 2020 , 4, bvaa038	9
521	Associations of childhood adiposity with menstrual irregularity and polycystic ovary syndrome in adulthood: the Childhood Determinants of Adult Health Study and the Bogalusa Heart Study. 2020 , 35, 1185-1198	11
520	The European Academy of Andrology (EAA) ultrasound study on healthy, fertile men: clinical, seminal and biochemical characteristics. 2020 , 8, 1005-1020	12
519	Steroid biomarkers for identifying non-classic adrenal hyperplasia due to 21-hydroxylase deficiency in a population of PCOS with suspicious levels of 17OH-progesterone. 2020 , 43, 1499-1509	5
518	High serum FSH is not a risk factor for low bone mineral density in infertile men. 2020 , 136, 115366	2
517	Sex differences in vascular aging in response to testosterone. 2020 , 11, 18	21
516	Effects of Testosterone Supplementation on Ghrelin and Appetite During and After Severe Energy Deficit in Healthy Men. 2020 , 4, bvaa024	3
515	Low testosterone levels predict clinical adverse outcomes in SARS-CoV-2 pneumonia patients. 2021 , 9, 88-98	158

514	Importance of total and measured free testosterone in diagnosis of male hypogonadism: immunoassay versus mass spectrometry in a population of healthy young/middle-aged blood donors. 2021 , 44, 321-326			1
513	Lower Oxytocin Levels Are Associated with Lower Bone Mineral Density and Less Favorable Hip Geometry in Hypopituitary Men. 2021 , 111, 87-98			3
512	Infection by CagA-Positive Helicobacter pylori Strains and Bone Fragility: A Prospective Cohort Study. 2021 , 36, 80-89			2
511	Evaluation of physical function and its association with body composition, quality of life and biomarkers in cancer cachexia patients. 2021 , 40, 978-986			7
510	Testosterone treatment is associated with reduced adipose tissue dysfunction and nonalcoholic fatty liver disease in obese hypogonadal men. 2021 , 44, 819-842			6
509	Testosterone is Associated With Nonalcoholic Steatohepatitis and Fibrosis in Premenopausal Women With NAFLD. 2021 , 19, 1267-1274.e1			4
508	Sociodemographic, lifestyle and medical influences on serum testosterone and sex hormone-binding globulin in men from UK Biobank. 2021 , 94, 290-302			7
507	Estrogen deficiency and the pathogenesis of osteoporosis. 2021 , 773-797			0
506	FSHB and FSHR gene variants exert mild modulatory effect on reproductive hormone levels and testis size but not on semen quality: A study of 2020 men from the general Danish population. 2021 , 9, 618-631			2
505	Circulating insulin-like growth factor-I, total and free testosterone concentrations and prostate cancer risk in 200 000 men in UK Biobank. 2021 , 148, 2274-2288			19
504	Determination of testosterone in serum and saliva by liquid chromatography-tandem mass spectrometry: An accurate and sensitive method applied on clinical and forensic samples. 2021 , 195, 113823			0
503	Total, Bioavailable, and Free 25(OH)D Relationship with Indices of Bone Health in Elderly: A Randomized Controlled Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e990-e1001	5.6		5
502	Reproductive Hormones and Anthropometry: A Follow-Up of PCOS and Controls From Perimenopause to Older Than 80 Years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 4215-430	5.6		5
501	Androgen-dependent miR-125a-5p targets LYPLA1 and regulates global protein palmitoylation level in late-onset hypogonadism males. 2021 , 236, 4738-4749			1
500	In utero exposure to maternal stressful life events and risk of polycystic ovary syndrome in the offspring: The Raine Study. 2021 , 125, 105104			
499	Frailty subtypes and recovery in older survivors of acute respiratory failure: a pilot study. 2021 , 76, 350-359			1
498	Cognitive impairment and associations with structural brain networks, endocrine status, and risk genotypes in patients with newly diagnosed prostate cancer referred to androgen-deprivation therapy. 2021 , 127, 1495-1506			3
497	The Free Hormone Hypothesis: When, Why, and How to Measure the Free Hormone Levels to Assess Vitamin D, Thyroid, Sex Hormone, and Cortisol Status. 2021 , 5, e10418			14

496	Sex steroid hormones, leptin, and high-sensitivity C-reactive protein levels in adolescents. 2021 , 9, 829-836	
495	Associations between serum total, free and bioavailable testosterone and non-alcoholic fatty liver disease in community-dwelling middle-aged and elderly women. 2021 , 47, 101199	3
494	Metabolic syndrome biomarkers and prostate cancer risk in the UK Biobank. 2021 , 148, 825-834	4
493	The association of sex steroid hormone concentrations with non-alcoholic fatty liver disease and liver enzymes in US men. 2021 , 41, 300-310	7
492	Low Testosterone Is Associated With Nonalcoholic Steatohepatitis and Fibrosis Severity in Men. 2021 , 19, 400-402.e2	15
491	Sexual Dysfunction: A Neglected and Overlooked Issue in Adult GH Deficiency: The Management of AGHD Study. 2021 , 5, bvab002	4
490	Serum sex hormone-binding globulin is associated with symptomatic late-onset hypogonadism in aging rural males: a community-based study. 2021 , 18, 156-161	
489	Serum vitamin D content is associated with semen parameters and serum testosterone levels in men. 2021 , 23, 52-58	11
488	Polyzystisches Ovarsyndrom – praktische Umsetzung der internationalen Leitlinie. 2021 , 54, 107-115	1
487	Prevalence of late-onset hypogonadism among middle-aged and elderly males in China: results from a national survey. 2021 , 23, 170-177	3
486	Androgen Misuse and Abuse. 2021 , 42, 457-501	12
485	Functional Hypogonadism and Testosterone Deficiency in Aging Males With and Without HIV-infection. 2021 , 129, 798-802	2
484	Recommendations on the diagnosis, treatment and monitoring of testosterone deficiency in men. 2021 , 24, 119-138	7
483	The endocrinology of aging. 2021 , 663-685	1
482	Clinical and biochemical correlates of hypogonadism in men with type 2 diabetes mellitus. 2021 , 38, 292	1
481	What to Measure: Testosterone or Free Testosterone?. 2021 , 1-13	
480	Aging and sex hormones in males. 2021 , 115, 333-366	
479	Longitudinal Investigation of Pubertal Milestones and Hormones as a Function of Body Fat in Girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 1668-1683	5.6 3

478	Plasma androgens and the presence and course of depression in a large cohort of women. 2021 , 11, 124	4
477	Free testosterone and cardiometabolic parameters in men: comparison of algorithms. 2021 , 10, 220-229	1
476	The value of serum-free androgen index in the diagnosis of polycystic ovary syndrome: A systematic review and meta-analysis. 2021 , 47, 1221-1231	0
475	Multiplex LC-MS/MS for simultaneous determination of 25-hydroxyvitamin D, 24,25-dihydroxyvitamin D, albumin, and vitamin D-binding protein with its isoforms: One-step estimation of bioavailable vitamin D and vitamin D metabolite ratio. 2021 , 206, 105796	6
474	Association of daily step count and serum testosterone among men in the United States. 2021 , 72, 874-881	7
473	Associations between smoking, sex hormone levels and late-onset hypogonadism in men differ depending on age. 2021 , 13, 5226-5237	1
472	Bone Health in Aging Men: Does Zinc and Cuprum Level Matter?. 2021 , 11,	3
471	The association of prediagnostic circulating levels of cardiometabolic markers, testosterone and sex hormone-binding globulin with risk of breast cancer among normal weight postmenopausal women in the UK Biobank. 2021 , 149, 42-57	3
470	The Influence of Prepubertal Onset of Type 1 Diabetes and Age of Menarche on Polycystic Ovary Syndrome Diagnosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 1811-1820	5.6 0
469	GWAS of three molecular traits highlights core genes and pathways alongside a highly polygenic background. 2021 , 10,	23
468	Disruption and recovery of testicular function during and after androgen abuse: the HAARLEM study. 2021 , 36, 880-890	5
467	Sexual Health in HIV-Positive Men Under Stable Antiretroviral Therapy During a 12-Month Period. 2021 , 18, 284-294	0
466	Is serum PSA a predictor of male hypogonadism? Testing the hypothesis. 2021 , 65, 144-151	0
465	Possible Relevance of Soluble Luteinizing Hormone Receptor during Development and Adulthood in Boys and Men. 2021 , 13,	
464	Lessons learnt from the variation across 6741 family/general practices in England in the use of treatments for hypogonadism. 2021 , 94, 827-836	1
463	The Relationship Between Androgens and Days per Month of Period Pain, Pelvic Pain, Headache, and TLR4 Responsiveness of Peripheral Blood Mononuclear Cells in Young Women with Dysmenorrhoea. 2021 , 14, 585-599	2
462	Male seminal parameters are not associated with Leydig cell functional capacity in men. 2021 , 9, 1126-1136	1
461	Association of Serum Testosterone and Luteinizing Hormone With Blood Pressure and Risk of Cardiovascular Disease in Middle-Aged and Elderly Men. 2021 , 10, e019559	4

460	A Randomized Double-Blind Placebo-Controlled Pilot Trial on the Effects of Testosterone Undecanoate Plus Dutasteride or Placebo on Muscle Strength, Body Composition, and Metabolic Profile in Transmen. 2021 , 18, 646-655	3
459	Compensated hypogonadism in men with sickle cell disease. 2021 , 94, 968-972	2
458	Persistent bone impairment despite long-term control of hyperprolactinemia and hypogonadism in men and women with prolactinomas. 2021 , 11, 5122	6
457	Diagnosis of Polycystic Ovary Syndrome: Which Criteria to Use and When?. 2021 , 50, 11-23	8
456	The association between serum testosterone levels and metabolic syndrome among women. 2021 , 13, 26	0
455	Testosterone and sex hormone-binding globulin in dysglycemic women at high cardiovascular risk: A report from the Outcome Reduction with an Initial Glargine Intervention trial. 2021 , 18, 14791641211002475 ¹	
454	The level of adhesion molecules in polycystic ovary syndrome. 2, 57-63	
453	Circulating Levels of Testosterone, Sex Hormone Binding Globulin and Colorectal Cancer Risk: Observational and Mendelian Randomization Analyses. 2021 , 30, 1336-1348	3
452	Self-Reported Shorter Than Desired Ejaculation Latency and Related Distress-Prevalence and Clinical Correlates: Results From the European Male Ageing Study. 2021 , 18, 908-919	2
451	Genetic analyses on the health impacts of testosterone highlight effects on female-specific diseases and sex differences.	0
450	The effects of three types of exercise training on steroid hormones in physically inactive middle-aged adults: a randomized controlled trial. 2021 , 121, 2193-2206	2
449	Ovarian Hyperandrogenism and Response to Gonadotropin-releasing Hormone Analogues in Primary Severe Insulin Resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 2367-2383 ^{5,6}	4
448	Perfluoroalkyl substances and sex hormones in postmenopausal women: NHANES 2013-2016. 2021 , 149, 106408	6
447	Serum concentrations of dihydrotestosterone are associated with symptoms of hypogonadism in biochemically eugonadal men. 2021 , 44, 2465-2474	3
446	Modulation of the Androgen Receptor Axis. 1-103	
445	Iron status, catabolic/anabolic balance, and skeletal muscle performance in men with heart failure with reduced ejection fraction. 2021 , 28, 391-401	
444	Postmenopausal hyperandrogenism. 2021 , 1-9	2
443	Urinary phthalate metabolites and alternatives and serum sex steroid hormones among pre- and postmenopausal women from NHANES, 2013-16. 2021 , 769, 144560	12

442	Determination of the Upper Reference Limit of Human Epididymis Secretory Protein 4 (HE4) in Healthy Male Individuals and Correlation with Renal and Fertility Markers. 2021 , 21, 912-918	1
441	Biochemical predictors of structural hypothalamus-pituitary abnormalities detected by magnetic resonance imaging in men with secondary hypogonadism. 2021 , 44, 2785-2797	1
440	[Features of hyperandrogenism in men]. 2021 , 67, 111-115	0
439	How can the orthopedic surgeon ensure optimal vitamin D status in patients operated for an osteoporotic fracture?. 2021 , 32, 1921-1935	3
438	Serum testosterone levels and testosterone supplementation in cirrhosis: A systematic review. 2021 , 41, 2358-2370	1
437	Potential effects of adropin on systemic metabolic and hormonal abnormalities in polycystic ovary syndrome. 2021 , 42, 1007-1014	4
436	Erectile Dysfunction Is the Main Correlate of Depression in Men with Chronic Spinal Cord Injury. 2021 , 10,	1
435	Androgen receptor CAG repeat length as a moderator of the relationship between free testosterone levels and cognition. 2021 , 131, 104966	1
434	Prenatal Testosterone Associates With Blood Pressure in Young Adults: A Prospective Cohort Study. 2021 , 77, 1756-1764	1
433	Evaluation of sex hormone profile and semen parameters in acromegalic male patients. 2021 , 44, 2799-2808	0
432	Free testosterone is related to aspects of cognitive function in women with and without polycystic ovary syndrome. 2021 , 1	1
431	Influence of Gastric Bypass on Obese Women Sexual Function-a Prospective Study. 2021 , 31, 3793-3798	0
430	Associations between body shape across the life course and adulthood concentrations of sex hormones in men and pre- and postmenopausal women: a multicohort study. 2021 , 1-10	0
429	A Practical Approach to Assist Asthmatics to Lose Weight. 2021 , 9, 2245-2254	0
428	Hyperandrogenemia in Early Adulthood Is an Independent Risk Factor for Abnormal Glucose Metabolism in Middle Age. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e4621-e4633	5.6
427	Androgen deprivation therapy and cognitive decline-associations with brain connectomes, endocrine status, and risk genotypes. 2021 ,	1
426	Primary and Secondary Hypogonadism in Male Persons with Diabetes Mellitus. 2021 , 2021, 8799537	0
425	Serum testosterone in Nigerian men with type 2 diabetes mellitus and its relationship with insulin sensitivity and glycemic control. 2021 , 113, 285-293	1

424	Obesity is associated with the Optic Neuritis severity in Male patients with Multiple Sclerosis. 2021 , 51, 102910		
423	Exenatide, Dapagliflozin, or Phentermine/Topiramate Differentially Affect Metabolic Profiles in Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 3019-3033	5.6	5
422	Sex hormones in men with abdominal aortic aneurysm. 2021 , 74, 2023-2029		4
421	Anämie et diabète. 2021 , 15, 612-612		
420	total and free vitamin D in type 2 diabetes mellitus patients in Baghdad city. 2021 , 2, 79-93		4
419	Estradiol induces allosteric coupling and partitioning of sex-hormone-binding globulin monomers among conformational states. 2021 , 24, 102414		3
418	A Pilot Trial: Fish Oil and Metformin Effects on ApoB-Remnants and Triglycerides in Women With Polycystic Ovary Syndrome. 2021 , 5, bvab114		0
417	Central role of ultrasound in the evaluation of testicular function and genital tract obstruction in infertile males. 2021 , 9, 1490-1498		2
416	A Prospective Cohort Study of Bioavailable 25-Hydroxyvitamin D Levels as a Marker of Vitamin D Status in Nontuberculous Mycobacterial Pulmonary Disease. 2021 , 13,		1
415	Obstructive Sleep Apnea Is Associated With Low Testosterone Levels in Severely Obese Men. 2021 , 12, 622496		0
414	Total and free vitamin D metabolites in patients with primary hyperparathyroidism. 2021 , 1		2
413	Development and analytical validation of a novel bioavailable 25-hydroxyvitamin D assay. 2021 , 16, e0254158		0
412	The Need to Reassess the Diagnosis of Polycystic Ovary Syndrome (PCOS): A Review of Diagnostic Recommendations from the International Evidence-Based Guideline for the Assessment and Management of PCOS. 2021 , 39, 71-77		1
411	Male pituitary-gonadal axis dysfunction in post-acute COVID-19 syndrome-Prevalence and associated factors: A Mediterranean case series. 2021 ,		10
410	Bone Microarchitecture Decline and Risk of Fall and Fracture in Men With Poor Physical Performance-The STRAMBO Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e5180-e5194	5.6	0
409	Mikrobiom und Stoffwechsel beim polyzystischen Ovarialsyndrom (PCOS). 2021 , 54, 732		
408	Testosterone and socioeconomic position: Mendelian randomization in 306,248 men and women in UK Biobank. 2021 , 7,		0
407	Effect of oral contraceptives on total and bioavailable 25-hydroxyvitamin D. 2021 , 211, 105879		1

406	False negative results in testosterone doping in forensic cases: Sensitivity of the urinary detection criteria T/E and T/LH. 2021 , 13, 1735-1742		0
405	Role of testosterone in SARS-CoV-2 infection: A key pathogenic factor and a biomarker for severe pneumonia. 2021 , 108, 244-251		7
404	Hypogonadism and sexual functioning and in males with and without diabetes type II. 2021 ,		
403	Testicular cancer survivors have shorter anogenital distance that is not increased by 1 year of testosterone replacement therapy. 2021 , 36, 2443-2451		0
402	Anti-Androgenic Effects Comparison Between Cyproterone Acetate and Spironolactone in Transgender Women: A Randomized Controlled Trial. 2021 , 18, 1299-1307		2
401	Weight Loss Through Bariatric Surgery in Men Presents Beneficial Effects on Sexual Function, Symptoms of Testosterone Deficiency, and Hormonal Profile. 2021 , 9, 100400		1
400	Plasma androgens and the presence and course of depression in a large cohort of men. 2021 , 130, 105278		2
399	Cognitive changes and brain connectomes, endocrine status, and risk genotypes in testicular cancer patients-A prospective controlled study. 2021 , 10, 6249-6260		1
398	Sex steroid hormones are associated with mortality in COVID-19 patients: Level of sex hormones in severe COVID-19. 2021 , 100, e27072		6
397	Testicular microvascular flow is altered in Klinefelter syndrome and predicts circulating testosterone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	0
396	Optimizing Diagnostic Accuracy and Treatment Decisions in Men With Testosterone Deficiency. 2021 , 27, 1252-1259		1
395	Benefits of Airway Androgen Receptor Expression in Human Asthma. 2021 , 204, 285-293		10
394	Establishment of sex difference in circulating uric acid is associated with higher testosterone and lower sex hormone-binding globulin in adolescent boys. 2021 , 11, 17323		7
393	Evidence of impaired bone quality in men with type 1 diabetes: a cross-sectional study. 2021 , 10, 955-964		1
392	Testosterone, free, bioavailable and total, in patients with COVID-19. 2021 ,		0
391	The genetics of testosterone contributes to "femaleness/maleness" of cardiometabolic traits and type 2 diabetes. 2021 ,		0
390	Association between intake of soft drinks and testicular function in young men. 2021 , 36, 3036-3048		4
389	The relationship between 2D:4D ratio and postpartum adult female variables in a Ghanaian population. 2021 , e23680		1

388	The relationship between offspring's 2D:4D ratio and postpartum maternal circulating testosterone, estradiol, and their indices in a Ghanaian population. 2021 , e23684		
387	Causal effect of sex hormone-binding globulin and testosterone on coronary heart disease: A multivariable and network Mendelian randomization analysis. 2021 , 339, 179-184		4
386	European Association of Urology Guidelines on Sexual and Reproductive Health-2021 Update: Male Sexual Dysfunction. 2021 , 80, 333-357		64
385	Body Mass Index Changes in Relation to Male Reproductive Hormones: Longitudinal Results From a Community-Based Cohort Study. 2021 , 15, 15579883211049044		0
384	Effects of testosterone undecanoate on performance during multi-stressor military operations: A trial protocol for the Optimizing Performance for Soldiers II study. 2021 , 23, 100819		1
383	Tree nut consumption is associated with higher sex hormone-binding globulin levels in premenopausal US women. 2021 , 93, 61-68		1
382	Endogenous Circulating Sex Hormone Concentrations and Colon Cancer Risk in Postmenopausal Women: A Prospective Study and Meta-Analysis. 2021 , 5, pkab084		2
381	Total, Bioavailable, and Free 25-Hydroxyvitamin D Equally Associate with Adiposity Markers and Metabolic Traits in Mexican Adults. 2021 , 13,		2
380	Oxidative stress and inflammation are associated with age-related endothelial dysfunction in men with low testosterone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	3
379	New Insights Into Extended Steroid Hormone Profiles in Transwomen in a Multi-Center Setting in Germany. 2021 , 18, 1807-1817		
378	Associations between testosterone and patient reported sexual outcomes among male and female head and neck cancer patients before and six months after treatment: A pilot study. 2021 , 121, 105505		0
377	Effects of testosterone administration on fMRI responses to executive function, aggressive behavior, and emotion processing tasks during severe exercise- and diet-induced energy deficit. 2021 , 243, 118496		2
376	An improved sample extraction method reveals that plasma receptor for advanced glycation end-products (RAGE) modulates circulating free oxytocin in mice. 2021 , 146, 170649		2
375	Multiple organochlorine pesticide exposures and measures of sex steroid hormones in adult males: Cross-sectional findings from the 1999-2004 National Health and Nutrition Examination Survey. 2021 , 231, 113609		5
374	Relationship of preoperative androgen levels and metabolic syndrome with quality of life and erectile function in patients who are to undergo radical prostatectomy. 2021 , 23, 520-526		0
373	Sexual hormones and diabetes: The impact of estradiol in pancreatic β cell. 2021 , 359, 81-138		0
372	Sex Differences in Body Fat Distribution. 2012 , 123-166		5
371	Physiology of Testosterone Production. 2014 , 31-43		6

370	Making the Diagnosis of Erectile Dysfunction. 2016 , 71-83	1
369	Sex Hormone-Binding Globulin and the Metabolic Syndrome. 2017 , 305-324	4
368	Managing Infertility Due to Endocrine Causes. 2017 , 63-78	1
367	Diagnosis of Male Infertility and Hypogonadism. 2001 , 89-124	5
366	Diagnostik der Infertilität und des Hypogonadismus. 2000 , 97-135	2
365	Androgen Physiology, Pharmacology, and Abuse. 2010 , 2469-2498	9
364	Testicular Disorders. 2011 , 688-777	11
363	[Associations between dietary inflammatory index and male reproductive parameters]. 2019 , 17, 79-87	2
362	Male Gonadal Function after Allogeneic Hematopoietic Stem Cell Transplantation in Childhood: A Cross-Sectional, Population-Based Study. 2020 , 26, 1635-1645	9
361	Intracrine androgen biosynthesis, metabolism and action revisited. 2018 , 465, 4-26	83
360	The moderating impact of lifestyle factors on sex steroids, sexual activities and aging in Asian men. 2011 , 13, 596-604	10
359	Low DHEAS levels are associated with depressive symptoms in elderly Chinese men: results from a large study. 2011 , 13, 898-902	17
358	Waist-to-height ratio as a predictor of serum testosterone in ageing men with symptoms of androgen deficiency. 2011 , 13, 424-31	7
357	Survey for late-onset hypogonadism among old and middle-aged males in Shanghai communities. 2012 , 14, 338-40	12
356	Testosterone level and mortality in elderly men with systolic chronic heart failure. 2011 , 13, 759-63	16
355	Inverse relationship between bioavailable testosterone and subclinical coronary artery calcification in non-obese Korean men. 2012 , 14, 612-5	19
354	Postprandial ghrelin, cholecystikinin, peptide YY, and appetite before and after weight loss in overweight women with and without polycystic ovary syndrome.	24
353	GWAS of three molecular traits highlights core genes and pathways alongside a highly polygenic background.	5

352	Testosterone and socioeconomic position: Mendelian Randomization in 306,248 men and women participants of UK Biobank.		0
351	Testicular ultrasound score: A new proposal for a scoring system to predict testicular function. 2020 , 8, 1051-1063		13
350	Testosterone and gonadotropins but not SHBG vary with CKD stages in young and middle aged men. 2015 , 25, 9		13
349	Phthalates and Sex Steroid Hormones Among Men From NHANES, 2013-2016. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	20
348	Supplementary Energy Increases Bone Formation during Arduous Military Training. 2021 , 53, 394-403		6
347	The Relationship Between Hearing Thresholds and Hyperandrogenism in Polycystic Ovary Syndrome. 2016 , 22, 4380-4385		3
346	The ESR1 (6q25) locus is associated with calcaneal ultrasound parameters and radial volumetric bone mineral density in European men. 2011 , 6, e22037		6
345	Androgen concentrations in umbilical cord blood and their association with maternal, fetal and obstetric factors. 2012 , 7, e42827		63
344	Prediabetes is associated with an increased risk of testosterone deficiency, independent of obesity and metabolic syndrome. 2013 , 8, e74173		25
343	The association between the levels of serum ferritin and sex hormones in a large scale of Chinese male population. 2013 , 8, e75908		15
342	Genetic alterations within the DENND1A gene in patients with polycystic ovary syndrome (PCOS). 2013 , 8, e77186		26
341	Testosterone is inversely related to brain activity during emotional inhibition in schizophrenia. 2013 , 8, e77496		14
340	Immunohistochemical evaluation of androgen receptor and nerve structure density in human prepuce from patients with persistent sexual side effects after finasteride use for androgenetic alopecia. 2014 , 9, e100237		34
339	Association between free testosterone levels and anal human papillomavirus types 16/18 infections in a cohort of men who have sex with men. 2015 , 10, e0119447		1
338	Associations between Serum Sex Hormone Concentrations and Whole Blood Gene Expression Profiles in the General Population. 2015 , 10, e0127466		4
337	The Role of Serum MicroRNA-6767-5p as a Biomarker for the Diagnosis of Polycystic Ovary Syndrome. 2016 , 11, e0163756		13
336	25-Hydroxvitamin D Serum Concentration, Not Free and Bioavailable Vitamin D, Is Associated with Disease Activity in Systemic Lupus Erythematosus Patients. 2017 , 12, e0170323		29
335	The effects of d-aspartic acid supplementation in resistance-trained men over a three month training period: A randomised controlled trial. 2017 , 12, e0182630		12

334	Clomiphene citrate effect in obese men with low serum testosterone treated with metformin due to dysmetabolic disorders: A randomized, double-blind, placebo-controlled study. 2017 , 12, e0183369	23
333	GnRH receptor gene mutations in adolescents and young adults presenting with signs of partial gonadotropin deficiency. 2017 , 12, e0188750	9
332	Circulating Sex Hormones Are Associated With Gastric and Colorectal Cancers but Not Esophageal Adenocarcinoma in the UK Biobank. 2021 , 116, 522-529	6
331	Guidelines for the Diagnosis and Treatment of testosterone deficiency (hypogonadism) in male patients with diabetes mellitus. 2017 , 14, 83-92	2
330	Assessment of vitamin D status - a changing landscape. 2017 , 55, 3-26	118
329	The association between serum testosterone and insulin resistance: a longitudinal study. 2018 , 7, 1491-1500	7
328	Effects of liraglutide on obesity-associated functional hypogonadism in men. 2019 , 8, 195-202	18
327	Cross-sectional analysis of sleep hours and quality with sex hormones in men. 2019 , 8, 141-149	6
326	The effect of vitamin D supplementation on plasma non-oxidised PTH in a randomised clinical trial. 2019 , 8, 518-527	7
325	SHBG levels in primary infertile men: a critical interpretation in clinical practice. 2020 , 9, 658-666	2
324	Testosterone and the Heart. 2019 , 14, 103-110	24
323	Late-onset hypogonadism or ADAM: diagnosis. 2014 , 60, 286-94	4
322	[Insulin resistance and metabolic profile in lean and overweight/obese polycystic ovary syndrome patients]. 2006 , 50, 1026-33	6
321	[Serum testosterone and cardiovascular disease in men]. 2009 , 53, 915-22	5
320	[Difficulties and pitfalls in the diagnosis of polycystic ovary syndrome]. 2011 , 55, 6-15	6
319	A 3-year observation of testosterone deficiency in Chinese patients with chronic heart failure. 2017 , 8, 79835-79842	4
318	A review of the relationships between endogenous sex steroids and incident ischemic stroke and coronary heart disease events. 2015 , 11, 252-60	21
317	Polycystic ovary syndrome: current status and future perspective. 2014 , 6, 104-19	73

316	The rational use of pituitary stimulation tests. 2010 , 107, 437-43	21
315	Basal insulin-like factor 3 levels predict functional ovarian hyperandrogenism in the polycystic ovary syndrome. 2011 , 34, 685-91	8
314	Different profile of endothelial cell apoptosis in patients with Klinefelter's syndrome. 2013 , 36, 84-91	6
313	Circulating free testosterone in obese men after bariatric surgery increases in parallel with insulin sensitivity. 2013 , 36, 227-32	24
312	Inhibitors of 5 α -reductase-related side effects in patients seeking medical care for sexual dysfunction. 2012 , 35, 915-20	12
311	Chronic cigarette smoking alters circulating sex hormones and neuroactive steroids in premenopausal women. 2012 , 61, 97-111	26
310	DHEA, DHEAS and prolactin correlate with glucose control parameters in women of fertile age with type-1 diabetes mellitus. 2015 , 64, S255-8	3
309	Endocrine disruptors, obesity, and cytokines - how relevant are they to PCOS?. 2020 , 69, S279-S293	11
308	Hyperandrogenism by Liquid Chromatography Tandem Mass Spectrometry in PCOS: Focus on Testosterone and Androstenedione. 2020 , 10,	2
307	Total vs. Bioavailable: Determining a Better 25(OH)D Index in Association with Bone Density and Muscle Mass in Postmenopausal Women. 2020 , 11,	2
306	Prevalence and predictors of nonalcoholic fatty liver disease in South Asian women with polycystic ovary syndrome. 2020 , 26, 7046-7060	6
305	The Modified Ferriman-Gallwey Score and Hirsutism among Filipino Women. 2019 , 34, 374-381	8
304	Calpain-10 Polymorphism in Korean Women with Polycystic Ovary Syndrome. 2008 , 23, 319	1
303	Adipokines, insulin-like growth factor binding protein-3 levels, and insulin sensitivity in women with polycystic ovary syndrome. 2013 , 28, 456-63	12
302	Revisiting the role of testosterone: Are we missing something?. 2017 , 19, 16-24	75
301	Assessing the reproductive health of men with occupational exposures. 2014 , 16, 23-30	14
300	Sex steroids and cardiovascular disease. 2014 , 16, 239-47	10
299	Is serum sex hormone-binding globulin a dominant risk factor for metabolic syndrome?. 2015 , 17, 991-5	6

298	Genetic effects on serum testosterone and sex hormone-binding globulin in men: a Korean twin and family study. 2016 , 18, 786-90	7
297	Prevalence of hypogonadism in male Type 2 diabetes mellitus patients with and without coronary artery disease. 2017 , 21, 31-37	5
296	Prevalence of and risk factors for erectile dysfunction in young nondiabetic obese men: results from a regional study. 2020 , 22, 372-378	5
295	Testosterone and its metabolites: differential associations with cardiovascular and cerebrovascular events in men. 2018 , 20, 109-114	7
294	Both comorbidity burden and low testosterone can explain symptoms and signs of testosterone deficiency in men consulting for sexual dysfunction. 2020 , 22, 265-273	7
293	Histologically proven hepatic steatosis associates with lower testosterone levels in men with obesity. 2020 , 22, 252-257	3
292	Testicular volume and clinical correlates of hypothalamic-pituitary-testicular function: A cross-sectional study in obese men. 2020 , 22, 354-359	2
291	Implementation of Automated Calculation of Free and Bioavailable Testosterone in Epic Beaker Laboratory Information System. 2017 , 8, 28	7
290	Statin, testosterone and phosphodiesterase 5-inhibitor treatments and age related mortality in diabetes. 2017 , 8, 104-111	29
289	Long-Term Testosterone Therapy in Type 2 Diabetes Is Associated with Decreasing Waist Circumference and Improving Erectile Function. 2020 , 38, 68-77	13
288	Obesity and Baseline Estradiol Levels Are Independent Predictors for Initiation of Anastrozole in Hypogonadal Men on Clomiphene Citrate. 2020 , 38, 582-590	2
287	Metabolic effects of polycystic ovary syndrome in adolescents. 2015 , 20, 136-42	10
286	Endocrine complications during and after adolescence in a patient with cystinosis. 2016 , 21, 174-178	2
285	The impact of obesity on hyperandrogenemia in Korean girls. 2016 , 21, 219-225	4
284	Effects of lifelong testosterone exposure on health and disease using Mendelian randomization. 2020 , 9,	8
283	Polycystic ovary syndrome patients with high BMI tend to have functional disorders of androgen excess: a prospective study. 2016 , 30, 197-202	13
282	An Association between Bioavailable 25-Hydroxyvitamin D and Bone Mineral Density in a Diverse Cohort of Collegiate Athletes. 2021 ,	2
281	Impaired Sexual Function in Young Women With PCOS: The Detrimental Effect of Anovulation. 2021 , 18, 1872-1879	0

- 280 Salivary Testosterone and Sexual Function and Behavior in Men and Women: Findings from the Third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). **2021**, 1-15 1
- 279 Can Annual Daylight Cycles and Seasons Have an Effect on Male Sexual Functions?. **2021**, 13, e18879
- 278 Total, bioavailable and free 25-hydroxyvitamin D levels as functional indicators for bone parameters in healthy children. **2021**, 16, e0258585 1
- 277 T. **2005**, 902-939 1
- 276 [Hirsutism: differential diagnosis]. **2006**, 50, 1108-16 1
- 275 Peroxisome Proliferator-activated Receptor- α Polymorphism in Korean Women with Polycystic Ovary Syndrome. **2007**, 31, 480
- 274 Medical management of polycystic ovarian syndrome and its sequelae. **2008**, 169-186
- 273 Gly1057Asp Polymorphism of the Insulin Receptor Substrate-2 Genes May Not Have a Significant Impact on Insulin Resistance in Korean Women with Polycystic Ovary Syndrome. **2009**, 24, 100 0
- 272 Prediction of Subjectively Rated Performance Capacity in Elite Male Endurance-, Interval-and Resistance Exercise Athletes. **2009**, 13, 155-162
- 271 Hormonal Evaluation and Therapy in Erectile Dysfunction. **2011**, 161-177
- 270 Neuroendokrinologie. **2012**, 425-433
- 269 Ovarian Hormones: Structure, Biosynthesis, Function, Mechanism of Action, and Laboratory Diagnosis. **2013**, 1-30 2
- 268 Hormone Replacement Therapy with Testosterone. **2013**, 1-19
- 267 Altershypogonadismus. **2014**, 587-602
- 266 Subdiagnóstico de la fibromialgia en hombres: revisión de la literatura y reporte de un caso. **2014**, 24, 158-166
- 265 Plasma Testosterone and Dihydrotestosterone as Markers of Heart Disease and Mortality in Older Men. **2015**, 1-23
- 264 Premature aging phenomenon in women with central hypogonadism. **2015**, 15, 82
- 263 Hormone Replacement Therapy with Testosterone and the Vascular System. **2015**, 4681-4693

- 262 Plasma Testosterone and Dihydrotestosterone as Markers of Heart Disease and Mortality in Older Men. **2016**, 425-447
- 261 Hormonen en neurotransmitters in relatie tot lust(ontwikkeling). **2016**, 73-89
- 260 Medical Management for Pituitary Adenoma Patients. **2017**, 359-382
- 259 Hormonal Laboratory Examination. **2017**, 1-23
- 258 Hypogonadism in Systemic Diseases. **2017**, 829-879 1
- 257 Hypogonadism in Systemic Diseases. **2017**, 1-51 0
- 256 Racial/Ethnic Differences in the Associations of Overall and Central Body Fatness with Circulating Hormones and Metabolic Factors in US Men. **2017**, 15, e44926 1
- 255 The Role of Hormonal Profiles to Forecast Male Fertility Chances. **2017**, 19-26
- 254 Guidelines for the diagnosis and treatment of testosterone deficiency (hypogonadism) in male patients with diabetes mellitus (Draft). **2017**, 20, 151-160 0
- 253 Prevalence and risk factors of lower urinary tract symptoms in Chinese adult men: a multicentre cross-sectional study. **2017**, 8, 113225-113238
- 252 Kulturtypische Ernährungsformen. **2018**, 73-90
- 251 Hidden burden of osteoporosis in alpha-1 antitrypsin deficiency. **2018**, 2018,
- 250 Endocrine Testing and the Association Between Varicocele and Hypogonadism. **2019**, 159-169
- 249 Detection of Late-Onset Hypogonadism in Men with Chronic Internal Diseases. **2019**, 73, 24-33 1
- 248 Water-pipe smoking and serum testosterone levels in adult males in Qatar. **2019**, 17, 19 2
- 247 The prevalence of hypogonadism in men with type 2 diabetes mellitus in clinical practice. **2019**, 22, 127-130 3
- 246 Validity of free testosterone calculation in pregnant women. **2019**, 8, 672-679 0
- 245 Androgen receptor-reduced sensitivity is associated with increased mortality and poorer glycaemia in men with type 2 diabetes mellitus: a prospective cohort study. **2021**, 10, 37-44 3

244	Evidence for the integration of total and free testosterone levels in the management of prostate cancer. 2021 ,		2
243	Low Serum Testosterone Concentrations Are Associated With Poor Cognitive Performance in Older Men but Not Women. 2021 , 13, 712237		2
242	Testosterone or Dehydroepiandrosterone Sulfate as a Biomarker for Hirsutism in Women with Polycystic Ovary Syndrome. 2020 , 13, 1815-1823		
241	Early Decline of Androgen Levels in Healthy Adult Men: An Effect of Aging Per Se? A Prospective Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 1074-1083	5.6	4
240	Masculinising testosterone treatment and effects on preclinical cardiovascular disease, muscle strength and power, aggression, physical fitness and respiratory function in transgender men: protocol for a 10-year, prospective, observational cohort study in Denmark at the Body Identity Clinic (BIC). 2020 , 10, e045714		2
239	Anabolic and anticatabolic agents in kidney disease and kidney failure. 2022 , 971-989		0
238	How do we define "castration" in men on androgen deprivation therapy?. 2020 , 22, 441-446		0
237	Ageing men with insufficient vitamin D have a higher mortality risk: no added value of its free fractions or active form. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	0
236	Size Matters: The CAG Repeat Length of the Androgen Receptor Gene, Testosterone, and Male Adolescent Depression Severity. 2021 , 12, 732759		0
235	Higher testosterone is associated with increased inflammatory markers in women with SARS-CoV-2 pneumonia: preliminary results from an observational study. 2021 , 1		3
234	Altershypogonadismus. 2014 , 587-602		0
233	The decrease in serum IL-18 levels after bariatric surgery in morbidly obese women is a time-dependent event. 2007 , 17, 1199-1208		
232	Gonadotropins, Gonadal Steroids, SHBG, and Related Labs. 2021 , 165-169		
231	Steroid diagnostics of 21st century in the light of their new roles and analytical tools. 2020 , 69, S193-S203		2
230	Is There Any Association Between Clinical and Biochemical Hyperandrogenism in Women With Female Pattern Hair Loss?. 2020 , 12, e11732		0
229	Decreased testosterone secretion index and free testosterone level with multiple symptoms for late-onset hypogonadism identification: a nationwide multicenter study with 5980 aging males in China. 2020 , 12, 26012-26028		0
228	Endocrine evaluation. 199-214		3
227	Hormone treatments and preventive strategies in the aging male: whom and when to treat?. 2003 , 5 Suppl 1, S16-21		8

226	Fundamental aspects of hypogonadism in the aging male. 2003 , 5 Suppl 1, S3-S10	12
225	Proceedings of the 10th Asian Pacific Congress of Clinical Biochemistry in conjunction with the Australasian Association of Clinical Biochemists' 42nd Annual Scientific Conference. 2004 , 25, S18-S128	1
224	Early impaired βcell function in chinese women with polycystic ovary syndrome. 2012 , 5, 777-86	9
223	Endogenous Estradiol and Testosterone may Predispose toward Atherogenic Lipid Profile, but Higher Blood Level of Testosterone is Associated with Lower Number of Stenoses in the Coronary Arteries of Men with Coronary Disease. 2006 , 2, 135-42	
222	Lower levels sex hormone-binding globulin independently associated with metabolic syndrome in pre-elderly and elderly men in China. 2013 , 10, 28-33	4
221	The prevalence of hypogonadism in diabetic men in Isfahan Endocrine and Metabolism Research Center, Isfahan, Iran. 2012 , 17, 602-6	6
220	Cigarette smoking and cardiovascular risk in young women with polycystic ovary syndrome. 2014 , 7, 301-12	4
219	Uncertainty in measurement: a review of monte carlo simulation using microsoft excel for the calculation of uncertainties through functional relationships, including uncertainties in empirically derived constants. 2014 , 35, 37-61	52
218	Correlation of biochemical markers and clinical signs of hyperandrogenism in women with polycystic ovary syndrome (PCOS) and women with non-classic congenital adrenal hyperplasia (NCAH). 2012 , 10, 307-14	4
217	Outcomes of Micro-Dissection TESE in Patients with Non-Mosaic Klinefelter's Syndrome without Hormonal Treatment. 2015 , 8, 421-8	6
216	The prevalence of erectile dysfunction among subjects with late-onset hypogonadism: a population-based study in China. 2015 , 8, 13901-10	9
215	Testosterone Deficiency - Establishing A Biochemical Diagnosis. 2015 , 26, 105-13	2
214	Lower insulin sensitivity is related to lower relative muscle cross-sectional area, lower muscle density and lower handgrip force in young and middle aged non-diabetic men. 2016 , 16, 302-309	6
213	Sex-Specific Associations of Testosterone and Genetic Factors With Health Span.. 2021 , 12, 773464	1
212	Associations between testosterone, estradiol, and androgen receptor genotype with amygdala subregions in adolescents.. 2021 , 137, 105604	0
211	Clinical and biomarker modifiers of vitamin D treatment response: the multi-ethnic study of atherosclerosis. 2021 ,	0
210	Rapid Progression of Aortic Calcification in Older Men with Low Appendicular Lean Mass and Poor Physical Function. 2021 , 25, 1217-1225	0
209	Cognitive Impairment in Long-Term Survivors of Testicular Cancer More Than 20 Years after Treatment. 2021 , 13,	

208	Society for Endocrinology guidelines for testosterone replacement therapy in male hypogonadism. 2021 , 96, 200	4
207	Interplay of sex hormones and long-term right ventricular adaptation in a Dutch PAH-cohort.. 2021 ,	0
206	Reproductive endocrinology. 2022 , 329-468	
205	Relationships of sex hormones with muscle mass and muscle strength in male adolescents at different stages of puberty. 2021 , 16, e0260521	2
204	Lower serum testosterone concentrations are associated with a higher incidence of dementia in men: The UK Biobank prospective cohort study.. 2022 ,	4
203	Erektionsstörungen. 2021 , 251-271	
202	German version of the Hypogonadism Impact of Symptoms Questionnaire: Psychometric properties and association with testosterone levels.. 2022 , e14370	
201	The occurrence of hypogonadotropic hypogonadism in Chinese men with Type 2 Diabetes.. 2022 ,	
200	Hormonal patterns in men with prediabetes and diabetes in NHANES III: possible links with prostate cancer.. 2022 , 33, 429	0
199	Could Lower Testosterone in Older Men Explain Higher COVID-19 Morbidity and Mortalities?. 2022 , 23,	1
198	Associations between exposure to a mixture of phenols, parabens, and phthalates and sex steroid hormones in children 6-19 years from NHANES, 2013-2016.. 2022 , 822, 153548	0
197	The association of free testosterone levels with coronavirus disease 2019.. 2022 ,	2
196	Tree nut consumption is associated with a lower risk of hyperestrogenism in men.. 2021 , 98, 1-8	0
195	Role of sex steroids hormones in the regulation of bone metabolism in men: Evidence from clinical studies.. 2022 , 101624	1
194	Hypogonadism: a neglected comorbidity in young and middle-aged HIV-positive men on effective cART.. 2022 ,	1
193	Ageing male (part I): Pathophysiology and diagnosis of functional hypogonadism.. 2022 , 101622	0
192	Prenatal Androgen Exposure and Traits of Autism Spectrum Disorder in the Offspring: Odense Child Cohort.. 2022 , 1	
191	Pathogenesis and treatment of acne at women's hyperandrogenism syndrome. 2012 , 88, 100-103	

190	Longitudinal changes in serum testosterone and sex hormone-binding globulin in men aged 40-69 years from the UK Biobank. 2021 ,	3
189	Impact of variants on type-2 diabetes risk genes identified through genomewide association studies in polycystic ovary syndrome: a case-control study. 2018 , 97, 1213-1223	1
188	INFLUENCE OF PROLONGED EXERCISE ON THE 24-HOUR FREE TESTOSTERONE - CORTISOL RATIO HORMONAL PROFILE. 2007 , 11, 48-50	
187	Sexualit ^{au} masculin. 2021 , 103-139	
186	Associations between sex hormones and metabolic-associated fatty liver disease in a middle-aged and elderly community.. 2022 ,	0
185	Hypogonadism and Late Onset Hypogonadism. 2022 , 31-43	
184	Exposure to neonicotinoids and serum testosterone in men, women, and children.. 2022 ,	0
183	The Role of Lipid Rafts and Membrane Androgen Receptors in Androgen's Neurotoxic Effects.. 2022 , 6, bvac030	0
182	Associations of Serum Testosterone and Sex Hormone-Binding Globulin With Incident Cardiovascular Events in Middle-Aged to Older Men.. 2021 ,	1
181	Testicular function. 2022 , 1073-1085	
180	Risk of cancer in regular and low meat-eaters, fish-eaters, and vegetarians: a prospective analysis of UK Biobank participants.. 2022 , 20, 73	2
179	Dynamic changes of reproductive hormones in male minipuberty: Temporal dissociation of Leydig- and Sertoli-cell activity.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022 ,	5.6 0
178	History of androgens and androgen action: Those who don't know their history are condemned to repeat it (Santayana), first as tragedy 4 and then as farce (Marx) and, even when it does not exactly repeat itself, it often rhymes 5 (Twain). But what we learn most from history is that we do not learn from history (Hegel)History is bunk (Sir Alan Parkes, after Henry Ford).. 2022 , 101629	0
177	Testosterone as a Biomarker of Adverse Clinical Outcomes in SARS-CoV-2 Pneumonia.. 2022 , 10,	0
176	Accurate Measurement and Harmonized Reference Ranges for Total and Free Testosterone Levels.. 2022 , 51, 63-75	0
175	Can we rely on total testosterone measurement to exclude hypogonadism in erectile dysfunction?. 2022 ,	
174	Low testosterone and high cholesterol levels in relation to all-cause, cardiovascular disease, and cancer mortality in White, Black, and Hispanic men: NHANES 1988-2015.. 2022 , 1	
173	Reproductive phenotypes in men with acquired or congenital hypogonadotropic hypogonadism: a comparative study.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022 ,	5.6 0

172	Bone mass density in lean and overweight women with polycystic ovary syndrome.. 2022 , 1-8		
171	Are patients with polycystic ovary syndrome more prone to irritable bowel syndrome?. 2022 ,		1
170	Recovery of serum testosterone levels is an accurate predictor of survival from COVID-19 in male patients.. 2022 , 20, 129		1
169	Estradiol Valerate Vs. Ethinylestradiol In Combined Oral Contraceptives: Effects On The Pituitary-Ovarian Axis.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022 ,	5.6	0
168	Male subclinical hypogonadism and late-onset hypergonadotrophic hypogonadism: mechanisms, endothelial function, and interplay between reproductive hormones, undercarboxylated osteocalcin, and endothelial dysfunction.. 2022 , 25, 72-87		0
167	Gonadal dysfunction in male patients with Budd Chiari syndrome and its reversibility with treatment.. 2022 , 1		
166	Serum testosterone levels in three-month-old boys predict their semen quality as young adults.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022 ,	5.6	0
165	Maternal Testosterone Concentrations in Third Trimester and Offspring Handgrip Strength at 5 Years: Odense Child Cohort.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022 ,	5.6	1
164	Novel protein markers of androgen activity in humans: proteomic study of plasma from young chemically castrated men.. 2022 , 11,		0
163	Usefulness of routine assessment of free testosterone for the diagnosis of functional male hypogonadism.. 2022 , 25, 65-71		0
162	Testosterone does not affect lower urinary tract symptoms while improving markers of prostatitis in men with benign prostatic hyperplasia: a randomized clinical trial.. 2022 ,		
161	Definition of Castrate Resistant Prostate Cancer: New Insights.. 2022 , 10,		3
160	The impact of male factors and their correct and early diagnosis in the infertile couple's pathway: 2021 perspectives.. 2022 , 1		1
159	Fetal exposure to maternal stress and male reproductive function in a cohort of young adults.. 2022 ,		0
158	Catch-up fat in male adults induces low testosterone and consequently promotes metabolic abnormalities and cognitive impairment.. 2022 ,		0
157	Preliminary comparison of the measurement of free testosterone with a chemiluminescence and a radioimmunoassay method.		
156	Correlation between different equations to calculate free testosterone for improved detection of hypogonadism in people living with HIV.. 2022 , 9564624221083760		
155	Vitamin D in Alzheimer's Disease: Low Levels in Cerebrospinal Fluid Despite Normal Amounts in Serum.. 2022 , 86, 1301-1314		1

154	Modest changes in sex hormones during early and middle adulthood affect bone mass and size in healthy men. A prospective cohort study.. 2022 ,		1
153	Effect of Testosterone Replacement Therapy on Quality of Life and Sexual Function in Testicular Cancer Survivors With Mild Leydig Cell Insufficiency: Results From a Randomized Double-blind Trial.. 2022 ,		0
152	Controversies in the Pathogenesis, Diagnosis and Treatment of PCOS: Focus on Insulin Resistance, Inflammation, and Hyperandrogenism.. 2022 , 23,		6
151	The relationship between circulating hormone levels, bone turnover markers and skeletal development in healthy boys differs according to maturation stage.. 2022 , 158, 116368		1
150	Per- and polyfluoroalkyl substances (PFAS) and male reproductive function in young adulthood; a cross-sectional study.. 2022 , 212, 113157		1
149	The Association Between Dietary Inflammatory Index and Sex Hormones Among Postmenopausal Women in the US.. 2021 , 12, 771565		0
148	Novel lipidomic signature associated with metabolic risk in women with and without polycystic ovary syndrome.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	0
147	Komplexe Abhängigkeiten. 2021 , 19, 311-313		
146	FSHB Genotype Identified as a Relevant Diagnostic Parameter Revealed by Cluster Analysis of Men With Idiopathic Infertility.. 2021 , 12, 780403		1
145	High DHEAS in girls and metabolic features throughout pubertal maturation.. 2021 ,		1
144	Prenatal exposure to airborne polychlorinated biphenyl congeners and male reproductive health.. 2022 ,		0
143	Primary, secondary and compensated male biochemical hypogonadism in people living with HIV (PLWH): relevance of sex hormone-binding globulin (SHBG) measurement and comparison between liquid chromatography-tandem mass spectrometry (LC-MS/MS) and chemiluminescent immunoassay (CLIA).. 2022 , 25, 44-53		2
142	Genetic associations of birthweight, childhood and adult BMI on testosterone levels: a Mendelian randomization.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022 ,	5.6	
141	Association Between Dietary Inflammatory Index and Sex Hormone Binding Globulin and Sex Hormone in U.S. Adult Females.. 2022 , 10, 802945		0
140	Erectile dysfunction predicts mortality in middle-aged and older men independent of their sex steroid status.. 2022 , 51,		1
139	Effects of the Antiobesity Drugs Aplex and Venera on Certain Biochemical and Physiological Indices in Obese Adult Male Albino Rats.. 2022 , 2022, 3776676		
138	Image_1.TIF. 2019 ,		
137	Image_2.TIF. 2019 ,		

136	Table_1.docx. 2019 ,	
135	The HEAT-Registry (HEmatopoietic Affection by Testosterone): comparison of a transdermal gel vs long-acting intramuscular testosterone undecanoate in hypogonadal men.. 2022 , 25, 134-144	0
134	Testosterone and cardiovascular risk in patients with erectile dysfunction. 2012 , 35, 809-16	5
133	Screening for Low Energy Availability in Male Athletes: Attempted Validation of LEAM-Q.. 2022 , 14,	3
132	Fetal exposure to maternal cigarette smoking and male reproductive function in young adulthood.. 2022 ,	0
131	Effects of testosterone on mixed-muscle protein synthesis and proteome dynamics during energy deficit.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022 ,	5.6 0
130	Sugar-sweetened beverage intake in relation to reproductive parameters in young men.. 2022 ,	
129	Reproductive hormone levels, androgen receptor CAG repeat length and their longitudinal relationships with decline in cognitive subdomains in men: The European Male Ageing Study.. 2022 , 252, 113825	0
128	Exposure to phthalates, phenols, and parabens mixture and alterations in sex steroid hormones among adolescents.. 2022 , 302, 134834	0
127	Gynaecomastia in HIV-Infected Men on Highly Active Antiretroviral Therapy: Association with Efavirenz and Didanosine Treatment. 2004 , 9, 511-517	23
126	Endokrine Labordiagnostik. 2021 , 1-11	
125	Circulating free testosterone and risk of aggressive prostate cancer: prospective and Mendelian randomization analyses in international consortia.. 2022 ,	1
124	Prediction model of persistent ovulatory dysfunction in Korean women with polycystic ovary syndrome.	
123	First baseline data of the Klinefelter ItaliaN Group (KING) cohort: clinical features of adult with Klinefelter syndrome in Italy.	
122	Follicular Fluid: A Powerful Tool for the Understanding and Diagnosis of Polycystic Ovary Syndrome. 2022 , 10, 1254	1
121	Physical and Physiological Characterization of Female Elite Warfighters. Publish Ahead of Print,	0
120	The number of androgen receptor CAG repeats and mortality in men. 2022 , 25, 167-172	1
119	Decreased sperm counts in Swedish users of oral tobacco.	0

118	Bisphenol a Analogues in Associations with Serum Hormone Levels Among Reproductive-Aged Chinese Men.	
117	Seasonal Variation of Testosterone Levels in a Large Cohort of Men. 2022 , 2022, 1-7	
116	Divergent Associations Between Serum Androgens and Ovarian Reserve Markers Revealed in Patients With Polycystic Ovary Syndrome. 13,	0
115	Hair cortisol in polycystic ovary syndrome. 2022 , 12,	
114	The Triglycerides and Glucose Index is not superior to HOMA-IR in predicting testosterone deficiency among adult males.	1
113	The effect of oral contraceptive use on sympatic nerve activity in patients with polycystic ovary syndrome. 1-6	
112	Erectile Dysfunction in Relation to Metabolic Disorders and the Concentration of Sex Hormones in Aging Men. 2022 , 19, 7576	0
111	Differential Changes in Circulating Steroid Hormones in Hibernating Brown Bears: Preliminary Conclusions and Caveats.	
110	Liraglutide 3 mg on weight, body composition, and hormonal and metabolic parameters in women with obesity and polycystic ovary syndrome: a randomized placebo-controlled-phase 3 study. 2022 ,	3
109	High C-reactive protein is associated with increased risk of biochemical hypogonadism: a population-based cohort study. 2022 , 11,	
108	Circulating anti-Müllerian hormone levels and markers of subclinical cardiovascular disease in middle-aged and older men. 2022 , 163, 38-45	
107	Effect of Exercise on Serum Androgens in Postmenopausal Women: A 12-Month Randomized Clinical Trial. 2004 , 13, 1099-1105	43
106	Integrity of hypothalamicâpituitary-testicular axis in exceptional longevity.	1
105	Changes in Sex Steroids and Enteric Peptides After Sleeve Gastrectomy in Youth in Relation to Changes in Bone Parameters. <i>Journal of Clinical Endocrinology and Metabolism</i> ,	5.6
104	Age-associated reductions in cardiovagal baroreflex sensitivity are exaggerated in middle-aged and older men with low testosterone.	
103	Maternal Testosterone and Offspring Birth Weight: A Mendelian Randomization Study. <i>Journal of Clinical Endocrinology and Metabolism</i> ,	5.6
102	Association of age, hormonal, and lifestyle factors with the Leydig cell biomarker INSL3 in aging men from the European Male Aging Study cohort.	0
101	Different Factors Are Associated With Sex Hormones and Leydig Cell Function in Israelis and Palestinians in Jerusalem. 2022 , 16, 155798832211060	

100	Relationship Between Metabolites of Vitamin D, Free 25-(OH)D, and Physical Performance in Indoor and Outdoor Athletes. 13,	1
99	Testosterone Undecanoate Administration Prevents Declines in Fat-Free Mass but not Physical Performance During Simulated Multi-Stressor Military Operations.	1
98	Pediatric reference intervals for Free Testosterone, 17-OH Progesterone, Androstenedione, and IGF-1 with chemiluminescence immunoassay. 2022 , 186, 109078	
97	Prevalence and clinical associations with primary hypogonadism in male systemic sclerosis. 239719832211120	
96	The relationship between serum sex hormone and cardiac echocardiographic findings in healthy men. 2022 , 12,	
95	The effects of long-term testosterone treatment on endocrine parameters in hypogonadal men: 12-year data from a prospective controlled registry study. 2022 , 25, 185-191	1
94	FSH and bone: Comparison between males with central versus primary hypogonadism. 13,	
93	Associations of bioavailable serum testosterone with cognitive function in older men: results from the National Health and Nutrition Examination Survey.	0
92	Prediction of semen analysis parameters improvement after varicocelelectomy using 1 H NMR-based metabonomics assays.	
91	Prenatal Environmental Exposure to Persistent Organic Pollutants and Reproductive Hormone Profile and Pubertal Development in Dutch Adolescents. 2022 , 19, 9423	1
90	The association between serum estradiol levels and sperm DNA integrity.	
89	Adult- and late-onset male hypogonadism: the clinical practice guidelines of the Italian Society of Andrology and Sexual Medicine (SIAMS) and the Italian Society of Endocrinology (SIE).	2
88	Chronotype and insomnia may affect the testosterone levels with a sexual difference: a Mendelian randomization.	0
87	Differing effects of oral conjugated equine estrogen and transdermal estradiol on vitamin D metabolism in postmenopausal women: a 4-year longitudinal study. Publish Ahead of Print,	
86	Semen quality and reproductive hormones in sons of subfertile couples: a cohort study. 2022 ,	0
85	Bisphenol A analogues in associations with serum hormone levels among reproductive-aged Chinese men. 2022 , 167, 107446	0
84	Metformin, testosterone, or both in men with obesity and low testosterone: A double-blind, parallel-group, randomized controlled trial. 2022 , 136, 155290	0
83	Hair cortisol, glucocorticoid gene receptor polymorphisms, stress, and testicular function. 2022 , 146, 105942	0

- 82 Benefits and Risks of Testosterone Replacement in the Older Man with Hypogonadism. **2022**, 373-383 ○
- 81 An update on polycystic ovary syndrome: A review of the current state of knowledge in diagnosis, genetic etiology, and emerging treatment options. **2022**, 18, 174550572211179 ○
- 80 Androgenic status in men during COVID-19. **2022**, 68, 111-116 ○
- 79 Circulating anti-müllerian hormone in a cohort-study of women with severe obesity with and without polycystic ovary syndrome and the effect of a one-year weight loss intervention. ○
- 78 Obesity Surgery Improves Hypogonadism and Sexual Function in Men without Effects in Sperm Quality. **2022**, 11, 5126 ○
- 77 Age-related loss of the Y chromosome is associated with sex hormone binding globulin and selected drivers of clonal hematopoiesis. ○
- 76 Study of the associations between short telomeres, sex hormones and pulmonary fibrosis. ○
- 75 Testosterone status following short-term, severe energy deficit is associated with fat-free mass loss in U.S. Marines. **2022**, 10, ○
- 74 Do Androgenic Pattern, Insulin State and Growth Hormone Affect Cardiorespiratory Fitness and Strength in Young Women with PCOS?. **2022**, 10, 2176 ○
- 73 Testosterone concentrations and outcomes in hemodialysis patients of the EVOLVE trial. ○
- 72 Low endogenous estradiol levels are associated with elevated risk of cardiovascular disease mortality in young and middle-aged men in the United States. **2022**, ○
- 71 Maternal Exposure to Per- and Polyfluoroalkyl Substances (PFAS) and Male Reproductive Function in Young Adulthood: Combined Exposure to Seven PFAS. **2022**, 130, 2
- 70 Testosterone Assays. **2022**, ○
- 69 An Individualized Approach to Managing Testosterone Therapy in the Primary Care Setting. Volume 15, 7719-7733 ○
- 68 Changes in serum testosterone and adrenal androgen levels in transgender women with and without gonadectomy.. 1
- 67 Role of sex hormone-binding globulin in the free hormone hypothesis and the relevance of free testosterone in androgen physiology. **2022**, 79, ○
- 66 Sex Hormone Binding Globulin: the importance of establishing sex-based reference values. **2022**, ○
- 65 Free, bioavailable 25-hydroxyvitamin D levels and their association with diabetic ketoacidosis in children with type 1 diabetes at diagnosis. 13, ○

64	Reference intervals for free testosterone in adult men measured using a standardized equilibrium dialysis procedure.	0
63	Sex differences in phosphate homeostasis: Females excrete more phosphate and calcium after an oral phosphate challenge.	0
62	Circulating Anti-Müllerian hormone in a cohort-study of women with severe obesity with and without polycystic ovary syndrome and the effect of a one-year weight loss intervention. 2022 , 20,	0
61	Testosterone Deficiency and Nutritional Parameters as Predictors of All-Cause Mortality among Male Dialysis Patients. 2022 , 14, 4461	0
60	Circulating Androgen Concentrations and Risk of Incident Heart Failure in Older Men: The Cardiovascular Health Study. 2022 , 11,	1
59	Does sex interact with the 2D : 4D ratio or adult circulating hormones on the estimated glomerular filtration rate? A cross-sectional study in Ghana. 2022 , 10,	0
58	Diagnosis of hypogonadism in ageing men.	1
57	Changes in Mood, Anxiety, and Cognition with Polycystic Ovary Syndrome Treatment: A Longitudinal, Naturalistic Study. Volume 18, 2703-2712	0
56	The Leydig cell biomarker INSL3 as a predictor of age-related morbidity: Findings from the EMAS cohort. 13,	0
55	Not within spitting distance: Salivary immunoassays of estradiol have subpar validity for predicting cycle phase. 2023 , 149, 105994	0
54	Relationship between Serum Testosterone Level and Carotid Intima-Media Thickness among Korean Men and Postmenopausal Women. 2022 , 43, 374-380	0
53	Sleep and Anabolic/Catabolic Hormonal Profile in Sedentary Middle-Aged Adults: The FIT-AGEING Study. 2022 , 23, 14709	0
52	Associations of endogenous androgens and sex hormone-binding globulin with kidney function and chronic kidney disease. 13,	0
51	Very low-calorie ketogenic diet rapidly augments testosterone levels in non-diabetic obese subjects.	2
50	Resumen ejecutivo del documento de posicionamiento SEQCML/SEEN/SEEP. Recomendaciones para la medicación de esteroides sexuales en la práctica clínica. 2022 ,	0
49	Serum uric acid/creatinine ratio and free androgen index are synergistically associated with increased risk of polycystic ovary syndrome in obese women. 2022 , 22,	0
48	Maternal fever during pregnancy and male offspring reproductive health: A longitudinal cohort study in young Danish males.	0
47	Prenatal exposure to phenols and benzophenones in relation to markers of male reproductive function in adulthood. 13,	0

- 46 Testicular function is associated with cardiometabolic health markers; a cross-sectional study of 2,289 young men. ○
- 45 Assessment of Vitamin D Status in Slovenian Premenopausal and Postmenopausal Women, Using Total, Free, and Bioavailable 25-Hydroxyvitamin D (25(OH)D). **2022**, 14, 5349 ○
- 44 Associations between urinary concentrations of bisphenols and serum concentrations of sex hormones among US. Males. **2022**, 21, ○
- 43 Association of lipid accumulation products with testosterone deficiency in adult American men: A cross-sectional study. ○
- 42 Maternal intake of folate and folic acid during pregnancy and markers of male fecundity: A population-based cohort study. ○
- 41 Determinants of sexual function in men living with HIV younger than 50 years old: Focus on organic, relational, and psychological issues. ○
- 40 Sex Hormones and Diabetes in 45-74-Year- Old Men and Postmenopausal Women: the Hispanic Community Health Study. ○
- 39 Education degree predicts cardiovascular outcomes in men suffering from erectile dysfunction. ○
- 38 Endogenous testosterone concentrations and muscle mass, strength and performance in women, a systematic review of observational studies. ○
- 37 Association between acrylamide exposure and sex hormones among premenopausal and postmenopausal women: NHANES, 2013-2016. ○
- 36 Total, free, and bioavailable 25-hydroxyvitamin D levels in patients with periodontitis (stage III): a case-control study. ○
- 35 Serum testosterone and prostate cancer in men with germline BRCA1/2 pathogenic variants. ○
- 34 Global warming and testis function: A challenging crosstalk in an equally challenging environmental scenario. 10, ○
- 33 Selective modulation of estrogen receptor in obese men with androgen deficiency: A systematic review and meta-analysis. ○
- 32 Age, weight and circulating concentrations of total testosterone are associated with the relative prostatic size in adult intact male dogs. **2023**, 198, 356-360 ○
- 31 Association of total and free testosterone with cardiovascular disease in a nationally representative sample of white, black, and Mexican American men. ○
- 30 Androgens in endometrial carcinoma: the killer or helper?. ○
- 29 Obesity is associated with alterations in antral follicle dynamics in eumenorrheic women. ○

- 28 Diagnostic Performance of Ovarian Morphology on Ultrasonography across Anovulatory ConditionsâImpact of Body Mass Index. **2023**, 13, 374
- 27 Self-Reported Asthma Is Associated with Reduced Sperm CountâA Cross-Sectional Study of More than 6000 Young Men from the General Population. **2023**, 13, 278
- 26 Genetic analyses implicate complex links between adult testosterone levels and health and disease. **2023**, 3,
- 25 Maternal phthalate exposure during pregnancy and testis function of young adult sons. **2023**, 871, 161914
- 24 The British Society for Sexual Medicine Guidelines on Male Adult Testosterone Deficiency, with Statements for Practice. 41,
- 23 Changes in circulating forms of anti-Muellerian hormone and androgens in women with and without PCOS: a systematic longitudinal study throughout pregnancy.
- 22 Association of the urinary polycyclic aromatic hydrocarbons with sex hormones stratified by menopausal status older than 20 years: a mixture analysis.
- 21 The association between organophosphate esters exposure and body mass index in children and adolescents: The mediating effect of sex hormones. **2023**, 324, 138305
- 20 Association between testosterone levels and mood disorders: A minireview. **2023**, 330, 48-56
- 19 An antibody-free LC-MS/MS method for the quantification of sex hormone binding globulin in human serum and plasma. **2023**,
- 18 Causal effects of serum testosterone levels on brain volume: a sex-stratified Mendelian randomization study.
- 17 The association between sex hormones and periodontitis among American adults: A cross-sectional study. 14,
- 16 The effect of testosterone treatment on bone mineral density in Klinefelter syndrome: A retrospective cohort study.
- 15 A MODERN VIEW OF THE POLYCYSTIC OVARIAN SYNDROME. **2020**, 1, 5-12
- 14 A cross-sectional analysis of the association between testosterone and biopsy-proven non-alcoholic fatty liver disease in men with obesity. **2023**, 80, 54-63
- 13 Recomendaciones para la medici3n de esteroides sexuales en la pr3ctica cl3nica. Documento de posicionamiento SEQCML/SEEN/SEEP. **2023**, 4, 61-69
- 12 Executive summary of the position statement of the Spanish Societies SEQCML/SEEN/SEEP. Recommendations for the measurement of sex steroids in clinical practice. **2023**, 70, 103-109
- 11 Recommendations for the measurement of sexual steroids in clinical practice. A position statement of SEQCML/SEEN/SEEP. **2023**, 4, 52-60

- 10 Improved Physical and Mental Health After a Combined Lifestyle Intervention with Cognitive Behavioural Therapy for Obesity. **2022**, 21,
- 9 Insulin Resistance and Bone Metabolism Markers in Women with Polycystic Ovary Syndrome: A Cross-Sectional Study on Females from the Islamic University Medical Center. **2023**, 59, 593
- 8 Endogenous Sex Steroid Hormones and Risk of Liver Cancer among U.S. Men: Results from the Liver Cancer Pooling Project. **2023**, 100742
- 7 Circulating miRNAs in Women with Polycystic Ovary Syndrome: A Longitudinal Cohort Study. **2023**, 12, 983
- 6 The Role of Free Vitamin D and Vitamin D Binding Protein in SARS-Cov-2 Infection in Children.
- 5 Approach to the patient: the evaluation and management of men ≥50 years with a low serum testosterone concentration.
- 4 The role of male hypogonadism, aging, and chronic diseases in characterizing adult and elderly men with erectile dysfunction: a cross-sectional study. **2023**, 33,
- 3 De seksuele-interesse-/opwindingsstoornis bij de vrouw. **2023**, 35-65
- 2 Biomarkers of aging.
- 1 Fatty liver disease genetic risk variants and interference on sex hormones. **2023**, 43, 958-961