CITATION REPORT List of articles citing

Plasticizing polylactidethe effect of different plasticizers on the mechanical properties

DOI: 10.1002/pen.11517
Polymer Engineering and Science, 1999, 39, 1303-1310.

Source: https://exaly.com/paper-pdf/30284277/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper IF	;	Citations
447	Single-step reactive extrusion of PLLA in a corotating twin-screw extruder promoted by 2-ethylhexanoic acid tin(II) salt and triphenylphosphine. 2000 , 41, 3395-3403		77
446	Perfectly Alternating Copolymer of Lactic Acid and Ethylene Oxide as a Plasticizing Agent for Polylactide. 2001 , 34, 8641-8648		80
445	Poly(lactic acid): plasticization and properties of biodegradable multiphase systems. 2001 , 42, 6209-6219		1224
444	Effect of plasticizer on thermodynamic properties of nylons: Model, phenomenology, and proposed experiments. 2001 , 89, 3627-3630		1
443	Polymers from Renewable Resources. 2002 , 163-233		7
442	Properties of lactic acid based polymers and their correlation with composition. 2002, 27, 1123-1163		1095
441	Biopolymers: overview of several properties and consequences on their applications. 2002 , 21, 433-442		541
440	Thermal and mechanical properties of plasticized poly(L-lactic acid). 2003, 90, 1731-1738		417
439	New nanocomposite materials based on plasticized poly(l-lactide) and organo-modified montmorillonites: thermal and morphological study. 2003 , 44, 443-450		433
438	Aging of poly(lactide)/poly(ethylene glycol) blends. Part 1. Poly(lactide) with low stereoregularity. 2003 , 44, 5701-5710		227
437	Aging of poly(lactide)/poly(ethylene glycol) blends. Part 2. Poly(lactide) with high stereoregularity. 2003 , 44, 5711-5720		164
436	Poly(L-lactic acid) composites with flax fibers modified by plasticizer absorption. <i>Polymer Engineering and Science</i> , 2003 , 43, 1566-1575	.3	33
435	Loss rate of a plasticizer in a nylon matrix calculated using macroscopic reaction diffusion kinetics. 2003 , 93, 1525-1532		
434	Biodegradable Multiphase Systems Based on Plasticized Starch: A Review. 2004 , 44, 231-274		516
433	The influence of block copolymer microstructure on the toughness of compatibilized polylactide/polyethylene blends. 2004 , 45, 8809-8823		243
432	Isotactic Polymers with Alternating Lactic Acid and Oxetane Subunits from the Endoentropic Polymerization of a 14-Membered Ring. 2004 , 37, 5274-5281		20
431	Biodegradable films of partly branched poly(l-lactide)-co-poly(epsilon-caprolactone) copolymer: modulation of phase morphology, plasticization properties and thermal depolymerization. 2004 , 5, 1124-	34	60

430 Polylactides. **2004**,

420	Crystallization, structure and properties of plasticized poly(l-lactide). 2005 , 46, 10290-10300	124
429	Crystatilization, structure and properties or plasticized poly(i-lactide). 2003, 40, 10230-10300	431
428	Crystallinity and mechanical properties of optically pure polylactides and their blends. <i>Polymer Engineering and Science</i> , 2005 , 45, 745-753	157
427	Poly(lactic acid)-based bioplastics. 2005 , 251-288	9
426	Plasticization of poly(L-lactide) with poly(propylene glycol). 2006, 7, 2128-35	248
425	Recent developments in biodegradable synthetic polymers. 2006 , 12, 301-47	280
424	Preparation of poly(lactic acid)/poly(ethylene glycol)/organoclay nanocomposites by melt compounding. 2006 , 27, 256-263	42
423	Polylactide, nanoclay, and coreBhell rubber composites. <i>Polymer Engineering and Science</i> , 2006 , 46, 1419- <u>1</u> . <u>4</u> 27	64
422	Plasticized polylactide/clay nanocomposites. I. The role of filler content and its surface organo-modification on the physico-chemical properties. 2006 , 44, 299-311	103
421	Novel phosphate glass/polyamide 6 hybrids: Miscibility, crystallization kinetics, and mechanical properties. 2006 , 44, 441-450	28
420	Melt compounding of polylactide/organoclay: Structure and properties of nanocomposites. 2006 , 44, 3392-3405	103
419	Thermo-mechanical characterization of plasticized PLA: Is the miscibility the only significant factor?. 2006 , 47, 4676-4682	270
418	Plasticization of semicrystalline poly(l-lactide) with poly(propylene glycol). 2006 , 47, 7178-7188	232
417	Thermal and mechanical properties of plasticized poly(L-lactide) nanocomposites with organo-modified montmorillonites. 2006 , 99, 2594-2602	62
416	Composites of poly(lactic acid) with flax fibers modified by interstitial polymerization. 2006 , 99, 2305-2313	62
415	Composites of poly(lactic acid) with flax fibers modified by interstitial polymerization. 2006 , 101, 3620-3629	44
414	Kenaf-fiber-reinforced poly(lactic acid) used for electronic products. 2006 , 100, 618-624	180
413	Effect of the processing methods on the performance of polylactide films: Thermocompression versus solvent casting. 2006 , 101, 3736-3742	146

Industrial Water Soluble Polymers in Packaging. **2007**, 298-324

411	. 2007,	40
410	Biodegradable blends of poly(L-lactide) and starch. 2007, 105, 269-277	35
409	Increased impact strength of biodegradable poly(lactic acid)/poly(butylene succinate) blend composites by using isocyanate as a reactive processing agent. 2007 , 106, 1813-1820	199
408	Biomedical modification of poly(L-lactide) by blending with lecithin. 2007, 82, 455-61	24
407	Polylactide/montmorillonite nanocomposites: Structure, dielectric, viscoelastic and thermal properties. 2007 , 43, 2819-2835	182
406	Mechanical properties, morphologies, and crystallization behavior of plasticized poly(l-lactide)/poly(butylene succinate-co-l-lactate) blends. 2007 , 48, 2768-2777	87
405	Effect of nucleation and plasticization on the crystallization of poly(lactic acid). 2007, 48, 6855-6866	568
404	New phosphate glass/polymer hybrids Current status and future prospects. 2007, 32, 1462-1498	47
403	(Plasticized) Polylactide/clay nanocomposite textile: thermal, mechanical, shrinkage and fire properties. 2007 , 42, 5105-5117	82
402	Oriented morphology and enhanced mechanical properties of poly(l-lactic acid) from shear controlled orientation in injection molding. 2008 , 490, 81-89	23
401	Biodegradable Composites: Ramie Fibre Reinforced PLLA-PCL Composite Prepared by in Situ Polymerization Process. 2008 , 61, 663-670	39
400	Polylactide (PLA) designed with desired end-use properties: 1. PLA compositions with low molecular weight ester-like plasticizers and related performances. 2008 , 19, 636-646	128
399	Mechanical properties and porosity of polylactide for biomedical applications. 2008 , 107, 82-93	28
398	The radiation crosslinked films based on PLLA/PDLA stereocomplex after TAIC absorption in supercritical carbon dioxide. 2008 , 72, 673-681	37
397	Polylactide (PLA) L aSO4 composites toughened with low molecular weight and polymeric ester-like plasticizers and related performances. 2008 , 44, 3842-3852	80
396	Toughening Polylactide. 2008, 48, 85-108	466
395	Fabrication and characterization of poly(lactic acid)/acetyl tributyl citrate/carbon black as conductive polymer composites. 2008 , 9, 1050-7	69

(2009-2008)

394	Glass Transitions in Polylactides. 2008 , 48, 64-84		77
393	Thermal Properties of Poly(L-lactide)/Calcium Carbonate Nanocomposites. 2008, 263, 96-101		25
392	A Study for Graft-Reaction of PEG onto PLA Chains by Reactive Processing. 2009 , 58, 16-21		1
391	Combustion and Thermal Properties of Polylactide with an Effective Phosphate-Containing Flame-Retardant Oligomer. 2009 , 205-223		1
390	Plasticized properties of poly (lactic acid) and triacetine blends. 2009, 112, 2757-2763		33
389	Mechanical and rheological properties of epoxidized soybean oil plasticized poly(lactic acid). 2009 , 112, 3185-3191		98
388	Effect of plasticizer on the crystallization behavior of poly(lactic acid). 2009, 113, 112-121		102
387	Toughening of poly(L-lactide) by melt blending with rubbers. 2009 , 113, 558-566		152
386	Crystallinity development in cellular poly(lactic acid) in the presence of supercritical carbon dioxide. 2009 , 113, 2920-2932		115
385	Morphology, mechanical properties, and thermal stability of poly(L-lactic acid)/poly(butylene succinate-co-adipate)/silicon dioxide composites. 2009 , 113, 3630-3637		18
384	Melt rheology of poly (lactic acid) plasticized by epoxidized soybean oil. 2009 , 14, 349-354		18
383	Thermal, mechanical and rheological properties of poly (lactic acid)/epoxidized soybean oil blends. 2009 , 62, 91-98		130
382	Toughening modification of PLLA/PBS blends via in situ compatibilization. <i>Polymer Engineering and Science</i> , 2009 , 49, 26-33	2.3	215
381	Morphology, mechanical properties, and durability of poly(lactic acid) plasticized with Di(isononyl) cyclohexane-1,2-dicarboxylate. <i>Polymer Engineering and Science</i> , 2009 , 49, 2414-2420	2.3	34
380	The effects of dioctyl phthalate plasticization on the morphology and thermal, mechanical, and rheological properties of chemical crosslinked polylactide. 2009 , 47, 1136-1145		33
379	Plasticization of poly(lactide) with blends of tributyl citrate and low molecular weight poly(d,l-lactide)-b-poly(ethylene glycol) copolymers. 2009 , 45, 2839-2848		131
378	MeltBolid polycondensation of lactic acid and its biodegradability. 2009 , 34, 99-124		250
377	Nano-biocomposites: Biodegradable polyester/nanoclay systems. 2009 , 34, 125-155		793

Miscibility, mechanical and thermal properties of poly(lactic acid)/polyester-diol blends. 2009, 45, 2304-2312 62 376 Biodegradable Polymers. 2009, 2, 307-344 375 807 Stereoblock Polylactides as High-Performance Bio-Based Polymers. 2009, 49, 107-140 374 130 Permeation, Sorption, and Diffusion in Poly(Lactic Acid). 2010, 155-179 15 373 Plasticizer effect of novel PBS ionomer in PLA/PBS ionomer blends. 2010, 18, 463-471 372 44 Time-dependent failure of amorphous polylactides in static loading conditions. 2010, 21, 89-97 371 28 Effect of the Recycling and Annealing on the Mechanical and Fracture Properties of Poly(Lactic 370 39 Acid). **2010**, 18, 654-660 Design and Synthesis of Different Types of Poly(Lactic Acid). 2010, 43-58 369 10 Crystallization and Thermal Properties. 2010, 113-124 368 20 Kinetics and crystal structure of isothermal crystallization of poly(lactic acid) plasticized with 367 triphenyl phosphate. 2010, 117, n/a-n/a Flexibility improvement of poly(lactic acid) by stearate-modified layered double hydroxide. 2010, 366 5 118, n/a-n/a Isothermal crystallization kinetics and crystal structure of poly(lactic acid): Effect of triphenyl 365 71 phosphate and talc. **2010**, 118, 3558-3569 364 Poly(lactic acid) modifications. 2010, 35, 338-356 1503 Novel toughened polylactic acid nanocomposite: Mechanical, thermal and morphological 363 146 properties. 2010, 31, 3289-3298 Effect of aqueous solubility of grafted moiety on the physicochemical properties of poly(d,l-lactide) 362 15 (PLA) based nanoparticles. **2010**, 388, 263-73 Compatible and tearing properties of poly(lactic acid)/poly(ethylene glutaric-co-terephthalate) 361 11 copolyester blends. **2010**, 48, 913-920 Kinetics and crystal structure of poly(lactic acid) crystallized nonisothermally: Effect of plasticizer 360 50 and nucleating agent. 2010, 31, 2057-2068 Addition of oils to polylactide casting solutions as a tool to tune film morphology and mechanical 359 2.3 12 properties. *Polymer Engineering and Science*, **2010**, 50, 513-519

(2011-2010)

Preparation and Characterization of Poly(Lactic Acid)/Ethylene Glycidyl Methacrylate Copolymer Blends. **2010**, 150-151, 139-143

2.55	Machanical Properties 2010, 141-153	16
357	Mechanical Properties. 2010 , 141-153	16
356	Study of Cell Nucleation in Microcellular Poly(lactic acid) Foamed with Supercritical CO2 through a Continuous-Extrusion Process. 2010 , 49, 2186-2193	86
355	Tuning the polylactide hydrolysis rate by plasticizer architecture and hydrophilicity without introducing new migrants. 2010 , 11, 3617-23	50
354	Mechanical, Thermal, and Morphological Properties of Polylactic Acid/Linear Low Density Polyethylene Blends. 2010 , 42, 223-239	60
353	Bioplastics Based Nanocomposites for Packaging Applications. 2011 , 76-119	10
352	Polylactide. 2011 , 349-376	3
351	Cellulose Fibers: Bio- and Nano-Polymer Composites. 2011 ,	164
350	Aliphatic Polyester and Poly(ester amide) Clay Nanocomposites by In-situ Polymerization. 2011, 367-386	
349	Biocomposites Based on Biodegradable Thermoplastic Polyester and Lignocellulose Fibers. 2011 , 453-478	2
348	Poly(lactide)s as Robust Renewable Materials. 2011 , 201-220	4
347	Characteristics and Applications of Poly(lactide). 2011 , 183-223	11
346	Microcapsules with a pH responsive polymer: influence of the encapsulated oil on the capsule morphology. 2011 , 88, 175-80	16
345	New approach on the development of plasticized polylactide (PLA): Grafting of poly(ethylene glycol) (PEG) via reactive extrusion. 2011 , 47, 2134-2144	169
344	Study of Effects of Processing Aids on Properties of Poly(lactic acid)/Soy Protein Blends. 2011 , 19, 239-247	13
343	Poly(lactic acid) blends with desired end-use properties by addition of thermoplastic polyester elastomer and MDI. 2011 , 67, 187-198	39
342	Synthesis and properties of poly(L-lactide)-polyether-poly(L-lactide) triblock copolymers. 2011 , 19, 448-452	5
341	Enhanced impact properties of polylactide by poly(lactide-b-butadiene-b-lactide) triblock copolymer. 2011 , 19, 943-947	17

340	Research progress in toughening modification of poly(lactic acid). 2011, 49, 1051-1083	524
339	Polylactide toughening with epoxy-functionalized grafted acrylonitrile B utadiene E tyrene particles. 2011 , 122, 2992-2999	74
338	Biodegradable polymeric microcapsules: Preparation and properties. 2011 , 169, 1-10	43
337	Modification of poly(lactic acid)/poly(propylene carbonate) blends through melt compounding with maleic anhydride. 2011 , 5, 937-949	89
336	Effects of Wood Fiber Content on Structure and Properties of WF/PLA Bio-Composites. 2011 , 217-218, 606-613	
335	Mechanical Properties and Morphology of Polylactide Composites with Acrylic Impact Modifier. 2011 , 50, 2070-2083	18
334	Plasticization of polylactide foams for tissue engineering. 2012 , 48, 409-432	9
333	Effect of Hydrothermally Prepared Graft Copolymer Addition on a Brittle Matrix: A Preliminary Study on Glass Fiber Reinforced PLA/LLDPE-g-MA Composite. 2012 , 530, 46-51	1
332	Composites of Hydroxyapatite Whiskers/poly(L-lactide-co-glycolide) with High Tensile Plasticity. 2012 , 51, 1242-1255	6
331	EFFECT OF PLASTICIZERS ON PROPERTIES OF PLASTICIZED MATERIALS. 2012 , 209-306	1
330	Toughening of Polylactic Acid Modified with Reactive Silicones. 2012 , 69, 179-183	
329	Toughening of Polylactic Acid Nanocomposites: A Short Review. 2012 , 51, 175-192	81
328	Poly(lactic acid) crystallization. 2012 , 37, 1657-1677	930
327	Co-electrospun blends of PU and PEG as potential biocompatible scaffolds for small-diameter vascular tissue engineering. <i>Materials Science and Engineering C</i> , 2012 , 32, 2306-2315	3 95
326	Effect of Silica Nanoparticles on the Mechanical Performances of Poly(Lactic Acid). 2012 , 20, 713-725	63
325	Thermal and Mechanical Properties of Poly(lactic acid)/Modified Carbon Black Composite. 2012 , 51, 1475-	148412
324	Toughening of Poly(L-Lactic Acid) by Annealing: The Effect of Crystal Morphologies and Modifications. 2012 , 51, 184-196	8
323	Fabrication of High Toughness Poly(lactic acid) by Combining Plasticization with Cross-linking Reaction. 2012 , 51, 7273-7278	12

322	Biodegradable Polymers. 2012 , 13-39	98
321	Thermal, mechanical and morphological characterization of plasticized PLAPHB blends. 2012 , 97, 1822-1828	262
320	Recent advances in biopolymers and biopolymer-based nanocomposites for food packaging materials. 2012 , 52, 426-42	291
319	PLASTICIZERS USE AND SELECTION FOR SPECIFIC POLYMERS. 2012 , 307-419	2
318	Poly(Lactic Acid) as a Biopolymer-Based Nano-Composite. 2012 ,	7
317	Improvement of Physical Properties of Poly(lactic acid) by Adding Amorphous Cellulose. Seikei-Kakou, 2012 , 24, 612-617	3
316	Effect of crystallization on barrier properties of formulated polylactide. 2012 , 61, 180-189	62
315	Properties of linear poly(lactic acid)/polyethylene glycol blends. <i>Polymer Engineering and Science</i> , 2012 , 52, 108-116	121
314	Effects of Liquid Contaminants on Heat Seal Strength of low-density polyethylene Film. 2012 , 25, 271-284	18
313	Plasticization of polylactide with block copolymers of ethylene glycol and propylene glycol. 2012 , 125, 4292-4301	19
312	Improvement in toughness and heat resistance of poly(lactic acid)/polycarbonate blend through twin-screw blending: Influence of compatibilizer type. 2012 , 125, E402	68
311	Poly(Ethylene Glycol) Grafted Starch Introducing a Novel Interphase in Poly(Lactic Acid)/Poly(Ethylene Glycol)/Starch Ternary Composites. 2012 , 20, 528-539	27
310	The effects of gamma-irradiation on the structure, thermal resistance and mechanical properties of the PLA/EVOH blends. 2012 , 274, 139-144	21
309	Structural, mechanical and barrier properties of active PLAEntioxidant films. 2012, 110, 380-389	120
308	Electrospun polylactide/poly(ethylene glycol) hybrid fibrous scaffolds for tissue engineering. 2012 , 100, 441-9	36
307	Enhancement of polylactide nucleation by montmorillonites intercalated with a green seaweed byproduct. 2013 , 127, 724-732	3
306	Thermal, mechanical, and rheological properties of polylactide/poly(1,2-propylene glycol adipate). Polymer Engineering and Science, 2013 , 53, 112-118	35
305	Study on the Effect of Dicumyl Peroxide on Structure and Properties of Poly(Lactic Acid)/Natural Rubber Blend. 2013 , 21, 375-387	42

304	Introduction to Biopolymers. 2013 , 1-75		3
303	Plasticization of poly(lactic acid) (PLA) through chemical grafting of poly(ethylene glycol) (PEG) via in situ reactive blending. 2013 , 49, 2356-2364		111
302	Sustainable Poly(lactide-b-butadiene) Multiblock Copolymers with Enhanced Mechanical Properties. 2013 , 46, 7387-7398		73
301	The role of polycarbonate molecular weight in the poly(L-lactide) blends compatibilized with poly(butylene succinate-co-L-lactate). <i>Polymer Engineering and Science</i> , 2013 , 53, 1171-1180	2.3	9
300	Tough blends of poly(lactide) and amorphous poly([R,S]-3-hydroxy butyrate) [morphology and properties. 2013 , 49, 3630-3641		81
299	Preparation and characterization of vacuum sputter silver coated PLA film. 2013, 54, 477-484		19
298	Balancing crystalline and amorphous domains in PLA through star-structured polylactides with dual plasticizer/nucleating agent[functionality. 2013 , 54, 7058-7070		32
297	Biocomposites based on lignin and plasticized poly(L-lactic acid). 2013 , 129, 202-214		52
296	Properties of modified ethylene terpolymer/poly(lactic acid) blends based films. 2013, 14, 1422-1431		8
295	Study on biocompatible PLLAPEG blends with high toughness and strength via pressure-induced-flow processing. 2013 , 3, 11738		16
294	Effect of Carboxymethylcellulose on Plasticized Polylactide. 2013 , 658, 19-24		
293	Progress in bio-based plastics and plasticizing modifications. 2013 , 1, 13379		450
292	Preparation and characterization of polylactide/poly(polyethylene glycol-co-citric acid) blends. 2013 , 70, 325-342		14
291	Mechanical, aging, optical and rheological properties of toughening polylactide by melt blending with poly(ethylene glycol) based copolymers. 2013 , 98, 1591-1600		24
290	Plasticized poly(lactic acid) with low molecular weight poly(ethylene glycol): Mechanical, thermal, and morphology properties. 2013 , 130, n/a-n/a		21
289	Polylactic Acid Based Blends, Composites and Nanocomposites. 2013 , 361-396		11
288	Advances in Natural Polymers. 2013,		26
287	Tuning surface micropattern features using a shape memory functional polymer. 2013 , 3, 9865		31

(2013-2013)

286	Nonisothermal crystallization kinetics of poly(lactide) #ffect of plasticizers and nucleating agent. Polymer Engineering and Science, 2013, 53, 1085-1098	37
285	Macro-, Micro-, and Nanocomposites Based on Biodegradable Polymers. 2013 , 173-210	1
284	Tearing and Rheological Properties of Fully Biodegradable Poly(Lactic Acid)/Poly(Ethylene Glutaric-Co-Terephthalate) Copolyester Blends. 2013 , 52, 674-684	2
283	The properties of poly(lactic acid)/starch blends with a functionalized plant oil: tung oil anhydride. 2013 , 95, 77-84	89
282	Compatibilization in bio-based and biodegradable polymer blends. 2013 , 49, 1215-1233	366
281	Physical properties and crystallization behavior of silica particulates reinforced poly(lactic acid) composites. 2013 , 142, 726-733	36
280	Effect of castor oil enrichment layer produced by reaction on the properties of PLA/HDI-g-starch blends. 2013 , 94, 235-43	60
279	Thermal, rheological, and mechanical properties of polylactide/poly(diethylene glycol adipate). 2013 , 70, 3487-3500	16
278	Miscibility and Double Glass Transition Temperature Depression of Poly(l-lactic acid) (PLLA)/Poly(oxymethylene) (POM) Blends. 2013 , 46, 5806-5814	74
277	Foaming behaviour and cell structure of poly(lactic acid) after various modifications. 2013, 62, 759-765	25
276	Mechanical Properties of Poly(lactic Acid). 2013 , 177-219	12
275	Phase Structure and Properties of Toughened Poly(L-Lactic Acid)/Glycidyl Methacrylate Grafted Poly(Ethylene Octane) Blends Adjusted by the Stereocomplex. 2013 , 52, 1250-1258	10
274	Preparation and Properties of Ecellulose Short Fiber-Reinforced Poly(lactic Acid) Composites. 2013 , 52, 877-884	12
273	Isothermal Crystallization and Melting Behaviors of Biodegradable Poly(lactic acid)/Poly(Butylene Adipate-co-terephthalate) Blends Compatibilized by Transesterification. 2013 , 52, 718-726	12
272	Flexibility Improvement of Poly(L-lactide) by Reactive Blending With Poly(ether urethane) Containing Poly(ethylene glycol) Blocks. 2013 , 214, 824-834	15
271	Improving Melt Strength of Polylactic Acid. 2013 , 28, 64-71	21
270	Plasticization of Poly-L-lactide with L-lactide, D-lactide, and D,L-lactide monomers. <i>Polymer Engineering and Science</i> , 2013 , 53, 2073-2080	8
269	Recent advances in high performance poly(lactide): from "green" plasticization to super-tough materials via (reactive) compounding. 2013 , 1, 32	104

268	Properties and weldability of plasticized polylactic acid films. 2014 , 131, n/a-n/a		11
267	Toughening Poly(Lactic Acid) and Aiding the Melt-compounding with Bio-sourced Plasticizers. 2014 , 2, 289-295		13
266	Thermal and mechanical properties of poly(lactic acid) modified by poly(ethylene glycol) acrylate through reactive blending. 2014 , 71, 3305-3321		25
265	Plasticizing effects of epoxidized sun flower oil on biodegradable polylactide films: A comparative study. 2014 , 56, 856-863		14
264	Pathways to Biodegradable Flame Retardant Polymer (Nano)Composites. 2014, 709-773		7
263	Properties of poly(ethylene glycol)-grafted poly(lactic acid) plasticized with poly(ethylene glycol). 2014 , 22, 1312-1319		18
262	Comparison of Solvent-Casting and Melt-Compounding Blended Biomedical (Polylactide)-(Polyethylene Glycol) Mixture as Drug Carrier. 2014 , 1002, 99-104		1
261	Preparation and Characterization of Bioplastic-Based Green Renewable Composites from Tapioca with Acetyl Tributyl Citrate as a Plasticizer. 2014 , 7, 5617-5632		48
260	MWCNTs-reinforced epoxidized linseed oil plasticized polylactic acid nanocomposite and its electroactive shape memory behaviour. 2014 , 15, 19924-37		40
259	Effects of reactive and nonreactive POSS types on the mechanical, thermal, and morphological properties of plasticized poly(lactic acid). <i>Polymer Engineering and Science</i> , 2014 , 54, 264-275	2.3	49
258	Super Toughened Poly(L-lactide)/Thermoplastic Polyurethane Blends Achieved by Adding Dicumyl Peroxide. 2014 , 53, 1344-1353		12
257			
	Toughening of polylactide with epoxy-functionalized methyl methacrylateButyl acrylate copolymer. 2014 , 71, 2881-2902		19
256			19 47
256 255	copolymer. 2014 , 71, 2881-2902 Shape memory polymer nanocomposite with multi-stimuli response and two-way reversible shape		
	copolymer. 2014, 71, 2881-2902 Shape memory polymer nanocomposite with multi-stimuli response and two-way reversible shape memory behavior. 2014, 4, 61847-61854 Continuous Blending Approach in the Manufacture of Epoxidized Soybean-Plasticized Poly(lactic		47
255	Continuous Blending Approach in the Manufacture of Epoxidized Soybean-Plasticized Poly(lactic acid) Sheets and Films. 2014 , 299, 622-630		47
² 55	Shape memory polymer nanocomposite with multi-stimuli response and two-way reversible shape memory behavior. 2014, 4, 61847-61854 Continuous Blending Approach in the Manufacture of Epoxidized Soybean-Plasticized Poly(lactic acid) Sheets and Films. 2014, 299, 622-630 Influence of acrylic impact modifier on plasticized polylactide blown films. 2014, 63, 1076-1084 Toughening of polylactide with epoxy-functionalized methyl methacrylateButadiene copolymer.		47 32 16

250	Supercritical fluid processing of natural based polymers doped with ionic liquids. 2014 , 241, 122-130	12
249	Poly(lactic acid)-Based Composites Containing Natural Fillers: Thermal, Mechanical and Barrier Properties. 2014 , 22, 88-98	52
248	Stearyl methacrylate-grafted-chitosan nanoparticle as a nanofiller for PLA: Radiation-induced grafting and characterization. 2014 , 94, 205-210	18
247	Preparation and characterization of maleated polylactide-functionalized graphite oxide nanocomposites. 2014 , 21, 1	11
246	An effect of lactic acid oligomers on the barrier properties of polylactide. 2014 , 49, 2975-2986	29
245	A poly(lactide) stereocomplex structure with modified magnesium oxide and its effects in enhancing the mechanical properties and suppressing inflammation. 2014 , 10, 3783-94	43
244	Engineering of a bio-functionalized hybrid off-the-shelf heart valve. 2014 , 35, 2130-9	89
243	Effect of graphene nanoplatelets as nanofiller in plasticized poly(lactic acid) nanocomposites. 2014 , 118, 1551-1559	40
242	Reinforcement of graphene nanoplatelets on plasticized poly(lactic acid) nanocomposites: Mechanical, thermal, morphology, and antibacterial properties. 2014 , 132, n/a-n/a	6
241	Effect of poly(ethylene glycol) on the properties and foaming behavior of macroporous poly(lactic acid)/sodium chloride scaffold. 2014 , 131, n/a-n/a	15
240	Preparation and performance evaluation of castor oil-based polyurethane prepolymer/polylactide blends. 2014 , 49, 8016-8030	22
239	Combining block copolymers and hydrogen bonding for poly(lactide) toughening. 2014 , 4, 13266	17
238	The control of mesenchymal stem cell differentiation using dynamically tunable surface microgrooves. 2014 , 3, 1608-19	50
237	Epoxidized natural rubber toughened polylactic acid/talc composites: Mechanical, thermal, and morphological properties. 2014 , 48, 769-781	28
236	Formation of Poly(L-lactide) mesophase and its chain mobility dependent kinetics. 2014, 32, 1176-1187	16
235	Synthesis and Characterization of Lactic Acid Oligomers: Evaluation of Performance as Poly(Lactic Acid) Plasticizers. 2014 , 22, 227-235	87
234	Plasticizers, antioxidants and reinforcement fillers from hazelnut skin and cocoa by-products: Extraction and use in PLA and PP. 2014 , 108, 297-306	36
233	Tailoring polylactide (PLA) properties for automotive applications: Effect of addition of designed additives on main mechanical properties. 2014 , 36, 1-9	73

232	Isothermal crystallization kinetics and melting behavior of PLLA/f-MWNTs composites. 2014 , 117, 1385-1396	11
231	Anhydric maleic functionalization and polyethylene glycol grafting of lactide-co-trimethylene carbonate copolymers. <i>Materials Science and Engineering C</i> , 2014 , 42, 517-28	2
230	Improvement in impact strength of modified cardanol-bonded cellulose thermoplastic resin by adding modified silicones. 2014 , 131, n/a-n/a	6
229	Effect of Processing Method on Thermal Behavior in PLA/PEG Melt Blending. 2015, 1134, 185-190	2
228	Modification and extrusion coating of polylactic acid films. 2015 , 132, n/a-n/a	10
227	Solubility factors as screening tools of biodegradable toughening agents of polylactide. 2015 , 132, n/a-n/a	19
226	Poly(ethylene glycol) methyl ether methacrylate-graft-chitosan nanoparticles as a biobased nanofiller for a poly(lactic acid) blend: Radiation-induced grafting and performance studies. 2015 , 132, n/a-n/a	10
225	Effect of Oligo-Hydroxyalkanoates on Poly(3-Hydroxybutyrate-co-4-Hydroxybutyrate)-Based Systems. 2015 , 300, 661-666	8
224	Effect of mixing poly(lactic acid) with glycidyl methacrylate grafted poly(ethylene octene) on optical and mechanical properties of the blown films. <i>Polymer Engineering and Science</i> , 2015 , 55, 2801-2813	18
223	Processing and Characterization of Cellulose Nanocrystals/Polylactic Acid Nanocomposite Films. 2015 , 8, 8106-8116	73
222	Design, materials, and mechanobiology of biodegradable scaffolds for bone tissue engineering. 2015 , 2015, 729076	196
221	Effect of polyethylene glycol on the crystallization and impact properties of polylactide-based blends. 2015 , 26, 465-475	71
220	The simultaneous introduction of low and high molecular weight of biodegradable Poly(diethylene glycol adipate)s to Plasticize and Toughen Polylactide. 2015 , 16, 2519-2528	4
219	High-resolution direct 3D printed PLGA scaffolds: print and shrink. 2014 , 7, 015002	28
218	Graphene modifications in polylactic acid nanocomposites: a review. 2015 , 72, 931-961	63
217	Insight into glass transition of cellulose based on direct thermal processing after plasticization by ionic liquid. 2015 , 22, 89-99	22
216	Ultrasonic welding of plasticized PLA films. 2015 , 132, n/a-n/a	6
215	Novel blends of polylactide with ethylene glycol derivatives of POSS. 2015 , 293, 23-33	22

(2016-2015)

214	Miscibility and isothermal crystallization of poly(L-lactide) and poly(trimethylene carbonate) blends. 2015 , 33, 499-507	6
213	Reactive Compatibilization of Polylactide/Polypropylene Blends. 2015 , 54, 6108-6114	85
212	Toughening of poly(lactide) using polyethylene glycol methyl ether acrylate: Reactive versus physical blending. <i>Polymer Engineering and Science</i> , 2015 , 55, 1408-1419	29
211	Tensile Properties of Polylactide/Poly(ethylene glycol) Blends. 2015 , 23, 407-415	26
210	Mechanical, Thermal, Rheological and Morphological Properties of Binary and Ternary Blends of PLA, TPS and PCL. 2015 , 300, 423-435	66
209	Effects of poly(ethylene glycol) grafted silica nanoparticles on crystallization behavior of poly(d-lactide). 2015 , 64, 1066-1071	5
208	Synergistic effect of PLAPBATPLA tri-block copolymers with two molecular weights as compatibilizers on the mechanical and rheological properties of PLA/PBAT blends. 2015 , 5, 73842-73849	36
207	Mechanical performance of polylactic based formulations. 2015, 17-37	2
206	Handbook of Polymer Nanocomposites. Processing, Performance and Application. 2015,	41
205	Polylactic Acid (PLA) Carbon Nanotube Nanocomposites. 2015 , 283-297	5
204	Tough and transparent blends of polylactide with block copolymers of ethylene glycol and propylene glycol. 2015 , 41, 209-218	19
203	A toughened PLA/Nanosilica composite obtained in the presence of epoxidized soybean oil. 2015 , 132,	20
202	Compounding and Additives. 2015 , 215-262	
201	Poly(lactic acid)/thermoplastic starch sheets: effect of adipate esters on the morphological, mechanical and barrier properties. 2016 , 26, 66-73	10
200	Cellulose Nanocrystals versus Polyethylene Glycol as Toughening Agents for Poly(Lactic Acid)-Poly(Acrylic Acid) Graft Copolymer. 2016 , 4, 340-350	1
200 199		5
	Acid)-Poly(Acrylic Acid) Graft Copolymer. 2016 , 4, 340-350	

196 Optimized profile extrusion processes for biopolymer blends. 2016,

Modification of Poly(lactic acid) Matrix by Chemically Modified Flax Fiber Bundles and Poly(ethylene glycol) Plasticizer. 2016, 429-445 194 Poly(lactic acid) / Poly(ethylene glycol) blends: Mechanical, thermal and morphological properties. 23 195 PLA composites: From production to properties. 2016, 107, 17-46 449 192 Toughening poly(lactic acid) (PLA) through in situ reactive blending with liquid polybutadiene rubber (LPB). 2016, 23, 807-818 191 Polylactides-Methods of synthesis and Characterization. 2016, 107, 3-16 97 190 Recent Progress in Using Stereocomplexation for Enhancement of Thermal and Mechanical Property of Polylactide. ACS Sustainable Chemistry and Engineering, 2016, 4, 5370-5391 189 Characterization of polylactide/poly(ethylene glycol) blends via direct pyrolysis mass spectrometry. 2016, 122, 315-322 188 A New Approach to Supertough Poly(lactic acid): A High Temperature Reactive Blending. 2016, 301, 1443-145320 187 Sustainable polyacetals from erythritol and bioaromatics. 2016, 133, 19 188 Diethylene glycol monobutyl ether adipate as a novel plasticizer for biodegradable polylactide. 2016, 73, 3143-3161 189 Microcellular Foaming of Biodegradable PLA/PPC Composite Using Supercritical CO2. 2016, 861, 247-252 1 184 Characteristics and Applications of PLA. 2016, 171-224 5 185 Microcellular Foaming of Biodegradable PLA/PPC Composite Using Supercritical CO2. 2016, 861, 247-252 1 186 Characteristics and Applications of PLA. 2016, 171-224 5 187 Compatibility, steady and dynamic rheological behaviors of polylactide/poly(ethylene glycol) 31 188 Dends. 2016, 133, n/a-n/a 73 189 Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016, 49, 4587-4598 42 179 Compatibility, steady and 40, 367-392 7 1894			
PLA composites: From production to properties. 2016, 107, 17-46 192 Toughening poly(lactic acid) (PLA) through in situ reactive blending with liquid polybutadiene rubber (LPB). 2016, 23, 807-818 191 Polylactides-Methods of synthesis and characterization. 2016, 107, 3-16 192 Polylactides-Methods of synthesis and characterization. 2016, 107, 3-16 193 Percent Progress in Using Stereocomplexation for Enhancement of Thermal and Mechanical Property of Polylactide. ACS Sustainable Chemistry and Engineering, 2016, 4, 5370-5391 189 Characterization of polylactide/poly(ethylene glycol) blends via direct pyrolysis mass spectrometry. 7 188 A New Approach to Supertough Poly(lactic acid): A High Temperature Reactive Blending. 2016, 301, 1443-145320 187 Sustainable polyacetals from erythritol and bioaromatics. 2016, 133, 19 186 Diethylene glycol monobutyl ether adipate as a novel plasticizer for biodegradable polylactide. 2016, 73, 3143-3161 185 Microcellular Foaming of Biodegradable PLA/PPC Composite Using Supercritical CO2. 2016, 861, 247-252 1 184 Characteristics and Applications of PLA. 2016, 171-224 185 Toughening effect of annealing-induced intermolecular crystallization of PBA-g-PLLA in PLA matrix. 10 186 2016, 24, 515-521 187 Toughening effect of annealing-induced intermolecular crystallization of PBA-g-PLLA in PLA matrix. 10 2016, 24, 515-521 188 The effect of poly(ethylene glycol) as plasticizer in blends of poly(lactic acid) and poly(butylene succinate). 2016, 133, n/a-n/a 180 Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016, 49, 4587-4598 42 Physical and mechanical properties of PLA, and their functions in widespread applications - A	195		2
Toughening poly(lactic acid) (PLA) through in situ reactive blending with liquid polybutadiene rubber (LPB). 2016, 23, 807-818 191 Polylactides-Methods of synthesis and characterization. 2016, 107, 3-16 97 Pecent Progress in Using Stereocomplexation for Enhancement of Thermal and Mechanical Property of Polylactide. ACS Sustainable Chemistry and Engineering, 2016, 4, 5370-5391 189 Characterization of polylactide/poly(ethylene glycol) blends via direct pyrolysis mass spectrometry. 2016, 122, 315-322 187 Sustainable polyacetals from erythritol and bioaromatics. 2016, 133, 188 A New Approach to Supertough Poly(lactic acid): A High Temperature Reactive Blending. 2016, 301, 1443-145320 187 Sustainable polyacetals from erythritol and bioaromatics. 2016, 133, 188 Diethylene glycol monobutyl ether adipate as a novel plasticizer for biodegradable polylactide. 2016, 73, 3143-3161 189 Microcellular Foaming of Biodegradable PLA/PPC Composite Using Supercritical CO2. 2016, 861, 247-252 180 Toughening effect of annealing-induced intermolecular crystallization of PBA-g-PLLA in PLA matrix. 10 Toughening effect of annealing-induced intermolecular crystallization of PBA-g-PLLA in PLA matrix. 2016, 24, 515-521 180 Compatibility, steady and dynamic rheological behaviors of polylactide/poly(ethylene glycol) blends. 2016, 133, n/a-n/a 181 The effect of poly(ethylene glycol) as plasticizer in blends of poly(lactic acid) and poly(butylene succinate). 2016, 133, n/a-n/a 180 Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016, 49, 4587-4598 42 Physical and mechanical properties of PLA, and their functions in widespread applications - A	194		23
rubber (LPB). 2016, 23, 807-818 191 Polylactides-Methods of synthesis and characterization. 2016, 107, 3-16 97 190 Recent Progress in Using Stereocomplexation for Enhancement of Thermal and Mechanical Property of Polylactide. ACS Sustainable Chemistry and Engineering, 2016, 4, 5370-5391 189 Characterization of polylactide/poly(ethylene glycol) blends via direct pyrolysis mass spectrometry. 2016, 122, 315-322 188 A New Approach to Supertough Poly(lactic acid): A High Temperature Reactive Blending. 2016, 301, 1443-145320 187 Sustainable polyacetals from erythritol and bioaromatics. 2016, 133, 19 188 Diethylene glycol monobutyl ether adipate as a novel plasticizer for biodegradable polylactide. 2016, 73, 3143-3161 185 Microcellular Foaming of Biodegradable PLA/PPC Composite Using Supercritical CO2. 2016, 861, 247-252 188 Characteristics and Applications of PLA. 2016, 171-224 5 Toughening effect of annealing-induced intermolecular crystallization of PBA-g-PLLA in PLA matrix. 2016, 24, 515-521 180 Compatibility, steady and dynamic rheological behaviors of polylactide/poly(ethylene glycol) blends. 2016, 133, n/a-n/a 181 The effect of poly(ethylene glycol) as plasticizer in blends of poly(lactic acid) and poly(butylene succinate). 2016, 133, n/a-n/a 180 Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016, 49, 4587-4598 420 Physical and mechanical properties of PLA, and their functions in widespread applications - A	193	PLA composites: From production to properties. 2016 , 107, 17-46	449
Recent Progress in Using Stereocomplexation for Enhancement of Thermal and Mechanical Property of Polylactide. ACS Sustainable Chemistry and Engineering, 2016, 4, 5370-5391 Recent Progress in Using Stereocomplexation for Enhancement of Thermal and Mechanical Property of Polylactide. ACS Sustainable Chemistry and Engineering, 2016, 4, 5370-5391 Recent Progress in Using Stereocomplexation for Enhancement of Thermal and Mechanical Property of Polylactide. ACS Sustainable Polylactide/poly(ethylene glycol) blends via direct pyrolysis mass spectrometry. A New Approach to Supertough Poly(lactic acid): A High Temperature Reactive Blending. 2016, 301, 1443-145320 Recent Progress in Using Stereocomplexation of Polylactice Blending. 2016, 301, 1443-145320 Recent Progress in Using Stereocomplexation of Polylactide Blending. 2016, 301, 1443-145320 Recent Progress in Using Stereocomplexation of Polylactide. Recent Progress in Using Stereocomplexation of Polylactide Polylactide. Recent Progress in Using Stereocomplexation of Polylactide Polylactide. Recent Progress in Using Stereocomplexation of Polylactide Polylactide. Recent Progress in Using Stereocomplexation of Polylactide.	192		10
Property of Polylactide. ACS Sustainable Chemistry and Engineering, 2016, 4, 5370-5391 189 Characterization of polylactide/poly(ethylene glycol) blends via direct pyrolysis mass spectrometry. 2016, 122, 315-322 188 A New Approach to Supertough Poly(lactic acid): A High Temperature Reactive Blending. 2016, 301, 1443-145320 187 Sustainable polyacetals from erythritol and bioaromatics. 2016, 133, 19 Diethylene glycol monobutyl ether adipate as a novel plasticizer for biodegradable polylactide. 2016, 73, 3143-3161 185 Microcellular Foaming of Biodegradable PLA/PPC Composite Using Supercritical CO2. 2016, 861, 247-252 1 184 Characteristics and Applications of PLA. 2016, 171-224 5 Toughening effect of annealing-induced intermolecular crystallization of PBA-g-PLLA in PLA matrix. 2016, 24, 515-521 180 Compatibility, steady and dynamic rheological behaviors of polylactide/poly(ethylene glycol) 181 The effect of poly(ethylene glycol) as plasticizer in blends of poly(lactic acid) and poly(butylene succinate). 2016, 133, n/a-n/a 180 Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016, 49, 4587-4598 42 Physical and mechanical properties of PLA, and their functions in widespread applications - A	191	Polylactides-Methods of synthesis and characterization. 2016 , 107, 3-16	97
2016, 122, 315-322 A New Approach to Supertough Poly(lactic acid): A High Temperature Reactive Blending. 2016, 301, 1443-145320 187 Sustainable polyacetals from erythritol and bioaromatics. 2016, 133, 19 188 Diethylene glycol monobutyl ether adipate as a novel plasticizer for biodegradable polylactide. 2016, 73, 3143-3161 189 Microcellular Foaming of Biodegradable PLA/PPC Composite Using Supercritical CO2. 2016, 861, 247-252 180 Characteristics and Applications of PLA. 2016, 171-224 181 Toughening effect of annealing-induced intermolecular crystallization of PBA-g-PLLA in PLA matrix. 10 182 Compatibility, steady and dynamic rheological behaviors of polylactide/poly(ethylene glycol) blends. 2016, 133, n/a-n/a 181 The effect of poly(ethylene glycol) as plasticizer in blends of poly(lactic acid) and poly(butylene succinate). 2016, 133, n/a-n/a 180 Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016, 49, 4587-4598 42 Physical and mechanical properties of PLA, and their functions in widespread applications - A	190	X1	154
Diethylene glycol monobutyl ether adipate as a novel plasticizer for biodegradable polylactide. 2016, 73, 3143-3161 Microcellular Foaming of Biodegradable PLA/PPC Composite Using Supercritical CO2. 2016, 861, 247-252 Characteristics and Applications of PLA. 2016, 171-224 Toughening effect of annealing-induced intermolecular crystallization of PBA-g-PLLA in PLA matrix. 2016, 24, 515-521 Compatibility, steady and dynamic rheological behaviors of polylactide/poly(ethylene glycol) blends. 2016, 133, n/a-n/a The effect of poly(ethylene glycol) as plasticizer in blends of poly(lactic acid) and poly(butylene succinate). 2016, 133, n/a-n/a Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016, 49, 4587-4598 42 Physical and mechanical properties of PLA, and their functions in widespread applications - A	189		7
Diethylene glycol monobutyl ether adipate as a novel plasticizer for biodegradable polylactide. 2016, 73, 3143-3161 Microcellular Foaming of Biodegradable PLA/PPC Composite Using Supercritical CO2. 2016, 861, 247-252 Characteristics and Applications of PLA. 2016, 171-224 Toughening effect of annealing-induced intermolecular crystallization of PBA-g-PLLA in PLA matrix. 2016, 24, 515-521 Compatibility, steady and dynamic rheological behaviors of polylactide/poly(ethylene glycol) blends. 2016, 133, n/a-n/a The effect of poly(ethylene glycol) as plasticizer in blends of poly(lactic acid) and poly(butylene succinate). 2016, 133, n/a-n/a Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016, 49, 4587-4598 42 Physical and mechanical properties of PLA, and their functions in widespread applications - A	188	A New Approach to Supertough Poly(lactic acid): A High Temperature Reactive Blending. 2016 , 301, 1443-145	5320
2016, 73, 3143-3161 Microcellular Foaming of Biodegradable PLA/PPC Composite Using Supercritical CO2. 2016, 861, 247-252 Characteristics and Applications of PLA. 2016, 171-224 Toughening effect of annealing-induced intermolecular crystallization of PBA-g-PLLA in PLA matrix. 2016, 24, 515-521 Compatibility, steady and dynamic rheological behaviors of polylactide/poly(ethylene glycol) blends. 2016, 133, n/a-n/a The effect of poly(ethylene glycol) as plasticizer in blends of poly(lactic acid) and poly(butylene succinate). 2016, 133, n/a-n/a Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016, 49, 4587-4598 Physical and mechanical properties of PLA, and their functions in widespread applications - A	187	Sustainable polyacetals from erythritol and bioaromatics. 2016 , 133,	19
Compatibility, steady and dynamic rheological behaviors of polylactide/poly(ethylene glycol) blends. 2016, 133, n/a-n/a The effect of poly(ethylene glycol) as plasticizer in blends of poly(lactic acid) and poly(butylene succinate). 2016, 133, n/a-n/a Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016, 49, 4587-4598 Physical and mechanical properties of PLA, and their functions in widespread applications - A	186		6
Toughening effect of annealing-induced intermolecular crystallization of PBA-g-PLLA in PLA matrix. 2016, 24, 515-521 Compatibility, steady and dynamic rheological behaviors of polylactide/poly(ethylene glycol) blends. 2016, 133, n/a-n/a The effect of poly(ethylene glycol) as plasticizer in blends of poly(lactic acid) and poly(butylene succinate). 2016, 133, n/a-n/a Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016, 49, 4587-4598 Physical and mechanical properties of PLA, and their functions in widespread applications - A	185	Microcellular Foaming of Biodegradable PLA/PPC Composite Using Supercritical CO2. 2016 , 861, 247-252	1
2016, 24, 515-521 Compatibility, steady and dynamic rheological behaviors of polylactide/poly(ethylene glycol) blends. 2016, 133, n/a-n/a The effect of poly(ethylene glycol) as plasticizer in blends of poly(lactic acid) and poly(butylene succinate). 2016, 133, n/a-n/a Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016, 49, 4587-4598 Physical and mechanical properties of PLA, and their functions in widespread applications - A	184	Characteristics and Applications of PLA. 2016 , 171-224	5
blends. 2016, 133, n/a-n/a The effect of poly(ethylene glycol) as plasticizer in blends of poly(lactic acid) and poly(butylene succinate). 2016, 133, n/a-n/a Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016, 49, 4587-4598 Physical and mechanical properties of PLA, and their functions in widespread applications - A	183		10
succinate). 2016, 133, n/a-n/a Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016, 49, 4587-4598 Physical and mechanical properties of PLA, and their functions in widespread applications - A	182		13
Physical and mechanical properties of PLA, and their functions in widespread applications - A	181		31
	180	Synthesis and Rheology of Branched Multiblock Polymers Based on Polylactide. 2016 , 49, 4587-4598	42
	179		1194

(2017-2016)

178	Thermo-mechanical, structural characterization and antibacterial performance of solvent casted polylactide/cinnamon oil composite films. 2016 , 69, 196-204	66
177	Design of highly tough poly(l-lactide)-based ternary blends for automotive applications. 2016 , 133, n/a-n/a	28
176	A simple and effective method for making multipotent/multilineage scaffolds with hydrophilic nature without any postmodification/treatment. 2016 , 141, 112-119	12
175	Characterization and Properties of Reactive Poly (Lactic Acid)/Ethylenellinyl Alcohol Copolymer Blends with Chain-Extender. 2016 , 24, 129-138	9
174	Effect of multi-branched PDLA additives on the mechanical and thermomechanical properties of blends with PLLA. 2016 , 133, n/a-n/a	12
173	Enhanced mechanical properties of PLA/PLAE blends via well-dispersed and compatilized nanostructures in the matrix. 2016 , 6, 25531-25540	9
172	Toughening Glassy Poly(lactide) with Block Copolymer Micelles. 2016 , 5, 359-364	57
171	Approaches to Stretchable Polymer Active Channels for Deformable Transistors. 2016 , 49, 433-444	51
170	Production of ascorbic acid releasing biomaterials for pelvic floor repair. 2016 , 29, 188-197	27
169	Effects of functionalized graphenes on the isothermal crystallization of poly(L-lactide) nanocomposites. 2016 , 34, 111-121	21
168	Plasticizing effects of citrate esters on properties of poly(lactic acid). 2016 , 36, 371-380	24
167	Properties and characterization of biodegradable poly(lactic acid) (PLA)/poly(ethylene glycol) (PEG) and PLA/PEG/organoclay: A study of crystallization kinetics, rheology, and compostability. 2016 , 29, 443-463	22
166	Mechanical properties of poly(l-lactic acid) composites filled with mesoporous silica. 2017, 38, 1118-1126	5
165	Non-isothermal crystallization kinetics of PEG plasticized PLA/G-POSS nanocomposites. 2017 , 38, 1378-1389	17
164	Solution blow spinning fibres: New immunologically inert substrates for the analysis of cell adhesion and motility. 2017 , 51, 161-174	20
163	Poly(lactic acid)-based nanocomposites. 2017 , 28, 919-930	39
162	Molecular interactions of organic molecules at the air/water interface investigated by sum frequency generation vibrational spectroscopy. 2017 , 19, 4488-4493	8
161	Designing Block Copolymer Architectures toward Tough Bioplastics from Natural Rosin. 2017 , 50, 2069-2077	49

160	Interaction between vegetable oil based plasticizer molecules and polyvinyl chloride, and their plasticization effect. 2017 ,		2
159	EFFECT OF PLASTICIZERS ON PROPERTIES OF PLASTICIZED MATERIALS. 2017 , 209-332		5
158	PLASTICIZERS USE AND SELECTION FOR SPECIFIC POLYMERS. 2017 , 333-483		3
157	Plasticizers for Biopolymer Films. 2017 , 159-182		1
156	Poly(lactic acid) plasticized with low-molecular-weight polyesters: structural, thermal and biodegradability features. 2017 , 66, 761-769		14
155	Non-isothermal kinetics of cold crystallization in multicomponent PLA/thermoplastic polyurethane/nanofiller system. 2017 , 130, 1043-1052		8
154	Increase the elongation at break of poly (lactic acid) composites for use in food packaging films. 2017 , 7, 46767		42
153	Thicker Lamellae and Higher Crystallinity of Poly(lactic acid) via Applying Shear Flow and Pressure and Adding Poly(ethylene Glycol). 2017 , 121, 5842-5852		11
152	Comparison Study on Four Biodegradable Polymer Coatings for Controlling Magnesium Degradation and Human Endothelial Cell Adhesion and Spreading. 2017 , 3, 936-950		40
151	Esters of Tartaric Acid, A New Class of Potential D ouble GreenIPlasticizers. <i>ACS Sustainable</i> Chemistry and Engineering, 2017 , 5, 5999-6007	3	14
150	Effect of a polyetheramine additive on the melt-flowability of poly(butylene terephthalate). 2017 , 61, 191-196		1
149	Regulation of the mechanical properties and heat resistance of the poly(l-lactide-co-trimethylene carbonate) copolymer by the incorporation of a stereocomplex crystal and graphene oxide. 2017 , 134, 45248		O
148	Effect of supercritical carbon dioxide treatment on structure and mechanical properties of Ehucleated polypropylene processed at different temperatures. 2017 , 60, 211-219		4
147	Progress in Toughening Poly(Lactic Acid) with Renewable Polymers. 2017 , 57, 557-593		115
146	Preparation and characterization of polyethylene glycol/poly(L-lactic acid) blends. 2017, 89, 141-152		13
145	Synergistic effect of silver nanoparticle content on the optical and thermo-mechanical properties of poly(l-lactic acid)/glycerol triacetate blends. 2017 , 74, 4799-4814		16
144	Molecular simulation and experimental studies of the miscibility of polylactic acid/polyethylene glycol blends. 2017 , 24, 1		20
143	Polylactic acid/polyurethane blend reinforced with cellulose nanocrystals with semi-interpenetrating polymer network (S-IPN) structure. 2017 , 86, 188-199		27

142	Poly(l-lactic acid)-polyethylene glycol-poly(l-lactic acid) triblock copolymer: A novel macromolecular plasticizer to enhance the crystallization of poly(l-lactic acid). 2017 , 97, 272-281	25
141	Characterizations of PLA-PEG blends involving organically modified montmorillonite. 2017 , 127, 343-349	17
140	Rheology, Mechanical Properties, and Barrier Properties of Poly(lactic acid). 2017, 303-341	12
139	Poly(lactic acid)-Based Materials for Automotive Applications. 2017 , 177-219	13
138	Plasticizing effect of coconut oil on morphological, mechanical, thermal, rheological, barrier, and optical properties of poly(lactic acid): A promising candidate for food packaging. 2017 , 134, 45390	36
137	Compatibilization of PLA/PEBA Blends via Reactive Extrusion: A Comparison of Different Coupling Agents. 2017 , 25, 812-827	12
136	Effect of plasticizer poly(ethylene glycol) on the crystallization properties of stereocomplex-type poly (lactide acid). 2017 , 22, 420-428	7
135	Isothermal melt crystallization and performance evaluation of polylactide/thermoplastic polyester blends with multi-functional epoxy. 2018 , 135, 6343	3
134	Preparation of poly(L-lactide)/poly(ethylene glycol)/organo-modified montmorillonite nanocomposites via melt intercalation under continuous elongation flow. 2018 , 38, 449-460	6
133	Catalytic metal-based systems for controlled statistical copolymerisation of lactide with a lactone. 2018 , 9, 2517-2531	47
132	Effect of a Hybrid Zinc Stearate-Silver System on the Properties of Polylactide and Its Abiotic and the Biotic Degradation and Antimicrobial Activity Thereof. 2018 , 36, 925-933	2
131	Interactions between PLA, PE and wood flour: effects of compatibilizing agents and ionic liquids. 2018 , 72, 691-700	8
130	The quest for high glass transition temperature bioplastics. 2018 , 6, 9298-9331	106
129	Compatibilisation of various PLA/thermoplastic elastomer blends with diisocyanate coupling agent. 2018 , 47, 95-105	6
128	Electrospinning polymer blend of PLA and PBAT: ElectrospinnabilityBolubility map and effect of polymer solution parameters toward application as antibiotic-carrier mats. 2018 , 135, 46486	11
127	Crystallization kinetics of polylactide: Reactive plasticization and reprocessing effects. 2018 , 148, 56-66	7
126	Preparation of multiblock copolymers step-wise addition of l-lactide and trimethylene carbonate. 2018 , 9, 2168-2178	18
125	Advanced piezoresistive sensor achieved by amphiphilic nanointerfaces of graphene oxide and biodegradable polymer blends. 2018 , 156, 166-176	57

124	PLA/ESO/MWCNT nanocomposite: a study on mechanical, thermal and electroactive shape memory properties. 2018 , 25, 1	26
123	Fast Crystallization and Toughening of Poly(L-lactic acid) by Incorporating with Poly(ethylene glycol) as a Middle Block Chain. 2018 , 60, 141-155	13
122	Influence of Multiwalled Carbon Nanotubes on Biodegradable Poly(lactic acid) Nanocomposites for Electroactive Shape Memory Actuator. 2018 , 37, 256-261	8
121	Investigation of relationship between crystallization kinetics and interfacial interactions in plasticized poly(lactic acid)/POSS nanocomposites: Effects of different POSS types[12018, 39, 2674-2684]	10
120	Plasticization of Biodegradable Poly(Lactic Acid) by Different Triglyceride Molecular Sizes: A Comparative Study with Glycerol. 2018 , 26, 1160-1168	13
119	High Toughness and Fast Crystallization Poly(Lactic Acid)/Polyamide 11/SiO2 Composites. 2018 , 26, 626-635	8
118	Reactive plasticization of poly(lactide) with epoxy functionalized cardanol. <i>Polymer Engineering and Science</i> , 2018 , 58, E64-E72	4
117	Combined effect of a plasticizer and carvacrol and thymol on the mechanical, thermal, morphological properties of poly(lactic acid). 2018 , 135, 45895	17
116	Fracture behavior of highly toughened poly(lactic acid)/ethylene-co-vinyl acetate blends. 2018, 18, 153-162	3
115	Fully biodegradable Poly(lactic acid)/Starch blends: A review of toughening strategies. <i>International Journal of Biological Macromolecules</i> , 2018 , 109, 99-113	85
114	Moisture-mediated intrinsic self-healing of modified polyurethane urea polymers. 2018 , 56, 537-548	14
113	Mechanobiology of framework material used for manufacture of bone tissue implants. Review of mathematical models. 2018 ,	
112	Industrial Applications of Poly(lactic acid). 2018,	28
111	Characteristics of Biodegradable Polylactide/Thermoplastic Starch/Nanosilica Composites: Effects of Plasticizer and Nanosilica Functionality. 2018 , 2018, 1-15	10
110	An efficient plasticization method for poly(lactic acid) using combination of liquid-state and solid-state plasticizers. 2018 , 135, 46669	10
109	Light-actuated reversible shape memory effect of a polymer composite. 2018 , 110, 70-75	35
108	Montmorillonite Composite Materials and Food Packaging. 2018, 1-71	1
107	Effect of continuous elongational flow on structure and properties of poly(L-lactic acid)/poly(ethylene glycol) blend and its organo-modified montmorillonite nanocomposites. 2019 , 40, E617	3

106	Kunststoffe der Zukunft? Der Einfluss von bioabbaubaren Polymeren auf Umwelt und Gesellschaft. 2019 , 131, 50-63	20
105	Plastics of the Future? The Impact of Biodegradable Polymers on the Environment and on Society. 2019 , 58, 50-62	444
104	Poly(Lactic Acid) Additives and Processing Aids. 2019 , 273-305	1
103	Experimental evaluation of the mechanical and thermal properties of 3D printed PLA and its composites. 2019 , 6, 115301	14
102	Mechanical Properties of Poly(Lactic Acid). 2019 , 167-202	
101	Shape memory effect on electrospun PLA-based fibers tailoring their thermal response. 2019 , 117, 217-226	36
100	The crystallization behavior of poly(ethylene glycol) and poly(l-lactide) block copolymer: Effects of block length of poly(ethylene glycol) and poly(l-lactide). 2019 , 2, e10071	1
99	Environmental usefulness of PLA/PEG blends for controlled-release systems of soil-applied herbicides. 2019 , 136, 47856	6
98	Effect of the Addition of Natural Rice Bran Oil on the Thermal, Mechanical, Morphological and Viscoelastic Properties of Poly(Lactic Acid). 2019 , 11, 2783	3
97	The synthesis of poly (lactic acid)-fulvic acid graft polymer and its effect on the crystallization and performance of poly (lactic acid). 2019 , 58, 1875-1888	2
96	Tailoring the mechanical and thermal properties of polylactic acid-based bionanocomposite films using halloysite nanotubes and polyethylene glycol by solvent casting process. 2019 , 54, 8971-8983	29
95	Thermal, Mechanical, and Rheological Properties of Biocomposites Made of Poly(lactic acid) and Potato Pulp Powder. 2019 , 20,	21
94	Toughness enhancement of poly(lactic acid) through hybridisation with epoxide-functionalised silane via reactive extrusion. 2019 , 160, 195-202	5
93	Structure-related properties of bionanocomposites based on poly(lactic acid), cellulose nanocrystals and organic impact modifier. 2019 , 34, 143-156	10
92	Ferulic acid derivatives used as biobased powders for a convenient plasticization of polylactic acid in continuous hot-melt process. 2019 , 110, 293-300	10
91	Engineered poly(lactic acid)-talc biocomposites for melt processing: Effects of co-blending with poly(butylene succinate) and poly(butylene terephthalate) on thermal and mechanical behavior. 2.3 Polymer Engineering and Science, 2019, 59, 264-273	4
90	Mechanical properties of poly(lactid acid) plasticized by cardanol derivatives. 2019, 159, 199-204	13
89	Novel bio-nanocomposite hybrids made from polylactide/nanoclay nanocomposites and short flax fibers. 2019 , 32, 3-28	7

88	Polyhydroxyalkanoate and Polylactic Acid Composite. 2020 , 223-235		1
87	Properties and End-of-Life of Polymers From Renewable Resources. 2020 , 253-262		3
86	Effect of the multi-functional epoxides on the thermal, mechanical and rheological properties of poly(butylene adipate-co-terephthalate)/polylactide blends. 2020 , 78, 5567		4
85	High-performance polylactic acid composites reinforced by artificially cultured diatom frustules. 2020 , 195, 109003		13
84	Effect of PMMA/Silica Hybrid Particles on Interfacial Adhesion and Crystallization Properties of Poly(lactic acid)/Block Acrylic Elastomer Composites. <i>Polymers</i> , 2020 , 12,	4.5	4
83	Significant modification of the surface morphology of polylactide (PLA) and PLA-halloysite nanocomposites in the presence of N,NEethylenebis(stearamide) upon thermal treatment. 2020 , 14, 1155-1168		1
82	Plasticization Effect of Poly(Lactic Acid) in the Poly(Butylene AdipateTerephthalate) Blown Film for Tear Resistance Improvement. <i>Polymers</i> , 2020 , 12,	4.5	3
81	Rejuvenation Versus Overaging: The Effect of Cyclic Loading/Unloading on the Segmental Dynamics of Poly(methyl methacrylate) Glasses. 2020 , 53, 8467-8475		3
80	Functional Polylactide Blend Films for Controlling Mesenchymal Stem Cell Behaviour. <i>Polymers</i> , 2020 , 12,	4.5	4
79	Electric Conductive and Mechanical Properties of Fibers Based on Polylactide and Carbon Nanofiber. 2020 , 52, 191-195		О
78	Recycling possibilities of bioplastics based on PLA/PHB blends. 2020 , 92, 106880		17
77	Rationally designed functionalized black phosphorus nanosheets as new fire hazard suppression material for polylactic acid. 2020 , 178, 109194		16
76	Promotion of molecular diffusion and/or crystallization in fused deposition modeled poly(lactide) welds. 2020 , 202, 122637		10
75	Plasticization of Polylactide after Solidification: An Effectiveness and Utilization for Correct Interpretation of Thermal Properties. <i>Polymers</i> , 2020 , 12,	4.5	3
74	Amorphous rigidification and cooperativity drop in semidrystalline plasticized polylactide. 2020 , 194, 122373		6
73	Compatibilization of Poly(Lactic Acid) (PLA) and Bio-Based Ethylene-Propylene-Diene-Rubber (EPDM) via Reactive Extrusion with Different Coagents. <i>Polymers</i> , 2020 , 12,	4.5	3
72	Solid and microcellular polylactide nucleated with PLA stereocomplex and cellulose nanocrystals. 2020 , 142, 695-713		3
71	Synthesis and characterization of guanidinate tin(ii) complexes for ring-opening polymerization of		6

70	Mixed-mode fracture behavior of 3D-printed PLA with zigzag filling. 2021, 9, 29-36		4
69	Thermal decomposition behavior of 3D printing filaments made of wood-filled polylactic acid/starch blend. 2021 , 138, 49944		5
68	Biopolymer blends and composites. 2021 , 105-147		7
67	Optimizing crystallinity of engineered poly(lactic acid)/poly(butylene succinate) blends: The role of single and multiple nucleating agents. 2021 , 138, app50236		0
66	Biopolymers and their classifications. 2021 , 21-44		6
65	Influence of Drug Incorporation on the Physico-Chemical Properties of Poly(l-Lactide) Implant Coating Matrices-A Systematic Study. <i>Polymers</i> , 2021 , 13,	4.5	4
64	Effect of tungsten disulfide nanotubes on crystallization of polylactide under uniaxial deformation and annealing. 2021 , 2,		2
63	Biodegradation of Poly(Lactic Acid) Biocomposites under Controlled Composting Conditions and Freshwater Biotope. <i>Polymers</i> , 2021 , 13,	4.5	7
62	Perspectives of polylactic acid from structure to applications. 2021 , 12, 60-74		1
61	Effects of hetero-armed star-shaped PCL-PLA polymers with POSS core on thermal, mechanical, and morphological properties of PLA. 2021 , 138, 50712		5
60	Reactive compatibilization of biodegradable PLA/TPU blends via hybrid nanoparticle. 14777606211019	4	4
59	Fracture characterization and modeling of Gyroid filled 3D printed PLA structures. 2021 , 63, 397-401		4
58	Toughening Modification of Polylactic Acid by Thermoplastic Silicone Polyurethane Elastomer. <i>Polymers</i> , 2021 , 13,	4.5	8
57	Multifactorial Effects of Gelling Conditions on Mechanical Properties of Skin-Like Gelatin Membranes Intended for In Vitro Experimentation and Artificial Skin Models. <i>Polymers</i> , 2021 , 13,	4.5	O
56	Thermo-mechanical characterization and antimicrobial performance of plasticized poly(lactic acid) films incorporated with non-leaching polycationic antimicrobials. 1		
55	Improving the ductility and heat deflection temperature of injection molded Poly(lactic acid) products: A comprehensive review. 2021 , 101, 107282		7
54	Mechanical properties and morphology of modified celluloid foams. 2021 , 138, 50490		
53	Lactide-derived ester oligomers for highly compatible poly(lactide) plasticizer produced through an eco-friendly process: renewable resources, biodegradation, enhanced flexibility, and elastomeric performance.		9

52	Polylactic Acid (PLA) Layered Silicate Nanocomposites. 2014 , 53-67		3
51	Shock-wave propagation and reflection in semicrystalline polyethylene: A molecular-level investigation. 2017 , 1,		12
50	Development and Applications of Sustainable Polylactic Acid Parts. 2016 , 430-485		1
49	Recent Strategies for the Development of Biosourced-Monomers, Oligomers and Polymers-Based Materials: A Review with an Innovation and a Bigger Data Focus. 2016 , 07, 167-213		12
48	The Journey of Alternative and Sustainable Substitutes for Bingle-UsePlastics. 2100085		O
47	Novel Biobased Polylactic Acid/Poly(pentamethylene 2,5-furanoate) Blends for Sustainable Food Packaging. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 13742-13750	8.3	4
46	A Study for Graft-reaction of PEG onto PLA Chains by Reactive Processing. Seikei-Kakou, 2009, 21, 46	9-473	
45	Migration. 181-188		
44	Polymer Alloy Technology of Biopolymer. <i>Seikei-Kakou</i> , 2012 , 24, 444-448	Ο	
43	Reverse Engineering Concepts. 2013 , 179-202		
43	Reverse Engineering Concepts. 2013 , 179-202 Foams: Polylactic Acid-Based System for Tissue Engineering. 3469-3488		
		0.1	
42	Foams: Polylactic Acid-Based System for Tissue Engineering. 3469-3488 Thermal and Dynamic Mechanical Analyses of Poly(Lactic Acid)/Poly(Ethylene Glycol) Blends.	0.1	
42 41	Foams: Polylactic Acid-Based System for Tissue Engineering. 3469-3488 Thermal and Dynamic Mechanical Analyses of Poly(Lactic Acid)/Poly(Ethylene Glycol) Blends. Academic Perspective Procedia, 2018, 1, 526-535 Investigation of the Internal Stress Relaxation in FDM 3D Printing: vegetable lubricating oil.		
4 ² 4 ¹	Foams: Polylactic Acid-Based System for Tissue Engineering. 3469-3488 Thermal and Dynamic Mechanical Analyses of Poly(Lactic Acid)/Poly(Ethylene Glycol) Blends. Academic Perspective Procedia, 2018, 1, 526-535 Investigation of the Internal Stress Relaxation in FDM 3D Printing: vegetable lubricating oil. Journal of the Korean Society of Manufacturing Process Engineers, 2019, 18, 82-90 Effect of poly(ethylene oxide) on the properties of poly(lactic acid)-based blends. IOP Conference	0.1	3
42 41 40 39	Foams: Polylactic Acid-Based System for Tissue Engineering. 3469-3488 Thermal and Dynamic Mechanical Analyses of Poly(Lactic Acid)/Poly(Ethylene Glycol) Blends. Academic Perspective Procedia, 2018, 1, 526-535 Investigation of the Internal Stress Relaxation in FDM 3D Printing: vegetable lubricating oil. Journal of the Korean Society of Manufacturing Process Engineers, 2019, 18, 82-90 Effect of poly(ethylene oxide) on the properties of poly(lactic acid)-based blends. IOP Conference Series: Materials Science and Engineering, 965, 012031 Shape fidelity, mechanical and biological performance of 3D printed polycaprolactone-bioactive	0.1	3
42 41 40 39 38	Foams: Polylactic Acid-Based System for Tissue Engineering. 3469-3488 Thermal and Dynamic Mechanical Analyses of Poly(Lactic Acid)/Poly(Ethylene Glycol) Blends. Academic Perspective Procedia, 2018, 1, 526-535 Investigation of the Internal Stress Relaxation in FDM 3D Printing: vegetable lubricating oil. Journal of the Korean Society of Manufacturing Process Engineers, 2019, 18, 82-90 Effect of poly(ethylene oxide) on the properties of poly(lactic acid)-based blends. IOP Conference Series: Materials Science and Engineering, 965, 012031 Shape fidelity, mechanical and biological performance of 3D printed polycaprolactone-bioactive glass composite scaffolds Materials Science and Engineering C, 2021, 112540	0.1	

34	The Influence of Additives and Environment on Biodegradation of PHBV Biocomposites <i>Polymers</i> , 2022 , 14,	4.5	5	
33	Expanding Poly(lactic acid) (PLA) and Polyhydroxyalkanoates (PHAs) Applications: A Review on Modifications and Effects. <i>Polymers</i> , 2021 , 13,	4.5	4	
32	Orientation of Polylactic Acid-Chitin Nanocomposite Films via Combined Calendering and Uniaxial Drawing: Effect on Structure, Mechanical, and Thermal Properties <i>Nanomaterials</i> , 2021 , 11,	5.4	1	
31	Simultaneous Effects of Carboxyl Group-Containing Hyperbranched Polymers on Glass Fiber-Reinforced Polyamide 6/Hollow Glass Microsphere Syntactic Foams <i>Polymers</i> , 2022 , 14,	4.5		
30	The effect of polymer grafting on the mechanical properties of PEG -grafted cellulose nanocrystals in poly(lactic acid). <i>Journal of Polymer Science</i> ,	2.4	1	
29	MECHANICAL PROPERTIES. 2022 , 169-190			
28	DESIGN AND SYNTHESIS OF DIFFERENT TYPES OF POLY(LACTIC ACID)/POLYLACTIDE COPOLYMERS. 2022 , 45-71			
27	MIGRATION AND INTERACTION WITH CONTACT MATERIALS. 2022, 217-230			
26	CRYSTALLIZATION AND THERMAL PROPERTIES. 2022, 135-151		O	
25	An insight into enhancing the physical properties of poly(lactic acid) (D600) fibers. <i>Textile Reseach Journal</i> , 004051752211008	1.7		
24	Biodegradable Polymer Materials Based on Polyethylene and Natural Rubber: Acquiring, Investigation, Properties. <i>Polymers</i> , 2022 , 14, 2457	4.5	0	
23	Bioplastics in the Sea: Rapid In-Vitro Evaluation of Degradability and Persistence at Natural Temperatures. <i>Frontiers in Marine Science</i> , 9,	4.5	O	
22	Effect of the structural features of biobased linear polyester plasticizers on the crystallization of polylactides. <i>International Journal of Biological Macromolecules</i> , 2022 , 214, 128-139	7.9	O	
21	Polylactic acid in the fabrication of separation membranes: A review. <i>Separation and Purification Technology</i> , 2022 , 296, 121433	8.3	O	
20	Compatibilization of Polylactide/Poly(ethylene 2,5-furanoate) (PLA/PEF) Blends for Sustainable and Bioderived Packaging. 2022 , 27, 6371		2	
19	Understanding plasticiser leaching from polystyrene microplastics. 2022 , 159099		O	
18	Cavitation-Mediated Fracture Energy Dissipation in Polylactide at Rubbery Soybean Oil-Based Block Copolymer Interfaces Formed via Reactive Extrusion.		O	
17	Ultrafast Biodegradation Pathway of Polyimides Using Aromatic Diamine with Two Spiro Moieties Derived from Camphor.		О	

16	Characterization and performance of silicone modified Polylactic acid (PLA)-graphene nanoplatelet ink coatings for flexible elastomeric substrates. 2023 , 174, 107251	0
15	Tailoring and Long-Term Preservation of the Properties of PLA Composites with © reen□ Plasticizers. 2022 , 14, 4836	2
14	Influence of the Structure of Low MolecularWeight Esters on Poly(lactic acid) in the Plasticization Process - part 1. 2022 , 30, 93-101	0
13	Structure P roperties Relationship of Reprocessed Bionanocomposites of Plasticized Polylactide Reinforced with Nanofibrillated Cellulose. 2022 , 12, 12821	O
12	Polyhydroxybutyrate-Base Nanocomposites and Blends. Applications. 2023 , 235-250	0
11	The Influence of Plasticizers and Accelerated Ageing on Biodegradation of PLA under Controlled Composting Conditions. 2023 , 15, 140	O
10	Effect of Nanocalcium Carbonate Content on the Properties of PLA Nanocomposites. 2017 , 5, 26-33	0
9	A Study on Crystallization Process and Rheological Properties of Polypropylene in Addition of Polysilane. 2023 , 72, 23-29	O
8	Combined Effects from Dual Incorporation of ATBC as Plasticizer and Mesoporous MCM-41 as Nucleating Agent on the PLA Isothermal Crystallization in Environmentally-Friendly Ternary Composite Systems. 2023 , 15, 624	0
7	PLASTICIZERS USE AND SELECTION FOR SPECIFIC POLYMERS. 2023 , 313-471	О
6	EFFECT OF PLASTICIZERS ON PROPERTIES OF PLASTICIZED MATERIALS. 2023, 229-311	О
5	EnzymesPower for Plastics Degradation.	О
4	Esters of Cinnamic Acid as Green Plasticizers for Polylactide Formulations with Improved Ductility. 2300022	0
3	Effect of Biobased SiO2 on the Morphological, Thermal, Mechanical, Rheological, and Permeability Properties of PLLA/PEG/SiO2 Biocomposites. 2023 , 7, 150	O
2	Experimental Approaches for the Evaluation of Phase Separation Process in Polymer Blends. 2023 , 111-132	О
1	Additive manufacturing of hexagonal lattice structures: tensile tests and validation. 2023, 65, 505-511	О