

Designed molecules that fold to mimic protein secondary

Current Opinion in Chemical Biology

3, 714-723

DOI: 10.1016/s1367-5931(99)00030-7

Citation Report

#	ARTICLE	IF	CITATIONS
1	HTS in the new millennium. <i>Journal of Pharmacological and Toxicological Methods</i> , 2000, 44, 273-289.	0.3	40
2	Drug Discovery: A Historical Perspective. <i>Science</i> , 2000, 287, 1960-1964.	6.0	2,483
3	NMR Structure in methanol of a β -hexapeptide with a disulfide clamp. <i>Chemical Communications</i> , 2000, , 2267-2268.	2.2	32
4	Tetrahydrofuran amino acidsâ€”versatile building blocks for unnatural biopolymers: lack of secondary structure in oligomeric carbopeptoids derived from a D-galacto-5-(aminomethyl) tetrahydrofuran-2-carboxylic acid. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2000, , 3655-3665.	1.3	36
5	Synthesis of Optically Active Phthaloyl-D-Aminoxy Acids from L-Amino Acids or L-Hydroxy Acids as Building Blocks for the Preparation of Aminoxy Peptides. <i>Journal of Organic Chemistry</i> , 2000, 65, 7667-7675.	1.7	68
6	Hydrazino Peptides as Foldamers: An Extension of the β -Peptide Concept. <i>Journal of the American Chemical Society</i> , 2001, 123, 247-255.	6.6	86
7	β -Peptides: From Structure to Function. <i>Chemical Reviews</i> , 2001, 101, 3219-3232.	23.0	1,772
8	Synthesis of Oligomers of trans-(4S,5R)-4-Carboxybenzyl 5-Methyl Oxazolidin-2-one: An Approach to New Foldamers. <i>Journal of Organic Chemistry</i> , 2001, 66, 727-732.	1.7	46
9	Sec, drugs and rockâ€™nâ€™roll: antibiotic targeting of bacterial protein translocation. <i>Expert Opinion on Therapeutic Targets</i> , 2001, 5, 141-153.	1.0	12
10	Design, machine synthesis, and NMR-solution structure of a β -heptapeptide forming a salt-bridge stabilised 314-helix in methanol and in water. <i>Chemical Communications</i> , 2001, , 649-650.	2.2	120
11	Peptide drug modifications to enhance bioavailability and blood-brain barrier permeability. <i>Peptides</i> , 2001, 22, 2329-2343.	1.2	214
12	Effect of Pressure on the Conformation of Two Oligo (m-Phenylene Ethynylene) Foldamers Containing a Piperazine or Terpene Derivative as Guest. <i>Journal of Physical Chemistry B</i> , 2001, 105, 12374-12377.	1.2	8
13	Toward β -Peptide Tertiary Structure: Self-Association of an Amphiphilic 14-Helix in Aqueous Solution. <i>Organic Letters</i> , 2001, 3, 3963-3966.	2.4	129
14	An Efficient Route to Either Enantiomer of Orthogonally Protected trans-3-Aminopyrrolidine-4-carboxylic Acid. <i>Journal of Organic Chemistry</i> , 2001, 66, 3597-3599.	1.7	61
15	Searching for Periodic Structures in β -Peptides. <i>Journal of Physical Chemistry B</i> , 2001, 105, 5559-5567.	1.2	60
16	Design of Folded Peptides. <i>Chemical Reviews</i> , 2001, 101, 3131-3152.	23.0	641
17	Efficient exploration of conformational space using the stochastic search method: application to β -peptide oligomers. <i>Journal of Computational Chemistry</i> , 2001, 22, 1646-1654.	1.5	31
18	Matching organic libraries with protein-substructures. <i>Journal of Computer-Aided Molecular Design</i> , 2001, 15, 811-817.	1.3	9

#	ARTICLE	IF	CITATIONS
19	A Field Guide to Foldamers. <i>Chemical Reviews</i> , 2001, 101, 3893-4012.	23.0	2,167
20	Folding-driven synthesis of oligomers. <i>Nature</i> , 2001, 414, 889-893.	13.7	161
21	Striped iron zoning of olivine induced by dislocation creep in deformed peridotites. <i>Nature</i> , 2001, 414, 893-895.	13.7	46
22	Profiling Solid-Phase Synthesis Products by Free-Solution Conjugate Capillary Electrophoresis. <i>Bioconjugate Chemistry</i> , 2002, 13, 663-670.	1.8	25
23	Solution-Phase Synthesis of Aminoxy Peptoids in the C to N and N to C Directions. <i>Organic Letters</i> , 2002, 4, 869-872.	2.4	26
24	Diastereoselective Synthesis and Estimation of the Conformational Flexibility of 6-Oxoperhydropryridazine-3-carboxylic Acid Derivatives. <i>Journal of Organic Chemistry</i> , 2002, 67, 2789-2797.	1.7	18
25	Inhibition of Protein-Protein Association by Small Molecules: Approaches and Progress. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 1543-1558.	2.9	287
26	Hydrogen Bond-Stabilized Helix Formation of α -Phenylene Ethynylene Oligomer. <i>Organic Letters</i> , 2002, 4, 4663-4666.	2.4	76
28	Cation-Promoted Hierarchical Formation of Supramolecular Assemblies of Self-Organized Helical Molecular Components. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 1195-1198.	7.2	101
29	A Calix[6]arene Dimer Linked Through Amino Acid Hydrogen Bond Interactions. <i>European Journal of Organic Chemistry</i> , 2002, 2002, 640-644.	1.2	26
30	Protein-protein interactions: mechanisms and modification by drugs. <i>Journal of Molecular Recognition</i> , 2002, 15, 405-422.	1.1	88
31	Designed Beta-Turn Mimic Based on the Allylic-Strain Concept: Evaluation of Structural and Biological Features by Incorporation into a Cyclic RGD Peptide (Cyclo(-L-arginylglycyl-L-aspartyl-)). <i>Helvetica Chimica Acta</i> , 2002, 85, 4442-4452.	1.0	15
32	Toward the Synthesis of Artificial Proteins. <i>Chemistry and Biology</i> , 2002, 9, 647-654.	6.2	107
33	Helix Formation and Folding in β -Peptides and Their Vinylogues. <i>Helvetica Chimica Acta</i> , 2003, 86, 2573-2588.	1.0	101
34	Self-Assembly of Non-Biological Polymeric Strands Undergoing Enforced Helical Self-Organization. <i>Helvetica Chimica Acta</i> , 2003, 86, 3417-3426.	1.0	45
35	Nucleation-Elongation Polymerization under Imbalanced Stoichiometry. <i>Journal of the American Chemical Society</i> , 2003, 125, 16294-16299.	6.6	66
36	Incorporation of Unprotected Heterocyclic Side Chains into Peptoid Oligomers via Solid-Phase Submonomer Synthesis. <i>Journal of the American Chemical Society</i> , 2003, 125, 8841-8845.	6.6	103
37	Nucleation-elongation: a mechanism for cooperative supramolecular polymerization. <i>Organic and Biomolecular Chemistry</i> , 2003, 1, 3471-3491.	1.5	421

#	ARTICLE	IF	CITATIONS
38	Syntheses and CD-Spectroscopic Investigations of Longer-Chain α -Peptides: Preparation by Solid-Phase Couplings of Single Amino Acids, Dipeptides, and Tripeptides. <i>Helvetica Chimica Acta</i> , 2003, 86, 1522-1553.	1.0	53
39	Self-Assembly: Terminology. , 2004, , 1263-1269.		4
40	Well-defined secondary structures. Information-storing molecular duplexes and helical foldamers based on unnatural peptide backbones. <i>FEBS Journal</i> , 2004, 271, 1416-1425.	0.2	116
41	Protein recognition using synthetic surface-targeted agents. <i>Molecular Diversity</i> , 2004, 8, 89-100.	2.1	24
42	Carbopeptoid Folding: Effects of Stereochemistry, Chain Length, and Solvent. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 4055-4059.	7.2	24
44	Helical Poly(3-methyl-4-vinylpyridine)/Amino Acid Complexes: Preparation, Characterization, and Biocompatibility. <i>Macromolecular Bioscience</i> , 2004, 4, 999-1007.	2.1	10
45	Controlling the Conformation of Arylamides: Computational Studies of Intramolecular Hydrogen Bonds between Amides and Ethers or Thioethers. <i>Chemistry - A European Journal</i> , 2004, 10, 5008-5016.	1.7	36
46	Conformational properties of sulfonamido peptides. <i>Computational and Theoretical Chemistry</i> , 2004, 675, 19-28.	1.5	26
47	Hydrogen bonding-mediated self-assembly of rigid and planar metallocyclophanes and their recognition for mono- and disaccharides. <i>Tetrahedron</i> , 2004, 60, 10253-10260.	1.0	38
48	General Synthesis of Unsymmetrical Norbornane Scaffolds as Inducers for Hydrogen Bond Interactions in Peptides. <i>Journal of Organic Chemistry</i> , 2004, 69, 739-743.	1.7	36
49	Single-Site Modifications and Their Effect on the Folding Stability of <i>m</i> -Phenylene Ethynylene Oligomers. <i>Organic Letters</i> , 2004, 6, 889-892.	2.4	38
50	Backbone-Rigidified Oligo(<i>m</i> -phenylene ethynylenes). <i>Journal of the American Chemical Society</i> , 2004, 126, 3148-3162.	6.6	80
51	Alkylated Sugar Amino Acids: A New Entry toward Highly Functionalized Dipeptide Isosters. <i>Organic Letters</i> , 2004, 6, 3167-3170.	2.4	41
52	β -Peptides and β -Amino Acids as Tools for Peptide Structure Design: A Theoretical Study. <i>Journal of Organic Chemistry</i> , 2004, 69, 6214-6220.	1.7	62
53	Hydrogen-Bonding-Induced Planar, Rigid, and Zigzag Oligoanthranilamides. Synthesis, Characterization, and Self-Assembly of a Metallocyclophane. <i>Journal of Organic Chemistry</i> , 2004, 69, 6221-6227.	1.7	66
54	PEG-supported synthesis of pyrazole oligoamides with peptide β -sheet affinity. <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 1603-1611.	1.5	22
55	Novel Reversed Chain Modified Oligopeptides via Sequential β -N-Mitsunobu Condensation of a Functionalized C-glycoside. <i>Chemistry Letters</i> , 2004, 33, 468-469.	0.7	3
56	Using Constrained β -Amino Acid Residues to Control β -Peptide Shape and Function. , 2005, , 527-591.		8

#	ARTICLE	IF	CITATIONS
57	Hydrogen-bonding-induced oligoanthranilamide foldamers. Synthesis, characterization, and complexation for aliphatic ammonium ions. <i>Tetrahedron</i> , 2005, 61, 7974-7980.	1.0	58
58	Fâ€¦â€¦â€¦N Hydrogen Bonding Driven Foldamers: Efficient Receptors for Dialkylammonium Ions. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 5725-5729.	7.2	152
60	Three-Dimensional Organization of Helices: Design Principles for Nucleobase-Functionalized Î²-Peptides. <i>Chemistry - A European Journal</i> , 2005, 11, 3207-3216.	1.7	55
61	Principles of carbopeptoid folding: a molecular dynamics simulation study. <i>Journal of Peptide Science</i> , 2005, 11, 74-84.	0.8	19
62	Hydrogen bonding-mediated oligobenzamide foldamer receptors that efficiently bind a triol and saccharides in chloroform. <i>New Journal of Chemistry</i> , 2005, 29, 1213.	1.4	55
63	@-Tide-Stabilized Î²-Hairpins. <i>Journal of Organic Chemistry</i> , 2005, 70, 1865-1871.	1.7	17
64	Functionalized foldamers: synthesis and characterization of a glycosylated Î²-peptide 314-helix conveying the TN-antigen. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 1359-1361.	1.5	30
65	Nonpeptidic Foldamers from Amino Acids: Synthesis and Characterization of 1,3-Substituted Triazole Oligomers. <i>Journal of the American Chemical Society</i> , 2005, 127, 17134-17135.	6.6	195
66	Driven Evolution of a Constitutional Dynamic Library of Molecular Helices Toward the Selective Generation of [2 Å– 2] Gridlike Arrays under the Pressure of Metal Ion Coordination. <i>Journal of the American Chemical Society</i> , 2006, 128, 16748-16763.	6.6	93
67	Patented small molecule inhibitors of p53â€™MDM2 interaction. <i>Expert Opinion on Therapeutic Patents</i> , 2006, 16, 165-188.	2.4	18
68	A convergent synthesis of new Î²-turn mimics by click chemistry. <i>Chemical Communications</i> , 2006, , 3069-3071.	2.2	95
69	Synthesis and structural characterisation as 12-helix of the hexamer of a Î²-amino acid tethered to a pyrrolidin-2-one ring. <i>Chemical Communications</i> , 2006, , 4915-4917.	2.2	16
70	Peptideâ€™Heterocycle Hybrid Molecules: Solid-Phase Synthesis of a 400-Member Library of N-Terminal 2-Iminoahydantoin Peptides. <i>ACS Combinatorial Science</i> , 2006, 8, 237-246.	3.3	17
71	Enforced Folding of Unnatural Oligomers: Creating Hollow Helices with Nanosized Pores. <i>Advances in Polymer Science</i> , 2006, , 1-29.	0.4	6
72	Tailoring the Cis-Trans Isomerization of Amides. , 2006, , 225-259.		8
73	Foldamer-based pyridineâ€™fullerene tweezer receptors for enhanced binding of zinc porphyrin. <i>Tetrahedron</i> , 2006, 62, 11054-11062.	1.0	18
74	Hydrogen bonding-mediated self-assembly of anthranilamide-based homodimers through preorganization of the amido and ureido binding sites. <i>Tetrahedron</i> , 2006, 62, 11933-11941.	1.0	14
75	Preliminary studies on a novel synthesis of Î²-amino acids: stereocontrolled transformation of d- and l-glyceraldehyde into 3-amino-2-(2â€™,2â€™-dimethyl-1â€™,3â€™-dioxolan-4â€™-yl)propanoic acids. <i>Tetrahedron: Asymmetry</i> , 2006, 17, 3063-3066.	1.8	9

#	ARTICLE	IF	CITATIONS
76	Proteinstrukturen aus dem Chemie-Baukasten. Definierte Peptidarchitekturen. <i>Chemie in Unserer Zeit</i> , 2006, 40, 174-183.	0.1	0
77	Synthesis of a 7-Deazaguanine-Functionalized β^2 -Amino Acid: Improved Specificity of β^2 -Peptide Helix Organization. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 2410-2416.	1.2	9
78	Non-Protein Amino Acids in the Design of Secondary Structure Scaffolds. , 2006, 340, 71-94.		30
79	Modulation of Protein-Protein Interactions by Stabilizing/Mimicking Protein Secondary Structure Elements. <i>Current Topics in Medicinal Chemistry</i> , 2007, 7, 33-62.	1.0	77
80	Inhibitors of Protein-Protein Interactions as Potential Drugs. <i>Current Computer-Aided Drug Design</i> , 2007, 3, 51-58.	0.8	19
82	β^2 -Amino acid Tröger base derivatives, possible conformationally restricted scaffolds?. <i>Chemical Communications</i> , 2007, , 389-391.	2.2	25
83	Solution-Phase Structure of an Artificial Foldamer: X-ray Scattering Study. <i>Journal of the American Chemical Society</i> , 2007, 129, 4114-4115.	6.6	20
84	BINOL-Based Foldamers Access to Oligomers with Diverse Structural Architectures. <i>Journal of Organic Chemistry</i> , 2007, 72, 5077-5084.	1.7	38
85	Conformationally Constrained Aliphatic ² Aromatic Amino-Acid-Conjugated Hybrid Foldamers with Periodic β^2 -Turn Motifs. <i>Journal of Organic Chemistry</i> , 2007, 72, 7022-7025.	1.7	32
86	Introduction Strategies in Drug Discovery and Evaluation. , 2007, , 1-45.		0
87	Strong Stacking between F ² ... β^2 ... β^2 ...H ² N Hydrogen-Bonded Foldamers and Fullerenes: Formation of Supramolecular Nano Networks. <i>Chemistry - A European Journal</i> , 2007, 13, 9990-9998.	1.7	40
88	Synthetic Molecular Motors and Mechanical Machines. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 72-191.	7.2	2,428
90	Ion Pairing Between the Chain Ends Induces Folding of a Flexible Zwitterion in Methanol. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 3326-3330.	1.2	13
91	Towards a biomimetic poly-aminoketone foldamer: synthesis of a triply protected monomer and its coupling to a dimer, trimer and tetramer. <i>Tetrahedron</i> , 2007, 63, 2199-2207.	1.0	7
92	Hydrogen bonding-driven elastic bis(zinc)porphyrin receptors for neutral and cationic electron-deficient guests with a sandwich-styled complexing pattern. <i>Tetrahedron Letters</i> , 2007, 48, 6181-6185.	0.7	21
93	Complexation of hydrogen bonding-driven preorganized di- and hexacationic bisporphyrin receptors for C ₆₀ in aqueous and DMSO media. <i>Tetrahedron Letters</i> , 2007, 48, 7327-7331.	0.7	16
94	Complexation-induced conformational regulation of ferrocene-dipeptide conjugates to nucleate β^2 -turn-like structure. <i>Journal of Organometallic Chemistry</i> , 2007, 692, 1353-1357.	0.8	14
95	Induced helix formation and stabilization of a meta-linked polymer containing pyridine units. <i>Journal of Polymer Science Part A</i> , 2007, 45, 1403-1412.	2.5	7

#	ARTICLE	IF	CITATIONS
96	Foldamers as versatile frameworks for the design and evolution of function. <i>Nature Chemical Biology</i> , 2007, 3, 252-262.	3.9	839
97	Dynamic [2]Catenanes Based on a Hydrogen Bonding-Mediated Bis-Zinc Porphyrin Foldamer Tweezer: A Case Study. <i>Journal of Organic Chemistry</i> , 2007, 72, 2897-2905.	1.7	70
98	Spectroscopic and Computational Studies of a Ru(II) Terpyridine Complex: The Importance of Weak Intermolecular Forces to Photophysical Properties. <i>Inorganic Chemistry</i> , 2007, 46, 8752-8762.	1.9	25
99	NMR and HPLC study of chiral selectors with naphthyl unit. <i>Structural Chemistry</i> , 2007, 18, 585-591.	1.0	4
100	Insights into the determinants of β -sheet stability: ^1H and ^{13}C NMR conformational investigation of three-stranded antiparallel β -sheet-forming peptides. <i>Chemical Biology and Drug Design</i> , 2008, 61, 177-188.	1.2	12
101	Supramolecular Bidentate Ligands by Metal-Directed in situ Formation of Antiparallel β -Sheet Structures and Application in Asymmetric Catalysis. <i>Chemistry - A European Journal</i> , 2008, 14, 4488-4502.	1.7	98
102	Synthesis of α,α -difluoro- β -amino Esters or <i>gem</i> -difluoro- β -lactams as Potential Metallocoarboxypeptidase Inhibitors. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 4277-4295.	1.2	31
103	The iodolactone approach to enantiopure oxiranes of constrained chiral cyclic β -amino acids. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 2135-2139.	1.8	15
104	Molecular Recognition Using Amphiphilic Macromolecules. , 0, , 9-36.		1
105	Bioinspired Supramolecular Design in Polymers for Advanced Mechanical Properties. , 0, , 235-258.		1
106	Linkage Isomerism in the Binding of Pentapeptide Ac-His(Ala) ₃ -His-NH ₂ to (Ethylenediamine)Palladium(II): Effect of the Binding Mode on Peptide Conformation. <i>Inorganic Chemistry</i> , 2008, 47, 9439-9449.	1.9	10
107	Sequence-Specific Unusual (1 β 2)-Type Helical Turns in α/β -Hybrid Peptides. <i>Journal of the American Chemical Society</i> , 2008, 130, 17743-17754.	6.6	74
108	Evaluation of the interchangeability of C-H and C-F groups: insights from crystal packing in a series of isomeric fluorinated benzanilides. <i>CrystEngComm</i> , 2008, 10, 54-67.	1.3	112
109	Sheet-forming abiotic hetero foldamers. <i>Chemical Communications</i> , 2008, , 712-714.	2.2	21
110	Controlling the Conformation of Oligocholate Foldamers by Surfactant Micelles. <i>Journal of Organic Chemistry</i> , 2008, 73, 5498-5505.	1.7	15
111	Stable Hairpins with β -Peptides: Route to Tackle Protein-Protein Interactions. <i>Journal of Physical Chemistry B</i> , 2008, 112, 7581-7591.	1.2	8
112	Host Defense Peptides in the Oral Cavity and the Lung: Similarities and Differences. <i>Journal of Dental Research</i> , 2008, 87, 915-927.	2.5	150
114	Computer applications for prediction of protein-protein interactions and rational drug design. <i>Advances and Applications in Bioinformatics and Chemistry</i> , 2009, , 101.	1.6	3

#	ARTICLE	IF	CITATIONS
115	Conformational analysis of hexapeptide mimicking reverse turn structures induced by a modified (S)-proline. A combined spectroscopic and molecular dynamics investigation. Part 4. <i>Molecular Physics</i> , 2009, 107, 653-663.	0.8	2
117	Synthesis and Structure of α -Hybrid Peptides—Access to Novel Helix Patterns in Foldamers. <i>Chemistry - A European Journal</i> , 2009, 15, 5552-5566.	1.7	43
118	Binding Mechanisms in Supramolecular Complexes. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 3924-3977.	7.2	1,018
119	Helix formation in α -hybrid peptides: Correspondence between helices of different peptide foldamer classes. <i>Biopolymers</i> , 2010, 94, 279-291.	1.2	15
120	Localized thermodynamic coupling between hydrogen bonding and microenvironment polarity substantially stabilizes proteins. <i>Nature Structural and Molecular Biology</i> , 2009, 16, 684-690.	3.6	178
121	A DMAP-functionalized oligocholate foldamer for solvent-responsive catalysis. <i>Tetrahedron</i> , 2009, 65, 7311-7316.	1.0	30
122	Helix formation in α -amino acid oligomers. <i>Computational and Theoretical Chemistry</i> , 2009, 907, 109-114.	1.5	9
123	Evaluation of triazolamers as active site inhibitors of HIV-1 protease. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 6023-6026.	1.0	38
124	Recent advances in the development of aryl-based foldamers. <i>Chemical Society Reviews</i> , 2009, 38, 1726.	18.7	308
125	Conformation of Oligocholate Foldamers with 4-Aminobutyryl Spacers. <i>Journal of Organic Chemistry</i> , 2009, 74, 834-843.	1.7	17
126	Left- and Right-Handed Alpha-Helical Turns in Homo- and Hetero-Chiral Helical Scaffolds. <i>Journal of the American Chemical Society</i> , 2009, 131, 15877-15886.	6.6	31
127	Advances in Solution- and Solid-Phase Synthesis toward the Generation of Natural Product-like Libraries. <i>Chemical Reviews</i> , 2009, 109, 1999-2060.	23.0	166
128	α -Turn-structure-assembled palladium complexes by complexation-induced self-organization of ferrocene—dipeptide conjugates. <i>Dalton Transactions</i> , 2009, , 4286.	1.6	22
129	Spacer-Dependent Folding and Aggregation of Oligocholates in SDS Micelles. <i>Journal of Organic Chemistry</i> , 2009, 74, 7470-7480.	1.7	16
130	Hybrid Helices: Motifs for Secondary Structure Scaffolds in Foldamers. <i>Journal of the American Chemical Society</i> , 2009, 131, 17335-17344.	6.6	43
131	Theoretical and Experimental Studies on α -Hybrid Peptides: Design of a 14/12-Helix from Peptides with Alternating (S)-C-Linked Carbo- α -amino Acid [(S)- α -Caa(x)] and L-Ala. <i>Journal of Organic Chemistry</i> , 2009, 74, 6703-6713.	1.7	26
133	Synthesis of Optically Active Helical Poly(2-methoxystyrene). Enhancement of HeLa and Osteoblast Cell Growth on Optically Active Helical Poly(2-methoxystyrene) Surfaces. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2009, 20, 2055-2072.	1.9	14
134	Sterically controlled naphthalene homo-oligoamides with novel structural architectures. <i>Organic and Biomolecular Chemistry</i> , 2009, 7, 2458.	1.5	4

#	ARTICLE	IF	CITATIONS
135	Synthesis, Structural Investigations, Hydrogen ² -Deuterium Exchange Studies, and Molecular Modeling of Conformationally Stabilized Aromatic Oligoamides. <i>Journal of the American Chemical Society</i> , 2010, 132, 5869-5879.	6.6	79
136	Recent advances in arylene ethynylene folding systems: Toward functioning. <i>Coordination Chemistry Reviews</i> , 2010, 254, 954-971.	9.5	50
137	C2-Symmetric Ferrocene-Bis(ureido)peptides: Synthesis, Conformation and Solid-State Structure. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 106-114.	1.0	19
139	Control of Relative Direction and Amplitude in Extension/Contraction Motions of Molecular Strands Induced by Ion Binding. <i>Chemistry - A European Journal</i> , 2010, 16, 5369-5378.	1.7	30
140	Solution ² -phase submonomer diversification of aza ² -dipeptide building blocks and their application in aza ² -peptide and aza ² -DKP synthesis. <i>Journal of Peptide Science</i> , 2010, 16, 284-296.	0.8	42
143	Synthetic mimetics of protein secondary structure domains. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2010, 368, 989-1008.	1.6	67
144	Self-Assembling Cyclic Tetrapeptide from Alternating C-Linked Carbo- ² -amino Acid [(<i>S</i>)- ² -Caa] and ¹ -Aminoxy Acid [(<i>R</i>)-Ama]: A Selective Chloride Ion Receptor. <i>Journal of Organic Chemistry</i> , 2010, 75, 1087-1094.	1.7	20
145	Design, Synthesis, and Structural Analysis of <i>d</i> / <i>l</i> -Mixed Polypyrrolinones. 1. From Nonpeptide Peptidomimetics to Nanotubes. <i>Organic Letters</i> , 2010, 12, 2990-2993.	2.4	7
146	Molecular recognition of N-protected dipeptides by pseudopeptidic macrocycles: a comparative study of the supramolecular complexes by ESI-MS and NMR. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 1329.	1.5	28
147	Highly selective one-pot synthesis of H-bonded pentagon-shaped circular aromatic pentamers. <i>Chemical Communications</i> , 2011, 47, 5419-5421.	2.2	46
148	One-Pot Synthesis of Hybrid Macrocyclic Pentamers with Variable Functionalizations around the Periphery. <i>Organic Letters</i> , 2011, 13, 2270-2273.	2.4	36
149	Screening of Protein ² -Protein Interaction Modulators <i>via</i> Sulfo-Click Kinetic Target-Guided Synthesis. <i>ACS Chemical Biology</i> , 2011, 6, 724-732.	1.6	45
150	Diversifying the structural architecture of synthetic oligomers: the hetero foldamer approach. <i>Chemical Communications</i> , 2011, 47, 11593.	2.2	112
151	² Ni ²⁺ O Turns and Helices Induced by ² -Aminoxy Peptides: Synthesis and Conformational Studies. <i>Chemistry - an Asian Journal</i> , 2011, 6, 1791-1799.	1.7	6
152	Foldamers containing ³ -amino acid residues or their analogues: structural features and applications. <i>Amino Acids</i> , 2011, 41, 687-707.	1.2	115
153	Bifunctional 2,5-Diketopiperazines as Rigid Three-Dimensional Scaffolds in Receptors and Peptidomimetics. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 217-228.	1.2	45
154	2-Azidoethoxy derivatives of 2-aminocyclohexanecarboxylic acids (ACHC): interesting building blocks for the synthesis of cyclic ² -peptide conjugates. <i>Tetrahedron</i> , 2011, 67, 5770-5775.	1.0	5
155	Design of ² -Amino Acid with Backbone ² -Side Chain Interactions: Stabilization of 14/15-Helix in ¹ / ² -Peptides. <i>Journal of Organic Chemistry</i> , 2012, 77, 6834-6848.	1.7	26

#	ARTICLE	IF	CITATIONS
156	<i>Ab initio</i> MO Theory – An Important Tool in Foldamer Research: Prediction of Helices in Oligomers of α -Amino Acids. <i>Helvetica Chimica Acta</i> , 2012, 95, 2348-2383.	1.0	42
157	Directional Assembly of β -Helical Peptides Induced by Cyclization. <i>Journal of the American Chemical Society</i> , 2012, 134, 20270-20272.	6.6	33
158	Synthesis of C-linked carbo- β -amino acids and β -peptides: design of new motifs for left-handed 12/10- and 10/12-mixed helices. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 9191.	1.5	16
159	Synthesis and conformational studies of peptido-squaramide foldable modules: a new class of turn-mimetic compounds. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 1914.	1.5	15
160	Twice tied tight: Enforcing conformational order in bicyclic peptoid oligomers. <i>Chemical Science</i> , 2012, 3, 2726.	3.7	33
161	Synthesis, structural investigation and computational modelling of water-binding aquafoldamers. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 1172-1180.	1.5	32
162	Nucleation Effects in Peptide Foldamers. <i>Journal of the American Chemical Society</i> , 2012, 134, 11495-11502.	6.6	43
163	Helical Folding of Conjugated Oligo(phenyleneethynylene): Chain Length Dependence, Solvent Effects, and Intermolecular Assembly. <i>Chemistry - an Asian Journal</i> , 2012, 7, 2386-2393.	1.7	12
164	Helical secondary structures in 2:1 and 1:2 β/β^3 -peptide foldamers. <i>Tetrahedron</i> , 2012, 68, 4413-4417.	1.0	16
165	Expanding the structural repertoire of β/β^3 Ant-Pro (anthranilic acid-proline) oligomers into β^3/β^3 2-Amb-Pro (2-aminomethyl benzoic acid-proline) oligomers. <i>Tetrahedron</i> , 2012, 68, 4399-4405.	1.0	9
166	Investigation of folding patterns in homo-oligomers of (R)- β , β -amino acids with carbohydrate side chain. <i>Tetrahedron</i> , 2012, 68, 4390-4398.	1.0	9
167	Development of small molecules to target the IgE:Fc μ R1 protein-protein interaction in allergies. <i>Future Medicinal Chemistry</i> , 2013, 5, 1423-1435.	1.1	12
168	Importance of C-H \cdots O Intramolecular Hydrogen Bonding Across a Nonproteinogenic β^3 -Aminobenzoic Acid Residue: Stabilization of a Flat β^3 -Strand-like Template. <i>Crystal Growth and Design</i> , 2013, 13, 2004-2012.	1.4	9
169	Syntheses of Hydrazino Peptides and Conjugates. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 4156-4162.	1.2	18
170	Synthesis and Structural Studies of β/β^3 -Peptides Derived from Fused Furano-pyran- β -Amino Acid and L-Ala. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 3543-3554.	1.2	15
171	Downsizing a human inflammatory protein to a small molecule with equal potency and functionality. <i>Nature Communications</i> , 2013, 4, 2802.	5.8	28
172	Self-Association of an Enantiopure β^3 -Peptide in Nematic Liquid Crystals. <i>Chemistry - A European Journal</i> , 2013, 19, 17963-17968.	1.7	1
173	Adding Diverse Noncanonical Backbones to Rosetta: Enabling Peptidomimetic Design. <i>PLoS ONE</i> , 2013, 8, e67051.	1.1	59

#	ARTICLE	IF	CITATIONS
174	Fabrication of Bioactive Surfaces by Functionalization of Electroactive and Surface-Active Block Copolymers. <i>Bioengineering</i> , 2014, 1, 134-153.	1.6	1
175	An Efficient Approach to the Synthesis of Hydrazinyl α -Peptides. <i>Helvetica Chimica Acta</i> , 2014, 97, 1630-1637.	1.0	8
176	Fabrication of electroactive composite nanofibers of functionalized polymer and CNT capable of specifically binding with the IgE (Immunoglobulin E) antibody. <i>Surface and Interface Analysis</i> , 2014, 46, 237-242.	0.8	4
177	N-aryl-substituted anthranilamides with intramolecular hydrogen bonds. <i>Tetrahedron</i> , 2014, 70, 8588-8591.	1.0	15
178	Design and Synthesis of Peptides with Hybrid Helix-Turn-Helix (HTH) Motif and Their Conformational Study. <i>Journal of Organic Chemistry</i> , 2014, 79, 8614-8628.	1.7	15
179	An Unusual Interstrand H-Bond Stabilizes the Heteroassembly of Helical α -Chimeras with Natural Peptides. <i>ACS Chemical Biology</i> , 2014, 9, 613-616.	1.6	10
180	Three-Residue Turn in α -Peptides Nucleated by a 12/10 Helix. <i>Chemistry - an Asian Journal</i> , 2014, 9, 3153-3162.	1.7	3
181	Peptidic Inhibitors for in Vitro Pentamer Formation of Human Papillomavirus Capsid Protein L1. <i>ACS Medicinal Chemistry Letters</i> , 2015, 6, 381-385.	1.3	10
182	Design and synthesis of novel oxetane β -amino acids and α , β -peptides. <i>Tetrahedron</i> , 2015, 71, 2158-2167.	1.0	12
183	Synthesis and conformational studies of α -peptides derived from alternating β -amino acids and Ala repeats. <i>New Journal of Chemistry</i> , 2015, 39, 3295-3309.	1.4	6
184	Development of protein mimics for intracellular delivery. <i>Biopolymers</i> , 2015, 104, 265-280.	1.2	39
185	Synthesis and secondary conformations of homochiral β -oligopeptides containing aryl side chains. <i>Chemical Research in Chinese Universities</i> , 2015, 31, 381-387.	1.3	3
186	Conformational promiscuity in triazolamers derived from quaternary amino acids mimics peptide behaviour. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 10797-10801.	1.5	5
187	Induction of Secondary Structure through Micellization of an Oppositely Charged Pair of Homochiral Block- and Homopolypeptides in an Aqueous Medium. <i>Macromolecular Rapid Communications</i> , 2015, 36, 1958-1964.	2.0	17
188	Artificial Molecular Machines. <i>Chemical Reviews</i> , 2015, 115, 10081-10206.	23.0	1,586
189	Folding of Oligoviologens Induced by Radical-Radical Interactions. <i>Journal of the American Chemical Society</i> , 2015, 137, 876-885.	6.6	65
190	Protein/peptide secondary structural mimics: design, characterization, and modulation of protein-protein interactions. <i>RSC Advances</i> , 2016, 6, 61599-61609.	1.7	16
191	Arrangement of Proteinogenic α -Amino Acids on a Cyclic Peptide Comprising Alternate Biphenyl-Cored β -Amino Acids. <i>Chemistry - an Asian Journal</i> , 2017, 12, 1087-1094.	1.7	2

#	ARTICLE	IF	CITATIONS
192	A pyrene-functionalized foldamer: structural impact and recognition properties supported by donor-acceptor interactions. <i>Chemical Communications</i> , 2017, 53, 12028-12031.	2.2	6
193	Synthesis of Altrose Poly-amido-saccharides with β -N-(1'-2)-amide Linkages: A Right-Handed Helical Conformation Engineered in at the Monomer Level. <i>Journal of the American Chemical Society</i> , 2017, 139, 14217-14223.	6.6	36
194	Folded alkane chains and the emergence of the lamellar crystal. <i>Journal of Chemical Physics</i> , 2019, 150, 084903.	1.2	7
195	Imidazolidinone-ethered β -Hydrazidopeptides Synthesis and Conformational Investigation. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 907-917.	1.2	4
196	Unconventional Secondary Structure Mimics: Ladder-Rungs. <i>Angewandte Chemie</i> , 2020, 132, 9484-9488.	1.6	2
197	Unconventional Secondary Structure Mimics: Ladder-Rungs. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 9398-9402.	7.2	10
198	The Future of Protein Secondary Structure Prediction Was Invented by Oleg Ptitsyn. <i>Biomolecules</i> , 2020, 10, 910.	1.8	3
199	Covalent peptides and proteins for therapeutics. <i>Bioorganic and Medicinal Chemistry</i> , 2021, 29, 115896.	1.4	38
201	Peptidomimetics. , 2003, , 170-178.		1
202	Toward Effective Polypeptide Structure Prediction with Parallel Fast Messy Genetic Algorithms. , 2003, , 137-161.		7
203	Simultaneous Formation of Antiparallel β -Sheet-like and Type II β -Turn-like Structures Based on Introduction of Dipeptide Chains with Heterochiral Sequence into Ferrocene Scaffold. <i>Heterocycles</i> , 2008, 76, 595.	0.4	10
204	Introduction Strategies in drug discovery and evaluation1. , 2002, , 1-20.		0
205	Foldamers: Nanoscale Shape Control at the Interface Between Small Molecules and High Polymers. , 2007, , 699-714.		0
206	Biofunctional peptide design. <i>Amino Acids, Peptides and Proteins</i> , 2013, , 79-121.	0.7	0
207	Computer applications for prediction of protein-protein interactions and rational drug design. <i>Advances and Applications in Bioinformatics and Chemistry</i> , 2009, 2, 101-23.	1.6	9
208	Antifungal indole and pyrrolidine-2,4-Dione derivative peptidomimetic lead design based on in silico study of bioactive Peptide families. <i>Avicenna Journal of Medical Biotechnology</i> , 2013, 5, 42-53.	0.2	3
209	A hybrid approach for coarse-graining helical peptoids: Solvation, secondary structure, and assembly. <i>Journal of Chemical Physics</i> , 2023, 158, .	1.2	4
210	Stretching Peptides to Generate Small Molecule β -Strand Mimics. <i>ACS Central Science</i> , 2023, 9, 648-656.	5.3	3