

CITATION REPORT

List of articles citing

Surface plasmon resonance sensors: review

DOI: 10.1016/s0925-4005(98)00321-9
Sensors and Actuators B: Chemical, 1999, 54, 3-15.

Source: <https://exaly.com/paper-pdf/30308007/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2284	Optical detection of asymmetric bacteria utilizing electro orientation. 2006 , 14, 9780		
2283	Optical detection of asymmetric bacteria utilizing electro orientation. 2006 , 14, 9780		
2282	Enhanced SPR sensitivity using periodic metallic structures. 2007 , 15, 8163		
2281	Intensity sensitivity of gold nanostructures and its application for high-throughput biosensing. 2009 , 17, 23104		
2280	Plasmon delocalization onset in finite sized nanostructures. 2011 , 19, 11387		
2279	Compound resonance-induced coupling effects in composite plasmonic metamaterials. 2012 , 20, 29447		
2278	Compound resonance-induced coupling effects in composite plasmonic metamaterials. 2012 , 20, 29447		
2277	Compound resonance-induced coupling effects in composite plasmonic metamaterials. 2012 , 20, 29447		
2276	Compound resonance-induced coupling effects in composite plasmonic metamaterials. 2012 , 20, 29447		
2275	Compound resonance-induced coupling effects in composite plasmonic metamaterials. 2012 , 20, 29447		
2274	Compound resonance-induced coupling effects in composite plasmonic metamaterials. 2012 , 20, 29447		
2273	Compound resonance-induced coupling effects in composite plasmonic metamaterials. 2012 , 20, 29447		
2272	Compound resonance-induced coupling effects in composite plasmonic metamaterials. 2012 , 20, 29447		
2271	Compound resonance-induced coupling effects in composite plasmonic metamaterials. 2012 , 20, 29447		
2270	Compound resonance-induced coupling effects in composite plasmonic metamaterials. 2012 , 20, 29447		
2269	Enhancement of localized surface plasmon resonance detection by incorporating metal-dielectric double-layered subwavelength gratings. 2011 , 50, 2846		
2268	Compound resonance-induced coupling effects in composite plasmonic metamaterials. 2012 , 20, 29447		

2267 Compound resonance-induced coupling effects in composite plasmonic metamaterials. **2012**, 20, 29447

2266 Analytic design and visualization of multiple surface plasmon resonance excitation using angular spectrum decomposition for a Gaussian input beam. **2005**, 13, 8866

2265 Analytic design and visualization of multiple surface plasmon resonance excitation using angular spectrum decomposition for a Gaussian input beam. **2005**, 13, 8866

2264 Correlation analysis between plasmon field distribution and sensitivity enhancement in reflection- and transmission-type localized surface plasmon resonance biosensors. **2011**, 50, 4982

2263 ST 428-7:2010 - SMPTE Standard - Digital Cinema Distribution Master Subtitle.

2262 Surface plasmon resonance sensing in capillaries. **1999**, 35, 1659

5

2261 Optical constants of industrial liquids obtained by phase retrieval from reflectometric and surface-plasmon-resonance data. **1999**, 10, N145-N148

12

2260 Novel approach to multichannel SPR sensing. **1999**, 3857, 198

2

2259 Surface-plasmon optical techniques. **1999**, 4, 273-280

44

2258 High resolution surface plasmon resonance spectroscopy. **1999**, 70, 4656-4660

89

2257 Sensitivity of optical sensors based on laser-excited surface-plasmon waves. **1999**, 38, 4837-44

22

2256 Solid-State Sensors for Field Measurements of Gases and Vapors. **2000**,

2255 Mikrogravimetrische Sensoren in der Bioanalytik Eine Alternative zu optischen Biosensoren?. **2000**, 112, 4164-4195

26

2254 Piezoelectric Mass-Sensing Devices as Biosensors-An Alternative to Optical Biosensors?. **2000**, 39, 4004-4032

521

2253 Survey of the 1999 surface plasmon resonance biosensor literature. **2000**, 13, 388-407

82

2252 On measurement of complex refractive index of liquids by diffractive element-based sensor. **2000**, 178, 53-57

10

2251 Surface-plasmon field-enhanced fluorescence spectroscopy. **2000**, 171, 115-130

429

2250 Piezoelectric quartz crystal based label-free analysis for allergy disease. **2000**, 15, 629-39

55

2249	Modulation of the diffusion coefficient of a hapten-modified redox species as a basis for an amplified electrochemical affinity assay. <i>Sensors and Actuators B: Chemical</i> , 2000 , 70, 145-152	8.5	10
2248	Multitoxin biosensor-mass spectrometry analysis: a new approach for rapid, real-time, sensitive analysis of staphylococcal toxins in food. 2000 , 60, 1-13		93
2247	Electrochemical pretreatment of polycrystalline gold electrodes to produce a reproducible surface roughness for self-assembly: a study in phosphate buffer pH 7.4. 2000 , 72, 2016-21		224
2246	A High Resolution Atomic Force Microscopy Study of Poly(lactic acid-co-ethylene glycol). 2000 , 32, 444-446		1
2245	Surface plasmon resonance phase imaging. 2000 , 76, 1665-1667		80
2244	Solid-state Sensors for Field Measurements of Gases and Vapors. 2000 , 1-30		
2243	Reflectance Study of Pigment Slurries. 2000 , 54, 878-884		9
2242	Surface-plasmon-assisted resonant tunneling of light through a periodically corrugated thin metal film. 2000 , 25, 595-7		81
2241	Formation and Electrochemical Characterization of Self-Assembled Monolayers of Thioctic Acid on Polycrystalline Gold Electrodes in Phosphate Buffer pH 7.4. 2000 , 16, 3852-3857		40
2240	Peer Reviewed: Biomolecular Interaction Analysis Mass Spectrometry.. 2000 , 72, 404 A-411 A		40
2239	Imaging surface plasmon resonance sensor based on multiple wavelengths: Sensitivity considerations. 2000 , 71, 3530-3538		146
2238	Energy transfer at optical frequencies to silicon-on-insulator structures. 2001 , 26, 1421-3		26
2237	Estimation of the wavelength-dependent effective refractive index of spherical plastic pigments in a liquid matrix. 2001 , 40, 5482-6		8
2236	On reflectometric measurement of a refractive index of milk. 2001 , 84, 38-43		44
2235	A theoretical model for the temperature-dependent sensitivity of the optical sensor based on surface plasmon resonance.		
2234	Immunochemical Applications in Environmental Science. 2001 , 84, 125-133		41
2233	Reference-compensated surface plasmon resonance biosensor for detection of foodborne pathogens. 2001 ,		1
2232	Dispersion Theory of Liquids Containing Optically Linear and Nonlinear Maxwell Garnett Nanoparticles. 2001 , 8, 9-17		14

2231	Optical detection of Cu ²⁺ ion using a SQ-dye containing polymeric thin-film on Au surface. 2001 , 70, 301-305		30
2230	A theoretical model for the temperature-dependent sensitivity of the optical sensor based on surface plasmon resonance. 2001 , 188, 283-289		50
2229	Optical characterization of multi-layer thin films using the surface plasmon resonance method: A six-phase model based on the Kretschmann formalism. 2001 , 200, 119-130		24
2228	A novel electrochemical SPR biosensor. 2001 , 3, 489-493		51
2227	Protein contact printing for a surface plasmon resonance biosensor with on-chip referencing. <i>Sensors and Actuators B: Chemical</i> , 2001 , 74, 91-99	8.5	50
2226	Long-range surface plasmons for high-resolution surface plasmon resonance sensors. <i>Sensors and Actuators B: Chemical</i> , 2001 , 74, 145-151	8.5	229
2225	A novel multichannel surface plasmon resonance biosensor. <i>Sensors and Actuators B: Chemical</i> , 2001 , 76, 403-410	8.5	101
2224	Analysis of native proteins from biological fluids by biomolecular interaction analysis mass spectrometry (BIA/MS): exploring the limit of detection, identification of non-specific binding and detection of multi-protein complexes. 2001 , 16, 1071-8		52
2223	BIACORE J: a new platform for routine biomolecular interaction analysis. 2001 , 14, 223-8		54
2222	Determination of monoenzyme- and bienzyme-stimulated precipitation by a cuvette-based surface plasmon resonance instrument. 2001 , 299, 241-6		27
2221	Photonic Transduction of a Three-State Electronic Memory and of Electrochemical Sensing of NADH by Using Surface Plasmon Resonance Spectroscopy. 2001 , 113, 3761-3764		3
2220	Photonic Transduction of a Three-State Electronic Memory and of Electrochemical Sensing of NADH by Using Surface Plasmon Resonance Spectroscopy This study is supported by the Israel Science Foundation administered by The Israel Academy of Sciences and Humanities. <i>Sensors and Actuators B: Chemical</i> , 2001 , 70, 2119-2123		38
2219	Study of different hormone-sensitive lipase concentrations using a surface plasmon resonance sensor. <i>Sensors and Actuators B: Chemical</i> , 2001 , 73, 192-198	8.5	4
2218	Biosensor based on enzyme-catalysed degradation of thin polymer films. 2001 , 16, 709-14		39
2217	Analysis of human urine protein biomarkers via biomolecular interaction analysis mass spectrometry. 2001 , 38, 481-7		52
2216	Ultraviolet and Visible Spectroscopy. 2001 ,		
2215	Chemosensors, biosensors, immunosensors and DNA probes: the base devices. 2001 , 623-713		
2214	Study of thin-film SO ₂ gas sensors by photometric and ellipsometric methods. 2001 , 40, 856		2

2213	Surface plasmon resonance enhanced optical absorption spectroscopy for studying molecular adsorbates. 2001 , 72, 3055-3060	54
2212	Biomimetic electrochemical sensors based on molecular imprinting. 2001 , 23, 417-440	4
2211	Near-Field Spectral Analysis of Metallic Beads. 2001 , 97-123	27
2210	A chemical sensor based on the measurement of differential phase related to surface plasmon resonance.	2
2209	Simultaneous atomic force microscope and quartz crystal microbalance measurements: Investigation of human plasma fibrinogen adsorption. 2002 , 81, 1335-1337	25
2208	Glucose biosensing using an enzyme-coated microcantilever. 2002 , 81, 385-387	84
2207	Optical chemical sensor based on Fabry-Perot resonance modes. 2002 , 4904, 427	
2206	Data analysis and calibration for a bulk-refractive-index-compensated surface plasmon resonance affinity sensor. 2002 ,	2
2205	Nanometer indicating system based on surface plasmon resonance and its application in an interferometer. 2002 , 41, 669	1
2204	Two-dimensional imaging sensor based on the measurement of differential phase related to surface plasmon resonance. 2002 ,	
2203	DETECTION OF PYROGENS IN ULTRA-PURE WATER BY A SURFACE PLASMON RESONANCE BIOSENSOR. 2002 , 35, 213-225	4
2202	SPR fiber optic microsensors: system and applications. 2002 ,	
2201	Detecting the adsorption of dye molecules in homogeneous poly(propylene imine) dendrimer monolayers by surface plasmon resonance sensor. 2002 , 124, 3395-401	38
2200	Real-Time Two-Wavelength Surface Plasmon Resonance as a Tool for the Vertical Resolution of Binding Processes in Biosensing Hydrogels. 2002 , 18, 1748-1759	44
2199	Absorption spectrum of surface-bound cap-shaped gold particles. 2002 , 27, 342-4	44
2198	Measurement of Wavelength-Dependent Complex Refractive Index of Transparent and Absorbing Liquids by a Multifunction Reflectometer. 2002 , 56, 935-941	10
2197	Binding of small peptides to immobilized antibodies: kinetic analysis by surface plasmon resonance. 2002 , Chapter 18, Unit 18.9	
2196	Three-Dimensionally Ordered Macroporous Polymer Materials: An Approach for Biosensor Applications. 2002 , 18, 4526-4529	93

2195	Sensitivity improvement of the surface plasmon resonance optical sensor by using a gold-silver transducing layer.		5
2194	Surface plasmon resonance sensor based on the measurement of differential phase. 2002 , 73, 3534-3539		36
2193	Design and fabrication of array format SPR chips in microstructure monolayers detection.		
2192	Determination of Vitamin B12 in Milk Products and Selected Foods by Optical Biosensor Protein-Binding Assay: Method Comparison. 2002 , 85, 72-81		48
2191	Surface Plasmon Resonance Studies on Molecular Imprinting. 2002 , 2, 35-40		24
2190	A virtual point array for parabolic voltage interpolation.		
2189	Direct kinetic assay of interactions between small peptides and immobilized antibodies using a surface plasmon resonance biosensor. 2002 , 259, 217-30		37
2188	Transmission surface-plasmon resonance (T-SPR) measurements for monitoring adsorption on ultrathin gold island films. 2002 , 8, 3849-57		98
2187	Surface treatments for surface plasmon resonance biosensors. <i>Sensors and Actuators B: Chemical</i> , 2002 , 84, 106-112	8.5	29
2186	Development of a confined wall-jet flow-through cell for simultaneous electrochemical and surface plasmon resonance applications. <i>Sensors and Actuators B: Chemical</i> , 2002 , 84, 129-135	8.5	18
2185	Biomolecular detection by surface plasmon enhanced ellipsometry. <i>Sensors and Actuators B: Chemical</i> , 2002 , 84, 278-282	8.5	82
2184	Asymmetric SPR sensor response curve-fitting equation for the accurate determination of SPR resonance angle. <i>Sensors and Actuators B: Chemical</i> , 2002 , 86, 49-57	8.5	69
2183	Modeling the optical response of nanoparticle-based surface plasmon resonance sensors. <i>Sensors and Actuators B: Chemical</i> , 2002 , 87, 244-249	8.5	136
2182	Tests in controlled atmosphere on new optical gas sensing layers based on TiO ₂ /metal-phthalocyanines hybrid system. 2002 , 22, 439-443		30
2181	Signaling of transcriptional chemistry in the on-line detection format. 2002 , 17, 159-71		10
2180	A miniature fiber optic surface plasmon resonance sensor for fast detection of Staphylococcal enterotoxin B. 2002 , 17, 591-5		142
2179	Surface plasmon resonance of electrochemically deposited Au-black. 2002 , 4, 540-544		25
2178	Effective refractive index of calcium carbonate pigment slurries by a surface-plasmon-resonance sensor. 2002 , 52, 15-21		6

2177	Optical biosensors in drug discovery. 2002 , 1, 515-28		748
2176	Review of the use of biosensors as analytical tools in the food and drink industries. 2002 , 77, 237-256		434
2175	Surface plasmon resonance measurement of pyridoxal kinase-pyridoxamine binding on self-assembled monolayer. <i>Sensors and Actuators B: Chemical</i> , 2002 , 85, 227-231	8.5	3
2174	Surface plasmon resonance study on enhanced refractive index change of an Ag ⁺ ion-sensing membrane containing dithiosquarylium dye. 2002 , 460, 133-139		15
2173	Local Refractive Index Dependence of Plasmon Resonance Spectra from Individual Nanoparticles. 2003 , 3, 485-491		710
2172	Surface plasmon resonance and Raman scattering effects studied for layers deposited on Spreeta sensors. 2003 , 375, 1240-5		5
2171	Present and future of surface plasmon resonance biosensors. 2003 , 377, 528-39		1617
2170	Delineating protein-protein interactions via biomolecular interaction analysis-mass spectrometry. 2003 , 16, 9-14		19
2169	Determination of affinities and antigenic epitopes of bovine cardiac troponin I (cTnI) with monoclonal antibodies by surface plasmon resonance biosensor. 2003 , 314, 301-9		49
2168	Surface plasmon resonance transients at an electrochemical interface: time resolved measurements using a bicell photodiode. 2003 , 475, 47-58		26
2167	Nonlocal electrodynamic effects in the optical excitation of the surface plasmon resonance. 2003 , 225, 353-361		7
2166	A low-cost surface plasmon resonance instrument based on detection of resonance excitation wavelength. 2003 , 74, 113-119		4
2165	Advances in biosensors for detection of pathogens in food and water. 2003 , 32, 3-13		443
2164	Application of a high-resolution SPR technique for monitoring real-time metal/dielectric interactions. <i>Sensors and Actuators B: Chemical</i> , 2003 , 88, 132-137	8.5	6
2163	An optical fiber biosensor based on anomalous reflection of gold. <i>Sensors and Actuators B: Chemical</i> , 2003 , 89, 126-130	8.5	48
2162	Highly sensitive detection of polycyclic aromatic hydrocarbons (PAHs) and association constants of the interaction between PAHs and antibodies using surface plasmon resonance immunosensor. <i>Sensors and Actuators B: Chemical</i> , 2003 , 89, 137-143	8.5	32
2161	Surface plasmon resonance sensor based on a single-mode polarization-maintaining optical fiber. <i>Sensors and Actuators B: Chemical</i> , 2003 , 90, 236-242	8.5	179
2160	Simulation and analysis of surface plasmon resonance biosensor based on phase detection. <i>Sensors and Actuators B: Chemical</i> , 2003 , 91, 285-290	8.5	48

2159	Label-free biosensor using an optical waveguide with induced Bragg grating of variable strength. <i>Sensors and Actuators B: Chemical</i> , 2003 , 94, 116-121	8.5	7
2158	Characterization of surface plasmon resonance wavelength by changes of protein concentration on protein chips. <i>Sensors and Actuators B: Chemical</i> , 2003 , 94, 161-164	8.5	29
2157	One hundred spots parallel monitoring of DNA interactions by SPR imaging of polymer-functionalized surfaces applied to the detection of cystic fibrosis mutations. <i>Sensors and Actuators B: Chemical</i> , 2003 , 94, 313-323	8.5	65
2156	A portable surface plasmon resonance (SPR) sensor system with temperature regulation. <i>Sensors and Actuators B: Chemical</i> , 2003 , 96, 253-260	8.5	101
2155	Highly sensitive and selective surface plasmon resonance sensor for detection of sub-ppb levels of benzo[a]pyrene by indirect competitive immunoreaction method. 2003 , 18, 953-9		75
2154	Covalently coupling the antibody on an amine-self-assembled gold surface to probe hyaluronan-binding protein with capacitance measurement. 2003 , 18, 1183-91		62
2153	Surface plasmon subwavelength optics. 2003 , 424, 824-30		8661
2152	Effect of temperature on the incident angle-dependence of the sensitivity for surface plasmon resonance spectroscopy. 2003 , 425, 135-138		19
2151	Surface functionalization for self-referencing surface plasmon resonance (SPR) biosensors by multi-step self-assembly. <i>Sensors and Actuators B: Chemical</i> , 2003 , 90, 22-30	8.5	102
2150	Surface plasmon resonance sensing of liquids using polyelectrolyte thin films. <i>Sensors and Actuators B: Chemical</i> , 2003 , 91, 291-297	8.5	11
2149	Time resolved detection of electrochemical effects by surface plasmon resonance measurements: a simple technique using a large area single cell photodiode. <i>Sensors and Actuators B: Chemical</i> , 2003 , 96, 105-113	8.5	12
2148	Application of the Absorption-Based Surface Plasmon Resonance Principle to the Determination of Glucose Using an Enzyme Reaction. 2003 , 31, 343-356		3
2147	Protein Adsorption on Alkanethiolate Self-Assembled Monolayers: Nanoscale Surface Structural and Chemical Effects. 2003 , 19, 2974-2982		69
2146	Optical sensor based on Fabry-Perot resonance modes. 2003 , 42, 7137-40		9
2145	Simulation on wavelength-dependent complex refractive index of liquids obtained by phase retrieval from reflectance dip due to surface plasmon resonance. 2003 , 57, 288-92		8
2144	Temperature effects on surface plasmon resonance: design considerations for an optical temperature sensor. 2003 , 21, 805-814		134
2143	Optical heterodyne surface-plasmon resonance biosensor. 2003 , 28, 1329-31		54
2142	Detection of bound and free IGF-1 and IGF-2 in human plasma via biomolecular interaction analysis mass spectrometry. 2003 , 536, 130-4		27

2141	Photonic devices enabled by waveguide-mode resonance effects in periodically modulated films. 2003,	40
2140	The relationship between reflectivity minima and eigenmodes in multi-layer structures. 2003, 5, 386-396	3
2139	High-resolution biosensor spectral peak shift estimation.	
2138	ARROW-B surface plasmon resonance sensors in aqueous environment.	
2137	Examination of thin films of phthalocyanines in plasmon system for application in NO ₂ sensors. 2003, 42, 2978	21
2136	Detection of Staphylococcal enterotoxin B via biomolecular interaction analysis mass spectrometry. 2003, 69, 5212-5	62
2135	Application of surface plasmon resonance to measurement of hydrostatic pressure in tribological lubricant layers.	2
2134	High-performance differential surface plasmon resonance sensor using quadrant cell photodetector. 2003, 74, 150-153	49
2133	Chapter 13 Integrated optical transducers for (bio)chemical sensing. 2003, 541-586	
2132	SURFACE PLASMON RESONANCE ENHANCED SECOND-HARMONIC GENERATION IN POLED POLYMER THIN FILM. 2003, 406, 129-133	5
2131	Investigation of protein adsorption with simultaneous measurements of atomic force microscope and quartz crystal microbalance. 2003, 21, 1433	8
2130	Determination of glycosylated albumin using surface plasmon resonance sensor. 2003, 52, 311-317	4
2129	Biomolecules at Interfaces. 2003,	
2128	Theoretical analysis of gold-deposited optical fiber sensor and characterization of the gold film. 2003, 19, 1421-6	18
2127	Surface Plasmon Resonance Spectroscopic Study on Pore-Forming Behavior of Streptolysin O on Supported Phospholipid Bilayers. 2003, 774, 7191	
2126	. 2004,	250
2125	CMOS image sensor array for surface plasmon resonance spectroscopy. 2004, 5301, 34	2
2124	Quantification of quaternary mixtures of alcohols: a comparison of reflectometric interference spectroscopy and surface plasmon resonance spectroscopy. 2004, 15, 540-548	9

2123	Design and development of grating-coupled optical biosensor to detect animal pathogen. 2004 , 5321, 309		
2122	Photoacoustic determination of the plasmon enhanced electric field at a corrugated metal interface. 2004 , 75, 2560-2563		6
2121	Combined nanogap nanoparticles nanosensor for electrical detection of biomolecular interactions between polypeptides. 2004 , 84, 1213-1215		38
2120	Sensing using differential surface plasmon ellipsometry. 2004 , 96, 3004-3011		32
2119	Characterization of a wavelength-tunable surface plasmon resonance microscope. 2004 , 75, 2300-2304		40
2118	Non-Contact Measurement of Dielectric Constant for a Nanometer-Thick Polymer Film. 2004 , 270-273, 1143-1146		
2117	A compact surface plasmon resonance and surface-enhanced Raman scattering sensing device. 2004 , 5327, 5		7
2116	Studying protein structural changes based on surface plasmon resonance and surface-enhanced Raman scattering. 2004 , 5327, 88		1
2115	Surface plasmon resonance device with dielectric mirror for biochemical sensing. 2004 , 2004, 1972-4		
2114	Analysis of surface plasmon resonance data using a partial least square regression method for glucose concentration estimation. 2004 , 2004, 2424-5		
2113	TWO NOVEL INTEGRATED OPTICAL SENSOR TYPES FOR MEASURING CHEMICAL CONCENTRATIONS, BASED ON CHEMICALLY INDUCED CHANGES OF MODAL FIELD PROFILES. 2004 , 13, 209-227		4
2112	TIRF Array Biosensor for Environmental Monitoring. 2004 , 359-390		1
2111	The use of the surface plasmons resonance sensor in the study of the influence of Ellotropic cells on water. <i>Sensors and Actuators B: Chemical</i> , 2004 , 99, 149-155	8.5	3
2110	Configurational biomimesis in drug delivery: molecular imprinting of biologically significant molecules. 2004 , 56, 1599-620		209
2109	Continuous flow immunosensor for highly selective and real-time detection of sub-ppb levels of 2-hydroxybiphenyl by using surface plasmon resonance imaging. 2004 , 20, 350-7		48
2108	A sensitivity comparison of optical biosensors based on four different surface plasmon resonance modes. 2004 , 20, 633-42		157
2107	Liquid phase SPR imaging experiments for biosensors applications. 2004 , 20, 1140-8		24
2106	Poly(dimethylsiloxane) microfluidic flow cells for surface plasmon resonance spectroscopy. <i>Sensors and Actuators B: Chemical</i> , 2004 , 98, 208-214	8.5	29

2105	Probing large area surface plasmon interference in thin metal films using photon scanning tunneling microscopy. 2004 , 100, 429-36		20
2104	Exploitation of Localized Surface Plasmon Resonance. 2004 , 16, 1685-1706		2023
2103	Immobilized microfluidic enzymatic reactors. 2004 , 25, 3550-63		206
2102	Surface plasmon resonance spectroscopic study of UV-addressable phenylalanine sensing based on a self-assembled spirooxazine derivative monolayer. 2004 , 24, 135-138		4
2101	Fabrication of protein G LB film for immunoglobulin G immobilization. 2004 , 24, 65-69		35
2100	Magnetic sensor with prism coupler. 2004 , 110, 87-92		3
2099	Fibre optic refractive index microsensors based on white-light SPR excitation. 2004 , 113, 174-180		52
2098	Biosensor based on surface plasmon interferometry independent on variations of liquid refractive index. <i>Sensors and Actuators B: Chemical</i> , 2004 , 99, 90-97	8.5	20
2097	Investigation on alcohol vapours/TiO ₂ nanocrystal thin films interaction by SPR technique for sensing application. <i>Sensors and Actuators B: Chemical</i> , 2004 , 100, 75-80	8.5	43
2096	Acoustic biosensor for monitoring antibody immobilization and neurotransmitter GABA in real-time. <i>Sensors and Actuators B: Chemical</i> , 2004 , 101, 8-19	8.5	22
2095	Highly sensitive and interference-free simultaneous detection of two polycyclic aromatic hydrocarbons at parts-per-trillion levels using a surface plasmon resonance immunosensor. <i>Sensors and Actuators B: Chemical</i> , 2004 , 103, 265-271	8.5	53
2094	Synthesis and adsorption on gold surfaces of a functionalized thiol: elaboration and test of a new nitroaromatic gas sensor. 2004 , 272, 21-7		21
2093	Novel optical film sensor design based on p-polarized reflectance. 2004 , 36, 211-217		8
2092	Enhancement of the sensitivity of surface plasmon resonance (SPR) immunosensor for the detection of anti-GAD antibody by changing the pH for streptavidin immobilization. 2004 , 35, 683-687		13
2091	A fusion protein expression analysis using surface plasmon resonance imaging. 2004 , 330, 251-6		39
2090	Signal amplification on planar and gel-type sensor surfaces in surface plasmon resonance-based detection of prostate-specific antigen. 2004 , 333, 165-73		90
2089	Sensitivity-enhancement of wavelength-modulation surface plasmon resonance biosensor for human complement factor 4. 2004 , 333, 99-104		34
2088	Fiber-optic conical microsensors for surface plasmon resonance using chemically etched single-mode fiber. 2004 , 523, 165-170		84

2087	Potentiometric immunosensor based on antiserum of Japanese B encephalitis immobilized in nano-Au/polymerized o-phenylenediamine film. 2004 , 6, 1222-1226	24
2086	A novel ultrahigh-resolution surface plasmon resonance biosensor with an Au nanocluster-embedded dielectric film. 2004 , 19, 1465-71	60
2085	Quantitative methods for spatially resolved adsorption/desorption measurements in real time by surface plasmon resonance microscopy. 2004 , 76, 907-17	180
2084	Reversible Protein Detection Method Based on Self-Assembled Monolayers Using Ellipsometry.	
2083	Parallel, quantitative measurement of protein binding to a 120-element double-stranded DNA array in real time using surface plasmon resonance microscopy. 2004 , 76, 2071-82	124
2082	Conformational dynamics of poly(acrylic acid). A study using surface plasmon resonance spectroscopy. 2004 , 20, 4657-64	39
2081	Ellipsometric approach for the real-time detection of label-free protein adsorption by second harmonic generation. 2004 , 126, 5001-7	39
2080	Surface plasmon sensor based on the enhanced light transmission through arrays of nanoholes in gold films. 2004 , 20, 4813-5	620
2079	Surface plasma resonance and magneto-optical enhancement in composites containing multicore-shell structured nanoparticles. 2004 , 70,	67
2078	Surface plasmons at nanoscale relief gratings between a metal and a dielectric medium with optical gain. 2004 , 70,	81
2077	MATERIALS ASSEMBLY AND FORMATION USING ENGINEERED POLYPEPTIDES. 2004 , 34, 373-408	221
2076	Refractive Indices of Water and Aqueous Electrolyte Solutions under High Magnetic Fields. 2004 , 108, 1461-1464	91
2075	Nanohole-Enhanced Raman Scattering. 2004 , 4, 2015-2018	382
2074	Surface-plasmon-resonance-enhanced cavity ring-down detection. 2004 , 120, 1585-93	22
2073	Spectral analysis of resonant transmission of light through a single sub-wavelength slit. 2004 , 12, 623-32	37
2072	Optical-fiber surface-plasmon resonance sensor with multiple resonance peaks. 2004 , 43, 1216-20	83
2071	Enhancement of the resolution of surface plasmon resonance biosensors by control of the size and distribution of nanoparticles. 2004 , 29, 1390-2	55
2070	Highly sensitive differential phase-sensitive surface plasmon resonance biosensor based on the Mach-Zehnder configuration. 2004 , 29, 2378-80	234

2069	Geometrical Parameters Controlling Sensitivity of Nanoshell Plasmon Resonances to Changes in Dielectric Environment. 2004 , 108, 17290-17294	215
2068	Biological sensing using transmission surface plasmon resonance spectroscopy. 2004 , 20, 7365-7	100
2067	Nanomechanical protein detectors using electrothermal nano-gap actuators.	
2066	Simplification and evaluation of a gold-deposited SPR optical fiber sensor. 2004 , 20, 689-94	20
2065	Novel GMR-based biochip. 2005 , 5702, 160	
2064	Two-dimensional surface plasmon resonance biosensor array based on phase-sensitive measurement. 2005 , 5927, 84	1
2063	Investigations of refraction properties of metalphthalocyanie nanostructures after NO ₂ action by means of plasmon resonance method. 2005 ,	1
2062	Multiplexed polymer surface plasmon sensor with integrated optical coupler. 2005 ,	
2061	Transmission properties and preparation of the side metal pipe optical fibers with silver layers. 2005 ,	
2060	Microstructured polarizing fiber. 2005 ,	
2059	Study of Ultrathin Prussian Blue Films Using in situ Electrochemical Surface Plasmon Resonance. 2005 , 70, 154-167	3
2058	Gain-assisted nanoscale surface plasmons.	1
2057	Development of label-free microsphere optical resonator bio/chemical sensors. 2005 , 6004, 137	2
2056	A Novel Method for Forming Uniform Surface-Adsorbed Metal Particles and Development of a Localized Surface-Plasmon Resonance Sensor. 2005 , 57-92	1
2055	Labels and Detection Methods. 2005 , 147-179	8
2054	A surface plasmon resonance sensor for substance P using gold-modified calmodulin and melittin. 2005 , 21, 1431-6	2
2053	Characterization of metallic nano-particles via surface wave scattering: B. Physical concept and numerical experiments. 2005 , 93, 207-217	18
2052	The specific molecular identification of life experiment (SMILE). 2005 , 53, 781-791	42

2051	UV-LIGA interferometer biosensor based on the SU-8 optical waveguide. 2005 , 120, 383-389		58
2050	A surface plasmon resonance system for the measurement of glucose in aqueous solution. <i>Sensors and Actuators B: Chemical</i> , 2005 , 105, 138-143	8.5	67
2049	Following fast adsorption processes with surface plasmon spectroscopy: reflectivity versus mismatch tracking. <i>Sensors and Actuators B: Chemical</i> , 2005 , 104, 276-281	8.5	8
2048	Fluorescence intensity in surface-plasmon field-enhanced fluorescence spectroscopy. <i>Sensors and Actuators B: Chemical</i> , 2005 , 104, 294-301	8.5	32
2047	Compact surface plasmon resonance (SPR) immunosensor using multichannel for simultaneous detection of small molecule compounds. <i>Sensors and Actuators B: Chemical</i> , 2005 , 108, 791-796	8.5	45
2046	Surface plasmon resonance detection of endocrine disruptors using immunoprobes based on self-assembled monolayers. <i>Sensors and Actuators B: Chemical</i> , 2005 , 108, 784-790	8.5	24
2045	Phase detection of surface plasmon resonance using rotating analyzer method. <i>Sensors and Actuators B: Chemical</i> , 2005 , 107, 952-956	8.5	67
2044	Data analysis of surface plasmon resonance biosensor based on phase detection. <i>Sensors and Actuators B: Chemical</i> , 2005 , 108, 778-783	8.5	10
2043	Study of poly(methylene blue) ultrathin films and its properties by electrochemical surface plasmon resonance. 2005 , 581, 231-240		22
2042	On the sensitivity and signal to noise ratio of a step-index fiber optic surface plasmon resonance sensor with bimetallic layers. 2005 , 245, 159-169		138
2041	Theoretical analysis and experimental evaluation of D-type optical fiber sensor with a thin gold film. 2005 , 253, 283-289		30
2040	Detection of humidity based on quartz crystal microbalance coated with ZnO nanostructure films. 2005 , 368, 94-99		61
2039	Development of impedance biosensors with nanometer gaps for marker-free analytical measurements. 2005 , 78-79, 587-592		14
2038	Formation of photo-functional spiroxazine monolayers and their dielectric constant determination using surface plasmon resonance. 2005 , 80, 207-211		
2037	Determination of near surface refractive index of graded-index waveguides based on surface plasmon resonance. 2005 , 246, 331-336		5
2036	Surface plasmon resonance enhanced second-harmonic generation in Kretschmann configuration. 2005 , 248, 249-256		36
2035	Wavelength-modulation surface plasmon resonance sensor. 2005 , 24, 887-893		49
2034	Electro-oxidation of methanol on gold in alkaline media: Adsorption characteristics of reaction intermediates studied using time resolved electro-chemical impedance and surface plasmon resonance techniques. 2005 , 594, 99-119		119

2033	Characterization of a self-assembled monolayer of thiol on a gold surface and the fabrication of a biosensor chip based on surface plasmon resonance for detecting anti-GAD antibody. 2005 , 20, 1422-7	102
2032	Dynamics of complex formation between biological and luminescent conjugated polyelectrolytes--a surface plasmon resonance study. 2005 , 20, 1764-71	24
2031	Sensitivity of ex situ and in situ spectral surface plasmon resonance sensors in the analysis of protein arrays. 2005 , 20, 2189-96	24
2030	Enhanced performance of a surface plasmon resonance immunosensor for detecting Ab-GAD antibody based on the modified self-assembled monolayers. 2005 , 21, 378-83	55
2029	Structured thin films as functional components within biosensors. 2005 , 21, 1-20	155
2028	A label-free amperometric immunosensor based on multi-layer assembly of polymerized o-phenylenediamine and gold nanoparticles for determination of Japanese B encephalitis vaccine. 2005 , 531, 1-5	41
2027	Acousto-optic tunable filter-surface plasmon resonance immunosensor for fibronectin. 2005 , 551, 98-104	13
2026	Formation of a protein monomolecular layer by a combined technique of LB and SA methods. 2005 , 41, 163-8	18
2025	Double-wavelength technique for surface plasmon resonance measurements: basic concept and applications for single sensors and two-dimensional sensor arrays. 2005 , 77, 2393-9	40
2024	Quantitative functional analysis of protein complexes on surfaces. 2005 , 563, 61-71	41
2023	Emerging tools for real-time label-free detection of interactions on functional protein microarrays. 2005 , 272, 5412-25	140
2022	Enhanced sensitivity of surface plasmon resonance (SPR) immunoassays using a peroxidase-catalyzed precipitation reaction and its application to a protein microarray. 2005 , 297, 125-32	50
2021	Direct and Rapid Detection of Diphtherotoxin via Potentiometric Immunosensor Based on Nanoparticles Mixture and Polyvinyl Butyral as Matrixes. 2005 , 17, 2208-2216	20
2020	Dual-scale modeling of benzene adsorption onto Ni(111) and Au(111) surfaces in explicit water. 2005 , 6, 1866-71	55
2019	Transmission enhancement in an array of subwavelength slits in aluminum due to surface plasmon resonances. 2005 , 10, 143-150	11
2018	First order phase change detection using planar waveguide Bragg grating refractometer. 2005 , 81, 1-4	11
2017	Direct optical sensors: principles and selected applications. 2005 , 381, 141-55	173
2016	A new label-free amperometric immunosensor for rubella vaccine. 2005 , 381, 1036-40	16

2015	Optical interrogation of molecularly imprinted polymers and development of MIP sensors: a review. 2005 , 382, 947-56		127
2014	Polymeric electrooptic light modulator based on grating-coupled surface plasmon resonance. 2005 , 13, 463-466		1
2013	Airborne analyte detection with an aircraft-adapted surface plasmon resonance sensor system. <i>Sensors and Actuators B: Chemical</i> , 2005 , 104, 237-248	8.5	37
2012	Resonance shifts in SPR curves of nonabsorbing, weakly absorbing, and strongly absorbing dielectrics. <i>Sensors and Actuators B: Chemical</i> , 2005 , 105, 532-541	8.5	38
2011	Sensitivity evaluation of a multi-layered surface plasmon resonance-based fiber optic sensor: a theoretical study. <i>Sensors and Actuators B: Chemical</i> , 2005 , 107, 40-46	8.5	180
2010	Multichannel surface plasmon resonance biosensor with wavelength division multiplexing. <i>Sensors and Actuators B: Chemical</i> , 2005 , 108, 758-764	8.5	98
2009	Study of the gas optical sensing properties of Au-polyimide nanocomposite films prepared by ion implantation. <i>Sensors and Actuators B: Chemical</i> , 2005 , 111-112, 225-229	8.5	32
2008	Bio-Plasmonics: Nano/micro Structure of Surface Plasmon Resonance Devices for Biomedicine. 2005 , 37, 1423-1437		27
2007	Soft Plasma Treated Surfaces: Tailoring of Structure and Properties for Biomaterial Applications. 2005 , 2, 351-372		179
2006	Preface. 2005 , ix-x		
2005	Introduction. 2005 , 1-18		1
2004	Applications of electronic composites. 2005 , 19-68		1
2003	Foundations of modeling. 2005 , 69-125		
2002	Models for electronic composites based on effective medium theory. 2005 , 126-162		
2001	Resistor network model for electrical and thermal conduction problems. 2005 , 163-172		
2000	Percolation model. 2005 , 173-207		
1999	Lamination model. 2005 , 208-270		
1998	Engineering problems. 2005 , 271-324		

1997 Eshelby tensors. **2005**, 325-337

1996 Physical constants and properties of materials. **2005**, 338-341

1995 References. **2005**, 342-351

1994 Evaluation of Food Quality and Safety Using a SPR Sensor. **2005**, 6, 9-14

1

1993 Development of a surface plasmon resonance-based immunoassay for *Listeria monocytogenes*. **2005**, 68, 728-35

38

1992 Resonant grating filters as refractive index sensors for chemical and biological detections. **2005**, 23, 3006

42

1991 Chapter 4 DNA-based biosensors. **2005**, 179-208

13

1990 Application of spectral surface plasmon resonance to gas pressure sensing. **2005**, 44, 124403

22

1989 New idea for a D-type optical fiber sensor based on Kretschmann's configuration. **2005**, 44, 030502

5

1988 A transducer-independent optical sensor system for the detection of biochemical binding reactions. **2005**,

1

1987 A common-path phase-shift interferometry surface plasmon imaging system. **2005**,

1

1986 Fabrication and metrology of an electro-optic polymer light modulator based on waveguide-coupled surface plasmon resonance. **2005**, 44, 034001

15

1985 Microarray Technology and Its Applications. **2005**,

30

1984 Induced fit of an epitope peptide to a monoclonal antibody probed with a novel parallel surface plasmon resonance assay. **2005**, 280, 4188-94

23

1983 A label-free detection method of biochemical interactions with low-cost plastic and other transparent transducers. **2005**, 5826, 551

1982 Gold/titania nanocomposites thin films for optical gas sensing devices. **2005**,

3

1981 Surface spectroscopies. **2005**, 183-199

1980 Numerical investigations on sensing characteristics of waveguide-based surface plasmon resonance sensors. **2005**,

1979	Effect of the surface-plasmon resonance on the emission properties of rhodamine 6G infiltrated in synthetic opals. 2005 , 98, 043502	14
1978	Microfabricated high-performance microwave impedance biosensors for detection of aptamer-protein interactions. 2005 , 87, 243902	39
1977	Integrated optical computing: system-on-chip for surface plasmon resonance imaging.	1
1976	Refractometric sensors based on microsphere resonators. 2005 , 87, 201107	230
1975	Experimental characterization of magnetic surface plasmons on metamaterials with negative permeability. 2005 , 71,	63
1974	Noble Metal Nanoparticle Biosensors. 2005 , 353-380	2
1973	Excitation of broadband surface plasmon polaritons: Plasmonic continuum spectroscopy. 2005 , 71,	43
1972	Pulse-based interface circuits for SPR sensing systems [analyte concentration measurement].	1
1971	Micromechanical mass sensors for biomolecular detection in a physiological environment. 2005 , 72, 031907	120
1970	Novel technology for depositing a PdAg alloy film on a tapered optical fibre for hydrogen sensing. 2005 , 7, 593-598	13
1969	Integration of Nanoparticles Into and Onto Optical Fiber Sensors. 2005 , 900, 1	1
1968	.	2
1967	Biosensors. 2005 , 161-180	4
1966	Chapter 5 Optical biosensors. 2005 , 209-250	28
1965	Characteristics of resonant leaky-mode biosensors. 2005 ,	8
1964	Two-prism setup for surface plasmon resonance studies. 2005 , 76, 033103	14
1963	Refractometric characterization of microsphere resonator based optical sensors.	1
1962	Microfluidic systems using localized molecular imprinting polymers for detection of nano-scale bio-molecules based on surface plasmon resonance.	

1961	Two dimensional phase sensitive surface plasmon resonance biosensor array using microfluidic flow circuit platform.	1
1960	An integrated metal clad leaky waveguide sensor for detection of bacteria. 2005, 77, 232-42	63
1959	Inverted SP resonance in palladium in Kretschmann configuration.	
1958	Multiple surface-plasmon resonance in uniform-waist tapered optical fibers with an asymmetric double-layer deposition. 2005, 44, 519-26	25
1957	Effect of the azimuthal orientation on the performance of grating-coupled surface-plasmon resonance biosensors. 2005, 44, 3218-23	39
1956	Application of surface plasmon resonance sensing to studying elastohydrodynamic lubricant films. 2005, 44, 4830-7	12
1955	Optical approach to angular displacement measurement based on attenuated total reflection. 2005, 44, 5393-7	17
1954	Angular-interrogation attenuated total reflection metrology system for plasmonic sensors. 2005, 44, 6155-62	16
1953	Influence of the metal film thickness on the sensitivity of surface plasmon resonance biosensors. 2005, 59, 661-7	49
1952	High performance plasmonic crystal sensor formed by soft nanoimprint lithography. 2005, 13, 5669-75	102
1951	Analytic design and visualization of multiple surface plasmon resonance excitation using angular spectrum decomposition for a Gaussian input beam. 2005, 13, 8866-74	23
1950	D-type fiber biosensor based on surface-plasmon resonance technology and heterodyne interferometry. 2005, 30, 233-5	96
1949	Common-path phase-shift interferometry surface plasmon resonance imaging system. 2005, 30, 1488-90	80
1948	Investigation of dual-channel fiber-optic surface plasmon resonance sensing for biological applications. 2005, 30, 2988-90	79
1947	Multi-analyte surface plasmon resonance biosensing. 2005, 37, 26-36	162
1946	Short order nanohole arrays in metals for highly sensitive probing of local indices of refraction as the basis for a highly multiplexed biosensor technology. 2005, 37, 37-47	67
1945	TiO ₂ nanocrystal films for sensing applications based on surface plasmon resonance. 2005, 148, 25-29	29
1944	. 2005, 53, 4631-4639	12

1943	Biofunctionalized Nanoparticles for Surface-Enhanced Raman Scattering and Surface Plasmon Resonance. 2005 , 429-443	6
1942	Chapter 1 Biosensors based on self-assembled monolayers. 2005 , 1-63	4
1941	Wafer-scale periodic nanohole arrays templated from two-dimensional nonclose-packed colloidal crystals. 2005 , 127, 3710-1	172
1940	The circuit paradigm in nanoelectronics - field-coupled and hybrid nanoelectronic circuits.	2
1939	Mass spectrometry-based immunoassays for the next phase of clinical applications. 2006 , 3, 631-40	35
1938	SPR and AFM study of engineered biomolecule immobilisation techniques. 2006 , Suppl, 6728-31	
1937	. 2006 , 15, 1466-1476	108
1936	Transparent electrooptical nanocomposite thick films by aerosol deposition method for application to ultrahigh-speed optical switches. 2006 ,	
1935	MEMS: A Practical Guide to Design, Analysis, and Applications. 2006 ,	50
1934	Application of Fiber Optic Surface Plasmon Resonance Sensor for Measuring Liquid Refractive Index. 2006 , 17, 787-791	25
1933	Biosensor Arrays based on Surface Plasmon Resonance Phase Imaging. 2006 ,	3
1932	Detection of Receptor-Ligand Interactions with an GHz Impedance Biosensor System. 2006 ,	
1931	. 2006 ,	5
1930	Retrieval of the effective complex refractive index of Bruggeman nanoliquids from surface plasmon resonance reflectance using the maximum entropy method. 2006 , 53, 1047-1059	4
1929	Nanoscale displacement measurement in a variable-air-gap optical waveguide. 2006 , 88, 161111	6
1928	A Novel LRSPP Based Refractive Index Sensor. 2006 ,	
1927	Surface Plasmon Optics. 2006 ,	
1926	Modelling and Implementation of a Novel SPR Biointerface for Time-Effective Detection of Sepsis Biomarkers. 2006 ,	

1925	Using Surface Plasmon Propagation through Nanostructures for Chemical and Biological Sensing. 2006,	
1924	Dissolvable membranes as sensing elements for microfluidics based biological/chemical sensors. 2006, 6, 840-2	16
1923	Development of Biosensor Chip for Clinical Diagnosis Using Surface Plasmon Resonance Imaging with Multi-Microchannels. 2006,	
1922	Advanced metal nanostructure design for surface plasmon photonic bandgap biosensor device. 2006, Suppl, 6521-4	2
1921	Scanning Probe-Shaped Nanohole Arrays with Extraordinary Optical Transmission as Platform for Enhanced Surface Plasmon-Based Biosensing. 2006,	
1920	High-sensitivity Optical Sensor Based on Surface Plasmon Resonance Enhanced Goos-Hänchen shift. 2006,	2
1919	SURFACE PLASMON RESONANCE (SPR) BIOSENSORS AND THEIR APPLICATIONS IN FOOD SAFETY AND SECURITY. 2006, 101-118	5
1918	Conformational change of bacteriorhodopsin quantitatively monitored by microcantilever sensors. 2006, 90, 2970-7	62
1917	Long-range propagation of plasmon polaritons in a thin metal film on a one-dimensional photonic crystal surface. 2006, 97, 253904	72
1916	Integrated optical sensors for the chemical domain. 2006, 17, R93-R116	140
1915	Plasmon resonances of gold nanoparticles incorporated inside an optical fibre matrix. 2006, 17, 2504-11	40
1914	Reflective interferometric fourier transform spectroscopy: a self-compensating label-free immunosensor using double-layers of porous SiO ₂ . 2006, 128, 4250-2	117
1913	SPR Biosensors for Environmental Monitoring. 2006, 191-206	4
1912	Wavelength-Band Selection Filter Based on Surface Plasmon Resonance and Phase Conjugation Holography. 2006, 18, 2532-2534	7
1911	Surface Electromagnetic Wave at a Tilted Uniaxial Bicrystalline Interface. 2006, 26, 629-642	22
1910	Goos-Hänchen shift surface plasmon resonance sensor. 2006, 89, 261108	177
1909	Fluidics of a nanogap. 2006, 22, 9784-8	6
1908	Optical biosensor microsystems based on the integration of highly sensitive Mach-Zehnder interferometer devices. 2006, 8, S561-S566	117

1907	Direct determination of the refractive index and thickness of a bilayer based on coupled waveguide-surface plasmon resonance mode. 2006 , 31, 187-9	30
1906	Highly sensitive detection of biomolecules with the magneto-optic surface-plasmon-resonance sensor. 2006 , 31, 1085-7	208
1905	In-line fiber optic structures for environmental sensing applications. 2006 , 31, 1391-3	10
1904	High-resolution surface plasmon resonance sensor based on linewidth-optimized nanohole array transmittance. 2006 , 31, 1528-30	248
1903	Surface plasmon interferometric microscopy for three-dimensional imaging of dynamic processes. 2006 , 31, 3004-6	9
1902	Absorption as a selective mechanism in surface plasmon resonance fiber optic sensors. 2006 , 31, 3089-91	15
1901	New approach to spectroscopy of surface plasmons. 2006 , 31, 3339-41	36
1900	Characteristics of a paired surface plasma waves biosensor. 2006 , 14, 4307-15	29
1899	Design optimization of nano-grating surface plasmon resonance sensors. 2006 , 14, 4842-9	71
1898	Comparison between sensitivities of phase and intensity detection in surface plasmon resonance. 2006 , 14, 5641-50	74
1897	Surface plasmon interferometer in silicon-on-insulator: novel concept for an integrated biosensor. 2006 , 14, 7063-72	77
1896	Enhanced live cell membrane imaging using surface plasmon-enhanced total internal reflection fluorescence microscopy. 2006 , 14, 9307-16	34
1895	Optical detection of asymmetric bacteria utilizing electro orientation. 2006 , 14, 9780-5	20
1894	Multipole analysis of photonic crystal fibers with coated inclusions. 2006 , 14, 10851-64	59
1893	Influence of temperature on the sensitivity and signal-to-noise ratio of a fiber-optic surface-plasmon resonance sensor. 2006 , 45, 151-61	53
1892	Surface plasmon resonance sensor based on polarization interferometry and angle modulation. 2006 , 45, 3071-6	15
1891	Profile effect on the feasibility of extinction-based localized surface plasmon resonance biosensors with metallic nanowires. 2006 , 45, 3382-9	18
1890	Application of two-dimensional spectral surface plasmon resonance to imaging of pressure distribution in elastohydrodynamic lubricant films. 2006 , 45, 5819-26	15

1889	Precise determination of the dielectric constant and thickness of a nanolayer by use of surface plasmon resonance sensing and multiexperiment linear data analysis. 2006 , 45, 6038-44	8
1888	Surface plasmon resonance sensors based on uniform-waist tapered fibers in a reflective configuration. 2006 , 45, 7294-8	28
1887	Thickness optimization of metal films for the development of surface-plasmon-based sensors for nonabsorbing media. 2006 , 45, 7632-42	63
1886	. 2006 , 24, 3789-3796	27
1885	Functional dyes for surface plasmon resonance-based sensing system. 2006 , 185-213	9
1884	Surface plasmons. 378-418	11
1883	Imaging the cell membrane with surface plasmon resonance phase microscopy. 2006 ,	2
1882	Fourier Transform Surface Plasmon Resonance. 2006 ,	2
1881	Application of Optical Telecom Planar Technology to Silicon-Based Microphotonics and Sensors. 2006 ,	1
1880	Surface plasmon resonance phase sensor arrays on a microfluidic platform. 2006 ,	
1879	Study of cell adhesion and migration by using a plasmon-enhanced total internal reflection fluorescence microscope. 2006 ,	
1878	Investigation of metallic nanowire-based localized surface plasmon resonance optical biosensors using extinction spectra. 2006 , 6099, 136	
1877	Diffraction of cylindrical waves due to elliptical and rectangular apertures. 2006 , 6180, 272	
1876	New Hydrodynamic Electrochemical Arrangement for Cadmium Ions Detection Using Thick-Film Chemical Sensor Electrodes. 2006 , 6, 1498-1512	29
1875	Optical Gas Sensors in Analytical Chemistry: Applications, Trends and General Comments. 2006 ,	0
1874	Fabrication of a Nanofluidic Channel for SPR Sensing Application Using Glass-to-Glass Anodic Bonding. 2006 , 74, 169-171	3
1873	High-throughput analysis of GST-fusion protein expression and activity-dependent protein interactions on GST-fusion protein arrays with a spectral surface plasmon resonance biosensor. 2006 , 6, 1110-20	36
1872	Optical characterization of polyethylene and cobalt phthalocyanine ultrathin films by means of the ATR technique at surface plasmon resonance. 2006 , 203, 2506-2512	3

1871	A nanoplasmonic molecular ruler for measuring nuclease activity and DNA footprinting. 2006 , 1, 47-52		247
1870	Developing optofluidic technology through the fusion of microfluidics and optics. 2006 , 442, 381-6		1385
1869	Analysis of protein interactions on protein arrays by a novel spectral surface plasmon resonance imaging. 2006 , 21, 1521-8		56
1868	Probability of real-time detection versus probability of infection for aerosolized biowarfare agents: a model study. 2006 , 21, 2070-7		14
1867	Immunodetection of pentamer and modified C-reactive protein using surface plasmon resonance biosensing. 2006 , 21, 1631-7		63
1866	Analyte species and concentration identification using differentially functionalized microcantilever arrays and artificial neural networks. 2006 , 558, 94-101		49
1865	A novel optical immunosensing system based on measuring surface enhanced light scattering signals of solid supports. 2006 , 564, 166-172		15
1864	Analysis of the performance of interferometry, surface plasmon resonance and luminescence as biosensors and chemosensors. 2006 , 569, 1-20		108
1863	Sensitivity enhancement of wavelength modulation surface plasmon resonance biosensor by improving the baseline solution. 2006 , 569, 21-26		11
1862	Performance enhancement of real-time detection of protozoan parasite, <i>Cryptosporidium</i> oocyst by a modified surface plasmon resonance (SPR) biosensor. 2006 , 39, 387-390		37
1861	Surface plasmon resonance spectroscopy on rotated sub-micrometer polymer gratings generated by UV-laser based two-beam interference. 2006 , 252, 4773-4780		5
1860	Layer-by-layer self-assembly of films of nano-Au and Co(bpy) ₃ ³⁺ for the determination of Japanese B encephalitis vaccine. 2006 , 28, 231-236		13
1859	Kinetic analysis of beta-amyloid peptide aggregation induced by metal ions based on surface plasmon resonance biosensing. 2006 , 154, 190-7		52
1858	Sensor properties and surface characterization of the metal-deposited SPR optical fiber sensors with Au, Ag, Cu, and Al. 2006 , 125, 296-303		129
1857	Fiber-optic chemical and biochemical probes based on localized surface plasmon resonance. <i>Sensors and Actuators B: Chemical</i> , 2006 , 113, 100-105	8.5	160
1856	Cycle performance of sol-gel optical sensor based on localized surface plasmon resonance of silver particles. <i>Sensors and Actuators B: Chemical</i> , 2006 , 113, 382-388	8.5	15
1855	Phase-sensitive surface plasmon resonance biosensor using the photoelastic modulation technique. <i>Sensors and Actuators B: Chemical</i> , 2006 , 114, 80-84	8.5	48
1854	Numerical simulation of a D-type optical fiber sensor based on the Kretschmann's configuration and heterodyne interferometry. <i>Sensors and Actuators B: Chemical</i> , 2006 , 114, 120-126	8.5	44

1853	Mono and dithiol surfaces on surface plasmon resonance biosensors for detection of <i>Staphylococcus aureus</i> . <i>Sensors and Actuators B: Chemical</i> , 2006 , 114, 192-198	8.5	86
1852	Three novel integrated optical sensing structures for the chemical domain. <i>Sensors and Actuators B: Chemical</i> , 2006 , 113, 718-729	8.5	16
1851	Multiple surface plasmon spectroscopy for study of biomolecular systems. <i>Sensors and Actuators B: Chemical</i> , 2006 , 113, 774-781	8.5	57
1850	Enhancement of surface plasmon resonance (SPR) signals using organic functionalized mesoporous silica on a gold film. <i>Sensors and Actuators B: Chemical</i> , 2006 , 114, 1096-1099	8.5	27
1849	Fabrication and characterization of a surface plasmon resonance based fiber-optic sensor for bittering component Naringin. <i>Sensors and Actuators B: Chemical</i> , 2006 , 115, 344-348	8.5	41
1848	Determination of optical parameters of colloidal TiO ₂ nanocrystals-based thin films by using surface plasmon resonance measurements for sensing applications. <i>Sensors and Actuators B: Chemical</i> , 2006 , 115, 365-373	8.5	14
1847	Admittance loci design method for multilayer surface plasmon resonance devices. <i>Sensors and Actuators B: Chemical</i> , 2006 , 117, 219-229	8.5	41
1846	Waveguided SPR sensor using a Mach-Zehnder interferometer with variable power splitting ratio. <i>Sensors and Actuators B: Chemical</i> , 2006 , 119, 20-26	8.5	8
1845	Phase sensitive array detection with polarisation modulated differential sensing. <i>Sensors and Actuators B: Chemical</i> , 2006 , 119, 651-655	8.5	12
1844	Aqueous mercuric ion detection with microsphere optical ring resonator sensors. <i>Sensors and Actuators B: Chemical</i> , 2006 , 120, 207-212	8.5	50
1843	Simultaneous excitation of long and short range surface plasmons in an asymmetric structure. 2006 , 259, 507-512		22
1842	SPR sensor signal amplification based on dye-doped polymer particles. 2006 , 7, 150-155		16
1841	Theoretical model of a fiber optic remote sensor based on surface plasmon resonance for temperature detection. 2006 , 12, 87-100		68
1840	. 2006 , 12, 134-142		289
1839	Applications of Supermolecules [Molecular Devices and Nanotechnology. 2006 , 137-174		
1838	Preparation of a sensor substrate using functionalized mesoporous silica on a gold film for surface plasmon resonance (SPR) spectroscopy. 2006 , 17, 999-1003		1
1837	Novel immunoassay for carcinoembryonic antigen based on protein A-conjugated immunosensor chip by surface plasmon resonance and cyclic voltammetry. 2006 , 28, 315-21		41
1836	Optimizing integrated optical chips for label-free (bio-)chemical sensing. 2006 , 384, 180-90		43

1835	Colorimetric detection of immunoglobulin G by use of functionalized gold nanoparticles on polyethylenimine film. 2006 , 384, 1518-24		16
1834	Biosensors as useful tools for environmental analysis and monitoring. 2006 , 386, 1025-41		327
1833	Design and fabrication of an alternating dielectric multi-layer device for surface plasmon resonance sensor. <i>Sensors and Actuators B: Chemical</i> , 2006 , 113, 169-176	8.5	65
1832	Investigation of the profile effect on the sensitivity enhancement of nanowire-mediated localized surface plasmon resonance biosensors. <i>Sensors and Actuators B: Chemical</i> , 2006 , 117, 401-407	8.5	29
1831	Optical properties and instrumental performance of thin gold films near the surface plasmon resonance. 2006 , 496, 688-697		63
1830	Nanomechanical protein detectors based on the mechanical property measured by nano-gap actuators. 2006 , 6, e76-e80		
1829	Looking towards label-free biomolecular interaction analysis in a high-throughput format: a review of new surface plasmon resonance technologies. 2006 , 17, 400-5		270
1828	Optical Extinction Spectroscopy of Oblate, Prolate and Ellipsoid Shaped Gold Nanoparticles: Experiments and Theory. 2006 , 1, 135-140		98
1827	Optical sensors based on nanostructured cage materials for the detection of toxic metal ions. 2006 , 45, 7202-8		204
1826	Surface plasmon resonance-enabled mass spectrometry arrays. 2006 , 27, 3671-5		24
1825	Surface plasmon resonance sensors using silica-on-silicon optical waveguides. 2006 , 48, 955-957		14
1824	Real-time analysis of enzymatic surface-initiated polymerization using surface plasmon resonance (SPR). 2006 , 6, 145-52		14
1823	Optical Sensors Based on Nanostructured Cage Materials for the Detection of Toxic Metal Ions. 2006 , 118, 7360-7366		45
1822	Molecule Surface Plasmon Interactions in Hole Arrays: Enhanced Absorption, Refractive Index Changes, and All-Optical Switching. 2006 , 18, 1267-1270		141
1821	Effect of the nanowire cross-section on the sensitivity enhancement of localized surface plasmon resonance biosensors. 2006 , 6099, 128		
1820	A microfluidic system with integrated molecular imprinting polymer films for surface plasmon resonance detection. 2006 , 16, 1251-1257		29
1819	Demonstration of sub-femtomole sensitivity for small molecules with microsphere ring resonator sensors. 2006 , 6092, 200		
1818	Surface plasmon resonance method: new applications to sorption kinetics analysis. 2006 , 6596, 228		

1817	Towards ferrofluidics for ETAS and lab on-a-chip applications. 2006 , 17, S34-47	52
1816	Imaging of flow pattern in micro flow channel using surface plasmon resonance. 2006 , 17, 3184-3188	7
1815	Optical nano-textile sensors based on the incorporation of semiconducting and metallic nanoparticles into optical fibers. 2006 , 920, 1	5
1814	Population proteomics: the concept, attributes, and potential for cancer biomarker research. 2006 , 5, 1811-8	68
1813	Nanofiber optic sensor based on the excitation of surface plasmon wave near fiber tip. 2006 , 11, 014032	29
1812	Microspherical resonators for biophotonic sensors. 2006 , 6158, 225	17
1811	Sensitive plasmonic biosensor using gold nanoparticles on a nano fiber tip. 2006 , 6099, 86	
1810	High Sensitivity Sensor Based on Porous Silicon Waveguide. 2006 , 934, 1	7
1809	Numerical Simulation on a Novel Setup for Sensing Application Based on Metal Gratings. 2006 ,	
1808	Modeling the fabrication of nano-optical structures. 2006 ,	1
1807	Rapid broad spectrum bacterial detection using electromagnetic cellular polarization and optical scattering. 2006 ,	
1806	Optical Chemical Sensors. 2006 ,	38
1805	Adsorption of alanine on a Ni(111) surface: A multiscale modeling oriented density functional study. 2006 , 74,	25
1804	Organic diodes as monolithically integrated surface plasmon polariton detectors. 2006 , 89, 161101	44
1803	Excitation of a surface plasmon with an elastomeric grating. 2006 , 89, 041123	11
1802	High-sensitivity surface plasmon resonance spectroscopy based on a metal nanoslit array. 2006 , 88, 243105	26
1801	A highly sensitive index sensor based on attenuated total reflection inside a cavity. 2006 ,	1
1800	One-dimensional surface plasmon resonance imaging system using wavelength interrogation. 2006 , 77, 076106	5

1799	Carrier-to-noise ratio enhancement of super-resolution near-field structure disks by Ag nanostructure. 2006 , 88, 051104	12
1798	Oscillating wave sensors based on ultrahigh-order modes in symmetric metal-clad optical waveguides. 2006 , 89, 081120	20
1797	Porous Silicon Waveguide Biosensors. 2006 ,	
1796	Aspects of Metal-Dielectric-Metal Plasmonic Waveguides.	
1795	Bacteria detection in a microfluidic channel utilizing electromagnetic cellular polarization and optical scattering.	0
1794	A Plasmon-controlled Fluorescence Biochip. 2006 ,	
1793	Plasmonics: Fundamentals and Applications. 2007 ,	4591
1792	Fabrication of novel molecular recognition membranes by physical adsorption and self-assembly for surface plasmon resonance detection of TNT. 2007 , 87, 771-781	6
1791	Optical Biosensing Based on Metal and Semiconductor Colloidal Nanocrystals. 2007 ,	1
1790	Triangular resonator based on surface plasmon resonance of attenuated reflection mirror. 2007 , 43, 1365	13
1789	Comparisons of the surface plasmon sensitivities for nanohole and nanoslit arrays. 2007 ,	2
1788	A microfluidic chemical/biological sensing system based on membrane dissolution and optical absorption. 2007 , 18, 201-207	16
1787	High-Sensitivity Sensor Based on Surface Plasmon Resonance Enhanced Lateral Optical Beam Displacements. 2007 , 24, 458-461	6
1786	A Simple Model for Measuring Refractive Index of a Liquid Based upon Fresnel Equations. 2007 , 24, 3133-3136	2
1785	Characterization of a field-assist multi-pass fibre optic surface plasmon resonance sensor. 2007 , 18, 2938-2942	2
1784	. 2007 ,	0
1783	Paired surface plasmon waves biosensor. 2007 ,	
1782	Design and Analysis of Surface Plasmon-Enhanced Metal-Semiconductor-Metal Traveling Wave Photodetectors. 2007 ,	

1781	Ferromagnetic to ferrimagnetic crossover in Cr-doped GaN nanohole arrays. 2007 , 75,	9
1780	Backside Detection of Photoresist Development Endpoint Using Surface Plasmon Resonance. 2007 ,	
1779	Analysis of the propagation of terahertz surface plasmon polaritons on semiconductor groove gratings. 2007 , 101, 023707	20
1778	Enhancement of diffraction for biosensing applications via Bloch surface waves. 2007 , 91, 253125	52
1777	Direct measurement of increased light intensity in optical waveguides coupled to a surface plasmon spectroscopy setup. 2007 , 91, 021113	11
1776	Direct excitation of surface plasmon polaritons in nanopatterned metal surfaces and thin films. 2007 , 76,	37
1775	Phase Detection Based Surface Plasmon Resonance Biosensor in Infrared with Increased Sensitivity and Dynamic Range. 2007 ,	
1774	Transparent Metal-Ferroelectric nanocomposite thick films prepared by Aerosol Deposition Method. 2007 ,	1
1773	Enhanced optical absorption of organic materials via surface plasmon resonance in gold nanoparticles. 2007 , 6656, 269	2
1772	Fiber optic biosensor for the detection of C-reactive protein and the study of protein binding kinetics. 2007 , 12, 024025	28
1771	Fiber-based SPR sensors with calibration function. 2007 ,	
1770	Multispectral imaging of a biochip based on surface plasmon resonance and integration of chromophores. 2007 , 6450, 88	
1769	Nanoscale photolithography by means of surface plasmon interference. 2007 , 9, 854-857	15
1768	Bimetallic Silver-Gold Film Waveguide Surface Plasmon Resonance Sensor. 2007 , 26, 229-240	19
1767	Fiber optic surface plasmon resonance sensors for imaging systems. 2007 , 46, 054403	2
1766	Guided-Wave Optical Biosensors. 2007 , 7, 508-536	100
1765	An infrared surface plasmon resonance tilted fibre Bragg device for biological and biochemical sensing. 2007 ,	
1764	Highly Sensitive and Selective Chemical Sensing Techniques Using Gold Nanoparticle Assemblies and Superstructures. 2007 , 56, 201-211	11

1763	Fluorescent Calix[4]arene-appended Silica Nanotubes as Selective Chemosensor and Adsorbent for Pb ²⁺ Ion. 2007 , 36, 360-361	11
1762	Colloid-gold nanoparticle enhanced detection sensitivity of paired surface plasma waves biosensor. 2007 ,	3
1761	Integrated surface plasmon resonance sensor with periodic nanostructures for sensitivity enhancement. 2007 ,	
1760	A surface plasmon polariton phase microscope with a subwavelength grating structure. 2007 ,	
1759	Effect of metallic nanowires on the sensitivity enhancement of surface plasmon resonance biosensors. 2007 ,	
1758	Novel Tellurite Glasses and Nanocluster Doped Silica for Photonics. 2007 ,	
1757	Interferometric surface plasmon resonance based on low-cost grating substrates. 2007 ,	
1756	Highly sensitive refractive index sensors. 2007 ,	
1755	SPR waveguide sensor based on combined sensing of phase and amplitude changes. 2007 ,	
1754	A surface plasmon phase imaging system with subwavelength grating. 2007 ,	
1753	A novel microlens arrays coupler of surface plasmon resonance for biochemical applications. 2007 ,	1
1752	High-resolution surface-plasmon imaging in air and in water: V(z) curve and operating conditions. 2007 , 32, 509-11	43
1751	Spectral-domain optical coherence reflectometric sensor for highly sensitive molecular detection. 2007 , 32, 2426-8	9
1750	Focused optical beams obtained at planar structures by an imaginary shift in position. 2007 , 24, 2513-5	
1749	Surface waves at a biaxial bicrystalline interface. 2007 , 24, 2974-9	24
1748	Design criteria for microstructured-optical-fiber-based surface-plasmon-resonance sensors. 2007 , 24, 1423	204
1747	Optimal Design of Fiber-optic Surface Plasmon Resonance Sensors. 2007 , 11, 55-58	8
1746	Heterodyne apertureless near-field scanning optical microscopy on periodic gold nanowells. 2007 , 15, 4098-105	8

1745	Highly sensitive spectroscopic detection of heme-protein submonolayer films by channel integrated optical waveguide. 2007 , 15, 5595-603	15
1744	Enhanced SPR sensitivity using periodic metallic structures. 2007 , 15, 8163-9	123
1743	Geometric optics method for surface plasmon integrated circuits. 2007 , 15, 11595-600	2
1742	Optical characterization of extremely small volumes of liquid in sub-micro-holes by simultaneous reflectivity, ellipsometry and spectrometry. 2007 , 15, 13318-29	15
1741	Effect of nonparallelism of guiding air-liquid layers on the reflection dip in attenuated total reflection. 2007 , 46, 58-60	4
1740	Effective medium-based analysis of nanowire-mediated localized surface plasmon resonance. 2007 , 46, 872-80	16
1739	Two-dimensional biosensor arrays based on surface plasmon resonance phase imaging. 2007 , 46, 2325-32	34
1738	Combined enhanced fluorescence and label-free biomolecular detection with a photonic crystal surface. 2007 , 46, 2351-60	46
1737	Bandgap-assisted surface-plasmon sensing. 2007 , 46, 3369-75	21
1736	Multichannel biosensing platform of surface-immobilized gold nanospheres for linear and nonlinear optical imaging. 2007 , 46, 4486-90	14
1735	Generation of infrared surface plasmon resonances with high refractive index sensitivity utilizing tilted fiber Bragg gratings. 2007 , 46, 5456-60	35
1734	Grating-coupled transmission-type surface plasmon resonance sensors based on dielectric and metallic gratings. 2007 , 46, 5703-8	76
1733	Differential phase-contrast BioCD biosensor. 2007 , 46, 6196-209	17
1732	Common-path interferometric detection of protein monolayer on the BioCD. 2007 , 46, 7836-49	20
1731	Improving the sensitivity limit of surface plasmon resonance biosensors by detecting mixed interference signals. 2007 , 46, 8068-73	13
1730	A Compact Integrated Planar-Waveguide Refractive-Index Sensor Based on a Corrugated Metal Grating. 2007 , 25, 2244-2250	19
1729	Numerical Investigation of a Kretschmann-Type Surface Plasmon Resonance Waveguide Sensor. 2007 , 25, 2605-2611	11
1728	Development of an immunosensor based on surface plasmon resonance for enumeration of Escherichia coli in water samples. 2007 , 40, 803-807	46

1727	Surface Plasmon Resonance Biosensors and its Application. 2007,	10
1726	Development of a surface plasmon resonance biosensor for the identification of <i>Campylobacter jejuni</i> . 2007, 69, 78-85	86
1725	Interfacial Bioelectrochemistry: Fabrication, Properties and Applications of Functional Nanostructured Biointerfaces. 2007, 111, 2351-2367	136
1724	Recent Development in Optical Fiber Biosensors. 2007, 7, 797-859	193
1723	A consideration of the use of metamaterials for sensing applications: field fluctuations and ultimate performance. 2007, 9, S377-S384	43
1722	Optical absorption of torus-shaped metal nanoparticles in the visible range. 2007, 76,	20
1721	Trends in interfacial design for surface plasmon resonance based immunoassays. 2007, 40, 7187-7200	55
1720	Inline Cryogenic Temperature Sensor Based on the Excitation of Localized Plasmonic Oscillations in Metallic Nanoparticles Embedded into Photonic Crystal Fibers. 2007,	
1719	Biosensing with plasmonic nanoparticles. 2007, 219-270	3
1718	A Disposable Grating-integrated Multi-channel SPR Sensor Chip for Real-time Monitoring of Biomolecule Binding. 2007,	0
1717	Sensitive biosensor array using surface plasmon resonance on metallic nanoslits. 2007, 12, 044023	95
1716	Long-range surface plasmons on ultrathin membranes. 2007, 7, 1376-80	83
1715	Nanomechanical Protein Concentration Detector Using a Nanogap Squeezing Actuator With Compensated Displacement Monitoring Electrodes. 2007, 16, 802-808	3
1714	A High Sensitivity Surface Plasmon Resonance Configuration based on the Phase Retardation Detection. 2007,	
1713	Current-Mode System-on-Chip Interface for SPR-Based Sensing Systems. 2007, 7, 1513-1523	2
1712	Phase detection based surface plasmon resonance biosensor in infrared with increased sensitivity and dynamic range. 2007,	
1711	Detection of Receptor-Ligand Interactions With an GHz Impedance Biosensor System. 2007, 7, 1680-1684	3
1710	Nanowire electrochemical sensors: can we live without labels?. 2007, 7, 19-23	24

- 1709 Design and analysis of surface plasmon-enhanced metal-semiconductor-metal traveling wave photodetectors. **2007,**
- 1708 System-on-Chip Circuit Architecture for Eliminating Interferents in Surface Plasmon Resonance Sensing Systems. **2007, 7, 1400-1412** 1
- 1707 Photonic sensors based on integrated reflectivity, ellipsometry and spectrometry measurements in submicron size geometries. **2007,**
- 1706 Surface plasmon resonance as a time-resolved probe of structural changes in molecular films: considerations for correlating resonance shifts with adsorbate layer parameters. **2007, 132, 524-35** 7
- 1705 Roughness effect on the SPR measurements for an optical fibre configuration: experimental and numerical approaches. **2007, 9, 586-592** 48
- 1704 Submicrometer in-plane integrated surface plasmon cavities. **2007, 7, 1352-9** 89
- 1703 Plasmonic modes of annular nanoresonators imaged by spectrally resolved cathodoluminescence. **2007, 7, 3612-7** 56
- 1702 Ammonium Ion Optical Sensor Formation and Characterization of a Self-Assembled Thiazole Containing Dibenzo-18-Crown-6 Monolayer toward Developing Ammonium Ion-Sensing Interface. **2007, 40, 3373-3382** 5
- 1701 Plasmonic Properties of Anchored Nanoparticles Fabricated by Reactive Ion Etching and Nanosphere Lithography. **2007, 111, 4116-4124** 72
- 1700 Temperature Effects on Prism-Based Surface Plasmon Resonance Sensor. **2007, 24, 3081-3084** 26
- 1699 Toward Biological Diagnosis System Based on Digital Versatile Disc Technology. **2007, 46, 4003-4006** 18
- 1698 Functionalization of poly(oligo(ethylene glycol) methacrylate) films on gold and Si/SiO₂ for immobilization of proteins and cells: SPR and QCM studies. **2007, 8, 3922-9** 125
- 1697 Magnetic Particles as Labels in Bioassays: Interactions between a Biotinylated Gold Substrate and Streptavidin Magnetic Particles. **2007, 111, 12227-12235** 37
- 1696 Surface Plasmon Resonance Biosensor Incorporated in a Michelson Interferometer With Enhanced Sensitivity. **2007, 7, 70-73** 45
- 1695 Plasmonic excitation of organic double heterostructure solar cells. **2007, 90, 121102** 53
- 1694 Photoinduced transformations in bacteriorhodopsin membrane monitored with optical microcavities. **2007, 92, 2223-9** 49
- 1693 Gold Nanoparticle Adsorption and Aggregation Kinetics at the Silica/Water Interface. **2007, 111, 2588-2594** 24
- 1692 Ultralong-range plasmonic waveguides using quasi-two-dimensional metallic layers. **2007, 76,** 11

1691	Excitation of surface plasmon-polaritons in metal films with double periodic modulation: Anomalous optical effects. 2007 , 76,	16
1690	Chemical sensors based on molecularly modified metallic nanoparticles. 2007 , 40, 7173-7186	143
1689	Overview of novel integrated optical ring resonator bio/chemical sensors. 2007 ,	46
1688	Numerical Modeling of Cryogenic Temperature Sensors Based on Plasmonic Oscillations in Metallic Nanoparticles Embedded Into Photonic Crystal Fibers. 2007 , 19, 324-326	9
1687	Self-Referencing in Optical-Fiber Surface Plasmon Resonance Sensors. 2007 , 19, 1958-1960	27
1686	Highly sensitive optical detection of humidity on polymer/metal nanoparticle hybrid films. 2007 , 23, 3473-7	104
1685	Spectral sensitivity of two-dimensional nanohole array surface plasmon polariton resonance sensor. 2007 , 91, 123112	143
1684	Refractometric Sensors for Lab-on-a-Chip Based on Optical Ring Resonators. 2007 , 7, 28-35	83
1683	Fibre optic sensor based on long-range surface plasmon resonance: a theoretical analysis. 2007 , 9, 682-687	24
1682	Bragg surface wave device based on porous silicon and its application for sensing. 2007 , 90, 241116	55
1681	Functional nanostructures from surface chemistry patterning. 2007 , 9, 207-25	55
1680	Fiber-Optic Sensors Based on Surface Plasmon Resonance: A Comprehensive Review. 2007 , 7, 1118-1129	587
1679	Photonic bandgaps for grating-coupled waveguide modes with a silver tunnel barrier. 2007 , 9, 251-251	6
1678	Development of a Surface Plasmon Resonance n-dodecane Vapor Sensor. 2007 , 7, 1954-1961	8
1677	Enhanced transmission through arrays of subwavelength holes in gold films coated by a finite dielectric layer. 2007 , 2,	9
1676	Optical nanosensor design with uniform pore geometry and large particle morphology. 2007 , 13, 9245-55	76
1675	Optical Sensor Based on Nanomaterial for the Selective Detection of Toxic Metal Ions. 2007 , 17, 3441-3446	115
1674	Label-Free Impedance Biosensors: Opportunities and Challenges. 2007 , 19, 1239-1257	885

1673	Surface plasmon resonance analysis of aqueous copper ions with amino-terminated self-assembled monolayers. 2007 , 292, 264-270	38
1672	SPR response of stimuli-sensitive microgel on sensor chip. 2007 , 302, 403-410	9
1671	Enzyme-encapsulated silica monolayers for rapid functionalization of a gold surface. 2007 , 58, 28-33	46
1670	Sensing capability of the localized surface plasmon resonance of gold nanorods. 2007 , 22, 926-32	216
1669	Integrated-optic biosensor by electro-optically modulated surface plasmon resonance. 2007 , 22, 1441-6	16
1668	Detection of Rev peptides with impedance-sensors--comparison of device-geometries. 2007 , 22, 2337-40	13
1667	Application of chromogenic reagents in surface plasmon resonance (SPR). 2007 , 22, 1163-7	2
1666	Coupled waveguide-surface plasmon resonance biosensor with subwavelength grating. 2007 , 22, 2737-42	44
1665	Molecularly imprinted polymer films for reflectometric interference spectroscopic sensors. 2007 , 22, 3267-72	56
1664	Microfluidic systems integrated with two-dimensional surface plasmon resonance phase imaging systems for microarray immunoassay. 2007 , 23, 466-72	106
1663	Towards integrated and sensitive surface plasmon resonance biosensors: a review of recent progress. 2007 , 23, 151-60	596
1662	Potential of label-free detection in high-content-screening applications. 2007 , 1161, 2-8	26
1661	Tunable grating-assisted surface plasmon resonance by use of nano-polymer dispersed liquid crystal electro-optical material. 2007 , 275, 318-323	20
1660	Sensitivity enhancement based on application of multi-pass interferometry in phase-sensitive surface plasmon resonance biosensor. 2007 , 275, 491-496	58
1659	Highly-sensitive sensor with large measurement range realized with two cascaded-microring resonators. 2007 , 279, 89-93	20
1658	Coupled surface plasmon resonance on bimetallic films covered by sub-micrometer polymer gratings. 2007 , 8, 148-160	6
1657	Construction of an inexpensive surface plasmon resonance instrument for use in teaching and research. 2007 , 86, 147-155	12
1656	Surface-plasmon wave at the planar interface of a metal film and a structurally chiral medium. 2007 , 279, 291-297	26

1655	A new sensor for the thermo-optical detection of surface plasmon resonance. 2007 , 135, 492-501		7
1654	Electrochemical properties and topology of gold electrodes with adsorbed penicillin G for biosensor applications. <i>Sensors and Actuators B: Chemical</i> , 2007 , 120, 621-627	8.5	10
1653	Surface plasmon resonance study on the optical sensing properties of nanometric polyimide films to volatile organic vapours. <i>Sensors and Actuators B: Chemical</i> , 2007 , 120, 712-718	8.5	11
1652	Post flight analysis of the surface plasmon resonance enhanced photoelastic modulated ellipsometry. <i>Sensors and Actuators B: Chemical</i> , 2007 , 121, 490-495	8.5	2
1651	Tuning and sensitivity enhancement of surface plasmon resonance sensor. <i>Sensors and Actuators B: Chemical</i> , 2007 , 122, 381-388	8.5	91
1650	Recent advancements in surface plasmon resonance immunosensors for detection of small molecules of biomedical, food and environmental interest. <i>Sensors and Actuators B: Chemical</i> , 2007 , 121, 158-177	8.5	434
1649	Experimental realization and numerical simulation of wavelength-modulated fibre optic sensor based on surface plasmon resonance. <i>Sensors and Actuators B: Chemical</i> , 2007 , 126, 198-203	8.5	38
1648	A multispot DNA chip fabricated with mixed ssDNA/oligo (ethylene glycol) self-assembled monolayers for detecting the effect of secondary structures on hybridization by SPR imaging. <i>Sensors and Actuators B: Chemical</i> , 2007 , 125, 607-614	8.5	17
1647	Detection of Staphylococcus enterotoxin B at picogram levels using piezoelectric-excited millimeter-sized cantilever sensors. <i>Sensors and Actuators B: Chemical</i> , 2007 , 126, 354-360	8.5	50
1646	A novel optical method providing for high-sensitivity and high-throughput biomolecular interaction analysis. <i>Sensors and Actuators B: Chemical</i> , 2007 , 127, 341-349	8.5	33
1645	Sensing with porous silicon double layers: A general approach for background suppression. 2007 , 4, 2088-2092	19	
1644	A simplified biomolecule attachment strategy for biosensing using a porous Si oxide interferometer. 2007 , 204, 1394-1398		4
1643	Using an oxidized porous silicon interferometer for determination of relative protein binding affinity through non-covalent capture probe immobilization. 2007 , 204, 1444-1448		24
1642	Integrated optofluidics: A new river of light. 2007 , 1, 106-114		733
1641	Interaction of gold nanoparticles with bovine serum albumin. 2007 , 34, 321-324		7
1640	Micro- and nanomechanical sensors for environmental, chemical, and biological detection. 2007 , 7, 1238-55		526
1639	NEAR-FIELD OPTICAL EXCITATION AND DETECTION OF SURFACE PLASMONS. 2007 , 139-153		7
1638	Tamm plasmon-polaritons: Possible electromagnetic states at the interface of a metal and a dielectric Bragg mirror. 2007 , 76,		502

1637	Theory of surface plasmons and surface-plasmon polaritons. 2007 , 70, 1-87	982
1636	Modeling of Complementary (Void) Plasmon Waveguiding. 2007 , 25, 2547-2562	73
1635	Studies of surface plasmon resonance sensor using bi-beam differential measurement approach. 2007 , 8, 2027-2031	
1634	Lab-on-a-chip devices for global health: past studies and future opportunities. 2007 , 7, 41-57	594
1633	Immunochemical methods for rapid mycotoxin detection: evolution from single to multiple analyte screening: a review. 2007 , 24, 1169-83	117
1632	SPR-based biosensors: a tool for biodetection of hormonal compounds. 2007 , 387, 1215-23	42
1631	Rapid protein expression analysis with an interferometric biosensor for monitoring protein production. 2007 , 387, 1921-32	15
1630	Investigation of the sensitivity of H-shaped nano-grating surface plasmon resonance biosensors using rigorous coupled wave analysis. 2007 , 89, 407-411	8
1629	Temperature dependence of the sensitivity of a long-range surface plasmon optical sensor. 2007 , 89, 377-380	7
1628	Slow-light enhanced optical detection in liquid-infiltrated photonic crystals. 2007 , 39, 903-911	3
1627	Development of a micro biochip integrated traveling wave micropumps and surface plasmon resonance imaging sensors. 2007 , 13, 1391-1396	12
1626	Nano-Raman Spectroscopy: Surface Plasmon Emission, Field Gradients, and Fundamentally Near Field Propagation Effects. 2007 , 3, 197-202	5
1625	Comparison of Performance Parameters of Conventional and Nano-plasmonic Fiber Optic Sensors. 2007 , 2, 51-54	20
1624	Sensitive and Label-Free Detection of DNA by Surface Plasmon Resonance. 2007 , 2, 79-87	24
1623	Long Range Surface Plasmons for Observation of Biomolecular Binding Events at Metallic Surfaces. 2007 , 2, 97-106	125
1622	Plasmonic DNA: Towards Genetic Diagnosis Chips. 2007 , 2, 201-215	18
1621	A review on novel developments and applications of immunosensors in food analysis. 2007 , 605, 111-29	270
1620	Frequency response of metal clad planar optical waveguides. 2007 , 39, 68-71	2

1619	Surface plasmon resonance based fiber-optic sensor for the detection of pesticide. <i>Sensors and Actuators B: Chemical</i> , 2007 , 123, 661-666	8.5	107
1618	Studies of metal ion binding by apo-metallothioneins attached onto preformed self-assembled monolayers using a highly sensitive surface plasmon resonance spectrometer. <i>Sensors and Actuators B: Chemical</i> , 2007 , 123, 784-792	8.5	49
1617	SPR waveguide sensor based on transition of modes at abrupt discontinuity. <i>Sensors and Actuators B: Chemical</i> , 2007 , 124, 459-465	8.5	16
1616	Thin films of TiO ₂ nanocrystals with controlled shape and surface coating for surface plasmon resonance alcohol vapour sensing. <i>Sensors and Actuators B: Chemical</i> , 2007 , 126, 562-572	8.5	26
1615	Fluctuations of the number of particles and mass adsorbed on the sensor surface surrounded by a mixture of an arbitrary number of gases. <i>Sensors and Actuators B: Chemical</i> , 2007 , 127, 625-631	8.5	12
1614	Segmented poly(esterurethane urea)s from novel urea-diol chain extenders: synthesis, characterization and in vitro biological properties. 2008 , 4, 976-88		40
1613	Effects of intermediate dielectric films on multilayer surface plasmon resonance behavior. 2008 , 4, 2016-27		12
1612	Label-free quantitative DNA detection using the liquid core optical ring resonator. 2008 , 23, 1003-9		125
1611	Area-scaling of interferometric and fluorescent detection of protein on antibody microarrays. 2008 , 24, 987-93		12
1610	The influences of the probe beam divergence on the performance of imaging surface plasmon resonance sensors. 2008 , 46, 635-642		2
1609	Characterisation of gold surface plasmon resonance sensor substrates. 2008 , 141, 471-475		57
1608	Signal enhancement of surface plasmon resonance-based immunoassays for the allergen detection. <i>Sensors and Actuators B: Chemical</i> , 2008 , 131, 417-423	8.5	14
1607	Wavelength interrogation of grating-based optical biosensors in the input coupler configuration. <i>Sensors and Actuators B: Chemical</i> , 2008 , 131, 347-355	8.5	23
1606	Substrate effect on the optical response of thin palladium films exposed to hydrogen gas. 2008 , 516, 7797-7801		15
1605	Label-free detection with micro optical fluidic systems (MOFS): a review. 2008 , 391, 2443-52		52
1604	Simultaneous excitation of cavity resonance and surface plasmon resonance in Ag/Al ₂ O ₃ /Ag layer structure. 2008 , 92, 585-588		4
1603	Real-time phase-shift detection of the surface plasmon resonance. 2008 , 93, 545-549		9
1602	Sensitivity of Optical Fiber Sensor Based on Surface Plasmon Resonance: Modeling and Experiments. 2008 , 3, 49-57		113

1601	Comparisons of Surface Plasmon Sensitivities in Periodic Gold Nanostructures. 2008 , 3, 119-125	39
1600	A novel strategy for analyzing RNA-protein interactions by surface plasmon resonance biosensor. 2008 , 40, 87-93	20
1599	Nanobiosensors: optofluidic, electrical and mechanical approaches to biomolecular detection at the nanoscale. 2008 , 4, 33-52	174
1598	Nanohole arrays in metal films as optofluidic elements: progress and potential. 2008 , 4, 107-116	70
1597	A labchip for highly selective and sensitive electrochemiluminescence detection of Hg ²⁺ ions in aqueous solution employing integrated amorphous thin film diodes. 2008 , 14, 589-599	6
1596	Analysis of T. Lanuginosus lipase growth on octadecanethiol using surface plasmon resonance ellipsometry. 2008 , 5, 1419-1422	2
1595	Engineering the phase speed of surface-plasmon wave at the planar interface of a metal and a chiral sculptured thin film. 2008 , 50, 1966-1970	3
1594	A Kretschmann-type absorption-based surface plasmon resonance waveguide sensor. 2008 , 50, 2497-2500	5
1593	Coherent acoustic phonons in a thin gold film probed by femtosecond surface plasmon resonance. 2008 , 39, 1703-1706	8
1592	Label-free measurements of molecular transport across liposome membranes using evanescent-wave sensing. 2008 , 9, 2480-5	20
1591	A Renewable Potentiometric Immunosensor Based on Fe ₃ O ₄ Nanoparticles Immobilized Anti-IgG. 2008 , 20, 881-887	56
1590	Silver Nanoparticle Impregnated Polycarbonate Substrates for Surface Enhanced Raman Spectroscopy. 2008 , 18, 1265-1271	83
1589	Plasmonics: Applications to nanoscale terahertz and optical devices. 2008 , 32, 1-41	149
1588	Thermally induced changes in thin gold films detected by polaritonic ellipsometry. 2008 , 149, 285-291	17
1587	Morphological effects on surface-plasmon-polariton waves at the planar interface of a metal and a columnar thin film. 2008 , 281, 5453-5457	15
1586	Surface plasmon resonance imaging technique for nucleic acid detection. <i>Sensors and Actuators B: Chemical</i> , 2008 , 130, 82-87	8.5 24
1585	Development of a scanning surface plasmon microscope based on white light for analysis of a wide range of protein arrays. <i>Sensors and Actuators B: Chemical</i> , 2008 , 131, 241-246	8.5 5
1584	Optimisation of analyte transport in integrated microfluidic affinity sensors for the quantification of low levels of analyte. <i>Sensors and Actuators B: Chemical</i> , 2008 , 131, 323-332	8.5 17

1583	Interrogation of surface plasmon resonance sensors using temporally stretched ultrashort optical pulses. <i>Sensors and Actuators B: Chemical</i> , 2008 , 133, 671-676	8.5	1
1582	Uranyl ion detection based on wavelength-resolved surface plasmon resonance spectroscopy. <i>Sensors and Actuators B: Chemical</i> , 2008 , 134, 419-422	8.5	9
1581	Demonstration of surface sensing using long-range surface plasmon waveguides on silica. <i>Sensors and Actuators B: Chemical</i> , 2008 , 134, 455-461	8.5	27
1580	Imaging SPR for detection of local electrochemical processes on patterned surfaces. <i>Sensors and Actuators B: Chemical</i> , 2008 , 134, 545-550	8.5	25
1579	Ag dots array fabricated using laser interference technique for biosensing. <i>Sensors and Actuators B: Chemical</i> , 2008 , 134, 940-944	8.5	24
1578	Temperature-dependent sensitivity of surface plasmon resonance sensors at the gold/water interface. <i>Sensors and Actuators B: Chemical</i> , 2008 , 134, 854-862	8.5	60
1577	The development of a 'labelless' immunosensor for the detection of <i>Listeria monocytogenes</i> cell surface protein, Internalin B. 2008 , 23, 906-12		62
1576	Electroless-plated gold films for sensitive surface plasmon resonance detection of white spot syndrome virus. 2008 , 23, 1200-7		20
1575	Sensitive label-free biosensors by using gap plasmons in gold nanoslits. 2008 , 24, 210-5		29
1574	Detection of human proteins using arrayed imaging reflectometry. 2008 , 24, 334-7		24
1573	Sensitive optical biosensors for unlabeled targets: a review. 2008 , 620, 8-26		1527
1572	Improvement of surface plasmon resonance biosensor with magnetic beads via assembled polyelectrolyte layers. 2008 , 624, 294-300		15
1571	Computer screen photo-excited surface plasmon resonance imaging. 2008 , 625, 207-14		21
1570	New sensitive layer based on pulsed plasma-polymerized aniline for integrated optical ammonia sensor. 2008 , 626, 44-52		21
1569	Sulfamethazine detection with direct-binding optical waveguide lightmode spectroscopy-based immunosensor. 2008 , 108, 768-73		14
1568	Surface plasmon polaritons in concentric cylindrical structures. 2008 , 146, 345-350		11
1567	Influence of the shape of the particles covering the metal surface on the dispersion relations of surface plasmons. 2008 , 602, 1540-1546		11
1566	The fabrication of functional biosurface composed of iron storage protein, ferritin. 2008 , 108, 1356-9		12

1565	Nanomaterial-based electrochemical biosensors for medical applications. 2008 , 27, 585-592	172
1564	Optical characterization of elastohydrodynamic lubricated (EHL) contacts using surface plasmon resonance (SPR) effect. 2008 , 41, 356-366	13
1563	Immobilization of gold nanoparticles on optical waveguides with organosilane monolayer. 2008 , 313-314, 234-238	2
1562	Miniaturized biosensor for avian influenza virus detection. 2008 , 28, 580-583	52
1561	Resolution improvement of surface plasmon-enhanced, liquid crystal spatial light modulator: Simulation studies. 2008 , 281, 4788-4792	4
1560	DNA biosensors and microarrays. 2008 , 108, 109-39	1045
1559	Facile construction of sulfanyl-terminated poly(ethylene glycol)-brushed layer on a gold surface for protein immobilization by the combined use of sulfanyl-ended telechelic and semitelechelic poly(ethylene glycol)s. 2008 , 24, 9623-9	30
1558	Antibodies and Immunoassays for Detection of Bacterial Pathogens. 2008 , 567-602	28
1557	A surface plasmon laser. 2008 , 104, 033306	22
1556	Design and sensing properties of an integrated optical gas sensor based on a multilayer structure. 2008 , 80, 9188-94	46
1555	REUSABLE SURFACE PLASMON RESONANCE ASSAY FOR THE SPECIFIC DETECTION OF STREPTOCOCCUS PNEUMONIAE tRNA. 2008 , 16, 210-221	4
1554	Near-field-induced tunability of surface plasmon polaritons in composite metallic nanostructures. 2008 , 229, 344-53	35
1553	Narrow plasmon mode in 2D arrays of silver nanoparticles self-assembled on thin silver films. 2008 , 229, 567-74	11
1552	Long-Range Surface Plasmons Along Membrane-Supported Metal Stripes. 2008 , 14, 1479-1495	20
1551	Kinetic analysis of the interaction between amphotericin B and human serum albumin using surface plasmon resonance and fluorescence spectroscopy. 2008 , 7, 453-9	25
1550	Reversible solid optical sensor based on acyclic-type receptor immobilized SBA-15 for the highly selective detection and separation of Hg(II) ion in aqueous media. 2008 , 3921-3	58
1549	Surface enhanced Raman scattering of silver sensitized cobalt nanoparticles in metal-dielectric nanocomposites. 2008 , 19, 375701	9
1548	Tamm plasmon polaritons: Slow and spatially compact light. 2008 , 92, 251112	242

1547	Plasmonic band gap cavities on biharmonic gratings. 2008 , 77,	31
1546	Immobilization of light-harvesting chlorophyll a/b complex (LHCIIb) studied by surface plasmon field-enhanced fluorescence spectroscopy. 2008 , 24, 9661-7	22
1545	Aspects of recent development of immunosensors. 2008 , 237-260	7
1544	A far infrared/terahertz micromechanical sensor based on surface plasmons resonance. 2008 ,	2
1543	Nanoplasmonic biosensing with focus on short-range ordered nanoholes in thin metal films. 2008 , 3, FD30-40	59
1542	Nanoporous alumina enhanced surface plasmon resonance sensors. 2008 , 103, 094521	36
1541	Thermal Actuation. 2008 , 69-100	2
1540	Surface plasmon resonance mass spectrometry in proteomics. 2008 , 5, 425-33	23
1539	Bulk and surface sensitivities of surface plasmon waveguides. 2008 , 10, 105010	128
1538	Surface Plasmon Resonance for Biosensing: A Mini-Review. 2008 , 28, 214-242	278
1537	An Enhanced Optical Multimode Fiber Sensor Based on Surface Plasmon Resonance With Cascaded Structure. 2008 , 20, 1287-1289	22
1536	Surface Plasmon Resonance (SPR) Effect in Nanoscale Nichrome Alloy Films. 2008 ,	1
1535	Ultraviolet and Visible Spectroscopy. 2008 ,	
1534	Photonic Crystal Fiber and Waveguide-Based Surface Plasmon Resonance Sensors for Application in the Visible and Near-IR. 2008 , 28, 198-213	44
1533	Transport Phenomena in Micro Process Engineering. 2008 ,	4
1532	Surface plasmon resonance-based inhibition assay for real-time detection of <i>Cryptosporidium parvum</i> oocyst. 2008 , 42, 1693-9	19
1531	Combined fluorescent and interferometric detection of protein on a BioCD. 2008 , 47, 2779-89	13
1530	Parallel scan spectral surface plasmon resonance imaging. 2008 , 47, 5616-21	26

1529	Sensitive detection and identification of organic liquids using the second derivative of surface plasmon resonance near-infrared spectra. 2008 , 62, 517-24	4
1528	Micro attenuated total reflection spectra of bulk silica glass: effects of experimental conditions and glass thermal history on appearance of a surface polariton in the Si-O stretching region. 2008 , 62, 624-33	4
1527	Sensitivity Enhancement of Surface Plasmon Resonance Imaging Using Periodic Metallic Nanowires. 2008 , 26, 1472-1478	38
1526	Characterization of infrared surface plasmon resonances generated from a fiber-optical sensor utilizing tilted Bragg gratings. 2008 , 25, 481	29
1525	Experimental determination of a surface wave at the one-dimensional photonic crystal-metal interface. 2008 , 25, 1016	20
1524	On the performance quantification of resonant refractive index sensors. 2008 , 16, 1020-8	722
1523	Polarisation and wavelength selective transmission through nanohole structures with multiple grating geometry. 2008 , 16, 5832-7	11
1522	Increased surface plasmon resonance sensitivity with the use of double Fourier harmonic gratings. 2008 , 16, 11691-702	12
1521	Folded cavity SOI microring sensors for high sensitivity and real time measurement of biomolecular binding. 2008 , 16, 15137-48	159
1520	Efficient 3D sensitivity analysis of surface plasmon waveguide structures. 2008 , 16, 16371-81	7
1519	Surface plasmon resonance sensor utilizing an integrated organic light emitting diode. 2008 , 16, 18426-36	24
1518	Surface plasmon resonance hydrogen sensor based on metallic grating with high sensitivity. 2008 , 16, 18599-604	129
1517	Extremely short-length surface plasmon resonance devices. 2008 , 16, 20227-40	24
1516	Surface plasmon resonance imaging of cell-substrate contacts with radially polarized beams. 2008 , 16, 20734-41	73
1515	Bioconjugate Techniques - Pages 1041-1132. 2008 , 1041-1132	
1514	Nanostructured plasmonic sensors. 2008 , 108, 494-521	1995
1513	SENSING BASED ON LOCALIZED SURFACE PLASMON RESONANCE IN METALLIC NANOPARTICLES. 2008 , 432-434	
1512	Surface plasmon resonance sensors for detection of chemical and biological species. 2008 , 108, 462-93	2982

1511	Porous and Planar Silicon Sensors. 2008 , 231-253	1
1510	Optofluidics: field or technique?. 2008 , 8, 1856-63	40
1509	Fiber Bragg Gratings Evanescent Wave Sensors: A View Back and Recent Advancements. 2008 , 113-152	3
1508	Molecularly Imprinted Polymers as Recognition Elements in Sensors. 2008 ,	3
1507	Surface plasmon resonance imaging of limited glycoprotein samples. 2008 , 133, 1268-73	21
1506	Detection of C-reactive protein based on measurement of Brownian motion by micro-particle-tracking-velocimetry. 2008 ,	0
1505	Tunable SPR coupler by flexible polymer grating. 2008 ,	1
1504	Anomalous aggregation growth of palladium nanosphere with SPR band in visible range. 2008 , 17, 2066-2071	10
1503	Plastic distributed feedback laser biosensor. 2008 ,	1
1502	Wavelength shift analysis techniques & methods for dual mode surface plasmon resonance sensors. 2008 ,	
1501	Cavity plasmon resonance biosensing. 2008 , 7, 580-585	
1500	Optical constants of evaporated gold films measured by surface plasmon resonance at telecommunication wavelengths. 2008 , 103, 073713	28
1499	Fabrication of ferroelectric optical nanocomposite thick films by aerosol deposition method. 2008 ,	
1498	SP virtual probe for sensing and imaging biological cells using femtosecond radially polarized beams. 2008 ,	
1497	Sculptured thin film plasmonic polaritons. 2008 ,	
1496	The evaluation of thin electroless plated metal layers by means of Surface Plasmon Resonance. 2008 ,	2
1495	Localized Plasmons Seen by Propagating Surface Plasmons: Unique Determination of Their Dielectric Response. 2008 , 112, 14801-14811	9
1494	Ultrasensitive SERS nanoprobe for hazardous metal ions based on trimercaptotriazine-modified gold nanoparticles. 2008 , 47, 2934-6	110

1493	XPS, TOF-SIMS, NEXAFS, and SPR characterization of nitrilotriacetic acid-terminated self-assembled monolayers for controllable immobilization of proteins. 2008 , 80, 2564-73	82
1492	Artificial ion channel biosensor in human immunodeficiency virus gp41 drug sensing. 2008 , 80, 5924-9	8
1491	Thermoplasmonic shift and dispersion in thin metal films. 2008 , 26, 836-841	25
1490	Multiple surface plasmon resonances and near-infrared field enhancement of gold nanowells. 2008 , 80, 4945-50	40
1489	Metallic nanohole arrays on fluoropolymer substrates as small label-free real-time bioprobes. 2008 , 8, 2718-24	105
1488	Label-free biosensors based on optically responsive nanocomposite layers: sensitivity and dynamic range. 2008 , 24, 8229-39	15
1487	Monolayers of 3-mercaptopropyl-amino acid to reduce the nonspecific adsorption of serum proteins on the surface of biosensors. 2008 , 24, 12085-91	59
1486	Viscoelastic, mechanical, and dielectric measurements on complex samples with the quartz crystal microbalance. 2008 , 10, 4516-34	224
1485	Differential-phase surface plasmon resonance biosensor. 2008 , 80, 5590-5	46
1484	Optical Waveguide Sensing and Imaging. 2008 ,	10
1483	A terahertz plasmonic metamaterial structure for near-field sensing applications. 2008 ,	3
1482	Measurement of optical constants of thin films by non conventional ellipsometry, photothermal deflection spectroscopy and plasmon resonance spectroscopy. 2008 ,	2
1481	Plasmonic sensors based on nano-holes: technology and integration. 2008 ,	6
1480	Nano-structured surface plasmon resonance sensor for sensitivity enhancement. 2008 ,	
1479	Numerical optimization of gold-dielectric nanoparticle heterostructures for surface plasmon resonance engineering. 2008 ,	
1478	SU-8 polymer enclosed microchannels with interconnect and nanohole arrays as an optical detection device for biospecies. 2008 , 2008, 5652-5	1
1477	Biosensing with Localized Surface Plasmon Resonance Based on Cap-Shaped Gold Nano-Particles. 2008 ,	
1476	Polymer-based chips for surface plasmon resonance sensors. 2008 , 10, 064010	6

1475	IN-LINE OPTICAL FIBER STRUCTURES FOR ENVIRONMENTAL SENSING. 2008 , 18, 167-177	1
1474	Theoretical modelling of a bi-dimensional U-shaped surface plasmon resonance based fibre optic sensor for sensitivity enhancement. 2008 , 41, 095106	69
1473	Advanced Plasmonic Biosensing Devices and Automation Systems for Disease Diagnostic and Drug Screening Applications. 2008 ,	0
1472	Transduction Platforms. 2008 , 63-134	
1471	Acoustic Wave-Based Detection in Bioanalytical Chemistry: Competition for Surface Plasmon Resonance?. 2008 , 41, 2525-2538	19
1470	Mycotoxin detection plays "cops and robbers": cyclodextrin chemosensors as specialized police?. 2008 , 9, 2474-94	23
1469	Nano-engineered surface-enhanced Raman scattering (SERS) substrates with patterned structures on the distal end of optical fibers. 2008 ,	4
1468	Strategies for label-free optical detection. 2008 , 109, 395-432	27
1467	Design of Highly Sensitive Surface Plasmon Resonance Sensors Using Planar Metallic Films Closely Coupled to Nanogratings. 2008 , 25, 148-151	4
1466	Multiple Wavelength-Channels in SPP Waveguides for Optical Communication. 2008 , 25, 996-999	2
1465	Engineering surface plasmon grating couplers through computer simulation. 2008 , 26, 2183-2187	3
1464	An intensity measurement refractometer based on a symmetric metal-clad waveguide structure. 2008 , 41, 185105	13
1463	Detection of Protein Adsorption on Silica Surface Using Surface Plasmon Resonance Sensor. 2008 , 47, 8106-8108	14
1462	Forty-four pass fibre-optic loop for improving the sensitivity of surface plasmon resonance sensors. 2008 , 19, 015204	3
1461	Infrared surface plasmon resonance technique for biological studies. 2008 , 103, 014702	28
1460	Active switching of surface plasmon polariton using MEMS actuators. 2008 ,	
1459	Influence of temperature effects on sensitivity of surface plasmon resonance sensors. 2008 ,	
1458	Electrical Control of Surface-Wave Propagation at the Planar Interface of a Linear Electro-Optic Material and an Isotropic Dielectric Material. 2008 , 28, 162-174	14

1457	A disposable nano grating SPR sensor chip for detection of biomolecule concentration. 2008,	
1456	Label free biosensor incorporating a replica-molded, vertically emitting distributed feedback laser. 2008, 92, 261502	57
1455	Determination of thickness and optical constants of thin metal films with an extended ATR spectrum. 2008, 41, 155309	7
1454	. 2008,	1
1453	Spectral bandwidth and phase effects of resonantly excited ultrafast surface plasmon pulses. 2008, 93, 101103	12
1452	Fabrication of surface plasmon waveguides and integrated components on ultrathin freestanding membranes. 2008, 26, 1383-1391	12
1451	Surface Plasmon Resonance sensors based on polymer optical fiber. 2008,	
1450	Single live cell refractometer using nanoparticle coated fiber tip. 2008, 93, 173110	19
1449	Silicon photonic crystal nanostructures for refractive index sensing. 2008, 93, 181103	85
1448	Excitation of a surface plasma wave over a plasma cylinder by a relativistic electron beam. 2008, 15, 073504	12
1447	Broadside coupling to long-range surface plasmons in metal stripes using prisms, particles, and an atomic force microscope probe. 2008, 79, 073106	7
1446	Mechanical resonance of clamped silicon nanowires measured by optical interferometry. 2008, 103, 074304	65
1445	Polarization-dependent sensing of a self-assembled monolayer using biaxial nanohole arrays. 2008, 92, 253103	31
1444	Azimuthal dispersion and energy mode condensation of grating-coupled surface plasmon polaritons. 2008, 77,	25
1443	Multimode surface plasmon excitation on metallic diffraction gratings. 2008,	
1442	Mode Dispersion Relations for Quantum Well Assisted Surface Plasmonic Structures. 2008,	
1441	Simultaneous On-chip Surface Plasmon Resonance Measurement of Disease Marker Protein and Small Metabolite Combined with Immuno- and Enzymatic Reactions. 2008, 37, 698-699	11
1440	Study on the SPR responses of various DNA probe concentrations by parallel scan spectral SPR imaging. 2008,	1

1439	Overview of Optical Biosensing Techniques. 2008,	6
1438	Nanoholes in metals with applications to sensors and spectroscopy. 2008, 5, 1058	2
1437	Near-to-far-field spectral evolution in a plasmonic crystal: Experimental verification of the equipartition of diffraction orders. 2008, 93, 073109	8
1436	LABEL-FREE DETECTION OF PROTEIN MICROARRAY WITH HIGH THROUGHPUT SURFACE PLASMON RESONANCE IMAGING (SPRI). 2008, 01, 107-114	1
1435	Multiplexed BioCD for prostate specific antigen detection. 2008,	
1434	Theoretical analysis of D-type optical fiber sensor with a bimetallic layer. 2008,	
1433	A surface plasmon resonance fibre device for environmental sensing. 2008,	1
1432	Design considerations of selective polariton generators for multi-state plasmonic devices. 2008,	
1431	A gas micromechanical sensor based on surface plasmons resonance. 2008,	1
1430	Biosensing Platforms Based on Localized Surface Plasmons. 2008, 36, 134-138	1
1429	Optical biosensor based on one-dimensional photonic crystal in a total-internal-reflection geometry. 2008,	
1428	Silver Nanoparticle. 2008, 44, 414-419	1
1427	MICROELECTRONICS PACKAGING BY METAL NANOPARTICLE PASTES. 2008, 434-438	
1426	Amperometric Sensor for Detection of Chloride Ions. 2008, 8, 5619-5636	23
1425	Thermal tweezers for manipulation of adatoms and nanoparticles on surfaces heated by interfering laser pulses. 2008, 104, 064320	7
1424	Detection of Carcinoembryonic Antigens Using a Surface Plasmon Resonance Biosensor. 2008, 8, 4282-4295	25
1423	Integrated Optic Surface Plasmon Resonance Measurements in a Borosilicate Glass Substrate. 2008, 8, 7113-7124	19
1422	Fiber Optic Chemical Nanosensors Based on Engineered Single-Walled Carbon Nanotubes. 2008, 2008, 1-29	15

1421	Molecular Nanojet in Water. 2009 , 2, 035007	1
1420	THEORETICAL MODELING OF A METAL-CLAD PLANAR WAVEGUIDE BASED BIOSENSORS FOR THE DETECTION OF PSEUDOMONAS-LIKE BACTERIA. 2009 , 6, 167-184	18
1419	Surface Plasmon Resonance-Based Fiber and Planar Waveguide Sensors. 2009 , 2009, 1-9	39
1418	Design and Fabrication of Slotted Multimode Interference Devices for Chemical and Biological Sensing. 2009 , 2009, 1-11	5
1417	A novel platform technology for the detection of genetic variations by surface plasmon resonance. 2009 ,	5
1416	Tunable long-range surface plasmon polaritons taking advantage of nonlinear surface waves. 2009 , 95, 211105	8
1415	Multilayered coated infra-red surface plasmon resonance fibre sensors for chemical sensing. 2009 ,	
1414	In-Liquid Quality Factor Improvement for Film Bulk Acoustic Resonators by Integration of Microfluidic Channels. 2009 , 30, 647-649	17
1413	Reflectometric interference spectroscopy. 2009 , 503, 167-78	18
1412	Midinfrared surface-plasmon resonance: A novel biophysical tool for studying living cells. 2009 , 105, 102036	47
1411	Polarization tunable selective polariton generator. 2009 , 94, 101111	3
1410	Fiber-coupled surface-emitting photonic crystal band edge laser for biochemical sensor applications. 2009 , 94, 133503	26
1409	Plasmon-based photosensors comprising a very thin semiconducting region. 2009 , 94, 181104	54
1408	Conductive oxide thin films: Model systems for understanding and controlling surface plasmon resonance. 2009 , 106, 024903	78
1407	Real-time DNA microarray analysis. 2009 , 37, e132	31
1406	Surface plasmon resonance imaging with polarisation modulation. 2009 ,	
1405	Excitation of long-range surface plasmon mode with long-period waveguide grating for refractive-index sensing. 2009 ,	1
1404	ROOM-TEMPERATURE NITRIC OXIDE GAS SENSING OF PEDOT THIN FILM USING SURFACE PLASMON RESONANCE. 2009 , 21, 395-398	1

1403	Thin layer porphyrinogen for alcohol-vapor optical sensors. 2009 , 13, 1140-1147	4
1402	New type small-angle sensor based on the surface plasmon resonance technology. 2009 ,	2
1401	Real-Time Visualization Method of Surface Plasmon Resonance with Spectroscopic Attenuated Total Reflection. 2009 , 1182, 7	
1400	Optical Gas Sensing. 2009 , 1-28	
1399	Nonlinear nanopolaritonics: finite-difference time-domain Maxwell-Schrödinger simulation of molecule-assisted plasmon transfer. 2009 , 131, 014701	47
1398	Molecular biomimetics: nanotechnology and bionanotechnology using genetically engineered peptides. 2009 , 367, 1705-26	81
1397	Simulation of Charge Density and Field Distribution of a Gold Nanoparticle Tip-Terminated Scanning Nanowire Waveguide for Molecular Imaging. 2009 ,	
1396	Surface plasmon-enhanced two-photon fluorescence microscopy for live cell membrane imaging. 2009 ,	1
1395	Theoretical and experimental development of label-free biosensors based on localized plasmon resonances on nanohole and nanopillar arrays. 2009 ,	
1394	Strong Mode Coupling in Hybrid Plasmonic-Photonic Microresonators using Momentum Matching. 2009 ,	
1393	Triangular Ring Sensor with Long Evanescent Field on the Total Internal Reflection Mirror. 2009 , 48, 072401	
1392	Detection of Biomolecular Binding Through Enhancement of Localized Surface Plasmon Resonance (LSPR) by Gold Nanoparticles. 2009 , 9, 2334-44	42
1391	Determination of thickness and dielectric constant of thin films by dual-wavelength light beaming effect of a metal nanoslit. 2009 , 106, 034305	4
1390	Optical sensors based on whispering gallery modes in fluorescent microbeads: size dependence and influence of substrate. 2009 , 9, 6836-52	25
1389	Tapered dielectric structure in metal as a wavelength-selective surface plasmon polariton focuser. 2009 , 18, 4865-4869	2
1388	Arrayed imaging reflectometry for inexpensive and label-free protein arrays. 2009 ,	
1387	On the surface plasmon polariton wave at the planar interface of a metal and a chiral sculptured thin film. 2009 , 465, 87-107	47
1386	Foramen of Huschke: case report and experimental procedure for diagnosis of spontaneous salivary fistula. 2009 , 67, 1747-51	22

1385	Biosensor-based label-free assays of amyloid growth. 2009 , 583, 2587-92		40
1384	Binding of cationic porphyrin to human serum albumin studied using comprehensive spectroscopic methods. 2009 , 98, 105-13		21
1383	A new imaging method for gold-surface adsorbates based on anomalous reflection. 2009 , 282, 3386-3391		6
1382	Effect of fiber core dopant concentration on the performance of surface plasmon resonance-based fiber optic sensor. 2009 , 150, 212-217		22
1381	Polarization-sensitive surface plasmon enhanced ellipsometry biosensor using the photoelastic modulation technique. 2009 , 151, 23-28		30
1380	Surface plasmon resonance reflectance from nanoparticles in a liquid matrix: Retrieval of the optical properties using the maximum entropy model. <i>Sensors and Actuators B: Chemical</i> , 2009 , 138, 383-395	8.5	8
1379	Parallel acoustic detection of biological warfare agents surrogates by means of piezoelectric immunochips. <i>Sensors and Actuators B: Chemical</i> , 2009 , 138, 532-538	8.5	15
1378	Surface plasmon resonance biosensor based on water-soluble ZnO-Au nanocomposites. 2009 , 653, 109-15		30
1377	Deposition of functionalized polymer layers in surface plasmon resonance immunosensors by in-situ polymerization in the evanescent wave field. 2009 , 24, 1270-5		11
1376	Innovative antimicrobial susceptibility testing method using surface plasmon resonance. 2009 , 24, 1905-10		35
1375	Nanohole arrays of mixed designs and microwriting for simultaneous and multiple protein binding studies. 2009 , 24, 2847-52		13
1374	Dual-channel differential surface plasmon ellipsometry for bio-chemical sensing. 2009 , 25, 411-7		20
1373	Physical, optical, and electrical properties of a new conducting polymer. 2009 , 44, 3682-3686		39
1372	Transmission-type SPR sensor based on coupling of surface plasmons to radiation modes using a dielectric grating. 2009 , 2, 182-186		2
1371	Tuning Optical Discs for Plasmonic Applications. 2009 , 4, 237-243		34
1370	Theoretical and Experimental Investigation of Enhanced Transmission Through Periodic Metal Nanoslits for Sensing in Water Environment. 2009 , 4, 281-292		49
1369	Thermal radiative properties of metamaterials and other nanostructured materials: A review. 2009 , 3, 11-26		48
1368	Precise detection and signature of biological/chemical samples based on surface plasmon resonance (SPR). 2009 , 38, 232-248		14

1367	Prostate-specific antigen immunoassays on the BioCD. 2009 , 393, 1151-6		18
1366	Direct optical detection in fragment-based screening. 2009 , 393, 1557-62		27
1365	An advanced biosensor for the prediction of estrogenic effects of endocrine-disrupting chemicals on the estrogen receptor alpha. 2009 , 393, 1579-85		26
1364	Label-free detection of DNA mutations by SPR: application to the early detection of inherited breast cancer. 2009 , 393, 1173-82		68
1363	Fabrication of multicomponent protein microarrays with microfluidic devices of poly(dimethylsiloxane). 2009 , 17, 192-196		10
1362	A photonic nano-Bragg grating device integrated with microfluidic channels for bio-sensing applications. 2009 , 86, 1488-1490		41
1361	On the implementation of nano-structured materials in surface plasmon resonance sensors. 2009 , 165, 270-273		14
1360	Investigation of gas-sensing properties of copper phthalocyanine films. 2009 , 29, 814-818		20
1359	Understanding of optical readout accuracy with micromechanical sensor cantilever monitored by surface plasmon resonance. 2009 , 282, 3018-3023		2
1358	Metal grating on a substrate nanostructure for sensor applications. 2009 , 7, 170-175		27
1357	Photonic crystal nanostructures for optical biosensing applications. 2009 , 24, 3688-92		140
1356	Dendrimer modified biochip for detection of 2,4,6 trinitrotoluene on SPR immunosensor: Fabrication and advantages. <i>Sensors and Actuators B: Chemical</i> , 2009 , 137, 403-409	8.5	55
1355	Monolithically integrated surface plasmon resonance sensor based on focusing diffractive optic element for optofluidic platforms. <i>Sensors and Actuators B: Chemical</i> , 2009 , 138, 441-445	8.5	8
1354	Characterization of gold films by surface plasmon spectroscopy: Large errors and small consequences. 2009 , 603, 491-497		12
1353	Multilayered coated infra-red surface plasmon resonance fibre sensors for aqueous chemical sensing. 2009 , 15, 477-482		10
1352	Probing the binding of tetraplatinum(pyridyl)porphyrin complexes to DNA by means of surface plasmon resonance. 2009 , 103, 182-9		30
1351	Characterize the interaction between polyethylenimine and serum albumin using surface plasmon resonance and fluorescence method. 2009 , 129, 741-745		23
1350	Integrated SU-8 photonic gas sensors based on PANI polymer devices: Comparison between metrological parameters. 2009 , 282, 3839-3845		10

1349	Ultrasensitive detection of mercury (II) ions using electrochemical surface plasmon resonance with magnetohydrodynamic convection. 2009 , 333, 485-90		35
1348	Biosensing by optical waveguide spectroscopy based on localized surface plasmon resonance of gold nanoparticles used as a probe or as a label. 2009 , 335, 140-5		25
1347	A simple GUI for modeling the optical properties of single metal nanoparticles. 2009 , 110, 1037-1043		4
1346	Coupled long range surface plasmons for the investigation of thin films and interfaces. <i>Sensors and Actuators B: Chemical</i> , 2009 , 139, 9-12	8.5	11
1345	Surface modification on silver nanoparticles for enhancing vapor selectivity of localized surface plasmon resonance sensors. <i>Sensors and Actuators B: Chemical</i> , 2009 , 135, 492-498	8.5	73
1344	SPR-based immunosensor for determining staphylococcal enterotoxin A. <i>Sensors and Actuators B: Chemical</i> , 2009 , 136, 8-12	8.5	64
1343	Surface plasmon resonance detection using amorphous carbon/Au multilayer structure. 2009 , 256, 1236-1239		11
1342	The role of surface roughness in total internal reflection ellipsometry of hybrid systems. 2009 , 256, 640-644		15
1341	Electrochemical detection of glyphosate herbicide using horseradish peroxidase immobilized on sulfonated polymer matrix. 2009 , 75, 117-23		70
1340	Biosensing based on surface plasmon resonance and living cells. 2009 , 24, 1667-73		101
1339	Multiplexed plasmonic sensing based on small-dimension nanohole arrays and intensity interrogation. 2009 , 24, 2334-8		40
1338	A quantitative immunosensing technique based on the measurement of nanobeads' Brownian motion. 2009 , 25, 688-94		14
1337	Quantitative measurement of binding kinetics in sandwich assay using a fluorescence detection fiber-optic biosensor. 2009 , 385, 224-8		18
1336	Metal-enhanced fluorescence of tryptophan residues in proteins: application toward label-free bioassays. 2009 , 385, 358-64		56
1335	Morpholino monolayers: preparation and label-free DNA analysis by surface hybridization. 2009 , 131, 4953-61		58
1334	Asymmetrically functionalized, four-armed, poly(ethylene glycol) compounds for construction of chemically functionalizable non-biofouling surfaces. 2009 , 4, 135-42		6
1333	Rapid and label-free bacteria detection by surface plasmon resonance (SPR) biosensors. 2009 , 4, 1003-11		98
1332	Surface plasmon resonance for high-throughput ligand screening of membrane-bound proteins. 2009 , 4, 1542-58		84

1331	Analysis of biomolecules using surface plasmons. 2009 , 544, 201-29	42
1330	Plasmonic components fabrication via nanoimprint. 2009 , 11, 114001	84
1329	Narrow Beam SPR Biosensor and Experimental Study. 2009 ,	1
1328	Surface plasmon resonance detection using antibody-linked magnetic nanoparticles for analyte capture, purification, concentration, and signal amplification. 2009 , 81, 2357-63	140
1327	Hyphenation of surface plasmon resonance imaging to matrix-assisted laser desorption ionization mass spectrometry by on-chip mass spectrometry and tandem mass spectrometry analysis. 2009 , 81, 7695-702	46
1326	Preparation and characterization of silver substrates coated with antimony-doped SnO ₂ thin films for surface plasmon resonance studies. 2009 , 25, 8036-41	31
1325	Surface plasmon TE and TM waves at the anisotropic film-metal interface. 2009 , 11, 015002	32
1324	Localized and Propagating Surface Plasmons in Gold Particles of Near-Micron Size. 2009 , 113, 40-44	24
1323	Surface plasmon resonance biosensor based on compact discs. 2009 ,	3
1322	X-ray photoelectron spectroscopy- and surface plasmon resonance-detected photo release of photolabile protecting groups from nucleoside self-assembled monolayers on gold surfaces. 2009 , 25, 10794-801	3
1321	Peptide self-assembled monolayers for label-free and unamplified surface plasmon resonance biosensing in crude cell lysate. 2009 , 81, 6779-88	52
1320	Plasmonic nanoholes in a multichannel microarray format for parallel kinetic assays and differential sensing. 2009 , 81, 2854-9	90
1319	A ZnO Nanostructure-Based Quartz Crystal Microbalance Device for Biochemical Sensing. 2009 , 9, 1302-1307	31
1318	Avian influenza-DNA hybridization detection using wavelength interrogation-based surface plasmon resonance biosensor. 2009 ,	
1317	Antibody production, design and use for biosensor-based applications. 2009 , 20, 10-26	172
1316	Optical biosensors for probing at the cellular level: a review of recent progress and future prospects. 2009 , 20, 27-33	99
1315	Signal transduction profiling using label-free biosensors. 2009 , 29, 224-33	10
1314	Refractive index dependence of the coupling characteristics between long-range surface-plasmon-polariton and dielectric waveguide modes. 2009 , 34, 2697-9	24

1313	Critical sensitivity effect in an interferometer sensor. 2009 , 34, 3023-5	7
1312	Surface-plasmon polaritons on metal-dielectric nanocomposite films. 2009 , 34, 3535-7	32
1311	Simulation study of surface-plasmon-resonance electro-optic light modulator based on a polymer grating coupler. 2009 , 34, 3812-4	5
1310	Analysis of Bloch-surface-wave assisted diffraction-based biosensors. 2009 , 26, 279	92
1309	Design guidelines for optical resonator biochemical sensors. 2009 , 26, 1032	132
1308	Detection of Avian Influenza-DNA Hybridization Using Wavelength-scanning Surface Plasmon Resonance Biosensor. 2009 , 13, 392-397	17
1307	Surface Plasmon Resonance sensor showing enhanced sensitivity for CO ₂ detection in the mid-infrared range. 2009 , 17, 293-303	65
1306	Near field detector for integrated surface plasmon resonance biosensor applications. 2009 , 17, 329-36	9
1305	Development of mid-infrared surface plasmon resonance-based sensors with highly-doped silicon for biomedical and chemical applications. 2009 , 17, 3130-40	39
1304	Sensitive DNA biosensor based on a long-period grating formed on the side-polished fiber surface. 2009 , 17, 3855-60	76
1303	Surface plasmon-enhanced two-photon fluorescence microscopy for live cell membrane imaging. 2009 , 17, 5987-97	41
1302	Refractive-index sensor based on long-range surface plasmon mode excitation with long-period waveguide grating. 2009 , 17, 7933-42	34
1301	Tunable surface plasmon resonance on an elastomeric substrate. 2009 , 17, 8542-7	61
1300	Long-range surface plasmon-polariton waveguide sensors with a Bragg grating in the asymmetric double-electrode structure. 2009 , 17, 10606-11	19
1299	Sensitivity enhancement in grating coupled surface plasmon resonance by azimuthal control. 2009 , 17, 12145-54	46
1298	Terahertz near-field enhancement in narrow rectangular apertures on metal film. 2009 , 17, 12493-501	32
1297	Controlled detection in composite nanoresonant array for surface plasmon resonance sensing. 2009 , 17, 14700-9	10
1296	Blue-shift of surface plasmon resonance in a metal nanoslit array structure. 2009 , 17, 16081-91	36

1295	Silicon-on-insulator guided mode resonant grating for evanescent field molecular sensing. 2009 , 17, 18371-80	58
1294	The forces from coupled surface plasmon polaritons in planar waveguides. 2009 , 17, 19996-20011	74
1293	A generalized model of maximizing the sensitivity in intensity-interrogation surface plasmon resonance biosensors. 2009 , 17, 20771-6	18
1292	Intensity sensitivity of gold nanostructures and its application for high-throughput biosensing. 2009 , 17, 23104-13	43
1291	Design and optimization of a novel surface plasmon resonance biosensor based on Otto configuration. 2009 , 17, 23511-21	47
1290	Exploitation of multilayer coatings for infrared surface plasmon resonance fiber sensors. 2009 , 48, 276-86	23
1289	Spectral interferometric measurement of wavelength-dependent phase response for surface plasmon resonance sensors. 2009 , 48, 2491-5	23
1288	Design study for transmission improvement of resonant surface plasmons using dielectric diffraction gratings. 2009 , 48, 2924-31	14
1287	Nanorod-mediated surface plasmon resonance sensor based on effective medium theory. 2009 , 48, 4637-49	23
1286	Long-range surface plasmon polaritons. 2009 , 1, 484	664
1285	Broadband plasmon waveguide resonance spectroscopy for probing biological thin films. 2009 , 63, 1062-7	12
1284	Experimental study on the influence of the metal film thickness on surface plasmon resonance biosensors. 2009 ,	2
1283	Multiple surface plasmon polariton waves. 2009 , 45, 1137	31
1282	Label-Free Biosensing with the Optofluidic Ring Resonator. 2009 , 377-393	1
1281	Continuous, real-time monitoring of cocaine in undiluted blood serum via a microfluidic, electrochemical aptamer-based sensor. 2009 , 131, 4262-6	271
1280	Vertical-Cavity Surface-Emitting Lasers With Integrated Excitation of Surface Plasmon Polariton Modes. 2009 , 21, 221-223	3
1279	Bi- and Uniaxially Oriented Growth and Plasmon Resonance Properties of Anisotropic Ag Nanoparticles on Single Crystalline TiO ₂ Surfaces. 2009 , 113, 4758-4762	20
1278	Benchtop chemistry for the rapid prototyping of label-free biosensors: Transmission localized surface plasmon resonance platforms. 2009 , 4, 80-5	21

1277	Fabrication and characterization of DNA arrays prepared on carbon-on-metal substrates. 2009 , 81, 6429-37	23
1276	Rapid determination of RNA accessible sites by surface plasmon resonance detection of hybridization to DNA arrays. 2009 , 81, 8949-56	23
1275	Surface plasmon resonance via polarization conversion in a weak anisotropic thin film. 2009 , 94, 011105	11
1274	Tools to Probe Nanoscale Surface Phenomena in Cellulose Thin Films: Applications in the Area of Adsorption and Friction. 2009 , 91-121	1
1273	Integrating optics and micro-fluidic channels using femtosecond laser irradiation. 2009 ,	2
1272	Optical biosensors based on photonic crystal surface waves. 2009 , 503, 49-64	7
1271	Surface plasmon excitation on magnetoactive materials. 2009 , 79,	12
1270	Ellipsometric surface plasmon resonance. 2009 , 14, 024036	9
1269	Photoelectrochemical sensor with porphyrin-deposited electrodes for determination of nucleotides in water. 2009 , 11, 1163-6	65
1268	Sub-micron resolution surface plasmon resonance imaging enabled by nanohole arrays with surrounding Bragg mirrors for enhanced sensitivity and isolation. 2009 , 9, 382-7	112
1267	Nanostructured Silver Films for Surface Plasmon Resonance-Based Gas Sensors. 2009 , 9, 1797-1801	8
1266	Biosensors and biodetection: methods and protocols. Preface. 2009 , 503, v-ix	8
1265	Reactive surface coatings based on polysilsesquioxanes: controlled functionalization for specific protein immobilization. 2009 , 25, 10068-76	49
1264	High Sensitivity of Plasmonic Microstructures near the Transition from Short-Range to Propagating Surface Plasmon. 2009 , 113, 10052-10060	24
1263	DNA-quantum dot sensing platform with combined Förster resonance energy transfer and photovoltaic effect. 2009 , 94, 143902	6
1262	Design of a Single-Channel Modal Interferometer Waveguide Sensor. 2009 , 9, 146-1	18
1261	Optical Biosensor for Sensitive and Fast Detection of Ampicillin Residues in Milk Samples. 2009 ,	
1260	Plasmonic excitations in tight-binding nanostructures. 2009 , 80,	15

1259	Carbohydrate-based anti-adhesive inhibition of Vibrio cholerae toxin binding to GM1-OS immobilized into artificial planar lipid membranes. 2009 , 344, 1968-74	9
1258	Enhanced Evanescent Confinement in Multiple-Slot Waveguides and Its Application in Biochemical Sensing. 2009 , 1, 48-57	22
1257	Genetically designed Peptide-based molecular materials. 2009 , 3, 1606-15	78
1256	Studies on the adsorption property and structure of polyamine-ended poly(ethylene glycol) derivatives on a gold surface by surface plasmon resonance and angle-resolved X-ray photoelectron spectroscopy. 2009 , 25, 12243-9	22
1255	Broad band two-dimensional manipulation of surface plasmons. 2009 , 9, 462-6	67
1254	Gas sensing using a surface plasmon resonance fibre device. 2009 ,	1
1253	Micro-nano photonic biosensors scalable at the wafer level. 2009 ,	
1252	Study on conditions of DNA immobilization by surface plasmon resonance imaging. 2009 ,	
1251	A comparison of Au and Ag metalized layer in microstructured optical fibers for surface plasmon resonance excitation. 2009 ,	1
1250	Electric Field Tuning of Plasmonic Absorption of Metallic Grating with Twisted Nematic Liquid Crystal. 2009 , 2, 086001	12
1249	Optofluidic Ring Resonator Biological and Chemical Sensors. 2009 , 385-420	
1248	Theoretical model and calibration experiment for BioCD. 2009 ,	
1247	Development of portable SPR sensor devices based on integrated periodic arrays of nanoholes. 2009 ,	
1246	Refractive index sensor for ultra-thin layer based on short range surface plasmon polariton hybrid coupler. 2009 ,	
1245	Sampling and quantification of biofilms in food processing and other environments. 2009 , 539-568	4
1244	A dynamic surface plasmon resonance imager based on interferometric phase measurements. 2009 ,	
1243	Porous waveguide in the Kretschmann configuration for small molecule detection. 2009 ,	
1242	Optoelectronic integration of silicon photonic wire biosensors. 2009 ,	

- 1241 Fibre Bragg gratings as interrogation elements for surface plasmon resonance sensors. **2009**,
- 1240 Analyte-filled fiber core assisted surface plasmon sensing. **2010**,
- 1239 Detection of DNA hybridization with LSPR induced by surface relief nanostructure and particle plasmon. **2010**,
- 1238 Gold nanopyramidal plasmonic crystals for label-free biosensing. **2010**, 0
- 1237 Influence of Gauss parameter to biological compact disc sensor. **2010**,
- 1236 Fabry-Pérot interference enhanced surface plasmon resonance sensor. **2010**,
- 1235 Spectral and Angular Responses of Surface Plasmon Resonance Based on the Kretschmann Prism Configuration. **2010**, 51, 1150-1155 92
- 1234 Spherical and Anisotropic Silver Nanomaterials in Medical Diagnosis. **2010**,
- 1233 Localized Surface Plasmon Coupled Fluorescence Fiber Optic Based Biosensing. **2010**, 183-259 0
- 1232 Characterization of biosensing waveguides on Cytop. **2010**,
- 1231 Sensor properties and surface characterization of silver-deposited SPR optical fibers. **2010**, 26, 949-55 15
- 1230 Concentration Determination of Individual Components in Methanol/Raffinose Mixtures Using Diffusion through Agar Membrane Attached to a Surface Plasmon Resonance Sensor. **2010**, 83, 1531-1533 3
- 1229 Investigation on the sensitivity of direct coupling porous silicon membrane waveguide sensor. **2010**,
- 1228 Enhancing reactive energy through dark cavity plasmon modes. **2010**, 92, 67006 4
- 1227 Locally functionalized short-range ordered nanoplasmonic pores for bioanalytical sensing. **2010**, 82, 2087-94 91
- 1226 Direct optical detection in bioanalysis: an update. **2010**, 398, 2363-72 72
- 1225 Advanced dynamic monitoring of cellular status using label-free and non-invasive cell-based sensing technology for the prediction of anticancer drug efficacy. **2010**, 398, 2505-33 25
- 1224 Local plasmon excitations in one-dimensional array of metal nanowires for sensor applications. **2010**, 99, 493-497 12

1223	Use of nanomaterials for impedimetric DNA sensors: a review. 2010 , 678, 7-17		151
1222	Comparative surface plasmon resonance and enzyme-linked immunosorbent assay characterisation of a monoclonal antibody with N-acyl homoserine lactones. 2010 , 683, 113-8		8
1221	Electrochemical probe for the monitoring of DNA-protein interactions. 2010 , 25, 2598-602		21
1220	Au NPs-enhanced surface plasmon resonance for sensitive detection of mercury(II) ions. 2010 , 25, 2622-6		88
1219	DNA microarrays for hybridization detection by surface plasmon resonance spectroscopy. 2010 , 26, 1543-7		24
1218	Photonic crystal sensors: An overview. 2010 , 34, 89-134		207
1217	Sensor properties and surface characterization of aluminum-deposited SPR optical fibers. 2010 , 163, 1-8		24
1216	Planar near-infrared surface plasmon resonance sensor with Si prism and grating coupler. <i>Sensors and Actuators B: Chemical</i> , 2010 , 144, 295-300	8.5	6
1215	An imaging surface plasmon resonance sensor using polarisation modulation. <i>Sensors and Actuators B: Chemical</i> , 2010 , 151, 186-190	8.5	2
1214	RETRACTED: Tamm plasmon-polaritons: First experimental observation. 2010 , 47, 44-49		65
1213	Application of polypyrrole/GOx film to glucose biosensor based on electrochemical-surface plasmon resonance technique. 2010 , 169, 269-275		18
1212	Recent advances in the development of bioelectronic nose. 2010 , 15, 22-29		73
1211	PDMS prism-glass optical coupling for surface plasmon resonance sensors based on MEMS technology. 2010 , 53, 2144-2158		5
1210	A Polarization-Independent SPR Fiber Sensor. 2010 , 5, 7-12		36
1209	The Optimal Aspect Ratio of Gold Nanorods for Plasmonic Bio-sensing. 2010 , 5, 161-167		373
1208	Line Shape Analysis and Extended Instrumental Operation of Surface Plasmon Resonance Sensors. 2010 , 5, 259-266		8
1207	Theoretical Investigation of an Interferometer-type Plasmonic Biosensor Using a Metal-insulator-silicon Waveguide. 2010 , 5, 347-354		17
1206	Extremely High Sensitive Plasmonic Refractive Index Sensors Based on Metallic Grating. 2010 , 5, 389-394		28

1205	A ferroelectric polyvinylidene fluoride-coated porous fiber based surface-plasmon-resonance-like gas sensor in the terahertz region. 2010 , 6, 321-324	1
1204	Angular reflectance of suspended gold, aluminum and silver nanospheres on a gold film: Effects of concentration and size distribution. 2010 , 12, 3077-3086	1
1203	Target-Localized Nanograting-Based Surface Plasmon Resonance Detection toward Label-free Molecular Biosensing. 2010 , 16, 1004-1014	41
1202	Fundamental aspects of electrodeposition for the realization of plasmonic nanostructures. 2010 , 11, 2919-30	3
1201	Highly Stable Au Nanoparticles with Tunable Spacing and Their Potential Application in Surface Plasmon Resonance Biosensors. 2010 , 20, 78-86	63
1200	High Quality Factor Metallodielectric Hybrid Plasmonic Photonic Crystals. 2010 , 20, 1910-1916	135
1199	Molecular biomimetics: GEPI-based biological routes to technology. 2010 , 94, 78-94	81
1198	SERS EM field enhancement study through fast Raman mapping of Sierpinski carpet arrays. 2010 , 41, 1124-1130	11
1197	Sensing properties of ITO coated optical fibers to diverse VOCs. 2010 , 5, 653-656	7
1196	Lossy mode resonances supported by TiO ₂ -coated optical fibers. 2010 , 5, 1099-1102	11
1195	Surface plasmons resonance detection based on the attenuated total reflection geometry. 2010 , 7, 432-435	2
1194	Dynamically modulated intensity interrogation scheme using waveguide coupled surface plasmon resonance sensors. 2010 , 157, 9-14	18
1193	Water-soluble ZnO-Au nanocomposite-based probe for enhanced protein detection in a SPR biosensor system. 2010 , 351, 392-7	47
1192	Fabrication of planar polymer waveguides for evanescent-wave sensing in aqueous environments. 2010 , 87, 56-61	25
1191	Surface plasmon polariton coupling induced transmission of subwavelength metallic grating with waveguide layer. 2010 , 87, 1297-1299	8
1190	Spectral modulation of ultra-broadband femtosecond laser pulses based on surface plasmon resonance. 2010 , 283, 2373-2377	3
1189	Surface plasmon resonance device with imaging processing detector for refractive index measurements. 2010 , 283, 3926-3930	7
1188	Detection of methane by a surface plasmon resonance sensor based on polarization interferometry and angle modulation. 2010 , 48, 1182-1185	4

1187	Tailoring surface plasmon resonance in Ag:ZrO ₂ nanocomposite thin films. 2010 , 43, 470-474		20
1186	Sensitivity enhancement of SPR biosensor by improving surface quality of glass slides. 2010 , 87, 790-792		11
1185	Fabrication of diffraction grating in polydimethylsiloxane using femtosecond-pulsed laser micromachining. 2010 , 87, 1344-1347		17
1184	ZnO sensing film thickness effects on the sensitivity of surface plasmon resonance sensors with angular interrogation. 2010 , 171, 155-158		9
1183	Characteristics of light emission from surface plasmons based on rectangular silver gratings. 2010 , 283, 2961-2966		9
1182	Multi-step structure of side-polished fiber sensor to enhance SPR effect. 2010 , 42, 453-456		10
1181	Sensors and technologies for in situ dissolved methane measurements and their evaluation using Technology Readiness Levels. 2010 , 29, 186-195		37
1180	Advances in surface plasmon resonance biosensor technology towards high-throughput, food-safety analysis. 2010 , 29, 1305-1315		130
1179	Recent developments on ZnO films for acoustic wave based bio-sensing and microfluidic applications: a review. <i>Sensors and Actuators B: Chemical</i> , 2010 , 143, 606-619	8.5	313
1178	Fibre-optic SPR sensor with a FBG interrogation scheme for readout enhancement. <i>Sensors and Actuators B: Chemical</i> , 2010 , 144, 226-231	8.5	16
1177	Tunable humidity sensor based on ITO-coated optical fiber. <i>Sensors and Actuators B: Chemical</i> , 2010 , 146, 414-417	8.5	97
1176	Polarization optimization for a full sensitivity in azimuthal grating coupled surface plasmon resonance. <i>Sensors and Actuators B: Chemical</i> , 2010 , 148, 181-185	8.5	2
1175	Surface plasmon resonance instrument as a refractometer for liquids and ultrathin films. <i>Sensors and Actuators B: Chemical</i> , 2010 , 149, 212-220	8.5	73
1174	On the application of gold based SPR sensors for the detection of hazardous gases. <i>Sensors and Actuators B: Chemical</i> , 2010 , 149, 194-198	8.5	64
1173	Molecularly imprinted submicronspheres for applications in a novel model biosensor-film. <i>Sensors and Actuators B: Chemical</i> , 2010 , 150, 394-401	8.5	31
1172	Thin film-coated plastic optical fiber probe for aerosol chemical sensing applications. <i>Sensors and Actuators B: Chemical</i> , 2010 , 150, 154-159	8.5	13
1171	A new palm-sized surface plasmon resonance (SPR) biosensor based on modulation of a light source by a rotating mirror. <i>Sensors and Actuators B: Chemical</i> , 2010 , 150, 1-6	8.5	49
1170	Biosensing applications of surface plasmon resonance-based Biacore technology. <i>Sensors and Actuators B: Chemical</i> , 2010 , 150, 722-733	8.5	66

1169	A review on viral biosensors to detect human pathogens. 2010 , 681, 8-15	157
1168	Surface plasmon resonance ellipsometry based sensor for studying biomolecular interaction. 2010 , 25, 2633-8	23
1167	Label-free biosensing by means of periodic lattices of high aspect ratio SU-8 nano-pillars. 2010 , 25, 2553-8	53
1166	Detection of Mycobacterium tuberculosis complex and Mycobacterium gordonae on the same portable surface plasmon resonance sensor. 2010 , 26, 908-12	16
1165	Integrated optical biosensor for in-line monitoring of cell cultures. 2010 , 26, 1478-85	6
1164	One-chip biosensor for simultaneous disease marker/calibration substance measurement in human urine by electrochemical surface plasmon resonance method. 2010 , 26, 1536-42	14
1163	Microfluidic Channels on Nanopatterned Substrates: Monitoring Protein Binding to Lipid Bilayers with Surface-Enhanced Raman Spectroscopy. 2010 , 489, 121-126	17
1162	Application and Research Development of Surface Plasmon Resonance-based Immunosensors for Protein Detection. 2010 , 38, 1052-1059	20
1161	Enhancing surface plasmon detection using ultrasmall nanoslits and a multispectral integration method. 2010 , 6, 1900-7	46
1160	Agarose optical fibre humidity sensor based on electromagnetic resonance in the infra-red region. 2010 , 7, 2767-2769	12
1159	Application of Plasmons to the Determination of Surface Profile and Contact Strain Distribution. 2010 , 46, 307-323	15
1158	. 2010 ,	69
1157	General Detector Capabilities For Food Safety Applications. 2010 , 1	1
1156	From Experimental Approaches to Computational Techniques: A Review on the Prediction of Protein-Protein Interactions. 2010 , 2010, 1-15	16
1155	Reverse engineering the yeast RNR1 transcriptional control system. 2010 , 5, e13895	
1154	High-performance Grating Coupled Surface Plasmon Resonance Sensor Based on Al-Au Bimetallic Layer. 2010 , 4,	17
1153	Fiber-Coupled Surface Plasmon Polariton Excitation in Imprinted Dielectric-Loaded Waveguides. 2010 , 2010, 1-6	2
1152	High resolution surface plasmon imaging of nanoparticles. 2010 ,	2

1151	Overview of plasmonic sensors and their design methods. 2010,	7
1150	Optimized design of remote point diffractive optical sensors. 2010, 12, 124016	1
1149	Colloidal Au-enhanced surface plasmon resonance imaging: application in a DNA hybridization process. 2010, 12, 035003	17
1148	Electro-optic polymer film light modulator model based on grating-coupled long-range surface plasmon resonance. 2010, 12, 115001	5
1147	Liquid-Core Waveguide Sensors. 2010, 195-219	2
1146	Nanopyramid surface plasmon resonance sensors. 2010, 96, 261108	43
1145	Fabrication and characterization of coupled metal-dielectric-metal nanoantennas. 2010, 28, C6O21-C6O25	1
1144	Live cell index sensing based on the reflection mode of tilted fiber tip with gold nanoparticles. 2010,	1
1143	Design considerations and propagation characteristics of channel Bragg-plasmon-coupled-waveguides. 2010, 97, 213104	12
1142	Sensitivity enhancement in 2D plasmonic crystals. 2010,	
1141	Scanning surface plasmon imaging of nanoparticles. 2010, 81,	16
1140	Effect of beam premodulation on excitation of surface plasma waves in a magnetized plasma. 2010, 17, 112701	3
1139	Gold Nanoparticles on Waveguides For and Toward Sensing Application. 2010, 209-229	
1138	Novel PDMS leaky waveguide with self-assembled gold nano-particles for ssDNA detection. 2010,	
1137	Determination of nanometric Ag2O film thickness by surface plasmon resonance and optical waveguide mode coupling techniques. 2010, 12, 045002	11
1136	Laser excitation of surface plasma waves over a diffuse plasma boundary. 2010, 82, 065505	0
1135	Optimization of an acrylamide-based photopolymer system for holographic inscription of surface patterns with sub-micron resolution. 2010, 12, 124012	8
1134	Signal amplification by enzymatic reaction in an immunosensor based on localized surface plasmon resonance (LSPR). 2010, 10, 2045-53	27

1133	Imaging Analysis of Carbohydrate-Modified Surfaces Using ToF-SIMS and SPRi. 2010 , 3,	11
1132	Characteristics of metal enhanced evanescent-wave microcavities. 2010 , 10, 8751-60	3
1131	Nanohole Array Sensor Technology: Multiplexed Label-Free Protein Binding Assays. 2010 , 572-575	2
1130	Evanescent field absorption based photonic polymer waveguide biosensor. 2010 ,	
1129	Green laser excited surface plasmon resonance biosensor utilizing highly sensitive phase interrogation detection. 2010 ,	
1128	High resolution surface plasmon microscopy for cell imaging. 2010 ,	5
1127	Surface plasmon resonance due to the interface of a metal and a chiral sculptured thin film. 2010 , 49, 120503	23
1126	Analyte-filled Fiber Core Assisted Surface Plasmon Sensing. 2010 ,	
1125	Ad- and desorption of Rb atoms on a gold nanofilm measured by surface plasmon polaritons. 2010 , 12, 083066	3
1124	A detection technology of THz based on surface plasmon resonance. 2010 ,	
1123	Multimode Surface Plasmon Excitations on Organic Thin Film/Metallic Diffraction Grating. 2010 , 49, 01AE02	24
1122	Low refractive index gas sensing using a surface plasmon resonance fibre device. 2010 , 21, 094029	17
1121	Extended and localized surface plasmons in annealed Au films on glass substrates. 2010 , 108, 074303	78
1120	Compact and fast read-out for wavelength-encoded biosensors. 2010 ,	3
1119	Review on subwavelength confinement of light with plasmonics. 2010 , 57, 1479-1497	67
1118	Surface plasmon resonance biosensorics in urine proteomics. 2010 , 641, 193-221	3
1117	Nanohole arrays in chemical analysis: manufacturing methods and applications. 2010 , 135, 1483-9	114
1116	Approach the angular sensitivity limit in surface plasmon resonance sensors with low index prism and large resonant angle. 2010 , 49, 054403	21

1115	Note: Simultaneous measurement of surface plasmon resonance and surface-enhanced Raman scattering. 2010 , 81, 036105	36
1114	Parallel microfluidic surface plasmon resonance imaging arrays. 2010 , 10, 581-8	106
1113	Trends in Immunoassay Techniques. 2010 ,	1
1112	Recyclable fluorimetric and colorimetric mercury-specific sensor using porphyrin-functionalized Au@SiO ₂ core/shell nanoparticles. 2010 , 135, 1551-5	70
1111	Enhanced Transmission in a Fiber-Coupled Au Stripe Waveguide System. 2010 , 22, 100-102	6
1110	SPR Biosensing in crude serum using ultralow fouling binary patterned peptide SAM. 2010 , 82, 3699-706	91
1109	Tunable gold-coated polymer gratings for surface plasmon resonance coupling and scanning. 2010 , 20, 085032	10
1108	Combined electrochemical surface plasmon resonance for angle spread imaging of multielement electrode arrays. 2010 , 82, 6293-8	3
1107	The Urinary Proteome. 2010 ,	0
1106	Midinfrared Index Sensing of pL-Scale Analytes Based on Surface Phonon Polaritons in Silicon Carbide 2010 , 114, 7489-7491	39
1105	Propagating surface plasmon resonance on microhole arrays. 2010 , 82, 3780-7	53
1104	Microfluidic measurement of antibody-antigen binding kinetics from low-abundance samples and single cells. 2010 , 82, 8671-9	46
1103	Plasmon-enhanced luminescence from ultrathin hybrid polymer nanoassemblies for microscopic oxygen sensor application. 2010 , 26, 15117-20	16
1102	Surface-enhanced plasmon resonance detection of nanoparticle-conjugated DNA hybridization. 2010 , 49, 484-91	45
1101	Analysis of the coupling of light into a metal-dielectric composite waveguide structure and its application for use as a wavelength-band selection filter. 2010 , 49, A23-9	1
1100	Small molecule immunosensing using surface plasmon resonance. 2010 , 10, 7323-46	113
1099	Surface plasmon mediated energy transfer of electrically-pumped excitons. 2010 , 18, 4041-8	26
1098	Radiative engineering of plasmon lifetimes in embedded nanoantenna arrays. 2010 , 18, 4526-37	78

1097	A comprehensive study for the plasmonic thin-film solar cell with periodic structure. 2010 , 18, 5993-6007	58
1096	Magnetic field modulation of intense surface plasmon polaritons. 2010 , 18, 7743-52	56
1095	Experimental determination of the sensitivity of Bloch surface waves based sensors. 2010 , 18, 8087-93	73
1094	Surface plasmon waveguide Schottky detector. 2010 , 18, 8505-14	137
1093	Modeling of the SPR resolution enhancement for conventional and nanoparticle inclusive sensors by using statistical hypothesis testing. 2010 , 18, 9384-97	5
1092	A multi-functional plasmonic biosensor. 2010 , 18, 9561-9	63
1091	Time-resolved surface plasmon polariton coupled exciton and biexciton emission. 2010 , 18, 15560-8	6
1090	A ray-transfer-matrix model for hybrid fiber Fabry-Perot sensor based on graded-index multimode fiber. 2010 , 18, 15844-52	35
1089	Characterization of bending losses for curved plasmonic nanowire waveguides. 2010 , 18, 16112-9	27
1088	An efficient approach for investigating surface plasmon resonance in asymmetric optical fibers based on birefringence analysis. 2010 , 18, 17950-7	32
1087	Long range surface plasmons on asymmetric suspended thin film structures for biosensing applications. 2010 , 18, 19009-19	29
1086	Design analysis of doped-silicon surface plasmon resonance immunosensors in mid-infrared range. 2010 , 18, 19396-406	25
1085	Phase detection properties of grating-coupled surface plasmon resonance sensors. 2010 , 18, 19656-64	21
1084	Analysis and applications of 3D rectangular metallic waveguides. 2010 , 18, 19831-43	20
1083	Study of cell-biosubstrate contacts via surface plasmon polariton phase microscopy. 2010 , 18, 20125-35	16
1082	Modeling and design of nano-plasmonic structures using transmission line modeling. 2010 , 18, 21784-97	11
1081	Ultra-sensitive chemical vapor detection using micro-cavity photothermal spectroscopy. 2010 , 18, 22174-86	35
1080	The observation of super-long range surface plasmon polaritons modes and its application as sensory devices. 2010 , 18, 22462-70	6

1079	Sensitivity enhancement in photonic crystal slab biosensors. 2010 , 18, 22702-14	134
1078	Real-time cancellation of temperature induced resonance shifts in SOI wire waveguide ring resonator label-free biosensor arrays. 2010 , 18, 22867-79	72
1077	Dual channel planar waveguide surface plasmon resonance biosensor for an aqueous environment. 2010 , 18, 24412-22	36
1076	Hybrid orthogonal junctions: wideband plasmonic slot-silicon waveguide couplers. 2010 , 18, 27048-59	42
1075	Ultrathin layer sensing based on hybrid coupler with short-range surface plasmon polariton and dielectric waveguide. 2010 , 35, 244-6	31
1074	Measuring near-field nanoparticle concentration profiles by correlating surface plasmon resonance reflectance with effective refractive index of nanofluids. 2010 , 35, 393-5	18
1073	Sensitive liquid refractive index sensors using tapered optical fiber tips. 2010 , 35, 944-6	48
1072	Sensitivity of collective plasmon modes of gold nanoresonators to local environment. 2010 , 35, 956-8	118
1071	High-index sensitivity of surface mode in photonic crystal hetero-slab-edge microcavity. 2010 , 35, 1452-4	15
1070	Magnetic field integral equation analysis of surface plasmon scattering by rectangular dielectric channel discontinuities. 2010 , 27, 85-94	13
1069	Scattering of light by molecules over a rough surface. 2010 , 27, 1002-11	1
1068	Investigation on an application of silver substrates for sensitive surface plasmon resonance imaging detection. 2010 , 27, 2229-36	39
1067	Development of Nanostructured Plasmonic Substrates for Enhanced Optical Biosensing. 2010 , 14, 65-76	34
1066	Impact of apexes on the resonance shift in double hole nanocavities. 2010 , 18, 193-203	8
1065	Simultaneous, quantitative detection of five whey proteins in multiple samples by surface plasmon resonance. 2010 , 20, 96-105	44
1064	Surface-enhanced localized surface plasmon resonance biosensing of avian influenza DNA hybridization using subwavelength metallic nanoarrays. 2010 , 21, 355503	28
1063	Nanophotonic and Subwavelength Structures for Sensing and Biosensing. 2010 , 73-106	3
1062	Applications and trends in electrochemiluminescence. 2010 , 39, 3275-304	825

1061	Gold nanoparticle embedded silicon nanowire biosensor for applications of label-free DNA detection. 2010 , 25, 2182-5	42
1060	A highly selective regenerable optical sensor for detection of mercury(II) ion in water using organic/inorganic hybrid nanomaterials containing pyrene. 2010 , 34, 1946	96
1059	Label-free biological and chemical sensors. 2010 , 2, 1544-59	285
1058	Realization of Surface Plasmon Resonance sensor based on wavelength modulation by using 50nm broadband light source. 2010 ,	1
1057	Effects of surface density and size of gold nanoparticles in a fiber-optic localized surface plasmon resonance sensor and its application to peptide detection. 2010 , 21, 085805	26
1056	Adsorption of a nonionic symmetric triblock copolymer on surfaces with different hydrophobicity. 2010 , 26, 9565-74	60
1055	Excitation of terahertz plasmons eigenmode of a parallel plane guiding system by an electron beam. 2010 , 108, 123303	9
1054	Surface plasmon resonance and magneto-optical enhancement on Au/Co nanocomposite thin films. 2010 , 107, 103924	33
1053	Efficiently Harvesting Sun Light for Silicon Solar Cells through Advanced Optical Couplers and A Radial p-n Junction Structure. 2010 , 3, 784-802	19
1052	Photonic crystal fiber refractive index sensor based on surface plasmon resonance. 2010 ,	4
1051	Mechanism for graphene-based optoelectronic switches by tuning surface plasmon-polaritons in monolayer graphene. 2010 , 92, 68001	97
1050	Drude relaxation rate in grained gold nanoantennas. 2010 , 10, 916-22	153
1049	Broadband plasmonic device concentrating the energy at the nanoscale: The crescent-shaped cylinder. 2010 , 82,	58
1048	Efficient sensitivity analysis of surface plasmon waveguide structures. 2010 ,	
1047	Functionalized monolayers on mesoporous silica and on titania nanoparticles for mercuric sensing. 2010 , 135, 149-56	49
1046	A new optical label-free biosensing platform based on a metal-insulator-metal structure. 2010 , 26, 6053-7	16
1045	Excitation of hybrid plasmon polaritons (HPPs) using nanofibers. 2010 ,	
1044	Optimization of surface plasmon resonance for environmental monitoring. 2010 ,	1

1043	Coupling characteristics between slot plasmonic mode and dielectric waveguide mode. 2010,	
1042	Design of Gaussian-Shaped and Double Sides Flanked Metallic Nano-Grating Surface Plasma Resonance Biosensors. 2010,	1
1041	Simulation of a surface plasmon resonance based on photonic crystal fiber temperature sensor. 2011,	1
1040	A High-Quality-Factor Film Bulk Acoustic Resonator in Liquid for Biosensing Applications. 2011, 20, 213-220	39
1039	Detection of Biomolecules via Benign Surface Modification of Graphene. 2011, 23, 4879-4881	34
1038	High-Performance Bimetallic SPR Sensor Based on Periodic-Multilayer-Waveguides. 2011, 23, 1448-1450	36
1037	Surface plasmon resonance biosensor based on grating disc with circular fluidic channel. 2011,	2
1036	Two-photon ratiometric sensing of Hg ²⁺ by using cysteine functionalized Ag nanoparticles. 2011, 3, 3316-20	67
1035	Binding region and interaction properties of sulfoquinovosylacylglycerol (SQAG) with human vascular endothelial growth factor 165 revealed by biosensor-based assays. 2011, 2, 1188	7
1034	Numerical simulation of attosecond nanoplasmonic streaking. 2011, 13, 083003	34
1033	Plasmonic Metaresonance Nanosensors: Ultrasensitive Tunable Optical Sensors Based on Nanoparticle Molecules. 2011, 10, 566-571	23
1032	Fabrication of Subwavelength Metallic Structures Using Laser Interference Lithography. 2011,	1
1031	Optical properties of the Ag and Au nanowires gratings. 2011,	
1030	Real-time monitoring DNA hybridization by guided resonant mode biosensor. 2011,	0
1029	Light Transmission and Surface-Enhanced Raman Scattering of Quasi-3D Plasmonic Nanostructure Arrays with Deep and Shallow Fabry-Pérot Nanocavities. 2011, 115, 10996-11002	29
1028	Adsorption of PEO-PPO-PEO triblock copolymers with end-capped cationic chains of poly(2-dimethylaminoethyl methacrylate). 2011, 27, 9769-80	19
1027	Application of photonic crystal enhanced fluorescence to cancer biomarker microarrays. 2011, 83, 1425-30	86
1026	Excitation of dark plasmonic cavity modes via nonlinearly induced dipoles: applications to near-infrared plasmonic sensing. 2011, 22, 235502	15

1025	Optimization of periodic gold nanostructures for intensity-sensitive detection. 2011 , 99, 083108	16
1024	Active control of the strong coupling regime between porphyrin excitons and surface plasmon polaritons. 2011 , 5, 6226-32	64
1023	Dielectric Thickness Detection Sensor Based on Metallic Nanohole Arrays. 2011 , 115, 15205-15209	19
1022	Validation of arrayed imaging reflectometry biosensor response for protein-antibody interactions: cross-correlation of theory, experiment, and complementary techniques. 2011 , 83, 3750-7	17
1021	Research on Surface Plasmon Resonance Sensor Based on Wavelength Modulation by Using Theoretical Simulation Resonance Sensor Based on Wavelength Modulation by Using Theoretical Simulation. 2011 ,	1
1020	Proposed Substrates for Reproducible Surface-Enhanced Raman Scattering Detection. 2011 , 115, 4523-4532	8
1019	Controlled Synthesis and Properties of Rare Earth Nanomaterials. 2011 , 41, 275-472	22
1018	Nanoplasmonic resonance integrated with optofluidics for biochemical sensing and identification. 2011 ,	
1017	A discrete interaction model/quantum mechanical method to describe the interaction of metal nanoparticles and molecular absorption. 2011 , 135, 134103	65
1016	Excitation of surface plasma waves by a density modulated electron beam at a conductor-dusty plasma interface. 2011 , 18, 053704	2
1015	Influence of the number of nanoparticles on the enhancement properties of surface-enhanced Raman scattering active area: sensitivity versus repeatability. 2011 , 5, 1630-8	27
1014	Peptide- and Protein-Modified Surfaces. 2011 , 145-159	0
1013	Patterning and Optical Properties of Materials at the Nanoscale. 2011 , 47-68	
1012	Chemical and Biological Sensors Based on Porous Silicon Nanomaterials. 2011 , 157-194	
1011	Biosensors based on combined optical and electrochemical transduction for molecular diagnostics. 2011 , 11, 533-46	21
1010	Advances in surface plasmon resonance sensing with nanoparticles and thin films: nanomaterials, surface chemistry, and hybrid plasmonic techniques. 2011 , 83, 8057-62	79
1009	Surface Plasmon Resonance Spectroscopy in the Biosciences. 2011 , 225-247	
1008	Design of chip-type SPR sensor with nano particles. 2011 ,	

1007	Enhanced surface plasmon polariton propagation length using a buried metal grating. 2011 , 109, 064906	21
1006	SPR-based single nucleotide mismatch biosensor. 2011 , 3, 122-132	11
1005	Evolution and tailoring of plasmonic properties in Ag:ZrO ₂ nanocomposite films by swift heavy ion irradiation. 2011 , 109, 044311-044311-6	23
1004	Microwave Debye relaxation analysis of dissolved proteins: Towards free-solution biosensing. 2011 , 99, 233703	34
1003	Functionalization of Titanium Surfaces with Polymer Brushes Prepared from a Biomimetic RAFT Agent. 2011 , 44, 5883-5892	59
1002	Evaluation of photochemically immobilized poly(2-ethyl-2-oxazoline) thin films as protein-resistant surfaces. 2011 , 3, 3463-71	65
1001	Modification of cellulose films by adsorption of CMC and chitosan for controlled attachment of biomolecules. 2011 , 12, 4311-8	153
1000	Micro-array versus nano-array platforms: a comparative study for ODN detection based on SPR enhanced ellipsometry. 2011 , 22, 165501	2
999	Label-free, regenerative and sensitive surface plasmon resonance and electrochemical aptasensors based on graphene. 2011 , 47, 7794-6	107
998	Theoretical and experimental study of a 30 nm metallic slot array. 2011 , 28, 1711	6
997	Theory of hybrid photorefractive plasmonic liquid crystal cells. 2011 , 28, 1874	12
996	Mapping multiple surface-plasmon-polariton-wave modes at the interface of a metal and a chiral sculptured thin film. 2011 , 28, 2656	17
995	Advances in localized surface plasmon resonance spectroscopy biosensing. 2011 , 6, 1447-62	114
994	Gold nanoprobe for theranostics. 2011 , 6, 1787-811	43
993	Theoretical studies of plasmonics using electronic structure methods. 2011 , 111, 3962-94	337
992	Enhanced photoluminescence spectroscopy for thin films using the attenuated total reflection method. 2011 , 50, 696-700	3
991	Surface-plasmon-resonance-based fiber-optic refractive index sensor: sensitivity enhancement. 2011 , 50, 2032-6	123
990	Enhancement of localized surface plasmon resonance detection by incorporating metal-dielectric double-layered subwavelength gratings. 2011 , 50, 2846-54	14

989	Study of localized surface-plasmon-resonance-based optical fiber sensor. 2011 , 50, E138	23
988	Correlation analysis between plasmon field distribution and sensitivity enhancement in reflection- and transmission-type localized surface plasmon resonance biosensors. 2011 , 50, 4982	23
987	A reflection-based localized surface plasmon resonance fiber-optic probe for biochemical sensing. 2011 , 2, 478-84	114
986	Ellipsometry study on gold-nanoparticle-coated gold thin film for biosensing application. 2011 , 2, 2569-76	23
985	Shot-noise limited detection for surface plasmon sensing. 2011 , 19, 107-17	45
984	Graphene-on-silver substrates for sensitive surface plasmon resonance imaging biosensors. 2011 , 19, 458-66	232
983	Narrow groove plasmonic nano-gratings for surface plasmon resonance sensing. 2011 , 19, 787-813	79
982	Plasmonic metallic nanostructures by direct nanoimprinting of gold nanoparticles. 2011 , 19, 4768-76	44
981	Optical detection of target molecule induced aggregation of nanoparticles by means of high-Q resonators. 2011 , 19, 7034-61	17
980	Extraordinarily high spectral sensitivity in refractive index sensors using multiple optical modes. 2011 , 19, 10029-40	56
979	Plasmon delocalization onset in finite sized nanostructures. 2011 , 19, 11387-96	10
978	Optimal design of composite nanowires for extended reach of surface plasmon-polaritons. 2011 , 19, 16058-74	21
977	Super-sensitivity in label-free protein sensing using a nanoslot nanolaser. 2011 , 19, 17683-90	67
976	Multiplex spectral surface plasmon resonance imaging (SPRI) sensor based on the polarization control scheme. 2011 , 19, 18965-78	26
975	Tiny surface plasmon resonance sensor integrated on silicon waveguide based on vertical coupling into finite metal-insulator-metal plasmonic waveguide. 2011 , 19, 19895-900	12
974	Wagon wheel fiber based multichannel plasmonic sensor. 2011 , 19, 22863-73	35
973	Sensitive biosensors using Fano resonance in single gold nanoslit with periodic grooves. 2011 , 19, 24530-9	50
972	Analysis of surface plasmon spectro-angular reflectance spectrum: real-time measurement, resolution limits, and applications to biosensing. 2011 , 36, 46-8	10

971	Investigation of surface plasmon biosensing using gold nanoparticles enhanced ellipsometry. 2011 , 36, 775-7	18
970	Multiple coupling of surface plasmons in quasiperiodic gratings. 2011 , 36, 1584-6	34
969	Ultrahigh sensitivity polarimetric strain sensor based upon D-shaped optical fiber and surface plasmon resonance technology. 2011 , 36, 2489-91	32
968	Real-time and low-cost sensing technique based on photonic bandgap structures. 2011 , 36, 2707-9	6
967	Polarization-independent on-axis light coupler for surface plasmon resonance using a concentric chirped grating. 2011 , 36, 3524-6	0
966	Effects of trehalose and sorbitol on the activity and structure of Pseudomonas cepacia lipase: spectroscopic insight. 2011 , 49, 652-6	22
965	Nano-plasmonic biosensors: A review. 2011 ,	8
964	Biosensors in microfluidic chips. 2011 , 304, 117-52	16
963	Mimicking nature's noses: from receptor deorphaning to olfactory biosensing. 2011 , 93, 270-96	95
962	Plasmonic Mach-Zehnder interferometer for ultrasensitive on-chip biosensing. 2011 , 5, 9836-44	126
961	Overview of the characteristics of micro- and nano-structured surface plasmon resonance sensors. 2011 , 11, 1565-88	314
960	Dendrimers in biosensors: Concept and applications. 2011 , 21, 14367	123
959	Solvent-Dependent Surface Plasmon Response and Oxidation of Copper Nanocrystals. 2011 , 115, 1793-1799	116
958	Growth behaviour and plasmon resonance properties of photocatalytically deposited Cu nanoparticles. 2011 , 3, 3641-5	31
957	Photonic crystal fibres in biomedical investigations. 2011 , 41, 284-301	32
956	Plasmonically tailored micropotentials for ultracold atoms. 2011 , 5, 494-498	69
955	Infrared surface plasmons on heavily doped silicon. 2011 , 110, 123105	66
954	Highly Sensitive SPR Biosensor Based on Nanoimprinting Technology. 2011 ,	

- 953 Electrochemical Biosensors for Virus Detection. **2011**,
- 952 The Capability Maturity Model for Software. **2011**, 1
- 951 Surface scattering plasmon resonance fibre sensors: demonstration of rapid influenza A virus detection. **2011**,
- 950 Sensitivity analysis of 1D and 2D photonic crystals sensors based on change of thickness and refractive index in material. **2011**,
- 949 Plasmonic biosensing with nanoimprint binary grating using ellipsometry. **2011**, 2
- 948 An experimental evaluation of the behavior of SPR fiber sensors in absorptive medium when plasmons are tuned to absorption peaks: method for selective measurement. **2011**,
- 947 Integration of optical devices and nanotechnology for conducting genome research. **2011**,
- 946 Sensing of bacteria immobilised under static conditions using long-range surface plasmon waveguides in Cytop. **2011**,
- 945 Plasmonic-enhanced fluorescence emission using D-shape microstructured optical fiber. **2011**, 277, 012044
- 944 A gold-deposited surface plasmon resonance-based optical fiber sensor system using various light-emitting diodes. **2011**, 27, 247-52 15
- 943 Fast and accurate determination of the detergent efficiency by optical fiber sensors. **2011**,
- 942 Physics of extraordinary transmission through subwavelength hole arrays. 1-27 3
- 941 Strongly coupled bio-plasmonic system: Application to oxygen sensing. **2011**, 110, 044701 5
- 940 Characterization of the Optical Properties of Heavy Metal Ions Using Surface Plasmon Resonance Technique. **2011**, 01, 116-123 30
- 939 Transformation of thin gold films morphology and tuning of surface plasmon resonance by post-growth thermal processing. **2011**, 56, 10302 7
- 938 Internal specular reflection from nanoparticle layers on the end face of optical fibers. **2011**, 109, 103114 7
- 937 Plasmon nano-optical tweezers. **2011**, 5, 349-356 990
- 936 Multiple surface plasmon waves in [prism/Ag/SiO₂ helical thin film] Kretschmann configuration. **2011**, 520, 1451-1453 4

935	A differential surface plasmon resonance sensor. <i>Sensors and Actuators B: Chemical</i> , 2011 , 159, 33-38	8.5	2
934	Sensitivity of surface plasmon resonance sensors based on metallic columnar thin films in the spectral and angular interrogations. <i>Sensors and Actuators B: Chemical</i> , 2011 , 159, 201-212	8.5	33
933	Plasmonic enhanced fluorescence spectroscopy using side-polished microstructured optical fiber. <i>Sensors and Actuators B: Chemical</i> , 2011 , 160, 196-201	8.5	16
932	Selectivity of SPR fiber sensors in absorptive media: An experimental evaluation. <i>Sensors and Actuators B: Chemical</i> , 2011 , 160, 592-597	8.5	8
931	SPR enhanced ellipsometric gas monitoring on thin iron doped tin oxide layers. <i>Sensors and Actuators B: Chemical</i> , 2011 , 160, 609-615	8.5	11
930	Sensitivity enhancement of a surface plasmon resonance based biomolecules sensor using graphene and silicon layers. <i>Sensors and Actuators B: Chemical</i> , 2011 , 160, 623-631	8.5	206
929	A microfluidic based differential plasmon resonance sensor. <i>Sensors and Actuators B: Chemical</i> , 2011 , 160, 670-676	8.5	6
928	Modeling and validation of multiplex proteo-nucleic self-assemblies monitored by surface plasmon resonance imagery. <i>Sensors and Actuators B: Chemical</i> , 2011 , 160, 1309-1315	8.5	1
927	Characterization of plasmonic effects in thin films and metamaterials using spectroscopic ellipsometry. 2011 , 86, 328-376		157
926	Enhanced Sensitivity of Silicon-On-Insulator Surface Plasmon Interferometer With Additional Silicon Layer. 2011 , 3, 538-545		16
925	. 2011 , 3, 765-776		4
924	Surface plasmon resonance sensor based on diffraction grating with high sensitivity and high resolution. 2011 , 122, 1881-1884		19
923	Optical chemical sensors based on hybrid organic-inorganic sol-gel nanoreactors. 2011 , 40, 621-39		79
922	Embossable grating couplers for planar evanescent wave sensors. 2011 , 19,		14
921	Optical constants detection in tin dioxide nano-size layers by surface plasmon resonance investigation. 2011 , 45, 316-319		2
920	Surface plasmon resonance platform technology for multi-parameter analyses on polymer chips. 2011 , 11, 566-572		33
919	Laser fabrication of large-scale nanoparticle arrays for sensing applications. 2011 , 5, 4843-9		198
918	Surface plasmon resonance biosensing based on target-responsive mobility switch of magnetic nanoparticles under magnetic fields. 2011 , 21, 5156		26

917	Surface plasmon resonance in monitoring of complement activation on biomaterials. 2011 , 63, 988-99	26
916	Evaluation of the abilities of β -cyclodextrin to form complexes by surface plasmon resonance with a Biacore [®] system. 2011 , 70, 385-388	4
915	Nanosphere dispersion on a large glass substrate by low dose ion implantation for localized surface plasmon resonance. 2011 , 13, 2919-2927	2
914	The interaction of La(3+) complexes of DOTA/DTPA glycoconjugates with the RCA(120) lectin: a saturation transfer difference NMR spectroscopic study. 2011 , 16, 725-34	5
913	Surface plasmon resonance detection of copper corrosion in biodiesel using polypyrrole-chitosan layer sensor. 2011 , 18, 331-337	29
912	Monolithic excitation and manipulation of surface plasmon polaritons on a vertical cavity surface emitting laser. 2011 , 103, 665-667	2
911	Imaging of surface plasmon polariton interference using phase-sensitive photon scanning tunneling microscope. 2011 , 103, 673-676	3
910	Experimental comparison between intensity and phase detection sensitivities of grating coupling surface plasmon resonance. 2011 , 104, 765-768	2
909	Comparison of femtosecond laser-induced damage on unstructured vs. nano-structured Au-targets. 2011 , 104, 15-21	23
908	Detection of DNA hybridisation in a diluted serum matrix by surface plasmon resonance and film bulk acoustic resonators. 2011 , 400, 1387-96	19
907	Investigation of the effects of design parameters on sensitivity of surface plasmon resonance biosensors. 2011 , 6, 147-156	8
906	Microstructured fiber based plasmonic index sensor with optimized accuracy and calibration relation in large dynamic range. 2011 , 284, 4161-4166	57
905	Determination of thickness and optical constants of metal films from an extended ATR spectrum by using a statistical method. 2011 , 43, 14-19	6
904	Surface plasmon resonance sensors based on Ag-metalized nanolayer in microstructured optical fibers. 2011 , 43, 960-964	22
903	Gold nanomesh induced surface plasmon for photocurrent enhancement in a polymer solar cell. 2011 , 95, 2102-2106	33
902	Fabrication of nanoscale plasmonic structures and their applications to photonic devices and biosensors. 2011 , 1, 153-162	26
901	Surface plasmon interference pattern on the surface of a silver-clad planar waveguide as a sub-micron lithography tool. 2011 , 54, 240-244	3
900	Sensitivity Enhancement for Surface Plasmon Resonance Imaging Biosensor by Utilizing Gold/Silver Bimetallic Film Configuration. 2011 , 6, 245-250	37

899	Enhancing the Dual-Band Guiding Capabilities of Coaxial Spoof Plasmons via use of Transmission Line Concepts. 2011 , 6, 295-299	9
898	Critique of Optical Negative Refraction Superlensing. 2011 , 6, 307-309	4
897	The Role of Polarization on 2D Plasmonic Crystals. 2011 , 6, 373-380	3
896	Structure Effect on Sensitivity of Gold Nanoslits Studied by Spectral Integration Method. 2011 , 6, 483-490	3
895	Surface Plasmon Polariton Excitation in Metallic Layer Via Surface Relief Gratings in Photoactive Polymer Studied by the Finite-Difference Time-Domain Method. 2011 , 6, 541-546	10
894	Formation and electrochemical desorption of self-assembled monolayers as studied by ToF-SIMS. 2011 , 43, 993-997	3
893	Surface electromagnetic waves: A review. 2011 , 5, 234-246	123
892	Sensitivity-enhancement methods for surface plasmon sensors. 2011 , 5, 571-606	290
891	Application of thin metal film elements in bioanalysis. 2011 , 34, 2779-89	16
890	Shape Matters: Anisotropy of the Morphology of Inorganic Colloidal Particles [Synthesis and Function. 2011 , 21, 3214-3230	84
889	Lichtmikroskopie mit Doughnut-Moden: ein Konzept zur Detektion, Charakterisierung und Manipulation einzelner Nanoobjekte. 2011 , 123, 5384-5405	5
888	Light microscopy with doughnut modes: a concept to detect, characterize, and manipulate individual nanoobjects. 2011 , 50, 5274-93	61
887	DNA-binding small-ligand-immobilized surface plasmon resonance biosensor for detecting thymine-related single-nucleotide polymorphisms. 2011 , 17, 14104-10	13
886	Lab-on-a-chip technologies for massive parallel data generation in the life sciences: A review. 2011 , 108, 64-75	47
885	Prostate specific antigen detection in patient sera by fluorescence-free BioCD protein array. 2011 , 26, 1871-5	23
884	Collection mode surface plasmon fibre sensors: a new biosensing platform. 2011 , 26, 3154-9	25
883	Optical detection systems using immobilized aptamers. 2011 , 26, 3725-36	79
882	Biosensor for direct cell detection, quantification and analysis. 2011 , 26, 4162-8	17

881	Preparation of surface plasmon resonance biosensor based on magnetic core/shell Fe ₃ O ₄ /SiO ₂ and Fe ₃ O ₄ /Ag/SiO ₂ nanoparticles. 2011 , 84, 484-90		68
880	Direct detection of acetylcholinesterase inhibitor binding with an enzyme-based surface plasmon resonance sensor. 2011 , 408, 212-9		45
879	Integration of fiber optic-particle plasmon resonance biosensor with microfluidic chip. 2011 , 697, 75-82		47
878	A contact angle and ToF-SIMS study of SAM π hol interactions on polycrystalline gold. 2011 , 257, 4038-4043		7
877	Sinusoidal plasmonic crystals for bio-detection sensors. 2011 , 88, 1898-1901		17
876	A novel surface plasmon biosensor with imprinted waveguide metal gratings for protein detection. 2011 , 88, 2647-2649		4
875	Improving the emission efficiency of periodic plasmonic structures for lasing applications. 2011 , 284, 561-566		8
874	Optical method to differentiate tequilas based on angular modulation surface plasmon resonance. 2011 , 49, 675-679		11
873	Application of AFM and optical biosensor for investigation of complexes formed in P450-containing monooxygenase systems. 2011 , 1814, 102-10		13
872	Resonant optical transmission through a one-dimensional photonic crystal adjacent to a thin metal film. 2011 , 406, 1983-1988		6
871	Fabrication and anti-fouling properties of photochemically and thermally immobilized poly(ethylene oxide) and low molecular weight poly(ethylene glycol) thin films. 2011 , 354, 160-7		38
870	Temperature effects on a high Q FBAR in liquid. 2011 , 166, 264-268		16
869	Detection of EGFR on living human gastric cancer BGC823 cells using surface plasmon resonance phase sensing. <i>Sensors and Actuators B: Chemical</i> , 2011 , 153, 398-403	8.5	26
868	Fast surface plasmon resonance imaging sensor using Radon transform. <i>Sensors and Actuators B: Chemical</i> , 2011 , 155, 361-365	8.5	27
867	Enhanced surface plasmon resonance detection of DNA hybridization based on ZnO nanorod arrays. <i>Sensors and Actuators B: Chemical</i> , 2011 , 155, 375-379	8.5	25
866	Numerical investigation for SPR-based optical fiber sensor. <i>Sensors and Actuators B: Chemical</i> , 2011 , 157, 240-245	8.5	48
865	Highly accurate and sensitive surface plasmon resonance sensor based on channel photonic crystal waveguides. <i>Sensors and Actuators B: Chemical</i> , 2011 , 157, 246-252	8.5	13
864	ZnO modified gold disc: A new route to efficient glucose sensing. <i>Sensors and Actuators B: Chemical</i> , 2011 , 156, 383-387	8.5	11

863	Full-field surface plasmon resonance sensor for high resolution refractive index measurement using common-path heterodyne interferometer. <i>Sensors and Actuators B: Chemical</i> , 2011 , 158, 400-404	8.5	2
862	Influence of the surface roughness on the properties of Au films measured by surface plasmon resonance and X-ray reflectometry. 2011 , 519, 2093-2097		11
861	Demonstration of a reusable plasmonic polymer microarray sensing platform. 2011 ,		1
860	Enhanced sensitivity of localized surface plasmon resonance biosensor by phase interrogation. 2011 ,		0
859	Label-free detection of protein binding with multisine SPR microchips. 2011 , 11, 4194-9		6
858	Study of enhanced biosensors based on 2-D sandwiched plasmon photonic crystals. 2011 ,		
857	Integrated diffractive optical elements for optical sensors applications. 2011 ,		
856	Total Internal Reflection Ellipsometry under SPR Conditions: In-Situ Monitoring of the Growth of Poly(N-isopropylacrylamide) (PNIPAAm) Brushes. 2011 , 305, 101-107		6
855	Energy-filtered phase retrieval using the transport of intensity equation. 2011 , 99, 221905		5
854	Resonance-based optical fiber refractometers. 2011 ,		
853	Midinfrared surface plasmon sensor based on a substrateless metal mesh. 2011 , 98, 091902		21
852	Theoretical and experimental investigation of ultrahigh sensitivity of wavelength-interrogated infrared surface plasmon resonance sensors. 2011 ,		0
851	Accelerated surface plasmon resonance biosensing by surface acoustic waves microstreaming. 2011 ,		
850	Nanoplasmonics in energy and biomedical research. 2011 ,		1
849	Electric Field Tuning of Surface Plasmon Resonance Using Vertical Alignment Liquid Crystals on a Silver Grating Structure. 2011 , 545, 85/[1309]-90/[1314]		2
848	Conditions of surface plasmon excitation in Kretschmann structure at nonlinearity in analyte: Correct wavelength-scale analysis by the method of single expression. 2011 ,		
847	Real-time monitoring on peptide synthesis by GMR biosensors. 2011 ,		
846	Light scattering assisted surface plasmon resonance at electrospun nanofiber-coated gold surfaces. 2011 , 98, 241109		11

845	A two-dimensional polarization interferometry based parallel scan angular surface plasmon resonance biosensor. 2011 , 82, 023109	30
844	Triangular resonator with surface plasmon resonance around the critical angle. 2011 , 110, 073107	
843	Fabrication of fiber-optic localized surface plasmon resonance sensor and its application to detect antibody-antigen reaction of interferon-gamma. 2011 , 50, 124405	30
842	Strategies for light extraction from surface plasmons in organic light-emitting diodes. 2011 , 1, 011004	22
841	Enzyme detection by surface plasmon resonance using specially engineered spacers and plasmonic labelling. 2011 ,	
840	Coupled plasmonic assisted progressive multiple resonance for dielectric material characterization. 2011 , 50, 103801	12
839	Laboratory experiments for exploring the surface plasmon resonance. 2011 , 32, 585-599	24
838	A Novel Method for Heightening Sensitivity of Prism Coupler-Based SPR Sensor. 2011 , 28, 054211	3
837	SPR photo diode detector using transportation phenomenon of photon and electron coupling. 2011 ,	1
836	Synoptic view of Dyakonov-Tamm waves localized to the planar interface of two chiral sculptured thin films. 2011 , 5, 051502	8
835	Photonic and plasmonic waveguide sensors. 2011 ,	
834	Integrating Colloidal Quantum Dots with Porous Silicon for High Sensitivity Biosensing. 2011 , 1301, 241	6
833	Electropolymerization of carboxylated conducting polymer/CNTs composites for use as immunosensor. 2011 ,	
832	. 2011 ,	
831	Extremely High Purcell Factor of Plasmonic Modes in Thin Nano-Metallic Cylinders. 2011 , 50, 060205	2
830	Kretschman configuration surface plasmon resonance imaging using prism sheet. 2011 , 47, 843	1
829	Functional polymers in protein detection platforms: optical, electrochemical, electrical, mass-sensitive, and magnetic biosensors. 2011 , 11, 3327-55	36
828	Deep UV nano-microstructuring of substrates for surface plasmon resonance imaging. 2011 , 22, 165301	22

827	Surface plasmon resonance of ZnO nano-structures with enhanced evanescent field. 2011 , 47, 202	3
826	Highly sensitive detection of naphthalene in solvent vapor using a functionalized PBG refractive index sensor. 2012 , 12, 2018-25	20
825	Near infrared characterization of hetero-core optical fiber SPR sensors coated with Ta2O5 film and their applications. 2012 , 12, 2208-18	16
824	Cholesterol Organization in Phosphatidylcholine Liposomes: A Surface Plasmon Resonance Study. 2012 , 5, 2306-2325	15
823	Mass transport effects in suspended waveguide biosensors integrated in microfluidic channels. 2012 , 12, 14327-43	7
822	Label-free microcavity biosensors: steps towards personalized medicine. 2012 , 12, 17262-94	4
821	Design of SPR Spectrometer Automatic Sampling Control System. 2012 , 442, 272-275	
820	Issues associated with scaling up production of a lab demonstrated MEMS mass sensor. 2012 , 22, 115032	8
819	Measuring the Low Corrosiveness of Biodiesel: Application of a Surface Plasmon Resonance Sensor Using a Copper Layer. 2012 , 68, 025005-1-025005-9	1
818	Localized Surface Plasmon Resonance based Optical Fiber Humidity Sensor with Etched Fiber Core Comprising Enhanced Sensitivity. 2012 ,	3
817	Photorefractive control of surface plasmon polaritons in a hybrid liquid crystal cell. 2012 , 37, 2436-8	11
816	Nanostructures for surface plasmons. 2012 , 4, 157	79
815	SURFACE PLASMON RESONANCE IMAGING BIOSENSOR BASED ON GRAPHENE MULTILAYER. 2012 ,	1
814	Theoretical limit of localized surface plasmon resonance sensitivity to local refractive index change and its comparison to conventional surface plasmon resonance sensor. 2012 , 29, 994-1002	71
813	Optimizing the design of planar heterostructures for plasmonic waveguiding. 2012 , 29, 553	8
812	Localized Surface Plasmon Resonance Dew Sensor for Use Under Low Humidity Conditions. 2012 , 51, 027301	2
811	Experimental demonstration of plasmonic-grating-assisted optical biosensor. 2012 ,	1
810	Multiplex fiber-optic biosensor using multiple particle plasmon resonances. 2012 ,	1

809	Fabrication of high quality sub-micron Au gratings over large areas with pulsed laser interference lithography for SPR sensors. 2012 , 2, 1571	24
808	Hydrogenated amorphous silicon nitride photonic crystals for improved-performance surface electromagnetic wave biosensors. 2012 , 3, 2405-10	18
807	Study of optical phase transduction on localized surface plasmon resonance for ultrasensitive detection. 2012 , 20, 3250-60	17
806	Optical transmission of corrugated metal films on a two-dimensional hetero-colloidal crystal. 2012 , 20, 9215-25	37
805	Dynamic spectroscopic phase microscopy for quantifying hemoglobin concentration and dynamic membrane fluctuation in red blood cells. 2012 , 20, 9673-81	76
804	Design of plasmonic grating structures towards optimum signal discrimination for biosensing applications. 2012 , 20, 11357-69	15
803	Photonic crystal-based all-optical on-chip sensor. 2012 , 20, 19912-20	88
802	Single beam grating coupled interferometry: high resolution miniaturized label-free sensor for plate based parallel screening. 2012 , 20, 23162-73	45
801	Infrared surface plasmon resonance of AZO-Ag-AZO sandwich thin films. 2012 , 20, 23215-26	35
800	Time-variant 1D photonic crystals using flowing microdroplets. 2012 , 20, 24330-41	4
799	Compound resonance-induced coupling effects in composite plasmonic metamaterials. 2012 , 20, 29447-56	11
798	Grating-coupled surface plasmon resonance in conical mounting with polarization modulation. 2012 , 37, 2718-20	17
797	Using off-specular ellipsometry spectra of dielectric grating-coupled plasmon mode for biosensing. 2012 , 29, 363	2
796	Gel-based optical waveguides with live cell encapsulation and integrated microfluidics. 2012 , 37, 1472-4	58
795	Measurement of air refractive index based on surface plasmon resonance and phase detection. 2012 , 37, 2916-8	5
794	TiO ₂ brookite nanostructured thin layer on magneto-optical surface plasmon resonance transducer for gas sensing applications. 2012 , 112, 053524	19
793	Color control through plasmonic metal gratings. 2012 , 100, 201107	23
792	Surface label-free sensing by means of a fluorescent multilayered photonic structure. 2012 , 101, 131105	19

791	Simultaneous surface plasmon resonance and x-ray absorption spectroscopy. 2012 , 83, 083101	7
790	Effect of photodiode angular response on surface plasmon resonance measurements in the Kretschmann-Raether configuration. 2012 , 83, 093102	7
789	2D-SPR biosensor detects the intracellular signal transduction in PC 12 cells at single cell level. 2012 ,	1
788	Electron beam lithography designed silver nano-disks used as label free nano-biosensors based on localized surface plasmon resonance. 2012 , 20, 2587-97	62
787	Highly sensitive refractive index sensor based on structure modulation of digital versatile discs. 2012 ,	0
786	MICRO-FABRICATION PROCESS FOR AN INTEGRATED BIOSENSOR COMPOSED OF A SPR TRANSDUCER COUPLED TO A MICROCALORIMETRIC SENSOR. 2012 , 11, 1240010	1
785	Tunable plasmonic resonance arising from broken-symmetric silver nanobeads with dielectric cores. 2012 , 14, 114010	37
784	Gasochromic properties of thin film oxides in terms of surface physics. 2021 , 46, 7021-7024	
783	Physical and Chemical Modification of Silver Nano Particles. 2021 , 65-81	
782	Surface Plasmon Resonance Based Microstructured Optical Fiber Sensor in IR Regime Using ITO Layer. 2021 , 727-730	
781	New Trends in Biosensor Development for Pesticide Detection. 2021 , 137-168	4
780	Gradient Waveguide Thickness Guided-Mode Resonance Biosensor. 2021 , 21,	1
779	Exploring the Potential of Peptides and Peptidomimetics in Biosensing. 2021 , 33-65	
778	Analysis of an InSb Sphere Array on a Dielectric Substrate in the THz Regime. 2021 ,	
777	Self-referencing biosensors using Fano resonance in periodic aluminium nanostructures. 2021 , 13, 17775-17783	
776	Extended UV detection bandwidth: h-BN/Al powder nanocomposites photodetectors sensitive in a middle UV region due to localized surface plasmon resonance effect. 2021 , 133, 28002	1
775	Multifunctional plasmonic nanomaterials. 2021 , 297-330	0
774	Advanced Label-Free Laser Scanning Microscopy and Its Biological Imaging Application. 2021 , 11, 1002	0

773	Optical Tamm states in semiinfinite layered photonic crystals. 2021 , 489-527	
772	Phosphorene-based intelligent nanosensor for wearable electronics applications. 2021 , 347-369	0
771	High sensitivity refractive index sensor in long-range surface plasmon resonance based on side polished optical fiber. 2021 , 61, 102449	8
770	Preparation and characterization of a silver-magnesium fluoride bi-layers based fiber optic surface plasmon resonance sensor. 2021 , 49, 395-403	1
769	Surface Plasmon Resonance for In-Plane Birefringence Measurement of Anisotropic Thin Organic Film. 2021 , 16, 1023-1028	1
768	2D-antimonene-based surface plasmon resonance sensor for improvement of sensitivity. 2021 , 127, 1	6
767	Gold nano particles based optical fibers for a different sensor in a review. 2021 , 42, 2769-2772	1
766	Design and Analysis of Aluminum-Silicon-Graphene Based Plasmonic Device for Biosensing Applications in the Optical Communication Band. 2021 , 13, 3703-3711	3
765	Nanoarchitected Bioconjugates and Bioreceptors Mediated Surface Plasmon Resonance Biosensor for Diagnosis of Alzheimer's Disease: Development and Future Prospects. 2021 , 1-31	5
764	Molecularly-Imprinted Nanomaterial-Based Surface Plasmon Resonance Biosensors in Molecular Diagnosis. 2021 , 1-28	1
763	The role of temperature in plasmon sensors in physical and biological research. 2021 , 007-008	
762	Plasmon Sensors, Its Structure and Functions. 2021 ,	
761	Molecularly Imprinted Polymer-Based Optical Sensors for Pesticide Determination. 2021 , 93-115	
760	Design and Analysis of a Biochemical Sensor Based on Surface Plasmon Resonance with Ultra-high Sensitivity. 2021 , 16, 849-861	7
759	Introduction to Nanomaterials and Nanotechnology. 2021 , 3-23	4
758	. 2021 , 9, 32627-32633	2
757	Structures, plasmon-enhanced luminescence, and applications of heterostructure phosphors. 2021 , 23, 20765-20794	1
756	Optical DNA Based Sensors for Cervical Cancers. 2021 , 71-83	0

755	A simple analytic approach to the problem of excitation of surface plasmon polaritons with a dipole nanoantenna. 2021 , 43, 100895	0
754	Large shift of resonance wavelengths of silver nanoslit arrays using electrowetting-on-dielectric cells. 2021 , 46, 705-708	1
753	Three-dimensional photonic crystal short-pillar architecture for high-performance optical biosensing. 2021 , 38, 968	
752	The Advance of Plasmonic-Electric Nanopipette Sensing in Single Cells. 2021 , 7, 55-66	
751	Dual-mode surface plasmon resonance sensor chip using a grating 3D-printed prism. 2021 , 1147, 23-29	5
750	waveRAPID [®] - a robust assay for high-throughput kinetic screens with the Creoptix [®] WAVEsystem.	
749	On-Chip Optical Detection of Viruses: A Review. 2021 , 2, 2000150	8
748	High Sensitivity Plasmonic Sensor Based on Fano Resonance with Inverted U-Shaped Resonator. 2021 , 21,	6
747	Graphene Nanocomposite as Optical-Fiber Interface for the Spectroscopy of Aqueous Media: Study of the C-H Stretch. 2021 , 125, 3811-3817	0
746	Sensitivity Analysis of GaAs-Metamaterial Nanocavity as a Tunable Surface Plasmon Resonance Sensor. 2021 , 10, 1001-1011	
745	Spoof Localized Surface Plasmons for Sensing Applications. 2021 , 6, 2000863	20
744	General Conditions of Confinement of the Electromagnetic Wave at the Metal-Dielectric Interface. 2021 , 51, 449-460	1
743	Free facile preparation of Ag-nanoparticles on cellulose membrane for catalysis. 2021 , 28, 4899-4911	3
742	Recent progress in surface plasmon resonance based sensors: A comprehensive review. 2021 , 7, e06321	38
741	Full range tuning of the composition of Au/Ag binary nanoparticles by spark discharge generation. 2021 , 11, 5117	5
740	Nonlinear interferometric surface-plasmon-resonance sensor. 2021 , 29, 11194-11206	4
739	Modulation of surface plasmon resonance by magnetization reversal in Au/Fe/Au trilayer and wedge structure for achieving higher refractive index sensitivity. 2021 , 60, SBBI06	1
738	Theoretical study of hazardous carbon-di-oxide gas sensing using MIM structure-based SPR sensing scheme. 2021 , 15, 167	1

737	High-Efficiency Optical Filters Based on Nanophotonics. 2021 , 16, 662-672		2
736	Tunable infrared metamaterial-based biosensor for detection of hemoglobin and urine using phase change material. 2021 , 11, 7101		11
735	A review on simple and highly sensitive plastic optical fiber probes for bio-chemical sensing. <i>Sensors and Actuators B: Chemical</i> , 2021 , 331, 129393	8.5	26
734	Fabrication of Carbon Disulfide Added Colloidal Gold Colorimetric Sensor for the Rapid and On-Site Detection of Biogenic Amines. 2021 , 21,		1
733	Quantum Plasmonic Sensors. 2021 , 121, 4743-4804		16
732	Plasmonic Enhancement in Water Splitting Performance for NiFe Layered Double Hydroxide-N TC MXene Heterojunction. 2021 , 14, 1948-1954		10
731	Principles, technologies, and applications of plasmonic biosensors. 2021 , 129, 111102		14
730	Quasi-Bound States in the Continuum with Temperature-Tunable Q Factors and Critical Coupling Point at Brewster's Angle. 2021 , 15, 2000290		6
729	Dielectric-Loaded Waveguides as Advanced Platforms for Diagnostics and Application of Transparent Thin Films. 2021 , 37, 3248-3260		4
728	Recent Experimental Developments in Studying Passive Membrane Transport of Drug Molecules. 2021 , 18, 2122-2141		5
727	Sensitivity Enhancement of SPR Sensor with the Black Phosphorus and Graphene with Bi-layer of Gold for Chemical Sensing. 2021 , 16, 1781-1790		13
726	Vat Photopolymerization 3D Printing of Advanced Soft Sensors and Actuators: From Architecture to Function. 2021 , 6, 2001218		7
725	Predictability of Localized Plasmonic Responses in Nanoparticle Assemblies. 2021 , 17, e2100181		7
724	Temperature detection based on surface plasmon resonance at THz wave. 2021 , 95, 1		1
723	Interaction of Tris with DNA molecules and carboxylic groups on self-assembled monolayers of alkanethiols measured with surface plasmon resonance. 2021 , 546, 148984		3
722	Figure of merit enhancement of Ti3C2Tx-graphene based long-range surface plasmon sensor at telecommunication wavelength. 2021 , 53, 1		3
721	Study on Increasing Measurement Range and Enhancing Sensitivity of PCF Surface-Plasmon-Resonance Biosensor using Black Phosphorus. 2021 , 42, 283		
720	DNA-based functionalization of two-dimensional MoS2 FET biosensor for ultrasensitive detection of PSA. 2021 , 548, 149169		10

719	Development of a highly sensitive sensor chip using optical diagnostic based on functionalized plasmonically active AuNPs. 2021 , 32,	4
718	Smartphone-based surface plasmon resonance imaging for near-field concentration mapping. 2021 , 42, 045302	0
717	Electrochemistry-Assisted Surface Plasmon Resonance Biosensor for Detection of CA 15-3. 2021 , 93, 7815-7824	5
716	Studying Soft Interfaces with Shear Waves: Principles and Applications of the Quartz Crystal Microbalance (QCM). 2021 , 21,	9
715	Surface Plasmon-Assisted Fluorescence Enhancing and Quenching: From Theory to Application.. 2021 , 4, 4684-4705	10
714	The Effect of Ag Concentration of Core-Shell Fe ₃ O ₄ @Ag Nanoparticles for Sensitivity Enhancement of Surface Plasmon Resonance (SPR) - Based Biosensor. 884, 337-341	3
713	The hot-wire concept: Towards a one-element thermal biosensor platform. 2021 , 179, 113043	2
712	Sensitivity Enhancement of Graphene-MoSe ₂ Based SPR Sensor Using Ti Adhesion Layer for Detecting Biological Analytes. 2021 , 16, 1945	2
711	waveRAPID-A Robust Assay for High-Throughput Kinetic Screens with the Creoptix WAVEsystem. 2021 , 26, 995-1003	2
710	Fiber-Optic Surface Plasmon Resonance Sensors and Biochemical Applications: A Review. 2021 , 39, 3781-3791	12
709	Effect of layer thickness variation on sensitivity: An SPR based sensor for formalin detection. 2021 , 32, 100419	5
708	Tracking Single Particles Using Surface Plasmon Leakage Radiation Speckle. 2021 , 39, 3950-3960	5
707	A practical Tamm plasmon sensor based on porous Si. 2021 , 11, 065305	5
706	High sensitivity plasmonic temperature sensor based on side-polished photonic crystal fiber.	0
705	Advancements in Grating Nanostructure Based Plasmonic Sensors in Last Two Decades: A Review. 2021 , 21, 12633-12644	4
704	Fano-resonance-based refractive index sensor with ultra-high sensitivity. 2021 , 25, 104327	2
703	Tailoring the chemical functionalization of a transparent polyethylene foil for its application in an OLED-based DNA biosensor. 2021 , 552, 149408	2
702	Graphene plasmon for optoelectronics. 2021 , 6, 100054	21

701	Sensitivity Evaluation of a Multi-Layered Heterostructure Blue Phosphorene/MoS2 Surface Plasmon Resonance Based Fiber Optic Sensor: A Simulation Study. 1	3
700	Sensitivity enhancement of the SPR biosensor for Pseudomonas bacterial detection employing a silicon-barium titanate structure. 2021 , 60, 5588-5598	2
699	Highly sensitive refractive index sensor based on SPR with silver and titanium dioxide coating. 2021 , 53, 1	4
698	Gas Sensors Based on Localized Surface Plasmon Resonances: Synthesis of Oxide Films with Embedded Metal Nanoparticles, Theory and Simulation, and Sensitivity Enhancement Strategies. 2021 , 11, 5388	7
697	An Overview of Artificial Olfaction Systems with a Focus on Surface Plasmon Resonance for the Analysis of Volatile Organic Compounds. 2021 , 11,	7
696	Insights into Fano-type resonance fluorescence from quantum-dotmetal-nanoparticle molecules with a squeezed vacuum. 2021 , 104,	1
695	Phase singularities and optical vortices in photonics.	1
694	Dual-Channel Surface Plasmon ResonanceBased Photonic Crystal Fiber Sensor with Metal-Ta2O5 Coating at Near-infrared Wavelength. 1	2
693	Simulation of wagon wheel optical fiber biosensor for quick and easy detection of cancer cells. 2021 , 53, 1	0
692	Surface plasmon polaritons in a waveguide composed of Weyl and Dirac semimetals. 2021 , 117, 111213	3
691	Recent advances in Surface Plasmon Resonance (SPR) biosensors for food analysis: a review. 2021 , 1-23	6
690	Photonic Crystal Fiber-Based Reconfigurable Biosensor Using Phase Change Material. 2021 , 20, 338-344	8
689	An Eye-Shaped Ultra-Sensitive Localized Surface Plasmon ResonanceBased Biochemical Sensor. 1	1
688	Surface Plasmon Resonance Sensor of CO2 for Indoors and Outdoors. 2021 , 11, 6869	1
687	Multiplexed Prostate Cancer Companion Diagnostic Devices. 2021 , 21,	2
686	High Performance of a Metal Layer-Assisted Guided-Mode Resonance Biosensor Modulated by Double-Grating. 2021 , 11,	4
685	Electromagnetically induced transparency-like effect achieved by a simple nanosystem for double modulated mode sensor. 2021 , 54, 385105	2
684	Biochemical sensing exploiting plasmonic sensors based on gold nanogratings and polymer optical fibers. 2021 , 9, 1397	4

683	Nanoparticle Determination in Water by LED-Excited Surface Plasmon Resonance Imaging. 2021 , 9, 175	1
682	Elevated surface plasmon resonance sensing sensitivity of Au-covered silica sphere monolayer prepared by Langmuir-Blodgett coating. 2021 , 99, 179-186	1
681	Fiber optic SPR sensing of liquids using copper and zinc oxide. 2021 , 238, 166727	0
680	Surface plasmon assisted toxic chemical NO ₂ gas sensor by Au/ZnO functional thin films. 2021 , 10, 163-169	6
679	Simultaneous determination of thickness and refractive index using Cauchy or Sellmeier formulas by the example of surface plasmon resonance study on ultrathin polysulfone film. 1-7	0
678	Surface Plasmon Resonance Sensors Based on Molecularly Imprinted Polymers. 2021 , 221-236	1
677	Lasing-enhanced surface plasmon resonance spectroscopy and sensing. 2021 , 9, 1699	2
676	Green Synthesis of Gold, Silver, and Iron Nanoparticles for the Degradation of Organic Pollutants in Wastewater. 2021 , 5, 219	12
675	Highly Sensitive Uric Acid Detection Based on a Graphene Chemoresistor and Magnetic Beads. 2021 , 11,	2
674	A surface plasmon temperature sensor based on E7 liquid crystal using angle interrogation method. 1-15	2
673	Bovine Serum Albumin Protein Detection by a Removable SPR Chip Combined with a Specific MIP Receptor. 2021 , 9, 218	7
672	Magnetic field sensor based on plasmonic fiber optics coupled with smartphone. 2021 , 140, 107065	2
671	Surface Plasmonic Sensors: Sensing Mechanism and Recent Applications. 2021 , 21,	11
670	Plasmonics in the visible domain for a one-dimensional truncated photonic crystal terminated by graphene: Sensing beyond Dirac point's approximation. 2021 , 408, 127465	
669	Current Review of Optical Neural Interfaces for Clinical Applications. 2021 , 12,	0
668	Chemical and Biological Applications Based on Plasmonic Optical Fiber Sensors. 2021 , 24, 50-55	1
667	Universal tool for surface plasmon resonance sensors realized in waveguides. 2021 ,	
666	Surface Plasmon Resonance Sensor Based on Double-Sided Polished Microstructured Optical Fiber With Hollow Core. 2021 , 13, 1-8	7

- 665 Optical Parameters of Atomically Heterogeneous Systems Created by Plasma Based Low Energy Ion Beams: Wavelength Dependence and Effective Medium Model. **2021**, 9, 1
- 664 Ultrasensitive Sensors Based on Plasmonic Nanoparticles. **2021**, 171-188
- 663 Sensitivity enhancement using anisotropic black phosphorus and antimonene in bi-metal layer-based surface plasmon resonance biosensor. **2021**, 156, 106969 8
- 662 Side-Polished D-Type Fiber SPR Sensor for RI Sensing With Temperature Compensation. **2021**, 21, 16621-166286
- 661 Solvent-free facile fabrication of gold nanoparticles loaded carbon nitride and their photocatalytic performance under visible light illumination. **2021**, 241, 167205 1
- 660 Modeling, simulation and computational analysis of plasmonic optical sensor using BaTiO₃ in diabetes mellitus. 1 0
- 659 Fiber optic coupled surface plasmon resonance sensor based Ag-TiO₂ films for hydrogen detection. **2021**, 65, 102616 2
- 658 Fast, accurate, point-of-care COVID-19 pandemic diagnosis enabled through advanced lab-on-chip optical biosensors: Opportunities and challenges. **2021**, 8, 031313 17
- 657 Polished Photonic Crystal Fiber Refractive Index Sensor Based on Surface Plasmon Resonance. 2
- 656 Performance Enhancement of Surface Plasmon Resonance (SPR) Structure Using a Sinusoidal Diffraction Grating. **2022**, 123-132
- 655 Simultaneous Manipulation of Electric and Magnetic Surface Waves by Topological Hyperbolic Metasurfaces. **2021**, 3, 4203-4209 2
- 654 Fiber Bragg gratings with oblique strokes and sensors based on them.
- 653 Scattering-based Light Microscopy: From Metal Nanoparticles to Single Proteins. **2021**, 121, 11937-11970 9
- 652 Sensitivity enhancement of a fiber plasmonic sensor based on rolled-up Ag/TiO₂ hyperbolic metamaterials. 0
- 651 MagnetoPlasmonic Waves/HOMO-LUMO Free Electron Transitions Coupling in Organic Macrocycles and Their Effect in Sensing Applications. **2021**, 9, 272
- 650 Cancer cell detector based on a slab waveguide of anisotropic, lossy, and dispersive left-handed material. **2021**, 60, 8360-8367 2
- 649 DNA hybridization detection using graphene-MoSe₂/Ag heterostructure-based surface plasmon resonance biosensor. **2021**, 127, 1 1
- 648 Plasmon Character Index: An Accurate and Efficient Metric for Identifying and Quantifying Plasmons in Molecules. **2021**, 12, 9391-9397 1

647	Plasmonic Au-Metal Oxide Nanocomposites for High-Temperature and Harsh Environment Sensing Applications. 2021 , 16, 3558-3584	0
646	Design of surface Plasmon resonance based both side polished photonic crystal fiber for highly efficient refractive index sensor. 2021 , 168062	0
645	Sodium-Based Surface Plasmon Resonances for High-Performance Optical Sensing in the Near Infrared. 2021 , 27, 1-8	4
644	Recent advances on portable sensing and biosensing assays applied for detection of main chemical and biological pollutant agents in water samples: A critical review. 2021 , 143, 116344	29
643	Functionalization of gold nanoparticles by β -cyclodextrin as a probe for the detection of heavy metals in water and photocatalytic degradation of textile dye. 2021 , 201, 111628	11
642	Sensitivity enhancement by employing BiFeO ₃ and graphene hybrid structure in surface plasmon resonance biosensors. 2021 , 121, 111618	1
641	Sensitive Near-Infrared Refractive Index Sensors Based on D-Shaped Photonic Crystal Fibers. 2021 , 21, 5535-5541	1
640	A comparative study on pure and cobalt doped manganese ferrite (Co: MnFe ₂ O ₄) nanoparticles in their optical, structural, and gas sensing properties. 2021 , 339, 114500	1
639	Wavelength and decay time tuning of intraband transitions in low spatial frequency laser-induced periodic surface structures. 2021 , 246, 167833	0
638	Excitation of plasmonic and photonic modes in metallic lamellar gratings. 2021 , 500, 127324	1
637	Single-mode eccentric-core D-shaped photonic crystal fiber surface plasmon resonance sensor. 2022 , 145, 107474	6
636	CMOS-compatible silicon nanowire field-effect transistors: Where nanotechnology pushes the limits in biosensing. 2022 , 327-362	1
635	The preparation of visible light-driven ZnO/Ag ₂ MoO ₄ /Ag nanocomposites with effective photocatalytic and antibacterial activity. 2022 , 891, 161898	7
634	Combined SPRi Sensor for Simultaneous Detection of Nitrate and Ammonium in Wastewater. 2021 , 21,	1
633	Theoretical comparison between graphene-on-silver and gold-on-silver based surface plasmon resonance sensor. 2021 , 45, 7571-7575	1
632	Gold nanorod self-assembly on a quartz crystal microbalance: an enhanced mercury vapor sensor.	0
631	Effect of 2D, TMD, perovskite, and 2D transition metal carbide/nitride materials on performance parameters of SPR biosensor. 2021 , 57-90	1
630	Tuning the Sensitivity of a Fiber-Optic Plasmonic Sensor: An Interplay Among Gold Thickness, Tapering Ratio and Surface Roughness. 2021 , 1-1	3

629	Non-Uniform Narrow Groove Plasmonic Nano-Gratings for SPR Sensing and Imaging. 2021 , 9, 10136-10152	6
628	Metal-organic framework based systems for CO ₂ sensing.	3
627	Impedimetric DNA Sensing Employing Nanomaterials. 279-301	1
626	Controlling Biological Functionalization of Surfaces by Engineered Peptides. 137-150	2
625	Principles and Applications of Surface-Plasmon Field-Enhanced Fluorescence Techniques. 2005 , 305-332	5
624	Technological Platforms Based on Micro/Nanobiosensors as Early Warning Systems for Biological Warfare. 2005 , 175-197	1
623	SENSORS BASED ON SPECTROSCOPY OF GUIDED WAVES. 2006 , 179-192	1
622	Optical Sensing of Enantiomers. 2005 , 323-341	2
621	Electrochemical Approaches to Aptamer-Based Sensing. 2009 , 179-197	4
620	Main Concepts of Chemical and Biological Sensing. 2009 , 25-60	1
619	Single Molecule Analysis with Planar Optofluidics. 2009 , 487-512	2
618	Label-Free Biochemical Sensors Based on Optical Microresonators. 2009 , 177-227	1
617	Silicon Photonic Wire Waveguide Sensors. 2009 , 229-264	4
616	Biosensing Configurations Using Guided Wave Resonant Structures. 2008 , 211-228	3
615	Experimental Characterization of Peptide-Surface Interactions. 2014 , 37-94	4
614	Surface Plasmon Resonance for Therapeutic Antibody Characterization. 2015 , 35-76	5
613	Array-based spectral SPR biosensor: analysis of mumps virus infection. 2009 , 503, 37-47	4
612	Multiplexed surface plasmon resonance imaging for protein biomarker analysis. 2013 , 949, 473-90	3

611	Molecularly Imprinted Polymers and Optical Fiber Sensors for Security Applications. 2020 , 17-24	5
610	Applications of Nanotechnology in Developing Biosensors for Food Safety. 2015 , 1103-1136	1
609	Surface Plasmon Resonance Biosensors for Food Safety. 2004 , 145-172	8
608	Express Instrumental Diagnostics of Diseases Caused by Retroviral Infections. 2011 , 77-85	1
607	Surface Plasmon, Surface Wave, and Enhanced Evanescent Wave Microscopy. 2017 , 503-543	6
606	Surface Plasmon, Surface Wave, and Enhanced Evanescent Wave Microscopy. 2016 , 1-41	1
605	Plasmonic Nanoslit Arrays for Sensitive Biosensors. 2015 , 447-468	1
604	Study of Approaches to Implement the Prism-Based Surface Plasmon Resonance Sensors. 2020 , 353-362	4
603	Biophotonic sensor for rapid detection of brain lesions using 1D photonic crystal. 2020 , 52, 1	38
602	Effect of a Metamaterial and Silicon Layers on Performance of Surface Plasmon Resonance Biosensor in Infrared Range. 2018 , 10, 1451-1460	11
601	INTERFACIAL AND MATERIALS ASPECTS OF THE IMMOBILIZATION OF BIOMOLECULES ONTO SOLID SURFACES. 2001 , 1-31	11
600	Bioprocessing of synthetic fibres. 2014 , 189-250	8
599	Effect of CTAB on the surface resonance plasmon intensity of silver nanoparticles: Stability and oxidative dissolution. 2020 , 302, 112565	16
598	Enhanced stability of plasmonic metal thin films by CVD grown graphene transfer. 2017 , 644, 65-70	8
597	Electronic Composites: Modeling, Characterization, Processing, and MEMS Applications. 2005 ,	34
596	Synergetic Determination of Thermodynamic and Kinetic Signatures Using Isothermal Titration Calorimetry: A Full-Curve-Fitting Approach. 2017 , 89, 7130-7138	8
595	Enhanced Quality Factor Label-free Biosensing with Micro-Cantilevers Integrated into Microfluidic Systems. 2017 , 89, 11929-11936	13
594	Mid Infrared Optical Gas Sensor Using Plasmonic Mach-Zehnder Interferometer. 2020 , 10, 1293	30

593	CHAPTER 1:Introduction to Food Biosensors. 2016 , 1-21	5
592	Chapter 2:History and Physics of Surface Plasmon Resonance. 27-59	4
591	CHAPTER 11:Advance Engineered Nanomaterials in Point-of-care Immunosensing for Biomedical Diagnostics. 2019 , 238-266	13
590	CHAPTER 13:Antibodies Versus Aptamers: A Comparative View. 2019 , 303-331	3
589	Chapter 3:SPR Instrumentation. 35-80	14
588	Chapter 10:SPR Imaging for Clinical Diagnostics. 313-332	3
587	Chapter 2:Chemical and Biological Sensing Using Gold Nanoparticles. 2008 , 29-59	0
586	CHAPTER 1:Biosensor Technology and the Clinical Biochemistry Laboratory ¶Issue of Signal Interference from the Biological Matrix. 2013 , 1-34	4
585	Optical surface plasmons at a metal-crystal interface with the Drude-Lorentz model for material permittivity. 2021 , 96, 015601	2
584	Ultrasensitive and rapid detection of malaria using graphene-enhanced surface plasmon resonance. 2020 , 7, 045019	6
583	Surface plasmon resonance spectroscopy in the mid-infrared range. 2008 ,	1
582	Terahertz surface plasmonic waves: a review. 2020 , 2, 1	55
581	Real-time biodetection using a smartphone-based dual-color surface plasmon resonance sensor. 2018 , 23, 1-6	8
580	Geometrical comparison of photonic crystal fiber-based surface plasmon resonance sensors. 2018 , 57, 1	18
579	Sensing of liquid analytes via the phase shift induced by surface plasmon resonance. 2018 ,	1
578	Liquid sensor based on optical surface plasmon resonance in a dielectric waveguide. 2018 ,	3
577	Plasmonic coupled modes in metal-insulator-metal structures for sensing applications. 2018 ,	1
576	Plasmonic optical systems for gas detection. 2019 ,	1

575	Highly sensitive carboxyl-graphene oxide-based SPR immunosensor for the detection of CA19-9 biomarker. 2019,	3
574	Plasmonics and sensing beyond classical limits. 2019,	2
573	Optofluidic Switches and Sensors. 2010, 10-1-10-32	3
572	Photonic Crystal Waveguide Sensing. 2013, 1-32	1
571	Enhancement of Refractive Index Sensitivity in Photonic Crystal Waveguide-Based Sensors by Selective Infiltration. 2013, 124, 50-55	10
570	Surface Plasmon Resonance Based Sensing of Aqueous Solutions Using Spectral Interferometry. 2016, 129, 23-27	1
569	Hybrid Coupler with Short Range Surface Plasmon Polariton and Dielectric Waveguide. 2011,	1
568	Liquid crystal filled dual-channel self-calibration optical-fiber surface plasmon resonance thermometer. 2020, 59, 720-725	2
567	Dual-polarized highly sensitive surface-plasmon-resonance-based chemical and biomolecular sensor. 2020, 59, 3296-3305	19
566	Tuning optical properties of atomically heterogeneous systems created by plasma-based low-energy ion beams. 2020, 59, 4507-4516	2
565	Gold-aluminum-based surface plasmon resonance sensor with a high quality factor and figure of merit for the detection of hemoglobin. 2018, 57, 9230-9237	22
564	Plasmonic-induced absorption based on an end-coupled combined resonance system of a semiannular cavity and rectangular cavity. 2019, 58, 43-49	2
563	Tunable metasurface refractive index plasmonic nano-sensor utilizing an ITO thin layer in the near-infrared region. 2019, 58, 2616-2623	6
562	Experimental studies on the sensitivity of the propagating and localized surface plasmon resonance-based tapered fiber optic refractive index sensors. 2019, 58, 4149-4156	17
561	Simulation study on comprehensive sensing enhancement of BlueP/MoS- and BlueP/WS-based fluoride fiber surface plasmon resonance sensors: analysis founded on damping, field, and optical power. 2019, 58, 4518-4525	5
560	Resolution enhancement in quantitative phase microscopy. 2019, 11, 135	34
559	Surface Plasmon Resonance Phase Imaging. 2000,	1
558	Rapid and highly-sensitive detection using Fano resonances in ultrathin plasmonic nanogratings. 2015,	1

557	Influence of the CTAB surfactant layer on optical properties of single metallic nanospheres. 2019 , 36, C78-C84	8
556	Amplitude scaling and lateral shift of leaky radiation from surface plasmon excitation. 2019 , 36, 451	2
555	Exposed-core localized surface plasmon resonance biosensor. 2019 , 36, 2306	36
554	Rational design of colorimetric sensing for a customer-oriented index range using plasmonic substrates. 2019 , 36, 3168	3
553	Design of a near-infrared plasmonic gas sensor based on graphene nanogratings. 2020 , 37, 3478	11
552	Emission of R6G dye in FabryPerot cavities in weak and strong coupling regimes. 2020 , 37, 3200	2
551	Quantum plasmonic sensing using single photons. 2018 , 26, 29272-29282	15
550	Dual-polarized highly sensitive plasmonic sensor in the visible to near-IR spectrum. 2018 , 26, 30347-30361	99
549	Experimental demonstration of high sensitivity refractive index sensing based on magnetic plasmons in a simple metallic deep nanogroove array. 2018 , 26, 34122-34130	9
548	Sensitivity-enhanced surface plasmon sensor modified with MoSe overlayer. 2018 , 26, 34250-34258	17
547	Suspended LRSP for the development of highly integrated active plasmonic devices. 2019 , 27, 8858-8870	3
546	Spatially-targeted laser fabrication of multi-metal microstructures inside a hydrogel. 2019 , 27, 14657-14666	11
545	Metallic photonic crystal-based sensor for cryogenic environments. 2019 , 27, 16344-16359	3
544	3D nanoporous antennas as a platform for high sensitivity IR plasmonic sensing. 2019 , 27, 25912-25919	4
543	Characteristics of a bidirectional multifunction focusing and plasmon-launching lens with multiple periscope-like waveguides. 2020 , 28, 20334-20344	3
542	Hybrid Tamm-surface plasmon polariton mode for highly sensitive detection of protein interactions. 2020 , 28, 29033-29043	16
541	Enhancing the figure of merit of refractive index sensors by magnetoplasmons in nanogratings. 2018 , 43, 5090-5093	11
540	Real-time SPR imaging based on a large area beam from a wavelength-swept laser. 2018 , 43, 5476-5479	4

539	Palladium-coated plasmonic optical fiber gratings for hydrogen detection. 2019 , 44, 4483-4486	29
538	Giant electron-phonon coupling detected under surface plasmon resonance in Au film. 2019 , 44, 4590-4593	2
537	Opening up dual-core microstructured optical fiber-based plasmonic sensor with large detection range and linear sensitivity. 2019 , 9, 819	18
536	One-dimensional photonic crystal for Bloch surface waves and radiation modes-based sensing. 2019 , 9, 4009	21
535	High Q-factor multiple Fano resonances for high-sensitivity sensing in all-dielectric metamaterials. 2019 , 2, 2818	12
534	Dynamic monitoring of mechano-sensing of cells by gold nanoslit surface plasmon resonance sensor. 2014 , 9, e89522	7
533	SPR Sensor Chips with Polymer Nanogratings. 2009 , 7, 750-756	1
532	Advances in photonics of recently developed Xenes. 2020 , 9, 1621-1649	6
531	MXenes for future nanophotonic device applications. 2020 , 9, 1831-1853	10
530	Staphylococcus aureus as a food pathogen: the staphylococcal enterotoxins and stress response systems. 2005 , 331-357	2
529	Development of SPR Immunosensing System Using Microchannel Cell for Simultaneous Detection of Several Endocrine-Disrupting Chemicals. 2003 , 123, 217-223	2
528	Biosensors: Functions and Applications. 2013 , 2,	11
527	FAZ TESPİNE DAYALI YÜZEY PLAZMON REZONANS TABANLI ALGILAMANIN KIZILÖTESİBANTTA ANALİZİ 2018 , 23, 117-132	1
526	Achievements in the development of plasmonic waveguide sensors for measuring the refractive index. 2020 , 44, 295-318	12
525	A Simulation Study of Plasmonic Substrate for In-Process Measurement of Refractive Index in Nano-Stereolithography. 2017 , 11, 772-780	1
524	Recent Development of Supramolecular Sensors Constructed by Hybridization of Organic Macrocycles with Nanomaterials. 2020 , 24, 265-290	9
523	Performance parameters evaluation of surface plasmon resonance based fiber optic sensor with different bilayer metals: Theoretical study.. 2018 , 29, 195	1
522	INTEGRATED METAL-INSULATOR-METAL PLASMONIC NANO RESONATOR: AN ANALYTICAL APPROACH. 2013 , 43, 83-94	16

521	Photoemission from metal nanoparticles. 2012 , 182, 543	5
520	Plasmonic Optical Biosensors for Detecting C-Reactive Protein: A Review. 2020 , 11,	6
519	In-situ and simultaneous evaluation of optical absorption and deposition for phthalocyanine layer-by-layer thin films using an optical waveguide sensor utilizing surface plasmon resonance. 2020 , 59, 116501	1
518	In Vitro Biocompatibility Test of Multi-layered Plasmonic Substrates with Flint Glasses and Adhesion Films. 2014 , 18, 174-179	3
517	Influence of Technological Factors on Sensitivity of Analytical Devices Based on Surface Plasmon Resonance. 2015 , 05, 54-61	7
516	Engineering a Localized Surface Plasmon Resonance Platform for Molecular Biosensing. 2018 , 08, 126-139	14
515	Simply Modified Biosensor for the Detection of Human IgG Based on Protein A Modified Porous Silicon Interferometer. 2009 , 30, 1593-1597	2
514	Label-Free Electrochemical DNA Detection Based on Electrostatic Interaction between DNA and Ferrocene Dendrimers. 2010 , 31, 3099-3102	4
513	Metal ion binding and tolerance of bacteria cells in view of sensor applications. 2018 , 7, 433-441	1
512	PDMS-based Optical Leaky Waveguide Coated with Self-assemble Au-NPs for Bio-analytical Detections. 2012 , 2, 63-68	1
511	Study of Au-Ag alloy film based infrared surface plasmon resonance sensors. 2013 , 62, 060703	8
510	Optical properties of graphene plasmons and their potential applications. 2015 , 64, 106801	9
509	Research progress of coupling theory of metal surface plasmon. 2019 , 68, 247301	6
508	Extremely High Purcell Factor of Plasmonic Modes in Thin Nano-Metallic Cylinders. 2011 , 50, 060205	3
507	Localized Surface Plasmon Resonance Dew Sensor for Use Under Low Humidity Conditions. 2012 , 51, 027301	1
506	A Novel Plasmonic Bio-Sensor Operating Based on Optical Beam Steering. 2022 , 40, 277-283	
505	. 2021 , 9, 139293-139302	0
504	Attomolar analyte sensing techniques (AttoSens): a review on a decade of progress on chemical and biosensing nanoplatforms. 2021 , 50, 13012-13089	5

503	GeO ₂ Doped Optical Fiber Plasmonic Sensor for Refractive Index Detection. 2021 , 9,	0
502	Bloch Surface Waves Mediated Micro-Spectroscopy. 2021 , 17, e2103688	2
501	A Review: Application and Implementation of Optic Fibre Sensors for Gas Detection. 2021 , 21,	2
500	Au-strip's shape dependent performance of D-shaped SPR based sensors. 2021 , 34, 100462	
499	2D material assisted SMF-MCF-MMF-SMF based LSPR sensor for creatinine detection. 2021 , 29, 38150-38167	55
498	Metallic Grating-Assisted Fiber Optic SPR Sensor with Extreme Sensitivity in IR Region. 1	3
497	High Sensitivity Terahertz Biosensor Based on Mode Coupling of a Graphene/Bragg Reflector Hybrid Structure. 2021 , 11,	0
496	Polarization modulation by surface plasmons in Young's double-slit setup. 2021 , 104,	2
495	A Wedge-Shaped Au Thin Film: Integrating Multiple Surface Plasmon Resonance Sensors in a Single Chip and Enhancing the Figure of Merit. 2021 , 3,	0
494	Achieving geometrical enhancement of fields in chiral nanoplasmonics using fractional calculus. 1-11	0
493	Enhanced Plasmonic Biosensor Utilizing Paired Antibody and Label-Free FeO Nanoparticles for Highly Sensitive and Selective Detection of Parkinson's -Synuclein in Serum. 2021 , 11,	2
492	Fabrication of a Sensitive Biosensing System for Cu ²⁺ ion Detection by Gold-Decorated Graphene Oxide Functionalized with Gly-Gly-His. 1	
491	Enhanced birefringence for refractometric optical fiber sensor with titanium oxide. 2021 , 47, 100973	1
490	Dynamics on Molecular Films. Surface Plasmon Resonance Measurement for Organic Ultrathin Films.. 2000 , 21, 630-634	1
489	?????????????????????????????????????. 2001 , 69, 702-706	
488	Biospecific Interactions on the Optical Transducer Surface - The Base of Infection Diagnostics. 2002 , 369-376	4
487	Biosensors.	
486	Near-Field Fiber-Optic Chemical Microsensors. 2003 , 123, 132-133	

- 485 Imaging of self-assembled monolayers by surface plasmon microscope. **2003**, 14, 97-102
- 484 Recognition of Microorganisms Using SPR Biosensor Immobilized with Thiolated Antibody. **2003**, 28, 167-172
- 483 Measurement of Alcohol Contents in Alcoholic Beverages Using a Surface Plasmon Resonance Sensor. **2004**, 29, 323-328
- 482 Optical Fiber Biosensor Based on Localized Surface Plasmon Resonance in Gold Nanoparticles. **2005**, 33, 603-608
- 481 Design of multi-layered surface plasmon resonance sensors using optical admittance method and evolution algorithm. **2005**, 14, 402-408
- 480 Chapter 8 Biosensing with plasmonic nanoparticles. **2006**, 219-270
- 479 PLANAR WAVEGUIDING SYSTEMS FOR OPTICAL SENSING. **2006**, 261-280
- 478 Analysis of a Surface Plasmon Resonance Waveguide Sensor Using the BPM with the Complex Pad Approximant. **2006**, 1
- 477 Semiconductor-Based Chemical Microsensors. **2006**, 567-666 1
- 476 Semiconductor-Based Chemical Microsensors. **2006**, 567-666
- 475 Label-Free Biosensing Technique Based on Anomalous Reflection of Gold. **2007**, 28, 218-222
- 474 Diffraction gratings for smart plasmon sensor application. **2008**,
- 473 Long-Range Surface-Plasmons Excited on Double-Layered Metal Waveguides. **2008**, 19, 73-79
- 472 Nanosecond interrogation of surface plasmon resonance sensors using chirped femtosecond optical pulses. **2008**,
- 471 Nanosensors: Controlling Transduction Mechanisms at the Nanoscale Using Metal Oxides and Semiconductors. **2009**, 1-51
- 470 A Prototype of Miniaturized SPR Sensing System based on Polymer Light-Emitting Diode. **2009**, 2372-2374 0
- 469 Monitoring Biomolecular Interaction with 1-D Plasmonic Nanostructure by Using Dark Field Microscopy. **2009**, 2300-2303
- 468 Microresonator Sensors Made in Polymers with Functional Chromophore Dopants. **2009**, 7-34

- 467 Refractive Index Sensor for Ultra-thin Layer Based on Short Range Surface Plasmon Polariton Hybrid Coupler. **2009**,
- 466 Label-Free Biosensing Utilizing Ultrasmall Photonic Crystal Nanolaser. **2009**, 3
- 465 Propagation of Light. **2009**,
- 464 Surface Plasmon Resonance Ellipsometry Using an Air Injection System with an Extraction of Air System. **2009**, 20, 182-188
- 463 Kinetics of Chemo/Biosensors. **2010**, 819-844
- 462 Coupling characteristics between slot plasmonic mode and dielectric waveguide mode. **2010**,
- 461 Study of interaction of surface plasmon resonance sensor with nano-gold. **2010**, 59, 6532 10
- 460 Integrated Optofluidic Waveguides. **2010**, 16-1-16-28 0
- 459 Recent research trends on Bio-MEMS. **2010**, 19, 259-270 1
- 458 Detection of deoxynivalenol using a MOSFET-based biosensor. **2010**, 19, 306-312
- 457 Development of a Novel Cladding-doped Optical Fiber with Au Metal Nano-particles for Surface Plasmon Resonance Sensor Applications. **2011**,
- 456 Biochemische Reaktionen. **2011**, 481-529
- 455 Non-linear Control of Surface Plasmon Polaritons with Photorefractive Liquid Crystal Cells. **2011**,
- 454 Research Progress in Nanophotonics Materials and Devices. **2011**, 01, 9-19
- 453 Nanoparticle identification from a liquid matrix using the maximum entropy method for SPR reflectance. **2011**,
- 452 Bioanalytical Screening Methods. 153-186 1
- 451 Design and Simulation on Surface Plasmon Resonance Sensor Based on Dual-Wavelength Intensity Modulation. **2012**, 729-737
- 450 Photon Generation in Electronic Transitions: Lasers and Nanoscopic Sources. **2012**, 67-110

- 449 Design of extraordinary-optical-transmission refractive-index sensor of subwavelength metallic slit array based on a Fabry-Perot model. **2012**, 61, 200701 1
- 448 Self assembly of large area 3D photonic crystals. **2012**,
- 447 Plasmonic Sensors Based on Rayleigh Anomaly. **2012**, 1
- 446 Refractive Index Sensor for Ultra-thin Layer based on SPP-Dielectric Hybrid Coupler. **2012**,
- 445 Influence of protein immobilization methods on surface plasmon resonance measurement of drug-protein interaction. **2012**, 24, 20-24
- 444 The Integrated Surface Plasmon Resonance Sensor using Polymer Optical Waveguide. **2012**, 61, 433-436
- 443 Design and Development of Miniaturized Wavelength Modulation Surface Plasmon Resonance Analyzer. **2012**, 39, 1537-1542
- 442 Surface Immobilization of Probes. **2013**, 87-116
- 441 A Hidden Surface Plasmon Resonance Generates Second-Harmonic Light from a Metal Film. **2013**,
- 440 Deep-UV Surface Plasmon Resonance for Enhancement of Fluorescence Excitation. **2013**, 41, 191
- 439 A Novel Method for Accurately Mapping Surface Plasmons. **2013**,
- 438 New application of surface plasmon resonance-measurement of weak magnetic field. **2013**, 62, 037302 2
- 437 Transduction Platforms. **2013**, 63-148
- 436 Surface Plasmon Resonance Refractive Index Sensor Using Optical Fibers. **2013**, 41, 342
- 435 Optical Fiber Gratings for Mechanical and Bio-sensing. **2013**, 91-117 0
- 434 CHAPTER 1:Introduction to Biosensor Technology. **2013**, 1-49
- 433 Fiber-Optic Sensor Simultaneously Detecting Localized Surface Plasmon Resonance and Surface-Enhanced Raman Scattering. **2013**, 2, 46-51
- 432 Tissue, Microorganisms, Organelles, and Cell-Based Biosensors. **2013**, 293-322

431 Optical Biosensors in Food Safety and Control. **2013**, 473-486

430 Encyclopedia of Microfluidics and Nanofluidics. **2014**, 1-9

429 Optical Characteristics of Plasmonic Waveguide Using Tapered Structure. **2014**, 27, 156-161

428 Study of the Dependence of the Electric Potential on Surface Plasmon Resonance Characteristics. **2014**, 25, 95-101

427 Introduction: Surface Plasmons. **2015**, 1-27

426 Strategic Role of Nanobiosensor in Food: Benefits and Bottlenecks. **2015**, 169-182

425 Finite difference time domain simulation of optical properties of annular cavity arrays. **2015**, 64, 227301

424 Surface Plasmon Resonance Sensor Based on a Polymer Waveguide with a Copper Thin-Film Overlay. **2015**,

423 Combination of Surface Plasmon Resonance and X-Ray Absorption Spectroscopies. Experimental Setup. **2015**, 119-134

422 Combocopolymers of Regioregular Poly 3 Hexylthiophene Applied in Surface Plasmon Resonance Based NO₂ Sensor. **2015**,

421 Differentiating surface and bulk interactions in nanoplasmonic interferometric sensor arrays. **2015**,

420 Infrared Surface Plasmon Spectroscopy Decodes Early Processes in Epithelial Host Cells upon Enteropathogenic Escherichia coli Infection. **2015**, 353-371

419 Plasmon ruler based on Fano resonance of a simple trimer nanostructures. **2015**,

418 Optical Characteristics of Plasmonic Nano-structure Using Polystyrene Nano-beads. **2015**, 28, 244-248

417 Coupling of Strongly Localized Graphene Plasmons to Molecular Vibrations. **2016**, 19-28

416 Characteristics of Gold and Silver Bimetallic Surface Plasmon Resonance Chip in Intensity Measurement Mode and Calculation of Refractive Index using Critical Angle. **2015**, 24, 423-428

415 Numerical Investigation of a High Performance Subwavelength Grating Based Plasmonic Biosensor. **2016**, 318-321

414 Plasmonic Crystal Cavity on Optical Fiber End Facet for High Performance Label-Free Biosensing. **2016**,

- 413 Chapter 2:Tools for Surface Characterisation of Surface-based Supramolecular Systems. **2016**, 55-103
- 412 Glycoprotein Detection by Using the Surface Plasmon Resonance Technology. **2016**,
- 411 Analysis of Plasmonic Structures by Spectroscopic Ellipsometry. **2016**, 208-239
- 410 High-sensitivity and high-tolerance Label-free detection of proteins based on parabolic tapered coupled two photonic crystal nanobeam slot cavities. **2016**,
- 409 Preamble. **2017**, 1-3
- 408 Analysis of the Sensing Capability of Plasmonic and Magnetoplasmonic Interferometers. **2017**, 59-75
- 407 Plasmonics and Surface Plasmons. **2016**, 1062-1082
- 406 Improvement of sensing performance of ITO grating assisted SPR sensor using ITO-metal configuration. **2017**,
- 405 SPR Based Fiber Optic Quercetin Biosensor Utilizing rGO: PPy: Chitosan Nanocomposite Network. **2017**, 1
- 404 Chapter 7:Molecularly Imprinted Polymers-based Sensing in Food Safety and Quality Analysis. **2017**, 164-199 1
- 403 Photoswitchable Hybrid Nanosystems Based on Diarylethene Molecules and Gold Nanoparticles. **2017**, 443-464 1
- 402 Plasmonic sensing beyond the shot noise limit. **2017**,
- 401 Tailoring Light-Matter Interaction for Quantification of Biological and Molecular Layers. **2017**, 119-142
- 400 Introduction to Label-Free Biosensing. **2017**, 7-35
- 399 Immunoassay. 1-9
- 398 Plasmonic Microscopy for Biomedical Imaging. **2017**, 411-451
- 397 Computing Reflectance of Three-Layer Surface Plasmon-Based Sensor at Visible Spectra. **2018**, 221-228 0
- 396 Silicon metamaterials for infrared applications. **2017**, 347-372

- 395 Plasmonic detection of possible defects in multilayer nanohole array consisting of essential materials in simplified STT-RAM cell. **2017**, 1
- 394 Localized polariton-based sensors. **2017**, 175-198
- 393 Surface-wave phenomena and anisotropic photoluminescence in nano-film structures. **2017**,
- 392 Flow-through nanohole array based sensor implemented on analogue smartphone components. **2017**,
- 391 Biomolecule Sensing Using Surface Plasmon Resonance. **2017**, 259-288
- 390 Theoretical investigation of detection accuracy of surface plasmon resonance sensor with dielectric layer. **2017**, 11, 1 0
- 389 V-Trench Biosensor: Microfluidic Plasmonic Biosensing Platform. **2018**, 12, 73-78 1
- 388 Refractive Index Sensing by High Aspect Ratio Titanium Nitride Trench Structures. **2018**,
- 387 Calculating Transmittance and Field Enhancement of n-Layer MIM Surface Plasmon Structure for Detection of Biological Nano-Objects. **2018**, 393-401 1
- 386 CHAPTER 8. Molecularly Imprinted Polymer-based Optical Chemosensors for Selective Chemical Determinations. **2018**, 227-281 1
- 385 Introduction. **2018**, 1-6
- 384 Introduction. **2018**, 1-44
- 383 Quantum Enhanced Sensing with Squeezed Light. **2018**,
- 382 Enhanced Plasmonic Detection with Dielectrophoretic Concentration. **2018**, 123-146
- 381 Plasmonics and Metamaterials. **2018**, 45-75
- 380 Design of ultra-compact composite plasmonic Mach-Zehnder interferometer for chemical vapor sensing. **2018**,
- 379 Mid-infrared plasmonic gas sensor. **2018**, 1
- 378 Optical modulators and biochemical sensors based on low-symmetric nanophotonic structures with interferometric configurations. **2018**,

- 377 Numerical analysis of side-hole fiber surface plasmon resonance sensor for simultaneous magnetic field and temperature measurement. **2018**, 57, 1 0
- 376 Surface temperature measurement through surface plasmon resonance. **2018**,
- 375 Anti-bending long period grating in embedded-core optical fiber. **2018**,
- 374 A novel birefringent photonic crystal fiber surface plasmon resonance sensor. **2018**, 0
- 373 Finite-difference time-domain analysis of hydrogenated amorphous silicon and aluminum surface plasmon waveguides. **2018**, 57, 1
- 372 Surface Plasmon Resonance Imaging of Excitable Cells.
- 371 Influence of structural parameters on the performance of gold-coated photonic crystal fiber polarization filter. **2018**, 57, 1 1
- 370 Thickness dependent surface plasmon of silver film detected by nitrogen vacancy centers in diamond. **2018**, 43, 5587-5590 2
- 369 Enhancement of plasma resonance in a Hi-Bi D-shaped photonic crystal fiber SPR sensor. **2018**,
- 368 Research on surface plasmon resonance sensor based on wavelength and angular combined modulations. **2018**,
- 367 Ellipsometry of hybrid noble metal-dielectric nanostructures. **2018**, 21, 412-416 7
- 366 A Novel Intensity-Based Sensor Platform for Refractive Index Sensing. **2019**, 269-273
- 365 Fiber Grating Devices. **2019**, 1351-1377
- 364 Realization of Point-of-Darkness and Extreme Phase Singularity in Nanophotonic Cavities. **2019**, 29-44
- 363 Surface plasmon polaritons propagation controlled by metal-photorefractive material composite holographical structure. **2019**, 68, 067101 1
- 362 Real-Time Sensing with Patterned Plasmonic Substrates and a Compact Imager Chip. **2019**, 2027, 87-100
- 361 A Review on Chemosensors. **2019**, 133-146
- 360 Investigating Opto-Electronic Properties of Surface Plasmon Structure for Spectroscopic Applications. **2019**, 216-276 0

- 359 Substrate Effect on Sensing Characteristics of Gold Thin Films and Gratings. **2019,**
- 358 Bimetallic surface plasmon resonance photonic crystal fiber biosensor using refractory plasmonic material. **2019,** 1
- 357 Plasmonic nanostructured chips for chemical and biological sensing in the UV-regime. **2019,**
- 356 Detection of biological analytes using surface plasmon resonance as a biosensing technique for possible development of a point of care diagnostic tool. **2019,** 1
- 355 Bioconjugation of gold nanoparticles for surface plasmon resonance sensor. **2019,** 0
- 354 Plasmonic biosensor detected human chorionic gonadotropin with naked eye. **2019,**
- 353 Surface plasmon resonance imaging for detection of drug metabolites in water. **2019,**
- 352 Zirconium metal-organic framework functionalized plasmonic sensor. **2019,**
- 351 96-well capped gold nanoslits for backside-reflection plasmonic biosensing. **2019,**
- 350 Fabrication of Refractive Index Sensors using Polarization Independent Metamaterial and Their Application to Chemical Concentration Measurement and DNA Detection. **2019,** 139, 163-168
- 349 Characterization of thermal bump due to surface plasmon resonance. **2019,** 27, 21717-21728
- 348 Ultra-sensitive detection of heavy metal using a fiber grating-assisted plasmonic electrochemical sensor. **2019,**
- 347 Caracterizaci3n de un nuevo dise1o de sensor de temperatura basado en el efecto de resonancia de plasmones. **2020,** 2, 98-105
- 346 Refractive index sensing and imaging based on polarization-sensitive graphene. **2019,** 27, 29273-29286 4
- 345 Optimization of Optical Parameters of Metal-Dielectric Heterostructures for Plasmonic Sensors Formation. **2019,** 41, 751-764 2
- 344 Highly Sensitive Retro-Reflectance Fiber-Optic Sensors for Liquid-Liquid Interface Detection. **2019,**
- 343 An SPR-based optical biosensor with shared plasmonic materials and optimized graphene layer: An angular interrogation approach. **2020,** 2
- 342 Sensitivity enhancement of a surface plasmon resonance biosensor by adding Pb5Ge3O11 layer to diagnose the hypothyroidism. **2020,**

- 341 FEATURES OF APPLICATION OF THE ADDITIONAL NANO LAYER OF POLYTETRAFLUOROETHYLENE IN SENSORS BASED. **2020**, 54, 88-95
- 340 Waveguides sensitivity analysis for mid-infrared gas sensing. **2020**,
- 339 Design of 2D Plasmonic Diffraction Gratings for Sensing and Super-Resolution Imaging Applications. **2020**,
- 338 High-throughput imaging surface plasmon resonance biosensing based on ultrafast two-point spectral-dip tracking scheme. **2020**, 28, 20624-20633 2
- 337 Oxygen defect, electron transfer and photocatalytic activity of Ag/CeO₂/SBA-15 hybrid catalysts. **2021**, 0
- 336 Rotation and Revolution of Optically Trapped Gold Nanorods Induced by the Spin and Orbital Angular Momentum of a Laguerre-Gaussian Vortex Beam. 2101592 1
- 335 Surface plasmon resonance sensor based on gold-coated hollow fiber structure. **2021**,
- 334 Towards Refractive Index Sensing Using Nanoscale Slot Waveguide Cavities. **2020**, 1-27
- 333 Sensing characteristics of a plasmonic Bragg microcavity. **2021**, 38, 30
- 332 Tuning the optical response of a plasmonic T-shaped dimer with nanowire loads for improved SERS and sensing applications. **2021**, 54, 084001 3
- 331 Excitation of surface plasmon waves with a nanoantenna: simple analytical solution and its numerical verification. **2020**, 44, 893-900 1
- 330 Synthesis of AuAg/Ag/Au open nanoshells with optimized magnetic plasmon resonance and broken symmetry for enhancing second-harmonic generation. **2021**, 13, 19527-19536
- 329 Overview and emerging trends in optical fiber aptasensing. **2022**, 196, 113694 5
- 328 Dual-fiber optic bioprobe system for triglyceride detection using surface plasmon resonance sensing and lipase-immobilized magnetic bead hydrolysis. **2022**, 196, 113723 2
- 327 Surface Plasmon Polariton Resonance Grating-Based Sensors Elements. **2020**, 309-318
- 326 THz gas sensing based on subwavelength rectangular metal grating in attenuated total reflection configuration. **2020**,
- 325 Nanosensors for Foods. **2020**, 327-375 2
- 324 CHAPTER 11: Immunological Detection Methods for Biomarkers. **2020**, 223-252

323 Radiative Properties of Nanomaterials. **2020**, 497-622

322 Imaging the Plasmonic Field Distribution of the Gold Nanoring by Two-Color Photoemission Electron Microscopy. **2020**, 10, 38-46

321 Optical Sensors based on Surface Plasmon Resonance. **2020**, 32, 2953-2959

320 Development of collinear transmission plasmonic biosensor for detection of HIV-1.. **2020**,

319 SENSITIVITY SIMULATION OF SENSORS BASED ON SURFACE PLASMON RESONANCE PHENOMENON WITH ADDITIONAL UPPER NANOLAYER OF POLYTETRAFLUOROETHYLENE. **2020**, 54, 126-133

318 A Novel Refractive Index Sensing Technique by Interrogating Tilted Fiber Bragg Grating with Electro-optic Dual-comb Interferometer. **2021**,

317 Plasmonic Nanoparticles with Biospecific Surfaces in Optical Sensorics of BioLiquids. **2020**,

0

316 Band-rejection filter with high extinction ratio using prism-waveguide cascaded coupling system. **2020**, 37, 748-751

315 Resonance characteristics of transmissive optical filters based on metal/dielectric/metal structures. **2020**, 44, 219-228

2

314 Analytical Calculations of Scattering Amplitude of Surface Plasmon Polaritons Excited by a Spherical Nanoantenna. **2021**, 11,

313 A highly performed SPR biosensor based on bismuth ferrite-bromide materials-BP/graphene hybrid structure. **2021**, 53, 1

0

312 A New Refractive Index Sensor Based on Enhanced Surface Field of Zero-Admittance Layer in Dielectric Multi-Layers. **2020**,

311 Theory of Metal-Fluorophore Interactions. **2006**, 71-106

1

310 Engineered Inorganic-Binding Polypeptides for Bionanotechnology. **2006**, 307-326

309 Intelligent Polymeric Networks in Biomolecular Sensing. **2006**, 117-132

308 Photonic Sensors for Health and Environmental Monitoring. **2009**, 191-203

0

307 On-line Sensing. **2007**, 445-468

306 Advancement of Immobilization Techniques in Forensic Science. **2021**, 475-507

1

- 305 Hybrid plasmon waveguide for highly sensitive biosensing. **2020**, 59, 1
- 304 On-fiber multiparameter sensor based on guided-wave surface plasmon resonances. **2021**, 1-1 0
- 303 High-sensitivity small-molecule detection of microcystin-LR cyano-toxin using a terahertz-aptamer biosensor. **2021**, 146, 7583-7592 0
- 302 Nanoscale Radiative Transfer. **2022**, 887-903
- 301 Flexible integration of metallic nanostructures on fiber tips for plasmonic sensing. **2021**,
- 300 Femtosecond laser fabrication of metallic nanostructures using polarization control. **2021**,
- 299 A Compact Surface Plasmon Resonance Biosensor for Sensitive Detection of Exosomal Proteins for Cancer Diagnosis. **2022**, 2393, 3-14 0
- 298 Plasmonic Nanoparticle Conjugation for Nucleic Acid Biosensing. **2022**, 2393, 73-87
- 297 Mie Sensing with Neural Networks: Recognition of Nano-Object Parameters, the Invisibility Point, and Restricted Models. 2100369 1
- 296 Octave-spanning low-loss mid-IR waveguides based on semiconductor-loaded plasmonics. 2
- 295 SPR Sensors: From Configurations to Bioanalytical Applications. **2022**, 223-239
- 294 Micromachined Optical Fiber Sensors for Biomedical Applications. **2022**, 2393, 367-414 0
- 293 High-sensitivity refractive index sensing and broadband tunable polarization filtering characteristics of D-shaped micro-structured fiber with single-layer air-holes and gold film based on SPR. **2021**, 1-1 1
- 292 SERS Studies on the Electrochemical and SPR Synergistic Catalytic Interfacial Reaction of 4-Chlorothiophenol. **2021**, 79, 1481
- 291 Surface Plasmon Resonance Biosensor with Laser Heterodyne Feedback for Highly-Sensitive and Rapid Detection of COVID-19 Spike Antigen.
- 290 A compact design of a modified Bragg grating filter based on a metal-insulator-metal waveguide for filtering and temperature sensing applications. **2022**, 251, 168466 4
- 289 A highly sensitive surface plasmon resonance biosensor using SnSe allotrope and heterostructure of BlueP/MoS₂ for cancerous cell detection. **2022**, 252, 168506 5
- 288 Rapid and sensitive detection of PD-L1 exosomes using Cu-TCPP 2D MOF as a SPR sensitizer.. **2022**, 201, 113954 6

287	Experimental Results from Non-Sub-Wavelength Gold Grating-Coupled Surface Plasmon Resonance using a Monochromatic Signal for Gold/Air Interface as the base for Biosensors. 2020,	
286	. 2020,	
285	Investigation of SU-8 as protection layer for prism SPR sensor towards reusable honey adulteration detection. 2021,	
284	Plasmonic Refractive Index Sensor Based on a Multiple D-shaped Au/Fe ₃ O ₄ Nanowire. 2021,	
283	Nanografting of Polymer Brushes on Gold Substrate by RAFT-RIGP. 2021, 7, 5	
282	A Study of Improved Bimetallic GrapheneBased Fiber Optic Surface Plasmon Resonance (FOSPR) Biosensor. 1	0
281	Influence of non-Hermitian mode topology on refractive index sensing with plasmonic waveguides.	0
280	The perspectives of broadband metasurfaces and photo-electric tweezer applications. 2022,	2
279	An intensity demodulated refractive index sensor based on a hollow-core anti-resonant fiber. 2022, 55, 155107	0
278	Sensitivity enhancement of a graphene, zinc sulfide-based surface plasmon resonance biosensor with an Ag metal configuration in the visible region. 1	4
277	Nanostructured plasmonic chips employing nanopillar and nanoring hole arrays for enhanced sensitivity of SPR-based biosensing.. 2021, 12, 929-938	0
276	Microfluidic Surface Shields: Control of Flow and Diffusion over Sensitive Surfaces. 2022, 17,	0
275	Thermoresponsive, Pyrrolidone-Based Antifouling Polymer Brushes. 2101717	3
274	A high-resolution refractive index sensor of partially cleaved PCF based on surface plasmon resonance.	0
273	Single-Step Fabrication and Characterization of Nanoscale Cu Thinfilms for Optoelectronic Applications. 2022, 12, 62	
272	Plasmonic protein electricity generator.. 2022,	
271	Synthesis of Functionalized Noble Metal Nanoparticles. 2022, 515-580	0
270	On the application of MoS ₂ monolayer for enhanced performance in metallic grating based plasmonic sensor structure. 2022, 54, 1	0

269	Refractive index and temperature dual parameter sensor based on a twin-core photonic crystal fiber. 2022 , 55, 155108	2
268	Mode-division and spatial-division optical fiber sensors.	4
267	Combination of Digital Image Processing and Statistical Data Segmentation to Enhance SPR and SPRi Sensor Responses. 1	1
266	Polarization-insensitive dual-band response governed by quasi bound states in the continuum for high-performance refractive index sensing. 2022 , 32, 105125	0
265	Experimental methods to study the kinetics of protein-protein interactions. 2022 , 115-124	
264	Asymmetric Nanostructures Determined the Nonreciprocal Peeling for Self-Aligned Heterostructure Nanogaps and Devices.. 2022 ,	
263	AC-Electroosmosis-Assisted Surface Plasmon Resonance Sensing for Enhancing Protein Signals with a Simple Kretschmann Configuration.. 2022 , 22,	0
262	Sensors for Continuous Measuring of Sucrose Solutions Using Surface Plasmon Resonance. 2022 , 12, 1350	1
261	Sensing absorptive fluids with backside illuminated grating coupled SPR sensor fabricated by nanoimprint technology. 2022 , 337, 113416	2
260	Resonant field enhancement in lossy periodic structures supporting complex bound states in the continuum. 2022 , 39, 611	0
259	Multivalent peptide dendrimers inhibit the fusion of viral-cellular membranes and the cellular NF- κ B signaling pathway.. 2022 , 230, 114140	0
258	The performance enhancement of surface plasmon resonance optical sensors using nanomaterials: A review. 2022 , 458, 214424	8
257	Single-cell adhesivity distribution of glycocalyx digested cancer cells from high spatial resolution label-free biosensor measurements.. 2022 , 14, 100103	0
256	Field-Effect Transistor with a Plasmonic Fiber Optic Gate Electrode as a Multivariable Biosensor Device.. 2022 ,	2
255	Trigonal cluster-based ultra-sensitive surface plasmon resonance sensor for multipurpose sensing. 2022 , 35, 100477	2
254	Design and analysis of highly sensitive prism based surface plasmon resonance optical salinity sensor. 2022 , 7, 100217	1
253	High-Sensitive Surface Plasmon Resonance Imaging Biosensor Based on Dual-Wavelength Differential Method.. 2021 , 9, 801355	0
252	State of the art of ultra-thin gold layers: formation fundamentals and applications.	2

251	Why Sensors Need Microfluidics? Real World Applications. 2022,	
250	Introduction to Nanoparticulate Drug Delivery Systems. 2022, 3-23	
249	Experimental measurement of kinetic parameters using quantum plasmonic sensing. 2022, 131, 084402	0
248	Quartz Crystal Microbalance with Impedance Analysis Based on Virtual Instruments: Experimental Study.. 2022, 22,	2
247	Simultaneous Generation of Surface Plasmon and Lossy Mode Resonances in the Same Planar Platform.. 2022, 22,	2
246	Exploiting a strong coupling regime of organic pentamer surface plasmon resonance based on the Otto configuration for creatinine detection.. 2022, 30, 14478-14491	0
245	Performance of Surface Plasmon Resonance Sensors Using Copper/Copper Oxide Films: Influence of Thicknesses and Optical Properties. 2022, 9, 104	0
244	The free path and generation rate of fast-moving electron interacting with dielectric media. 2022, 25, 10-18	
243	Experimental Characterization Techniques for Solid-Liquid Slurry Flows in Pipelines: A Review. 2022, 10, 597	0
242	Advanced Impedance Spectroscopy for QCM Sensor in Liquid Medium.. 2022, 22,	0
241	Mixed-Resolution High-Q Sensor Based on Hybridized Spoof Localized Surface Plasmons. 2022, 10,	1
240	Measuring kinetic parameters using quantum plasmonic sensing. 2022, 105,	0
239	Recent advances in ultrafast plasmonics: from strong field physics to ultraprecision spectroscopy. 2022,	0
238	The pillar[5]arene-based spun thin films: preparation, characterization, development of optical and mass sensitive sensors for swelling dynamics and gas sensing abilities. 1	
237	Beam-angle-scanning surface plasmon resonance sensor for rapid, high-precision sensing of refractive index and bio-molecules. 2022, 1, 565	0
236	Al ₂ O ₃ Thin Films for Thermally Stable and Highly Sensitive Plasmonic Sensors. 2022, 126, 5628-5639	0
235	Rotated Pillars for Functional Integrated On-Chip Terahertz Spoof Surface-Plasmon-Polariton Devices. 2102561	6
234	Biofunctionalization of Graphene-Based FET Sensors through Heterobifunctional Nanoscaffolds: Technology Validation toward Rapid COVID-19 Diagnostics and Monitoring.. 2022, 2102526	3

233	Sensitivity enhancement of fiber surface plasmon resonance (SPR) sensor based upon a gold film-hexagonal boron nitride/holybdenum disulfide structure. 1-15	
232	Comparative study on sensitivity enhancement of a graphene based nearly guided-wave surface plasmon resonance biosensor optimized using genetic algorithm in the visible region. 2022 , 54, 1	0
231	A surface plasmon resonance temperature sensor using TiO ₂ nanoparticles on hetero-core fiber optic structure with Au thin film.	1
230	Fabrication of a Large-Scale Plasmonic Nanojunction for Chemical Sensing.	0
229	Evaluation of noble metal nanostructure-serum albumin interactions in 2D and 3D systems: Thermodynamics and possible mechanisms.. 2022 , 301, 102616	1
228	Biosensors as diagnostic tools in clinical applications.. 2022 , 188726	0
227	LSPR optical fiber sensor based on 3D gold nanoparticles with monolayer graphene as a spacer.. 2022 , 30, 10187-10198	2
226	A self-verification temperature sensor based on surface plasmon resonance in a hollow core negative curvature fiber. 2022 , 55, 225208	0
225	Applications of Surface Plasmon Resonance and Biolayer Interferometry for Virus-Ligand Binding.. 2022 , 14,	0
224	Tuning Collective Plasmon Resonances of Femtosecond Laser-Printed Metasurface.. 2022 , 15,	1
223	Resonant dielectric multilayer with controlled absorption for enhanced total internal reflection fluorescence microscopy.. 2022 , 30, 15365-15375	0
222	A study on surface plasmon resonance biosensor for the detection of CEA biomarker using 2D materials graphene, Mxene and MoS ₂ . 2022 , 258, 168885	1
221	A novel surface plasmon resonance-based photonic crystal fiber refractive index sensor with an ultra-wide detection range. 2022 , 259, 168977	0
220	Surface plasmon resonance biosensor with laser heterodyne feedback for highly-sensitive and rapid detection of COVID-19 spike antigen.. 2022 , 206, 114163	2
219	Sensitivity enhancement of SPR biosensor employing heterostructure blue phosphorus/MoS ₂ and silicon layer. 2022 , 11, 1-10	1
218	Analyzation of the binding mechanism and the isoelectric point of glycated albumin with self-assembled, aptamer-conjugated films by using surface plasmon resonance.. 2022 , 214, 112445	0
217	Figure of merit and sensitivity enhancement of biosensor LSPR in investigated for visible and near infrared. 2022 , 50, 101016	1
216	Hyperbolic metamaterials based on multilayer Ag/TiN _x O _y structure for SPR refractive index sensors. 2022 , 151, 108034	1

215	Geometric effect of high-resolution electron energy loss spectroscopy on the identification of plasmons: An example of graphene. 2022 , 721, 122067	0
214	Plasmonic Metasurfaces for Medical Diagnosis Applications: A Review.. 2021 , 22,	5
213	Efficient plasmonic line-up filter for sensing applications. 2022 , 54, 1	0
212	Application of Tamm Plasmon Polaritons and Cavity Modes for Biosensing in the Combined Spectroscopic Ellipsometry and Quartz Crystal Microbalance Method.. 2021 , 11,	0
211	Advance in surface plasmon resonance biosensors. 2021 ,	
210	Metal-Organic Framework Based Gas Sensors.. 2021 , e2104374	18
209	Single-Side-Polished Gold-Coated SPR-Based PCF RI Sensor. 2022 , 299-307	1
208	Enhancing SERS Intensity by Coupling PSPR and LSPR in a Crater Structure with Ag Nanowires. 2021 , 11, 11855	1
207	Performance Evaluation of SPR Sensor on Using Graphene/TMDCs in Visible and Near Infrared Wavelength Regime. 2022 , 155-167	
206	Performance Evaluation of Bimetallic Surface Plasmon Resonance Sensor Based on Ti3C2Tx (MXene). 2022 , 13-25	
205	Highly Ordered Polymer Nanostructures via Solvent On-Film Annealing for Surface-Enhanced Raman Scattering.. 2021 ,	1
204	Theoretical research on a late-model multistage refractive index sensor based on photonic spin Hall effect. 1-15	
203	Wavelength-selective light sensor fabricated on a photoactive azobenzene film. 2022 ,	
202	A Multi-Parameter Integrated Sensor Based on Selectively Filled D-Shaped Photonic Crystal Fiber.. 2022 , 15,	0
201	Optical Whispering-Gallery-Mode Microbubble Sensors.. 2022 , 13,	0
200	Simulating a graphene-based acousto-plasmonic biosensor to eliminate the interference of surrounding medium.. 2022 , 30, 15721-15734	0
199	Self-Assembly Silver Nanoparticles Decorated on Gold Nanoislands for Label-Free Localized Surface Plasmon Resonance Biosensing. 2200339	0
198	Peptide functionalized nanomaterials as microbial sensors. 2022 , 327-348	

197	Development of nano- and microdevices for the next generation of biotechnology, wearables and miniaturized instrumentation.. 2022 , 12, 12806-12822	1
196	Plant Secondary Metabolites: A Biosensing Approach. 2022 , 249-268	
195	Plasmonic Micro-Channel Assisted Photonic Crystal Fiber Based Highly Sensitive Sensor for Multi-Analyte Detection.. 2022 , 12,	2
194	Long-Range SPR Imaging Sensor Mediated by Antimonene for Biomolecule Sensing with Ultrahigh Imaging Sensitivity and Figure of Merit.	1
193	High sensitivity surface plasmon resonance sensor based on D-shaped high birefringence photonic crystal fibre. 1-8	
192	Surface Plasmon ResonanceBased Refractive Index Biosensor: an External Sensing Approach. 1	0
191	Polarization modal analysis of Tamm plasmon at the metal-DBR interface for temperature sensing. 2022 , 54, 1	0
190	A review of applications of surface-enhanced raman spectroscopy laser for detection of biomaterials and a quick glance into its advances for COVID-19 investigations.. 2022 , 1-20	1
189	Thermal Stability Analysis of Surface Wave Assisted Bio-Photonic Sensor. 2022 , 9, 324	1
188	3.8-octave broadband nearfield generation with high stability and high tolerance using a gradually varying thickness thin-film waveguide. 2022 , 12, 055101	
187	The bisbenzothiazole-p-tert-butylcalix[4]arene-thiourea LangmuirBlodgett thin films: preparation, optical properties, swelling dynamics and gas sensing properties via hostguest principles. 1	
186	Editorial for the Special Issue Applications of Nanomaterials in Plasmonic Sensors. 2022 , 12, 1634	
185	Surface plasmon resonance (SPR)-based D-shaped photonic crystal fiber polarization filter and refractive index sensor with a hexagonal pore structure. 1-16	0
184	Theoretical and Experimental Investigation on SPR Gas Sensor Based on ZnO/Polypyrrole Interface for Ammonia Sensing Applications.	1
183	Highly Sensitive GaN-WS ₂ -Based Surface Plasmon Resonance Sensor: a Theoretical Approach. 1	0
182	A highly sensitive plasmonic refractive index sensor based on concentric triple ring resonator for cancer biomarker and chemical concentration detection. 2022 , 128429	1
181	Ultrathin Film Amorphous Silicon Solar Cell Performance using Rigorous Coupled Wave Analysis Method. 2022 ,	
180	Dual-parameter sensor for simultaneously measuring refractive index and temperature based on no-core fiber and SPR effect. 2022 , 262, 169320	3

- 179 Lab on Fiber Technology: Toward Advanced and Multifunctional Point of Care Platforms for Precision Medicine. **2022**,
- 178 The Impact of Tamm Plasmons on Photonic Crystals Technology.
- 177 Simulation of surface plasmon resonance (SPR) layers of gold with silicon nitride as a Bi-layer biosensor. **2022**, 17, 623-633
- 176 Development of a Gold-deposited Square Glass Rod Sensor Capable of Independent and Simultaneous Measurements on Two Adjacent Faces. **2022**, 71, 261-267 ○
- 175 Pedestal High-Contrast Gratings for Biosensing. **2022**, 12, 1748
- 174 Facile layered structure of sensing chip of a prismBased surface plasmon resonance device. **2022**,
- 173 Sensitivity calculation for different prism material based surface plasmon resonance sensor: a comparative study. **2022**, 2267, 012089 ○
- 172 2D Nanomaterials-Based Surface Plasmon Resonance Probes for Biosensing Applications. **2022**, 245-271
- 171 Analytical Investigation and Systematic Design Approach for High-Sensitivity Guided Mode Resonance Sensors with Graphene-Enabled Tunability. **2022**, 1-1 ○
- 170 Fiber-integrated Tamm plasmon polariton system. **2022**, 1-1 1
- 169 Surface Plasmon Resonance Biosensors Based on Kretschmann Configuration: Basic Instrumentation and Applications. **2022**, 191-222
- 168 Refractive Index and Temperature Sensor of Micro-groove Photonic Crystal Fiber Based on Surface Plasmon Resonance. 1
- 167 Advances in Detection of Antibiotic Pollutants in Aqueous Media Using Molecular Imprinting TechniqueA Review. **2022**, 12, 441 1
- 166 SPR-Based Sensor for the Early Detection or Monitoring of Kidney Problems. **2022**, 2022, 1-12 ○
- 165 Multichannel Fiber Optic SPR Sensors: Realization Methods, Application Status, and Future Prospects. 2200009 1
- 164 Titanium dioxide, black phosphorus and bimetallic layer-based surface plasmon biosensor for formalin detection: numerical analysis. **2022**, 54, ○
- 163 Theoretical and experimental study of a highly sensitive SPR biosensor based on Au grating and Au film coupling structure. ○
- 162 Label-free detection of transport kinetics and inhibitor binding of membrane transport proteins with a two-mode plasmonic sensor. **2022**, 100183

- 161 Dual-parameter detection with an open-loop dual-core plasmonic optical fiber sensor. **2022**, 1, 1441
- 160 Ag/CoFe₂O₄ as a Fenton-Like Catalyst for the Degradation of Methylene Blue. **2022**, 7,
- 159 Charge-Sensitive Optical Detection of Binding Kinetics between Phage-Displayed Peptide Ligands and Protein Targets. **2022**, 12, 394
- 158 High Index Core Flat Fiber Surface Plasmon Resonance Bio-sensor. 0
- 157 One-step formation of a plasmonic grating with an ultranarrow resonance linewidth for sensing. **2022**, 47, 3275 0
- 156 Novel electrochemical-surface plasmon resonance (EC-SPR) sensor for amphetamine-type stimulants detection based on molecularly imprinted strategy. *Sensors and Actuators B: Chemical*, **2022**, 132258 8.5 1
- 155 HE_{1,1} mode-excited surface plasmon resonance for refractive index sensing by photonic crystal fibers with high sensitivity and long detection distance. **2022**, 265, 169471 0
- 154 Infrared surface-plasmon-resonance attenuator for broadly controllable effective radiant temperature. **2022**, 125, 104253 0
- 153 Site specific biotinylated antibody functionalized Ag@AuNIs LSPR biosensor for the ultrasensitive detection of exosomal MCT4, a glioblastoma progression biomarker. **2022**, 446, 137383 5
- 152 An optical sensor combining surface plasmon resonance, light extinction, and near-critical angle reflection, for thin liquid film biochemical sensing. **2022**, 158, 107137 0
- 151 Numerical Study to Enhance the Sensitivity of a Surface Plasmon Resonance Sensor with BlueP/WS₂-Covered Al₂O₃-Nickel Nanofilms. **2022**, 12, 2205 3
- 150 Effect of oxide layer on the performance of silver based fiber optic surface plasmon resonance sensor. **2022**, 54, 0
- 149 Review New Approaches for the Detection of Lithium Carbonate: The First Line Treatment for Bipolar Disorder.
- 148 Plasmonic fiber-optic sensing system for in situ monitoring the capacitance and temperature of supercapacitors. **2022**, 30, 27322
- 147 Hetero-core structured fiber optic chemical sensor based on surface plasmon resonance using Au/lipid films. **2022**, 128751 0
- 146 Practical tapered optical fiber system for in-situ label-free sensing of various antigens. **2022**, 61, 1
- 145 Passively and actively enhanced surface plasmon resonance sensing strategies towards single molecular detection. 1
- 144 Design of an unclad single-mode fiber-optic biosensor based on localized surface plasmon resonance by using COMSOL Multiphysics 5.1 finite element method. **2022**, 61, 6257 0

143	Characterization of the sensitivity of a surface plasmon resonance (SPR) fiber optic sensor composed of silver and nickel oxide layers. 1-10	
142	Surface plasmon resonance sensor sensitivity enhancement using gold-dielectric material. 115-123	0
141	Electrochemical Signal Amplification Strategies and Their Use in Olfactory and Taste Evaluation. 2022 , 12, 566	0
140	Self-Assembled Ligand-Capped Plasmonic Au Nanoparticle Films in the Kretschmann Configuration for Sensing of Volatile Organic Compounds.	1
139	Structural and optical properties of thin CdTe films in the visible and infrared regions. 2022 , 46, 415-421	
138	Micro-Nanostructured Plasmonic TiN layer produced using Rapid Thermal Nitridation of Nanoimprinted TiO ₂ -gel.	
137	Enhanced Sensitivity of Open Channel SPR-Based PCF Sensor Employing Plasmonic Materials for Analyte Sensing.	0
136	A mid-infrared lab-on-a-chip for dynamic reaction monitoring. 2022 , 13,	4
135	Contactless Glucose Sensing at Sub-Micromole Level Using a Deep-Subwavelength Decimeter-Wave Plasmonic Resonator. 2200221	1
134	Characterizing Protein-Surface and Protein-Nanoparticle Conjugates: Activity, Binding, and Structure.	
133	The Screening of Therapeutic Peptides for Anti-Inflammation through Phage Display Technology. 2022 , 23, 8554	0
132	Tunable transmission of a normal incidence through a double-slab structure. 1-13	
131	Excitation of surface plasmon polaritons by diffraction-free and vector beams. 2022 , 61, 7469	0
130	Modeling and proposal of a black phosphorus-based nanostructure for detection of avian influenza virus in infrared region. 2022 , 54,	0
129	Water Diffusion Effects at Gold-Graphene Interfaces Supporting Surface Plasmon Polaritons. 2022 , 126, 13905-13919	0
128	Design and Optimization of Surface Plasmonic Sensor with Tunable Optical Actuation Angle Based on Microsystem Technology for Microfluidic Application.	
127	Design of a compact and highly sensitive modal interferometer using hybrid modes of a dielectric loaded plasmonic waveguide. 2022 , 61, 7197	
126	Double-formant surface plasmon resonance for refractive index sensing by anti-resonance fibers with high sensitivity and wide detection range. 2022 , 40, 105876	1

- 125 The impact of Tamm plasmons on photonic crystals technology. **2022**, 645, 414253 1
- 124 Surface Plasmon Resonance (SPR) biosensor for detection of mycotoxins: A review. **2022**, 510, 113349 1
- 123 A Comparative Performance Analysis of SPR Biosensor Using Metamaterial and Different Metal Oxides. **2022**, 11-23 0
- 122 Sensitivity Enhancement of Platinum Diselenide Based SPR Sensor Using Titanium Dioxide as Adhesion Layer. **2022**, 249-255 0
- 121 Active Metal Coated Dual-Side Polished Plasmonic PCF Biosensor. **2022**, 85-96 0
- 120 Aluminum Nitride Grating Based Plasmonic Sensor Utilizing Enhanced Absorption. **2022**, 257-264 0
- 119 High-sensitivity refractive index sensing with the singular phase in normal incidence of an asymmetric Fabry-Pérot cavity modulated by grating. **2023**, 157, 108697 0
- 118 Demonstration of Graphene-Assisted Tunable Surface Plasmonic Resonance Sensor Using Machine Learning Model. 0
- 117 Plasmonic Sensors based on 3D-printed polymer waveguides covered by a metals bilayer. **2022**, 0
- 116 Design and Modelling of High-Performance Surface Plasmon Resonance Refractive Index Sensor Using BaTiO₃, MXene and Nickel Hybrid Nanostructure. 0
- 115 Machine learning and its applications for plasmonics in biology. **2022**, 3, 101042 1
- 114 Highly Sensitive Plasmonic Structures Utilizing a Silicon Dioxide Overlayer. **2022**, 12, 3090 1
- 113 Hyperbolic-Metamaterials-Based SPR Temperature Sensor Enhanced by a Nanodiamond-PDMS Hybrid for High Sensitivity and Fast Response. **2022**, 14, 42412-42419 0
- 112 Overcoming the Diffraction Limit on the Size of Dielectric Resonators Using an Amplifying Medium. **2022**, 129, 0
- 111 Ketamine Plasmonic Sensor Using Polyaniline-rGO-Fe₃O₄ Nanocomposite Thin Layer. **2022**, 113896 0
- 110 Plasmonics in Bioanalysis: SPR, SERS, and Nanozymes. **2023**, 37-83 0
- 109 Biomedical Applications of an Ultra-Sensitive Surface Plasmon Resonance Biosensor Based on Smart MXene Quantum Dots (SMQDs). **2022**, 12, 743 2
- 108 Orbital angular momentum-excited surface plasmon resonance for liquid refractive index sensing by photonic crystal fiber with high sensitivity and wide detection range. **2022**, 61, 0

107	Biosensors for detection of prostate cancer: a review. 2022 , 24,	1
106	Inverse DVD-R grating structured SPR sensor platform with high sensitivity and figure of merit. 2022 ,	0
105	An Interplay between Lossy Mode Resonance and Surface Plasmon Resonance and Their Sensing Applications. 2022 , 12, 721	1
104	Optimization of substrate to culture and image live cells for surface plasmon microscopy. 2022 ,	0
103	Rapid, high-sensitivity detection of biomolecules using dual-comb biosensing: application to the SARS-CoV-2 nucleocapsid protein.	0
102	Impact of temperature on optical sensing in biology based on investigation of SARS-CoV -2.	0
101	Modeling of surface plasmon resonance biosensor based on Ag/BiFeO ₃ /Ni using 2D nanomaterial perovskite MAPbBr ₃ . 2022 , 104591	0
100	Chapter 10. Precautionary Measures for Developing Nanosensors for the Food Industry. 2022 , 199-237	0
99	Applications of machine learning tools for ultra-sensitive detection of lipoarabinomannan with plasmonic grating biosensors in clinical samples of tuberculosis. 2022 , 17, e0275658	0
98	Recent Advances of Representative Optical Biosensors for Rapid and Sensitive Diagnostics of SARS-CoV-2. 2022 , 12, 862	0
97	Materials Perspectives of Integrated Plasmonic Biosensors. 2022 , 15, 7289	0
96	Design and Implementation of a Dual-Region Self-Referencing Fiber-Optic Surface Plasmon Resonance Biosensor.	3
95	Super-resolved three-dimensional near-field mapping by defocused imaging and tracking of fluorescent emitters. 2022 ,	0
94	Coupled acoustic resonance for wave control and sensing. 10,	0
93	Plasmonic Sensing of Glucose Based on GoldSilver CoreShell Nanoparticles. 2022 , 10, 404	2
92	GST-Based Plasmonic Biosensor for Hemoglobin and Urine Detection.	7
91	Recent advances in disease diagnosis based on electrochemical-optical dual-mode detection method. 2022 , 124037	0
90	SPP Standing Waves within Plasmonic Nanocavities.	0

- 89 Optical weak measurement for the precise thickness determination of an ultra-thin film. ○
- 88 Adsorption independent Silver Colloids Index Measurement with Metal-Cladding Optical Waveguide. **2022**, 170170 ○
- 87 Grating-Based Surface Plasmon Resonance Sensor for Visible Light Employing a Metal/Semiconductor Junction for Electrical Readout. **2022**, 1-1 ○
- 86 Theoretical Analysis of Dielectric Assisted Tamm Mode Excitation. **2022**, ○
- 85 Copper-based surface plasmon coupled emission steering for biosensor applications. **2022**, 2357, 012005 ○
- 84 Bacteria detection in a Kretschmann geometry flow cell at a plasmon-enhanced interface with spectroscopic ellipsometer. **2022**, 139583 ○
- 83 Tunable Refractive Index Sensor Made Using Graphene with a High Figure of Merit. **2022**, 89, 923-929 ○
- 82 Sensitive surface plasmon resonance label-free biosensor on a fiber end-facet. **2022**, 11, ○
- 81 Temperature Sensor Based on Surface Plasmon Resonance with TiO₂-Au-TiO₂ Triple Structure. **2022**, 15, 7766 2
- 80 Optical Multiparametric Bio-analyte Detection System: Design, Development and Noise Analysis. ○
- 79 Effects of geometry and size of noble metal nanoparticles on enhanced refractive index sensitivity. **2022**, 128, ○
- 78 Side-Opening Grapefruit Fiber-Based SPR Sensor for Simultaneous Measurement of Refractive Index and Temperature. **2022**, 14, 1-6 ○
- 77 Long-range SPR sensor employing platinum diselenide and cytop nanolayers giving improved performance. **2023**, 649, 414487 1
- 76 Refractive Index Sensor based on Multilayered Au-SiO₂-Al Structure. **2017**, ○
- 75 Tamm plasmon polariton in planar structures: A brief overview and applications. **2023**, 159, 108928 2
- 74 Effect of the Thickness of Nanoscale Layers of the Metal-Dielectric Structure on Its Optical Characteristics. **2022**, 27, 264197-1-264197-6 ○
- 73 A review of Optical Point-of-Care devices to Estimate the Technology Transfer of These Cutting-Edge Technologies. **2022**, 12, 1091 ○
- 72 Recent Advancements in Surface Plasmon Resonance-Based Sensors. **2022**, 19, ○

71	Design of high-sensitive plasmonic sensors with circle-semi-ring coupled resonators. 2023 , 55,	0
70	Phase-Difference-Dependent Surface Plasmon Polariton Waveguide Coupling in a Symmetrical Dual-Channel Metal-Insulator-Metal Structure. 2022 , 14, 1-6	0
69	GLAD Based Advanced Nanostructures for Diversified Biosensing Applications: Recent Progress. 2022 , 12, 1115	1
68	Preparation and characterization of the phthalocyaninezinc(II) complex-based nanothin films: optical and gas-sensing properties.	0
67	Optical Fiber Biosensors for Protein Detection: A Review. 2022 , 9, 987	1
66	Small-scale effects on the radial vibration of an elastic nanosphere based on nonlocal strain gradient theory.	1
65	Surface plasmon resonance temperature sensor with tunable detection range based on a silver-coated multi-hole optical fiber. 2022 , 30, 48091	1
64	Plasmonic Sensors beyond the Phase Matching Condition: A Simplified Approach. 2022 , 22, 9994	0
63	Voltage-modulated surface plasmon resonance biosensors integrated with gold nanohole arrays. 2023 , 14, 182	0
62	Analysis and Biomedical Applications of Functional Cargo in Extracellular Vesicles.	0
61	Utilization Smartphone for Evaluation Gr/Ni Nanostructures Magnetically Controlled Based Optical Fibers Surface Plasmons.	0
60	Bimetallic-based SPR sensor for cancerous cell detection employing SnSe allotrope and tungsten disulfide. 2022 , 1, 100005	0
59	High Spectral Sensitivity of Strongly Coupled Hybrid Tamm-Plasmonic Resonances for Biosensing Application. 2022 , 22, 9453	0
58	Single and bimetal-based surface plasmon resonance sensor using AlN-TMDC heterostructure: a comparison study. 2023 , 55,	0
57	Twin-Core Fiber SPR Displacement Sensor Based on Otto Model. 2023 , 11, 42-50	0
56	Next Generation Ultra-sensitive Surface Plasmon Resonance Biosensors. 2022 , 353-361	0
55	Synthesis of hyperbranched polymer films via electrodeposition and oxygen-tolerant surface-initiated photoinduced polymerization. 2023 ,	0
54	Optically Active Nanomaterials and Its Biosensing ApplicationsA Review. 2023 , 13, 85	2

- 53 Refractive Index Measurement Using SOI Photodiode with SP Antenna toward SOI CMOS-Compatible Integrated Optical Biosensor. **2023**, 23, 568 ○
- 52 Effect of 2-D nanomaterials on sensitivity of plasmonic biosensor for efficient urine glucose detection. 9, ○
- 51 Bioengineering of Antibody Fragments: Challenges and Opportunities. **2023**, 10, 122 ○
- 50 Comparative study of lab-on-fiber vector magnetic field sensor based on multimode and few-mode fiber. **2023**, 207, 112441 ○
- 49 Photoluminescence & structural studies of Ag: Alkali Bismuth Silicate glasses. **2023**, 273, 170474 ○
- 48 DETERMINATION OF THE THICKNESS OF PLASMON CARRIER LAYERS BY THE PHOTOMETRIC METHOD. **2022**, 57, 152-159 ○
- 47 Coupled Solution of Volume Integral and Hydrodynamic Equations to Analyze Electromagnetic Scattering from Composite Nanostructures. **2023**, 1-1 ○
- 46 Multiple protein-patterned surface plasmon resonance biochip for the detection of human immunoglobulin-G. ○
- 45 Surface Plasmon Resonance (SPR) Combined Technology: A Powerful Tool for Investigating Interface Phenomena. 2202202 ○
- 44 Sensing of amino acids: Critical role of nanomaterials for the efficient biomedical analysis. **2023**, 188, 108452 ○
- 43 Highly Sensitive Multi-coating Photonic Crystal Fiber Biosensor at Near-Infrared Waveband. **2022**, ○
- 42 Polymer-based nanotheranostics: current status and challenges. **2023**, 1-12 ○
- 41 Label-free biosensing of lignans for therapeutics using engineered model surfaces. **2023**, 233, 123528 ○
- 40 Specific detection of mercury ions based on surface plasmon resonance sensor modified with 1, 6-hexanedithiol. **2023**, 356, 114343 ○
- 39 No-core fiber surface plasmon resonance dual-channel sensor for refractive index and temperature sensing with compact structure. **2023**, 131, 104687 ○
- 38 Tuning of the plasmon resonance location in Au nanostructures coated with a ultrathin film of Al₂O₃ [Optical measurements and FDTD simulations. **2023**, 733, 122289 ○
- 37 Development of a multi-functional SPR sensing system using a square glass rod with two gold-deposited adjacent faces. **2023**, 39, 601-606 ○
- 36 SENSING ELEMENT OF THE SURFACE PLASMON SENSOR WITH THERMAL MODIFICATION OF THE STRUCTURAL PROPERTIES OF THE POLYMER SUBSTRATE. **2022**, 57, 82-92 ○

- 35 APPLICATION OF PLASMONICS FOR THE ANALYSIS OF POLYDISPERSE SYSTEMS. **2022**, 57, 18-28 ○
- 34 Research Progress of Resonance Optical Fiber Sensors Modified by Low-Dimensional Materials. 2200859 ○
- 33 Loss effects on quantum surface plasmon polaritons excited by a traveling electron beam. **2023**, 30, 023101 ○
- 32 Surface Plasmon Resonance Alcohol Sensor with Ni(OH)₂ Nanoflowers/Au Structure. **2023**, 210, 112564 ○
- 31 Numerical Analysis of Black Phosphorus-Assisted Copper-Based Bimetallic-Enhanced Surface Plasmon Resonance Biosensor. **2023**, 220, ○
- 30 Electromagnetic enhancement effect with hyperbolic metasurface. **2023**, 276, 170656 ○
- 29 Impacts of Liquid Level on Microwave Resonance Sensing with a Flexible Microfluidic Channel. 2200040 ○
- 28 Polysaccharide Thin Films [Preparation and Analysis. **2023**, 199-237 ○
- 27 Rapid and sensitive detection of Candida mannan related to the immune system with a plasmonic sensor chip. **2023**, 62, SG1028 ○
- 26 Analysis of a highly temperature-sensitive gold-coated plasmonic biosensor for analyte detection. **2023**, 102206 ○
- 25 Strongly Enhanced Sensitivities of CMOS compatible Plasmonic Titanium Nitride Nanohole Arrays for Refractive Index Sensing under Oblique Incidence. ○
- 24 Biocatalytic Sensors: Potentials, Maxims and Mechanisms for Optimal Performance. **2023**, 177-220 ○
- 23 Recent Progress of Molecularly Imprinted Optical Sensors. **2023**, 11, 168 ○
- 22 Formation of a Reverse Energy Flow by Focusing Light with Quartz Glass Micro-Objects. **2022**, 17, 909-914 ○
- 21 Piezoelectric Energy Harvesting Using Solar Radiation Pressure Enhanced by Surface Plasmons at Visible to Near-Infrared Wavelengths. 2300039 ○
- 20 The Use of Sensors in Blood-Brain Barrier-on-a-Chip Devices: Current Practice and Future Directions. **2023**, 13, 357 ○
- 19 Mie resonance structures for sensing applications. **2023**, ○
- 18 Optical biosensing of human immunodeficiency virus on a gold coated surface. **2023**, ○

- 17 Performance enhancement of surface plasmon resonance biosensor based on prism with Kretschmann configuration assisted by 2D materials. **2023**, ○
- 16 Design and modeling of an angular interrogation based surface plasmon resonance biosensor for dengue virus detection. **2023**, 55, ○
- 15 Surface Plasmon Resonance (SPR) Sensor for Cancer Biomarker Detection. **2023**, 13, 396 ○
- 14 Sensing Mechanisms of Rough Plasmonic Surfaces for Protein Binding of Surface Plasmon Resonance Detection. **2023**, 23, 3377 ○
- 13 Polymer-based nanotheranostics: current status and challenges. **2023**, 1-12 ○
- 12 Ultra-high sensitive refractive index sensor based on D-shaped photonic crystal fiber with graphene-coated Ag-grating. **2023**, 9, e14921 ○
- 11 The revelation of glucose adsorption mechanisms on hierarchical metal-organic frameworks using a surface plasmon resonance sensor. ○
- 10 BiComp-DTA: Drug-target binding affinity prediction through complementary biological-related and compression-based featurization approach. **2023**, 19, e1011036 ○
- 9 A vivid Au-porous anodic alumina composite film with the inverted taper structure for label-free detection. ○
- 8 A gold nanoparticles coated unclad single mode fiber-optic sensor based on localized surface plasmon resonance. **2023**, 13, ○
- 7 Compact TE-pass polarizer based on silicon-on-insulator platform with bimetallic rhodium-silver grating. **2023**, 55, ○
- 6 Real-time biosensor application of structurally chiral medium for detection and sensing of plasma in human blood. **2023**, 98, 055518 ○
- 5 Recent Advances in Biomolecular Detection Based on Aptamers and Nanoparticles. **2023**, 13, 474 ○
- 4 Demonstration of graphene-assisted tunable surface plasmonic resonance sensor using machine learning model. **2023**, 129, ○
- 3 SPECTRA: A Novel Compact System for Surface Plasmon Resonance Measurements. **2023**, 23, 4309 ○
- 2 Sensor principles and basic designs. **2023**, 17-43 ○
- 1 Review on Optical Fiber Sensors for Hazardous-gas Monitoring in Mines and Tunnels. **2023**, 1-1 ○