

CITATION REPORT

List of articles citing

Lipids, buoyancy and the seasonal vertical migration of *Calanus finmarchicus*

DOI: 10.1046/j.1365-2419.1999.00001.x
Fisheries Oceanography, 1999, 8, 100-106.

Source: <https://exaly.com/paper-pdf/30363826/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
102	Lipid content of <i>Calanus finmarchicus</i> during overwintering in the Faroe-Shetland Channel. <i>Fisheries Oceanography</i> , 1999 , 8, 61-72	2.4	87
101	Climate fluctuations and the spring invasion of the North Sea by <i>Calanus finmarchicus</i> . <i>Fisheries Oceanography</i> , 1999 , 8, 163-176	2.4	80
100	The ascent migration of <i>Calanus finmarchicus</i> from overwintering depths in the Faroe-Shetland Channel. <i>Fisheries Oceanography</i> , 1999 , 8, 84-99	2.4	50
99	Measurements of the material properties of live marine organisms and their influence on acoustic scattering.		
98	Comparative ecology of over-wintering <i>Calanus finmarchicus</i> in the northern North Atlantic, and implications for life-cycle patterns. 2004 , 61, 698-708		90
97	Vertical distribution of diapausing <i>Calanus pacificus</i> (Copepoda) and implications for transport in the California undercurrent. 2004 , 62, 1-13		22
96	Hydrodynamics of Copepods: A Review. 2004 , 25, 339-370		23
95	Seasonal moulting patterns and the generation cycle of <i>Calanus finmarchicus</i> in the NE Norwegian Sea, as inferred from gnathobase structures, and the size of gonads and oil sacs. 2004 , 146, 119-132		13
94	Mass density contrast in relation to the feeding currents in calanoid copepods. 2005 , 27, 1003-1012		6
93	Aggregation of the Arctic copepod <i>Calanus hyperboreus</i> over the ocean floor of the Greenland Sea. 2006 , 53, 310-320		21
92	Estimating potential diapause duration in <i>Calanus finmarchicus</i> . 2006 , 53, 2597-2617		62
91	Transport and retention of dormant copepods in the Gulf of Maine. 2006 , 53, 2520-2536		26
90	Distribution of overwintering <i>Calanus</i> in the North Norwegian Sea. 2006 , 2, 87-96		28
89	How are the vertical migrations of copepods controlled?. 2006 , 329, 86-100		19
88	Reproductive activity and physiological status of the calanoid copepods <i>Calanus helgolandicus</i> and <i>Calanoides carinatus</i> under food-limiting conditions. 2006 , 339, 189-203		7
87	Development and lipid storage in <i>Calanus euxinus</i> from the Black and Marmara seas: Variabilities due to habitat conditions. 2006 , 59, 52-62		16
86	Development and application of an analytical method for the determination of storage lipids, fatty acids and fatty alcohols in <i>Calanus finmarchicus</i> . 2006 , 29, 1205-16		12

85	Perspectives on marine zooplankton lipids. 2007 , 64, 1628-1639		84
84	Docosahexaenoic acid accumulation in thraustochytrids: search for the rationale. 2007 , 151, 1657-1664		41
83	Effect of Calcification on Cuticle Density in Decapods: A Key to Lifestyle. 2008 , 28, 587-595		21
82	Overwintering habitat of <i>Calanus finmarchicus</i> in the North Atlantic inferred from autonomous profiling floats. 2008 , 55, 630-645		10
81	Characteristics of <i>Calanus finmarchicus</i> dormancy patterns in the Northwest Atlantic. 2008 , 65, 339-350		94
80	Lipids and life strategy of Arctic <i>Calanus</i> . 2009 , 5, 18-39		323
79	Limitation of egg production in <i>Calanus finmarchicus</i> in the field: A stoichiometric analysis. 2009 , 78, 511-517		12
78	The adaptive value of energy storage and capital breeding in seasonal environments. 2009 , 118, 363-370		101
77	Seasonal and depth-dependent variations in the size and lipid contents of stage 5 copepodites of <i>Calanus finmarchicus</i> in the waters of the Newfoundland Shelf and the Labrador Sea. 2009 , 56, 989-1002		28
76	Lipids in marine copepods: latitudinal characteristics and perspective to global warming. 2009 , 257-280		53
75	Measuring copepod abundance in deep-water winter habitats in the NE Norwegian Sea: intercomparison of results from laser optical plankton counter and multinet. <i>Fisheries Oceanography</i> , 2010 , 19, 480-492	2.4	21
74	Bacteria dispersal by hitchhiking on zooplankton. 2010 , 107, 11959-64		105
73	Vertical distribution of overwintering <i>Calanus finmarchicus</i> in the NE Norwegian Sea in relation to hydrography. 2011 , 33, 1477-1486		8
72	Vertical Migration Comparison of <i>Scenedesmus</i> and <i>Microcystis</i> . 2012 , 518-523, 558-564		3
71	Earliest ciliary swimming effects vertical transport of planktonic embryos in turbulence and shear flow. 2012 , 215, 141-51		21
70	Qualitative use of Dynamic Energy Budget theory in ecotoxicology: Case study on oil contamination and Arctic copepods. 2012 , 73, 24-31		4
69	The physical properties of lipids and their role in controlling the distribution of zooplankton in the oceans. 2012 , 34, 443-453		50
68	<i>Calanipeda aquaedulcis</i> and <i>Arctodiaptomus salinus</i> are exceptionally euryhaline osmoconformers: evidence from mortality, oxygen consumption, and mass density patterns. 2012 , 470, 15-29		26

67	Wax ester composition influences the diapause patterns in the copepod <i>Calanoides acutus</i> . 2012 , 59-60, 93-104	26
66	Measured and inferred gross energy content in diapausing <i>Calanus</i> spp. in a Scotian shelf basin. 2012 , 34, 614-625	18
65	Molecular and functional analysis of three fatty acyl-CoA reductases with distinct substrate specificities in copepod <i>Calanus finmarchicus</i> . 2012 , 14, 227-36	12
64	Does location really matter? An inter-colony comparison of seabirds breeding at varying distances from productive oceanographic features in the Bering Sea. 2013 , 94, 178-191	37
63	Solid evidence or fluid ideas on the importance lipid phase transitions to diapausing copepods. 2013 , 35, 438-440	4
62	Tidal and subtidal currents affect deep aggregations of right whale prey, <i>Calanus</i> spp., along a shelf-basin margin. 2013 , 479, 263-282	13
61	Importance of Arctic zooplankton seasonal migrations for hexachlorocyclohexane bioaccumulation dynamics. 2013 , 47, 4155-63	5
60	Control of diapause by acidic pH and ammonium accumulation in the hemolymph of Antarctic copepods. 2013 , 8, e77498	18
59	Genome-wide identification of whole ATP-binding cassette (ABC) transporters in the intertidal copepod <i>Tigriopus japonicus</i> . 2014 , 15, 651	34
58	Oil from <i>Calanus finmarchicus</i> Composition and Possible Use: A Review. 2014 , 23, 633-646	13
57	Microbial gardening in the ocean's twilight zone: detritivorous metazoans benefit from fragmenting, rather than ingesting, sinking detritus: fragmentation of refractory detritus by zooplankton beneath the euphotic zone stimulates the harvestable production of labile and nutritious microbial biomass. 2014 , 36, 1132-7	56
56	Zooplankton carcasses and non-predatory mortality in freshwater and inland sea environments. 2014 , 36, 597-612	52
55	Distinctive lipid composition of the copepod <i>Limnocalanus macrurus</i> with a high abundance of polyunsaturated fatty acids. 2014 , 49, 919-32	12
54	Observations of neutral buoyancy in diapausing copepods <i>Calanoides acutus</i> during Antarctic winter. 2014 , 37, 1369-1371	4
53	Seasonal patterns in extracellular ion concentrations and pH of the Arctic copepod <i>Calanus glacialis</i> . 2015 , 60, 2121-2129	15
52	Advective loss of overwintering <i>Calanus finmarchicus</i> from the Faroe-Shetland Channel. 2015 , 98, 76-82	5
51	Interannual variation in diapausing copepods and associated water masses in a continental shelf basin, and implications for copepod buoyancy. 2015 , 151, 35-46	5
50	On the surprising lack of differences between two congeneric calanoid copepod species, <i>Calanus finmarchicus</i> and <i>C. helgolandicus</i> . 2015 , 134, 413-431	22

49	Seasonal copepod lipid pump promotes carbon sequestration in the deep North Atlantic. 2015 , 112, 12122-6	109
48	Impacts of Intraguild Predation on Arctic Copepod Communities. 2016 , 3,	6
47	Projected impacts of 21st century climate change on diapause in <i>Calanus finmarchicus</i> . 2016 , 22, 3332-40	21
46	The efficiency of a new hydrodynamic cavitation pilot system on <i>Artemia salina</i> cysts and natural population of copepods and bacteria under controlled mesocosm conditions. 2016 , 105, 341-50	3
45	The effect of hydrostatic pressure on grazing in three calanoid copepods. 2016 , 38, 131-138	1
44	Annual cycle of lipid content and lipid class composition in zooplankton from the Beaufort Sea shelf, Canadian Arctic. 2016 , 73, 747-758	5
43	<i>Calanus hyperboreus</i> and the lipid pump. 2017 , 62, 1155-1165	22
42	A year-round study on metabolic enzymes and body composition of the Arctic copepod <i>Calanus glacialis</i> : implications for the timing and intensity of diapause. 2017 , 164, 1	7
41	The Physiology and Ecology of Diapause in Marine Copepods. 2017 , 9, 387-411	88
40	Environmental drivers of vertical distribution in diapausing <i>Calanus</i> copepods in the Northwest Atlantic. 2018 , 162, 202-222	18
39	A high-resolution modeling study on diel and seasonal vertical migrations of high-latitude copepods. 2018 , 368, 357-376	16
38	Functional diversity and nutritional content in a deep-sea faunal assemblage through total lipid, lipid class, and fatty acid analyses. 2018 , 13, e0207395	17
37	Monstrilloid Copepods: the Best of Three Worlds. 2018 , 117, 92-103	3
36	Life cycles and seasonal vertical distributions of copepods in the Iceland Sea. 2018 , 41, 2575-2589	7
35	Review of the composition and current utilization of <i>Calanus finmarchicus</i> Possibilities for human consumption. 2018 , 79, 10-18	9
34	Loss of buoyancy control in the copepod. 2019 , 41, 787-790	3
33	Accounting for seasonal and composition-related variability in acoustic material properties in estimating copepod and krill target strength. 2019 , 17, 607-625	3
32	Long-term variability in overwintering copepod populations in the Lofoten Basin: The role of the North Atlantic oscillation and trophic effects. 2019 , 64, 2044-2058	6

31	Pan-Arctic Depth Distribution of Diapausing Copepods. 2019 , 237, 76-89	5
30	Autumnal deep scattering layer from moored acoustic sensing in the subtropical Canary Basin. 2019 , 166, 1	2
29	Lipid content in overwintering <i>Calanus finmarchicus</i> across the Subpolar Eastern North Atlantic Ocean. 2019 , 64, 2029-2043	15
28	Artificial evolution of behavioral and life history strategies of high-latitude copepods in response to bottom-up and top-down selection pressures. 2019 , 173, 134-164	6
27	Plasticity in dormancy behaviour of <i>Calanoides acutus</i> in Antarctic coastal waters. 2020 , 77, 1738-1751	1
26	The interactions of oil droplets with filter feeders: A fluid mechanics approach. 2020 , 161, 105059	1
25	Seasonal strategies in the world's oceans. 2020 , 189, 102466	0
24	Bowhead whales use two foraging strategies in response to fine-scale differences in zooplankton vertical distribution. 2020 , 10, 20249	5
23	Acute and long-term effects of anionic polyacrylamide (APAM) on different developmental stages of two marine copepod species. 2020 , 257, 127259	2
22	The importance of temperature and lipid accumulation for initiation and duration of <i>Calanus hyperboreus</i> spawning. 2020 , 42, 159-171	0
21	Life Below Water. 2021 , 1-19	0
20	Buoyancy at Depth. 2021 , 271-294	0
19	Sleep walking copepods? diapausing in hypoxic waters adjust their vertical position during winter. 2021 , 43, 199-208	0
18	Swimming performance of subarctic <i>Calanus</i> spp. facing downward currents. 2021 , 665, 47-61	2
17	Two hundred years of zooplankton vertical migration research. 2021 , 96, 1547-1589	11
16	Seasonal variation of the sound-scattering zooplankton vertical distribution in the oxygen-deficient waters of the NE Black Sea. 2021 , 17, 953-974	2
15	Zooplankton in the Polar Night. 2020 , 113-159	7
14	Intraspecific differences in lipid content of calanoid copepods across fine-scale depth ranges within the photic layer. 2014 , 9, e92935	18

13	Frequent encounters with the seafloor increase right whales' risk of entanglement in fishing groundlines. 2019 , 39, 235-246	4
12	Seasonal vertical strategies in a high-Arctic coastal zooplankton community. 2016 , 555, 49-64	21
11	Seasonal diving and foraging behaviour of Eastern Canada-West Greenland bowhead whales. 2020 , 643, 197-217	11
10	Lipid Composition of the Copepod <i>Calanus finmarchicus</i> (Gunnerus) from the Irminger Sea in the North Atlantic Ocean Changes with Season and Life Cycle Stages. 2008 , 1, 351-362	
9	OUP accepted manuscript.	0
8	Fear and loathing in the pelagic: How the seascape of fear impacts the biological carbon pump.	0
7	The capture of crude oil droplets by filter feeders at high and low Reynolds numbers.. 2022 ,	0
6	Antarctica and NE Greenland: Marine Pollution in a Changing World. 2022 , 26-43	
5	Carbon and Lipid Contents of the Copepod <i>Calanus finmarchicus</i> Entering Diapause in the Fram Strait and Their Contribution to the Boreal and Arctic Lipid Pump. 9,	
4	Quantifying the roles of food intake and stored lipid for growth and development throughout the life cycle of a high-latitude copepod, and consequences for ocean carbon sequestration. 9,	0
3	Dynamical Controls of the Eastward Transport of Overwintering <i>Calanus finmarchicus</i> From the Lofoten Basin to the Continental Slope. 2022 , 127,	0
2	The global contribution of seasonally migrating copepods to the biological carbon pump.	1
1	Pathogens and Passengers: Roles for Crustacean Zooplankton Viruses in the Global Ocean. 2023 , 11, 1054	0