## CITATION REPORT List of articles citing

Changes in the distribution of Atlantic cod (Gadus morhua) in the southern Gulf of St Lawrence effects of environmental change or change in environmental prefere

DOI: 10.1046/j.1365-2419.1999.00090.x Fisheries Oceanography, 1999, 8, 1-17.

Source: https://exaly.com/paper-pdf/30363852/citation-report.pdf

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #  | Paper  | IF  | Citations |
|----|--|-----|-----------|
| 59 | Growth Rate and Body Composition of Fingerling Sockeye Salmon, Oncorhynchus nerka, in relation to Temperature and Ration Size. <i>Journal of the Fisheries Research Board of Canada</i> , <b>1969</b> , 26, 2363-2394          |     | 568       |
| 58 | A model of the spring migration into the North Sea by Calanus finmarchicus overwintering off the Scottish continental shelf. <i>Fisheries Oceanography</i> , <b>1999</b> , 8, 107-125  | 2.4 | 17        |
| 57 | Climate fluctuations and the spring invasion of the North Sea by Calanus finmarchicus. <i>Fisheries Oceanography</i> , <b>1999</b> , 8, 163-176  | 2.4 | 80        |
| 56 | Atlantic menhaden recruitment to a southern estuary: defining potential spawning regions. <i>Fisheries Oceanography</i> , <b>1999</b> , 8, 111-123   | 2.4 | 27        |
| 55 | Applications of SABRE to research and management. <i>Fisheries Oceanography</i> , <b>1999</b> , 8, 247-252   | 2.4 | 1         |
| 54 | Modelling the Northeast Atlantic circulation: implications for the spring invasion of shelf regions by Calanus finmarchicus. <i>ICES Journal of Marine Science</i> , <b>2000</b> , 57, 1694-1707                               | 2.7 | 26        |
| 53 | Final Thermal Preferendum of Atlantic Cod: Effect of Food Ration. <i>Transactions of the American Fisheries Society</i> , <b>2001</b> , 130, 263-275   | 1.7 | 37        |
| 52 | Relationship between spatial distribution of the Patagonian stock of Argentine anchovy, Engraulis anchoita, and sea temperatures during late spring to early summer. <i>Fisheries Oceanography</i> , <b>2001</b> , 10, 193-206 | 2.4 | 55        |
| 51 | Larval Transport on the Atlantic Continental Shelf of North America: a Review. <i>Estuarine, Coastal and Shelf Science</i> , <b>2001</b> , 52, 51-77   | 2.9 | 190       |
| 50 | A synthesis of the early life history of the anglerfish, Lophius piscatorius (Linnaeus, 1758) in northern British waters. <i>ICES Journal of Marine Science</i> , <b>2001</b> , 58, 70-86                                      | 2.7 | 33        |
| 49 | Depth-dependent variation in condition and length-at-age of Atlantic cod (Gadus morhua) in the southern Gulf of St. Lawrence. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , <b>2002</b> , 59, 1451-1459          | 2.4 | 15        |
| 48 | Diet of Atlantic cod in the southern Gulf of St Lawrence as an index of ecosystem change, 1959\( \textbf{Q} 000. \) Journal of Fish Biology, <b>2002</b> , 60, 902-922   | 1.9 | 1         |
| 47 | Spatial resolution improvement of sea ice maps prescribed to Regional Arctic Shelf Ocean Models by using Special Sensor Microwave/Imager 85 GHz data.  |     |           |
| 46 | Diet of Atlantic cod in the southern Gulf of St Lawrence as an index of ecosystem change, 1959\( \textbf{Q} 000. \) Journal of Fish Biology, <b>2002</b> , 60, 902-922   | 1.9 | 67        |
| 45 | . <b>2003</b> , 13, 47-64  |     | 270       |
| 44 | Density-versus temperature-dependent growth of Atlantic cod (Gadus morhua) in the Gulf of St. Lawrence and on the Scotian Shelf. <i>Fisheries Research</i> , <b>2003</b> , 59, 327-341   | 2.3 | 42        |
| 43 | Ocean thermal conditions in the post-smolt nursery of North American Atlantic salmon. <i>ICES Journal of Marine Science</i> , <b>2003</b> , 60, 343-355  | 2.7 | 51        |

| 42 | SNAC: a statistical emulator of the north-east Atlantic circulation. <i>Ocean Modelling</i> , <b>2004</b> , 7, 97-110   | 3   | 20  |
|----|---|-----|-----|
| 41 | Long-term variability of growth and recruitment of cod (Gadus morhua) off Greenland. <i>ICES Journal of Marine Science</i> , <b>2005</b> , 62, 1310-1321  | 2.7 | 8   |
| 40 | Distribution?abundance relationships for North Sea Atlantic cod (Gadus morhua): observation versus theory. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , <b>2005</b> , 62, 2001-2009  | 2.4 | 80  |
| 39 | Warm, windy winters drive cod north and homing of spawners keeps them there. <i>Journal of Applied Ecology</i> , <b>2006</b> , 43, 445-453  | 5.8 | 74  |
| 38 | Change in habitat associations and geographic distribution of thorny skate (Amblyraja radiata) in the southern Gulf of St Lawrence: density-dependent habitat selection or response to environmental change?. <i>Fisheries Oceanography</i> , <b>2006</b> , 15, 166-182 | 2.4 | 35  |
| 37 | Warm water occupancy by North Sea cod. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2007</b> , 274, 789-98   | 4.4 | 62  |
| 36 | Biophysical Model of Larval Yellow Perch Advection and Settlement in Lake Michigan. <i>Journal of Great Lakes Research</i> , <b>2007</b> , 33, 842-866  | 3   | 67  |
| 35 | The trophic ecology of Atlantic cod: insights from tri-monthly, localized scales of sampling. <i>Journal of Fish Biology</i> , <b>2007</b> , 71, 749-762  | 1.9 | 23  |
| 34 | Dispersal dynamics of post-larval blue crabs, Callinectes sapidus, within a wind-driven estuary. <i>Fisheries Oceanography</i> , <b>2007</b> , 16, 257-272  | 2.4 | 17  |
| 33 | Effects of fishing and predation in a heavily exploited ecosystem: Comparing periods before and after the collapse of groundfish in the southern Gulf of St. Lawrence (Canada). <i>Ecological Modelling</i> , <b>2007</b> , 204, 115-128                                | 3   | 58  |
| 32 | Modeling population connectivity by ocean currents, a graph-theoretic approach for marine conservation. <i>Landscape Ecology</i> , <b>2008</b> , 23, 19-36  | 4.3 | 318 |
| 31 | Density-independent and density-dependent factors affecting temporal changes in spatial distributions of eastern Bering Sea flatfish. <i>Fisheries Oceanography</i> , <b>2008</b> , 17, 396-410   | 2.4 | 90  |
| 30 | Simulating the interaction of seagrasses with their ambient flow. <i>Estuarine, Coastal and Shelf Science</i> , <b>2008</b> , 80, 563-572   | 2.9 | 16  |
| 29 | Spatial fisheries ecology: Recent progress and future prospects. <i>Journal of Marine Systems</i> , <b>2008</b> , 71, 223-236   | 2.7 | 115 |
| 28 | Improved representation of topographic effects by a vertical adaptive grid in Vector-Ocean-Model (VOM). Part II: Simulations in unstructured adaptive grids. <i>Ocean Modelling</i> , <b>2008</b> , 22, 128-145   | 3   | 3   |
| 27 | Assessing threats to species at risk using stage-structured state-space models: mortality trends in skate populations. <b>2009</b> , 19, 1347-64  |     | 27  |
| 26 | Relationships between Larval and Juvenile Abundance of Winter-Spawned Fishes in North Carolina, USA. <i>Marine and Coastal Fisheries</i> , <b>2009</b> , 1, 12-21   | 1.6 | 14  |
| 25 | Chapter 3. Effects of climate change and commercial fishing on Atlantic cod Gadus morhua. <i>Advances in Marine Biology</i> , <b>2009</b> , 56, 213-73  | 2.1 | 36  |

| 24 | Habitat preferences of selected demersal fish species in the Bay of Biscay and Celtic Sea, North-East Atlantic. <i>Fisheries Oceanography</i> , <b>2009</b> , 18, 268-285   | 2.4 | 21 |
|----|---|-----|----|
| 23 | Trophic role of Atlantic cod in the ecosystem. Fish and Fisheries, 2009, 10, 58-87  | 6   | 83 |
| 22 | Ontogenetic and sex-specific differences in density-dependent habitat selection of a marine fish population. <i>Ecology</i> , <b>2011</b> , 92, 189-200   | 4.6 | 53 |
| 21 | Non-additive and non-stationary properties in the spatial distribution of a large marine fish population. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2012</b> , 279, 3635-42   | 4.4 | 52 |
| 20 | Contrasting decadal trends in mortality between large and small individuals in skate populations in Atlantic Canada. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , <b>2013</b> , 70, 74-89  | 2.4 | 13 |
| 19 | Detecting temporal trends and environmentally-driven changes in the spatial distribution of bottom fishes and crabs on the eastern Bering Sea shelf. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2013</b> , 94, 231-243            | 2.3 | 63 |
| 18 | Modelling spatial distribution of epibenthic communities in the Gulf of St. Lawrence (Canada). <i>Journal of Sea Research</i> , <b>2013</b> , 78, 75-84   | 1.9 | 21 |
| 17 | Seasonal variation in geographic distribution of North East Arctic (NEA) cod Burvey coverage in a warmer Barents Sea. <i>Marine Biology Research</i> , <b>2013</b> , 9, 908-919   | 1   | 23 |
| 16 | Environmental influences on Atlantic bluefin tuna (Thunnus thynnus) catch per unit effort in the southern Gulf of St. Lawrence. <i>Fisheries Oceanography</i> , <b>2014</b> , 23, 83-100  | 2.4 | 13 |
| 15 | Influence of environmental, spatial, and ontogenetic variables on habitat selection and management of spiny dogfish in the Northeast (US) shelf large marine ecosystem. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , <b>2014</b> , 71, 567-580 | 2.4 | 17 |
| 14 | Spatial distribution of fishes in a Northwest Atlantic ecosystem in relation to risk of predation by a marine mammal. <i>Journal of Animal Ecology</i> , <b>2015</b> , 84, 1286-98  | 4.7 | 33 |
| 13 | Models, Data, and Methodology. <i>Hamburg Studies on Maritime Affairs</i> , <b>2015</b> , 15-33   |     |    |
| 12 | Factors affecting the abundance of age-0 Atlantic menhaden (Brevoortia tyrannus) in Chesapeake Bay. <i>ICES Journal of Marine Science</i> , <b>2016</b> , 73, 2238-2251   | 2.7 | 5  |
| 11 | Evaluating spatio-temporal variability in the habitat quality of Atlantic cod (Gadus morhua) in the Gulf of Maine. <i>Fisheries Oceanography</i> , <b>2017</b> , 26, 83-96  | 2.4 | 11 |
| 10 | Feeding, Growth, and Trophic Ecology. <b>2018</b> , 219-286   |     | 1  |
| 9  | Modeling the impact of hypoxia on the energy budget of Atlantic cod in two populations of the Gulf of Saint-Lawrence, Canada. <i>Journal of Sea Research</i> , <b>2019</b> , 143, 243-253   | 1.9 | 6  |
| 8  | Modeling the Oceanographic Impacts on the Spatial Distribution of Common Cephalopods During Autumn in the Yellow Sea. <i>Frontiers in Marine Science</i> , <b>2020</b> , 7,   | 4.5 | 4  |
| 7  | Stable oxygen isotope reconstruction of temperature exposure of the Icelandic cod (Gadus morhua) stock over the last 100 years. <i>ICES Journal of Marine Science</i> , <b>2020</b> , 77, 942-952   | 2.7 | 5  |

## CITATION REPORT

| 6 | Trial and error: Tactical changes in fishing behaviour can help reduce discards and exposure to chokes, but scientific trials can fail to spot this. <i>Marine Policy</i> , <b>2021</b> , 124, 104365  | 3.5 | О  |
|---|--|-----|----|
| 5 | Spatio-temporal dynamics of a fish predator: Density-dependent and hydrographic effects on Baltic Sea cod population. <i>PLoS ONE</i> , <b>2017</b> , 12, e0172004                                     | 3.7 | 18 |
| 4 | Theory, consequences and evidence of eroding population spatial structure in harvested marine fishes: a review. <i>Marine Ecology - Progress Series</i> , <b>2013</b> , 480, 227-243                   | 2.6 | 82 |
| 3 | Role of hydro-climatic and demographic processes on the spatio-temporal distribution of cephalopods in the western Mediterranean. <i>Marine Ecology - Progress Series</i> , <b>2014</b> , 514, 105-118 | 2.6 | 15 |
| 2 | A Spatiotemporal Investigation of the Cod Stock in the Northern Gulf of St. Lawrence. <i>Springer Proceedings in Mathematics and Statistics</i> , <b>2021</b> , 31-52                                  | 0.2 |    |
| 1 | Fisheries Oceanography: The first 30 years and new challenges in the 21st century. <b>2023</b> , 32, 3-9   |     | Ο  |