

# CITATION REPORT

List of articles citing

**Diel vertical migration of myctophid fishes (Family Myctophidae) in the transitional waters of the western North Pacific**

**DOI: 10.1046/j.1365-2419.1999.00103.x**  
**Fisheries Oceanography, 1999, 8, 115-127.**

**Source:** <https://exaly.com/paper-pdf/30363863/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
169	Swimbladder Morphology and Specific Gravity of Myctophids off Oregon. <b>1972</b> , 29, 1145-1150		68
168	Recent thermohaline transition in the Pacific western subarctic boundary currents and their fresh core eddies: the response of sound-scattering layers. <b>2000</b> , 26, 239-258		5
167	Vertical distribution, life cycle, and developmental characteristics of the mesopelagic calanoid copepod <i>Gaidius variabilis</i> (Aetideidae) in the Oyashio region, western North Pacific Ocean. <i>Marine Biology</i> , <b>2000</b> , 137, 99-109	2.5	24
166	Organochlorine and Butyltin Residues in Mesopelagic Myctophid Fishes from the Western North Pacific. <i>Environmental Science &amp; Technology</i> , <b>2000</b> , 34, 5129-5136	10.3	57
165	Wax ester biosynthesis in the liver of myctophid fishes. <b>2001</b> , 36, 389-93		5
164	Tuna food habits related to the micronekton distribution in French Polynesia. <i>Marine Biology</i> , <b>2002</b> , 140, 1023-1037	2.5	104
163	Horizontal and vertical distribution patterns of larval myctophid fishes in the Kuroshio Current region. <i>Fisheries Oceanography</i> , <b>2002</b> , 11, 1-10	2.4	55
162	Assemblages of vertical migratory mesopelagic fish in the transitional region of the western North Pacific. <i>Fisheries Oceanography</i> , <b>2002</b> , 11, 193-204	2.4	54
161	Diet of the mesopelagic fish <i>Notoscopelus japonicus</i> (Family: Myctophidae) associated with the continental slope off the Pacific coast of Honshu, Japan. <b>2002</b> , 68, 1034-1040		9
160	Spawning season and migration of the myctophid fish <i>Diaphus theta</i> in the western North Pacific. <i>Ichthyological Research</i> , <b>2003</b> , 50, 52-58	0.8	21
159	Eat and run? The hunger/satiation hypothesis in vertical migration: history, evidence and consequences. <b>2003</b> , 78, 1-79		215
158	Feeding habits of Dall's porpoises ( <i>Phocoenoides dalli</i> ) in the subarctic North Pacific and the Bering Sea basin and the impact of predation on mesopelagic micronekton. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2003</b> , 50, 593-610	2.5	36
157	Swimming behaviour and migration of a swordfish recorded by an archival tag. <i>Marine and Freshwater Research</i> , <b>2003</b> , 54, 527	2.2	65
156	Behavioral attraction of Leach's storm-petrels ( <i>Oceanodroma leucorhoa</i> ) to dimethyl sulfide. <b>2003</b> , 206, 1497-501		49
155	Importance of walleye pollock ( <i>Theragra chalcogramma</i> ) to wintering ribbon seals ( <i>Phoca fasciata</i> ) in Nemuro Strait, Hokkaido Japan. <b>2004</b> , 29, 55-63		8
154	Development of an acoustic-optical system to estimate target-strengths and tilt angles from fish aggregations. <b>2004</b> ,		0
153	Distribution patterns of larval myctophid fish assemblages in the subtropical-tropical waters of the western North Pacific. <i>Fisheries Oceanography</i> , <b>2004</b> , 13, 267-282	2.4	49

152	Distribution and onshore migration behaviour of burbot larvae in Lake Constance, Germany. <i>Journal of Fish Biology</i> , <b>2004</b> , 64, 176-185	1.9	12
151	First record of <i>Diaphus dumerilii</i> (Myctophiformes: Myctophidae) off the Portuguese mainland coast. <i>Journal of Fish Biology</i> , <b>2004</b> , 64, 1435-1438	1.9	2
150	Development and distribution of the early life stages of the longfin pearleye <i>Benthalbella linguoides</i> (Aulopiformes: Scopelarchidae) in the western North Pacific. <i>Ichthyological Research</i> , <b>2004</b> , 51, 301-308	0.8	9
149	Distribution patterns of larval myctophid fishes in the transition region of the western North Pacific. <i>Marine Biology</i> , <b>2004</b> , 144, 417-428	2.5	26
148	Late winter larval mesopelagic fish assemblage in the Kuroshio waters of the western North Pacific. <i>Fisheries Oceanography</i> , <b>2004</b> , 13, 121-133	2.4	25
147	Structure of deep-sea pelagic fish assemblages in relation to the Mid-Atlantic Ridge (45°â0°N). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2004</b> , 51, 953-978	2.5	33
146	At-sea behaviour and habitat use by tropicbirds in the eastern Pacific. <b>2005</b> , 147, 391-407		14
145	Night-time vertical distribution and abundance of small epipelagic and mesopelagic fishes in the upper 100 m layer of the Kuroshio-Oyashio Transition Zone in Spring. <b>2005</b> , 71, 1280-1286		30
144	Target strength of the lanternfish, <i>Stenobrachius leucopsarus</i> (family Myctophidae), a fish without an airbladder, measured in the Bering Sea. <i>ICES Journal of Marine Science</i> , <b>2006</b> , 63, 683-692	2.7	24
143	Hunt warm, rest cool: bioenergetic strategy underlying diel vertical migration of a benthic shark. <b>2006</b> , 75, 176-90		188
142	The characteristics of feeding of <i>Diaphus theta</i> (Myctophidae) in the northwestern part of the Pacific Ocean in the Summer-Autumn period. <b>2006</b> , 46, 606-612		7
141	Age and growth of lanternfishes, <i>Symbolophorus californiensis</i> and <i>Ceratoscopelus warmingii</i> (Myctophidae), in the KuroshioâOyashio Transition Zone. <i>Ichthyological Research</i> , <b>2006</b> , 53, 281-289	0.8	25
140	Distribution patterns of mesopelagic fishes with special reference to <i>Vinciguerria lucetia</i> Garman 1899 (Phosichthyidae: Pisces) in the Humboldt Current Region off Peru. <i>Marine Biology</i> , <b>2006</b> , 149, 1519-1537	2.5	32
139	Distribution depth of the transforming stage larvae of myctophid fishes in the subtropicalâtropical waters of the western North Pacific. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2007</b> , 54, 2181-2193	2.5	30
138	Observations of wild hunting behaviour and bioluminescence of a large deep-sea, eight-armed squid, <i>Taningia danae</i> . <b>2007</b> , 274, 1029-34		36
137	Things that go bump in the night: evolutionary interactions between cephalopods and cetaceans in the tertiary. <b>2007</b> , 40, 335-343		47
136	Larval mesopelagic fish assemblages in the KuroshioâOyashio transition region of the western North Pacific. <i>Marine Biology</i> , <b>2007</b> , 150, 1403-1415	2.5	11
135	Dietary shift and feeding intensity of <i>Stenobrachius leucopsarus</i> in the Bering Sea. <b>2008</b> , 64, 185-194		6

134	Structure, biomass distribution and trophodynamics of the pelagic ecosystem in the Oyashio region, western subarctic Pacific. <b>2008</b> , 64, 339-354		37
133	Diel vertical migration of the loosejaw dragonfishes (Stomiiformes: Stomiidae: Malacosteinae): a new analysis for rare pelagic taxa. <i>Journal of Fish Biology</i> , <b>2008</b> , 73, 888-901	1.9	9
132	Feeding habits of mesopelagic fish <i>Lampanyctus jordani</i> (Family: Myctophidae) over the continental slope off Tohoku area, northern Japan. <b>2008</b> , 74, 69-76		4
131	Decadal changes in the diet of northern fur seal ( <i>Callorhinus ursinus</i> ) migrating off the Pacific coast of northeastern Japan. <i>Fisheries Oceanography</i> , <b>2008</b> , 17, 231-238	2.4	13
130	Seasonal appearance of expatriated boreal copepods in the Oyashio-Kuroshio mixed region. <i>ICES Journal of Marine Science</i> , <b>2008</b> , 65, 469-476	2.7	20
129	Chemical composition of three dominant myctophid fish, <i>Diaphus theta</i> , <i>Stenobrachius leucopsarus</i> , and <i>S. nannochir</i> , in the subarctic and transition waters of the western North Pacific. <b>2008</b> , 88, 843-846		8
128	Diel activity patterns of sixgill sharks, <i>Hexanchus griseus</i> : the ups and downs of an apex predator. <b>2009</b> , 78, 525-536		72
127	Genetic diversity and population structure of three dominant myctophid fishes ( <i>Diaphus theta</i> , <i>Stenobrachius leucopsarus</i> , and <i>S. nannochir</i> ) in the North Pacific Ocean. <b>2009</b> , 65, 187-193		5
126	Comparison of feeding habits of myctophid fishes and juvenile small epipelagic fishes in the western North Pacific. <i>Marine Biology</i> , <b>2009</b> , 156, 641-659	2.5	26
125	Feeding ecology of <i>Symbolophorus californiensis</i> larvae (Teleostei: Myctophidae) in the southern transition region of the western North Pacific. <b>2010</b> , 90, 1249-1256		13
124	Acoustic biomass estimate of California headlightfish <i>Diaphus theta</i> , off eastern Hokkaido, Japan. <b>2010</b> , 76, 362-369		8
123	Prey selection of Dall's porpoise <i>Phocoenoides dalli</i> on the continental slope off the Pacific coast of Sanriku in winter. <b>2010</b> , 76, 54-61		2
122	Classification of fish schools based on evaluation of acoustic descriptor characteristics. <b>2010</b> , 76, 1-11		16
121	Stable carbon and nitrogen isotope variation in the northern lampfish and <i>Neocalanus</i> , marine survival rates of pink salmon, and meso-scale eddies in the Gulf of Alaska. <i>Progress in Oceanography</i> , <b>2010</b> , 87, 49-60	3.8	10
120	Deep-sea pelagic nekton biomass estimates in the North Atlantic: horizontal and vertical resolution of revised data from 1982 and 1983. <b>2010</b> , 26, 85-101		11
119	Seasonal abundance and distribution of pelagic and demersal fishes in southeastern Alaska. <b>2011</b> , 108, 307-320		15
118	A review on mesopelagic fishes belonging to family Myctophidae. <i>Reviews in Fish Biology and Fisheries</i> , <b>2011</b> , 21, 339-354	6	118
117	Food habits of threadfin hakeling <i>Laemonema longipes</i> along the Pacific coast of northern Japan. <b>2012</b> , 92, 613-621		2

116	New autonomous multiple codend opening/closing control system for a midwater frame trawl. <b>2012</b> , 3-4, 14-24		6
115	Vertical distribution, diversity and assemblages of mesopelagic fishes in the western Mediterranean. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2012</b> , 62, 53-69	2.5	108
114	Latitudinal and bathymetric patterns in the distribution and abundance of mesopelagic fish in the Scotia Sea. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2012</b> , 59-60, 189-198	2.3	63
113	Relationship between light and diel vertical migration of <i>Diaphus theta</i> and <i>Euphausia pacifica</i> off eastern Hokkaido. <b>2012</b> , 78, 503-513		3
112	Foraging arena theory. <b>2012</b> , 13, 41-59		189
111	Temporal variation in chum salmon, <i>Oncorhynchus keta</i> , diets in the central Bering Sea in summer and early autumn. <b>2012</b> , 93, 319-331		3
110	Diving behavior of a false killer whale, <i>Pseudorca crassidens</i> , in the Kuroshio-Oyashio transition region and the Kuroshio front region of the western North Pacific. <b>2013</b> , 29, 177-185		9
109	Mitogenomic sequences and evidence from unique gene rearrangements corroborate evolutionary relationships of myctophiformes (Neoteleostei). <b>2013</b> , 13, 111		37
108	Diet and prey selectivity in three surface-migrating myctophids in the eastern tropical Pacific. <i>Ichthyological Research</i> , <b>2013</b> , 60, 287-290	0.8	14
107	Considerations on diving patterns of bigeye tuna <i>Thunnus obesus</i> based on archival tag data. <b>2013</b> , 79, 39-46		9
106	Effects of acute temperature changes on gut physiology in two species of sculpin from the west coast of Greenland. <i>Polar Biology</i> , <b>2013</b> , 36, 775-785	2	14
105	Diet of whale sharks <i>Rhincodon typus</i> inferred from stomach content and signature fatty acid analyses. <i>Marine Ecology - Progress Series</i> , <b>2013</b> , 493, 219-235	2.6	61
104	The influence of photoreceptor size and distribution on optical sensitivity in the eyes of lanternfishes (Myctophidae). <i>PLoS ONE</i> , <b>2014</b> , 9, e99957	3.7	28
103	The submarine volcano eruption off El Hierro Island: effects on the scattering migrant biota and the evolution of the pelagic communities. <i>PLoS ONE</i> , <b>2014</b> , 9, e102354	3.7	11
102	Phylogeography, genetic isolation, and migration of deep-sea fishes in the South Atlantic. <b>2014</b> , 54, 642-659		9
101	Predator avoidance during reproduction: diel movements by spawning sockeye salmon between stream and lake habitats. <b>2014</b> , 83, 1478-89		12
100	Retinal ganglion cell distribution and spatial resolving power in deep-sea lanternfishes (Myctophidae). <b>2014</b> , 84, 262-76		17
99	Mesoscale features and micronekton in the Mozambique Channel: An acoustic approach. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2014</b> , 100, 164-173	2.3	25

98	Myctophid feeding ecology and carbon transport along the northern Mid-Atlantic Ridge. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2014</b> , 93, 104-116	2.5	55
97	The eyes of lanternfishes (Myctophidae, Teleostei): novel ocular specializations for vision in dim light. <b>2014</b> , 522, 1618-40		17
96	Trophodynamics of Protomyctophum (Myctophidae) in the Scotia Sea (Southern Ocean). <i>Journal of Fish Biology</i> , <b>2015</b> , 87, 1031-58	1.9	15
95	Diet and feeding strategies of mesopelagic fishes in the western Mediterranean. <i>Progress in Oceanography</i> , <b>2015</b> , 135, 1-17	3.8	49
94	Spectral tuning in the eyes of deep-sea lanternfishes (Myctophidae): a novel sexually dimorphic intra-ocular filter. <b>2015</b> , 85, 77-93		13
93	Vertical habitat and behaviour of the bluntnose sixgill shark in Hawaii. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2015</b> , 115, 116-126	2.3	20
92	Juvenile hake predation on Myctophidae and Sternoptychidae: Quantifying an energy transfer between mesopelagic and neritic communities. <b>2015</b> , 95, 217-225		5
91	Biogeography of small odontocetes in relation to wide-scale oceanographic structure in the North Pacific Ocean. <i>Fisheries Oceanography</i> , <b>2016</b> , 25, 119-132	2.4	11
90	Migration and diving behavior of <i>Centrophorus squamosus</i> in the NE Atlantic. Combining electronic tagging and Argo hydrography to infer deep ocean trajectories. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2016</b> , 115, 48-62	2.5	12
89	Diel variation in the vertical distribution of deep-water scattering layers in the Gulf of Mexico. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2016</b> , 115, 91-102	2.5	25
88	Vertical distribution, composition and migratory patterns of acoustic scattering layers in the Canary Islands. <b>2016</b> , 157, 82-91		36
87	Acoustic micronektonic distribution is structured by macroscale oceanographic processes across 20°S latitudes in the South-Western Indian Ocean. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2016</b> , 110, 20-32	2.5	17
86	The contribution of migratory mesopelagic fishes to neuston fish assemblages across the Atlantic, Indian and Pacific Oceans. <i>Marine and Freshwater Research</i> , <b>2016</b> , 67, 1114	2.2	20
85	Prey use by three deep-sea fishes in the Emperor Seamount waters, North Pacific Ocean, as revealed by stomach contents and stable isotope analyses. <b>2016</b> , 99, 335-349		5
84	Application of geometric morphometrics for intraspecific variability analysis in mesopelagic fishes of Sternoptychidae and Myctophidae families. <b>2017</b> , 57, 29-36		1
83	Seeing in the deep-sea: visual adaptations in lanternfishes. <b>2017</b> , 372,		26
82	Mesopelagic fishes across the tropical and equatorial Atlantic: Biogeographical and vertical patterns. <i>Progress in Oceanography</i> , <b>2017</b> , 151, 116-137	3.8	58
81	The diel vertical migration patterns and individual swimming behavior of overwintering sprat <i>Sprattus sprattus</i> . <i>Progress in Oceanography</i> , <b>2017</b> , 151, 49-61	3.8	9

80	Influence of lunar phases, winds and seasonality on the stranding of mesopelagic fish in the Strait of Messina (Central Mediterranean Sea). <b>2017</b> , 38, e12459		14
79	The Seychelles Tuna Fishery and Climate Change. <b>2017</b> , 523-568		4
78	The Seasonal Dynamics of the Abundance and Species Composition of Nekton in the Upper Epipelagic Layer of the Western Bering Sea. <i>Russian Journal of Marine Biology</i> , <b>2017</b> , 43, 535-554	0.7	1
77	COMUNIDADES ZOOPLANCTÔNICAS E ICTIOPLANCTÔNICAS: VARIÁVEIS VERTICAIS E NICTEMERAIS AO LONGO DE OITO DIAS * *Bonecker, A.C.T., Araújo, A.V., Dias, C.O., Castro, M.S., Carvalho, P.F., Lopes, R.M., Bonecker, S.L.C. 2017. Comunidades zooplanctônicas e ictioplanctônicas: variáveis verticais e nictemerais ao longo de oito dias. In: Falcão, A.P.C., Moreira,		
76	Vertical Distribution of Juvenile Skipjack Tuna <i>Katsuwonus pelamis</i> in The Tropical Western Pacific Ocean. <b>2017</b> , 51, 181-189 Elsevier. <i>Habitats</i> , v. 5, p. 247-28. <b>2017</b> , 247-281		4
75	Age-based life-history parameters of the mesopelagic fish <i>Notoscopelus resplendens</i> (Richardson, 1845) in the Central Eastern Atlantic. <b>2018</b> , 204, 412-423		5
74	Factors affecting the importance of myctophids in the diet of the world's seabirds. <i>Marine Biology</i> , <b>2018</b> , 165, 1	2.5	10
73	Mesopelagic fish assemblages across oceanic fronts: A comparison of three frontal systems in the southern California Current Ecosystem. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2018</b> , 134, 80-91	2.5	8
72	Comparative larval growth and mortality of mesopelagic fishes and their predatory impact on zooplankton in the Kuroshio region. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2018</b> , 131, 121-132	2.5	15
71	Variation in the diel vertical distributions of larvae and transforming stages of oceanic fishes across the tropical and equatorial Atlantic. <i>Progress in Oceanography</i> , <b>2018</b> , 160, 83-100	3.8	21
70	Energy-Rich Mesopelagic Fishes Revealed as a Critical Prey Resource for a Deep-Diving Predator Using Quantitative Fatty Acid Signature Analysis. <i>Frontiers in Marine Science</i> , <b>2018</b> , 5,	4.5	32
69	A new species of <i>Peniculus</i> (Copepoda: Siphonostomatoida) parasitizing mesopelagic myctophid fish: first discovery of colonization of the genus in deep water. <i>Parasite</i> , <b>2018</b> , 25, 58	3	0
68	Functional diversity and nutritional content in a deep-sea faunal assemblage through total lipid, lipid class, and fatty acid analyses. <i>PLoS ONE</i> , <b>2018</b> , 13, e0207395	3.7	17
67	Rhodopsin gene evolution in early teleost fishes. <i>PLoS ONE</i> , <b>2018</b> , 13, e0206918	3.7	5
66	Evidence of zooplankton vertical migration from continuous Southern Adriatic buoy current-meter records. <i>Progress in Oceanography</i> , <b>2018</b> , 167, 78-96	3.8	10
65	Micronekton diel migration, community composition and trophic position within two biogeochemical provinces of the South West Indian Ocean: Insight from acoustics and stable isotopes. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2018</b> , 138, 85-97	2.5	14
64	Feeding habits of bigeye tuna ( <i>Thunnus obesus</i> ) in the North Pacific from 2011 to 2013. <i>Marine and Freshwater Research</i> , <b>2018</b> , 69, 585	2.2	9
63	Quantifying carbon fluxes from primary production to mesopelagic fish using a simple food web model. <i>ICES Journal of Marine Science</i> , <b>2019</b> , 76, 690-701	2.7	34



62	Wintering in the Western Subarctic Pacific Increases Mercury Contamination of Red-Legged Kittiwakes. <i>Environmental Science &amp; Technology</i> , <b>2019</b> , 53, 13398-13407	10.3	8
61	Niche partitioning and morphospace in early stages of two sympatric Diogenichthys species (Myctophidae). <i>Journal of Fish Biology</i> , <b>2019</b> , 95, 1275-1285	1.9	2
60	Distribution of Symbolophorus californiensis (Teleostei: Myctophidae) in the Kuroshio region during late winter: Evidence of a southward spawning migration. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2019</b> , 150, 103053	2.5	3
59	Differences in the trophic ecology of micronekton driven by diel vertical migration. <i>Limnology and Oceanography</i> , <b>2019</b> , 64, 1473-1483	4.8	9
58	. <i>Geophysical Monograph Series</i> , <b>2019</b> ,	1.1	3
57	Reproduction and Early Life History of Mesopelagic Fishes in the Kuroshio Region. <i>Geophysical Monograph Series</i> , <b>2019</b> , 273-294	1.1	5
56	The time-keeping hormone melatonin: a possible key cue for puberty in freshwater eels ( <i>Anguilla</i> spp.). <i>Reviews in Fish Biology and Fisheries</i> , <b>2019</b> , 29, 1-21	6	8
55	Feeding habits estimated from weight-related isotope variations of mesopelagic fish larvae in the Kuroshio waters of the northeastern East China Sea. <i>ICES Journal of Marine Science</i> , <b>2019</b> , 76, 639-648	2.7	5
54	Estimation of the spawning biomass of myctophids based on larval production and reproductive parameters: the case study of <i>Benthosema pterotum</i> in the East China Sea. <i>ICES Journal of Marine Science</i> , <b>2019</b> , 76, 743-754	2.7	4
53	Reflector of the body photophore in lanternfish is mechanistically tuned to project the biochemical emission in photocytes for counterillumination. <i>Biochemical and Biophysical Research Communications</i> , <b>2020</b> , 521, 821-826	3.4	4
52	Ontogenetic habitat differences in <i>Benthosema pterotum</i> during summer in the shelf region of the southern East China Sea. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2020</b> , 175, 104739	2.3	1
51	eDNA metabarcoding survey reveals fine-scale coral reef community variation across a remote, tropical island ecosystem. <i>Molecular Ecology</i> , <b>2020</b> , 29, 1069-1086	5.7	53
50	Ontogenetic comparison of larvae and juveniles of <i>Diaphus garmani</i> and <i>Benthosema pterotum</i> (Myctophidae, Pisces) collected from Korea. <i>Fisheries and Aquatic Sciences</i> , <b>2020</b> , 23,	2.9	0
49	Distribution and diversity of mesopelagic fauna on seamounts of the Madeira-Tore complex (Northeastern Atlantic). <i>Regional Studies in Marine Science</i> , <b>2020</b> , 39, 101434	1.5	1
48	Oceanographic Structure and Light Levels Drive Patterns of Sound Scattering Layers in a Low-Latitude Oceanic System. <i>Frontiers in Marine Science</i> , <b>2020</b> , 7,	4.5	11
47	Dispersion Overrides Environmental Variability as a Primary Driver of the Horizontal Assemblage Structure of the Mesopelagic Fish Family Myctophidae in the Northern Gulf of Mexico. <i>Frontiers in Marine Science</i> , <b>2020</b> , 7,	4.5	8
46	Temporally-resolved mechanisms of deep-ocean particle flux and impact on the seafloor carbon cycle in the northeast Pacific. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2020</b> , 173, 104763	2.3	5
45	Mixing it up in Alaska: Habitat use of adult female Steller sea lions reveals a variety of foraging strategies. <i>Ecosphere</i> , <b>2020</b> , 11, e03021	3.1	6



44	Diet and prey selectivity of the mesopelagic lanternfish <i>Myctophum asperum</i> from the Perth Canyon, Western Australia. <i>Ichthyological Research</i> , <b>2021</b> , 68, 294-302	0.8	0
43	The rise to dominance of lanternfishes (Teleostei: Myctophidae) in the oceanic ecosystems: a paleontological perspective. <i>Paleobiology</i> , <b>2021</b> , 47, 446-463	2.6	4
42	Abundance and ecology of Myctophidae fishes in the Gulf of Alaska in winter season. <i>Izvestiya Tinro</i> , <b>2021</b> , 201, 292-312	0.2	
41	Semi-Intrinsic Luminescence in Marine Organisms.		
40	Molecular diet analysis of the marine fish-eating bat ( <i>Myotis vivesi</i> ) and potential mercury exposure. <i>Canadian Journal of Zoology</i> , <b>2021</b> , 99, 752-759	1.5	1
39	Otolith-derived field metabolic rates of myctophids (Family Myctophidae) from the Scotia Sea (Southern Ocean). <i>Marine Ecology - Progress Series</i> , <b>2021</b> , 675, 113-131	2.6	2
38	The Biology of Mesopelagic Fishes and Their Catches (1950â2018) by Commercial and Experimental Fisheries. <i>Journal of Marine Science and Engineering</i> , <b>2021</b> , 9, 1057	2.4	2
37	Eye-size variability in deep-sea lanternfishes (Myctophidae): an ecological and phylogenetic study. <i>PLoS ONE</i> , <b>2013</b> , 8, e58519	3.7	32
36	Foraging responses of black-legged kittiwakes to prolonged food-shortages around colonies on the Bering Sea shelf. <i>PLoS ONE</i> , <b>2014</b> , 9, e92520	3.7	35
35	Novel signature fatty acid profile of the giant manta ray suggests reliance on an uncharacterised mesopelagic food source low in polyunsaturated fatty acids. <i>PLoS ONE</i> , <b>2018</b> , 13, e0186464	3.7	3
34	Patterns of distribution and abundance of larval phosichthyidae (actinopterygii, stomiiformes) in southeastern Brazilian waters. <i>Brazilian Journal of Oceanography</i> , <b>2011</b> , 59, 213-229	1.8	1
33	Foraging Behavior of Black-Footed Albatross <i>Phoebastria nigripes</i> Rearing Chicks on the Ogasawara Islands. <i>Ornithological Science</i> , <b>2019</b> , 18, 27	0.7	7
32	Abundant mesopelagic fauna at oceanic high latitudes. <i>Marine Ecology - Progress Series</i> , <b>2016</b> , 546, 277-288	2.8	12
31	Spatial and temporal distribution patterns of acoustic backscatter in the New Zealand sector of the Southern Ocean. <i>Marine Ecology - Progress Series</i> , <b>2018</b> , 592, 19-35	2.6	12
30	Feeding patterns of transforming and juvenile myctophids that migrate into neustonic layers. <i>Marine Ecology - Progress Series</i> , <b>2020</b> , 650, 239-252	2.6	5
29	Checklist of marine and estuarine fishes from the AlaskaYukon Border, Beaufort Sea, to Cabo San Lucas, Mexico. <i>Zootaxa</i> , <b>2021</b> , 5053, 1-285	0.5	1
28	Distribution, vertical migration, and trophic ecology of lanternfishes (Myctophidae) in the Southwestern Tropical Atlantic. <i>Progress in Oceanography</i> , <b>2021</b> , 199, 102695	3.8	2
27	Species structure and year-to-year dynamics of nekton biomass in the upper epipelagic layer of the Pacific waters at Kuril Islands in summer periods of the 2000s. <i>Izvestiya Tinro</i> , <b>2014</b> , 176, 16-36	0.2	6

26	 STERNOPTYCHIDAE [MYCTOPHIDAE, "III Voprosy Ikhtiologii, <b>2017</b> , 24-31		
25	Seasonal dynamics in abundance and species composition of nekton in the upper epipelagic layer of the western Bering Sea. <i>Izvestiya Tinro</i> , <b>2017</b> , 189, 3-24	0.2	3
24	Assemblage Structure of Larval Fishes in Epipelagic and Mesopelagic Waters of the Northern Gulf of Mexico. <i>Frontiers in Marine Science</i> , <b>2021</b> , 8,	4.5	0
23	Glacier lanternfish ( <i>Benthosema glaciale</i> ) first found on the continental slope of the Pacific Arctic. <i>Polar Biology</i> , <b>2022</b> , 45, 513	2	0
22	Diel vertical movements of a coastal predator, the roosterfish ( <i>Nematistius pectoralis</i> ). <i>Marine and Freshwater Research</i> , <b>2022</b> , 73, 125	2.2	
21	Mesopelagic Micronekton and Macroplankton and the Conditions of Its Habitat in the Northeastern Pacific Ocean. <i>Oceanology</i> , <b>2022</b> , 62, 68-79	0.7	1
20	The impact of evolutionary trade-offs among bioluminescent organs and body shape in the deep sea: A case study on lanternfishes. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2022</b> , 184, 103769	2.5	0
19	Myctophid (Myctophidae) Abundance and Ecology in the Gulf of Alaska in Winter. <i>Russian Journal of Marine Biology</i> , <b>2021</b> , 47, 534-547	0.7	
18	Table_1.docx. <b>2020</b> ,		
17	Data_Sheet_1.PDF. <b>2020</b> ,		
16	Image_1.pdf. <b>2018</b> ,		
15	Image_2.PDF. <b>2018</b> ,		
14	Image_3.PDF. <b>2018</b> ,		
13	Table_1.XLSX. <b>2018</b> ,		
12	Table_2.xlsx. <b>2018</b> ,		
11	Daily and monthly ichthyoplankton assemblages of La Azufrada coral reef, Gorgona Island, Eastern Tropical Pacific. <i>Regional Studies in Marine Science</i> , <b>2022</b> , 52, 102378	1.5	
10	Population genomic dynamics of mesopelagic lanternfishes <i>Diaphus dumerilii</i> , <i>Lepidophanes guentheri</i> , and <i>Ceratoscopelus warmingii</i> (Family: Myctophidae) in the Gulf of Mexico. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2022</b> , 185, 103786	2.5	
9	Vertical distribution patterns of early stages of mesopelagic fishes along 110 °E, south-east Indian Ocean. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2022</b> , 105111	2.3	0

8	Revealing the foraging movements and diet of the White-faced Storm Petrel <i>Pelagodroma marina</i> in the NE Atlantic. <i>Marine Biology</i> , <b>2022</b> , 169,	2.5
7	First record and otolith morphometric description of an adult lightfish, <i>Ichthyococcus ovatus</i> (Actinopterygii: Stomiiformes: Phosichthyidae), caught in the Strait of Sicily (central Mediterranean Sea). <i>Acta Ichthyologica Et Piscatoria</i> , <b>2022</b> , 52, 159-166	1.8
6	Importance of the Lunar Cycle on Mesopelagic Foraging by Atlantic Bluefin Tuna in the Upwelling Area of the Strait of Messina (Central Mediterranean Sea). <b>2022</b> , 12, 2261	○
5	Composition and metabolic potential of microbiomes associated with mesopelagic animals from Monterey Canyon. <b>2022</b> , 2,	○
4	Deep-sea fishes in a sauna: Viperfishes dominate a submarine caldera. <b>2022</b> , 103950	○
3	A glimpse into the trophic ecology of deep-water sharks in an important crustacean fishing ground.	○
2	Summer diet and feeding strategy of Pacific cod ( <i>Gadus macrocephalus</i> ) inhabiting the southern coast of Hokkaido, Japan. <b>2022</b> , 18, 435-447	○
1	Vertical migration patterns linked to body and environmental temperatures in chub mackerel. <b>2023</b> , 213, 103017	○