

# CITATION REPORT

List of articles citing

## Cortical malformations and epilepsy: new insights from animal models

DOI: 10.1111/j.1528-1157.1999.tb00786.x  
Epilepsia, 1999, 40, 811-21.

**Source:** <https://exaly.com/paper-pdf/30415446/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
125	Abnormal connections in the malformed cortex of rats with prenatal treatment with methylazoxymethanol may support hyperexcitability. <b>1999</b> , 21, 385-92		38
124	Headache in Ehlers-Danlos syndrome. <b>1999</b> , 19, 791-6		49
123	Is epileptogenic cortex truly hypometabolic on interictal positron emission tomography?. <b>2000</b> , 48, 88-96		64
122	Age-dependent consequences of seizures: relationship to seizure frequency, brain damage, and circuitry reorganization. <b>2000</b> , 6, 242-52		39
121	Cortical malformations and epilepsy. <b>2000</b> , 6, 268-80		77
120	Occipitoparietal epilepsy, hippocampal atrophy, and congenital developmental abnormalities. <i>Epilepsia</i> , <b>2000</b> , 41, 1546-53	6.4	20
119	Prenatal methotrexate exposure delays onset of low Mg(2+)-induced epileptiform discharges in the entorhinal cortex. <b>2000</b> , 123, 91-4		3
118	Neuronal degeneration in the limbic system of weanling rats exposed to saline, hyperthermia or d-amphetamine. <b>2000</b> , 885, 166-71		15
117	Hippocampal abnormalities and enhanced excitability in a murine model of human lissencephaly. <b>2000</b> , 20, 2439-50		121
116	Aberrant neural circuits in malformations of cortical development and focal epilepsy. <b>2000</b> , 55, 423-8		45
115	Prenatal methotrexate exposure decreases seizure susceptibility in young rats of two strains. <b>2000</b> , 161, 167-73		9
114	Schizencephaly: clinical and imaging features in 30 infantile cases. <b>2000</b> , 22, 475-83		101
113	Consequences of epilepsy in the developing brain: implications for surgical management. <b>2000</b> , 7, 147-57		24
112	Overview of the Current Animal Models for Human Seizure and Epileptic Disorders. <b>2001</b> , 2, 201-216		136
111	Developmentally induced microencephalopathy in guinea pigs--embryonic glial cell activation marks selective neuronal death. <b>2001</b> , 19, 313-8		0
110	Hippocampal heterotopia lack functional Kv4.2 potassium channels in the methylazoxymethanol model of cortical malformations and epilepsy. <b>2001</b> , 21, 6626-34		104
109	Abnormal morphological and functional organization of the hippocampus in a p35 mutant model of cortical dysplasia associated with spontaneous seizures. <b>2001</b> , 21, 983-98		92

108	The effects of seizures on the hippocampus of the immature brain. <b>2001</b> , 45, 119-39		7
107	Changes in the colocalization of glutamate ionotropic receptor subunits in the human epileptic temporal lobe cortex. <b>2001</b> , 138, 398-402		7
106	Electroencephalographic characterization of an adult rat model of radiation-induced cortical dysplasia. <i>Epilepsia</i> , <b>2001</b> , 42, 1221-7	6.4	62
105	Models of brain injury and alterations in synaptic plasticity. <b>2001</b> , 65, 279-83		63
104	Neuronal microdysgenesis and acquired lesions of the hippocampal formation connected with seizure activities in Ihara epileptic rat. <b>2001</b> , 901, 1-11		9
103	Expression of brain specific chondroitin sulfate proteoglycans, neurocan and phosphacan, in the developing and adult hippocampus of Ihara's epileptic rats. <b>2001</b> , 898, 36-48		34
102	Brain malformations, epilepsy, and infantile spasms. <b>2002</b> , 49, 333-52		20
101	Are there specific anatomical and/or transmitter systems (cortical or subcortical) that should be targeted?. <b>2002</b> , 49, 221-52		8
100	Infantile spasms: criteria for an animal model. <b>2002</b> , 49, 391-411		34
99	Deductive genomics: a functional approach to identify innovative drug targets in the post-genome era. <b>2002</b> , 2, 263-71		17
98	Association of family history of epilepsy with earlier age at seizure onset in patients with focal cortical dysplasia. <b>2002</b> , 77, 1291-4		9
97	Classification issues in malformations caused by abnormalities of cortical development. <b>2002</b> , 13, 1-16, vii		86
96	NPY sensitivity and postsynaptic properties of heterotopic neurons in the MAM model of malformation-associated epilepsy. <b>2002</b> , 88, 2745-54		8
95	Contribution of SISCOM imaging in the presurgical evaluation of temporal lobe epilepsy related to dysembryoplastic neuroepithelial tumors. <i>Epilepsia</i> , <b>2002</b> , 43, 270-6	6.4	35
94	Increased excitability and decreased sensitivity to GABA in an animal model of dysplastic cortex. <i>Epilepsia</i> , <b>2002</b> , 43, 970-82	6.4	54
93	Status epilepticus induced by lithium-pilocarpine in the immature rat does not change the long-term susceptibility to seizures. <b>2002</b> , 51, 189-97		17
92	Effects of antiepileptic drugs on induced epileptiform activity in a rat model of dysplasia. <b>2002</b> , 50, 251-64		78
91	A review of gene expression patterns in the malformed brain. <b>2002</b> , 26, 109-16		6

90	Epileptic and imaging findings in perinatal hypoxic-ischemic encephalopathy with ulegyria. <b>2003</b> , 55, 235-43	35
89	Distribution of glutamate receptor subunits in experimentally induced cortical malformations. <b>2003</b> , 117, 991-1002	35
88	Sox1-deficient mice suffer from epilepsy associated with abnormal ventral forebrain development and olfactory cortex hyperexcitability. <b>2003</b> , 119, 421-32	52
87	Experimentally-induced microencephaly: effects on cortical neurons. <b>2003</b> , 60, 329-38	8
86	Outcome of epilepsy surgery in focal cortical dysplasia. <b>2003</b> , 74, 183-8	109
85	The NMDA receptor complex is altered in an animal model of human cerebral heterotopia. <b>2003</b> , 62, 662-75	26
84	Amyloid precursor protein processing in vivo—insights from a chemically-induced constitutive overactivation of protein kinase C in Guinea pig brain. <b>2003</b> , 10, 871-82	10
83	The Wakayama epileptic rat (WER), a new mutant exhibiting tonic-clonic seizures and absence-like seizures. <b>2003</b> , 52, 53-62	10
82	Genetic disruption of cortical interneuron development causes region- and GABA cell type-specific deficits, epilepsy, and behavioral dysfunction. <b>2003</b> , 23, 622-31	286
81	DEVELOPMENTAL DEFECTS AND PATHOPHYSIOLOGY. <b>2004</b> , 662-672	
80	Recent Advances in Epilepsy Research. <i>Advances in Experimental Medicine and Biology</i> , <b>2004</b> ,	3.6 4
79	Physiological and morphological characterization of dentate granule cells in the p35 knock-out mouse hippocampus: evidence for an epileptic circuit. <b>2004</b> , 24, 9005-14	76
78	Clinical and experimental studies of epilepsy associated with focal cortical dysplasia. <b>2004</b> , 58, S26-9	5
77	Severity of histopathologic abnormalities and in vivo epileptogenicity in the in utero radiation model of rats is dose dependent. <i>Epilepsia</i> , <b>2004</b> , 45, 583-91	6.4 51
76	Functional magnetic resonance imaging and somatosensory evoked potentials in rats with a neonatally induced freeze lesion of the somatosensory cortex. <b>2004</b> , 24, 1409-18	14
75	Susceptibility of immature and adult brains to seizure effects. <b>2004</b> , 3, 608-17	168
74	MAO(A) knockout mice are more susceptible to seizures but show reduced epileptogenesis. <b>2004</b> , 59, 25-34	12
73	Plasticity of interneuronal species diversity and parameter variance in neurological diseases. <b>2004</b> , 27, 504-10	35

72	Pilocarpine-induced seizure susceptibility in rats following prenatal methylazoxymethanol treatment. <b>2005</b> , 28, 1408-13	7
71	REORGANIZATION OF BARREL CIRCUITS LEADS TO THALAMICALLY-EVOKED CORTICAL EPILEPTIFORM ACTIVITY. <b>2005</b> , 3, 261-273	12
70	Excitatory and inhibitory postsynaptic currents in a rat model of epileptogenic microgyria. <b>2005</b> , 93, 687-96	60
69	Degeneration of monoaminergic fibers in the aged micrencephalic rat. <b>2005</b> , 385, 82-6	8
68	Initiation and spread of epileptiform discharges in the methylazoxymethanol acetate rat model of cortical dysplasia: functional and structural connectivity between CA1 heterotopia and hippocampus/neocortex. <b>2005</b> , 133, 327-42	16
67	Histometric changes and cell death in the thalamus after neonatal neocortical injury in the rat. <b>2006</b> , 141, 875-888	18
66	Prenatal exposure to thalidomide, altered vasculogenesis, and CNS malformations. <b>2006</b> , 142, 267-83	50
65	The multipolar stage and disruptions in neuronal migration. <b>2006</b> , 29, 407-413	196
64	Epilepsy: a review of selected clinical syndromes and advances in basic science. <b>2006</b> , 26, 983-1004	86
63	CNS aspects of prenatal drug exposure: drugs of abuse, toxins, and corticosteroids. <b>2006</b> , 1074, 577-89	1
62	Determinants of drug brain uptake in a rat model of seizure-associated malformations of cortical development. <b>2006</b> , 24, 429-42	44
61	MAM and Other [Lesion]Models of Developmental Epilepsy. <b>2006</b> , 305-313	3
60	Loss of embryonic MET signaling alters profiles of hippocampal interneurons. <b>2007</b> , 29, 143-58	22
59	Psychotropic and Neurotropic Activity. <b>2007</b> , 565-876	3
58	Pathophysiological mechanisms of focal cortical dysplasia: a critical review of human tissue studies and animal models. <i>Epilepsia</i> , <b>2007</b> , 48 Suppl 2, 21-32	6.4 59
57	Neurobiological mechanisms of developmental epilepsy: translating experimental findings into clinical application. <b>2007</b> , 14, 164-72	12
56	Interictal hyperemia correlates with epileptogenicity in polymicrogyric cortex. <b>2008</b> , 79, 39-48	8
55	Functional MRI in malformations of cortical development: activation of dysplastic tissue and functional reorganization. <b>2008</b> , 18, 296-305	20

54	Occipitoparietal Epilepsy, Hippocampal Atrophy, and Congenital Developmental Abnormalities. <i>Epilepsia</i> , <b>2008</b> , 41, 1546-1553	6.4	
53	Mild cognitive deficits associated to neocortical microgyria in mice with genetic deletion of cellular prion protein. <b>2008</b> , 1241, 148-56		9
52	Combined effects of prenatal inhibition of vasculogenesis and neurogenesis on rat brain development. <b>2008</b> , 32, 499-509		15
51	Glycine transporter-1 expression in the rat model of cortical dysplasia. <b>2008</b> , 30, 910-4		
50	Electroclinical and imaging findings in ulegyria and epilepsy: a study on 25 patients. <b>2008</b> , 79, 547-52		19
49	Expression of mutant beta2 nicotinic receptors during development is crucial for epileptogenesis. <b>2009</b> , 18, 1075-88		31
48	Dcx reexpression reduces subcortical band heterotopia and seizure threshold in an animal model of neuronal migration disorder. <b>2009</b> , 15, 84-90		119
47	Animal models of focal cortical dysplasia and tuberous sclerosis complex: recent progress toward clinical applications. <i>Epilepsia</i> , <b>2009</b> , 50 Suppl 9, 34-44	6.4	34
46	Seizures and Antiepileptic Drugs: Does Exposure Alter Normal Brain Development in Animal Models?. <b>2009</b> , 105-132		3
45	Continuous electroencephalographic monitoring with radio-telemetry in a rat model of perinatal hypoxia-ischemia reveals progressive post-stroke epilepsy. <b>2010</b> , 30, 404-15		112
44	Histopathological Changes in Temporal Epilepsy. <b>2011</b> ,		
43	Initiation of epileptiform activity in a rat model of periventricular nodular heterotopia. <i>Epilepsia</i> , <b>2011</b> , 52, 2304-14	6.4	14
42	Seizure-induced miosis. <i>Epilepsia</i> , <b>2011</b> , 52, e199-203	6.4	14
41	Ehlers-Danlos syndrome and neurological features: a review. <b>2011</b> , 27, 365-71		24
40	Subthreshold somatic voltage in neocortical pyramidal cells can control whether spikes propagate from the axonal plexus to axon terminals: a model study. <b>2012</b> , 107, 2833-52		3
39	GABAergic excitation after febrile seizures induces ectopic granule cells and adult epilepsy. <b>2012</b> , 18, 1271-8		126
38	Are developmental dysplastic lesions epileptogenic?. <i>Epilepsia</i> , <b>2012</b> , 53 Suppl 1, 35-44	6.4	25
37	Roles of heat shock factor 1 in neuronal response to fetal environmental risks and its relevance to brain disorders. <b>2014</b> , 82, 560-72		80

36	Ehlers-Danlos syndrome: a cause of epilepsy and periventricular heterotopia. <b>2014</b> , 23, 819-24		6
35	Epilepsy-induced motility of differentiated neurons. <b>2014</b> , 24, 2130-40		34
34	[Cellular and molecular mechanisms underlying aberrant network reorganization in the epileptic brain]. <b>2014</b> , 134, 1171-7		
33	Morphometric changes in subcortical structures of the central auditory pathway in mice with bilateral nodular heterotopia. <b>2015</b> , 282, 61-9		3
32	Reducing premature KCC2 expression rescues seizure susceptibility and spine morphology in atypical febrile seizures. <b>2016</b> , 91, 10-20		15
31	Characterization of Pathology. <b>2017</b> , 139-160		3
30	Dysplasia: MAM, Model of Developmental Epilepsy. <b>2017</b> , 861-876		1
29	Dysplasias: Cortical Freeze Lesion. <b>2017</b> , 845-859		1
28	Pathophysiology of Epilepsy. <b>2019</b> , 1-18		
27	Multimodal GABAA receptor functions in the development of the central nervous system. <b>2020</b> , 323-343		2
26	MRI Successfully Reveals the Malformation of Cortical Development in Infant Rats. <i>Frontiers in Neuroscience</i> , <b>2020</b> , 14, 510	5.1	1
25	RHEB/mTOR hyperactivity causes cortical malformations and epileptic seizures through increased axonal connectivity. <i>PLoS Biology</i> , <b>2021</b> , 19, e3001279	9.7	6
24	Cortical dysplasia and epilepsy: animal models. <i>Advances in Experimental Medicine and Biology</i> , <b>2004</b> , 548, 145-74	3.6	31
23	Ehlers-Danlos Syndromes. <b>2008</b> , 887-906		4
22	Animal Models of Epilepsy. <b>2011</b> , 659-665		1
21	Developmental Disorders of the Nervous System. <b>2012</b> , 1396-1421		1
20	Genetics of the epilepsies. <i>Current Opinion in Neurology</i> , <b>2000</b> , 13, 157-64	7.1	11
19	Pathophysiology of human epilepsy: imaging and physiologic studies. <i>Current Opinion in Neurology</i> , <b>2000</b> , 13, 177-81	7.1	2

18	Disorders of cortical development. <i>Current Opinion in Neurology</i> , <b>2000</b> , 13, 183-92	7.1	35
17	RHEB/mTOR-hyperactivity causing cortical malformations drives seizures through increased axonal connectivity.		3
16	Characteristics of a primate model of focal motor cortical seizures suitable for preclinical testing of therapies like DBS. <i>World Journal of Neuroscience</i> , <b>2014</b> , 04, 47-57	0.4	5
15	An Introduction to Seizures and Epilepsy. <b>2004</b> , 3-29		
14	The efficacy of ketogenic diet in childhood intractable epilepsy with malformation of cortical development. <i>Korean Journal of Pediatrics</i> , <b>2006</b> , 49, 187	2.4	
13	Active Cl- Homeostasis Hypothesis and the Experimental Models of Epilepsy. <i>Journal of the Japan Epilepsy Society</i> , <b>2006</b> , 24, 3-17	0	
12	Developmental Disorders of the Nervous System. <b>2008</b> , 1711-1737		
11	Anti-Epileptic Activity. <b>2015</b> , 1-112		
10	Anti-Epileptic Activity. <b>2016</b> , 1215-1306		
9	In vivo Interictal Neuronal Signatures of Human Periventricular Nodular Heterotopia.		0
8	Genotoxic Damage During Brain Development Presages Prototypical Neurodegenerative Disease.. <i>Frontiers in Neuroscience</i> , <b>2021</b> , 15, 752153	5.1	1
7	Image_1.pdf. <b>2020</b> ,		
6	Table_1.pdf. <b>2020</b> ,		
5	Interictal and seizure-onset EEG patterns in malformations of cortical development: A systematic review. <b>2022</b> , 174, 105863		0
4	Gestational hypoxia in late pregnancy differentially programs subcortical brain maturation in male and female rat offspring. <b>2022</b> , 13,		0
3	Integrin-KCNB1 potassium channel complexes regulate neocortical neuronal development and are implicated in epilepsy.		0
2	Human periventricular nodular heterotopia shows several interictal epileptic patterns and hyperexcitability of neuronal firing. 13,		0
1	A review of the bioeffects of low-intensity focused ultrasound and the benefits of a cellular approach. 13,		0

