

CITATION REPORT

List of articles citing

Ethyl Linoleate in Meconium: A Biomarker for Prenatal Ethanol Exposure

DOI: 10.1111/j.1530-0277.1999.tb04142.x

Alcoholism: Clinical and Experimental Research, 1999, 23, 487-493.

Source: <https://exaly.com/paper-pdf/30415892/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
80	Measurement of organophosphate metabolites in postpartum meconium as a potential biomarker of prenatal exposure: a validation study. <i>Environmental Health Perspectives</i> , 2001 , 109, 417-20	8.4	135
79	Analysis of fatty acid ethyl esters in hair as possible markers of chronically elevated alcohol consumption by headspace solid-phase microextraction (HS-SPME) and gas chromatography-mass spectrometry (GC-MS). <i>Forensic Science International</i> , 2001 , 121, 76-88	2.6	132
78	Prevalence of fetal exposure to environmental toxins as determined by meconium analysis. <i>NeuroToxicology</i> , 2002 , 23, 329-39	4.4	132
77	Fetal alcohol spectrum disorder - New diagnostic initiatives. <i>Paediatrics and Child Health</i> , 2002 , 7, 139-41	0.7	7
76	Executive Functioning in Preschool-Age Children Prenatally Exposed to Alcohol, Cocaine, and Marijuana. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 647-656	3.7	72
75	Meconium as a biological marker of prenatal exposure. <i>Academic Pediatrics</i> , 2003 , 3, 40-3		32
74	Validation of a new biomarker of fetal exposure to alcohol. <i>Journal of Pediatrics</i> , 2003 , 143, 463-9	3.6	134
73	Use of biomarkers to indicate exposure of children to organophosphate pesticides: implications for a longitudinal study of children's environmental health. <i>Environmental Health Perspectives</i> , 2003 , 111, 1939-46	8.4	136
72	Agreement between maternal self-reported ethanol intake and tobacco use during pregnancy and meconium assays for fatty acid ethyl esters and cotinine. <i>American Journal of Epidemiology</i> , 2003 , 158, 705-9	3.8	67
71	Psychological maltreatment. <i>Pediatrics</i> , 2003 , 111, 444-5; author reply 444-5	7.4	2
70	New Methods for Neonatal Drug Screening. <i>NeoReviews</i> , 2003 , 4, 236e-244	1.1	9
69	Maternal report of prenatal alcohol use. <i>Pediatrics</i> , 2003 , 111, 443-4; author reply 443-4	7.4	
68	Proton nuclear magnetic resonance analysis of meconium composition in newborns. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003 , 36, 498-501	2.8	18
67	Population baseline of meconium fatty acid ethyl esters among infants of nondrinking women in Jerusalem and Toronto. <i>Therapeutic Drug Monitoring</i> , 2003 , 25, 271-8	3.2	108
66	Laboratory measures of alcohol (ethanol) consumption: strategies to assess drinking patterns with biochemical measures. <i>Biological Research for Nursing</i> , 2003 , 4, 203-17	2.6	8
65	Measurement of pesticides and other toxicants in amniotic fluid as a potential biomarker of prenatal exposure: a validation study. <i>Environmental Health Perspectives</i> , 2003 , 111, 1779-82	8.4	181
64	Substance Abuse. 2004 , 403-431		

63	Placental handling of fatty acid ethyl esters: perfusion and subcellular studies. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004 , 310, 75-82	4.7	41
62	Anesthetic and Obstetric Management of High-Risk Pregnancy. 2004 ,		3
61	Recent developments in meconium and hair testing methods for the confirmation of gestational exposures to alcohol and tobacco smoke. <i>Clinical Biochemistry</i> , 2004 , 37, 429-38	3.5	66
60	Fatty acid ethyl esters: markers of alcohol abuse and alcoholism. <i>Alcohol</i> , 2004 , 34, 151-8	2.7	57
59	Reply. <i>Journal of Pediatrics</i> , 2004 , 144, 691-692	3.6	3
58	Validation of meconium fatty acid ethyl esters as biomarkers for prenatal alcohol exposure. <i>Journal of Pediatrics</i> , 2004 , 144, 692	3.6	9
57	Is maternal alcohol use a risk factor for early-onset sepsis in premature newborns?. <i>Alcohol</i> , 2004 , 33, 139-145	2.7	22
56	Fetal exposure to alcohol as evidenced by fatty acid ethyl esters in meconium in the absence of maternal drinking history in pregnancy. <i>Therapeutic Drug Monitoring</i> , 2004 , 26, 474-81	3.2	33
55	Prenatal drug exposure and selective attention in preschoolers. <i>Neurotoxicology and Teratology</i> , 2005 , 27, 429-38	3.9	117
54	Biologic monitoring of exposure to environmental chemicals throughout the life stages: requirements and issues for consideration for the National Children's Study. <i>Environmental Health Perspectives</i> , 2005 , 113, 1083-91	8.4	160
53	Biomarkers in paediatric research and practice. <i>Archives of Disease in Childhood</i> , 2005 , 90, 594-600	2.2	14
52	Fatty Acid ethyl esters: quantitative biomarkers for maternal alcohol consumption. <i>Journal of Pediatrics</i> , 2005 , 146, 824-30	3.6	71
51	Drugs of abuse testing in meconium. <i>Clinica Chimica Acta</i> , 2006 , 366, 101-11	6.2	83
50	Chronic prenatal ethanol exposure and increased concentration of fatty acid ethyl esters in meconium of term fetal Guinea pig. <i>Therapeutic Drug Monitoring</i> , 2006 , 28, 345-50	3.2	26
49	Fatty acid ethyl esters in meconium: are they biomarkers of fetal alcohol exposure and effect?. <i>Alcoholism: Clinical and Experimental Research</i> , 2006 , 30, 1152-9	3.7	67
48	Rapid, accurate, and sensitive fatty acid ethyl ester determination by gas chromatography-mass spectrometry. <i>Translational Research</i> , 2006 , 147, 133-8		23
47	Biological matrices for the evaluation of in utero exposure to drugs of abuse. <i>Therapeutic Drug Monitoring</i> , 2007 , 29, 711-34	3.2	124
46	Bioanalytical procedures for determination of conjugates or fatty acid esters of ethanol as markers of ethanol consumption: a review. <i>Analytical Biochemistry</i> , 2007 , 368, 1-16	3.1	30

45	Detection of alcohol consumption during pregnancy--current and future biomarkers. <i>Neuroscience and Biobehavioral Reviews</i> , 2007 , 31, 261-9	9	24
44	In heavy drinkers, fatty acid ethyl esters remain elevated for up to 99 hours. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 423-7	3.7	30
43	Concentrations of xenobiotic chemicals in the maternal-fetal unit. <i>Reproductive Toxicology</i> , 2007 , 23, 260-6	3.4	149
42	Bioanalytical procedures for monitoring in utero drug exposure. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 388, 1455-65	4.4	120
41	Novel approaches to the diagnosis of fetal alcohol spectrum disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2007 , 31, 254-60	9	32
40	Biomarkers for detection of prenatal alcohol exposure: a critical review of fatty acid ethyl esters in meconium. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2008 , 82, 487-93		61
39	Measurement of direct ethanol metabolites suggests higher rate of alcohol use among pregnant women than found with the AUDIT--a pilot study in a population-based sample of Swedish women. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 407.e1-5	6.4	73
38	Novel methods for the detection of drug and alcohol exposure during pregnancy: implications for maternal and child health. <i>Clinical Pharmacology and Therapeutics</i> , 2008 , 83, 631-4	6.1	37
37	Fatty acid ethyl esters in meconium are associated with poorer neurodevelopmental outcomes to two years of age. <i>Journal of Pediatrics</i> , 2008 , 152, 788-92	3.6	52
36	Sustancias psicoactivas y embarazo. Estudio en una poblaci3n hospitalaria de Uruguay. <i>Trastornos Adictivos</i> , 2008 , 10, 98-103		1
35	Determination of fatty acid ethyl esters (FAEE) and ethyl glucuronide (EtG) in hair: a promising way for retrospective detection of alcohol abuse during pregnancy?. <i>Therapeutic Drug Monitoring</i> , 2008 , 30, 255-63	3.2	123
34	Prevalence of fetal ethanol exposure in a regional population-based sample by meconium analysis of fatty acid ethyl esters. <i>Therapeutic Drug Monitoring</i> , 2008 , 30, 239-45	3.2	51
33	A biomarker validation study of prenatal chlorpyrifos exposure within an inner-city cohort during pregnancy. <i>Environmental Health Perspectives</i> , 2009 , 117, 559-67	8.4	52
32	Alcohol and drug screening of newborns: would women consent?. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2009 , 31, 331-339	1.3	4
31	Population Baseline of Meconium Ethyl Glucuronide and Ethyl Sulfate Concentrations in Newborns of Nondrinking Women in 2 Mediterranean Cohorts. <i>Therapeutic Drug Monitoring</i> , 2010 , 32, 359-63	3.2	32
30	Universal screening for prenatal alcohol exposure: a progress report of a pilot study in the region of Grey Bruce, Ontario. <i>Therapeutic Drug Monitoring</i> , 2010 , 32, 305-10	3.2	10
29	The incidence of prenatal alcohol exposure in Montevideo Uruguay as determined by meconium analysis. <i>Therapeutic Drug Monitoring</i> , 2010 , 32, 311-7	3.2	28
28	Quantification of fatty acid ethyl esters (FAEE) and ethyl glucuronide (EtG) in meconium from newborns for detection of alcohol abuse in a maternal health evaluation study. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 396, 2469-77	4.4	79

27	Heavy in utero ethanol exposure is associated with the use of other drugs of abuse in a high-risk population. <i>Alcohol</i> , 2010 , 44, 623-7	2.7	15
26	Effects of moderate drinking during pregnancy on placental gene expression. <i>Alcohol</i> , 2010 , 44, 673-90	2.7	39
25	Ethyl glucuronide and ethyl sulfate in meconium and hair-potential biomarkers of intrauterine exposure to ethanol. <i>Forensic Science International</i> , 2010 , 196, 74-7	2.6	70
24	[Validity of a maternal alcohol consumption questionnaire in detecting prenatal exposure]. <i>Anales De Pediatria</i> , 2012 , 76, 324-8	0.2	19
23	Determination of maternal-fetal biomarkers of prenatal exposure to ethanol: a review. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 69, 209-22	3.5	89
22	Neonatal screening for prenatal alcohol exposure: assessment of voluntary maternal participation in an open meconium screening program. <i>Alcohol</i> , 2012 , 46, 269-76	2.7	22
21	Development and validation of the first liquid chromatography-tandem mass spectrometry assay for simultaneous quantification of multiple antiretrovirals in meconium. <i>Analytical Chemistry</i> , 2013 , 85, 1896-904	7.8	16
20	Synthesis of fatty acid ethyl esters in mammalian tissues after ethanol exposure: a systematic review of the literature. <i>Drug Metabolism Reviews</i> , 2013 , 45, 277-99	7	19
19	How Mary Ellen Avery Influenced my Career as an Investigator. <i>Frontiers in Pediatrics</i> , 2014 , 2, 20	3.4	
18	Development of a multi-residue method in a fetal matrix: analysis of meconium. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 7785-97	4.4	5
17	Alcohol Use Disorders and the Lung. <i>Respiratory Medicine</i> , 2014 ,	0.2	
16	Validation of a novel method to identify in utero ethanol exposure: simultaneous meconium extraction of fatty acid ethyl esters, ethyl glucuronide, and ethyl sulfate followed by LC-MS/MS quantification. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 1945-55	4.4	29
15	Identification of Children With Prenatal Alcohol Exposure. <i>Current Developmental Disorders Reports</i> , 2014 , 1, 141-148	1.9	3
14	Analysis of BTEX and chlorinated solvents in meconium by headspace-solid-phase microextraction gas chromatography coupled with mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 4481-90	4.4	14
13	Association of fatty acid ethyl esters in meconium and cognitive development during childhood and adolescence. <i>Journal of Pediatrics</i> , 2015 , 166, 1042-7	3.6	18
12	Objective Measures of Prenatal Alcohol Exposure: A Systematic Review. <i>Pediatrics</i> , 2016 , 138,	7.4	25
11	Nonoxidative ethanol metabolism in humans-from biomarkers to bioactive lipids. <i>IUBMB Life</i> , 2016 , 68, 916-923	4.7	29
10	The Detection of Fetal Alcohol Exposure by FAEEs Meconium Analysis. <i>Current Developmental Disorders Reports</i> , 2016 , 3, 235-241	1.9	2

9	Alternative sampling strategies for the assessment of alcohol intake of living persons. <i>Clinical Biochemistry</i> , 2016 , 49, 1078-91	3.5	29
8	Ethyl linolenate is elevated in meconium of very-low-birth-weight neonates exposed to alcohol in utero. <i>Pediatric Research</i> , 2017 , 81, 461-467	3.2	3
7	FASD: folic acid and formic acid - an unholy alliance in the alcohol abusing mother. <i>Biochemistry and Cell Biology</i> , 2018 , 96, 189-197	3.6	5
6	Prenatal alcohol exposure prevalence as measured by direct ethanol metabolites in meconium in a Native American tribe of the southwest. <i>Birth Defects Research</i> , 2019 , 111, 53-61	2.9	4
5	Quantifying fetal alcohol exposure by meconium fatty acid ethyl esters (FAEE); association with adverse fetal outcomes and population estimates of fetal alcohol exposure. <i>Drug Metabolism Reviews</i> , 2019 , 51, 524-532	7	2
4	Alcohol Use in Pregnancy. <i>Clinical Obstetrics and Gynecology</i> , 2019 , 62, 142-155	1.7	36
3	Fatty acid ethyl esters in meconium: A biomarker of fetal alcohol exposure and effect. <i>Experimental Biology and Medicine</i> , 2021 , 246, 380-386	3.7	1
2	Association of fatty acid ethyl esters in meconium with behavior during childhood. <i>Drug and Alcohol Dependence</i> , 2021 , 218, 108437	4.9	0
1	Assessing maternal alcohol consumption in pregnancy: comparison of confidential postnatal maternal interview and measurement of alcohol biomarkers in meconium. archdischild-2022-325028		0