

CITATION REPORT

List of articles citing

Two subsets of memory T lymphocytes with distinct homing potentials and effector functions

DOI: 10.1038/44385

Nature, 1999, 401, 708-12.

Source: <https://exaly.com/paper-pdf/30426099/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|------|--|------|-----------|
| 2295 | HSV-1 and 2: immunobiology and host response. 616-641 | | 1 |
| 2294 | EBV: Immunobiology and host response. 904-914 | | 8 |
| 2293 | Dual personality of memory T cells. <i>Nature</i> , 1999 , 402, 3-4 | 50.4 | 1 |
| 2292 | Selecting and maintaining a diverse T-cell repertoire. <i>Nature</i> , 1999 , 402, 6-13 | 50.4 | 16 |
| 2291 | Dual personality of memory T cells. <i>Nature</i> , 1999 , 401, 659-60 | 50.4 | 67 |
| 2290 | Selecting and maintaining a diverse T-cell repertoire. <i>Nature</i> , 1999 , 402, 255-62 | 50.4 | 691 |
| 2289 | Memory T cells: division of labour. 1999 , 3, 1 | | |
| 2288 | Role of leukocytes in the immunopathogenesis of ANCA-associated glomerulonephritis. 2000 , 85, 287-306 | | 9 |
| 2287 | Lymphocyte homing to allografts. 2000 , 70, 1131-9 | | 21 |
| 2286 | Neonatal invariant Valpha24+ NKT lymphocytes are activated memory cells. 2000 , 30, 1544-50 | | 104 |
| 2285 | Functionally distinct CD8+ memory T cell subsets in persistent EBV infection are differentiated by migratory receptor expression. 2000 , 30, 1823-9 | | 78 |
| 2284 | Review article: molecular signals and genetic reprogramming in peripheral T-cell differentiation. 2000 , 101, 289-99 | | 17 |
| 2283 | Role of CD4(+) T helper 2-type cells in cutaneous inflammatory responses induced by fluorescein isothiocyanate. 2000 , 101, 442-51 | | 57 |
| 2282 | Chemokines in tissue-specific and microenvironment-specific lymphocyte homing. 2000 , 12, 336-41 | | 551 |
| 2281 | Design and evaluation of antigen-specific vaccination strategies against cancer. 2000 , 12, 576-82 | | 87 |
| 2280 | From synapses to immunological memory: the role of sustained T cell stimulation. 2000 , 12, 92-8 | | 133 |
| 2279 | Understanding dendritic cell and T-lymphocyte traffic through the analysis of chemokine receptor expression. 2000 , 177, 134-40 | | 440 |

| | | |
|------|---|----------|
| 2278 | The role of dendritic cells in the innate immune system. 2000 , 2, 257-72 | 86 |
| 2277 | Reply to cohen. 2000 , 21, 199 | 2 |
| 2276 | IFN-alpha and IFN-beta: a link between immune memory and chronic inflammation. 2000 , 21, 337-42 | 120 |
| 2275 | Chemokines in inflammation and immunity. 2000 , 21, 418-20 | 198 |
| 2274 | Towards a molecular understanding of dendritic cell immunobiology. 2000 , 21, 542-5 | 46 |
| 2273 | Thanks for the memory. 2000 , 1, 11-2 | 15 |
| 2272 | Homeostasis of alpha beta TCR+ T cells. 2000 , 1, 107-11 | 224 |
| 2271 | Kinetics of dendritic cell activation: impact on priming of TH1, TH2 and nonpolarized T cells. 2000 , 1, 311-6 | 959 |
| 2270 | Complexity or coherence? Cytokine secretion by B cells. 2000 , 1, 465-6 | 39 |
| 2269 | Vaccines against intracellular infections requiring cellular immunity. <i>Nature</i> , 2000 , 406, 793-8 | 50.4 296 |
| 2268 | Chemokine receptors. 2000 , 1, 105-125 | 9 |
| 2267 | Leukocyte migration: scent of the T zone. 2000 , 10, R30-3 | 93 |
| 2266 | Characterization at the single-cell level of naive and primed CD8 T cell cytokine responses. 2000 , 206, 16-25 | 8 |
| 2265 | Dynamics of T lymphocyte responses: intermediates, effectors, and memory cells. 2000 , 290, 92-7 | 650 |
| 2264 | Regulation of Th1 and Th2 immune responses by chemokines. 2000 , 22, 329-44 | 8 |
| 2263 | Immune chemokines and their receptors: the key elements in the genesis, homeostasis and function of the immune system. 2000 , 22, 371-91 | 24 |
| 2262 | Dendritic cell biology and regulation of dendritic cell trafficking by chemokines. 2000 , 22, 345-69 | 242 |
| 2261 | CD3 and CD28 down-modulation on CD8 T cells during viral infection. 2000 , 96, 1021-1029 | 56 |

| | | |
|------|--|------|
| 2260 | Regulation of CCR6 chemokine receptor expression and responsiveness to macrophage inflammatory protein-3 γ /CCL20 in human B cells. 2000 , 96, 2338-2345 | 138 |
| 2259 | Impaired function of circulating HIV-specific CD8+ T cells in chronic human immunodeficiency virus infection. 2000 , 96, 3094-3101 | 228 |
| 2258 | Clonal expansions in acute EBV infection are detectable in the CD8 and not the CD4 subset and persist with a variable CD45 phenotype. 2000 , 165, 5729-37 | 93 |
| 2257 | A shift in the phenotype of melan-A-specific CTL identifies melanoma patients with an active tumor-specific immune response. 2000 , 165, 6644-52 | 121 |
| 2256 | Antitumor effects of the mouse chemokine 6Ckine/SLC through angiostatic and immunological mechanisms. 2000 , 165, 1992-2000 | 131 |
| 2255 | Cytokines and cell surface molecules independently induce CXCR4 expression on CD4+ CCR7+ human memory T cells. 2000 , 165, 716-24 | 92 |
| 2254 | Immortalization of human CD8+ T cell clones by ectopic expression of telomerase reverse transcriptase. 2000 , 165, 4239-45 | 157 |
| 2253 | Status of activation of circulating vaccine-elicited CD8+ T cells. 2000 , 165, 2287-96 | 99 |
| 2252 | Cutting edge: identification of a novel chemokine receptor that binds dendritic cell- and T cell-active chemokines including ELC, SLC, and TECK. 2000 , 164, 2851-6 | 167 |
| 2251 | HIV gag mRNA transfection of dendritic cells (DC) delivers encoded antigen to MHC class I and II molecules, causes DC maturation, and induces a potent human in vitro primary immune response. 2000 , 165, 4710-7 | 126 |
| 2250 | CXC chemokine receptor 5 expression defines follicular homing T cells with B cell helper function. 2000 , 192, 1553-62 | 938 |
| 2249 | Follicular homing T helper (Th) cells and the Th1/Th2 paradigm. 2000 , 192, F31-4 | 58 |
| 2248 | Biotherapeutic targets for the treatment of allergic airway disease. 2000 , 162, S179-84 | 5 |
| 2247 | The role of chemokines in the microenvironmental control of T versus B cell arrest in Peyer's patch high endothelial venules. 2000 , 191, 77-88 | 268 |
| 2246 | Follicular B helper T cells express CXC chemokine receptor 5, localize to B cell follicles, and support immunoglobulin production. 2000 , 192, 1545-52 | 1067 |
| 2245 | CD30 signals integrate expression of cytotoxic effector molecules, lymphocyte trafficking signals, and signals for proliferation and apoptosis. 2000 , 165, 5105-11 | 82 |
| 2244 | The role of thymus-expressed chemokine and its receptor CCR9 on lymphocytes in the regional specialization of the mucosal immune system. 2000 , 165, 5069-76 | 294 |
| 2243 | Cytolytic mechanisms and expression of activation-regulating receptors on effector-type CD8+CD45RA+CD27- human T cells. 2000 , 165, 1910-7 | 68 |

| | | |
|------|--|------|
| 2242 | Tolerating the nervous system: a delicate balance. 2000 , 191, 757-60 | 22 |
| 2241 | Maintenance of large numbers of virus-specific CD8+ T cells in HIV-infected progressors and long-term nonprogressors. 2000 , 165, 1082-92 | 232 |
| 2240 | Infection of CD4+ memory T cells by HIV-1 requires expression of phosphodiesterase 4. 2000 , 165, 1755-61 | 28 |
| 2239 | The primate lentiviral receptor Bonzo/STRL33 is coordinately regulated with CCR5 and its expression pattern is conserved between human and mouse. 2000 , 165, 3284-92 | 172 |
| 2238 | Cutting edge: hierarchy of chemokine receptor and TCR signals regulating T cell migration and proliferation. 2000 , 165, 15-9 | 146 |
| 2237 | New methods for assessing T-cell responses. 2000 , 7, 859-64 | 51 |
| 2236 | T cell memory: heterogeneity and mechanisms. 2000 , 95, 173-81 | 31 |
| 2235 | T-cell function and migration. Two sides of the same coin. 2000 , 343, 1020-34 | 1224 |
| 2234 | Oligoclonal expansions in the CD8(+)CD28(-) T cells largely explain the shorter telomeres detected in this subset: analysis by flow FISH. 2000 , 61, 951-8 | 52 |
| 2233 | A systematic approach to vaccine complexity using an automaton model of the cellular and humoral immune system. I. Viral characteristics and polarized responses. 2000 , 19, 862-76 | 47 |
| 2232 | Functional flexibility in T cells: independent regulation of CD4+ T cell proliferation and effector function in vivo. 2000 , 13, 291-301 | 88 |
| 2231 | Chemokines: a new classification system and their role in immunity. 2000 , 12, 121-7 | 3179 |
| 2230 | Signaling takes shape in the immune system. 2000 , 103, 283-94 | 204 |
| 2229 | The leukotriene C(4) transporter MRP1 regulates CCL19 (MIP-3beta, ELC)-dependent mobilization of dendritic cells to lymph nodes. 2000 , 103, 757-68 | 404 |
| 2228 | Sensitization versus elicitation in allergic contact dermatitis: potential differences at cellular and molecular levels. 2000 , 11, 228-34 | 16 |
| 2227 | Cytokine, activation marker, and chemokine receptor expression by individual CD4(+) memory T cells in rheumatoid arthritis synovium. 2000 , 2, 415-23 | 57 |
| 2226 | The role of chemokine receptors in primary, effector, and memory immune responses. 2000 , 18, 593-620 | 891 |
| 2225 | Functional subsets of memory T cells identified by CCR7 expression. 2000 , 251, 167-71 | 114 |

| | | |
|------|---|------|
| 2224 | Analysis of successful immune responses in persons infected with hepatitis C virus. 2000 , 191, 1499-512 | 1081 |
| 2223 | Comparative analysis of T lymphocytes recovered from the lungs of mice genetically susceptible, resistant, and hyperresistant to Mycobacterium tuberculosis-triggered disease. 2000 , 165, 5921-31 | 62 |
| 2222 | Road signs guiding leukocytes along the inflammation superhighway. 2000 , 106, 817-28 | 45 |
| 2221 | In vivo activation of antigen-specific CD4 T cells. 2001 , 19, 23-45 | 403 |
| 2220 | Langerhans cells. 2001 , 35-cp1 | 11 |
| 2219 | Chemokines regulate lymphocyte homing to the intestinal mucosa. 2001 , 120, 291-4 | 29 |
| 2218 | Current concepts in lymphocyte homing and recirculation. 2001 , 38, 1-31 | 33 |
| 2217 | T cell effector subsets: extending the Th1/Th2 paradigm. 2001 , 78, 233-66 | 41 |
| 2216 | The art of the probable: system control in the adaptive immune system. 2001 , 293, 240-5 | 152 |
| 2215 | Role of T-bet in commitment of TH1 cells before IL-12-dependent selection. 2001 , 292, 1907-10 | 665 |
| 2214 | Induction of CCR7 expression in thymocytes requires both ERK signal and Ca(2+) signal. 2001 , 288, 1188-93 | 11 |
| 2213 | Chemokine expression dynamics in mycobacterial (type-1) and schistosomal (type-2) antigen-elicited pulmonary granuloma formation. 2001 , 158, 1503-15 | 112 |
| 2212 | Analysis of HLA-class-I specific natural killer cell receptors expressed on T lymphocytes infiltrating non-small-cell lung cancer. 2001 , 34, 395-405 | 3 |
| 2211 | Renal allograft rejection: The development and function of tubulitis. 2001 , 15, 109-128 | 0 |
| 2210 | Defense against influenza A virus infection: essential role of the chemokine system. 2001 , 204, 603-13 | 68 |
| 2209 | Spreading of HIV-specific CD8+ T-cell repertoire in long-term nonprogressors and its role in the control of viral load and disease activity. 2001 , 62, 561-76 | 50 |
| 2208 | Induction of specific CD8+ memory T cells and long lasting protection following immunization with Salmonella typhimurium expressing a lymphocytic choriomeningitis MHC class I-restricted epitope. 2001 , 20, 577-85 | 32 |
| 2207 | IFN gamma and IL-4 production by CD4, CD8 and WC1 gamma delta TCR(+) T cells from cattle lymph nodes and blood. 2001 , 81, 85-96 | 39 |

| | | |
|------|---|-----|
| 2206 | Human memory T cells: lessons from stem cell transplantation. 2001 , 22, 136-41 | 22 |
| 2205 | Nonpolarized memory T cells. 2001 , 22, 527-30 | 28 |
| 2204 | Increased CD95/Fas-induced apoptosis of HIV-specific CD8(+) T cells. 2001 , 15, 871-82 | 140 |
| 2203 | The role of adhesion molecules and chemokines in homeostasis and pathologic processes in transplanted organs. 2001 , 33, 3064-6 | 1 |
| 2202 | FTY720: a new dimension in transplantation. 2001 , 33, 3081-3 | 11 |
| 2201 | Differentiation of CMV-specific CD8(POS) T lymphocytes in primary CMV infection after renal transplantation. 2001 , 33, 3630 | 2 |
| 2200 | An overview of the immune system. 2001 , 357, 1777-89 | 663 |
| 2199 | Migratory properties of naive, effector, and memory CD8(+) T cells. 2001 , 194, 953-66 | 421 |
| 2198 | Priming of memory but not effector CD8 T cells by a killed bacterial vaccine. 2001 , 294, 1735-9 | 251 |
| 2197 | Expression of the serpin serine protease inhibitor 6 protects dendritic cells from cytotoxic T lymphocyte-induced apoptosis: differential modulation by T helper type 1 and type 2 cells. 2001 , 194, 657-67 | 170 |
| 2196 | CD8 T Cells: Potential Therapeutic Targets?. 2001 , 31, 233-236 | |
| 2195 | Phenotypic characterization of dendritic cells. 2001 , 97-cp1 | 4 |
| 2194 | CD4(+) T cells from lupus-prone mice are hyperresponsive to T cell receptor engagement with low and high affinity peptide antigens: a model to explain spontaneous T cell activation in lupus. 2001 , 193, 329-37 | 94 |
| 2193 | Erratum for vol. 97, p. 2948. 2001 , 98, 1677-1677 | |
| 2192 | Phénotype et fonctions des lymphocytes T CD8+mémorie. 2001 , 17, 1105-1111 | 0 |
| 2191 | The proportion of CD45RA(+)CD62L(+) (quiescent-phenotype) T cells within the CD8(+) subset increases in advanced weight loss in the protein- or energy-deficient weanling mouse. 2001 , 131, 3266-9 | 10 |
| 2190 | CC chemokine receptor 7-dependent and -independent pathways for lymphocyte homing: modulation by FTY720. 2001 , 194, 1875-81 | 111 |
| 2189 | Overabundance of CD45RA(+) (quiescent-phenotype) cells within the involuted CD4(+) T-cell population follows initiation of immune depression in energy-deficient weanling mice and reflects involution exclusive to the CD45RA(-) subset. 2001 , 131, 1812-8 | 16 |

| | | |
|------|--|-----|
| 2188 | Germinal center reaction. 2001 , 8, 52-9 | 100 |
| 2187 | Decreased expression of IL-2 in central and effector CD4 memory cells during progression to AIDS in rhesus macaques. 2001 , 15, 2359-69 | 18 |
| 2186 | Peripheral T-cell tolerance defined through transgenic mouse studies. 2001 , 33, 135-49 | 3 |
| 2185 | Fever-range hyperthermia dynamically regulates lymphocyte delivery to high endothelial venules. 2001 , 97, 2727-33 | 109 |
| 2184 | Chemoattractants MDC and TARC are secreted by malignant B-cell precursors following CD40 ligation and support the migration of leukemia-specific T cells. 2001 , 98, 533-40 | 60 |
| 2183 | Defective antifungal T-helper 1 (TH1) immunity in a murine model of allogeneic T-cell-depleted bone marrow transplantation and its restoration by treatment with TH2 cytokine antagonists. 2001 , 97, 1483-90 | 65 |
| 2182 | Postgrafting administration of granulocyte colony-stimulating factor impairs functional immune recovery in recipients of human leukocyte antigen haplotype-mismatched hematopoietic transplants. 2001 , 97, 2514-21 | 171 |
| 2181 | CD8 T cells specific for human immunodeficiency virus, Epstein-Barr virus, and cytomegalovirus lack molecules for homing to lymphoid sites of infection. 2001 , 98, 156-64 | 137 |
| 2180 | High production of interferon gamma but not interleukin-2 by human T-lymphotropic virus type I-infected peripheral blood mononuclear cells. 2001 , 98, 721-6 | 82 |
| 2179 | Differentiation of cytomegalovirus-specific CD8(+) T cells in healthy and immunosuppressed virus carriers. 2001 , 98, 754-61 | 174 |
| 2178 | Dressed to kill? A review of why antiviral CD8 T lymphocytes fail to prevent progressive immunodeficiency in HIV-1 infection. 2001 , 98, 1667-77 | 205 |
| 2177 | Attractions and migrations of lymphoid cells in the organization of humoral immune responses. 2001 , 78, 111-68 | 5 |
| 2176 | Chemokines and viral diseases of the central nervous system. 2001 , 56, 127-73 | 22 |
| 2175 | Cytokine cross-talk between tubular epithelial cells and interstitial immunocompetent cells. 2001 , 10, 55-9 | 27 |
| 2174 | CCR5 and CXCR4 Expression on Memory and Naive T Cells in HIV-1 Infection and Response to Highly Active Antiretroviral Therapy. 2001 , 27, 105-115 | 23 |
| 2173 | Immunopathogenesis of the multiple sclerosis lesion. 2001 , 1, 257-62 | 62 |
| 2172 | Transcript profiling of human dendritic cells maturation-induced under defined culture conditions: comparison of the effects of tumour necrosis factor alpha, soluble CD40 ligand trimer and interferon gamma. 2001 , 114, 444-57 | 26 |
| 2171 | Ex vivo analysis of phenotype and TCR usage in relation to CD45 isoform expression on cytomegalovirus-specific CD8+ T lymphocytes. 2001 , 125, 432-9 | 17 |

| | | |
|------|--|-----|
| 2170 | Recent thymic emigrants (CD4+) continuously migrate through lymphoid organs: within the tissue they alter surface molecule expression. 2001 , 53, 563-71 | 22 |
| 2169 | Predicting the dynamics of antiviral cytotoxic T-cell memory in response to different stimuli: cell population structure and protective function. 2001 , 79, 74-86 | 11 |
| 2168 | The developing human immune system: T-cell receptor repertoire of children and young adults shows a wide discrepancy in the frequency of persistent oligoclonal T-cell expansions. 2001 , 102, 301-9 | 55 |
| 2167 | Chemokines in pathology and medicine. 2001 , 250, 91-104 | 584 |
| 2166 | Generation and maintenance of memory T cells. 2001 , 13, 248-54 | 170 |
| 2165 | The instructive role of dendritic cells on T cell responses: lineages, plasticity and kinetics. 2001 , 13, 291-8 | 319 |
| 2164 | Helper T cell differentiation, inside and out. 2001 , 13, 351-5 | 53 |
| 2163 | Type 1 T regulatory cells. 2001 , 182, 68-79 | 684 |
| 2162 | Natural T-helper immunity against human papillomavirus type 16 (HPV16) E7-derived peptide epitopes in patients with HPV16-positive cervical lesions: identification of 3 human leukocyte antigen class II-restricted epitopes. 2001 , 91, 612-8 | 122 |
| 2161 | Differential expression of CXCR3 targeting chemokines CXCL10, CXCL9, and CXCL11 in different types of skin inflammation. 2001 , 194, 398-405 | 294 |
| 2160 | Human T cell responses to HPV 16 E2 generated with monocyte-derived dendritic cells. 2001 , 94, 807-12 | 15 |
| 2159 | Toll-like receptor expression reveals CpG DNA as a unique microbial stimulus for plasmacytoid dendritic cells which synergizes with CD40 ligand to induce high amounts of IL-12. 2001 , 31, 3026-37 | 643 |
| 2158 | Changing responsiveness to chemokines allows medullary plasmablasts to leave lymph nodes. 2001 , 31, 609-16 | 100 |
| 2157 | Characterization of novel HLA-DR11-restricted HCV epitopes reveals both qualitative and quantitative differences in HCV-specific CD4+ T cell responses in chronically infected and non-viremic patients. 2001 , 31, 1438-46 | 59 |
| 2156 | Both CD45R(low) and CD45R(high) "revertant" CD4 memory T cells provide help for memory B cells. 2001 , 31, 1685-95 | 15 |
| 2155 | Heat shock proteins as "danger signals": eukaryotic Hsp60 enhances and accelerates antigen-specific IFN-gamma production in T cells. 2001 , 31, 2051-9 | 95 |
| 2154 | Differential migration of in vivo primed B and T lymphocytes to lymphoid and non-lymphoid organs. 2001 , 31, 2603-2611 | 28 |
| 2153 | The T cell chemokine receptor CCR7 is internalized on stimulation with ELC, but not with SLC. 2001 , 31, 3291-7 | 102 |

2152 Annotated References by Year. **2001**, 651-770

| | | |
|------|--|----------|
| 2151 | Hepatitis C virus-like particles induce virus-specific humoral and cellular immune responses in mice. 2001 , 34, 417-23 | 79 |
| 2150 | Pathogenesis of mousepox in H-2(d) mice: evidence for MHC class I-restricted CD8(+) and MHC class II-restricted CD4(+) CTL antiviral activity in the lymph nodes, spleen and skin, but not in the conjunctivae. 2001 , 3, 1063-72 | 9 |
| 2149 | Lymphocyte traffic control by chemokines. 2001 , 2, 123-8 | 1025 |
| 2148 | Chemokines: immunology's high impact factors. 2001 , 2, 95-101 | 694 |
| 2147 | The expanding B7 superfamily: increasing complexity in costimulatory signals regulating T cell function. 2001 , 2, 203-9 | 343 |
| 2146 | Therapy of human tumors in NOD/SCID mice with patient-derived reactivated memory T cells from bone marrow. 2001 , 7, 452-8 | 241 |
| 2145 | Involvement of inhibitory NKR229L in the survival of a subset of memory-phenotype CD8+ T cells. 2001 , 2, 430-5 | 134 |
| 2144 | Antigen decoding by T lymphocytes: from synapses to fate determination. 2001 , 2, 487-92 | 212 |
| 2143 | ICOS is critical for T helper cell-mediated lung mucosal inflammatory responses. 2001 , 2, 597-604 | 237 |
| 2142 | Separable effector T cell populations specialized for B cell help or tissue inflammation. 2001 , 2, 876-81 | 110 |
| 2141 | Memory CD8+ T cells in heterologous antiviral immunity and immunopathology in the lung. 2001 , 2, 1067-76 | 216 |
| 2140 | Visualizing the generation of memory CD4 T cells in the whole body. <i>Nature</i> , 2001 , 410, 101-5 | 50.4 846 |
| 2139 | Skewed maturation of memory HIV-specific CD8 T lymphocytes. <i>Nature</i> , 2001 , 410, 106-11 | 50.4 871 |
| 2138 | Man the barrier! Strategic defences in the intestinal mucosa. 2001 , 1, 59-67 | 279 |
| 2137 | Role of chemokines in the pathogenesis of asthma. 2001 , 1, 108-16 | 219 |
| 2136 | Increased expression of NK cell markers on T lymphocytes in aging and chronic activation of the immune system reflects the accumulation of effector/senescent T cells. 2000 , 121, 77-88 | 176 |
| 2135 | Altered T cell signalling in ageing. 2001 , 122, 1613-37 | 112 |

| | | |
|------|---|------|
| 2134 | Analysis of lymphocyte diversity in the elderly: heteroduplex analysis and alternative techniques. 2001 , 36, 583-9 | 3 |
| 2133 | Human immunodeficiency virus-infected patients receiving highly active antiretroviral therapy maintain activated CD8+ T cell subsets as a strong adaptive immune response to cytomegalovirus. 2001 , 184, 256-67 | 25 |
| 2132 | Arrested differentiation, the self-renewing memory lymphocyte, and vaccination. 2001 , 293, 248-50 | 216 |
| 2131 | In vivo priming of CD4 T cells that produce interleukin (IL)-2 but not IL-4 or interferon (IFN)-gamma, and can subsequently differentiate into IL-4- or IFN-gamma-secreting cells. 2001 , 194, 1069-80 | 97 |
| 2130 | Ex vivo IFN-gamma secretion by circulating CD8 T lymphocytes: implications of a novel approach for T cell monitoring in infectious and malignant diseases. 2001 , 166, 7634-40 | 127 |
| 2129 | Mature dendritic cells prime functionally superior melan-A-specific CD8+ lymphocytes as compared with nonprofessional APC. 2001 , 167, 1188-97 | 64 |
| 2128 | Induction of cytotoxic T lymphocyte antigen 4 (CTLA-4) restricts clonal expansion of helper T cells. 2001 , 194, 893-902 | 87 |
| 2127 | Chemokine receptor expressions and responsiveness of cord blood T cells. 2001 , 166, 1659-66 | 33 |
| 2126 | Memory T cells constitute a subset of the human CD8+CD45RA+ pool with distinct phenotypic and migratory characteristics. 2001 , 167, 212-20 | 138 |
| 2125 | CCR5 and CXCR4 expression on memory and naive T cells in HIV-1 infection and response to highly active antiretroviral therapy. 2001 , 27, 105-15 | 42 |
| 2124 | Role of CD40 ligand signaling in defective type 1 cytokine response in human immunodeficiency virus infection. 2001 , 183, 1722-31 | 40 |
| 2123 | Dendritic cells: immunological features and utilisation for tumour immunotherapy. 2001 , 5, 491-506 | 4 |
| 2122 | Unique chemotactic response profile and specific expression of chemokine receptors CCR4 and CCR8 by CD4(+)CD25(+) regulatory T cells. 2001 , 194, 847-53 | 723 |
| 2121 | Preferential localization of effector memory cells in nonlymphoid tissue. 2001 , 291, 2413-7 | 1535 |
| 2120 | Differential expression of leukocyte receptor complex-encoded Ig-like receptors correlates with the transition from effector to memory CTL. 2001 , 166, 3933-41 | 150 |
| 2119 | Human cytomegalovirus pp65- and immediate early 1 antigen-specific HLA class I-restricted cytotoxic T cell responses induced by cross-presentation of viral antigens. 2001 , 166, 5695-703 | 79 |
| 2118 | EBV-specific CD8+ T cell memory: relationships between epitope specificity, cell phenotype, and immediate effector function. 2001 , 167, 2019-29 | 185 |
| 2117 | Heterogeneity of the memory CD4 T cell response: persisting effectors and resting memory T cells. 2001 , 166, 926-35 | 101 |

| | | |
|------|---|------|
| 2116 | The activatory receptor 2B4 is expressed in vivo by human CD8+ effector alpha beta T cells. 2001 , 167, 6165-70 | 74 |
| 2115 | CCR7 expression and memory T cell diversity in humans. 2001 , 166, 877-84 | 273 |
| 2114 | Cutting edge: CCR4 mediates antigen-primed T cell binding to activated dendritic cells. 2001 , 167, 4791-5 | 40 |
| 2113 | Tumor-specific responses in lymph nodes draining murine sarcomas are concentrated in cells expressing P-selectin binding sites. 2001 , 167, 3089-98 | 14 |
| 2112 | CD4+CD25high regulatory cells in human peripheral blood. 2001 , 167, 1245-53 | 1517 |
| 2111 | CD11b expression identifies CD8+CD28+ T lymphocytes with phenotype and function of both naive/memory and effector cells. 2001 , 166, 900-7 | 37 |
| 2110 | Antigen-independent Th2 cell differentiation by stimulation of CD28: regulation via IL-4 gene expression and mitogen-activated protein kinase activation. 2001 , 166, 4283-92 | 35 |
| 2109 | The Peyer's patch microenvironment suppresses T cell responses to chemokines and other stimuli. 2001 , 167, 682-90 | 30 |
| 2108 | Functional heterogeneity of cytokines and cytolytic effector molecules in human CD8+ T lymphocytes. 2001 , 167, 181-7 | 127 |
| 2107 | Migration and function of antigen-primed nonpolarized T lymphocytes in vivo. 2001 , 193, 987-93 | 143 |
| 2106 | Homing commitment of lymphocytes activated in the human gastric and intestinal mucosa. 2001 , 49, 519-25 | 35 |
| 2105 | A monoclonal cytolytic T-lymphocyte response observed in a melanoma patient vaccinated with a tumor-specific antigenic peptide encoded by gene MAGE-3. 2001 , 98, 10290-5 | 194 |
| 2104 | High-level HIV-1 viremia suppresses viral antigen-specific CD4(+) T cell proliferation. 2001 , 98, 13878-83 | 193 |
| 2103 | Augmentation in expression of activation-induced genes differentiates memory from naive CD4+ T cells and is a molecular mechanism for enhanced cellular response of memory CD4+ T cells. 2001 , 166, 7335-44 | 51 |
| 2102 | Fuc-TVII is required for T helper 1 and T cytotoxic 1 lymphocyte selectin ligand expression and recruitment in inflammation, and together with Fuc-TIV regulates naive T cell trafficking to lymph nodes. 2001 , 194, 601-14 | 107 |
| 2101 | Mice lacking expression of the chemokines CCL21-ser and CCL19 (plt mice) demonstrate delayed but enhanced T cell immune responses. 2001 , 193, 207-18 | 151 |
| 2100 | Chemokines in immunity. 2001 , 78, 57-110 | 347 |
| 2099 | Embryonic thymic epithelium naturally devoid of APCs is acutely rejected in the absence of indirect recognition. 2001 , 167, 5034-41 | 14 |

| | | |
|------|---|-----|
| 2098 | Killing of dendritic cells: a life cut short or a purposeful death?. 2001 , 194, F23-6 | 58 |
| 2097 | Selective blockade of T lymphocyte K(+) channels ameliorates experimental autoimmune encephalomyelitis, a model for multiple sclerosis. 2001 , 98, 13942-7 | 273 |
| 2096 | Temporal-spatial analysis of the immune response in a murine model of ovalbumin-induced airways inflammation. 2001 , 25, 326-34 | 33 |
| 2095 | Cytokine-driven proliferation and differentiation of human naive, central memory, and effector memory CD4(+) T cells. 2001 , 194, 1711-9 | 446 |
| 2094 | Histamine induces CD86 expression and chemokine production by human immature dendritic cells. 2001 , 166, 6000-6 | 135 |
| 2093 | Direct analysis of the dynamics of the intestinal mucosa CD8 T cell response to systemic virus infection. 2001 , 166, 2348-56 | 123 |
| 2092 | Cd4+ T cells programmed to traffic to lymph nodes account for increases in numbers of cd4+ T cells up to 1 year after the initiation of highly active antiretroviral therapy for human immunodeficiency virus type 1 infection. 2001 , 184, 93-7 | 9 |
| 2091 | Alterations in T cell phenotype and human immunodeficiency virus type 1-specific cytotoxicity after potent antiretroviral therapy. 2001 , 183, 722-9 | 18 |
| 2090 | Altered peptide ligand vaccination with Flt3 ligand expanded dendritic cells for tumor immunotherapy. 2001 , 98, 8809-14 | 454 |
| 2089 | Learning to remember: generation and maintenance of T-cell memory. 2001 , 20, 745-60 | 10 |
| 2088 | Cytokine memory of T helper lymphocytes. 2002 , 80, 115-81 | 80 |
| 2087 | Increasing CD4+ T cells specific for tuberculosis correlate with improved clinical immunity after highly active antiretroviral therapy. 2002 , 18, 969-75 | 17 |
| 2086 | Tuberculosis vaccines: the past, present and future. 2002 , 1, 341-54 | 29 |
| 2085 | Patterns of chemokine receptor expression on peripheral blood gamma delta T lymphocytes: strong expression of CCR5 is a selective feature of V delta 2/V gamma 9 gamma delta T cells. 2002 , 168, 4920-9 | 125 |
| 2084 | Why does inflammation persist: a dominant role for the stromal microenvironment?. 2002 , 4, 1-18 | 38 |
| 2083 | Characterization of the T-cell response to coxsackievirus B4: evidence that effector memory cells predominate in patients with type 1 diabetes. 2002 , 51, 1745-53 | 33 |
| 2082 | CD8+ T-cell response against hepatitis C virus. 2002 , 15, 121-31 | 15 |
| 2081 | Differentiation of human CD8(+) T cells from a memory to memory/effector phenotype. 2002 , 168, 5538-50 | 180 |

| | | |
|------|--|-----|
| 2080 | Proliferation requirements of cytomegalovirus-specific, effector-type human CD8+ T cells. 2002 , 169, 5838-43 | 128 |
| 2079 | Analysis of CD4(+) T-cell responses to human papillomavirus (HPV) type 11 L1 in healthy adults reveals a high degree of responsiveness and cross-reactivity with other HPV types. 2002 , 76, 7418-29 | 36 |
| 2078 | Cytokine coexpression during human Th1/Th2 cell differentiation: direct evidence for coordinated expression of Th2 cytokines. 2002 , 169, 2498-506 | 127 |
| 2077 | Presence of HIV-1 Gag-specific IFN-gamma+IL-2+ and CD28+IL-2+ CD4 T cell responses is associated with nonprogression in HIV-1 infection. 2002 , 169, 6376-85 | 207 |
| 2076 | Enhanced signaling through the IL-2 receptor in CD8+ T cells regulated by antigen recognition results in preferential proliferation and expansion of responding CD8+ T cells rather than promotion of cell death. 2002 , 99, 3001-6 | 80 |
| 2075 | Adoptive T cell therapy using antigen-specific CD8+ T cell clones for the treatment of patients with metastatic melanoma: in vivo persistence, migration, and antitumor effect of transferred T cells. 2002 , 99, 16168-73 | 975 |
| 2074 | Memory Th2 effector cells can develop in the absence of B7-1/B7-2, CD28 interactions, and effector Th cells after priming with an intestinal nematode parasite. 2002 , 168, 6344-51 | 25 |
| 2073 | CD2 molecules redistribute to the uropod during T cell scanning: implications for cellular activation and immune surveillance. 2002 , 99, 7582-7 | 42 |
| 2072 | Cytomegalovirus seropositivity drives the CD8 T cell repertoire toward greater clonality in healthy elderly individuals. 2002 , 169, 1984-92 | 597 |
| 2071 | The role of IL-12 in maintaining resistance to <i>Leishmania major</i> . 2002 , 168, 5771-7 | 72 |
| 2070 | Dual functions of fractalkine/CX3C ligand 1 in trafficking of perforin+/granzyme B+ cytotoxic effector lymphocytes that are defined by CX3CR1 expression. 2002 , 168, 6173-80 | 252 |
| 2069 | Functional expression of the chemokine receptor CCR5 on virus epitope-specific memory and effector CD8+ T cells. 2002 , 168, 2225-32 | 97 |
| 2068 | Roles of SLC/CCL21 and CCR7 in human kidney for mesangial proliferation, migration, apoptosis, and tissue homeostasis. 2002 , 168, 4301-7 | 74 |
| 2067 | In vivo differentiated cytokine-producing CD4(+) T cells express functional CCR7. 2002 , 168, 5441-7 | 75 |
| 2066 | Differential SLP-76 expression and TCR-mediated signaling in effector and memory CD4 T cells. 2002 , 168, 1557-65 | 55 |
| 2065 | Bovine gamma delta T cell subsets express distinct patterns of chemokine responsiveness and adhesion molecules: a mechanism for tissue-specific gamma delta T cell subset accumulation. 2002 , 169, 4970-5 | 45 |
| 2064 | Monocyte-derived dendritic cells induce a house dust mite-specific Th2 allergic inflammation in the lung of humanized SCID mice: involvement of CCR7. 2002 , 169, 1524-34 | 97 |
| 2063 | Evolution of epitope-specific memory CD4(+) T cells after clearance of hepatitis C virus. 2002 , 169, 2210-4 | 95 |

| | | |
|------|--|-----|
| 2062 | Comparative analysis of CD8+ T cell responses against human cytomegalovirus proteins pp65 and immediate early 1 shows similarities in precursor frequency, oligoclonality, and phenotype. 2002 , 185, 1025-34 | 152 |
| 2061 | Development and homeostasis of T cell memory in rhesus macaque. 2002 , 168, 29-43 | 413 |
| 2060 | Multiple mechanisms compensate to enhance tumor-protective CD8(+) T cell response in the long-term despite poor CD8(+) T cell priming initially: comparison between an acute versus a chronic intracellular bacterium expressing a model antigen. 2002 , 168, 5737-45 | 83 |
| 2059 | Functional heterogeneity of vaccine-induced CD8(+) T cells. 2002 , 168, 5933-42 | 84 |
| 2058 | Secondary lymphoid tissue chemokine (CCL21) activates CXCR3 to trigger a Cl- current and chemotaxis in murine microglia. 2002 , 168, 3221-6 | 125 |
| 2057 | Memory functions and death proneness in three CD4+CD45RO+ human T cell subsets. 2002 , 169, 39-48 | 19 |
| 2056 | Peripheral immature CD2-/low T cell development from type 2 to type 1 cytokine production. 2002 , 169, 3061-8 | 19 |
| 2055 | Selective delivery of augmented IL-2 receptor signals to responding CD8+ T cells increases the size of the acute antiviral response and of the resulting memory T cell pool. 2002 , 169, 4990-7 | 27 |
| 2054 | Immunology of vaccination. 2002 , 62, 15-28 | 35 |
| 2053 | Thymic selection generates a large T cell pool recognizing a self-peptide in humans. 2002 , 195, 485-94 | 130 |
| 2052 | CD1d-restricted human natural killer T cells are highly susceptible to human immunodeficiency virus 1 infection. 2002 , 195, 869-79 | 183 |
| 2051 | Functional plasticity of an antigen-specific memory CD4 T cell population. 2002 , 99, 11802-7 | 56 |
| 2050 | T cells take aim at cancer. 2002 , 99, 15840-2 | 49 |
| 2049 | Antiviral immune responses in the absence of organized lymphoid T cell zones in plt/plt mice. 2002 , 168, 6032-40 | 55 |
| 2048 | Long-term maintenance of virus-specific effector memory CD8+ T cells in the lung airways depends on proliferation. 2002 , 169, 4976-81 | 94 |
| 2047 | Phenotypic and functional heterogeneity of EBV epitope-specific CD8+ T cells. 2002 , 168, 4184-91 | 65 |
| 2046 | Immune surveillance and effector functions of CCR10(+) skin homing T cells. 2002 , 169, 1189-96 | 100 |
| 2045 | Virus-specific CD8+ lymphocytes share the same effector-memory phenotype but exhibit functional differences in acute hepatitis B and C. 2002 , 76, 12423-34 | 155 |

| | | |
|------|--|-----|
| 2044 | CD4 effector T cell subsets in the response to influenza: heterogeneity, migration, and function. 2002 , 196, 957-68 | 279 |
| 2043 | Immunologic monitoring of cancer vaccine therapy: results of a workshop sponsored by the Society for Biological Therapy. 2002 , 25, 97-138 | 271 |
| 2042 | Expansion of pre-terminally differentiated CD8 T cells in chronic HIV-positive patients presenting a rapid viral rebound during structured treatment interruption. 2002 , 16, 2431-8 | 23 |
| 2041 | [T-cell therapy in oncology. Therapeutic vaccination, allogeneic blood stem cell transplantation and adoptive T-cell transfer]. 2002 , 127, 755-62 | 0 |
| 2040 | Critical role for IL-15 in innate immunity. 2002 , 2, 371-80 | 61 |
| 2039 | TCR-independent proliferation and differentiation of human CD4+ T cell subsets induced by cytokines. 2002 , 512, 107-12 | 29 |
| 2038 | Chemokines and chemokine receptors in leukocyte trafficking. 2002 , 283, R7-28 | 487 |
| 2037 | Antigen challenge leads to in vivo activation and elimination of highly polarized TH1 memory T cells. 2002 , 99, 6187-91 | 47 |
| 2036 | Direct ex vivo analysis of human CD4(+) memory T cell activation requirements at the single clonotype level. 2002 , 169, 1207-18 | 61 |
| 2035 | Acute human immunodeficiency virus replication causes a rapid and persistent impairment of Vgamma9Vdelta2 T cells in chronically infected patients undergoing structured treatment interruption. 2002 , 186, 847-50 | 41 |
| 2034 | Frequencies of ex vivo-activated human immunodeficiency virus type 1-specific gamma-interferon-producing CD8+ T cells in infected children correlate positively with plasma viral load. 2002 , 76, 12414-22 | 46 |
| 2033 | Quantitation of CD8+ T cell expansion, memory, and protective immunity after immunization with peptide-coated dendritic cells. 2002 , 169, 4936-44 | 49 |
| 2032 | Bacterial superantigen exposure after resolution of influenza virus infection perturbs the virus-specific memory CD8(+)-T-cell repertoire. 2002 , 76, 6852-6 | 7 |
| 2031 | Cutting edge: CCR7+ and CCR7- memory T cells do not differ in immediate effector cell function. 2002 , 169, 638-41 | 170 |
| 2030 | Inverse correlation between memory Gag-specific cytotoxic T lymphocytes and viral replication in human immunodeficiency virus-infected children. 2002 , 186, 1589-96 | 41 |
| 2029 | Differential T cell function and fate in lymph node and nonlymphoid tissues. 2002 , 195, 317-26 | 173 |
| 2028 | Overexpression of IL-15 in vivo increases antigen-driven memory CD8+ T cells following a microbe exposure. 2002 , 168, 1198-203 | 97 |
| 2027 | Overexpression of interleukin-15 prevents the development of murine retrovirus-induced acquired immunodeficiency syndrome. 2002 , 16, 1755-63 | 12 |

| | | |
|------|---|-----|
| 2026 | LACK-specific CD4(+) T cells that induce gamma interferon production in patients with localized cutaneous leishmaniasis during an early stage of infection. 2002 , 70, 3122-9 | 23 |
| 2025 | Tumor-induced L-selectinhigh suppressor T cells mediate potent effector T cell blockade and cause failure of otherwise curative adoptive immunotherapy. 2002 , 169, 4811-21 | 40 |
| 2024 | Epitope-specific evolution of human CD8(+) T cell responses from primary to persistent phases of Epstein-Barr virus infection. 2002 , 195, 893-905 | 241 |
| 2023 | Differential in vivo persistence of two subsets of memory phenotype CD8 T cells defined by CD44 and CD122 expression levels. 2002 , 168, 2704-11 | 35 |
| 2022 | An abortive ligand-induced activation of CCR1-mediated downstream signaling event and a deficiency of CCR5 expression are associated with the hyporesponsiveness of human naive CD4+ T cells to CCL3 and CCL5. 2002 , 168, 6263-72 | 16 |
| 2021 | Characterisation of adhesion receptors mediating lymphocyte adhesion to bronchial endothelium provides evidence for a distinct lung homing pathway. 2002 , 57, 1054-9 | 35 |
| 2020 | Distinct mechanisms for cross-protection of the upper versus lower respiratory tract through intestinal priming. 2002 , 169, 3920-5 | 28 |
| 2019 | Identification of naive or antigen-experienced human CD8(+) T cells by expression of costimulation and chemokine receptors: analysis of the human cytomegalovirus-specific CD8(+) T cell response. 2002 , 168, 5455-64 | 182 |
| 2018 | Dendritic cells: immune regulators in health and disease. 2002 , 82, 97-130 | 344 |
| 2017 | Recall and propagation of allospecific memory T cells independent of secondary lymphoid organs. 2002 , 99, 6175-80 | 135 |
| 2016 | Molecular mechanism of the activation-induced cell death inhibition mediated by a p70 inhibitory killer cell Ig-like receptor in Jurkat T cells. 2002 , 169, 3726-35 | 40 |
| 2015 | Endogenously expressed nef uncouples cytokine and chemokine production from membrane phenotypic maturation in dendritic cells. 2002 , 169, 4172-82 | 53 |
| 2014 | Persistence of replication-competent HIV in both memory and naive CD4 T cell subsets in patients on prolonged and effective HAART. 2002 , 16, 2151-7 | 20 |
| 2013 | The role of transforming growth factor beta in atherosclerosis: novel insights and future perspectives. 2002 , 13, 523-9 | 65 |
| 2012 | Pathophysiology of fixed drug eruption: the role of skin-resident T cells. 2002 , 2, 317-23 | 67 |
| 2011 | Phenotypical and functional characterization of clinical grade dendritic cells. 2002 , 25, 429-38 | 114 |
| 2010 | NK-associated receptors on CD8 T cells from treatment-naive HIV-infected individuals: defective expression of CD56. 2002 , 16, 197-200 | 37 |
| 2009 | Myeloid blood CD11c(+) dendritic cells and monocyte-derived dendritic cells differ in their ability to stimulate T lymphocytes. 2002 , 100, 2858-66 | 167 |

| | | |
|------|--|-----|
| 2008 | Up-regulation of the chemokine receptor CCR7 in classical but not in lymphocyte-predominant Hodgkin disease correlates with distinct dissemination of neoplastic cells in lymphoid organs. 2002 , 99, 1109-16 | 91 |
| 2007 | Retrovirus-mediated gene transfer in primary T lymphocytes impairs their anti-Epstein-Barr virus potential through both culture-dependent and selection process-dependent mechanisms. 2002 , 99, 1165-73 | 103 |
| 2006 | In vivo manipulation of dendritic cells to induce therapeutic immunity. 2002 , 99, 1676-82 | 96 |
| 2005 | BCR ligation reprograms B cells for migration to the T zone and B-cell follicle sequentially. 2002 , 99, 1913-21 | 31 |
| 2004 | Long-lasting memory-resting and memory-effector CD4+ T cells in human X-linked agammaglobulinemia. 2002 , 99, 2131-7 | 34 |
| 2003 | Persistent numbers of tetramer+ CD8(+) T cells, but loss of interferon-gamma+ HIV-specific T cells during progression to AIDS. 2002 , 99, 2505-11 | 152 |
| 2002 | Increased expression of the inflammatory chemokine CXC chemokine ligand 9/monokine induced by interferon-gamma in lymphoid tissues of rhesus macaques during simian immunodeficiency virus infection and acquired immunodeficiency syndrome. 2002 , 99, 3119-28 | 70 |
| 2001 | CD30 triggering by agonistic antibodies regulates CXCR4 expression and CXCL12 chemotactic activity in the cell line L540. 2002 , 99, 52-60 | 24 |
| 2000 | Analysis of HIV-1- and CMV-specific memory CD4 T-cell responses during primary and chronic infection. 2002 , 100, 1381-7 | 95 |
| 1999 | Role of 4-1BB (CD137) in the functional activation of cord blood CD28(-)CD8(+) T cells. 2002 , 100, 3253-60 | 38 |
| 1998 | Role for granulocyte colony-stimulating factor in the generation of human T regulatory type 1 cells. 2002 , 100, 2562-71 | 132 |
| 1997 | CD8 T-cell responses to Wilms tumor gene product WT1 and proteinase 3 in patients with acute myeloid leukemia. 2002 , 100, 2132-7 | 222 |
| 1996 | Lack of proliferative capacity of human effector and memory T cells expressing killer cell lectinlike receptor G1 (KLRG1). 2002 , 100, 3698-702 | 257 |
| 1995 | Dysregulated lymphocyte proliferation and differentiation in patients with rheumatoid arthritis. 2002 , 100, 4550-6 | 127 |
| 1994 | CD8alpha alpha memory effector T cells descend directly from clonally expanded CD8alpha +beta high TCRalpha beta T cells in vivo. 2002 , 100, 4090-7 | 49 |
| 1993 | Delayed recovery of effector memory CD4+ T cells by highly active antiretroviral therapy in a patient with HIV-1 infection. 2002 , 196, 213-8 | 2 |
| 1992 | Segregation of R5 and X4 HIV-1 variants to memory T cell subsets differentially expressing CD62L in ex vivo infected human lymphoid tissue. 2002 , 16, 1245-9 | 19 |
| 1991 | Long-lived Th2 memory in experimental allergic asthma. 2002 , 169, 4788-96 | 78 |

| | | |
|------|---|-----|
| 1990 | Hepatic expression of secondary lymphoid chemokine (CCL21) promotes the development of portal-associated lymphoid tissue in chronic inflammatory liver disease. 2002 , 160, 1445-55 | 141 |
| 1989 | A role for tumor necrosis factor-alpha in remodeling the splenic marginal zone during <i>Leishmania donovani</i> infection. 2002 , 161, 429-37 | 111 |
| 1988 | Direct evidence for interferon-gamma production by effector-memory-type intraepidermal T cells residing at an effector site of immunopathology in fixed drug eruption. 2002 , 161, 1337-47 | 93 |
| 1987 | A composite picture of TcR alpha/beta(+) CD4(-)CD8(-) T Cells (alpha/beta-DNTCs) in humans with autoimmune lymphoproliferative syndrome. 2002 , 104, 21-30 | 64 |
| 1986 | T cell memory. 2002 , 20, 551-79 | 466 |
| 1985 | Epstein-Barr virus-specific CD8(+) T cells that re-express CD45RA are apoptosis-resistant memory cells that retain replicative potential. 2002 , 100, 933-40 | 119 |
| 1984 | The instructive role of dendritic cells on T-cell responses. 2002 , 4 Suppl 3, S127-32 | 148 |
| 1983 | T-cell activation without proliferation in juvenile idiopathic arthritis. 2002 , 4, 177-83 | 17 |
| 1982 | Peripheral expression of ocular antigens in regulation and therapy of ocular autoimmunity. 2002 , 21, 101-21 | 13 |
| 1981 | Molecular and functional profiling of memory CD8 T cell differentiation. 2002 , 111, 837-51 | 763 |
| 1980 | Homing of mucosal lymphocytes to the liver in the pathogenesis of hepatic complications of inflammatory bowel disease. 2002 , 359, 150-7 | 181 |
| 1979 | Cancer immunotherapy with peptide-based vaccines: what have we achieved? Where are we going?. 2002 , 94, 805-18 | 335 |
| 1978 | Understanding the alloresponse: new approaches to graft-versus-host disease prevention. 2002 , 39, 15-22 | 95 |
| 1977 | Transplants across human leukocyte antigen barriers. 2002 , 39, 48-56 | 58 |
| 1976 | A restricted subset of dendritic cells captures airborne antigens and remains able to activate specific T cells long after antigen exposure. 2002 , 16, 271-83 | 182 |
| 1975 | Memory CD8(+) T cells undergo peripheral tolerance. 2002 , 17, 73-81 | 69 |
| 1974 | KIR expression shapes cytotoxic repertoires: a developmental program of survival. 2002 , 23, 71-5 | 58 |
| 1973 | Dual personality of memory T cells. 2002 , 23, 226-8 | 23 |

| | | |
|------|--|-----|
| 1972 | CXCR5(+) T cells: follicular homing takes center stage in T-helper-cell responses. 2002 , 23, 250-4 | 98 |
| 1971 | Chemokines in cancer. 2002 , 13, 143-54 | 287 |
| 1970 | Regulation of lymphoid homeostasis by interleukin-15. 2002 , 13, 429-39 | 85 |
| 1969 | Plasmacytoid dendritic cells: the key to CpG. 2002 , 63, 1111-9 | 122 |
| 1968 | Interleukin-15 and the regulation of lymphoid homeostasis. 2002 , 39, 537-44 | 61 |
| 1967 | Human cytomegalovirus inhibits maturation and impairs function of monocyte-derived dendritic cells. 2002 , 99, 2913-21 | 191 |
| 1966 | Tumor Microenvironment: What have we Learned Studying the Immune Response in this Puzzling Battlefield?. 2002 , 88, 437-444 | 4 |
| 1965 | The role of cholangiocytes in the development of chronic inflammatory liver disease. 2002 , 7, e276-85 | 21 |
| 1964 | Chemoattraction of T cells expressing CCR5, CXCR3 and CX3CR1 by proximal tubular epithelial cell chemokines. 2002 , 17, 734-44 | 42 |
| 1963 | Vaccinology for control of apicomplexan parasites: a simplified language of immune programming and its use in vaccine design. 2002 , 32, 509-15 | 19 |
| 1962 | Chemokine receptor expression on MBP-reactive T cells: CXCR6 is a marker of IFN γ -producing effector cells. 2002 , 127, 96-105 | 31 |
| 1961 | VIP and PACAP down-regulate CXCL10 (IP-10) and up-regulate CCL22 (MDC) in spleen cells. 2002 , 133, 81-94 | 33 |
| 1960 | Cryptic MBP epitope 1-20 is inducing autoimmune anterior uveitis without EAE in Lewis rats. 2002 , 217, 87-94 | 1 |
| 1959 | Differentiation of human gamma-delta T cells towards distinct memory phenotypes. 2002 , 218, 1-6 | 63 |
| 1958 | Detection of antigen-specific T-cells with MHC/peptide-tetramer-complexes. 2002 , 2, 345-356 | |
| 1957 | T memory cells: quality not quantity. 2002 , 12, R174-6 | 12 |
| 1956 | Contribution of CD8+ T cells to innate immunity: IFN- γ secretion induced by IL-12 and IL-18. 2002 , 32, 2807-16 | 137 |
| 1955 | Cellular and molecular requirements for the recall of IL-4-producing memory CD4(+)CD45RO(+)CD27(-) T cells during protection induced by attenuated Plasmodium falciparum sporozoites. 2002 , 32, 652-61 | 16 |

| | | |
|------|---|-----|
| 1954 | In vivo activation of melanoma-specific CD8(+) T cells by endogenous tumor antigen and peptide vaccines. A comparison to virus-specific T cells. 2002 , 32, 731-41 | 88 |
| 1953 | Modulation of chemokine receptor expression and chemotactic responsiveness during differentiation of human naive T cells into Th1 or Th2 cells. 2002 , 32, 1264-73 | 61 |
| 1952 | T cell priming by dendritic cells: thresholds for proliferation, differentiation and death and intracloal functional diversification. 2002 , 32, 2046-54 | 106 |
| 1951 | T lymphocytes express B7 family molecules following interaction with dendritic cells and acquire bystander costimulatory properties. 2002 , 32, 3092-101 | 28 |
| 1950 | Distribution and functional analysis of memory antiviral CD8 T cell responses in HIV-1 and cytomegalovirus infections. 2002 , 32, 3756-64 | 74 |
| 1949 | Peptide-specific CD8+ T-cell evolution in vivo: response to peptide vaccination with Melan-A/MART-1. 2002 , 98, 376-88 | 51 |
| 1948 | Long-term freedom from recurrence in 2 stage IV melanoma patients following vaccination with tyrosinase peptides. 2002 , 99, 403-8 | 24 |
| 1947 | 14th Pezcoller Symposium: The Novel Dichotomy of Immune Interactions with Tumors 30 May- June 2002, Trento, Italy. 2002 , 51, 397-408 | |
| 1946 | The role of chemokines in allergic contact dermatitis. 2002 , 293, 552-9 | 114 |
| 1945 | The chemokine system: tuning and shaping by regulation of receptor expression and coupling in polarized responses. 2002 , 57, 972-82 | 57 |
| 1944 | T lymphocytes in food allergy: overview of an intricate network of circulating and organ-resident cells. 2002 , 13, 162-71 | 34 |
| 1943 | Uncertainties - discrepancies in immunology. 2002 , 185, 103-25 | 40 |
| 1942 | Exploring lymphocyte differentiation pathways. 2002 , 185, 175-85 | 24 |
| 1941 | The immunological synapse: integrins take the stage. 2002 , 186, 100-17 | 116 |
| 1940 | Migration and differentiation of CD8+ T cells. 2002 , 186, 221-33 | 115 |
| 1939 | Cytolytic T-cell responses of cancer patients vaccinated with a MAGE antigen. 2002 , 188, 33-42 | 106 |
| 1938 | Antigenicity and immunogenicity of Melan-A/MART-1 derived peptides as targets for tumor reactive CTL in human melanoma. 2002 , 188, 81-96 | 132 |
| 1937 | Differentiation of human alloreactive CD8(+) T cells in vitro. 2002 , 105, 278-85 | 11 |

| | | |
|------|--|---------|
| 1936 | Homeostasis of naïve, effector and memory CD8 T cells. 2002 , 14, 348-53 | 34 |
| 1935 | T cell immunity in lymphoid and non-lymphoid tissues. 2002 , 14, 503-8 | 99 |
| 1934 | Avoiding the kiss of death: how HIV and other chronic viruses survive. 2002 , 14, 478-86 | 40 |
| 1933 | CD8(+) T-cell homeostasis after infection: setting the 'curve'. 2002 , 4, 441-7 | 38 |
| 1932 | Requirement of the IFN-alpha/beta-induced CXCR3 chemokine signalling for CD8+ T cell activation. 2002 , 7, 309-20 | 56 |
| 1931 | T-cell dynamics after high-dose chemotherapy in adults: elucidation of the elusive CD8+ subset reveals multiple homeostatic T-cell compartments with distinct implications for immune competence. 2002 , 106, 27-37 | 39 |
| 1930 | Qualitative differences between naïve and memory T cells. 2002 , 106, 127-38 | 136 |
| 1929 | Expansion of activated human naïve T-cells precedes effector function. 2002 , 130, 432-40 | 48 |
| 1928 | 'Ignorance' of antigen-specific murine CD4+ and CD8+ T cells is overruled by lipopolysaccharide and leads to specific induction of IFN-gamma. 2002 , 55, 329-35 | 2 |
| 1927 | Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on T cell-derived cytokine production in ovalbumin (OVA)-immunized C57Bl/6 mice. 2002 , 172, 49-58 | 57 |
| 1926 | Generation of alloreactive anti-leukemic cytotoxic T lymphocytes with attenuated GVHD properties from haploidentical parents in childhood acute lymphoblastic leukemia. 2002 , 30, 687-97 | 5 |
| 1925 | Functional impairment of human T-lymphocytes following PHA-induced expansion and retroviral transduction: implications for gene therapy. 2002 , 9, 1359-68 | 39 |
| 1924 | Immunology: remembrance of things past. <i>Nature</i> , 2002 , 420, 748-9 | 50.4 14 |
| 1923 | Dense ice in detail. <i>Nature</i> , 2002 , 420, 749, 751 | 50.4 36 |
| 1922 | Skewed maturation of virus-specific CTLs?. 2002 , 3, 203 | 16 |
| 1921 | Life and death in effector T cells. 2002 , 3, 797-8 | 20 |
| 1920 | Impairment of immunological memory in the absence of MHC despite survival of memory T cells. 2002 , 3, 244-50 | 146 |
| 1919 | Distinct lineages of T(H)1 cells have differential capacities for memory cell generation in vivo. 2002 , 3, 852-8 | 234 |

| | | |
|------|--|------|
| 1918 | Memory CD8+ T cells vary in differentiation phenotype in different persistent virus infections. 2002 , 8, 379-85 | 1302 |
| 1917 | Transforming growth factor-beta in T-cell biology. 2002 , 2, 46-53 | 675 |
| 1916 | A role for antigen in the maintenance of immunological memory. 2002 , 2, 60-5 | 95 |
| 1915 | Effector and memory T-cell differentiation: implications for vaccine development. 2002 , 2, 251-62 | 1242 |
| 1914 | The lineage decisions of helper T cells. 2002 , 2, 933-44 | 1357 |
| 1913 | Progressive differentiation and selection of the fittest in the immune response. 2002 , 2, 982-7 | 405 |
| 1912 | Plasticity of lymphoid compartments during HIV infection and treatments: hopes and limits. 2002 , 4, 575-80 | 2 |
| 1911 | CD30-governor of memory T cells?. 2002 , 975, 101-13 | 34 |
| 1910 | Dissecting the complexity of the memory T cell response. 2002 , 25, 247-59 | 23 |
| 1909 | Development and regulation of cell-mediated immunity in experimental leishmaniasis. 2003 , 27, 489-98 | 46 |
| 1908 | Information Immune Systems. 2003 , 4, 311-331 | 18 |
| 1907 | Relationship between T and B cell responses to proinsulin in human type 1 diabetes. 2003 , 1005, 288-94 | 6 |
| 1906 | Advances in the use of dendritic cells and new adjuvants for the development of therapeutic vaccines. 2003 , 21, 495-505 | 20 |
| 1905 | T-cell control by human T-cell leukemia/lymphoma virus type 1. 2003 , 78, 280-96 | 55 |
| 1904 | Secondary lymphoid organs are important but not absolutely required for allograft responses. 2003 , 3, 259-66 | 47 |
| 1903 | Phenotypic analysis of peripheral T/NK cell lymphoma: study of 408 Japanese cases with special reference to their anatomical sites. 2003 , 53, 333-44 | 23 |
| 1902 | Ex vivo priming of naive T cells into EBV-specific Th1/Tc1 effector cells by mature autologous DC loaded with apoptotic/necrotic LCL. 2003 , 3, 1369-77 | 18 |
| 1901 | Dissecting tumor responsiveness to immunotherapy: the experience of peptide-based melanoma vaccines. 2003 , 1653, 61-71 | 14 |

| | | |
|------|---|-----|
| 1900 | Rational peptide-based tumour vaccine development and T cell monitoring. 2003 , 13, 423-9 | 31 |
| 1899 | Active-specific immunization against melanoma: is the problem at the receiving end?. 2003 , 13, 473-80 | 43 |
| 1898 | A novel tumour model system for the study of long-term protective immunity and immune T cell memory. 2003 , 221, 89-99 | 9 |
| 1897 | Gradual development of the interferon-gamma response of swine to porcine reproductive and respiratory syndrome virus infection or vaccination. 2003 , 309, 18-31 | 259 |
| 1896 | Human rotavirus specific T cells: quantification by ELISPOT and expression of homing receptors on CD4+ T cells. 2003 , 314, 671-9 | 38 |
| 1895 | Changes in the expression of CD31 and CXCR3 in CD4+ naive T cells in elderly persons. 2003 , 124, 395-402 | 16 |
| 1894 | DNA damage recognition and repair capacities in human naive and memory T cells from peripheral blood of young and elderly subjects. 2003 , 124, 517-24 | 20 |
| 1893 | Kinetics of CCR7 expression differ between primary activation and effector memory states of T(H)1 and T(H)2 cells. 2003 , 139, 58-65 | 11 |
| 1892 | Multiparameter precursor analysis of T-cell responses to antigen. 2003 , 276, 5-17 | 36 |
| 1891 | Kinetics and expression patterns of chemokine receptors in human CD4+ T lymphocytes primed by myeloid or plasmacytoid dendritic cells. 2003 , 33, 474-82 | 98 |
| 1890 | Naive CD8+ T cell recruitment and proliferation are dependent on stage of dendritic cell maturation. 2003 , 33, 162-71 | 36 |
| 1889 | Phenotypic and molecular characterization of CD103+ CD4+ T cells in bronchoalveolar lavage from patients with interstitial lung diseases. 2003 , 54, 19-27 | 17 |
| 1888 | Comparative immunophenotypic features of EBV-positive and EBV-negative atypical lymphocytosis. 2003 , 55, 22-8 | 27 |
| 1887 | Skin-versus gut-skewed homing receptor expression and intrinsic CCR4 expression on human peripheral blood CD4+CD25+ suppressor T cells. 2003 , 33, 1488-96 | 95 |
| 1886 | Dominant effector memory characteristics, capacity for dynamic adaptive expansion, and sex bias in the innate Valpha24 NKT cell compartment. 2003 , 33, 588-96 | 73 |
| 1885 | Instruction of naive CD4+ T cells by polarized CD4+ T cells within dendritic cell clusters. 2003 , 33, 1686-96 | 17 |
| 1884 | Myeloid marker expression on antiviral CD8+ T cells following an acute virus infection. 2003 , 33, 2736-43 | 57 |
| 1883 | Differences in maintenance of CD8+ and CD4+ bacteria-specific effector-memory T cell populations. 2003 , 33, 2875-85 | 42 |

| | | |
|------|--|-----|
| 1882 | LIGHT, a new TNF superfamily member, is essential for memory T helper cell-mediated activation of dendritic cells. 2003 , 33, 3213-9 | 20 |
| 1881 | Pleural effusion of a second neoplasm in a patient with B-CLL: two immunological compartments. 2003 , 73, 184-9 | 4 |
| 1880 | The dynamics of T-cell fratricide: application of a robust approach to mathematical modelling in immunology. 2003 , 222, 53-69 | 30 |
| 1879 | Lymphocyte traffic control by chemokines: follicular B helper T cells. 2003 , 85, 105-12 | 40 |
| 1878 | Regulation of T cell migration during viral infection: role of adhesion molecules and chemokines. 2003 , 85, 119-27 | 40 |
| 1877 | Regulation of antiviral CD8+ T cells by inhibitory natural killer cell receptors. 2003 , 5, 169-77 | 9 |
| 1876 | Introduction: the complexities of T-cell heterogeneity. 2003 , 5, 197-8 | |
| 1875 | Helper T-cell-regulated B-cell immunity. 2003 , 5, 205-12 | 20 |
| 1874 | CD8 T-cell memory: the other half of the story. 2003 , 5, 221-6 | 28 |
| 1873 | Chemokines in the systemic organization of immunity. 2003 , 195, 58-71 | 305 |
| 1872 | The impact of CCR7 and CXCR5 on lymphoid organ development and systemic immunity. 2003 , 195, 117-35 | 207 |
| 1871 | Intracellular expression of CD69 in endometrial and peripheral T cells represents a useful marker in women with recurrent miscarriage: modulation after allogeneic leukocyte immunotherapy. 2003 , 49, 149-58 | 15 |
| 1870 | Skin immunity. 2003 , 149 Suppl 66, 2-4 | 12 |
| 1869 | Extensive MHC class I-restricted CD8 T lymphocyte responses against various yeast genera in humans. 2003 , 39, 279-86 | 27 |
| 1868 | Epitope dominance, competition and T cell affinity maturation. 2003 , 15, 120-7 | 183 |
| 1867 | Heterogeneity of CD4(+) and CD8(+) T cells. 2003 , 15, 336-42 | 101 |
| 1866 | Migration and T-lymphocyte effector function. 2003 , 15, 343-8 | 22 |
| 1865 | Cell-mediated immunity to respiratory virus infections. 2003 , 15, 430-5 | 50 |

| | | |
|------|---|-----|
| 1864 | DNA vaccination: the answer to stable, protective T-cell memory?. 2003 , 15, 471-6 | 34 |
| 1863 | Whole-body analysis of T cell responses. 2003 , 15, 366-71 | 17 |
| 1862 | DNA injection in combination with electroporation: a novel method for vaccination of farmed ruminants. 2003 , 57, 229-38 | 84 |
| 1861 | Transforming growth factor-beta as a regulator of site-specific T-cell inflammatory response. 2003 , 58, 129-38 | 43 |
| 1860 | Remembrance of antigens past: new insights into memory T cells. 2003 , 58, 145-54 | 8 |
| 1859 | Human CD8 T cells of the peripheral blood contain a low CD8 expressing cytotoxic/effector subpopulation. 2003 , 108, 305-12 | 37 |
| 1858 | Memory T-cell competition for bone marrow seeding. 2003 , 108, 296-304 | 56 |
| 1857 | The influence of macrophage inflammatory protein-1alpha on protective immunity mediated by antiviral cytotoxic T cells. 2003 , 109, 68-75 | 22 |
| 1856 | Anti-human immunodeficiency virus-gag CD8+ memory T cells generated in vitro from Listeria-immunized mice. 2003 , 109, 450-60 | 10 |
| 1855 | Characterization of CC-chemokine receptor 7 expression on murine T cells in lymphoid tissues. 2003 , 110, 170-9 | 45 |
| 1854 | Heterologous immunity: an overlooked barrier to tolerance. 2003 , 196, 147-60 | 189 |
| 1853 | In remembrance of things past: memory T cells and transplant rejection. 2003 , 196, 65-74 | 72 |
| 1852 | Definition of the HLA-A2 restricted peptides recognized by human CD8+ effector T cells by flow-assisted sorting of the CD8+ CD45RA+ CD28- T cell subpopulation. 2003 , 131, 102-10 | 12 |
| 1851 | In vitro co-stimulation with anti-CD28 synergizes with IL-12 in the generation of T cell immune responses to leukaemic cells; a strategy for ex-vivo generation of CTL for immunotherapy. 2003 , 133, 467-75 | 8 |
| 1850 | The bi-specific CD3 x NCAM antibody: a model to preactivate T cells prior to tumour cell lysis. 2003 , 134, 253-63 | 10 |
| 1849 | Differential expression of CCL19 by DC-Lamp+ mature dendritic cells in human lymph node versus chronically inflamed skin. 2003 , 199, 98-106 | 50 |
| 1848 | HCV-specific CD27- CD28- memory T cells are depleted in hepatitis C virus and Schistosoma mansoni co-infection. 2003 , 110, 513-8 | 23 |
| 1847 | CD4 responses to conserved HIV-1 T helper epitopes show both negative and positive associations with virus load in chronically infected subjects. 2003 , 134, 454-63 | 14 |

| | | |
|------|--|------|
| 1846 | Identification of non-naïve CD4+CD45RA+ T cell subsets in adult allogeneic haematopoietic cell transplant recipients. 2003 , 32, 609-16 | 14 |
| 1845 | Analyzing the migration of labeled T cells in vivo: an essential approach with challenging features. 2003 , 83, 459-69 | 17 |
| 1844 | Memory lanes. 2003 , 4, 212-3 | 18 |
| 1843 | Memory and flexibility of cytokine gene expression as separable properties of human T(H)1 and T(H)2 lymphocytes. 2003 , 4, 78-86 | 296 |
| 1842 | Peyer's patch is the essential site in initiating murine acute and lethal graft-versus-host reaction. 2003 , 4, 154-60 | 255 |
| 1841 | Lineage relationship and protective immunity of memory CD8 T cell subsets. 2003 , 4, 225-34 | 1456 |
| 1840 | T cell fitness determined by signal strength. 2003 , 4, 355-60 | 396 |
| 1839 | Similarities and differences in CD4+ and CD8+ effector and memory T cell generation. 2003 , 4, 835-42 | 634 |
| 1838 | Mast cell-dependent migration of effector CD8+ T cells through production of leukotriene B4. 2003 , 4, 974-81 | 230 |
| 1837 | Leukotriene B4 and BLT1 control cytotoxic effector T cell recruitment to inflamed tissues. 2003 , 4, 965-73 | 286 |
| 1836 | Detection of virus-specific T cells and CD8+ T-cell epitopes by acquisition of peptide-HLA-GFP complexes: analysis of T-cell phenotype and function in chronic viral infections. 2003 , 9, 469-76 | 55 |
| 1835 | Cytokine control of memory T-cell development and survival. 2003 , 3, 269-79 | 688 |
| 1834 | Anatomical basis of tolerance and immunity to intestinal antigens. 2003 , 3, 331-41 | 1003 |
| 1833 | Homing and cellular traffic in lymph nodes. 2003 , 3, 867-78 | 979 |
| 1832 | Taking our breath away: dendritic cells in the pathogenesis of asthma. 2003 , 3, 994-1003 | 300 |
| 1831 | Human CD8(+) T-cell differentiation in response to viruses. 2003 , 3, 931-9 | 238 |
| 1830 | Abstracts. 2003 , 87, 1-324 | 1 |
| 1829 | NKT cells and HIV infection. 2003 , 5, 1041-7 | 28 |

| | | |
|------|--|-----|
| 1828 | The chemokine CCL21 modulates lymphocyte recruitment and fibrosis in chronic hepatitis C. 2003 , 125, 1060-76 | 126 |
| 1827 | IFN-gamma-producing effector CD8+ T cells and IL-10-producing regulatory CD4+ T cells in fixed drug eruption. 2003 , 112, 609-15 | 75 |
| 1826 | Gammadelta T lymphocytes from cystic fibrosis patients and healthy donors are high TNF-alpha and IFN-gamma-producers in response to Pseudomonas aeruginosa. 2003 , 4, 9 | 12 |
| 1825 | Beyond six colors: a new era in flow cytometry. 2003 , 9, 112-7 | 160 |
| 1824 | Targeting T cell responses by selective chemokine receptor expression. 2003 , 15, 277-86 | 58 |
| 1823 | Chemokine regulation of naive T cell traffic in health and disease. 2003 , 15, 257-70 | 62 |
| 1822 | CD8 T cell responses to infectious pathogens. 2003 , 21, 29-70 | 310 |
| 1821 | Memory T cells and vaccines. 2003 , 21, 419-30 | 121 |
| 1820 | Vaccination strategies. An overview. 2003 , 21 Suppl 2, S83-8 | 11 |
| 1819 | Cytokine-driven proliferation and differentiation of human naive, central memory and effector memory CD4+ T cells. 2003 , 51, 64-6 | 53 |
| 1818 | IMMUNOLOGY: PART A. Basic Immunology of Vaccine Development. 2003 , 51-72 | 4 |
| 1817 | Direct visualization of antigen-specific T cells using peptide-MHC-class I tetrameric complexes. 2003 , 31, 160-71 | 29 |
| 1816 | The repertoires of circulating human CD8(+) central and effector memory T cell subsets are largely distinct. 2003 , 18, 193-204 | 127 |
| 1815 | Virus-specific CD8 T cells in peripheral tissues are more resistant to apoptosis than those in lymphoid organs. 2003 , 18, 631-42 | 72 |
| 1814 | The CC chemokine CCL20 and its receptor CCR6. 2003 , 14, 409-26 | 558 |
| 1813 | Linear "2-0-1" lymphocyte development: hypotheses on cellular bases for immunity. 2003 , 24, 235-41 | 30 |
| 1812 | Tumors as elusive targets of T-cell-based active immunotherapy. 2003 , 24, 335-42 | 153 |
| 1811 | Deciphering the relationship between central and effector memory CD8+ T cells. 2003 , 24, 404-7 | 23 |

| | | |
|------|--|-----|
| 1810 | Antigen-specific T cell response in infants after recombinant hepatitis B virus vaccination at birth: evaluation of T helper lymphocyte diversity. 2003 , 107, 122-8 | 10 |
| 1809 | Application of tetramer technology in studies on autoimmune diseases. 2003 , 2, 43-9 | 16 |
| 1808 | Technetium-99m scintigraphy to visualize T-cell homing in vivo: a preclinical study. 2003 , 30, 633-42 | 2 |
| 1807 | Helicobacter pylori-specific CD4+ CD25high regulatory T cells suppress memory T-cell responses to H. pylori in infected individuals. 2003 , 71, 1755-62 | 267 |
| 1806 | The evolution of antigen-specific CD8+ T cell responses after natural primary infection of humans with Epstein-Barr virus. 2003 , 16, 3-16 | 47 |
| 1805 | Rapid, large-scale generation of highly pure cytomegalovirus-specific cytotoxic T cells for adoptive immunotherapy. 2003 , 12, 93-105 | 15 |
| 1804 | Interleukin-7. 2003 , 305-345 | 2 |
| 1803 | CC chemokines. 2003 , 1083-1100 | 6 |
| 1802 | Effector CD8+CD45RO-CD27-T cells have signalling defects in patients with squamous cell carcinoma of the head and neck. 2003 , 88, 223-30 | 64 |
| 1801 | Leukotrienes, mast cells, and T cells. 2003 , 5, 288-9 | 19 |
| 1800 | Decreased effector memory CD45RA+ CD62L- CD8+ T cells and increased central memory CD45RA-CD62L+ CD8+ T cells in peripheral blood of rheumatoid arthritis patients. 2003 , 5, R91-6 | 37 |
| 1799 | Aging is associated with increased human T cell CC chemokine receptor gene expression. 2003 , 23, 575-82 | 22 |
| 1798 | Immune traffic: a functional overview. 2003 , 1, 219-34 | 33 |
| 1797 | Human papillomavirus type 16 E2- and L1-specific serological and T-cell responses in women with vulval intraepithelial neoplasia. 2003 , 84, 2089-2097 | 21 |
| 1796 | nef gene is required for robust productive infection by simian immunodeficiency virus of T-cell-rich paracortex in lymph nodes. 2003 , 77, 4169-80 | 26 |
| 1795 | Germinal centers regulate human Th2 development. 2003 , 171, 1657-66 | 51 |
| 1794 | Antigen burden is major determinant of human immunodeficiency virus-specific CD8+ T cell maturation state: potential implications for therapeutic immunization. 2003 , 187, 364-74 | 105 |
| 1793 | Progress in defining CD4 helper cell responses in chronic viral infections. 2003 , 198, 1773-7 | 64 |

| | | |
|------|---|-----|
| 1792 | Presence of human immunodeficiency virus-1-specific CD4 and CD8 cellular immune responses in children with full or partial virus suppression. 2003 , 188, 873-82 | 15 |
| 1791 | Kinetics of CD4+ and CD8+ memory T-cell responses during hepatitis C virus rechallenge of previously recovered chimpanzees. 2003 , 77, 4781-93 | 166 |
| 1790 | Control of NKT cell differentiation by tissue-specific microenvironments. 2003 , 171, 5913-20 | 38 |
| 1789 | Impaired accumulation and function of memory CD4 T cells in human IL-12 receptor beta 1 deficiency. 2003 , 170, 597-603 | 62 |
| 1788 | Impaired TCR-mediated induction of Ki67 by naive CD4+ T cells is only occasionally corrected by exogenous IL-2 in HIV-1 infection. 2003 , 171, 5208-14 | 17 |
| 1787 | HIV-specific CD8+ T cell function in children with vertically acquired HIV-1 infection is critically influenced by age and the state of the CD4+ T cell compartment. 2003 , 170, 4403-10 | 54 |
| 1786 | Molecular cloning and chromosomal assignment to SSC12p13-->p11 of swine chemokine receptor CCR7. 2003 , 101, 155-60 | 2 |
| 1785 | Coadministration of HIV vaccine vectors with vaccinia viruses expressing IL-15 but not IL-2 induces long-lasting cellular immunity. 2003 , 100, 3392-7 | 160 |
| 1784 | Establishment of memory for IL-10 expression in developing T helper 2 cells requires repetitive IL-4 costimulation and does not impair proliferation. 2003 , 100, 12307-12 | 29 |
| 1783 | Restoration of CD28 expression in CD28- CD8+ memory effector T cells reconstitutes antigen-induced IL-2 production. 2003 , 198, 947-55 | 128 |
| 1782 | HIV-1 viremia prevents the establishment of interleukin 2-producing HIV-specific memory CD4+ T cells endowed with proliferative capacity. 2003 , 198, 1909-22 | 376 |
| 1781 | Upper respiratory tract immunity. 2003 , 16, 279-89 | 32 |
| 1780 | Phenotypic and functional analysis of T cells homing into the CSF of subjects with inflammatory diseases of the CNS. 2003 , 73, 584-90 | 140 |
| 1779 | Characterization of the CD4+ T cell response to Epstein-Barr virus during primary and persistent infection. 2003 , 198, 903-11 | 180 |
| 1778 | Renewal of peripheral CD8+ memory T cells during secondary viral infection of antibody-sufficient mice. 2003 , 170, 5597-606 | 13 |
| 1777 | Nonspecific recruitment of memory CD8+ T cells to the lung airways during respiratory virus infections. 2003 , 170, 1423-9 | 122 |
| 1776 | Cutting edge: rapid in vivo CTL activity by polyoma virus-specific effector and memory CD8+ T cells. 2003 , 171, 17-21 | 90 |
| 1775 | Constitutive caspase activation and impaired death-inducing signaling complex formation in CD95-resistant, long-term activated, antigen-specific T cells. 2003 , 171, 1172-82 | 39 |

| | | |
|------|---|-----|
| 1774 | Genetic reprogramming of primary human T cells reveals functional plasticity in Th cell differentiation. 2003 , 171, 3542-9 | 97 |
| 1773 | Differentiation of effector/memory Vdelta2 T cells and migratory routes in lymph nodes or inflammatory sites. 2003 , 198, 391-7 | 259 |
| 1772 | Lipopolysaccharide (LPS) induced activation of the immune system in control rats and rats chronically exposed to a low level of the organothiophosphate insecticide, acephate. 2003 , 19, 93-108 | 32 |
| 1771 | Cell Migration in Inflammation and Immunity. 2003 , | 1 |
| 1770 | Interleukin 7 regulates the survival and generation of memory CD4 cells. 2003 , 198, 1797-806 | 380 |
| 1769 | Activation of influenza virus-specific CD4+ and CD8+ T cells: a new role for plasmacytoid dendritic cells in adaptive immunity. 2003 , 101, 3520-6 | 277 |
| 1768 | HLA class II-restricted CD4+ T cell responses directed against influenza viral antigens postinfluenza vaccination. 2003 , 171, 3163-9 | 84 |
| 1767 | Parasites and immune responses: memory illusion?. 2003 , 22, 405-19 | 7 |
| 1766 | Protracted protection to Plasmodium berghei malaria is linked to functionally and phenotypically heterogeneous liver memory CD8+ T cells. 2003 , 171, 2024-34 | 96 |
| 1765 | Productive HIV infection of resting CD4+ T cells: role of lymphoid tissue microenvironment and effect of immunomodulating agents. 2003 , 19, 847-56 | 43 |
| 1764 | Turning immunological memory into amnesia by depletion of dividing T cells. 2003 , 100, 15017-22 | 24 |
| 1763 | Deficient anti-listerial immunity in the absence of perforin can be restored by increasing memory CD8+ T cell numbers. 2003 , 171, 4254-62 | 19 |
| 1762 | Immediate early effector functions of virus-specific CD8+CCR7+ memory cells in humans defined by HLA and CC chemokine ligand 19 tetramers. 2003 , 170, 2461-8 | 84 |
| 1761 | Heterogeneous clearance rates of long-lived lymphocytes infected with HIV: intrinsic stability predicts lifelong persistence. 2003 , 100, 4819-24 | 210 |
| 1760 | Memory T cells: a hurdle to immunologic tolerance. 2003 , 14, 2402-10 | 136 |
| 1759 | Sustained response initiation is required for T cell clonal expansion but not for effector or memory development in vivo. 2003 , 171, 2832-9 | 34 |
| 1758 | Human cerebrospinal fluid central memory CD4+ T cells: evidence for trafficking through choroid plexus and meninges via P-selectin. 2003 , 100, 8389-94 | 412 |
| 1757 | A pool of central memory-like CD4 T cells contains effector memory precursors. 2003 , 170, 2940-8 | 24 |

| | | |
|------|---|-----|
| 1756 | Cutting edge: L-selectin (CD62L) expression distinguishes small resting memory CD4+ T cells that preferentially respond to recall antigen. 2003 , 170, 28-32 | 93 |
| 1755 | Naive T cell recruitment to nonlymphoid tissues: a role for endothelium-expressed CC chemokine ligand 21 in autoimmune disease and lymphoid neogenesis. 2003 , 170, 4638-48 | 163 |
| 1754 | CD1d-restricted NKT cells express a chemokine receptor profile indicative of Th1-type inflammatory homing cells. 2003 , 171, 2571-80 | 190 |
| 1753 | Frequencies of circulating cytolytic, CD45RA+CD27-, CD8+ T lymphocytes depend on infection with CMV. 2003 , 170, 4342-8 | 129 |
| 1752 | A second step of chemotaxis after transendothelial migration: keratinocytes undergoing apoptosis release IFN-gamma-inducible protein 10, monokine induced by IFN-gamma, and IFN-gamma-inducible alpha-chemoattractant for T cell chemotaxis toward epidermis in atopic dermatitis. 2003 , 171, 1078-84 | 106 |
| 1751 | IFN-gamma reverses the stop signal allowing migration of antigen-specific T cells into inflammatory sites. 2003 , 170, 3315-22 | 16 |
| 1750 | Differentiation of CD8+ T cells from tumor-invaded and tumor-free lymph nodes of melanoma patients: role of common gamma-chain cytokines. 2003 , 171, 2134-41 | 37 |
| 1749 | The shift of Th1 to Th2 immunodominance associated with the chronicity of <i>Mycobacterium bovis</i> bacille Calmette-Guérin infection does not affect the memory response. 2003 , 170, 1392-8 | 22 |
| 1748 | CC chemokine receptor 9 expression defines a subset of peripheral blood lymphocytes with mucosal T cell phenotype and Th1 or T-regulatory 1 cytokine profile. 2003 , 171, 159-65 | 95 |
| 1747 | IL-4-producing CD8+ T cells with a CD62L++(bright) phenotype accumulate in a subgroup of older adults and are associated with the maintenance of intact humoral immunity in old age. 2003 , 170, 613-9 | 62 |
| 1746 | Ly6C induces clustering of LFA-1 (CD11a/CD18) and is involved in subtype-specific adhesion of CD8 T cells. 2003 , 170, 1283-90 | 39 |
| 1745 | Route of immunization with peptide-pulsed dendritic cells controls the distribution of memory and effector T cells in lymphoid tissues and determines the pattern of regional tumor control. 2003 , 198, 1023-34 | 179 |
| 1744 | T cell chemokine receptor expression in aging. 2003 , 170, 895-904 | 75 |
| 1743 | Chemokine receptors in asthma: searching for the correct immune targets. 2003 , 171, 11-5 | 35 |
| 1742 | CD4 T cell memory derived from young naive cells functions well into old age, but memory generated from aged naive cells functions poorly. 2003 , 100, 15053-8 | 208 |
| 1741 | CD7 is a differentiation marker that identifies multiple CD8 T cell effector subsets. 2003 , 170, 2349-55 | 47 |
| 1740 | Shaping Up Adaptive Immunity: The Impact of CCR7 and CXCR5 on Lymphocyte Trafficking. 2003 , 10, 325-334 | 50 |
| 1739 | CCL27/PESKY: a novel paradigm for chemokine function. 2003 , 3, 15-22 | 18 |

| | | |
|------|---|-----|
| 1738 | Memory CD8+ T cells provide innate immune protection against <i>Listeria monocytogenes</i> in the absence of cognate antigen. 2003 , 198, 1583-93 | 260 |
| 1737 | CXCR3 is induced early on the pathway of CD4+ T cell differentiation and bridges central and peripheral functions. 2003 , 171, 2812-24 | 69 |
| 1736 | Prolonged presence of effector-memory CD8 T cells in the central nervous system after dengue virus encephalitis. 2003 , 15, 119-25 | 41 |
| 1735 | Seizing of T cells by human T-cell leukemia/lymphoma virus type 1. 2003 , 89, 69-132 | 63 |
| 1734 | Analysis of the frequencies and of the memory T cell phenotypes of human CD8+ T cells specific for influenza A viruses. 2003 , 187, 1075-84 | 55 |
| 1733 | Michael Mason prize essay 2003. Why do leucocytes accumulate within chronically inflamed joints?. 2003 , 42, 1433-44 | 59 |
| 1732 | T cell accumulation in B cell follicles is regulated by dendritic cells and is independent of B cell activation. 2003 , 197, 195-206 | 87 |
| 1731 | Effector T cells and macrophages in urine as a hallmark of systemic vasculitis accompanied by crescentic glomerulonephritis. 2003 , 18, 607-9 | 3 |
| 1730 | Aging, Immunity, and Infection. 2003 , | 6 |
| 1729 | The chemokine receptor CX3CR1 controls homing and anti-viral potencies of CD8 effector-memory T lymphocytes in HIV-infected patients. 2003 , 17, 1279-90 | 39 |
| 1728 | Changes in CD4+ T-cell differentiation phenotype during structured treatment interruption in patients with chronic HIV-1 infection. 2003 , 34, 475-81 | 21 |
| 1727 | Alloreactive memory T cells in transplantation tolerance. 2003 , 8, 13-18 | |
| 1726 | Increased proportions of activated and proliferating memory CD8+ T lymphocytes in both blood and lung are associated with blood HIV viral load. 2003 , 34, 351-7 | 19 |
| 1725 | Toll receptors modulate allergic responses: interaction with dendritic cells, T cells and mast cells. 2003 , 3, 487-94 | 23 |
| 1724 | Innate immunity together with duration of antigen persistence regulate effector T cell induction. 2003 , 171, 795-801 | 53 |
| 1723 | Sepsis and the dendritic cell. 2003 , 20, 386-401 | 69 |
| 1722 | Functional antibodies to leukocyte adhesion molecules in antithymocyte globulins. 2003 , 75, 657-62 | 120 |
| 1721 | CCR7-mediated physiological lymphocyte homing involves activation of a tyrosine kinase pathway. 2003 , 101, 38-44 | 75 |

| | | |
|------|--|-----|
| 1720 | CD8+ T cells that express CD4 on their surface (CD4 ^{dim} CD8 ^{bright} T cells) recognize an antigen-specific target, are detected in vivo, and can be productively infected by T-tropic HIV. 2003 , 102, 2156-64 | 56 |
| 1719 | Expression of CD57 defines replicative senescence and antigen-induced apoptotic death of CD8+ T cells. 2003 , 101, 2711-20 | 743 |
| 1718 | CCR4 versus CCR10 in human cutaneous TH lymphocyte trafficking. 2003 , 101, 1677-82 | 171 |
| 1717 | Immunologic potential of donor lymphocytes expressing a suicide gene for early immune reconstitution after hematopoietic T-cell-depleted stem cell transplantation. 2003 , 101, 1290-8 | 110 |
| 1716 | Primary immune responses to human CMV: a critical role for IFN-gamma-producing CD4+ T cells in protection against CMV disease. 2003 , 101, 2686-92 | 347 |
| 1715 | CD8+ T cells from patients with acute multiple sclerosis display selective increase of adhesiveness in brain venules: a critical role for P-selectin glycoprotein ligand-1. 2003 , 101, 4775-82 | 136 |
| 1714 | Therapeutic effect of idiotype-specific CD4+ T cells against B-cell lymphoma in the absence of anti-idiotypic antibodies. 2003 , 102, 605-12 | 33 |
| 1713 | Retrovirus-mediated gene transfer in polyclonal T cells results in lower apoptosis and enhanced ex vivo cell expansion of CMV-reactive CD8 T cells as compared with EBV-reactive CD8 T cells. 2003 , 102, 1241-8 | 19 |
| 1712 | Proliferation and differentiation potential of human CD8+ memory T-cell subsets in response to antigen or homeostatic cytokines. 2003 , 101, 4260-6 | 417 |
| 1711 | Functional leukemia-associated antigen-specific memory CD8+ T cells exist in healthy individuals and in patients with chronic myelogenous leukemia before and after stem cell transplantation. 2003 , 102, 2892-900 | 185 |
| 1710 | Expansion of CMV-specific CD8+CD45RA+CD27- T cells in B-cell chronic lymphocytic leukemia. 2003 , 102, 1057-63 | 81 |
| 1709 | IL-15 induces antigen-independent expansion and differentiation of human naive CD8+ T cells in vitro. 2003 , 102, 2541-6 | 126 |
| 1708 | Erratum for vol. 101, p. 1200. 2003 , 101, 1683-1683 | |
| 1707 | Human T lymphocytes transduced by lentiviral vectors in the absence of TCR activation maintain an intact immune competence. 2003 , 102, 497-505 | 132 |
| 1706 | Phenotypic and functional T-cell aging in rhesus macaques (<i>Macaca mulatta</i>): differential behavior of CD4 and CD8 subsets. 2003 , 102, 3244-51 | 65 |
| 1705 | Flexible migration program regulates gamma delta T-cell involvement in humoral immunity. 2003 , 102, 3693-701 | 138 |
| 1704 | Simian immunodeficiency virus dramatically alters expression of homeostatic chemokines and dendritic cell markers during infection in vivo. 2003 , 101, 1684-91 | 79 |
| 1703 | Late diversification in the clonal composition of human cytomegalovirus-specific CD8+ T cells following allogeneic hemopoietic stem cell transplantation. 2003 , 102, 3427-38 | 54 |

| | | |
|------|--|-----|
| 1702 | Ex vivo characterization of human CD8+ T subsets with distinct replicative history and partial effector functions. 2003 , 102, 1779-87 | 142 |
| 1701 | The voltage-gated Kv1.3 K(+) channel in effector memory T cells as new target for MS. 2003 , 111, 1703-13 | 320 |
| 1700 | Different cytokine production and effector/memory dynamics of alpha beta+ or gamma delta+ T-cell subsets in the peripheral blood of patients with active pulmonary tuberculosis. 2003 , 16, 247-52 | 23 |
| 1699 | Role of cytokines in the development and maintenance of memory T cells during respiratory viral infection. 2003 , 9, 51-9 | 4 |
| 1698 | Dendritic cells in tumor immunology and immunotherapy. 2004 , 5, 17-39 | 33 |
| 1697 | . 2004 , | 6 |
| 1696 | . 2004 , | 3 |
| 1695 | Tc1/Tc2 ratio in the inflammatory process in patients with Behçet's disease. 2004 , 13, 247-53 | 11 |
| 1694 | CD8+ effector cells. 2004 , 83, 233-52 | 13 |
| 1693 | Chemokines: role in inflammation and immune surveillance. 2004 , 63 Suppl 2, ii84-ii89 | 101 |
| 1692 | HIV-specific CD8+ T cells: serial killers condemned to die?. 2004 , 2, 153-62 | 19 |
| 1691 | T cell responses to influenza virus infection: effector and memory cells. 2004 , 17, 197-209 | 50 |
| 1690 | Principles of Molecular Oncology. 2004 , | 6 |
| 1689 | Immunological monitoring of cancer vaccine therapy. 2004 , 4, 1677-84 | 23 |
| 1688 | Cytotoxic T lymphocyte therapy for Epstein-Barr virus+ Hodgkin's disease. 2004 , 200, 1623-33 | 326 |
| 1687 | Characterization of CD20-transduced T lymphocytes as an alternative suicide gene therapy approach for the treatment of graft-versus-host disease. 2004 , 15, 63-76 | 81 |
| 1686 | Decreases in percentages of naïve CD4 and CD8 T cells and increases in percentages of memory CD8 T-cell subsets in the peripheral blood lymphocyte populations of A-bomb survivors. 2004 , 161, 290-8 | 35 |
| 1685 | CXCL12 mediates CCR7-independent homing of central memory cells, but not naive T cells, in peripheral lymph nodes. 2004 , 199, 1113-20 | 99 |

| | | |
|------|--|-----|
| 1684 | In vivo compartmentalization of functionally distinct, rapidly responsive antigen-specific T-cell populations in DNA-immunized or Salmonella enterica serovar Typhimurium-infected mice. 2004 , 72, 6390-400 | 18 |
| 1683 | Duration of infection and antigen display have minimal influence on the kinetics of the CD4+ T cell response to Listeria monocytogenes infection. 2004 , 173, 5679-87 | 83 |
| 1682 | Inhaled glucocorticoids, lymphocytes, and dendritic cells in asthma and obstructive lung diseases. 2004 , 1, 215-21 | 16 |
| 1681 | Immature dendritic cells (DCs) use chemokines and intercellular adhesion molecule (ICAM)-1, but not DC-specific ICAM-3-grabbing nonintegrin, to stimulate CD4+ T cells in the absence of exogenous antigen. 2004 , 173, 50-60 | 36 |
| 1680 | The contraction phase of virus-specific CD8+ T cells is unaffected by a pan-caspase inhibitor. 2004 , 173, 6611-8 | 22 |
| 1679 | Expansion of protective CD8+ T-cell responses driven by recombinant cytomegaloviruses. 2004 , 78, 2255-64 | 92 |
| 1678 | Selective expression of IL-7 receptor on memory T cells identifies early CD40L-dependent generation of distinct CD8+ memory T cell subsets. 2004 , 101, 5610-5 | 378 |
| 1677 | Abundant expression of granzyme A, but not perforin, in granules of CD8+ T cells in GALT: implications for immune control of HIV-1 infection. 2004 , 173, 641-8 | 56 |
| 1676 | Th2 cells: orchestrating barrier immunity. 2004 , 83, 163-89 | 39 |
| 1675 | Effector function of human tumor-specific CD8 T cells in melanoma lesions: a state of local functional tolerance. 2004 , 64, 2865-73 | 319 |
| 1674 | Bcl6 acts as an amplifier for the generation and proliferative capacity of central memory CD8+ T cells. 2004 , 173, 883-91 | 117 |
| 1673 | CD27 expression promotes long-term survival of functional effector-memory CD8+ cytotoxic T lymphocytes in HIV-infected patients. 2004 , 200, 1407-17 | 103 |
| 1672 | CD4 T cell-dependent CD8 T cell maturation. 2004 , 172, 2834-44 | 117 |
| 1671 | Chemokine receptor expression identifies Pre-T helper (Th)1, Pre-Th2, and nonpolarized cells among human CD4+ central memory T cells. 2004 , 200, 725-35 | 231 |
| 1670 | Differential tissue-specific regulation of antiviral CD8+ T-cell immune responses during chronic viral infection. 2004 , 78, 3578-600 | 77 |
| 1669 | Subsets of memory cytotoxic T lymphocytes elicited by vaccination influence the efficiency of secondary expansion in vivo. 2004 , 78, 206-15 | 48 |
| 1668 | T-cell subsets that harbor human immunodeficiency virus (HIV) in vivo: implications for HIV pathogenesis. 2004 , 78, 1160-8 | 305 |
| 1667 | Distinct time effects of vaccination on long-term proliferative and IFN-gamma-producing T cell memory to smallpox in humans. 2004 , 199, 1585-93 | 106 |

| | | |
|------|--|-----|
| 1666 | Kv1.3-blocking 5-phenylalkoxypsoralens: a new class of immunomodulators. 2004 , 65, 1364-74 | 109 |
| 1665 | Gut-homing (alpha(4)beta(7)(+)) Th1 memory responses after inactivated poliovirus immunization in poliovirus orally pre-immunized donors. 2004 , 85, 1571-1579 | 21 |
| 1664 | Human thymus exports naive CD8 T cells that can home to nonlymphoid tissues. 2004 , 172, 2773-7 | 16 |
| 1663 | Insights into the pathogenesis of asthma utilizing murine models. 2004 , 135, 173-86 | 96 |
| 1662 | Vaccination of cancer patients against telomerase induces functional antitumor CD8+ T lymphocytes. 2004 , 10, 828-39 | 211 |
| 1661 | Molecular determinants controlling homeostatic recirculation and tissue-specific trafficking of lymphocytes. 2004 , 134, 120-34 | 24 |
| 1660 | Human immunodeficiency virus type 1-specific immune responses in primates upon sequential immunization with adenoviral vaccine carriers of human and simian serotypes. 2004 , 78, 7392-9 | 86 |
| 1659 | Impact of immune plasticity on development of cellular memory responses to human immunodeficiency virus type 1. 2004 , 11, 1002-7 | 2 |
| 1658 | Loss of virus-specific CD4(+) T cells with increases in viral loads in the chronic phase after vaccine-based partial control of primary simian immunodeficiency virus replication in macaques. 2004 , 85, 1955-1963 | 12 |
| 1657 | Constitutive expression of CCR7 directs effector CD8 T cells into the splenic white pulp and impairs functional activity. 2004 , 173, 3013-9 | 29 |
| 1656 | Rapid turnover of effector-memory CD4(+) T cells in healthy humans. 2004 , 200, 255-60 | 149 |
| 1655 | Extensive replicative capacity of human central memory T cells. 2004 , 172, 6675-83 | 40 |
| 1654 | Peripheral CD4 T cells rapidly accumulate at the host: parasite interface during an inflammatory Th2 memory response. 2004 , 172, 2424-30 | 64 |
| 1653 | Phenotypic and functional characterization of CD4 T cells expressing killer Ig-like receptors. 2004 , 173, 6719-26 | 110 |
| 1652 | Herpesvirus-specific CD8 T cell immunity in old age: cytomegalovirus impairs the response to a coresident EBV infection. 2004 , 173, 7481-9 | 288 |
| 1651 | FTY720-enhanced T cell homing is dependent on CCR2, CCR5, CCR7, and CXCR4: evidence for distinct chemokine compartments. 2004 , 173, 855-65 | 60 |
| 1650 | Long-term stable expanded human CD4+ T cell clones specific for human cytomegalovirus are distributed in both CD45RA ^{high} and CD45RO ^{high} populations. 2004 , 173, 5843-51 | 37 |
| 1649 | Handbook of Cancer Vaccines. 2004 , | 5 |

| | | |
|------|--|-----|
| 1648 | CC chemokine receptor 7 expression by effector/memory CD4+ T cells depends on antigen specificity and tissue localization during influenza A virus infection. 2004 , 78, 7528-35 | 50 |
| 1647 | Multicolor immunophenotyping: human mature immune system. 2004 , 75, 577-94 | 5 |
| 1646 | Factors related to loss of HIV-specific cytotoxic T lymphocyte activity. 2004 , 18, 597-604 | 10 |
| 1645 | Minor H antigen HA-1-specific regulator and effector CD8+ T cells, and HA-1 microchimerism, in allograft tolerance. 2004 , 199, 1017-23 | 117 |
| 1644 | Immediate cytotoxicity but not degranulation distinguishes effector and memory subsets of CD8+ T cells. 2004 , 199, 925-36 | 215 |
| 1643 | The size and phenotype of virus-specific T cell populations is determined by repetitive antigenic stimulation and environmental cytokines. 2004 , 172, 6107-14 | 104 |
| 1642 | Different functional capacities of latent and lytic antigen-specific CD8 T cells in murine gammaherpesvirus infection. 2004 , 172, 1213-9 | 36 |
| 1641 | Effects of sustained HIV-1 plasma viremia on HIV-1 Gag-specific CD4+ T cell maturation and function. 2004 , 172, 3337-47 | 81 |
| 1640 | Shift from systemic to site-specific memory by tumor-targeted IL-2. 2004 , 172, 5843-50 | 15 |
| 1639 | Cutting edge: identification of hepatitis C virus-specific CD8+ T cells restricted by donor HLA alleles following liver transplantation. 2004 , 173, 5355-9 | 46 |
| 1638 | Preapoptotic phenotype of viral epitope-specific CD8 T cells precludes memory development and is an intrinsic property of the epitope. 2004 , 173, 5138-47 | 17 |
| 1637 | Age-associated change in the frequency of memory CD4+ T cells impairs long term CD4+ T cell responses to influenza vaccine. 2004 , 173, 673-81 | 166 |
| 1636 | IL-2 production by virus- and tumor-specific human CD8 T cells is determined by their fine specificity. 2004 , 172, 3963-70 | 27 |
| 1635 | Expression characteristics and stimulatory functions of CD43 in human CD4+ memory T cells: analysis using a monoclonal antibody to CD43 that has a novel lineage specificity. 2004 , 172, 7246-53 | 14 |
| 1634 | Initial antigen encounter programs CD8+ T cells competent to develop into memory cells that are activated in an antigen-free, IL-7- and IL-15-rich environment. 2004 , 172, 7315-23 | 77 |
| 1633 | Characterization of human T cells that regulate neutrophilic skin inflammation. 2004 , 173, 2151-8 | 129 |
| 1632 | Cutting edge: distinct roles for T help and CD40/CD40 ligand in regulating differentiation of proliferation-competent memory CD8+ T cells. 2004 , 173, 2217-21 | 44 |
| 1631 | CD4+CD25bright T cells in human intestinal lamina propria as regulatory cells. 2004 , 173, 3119-30 | 225 |

| | | |
|------|---|------|
| 1630 | Cutting edge: expression of chemokine receptor CXCR1 on human effector CD8+ T cells. 2004 , 173, 2231-5 | 63 |
| 1629 | Expansion and function of CD8+ T cells expressing Ly49 inhibitory receptors specific for MHC class I molecules. 2004 , 173, 3773-82 | 26 |
| 1628 | Recombinant poxvirus boosting of DNA-primed rhesus monkeys augments peak but not memory T lymphocyte responses. 2004 , 101, 11088-93 | 56 |
| 1627 | Anatomical heterogeneity of memory CD4+ T cells due to reversible adaptation to the microenvironment. 2004 , 173, 7292-8 | 40 |
| 1626 | Central memory CD4+ T cell responses in chronic HIV infection are not restored by antiretroviral therapy. 2004 , 173, 2184-9 | 57 |
| 1625 | Costimulatory ligand 4-1BBL (CD137L) as an efficient adjuvant for human antiviral cytotoxic T cell responses. 2004 , 101, 1291-6 | 94 |
| 1624 | Antigen distribution drives programmed antitumor CD8 cell migration and determines its efficiency. 2004 , 173, 222-9 | 20 |
| 1623 | High frequency of functionally active Melan-a-specific T cells in a patient with progressive immunoproteasome-deficient melanoma. 2004 , 64, 6319-26 | 55 |
| 1622 | IL-15 enhances the in vivo antitumor activity of tumor-reactive CD8+ T cells. 2004 , 101, 1969-74 | 441 |
| 1621 | Ex vivo phenotype and frequency of influenza virus-specific CD4 memory T cells. 2004 , 78, 7284-7 | 63 |
| 1620 | Cutting edge: effector memory CD8+ T cells play a prominent role in recall responses to secondary viral infection in the lung. 2004 , 172, 6533-7 | 108 |
| 1619 | Impact of CCR7 on priming and distribution of antiviral effector and memory CTL. 2004 , 173, 6684-93 | 74 |
| 1618 | A skin-selective homing mechanism for human immune surveillance T cells. 2004 , 199, 1265-75 | 182 |
| 1617 | Activation of the aryl hydrocarbon receptor diminishes the memory response to homotypic influenza virus infection but does not impair host resistance. 2004 , 79, 304-14 | 31 |
| 1616 | Peripheral CD4(+)/CD8(+) T cells are differentiated effector memory cells with antiviral functions. 2004 , 104, 478-86 | 183 |
| 1615 | CD4+ T cell depletion during all stages of HIV disease occurs predominantly in the gastrointestinal tract. 2004 , 200, 749-59 | 1393 |
| 1614 | Generation, maintenance, and function of memory T cells. 2004 , 83, 191-231 | 4 |
| 1613 | Antiviral CD8 T cells in the control of primary human cytomegalovirus infection in early childhood. 2004 , 189, 1619-27 | 50 |

| | | |
|------|--|-----|
| 1612 | gp100(209-2M) peptide immunization of human lymphocyte antigen-A2+ stage I-III melanoma patients induces significant increase in antigen-specific effector and long-term memory CD8+ T cells. 2004 , 10, 668-80 | 68 |
| 1611 | Essential roles of CD8+CD122+ regulatory T cells in the maintenance of T cell homeostasis. 2004 , 200, 1123-34 | 227 |
| 1610 | Accessory cell function of airway epithelial cells. 2004 , 287, L318-31 | 26 |
| 1609 | Automatic generation of lymphocyte heterogeneity: Division-dependent changes in the expression of CD27, CCR7 and CD45 by activated human naive CD4+ T cells are independently regulated. 2004 , 82, 67-74 | |
| 1608 | Flow cytometry applications of MHC tetramers. 2004 , 75, 433-52 | 13 |
| 1607 | Fractalkine in vascular biology: from basic research to clinical disease. 2004 , 24, 34-40 | 244 |
| 1606 | Is secondary lymphoid-organ chemokine (SLC/CCL21) much more than a constitutive chemokine?. 2004 , 59, 1219-23 | 17 |
| 1605 | Spontaneous outgrowth of EBV-transformed B-cells reflects EBV-specific immunity in vivo; a useful tool in the follow-up of EBV-driven immunoproliferative disorders in allograft recipients. 2004 , 17, 89-96 | 1 |
| 1604 | Inflammation in allergic asthma: initiating events, immunological response and risk factors. 2004 , 9, 16-24 | 15 |
| 1603 | Analysis of CD8 T-cell response by IFN γ ELISPOT and H-2L(d)/pRL1a tetramer assays in pRL1a multiple antigen peptide-immunized and RL male 1-bearing BALB/c and (BALB/c x C57BL/6) F(1) mice. 2004 , 95, 254-9 | 3 |
| 1602 | Characteristic expansion of CD45RA ⁺ CD27 ⁺ CD28 ⁺ CCR7 ⁺ lymphocytes with stable natural killer (NK) receptor expression in NK- and T-cell type lymphoproliferative disease of granular lymphocytes. 2004 , 126, 55-62 | 13 |
| 1601 | Analysis of effector and regulatory immune reactivity to nickel. 2004 , 34, 1458-66 | 65 |
| 1600 | Homing receptor and chemokine receptor on intraepidermal T cells in psoriasis vulgaris. 2004 , 29, 658-63 | 48 |
| 1599 | Quantitative and functional characteristics of intestinal-homing memory T cells: analysis of Crohn's disease patients and healthy controls. 2004 , 135, 137-45 | 28 |
| 1598 | Early deficit of lymphocytes in Wiskott-Aldrich syndrome: possible role of WASP in human lymphocyte maturation. 2004 , 136, 104-10 | 72 |
| 1597 | CD4 T cells producing IFN- γ in the lungs of mice challenged with mycobacteria express a CD27-negative phenotype. 2004 , 138, 21-9 | 22 |
| 1596 | Gene expression analysis of peripheral T cells in a subgroup of common variable immunodeficiency shows predominance of CCR7(-) effector-memory T cells. 2004 , 138, 278-89 | 36 |
| 1595 | Differential expression of the cytokine receptors for human interleukin (IL)-12 and IL-18 on lymphocytes of both CD45RA ⁺ and CD45RO ⁺ phenotype from tonsils, cord and adult peripheral blood. 2004 , 138, 460-5 | 14 |

| | | |
|------|--|-----|
| 1594 | Aberration of CCR7 CD8 memory T cells from patients with systemic lupus erythematosus: an inducer of T helper type 2 bias of CD4 T cells. 2004 , 112, 274-89 | 20 |
| 1593 | CD27- CD4+ memory T cells define a differentiated memory population at both the functional and transcriptional levels. 2004 , 113, 363-70 | 49 |
| 1592 | Vigorous response of cytotoxic T lymphocytes associated with systemic activation of CD8 T lymphocytes in fulminant hepatitis B. 2004 , 24, 561-7 | 30 |
| 1591 | Tuberculin skin testing underestimates a high prevalence of latent tuberculosis infection in hemodialysis patients. 2004 , 65, 1826-34 | 69 |
| 1590 | CD28nullCD4+ T cells--characterization of an effector memory T-cell population in patients with rheumatoid arthritis. 2004 , 60, 199-208 | 63 |
| 1589 | Generation, specificity, and function of CD8+ T cells in Trypanosoma cruzi infection. 2004 , 201, 304-17 | 118 |
| 1588 | The development of effector and memory T cells in cutaneous leishmaniasis: the implications for vaccine development. 2004 , 201, 318-38 | 99 |
| 1587 | Analysis of Ehrlichia ruminantium-specific T1/T2 responses during vaccination with a protective killed vaccine and challenge of goats. 2004 , 26, 95-103 | 9 |
| 1586 | Human thymic stromal lymphopoietin promotes dendritic cell-mediated CD4+ T cell homeostatic expansion. 2004 , 5, 426-34 | 191 |
| 1585 | Memory may not need reminding. 2004 , 10, 1045-7 | 5 |
| 1584 | Suppressing the self in rheumatoid arthritis. 2004 , 10, 1047-9 | 6 |
| 1583 | A CD4(+) T-cell immune response to a conserved epitope in the circumsporozoite protein correlates with protection from natural Plasmodium falciparum infection and disease. 2004 , 10, 406-10 | 216 |
| 1582 | Effector CD8+ T cells mediate inflammation and airway hyper-responsiveness. 2004 , 10, 865-9 | 152 |
| 1581 | Central memory T cells mediate long-term immunity to Leishmania major in the absence of persistent parasites. 2004 , 10, 1104-10 | 272 |
| 1580 | An innately interesting decade of research in immunology. 2004 , 10, 1307-20 | 111 |
| 1579 | Inhibitory NK-cell receptors on T cells: witness of the past, actors of the future. 2004 , 4, 190-8 | 186 |
| 1578 | Immune surveillance in the skin: mechanisms and clinical consequences. 2004 , 4, 211-22 | 565 |
| 1577 | Selectins in T-cell recruitment to non-lymphoid tissues and sites of inflammation. 2004 , 4, 325-35 | 363 |

| | | |
|------|---|------|
| 1576 | Concomitant regulation of T-cell activation and homeostasis. 2004 , 4, 387-95 | 85 |
| 1575 | Seventeen-colour flow cytometry: unravelling the immune system. 2004 , 4, 648-55 | 792 |
| 1574 | Evidence for a cluster of genes on chromosome 17q11-q21 controlling susceptibility to tuberculosis and leprosy in Brazilians. 2004 , 5, 46-57 | 121 |
| 1573 | Functional and phenotypic variations in human T cells subjected to retroviral-mediated gene transfer. 2004 , 11, 474-82 | 10 |
| 1572 | Memory T cells in transplantation: generation, function, and potential role in rejection. 2004 , 4, 846-52 | 105 |
| 1571 | Role of integrin CD103 in promoting destruction of renal allografts by CD8 T cells. 2004 , 4, 1026-32 | 21 |
| 1570 | FTY720: sphingosine 1-phosphate receptor-1 in the control of lymphocyte egress and endothelial barrier function. 2004 , 4, 1019-25 | 405 |
| 1569 | Age-associated changes in the frequency of naïve, memory and effector CD8 ⁺ T cells. 2004 , 125, 615-8 | 66 |
| 1568 | CD4 ⁺ CD25 ⁺ CD62 ⁺ T-regulatory cell subset has optimal suppressive and proliferative potential. 2004 , 4, 65-78 | 147 |
| 1567 | Characterization of naïve, memory and effector CD8 ⁺ T cells: effect of age. 2004 , 39, 545-50 | 78 |
| 1566 | Inhibition of CD62L ⁺ T-cell response in vitro via a novel sulfo-glycolipid, beta-SQAG9 liposome that binds to CD62L molecule on the cell surface. 2004 , 232, 105-15 | 7 |
| 1565 | Fine-tuning of helper T cell activation and apoptosis by antigen-presenting cells. 2004 , 16, 939-50 | 4 |
| 1564 | Reflections on CD8 T-cell activation and memory. 2004 , 29, 151-60 | 44 |
| 1563 | Central memory and effector memory T cell subsets: function, generation, and maintenance. 2004 , 22, 745-63 | 2180 |
| 1562 | Non-antigen specific CD8 ⁺ T suppressor lymphocytes. 2004 , 4, 86-92 | 44 |
| 1561 | Immunologie et cancer. 1re partie: réponse immunitaire antitumorale. 2004 , 6, 467-478 | |
| 1560 | Extranodal multiple involvement of enteropathy-type T-cell lymphoma without expression of CC chemokine receptor 7. 2004 , 79, 44-7 | 11 |
| 1559 | Acute spontaneous tumor lysis in anaplastic large T-cell lymphoma presenting with hyperuricemic acute renal failure. 2004 , 79, 48-51 | 24 |

| | | |
|------|--|-----|
| 1558 | Chemoattractants and their receptors in homeostasis and inflammation. 2004 , 16, 724-31 | 93 |
| 1557 | Pro- and anti-inflammatory cytokine production by autoimmune T cells against preproinsulin in HLA-DRB1*04, DQ8 Type 1 diabetes. 2004 , 47, 439-450 | 57 |
| 1556 | The T _B ingen approach: identification, selection, and validation of tumor-associated HLA peptides for cancer therapy. 2004 , 53, 187-95 | 104 |
| 1555 | Identification of an antigenic peptide derived from the cancer-testis antigen NY-ESO-1 binding to a broad range of HLA-DR subtypes. 2004 , 53, 589-99 | 26 |
| 1554 | Replicative senescence of CD8 T cells: potential effects on cancer immune surveillance and immunotherapy. 2004 , 53, 925-33 | 35 |
| 1553 | The role of ICOS and other costimulatory molecules in allergy and asthma. 2004 , 25, 349-59 | 41 |
| 1552 | Transplantation of haploidentically mismatched stem cells for the treatment of malignant diseases. 2004 , 26, 155-68 | 23 |
| 1551 | Chemokines in eosinophil-associated gastrointestinal disorders. 2004 , 4, 74-82 | 22 |
| 1550 | Overview of melanoma vaccines and promising approaches. 2004 , 6, 414-20 | 4 |
| 1549 | Automatic generation of lymphocyte heterogeneity: Division-dependent changes in the expression of CD27, CCR7 and CD45 by activated human naive CD4+ T cells are independently regulated. 2004 , 82, 67-74 | 24 |
| 1548 | The chemokines CCL11, CCL20, CCL21, and CCL24 are preferentially expressed in polarized human secondary lymphoid follicles. 2004 , 204, 208-16 | 4 |
| 1547 | Increased expression of the natural killer cell inhibitory receptor CD85j/ILT2 on antigen-specific effector CD8 T cells and its impact on CD8 T-cell function. 2004 , 112, 531-42 | 45 |
| 1546 | Effects of chemokines on proliferation and apoptosis of human mesangial cells. 2004 , 5, 8 | 33 |
| 1545 | Plasmid encoding interleukin-4 in the amelioration of murine collagen-induced arthritis. 2004 , 50, 968-75 | 28 |
| 1544 | Expression of CCR7 in multiple sclerosis: implications for CNS immunity. 2004 , 55, 627-38 | 201 |
| 1543 | Virus-specific CD8+ T lymphocytes within the normal human liver. 2004 , 34, 1526-31 | 29 |
| 1542 | Phenotypic classification of human CD8+ T cells reflecting their function: inverse correlation between quantitative expression of CD27 and cytotoxic effector function. 2004 , 34, 999-1010 | 88 |
| 1541 | Alloreactive CD4 T lymphocytes responsible for acute and chronic graft-versus-host disease are contained within the CD45R ^{Chigh} but not the CD45R ^{Clow} subset. 2004 , 34, 408-17 | 58 |

| | | |
|------|---|-----|
| 1540 | Subversion of effector CD8+ T cell differentiation in acute hepatitis C virus infection: exploring the immunological mechanisms. 2004 , 34, 427-37 | 58 |
| 1539 | Subversion of effector CD8+ T cell differentiation in acute hepatitis C virus infection: the role of the virus. 2004 , 34, 438-46 | 47 |
| 1538 | The chemokine receptor CCR7 controls lymph node-dependent cytotoxic T cell priming in alloimmune responses. 2004 , 34, 461-70 | 47 |
| 1537 | Maintenance of memory CTL responses by T helper cells and CD40-CD40 ligand: antibodies provide the key. 2004 , 34, 317-26 | 56 |
| 1536 | Synthesis of several chemokines but few cytokines by primed uncommitted precursor CD4 T cells suggests that these cells recruit other immune cells without exerting direct effector functions. 2004 , 34, 1617-26 | 24 |
| 1535 | Determining control parameters for dendritic cell-cytotoxic T lymphocyte interaction. 2004 , 34, 2407-18 | 40 |
| 1534 | Activating CD94:NKG2C and inhibitory CD94:NKG2A receptors are expressed by distinct subsets of committed CD8+ TCR alphabeta lymphocytes. 2004 , 34, 3456-64 | 48 |
| 1533 | A unique pattern of up- and down-regulation of chemokine receptor CXCR3 on inflammation-inducing Th1 cells. 2004 , 34, 2885-94 | 47 |
| 1532 | Phenotypic heterogeneity of antigen-specific CD4 T cells under different conditions of antigen persistence and antigen load. 2004 , 34, 3525-33 | 160 |
| 1531 | B cells alter the phenotype and function of follicular-homing CXCR5+ T cells. 2004 , 34, 3562-71 | 37 |
| 1530 | Frontline: An in-depth evaluation of the production of IL-2 by antigen-specific CD8 T cells in vivo. 2004 , 34, 2977-85 | 26 |
| 1529 | Down-regulation of CXCR4 expression on human CD8+ T cells during peripheral differentiation. 2004 , 34, 3370-8 | 36 |
| 1528 | Induction or expansion of T-cell responses by a hepatitis B DNA vaccine administered to chronic HBV carriers. 2004 , 40, 874-882 | 110 |
| 1527 | Induction or expansion of T-cell responses by a hepatitis B DNA vaccine administered to chronic HBV carriers. 2004 , 40, 874-82 | 140 |
| 1526 | Breast carcinoma cells promote the differentiation of CD34+ progenitors towards 2 different subpopulations of dendritic cells with CD1a(high)CD86(-)Langerin- and CD1a(+)-CD86(+)-Langerin+ phenotypes. 2004 , 110, 710-20 | 44 |
| 1525 | CD8+ T-cell memory: only the good ones last. 2004 , 16, 451-5 | 45 |
| 1524 | Cytokine responses and progression to active tuberculosis in HIV-1-infected Ugandans: a prospective study. 2004 , 98, 660-70 | 23 |
| 1523 | The human immune response to Mycobacterium tuberculosis in lung and lymph node. 2004 , 227, 463-86 | 118 |

| | | |
|------|--|-----|
| 1522 | Dendritic cell trafficking and antigen presentation in the human immune response to Mycobacterium tuberculosis. 2004 , 173, 494-506 | 96 |
| 1521 | Potassium channels in T lymphocytes: therapeutic targets for autoimmune disorders?. 2004 , 18, 329-41 | 11 |
| 1520 | Immunological memory to viral infections. 2004 , 22, 711-43 | 176 |
| 1519 | Vaccination with T cell-defined antigens. 2004 , 4, 697-707 | 3 |
| 1518 | Vaccination with phosphoglycan-deficient Leishmania major protects highly susceptible mice from virulent challenge without inducing a strong Th1 response. 2004 , 172, 3793-7 | 107 |
| 1517 | Imaging the single cell dynamics of CD4+ T cell activation by dendritic cells in lymph nodes. 2004 , 200, 847-56 | 442 |
| 1516 | [Subsets of CD8+ T cells in longterm asymptomatic vertically HIV-1 infected children]. 2004 , 122, 6-11 | 2 |
| 1515 | Chemokines in innate and adaptive host defense: basic chemokinese grammar for immune cells. 2004 , 22, 891-928 | 996 |
| 1514 | A 55-year-old man with hypogammaglobulinemia, lymphopenia, and unrelenting cutaneous warts. 2004 , 114, 409-14 | 24 |
| 1513 | Reduced dermal infiltration of cytokine-expressing inflammatory cells in atopic dermatitis after short-term topical tacrolimus treatment. 2004 , 114, 887-95 | 77 |
| 1512 | The regulation and maturation of antiviral immune responses. 2004 , 63, 181-238 | 17 |
| 1511 | Phenotypical and functional characterization of clinical-grade dendritic cells. 2005 , 109, 113-26 | 17 |
| 1510 | Evaluation of in vivo labelled dendritic cell migration in cancer patients. 2004 , 2, 27 | 92 |
| 1509 | Transgenic Models in Pharmacology. 2004 , | 1 |
| 1508 | Development of a human adaptive immune system in cord blood cell-transplanted mice. 2004 , 304, 104-7 | 814 |
| 1507 | Control of T cell viability. 2004 , 22, 765-87 | 305 |
| 1506 | Phenotypic and functional characterisation of CCR7+ and CCR7- CD4+ memory T cells homing to the joints in juvenile idiopathic arthritis. 2005 , 7, R256-67 | 41 |
| 1505 | An APC for every occasion: induction and expansion of human Ag-specific CD4 and CD8 T cells using cellular and non-cellular APC. 2004 , 6, 440-449 | 5 |

| | | |
|------|--|------|
| 1504 | Flow cytometric analysis of vaccine responses: how many colors are enough?. 2004 , 110, 199-205 | 59 |
| 1503 | Biomarker discovery by comprehensive phenotyping for autoimmune diseases. 2004 , 111, 186-95 | 24 |
| 1502 | CD8+ T cells responding to influenza infection reach and persist at higher numbers than CD4+ T cells independently of precursor frequency. 2004 , 113, 89-100 | 30 |
| 1501 | The role of very late antigen-1 in immune-mediated inflammation. 2004 , 113, 119-29 | 58 |
| 1500 | K+ channels as targets for specific immunomodulation. 2004 , 25, 280-9 | 374 |
| 1499 | Anatomical features of anti-viral immunity in the respiratory tract. 2004 , 16, 163-70 | 40 |
| 1498 | Lessons from the study of T-cell differentiation in persistent human virus infection. 2004 , 16, 205-12 | 114 |
| 1497 | CD4 T-cell memory. 2004 , 16, 295-303 | 32 |
| 1496 | CD8 T cell memory. 2004 , 16, 305-14 | 35 |
| 1495 | Kinetics and clonality of immunological memory in humans. 2004 , 16, 315-21 | 16 |
| 1494 | Generation and maintenance of immunological memory. 2004 , 16, 323-33 | 176 |
| 1493 | On the road to a tumor cell vaccine: 20 years of cellular immunotherapy. 2004 , 23, 97-113 | 49 |
| 1492 | Genetically programmed B lymphocytes are highly efficient in inducing anti-virus protective immunity mediated by central memory CD8 T cells. 2004 , 23, 699-708 | 31 |
| 1491 | Increased in vivo frequency of IA-2 peptide-reactive IFN γ +/IL-4- T cells in type 1 diabetic subjects. 2004 , 23, 45-54 | 19 |
| 1490 | A synthetic, non-peptide CXCR2 antagonist blocks MIP-2-induced neutrophil migration in mice. 2004 , 209, 225-33 | 20 |
| 1489 | Intravital microscopy: visualizing immunity in context. 2004 , 21, 315-29 | 150 |
| 1488 | Retinoic acid imprints gut-homing specificity on T cells. 2004 , 21, 527-38 | 1190 |
| 1487 | Jump-starting the immune system: prime-boosting comes of age. 2004 , 25, 98-104 | 275 |

| | | |
|------|---|-----|
| 1486 | Chemokines: multiple levels of leukocyte migration control. 2004 , 25, 75-84 | 660 |
| 1485 | Nonantigen specific CD8+ T suppressor lymphocytes originate from CD8+CD28- T cells and inhibit both T-cell proliferation and CTL function. 2004 , 65, 142-56 | 133 |
| 1484 | Properties of CD4(+) T cells in human cytomegalovirus infection. 2004 , 65, 486-92 | 70 |
| 1483 | The contribution of memory T cell subsets to antiviral immunity in the lung. 2004 , 1263, 17-20 | |
| 1482 | Growth hormone in T-lymphocyte thymic and postthymic development: a study in HIV-infected children. 2004 , 145, 542-8 | 27 |
| 1481 | Plasticity of T cell memory responses to viruses. 2004 , 20, 5-16 | 87 |
| 1480 | The collagen binding alpha1beta1 integrin VLA-1 regulates CD8 T cell-mediated immune protection against heterologous influenza infection. 2004 , 20, 167-79 | 240 |
| 1479 | Human CD8+ T cells store RANTES in a unique secretory compartment and release it rapidly after TcR stimulation. 2004 , 20, 219-30 | 77 |
| 1478 | Memory CD8 T-cell differentiation during viral infection. 2004 , 78, 5535-45 | 660 |
| 1477 | Starting at the beginning: new perspectives on the biology of mucosal T cells. 2004 , 22, 217-46 | 151 |
| 1476 | HIV-1 specific CD8+ T cells with an effector phenotype and control of viral replication. 2004 , 363, 863-6 | 86 |
| 1475 | HIV-1 and immune control: can we change the course of HIV-1?. 2004 , 363, 833-4 | 7 |
| 1474 | 2E3, a new marker that selectively identifies porcine CD4+ naive T cells. 2004 , 28, 239-50 | 13 |
| 1473 | Chemokine-chemokine receptor network in immune cell trafficking. 2004 , 4, 343-61 | 59 |
| 1472 | The rapidity with which virus-specific CD8+ T cells initiate IFN-gamma synthesis increases markedly over the course of infection and correlates with immunodominance. 2004 , 173, 456-62 | 47 |
| 1471 | Persistent and selective deficiency of CD4+ T cell immunity to cytomegalovirus in immunocompetent young children. 2004 , 172, 3260-7 | 173 |
| 1470 | Relationship between CD8+ T-cell phenotype and function, Epstein-Barr virus load, and clinical outcome in pediatric renal transplant recipients: a prospective study. 2004 , 77, 1706-13 | 18 |
| 1469 | P-glycoprotein activity is decreased in CD4+ but not CD8+ lung allograft-infiltrating T cells during acute cellular rejection. 2004 , 77, 1699-706 | 20 |

| | | |
|------|---|-----|
| 1468 | Characterization of effusion-infiltrating T cells: benign versus malignant effusions. 2004 , 10, 2600-8 | 43 |
| 1467 | Phenotypic and functional maturation of tumor antigen-reactive CD8+ T lymphocytes in patients undergoing multiple course peptide vaccination. 2004 , 27, 36-47 | 60 |
| 1466 | Long-term persistence of HIV-1 vaccine-induced CD4+CD45RA-CD62L-CCR7- memory T-helper cells. 2004 , 18, 837-48 | 6 |
| 1465 | Characterization of long-term effector-memory T-cell responses in patients with resected high-risk melanoma receiving a melanoma Peptide vaccine. 2004 , 27, 368-79 | 19 |
| 1464 | Immune responses in hepatitis C: is virus or host the problem?. 2004 , 17, 193-8 | 9 |
| 1463 | Large-scale in vitro expansion of polyclonal human CD4(+)CD25high regulatory T cells. 2004 , 104, 895-903 | 414 |
| 1462 | LPAM (alpha 4 beta 7 integrin) is an important homing integrin on alloreactive T cells in the development of intestinal graft-versus-host disease. 2004 , 103, 1542-7 | 121 |
| 1461 | Skewed representation of functionally distinct populations of virus-specific CD4 T cells in HIV-1-infected subjects with progressive disease: changes after antiretroviral therapy. 2004 , 103, 966-72 | 312 |
| 1460 | Cognate recognition of the endothelium induces HY-specific CD8+ T-lymphocyte transendothelial migration (diapedesis) in vivo. 2004 , 103, 3111-6 | 71 |
| 1459 | Identification of circulating antigen-specific CD4+ T lymphocytes with a CCR5+, cytotoxic phenotype in an HIV-1 long-term nonprogressor and in CMV infection. 2004 , 103, 2238-47 | 124 |
| 1458 | Transregulation of memory CD8 T-cell proliferation by IL-15Ralpha+ bone marrow-derived cells. 2004 , 103, 988-94 | 136 |
| 1457 | Transfer of allogeneic CD62L- memory T cells without graft-versus-host disease. 2004 , 103, 1534-41 | 216 |
| 1456 | Severe chronic graft-versus-host disease is characterized by a preponderance of CD4(+) effector memory cells relative to central memory cells. 2004 , 103, 3986-8 | 70 |
| 1455 | Altered leukocyte response to CXCL12 in patients with warts hypogammaglobulinemia, infections, myelokathexis (WHIM) syndrome. 2004 , 104, 444-52 | 146 |
| 1454 | X-linked ectodermal dysplasia and immunodeficiency caused by reversion mosaicism of NEMO reveals a critical role for NEMO in human T-cell development and/or survival. 2004 , 103, 4565-72 | 78 |
| 1453 | Chemokine receptor CCR7 induces intracellular signaling that inhibits apoptosis of mature dendritic cells. 2004 , 104, 619-25 | 143 |
| 1452 | T lymphocytes of recipient origin may contribute to the recovery of specific immune response toward viruses and fungi in children undergoing cord blood transplantation. 2004 , 103, 4322-9 | 33 |
| 1451 | De novo T-cell generation in patients at different ages and stages of HIV-1 disease. 2004 , 104, 470-7 | 46 |

| | | |
|------|--|-----|
| 1450 | IL-2-induced CD4+ T-cell expansion in HIV-infected patients is associated with long-term decreases in T-cell proliferation. 2004 , 104, 775-80 | 88 |
| 1449 | Human CD62L- memory T cells are less responsive to alloantigen stimulation than CD62L+ naive T cells: potential for adoptive immunotherapy and allodepletion. 2004 , 104, 2403-9 | 86 |
| 1448 | In a model of tumor dormancy, long-term persistent leukemic cells have increased B7-H1 and B7.1 expression and resist CTL-mediated lysis. 2004 , 104, 2124-33 | 134 |
| 1447 | FcγRIII discriminates between 2 subsets of Vγ9Vδ2 effector cells with different responses and activation pathways. 2004 , 104, 1801-7 | 121 |
| 1446 | CD8+ cytotoxic T lymphocytes isolated from allogeneic healthy donors recognize HLA class Ia/Ib-associated renal carcinoma antigens with ubiquitous or restricted tissue expression. 2004 , 104, 2591-9 | 31 |
| 1445 | Quiescent phenotype of tumor-specific CD8+ T cells following immunization. 2004 , 104, 1970-8 | 73 |
| 1444 | IL-8 responsiveness defines a subset of CD8 T cells poised to kill. 2004 , 104, 3463-71 | 73 |
| 1443 | Unique gene expression program of human germinal center T helper cells. 2004 , 104, 1952-60 | 206 |
| 1442 | Expansion of CD7(low) and CD7(negative) CD8 T-cell effector subsets in HIV-1 infection: correlation with antigenic load and reversion by antiretroviral treatment. 2004 , 104, 3672-8 | 28 |
| 1441 | T Cell-Based Vaccines. 2004 , 89-111 | |
| 1440 | Allergic Contact Dermatitis. 2004 , 593-613 | 3 |
| 1439 | Reducing the stimulation of CD8+ T cells during infection with intracellular bacteria promotes differentiation primarily into a central (CD62L ^{high} CD44 ^{high}) subset. 2005 , 174, 5341-50 | 88 |
| 1438 | Melanoma immunotherapy: past, present, and future. 2005 , 11, 3461-73 | 18 |
| 1437 | Distinct patterns of HIV-specific memory T lymphocytes in HIV-exposed uninfected individuals and in HIV-infected patients. 2005 , 19, 653-61 | 27 |
| 1436 | Antigen-specific T cells maintain an effector memory phenotype during persistent <i>Trypanosoma cruzi</i> infection. 2005 , 174, 1594-601 | 66 |
| 1435 | Control of adaptive immunity: from naïve to memory. 2005 , 40 Suppl 1, S17-9 | 3 |
| 1434 | Immunophenotyping of T cell subpopulations in HIV disease. 2005 , Chapter 12, Unit 12.12 | 5 |
| 1433 | CCR6 regulates CD4+ T-cell-mediated acute graft-versus-host disease responses. 2005 , 106, 18-26 | 74 |

| | | |
|------|---|-----|
| 1432 | Modulation of cord blood CD8+ T-cell effector differentiation by TGF-beta1 and 4-1BB costimulation. 2005 , 105, 274-81 | 26 |
| 1431 | A rich chemokine environment strongly enhances leukocyte migration and activities. 2005 , 105, 3405-12 | 76 |
| 1430 | Abnormal interleukin-7 function in common variable immunodeficiency. 2005 , 105, 2887-90 | 49 |
| 1429 | Transition of late-stage effector T cells to CD27+ CD28+ tumor-reactive effector memory T cells in humans after adoptive cell transfer therapy. 2005 , 105, 241-50 | 239 |
| 1428 | CCR6 expression defines regulatory effector/memory-like cells within the CD25(+)/CD4+ T-cell subset. 2005 , 105, 2877-86 | 247 |
| 1427 | Molecular transfer of CD40 and OX40 ligands to leukemic human B cells induces expansion of autologous tumor-reactive cytotoxic T lymphocytes. 2005 , 105, 2436-42 | 44 |
| 1426 | Cytotoxic minor histocompatibility antigen HA-1-specific CD8+ effector memory T cells: artificial APCs pave the way for clinical application by potent primary in vitro induction. 2005 , 106, 144-9 | 30 |
| 1425 | Quiescence and functional reprogramming of Epstein-Barr virus (EBV)-specific CD8+ T cells during persistent infection. 2005 , 106, 558-65 | 41 |
| 1424 | Balanced expression of CXCR5 and CCR7 on follicular T helper cells determines their transient positioning to lymph node follicles and is essential for efficient B-cell help. 2005 , 106, 1924-31 | 235 |
| 1423 | Early proliferation of CCR5(+)/CD38(+++) antigen-specific CD4(+) Th1 effector cells during primary HIV-1 infection. 2005 , 106, 1660-7 | 63 |
| 1422 | In vivo analyses of early events in acute graft-versus-host disease reveal sequential infiltration of T-cell subsets. 2005 , 106, 1113-22 | 271 |
| 1421 | Transcription factor GATA-1 potently represses the expression of the HIV-1 coreceptor CCR5 in human T cells and dendritic cells. 2005 , 106, 3440-8 | 17 |
| 1420 | Human CD8+ T cells store CXCR1 in a distinct intracellular compartment and up-regulate it rapidly to the cell surface upon activation. 2005 , 106, 3718-24 | 19 |
| 1419 | Identification of an epitope derived from the cancer testis antigen HOM-TES-14/SCP1 and presented by dendritic cells to circulating CD4+ T cells. 2005 , 106, 3105-13 | 31 |
| 1418 | Bystander modulation of chemokine receptor expression on peripheral blood T lymphocytes mediated by glatiramer therapy. 2005 , 62, 889-94 | 25 |
| 1417 | Peripheral T cells of patients with B cell non-Hodgkin's lymphoma show a shift in their memory status. 2005 , 29, 1019-27 | 5 |
| 1416 | Altered trafficking of CD8+ memory T cells after implantation of rapamycin-eluting stents in patients with coronary artery disease. 2005 , 96, 85-91 | 6 |
| 1415 | Progression to CMV end-organ disease in HIV-1-infected individuals despite abundance of highly differentiated CMV-specific CD8+ T-cells. 2005 , 97, 215-24 | 13 |

| | | |
|------|--|-----|
| 1414 | Human cytolytic T lymphocytes expressing HLA class-I-specific inhibitory receptors. 2005 , 17, 312-9 | 27 |
| 1413 | Understanding the generation and function of memory T cell subsets. 2005 , 17, 326-32 | 343 |
| 1412 | Central memory and effector memory subsets of human CD4(+) and CD8(+) T cells display differential sensitivity to TNF- α -induced apoptosis. 2005 , 1050, 108-14 | 26 |
| 1411 | Human adaptive immune system Rag2- γ (c)-/- mice. 2005 , 1044, 236-43 | 33 |
| 1410 | Chemokines: control of primary and memory T-cell traffic. 2005 , 31, 57-74 | 66 |
| 1409 | Immunity in response to particulate antigen-delivery systems. 2005 , 57, 333-55 | 242 |
| 1408 | Differential contributions of central and effector memory T cells to recall responses. 2005 , 202, 123-33 | 211 |
| 1407 | Immunologic memory in cutaneous leishmaniasis. 2005 , 7, 1707-13 | 44 |
| 1406 | Dendritic cells and the regulation of the allergic immune response. 2005 , 60, 271-82 | 85 |
| 1405 | Inflammatory cell numbers and cytokine expression in atopic dermatitis after topical pimecrolimus treatment. 2005 , 60, 944-51 | 43 |
| 1404 | Post-transplant upregulation of chemokine messenger RNA in non-human primate recipients of intraportal pig islet xenografts. 2005 , 12, 293-302 | 26 |
| 1403 | Immune tolerance to hepatitis C virus acquired during engraftment of bone marrow transplant. 2005 , 12, 604-8 | 2 |
| 1402 | CTL-based cancer preventive/therapeutic vaccines for carcinomas: role of tumour-associated carbohydrate antigens. 2005 , 61, 391-7 | 14 |
| 1401 | Direct allorecognition promotes activation of bystander dendritic cells and licenses them for Th1 priming: a functional link between direct and indirect allosensitization. 2005 , 62, 234-42 | 12 |
| 1400 | Human CD8+ T cells specific for influenza A virus M1 display broad expression of maturation-associated phenotypic markers and chemokine receptors. 2005 , 115, 239-45 | 26 |
| 1399 | Maintenance of long-term tumour-specific T-cell memory by residual dormant tumour cells. 2005 , 115, 325-36 | 66 |
| 1398 | The phenotype of type 1 and type 2 CD8+ T cells activated in vitro is affected by culture conditions and correlates with effector activity. 2005 , 115, 315-24 | 19 |
| 1397 | Chemokine control of lymphocyte trafficking: a general overview. 2005 , 116, 1-12 | 180 |

| | | |
|------|--|-----|
| 1396 | Evaluation of CD62L expression as a marker for vaccine-elicited memory cytotoxic T lymphocytes. 2005 , 116, 443-53 | 12 |
| 1395 | Circulating clonal CLA(+) and CD4(+) T cells in Sezary syndrome express the skin-homing chemokine receptors CCR4 and CCR10 as well as the lymph node-homing chemokine receptor CCR7. 2005 , 152, 258-64 | 96 |
| 1394 | Evaluation of cytomegalovirus-specific T-cell reconstitution in patients after various allogeneic haematopoietic stem cell transplantation using interferon-gamma-enzyme-linked immunospot and human leucocyte antigen tetramer assays with an immunodominant T-cell epitope. 2005 , 131, 472-9 | 39 |
| 1393 | Ex vivo stimulation of cord blood mononuclear cells by dexamethasone and interleukin-7 results in the maturation of interferon-gamma-secreting effector memory T cells. 2005 , 141, 440-8 | 4 |
| 1392 | Functional profile of human influenza virus-specific cytotoxic T lymphocyte activity is influenced by interleukin-2 concentration and epitope specificity. 2005 , 142, 45-52 | 11 |
| 1391 | Characterization of HIV-1 Gag-specific T cell responses in chronically infected Indian population. 2005 , 142, 388-97 | 7 |
| 1390 | Characteristics of CD4+CD25+ regulatory T cells in the peripheral circulation of patients with head and neck cancer. 2005 , 92, 913-20 | 208 |
| 1389 | T cell memory: fixed or flexible?. 2005 , 6, 752-4 | 7 |
| 1388 | CD1d antigen presentation: treats for NKT cells. 2005 , 6, 754-6 | 41 |
| 1387 | Initial T cell frequency dictates memory CD8+ T cell lineage commitment. 2005 , 6, 793-9 | 369 |
| 1386 | Chemokine receptor CCR7 required for T lymphocyte exit from peripheral tissues. 2005 , 6, 889-94 | 373 |
| 1385 | Chemokine receptor CCR7 guides T cell exit from peripheral tissues and entry into afferent lymphatics. 2005 , 6, 895-901 | 398 |
| 1384 | T cells and viral persistence: lessons from diverse infections. 2005 , 6, 873-9 | 328 |
| 1383 | Memory stem cells sustain disease. 2005 , 11, 1282-3 | 5 |
| 1382 | T cell vaccines for microbial infections. 2005 , 11, S25-32 | 164 |
| 1381 | Direct access to CD4+ T cells specific for defined antigens according to CD154 expression. 2005 , 11, 1118-24 | 365 |
| 1380 | The role of models in understanding CD8+ T-cell memory. 2005 , 5, 101-11 | 170 |
| 1379 | Regulation of immune cells by local-tissue oxygen tension: HIF1 alpha and adenosine receptors. 2005 , 5, 712-21 | 417 |

| | | |
|------|---|-----|
| 1378 | The effect of interleukin-7 on the alloreactivity of human T cells depends on the timing of its administration in relation to the allostimulus. 2005 , 35, 733-4 | 1 |
| 1377 | Apoptosis of HIV-specific CD8+ T cells: an HIV evasion strategy. 2005 , 12 Suppl 1, 859-70 | 22 |
| 1376 | Induction of CD4 T cell proliferation and in vitro Th1-like cytokine responses to measles virus. 2005 , 140, 333-42 | 28 |
| 1375 | Old meets new: the interaction between innate and adaptive immunity. 2005 , 125, 629-37 | 111 |
| 1374 | Molecular mechanisms of apoptosis in the cells of the immune system in human aging. 2005 , 205, 114-29 | 66 |
| 1373 | Non-malignant clonal expansions of CD8+ memory T cells in aged individuals. 2005 , 205, 170-89 | 64 |
| 1372 | Human immunosenescence: is it infectious?. 2005 , 205, 257-68 | 336 |
| 1371 | The CD160+ CD8high cytotoxic T cell subset correlates with response to HAART in HIV-1+ patients. 2005 , 237, 96-105 | 17 |
| 1370 | Phenotypic and functional analysis of EBV-specific memory CD8 cells in SLE. 2005 , 235, 29-38 | 46 |
| 1369 | Skewed representation of functionally distinct populations of Vgamma9Vdelta2 T lymphocytes in aging. 2005 , 40, 59-66 | 20 |
| 1368 | Defective CD3gamma gene transcription is associated with NFATc2 overexpression in the lymphocytic variant of hypereosinophilic syndrome. 2005 , 33, 1147-59 | 14 |
| 1367 | Functionally significant renal allograft rejection is defined by transcriptional criteria. 2005 , 5, 573-81 | 119 |
| 1366 | Immunocompetent T-cells with a memory-like phenotype are the dominant cell type following antibody-mediated T-cell depletion. 2005 , 5, 465-74 | 406 |
| 1365 | The impact of telomere erosion on memory CD8+ T cells in patients with X-linked lymphoproliferative syndrome. 2005 , 126, 855-65 | 62 |
| 1364 | A vaccinia-based elispot assay for detection of CD8+ T cells from HIV-1 infected children. 2005 , 298, 105-18 | 9 |
| 1363 | Systemic T-cell activation in acute clinically isolated optic neuritis. 2005 , 162, 165-72 | 18 |
| 1362 | The cytokine signature of MOG-specific CD4 cells in the EAE of C57BL/6 mice. 2005 , 170, 105-14 | 36 |
| 1361 | Antigen-dependent proliferation and cytokine induction in respiratory syncytial virus-infected cotton rats reflect the presence of effector-memory T cells. 2005 , 337, 102-10 | 9 |

| | | |
|------|--|-----|
| 1360 | Phenotypic and kinetic analysis of effective simian-human immunodeficiency virus-specific T cell responses in DNA--and fowlpox virus-vaccinated macaques. 2005 , 337, 222-34 | 2 |
| 1359 | Antigen-specific and non-specific CD4+ T cell recruitment and proliferation during influenza infection. 2005 , 340, 296-306 | 65 |
| 1358 | The core-specific precursor T cell response is directed to the N-terminal and central parts of the protein and positively correlates to the viral load in chronically HCV-infected patients. 2005 , 340, 318-25 | 3 |
| 1357 | Evolution of diverse antiviral CD8+ T cell populations after murine cytomegalovirus infection. 2005 , 35, 1113-23 | 132 |
| 1356 | CD8+ T cells from most HIV-1-infected patients, even when challenged with mature dendritic cells, lack functional recall memory to HIV gag but not other viruses. 2005 , 35, 159-70 | 37 |
| 1355 | Properties of murine (CD8+)CD27- T cells. 2005 , 35, 3131-41 | 56 |
| 1354 | Dendritic cells govern induction and reprogramming of polarized tissue-selective homing receptor patterns of T cells: important roles for soluble factors and tissue microenvironments. 2005 , 35, 1056-65 | 137 |
| 1353 | Novel phenotypes and migratory properties distinguish memory CD4 T cell subsets in lymphoid and lung tissue. 2005 , 35, 3173-86 | 75 |
| 1352 | Differential expression of human granzymes A, B, and K in natural killer cells and during CD8+ T cell differentiation in peripheral blood. 2005 , 35, 2608-16 | 114 |
| 1351 | Post-thymic in vivo proliferation of naive CD4+ T cells constrains the TCR repertoire in healthy human adults. 2005 , 35, 1987-94 | 118 |
| 1350 | Synthetic bacterial lipopeptide analogs facilitate naive CD4+ T cell differentiation and enhance antigen-specific HLA-II-restricted responses. 2005 , 35, 2434-42 | 10 |
| 1349 | CD8 alpha alpha homodimer expression and role in CD8 T cell memory generation during influenza virus A infection in mice. 2005 , 35, 3103-10 | 24 |
| 1348 | Virus-induced polyclonal B cell activation improves protective CTL memory via retained CD27 expression on memory CTL. 2005 , 35, 3229-39 | 38 |
| 1347 | Identification of effector-memory CMV-specific T lymphocytes that kill CMV-infected target cells in an HLA-E-restricted fashion. 2005 , 35, 3240-7 | 61 |
| 1346 | Reconstitution of hepatitis C virus-specific T-cellmediated immunity after liver transplantation. 2005 , 41, 72-81 | 58 |
| 1345 | Selective responsiveness to common gamma chain cytokines in peripheral blood-derived cytotoxic T lymphocytes induced by Melan-A/MART-1(27-35)targeted active specific immunotherapy. 2005 , 115, 248-55 | 8 |
| 1344 | Differences in phenotype and function between spontaneously occurring melan-A-, tyrosinase- and influenza matrix peptide-specific CTL in HLA-A*0201 melanoma patients. 2005 , 115, 450-5 | 19 |
| 1343 | Soluble branched (1,4)-beta-D-glucans from Acetobacter species enhance antitumor activities against MHC class I-negative and -positive malignant melanoma through augmented NK activity and cytotoxic T-cell response. 2005 , 115, 769-76 | 15 |

| | | |
|------|---|-----|
| 1342 | Prediction of lymph node metastasis in colorectal carcinoma by expression of chemokine receptor CCR7. 2005 , 116, 726-33 | 121 |
| 1341 | Increase in activated CD8+ T lymphocytes expressing perforin and granzyme B correlates with disease activity in patients with systemic lupus erythematosus. 2005 , 52, 201-11 | 185 |
| 1340 | Tissue trafficking patterns of effector memory CD4+ T cells in rheumatoid arthritis. 2005 , 52, 3839-49 | 45 |
| 1339 | Retrovirus mediated gene transduction of human T-cell subsets. 2005 , 54, 759-68 | 5 |
| 1338 | Major contribution of codominant CD8 and CD4 T cell epitopes to the human cytomegalovirus-specific T cell repertoire. 2005 , 62, 77-86 | 24 |
| 1337 | Mucosal effector memory T cells: the other side of the coin. 2005 , 62, 2853-66 | 24 |
| 1336 | Dissection of cytotoxic and helper T cell responses. 2005 , 62, 2695-710 | 14 |
| 1335 | Ex vivo analysis of T-cell function. 2005 , 17, 434-40 | 48 |
| 1334 | Suppression of primary allogenic response by CD8+ memory cells. 2005 , 140, 545-9 | 2 |
| 1333 | Not all tetramer binding CD8+ T cells can produce cytokines and chemokines involved in the effector functions of virus-specific CD8+ T lymphocytes in HIV-1 infected children. 2005 , 25, 57-67 | 13 |
| 1332 | Life and death of lymphocytes: a role in immunosenescence. 2005 , 2, 12 | 40 |
| 1331 | Inflammatory process of CD8+ CD28- T cells in induced sputum from asthmatic patients. 2005 , 2005, 160-6 | 25 |
| 1330 | Allergic Asthma : What Have We Learned from the Mouse Model?. 2005 , 54, 263-271 | 3 |
| 1329 | Chemokine-Controlled Migration in Lymphoid Organogenesis and the Systemic Organization of Immunity. 2005 , 251-273 | |
| 1328 | . 2005 , | 6 |
| 1327 | . 2005 , | |
| 1326 | Immunization of volunteers with Salmonella enterica serovar Typhi strain Ty21a elicits the oligoclonal expansion of CD8+ T cells with predominant Vbeta repertoires. 2005 , 73, 3521-30 | 53 |
| 1325 | Phenotypic, functional, and kinetic parameters associated with apparent T-cell control of human immunodeficiency virus replication in individuals with and without antiretroviral treatment. 2005 , 79, 14169-78 | 191 |

| | | |
|------|---|-----|
| 1324 | Prolonged activation of virus-specific CD8+T cells after acute B19 infection. 2005 , 2, e343 | 74 |
| 1323 | Phenotype and homing of CD4 tumor-specific T cells is modulated by tumor bulk. 2005 , 175, 739-48 | 21 |
| 1322 | Anti-alpha4 integrin therapy for multiple sclerosis: mechanisms and rationale. 2005 , 64, 1336-42 | 250 |
| 1321 | Genetic idiotypic and tumor cell-based vaccine strategies for indolent non Hodgkin's lymphoma. 2005 , 5, 511-21 | 5 |
| 1320 | Memory responses in human immunodeficiency virus type 1-infected individuals with long-term viral load suppression are independent of CD4 cell nadir. 2005 , 12, 76-80 | 1 |
| 1319 | Complex memory T-cell phenotypes revealed by coexpression of CD62L and CCR7. 2005 , 79, 4510-3 | 91 |
| 1318 | Memory T cells have gene expression patterns intermediate between naive and effector. 2005 , 102, 5519-23 | 56 |
| 1317 | Anatomical location determines the distribution and function of dendritic cells and other APCs in the respiratory tract. 2005 , 175, 1609-18 | 200 |
| 1316 | Human T cells constitutively express IL-15 that promotes ex vivo T cell homeostatic proliferation through autocrine/juxtacrine loops. 2005 , 175, 3656-62 | 21 |
| 1315 | Reduced apoptosis of memory T-cells in the inner airway wall of mild and severe asthma. 2005 , 26, 265-70 | 21 |
| 1314 | Expression of killer cell lectin-like receptor G1 on antigen-specific human CD8+ T lymphocytes during active, latent, and resolved infection and its relation with CD57. 2005 , 174, 6088-94 | 136 |
| 1313 | A novel role of CD30/CD30 ligand signaling in the generation of long-lived memory CD8+ T cells. 2005 , 175, 4627-34 | 36 |
| 1312 | Salmonella-mediated oral DNA vaccination using stabilized eukaryotic expression plasmids. 2005 , 12, 364-72 | 32 |
| 1311 | Brain Tumors. 2005 , | 9 |
| 1310 | Loss of CD127 expression defines an expansion of effector CD8+ T cells in HIV-infected individuals. 2005 , 174, 2900-9 | 196 |
| 1309 | BAFF augments certain Th1-associated inflammatory responses. 2005 , 174, 5537-44 | 114 |
| 1308 | Recovery of CD8+ T-cell function during systemic chemotherapy in advanced ovarian cancer. 2005 , 65, 7000-6 | 60 |
| 1307 | Simultaneous reconstitution of multiple cytomegalovirus-specific CD8+ cell populations with divergent functionality in hematopoietic stem-cell transplant recipients. 2005 , 191, 977-84 | 26 |

| | | |
|------|--|-----|
| 1306 | Absence of circulating natural killer and primed CD8+ cells in life-threatening varicella. 2005 , 191, 198-206 | 45 |
| 1305 | Interleukin-15 increases effector memory CD8+ t cells and NK Cells in simian immunodeficiency virus-infected macaques. 2005 , 79, 4877-85 | 94 |
| 1304 | Chemokine C receptor 7 expression and protection of circulating CD8+ T lymphocytes from apoptosis. 2005 , 11, 7901-10 | 57 |
| 1303 | Insights into seven and single transmembrane-spanning domain receptors and their signaling pathways in human natural killer cells. 2005 , 57, 339-57 | 35 |
| 1302 | Short-term stress experienced at time of immunization induces a long-lasting increase in immunologic memory. 2005 , 289, R738-44 | 72 |
| 1301 | Lineage relationships, homeostasis, and recall capacities of central- and effector-memory CD8 T cells in vivo. 2005 , 201, 579-90 | 124 |
| 1300 | Fusion protein vaccine by domains of bacterial exotoxin linked with a tumor antigen generates potent immunologic responses and antitumor effects. 2005 , 65, 9089-98 | 44 |
| 1299 | Identification of T cell-restricted genes, and signatures for different T cell responses, using a comprehensive collection of microarray datasets. 2005 , 175, 7837-47 | 95 |
| 1298 | Immunotherapy with plasmid DNA encoding mycobacterial hsp65 in association with chemotherapy is a more rapid and efficient form of treatment for tuberculosis in mice. 2005 , 12, 281-7 | 70 |
| 1297 | Resident Th1-like effector memory cells in pulmonary recall responses to Mycobacterium tuberculosis. 2005 , 33, 48-55 | 46 |
| 1296 | T cell memory in the lung airways. 2005 , 2, 126-31 | 37 |
| 1295 | Human thymic stromal lymphopoietin triggers dendritic cell-mediated allergic inflammation and CD4+ T cell homeostatic expansion. 2005 , 560, 69-75 | 1 |
| 1294 | CD27/CFSE-based ex vivo selection of highly suppressive alloantigen-specific human regulatory T cells. 2005 , 174, 7573-83 | 81 |
| 1293 | Interleukin 7-engineered stromal cells: a new approach for hastening naive T cell recruitment. 2005 , 16, 752-64 | 6 |
| 1292 | Therapeutic role of CD8+ T cells in HIV-1 infection: targets and suppressors of viral replication. 2005 , 5, 321-32 | |
| 1291 | Memory cytolytic T-lymphocytes: induction, regulation and implications for vaccine design. 2005 , 4, 711-23 | 5 |
| 1290 | Phenotypic and Functional Measurements on Circulating Immune Cells and their Subsets. 2005 , 237-256 | 1 |
| 1289 | Dynamic differentiation of activated human peripheral blood CD8+ and CD4+ effector memory T cells. 2005 , 175, 1433-9 | 43 |

| | | |
|------|---|-----|
| 1288 | Activation pathways implicate anti-HLA-DP and anti-LFA-1 antibodies as lead candidates for intervention in chronic berylliosis. 2005 , 174, 4316-24 | 15 |
| 1287 | HIV-1-specific IFN-gamma/IL-2-secreting CD8 T cells support CD4-independent proliferation of HIV-1-specific CD8 T cells. 2005 , 102, 7239-44 | 259 |
| 1286 | Functional heterogeneity of memory CD4 T cell responses in different conditions of antigen exposure and persistence. 2005 , 174, 1037-45 | 246 |
| 1285 | The sphingosine 1-phosphate receptor agonist FTY720 differentially affects the sequestration of CD4+/CD25+ T-regulatory cells and enhances their functional activity. 2005 , 175, 7973-80 | 120 |
| 1284 | CD8 cell division maintaining cytotoxic memory occurs predominantly in the bone marrow. 2005 , 174, 7654-64 | 109 |
| 1283 | Alpha E beta 7 (CD103) expression identifies a highly active, tonsil-resident effector-memory CTL population. 2005 , 175, 4355-62 | 46 |
| 1282 | Human CD4+ effector memory T cells persisting in the microenvironment of lung cancer xenografts are activated by local delivery of IL-12 to proliferate, produce IFN-gamma, and eradicate tumor cells. 2005 , 174, 898-906 | 51 |
| 1281 | Functional and phenotypic characterization of CD57+CD4+ T cells and their association with HIV-1-induced T cell dysfunction. 2005 , 175, 8415-23 | 106 |
| 1280 | A chemokine-dependent stromal induction mechanism for aberrant lymphocyte accumulation and compromised lymphatic return in rheumatoid arthritis. 2005 , 174, 1693-700 | 91 |
| 1279 | Modulation of memory CD4 T cell function and survival potential by altering the strength of the recall stimulus. 2005 , 174, 5433-43 | 26 |
| 1278 | The chemokine receptor CCR7 activates in dendritic cells two signaling modules that independently regulate chemotaxis and migratory speed. 2005 , 174, 4070-80 | 167 |
| 1277 | Recall proliferation potential of memory CD8+ T cells and antiviral protection. 2005 , 175, 4677-85 | 108 |
| 1276 | Autoimmune CD4+ T cell memory: lifelong persistence of encephalitogenic T cell clones in healthy immune repertoires. 2005 , 175, 69-81 | 40 |
| 1275 | Generation of an optimized polyvalent monocyte-derived dendritic cell vaccine by transfecting defined RNAs after rather than before maturation. 2005 , 174, 3087-97 | 120 |
| 1274 | IL-12 is required for induction but not maintenance of protective, memory responses to <i>Blastomyces dermatitidis</i> : implications for vaccine development in immune-deficient hosts. 2005 , 175, 5288-97 | 26 |
| 1273 | Human CD4+ T cells are predominantly distributed among six phenotypically and functionally distinct subsets. 2005 , 175, 5765-73 | 59 |
| 1272 | Human CD4+ T cells induced by synthetic peptide malaria vaccine are comparable to cells elicited by attenuated <i>Plasmodium falciparum</i> sporozoites. 2005 , 175, 7575-85 | 32 |
| 1271 | Dysfunction of simian immunodeficiency virus/simian human immunodeficiency virus-induced IL-2 expression by central memory CD4+ T lymphocytes. 2005 , 174, 4753-60 | 24 |

| | | |
|------|---|-----|
| 1270 | Selectively impaired CD8+ but not CD4+ T cell cycle arrest during priming as a consequence of dendritic cell interaction with plasmodium-infected red cells. 2005 , 175, 3525-33 | 27 |
| 1269 | Memory T cells and their costimulators in human allograft injury. 2005 , 175, 4886-96 | 88 |
| 1268 | Functional properties and lineage relationship of CD8+ T cell subsets identified by expression of IL-7 receptor alpha and CD62L. 2005 , 175, 4686-96 | 211 |
| 1267 | L-selectin, alpha 4 beta 1, and alpha 4 beta 7 integrins participate in CD4+ T cell recruitment to chronically inflamed small intestine. 2005 , 174, 2343-52 | 109 |
| 1266 | Vaccine-induced CD8+ central memory T cells in protection from simian AIDS. 2005 , 175, 3502-7 | 72 |
| 1265 | Trafficking pathways and characterization of CD4 and CD8 cells recruited to the skin of humans experimentally infected with <i>Haemophilus ducreyi</i> . 2005 , 73, 3896-902 | 21 |
| 1264 | Antigen presentation by an immature myeloid dendritic cell line does not cause CTL deletion in vivo, but generates CD8+ central memory-like T cells that can be rescued for full effector function. 2005 , 175, 855-63 | 31 |
| 1263 | Breast milk-derived antigen-specific CD8+ T cells: an extralymphoid effector memory cell population in humans. 2005 , 174, 2951-6 | 61 |
| 1262 | Modulation of disease, T cell responses, and measles virus clearance in monkeys vaccinated with H-encoding alphavirus replicon particles. 2005 , 102, 11581-8 | 64 |
| 1261 | Characterization of subsets of CD4+ memory T cells reveals early branched pathways of T cell differentiation in humans. 2005 , 102, 7916-21 | 69 |
| 1260 | Expansion and contraction of HIV-specific CD4 T cells with short bursts of viremia, but physical loss of the majority of these cells with sustained viral replication. 2005 , 175, 6948-58 | 36 |
| 1259 | In vivo immunomanipulation of V gamma 9V delta 2 T cells with a synthetic phosphoantigen in a preclinical nonhuman primate model. 2005 , 175, 5471-80 | 161 |
| 1258 | Lack of ICAM-1 on APCs during T cell priming leads to poor generation of central memory cells. 2005 , 175, 2201-11 | 35 |
| 1257 | Increased expression of the NK cell receptor KLRG1 by virus-specific CD8 T cells during persistent antigen stimulation. 2005 , 79, 12112-6 | 118 |
| 1256 | Partial immune reconstitution following highly active antiretroviral therapy: can adjuvant interleukin-2 fill the gap?. 2005 , 55, 401-9 | 28 |
| 1255 | IL-4 receptor expression on CD8+ T cells is required for the development of protective memory responses against liver stages of malaria parasites. 2005 , 202, 551-60 | 63 |
| 1254 | Molecular signatures distinguish human central memory from effector memory CD8 T cell subsets. 2005 , 175, 5895-903 | 183 |
| 1253 | Boosting antitumor responses of T lymphocytes infiltrating human prostate cancers. 2005 , 201, 1257-68 | 311 |

| | | |
|------|--|-----|
| 1252 | Combined dendritic cell cryotherapy of tumor induces systemic antimetastatic immunity. 2005 , 11, 4955-61 | 76 |
| 1251 | Repeated stimulation of CD4 effector T cells can limit their protective function. 2005 , 201, 1101-12 | 78 |
| 1250 | Direct stimulation of human T cells via TLR5 and TLR7/8: flagellin and R-848 up-regulate proliferation and IFN-gamma production by memory CD4+ T cells. 2005 , 175, 1551-7 | 334 |
| 1249 | Current understandings on the immunology of leishmaniasis and recent developments in prevention and treatment. 2005 , 75-76, 115-30 | 92 |
| 1248 | Pathogens and immunologic memory in asthma: what have we learned?. 2005 , 1, 589-601 | |
| 1247 | Cross-clade protection induced by human immunodeficiency virus-1 DNA immunogens expressing consensus sequences of multiple genes and epitopes from subtypes A, B, C, and FGH. 2005 , 18, 678-88 | 20 |
| 1246 | CD8+ T cell dynamics during primary simian immunodeficiency virus infection in macaques: relationship of effector cell differentiation with the extent of viral replication. 2005 , 174, 6898-908 | 34 |
| 1245 | Antitumor activity of human papillomavirus type 16 E7-specific T cells against virally infected squamous cell carcinoma of the head and neck. 2005 , 65, 11146-55 | 126 |
| 1244 | Integration/Interaction of Oncologic Growth. 2005 , | 3 |
| 1243 | Frequency, proliferation, and activation of human memory T cells induced by a nonhuman adenovirus. 2005 , 79, 14595-605 | 51 |
| 1242 | Virus Specific T-Cell Responses. 2005 , 83-101 | |
| 1241 | Targeting effector memory T cells with a selective peptide inhibitor of Kv1.3 channels for therapy of autoimmune diseases. 2005 , 67, 1369-81 | 206 |
| 1240 | Chemokine receptor 7, a new player in regulating apoptosis of CD8+ T cells in cancer patients. 2005 , 11, 7587-8 | 3 |
| 1239 | A novel role of IL-15 in early activation of memory CD8+ CTL after reinfection. 2005 , 174, 3590-7 | 37 |
| 1238 | Plasmacytoid dendritic cells induce CD8+ regulatory T cells in human ovarian carcinoma. 2005 , 65, 5020-6 | 312 |
| 1237 | Latent infection with herpes simplex virus is associated with ongoing CD8+ T-cell stimulation by parenchymal cells within sensory ganglia. 2005 , 79, 14843-51 | 56 |
| 1236 | Distribution and kinetics of SR-PSOX/CXCL16 and CXCR6 expression on human dendritic cell subsets and CD4+ T cells. 2005 , 77, 777-86 | 48 |
| 1235 | Functional re-expression of CCR7 on CMV-specific CD8+ T cells upon antigenic stimulation. 2005 , 17, 713-9 | 26 |

| | | |
|------|--|-----|
| 1234 | Preferential cell death of CD8+ effector memory (CCR7-CD45RA-) T cells by hydrogen peroxide-induced oxidative stress. 2005 , 174, 6080-7 | 73 |
| 1233 | Differential regulation of granzyme and perforin in effector and memory T cells following smallpox immunization. 2005 , 174, 3757-64 | 44 |
| 1232 | T cells in G1 provide a memory-like response to secondary stimulation. 2005 , 174, 4010-8 | 17 |
| 1231 | Roles for CXC chemokine ligands 10 and 11 in recruiting CD4+ T cells to HIV-1-infected monocyte-derived macrophages, dendritic cells, and lymph nodes. 2005 , 174, 4892-900 | 57 |
| 1230 | TGF-beta 1 attenuates the acquisition and expression of effector function by tumor antigen-specific human memory CD8 T cells. 2005 , 174, 5215-23 | 155 |
| 1229 | Response of memory CD8+ T cells to severe acute respiratory syndrome (SARS) coronavirus in recovered SARS patients and healthy individuals. 2005 , 175, 591-8 | 72 |
| 1228 | CD73 and Ly-6A/E distinguish in vivo primed but uncommitted mouse CD4 T cells from type 1 or type 2 effector cells. 2005 , 175, 6458-64 | 27 |
| 1227 | Stepwise differentiation of CD4 memory T cells defined by expression of CCR7 and CD27. 2005 , 175, 6489-97 | 151 |
| 1226 | Depletion of T cells by type I interferon: differences between young and aged mice. 2005 , 175, 1820-6 | 32 |
| 1225 | Adoptive transfer of tumor-reactive Melan-A-specific CTL clones in melanoma patients is followed by increased frequencies of additional Melan-A-specific T cells. 2005 , 175, 4797-805 | 83 |
| 1224 | Durable human memory T cells quantifiable by cultured enzyme-linked immunospot assays are induced by heterologous prime boost immunization and correlate with protection against malaria. 2005 , 175, 5675-80 | 111 |
| 1223 | Selective activation of peripheral blood T cell subsets by endotoxin infusion in healthy human subjects corresponds to differential chemokine activation. 2005 , 175, 6155-62 | 24 |
| 1222 | BCL6b mediates the enhanced magnitude of the secondary response of memory CD8+ T lymphocytes. 2005 , 102, 7418-25 | 71 |
| 1221 | Expression of the immunoregulatory molecule FcRH4 defines a distinctive tissue-based population of memory B cells. 2005 , 202, 783-91 | 240 |
| 1220 | Differential CTLs specific for prostate-specific antigen in healthy donors and patients with prostate cancer. 2005 , 17, 1315-25 | 13 |
| 1219 | Peripheral S-phase T cells in HIV disease have a central memory phenotype and rarely have evidence of recent T cell receptor engagement. 2005 , 192, 62-70 | 37 |
| 1218 | Immune Regulation in the Brain. 2005 , 175-205 | 2 |
| 1217 | Malignant melanoma--clinical development of peptide-based melanoma vaccines. 2006 , 39, 171-180 | |

| | | |
|------|--|-----|
| 1216 | Chronic <i>Leishmania donovani</i> infection promotes bystander CD8 ⁺ -T-cell expansion and heterologous immunity. 2005 , 73, 7996-8001 | 16 |
| 1215 | 'Survival gene' Bcl-xl potentiates DNA-raised antitumor immunity. 2005 , 12, 1517-25 | 13 |
| 1214 | Analysis of functional heterogeneity of porcine memory CD4 ⁺ T cells. 2005 , 29, 479-88 | 15 |
| 1213 | Interleukin-7 signalling is sufficient to phenotypically and functionally prime human CD4 naive T cells. 2005 , 114, 322-35 | 21 |
| 1212 | Potassium channel blockers as immunosuppressants. 2005 , 15, 1209-1220 | 1 |
| 1211 | Telomerase mRNA-transfected dendritic cells stimulate antigen-specific CD8 ⁺ and CD4 ⁺ T cell responses in patients with metastatic prostate cancer. 2005 , 174, 3798-807 | 300 |
| 1210 | Isolation and characterization of human antigen-specific TCR alpha beta ⁺ CD4(-)CD8 ⁻ double-negative regulatory T cells. 2005 , 105, 2828-35 | 172 |
| 1209 | Immunomodulants in HIV infection. 2005 , 15, 1115-1131 | 0 |
| 1208 | Increased central memory T cells in patients with chronic pancreatitis. 2005 , 5, 177-82 | 18 |
| 1207 | Leukotriene B4 receptor-1 is essential for allergen-mediated recruitment of CD8 ⁺ T cells and airway hyperresponsiveness. 2005 , 174, 4979-84 | 101 |
| 1206 | Chemokine-mediated control of T cell traffic in lymphoid and peripheral tissues. 2005 , 42, 799-809 | 217 |
| 1205 | The inhibitory leukocyte-associated Ig-like receptor-1 (LAIR-1) is expressed at high levels by human naive T cells and inhibits TCR mediated activation. 2005 , 42, 1521-30 | 55 |
| 1204 | Bone marrow is a major reservoir and site of recruitment for central memory CD8 ⁺ T cells. 2005 , 22, 259-70 | 289 |
| 1203 | Peripheral tolerance of CD8 T lymphocytes. 2005 , 22, 275-84 | 179 |
| 1202 | CCL19 and CCL21 induce a potent proinflammatory differentiation program in licensed dendritic cells. 2005 , 22, 493-505 | 194 |
| 1201 | Dendritic cells maximize the memory CD8 T cell response to infection. 2005 , 22, 561-70 | 274 |
| 1200 | Oscillating CD8(+) T cell effector functions after antigen recognition in the liver. 2005 , 23, 53-63 | 158 |
| 1199 | A stromal address code defined by fibroblasts. 2005 , 26, 150-6 | 205 |

| | | |
|------|---|-----|
| 1198 | Effector lymphoid tissue and its crucial role in protective immunity. 2005 , 26, 242-7 | 32 |
| 1197 | Measuring Ag-specific immune responses: understanding immunopathogenesis and improving diagnostics in infectious disease, autoimmunity and cancer. 2005 , 26, 477-84 | 52 |
| 1196 | Genetic susceptibility and immune-mediated destruction in beryllium-induced disease. 2005 , 26, 543-9 | 60 |
| 1195 | Role of bcl-2 mRNA in homeostatic proliferation in circulating T-cells in human liver transplant patients after T-cell depletion. 2005 , 127, 123-30 | 2 |
| 1194 | Identification of Th0 cells responding to measles virus. 2005 , 66, 104-15 | 10 |
| 1193 | Chemokine receptor CCR7 is expressed in muscle fibers in juvenile dermatomyositis. 2005 , 333, 540-3 | 8 |
| 1192 | Islet-cell antigen-reactive T cells show different expansion rates and Th1/Th2 differentiation in type 1 diabetic patients and healthy controls. 2005 , 115, 102-14 | 24 |
| 1191 | Functional analysis of highly defined, FACS-isolated populations of human regulatory CD4+ CD25+ T cells. 2005 , 115, 10-8 | 125 |
| 1190 | Anti-CD3 priming generates heterogeneous antigen-specific memory CD4 T cells. 2005 , 117, 125-32 | 14 |
| 1189 | Commensal microbiota alter the abundance and TCR responsiveness of splenic naïve CD4+ T lymphocytes. 2005 , 117, 221-30 | 43 |
| 1188 | Molecular mechanisms of TNF-alpha-induced apoptosis in aging human T cell subsets. 2005 , 37, 1034-42 | 45 |
| 1187 | CD8+-dependent CNS demyelination following ocular infection of mice with a recombinant HSV-1 expressing murine IL-2. 2005 , 193, 1-18 | 23 |
| 1186 | Both Th1 and Th2 cells require P-selectin glycoprotein ligand-1 for optimal rolling on inflamed endothelium. 2005 , 167, 1661-75 | 22 |
| 1185 | Regulation of apoptotic pathways in bovine gamma/delta T cells. 2005 , 105, 15-23 | 6 |
| 1184 | Differential expression of chemokine receptors and CD95 in porcine CD4(+) T cell subsets. 2005 , 106, 295-301 | 6 |
| 1183 | Mechanism of the immunosuppressive effect in vivo of novel immunosuppressive drug beta-SQAG9, which inhibits the response of the CD62L+ T-cell subset. 2005 , 37, 139-42 | 3 |
| 1182 | EBV-specific memory CD8+ T cell phenotype and function in stable solid organ transplant patients. 2005 , 14, 109-16 | 26 |
| 1181 | The CD8 memory T cell subsystem: integration of homeostatic signaling during migration. 2005 , 17, 219-29 | 25 |

| | | |
|------|---|-----|
| 1180 | An extended vision for dynamic high-resolution intravital immune imaging. 2005 , 17, 431-41 | 57 |
| 1179 | Antigen-sensitized CD4+CD62Llow memory/effector T helper 2 cells can induce airway hyperresponsiveness in an antigen free setting. 2005 , 6, 46 | 24 |
| 1178 | gammadelta T cells link innate and adaptive immune responses. 2005 , 86, 151-183 | 180 |
| 1177 | Frequency of beryllium-specific, TH1-type cytokine-expressing CD4+ T cells in patients with beryllium-induced disease. 2005 , 115, 1036-42 | 36 |
| 1176 | L-selectin in inflammation, infection and immunity. 2005 , 2, 213-220 | 21 |
| 1175 | The dissection of CD8 T cells during liver-stage infection. 2005 , 297, 1-24 | 39 |
| 1174 | Potassium channels, memory T cells, and multiple sclerosis. 2005 , 11, 550-62 | 83 |
| 1173 | HLA DR-DQ haplotypes and genotypes in patients with systemic lupus erythematosus with co-existing Sjogren's syndrome, systemic lupus erythematosus without Sjogren's syndrome and primary Sjogren's syndrome: clinical and laboratory associations. 2005 , 7, P100 | 78 |
| 1172 | Signal transduction in T lymphocytes. 2005 , 7, S17 | 78 |
| 1171 | Stem cells now and in the future in medicine. 2005 , 7, S1 | 1 |
| 1170 | Autoimmune diabetes: mechanisms. 2005 , 7, S3 | 78 |
| 1169 | Defining a role for fibroblasts in the persistence of chronic inflammatory joint disease. 2005 , 7, S14 | 78 |
| 1168 | Kinetic and influence of angiogenesis in the course of collagen-induced arthritis. 2005 , 7, P134 | 78 |
| 1167 | Ha-Ras/ERK1-2 pathway is responsible for oxygen species generation in scleroderma fibroblasts. 2005 , 7, P26 | 78 |
| 1166 | Clinical response to discontinuation of anti-tumor necrosis factor therapy in patients with ankylosing spondylitis after 3 years of continuous treatment with infliximab. 2005 , 7, P30 | 2 |
| 1165 | The cytokine memory of SmD183-119-autoantigen-specific Th cells of systemic lupus erythematosus patients. 2005 , 7, P97 | 78 |
| 1164 | Specific inhibition of FoxO transcription factors in rheumatoid arthritis synovial tissue. 2005 , 7, P101 | 78 |
| 1163 | Signaling pathways involved in TRAIL-induced rheumatoid arthritis synovial fibroblast proliferation. 2005 , 7, P65 | 78 |

| | | |
|------|---|----|
| 1162 | Engagement of the p55 TNF-R for different periods of time induces qualitatively distinct pathways of tumour necrosis factor signalling and gene expression profiles in murine T cells. 2005, 7, P69 | 78 |
| 1161 | T-cell receptor-independent induction of interferon gamma expression in human memory Th cells. 2005, 7, P136 | 78 |
| 1160 | Microparticles from inflammatory cells are strong inducers of matrix metalloproteinases and inflammatory cytokines in synovial fibroblasts. 2005, 7, P140 | 78 |
| 1159 | Two-year follow-up results after re-administration of etanercept in active ankylosing spondylitis. 2005, 7, P28 | 78 |
| 1158 | Oxygen radical production determines chondrocyte death and regulates matrix metalloproteinase-mediated matrix degradation during interferon gamma-accelerated immune complex arthritis. 2005, 7, P32 | 1 |
| 1157 | Toll-like receptor 4 polymorphisms and ankylosing spondylitis. 2005, 7, P167 | 78 |
| 1156 | HSP70/J-protein chaperone machines: expression analysis in granulocytes. 2005, 7, P103 | 78 |
| 1155 | Gene expression profiling provides a link between high inflammatory synovitis and myofibroblast-like synoviocytes. 2005, 7, P67 | 78 |
| 1154 | Post-transcriptional regulation of proinflammatory cytokines in arthritis using gene delivery of AU-rich element binding factors. 2005, 7, P71 | 78 |
| 1153 | Mechanisms of cartilage matrix turnover: synergistic interactions of proinflammatory cytokines with oncostatin M in upregulating matrix metalloproteinases and ADAMTS metalloproteinases. 2005, 7, S10 | 78 |
| 1152 | Autoreactive T cells to histone H1 and core histones in patients with systemic lupus erythematosus. 2005, 7, P138 | 78 |
| 1151 | Treatment of collagen-induced arthritis with cholera toxin-treated dendritic cells. 2005, 7, P142 | 78 |
| 1150 | A complete phylogenetic analysis coupling expression data from EST databases. An example with a family of genes: the peptidyl arginine deiminase genes. 2005, 7, P34 | 78 |
| 1149 | Anti-high-density lipoprotein antibodies and lipoprotein characteristics in systemic lupus erythematosus-related cardiovascular disease. 2005, 7, P105 | 78 |
| 1148 | Role of IL-10 as a susceptibility factor for rheumatoid arthritis and cardiovascular disease. 2005, 7, P109 | 78 |
| 1147 | Phenotypic, genotypic and functional characterization of mesenchymal stem cells from synovial membrane compared with bone marrow. 2005, 7, P73 | 2 |
| 1146 | The effects of inflammatory arthritis on bone remodeling. 2005, 7, S12 | 3 |
| 1145 | Differential effects of T-cell specific PKC-theta inhibition or selective intra-articular NF- κ B inhibition on synovial inflammation in rat adjuvant arthritis. 2005, 7, P1 | 78 |

| | | |
|------|--|----|
| 1144 | TLR-9, but not TLR-2, TLR-3 and TLR-4, is upregulated on peripheral blood mononuclear cells of patients with active systemic lupus erythematosus. 2005, 7, P144 | 78 |
| 1143 | The association of different B27 subtypes with the peptide loading complex. 2005, 7, P36 | 78 |
| 1142 | Heme oxygenase 1 regulates osteoclastogenesis. 2005, 7, P40 | 78 |
| 1141 | Distinct biological properties of human mesenchymal stem cells from different sources. 2005, 7, P107 | 2 |
| 1140 | Specific contributions of H-Ras and N-Ras GTPases to T-lymphocyte oxidative stress and integrin-dependent retention in rheumatoid arthritis. 2005, 7, P111 | 78 |
| 1139 | Proteomic characterisation of cell contact-dependent macrophage activation. 2005, 7, P75 | 78 |
| 1138 | Synovial hypoxia inducible factor-1 α expression is inversely related to tissue oxygen levels in vivo in inflammatory arthritis. 2005, 7, P3 | 78 |
| 1137 | In vivo induction of foxp3 in collagen-induced arthritis treatment with modified dendritic cells. 2005, 7, P146 | 78 |
| 1136 | Identification of genes associated with the presence of ectopic lymphoid structures in rheumatoid arthritis synovial tissues. 2005, 7, P150 | 78 |
| 1135 | Differential survival of leucocyte subsets by synovial, bone marrow and skin fibroblasts: site-specific rescue of CD4 T cells versus activation-induced rescue of neutrophils. 2005, 7, P38 | 78 |
| 1134 | The invasiveness of fibroblast-like synoviocytes is of relevance for the rate of joint destruction in patients with rheumatoid arthritis and is a patient characteristic. 2005, 7, P42 | 78 |
| 1133 | Different molecules at the surface of stimulated T cells induce IL-1 β , tumour necrosis factor and IL-1RA in human monocytes. 2005, 7, P113 | 78 |
| 1132 | Rheumatoid synovial fibroblasts activate endothelial cells and promote neutrophil recruitment in a flow based multicellular model of the rheumatoid pannus. 2005, 7, P77 | 78 |
| 1131 | The transcription T-bet is required for optimal proinflammatory trafficking of CD4+T cells. 2005, 7, P5 | 1 |
| 1130 | Laminin type 1 augments the transforming growth factor beta-induced expression of matrix metalloproteinase 3 in synovial fibroblasts. 2005, 7, P9 | 78 |
| 1129 | Endothelial function and activation in women with systemic lupus erythematosus. 2005, 7, P148 | 78 |
| 1128 | The importance of cell surface RANKL in rheumatoid arthritis. 2005, 7, P152 | 78 |
| 1127 | NKT cell status and IL-10-dependent therapeutic effect of NKT cell stimulation on collagen-arthritis in DBA/1 mice. 2005, 7, P80 | 78 |

| | | |
|------|---|----|
| 1126 | Results of the Consensus Finding Study Group on Autoantibodies (March 2003March 2004). 2005 , 7, P44 | 78 |
| 1125 | Resistance of rheumatoid arthritis synovial fibroblasts to p38 MAP-kinase inhibition of pro-destructive functions mediated by tumor necrosis factor alpha/tumor necrosis factor receptor-1. 2005 , 7, P115 | 78 |
| 1124 | Toll-like receptor expression in synovial fibroblasts and normal skin fibroblasts and induction of matrix metallo-proteinase expression by various Toll-like receptor ligands. 2005 , 7, P119 | 2 |
| 1123 | The role of hypoxia in rheumatoid tendon disease. 2005 , 7, P7 | 0 |
| 1122 | Acceleration of apoptotic cells clearance by macrophages upon exposure to serum amyloid P component and its synthetic derivates. 2005 , 7, P11 | 78 |
| 1121 | Cultured salivary gland epithelial cells from patients with primary Sjögren's syndrome and disease controls are sensitive to signaling via Toll-like receptors 2 and 3: upregulation of intercellular adhesion molecule-1 expression. 2005 , 7, P154 | 1 |
| 1120 | IL-1-driven cartilage and bone destruction are dependent on Toll-like receptor (TLR) 4, but not TLR2. 2005 , 7, P82 | 1 |
| 1119 | Long-term survival after lymphocytotoxic monoclonal antibody therapy for rheumatoid arthritis. 2005 , 7, P46 | 6 |
| 1118 | Identification of the EGF-TM7 receptor EMR2 and its ligand dermatan sulphate in rheumatoid synovial tissue. 2005 , 7, P50 | 78 |
| 1117 | Association of FCGR2A and Fc gamma receptor haplotypes with Spanish polymyalgia rheumatica and giant cell arteritis. 2005 , 7, P117 | 78 |
| 1116 | Association of FCGR3A and FCGR3Bhaplotypes with rheumatoid arthritis and primary Sjögren's syndrome. 2005 , 7, P121 | 78 |
| 1115 | Elevated titers of anti-ribosomal-P antibodies in systemic lupus erythematosus. 2005 , 7, P13 | 78 |
| 1114 | Identification of hnRNP-A2 (RA33) as a major B-cell and T-cell autoantigen in pristane-induced arthritis. 2005 , 7, P156 | 78 |
| 1113 | Amelioration of joint inflammation by a PAR-2-specific monoclonal antibody. 2005 , 7, P160 | 78 |
| 1112 | The inhibitor of differentiation-2 promotes synovial fibroblast-dependent osteoclastogenesis in rheumatoid arthritis. 2005 , 7, P48 | 78 |
| 1111 | Tumor necrosis factor alpha reverses the immunosuppressive properties of mesenchymal stem cells in collagen-induced arthritis. 2005 , 7, P52 | 2 |
| 1110 | Immunomodulatory effect of unpulsed-immature dendritic cells in collagen-induced arthritis. 2005 , 7, P123 | 78 |
| 1109 | Does the burden of inflammation determined prospectively in patients with early inflammatory arthritis determine the progression of atherosclerosis?. 2005 , 7, P15 | 1 |

| | | |
|------|--|----|
| 1108 | The signalling signature downstream of the notch receptor in CD4+CD25highregulatory T cells in RA defines anergic cells: insight into resistance to anti-tumour necrosis factor therapies. 2005, 7, P19 | 78 |
| 1107 | A revised assay for the measurement of T-cell receptor excision circles as a quantitative measure of thymic function in systemic lupus erythematosus. 2005, 7, P158 | 78 |
| 1106 | Expression profiling in synovitis: ranking of candidates, diagnostic performance and individualized interpretation. 2005, 7, P162 | 78 |
| 1105 | Interleukin-1 receptor antagonist lentiviral gene transfer to the murine knee joint ameliorates collagen-induced arthritis. 2005, 7, P86 | 78 |
| 1104 | Gene expression in chronically activated Th cells. 2005, 7, P90 | 78 |
| 1103 | Functional Toll-like receptor 9 modulates the activity of bone marrow B cells isolated from rheumatoid arthritis patients. 2005, 7, P54 | 78 |
| 1102 | Long-term immune reconstitution after autologous stem-cell transplantation for severe autoimmune diseases. 2005, 7, P125 | 78 |
| 1101 | Polymorphism within the telomeric MHC and expression of rheumatoid arthritis candidate genes. 2005, 7, P129 | 78 |
| 1100 | Improvement of T-cell function in rheumatoid arthritis (RA) patients in clinical remission is associated with the recovery of IL-7 expression and depends on a familial history of RA. 2005, 7, P17 | 1 |
| 1099 | Abatacept (CTLA4-Ig) modulates human T-cell proliferation and cytokine production but does not affect lipopolysaccharide-induced tumor necrosis factor alpha production by monocytes. 2005, 7, P21 | 6 |
| 1098 | Complement and Fc receptor cross-talk in the Arthus reaction: the inflammatory cascade confirmed and refined. 2005, 7, P164 | 78 |
| 1097 | Mitogen-activated kinases in psoriatic arthritis: differences in activation and distinct regulation by etanercept therapy. 2005, 7, P88 | 1 |
| 1096 | Expression of microsomal prostaglandin E synthase-1 in muscle tissue of patients with idiopathic inflammatory myopathies. 2005, 7, P92 | 78 |
| 1095 | High-dose chemotherapy and syngeneic stem cell transplantation in a patient with refractory rheumatoid arthritis: poor response associated with persistence of synovial abnormalities. 2005, 7, P56 | 78 |
| 1094 | The value of serum type II collagen epitope measurement in assessing early clinical response to treatment with anti-tumour necrosis factor alpha therapy in rheumatoid arthritis. 2005, 7, P60 | 78 |
| 1093 | Direct analysis of bone turnover in experimental arthritis. 2005, 7, P127 | 78 |
| 1092 | Molecular response to cartilage injury. 2005, 7, P131 | 78 |
| 1091 | Collagenous repeat containing sequence of 26 kDa protein: a novel mesenchymal gene of cartilage and adipose tissue differentiation. 2005, 7, P23 | 78 |

| | | |
|------|--|----|
| 1090 | Characteristics and outcomes in sero-positive late-onset rheumatoid arthritis patients who start a new disease modifying anti-rheumatic drug. 2005, 7, P166 | 78 |
| 1089 | Efficient IL-18 and IL-18BPc adenoviral gene transfer to cultured murine submandibular gland epithelial cells and successful murine retrograde submandibular duct cannulation to modulate IL-18 function in the salivary gland of animal models of Sjogren's syndrome. 2005, 7, P94 | 78 |
| 1088 | Evaluation of chondrocyte micromass culture for the study of cartilage degradation. 2005, 7, P58 | 78 |
| 1087 | Methotrexate, through adenosine release, downregulates tumor necrosis factor alpha-induced synovial fibroblast IL-15 expression and proliferation. 2005, 7, P62 | 78 |
| 1086 | Chaperonins and the regulation of immunity. 2005, 7, S2 | 78 |
| 1085 | Successful approaches in genetics of musculoskeletal diseases. 2005, 7, S6 | 78 |
| 1084 | Stat1 and phosphorylated Stat1 are increased in lymphocytes and monocytes of patients with systemic lupus erythematosus. 2005, 7, P133 | 1 |
| 1083 | Anti-tumour necrosis factor alpha treatment in patients affected by rheumatoid arthritis with anti-Ro/SSA antibodies. 2005, 7, P25 | 78 |
| 1082 | Clinical response to the anti-tumor necrosis factor alpha antibody infliximab in patients with ankylosing spondylitis over 3 years. 2005, 7, P29 | 4 |
| 1081 | Hearing improvement in a variant MuckleWells syndrome case in response to IL-1 receptor antagonism. 2005, 7, P96 | 78 |
| 1080 | Bone marrow as a secondary lymphoid organ: mature T-cell subsets in bone marrow from rheumatoid arthritis and osteoarthritis patients. 2005, 7, P64 | 1 |
| 1079 | Autoimmunity or immune deficiency? On the role and function of regulatory T cells in chronic arthritis. 2005, 7, S4 | 1 |
| 1078 | Molecular signatures of rheumatoid arthritis characterized by transcriptome and proteome analysis. 2005, 7, S7 | 78 |
| 1077 | Free radicals regulate glucocorticoid-induced apoptosis in T lymphocytes. 2005, 7, P135 | 78 |
| 1076 | CCL21 relationship with lymphoid neogenesis and lymphatic vascular system in chronically inflamed synovium. 2005, 7, P139 | 78 |
| 1075 | Magnetic resonance imaging examinations of the spine in patients with ankylosing spondylitis before and after therapy with the tumor necrosis factor alpha receptor fusion protein etanercept. 2005, 7, P27 | 1 |
| 1074 | Radiographic progression in patients with ankylosing spondylitis after 2 years of treatment with the tumor necrosis factor alpha antibody infliximab. 2005, 7, P31 | 78 |
| 1073 | PTPN22 as a rheumatoid arthritis susceptibility but not severity gene. 2005, 7, P98 | 78 |

| | | |
|------|---|----|
| 1072 | Quantitative and qualitative analysis of CD4+CD25+ regulatory T cells in systemic lupus erythematosus patients. 2005, 7, P102 | 78 |
| 1071 | Local IL-18 gene transfer prevents severe joint destruction in murine collagen-induced arthritis by induction of IL-4 and osteoprotegerin. 2005, 7, P66 | 78 |
| 1070 | Expression of Toll-like receptor (TLR) 2, TLR3, TLR4 and TLR7 is increased in rheumatoid arthritis synovium and regulates cytokine production by dendritic cells upon stimulation of TLR specific pathways. 2005, 7, P70 | 4 |
| 1069 | Regulating apoptosis in fibroblasts. 2005, 7, S15 | 78 |
| 1068 | Active immunization (vaccination) against peptides of IL-1 β induces self anti-IL-1 β antibodies and protects against collagen-induced arthritis. 2005, 7, P137 | 78 |
| 1067 | FcR-mediated uptake and processing of antigen-immunoglobulin complexes by professional antigen-presenting cells. 2005, 7, P141 | 78 |
| 1066 | In systemic sclerosis, levels of tissue kallikrein are related to microvascular changes assayed by videocapillaroscopy and immunohistochemistry. 2005, 7, P33 | 1 |
| 1065 | Genotype-dependent NOS-3 expression and rheumatoid arthritis. 2005, 7, P104 | 2 |
| 1064 | Anakinra (Kineret) in psoriasis and psoriatic arthritis: a single-center, open-label, pilot study. 2005, 7, P68 | 11 |
| 1063 | Arthroscopic lavage with methylprednisolone is superior compared with either treatment alone in patients with inflammatory arthritis of the knee: a randomized prospective trial. 2005, 7, P72 | 78 |
| 1062 | Collagenases and aggrecanases: understanding the role of non-catalytic domains in cartilage matrix breakdown. 2005, 7, S11 | 78 |
| 1061 | Innate immunity and the anti-viral state of rheumatoid synovium. 2005, 7, S16 | 1 |
| 1060 | Decreased binding of annexin V to endothelial cells: a novel mechanism of atherothrombosis in patients with systemic lupus erythematosus. 2005, 7, P143 | 78 |
| 1059 | Expression of innate immune receptors in the immunopathologic lesion of primary Sjogren's syndrome: preliminary results. 2005, 7, P35 | 78 |
| 1058 | Regulatory T-cell defect in the arthritis-susceptible DBA/1 mouse. 2005, 7, P39 | 78 |
| 1057 | Discrepancy between jun/fos proto-oncogene mRNA and protein expression in the rheumatoid arthritis synovial membrane. 2005, 7, P106 | 1 |
| 1056 | Regulation of myeloid cell function and MHC class II expression by tumor necrosis factor. 2005, 7, P110 | 78 |
| 1055 | Proinflammatory role for AT1 receptors in the rat synovium. 2005, 7, P74 | 78 |

| | | |
|------|--|----|
| 1054 | Genetics and bone disease. 2005 , 7, S13 | 78 |
| 1053 | Positive cytoplasmic indirect immunofluorescence on HEp2 cells of unknown pattern: what to report to rheumatologists. 2005 , 7, P2 | 78 |
| 1052 | Bystander-activated CD4+memory lymphocytes: a role in the pathology of rheumatoid arthritis?. 2005 , 7, P145 | 78 |
| 1051 | Citrullinated peptide-specific CD19+B cells are present in synovial tissue and peripheral blood of patients with rheumatoid arthritis. 2005 , 7, P149 | 78 |
| 1050 | Functional regulatory immune responses against human cartilage glycoprotein-39 in health versus proinflammatory responses in rheumatoid arthritis. 2005 , 7, P37 | 78 |
| 1049 | How does tumour necrosis factor uncouple T-cell receptor-induced IL-2 gene expression in murine T cells?. 2005 , 7, P41 | 78 |
| 1048 | Regulation of T-cell differentiation by IL-4R β chain single nucleotide polymorphisms. 2005 , 7, P108 | 78 |
| 1047 | Requirement of IL-17 receptor signaling in resident synoviocytes for development of full blown destructive arthritis. 2005 , 7, P112 | 78 |
| 1046 | Sustained downregulation of the TCR β chain defines a transition from antigen mode to inflammation mode during terminal T-cell differentiation. 2005 , 7, P76 | 78 |
| 1045 | Prophylactic administration of abatacept (CTLA4-Ig; BMS-188667) prevents disease induction and bone destruction in a rat model of collagen-induced arthritis. 2005 , 7, P4 | 78 |
| 1044 | Investigation of the relationship between the HLADRB1 genotype and the presence of autoantibody to cyclic-citrullinated peptide in patients with rheumatoid arthritis. 2005 , 7, P147 | 78 |
| 1043 | Immunophenotype and functional characteristics of rheumatoid arthritis derived myeloid dendritic cells and plasmacytoid dendritic cells. 2005 , 7, P151 | 78 |
| 1042 | Characterization of the IL-12 family of cytokines in human dendritic cells infected with live <i>Chlamydia trachomatis</i> . 2005 , 7, P79 | 78 |
| 1041 | A role for IL-7 in regulating CD4+CD25high regulatory T cells. 2005 , 7, P43 | 78 |
| 1040 | Infliximab treatment does not induce apoptosis in peripheral blood mononuclear cells up to 24 hours after initiation of treatment in rheumatoid arthritis patients. 2005 , 7, P114 | 78 |
| 1039 | Impaired early B-cell tolerance in patients with rheumatoid arthritis. 2005 , 7, P78 | 5 |
| 1038 | Specificity of CD4 T-cell responses to aggrecan in BALB/c and DR1 transgenic mice. 2005 , 7, P6 | 78 |
| 1037 | Peptide mimetics of anti-dsDNA idiotypes as a tool for lupus-specific IVIG preparation: specificity and efficacy in the treatment of experimental systemic lupus erythematosus. 2005 , 7, P10 | 78 |

| | | |
|------|---|----|
| 1036 | Expression of programmed death (PD)-1 and PD-1 ligands (PD-L1, PD-L2) in peripheral blood mononuclear cells of patients with systemic lupus erythematosus. 2005, 7, P153 | 78 |
| 1035 | Distinct patterns of RANKL/osteoprotegerin system modulation through anti-tumour necrosis factor and corticosteroid therapy in rheumatoid arthritis synovium. 2005, 7, P81 | 78 |
| 1034 | Effects of overexpression of PAD4 enzyme in mouse synovium. 2005, 7, P45 | 78 |
| 1033 | Patterns of gene expression in rheumatoid arthritis synovial tissue: inter-patient variability greater than intra-patient variability in a small study. 2005, 7, P116 | 78 |
| 1032 | Exploring mechanisms of inflammatory hyperalgesia in murine collagen-induced arthritis. 2005, 7, P120 | 78 |
| 1031 | Short-fibre modification facilitates adenovirus-mediated gene delivery in rheumatoid arthritis synoviocytes and synovium: role of RGD and non-RGD binding integrins. 2005, 7, P8 | 78 |
| 1030 | Close association between valvular heart disease and central nervous system manifestations in antiphospholipid syndrome. 2005, 7, P12 | 3 |
| 1029 | Follow up study of B-lymphocyte depletion in the treatment of patients with systemic lupus erythematosus. 2005, 7, S9 | 78 |
| 1028 | Prevalence of non-rheumatoid arthritis-associated autoantibodies in sera of anti-cyclic citrulline antibody-positive patients. 2005, 7, P155 | 78 |
| 1027 | Microarray analysis for molecular characterization of disease activity and measuring outcomes of anti-tumour necrosis factor therapy in rheumatoid arthritis. 2005, 7, P159 | 3 |
| 1026 | Differential expression of multidrug resistance-related proteins on monocyte-derived macrophages from rheumatoid arthritis patients. 2005, 7, P83 | 3 |
| 1025 | The persistence of abnormal T-cell differentiation patterns predicts relapse in rheumatoid arthritis patients with controlled disease. 2005, 7, P47 | 78 |
| 1024 | Prevalence and specificity of autoantibodies to defensins in sera of patients with systemic autoimmune diseases. 2005, 7, P51 | 78 |
| 1023 | Noggin haploinsufficiency influences severity of arthritis in different mouse models. 2005, 7, P118 | 78 |
| 1022 | Non-traditional risk and protective factors for cardiovascular disease in systemic lupus erythematosus. 2005, 7, P122 | 78 |
| 1021 | Human type II collagen is processed in lysosomal compartments of macrophages for presentation of the glycosylated arthritogenic epitope hCII259-73 to CD4 T cells in HLA-DR1 transgenic mice. 2005, 7, P14 | 1 |
| 1020 | Influence of methotrexate, leflunomide and tumour necrosis factor alpha inhibitors on immune competence in rheumatoid arthritis patients: a long-run monitoring of Epstein-Barr virus load. 2005, 7, P157 | 78 |
| 1019 | Real-time quantitative PCR used as a biomarker for synovial gene expression after oral prednisolone therapy in patients with rheumatoid arthritis. 2005, 7, P161 | 78 |

| | | |
|------|--|----|
| 1018 | Marked expression of IL-1 receptors in cell nuclei and muscle fiber membrane in muscle tissue of patients with idiopathic inflammatory myopathies. 2005, 7, P85 | 1 |
| 1017 | Identification of a natural soluble form of the IL-18 receptor accessory protein as an immunomodulator in experimental arthritis. 2005, 7, P89 | 78 |
| 1016 | Neutralizing IL-17 during re-activation of experimental arthritis prevents joint inflammation and bone erosion by decreasing RANKL and IL-1. 2005, 7, P53 | 78 |
| 1015 | Cytokine expression was assessed during antigen-induced arthritis in the synovial membrane, inguinal lymph node, and spleen using competitive RT-PCR and sandwich ELISA. 2005, 7, P124 | 1 |
| 1014 | Altered composition of CD97 splice variants in rheumatoid synovial tissue. 2005, 7, P16 | 1 |
| 1013 | Citrullinated α -enolase, a novel citrullinated autoantigen in rheumatoid arthritis, upregulated by chronic inflammation. 2005, 7, P20 | 2 |
| 1012 | A role for CD8 cells in cell-contact-mediated inflammation. 2005, 7, P163 | 78 |
| 1011 | Effects of anti-rheumatic treatments on the prostaglandin E2 biosynthetic pathway in synovial tissue and synovial fluid cells from patients with rheumatoid arthritis. 2005, 7, P87 | 78 |
| 1010 | Intracellular IL-1 receptor antagonist (iCL-1Ra1) does not antagonize growth inhibitory effects of pre-IL-1 β in SaOS-2 cells. 2005, 7, P91 | 78 |
| 1009 | BiP induces IL-4-dependent regulatory cells. 2005, 7, P55 | 78 |
| 1008 | A link between complement activation and anti-SSA in immune complex-induced cytokine production in systemic lupus erythematosus. 2005, 7, P59 | 78 |
| 1007 | The effect of B-cell depletion with an anti-CD20 antibody on the immunoglobulin heavy-chain repertoire in a patient with rheumatoid arthritis. 2005, 7, P126 | 78 |
| 1006 | Synovial monocytes mediate Rap1-dependent oxidative stress in rheumatoid arthritis T lymphocytes. 2005, 7, P130 | 78 |
| 1005 | T-bet expression in rheumatoid arthritis patients with early, disease-modifying anti-rheumatic drug naïve disease is low and correlates with low levels of IL-7 and T-cell dysfunctions. 2005, 7, P18 | 78 |
| 1004 | Intra-articular gene therapy blocking NF- κ B using adeno-associated virus type 5 ameliorates adjuvant arthritis in rats. 2005, 7, P22 | 78 |
| 1003 | Pharmacokinetic study of oral prednisolone compared with intravenous methylprednisolone in patients with vasculitis of rheumatic disease. 2005, 7, P165 | 78 |
| 1002 | Quantifying the contribution of the second HLA-DRB1 susceptibility allele to the risk of rheumatoid arthritis: a meta-analysis. 2005, 7, P93 | 3 |
| 1001 | Expression of IL-18 in muscle tissue of patients with treatment-resistant idiopathic inflammatory myopathies. 2005, 7, P57 | 3 |

| | | |
|------|--|-----|
| 1000 | Oncostatin M in rheumatoid arthritis: a key cytokine acts synergistically with other proinflammatory cytokines to promote human cartilage loss. 2005 , 7, P61 | 78 |
| 999 | Tracking immune responses in vivo. 2005 , 7, S5 | 78 |
| 998 | Antibodies to ferritin in rheumatoid arthritis are associated with disease severity. 2005 , 7, P128 | 0 |
| 997 | Binding properties of anti-histone H1 antibodies suggest that nuclei of necrotic cells rather than cells undergoing apoptosis are engulfed in the LE cell phenomenon. 2005 , 7, P132 | 78 |
| 996 | Activation of antigen-presenting cells by endogenous retroviral RNA. 2005 , 7, P24 | 78 |
| 995 | Type 1 regulatory T cells in treatment of murine lupus. 2005 , 7, P95 | 78 |
| 994 | Tryptase as a PAR-2 activator in joint inflammation. 2005 , 7, P99 | 78 |
| 993 | Influence of HLA-DR genes on the production of rheumatoid arthritis-specific autoantibodies to citrullinated fibrin. 2005 , 7, P63 | 78 |
| 992 | Inhibition of tumour necrosis factor alpha production by activated T cells of rheumatoid arthritis patients by novel anti-folate drugs: an ex vivopilot study. 2005 , 7, P84 | 1 |
| 991 | Abstract withdrawn. 2005 , 7, P49 | 78 |
| 990 | Expression of the inflammatory chemokines CCL5, CCL3 and CXCL10 in juvenile idiopathic arthritis, and demonstration of CCL5 production by an atypical subset of CD8+ T cells. 2006 , 8, R50 | 45 |
| 989 | Chemokine receptor expression in effector and memory T cell subsets. 2006 , 55-70 | |
| 988 | Combination vaccines: design strategies and future trends. 2006 , 5, 739-45 | 2 |
| 987 | From Innate Immunity to Immunological Memory. 2006 , | 2 |
| 986 | Cell Communication in Nervous and Immune System. 2006 , | 2 |
| 985 | Pathophysiology of graft-versus-host disease. 2006 , 43, 3-10 | 322 |
| 984 | Vacunas preventivas contra el virus de la inmunodeficiencia humana. 2006 , 4, 246-250 | |
| 983 | Cooperation between CD4+ and CD8+ T cells: when, where, and how. 2006 , 24, 519-40 | 281 |

| | | |
|-----|---|-----|
| 982 | Developmental Immunology and Role of Host Defenses in Fetal and Neonatal Susceptibility to Infection. 2006 , 87-210 | 25 |
| 981 | CD8+ T lymphocytes and leukotriene B4: novel interactions in the persistence and progression of asthma. 2006 , 117, 577-82 | 82 |
| 980 | Expression of CCR7 and its ligands CCL19/CCL21 in muscles of polymyositis. 2006 , 249, 158-65 | 11 |
| 979 | Enhanced immunogenicity and protective efficacy with the use of interleukin-12-encapsulated microspheres plus AS01B in tuberculosis subunit vaccination. 2006 , 74, 4954-9 | 32 |
| 978 | Cell biology of T cell activation and differentiation. 2006 , 250, 217-74 | 30 |
| 977 | Effects of the tumor microenvironment on the efficacy of tumor immunotherapy. 2006 , 35, 359-94 | 13 |
| 976 | Functional and phenotypic analysis of human memory CD8+ T cells expressing CXCR3. 2006 , 80, 320-9 | 21 |
| 975 | The merits of in vitro versus in vivo modeling in investigation of the immune system. 2006 , 21, 123-34 | 11 |
| 974 | Progressive loss of renal function is associated with activation and depletion of naive T lymphocytes. 2006 , 118, 83-91 | 107 |
| 973 | B cells pulsed with Helicobacter pylori antigen efficiently activate memory CD8+ T cells from H. pylori-infected individuals. 2006 , 118, 284-91 | 15 |
| 972 | A phenotype based approach for the immune monitoring of NY-ESO-1-specific CD4+ T cell responses in cancer patients. 2006 , 118, 188-94 | 10 |
| 971 | CD8+HLA-DR+ T lymphocytes are increased in common variable immunodeficiency patients with impaired memory B-cell differentiation. 2006 , 119, 51-8 | 48 |
| 970 | Distinct patterns of regeneration of central memory, effector memory and effector TCD8+ cell subsets after different hematopoietic cell transplant types: possible influence in the recovery of anti-cytomegalovirus immune response and risk for its reactivation. 2006 , 119, 261-71 | 13 |
| 969 | Graft-versus-host disease after allogeneic stem cell transplantation: evolving concepts and novel therapies including photopheresis. 2006 , 12, 1-6 | 12 |
| 968 | Unique abnormalities of CD4(+) and CD8(+) central memory cells associated with chronic graft-versus-host disease improve after extracorporeal photopheresis. 2006 , 12, 22-30 | 17 |
| 967 | TGF-beta as a T cell regulator in colitis and colon cancer. 2006 , 17, 97-106 | 88 |
| 966 | Accumulation of dysfunctional effector CD8+ T cells in the liver of patients with chronic HCV infection. 2006 , 44, 475-83 | 19 |
| 965 | Antigen-specific regulatory T-cell subsets in transplantation tolerance regulatory T-cell subset quality reduces the need for quantity. 2006 , 67, 665-75 | 12 |

| | | |
|-----|--|-----|
| 964 | Autoimmune cardiac-specific T cell responses in dilated cardiomyopathy. 2006 , 112, 2-6 | 9 |
| 963 | Maintenance and polarization of human TH2 central memory T cells by thymic stromal lymphopoietin-activated dendritic cells. 2006 , 24, 827-838 | 262 |
| 962 | Inflaming the CD8+ T cell response. 2006 , 25, 19-29 | 195 |
| 961 | Persistence and responsiveness of immunologic memory in the absence of secondary lymphoid organs. 2006 , 25, 643-54 | 182 |
| 960 | FTY720 preferentially depletes naive T cells from peripheral and lymphoid organs. 2006 , 6, 1902-10 | 62 |
| 959 | HIV-specific CD4+ T cells and viremia: who's in control?. 2006 , 27, 119-24 | 29 |
| 958 | T-cell homing specificity and plasticity: new concepts and future challenges. 2006 , 27, 235-43 | 258 |
| 957 | Committed to memory: lineage choices for activated T cells. 2006 , 27, 261-7 | 34 |
| 956 | T cell memory and protective immunity by vaccination: is more better?. 2006 , 27, 511-7 | 40 |
| 955 | Genomic profiles for human peripheral blood T cells, B cells, natural killer cells, monocytes, and polymorphonuclear cells: comparisons to ischemic stroke, migraine, and Tourette syndrome. 2006 , 27, 693-703 | 79 |
| 954 | Antigen-specific T cell responses: determination of their frequencies, homing properties, and effector functions in human whole blood. 2006 , 38, 77-83 | 11 |
| 953 | Regulation of CD4 T cell memory by OX40 (CD134). 2006 , 24, 872-83 | 47 |
| 952 | The humoral and cellular responses induced locally and systemically after parenteral influenza vaccination in man. 2006 , 24, 6577-80 | 16 |
| 951 | Endothelial Cell-Mediated Antigen Presentation. 2006 , 33, 58-70 | 4 |
| 950 | T Cells and Autoimmunity. 2006 , 59-82 | |
| 949 | Immunologic Memory. 2006 , | |
| 948 | Effects of Pathogens on the Immune Response: HIV. 2006 , 209-231 | |
| 947 | T-Cell Adoptive Immunotherapy of Cancer. 2006 , 181-212 | |

| | | |
|-----|--|-----|
| 946 | Prognostic value of HIV-1 Gag-specific CD4+ T-cell responses for progression to AIDS analyzed in a prospective cohort study. 2006 , 107, 1427-33 | 37 |
| 945 | CD8 T-cell Immunodominance, Repertoire, and Memory. 2006 , 109-145 | 2 |
| 944 | The biophysics of T lymphocyte activation in vitro and in vivo. 2006 , 43, 199-218 | 3 |
| 943 | Only the CD45RA+ subpopulation of CD4+CD25high T cells gives rise to homogeneous regulatory T-cell lines upon in vitro expansion. 2006 , 108, 4260-7 | 322 |
| 942 | Identification of cutaneous lymphocyte-associated antigen as sialyl 6-sulfo Lewis X, a selectin ligand expressed on a subset of skin-homing helper memory T cells. 2006 , 107, 3197-204 | 50 |
| 941 | The leukotriene B4 lipid chemoattractant receptor BLT1 defines antigen-primed T cells in humans. 2006 , 107, 444-53 | 62 |
| 940 | In vivo disruption of tolerogenic cross-presentation mechanisms uncovers an effective T-cell activation by B-cell lymphomas leading to antitumor immunity. 2006 , 107, 2871-8 | 41 |
| 939 | Beta-agonists modulate T-cell functions via direct actions on type 1 and type 2 cells. 2006 , 107, 2052-60 | 58 |
| 938 | In vivo peripheral expansion of naive CD4+CD25high FoxP3+ regulatory T cells in patients with multiple myeloma. 2006 , 107, 3940-9 | 243 |
| 937 | Suicide gene therapy of graft-versus-host disease induced by central memory human T lymphocytes. 2006 , 107, 1828-36 | 100 |
| 936 | CD45RA on human CD8 T cells is sensitive to the time elapsed since the last antigenic stimulation. 2006 , 108, 2897-905 | 59 |
| 935 | Expression levels of CD38 in T cells predict course of disease in male patients with B-chronic lymphocytic leukemia. 2006 , 108, 2950-6 | 27 |
| 934 | Dendritic Cells in Multiple Sclerosis Lesions: Maturation Stage, Myelin Uptake, and Interaction With Proliferating T Cells. 2006 , 65, 124-141 | 158 |
| 933 | Critical roles of memory T cells and antidonor immunoglobulin in rejection of allogeneic bone marrow cells in sensitized recipient mice. 2006 , 82, 689-98 | 15 |
| 932 | Specific central memory T cells in the bone marrow of patients immunized against tyrosinase peptides. 2006 , 29, 201-7 | 10 |
| 931 | Intestinal lymphocyte subsets and turnover are affected by chronic alcohol consumption: implications for SIV/HIV infection. 2006 , 41, 537-47 | 32 |
| 930 | Determination of the functional status of alloreactive T cells by interferon-gamma kinetics. 2006 , 81, 590-8 | 15 |
| 929 | Central memory CD4 T cells are the predominant cell subset resistant to anergy in SIV disease resistant sooty mangabeys. 2006 , 20, 181-8 | 16 |

| | | |
|-----|---|----|
| 928 | Viral and host immune regulatory mechanisms in hepatitis C virus infection. 2006 , 18, 327-31 | 13 |
| 927 | Endothelial cell-T lymphocyte interactions: IP[corrected]-10 stimulates rapid transendothelial migration of human effector but not central memory CD4+ T cells. Requirements for shear stress and adhesion molecules. 2006 , 82, S9-14 | 22 |
| 926 | No synergy between ATG induction and costimulation blockade induced kidney allograft survival in rhesus monkeys. 2006 , 82, 1194-201 | 19 |
| 925 | Recipient memory-like lymphocytes remain unresponsive to graft antigens after CAMPATH-1H induction with reduced maintenance immunosuppression. 2006 , 82, 1342-51 | 69 |
| 924 | Preclinical primate studies of HIV-1-envelope-based vaccines: towards human clinical trials. 2006 , 1, 336-43 | 3 |
| 923 | Distinct mechanisms control human naive and antigen-experienced CD8+ T lymphocyte proliferation. 2006 , 176, 2173-82 | 14 |
| 922 | Suppressor of cytokine signaling 1 stringently regulates distinct functions of IL-7 and IL-15 in vivo during T lymphocyte development and homeostasis. 2006 , 176, 4029-41 | 39 |
| 921 | Qualitative host factors associated with immunological control of HIV infection by CD8 T cells. 2006 , 1, 28-33 | 6 |
| 920 | The impact of memory T cells on rejection and the induction of tolerance. 2006 , 82, 1-9 | 85 |
| 919 | Role of HIV-1-specific CD4 T cells. 2006 , 1, 22-7 | 5 |
| 918 | Controlling the generation and function of human CD8+ memory T cells in vitro with immunosuppressants. 2006 , 82, 1352-61 | 23 |
| 917 | Trafficking of Lymphocyte Subpopulations. 2006 , 154-172 | |
| 916 | Immune Defence, Cell Mediated. 2006 , | 1 |
| 915 | Large scale analysis of pediatric antiviral CD8+ T cell populations reveals sustained, functional and mature responses. 2006 , 3, 11 | 30 |
| 914 | Nodal peripheral T-cell lymphomas correspond to distinct mature T-cell populations. 2006 , 210, 172-80 | 18 |
| 913 | The Tower of Babel of CD8+ T-cell memory: known facts, deserted roads, muddy waters, and possible dead ends. 2006 , 211, 182-96 | 31 |
| 912 | Human virus-specific CD8+ T cells: diversity specialists. 2006 , 211, 225-35 | 48 |
| 911 | CD4+ memory T cells: functional differentiation and homeostasis. 2006 , 211, 39-48 | 90 |

| | | |
|-----|--|-----|
| 910 | Programming, demarcating, and manipulating CD8+ T-cell memory. 2006 , 211, 67-80 | 130 |
| 909 | T-cell memory and recall responses to respiratory virus infections. 2006 , 211, 119-32 | 99 |
| 908 | Establishment and recall of CD8+ T-cell memory in a model of localized transient infection. 2006 , 211, 133-45 | 48 |
| 907 | The rationale for the IL-2-independent generation of the self-renewing central memory CD8+ T cells. 2006 , 211, 104-18 | 24 |
| 906 | CD8+ T-cell memory in tumor immunology and immunotherapy. 2006 , 211, 214-24 | 369 |
| 905 | Development, trafficking, and function of memory T-cell subsets. 2006 , 211, 93-103 | 124 |
| 904 | Functional signatures of protective antiviral T-cell immunity in human virus infections. 2006 , 211, 236-54 | 215 |
| 903 | Not-so-great expectations: re-assessing the essence of T-cell memory. 2006 , 211, 203-13 | 23 |
| 902 | Intrinsic properties of human and murine memory B cells. 2006 , 211, 280-94 | 41 |
| 901 | Making sense of inflammation, epigenetics, and memory CD8+ T-cell differentiation in the context of infection. 2006 , 211, 197-202 | 42 |
| 900 | Th1 memory: implications for vaccine development. 2006 , 211, 58-66 | 85 |
| 899 | Protective 'immunity' by pre-existent neutralizing antibody titers and preactivated T cells but not by so-called 'immunological memory'. 2006 , 211, 310-9 | 117 |
| 898 | Seasonal dynamics of chemokine receptors and CD62L in subjects with asymptomatic skin sensitization to birch and grass pollen. 2006 , 61, 759-68 | 6 |
| 897 | Induction of dendritic cell migration upon <i>Toxoplasma gondii</i> infection potentiates parasite dissemination. 2006 , 8, 1611-23 | 210 |
| 896 | Thymic output and functionality of the IL-7/IL-7 receptor system in centenarians: implications for the neolymphogenesis at the limit of human life. 2006 , 5, 167-75 | 97 |
| 895 | Clinical-scale expansion of human cytomegalovirus-specific cytotoxic T lymphocytes from peripheral blood mononuclear cells requiring single-peptide stimulation and feeder cells but not additional antigen-presenting cells. 2006 , 46, 516-22 | 2 |
| 894 | Tetanus toxoid provides efficient T-cell help for the induction of HA-1(H) cytotoxic T cells. 2006 , 46, 1210-20 | 7 |
| 893 | Immune cell migration as a means to control immune privilege: lessons from the CNS and tumors. 2006 , 213, 195-212 | 71 |

| | | |
|-----|--|-----|
| 892 | T cell receptor excision circles (TRECs), CD4+, CD8+, and their CD45RO+, and CD45RA+, subpopulations in hepatitis C virus (HCV)-HIV-co-infected patients during treatment with interferon alpha plus ribavirin: analysis in a population on effective antiretroviral therapy. 2006 , 146, 270-7 | 15 |
| 891 | Crystal ball. 2006 , 28, 235-69 | 2 |
| 890 | The direct pathway of human T-Cell allorecognition is not tolerized by stimulation with allogeneic peripheral blood mononuclear cells irradiated with high-dose ultraviolet B. 2006 , 63, 90-6 | 2 |
| 889 | Identification of a major histocompatibility complex class I-restricted T-cell epitope in the tumour-associated antigen, 5T4. 2006 , 118, 50-7 | 19 |
| 888 | Prolonged exposure of naive CD8+ T cells to interleukin-7 or interleukin-15 stimulates proliferation without differentiation or loss of telomere length. 2006 , 119, 243-53 | 60 |
| 887 | Naive T-cell receptor transgenic T cells help memory B cells produce antibody. 2006 , 119, 376-84 | 14 |
| 886 | Fas-ligand-mediated paracrine T cell regulation by the receptor NKG2D in tumor immunity. 2006 , 7, 755-62 | 119 |
| 885 | Quantum dot semiconductor nanocrystals for immunophenotyping by polychromatic flow cytometry. 2006 , 12, 972-7 | 316 |
| 884 | Pathogenesis of HIV infection: what the virus spares is as important as what it destroys. 2006 , 12, 289-95 | 362 |
| 883 | Intracellular cytokine optimization and standard operating procedure. 2006 , 1, 1507-16 | 212 |
| 882 | Functional signatures in antiviral T-cell immunity for monitoring virus-associated diseases. 2006 , 6, 417-23 | 165 |
| 881 | The descent of memory T-cell subsets. 2006 , 6, 618-23 | 87 |
| 880 | T-lymphocyte reconstitution following rigorously T-cell-depleted versus unmodified autologous stem cell transplants. 2006 , 37, 763-72 | 12 |
| 879 | Effect of interleukin-15 on effector and regulatory function of anti-CD3/anti-CD28-stimulated CD4(+) T cells. 2006 , 37, 881-7 | 9 |
| 878 | Naive and central memory T-cell lymphopenia in end-stage renal disease. 2006 , 70, 371-6 | 117 |
| 877 | Persistent expansion of CD4+ effector memory T cells in Wegener's granulomatosis. 2006 , 70, 938-47 | 107 |
| 876 | A high proportion of donor CD4+ T cells expressing the lymph node-homing chemokine receptor CCR7 increases incidence and severity of acute graft-versus-host disease in patients undergoing allogeneic stem cell transplantation for hematological malignancy. 2006 , 20, 1557-65 | 43 |
| 875 | T cells stimulated by CD40L positive leukemic blasts-pulsed dendritic cells meet optimal functional requirements for adoptive T-cell therapy. 2006 , 20, 2015-24 | 11 |

| | | |
|-----|--|-----|
| 874 | Characterization of murine CD160+ CD8+ T lymphocytes. 2006 , 106, 48-56 | 36 |
| 873 | Mantoux Test as a model for a secondary immune response in humans. 2006 , 107, 93-101 | 55 |
| 872 | Memory T cell recruitment to the lung airways. 2006 , 18, 357-62 | 29 |
| 871 | Protective immunity towards intracellular pathogens. 2006 , 18, 458-64 | 35 |
| 870 | Differential sensitivity of naïve and memory subsets of human CD8+ T cells to TNF-alpha-induced apoptosis. 2006 , 26, 193-203 | 23 |
| 869 | Ex-vivo analysis of CD8+ T cells infiltrating colorectal tumors identifies a major effector-memory subset with low perforin content. 2006 , 26, 447-56 | 28 |
| 868 | Adjuvant IL-15 does not enhance the efficacy of tumor cell lysate-pulsed dendritic cell vaccines for active immunotherapy of T cell lymphoma. 2006 , 55, 420-32 | 2 |
| 867 | Lymphocyte activation in response to melanoma: interaction of NK-associated receptors and their ligands. 2007 , 56, 101-9 | 31 |
| 866 | In vitro priming of tumor-specific cytotoxic T lymphocytes using allogeneic dendritic cells derived from the human MUTZ-3 cell line. 2006 , 55, 1480-90 | 49 |
| 865 | Analysis of naïve and memory CD4 and CD8 T cell populations in breast cancer patients receiving a HER2/neu peptide (E75) and GM-CSF vaccine. 2007 , 56, 135-46 | 28 |
| 864 | Polyfunctional analysis of human t cell responses: importance in vaccine immunogenicity and natural infection. 2006 , 28, 209-19 | 90 |
| 863 | Generation and maintenance of human memory cells during viral infection. 2006 , 28, 197-208 | 19 |
| 862 | Programming CD8+ T cells for effective immunotherapy. 2006 , 18, 363-70 | 59 |
| 861 | Differentiation of memory B and T cells. 2006 , 18, 255-64 | 123 |
| 860 | Human memory T cell responses to SARS-CoV E protein. 2006 , 8, 2424-31 | 23 |
| 859 | Prophylactic anti-tumor immunity against a murine fibrosarcoma triggered by the Salmonella type III secretion system. 2006 , 8, 2539-46 | 31 |
| 858 | CD8 T cell effector maturation in HIV-1-infected children. 2006 , 347, 117-26 | 11 |
| 857 | Long-lived memory T lymphocyte responses against SARS coronavirus nucleocapsid protein in SARS-recovered patients. 2006 , 351, 466-75 | 118 |

| | | |
|-----|---|-----|
| 856 | Generation and functional capacity of polyclonal alloantigen-specific memory CD4 T cells. 2006 , 6, 1275-84 | 18 |
| 855 | Successful in vitro priming of EBV-specific CD8+ T cells endowed with strong cytotoxic function from T cells of EBV-seronegative children. 2006 , 6, 2169-76 | 21 |
| 854 | Activation and maturation of alloreactive CD4-independent, CD8 cytolytic T cells. 2006 , 6, 2268-81 | 18 |
| 853 | Migration and function of FoxP3+ regulatory T cells in the hematolymphoid system. 2006 , 34, 1033-40 | 48 |
| 852 | Low percentages of circulating CD8(+)/CD45RA(+) human T lymphocytes expressing beta7 integrin correlate with the occurrence of intestinal acute graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. 2006 , 34, 1429-34 | 4 |
| 851 | Antigen-specific accumulation of naïve, memory and effector CD4 T cells during anterior uveitis monitored by intravital microscopy. 2006 , 239, 49-60 | 18 |
| 850 | Long-lived effector/central memory T-cell responses to severe acute respiratory syndrome coronavirus (SARS-CoV) S antigen in recovered SARS patients. 2006 , 120, 171-8 | 92 |
| 849 | Combined decrease of defined B and T cell subsets in a group of common variable immunodeficiency patients. 2006 , 121, 203-14 | 42 |
| 848 | Normalized CD8+ but not CD4+ lymphocyte IL-2 expression is associated with early treatment with highly active antiretroviral therapy. 2006 , 121, 191-7 | 5 |
| 847 | TNF-alpha-induced apoptosis in human naïve and memory CD8+ T cells in aged humans. 2006 , 41, 69-77 | 32 |
| 846 | Comparison between sirolimus- and paclitaxel-eluting stent in T-cell subsets redistribution. 2006 , 97, 494-8 | 5 |
| 845 | Molecular mechanisms of TNF-alpha-induced apoptosis in naïve and memory T cell subsets. 2006 , 5, 264-8 | 27 |
| 844 | Immune suppression in cancer: effects on immune cells, mechanisms and future therapeutic intervention. 2006 , 16, 3-15 | 336 |
| 843 | Accumulation of memory T cells from childhood to old age: central and effector memory cells in CD4(+) versus effector memory and terminally differentiated memory cells in CD8(+) compartment. 2006 , 127, 274-81 | 226 |
| 842 | Immuno-monitoring of CD8+ T cells in whole blood versus PBMC samples. 2006 , 309, 192-9 | 37 |
| 841 | Simultaneous assessment of antigen-stimulated cytokine production and memory subset composition of memory CD8 T cells. 2006 , 313, 161-8 | 23 |
| 840 | In vitro Th2 deviation of myelin-specific peripheral blood lymphocytes from patients with multiple sclerosis. 2006 , 171, 156-62 | 3 |
| 839 | Memory lineage relationships in HTLV-1-specific CD8+ cytotoxic T cells. 2006 , 176, 115-24 | 11 |

| | | |
|-----|---|-----|
| 838 | Acute psychological stress alerts the adaptive immune response: stress-induced mobilization of effector T cells. 2006 , 176, 141-52 | 39 |
| 837 | CD4(+) memory T cells with high CD26 surface expression are enriched for Th1 markers and correlate with clinical severity of multiple sclerosis. 2006 , 181, 157-64 | 48 |
| 836 | Abnormal differentiation of memory T cells in systemic lupus erythematosus. 2006 , 54, 2184-97 | 75 |
| 835 | Identification of organ-specific T cell populations by analysis of multiparameter flow cytometry data using DNA-chip analysis software. 2006 , 69, 533-40 | 12 |
| 834 | IL-7Ralpha expression on CD4+ T lymphocytes decreases with HIV disease progression and inversely correlates with immune activation. 2006 , 36, 336-44 | 80 |
| 833 | Intranasal lipopeptide primes lung-resident memory CD8+ T cells for long-term pulmonary protection against influenza. 2006 , 36, 770-8 | 64 |
| 832 | Prolonged exposure of dendritic cells to maturation stimuli favors the induction of type-2 cytotoxic T lymphocytes. 2006 , 36, 3157-66 | 6 |
| 831 | Pertussis toxin activates adult and neonatal naive human CD4+ T lymphocytes. 2006 , 36, 1794-804 | 10 |
| 830 | Unidirectional development of CD8+ central memory T cells into protective Listeria-specific effector memory T cells. 2006 , 36, 1453-64 | 68 |
| 829 | The co-expression of 2B4 (CD244) and CD160 delineates a subpopulation of human CD8+ T cells with a potent CD160-mediated cytolytic effector function. 2006 , 36, 2359-66 | 37 |
| 828 | Follicular B helper T cell activity is confined to CXCR5(hi)ICOS(hi) CD4 T cells and is independent of CD57 expression. 2006 , 36, 1892-903 | 268 |
| 827 | Hepatitis C vaccines: Inducing and challenging memory T cells. 2006 , 43, 1395-8 | 20 |
| 826 | 'Normal counterparts' of nodal peripheral T-cell lymphoma. 2006 , 24, 175-80 | 36 |
| 825 | Tumor infiltrating lymphocytes in seminoma lesions comprise clonally expanded cytotoxic T cells. 2006 , 119, 831-8 | 33 |
| 824 | Classification of human liver transplant recipients by their preoperative CD8+ T cell subpopulation and its relation to outcome. 2006 , 12, 792-800 | 17 |
| 823 | Replicating Ad-recombinants encoding non-myristoylated rather than wild-type HIV Nef elicit enhanced cellular immunity. 2006 , 20, 2149-57 | 15 |
| 822 | Role of the LTB4/BLT1 pathway in allergen-induced airway hyperresponsiveness and inflammation. 2006 , 55, 91-7 | 46 |
| 821 | Critical role of endothelial P-selectin glycoprotein ligand 1 in chronic murine ileitis. 2006 , 203, 907-17 | 82 |

| | | |
|-----|--|-----|
| 820 | The role of skin-homing T cells in extrinsic atopic dermatitis. 2007 , 100, 19-27 | 17 |
| 819 | Therapeutic potential of selectin antagonists in psoriasis. 2006 , 15, 963-79 | 10 |
| 818 | Lymphoid and extralymphoid CD4 T cells that orchestrate the antiviral immune response. 2006 , 2, 267-76 | 1 |
| 817 | Immune modulation and reconstitution of HIV-1-specific responses: novel approaches and strategies. 2006 , 13, 3203-11 | 3 |
| 816 | Combined CD137 (4-1BB) and adjuvant therapy generates a developing pool of peptide-specific CD8 memory T cells. 2006 , 18, 325-33 | 47 |
| 815 | Cigarette smoke impacts immune inflammatory responses to influenza in mice. 2006 , 174, 1342-51 | 81 |
| 814 | Evaluating the impact of hepatitis C virus (HCV) on highly active antiretroviral therapy-mediated immune responses in HCV/HIV-coinfected women: role of HCV on expression of primed/memory T cells. 2006 , 193, 1202-10 | 43 |
| 813 | Lack of mucosal immune reconstitution during prolonged treatment of acute and early HIV-1 infection. 2006 , 3, e484 | 215 |
| 812 | CD21 and CD62L shedding are both inducible via P2X7Rs. 2006 , 18, 1171-8 | 27 |
| 811 | Three memory subsets of human CD8+ T cells differently expressing three cytolytic effector molecules. 2006 , 177, 4330-40 | 129 |
| 810 | FTY720 suppresses CD4+CD44highCD62L- effector memory T cell-mediated colitis. 2006 , 291, G267-74 | 53 |
| 809 | Functional regulatory T cells are collected in stem cell autografts by mobilization with high-dose cyclophosphamide and granulocyte colony-stimulating factor. 2006 , 176, 6631-9 | 54 |
| 808 | Trypanosoma cruzi modulates the profile of memory CD8+ T cells in chronic Chagas' disease patients. 2006 , 18, 465-71 | 118 |
| 807 | CXCR3 and alphaEbeta7 integrin identify a subset of CD8+ mature thymocytes that share phenotypic and functional properties with CD8+ gut intraepithelial lymphocytes. 2006 , 55, 961-8 | 24 |
| 806 | Patients with solid tumors treated with high-temperature whole body hyperthermia show a redistribution of naive/memory T-cell subtypes. 2006 , 290, R585-94 | 27 |
| 805 | Characterizing the circulating, gliadin-specific CD4+ memory T cells in patients with celiac disease: linkage between memory function, gut homing and Th1 polarization. 2006 , 79, 676-85 | 17 |
| 804 | Autologous tumor rejection in humans: trimming the myths. 2006 , 35, 437-58 | 6 |
| 803 | Antigen-specific central memory CD4+ T lymphocytes produce multiple cytokines and proliferate in vivo in humans. 2006 , 177, 8185-90 | 55 |

| | | |
|-----|--|-----|
| 802 | Longitudinal studies of clonally expanded CD8 T cells reveal a repertoire shrinkage predicting mortality and an increased number of dysfunctional cytomegalovirus-specific T cells in the very elderly. 2006 , 176, 2645-53 | 374 |
| 801 | LIGHT is dispensable for CD4+ and CD8+ T cell and antibody responses to influenza A virus in mice. 2006 , 18, 797-806 | 25 |
| 800 | Cutting edge: latecomer CD8 T cells are imprinted with a unique differentiation program. 2006 , 177, 777-81 | 98 |
| 799 | Secondary memory CD8+ T cells are more protective but slower to acquire a central-memory phenotype. 2006 , 203, 919-32 | 135 |
| 798 | Gammaherpesvirus persistence alters key CD8 T-cell memory characteristics and enhances antiviral protection. 2006 , 80, 8303-15 | 46 |
| 797 | Induction of a virus-specific effector-memory CD4+ T cell response by attenuated SIV infection. 2006 , 203, 2661-72 | 55 |
| 796 | Ex vivo CD(+) T-cell cytokine expression from patients with Sjögren's syndrome following in vitro stimulation to induce proliferation. 2006 , 45, 392-9 | 8 |
| 795 | A Bayesian network meta-analysis of comparison of cancer therapeutic vaccines for melanoma. 2021 , 35, 1976-1986 | 0 |
| 794 | The Natural History of T Cell Metabolism. 2021 , 22, | 2 |
| 793 | Role of tissue-resident memory T cells in the pathophysiology of allergic contact dermatitis. 2021 , 21, 355-360 | |
| 792 | OMIP 076: High-dimensional immunophenotyping of murine T-cell, B-cell, and antibody secreting cell subsets. 2021 , 99, 888-892 | 0 |
| 791 | Childhood Adiposity Associated With Expanded Effector Memory CD8+ and V α +V β + T Cells. 2021 , 106, e3923-e3935 | 1 |
| 790 | Single-cell RNA sequencing reveals ex vivo signatures of SARS-CoV-2-reactive T cells through 'reverse phenotyping'. 2021 , 12, 4515 | 5 |
| 789 | Activated CD4 T Cells and Highly Differentiated Alloreactive CD4 T Cells Distinguish Operationally Tolerant Liver Transplantation Recipients. 2021 , | 2 |
| 788 | NEAT-seq: Simultaneous profiling of intra-nuclear proteins, chromatin accessibility, and gene expression in single cells. | 1 |
| 787 | CD49a Identifies Polyfunctional Memory CD8 T cell Subsets that Persist in the Lungs after Influenza Infection. | |
| 786 | Immunological considerations HLA matching and management of high immunological risk recipients. 1 | |
| 785 | Lack of intrafollicular memory CD4 + T cells is predictive of early clinical failure in newly diagnosed follicular lymphoma. 2021 , 11, 130 | 5 |

| | | |
|-----|--|----|
| 784 | Inflammatory signals are sufficient to elicit TOX expression in mouse and human CD8+ T cells. 2021 , 6, | 2 |
| 783 | A comparison of chimeric antigen receptors containing CD28 versus 4-1BB costimulatory domains. 2021 , 18, 715-727 | 24 |
| 782 | Late-phase dominance of a single epitope-specific CD8+ T-cell response in passive neutralizing antibody-infused simian immunodeficiency virus controllers. 2021 , 35, 2281-2288 | 0 |
| 781 | Blocking Short-Form Ron Eliminates Breast Cancer Metastases through Accumulation of Stem-Like CD4 T Cells That Subvert Immunosuppression. 2021 , | 1 |
| 780 | Combination Immunotherapy With LIGHT and Interleukin-2 Increases CD8 Central Memory T-Cells In Vivo. 2021 , 263, 44-52 | 2 |
| 779 | Visualization of Resident Memory CD8 T Cells in the Lungs of Young and Aged Influenza Memory Mice and after Heterosubtypic Challenge. 2021 , 5, 543-556 | 1 |
| 778 | Adsorption immobilization of biomolecules from subphase on Langmuir monolayers of organo-modified single-walled carbon nanotube. 2021 , 621, 126559 | 1 |
| 777 | Characterization of CD31 expression in CD4+ and CD8+T cell subpopulations in chronic untreated HIV infection. 2021 , 235, 22-31 | |
| 776 | Single-Cell Transcriptomics Reveals Core Regulatory Programs That Determine the Heterogeneity of Circulating and Tissue-Resident Memory CD8 T Cells. 2021 , 10, | 0 |
| 775 | Luteolin as a potential host-directed immunotherapy adjunct to isoniazid treatment of tuberculosis. 2021 , 17, e1009805 | 0 |
| 774 | A single shot of a hybrid hAdV5-based anti-COVID-19 vaccine induces a long-lasting immune response and broad coverage against VOC. | |
| 773 | Aging and CMV Infection Affect Pre-existing SARS-CoV-2-Reactive CD8+ T Cells in Unexposed Individuals. 2021 , 2, | 2 |
| 772 | Integrated longitudinal immunophenotypic, transcriptional and repertoire analyses delineate immune responses in COVID-19 patients. 2021 , 6, | 20 |
| 771 | Convalescent COVID-19 Patients Without Comorbidities Display Similar Immunophenotypes Over Time Despite Divergent Disease Severities. 2021 , 12, 601080 | 2 |
| 770 | Skin Resident Memory T Cells May Play Critical Role in Delayed-Type Drug Hypersensitivity Reactions. 2021 , 12, 654190 | 1 |
| 769 | Ubiquitin Specific Protease 1 Expression and Function in T Cell Immunity. 2021 , 207, 1377-1387 | 0 |
| 768 | Tissue-Resident Memory T Cells in Skin Diseases: A Systematic Review. 2021 , 22, | 2 |
| 767 | Congenital Human Cytomegalovirus Infection: A Narrative Review of Maternal Immune Response and Diagnosis in View of the Development of a Vaccine and Prevention of Primary and Non-Primary Infections in Pregnancy. 2021 , 9, | 0 |

| | | |
|-----|--|----|
| 766 | Modulation of Xenogeneic T Cell Proliferation by B7 and mTOR Blockade of T cells and Porcine Endothelial Cells. 2021 , | 0 |
| 765 | Activated, Pro-Inflammatory Th1, Th17, and Memory CD4+ T Cells and B Cells Are Involved in Delayed-Type Hypersensitivity Arthritis (DTHA) Inflammation and Paw Swelling in Mice. 2021 , 12, 689057 | 0 |
| 764 | Durability of SARS-CoV-2-specific T cell responses at 12-months post-infection. | 1 |
| 763 | Hobit identifies tissue-resident memory T cell precursors that are regulated by Eomes. 2021 , 6, | 10 |
| 762 | Influence of Vitamin D3 Levels and T Cell-Related Cytokines in Human Milk on Coronavirus Disease 2019 Infection in Lactating Women. 2021 , 16, 995-1003 | 0 |
| 761 | P-Selectin Glycoprotein Ligand 1: A Potential HIV-1 Therapeutic Target. 2021 , 12, 710121 | 4 |
| 760 | Characterization of Varicella-Zoster (VZV) Specific T Cell Response in Healthy Subjects and Transplanted Patients by Using Enzyme Linked Immunospot (ELISpot) Assays. 2021 , 9, | 2 |
| 759 | Dynamic alterations of circulating T lymphocytes and the clinical response in patients with head and neck squamous cell carcinoma treated with nivolumab. 2021 , 1 | 1 |
| 758 | Skin-Resident Memory T Cells: Pathogenesis and Implication for the Treatment of Psoriasis. 2021 , 10, | 4 |
| 757 | Characterization and ex vivo expansion of rare in situ cytokine secreting T cell populations from tumor tissue and blood of oral squamous cell carcinoma patients. 2021 , 496, 113086 | 0 |
| 756 | Variances in Antiviral Memory T-Cell Repertoire of CD45RA- and CD62L-Depleted Lymphocyte Products Reflect the Need of Individual T-Cell Selection Strategies to Reduce the Risk of GvHD while Preserving Antiviral Immunity in Adoptive T-Cell Therapy.. 2022 , 49, 30-43 | |
| 755 | T-cell subsets in the skin and their role in inflammatory skin disorders. 2021 , | 3 |
| 754 | An Updated Model for the Epigenetic Regulation of Effector and Memory CD8 T Cell Differentiation. 2021 , 207, 1497-1505 | 1 |
| 753 | Co-Ordination of Mucosal B Cell and CD8 T Cell Memory by Tissue-Resident CD4 Helper T Cells. 2021 , 10, | 1 |
| 752 | Ex-vivo immunophenotyping and high dimensionality UMAP analysis of leucocyte subsets in tuberculous lymphadenitis. 2021 , 130, 102117 | |
| 751 | Single-cell RNA sequencing reveals markers of disease progression in primary cutaneous T-cell lymphoma. 2021 , 20, 124 | 2 |
| 750 | A Radiomic Approach to Access Tumor Immune Status by CD8TRMs on Surgically Resected Non-Small-Cell Lung Cancer. 2021 , 14, 4921-4931 | 0 |
| 749 | PD-1 Tcf1 ⁺ CD8 T cells from established chronic infection can form memory while retaining a stableimprint of persistent antigen exposure. 2021 , 36, 109672 | 2 |

| | | |
|-----|---|-----|
| 748 | Immunogenicity and Efficacy of Live-Attenuated Typhimurium Vaccine Candidate CVD 1926 in a Rhesus Macaque Model of Gastroenteritis. 2021 , 89, e0008721 | 0 |
| 747 | Rapid induction of antigen-specific CD4 T cells is associated with coordinated humoral and cellular immunity to SARS-CoV-2 mRNA vaccination. 2021 , 54, 2133-2142.e3 | 117 |
| 746 | Orengedokuto exerts anti-allergic effects via inhibition of effector T cell activation in a murine model of contact hypersensitivity. 2021 , 1 | 0 |
| 745 | HIV-1 Genomes Are Enriched in Memory CD4 T-Cells with Short Half-Lives. 2021 , 12, e0244721 | 1 |
| 744 | Resident memory CD8 T cells in regional lymph nodes mediate immunity to metastatic melanoma. 2021 , 54, 2117-2132.e7 | 5 |
| 743 | CD49a Identifies Polyfunctional Memory CD8 T Cell Subsets that Persist in the Lungs After Influenza Infection. 2021 , 12, 728669 | 1 |
| 742 | A Treatment-Naïve Cellular Atlas of Pediatric Crohn's Disease Predicts Disease Severity and Therapeutic Response. | 2 |
| 741 | Provirus reactivation is impaired in HIV-1 infected individuals on treatment with dasatinib and antiretroviral therapy. 2021 , 192, 114666 | 3 |
| 740 | Multifunctional T cell response in active pulmonary tuberculosis patients. 2021 , 99, 107898 | 0 |
| 739 | Tissue Resident Memory T Cells in Murine Uterus Expressed High Levels of IL-17 Promoting the Invasion of Trophocytes. 2020 , 11, 588227 | 4 |
| 738 | CD8 T Lymphocytes: Crucial Players in Sjögren's Syndrome. 2020 , 11, 602823 | 6 |
| 737 | The Potential of T Cell Factor 1 in Sustaining CD8 T Lymphocyte-Directed Anti-Tumor Immunity. 2021 , 13, | 0 |
| 736 | HIV-1 Vpr drives a tissue residency-like phenotype during selective infection of resting memory T cells. | |
| 735 | Relationship between CD4 T cell turnover, cellular differentiation and HIV persistence during ART. 2021 , 17, e1009214 | 14 |
| 734 | SARS-CoV-2-Associated T-Cell Responses in the Presence of Humoral Immunodeficiency. 2021 , 182, 195-209 | 23 |
| 733 | Pathogenesis of airway inflammation in bronchial asthma. 2011 , 38, 555-563 | 57 |
| 732 | Chemokine and Cytokine Modulators. 2003 , 119-192 | 1 |
| 731 | Comprehensive Phenotyping of T Cells Using Flow Cytometry. 2019 , 95, 647-654 | 46 |

| | | |
|-----|---|----|
| 730 | Intracellular Cytokine Staining. 2005 , 175-182 | 2 |
| 729 | T cell memory. 2006 , 311, 85-115 | 11 |
| 728 | Lymphocyte trafficking and chemokine receptors during pulmonary disease. 2006 , 115-131 | 1 |
| 727 | Memory T cells in allograft rejection. 2007 , 601, 247-56 | 15 |
| 726 | A Matter of Life and Death of T-Lymphocytes in Immunosenescence. 2007 , 44-56 | 1 |
| 725 | Initial TCR transgenic precursor frequency alters functional behaviour of CD8 T cells responding to acute infection. 2009 , 633, 71-80 | 4 |
| 724 | T Cell Reprogramming Against Cancer. 2020 , 2097, 3-44 | 14 |
| 723 | Characterization of tumor-directed cellular immune responses in humans. 2008 , 157-167 | 1 |
| 722 | Age, T-cell Homeostasis, and T-cell Diversity in Humans. 2009 , 167-192 | 1 |
| 721 | Blimp1: driving terminal differentiation to a T. 2011 , 780, 85-100 | 12 |
| 720 | Memory T cells in Rhesus macaques. 2010 , 684, 126-44 | 11 |
| 719 | Memory T-cell subsets in parasitic infections. 2010 , 684, 145-54 | 1 |
| 718 | The role of precursor frequency in the differentiation of memory T cells: memory by numbers. 2010 , 684, 69-78 | 2 |
| 717 | Principles of memory CD8 T-cells generation in relation to protective immunity. 2010 , 684, 108-25 | 16 |
| 716 | Psychoneuromicrobiology: Cytomegalovirus Infection as a Putative Link Between Stress, Aging, and Immunity. 2013 , 81-100 | 2 |
| 715 | DNA Vaccines Against Bacterial Pathogens. 2003 , 161-194 | 1 |
| 714 | Regulation of Memory Cd4 T Cells: Generation, Localization and Persistence. 2002 , 113-120 | 22 |
| 713 | Migration of primary and memory CD8 T cells. 2002 , 512, 141-6 | 9 |

| | | |
|-----|---|----|
| 712 | Antiviral Memory T Cell Responses. 2002 , 155-164 | 3 |
| 711 | Analyzing the Effect of Aging on CD8+ T-Cell Phenotype Using Flow Cytometry. 2015 , 1343, 115-9 | 1 |
| 710 | Analysis of CXCR3 and atypical variant expression and signalling in human T lymphocytes. 2010 , 616, 125-47 | 2 |
| 709 | Vaccines. 2008 , 579-603 | 1 |
| 708 | Initiation, Persistence and Exacerbation of Food Allergy. 2017 , 121-144 | 4 |
| 707 | Age, T Cell Homeostasis, and T Cell Diversity in Humans. 2019 , 303-322 | 1 |
| 706 | Mechanisms of Irritant and Allergic Contact Dermatitis. 2011 , 43-90 | 25 |
| 705 | Functional organization of secondary lymphoid organs by the chemokine system. 2000 , 251, 173-9 | 10 |
| 704 | L-selectin-mediated leukocyte adhesion and migration. 2007 , 27-70 | 2 |
| 703 | CD8+ T Cells Play a Key Role in the Development of Allergic Lung Inflammation. 2009 , 167-178 | 1 |
| 702 | CD8 T Cell Memory to Pathogens. 2016 , 300-317 | 5 |
| 701 | The immune system--a hidden treasure for biomarker discovery in cutaneous melanoma. 2012 , 58, 89-140 | 24 |
| 700 | Chemokines in Cell Movement and Allergic Inflammation. 2009 , 181-201 | 2 |
| 699 | Stress-induced Modulation of the Immune Response to Herpes Simplex Virus Infections. 2007 , 1077-1096 | 2 |
| 698 | Development, Function, and Specificity of Intestinal Intraepithelial Lymphocytes. 2005 , 565-581 | 4 |
| 697 | Development and Function of the Hemato-lymphopoietic System. 2002 , 119-128 | 2 |
| 696 | THE IMMUNE SYSTEM AND THE INFLAMMATORY RESPONSE. 2005 , 19-63 | 1 |
| 695 | Toll-like receptor 7 and Toll-like receptor 9 agonists effectively enhance immunological memory in Plasmodium chabaudi infected BALB/c mice. 2020 , 81, 106248 | 2 |

| | | |
|-----|--|----|
| 694 | Tissue-resident memory CD8 T cells in cancer immunology and immunotherapy. 2020 , 159, 104876 | 8 |
| 693 | Cancer therapy-induced immune modulation. 2005 , 325-341 | 1 |
| 692 | Highly active antiretroviral therapy induces specific changes in effector and central memory T cell sub-populations. 2001 , 15, 1887-90 | 11 |
| 691 | Low levels of co-receptor CCR5 are sufficient to permit HIV envelope-mediated fusion with resting CD4 T cells. 2002 , 16, 2337-40 | 16 |
| 690 | Memory T cells: how might they disrupt the induction of tolerance?. 2009 , 87, S74-7 | 10 |
| 689 | Molecular determinants and heterogeneity of tissue-resident memory CD8+ T lymphocytes revealed by single-cell RNA sequencing. | 4 |
| 688 | Control of Mycobacterium tuberculosis Infection in Lungs is Associated with Recruitment of Antigen-Specific Th1 and Th17 cells Co-expressing CXCR3 and CCR6. | 1 |
| 687 | Age related defects in NK cell immunity revealed by deep immune profiling of pediatric cancer patients. | 1 |
| 686 | Single-cell RNA-Seq reveals the link between CD45 isoforms and tumor-infiltrating T cells heterogeneity in liver cancer. | 1 |
| 685 | Disease stage-specific pathogenicity of CD138 (syndecan 1)-expressing T cells in systemic lupus erythematosus. | 1 |
| 684 | Phenotype of SARS-CoV-2-specific T-cells in COVID-19 patients with acute respiratory distress syndrome. | 39 |
| 683 | Multimodal memory T cell profiling identifies a reduction in a polyfunctional Th17 state associated with tuberculosis progression. | 7 |
| 682 | In-depth phenotyping of human peripheral blood mononuclear cells in convalescent COVID-19 patients following a mild versus severe disease course. | 2 |
| 681 | The identity of human tissue-emigrant CD8+ T cells. | 4 |
| 680 | T cell competition profoundly reduces the effect of initial precursor frequency on the generation of CD4 T cell memory. | 1 |
| 679 | Genome-Wide Asymptomatic B-Cell, CD4 and CD8 T-Cell Epitopes, that are Highly Conserved Between Human and Animal Coronaviruses, Identified from SARS-CoV-2 as Immune Targets for Pre-Emptive Pan-Coronavirus Vaccines. 2020 , | 1 |
| 678 | Single-cell RNA sequencing reveals in vivo signatures of SARS-CoV-2-reactive T cells through Reverse phenotyping | 2 |
| 677 | High prevalence of S. pyogenes Cas9-specific T cell sensitization within the adult human population A balanced effector/regulatory T cell response. | 5 |

| | | |
|-----|--|-----|
| 676 | Viable and efficient electroporation-based genetic manipulation of unstimulated human T cells. | 9 |
| 675 | Patterns, Profiles, and Parsimony: dissecting transcriptional signatures from minimal single-cell RNA-seq output with SALSA. | 1 |
| 674 | A single-cell reference map for human blood and tissue T cell activation reveals functional states in health and disease. | 4 |
| 673 | Significant control of Zika infection in macaques depends on the elapsing time after dengue exposure. | 2 |
| 672 | Transcriptome Dynamics Reveals Progressive Transition from Effector to Memory in CD4+T cells. | 1 |
| 671 | Discovery of CD80 and CD86 as recent activation markers on regulatory T cells by protein-RNA single-cell analysis. | 3 |
| 670 | Mapping the Immune Landscape of Clear Cell Renal Cell Carcinoma by Single-Cell RNA-seq. | 6 |
| 669 | Supplementation of l-arginine boosts the therapeutic efficacy of anticancer chemoimmunotherapy. 2020 , 111, 2248-2258 | 8 |
| 668 | Exploratory study on immune phenotypes in Alzheimer's disease and vascular dementia. 2020 , 27, 1887-1894 | 9 |
| 667 | Immunology. Memory T cells--local heroes in the struggle for immunity. 2001 , 291, 2323-4 | 36 |
| 666 | Phenotype and kinetics of SARS-CoV-2-specific T cells in COVID-19 patients with acute respiratory distress syndrome. 2020 , 5, | 554 |
| 665 | Mechanisms of Adaptive Immunity That Prevent Colonization at Mucosal Surfaces. 35-47 | 1 |
| 664 | The Th1/Th2 Paradigm in Infections. 161-174 | 2 |
| 663 | Adoptive lymphocyte transfer to an HIV-infected progressor from an elite controller. 2019 , 4, | 4 |
| 662 | Bone marrow is the preferred site of memory CD4+ T cell proliferation during recovery from sepsis. 2020 , 5, | 9 |
| 661 | Pulmonary Mycobacterium tuberculosis control associates with CXCR3- and CCR6-expressing antigen-specific Th1 and Th17 cell recruitment. 2020 , 5, | 24 |
| 660 | The MEK inhibitor trametinib separates murine graft-versus-host disease from graft-versus-tumor effects. 2016 , 1, e86331 | 15 |
| 659 | Proteomics analysis reveals a Th17-prone cell population in presymptomatic graft-versus-host disease. 2016 , 1, | 31 |

| | | |
|-----|---|-----|
| 658 | Human MAIT cells exit peripheral tissues and recirculate via lymph in steady state conditions. 2018 , 3, | 41 |
| 657 | Treatment of primary HIV-1 infection with cyclosporin A coupled with highly active antiretroviral therapy. 2002 , 109, 681-688 | 94 |
| 656 | Expression of cutaneous lymphocyte-associated antigen by CD8+ T cells specific for a skin-tropic virus. 2002 , 110, 537-548 | 97 |
| 655 | IFN- γ protects short-term ovarian carcinoma cell lines from CTL lysis via a CD94/NKG2A-dependent mechanism. 2002 , 110, 1515-1523 | 122 |
| 654 | Target organ localization of memory CD4+ T cells in patients with chronic beryllium disease. 2002 , 110, 1473-1482 | 74 |
| 653 | CCL25 mediates the localization of recently activated CD8 α lymphocytes to the small-intestinal mucosa. 2002 , 110, 1113-1121 | 227 |
| 652 | CCR6-deficient mice have impaired leukocyte homeostasis and altered contact hypersensitivity and delayed-type hypersensitivity responses. 2001 , 107, R37-45 | 181 |
| 651 | Bonzo/CXCR6 expression defines type 1-polarized T-cell subsets with extralymphoid tissue homing potential. 2001 , 107, 595-601 | 254 |
| 650 | Autoreactive T effector memory differentiation mirrors β cell function in type 1 diabetes. 2018 , 128, 3460-3474 | 34 |
| 649 | Dengue-specific CD8+ T cell subsets display specialized transcriptomic and TCR profiles. 2019 , 129, 1727-1741 | 22 |
| 648 | Targeting innate immunity for tuberculosis vaccination. 2019 , 129, 3482-3491 | 47 |
| 647 | BCL-2 antagonism sensitizes cytotoxic T cell-resistant HIV reservoirs to elimination ex vivo. 2020 , 130, 2542-2559 | 28 |
| 646 | Effector differentiation is not prerequisite for generation of memory cytotoxic T lymphocytes. 2001 , 108, 871-8 | 324 |
| 645 | Rules of chemokine receptor association with T cell polarization in vivo. 2001 , 108, 1331-9 | 354 |
| 644 | Salt generates antiinflammatory Th17 cells but amplifies pathogenicity in proinflammatory cytokine microenvironments. 2020 , 130, 4587-4600 | 18 |
| 643 | Vaccine targeting SIVmac251 protease cleavage sites protects macaques against vaginal infection. 2020 , 130, 6429-6442 | 3 |
| 642 | Mass cytometry detects H3.3K27M-specific vaccine responses in diffuse midline glioma. 2020 , 130, 6325-6337 | 21 |
| 641 | Peripheral CD4+ T cell subsets and antibody response in COVID-19 convalescent individuals. 2020 , 130, 6588-6599 | 50 |

| | | |
|-----|---|-----|
| 640 | Treatment of primary HIV-1 infection with cyclosporin A coupled with highly active antiretroviral therapy. 2002 , 109, 681-8 | 42 |
| 639 | Expression of cutaneous lymphocyte-associated antigen by CD8(+) T cells specific for a skin-tropic virus. 2002 , 110, 537-48 | 58 |
| 638 | IFN-gamma protects short-term ovarian carcinoma cell lines from CTL lysis via a CD94/NKG2A-dependent mechanism. 2002 , 110, 1515-23 | 53 |
| 637 | Target organ localization of memory CD4(+) T cells in patients with chronic beryllium disease. 2002 , 110, 1473-82 | 47 |
| 636 | CCL25 mediates the localization of recently activated CD8alpha(+) lymphocytes to the small-intestinal mucosa. 2002 , 110, 1113-21 | 126 |
| 635 | Heterologous immunity provides a potent barrier to transplantation tolerance. 2003 , 111, 1887-95 | 239 |
| 634 | Subpopulations of long-lived and short-lived T cells in advanced HIV-1 infection. 2003 , 112, 956-66 | 90 |
| 633 | Memory CD4+ T cells do not induce graft-versus-host disease. 2003 , 112, 101-8 | 311 |
| 632 | Ex vivo analysis of human memory CD4 T cells specific for hepatitis C virus using MHC class II tetramers. 2003 , 112, 831-42 | 128 |
| 631 | Pleasant memories: remembering immune protection while forgetting about graft-versus-host disease. 2003 , 112, 25-7 | 14 |
| 630 | Expression of the alpha1beta1 integrin, VLA-1, marks a distinct subset of human CD4+ memory T cells. 2003 , 112, 1444-54 | 16 |
| 629 | Exploring pathways for memory T cell generation. 2001 , 108, 805-806 | 74 |
| 628 | Heterologous immunity provides a potent barrier to transplantation tolerance. 2003 , 111, 1887-1895 | 471 |
| 627 | Subpopulations of long-lived and short-lived T cells in advanced HIV-1 infection. 2003 , 112, 956-966 | 173 |
| 626 | Ex vivo analysis of human memory CD4 T cells specific for hepatitis C virus using MHC class II tetramers. 2003 , 112, 831-842 | 210 |
| 625 | Expression of the alpha1beta1 integrin, VLA-1, marks a distinct subset of human CD4+ memory T cells. 2003 , 112, 1444-1454 | 30 |
| 624 | Specifically activated memory T cell subsets from cancer patients recognize and reject xenotransplanted autologous tumors. 2004 , 114, 67-76 | 94 |
| 623 | Hepatic expansion of a virus-specific regulatory CD8+ T cell population in chronic hepatitis C virus infection. 2004 , 113, 963-972 | 229 |

| | | |
|-----|---|-----|
| 622 | Progress on new vaccine strategies against chronic viral infections. 2004 , 114, 450-462 | 89 |
| 621 | HIV-1-specific CD4+ T lymphocyte turnover and activation increase upon viral rebound. 2005 , 115, 443-450 | 43 |
| 620 | Inducible nitric oxide synthase in T cells regulates T cell death and immune memory. 2004 , 113, 1734-42 | 89 |
| 619 | Specifically activated memory T cell subsets from cancer patients recognize and reject xenotransplanted autologous tumors. 2004 , 114, 67-76 | 53 |
| 618 | Hepatic expansion of a virus-specific regulatory CD8(+) T cell population in chronic hepatitis C virus infection. 2004 , 113, 963-72 | 103 |
| 617 | Progress on new vaccine strategies against chronic viral infections. 2004 , 114, 450-62 | 45 |
| 616 | HIV-1-specific CD4+ T lymphocyte turnover and activation increase upon viral rebound. 2005 , 115, 443-50 | 26 |
| 615 | Induction of prolonged survival of CD4+ T lymphocytes by intermittent IL-2 therapy in HIV-infected patients. 2005 , 115, 2139-48 | 99 |
| 614 | Rapid and strong human CD8+ T cell responses to vaccination with peptide, IFA, and CpG oligodeoxynucleotide 7909. 2005 , 115, 739-46 | 497 |
| 613 | A peripheral circulating compartment of natural naive CD4 Tregs. 2005 , 115, 1953-62 | 235 |
| 612 | Preferential migration of effector CD8+ T cells into the interstitium of the normal lung. 2005 , 115, 3473-83 | 140 |
| 611 | Tonsillar homing of Epstein-Barr virus-specific CD8+ T cells and the virus-host balance. 2005 , 115, 2546-55 | 84 |
| 610 | Frequency of beryllium-specific, central memory CD4+ T cells in blood determines proliferative response. 2005 , 115, 2886-93 | 46 |
| 609 | To ablate or not to ablate? HSCs in the T cell driver's seat. 2007 , 117, 306-10 | 12 |
| 608 | Principles of adoptive T cell cancer therapy. 2007 , 117, 1204-12 | 197 |
| 607 | Low doses of killed parasite in CpG elicit vigorous CD4+ T cell responses against blood-stage malaria in mice. 2010 , 120, 2967-78 | 58 |
| 606 | BTLA mediates inhibition of human tumor-specific CD8+ T cells that can be partially reversed by vaccination. 2010 , 120, 157-67 | 219 |
| 605 | Tim-3 expression on PD-1+ HCV-specific human CTLs is associated with viral persistence, and its blockade restores hepatocyte-directed in vitro cytotoxicity. 2010 , 120, 4546-57 | 249 |

| | | |
|-----|--|-----|
| 604 | A mycolic acid-specific CD1-restricted T cell population contributes to acute and memory immune responses in human tuberculosis infection. 2011 , 121, 2493-503 | 76 |
| 603 | Intravaginal immunization with HPV vectors induces tissue-resident CD8+ T cell responses. 2012 , 122, 4606-20 | 101 |
| 602 | Mapping immune processes in intact tissues at cellular resolution. 2012 , 122, 4439-46 | 30 |
| 601 | Central memory CD8+ T lymphocytes mediate lung allograft acceptance. 2014 , 124, 1130-43 | 59 |
| 600 | Prostanoid induces premetastatic niche in regional lymph nodes. 2014 , 124, 4882-94 | 57 |
| 599 | T lymphocytes and fractalkine contribute to myocardial ischemia/reperfusion injury in patients. 2015 , 125, 3063-76 | 85 |
| 598 | ABC transporters and NR4A1 identify a quiescent subset of tissue-resident memory T cells. 2016 , 126, 3905-3916 | 52 |
| 597 | BET bromodomain inhibition enhances T cell persistence and function in adoptive immunotherapy models. 2016 , 126, 3479-94 | 118 |
| 596 | CD3 and CD28 down-modulation on CD8 T cells during viral infection. 2000 , 96, 1021-1029 | 2 |
| 595 | Regulation of CCR6 chemokine receptor expression and responsiveness to macrophage inflammatory protein-3 α /CCL20 in human B cells. 2000 , 96, 2338-2345 | 11 |
| 594 | Impaired function of circulating HIV-specific CD8+ T cells in chronic human immunodeficiency virus infection. 2000 , 96, 3094-3101 | 78 |
| 593 | The emerging role of CD40 ligand in HIV infection. 2000 , 68, 373-382 | 14 |
| 592 | Macrophage-derived chemokine (MDC). 2000 , 68, 400-404 | 30 |
| 591 | Lymphoid neogenesis: de novo formation of lymphoid tissue in chronic inflammation through expression of homing chemokines. 2001 , 69, 331-339 | 46 |
| 590 | Quantitative analysis of chemokine expression by dendritic cell subsets in vitro and in vivo. 2001 , 69, 785-793 | 30 |
| 589 | The Pathophysiology of Graft-vs.-Host Disease. 2004 , 1-34 | 1 |
| 588 | Chemokines of Human Skin. 2004 , 373-392 | 1 |
| 587 | The second touch hypothesis: T cell activation, homing and polarization. 2014 , 3, 37 | 22 |

| | | |
|-----|--|----|
| 586 | The second touch hypothesis: T cell activation, homing and polarization. 2014 , 3, 37 | 43 |
| 585 | Memory CD8 T cell transcriptional plasticity. 2015 , 7, 38 | 25 |
| 584 | Immunological outcomes of new tuberculosis vaccine trials: WHO panel recommendations. 2008 , 5, e145 | 71 |
| 583 | Trypanosoma cruzi vaccine candidate antigens Tc24 and TSA-1 recall memory immune response associated with HLA-A and -B supertypes in Chagasic chronic patients from Mexico. 2018 , 12, e0006240 | 21 |
| 582 | Loss of receptor on tuberculin-reactive T-cells marks active pulmonary tuberculosis. 2007 , 2, e735 | 65 |
| 581 | Tracing functional antigen-specific CCR6 Th17 cells after vaccination. 2008 , 3, e2951 | 18 |
| 580 | Evolution of highly polymorphic T cell populations in siblings with the Wiskott-Aldrich Syndrome. 2008 , 3, e3444 | 19 |
| 579 | Clofazimine inhibits human Kv1.3 potassium channel by perturbing calcium oscillation in T lymphocytes. 2008 , 3, e4009 | 83 |
| 578 | In vivo and in vitro effects of antituberculosis treatment on mycobacterial interferon-gamma T cell response. 2009 , 4, e5187 | 43 |
| 577 | Evaluating the cellular targets of anti-4-1BB agonist antibody during immunotherapy of a pre-established tumor in mice. 2010 , 5, e11003 | 32 |
| 576 | Visualizing early splenic memory CD8+ T cells reactivation against intracellular bacteria in the mouse. 2010 , 5, e11524 | 33 |
| 575 | Production of TNF-alpha, IL-12(p40) and IL-17 can discriminate between active TB disease and latent infection in a West African cohort. 2010 , 5, e12365 | 79 |
| 574 | Immunogenic profiling in mice of a HIV/AIDS vaccine candidate (MVA-B) expressing four HIV-1 antigens and potentiation by specific gene deletions. 2010 , 5, e12395 | 64 |
| 573 | Failure of effector function of human CD8+ T Cells in NOD/SCID/JAK3 ^{-/-} immunodeficient mice transplanted with human CD34+ hematopoietic stem cells. 2010 , 5, e13109 | 13 |
| 572 | Increased memory conversion of naive CD8 T cells activated during late phases of acute virus infection due to decreased cumulative antigen exposure. 2011 , 6, e14502 | 13 |
| 571 | Effects of human respiratory syncytial virus, metapneumovirus, parainfluenza virus 3 and influenza virus on CD4+ T cell activation by dendritic cells. 2010 , 5, e15017 | 34 |
| 570 | Enumeration of functional T-cell subsets by fluorescence-immunospot defines signatures of pathogen burden in tuberculosis. 2010 , 5, e15619 | 62 |
| 569 | Altered T cell memory and effector cell development in chronic lymphatic filarial infection that is independent of persistent parasite antigen. 2011 , 6, e19197 | 13 |

| | | |
|-----|--|-----|
| 568 | Protective immunity induced with the RTS,S/AS vaccine is associated with IL-2 and TNF- α producing effector and central memory CD4 T cells. 2011 , 6, e20775 | 65 |
| 567 | The blood of healthy individuals exhibits CD8 T cells with a highly altered TCR V β repertoire but with an unmodified phenotype. 2011 , 6, e21240 | 13 |
| 566 | A candidate HIV/AIDS vaccine (MVA-B) lacking vaccinia virus gene C6L enhances memory HIV-1-specific T-cell responses. 2011 , 6, e24244 | 62 |
| 565 | Age-related differences in naturally acquired T cell memory to Plasmodium falciparum merozoite surface protein 1. 2011 , 6, e24852 | 27 |
| 564 | Higher frequency of T-cell response to M. tuberculosis latency antigen Rv2628 at the site of active tuberculosis disease than in peripheral blood. 2011 , 6, e27539 | 48 |
| 563 | Long-lasting immune responses 4 years after GAD-alum treatment in children with type 1 diabetes. 2011 , 6, e29008 | 31 |
| 562 | Cytotoxic T lymphocyte trafficking and survival in an augmented fibrin matrix carrier. 2012 , 7, e34652 | 6 |
| 561 | Naturally-acquired influenza-specific CD4+ T-cell proliferative responses are impaired in HIV-infected African adults. 2012 , 7, e38628 | 5 |
| 560 | Human peripheral blood mononuclear cells exhibit heterogeneous CD52 expression levels and show differential sensitivity to alemtuzumab mediated cytolysis. 2012 , 7, e39416 | 118 |
| 559 | Regulation and gene expression profiling of NKG2D positive human cytomegalovirus-primed CD4+ T-cells. 2012 , 7, e41577 | 6 |
| 558 | Loss of CCR7 expression on CD56(bright) NK cells is associated with a CD56(dim)CD16+ NK cell-like phenotype and correlates with HIV viral load. 2012 , 7, e44820 | 25 |
| 557 | Oral vaccination with lipid-formulated BCG induces a long-lived, multifunctional CD4(+) T cell memory immune response. 2012 , 7, e45888 | 21 |
| 556 | Immunogenicity of a recombinant measles-HIV-1 clade B candidate vaccine. 2012 , 7, e50397 | 33 |
| 555 | The Ikaros transcription factor regulates responsiveness to IL-12 and expression of IL-2 receptor alpha in mature, activated CD8 T cells. 2013 , 8, e57435 | 5 |
| 554 | T-Bet and Eomes Regulate the Balance between the Effector/Central Memory T Cells versus Memory Stem Like T Cells. 2013 , 8, e67401 | 38 |
| 553 | Dual role of miR-21 in CD4+ T-cells: activation-induced miR-21 supports survival of memory T-cells and regulates CCR7 expression in naive T-cells. 2013 , 8, e76217 | 55 |
| 552 | The absence of CCR7 results in dysregulated monocyte migration and immunosuppression facilitating chronic cutaneous leishmaniasis. 2013 , 8, e79098 | 10 |
| 551 | Hoxb4 overexpression in CD4 memory phenotype T cells increases the central memory population upon homeostatic proliferation. 2013 , 8, e81573 | 4 |

| | | |
|-----|--|----|
| 550 | Skewed distribution of IL-7 receptor- α -expressing effector memory CD8+ T cells with distinct functional characteristics in oral squamous cell carcinoma. 2014 , 9, e85521 | 2 |
| 549 | Composition and function of T cell subpopulations are slow to change despite effective antiretroviral treatment of HIV disease. 2014 , 9, e85613 | 33 |
| 548 | Cytokine diversity in the Th1-dominated human anti-influenza response caused by variable cytokine expression by Th1 cells, and a minor population of uncommitted IL-2+IFN γ Thpp cells. 2014 , 9, e95986 | 18 |
| 547 | Inhibitory phenotype of HBV-specific CD4+ T-cells is characterized by high PD-1 expression but absent coregulation of multiple inhibitory molecules. 2014 , 9, e105703 | 47 |
| 546 | Characterization of effector and memory T cell subsets in the immune response to bovine tuberculosis in cattle. 2015 , 10, e0122571 | 32 |
| 545 | Unexpected Inflammatory Effects of Intravaginal Gels (Universal Placebo Gel and Nonoxynol-9) on the Upper Female Reproductive Tract: A Randomized Crossover Study. 2015 , 10, e0129769 | 25 |
| 544 | Age-Associated Differences in MiRNA Signatures Are Restricted to CD45RO Negative T Cells and Are Associated with Changes in the Cellular Composition, Activation and Cellular Ageing. 2015 , 10, e0137556 | 21 |
| 543 | Altered Memory T-Cell Responses to Bacillus Calmette-Guerin and Tetanus Toxoid Vaccination and Altered Cytokine Responses to Polyclonal Stimulation in HIV-Exposed Uninfected Kenyan Infants. 2015 , 10, e0143043 | 22 |
| 542 | A Single 17D Yellow Fever Vaccination Provides Lifelong Immunity; Characterization of Yellow-Fever-Specific Neutralizing Antibody and T-Cell Responses after Vaccination. 2016 , 11, e0149871 | 50 |
| 541 | Analysis of the In Vivo Turnover of CD4+ T-Cell Subsets in Chronically SIV-Infected Sooty Mangabeys. 2016 , 11, e0156352 | 2 |
| 540 | Generalized Liver- and Blood-Derived CD8+ T-Cell Impairment in Response to Cytokines in Chronic Hepatitis C Virus Infection. 2016 , 11, e0157055 | 11 |
| 539 | T Cells of Infants Are Mature, but Hyporeactive Due to Limited Ca ²⁺ Influx. 2016 , 11, e0166633 | 12 |
| 538 | Regulatory T Cells in Endemic Burkitt Lymphoma Patients Are Associated with Poor Outcomes: A Prospective, Longitudinal Study. 2016 , 11, e0167841 | 7 |
| 537 | Silymarin suppresses basal and stimulus-induced activation, exhaustion, differentiation, and inflammatory markers in primary human immune cells. 2017 , 12, e0171139 | 10 |
| 536 | Human CD8+ CD57- TEMRA cells: Too young to be called "old". 2017 , 12, e0177405 | 32 |
| 535 | Regulatory T cell frequencies and phenotypes following anti-viral vaccination. 2017 , 12, e0179942 | 12 |
| 534 | Long-term follow up of human T-cell responses to conserved HIV-1 regions elicited by DNA/simian adenovirus/MVA vaccine regimens. 2017 , 12, e0181382 | 12 |
| 533 | Phenotypic and Functional Alterations in Circulating Memory CD8 T Cells with Time after Primary Infection. 2015 , 11, e1005219 | 31 |

| | | |
|-----|---|----|
| 532 | The 17D-204 Vaccine Strain-Induced Protection against Virulent Yellow Fever Virus Is Mediated by Humoral Immunity and CD4+ but not CD8+ T Cells. 2016 , 12, e1005786 | 44 |
| 531 | Mycobacterium tuberculosis infection modulates adipose tissue biology. 2017 , 13, e1006676 | 25 |
| 530 | The Role of Lymphatic Niches in T Cell Differentiation. 2016 , 39, 515-23 | 11 |
| 529 | Regulatory T-cell trafficking: from thymic development to tumor-induced immune suppression. 2010 , 30, 435-47 | 69 |
| 528 | Human glomerulonephritis accompanied by active cellular infiltrates shows effector T cells in urine. 2001 , 12, 2636-2644 | 23 |
| 527 | CD56-negative NK cells with impaired effector function expand in CMV and EBV co-infected healthy donors with age. 2019 , 11, 724-740 | 23 |
| 526 | Indoleamine 2,3-dioxygenase 1 (IDO1) activity in leukemia blasts correlates with poor outcome in childhood acute myeloid leukemia. 2014 , 5, 2052-64 | 73 |
| 525 | Influence of ipilimumab on expanded tumour derived T cells from patients with metastatic melanoma. 2017 , 8, 27062-27074 | 16 |
| 524 | The novel sphingosine-1-phosphate receptors antagonist AD2900 affects lymphocyte activation and inhibits T-cell entry into the lymph nodes. 2017 , 8, 53563-53580 | 3 |
| 523 | An HSV-2 based oncolytic virus can function as an attractant to guide migration of adoptively transferred T cells to tumor sites. 2015 , 6, 902-14 | 23 |
| 522 | Good syndrome presenting with CD8+ T-Cell large granular lymphocyte leukemia. 2015 , 6, 36577-86 | 10 |
| 521 | Diminished CD103 (HVEM) Expression on Resident T Cells from the Female Genital Tract of HIV-Positive Women. 2016 , 1, 371-387 | 20 |
| 520 | Intestinal CD4 Depletion in HIV / SIV Infection. 2019 , 15, 76-91 | 11 |
| 519 | Modulation of Regulatory T-Cell Subsets in Very Long-Term Treated Aviremic HIV(+) Patients and Untreated Viremic Patients. 2014 , 8, 1-6 | 3 |
| 518 | CCR7 and CXCR4 Expression in Primary Head and Neck Squamous Cell Carcinomas and Nodal Metastases: A Clinical and Immunohistochemical Study. 2017 , 18, 1093-1104 | 7 |
| 517 | Effector and memory CD4+ and CD8+ T cells in the chronic infection process. 2008 , 46, 413-7 | 8 |
| 516 | Evaluation of the memory CD4+ and CD8+ T cells homeostasis during chronic venous disease of lower limbs. 2009 , 47, 471-7 | 2 |
| 515 | Memory CD8+ T cell differentiation in viral infection: a cell for all seasons. 2007 , 13, 4848-57 | 18 |

| | | |
|-----|--|----|
| 514 | Immunological milieu in the peritoneal cavity at laparotomy for gastric cancer. 2012 , 18, 1470-8 | 7 |
| 513 | Breadth and Dynamics of HLA-A2- and HLA-B7-Restricted CD8 T Cell Responses against Nonstructural Viral Proteins in Acute Human Tick-Borne Encephalitis Virus Infection. 2018 , 2, 172-184 | 4 |
| 512 | Characterization of T Cell Effector/Memory Subsets Based on CD27 and CD45R Expression in Response to Infection. 2019 , 3, 208-218 | 10 |
| 511 | The Roles of CCR7 for the Homing of Memory CD8+ T Cells into Their Survival Niches. 2020 , 20, e20 | 8 |
| 510 | Involvement of TNF-Producing CD8 Effector Memory T Cells with Immunopathogenesis of Erythema Nodosum Leprosum in Leprosy Patients. 2019 , 100, 377-385 | 2 |
| 509 | T-cell ageing in end-stage renal disease patients: Assessment and clinical relevance. 2014 , 3, 268-76 | 25 |
| 508 | Moderate levels of physical fitness maintain telomere length in non-senescent T CD8+ cells of aged men. 2020 , 75, e1628 | 1 |
| 507 | Clinical significance of circulating immune cells in left- and right-sided colon cancer. 2017 , 5, e4153 | 4 |
| 506 | The detailed distribution of T cell subpopulations in immune-stable renal allograft recipients: a single center study. 2019 , 7, e6417 | 6 |
| 505 | Alteration of T Cell Subtypes in Beta-Thalassaemia Major: Impact of Ferritin Level. 2016 , 10, DC14-8 | 3 |
| 504 | A Single Dose of a Hybrid hAdV5-Based Anti-COVID-19 Vaccine Induces a Long-Lasting Immune Response and Broad Coverage against VOC. 2021 , 9, | 0 |
| 503 | Imbalanced Immune Response of T-Cell and B-Cell Subsets in Patients with Moderate and Severe COVID-19. 2021 , 13, | 13 |
| 502 | The fellowship of regulatory and tissue-resident memory cells. 2021 , | 1 |
| 501 | CD4+ T cell immunity to Salmonella is transient in the circulation. 2021 , 17, e1010004 | 1 |
| 500 | Tissue resident memory T cells in the respiratory tract. 2021 , | 4 |
| 499 | OMIP-079: Cell cycle of CD4 and CD8 naïve/memory T cell subsets, and of Treg cells from mouse spleen. 2021 , 99, 1171-1175 | 0 |
| 498 | Dynamic SARS-CoV-2-specific B-cell and T-cell responses following immunization with an inactivated COVID-19 vaccine. 2021 , | 14 |
| 497 | CD8 T Cell Vaccines and a Cytomegalovirus-Based Vector Approach. 2021 , 11, | 0 |

- 496 Durability of SARS-CoV-2-specific T cell responses at 12-months post-infection. **2021**, 4
- 495 Characterization of SARS-CoV-2 and common cold coronavirus-specific T-cell responses in MIS-C and Kawasaki disease children. **2021**, 6
- 494 The immune landscape of SARS-CoV-2-associated Multisystem Inflammatory Syndrome in Children (MIS-C) from acute disease to recovery. **2021**, 24, 103215 8
- 493 Characterization of Tm1 cells, a NKR+ subset of memory-phenotype CD8+ T cells. **2001**, 225-234
- 492 Principles of Immunology. **2002**, 3-27
- 491 Therapeutic Targeting of Chemokines and Chemokine Receptors. **2002**, 167-209
- 490 Melanoma: New developments in diagnosis and therapy. **2003**, 609-636
- 489 Aging of Adaptive/Acquired Immunity. **2003**, 135-211
- 488 Definitive T cell epitope mapping for a human disease: gluten challenge in coeliac disease identifies a dominant transglutaminase-deamidated T cell epitope. **2003**, 1-10
- 487 Dendritic Cells: Important Adjuvants During DNA Vaccination. **2003**, 39-59 1
- 486 Chemokine Receptors. **2003**, 11-36
- 485 Chemokines: Role as Immunomodulators and Potential as Adjuvants for DNA Vaccines. **2003**, 316-334
- 484 Adhesion and Communication Between Lymphocytes and Endothelial Cells. **2003**, 101-137
- 483 The role of chemokines in inflammatory skin diseases. **2004**, 191-225
- 482 Optimizing T-Cell Adoptive Immunotherapy to Overcome Tumor Evasion. **2004**, 195-213
- 481 The Dynamic Structure of Antibody Responses. **2004**, 187-201
- 480 Chemokine Receptors. **2004**, 545-572
- 479 Gene-Modified Tumor-Cell Vaccines. **2004**, 253-273

478 Pathophysiology of Acute Graft-vs-Host Disease. **2004**, 135-157

477 Overview of T-Cell Phenotype and Function. **2004**, 267-290

476 The Development and Reversal of T-Cell Tolerance in Cancer Patients Receiving Peptide-Based Vaccines. **2004**, 237-255

475 Immunotherapy for Human Cancer. **2004**, 507-528

474 Lymphocyte Subpopulations of the Skin. **2004**, 101-122

1

473 Chemokines and Graft-vs.-Host Disease. **2004**, 125-153

472 Cytotoxic T Cells of the Mucosal Immune System. **2005**, 559-564

471 Immune Activation. **2005**, 171-184

470 Cytomegalovirus. **2006**, 648-657

469 Murine models of allergen-induced airway hyperresponsiveness and inflammation. **2006**, 59-83

468 Adhesion Molecules and Chemoattractants in the Pathogenesis and Treatment of Autoimmune Diseases. **2006**, 237-248

467 References. **2006**, 811-946

466 The Immune Response to EpsteinBarr Virus. **2006**, 79-98

465 Remodelling of the CD8 T-Cell Compartment in the Elderly: Expression of NK Associated Receptors on T-Cells Is Associated with the Expansion of the Effector Memory Subset. **2007**, 24-33

1

464 Adaptative Immune Responses in HIV-1 Infection. **2007**, 333-378

463 Immunological Memory.

462 TGF- β Dependent T-Cell Regulation in Colitis and Colon Cancer. **2008**, 153-166

461 The Immune System. **2008**, 1-22

0

460 Immunomics of Immune Rejection. **2009**, 87-105

459 Functionally defined T cell subsets in transplantation biology and therapy: regulatory T cells and Th2 cells. **2009**, 144, 155-86 1

458 Die Dynamik der adaptiven Immunantwort. **2009**, 531-579

457 Biology of Lymphocytes. **2009**, 271-282

456 Cellular immunotherapy (CI), where have we been and where are we going?. **2009**, 505-526

455 Lymphocyte recruitment to the liver; the role of chemokines. **2009**, 97-106

454 Die Dynamik der adaptiven Immunantwort. **2009**, 531-579

453 Adaptive Immunity including Organization of Lymphoid Tissues. **2009**, 291-303

452 NORMAL AND IMPAIRED IMMUNOLOGIC RESPONSES TO INFECTION. **2009**, 21-65

451 HIV vaccination: turning the spotlight on effector memory T cells as mucosal gatekeepers. **2009**, 1, 89 1

450 Cell-Mediated Defense against Infection. **2010**, 129-150 1

449 The immunopathogenesis of HIV-1 infection. **2010**, 944-953

448 Immunological Memory.

447 Lymphocyte Homing.

446 Molecular Biology of Chronic Lymphoproliferative Disorders. 191-210

445 Hepatitis C. 582-652

444 p53 Immunotherapy of Cancer. **2013**, 275-287

443 Introduction. **2013**, 1-13

442 Monitoring Antigen-Specific Responses in Clinical Trials of Cancer Immunotherapy. **2013**, 425-453

441 Adaptive Immunity and Organization of Lymphoid Tissues. **2013**, 268-280

440 Basic Principles of Transplant Immunology. **2014**, 2783-2807

439 Memory Phenotypes of HIV-Specific CD8+ T Cell Responses Are Independent of Functional Activity as Defined by Cytokine Output. **2014**, 04, 83-95

438 Chemokines. 397-416

437 References. 443-629

436 Systems Vaccinology: Using Functional Signatures To Design Successful Vaccines. 547-557

0

435 Flow Cytometry in Cancer Immunotherapy: Applications, Quality Assurance, and Future. **2015**, 471-490

0

434 Immunological Background. **2015**, 3-14

433 Harnessing Stem Cell-Like Memory T Cells for Adoptive Cell Transfer Therapy of Cancer. **2015**, 183-209

1

432 Molecular Pathology Techniques in the Preclinical Development of Therapeutic Biologics. 1-14

431 Tumor Induces the Expansion of Foxp3+CD25high and CD11b+Gr-1+ Cell Population in the Early Phase of Tumor Progression. **2015**, 21, 172-180

2

430 Recirculating and Resident Memory CD8+ T Cells. **2016**, 344-352

429 Identification of T-Cell Epitopes in the Murine Host Response to Ehrlichia chaffeensis. **2016**, 197-214

0

428 T Lymphocytes: Plasticity of Subsets. 1-8

427 Components of the Immune System. **2017**, 3-22

1

426 Vaccines. **2017**, 831-856

425 Cellular Therapy. **2017**, 239-254

- 424 Homeostatic Proliferation of Human CD8 T Cells. **2017**, 7, 2
- 423 Basic Immunobiology. **2017**, 1-93
- 422 T Cell Immune Responses in Skin. **2017**, 121-135
- 421 Innovative Approaches to Increase the Success of the Haploidentical SCT. **2017**, 179-187
- 420 PI3K inhibition supports memory T cells with enhanced antitumor fitness. 1
- 419 Beneficial and Detrimental Manifestations of Age on CD8 + T Cell Memory to Respiratory Pathogens. **2018**, 1-21 1
- 418 Study of T Cell Immunosenescence in Various Tissue Compartments. **2018**, 1-26
- 417 Encyclopedia of AIDS. **2018**, 268-275
- 416 Origin, function and role in the development of skin diseases CLA+T-lymphocytes. **2018**, 94, 20-29 1
- 415 Unsupervised Multichannel Equalization. **2018**, 169-208
- 414 IMMUNOLOGICAL MEMORY: THE ROLE OF REGULATORY CELLS (TREGS). **2018**, 20, 613-620
- 413 The WHIM Syndrome. **2019**, 167-177
- 412 Synapse propensity of human memory CD8 T cells confers competitive advantage over naïve counterparts. 1
- 411 Beneficial and Detrimental Manifestations of Age on CD8 + T Cell Memory to Respiratory Pathogens. **2019**, 1939-1959
- 410 Study of T Cell Immunosenescence in Various Tissue Compartments. **2019**, 233-257
- 409 SIMON, an automated machine learning system reveals immune signatures of influenza vaccine responses.
- 408 Heterogeneity of lymphocytes as central operating units of the immune system. **2019**, 65, 86-97
- 407 T Cells in the Female Reproductive Tract Can Both Block and Facilitate HIV Transmission. **2019**, 15, 36-40

| | | |
|-----|---|---|
| 406 | A targeted multi-omic analysis approach measures protein expression and low abundance transcripts on the single cell level. | 2 |
| 405 | IMMUNOLOGICAL ASPECTS OF ESSENTIAL HYPERTENSION. 2019 , 21, 407-418 | 4 |
| 404 | CONTENTS OF CD4+ AND CD8+ EFFECTOR MEMORY CELLS AND PROLIFERATIVE ACTIVITY OF T LYMPHOCYTES IN BRONCHIAL ASTHMA. 2019 , 21, 503-516 | 0 |
| 403 | Single-cell transcriptomics identifies an effectorness gradient shaping the response of CD4+ T cells to cytokines. | |
| 402 | Evaluation of Oncolytic Virus-Induced Therapeutic Tumor Vaccination Effects in Murine Tumor Models. 2020 , 2058, 213-227 | 1 |
| 401 | Overview of the Immune System and Its Pharmacological Targets. 2020 , 1-42 | 1 |
| 400 | A novel vaccine targeting the viral protease cleavage sites protects Mauritian cynomolgus macaques against vaginal SIVmac251 infection. | |
| 399 | Clonally distinct differentiation trajectories shape CD8+ memory T cell heterogeneity after acute viral infections in humans. | 1 |
| 398 | Antigen-driven PD-1+TOX+EOMES+ and PD-1+TOX+BHLHE40+ synovial T lymphocytes regulate chronic inflammation in situ. | |
| 397 | Polyfunctional CD8+ T-Cell Response to Autologous Peptides from Protease and Reverse Transcriptase of HIV-1 Clade B. 2019 , 17, 350-359 | |
| 396 | DNA Methylation in T-Cell Development and Differentiation. 2020 , 40, 135-156 | 7 |
| 395 | The cellular and humoral immune response to influenza vaccination is comparable in asthmatic and healthy subjects. 2021 , 17, 98-105 | 0 |
| 394 | High-Dimensional Immunophenotyping of Murine T-cell and B-cell Subsets. | |
| 393 | Domain Binding and Isotype Dictate the Activity of Anti-human OX40 Antibodies. | |
| 392 | Delineation of a molecularly distinct terminally differentiated memory CD8 T cell population. | |
| 391 | Influenza sequelae: from immune modulation to persistent alveolitis. 2020 , 134, 1697-1714 | 1 |
| 390 | The innate and adaptive immune landscape of SARS-CoV-2-associated Multisystem Inflammatory Syndrome in Children (MIS-C) from acute disease to recovery. | |
| 389 | Dendritic cell ICAM-1 strengthens immune synapses but is dispensable for effector and memory responses. | |

- 388 Increased Expression of CD95 in CD4 Effector Memory T Cells Promotes Th17 Response in Patients with Myasthenia Gravis. **2021**, 1 1
- 387 Adaptive Immune-Related Cells and Cytokines in Spondyloarthropathies. **2022**, 49-82
- 386 Enhancing T Cell Chemotaxis and Infiltration in Glioblastoma. **2021**, 13, 3
- 385 *Bacillus subtilis* spore induces efficient generation of memory T cells via ICAM-1 expression on dendritic cells.
- 384 Gram scale synthesis of QD450 core-shell quantum dots for cellular imaging and sorting. **2020**, 10, 1257-1268 2
- 383 Flow Cytometry in Cancer Immunotherapy: Applications, Quality Assurance, and Future. **2020**, 761-783 1
- 382 Peripheral and lung resident T cell responses against SARS-CoV-2.
- 381 Mechanisms of Irritant and Allergic Contact Dermatitis. **2020**, 1-26
- 380 Cell-Mediated Immunity. **2020**,
- 379 Reconstitution of T-cell-mediated immunity in patients after allogeneic stem cell transplantation. **2020**, 65, 24-38 1
- 378 SUCCESSFUL MANUFACTURING OF CLINICAL-GRADE SARS-CoV-2 SPECIFIC T CELLS FOR ADOPTIVE CELL THERAPY. 1
- 377 Mobilization of tissue-resident memory CD4+ T lymphocytes and their contribution to a systemic secondary immune reaction. 2
- 376 Noninvasive Immuno-PET Imaging of CD8 T Cell Behavior in Influenza A Virus-Infected Mice. **2021**, 12, 777739 1
- 375 Local and Systemic T Cell Immunity in Fighting Pig Viral and Bacterial Infections. **2021**, 0
- 374 A Critical Review on the Standardization and Quality Assessment of Nonfunctional Laboratory Tests Frequently Used to Identify Inborn Errors of Immunity. **2021**, 12, 721289 0
- 373 Single-cell immunophenotyping of the fetal immune response to maternal SARS-CoV-2 infection in late gestation. **2021**, 2
- 372 HIV-specific CD8+ T-cells in tonsils express exhaustive TRM-like signatures.
- 371 Current Perspectives on the Immunosuppressive Niche and Role of Fibrosis in Hepatocellular Carcinoma and the Development of Antitumor Immunity. **2021**, 221554211056853 1

- 370 Human mucosal tissue-resident memory T cells in health and disease. **2021**, 1
- 369 CCR4 as a Therapeutic Target for Cancer Immunotherapy. **2021**, 13, 8
- 368 A population of CD4+ T cells with a naïve phenotype stably polarized to the TH1 lineage.
- 367 Dynamic Nature of Tumour-Host Interactions Within the Tumor Microenvironment. **2005**, 177-187
- 366 Monitoring Antigen-specific T Cell Responses. **2005**, 1-7
- 365 Morphologie und Funktion des spezifischen Immunsystems. **2006**, 237-245
- 364 Vaccination in the context of immunological immaturity. **2005**, 119-169
- 363 Traffic of T lymphocytes. **2006**, 19-33
- 362 Lymphocyte trafficking: from immunology paradigms to disease mechanisms. **2006**, 1-3
- 361 Adaptive Immunity to *Listeria monocytogenes*. **2007**, 225-249 1
- 360 CD8+ CD57+ T cells in tumor immunology. **2008**, 73-80
- 359 CD8 Clonal Expansions in Mice: An Age-associated Alteration of CD8 Memory T-cells. **2009**, 291-325
- 358 Lymphocytes Sub-Types and Functions in Centenarians as Models for Successful Ageing. **2009**, 29-62
- 357 Beneficial and Detrimental Manifestations of Age on CD8+ T-Cell Memory to Respiratory Pathogens. **2009**, 979-995
- 356 Effect of Anti-influenza Vaccination on Immune System in the Elderly. **2009**, 1455-1486 1
- 355 Exploring pathways for memory T cell generation. **2001**, 108, 805-6 25
- 354 Chemokine Receptors and Lymphocyte Trafficking. **2007**, 101-118 1
- 353 Mechanisms of Irritant and Allergic Contact Dermatitis. **2021**, 95-120 4

| | | |
|-----|---|-----|
| 352 | Efficacy and immunogenicity of different BCG doses in BALB/c and CB6F1 mice when challenged with H37Rv or Beijing HN878. | 0 |
| 351 | The importance of advanced cytometry in defining new immune cell types and functions relevant for the immunopathogenesis of HIV infection. 2020 , 34, 2169-2185 | 0 |
| 350 | Interferon lambda 4 can directly activate human CD19 B cells and CD8 T cells. 2021 , 4, | 3 |
| 349 | HIV-DNA content in pTfh cells is associated with residual viremia in elite controllers. 2021 , 35, 393-398 | 1 |
| 348 | A mechanistically novel, first oral therapy for multiple sclerosis: the development of fingolimod (FTY720, Gilenya). 2011 , 12, 213-28 | 131 |
| 347 | BTLA exhibits immune memory for T cells in patients with active pulmonary tuberculosis. 2014 , 6, 494-506 | 15 |
| 346 | HIV persistence in the setting of antiretroviral therapy: when, where and how does HIV hide?. 2015 , 1, 59-66 | 44 |
| 345 | Syndrome of selective IgM deficiency with severe T cell deficiency associated with disseminated cutaneous mycobacterium avium intracellulaire infection. 2015 , 4, 15-27 | 4 |
| 344 | Analysis of subsets of B cells, Breg, CD4Treg and CD8Treg cells in adult patients with primary selective IgM deficiency. 2016 , 5, 21-32 | 15 |
| 343 | The Role of Integrin Expressing Cells in Modulating Disease Susceptibility and Progression (January 2016). 2016 , 4, 11-27 | 4 |
| 342 | Human Immunodeficiency Virus 1 (HIV-1): Viral Latency, the Reservoir, and the Cure. 2020 , 93, 549-560 | 5 |
| 341 | Heterogeneity of human anti-viral immunity shaped by virus, tissue, age, and sex. 2021 , 37, 110071 | 1 |
| 340 | A Phase 1a/b Open-Label, Dose-Escalation Study of Etigilimab Alone or in Combination with Nivolumab in Patients with Locally Advanced or Metastatic Solid Tumors. 2021 , | 0 |
| 339 | RNA-Binding Protein Expression Alters Upon Differentiation of Human B Cells and T Cells. 2021 , 12, 717324 | 1 |
| 338 | Gut tissue-resident memory T cells in coeliac disease. 2021 , e13120 | 0 |
| 337 | Dependence on Bcl6 and Blimp1 drive distinct differentiation of murine memory and follicular helper CD4+ T cells. 2022 , 219, | 1 |
| 336 | Distinct CD4CD8 (Double-Negative) Memory T-Cell Subpopulations Are Associated With Indeterminate and Cardiac Clinical Forms of Chagas Disease. 2021 , 12, 761795 | 2 |
| 335 | Combination of epigenetic regulation with gene therapy-mediated immune checkpoint blockade induces anti-tumour effects and immune response in vivo. 2021 , 12, 6742 | 6 |

| | | |
|-----|---|---|
| 334 | Neural-Cadherin Influences the Homing of Terminally Differentiated Memory CD8 T Cells to the Lymph Nodes and Bone Marrow. 2021 , 44, 795-804 | 1 |
| 333 | Malignant and Benign T Cells Constituting Cutaneous T-Cell Lymphoma. 2021 , 22, | 1 |
| 332 | The Emerging Interplay Between Recirculating and Tissue-Resident Memory T Cells in Cancer Immunity: Lessons Learned From PD-1/PD-L1 Blockade Therapy and Remaining Gaps. 2021 , 12, 755304 | 2 |
| 331 | T cell-intrinsic vitamin A metabolism and its signaling are targets for memory T cell-based cancer immunotherapy. | |
| 330 | Single-Cell Immunogenomic Approach Identified SARS-CoV-2 Protective Immune Signatures in Asymptomatic Direct Contacts of COVID-19 Cases.. 2021 , 12, 733539 | 0 |
| 329 | Efficacy and immunogenicity of different BCG doses in BALB/c and CB6F1 mice when challenged with H37Rv or Beijing HN878. 2021 , 11, 23308 | 1 |
| 328 | BCG vaccination strategies against tuberculosis: updates and perspectives. 2021 , 1-12 | 1 |
| 327 | Analysis of immune response induction mechanisms implicating the dose-sparing effect of transcutaneous immunization using a self-dissolving microneedle patch.. 2022 , | 0 |
| 326 | Single-Cell Analysis of Antigen-Specific CD8+ T-Cell Transcripts Reveals Profiles Specific to mRNA or Adjuvanted Protein Vaccines. 2021 , 12, 757151 | 0 |
| 325 | Immune disease risk variants regulate gene expression dynamics during CD4+ T cell activation. | 0 |
| 324 | Immune Responses to IAV Infection and the Roles of L-Selectin and ADAM17 in Lymphocyte Homing.. 2022 , 11, | 0 |
| 323 | Tissue-resident memory T cells in the urogenital tract.. 2022 , | 1 |
| 322 | The endothelial diapedesis synapse regulates transcellular migration of human T lymphocytes in a CX3CL1- and SNAP23-dependent manner.. 2022 , 38, 110243 | 0 |
| 321 | Hybrid Membrane Nanovaccines Combined with Immune Checkpoint Blockade to Enhance Cancer Immunotherapy.. 2022 , 17, 73-89 | 1 |
| 320 | Combined treatment with anti-HER2/neu and anti-4-1BB monoclonal antibodies induces a synergistic antitumor effect but requires dose optimization to maintain immune memory for protection from lethal rechallenge.. 2022 , 71, 967 | 0 |
| 319 | The Interplay Between Epigenetic Regulation and CD8 T Cell Differentiation/Exhaustion for T Cell Immunotherapy.. 2021 , 9, 783227 | 0 |
| 318 | Prognostic Landscape of Tumor-Infiltrating T and B Cells in Human Cancer.. 2021 , 12, 731329 | 1 |
| 317 | LFA1 and ICAM1 are critical for fusion and spread of murine leukemia virus in vivo.. 2022 , 38, 110279 | 1 |

- 316 A population of naive-like CD4 T cells stably polarized to the T 1 lineage.. **2022,** 0
- 315 Development of a flow cytometry-based potency assay for prediction of cytokine storms induced by biosimilar monoclonal antibodies.. **2022,** 502, 113231
- 314 Ibrutinib Combined With Low-Dose HDAC Inhibitor Chidamide Synergistically Enhances the Anti-Tumor Effect in B-Cell Lymphoma.
- 313 Pregnant Women Develop a Specific Immunological Long-Lived Memory Against SARS-COV-2.. **2022,** 13, 827889 0
- 312 CD8 memory precursor cells generation is a continuous process.
- 311 Intrinsic IL-2 production by effector CD8 T cells affects IL-2 signaling and promotes fate decisions, stemness, and protection.. **2022,** 7, eabl6322 0
- 310 Clinical and Epidemiological Correlates of Low IFN-Gamma Responses in Mitogen Tube of QuantiFERON Assay in Tuberculosis Infection Screening During the COVID-19 Pandemic: A Population-Based Marker of COVID-19 Mortality?. **2022,** 0
- 309 Canine memory T-cell subsets in health and disease.. **2022,** 246, 110401 0
- 308 The Energy Sensor AMPK β Is Critical in Rapamycin-Inhibition of mTORC1-S6K-Induced T-cell Memory.. **2021,** 23, 1
- 307 Guidelines for the use of flow cytometry and cell sorting in immunological studies (third edition).. **2021,** 51, 2708-3145 12
- 306 Signature of long-lived memory CD8 T cells in acute SARS-CoV-2 infection. *Nature*, **2021,** 50.4 10
- 305 Epigenetics and CD8 T cell memory.. **2021,** 1
- 304 CD8 Memory Precursor Cells Generation is a Continuous Process.
- 303 Molecular characterization of hypoxanthine guanine phosphoribosyltransferase mutant T cells in human blood: The concept of surrogate selection for immunologically relevant cells. **2022,** 789, 108414
- 302 Immunologic Memory in Pregnancy: Focusing on Memory Regulatory T Cells.. **2022,** 18, 2406-2418 0
- 301 Transcriptome Profiling of Porcine Naïve, Intermediate and Terminally Differentiated CD8 T Cells.. **2022,** 13, 849922 0
- 300 C-C Chemokine Receptor 7 in Cancer.. **2022,** 11, 1
- 299 Immune Infiltration in Gastric Cancer Microenvironment and Its Clinical Significance.. **2021,** 9, 762029 1

| | | |
|-----|--|---|
| 298 | Patient-Derived Avatar Mouse Model to Predict the Liver Immune Homeostasis of Long-Term Stable Liver Transplant Patients.. 2022 , 13, 817006 | 1 |
| 297 | Reframing How Physical Activity Reduces The Incidence of Clinically-Diagnosed Cancers: Appraising Exercise-Induced Immuno-Modulation As An Integral Mechanism.. 2022 , 12, 788113 | 1 |
| 296 | Allogeneic Anti-BCMA CAR T Cells Are Superior to Multiple Myeloma-derived CAR T Cells in Preclinical Studies and May Be Combined with Gamma Secretase Inhibitors. 2022 , 2, 158-171 | 1 |
| 295 | LCMV induced down-regulation of HVEM on anti-viral T cells is critical for an efficient effector response.. 2022 , | |
| 294 | Human epigenetic and transcriptional T cell differentiation atlas for identifying functional T cell-specific enhancers.. 2022 , 55, 557-574.e7 | 0 |
| 293 | Generation of Tumor-Specific Cytotoxic T Cells From Blood Expansion Using Autologous Dendritic Cells Pulsed With Neoantigen-Coupled Microbeads.. 2022 , 12, 866763 | |
| 292 | Long-term SARS-CoV-2-specific and cross-reactive cellular immune responses correlate with humoral responses, disease severity, and symptomatology.. 2022 , 10, e595 | 0 |
| 291 | O-Linked N-Acetylglucosamine Modification: Linking Hypertension and the Immune System.. 2022 , 13, 852115 | 0 |
| 290 | CD4 T cells are prone to be infected by HIV-1 and associated with HIV-1 disease progression.. 2022 , 23 Suppl 1, 106-114 | |
| 289 | The Extracellular ATP Receptor P2RX7 Imprints a Promemory Transcriptional Signature in Effector CD8 T Cells.. 2022 , | 0 |
| 288 | Vitamin D Status and Immune Response in Hospitalized Patients with Moderate and Severe COVID-19.. 2022 , 15, | 4 |
| 287 | Resident memory CD4+ T lymphocytes mobilize from bone marrow to contribute to a systemic secondary immune reaction.. 2022 , | 0 |
| 286 | CENPF as an independent prognostic and metastasis biomarker corresponding to CD4+ memory T cells in cutaneous melanoma.. 2022 , | 2 |
| 285 | Influenza Vaccine Associated with the Gene Expression of T Cell Surface Markers in Human Milk. 2021 , | 0 |
| 284 | Antigen-Presenting B Cells Program the Efferent Lymph T Helper Cell Response.. 2022 , 13, 813203 | 1 |
| 283 | Identification and Validation of Immune Cells and Hub Genes in Gastric Cancer Microenvironment.. 2022 , 2022, 8639323 | 0 |
| 282 | IFI16-STING-NF- κ B Signaling Controls Exogenous Mitochondrion-induced Endothelial Activation.. 2022 , | 0 |
| 281 | Two sides of the same coin: Protective versus pathogenic CD4 resident memory T cells.. 2022 , 7, eabf9393 | 0 |

| | | |
|-----|---|----|
| 280 | T-cell surveillance of the human brain in health and multiple sclerosis.. 2022 , 1 | 1 |
| 279 | Rituximab in Systemic Lupus Erythematosus: Transient Effects on Autoimmunity Associated Lymphocyte Phenotypes and Implications for Immunogenicity.. 2022 , 13, 826152 | 1 |
| 278 | Hobit and Blimp-1 regulate T abundance after LCMV infection by suppressing tissue exit pathways of T precursors.. 2022 , | 0 |
| 277 | Changes in the phenotype and function of mucosal-associated invariant T cells in neutrophilic asthma.. 2022 , 106, 108606 | 0 |
| 276 | Heterogeneity of Tissue Resident Memory T cells.. 2022 , | 1 |
| 275 | Splenic and PB immune recovery in neoadjuvant treated gastrointestinal cancer patients.. 2022 , 106, 108628 | 0 |
| 274 | Immune Response to SARS-CoV-2 Vaccine in 2 Men. 2021 , 1-10 | 0 |
| 273 | Immune dysfunction in COVID-19 and judicious use of anti-rheumatic drugs for the treatment of hyperinflammation. 2021 , | 1 |
| 272 | Prosurvival IL-7-Stimulated Weak Strength of mTORC1-S6K Controls T Cell Memory via Transcriptional FOXO1-TCF1-Id3 and Metabolic AMPK β -ULK1-ATG7 Pathways. 2021 , | 1 |
| 271 | Reference range of naïve T and T memory lymphocyte subsets in peripheral blood of healthy adult.. 2021 , | 1 |
| 270 | Depletion of central memory CD8 T cells might impede the antitumor therapeutic effect of Mogamulizumab.. 2021 , 12, 7280 | 0 |
| 269 | Single-Cell Transcriptomics Reveals Discrete Steps in Regulatory T Cell Development in the Human Thymus.. 2021 , | 1 |
| 268 | Comprehensive phenotyping of murine lung resident lymphocytes after recovery from pneumococcal pneumonia. 2021 , | 1 |
| 267 | Leukocyte trafficking to the intestinal barrier in health and disease. 2022 , 203-235 | 0 |
| 266 | IL-27 Improves Adoptive CD8 T Cells Antitumor Activity via Enhancing Cells Survival and Memory T Cells Differentiation.. 2022 , | 1 |
| 265 | A nanovaccine for antigen self-presentation and immunosuppression reversal as a personalized cancer immunotherapy strategy.. 2022 , | 14 |
| 264 | HIV-1 Vpr drives a tissue residency-like phenotype during selective infection of resting memory T cells.. 2022 , 39, 110650 | 1 |
| 263 | Cytotoxic Efficiency of Human CD8 T Cell Memory Subtypes.. 2022 , 13, 838484 | 0 |

262 Tissue-resident memory T cells in the kidney.. **2022,**

o

261 Exacerbation of non-steroidal anti-inflammatory drug-induced enteropathy in C-C chemokine receptor type 7-deficient mice.. **2022,**

260 Table_1.DOCX. **2019,**

259 Data_Sheet_1.pdf. **2018,**

258 Presentation_1.pptx. **2019,**

257 Data_Sheet_1.pdf. **2020,**

256 Image_1.jpg. **2019,**

255 Image_2.jpg. **2019,**

254 Image_3.jpg. **2019,**

253 Table_1.pdf. **2019,**

252 Data_Sheet_1.docx. **2019,**

251 Video_1.AVI. **2019,**

250 Video_2.AVI. **2019,**

249 Video_3.AVI. **2019,**

248 Video_4.AVI. **2019,**

247 Video_5.AVI. **2019,**

246 Video_6.AVI. **2019,**

245 Video_7.AVI. **2019,**

244 Data_Sheet_1.xlsx. **2019,**

243 Image_1.pdf. **2019,**

242 Table_1.pdf. **2019,**

241 Table_2.pdf. **2019,**

240 Table_3.pdf. **2019,**

239 Table_4.pdf. **2019,**

238 Table_5.pdf. **2019,**

237 Table_6.pdf. **2019,**

236 Image_1.tif. **2019,**

235 Image_1.tiff. **2020,**

234 Image_2.tiff. **2020,**

233 Image_1.JPEG. **2019,**

232 Image_2.jpg. **2019,**

231 Image_3.JPEG. **2019,**

230 Presentation_1.PDF. **2018,**

229 Data_Sheet_1.pdf. **2020,**

228 Presentation_1.pdf. **2020,**

227 Data_Sheet_1.docx. **2020,**

226 Data_Sheet_2.docx. **2020**,

225 Presentation_1.PPTX. **2020**,

224 Presentation_2.PPTX. **2020**,

223 Presentation_3.PPTX. **2020**,

222 Presentation_4.PPTX. **2020**,

221 Presentation_5.PPTX. **2020**,

220 Presentation_6.PPTX. **2020**,

219 Presentation_7.PPTX. **2020**,

218 Presentation_8.pptx. **2020**,

217 DataSheet_1.pdf. **2020**,

216 Data_Sheet_1.pdf. **2020**,

215 Data_Sheet_1.DOCX. **2018**,

214 Presentation_1.pptx. **2020**,

213 Image_1.TIFF. **2019**,

212 Image_2.TIFF. **2019**,

211 Image_3.TIFF. **2019**,

210 Image_4.TIFF. **2019**,

209 Data_Sheet_1.docx. **2018**,

208 Data_Sheet_1.pdf. **2020**,

207 image_1.PDF. **2018**,

206 image_2.PDF. **2018**,

205 image_3.PDF. **2018**,

204 image_4.PDF. **2018**,

203 image_5.PDF. **2018**,

202 image_6.PDF. **2018**,

201 image_7.PDF. **2018**,

200 Data_Sheet_1.PDF. **2018**,

199 Table_1.PDF. **2018**,

198 Table_2.PDF. **2018**,

197 Presentation_1.pdf. **2019**,

196 Data_Sheet_1.pdf. **2019**,

195 presentation_1.pptx. **2018**,

194 image_1.tif. **2018**,

193 image_2.tif. **2018**,

192 image_3.tif. **2018**,

191 image_4.tif. **2018**,

190 image_5.tif. **2018**,

189 image_6.tif. **2018**,

188 Image_1.TIF. **2020**,

187 Image_2.TIF. **2020**,

186 Data_Sheet_1.docx. **2020**,

185 Image_1.tif. **2020**,

184 Image_2.tif. **2020**,

183 Image_3.tif. **2020**,

182 Table_1.docx. **2020**,

181 Image_1.TIF. **2019**,

180 Image_2.TIF. **2019**,

179 Image_3.TIF. **2019**,

178 Image_4.TIF. **2019**,

177 Tissue-resident memory T cells in gastrointestinal cancer immunology and immunotherapy: ready for prime time?. **2022**, 10, ○

176 Reconstitution of EBV-directed T cell immunity by adoptive transfer of peptide-stimulated T cells in a patient after allogeneic stem cell transplantation for AITL.. **2022**, 18, e1010206 ○

175 [Mechanism and intervention of mucosal immune regulation based on "lung and large intestine being interior-exteriorly related" theory of traditional Chinese medicine]. **2020**, 49, 665-678 ○

174 Dissecting the heterogeneity of exhausted T cells at the molecular level.. **2022**, ○

173 A Unique Epigenomic Landscape Defines CD8
<sup>+</sup></sup></sup></sup></sup>Tissue-Resident Memory T Cells.

| | | |
|-----|--|----|
| 172 | In vivo labeling reveals continuous trafficking of TCF-1+ T cells between tumor and lymphoid tissue.. 2022 , 219, | 2 |
| 171 | Glucose-Restricted Diet Regulates the Tumor Immune Microenvironment and Prevents Tumor Growth in Lung Adenocarcinoma.. 2022 , 12, 873293 | 0 |
| 170 | Single cell transcriptomics and TCR reconstruction reveal CD4 T cell response to MHC-II-restricted APOB epitope in human cardiovascular disease. | 1 |
| 169 | A unique epigenomic landscape defines CD8+ tissue-resident memory T cells. | 0 |
| 168 | Chronic Kidney Failure Provokes the Enrichment of Terminally Differentiated CD8 T Cells, Impairing Cytotoxic Mechanisms After Kidney Transplantation.. 2022 , 13, 752570 | |
| 167 | Impact of gut microenvironment on epigenetic signatures of intestinal T helper cell subsets.. 2022 , 246, 27-27 | 1 |
| 166 | Comparison of Whole Blood Cryopreservation Methods for Extensive Flow Cytometry Immunophenotyping.. 2022 , 11, | 0 |
| 165 | Metabolic reprogramming by ex vivo glutamine inhibition endows CAR-T cells with less-differentiated phenotype and persistent antitumor activity.. 2022 , 538, 215710 | 4 |
| 164 | CD9 expression in porcine blood CD4 T cells delineates two subsets with phenotypic characteristics of central and effector memory cells.. 2022 , 133, 104431 | 0 |
| 163 | The interface between biochemical signaling and cell mechanics shapes T lymphocyte migration and activation.. 2022 , 101, 151236 | 1 |
| 162 | Enhanced T-Cell Maturation, Differentiation and Function in HIV-1-Infected Individuals after Growth Hormone and Highly Active Antiretroviral Therapy. 2004 , 9, 67-75 | 20 |
| 161 | Systemic immunoregulatory and pathogenic functions of homeostatic chemokine receptors. 2002 , 72, 1-8 | 22 |
| 160 | Immuno-onco-metabolism and Therapeutic Resistance. 2022 , 45-89 | 3 |
| 159 | Phenotypic and functional characterizations of CD8 T cell populations in malignant pleural effusion.. 2022 , 113212 | 0 |
| 158 | The long noncoding RNA Malat1 regulates CD8+ T cell differentiation by mediating epigenetic repression.. 2022 , 219, | 0 |
| 157 | Immune disease risk variants regulate gene expression dynamics during CD4+ T cell activation. | 2 |
| 156 | Photodynamic Therapy in Combination with the Hepatitis B Core Virus-like Particles (HBc VLPs) to Prime Anticancer Immunity for Colorectal Cancer Treatment. 2022 , 14, 2724 | 2 |
| 155 | An Overview of Tissue-Resident Memory T Cells in the Intestine: From Physiological Functions to Pathological Mechanisms. 13, | 0 |

| | | |
|-----|---|--------|
| 154 | Identification of a distinct NK-like hepatic T-cell population activated by NKG2C in a TCR-independent manner. 2022 , | 1 |
| 153 | Targeting Lymphatics for Nanoparticle Drug Delivery. 13, | 1 |
| 152 | Highly dampened HIV-specific cytolytic effector T cell responses define viremic non-progression. 2022 , 227, 152234 | 0 |
| 151 | Assessment of Humoral and Long-Term Cell-Mediated Immune Responses to Recombinant Canarypox-Vectored Equine Influenza Virus Vaccination in Horses Using Conventional and Accelerated Regimens Respectively. 2022 , 10, 855 | |
| 150 | Clonally expanded CD8 T cells characterize amyotrophic lateral sclerosis-4. <i>Nature</i> , | 50.4 2 |
| 149 | Phenotypic and Immunometabolic Aspects on Stem Cell Memory and Resident Memory CD8+ T Cells. 13, | |
| 148 | Focused Acoustic Vortex-Regulated Composite Nanodroplets Combined with Checkpoint Blockade for High-Performance Tumor Synergistic Therapy. | 1 |
| 147 | Immunosuppression Reversal Nanovaccines Substituting Dendritic Cells for Personalized Cancer Immunotherapy. 13, | 1 |
| 146 | T Cell-Intrinsic Vitamin A Metabolism and Its Signaling Are Targets for Memory T Cell-Based Cancer Immunotherapy. 13, | 0 |
| 145 | Asymmetric T cell division of GAD65 specific naive T cells contribute to an early divergence in the differentiation fate into memory T cell subsets. | 0 |
| 144 | Chimonanthus nitens Oliv. Leaf Granule Ameliorates DSS-Induced Acute Colitis Through Treg Cell Improvement, Oxidative Stress Reduction, and Gut Microflora Modulation. 12, | 2 |
| 143 | Tumor immunotherapy: Mechanisms and clinical applications. 2022 , 1, | |
| 142 | Tumor-originated pH-responsive nanovaccine mixture to treat heterogeneous tumors. | 0 |
| 141 | When Helpers Go Above and Beyond: Development and Characterization of Cytotoxic CD4+ T Cells. 13, | 0 |
| 140 | Faster cytotoxicity with age: Increased perforin and granzyme levels in cytotoxic CD8 + T cells boost cancer cell elimination. | 0 |
| 139 | Divide and Conquer: Phenotypic and Temporal Heterogeneity Within CD8+ T Cell Responses. 13, | 2 |
| 138 | Regulatory T cell proportion and phenotype are altered in women using oral contraception. | 2 |
| 137 | Id3 expression identifies CD4 + memory Th1 cells. 2022 , 119, | 0 |

- 136 Evaluation of T-cell aging-related immune phenotypes in the context of biological aging and multimorbidity in the Health and Retirement Study. **2022**, 19, 1
- 135 Human Variation in DNA Repair, Immune Function, and Cancer Risk. 13,
- 134 People with HIV have higher percentages of circulating CCR5+ CD8+ T cells and lower percentages of CCR5+ regulatory T cells. **2022**, 12,
- 133 The search for new vaccines against tuberculosis. **2001**, 70, 1-10 6
- 132 Ultra-thin layered double hydroxide-mediated photothermal therapy combine with asynchronous blockade of PD-L1 and NR2F6 inhibit hepatocellular carcinoma. **2022**, 20,
- 131 A century of BCG vaccination: Immune mechanisms, animal models, non-traditional routes and implications for COVID-19. 13,
- 130 The evolving role of tissue-resident memory T cells in infections and cancer. **2022**, 8, 1
- 129 Intestinal CD8 + tissue-resident memory T cells: from generation to function.
- 128 CD39 + tissue-resident memory CD8 + T cells with a clonal overlap across compartments mediate antitumor immunity in breast cancer. **2022**, 7, 2
- 127 Reactive oxygen species-responsive and Raman-traceable hydrogel combining photodynamic and immune therapy for postsurgical cancer treatment. **2022**, 13, 2
- 126 Impaired CD8 + T cells in term pregnancy decidua with chronic hepatitis B virus infection. 0
- 125 Pregnancy Imparts Distinct Systemic Adaptive Immune Function. 0
- 124 The two enantiomers of 2-hydroxyglutarate differentially regulate cytotoxic T cell function.
- 123 CD8 memory precursor cell generation is a continuous process. **2022**, 104927
- 122 Epigenetic engineering for optimal CAR-T cell therapy. 1
- 121 Immune cellular components and signaling pathways in the tumor microenvironment. **2022**, 1
- 120 Pulmonary resident memory T cells in respiratory virus infection and their inspiration on therapeutic strategies. 13, 0
- 119 SARS-CoV-2 specific CD4+ T cell longevity correlates with Th17-like phenotype. **2022**, 104959

| | | |
|-----|---|---|
| 118 | Severe psychiatric disorders and general medical comorbidities: inflammation-related mechanisms and therapeutic opportunities. 2022 , 136, 1257-1280 | 0 |
| 117 | Enhanced Effector Activity of Mediator Kinase Module Deficient CAR-T Cells. | 0 |
| 116 | Virtual Memory CD8+ T Cells: Origin and Beyond. | 0 |
| 115 | The Memory T Cell Communication Web In Context with Gastrointestinal Disorders How Memory T Cells Affect Their Surroundings and How They Are Influenced by It. 2022 , 11, 2780 | 0 |
| 114 | Tissue-resident memory T cells in chronic liver diseases: Phenotype, development and function. 13, | 0 |
| 113 | Cellular Immunology: Transcriptional Basis of B and T Cell Lineages and Memory Cells T Cell Memory to Viral Infections. 2022 , | 0 |
| 112 | Heterogenous CD8+ T Cell Maturation and Polarization In Acute and Convalescent COVID-19 Patients. 2022 , 14, 1906 | 2 |
| 111 | Potential role of HTLV-1 Tax-specific cytotoxic t lymphocytes expressing a unique t-cell receptor to promote inflammation of the central nervous system in myelopathy associated with HTLV-1. 13, | 0 |
| 110 | T cell responses induced by SARS-CoV-2 mRNA vaccination are associated with clonal replacement. | 0 |
| 109 | Does Aging Activate T-cells to Reduce Bone Mass and Quality?. 2022 , 20, 326-333 | 0 |
| 108 | Long-term outcomes and predictors of early response, late relapse, and survival for patients treated with bispecific LV20 .19 CAR T-cells. | 0 |
| 107 | T cell responses to control fungal infection in an immunological memory lens. 13, | 1 |
| 106 | Alpha radionuclide-chelated radioimmunotherapy promoters enable local radiotherapy/chemodynamic therapy to discourage cancer progression. 2022 , 26, | 1 |
| 105 | Oral Nanomotor-Enabled Mucus Traverse and Tumor Penetration for Targeted Chemo-Sono-Immunotherapy against Colon Cancer. 2203466 | 2 |
| 104 | Memory CD8+ T cell diversity and B cell responses correlate with protection against SARS-CoV-2 following mRNA vaccination. | 1 |
| 103 | Homeostatic cytokines reciprocally modulate the emergence of prenatal effector PLZF+CD4+ T cells in humans. | 0 |
| 102 | Mucosal vaccination for SARS-CoV-2 elicits superior systemic T central memory function and cross-neutralizing antibodies against variants of concern. | 0 |
| 101 | Immune Tumor Microenvironment in Ovarian Cancer Ascites. 2022 , 23, 10692 | 1 |

| | | |
|-----|---|---|
| 100 | (Not) Home alone: Antigen presenting cell T Cell communication in barrier tissues. 13, | 0 |
| 99 | Heterogeneity, subsets, and plasticity of T follicular helper cells in allergy. 2022 , | 0 |
| 98 | Introduction: Redefining T-cell Exhaustion Special Issue. 2022 , 34, 545-546 | 0 |
| 97 | Avatar Mice Underscore the Role of the T Cell-Dendritic Cell Crosstalk in Ebola Virus Disease and Reveal Mechanisms of Protection in Survivors. 2022 , 96, | 0 |
| 96 | Siglec-7 represents a glyco-immune checkpoint for non-exhausted effector memory CD8+ T cells with high functional and metabolic capacities. 13, | 0 |
| 95 | The soldiers needed to be awakened: Tumor-infiltrating immune cells. 13, | 1 |
| 94 | CXCL11-armed oncolytic adenoviruses enhance CAR-T cell therapeutic efficacy and reprogram tumor microenvironment in glioblastoma. 2022 , | 5 |
| 93 | High-progesterone environment preserves T cell competency by evading glucocorticoid effects on immune regulation. 13, | 0 |
| 92 | Assessment of the Mitochondrial Condition in CD4+ and CD8+ T-Lymphocytes from Healthy Subjects. 2022 , 16, 470-477 | 0 |
| 91 | A ubiquitous bone marrow reservoir of preexisting SARS-CoV-2-reactive memory CD4+ T lymphocytes in unexposed individuals. 13, | 0 |
| 90 | Tissue resident memory T cells- A new benchmark for the induction of vaccine-induced mucosal immunity. 13, | 1 |
| 89 | Fixed Drug Eruptions and Generalized Bullous Fixed Drug Eruptions. 2022 , 143-151 | 0 |
| 88 | PI3K Isoforms in CD8+ T Cell Development and Function. 2022 , 217-234 | 0 |
| 87 | Are CD45RO+ and CD45RA- genuine markers for bovine memory T cells?. 2022 , 2, | 0 |
| 86 | HIV-Specific CAR T Cells with CD28 or 4-1BB Signaling Domains Are Phenotypically and Functionally Distinct and Effective at Suppressing HIV and Simian Immunodeficiency Virus. 2022 , 6, 693-704 | 0 |
| 85 | Four-Parameter FluoroSpot Assay Reveals That the Varicella Zoster Virus Elicits a Robust Memory T Cell IL-10 Response throughout Childhood. | 0 |
| 84 | A high-dimensional cytometry atlas of peripheral blood over the human life span. | 1 |
| 83 | Systemic CD4 Immunity and PD-L1/PD-1 Blockade Immunotherapy. 2022 , 23, 13241 | 0 |

| | | |
|----|---|---|
| 82 | HIV specific CD8+ TRM-like cells in tonsils express exhaustive signatures in the absence of natural HIV control. 13, | 0 |
| 81 | Trans-Endothelial Migration of Memory T Cells Is Impaired in Alemtuzumab-Treated Multiple Sclerosis Patients. 2022 , 11, 6266 | 0 |
| 80 | M2c Macrophages Protect Mice from Adriamycin-Induced Nephropathy by Upregulating CD62L in Tregs. 2022 , 2022, 1-11 | 0 |
| 79 | The appendix orchestrates T-cell mediated immunosurveillance in colitis-associated cancer. 2022 , | 0 |
| 78 | Human T lymphocytes at tumor sites. | 0 |
| 77 | Enhanced T cell effector activity by targeting the Mediator kinase module. 2022 , 378, | 1 |
| 76 | Sleeping beauty generated CD19 CAR T-Cell therapy for advanced B-Cell hematological malignancies. 13, | 0 |
| 75 | Tissue-resident memory T cells in the era of (Neo) adjuvant melanoma management. 13, | 0 |
| 74 | CD103 fate mapping reveals that intestinal CD103 ^{hi} tissue-resident memory T cells are the primary responders to secondary infection. 2022 , 7, | 2 |
| 73 | T-cell and cytokine dynamics in the blood of patients after hematopoietic stem cell transplantation and multipotent mesenchymal stromal cells administration. 2022 , | 0 |
| 72 | Tissue-resident memory T cells: The key frontier in local synovitis memory of rheumatoid arthritis. 2022 , 133, 102950 | 1 |
| 71 | The impact of sphingosine-1-phosphate receptor modulators on COVID-19 and SARS-CoV-2 vaccination. 2023 , 69, 104425 | 0 |
| 70 | CD4 T Cell Memory and Role of TNF Receptor Family. 2016 , 699-705 | 0 |
| 69 | Delineation of T cell subsets in chronic rhinosinusitis with nasal polyps. 2022 , 42, 441-449 | 0 |
| 68 | Joining Forces for Cancer Treatment: From TCR versus CAR ^T to TCR and CAR ^T 2022 , 23, 14563 | 0 |
| 67 | Unique properties of tissue-resident memory T cells in the lungs: implications for COVID-19 and other respiratory diseases. | 0 |
| 66 | HIV-Associated Immune Dysregulation in the Skin: A Crucible for Exaggerated Inflammation and Hypersensitivity. 2022 , | 0 |
| 65 | A proof-of-concept study to investigate the efficacy of heat-inactivated autovaccines in <i>Mycobacterium caprae</i> experimentally challenged goats. 2022 , 12, | 0 |

| | | |
|----|---|---|
| 64 | RNA therapeutics for improving CAR T cell safety and efficacy. | 0 |
| 63 | Activation induced marker (AIM) assays for identification of T. cruzi -specific CD4 or CD8 T cells in chronic Chagas disease patients. | 0 |
| 62 | Regulation of effector and memory CD8 + T cell differentiation: a focus on orphan nuclear receptor NR4A family, transcription factor, and metabolism. | 0 |
| 61 | Role of T cells in cancer immunotherapy: Opportunities and challenges. 2022 , | 1 |
| 60 | Dissecting CD8+ T cell pathology of severe SARS-CoV-2 infection by single-cell immunoprofiling. 13, | 0 |
| 59 | A 16-color full spectrum flow cytometric analysis for comprehensive evaluation of T-cell reconstitution in SIV-infected rhesus macaques. 2022 , 113404 | 0 |
| 58 | Memory CD8 + T cells upregulate glycolysis and effector functions under limiting oxygen conditions. | 0 |
| 57 | Novel xeno-free and serum-free culturing condition to improve piggyBac transposon-based CD19 chimeric antigen receptor T-cell production and characteristics. 2022 , | 0 |
| 56 | Clonal composition and persistence of antigen-specific circulating T follicular helper cells. 2250190 | 0 |
| 55 | Longitudinal Analysis of the Phenotype, Transcriptional Profile, and Anatomic Location of Memory CD8 T Cell Subsets after Acute Viral Infection. | 0 |
| 54 | The aryl hydrocarbon receptor cell intrinsically promotes resident memory CD8+ T'cell differentiation and function. 2023 , 42, 111963 | 2 |
| 53 | Tissue-resident memory T (T RM) cells: Front-line workers of the immune system. 2250060 | 0 |
| 52 | Identification of a tissue resident memory CD8 T cell-related risk score signature for colorectal cancer, the association with TME landscapes and therapeutic responses. 13, | 0 |
| 51 | Towards the development of subunit vaccines against tuberculosis: The key role of adjuvant. 2023 , 102307 | 1 |
| 50 | Radiotherapy plus camrelizumab affects peripheral CD8 T-cell differentiation subsets expressing PD-1, TIGIT, and CTLA-4 in esophageal squamous cell carcinoma. 2023 , 113, 11-17 | 0 |
| 49 | Small intestine and colon tissue-resident memory CD8+ T'cells exhibit molecular heterogeneity and differential dependence on Eomes. 2023 , 56, 207-223.e8 | 0 |
| 48 | Lung Resident Memory T Cells Activated by Oral Vaccination Afford Comprehensive Protection against Pneumonic Yersinia pestis Infection. 2023 , 210, 259-270 | 0 |
| 47 | CD5 Suppresses IL-15Induced Proliferation of Human Memory CD8+ T Cells by Inhibiting mTOR Pathways. 2022 , 209, 1108-1117 | 0 |

- 46 Quantifying the Detrimental Effects of Multiple Freeze/Thaw Cycles on Primary Human Lymphocyte Survival and Function. **2023**, 24, 634 ○
- 45 Nanoenabled Tumor Energy Metabolism Disorder via Sonodynamic Therapy for Multidrug Resistance Reversal and Metastasis Inhibition. **2023**, 15, 309-326 ○
- 44 Tracking coreceptor switch of the transmitted/founder HIV-1 identifies co-evolution of HIV-1 antigenicity, coreceptor usage and CD4 subset targeting. ○
- 43 Early Amyloid accumulation in the brain is associated with peripheral T cell alterations. ○
- 42 Depletion of polyfunctional CD26^{high}CD8⁺ T cells repertoire in chronic lymphocytic leukemia. **2023**, 12, ○
- 41 Sepsis-induced changes in differentiation, maintenance, and function of memory CD8 T cell subsets. 14, ○
- 40 Premature T cell aging in major depression: A double hit by the state of disease and cytomegalovirus infection. **2023**, 29, 100608 ○
- 39 Generation of colon cancer-derived tumor-infiltrating T cells (TILs) for adoptive cell therapy. **2023**, 25, 537-547 ○
- 38 Immune responses to vaccines: from classical to systems approaches. **2022**, 111-152 ○
- 37 Infection, immunity, and vaccine development. **2022**, 87-110 ○
- 36 Severely ill and high-risk COVID-19 patients exhibit increased peripheral circulation of CD62L⁺ and perforin⁺ T cells. 14, ○
- 35 Prospective Evaluation of CD45RA⁺/CCR7⁻ Effector Memory T (TEMRA) Cell Subsets in Patients with Primary and Secondary Brain Tumors during Radiotherapy of the Brain within the Scope of the Prospective Glio-CMV-01 Clinical Trial. **2023**, 12, 516 ○
- 34 Prior vaccination enhances immune responses during SARS-CoV-2 breakthrough infection with early activation of memory T cells followed by production of potent neutralizing antibodies. 1
- 33 Combinatory analysis of immune cell subsets and tumor-specific genetic variants predict clinical response to PD-1 blockade in patients with non-small cell lung cancer. 12, ○
- 32 The Use of an Adjuvant System Improves Innate and Adaptive Immune Response When Associated with a *Leishmania (Viannia) braziliensis* Antigen in a Vaccine Candidate against *L. (Leishmania) infantum* Infection. **2023**, 11, 395 ○
- 31 Skin-Based Vaccination: A Systematic Mapping Review of the Types of Vaccines and Methods Used and Immunity and Protection Elicited in Pigs. **2023**, 11, 450 ○
- 30 Pyrimidine de novo synthesis inhibition selectively blocks effector but not memory T cell development. **2023**, 24, 501-515 ○
- 29 Long-Term Immunogenicity and In Vitro Prophylactic Protective Efficacy of *M. tuberculosis* Fusion Protein DR2 Combined with Liposomal Adjuvant DIMQ as a Boosting Vaccine for BCG. **2023**, 9, 593-608 ○

- 28 Retinoic acid signaling during priming licenses intestinal CD103+ CD8 TRM cell differentiation. **2023**, 220, 1
- 27 Lung dopaminergic nerves facilitate the establishment of TH2 resident memory cells in early life. **2023**, 0
- 26 Cancer-specific tissue-resident memory T-cells express ZNF683 in colorectal cancer. 0
- 25 Subset-specific and temporal control of effector and memory CD4+ T cell survival. 0
- 24 The Function of Memory CD8+ T Cells in Immunotherapy for Human Diseases. **2023**, 23, 1
- 23 Single-cell and bulk RNA sequencing identifies T cell marker genes score to predict the prognosis of pancreatic ductal adenocarcinoma. **2023**, 13, 0
- 22 Shaping Heterogeneity of Naive CD8+ T Cell Pools. **2023**, 23, 1
- 21 Human CD8+ T-Cell Populations That Express Natural Killer Receptors. **2023**, 23, 1
- 20 Effect of changes in lymphocyte subsets at diagnosis in acute myeloid leukemia on prognosis: association with complete remission rates and relapse free survivals. 0
- 19 Cytotoxic CD161⁺CD8+ TEMRA cells contribute to the pathogenesis of systemic lupus erythematosus. **2023**, 90, 104507 0
- 18 Toward a general model of CD4+ T cell subset specification and memory cell formation. **2023**, 56, 475-484 0
- 17 Cutaneous Leishmaniasis. 0
- 16 Effectiveness of 0.1% mometasone furoate under hydrocolloid dressing versus 0.1% mometasone furoate in patients with lichen simplex chronicus. 0
- 15 Empowering the Potential of CAR-T Cell Immunotherapies by Epigenetic Reprogramming. **2023**, 15, 1935 0
- 14 Tumor extracellular vesicles carrying antitumor (KLAKLAK)₂ peptide and tumor-specific antigens for improved tumor therapy. 0
- 13 Themis suppresses the effector function of CD8+ T cells in acute viral infection. 0
- 12 Maintenance and recall of memory T cell populations against tuberculosis: Implications for vaccine design. 14, 0
- 11 Assessing the generation of tissue resident memory T cells by vaccines. 0

- 10 Distinct transcriptomic and epigenomic modalities underpin human memory T cell subsets and their activation potential. **2023**, 6,
- 9 Vaccination provides superior in vivo recall capacity of SARS-CoV-2-specific memory CD8 T cells. **2023**, 42, 112395
- 8 Tissue-resident memory T cells and lung immunopathology.
- 7 Limited induction of polyfunctional lung-resident memory T cells against SARS-CoV-2 by mRNA vaccination compared to infection. **2023**, 14,
- 6 An Immune Atlas of T Cells in Transplant Rejection: Pathways and Therapeutic Opportunities. Publish Ahead of Print,
- 5 ENOX2 inhibition enhances infiltration of effector memory T-cell and mediates response to chemotherapy in immune-quiescent nasopharyngeal carcinoma. **2023**,
- 4 Naive T cells inhibit the outgrowth of intractable antigen-activated memory T cells: implications for T-cell immunotherapy. **2023**, 11, e006267
- 3 Photonic Hyperthermia Synergizes with Immune-Activators to Augment Tumor-Localized Immunotherapy.
- 2 Late-stage MC38 tumours recapitulate features of human colorectal cancer Implications for appropriate timepoint selection in preclinical studies. 14,
- 1 Immunosenescence: molecular mechanisms and diseases. **2023**, 8,