

# CITATION REPORT

List of articles citing

A kinase-regulated PDZ-domain interaction controls endocytic sorting of the beta2-adrenergic receptor

DOI: 10.1038/45816

Nature, 1999, 401, 286-90.

**Source:** <https://exaly.com/paper-pdf/30426505/citation-report.pdf>

**Version:** 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
611	Cloning and expression of the human transient receptor potential 4 (TRP4) gene: localization and functional expression of human TRP4 and TRP3. <i>Biochemical Journal</i> , <b>2000</b> , 351, 735-746	3.8	110
610	The subapical compartment and its role in intracellular trafficking and cell polarity. <b>2000</b> , 184, 151-60		47
609	Selective inhibition of adaptor complex-mediated vesiculation. <b>2000</b> , 1, 378-84		18
608	Distinct molecular mechanisms and divergent endocytotic pathways of AMPA receptor internalization. <b>2000</b> , 3, 1282-90		490
607	Ligand regulation of green fluorescent protein-tagged forms of the human beta(1)- and beta(2)-adrenoceptors; comparisons with the unmodified receptors. <b>2000</b> , 130, 1825-32		65
606	Localization of apical epithelial determinants by the basolateral PDZ protein Scribble. <i>Nature</i> , <b>2000</b> , 403, 676-80	50.4	561
605	A tripeptide 'anticodon' deciphers stop codons in messenger RNA. <i>Nature</i> , <b>2000</b> , 403, 680-4	50.4	231
604	G protein-dependent signalling and ageing. <b>2000</b> , 35, 133-43		13
603	beta-adrenergic mechanisms in cardiac diseases: a perspective. <b>2000</b> , 12, 499-513		41
602	Regulation of signal transduction by endocytosis. <b>2000</b> , 12, 204-10		257
601	Downregulation of G protein-coupled receptors. <b>2000</b> , 10, 365-9		136
600	PDZ domains in synapse assembly and signalling. <b>2000</b> , 10, 274-80		477
599	ERM proteins: from cellular architecture to cell signaling. <b>2000</b> , 92, 305-16		249
598	The dopamine D(4) receptor: one decade of research. <b>2000</b> , 405, 303-27		327
597	CD95 (APO-1/Fas) linkage to the actin cytoskeleton through ezrin in human T lymphocytes: a novel regulatory mechanism of the CD95 apoptotic pathway. <b>2000</b> , 19, 5123-34		191
596	Transmembrane transforming growth factor-alpha tethers to the PDZ domain-containing, Golgi membrane-associated protein p59/GRASP55. <b>2000</b> , 19, 6427-39		93
595	Polarization and interaction of adhesion molecules P-selectin glycoprotein ligand 1 and intercellular adhesion molecule 3 with moesin and ezrin in myeloid cells. <b>2000</b> , 95, 2413-2419		93

594	Localization of the sites mediating desensitization of the beta(2)-adrenergic receptor by the GRK pathway. <b>2000</b> , 58, 1162-73	92
593	The PDZ-interacting domain of cystic fibrosis transmembrane conductance regulator is required for functional expression in the apical plasma membrane. <b>2000</b> , 275, 27069-74	84
592	Signal complex regulation of renal transport proteins: NHERF and regulation of NHE3 by PKA. <b>2000</b> , 279, F393-9	77
591	Requirement of cortical actin organization for bombesin, endothelin, and EGF receptor internalization. <b>2000</b> , 279, C2019-27	20
590	Recycling of the cell adhesion molecule L1 in axonal growth cones. <b>2000</b> , 20, 3676-86	142
589	E3KARP mediates the association of ezrin and protein kinase A with the cystic fibrosis transmembrane conductance regulator in airway cells. <b>2000</b> , 275, 29539-46	172
588	The B1 subunit of the H <sup>+</sup> ATPase is a PDZ domain-binding protein. Colocalization with NHE-RF in renal B-intercalated cells. <b>2000</b> , 275, 18219-24	124
587	Type-specific sorting of G protein-coupled receptors after endocytosis. <b>2000</b> , 275, 11130-40	182
586	Platelet-derived growth factor receptor association with Na <sup>(+)</sup> /H <sup>(+)</sup> exchanger regulatory factor potentiates receptor activity. <b>2000</b> , 20, 8352-63	178
585	Visualization of the calcitonin receptor-like receptor and its receptor activity-modifying proteins during internalization and recycling. <b>2000</b> , 275, 29602-9	130
584	The C-terminal tail of the rat lutropin/choriogonadotropin (CG) receptor independently modulates human (h)CG-induced internalization of the cell surface receptor and the lysosomal targeting of the internalized hCG-receptor complex. <b>2000</b> , 14, 926-36	15
583	beta 1-adrenergic receptor association with PSD-95. Inhibition of receptor internalization and facilitation of beta 1-adrenergic receptor interaction with N-methyl-D-aspartate receptors. <b>2000</b> , 275, 38659-66	134
582	Binding of calmodulin to the D2-dopamine receptor reduces receptor signaling by arresting the G protein activation switch. <b>2000</b> , 275, 32672-80	113
581	Deletion of the serotonin 5-HT <sub>2C</sub> receptor PDZ recognition motif prevents receptor phosphorylation and delays resensitization of receptor responses. <b>2000</b> , 275, 23620-6	52
580	Protease-activated receptor-1 down-regulation: a mutant HeLa cell line suggests novel requirements for PAR1 phosphorylation and recruitment to clathrin-coated pits. <b>2000</b> , 275, 31255-65	66
579	The carboxy-terminal cysteine of the tetraspanin L6 antigen is required for its interaction with SITAC, a novel PDZ protein. <b>2000</b> , 11, 4217-25	22
578	Neurobiology. Receptors as kissing cousins. <b>2000</b> , 288, 65-7	30
577	ERM-Merlin and EBP50 protein families in plasma membrane organization and function. <b>2000</b> , 16, 113-43	326

576	Pyrrolidine-3-carboxylic acids as endothelin antagonists. 5. Highly selective, potent, and orally active ET(A) antagonists. <b>2001</b> , 44, 3978-84	28
575	The roles of PDZ-containing proteins in PLC-beta-mediated signaling. <b>2001</b> , 288, 1-7	74
574	Crystal structure of the PDZ1 domain of human Na(+)/H(+) exchanger regulatory factor provides insights into the mechanism of carboxyl-terminal leucine recognition by class I PDZ domains. <b>2001</b> , 308, 963-73	83
573	Intracellular and extracellular control of activin function by novel regulatory molecules. <b>2001</b> , 180, 25-31	36
572	Role of endocytosis in mediating downregulation of G-protein-coupled receptors. <b>2001</b> , 22, 91-6	191
571	Protein-protein interactions at G-protein-coupled receptors. <b>2001</b> , 22, 513-8	105
570	Endocytosis and downregulation of G protein-coupled receptors. <b>2001</b> , 7, 265-271	17
569	N-terminal PDZ domain is required for NHERF dimerization. <b>2001</b> , 489, 233-6	60
568	beta 1-adrenergic receptor association with the synaptic scaffolding protein membrane-associated guanylate kinase inverted-2 (MAGI-2). Differential regulation of receptor internalization by MAGI-2 and PSD-95. <b>2001</b> , 276, 41310-7	102
567	Oligomerization of NHERF-1 and NHERF-2 PDZ domains: differential regulation by association with receptor carboxyl-termini and by phosphorylation. <b>2001</b> , 40, 8572-80	98
566	Ezrin binding domain-deficient NHERF attenuates cAMP-mediated inhibition of Na(+)/H(+) exchange in OK cells. <b>2001</b> , 281, F374-80	39
565	NHERF: targeting and trafficking membrane proteins. <b>2001</b> , 280, F389-95	131
564	The role of endocytic l1 trafficking in polarized adhesion and migration of nerve growth cones. <b>2001</b> , 21, 9194-203	103
563	The actin cytoskeleton, membrane lipid microdomains, and T cell signal transduction. <b>2001</b> , 77, 1-43	6
562	Interaction with mLin-7 alters the targeting of endocytosed transmembrane proteins in mammalian epithelial cells. <b>2001</b> , 12, 1329-40	39
561	Current World Literature. <b>2001</b> , 10, 271-293	
560	Emerging roles of transporter-PDZ complexes in renal proximal tubular reabsorption. <b>2001</b> , 443, 3-5	22
559	Association of a lower molecular weight protein to the mu-opioid receptor demonstrated by (125)I-beta-endorphin cross-linking studies. <b>2000</b> , 75, 164-73	4

558	Coupling of agonist-induced AMPA receptor internalization with receptor recycling. <b>2001</b> , 77, 1626-31	30
557	Molecular determinants for apical expression and regulatory membrane retrieval of the type IIa Na/Pi cotransporter. <b>2001</b> , 60, 431-5	18
556	Acute regulation of NHE3 by protein kinase A requires a multiprotein signal complex. <b>2001</b> , 60, 450-4	38
555	Receptor phosphorylation mediates estradiol reduction of alpha2-adrenoceptor coupling to G protein in the hypothalamus of female rats. <b>2001</b> , 14, 165-74	24
554	Dephosphorylation of beta2-syntrophin and Ca <sup>2+</sup> /mu-calpain-mediated cleavage of ICA512 upon stimulation of insulin secretion. <b>2001</b> , 20, 4013-23	87
553	Dancing to the tune of chemokines. <b>2001</b> , 2, 129-34	506
552	Expanding the role of NHERF, a PDZ-domain containing protein adapter, to growth regulation. <b>2001</b> , 20, 6309-14	136
551	Diversity and specificity in the regulated endocytic membrane trafficking of G-protein-coupled receptors. <b>2001</b> , 89, 139-47	59
550	Regulation of human beta(1)-adrenergic receptors and their mRNA in neuroepithelioma SK-N-MC cells: effects of agonist, forskolin, and protein kinase A. <b>2001</b> , 62, 1211-20	8
549	Trafficking of green fluorescent protein-tagged muscarinic M4 receptors in NG108-15 cells. <b>2001</b> , 428, 9-18	14
548	OPC-compounds prevent oxidant-induced carbonylation and depolymerization of the F-actin cytoskeleton and intestinal barrier hyperpermeability. <b>2001</b> , 30, 287-98	53
547	Actin filament nucleation by endosomes, lysosomes and secretory vesicles. <b>2001</b> , 13, 85-91	115
546	A transplantable sorting signal that is sufficient to mediate rapid recycling of G protein-coupled receptors. <b>2001</b> , 276, 44712-20	107
545	COOH-terminal truncations promote proteasome-dependent degradation of mature cystic fibrosis transmembrane conductance regulator from post-Golgi compartments. <b>2001</b> , 153, 957-70	75
544	The C-terminal tail of the metabotropic glutamate receptor subtype 7 is necessary but not sufficient for cell surface delivery and polarized targeting in neurons and epithelia. <b>2001</b> , 276, 9133-40	16
543	PDZ domains and the organization of supramolecular complexes. <b>2001</b> , 24, 1-29	1047
542	Actin filaments are involved in the regulation of trafficking of two closely related chemokine receptors, CXCR1 and CXCR2. <b>2001</b> , 166, 1272-84	48
541	Olfactory receptor trafficking involves conserved regulatory steps. <b>2001</b> , 276, 7285-90	65

540	Binding of the beta2 adrenergic receptor to N-ethylmaleimide-sensitive factor regulates receptor recycling. <b>2001</b> , 276, 45145-52		114
539	Identification of EPI64, a TBC/rabGAP domain-containing microvillar protein that binds to the first PDZ domain of EBP50 and E3KARP. <b>2001</b> , 153, 191-206		68
538	A phosphorylation-regulated brake mechanism controls the initial endocytosis of opioid receptors but is not required for post-endocytic sorting to lysosomes. <b>2001</b> , 276, 34331-8		53
537	Interaction of serotonin 5-hydroxytryptamine type 2C receptors with PDZ10 of the multi-PDZ domain protein MUPP1. <b>2001</b> , 276, 12974-82		129
536	c-Src regulates the interaction between connexin-43 and ZO-1 in cardiac myocytes. <b>2001</b> , 276, 1780-8		158
535	Agonist-regulated Interaction between alpha2-adrenergic receptors and spinophilin. <b>2001</b> , 276, 15003-8		104
534	Phosphorylation and cell cycle-dependent regulation of Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor-1 by Cdc2 kinase. <b>2001</b> , 276, 41559-65		54
533	Identification of two distinct structural motifs that, when added to the C-terminal tail of the rat LH receptor, redirect the internalized hormone-receptor complex from a degradation to a recycling pathway. <b>2001</b> , 15, 1624-35		42
532	Association of beta-Arrestin 1 with the type 1A angiotensin II receptor involves phosphorylation of the receptor carboxyl terminus and correlates with receptor internalization. <b>2001</b> , 15, 1706-19		72
531	PDZ domains: structural modules for protein complex assembly. <b>2002</b> , 277, 5699-702		535
530	Targeted disruption of the mouse NHERF-1 gene promotes internalization of proximal tubule sodium-phosphate cotransporter type IIa and renal phosphate wasting. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 11470-5	11.5	281
529	PDZ-domain interactions and apical expression of type IIa Na/P(i) cotransporters. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 11957-62	11.5	155
528	The PDZ binding motif of the beta 1 adrenergic receptor modulates receptor trafficking and signaling in cardiac myocytes. <b>2002</b> , 277, 33783-90		80
527	G protein-coupled receptor kinase 5 regulates beta 1-adrenergic receptor association with PSD-95. <b>2002</b> , 277, 1607-13		49
526	Ubiquitination-independent trafficking of G protein-coupled receptors to lysosomes. <b>2002</b> , 277, 50219-22		105
525	Regulation of G protein-coupled receptor signaling by scaffold proteins. <b>2002</b> , 91, 672-80		189
524	Cutting edge: association of the motor protein nonmuscle myosin heavy chain-IIA with the C terminus of the chemokine receptor CXCR4 in T lymphocytes. <b>2002</b> , 169, 5410-4		51
523	Epithelial inducible nitric-oxide synthase is an apical EBP50-binding protein that directs vectorial nitric oxide output. <b>2002</b> , 277, 33132-8		42

522	The Maguk protein, Pals1, functions as an adapter, linking mammalian homologues of Crumbs and Discs Lost. <b>2002</b> , 157, 161-72	299
521	Down-regulation of protease-activated receptor-1 is regulated by sorting nexin 1. <b>2002</b> , 13, 1965-76	121
520	Modulation of postendocytic sorting of G protein-coupled receptors. <b>2002</b> , 297, 615-20	274
519	The structural basis of g-protein-coupled receptor function and dysfunction in human diseases. <b>2002</b> , 144-227	6
518	The multivalent PDZ domain-containing protein CIPP is a partner of acid-sensing ion channel 3 in sensory neurons. <b>2002</b> , 277, 16655-61	61
517	Structural determinants of the Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor interaction with the beta 2 adrenergic and platelet-derived growth factor receptors. <b>2002</b> , 277, 18973-8	66
516	A novel PDZ protein regulates the activity of guanylyl cyclase C, the heat-stable enterotoxin receptor. <b>2002</b> , 277, 22934-41	68
515	The gonadotrophin-releasing hormone receptor: signalling, cycling and desensitisation. <b>2002</b> , 110, 113-22	29
514	Parathyroid hormone receptor recycling: role of receptor dephosphorylation and beta-arrestin. <b>2002</b> , 16, 2720-32	46
513	Human prostacyclin receptor. <b>2002</b> , 65, 149-65	42
512	Ezrin-radixin-moesin-binding phosphoprotein-50/Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor (EBP50/NHERF) blocks U50,488H-induced down-regulation of the human kappa opioid receptor by enhancing its recycling rate. <b>2002</b> , 277, 27545-52	100
511	PDZ domain interaction controls the endocytic recycling of the cystic fibrosis transmembrane conductance regulator. <b>2002</b> , 277, 40099-105	165
510	Regulation of endocytosis of activin type II receptors by a novel PDZ protein through Ral/Ral-binding protein 1-dependent pathway. <b>2002</b> , 277, 19008-18	65
509	Regulation of GTP-binding protein alpha q (Galpha q) signaling by the ezrin-radixin-moesin-binding phosphoprotein-50 (EBP50). <b>2002</b> , 277, 40751-9	47
508	Plasma membrane Ca <sup>2+</sup> ATPase isoform 2b interacts preferentially with Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor 2 in apical plasma membranes. <b>2002</b> , 277, 10506-11	82
507	Role of the PDZ scaffolding protein in tubule cells in maintenance of polarised function. <b>2002</b> , 10, 307-12	9
506	Beyond G proteins: The role of accessory proteins in G protein-coupled receptor signalling. <b>2002</b> , 161-173	
505	Regulation of G-Protein-Coupled Receptor Activity by Rab GTPases. <b>2002</b> , 8, 87-97	15

504	Identification of nonpeptidic urotensin II receptor antagonists by virtual screening based on a pharmacophore model derived from structure-activity relationships and nuclear magnetic resonance studies on urotensin II. <b>2002</b> , 45, 1799-805	174
503	A new, potent urotensin II receptor peptide agonist containing a Pen residue at the disulfide bridge. <b>2002</b> , 45, 4391-4	82
502	Subtype-specific regulation of receptor internalization and recycling by the carboxyl-terminal domains of the human A1 and rat A3 adenosine receptors: consequences for agonist-stimulated translocation of arrestin3. <b>2002</b> , 41, 14748-61	31
501	Discovery of the first nonpeptide agonist of the GPR14/urotensin-II receptor: 3-(4-chlorophenyl)-3-(2-(dimethylamino)ethyl)isochroman-1-one (AC-7954). <b>2002</b> , 45, 4950-3	61
500	Endocytosis and the cytoskeleton. <b>2002</b> , 220, 93-144	142
499	Novel beta2-adrenergic receptor signaling pathways. <b>2002</b> , 110, S229-35	60
498	Cytoskeleton-related trafficking of the EAAC1 glutamate transporter after activation of the G(q/11)-coupled neurotensin receptor NTS1. <b>2002</b> , 523, 224-8	27
497	PIP(2)-PDZ domain binding controls the association of syntenin with the plasma membrane. <b>2002</b> , 9, 1215-25	159
496	Regulation of mu-opioid receptors, G-protein-coupled receptor kinases and beta-arrestin 2 in the rat brain after chronic opioid receptor antagonism. <b>2002</b> , 112, 345-53	45
495	Endocytosis of G protein-coupled receptors: roles of G protein-coupled receptor kinases and beta-arrestin proteins. <b>2002</b> , 66, 61-79	452
494	G protein-coupled receptors: dominant players in cell-cell communication. <b>2002</b> , 212, 63-132	47
493	Phosphorylation of the postsynaptic density-95 (PSD-95)/discs large/zona occludens-1 binding site of stargazin regulates binding to PSD-95 and synaptic targeting of AMPA receptors. <b>2002</b> , 22, 5791-6	130
492	Regulation of synaptic plasticity and synaptic vesicle dynamics by the PDZ protein Scribble. <b>2002</b> , 22, 6471-9	69
491	Rab11a and myosin Vb regulate recycling of the M4 muscarinic acetylcholine receptor. <b>2002</b> , 22, 9776-84	126
490	Distinct cell type-specific expression of scaffolding proteins EBP50 and E3KARP: EBP50 is generally expressed with ezrin in specific epithelia, whereas E3KARP is not. <b>2002</b> , 81, 61-8	63
489	G protein-coupled receptor interacting proteins: emerging roles in localization and signal transduction. <b>2002</b> , 14, 297-309	236
488	Intracellular trafficking of human CXCR1 and CXCR2: regulation by receptor domains and actin-related kinases. <b>2002</b> , 32, 3525-35	17
487	A PDZ domain-based detection system for enzymatic assays. <b>2002</b> , 301, 207-16	12



486	Removal of the carboxy terminus of the A2A-adenosine receptor blunts constitutive activity: differential effect on cAMP accumulation and MAP kinase stimulation. <b>2002</b> , 366, 287-98	48
485	Homologous regulation of the heptahelical D1A receptor responsiveness: specific cytoplasmic tail regions mediate dopamine-induced phosphorylation, desensitization and endocytosis. <b>2002</b> , 82, 683-97	27
484	ERM proteins and merlin: integrators at the cell cortex. <b>2002</b> , 3, 586-99	1318
483	Signal transduction and endocytosis: close encounters of many kinds. <b>2002</b> , 3, 600-14	696
482	Mouse beta 3a- and beta 3b-adrenoceptors expressed in Chinese hamster ovary cells display identical pharmacology but utilize distinct signalling pathways. <b>2002</b> , 135, 1903-14	47
481	PDZ domains-glue and guide. <b>2003</b> , 30, 69-82	115
480	CD44 in cancer progression: adhesion, migration and growth regulation. <b>2004</b> , 35, 211-31	328
479	EBP50, a beta-catenin-associating protein, enhances Wnt signaling and is over-expressed in hepatocellular carcinoma. <b>2003</b> , 38, 178-86	119
478	Sorting motifs in receptor trafficking. <b>2003</b> , 55, 1405-19	35
477	Actin microfilaments et al.--the many components, effectors and regulators of epithelial cell endocytosis. <b>2003</b> , 55, 1359-83	34
476	The ins and outs of G protein-coupled receptor trafficking. <b>2003</b> , 28, 369-76	181
475	The protein tyrosine phosphatase PTP-Basophil/Basophil-like. Interacting proteins and molecular functions. <b>2003</b> , 270, 4789-98	56
474	Enhanced beta2-adrenergic receptor (beta2AR) signaling by adeno-associated viral (AAV)-mediated gene transfer. <b>2003</b> , 3, 15	9
473	PDZK1: I. a major scaffold in brush borders of proximal tubular cells. <b>2003</b> , 64, 1733-45	158
472	Functional diversity of endothelin pathways in human lung fibroblasts may be based on structural diversity of the endothelin receptors. <b>2003</b> , 42, 13909-18	21
471	Role of electrostatic interactions in PDZ domain ligand recognition. <b>2003</b> , 42, 2797-805	45
470	Mechanisms regulating membrane trafficking of G protein-coupled receptors in the endocytic pathway. <b>2003</b> , 74, 217-24	144
469	The 'magic tail' of G protein-coupled receptors: an anchorage for functional protein networks. <b>2003</b> , 546, 65-72	172

468	C-terminal phosphorylation of MRP2 modulates its interaction with PDZ proteins. <b>2003</b> , 302, 454-61	75
467	AMPA receptor trafficking and synaptic plasticity: major unanswered questions. <b>2003</b> , 46, 127-34	65
466	Role of the sensory neuron cytoskeleton in second messenger signaling for inflammatory pain. <b>2003</b> , 39, 613-24	103
465	The PDZ-binding motif of the beta2-adrenoceptor is essential for physiologic signaling and trafficking in cardiac myocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2003</b> , 100, 10776-81	11.5 77
464	Agonist-induced phosphorylation of the serotonin 5-HT <sub>2C</sub> receptor regulates its interaction with multiple PDZ protein 1. <b>2003</b> , 278, 21576-83	46
463	Antidepressant-induced switch of beta 1-adrenoceptor trafficking as a mechanism for drug action. <b>2003</b> , 278, 1044-52	16
462	Ezrin regulates E-cadherin-dependent adherens junction assembly through Rac1 activation. <b>2003</b> , 14, 2181-91	132
461	The nature of the arrestin x receptor complex determines the ultimate fate of the internalized receptor. <b>2003</b> , 278, 11623-32	253
460	PDZ domain proteins: plug and play!. <b>2003</b> , 2003, RE7	302
459	A novel endocytic recycling signal that distinguishes the membrane trafficking of naturally occurring opioid receptors. <b>2003</b> , 278, 45978-86	142
458	Role of PDZ domain-containing proteins and ERM proteins in regulation of renal function and dysfunction. <b>2003</b> , 14, 1949-51	10
457	Interaction between the mu opioid receptor and filamin A is involved in receptor regulation and trafficking. <b>2003</b> , 64, 1092-100	92
456	A novel endocytic pathway induced by clustering endothelial ICAM-1 or PECAM-1. <b>2003</b> , 116, 1599-609	254
455	A kinase-regulated mechanism controls CFTR channel gating by disrupting bivalent PDZ domain interactions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2003</b> , 100, 9620-5	11.5 85
454	Stimulation of beta 2-adrenergic receptor increases cystic fibrosis transmembrane conductance regulator expression in human airway epithelial cells through a cAMP/protein kinase A-independent pathway. <b>2003</b> , 278, 17320-7	43
453	Activation-independent parathyroid hormone receptor internalization is regulated by NHERF1 (EBP50). <b>2003</b> , 278, 43787-96	140
452	GIPC binds to the human lutropin receptor (hLHR) through an unusual PDZ domain binding motif, and it regulates the sorting of the internalized human choriogonadotropin and the density of cell surface hLHR. <b>2003</b> , 278, 49348-57	67
451	Truncation of the A1 adenosine receptor reveals distinct roles of the membrane-proximal carboxyl terminus in receptor folding and G protein coupling. <b>2003</b> , 278, 30283-93	58

450	Lysophosphatidic acid stimulates brush border Na <sup>+</sup> /H <sup>+</sup> exchanger 3 (NHE3) activity by increasing its exocytosis by an NHE3 kinase A regulatory protein-dependent mechanism. <b>2003</b> , 278, 16494-501	75
449	Trafficking, ubiquitination, and down-regulation of the human platelet-activating factor receptor. <b>2003</b> , 278, 48228-35	64
448	Resistance of the human beta 1-adrenergic receptor to agonist-mediated down-regulation. Role of the C terminus in determining beta-subtype degradation. <b>2003</b> , 278, 39773-81	25
447	ESI-MS and FTIR studies of the interaction between the second PDZ domain of hPTP1E and target peptides. <b>2003</b> , 81, 71-80	
446	Binding of filamin to the C-terminal tail of the calcitonin receptor controls recycling. <b>2003</b> , 278, 10408-16	85
445	The role of the C terminus and Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor in the functional expression of cystic fibrosis transmembrane conductance regulator in nonpolarized cells and epithelia. <b>2003</b> , 278, 22079-89	64
444	Myocyte adrenoceptor signaling pathways. <b>2003</b> , 300, 1530-2	173
443	A direct interaction of PSD-95 with 5-HT <sub>2A</sub> serotonin receptors regulates receptor trafficking and signal transduction. <b>2003</b> , 278, 21901-8	126
442	Protein kinase A and G protein-coupled receptor kinase phosphorylation mediates beta-1 adrenergic receptor endocytosis through different pathways. <b>2003</b> , 278, 35403-11	124
441	Galphaq-coupled receptor internalization specifically induced by Galphaq signaling. Regulation by EBP50. <b>2003</b> , 278, 17827-37	47
440	Overexpression of the NF2 gene inhibits schwannoma cell proliferation through promoting PDGFR degradation. <b>2003</b> , 23, 1493	4
439	Identification of a transferable two-amino-acid motif (GT) present in the C-terminal tail of the human lutropin receptor that redirects internalized G protein-coupled receptors from a degradation to a recycling pathway. <b>2003</b> , 17, 411-22	36
438	Ezrin distribution is abnormal in principal cells from a murine model of autosomal recessive polycystic kidney disease. <b>2003</b> , 54, 406-12	9
437	The carboxyl terminus of Neph family members binds to the PDZ domain protein zonula occludens-1. <b>2003</b> , 278, 13417-21	97
436	Concerted roles of SGK1 and the Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor 2 (NHERF2) in regulation of NHE3. <b>2003</b> , 13, 29-40	61
435	Ligand-induced recruitment of Na <sup>+</sup> /H <sup>+</sup> -exchanger regulatory factor to the PDGF (platelet-derived growth factor) receptor regulates actin cytoskeleton reorganization by PDGF. <i>Biochemical Journal</i> , <b>2003</b> , 376, 505-10	3.8 41
434	Neurotrophin-regulated sorting of opioid receptors in the biosynthetic pathway of neurosecretory cells. <b>2003</b> , 23, 2075-85	47
433	. <b>2004</b> ,	10

432	G protein-coupled receptor fusion proteins in drug discovery. <b>2004</b> , 10, 1989-2001	35
431	Anti-inflammatory activities of beta2-agonists. <b>2004</b> , 3, 271-7	34
430	Identification of protein interactions by yeast two-hybrid screening and coimmunoprecipitation. <b>2004</b> , 259, 353-69	4
429	Assessment of receptor internalization and recycling. <b>2004</b> , 259, 249-73	8
428	The low-density lipoprotein receptor is regulated by estrogen and forms a functional complex with the estrogen-regulated protein ezrin in pituitary GH3 somatotropes. <b>2004</b> , 145, 3075-83	21
427	Receptor Signal Transduction Protocols. <b>2004</b> ,	
426	Modulation of mature cystic fibrosis transmembrane regulator protein by the PDZ domain protein CAL. <b>2004</b> , 279, 1892-8	100
425	Role of the cyclic AMP-dependent protein kinase in homologous resensitization of the beta1-adrenergic receptor. <b>2004</b> , 279, 21135-43	31
424	Identification of a novel endocytic recycling signal in the D1 dopamine receptor. <b>2004</b> , 279, 37461-9	62
423	Interaction with cystic fibrosis transmembrane conductance regulator-associated ligand (CAL) inhibits beta1-adrenergic receptor surface expression. <b>2004</b> , 279, 50190-6	52
422	Endocytosis and degradative sorting of NMDA receptors by conserved membrane-proximal signals. <b>2004</b> , 24, 7096-109	100
421	Surface targeting of the dopamine transporter involves discrete epitopes in the distal C terminus but does not require canonical PDZ domain interactions. <b>2004</b> , 24, 7024-36	72
420	Phosphorylation of the platelet-derived growth factor receptor-beta by G protein-coupled receptor kinase-2 reduces receptor signaling and interaction with the Na(+)/H(+) exchanger regulatory factor. <b>2004</b> , 279, 41775-82	37
419	Assembly and trafficking of a multiprotein ROMK (Kir 1.1) channel complex by PDZ interactions. <b>2004</b> , 279, 6863-73	72
418	Ezrin regulates NHE3 translocation and activation after Na <sup>+</sup> -glucose cotransport. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2004</b> , 101, 9485-90	11.5 72
417	Increased diffusional mobility of CFTR at the plasma membrane after deletion of its C-terminal PDZ binding motif. <b>2004</b> , 279, 5494-500	70
416	The Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor stabilizes epidermal growth factor receptors at the cell surface. <b>2004</b> , 15, 5470-80	87
415	Regulation of the NMDA receptor complex and trafficking by activity-dependent phosphorylation of the NR2B subunit PDZ ligand. <b>2004</b> , 24, 10248-59	231

414	A library of 7TM receptor C-terminal tails. Interactions with the proposed post-endocytic sorting proteins ERM-binding phosphoprotein 50 (EBP50), N-ethylmaleimide-sensitive factor (NSF), sorting nexin 1 (SNX1), and G protein-coupled receptor-associated sorting protein (GASP). <b>2004</b> , 279, 54291-303	138
413	A conserved motif for the transport of G protein-coupled receptors from the endoplasmic reticulum to the cell surface. <b>2004</b> , 279, 30741-50	132
412	Rab11-family interacting protein 2 and myosin Vb are required for CXCR2 recycling and receptor-mediated chemotaxis. <b>2004</b> , 15, 2456-69	119
411	$\alpha$ -Adrenergic receptors: Structure, regulation and signaling by partial and full agonists. <b>2004</b> , 53, 321-330	6
410	Ezrin/radixin/moesin proteins and Rho GTPase signalling in leucocytes. <b>2004</b> , 112, 165-76	233
409	Receptor activity-independent recruitment of betaarrestin2 reveals specific signalling modes. <b>2004</b> , 23, 3950-61	98
408	Identification of PDZK4, a novel human gene with PDZ domains, that is upregulated in synovial sarcomas. <b>2004</b> , 23, 5551-7	25
407	Endosome sorting of beta 2-adrenoceptors is GRK5 independent. <b>2004</b> , 141, 277-84	9
406	Adrenergic receptor knockout mice: distinct functions of 9 receptor subtypes. <b>2004</b> , 101, 65-74	127
405	Molecular mechanisms of ligand binding, signaling, and regulation within the superfamily of G-protein-coupled receptors: molecular modeling and mutagenesis approaches to receptor structure and function. <b>2004</b> , 103, 21-80	459
404	GPCR interacting proteins (GIP). <b>2004</b> , 103, 203-21	220
403	Differences in endosomal targeting of human (beta)1- and (beta)2-adrenergic receptors following clathrin-mediated endocytosis. <b>2004</b> , 117, 723-34	32
402	Unraveling the active conformation of urotensin II. <b>2004</b> , 47, 1652-61	39
401	Altered traffic to the lysosome in an ex vivo lacrimal acinar cell model for chronic muscarinic receptor stimulation. <b>2004</b> , 79, 665-75	12
400	beta(2)-Adrenergic receptor signaling complexes in cardiomyocyte caveolae/lipid rafts. <b>2004</b> , 37, 407-15	64
399	Beta-adrenergic receptors and their interacting proteins. <b>2004</b> , 15, 281-8	53
398	Agonist-induced regulation and trafficking of kappa opioid receptors. <b>2004</b> , 75, 511-36	82
397	Opioid receptors. <b>2004</b> , 73, 953-90	593

396	Membrane trafficking of G protein-coupled receptors. <b>2004</b> , 44, 559-609		177
395	Distinct in vitro interaction pattern of dopamine receptor subtypes with adaptor proteins involved in post-endocytotic receptor targeting. <b>2004</b> , 556, 276-80		32
394	Two threonine residues and two serine residues in the second and third intracellular loops are both involved in histamine H1 receptor downregulation. <b>2004</b> , 573, 226-30		14
393	Protecting the myocardium: a role for the beta2 adrenergic receptor in the heart. <b>2004</b> , 32, 1041-8		85
392	PDZ proteins and proximal ion transport. <b>2004</b> , 13, 569-74		26
391	3. THE ACTIN CYTOSKELETON IN LIVER FUNCTION. <b>2004</b> , 49-79		5
390	Control of aldosterone secretion: a model for convergence in cellular signaling pathways. <b>2004</b> , 84, 489-539		354
389	Stress- and mitogen-induced phosphorylation of the synapse-associated protein SAP90/PSD-95 by activation of SAPK3/p38gamma and ERK1/ERK2. <i>Biochemical Journal</i> , <b>2004</b> , 380, 19-30	3.8	79
388	Identification of amino acid residues responsible for agonist-induced down-regulation of histamine H(1) receptors. <b>2004</b> , 94, 410-9		26
387	Regulation of ion transport by the NHERF family of PDZ proteins. <b>2004</b> , 19, 362-9		114
386	The sustainability of interactions between the orexin-1 receptor and beta-arrestin-2 is defined by a single C-terminal cluster of hydroxy amino acids and modulates the kinetics of ERK MAPK regulation. <i>Biochemical Journal</i> , <b>2005</b> , 387, 573-84	3.8	63
385	Opioid receptors and their interacting proteins. <b>2005</b> , 7, 51-9		30
384	Once and future signaling: G protein-coupled receptor kinase control of neuronal sensitivity. <b>2005</b> , 7, 129-47		24
383	G-Protein-coupled receptor-protein interactions: basis for new concepts on receptor structure and function. <b>2005</b> , 32, 979-87		23
382	Thyrotropin receptor trafficking relies on the hScrib-betaPIX-GIT1-ARF6 pathway. <b>2005</b> , 24, 1364-74		62
381	Essential role of Hrs in a recycling mechanism mediating functional resensitization of cell signaling. <b>2005</b> , 24, 2265-83		110
380	Sex-specific association between bipolar affective disorder in women and GPR50, an X-linked orphan G protein-coupled receptor. <b>2005</b> , 10, 470-8		84
379	Recent advances in renal phosphate transport. <b>2005</b> , 9, 323-7		10

378	The cardiac beta2-adrenergic signalling a new role for the cPLA2. <b>2005</b> , 17, 141-52	32
377	PDZ Domains: Intracellular Mediators of Carboxy-Terminal Protein Recognition and Scaffolding. <b>2005</b> , 257-278	1
376	Protein/protein interactions (PDZ) in proximal tubules. <b>2005</b> , 203, 111-8	30
375	Molecular mechanisms of membrane polarity in renal epithelial cells. <b>2005</b> , 153, 47-99	19
374	PDZ proteins retain and regulate membrane transporters in polarized epithelial cell membranes. <b>2005</b> , 288, C20-9	88
373	Parathyroid hormone treatment induces dissociation of type IIa Na <sup>+</sup> -P(i) cotransporter-Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor-1 complexes. <b>2005</b> , 289, C159-67	112
372	Ezrin oligomers are the membrane-bound dormant form in gastric parietal cells. <b>2005</b> , 288, C1242-54	30
371	The G Protein-Coupled Receptors Handbook. <b>2005</b> ,	3
370	Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor isoform 1 overexpression modulates cystic fibrosis transmembrane conductance regulator (CFTR) expression and activity in human airway 16HBE14o-cells and rescues DeltaF508 CFTR functional expression in cystic fibrosis cells. <b>2005</b> , 280, 40925-33	83
369	Protein kinase C-mediated phosphorylation of the BGT1 epithelial gamma-aminobutyric acid transporter regulates its association with LIN7 PDZ proteins: a post-translational mechanism regulating transporter surface density. <b>2005</b> , 280, 7388-97	19
368	Internal PDZ ligands: novel endocytic recycling motifs for G protein-coupled receptors. <b>2005</b> , 67, 1388-90	35
367	The composition of the beta-2 adrenergic receptor oligomer affects its membrane trafficking after ligand-induced endocytosis. <b>2005</b> , 67, 288-97	27
366	The intracellular trafficking of the G protein-coupled receptor TPbeta depends on a direct interaction with Rab11. <b>2005</b> , 280, 36195-205	63
365	Chemical genetic engineering of G protein-coupled receptor kinase 2. <b>2005</b> , 280, 35051-61	25
364	Type I PDZ ligands are sufficient to promote rapid recycling of G Protein-coupled receptors independent of binding to N-ethylmaleimide-sensitive factor. <b>2005</b> , 280, 3305-13	61
363	Beta-arrestin binding to the beta2-adrenergic receptor requires both receptor phosphorylation and receptor activation. <b>2005</b> , 280, 9528-35	133
362	Characterization of the biochemical and transforming properties of the neuroepithelial transforming protein 1. <b>2005</b> , 280, 7603-13	36
361	Interactions with PDZ domain proteins PIST/GOPC and PDZK1 regulate intracellular sorting of the somatostatin receptor subtype 5. <b>2005</b> , 280, 32419-25	59

360	Distinct conformations of the corticotropin releasing factor type 1 receptor adopted following agonist and antagonist binding are differentially regulated. <b>2005</b> , 280, 11560-8	51
359	G protein-coupled receptor kinase 2-mediated phosphorylation of ezrin is required for G protein-coupled receptor-dependent reorganization of the actin cytoskeleton. <b>2005</b> , 16, 3088-99	120
358	The lymphocyte receptor CD6 interacts with syntenin-1, a scaffolding protein containing PDZ domains. <b>2005</b> , 175, 1406-14	45
357	CART: an Hrs/actinin-4/BERP/myosin V protein complex required for efficient receptor recycling. <b>2005</b> , 16, 2470-82	99
356	Subtype-specific sorting of the ETA endothelin receptor by a novel endocytic recycling signal for G protein-coupled receptors. <b>2005</b> , 67, 1581-90	50
355	A novel endocytic recycling signal distinguishes biological responses of Trk neurotrophin receptors. <b>2005</b> , 16, 5761-72	87
354	Urotensin-II receptor ligands. From agonist to antagonist activity. <b>2005</b> , 48, 7290-7	22
353	Architecture of the human urotensin II receptor: comparison of the binding domains of peptide and non-peptide urotensin II agonists. <b>2005</b> , 48, 2480-92	30
352	Syndecan recycling [corrected] is controlled by syntenin-PIP2 interaction and Arf6. <b>2005</b> , 9, 377-88	165
351	Suppression of breast cancer cell growth by Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor 1 (NHERF1). <b>2006</b> , 8, R63	41
350	The Serotonin Receptors. <b>2006</b> ,	21
349	Independent roles of Drosophila Moesin in imaginal disc morphogenesis and hedgehog signalling. <b>2006</b> , 123, 337-51	15
348	Design and synthesis of potent cystine-free cyclic hexapeptide agonists at the human urotensin receptor. <b>2006</b> , 8, 1799-802	12
347	Structure-activity relationships of a novel series of urotensin II analogues: identification of a urotensin II antagonist. <b>2006</b> , 49, 7234-8	27
346	Cargo regulates clathrin-coated pit dynamics. <b>2006</b> , 127, 113-24	200
345	The prevalence and significance of PDZ domain-phosphoinositide interactions. <b>2006</b> , 1761, 947-56	44
344	New Signal Transduction Paradigms. <b>2006</b> , 87-106	
343	Regulation of the Cellular Localization and Trafficking of the Adrenergic Receptors. <b>2006</b> , 107-128	



342	The $\beta$ -Adrenergic Receptors. <b>2006</b> , 267-291	
341	Distinct modes of regulated receptor insertion to the somatodendritic plasma membrane. <b>2006</b> , 9, 622-7	70
340	Elongation factor 1A family regulates the recycling of the M4 muscarinic acetylcholine receptor. <b>2006</b> , 31, 975-88	23
339	Tracking the opioid receptors on the way of desensitization. <b>2006</b> , 18, 1815-33	44
338	The tumor suppressors Merlin and Expanded function cooperatively to modulate receptor endocytosis and signaling. <b>2006</b> , 16, 702-9	172
337	14-3-3 proteins: regulation of endoplasmic reticulum localization and surface expression of membrane proteins. <b>2006</b> , 16, 370-5	59
336	Transmembrane signaling by G protein-coupled receptors. <b>2006</b> , 332, 3-49	86
335	TIP-1 has PDZ scaffold antagonist activity. <b>2006</b> , 17, 4200-11	38
334	Interactions between the Mas-related receptors MrgD and MrgE alter signalling and trafficking of MrgD. <b>2006</b> , 69, 479-91	64
333	Tracking of quantum dot-labeled CFTR shows near immobilization by C-terminal PDZ interactions. <b>2006</b> , 17, 4937-45	115
332	EPI64 regulates microvillar subdomains and structure. <b>2006</b> , 175, 803-13	65
331	Beyond the dogma: novel beta2-adrenoceptor signalling in the airways. <b>2006</b> , 27, 1286-306	120
330	Role of the G protein-coupled receptor kinase site serine cluster in beta2-adrenergic receptor internalization, desensitization, and beta-arrestin translocation. <b>2006</b> , 281, 7684-92	53
329	Trafficking of G protein-coupled receptors. <b>2006</b> , 99, 570-82	252
328	AKAP79-mediated targeting of the cyclic AMP-dependent protein kinase to the beta1-adrenergic receptor promotes recycling and functional resensitization of the receptor. <b>2006</b> , 281, 33537-53	64
327	Regulation of the platelet-derived growth factor receptor-beta by G protein-coupled receptor kinase-5 in vascular smooth muscle cells involves the phosphatase Shp2. <b>2006</b> , 281, 37758-72	31
326	Protein kinase D intracellular localization and activity control kinase D-interacting substrate of 220-kDa traffic through a postsynaptic density-95/discs large/zonula occludens-1-binding motif. <b>2006</b> , 281, 18888-900	62
325	The association of NHERF adaptor proteins with g protein-coupled receptors and receptor tyrosine kinases. <b>2006</b> , 68, 491-505	154

324	Ezrin directly interacts with the alpha1b-adrenergic receptor and plays a role in receptor recycling. <b>2006</b> , 281, 4354-63	39
323	Proteomic analysis of beta1-adrenergic receptor interactions with PDZ scaffold proteins. <b>2006</b> , 281, 2820-7	101
322	NHERF-1 and the cytoskeleton regulate the traffic and membrane dynamics of G protein-coupled receptors. <b>2007</b> , 282, 25076-87	70
321	NHERF1 regulates parathyroid hormone receptor membrane retention without affecting recycling. <b>2007</b> , 282, 36214-22	78
320	Changes in G protein-coupled receptor sorting protein affinity regulate postendocytic targeting of G protein-coupled receptors. <b>2007</b> , 282, 29178-85	32
319	Lin-7 targets the Kir 2.3 channel on the basolateral membrane via a L27 domain interaction with CASK. <b>2007</b> , 293, C1733-41	20
318	Tissue-specific regulation of sodium/proton exchanger isoform 3 activity in Na(+)/H(+) exchanger regulatory factor 1 (NHERF1) null mice. cAMP inhibition is differentially dependent on NHERF1 and exchange protein directly activated by cAMP in ileum versus proximal tubule. <b>2007</b> , 282, 25141-51	66
317	Kinins promote B2 receptor endocytosis and delay constitutive B1 receptor endocytosis. <b>2007</b> , 71, 494-507	64
316	Design, synthesis, and evaluation of linear and cyclic peptide ligands for PDZ10 of the multi-PDZ domain protein MUPP1. <b>2007</b> , 46, 12709-20	13
315	Beta-arrestin-dependent parathyroid hormone-stimulated extracellular signal-regulated kinase activation and parathyroid hormone type 1 receptor internalization. <b>2007</b> , 148, 4073-9	37
314	Phosphorylation of PDZ1 domain attenuates NHERF-1 binding to cellular targets. <b>2007</b> , 282, 33879-33887	58
313	Identification of a postendocytic sorting sequence in CCR5. <b>2007</b> , 72, 1497-507	29
312	Identification of endosomal epidermal growth factor receptor signaling targets by functional organelle proteomics. <b>2007</b> , 6, 908-22	50
311	A bipartite signal regulates the faithful delivery of apical domain marker podocalyxin/Gp135. <b>2007</b> , 18, 1710-22	33
310	Assembly of an SAP97-AKAP79-cAMP-dependent protein kinase scaffold at the type 1 PSD-95/DLG/ZO1 motif of the human beta(1)-adrenergic receptor generates a receptosome involved in receptor recycling and networking. <b>2007</b> , 282, 5085-5099	63
309	N-ethylmaleimide-sensitive factor regulates beta2 adrenoceptor trafficking and signaling in cardiomyocytes. <b>2007</b> , 72, 429-39	17
308	A novel sorting sequence in the beta2-adrenergic receptor switches recycling from default to the Hrs-dependent mechanism. <b>2007</b> , 282, 3095-104	45
307	Modulation of TSHR signaling by posttranslational modifications. <b>2007</b> , 18, 199-207	30

306	Phosphorylation-independent attenuation of GPCR signalling. <b>2007</b> , 28, 173-9	93
305	Regulation of receptor trafficking by GRKs and arrestins. <b>2007</b> , 69, 451-82	511
304	Definition of new pharmacophores for nonpeptide antagonists of human urotensin-II. Comparison with the 3D-structure of human urotensin-II and URP. <b>2007</b> , 47, 602-12	16
303	Design of a selective chemical probe for class I PDZ domains. <b>2007</b> , 17, 546-8	12
302	Regulation of c-Src by binding to the PDZ domain of AF-6. <b>2007</b> , 26, 2633-44	27
301	Expression and clinicopathological significance of oestrogen-responsive ezrin-radixin-moesin-binding phosphoprotein 50 in breast cancer. <b>2007</b> , 51, 40-53	53
300	Understanding ERM proteins--the awesome power of genetics finally brought to bear. <b>2007</b> , 19, 51-6	73
299	Agonist occupancy of a single monomeric element is sufficient to cause internalization of the dimeric beta2-adrenoceptor. <b>2007</b> , 19, 1928-38	37
298	Proteome analysis of human placentae: pre-eclampsia versus normal pregnancy. <b>2007</b> , 28, 676-87	26
297	Reviews in molecular biology and biotechnology: transmembrane signaling by G protein-coupled receptors. <b>2008</b> , 39, 239-64	105
296	Delayed internalization and lack of recycling in a beta2-adrenergic receptor fused to the G protein alpha-subunit. <b>2008</b> , 9, 56	8
295	ERM proteins regulate growth cone responses to Sema3A. <b>2008</b> , 510, 351-66	29
294	Distinct motifs of neuropeptide Y receptors differentially regulate trafficking and desensitization. <b>2008</b> , 9, 305-24	28
293	Rapid recycling of beta-adrenergic receptors is dependent on the actin cytoskeleton and myosin Vb. <b>2008</b> , 9, 1958-71	29
292	Control of tumourigenesis by the Scribble/Dlg/Lgl polarity module. <b>2008</b> , 27, 6888-907	247
291	Structure, function and physiological consequences of virally encoded chemokine seven transmembrane receptors. <b>2008</b> , 153 Suppl 1, S154-66	36
290	G-protein-coupled receptor phosphorylation: where, when and by whom. <b>2008</b> , 153 Suppl 1, S167-76	149
289	Directing traffic in neural cells: determinants of receptor tyrosine kinase localization and cellular responses. <b>2008</b> , 105, 2055-68	17

288	Post-endocytic fates of delta-opioid receptor are regulated by GRK2-mediated receptor phosphorylation and distinct beta-arrestin isoforms. <b>2008</b> , 106, 781-92	39
287	Rapid resensitization of purinergic receptor function in human platelets. <b>2008</b> , 6, 1393-404	31
286	The epithelial brush border Na <sup>+</sup> /H <sup>+</sup> exchanger NHE3 associates with the actin cytoskeleton by binding to ezrin directly and via PDZ domain-containing Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor (NHERF) proteins. <b>2008</b> , 35, 863-71	30
285	A novel high-throughput assay for the quantitative assessment of receptor trafficking. <b>2008</b> , 35, 1377-82	23
284	Regulation of G protein-coupled receptor signalling: focus on the cardiovascular system and regulator of G protein signalling proteins. <b>2008</b> , 585, 278-91	67
283	Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor 1 inhibits platelet-derived growth factor signaling in breast cancer cells. <b>2008</b> , 10, R5	39
282	Corequirement of PICK1 binding and PKC phosphorylation for stable surface expression of the metabotropic glutamate receptor mGluR7. <b>2008</b> , 58, 736-48	63
281	Regulation of GPCRs by endocytic membrane trafficking and its potential implications. <b>2008</b> , 48, 537-68	469
280	The relative binding affinities of PDZ partners for CFTR: a biochemical basis for efficient endocytic recycling. <b>2008</b> , 47, 10084-98	87
279	Accelerated dephosphorylation of the beta2-adrenergic receptor by mutation of the C-terminal lysines: effects on ubiquitination, intracellular trafficking, and degradation. <b>2008</b> , 47, 11750-62	12
278	Down-regulation of Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor 1 increases expression and function of multidrug resistance protein 4. <b>2008</b> , 68, 4802-9	39
277	G protein-coupled receptor sorting to endosomes and lysosomes. <b>2008</b> , 48, 601-29	353
276	The PDZ protein mupp1 promotes Gi coupling and signaling of the Mt1 melatonin receptor. <b>2008</b> , 283, 16762-71	64
275	AP-2-dependent internalization of potassium channel Kir2.3 is driven by a novel di-hydrophobic signal. <b>2008</b> , 283, 5973-84	30
274	The carboxyl-terminal PDZ ligand motif of chemokine receptor CXCR2 modulates post-endocytic sorting and cellular chemotaxis. <b>2008</b> , 283, 30868-78	37
273	Alternative splicing determines the post-endocytic sorting fate of G-protein-coupled receptors. <b>2008</b> , 283, 35614-21	47
272	Dual role of the beta2-adrenergic receptor C terminus for the binding of beta-arrestin and receptor internalization. <b>2008</b> , 283, 31840-8	37
271	Glucagon receptor recycling: role of carboxyl terminus, beta-arrestins, and cytoskeleton. <b>2008</b> , 295, C1230-7	15

270	Na/H exchange regulatory factor 1, a novel AKT-associating protein, regulates extracellular signal-regulated kinase signaling through a B-Raf-mediated pathway. <b>2008</b> , 19, 1637-45	46
269	The ubiquitin-like protein PLIC-2 is a negative regulator of G protein-coupled receptor endocytosis. <b>2008</b> , 19, 1252-60	33
268	Alveolar epithelial beta2-adrenergic receptors. <b>2008</b> , 38, 127-34	74
267	Quantitative trait loci affecting phenotypic variation in the vacuolated lens mouse mutant, a multigenic mouse model of neural tube defects. <b>2008</b> , 35, 296-304	14
266	Roles of NHERF1/EBP50 in cancer. <b>2008</b> , 8, 459-68	83
265	PTH and PTHrP Actions on Kidney and Bone. <b>2008</b> , 665-712	5
264	Increased RhoGDI2 and peroxiredoxin 5 levels in asthmatic murine model of $\beta_2$ -adrenoceptor desensitization: A proteomics approach. <b>2008</b> , 121, 355-362	8
263	Scaffolding Proteins in Transport Regulation. <b>2008</b> , 325-341	0
262	Functional roles of short sequence motifs in the endocytosis of membrane receptors. <b>2009</b> , 14, 5339-60	62
261	Moesin regulates the trafficking of nascent clathrin-coated vesicles. <b>2009</b> , 284, 2419-34	27
260	Engineered protein connectivity to actin mimics PDZ-dependent recycling of G protein-coupled receptors but not its regulation by Hrs. <b>2009</b> , 284, 2448-58	15
259	The C-terminal PDZ-binding motif in the Kv1.5 potassium channel governs its modulation by the Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor 2. <b>2009</b> , 23, 25-36	21
258	Tyrosine dephosphorylation of the syndecan-1 PDZ binding domain regulates syntenin-1 recruitment. <b>2009</b> , 284, 10659-71	42
257	Construction of covalently coupled, concatameric dimers of 7TM receptors. <b>2009</b> , 29, 235-45	2
256	D-AKAP2 interacts with Rab4 and Rab11 through its RGS domains and regulates transferrin receptor recycling. <b>2009</b> , 284, 32869-80	48
255	Sequence requirement and subtype specificity in the high-affinity interaction between human frizzled and dishevelled proteins. <b>2009</b> , 18, 994-1002	35
254	Biological role of NHERF1 protein expression in breast cancer. <b>2009</b> , 55, 600-8	50
253	Fine-tuning of GPCR activity by receptor-interacting proteins. <b>2009</b> , 10, 819-30	350

252	Adaptor protein-2 interaction with arrestin regulates GPCR recycling and apoptosis. <b>2009</b> , 10, 1286-300		24
251	Molecular mechanism of inward rectifier potassium channel 2.3 regulation by tax-interacting protein-1. <b>2009</b> , 392, 967-76		33
250	Phosphorylation of IRS proteins Yin-Yang regulation of insulin signaling. <b>2009</b> , 80, 351-87		42
249	Cargo-mediated regulation of a rapid Rab4-dependent recycling pathway. <b>2009</b> , 20, 2774-84		82
248	An essential role for the Glut1 PDZ-binding motif in growth factor regulation of Glut1 degradation and trafficking. <i>Biochemical Journal</i> , <b>2009</b> , 418, 345-67	3.8	41
247	Rab11 regulates the recycling of the beta2-adrenergic receptor through a direct interaction. <i>Biochemical Journal</i> , <b>2009</b> , 418, 163-72	3.8	58
246	NHERF1/EBP50 in Breast Cancer: Clinical Perspectives. <b>2010</b> , 5, 86-90		29
245	Role of vasostatin-1 C-terminal region in fibroblast cell adhesion. <b>2010</b> , 67, 2107-18		15
244	Characterization of C-terminal tail determinants involved in CRTH2 receptor trafficking: identification of a recycling motif. <b>2010</b> , 630, 10-8		11
243	Cannabinoid Receptor 1 trafficking and the role of the intracellular pool: implications for therapeutics. <b>2010</b> , 80, 1050-62		48
242	Deletion of the distal COOH-terminus of the A2B adenosine receptor switches internalization to an arrestin- and clathrin-independent pathway and inhibits recycling. <b>2010</b> , 159, 518-33		13
241	Ligand-directed signalling at beta-adrenoceptors. <b>2010</b> , 159, 1022-38		121
240	RGS9-2 mediates specific inhibition of agonist-induced internalization of D2-dopamine receptors. <b>2010</b> , 114, 739-49		40
239	Golgi reassembly stacking protein 55 interacts with membrane-type (MT) 1-matrix metalloprotease (MMP) and furin and plays a role in the activation of the MT1-MMP zymogen. <b>2010</b> , 277, 3158-75		25
238	Arrestin domain-containing protein 3 recruits the NEDD4 E3 ligase to mediate ubiquitination of the beta2-adrenergic receptor. <b>2010</b> , 11, 605-11		119
237	Agonist-Induced Desensitization and Endocytosis of G-protein-Coupled Receptors. <b>2010</b> , 177-183		1
236	Polyamines are present in mast cell secretory granules and are important for granule homeostasis. <b>2010</b> , 5, e15071		46
235	NHERF-1 binds to Mrp2 and regulates hepatic Mrp2 expression and function. <b>2010</b> , 285, 19299-307		46

234	A conformational switch in the scaffolding protein NHERF1 controls autoinhibition and complex formation. <b>2010</b> , 285, 9981-9994	45
233	SNX27 mediates PDZ-directed sorting from endosomes to the plasma membrane. <b>2010</b> , 190, 565-74	193
232	The scaffolding protein EBP50 regulates microvillar assembly in a phosphorylation-dependent manner. <b>2010</b> , 191, 397-413	54
231	Apical scaffolding protein NHERF2 modulates the localization of alternatively spliced plasma membrane Ca <sup>2+</sup> pump 2B variants in polarized epithelial cells. <b>2010</b> , 285, 31704-12	27
230	Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor-1 is involved in chemokine receptor homodimer CCR5 internalization and signal transduction but does not affect CXCR4 homodimer or CXCR4-CCR5 heterodimer. <b>2010</b> , 285, 34653-64	33
229	A regulated complex of the scaffolding proteins PDZK1 and EBP50 with ezrin contribute to microvillar organization. <b>2010</b> , 21, 1519-29	47
228	G protein-coupled receptor-associated sorting protein 1 regulates the postendocytic sorting of seven-transmembrane-spanning G protein-coupled receptors. <b>2010</b> , 86, 22-9	36
227	Sequence-dependent sorting of recycling proteins by actin-stabilized endosomal microdomains. <b>2010</b> , 143, 761-73	240
226	EBP50 inhibits the anti-mitogenic action of the parathyroid hormone type 1 receptor in vascular smooth muscle cells. <b>2010</b> , 49, 1012-21	15
225	Knockdown of ERM family member moesin in host cells increases HIV type 1 replication. <b>2011</b> , 27, 1317-22	7
224	Proteins move! Protein dynamics and long-range allostery in cell signaling. <b>2011</b> , 83, 163-221	85
223	Role of PDZ proteins in regulating trafficking, signaling, and function of GPCRs: means, motif, and opportunity. <b>2011</b> , 62, 279-314	117
222	The Opiate Receptors. <b>2011</b> ,	8
221	Modulation of monoamine receptors by adaptor proteins and lipid rafts: role in some effects of centrally acting drugs and therapeutic agents. <b>2011</b> , 51, 211-42	25
220	Regulation of GPCR signal networks via membrane trafficking. <b>2011</b> , 331, 205-14	66
219	β-arrestin-biased signaling by the β-adrenergic receptors. <b>2011</b> , 67, 51-78	11
218	New insights in endosomal dynamics and AMPA receptor trafficking. <b>2011</b> , 22, 499-505	49
217	An intact PDZ motif is essential for correct P2Y <sub>12</sub> purinoceptor traffic in human platelets. <b>2011</b> , 118, 5641-51	39

216	The ERM protein, ezrin, regulates neutrophil transmigration by modulating the apical localization of MRP2 in response to the SipA effector protein during Salmonella Typhimurium infection. <b>2011</b> , 13, 2007-21	23
215	Formoterol and salmeterol induce a similar degree of $\beta$ -adrenoceptor tolerance in human small airways but via different mechanisms. <b>2011</b> , 163, 521-32	30
214	Role of ubiquitination in endocytic trafficking of G-protein-coupled receptors. <b>2011</b> , 12, 137-48	74
213	SNX27 mediates retromer tubule entry and endosome-to-plasma membrane trafficking of signalling receptors. <b>2011</b> , 13, 715-21	34 <sup>0</sup>
212	The interaction of Jagged-1 cytoplasmic tail with afadin PDZ domain is local, folding-independent, and tuned by phosphorylation. <b>2011</b> , 24, 245-53	9
211	EBP50 is involved in the regulation of vascular smooth muscle cell migration and cytokinesis. <b>2011</b> , 112, 2574-84	11
210	Herpes simplex virus 1 glycoprotein B and US3 collaborate to inhibit CD1d antigen presentation and NKT cell function. <b>2011</b> , 85, 8093-104	56
209	Phosphorylation of a PDZ domain extension modulates binding affinity and interdomain interactions in postsynaptic density-95 (PSD-95) protein, a membrane-associated guanylate kinase (MAGUK). <b>2011</b> , 286, 41776-41785	52
208	Regulation of G protein-coupled receptor function by Na <sup>+</sup> /H <sup>+</sup> exchange regulatory factors. <b>2011</b> , 63, 882-900	87
207	Confinement of $\alpha$ 1- and $\alpha$ 2-adrenergic receptors in the plasma membrane of cardiomyocyte-like H9c2 cells is mediated by selective interactions with PDZ domain and A-kinase anchoring proteins but not caveolae. <b>2011</b> , 22, 2970-82	38
206	The rates of protein synthesis and degradation account for the differential response of neurons to spaced and massed training protocols. <b>2011</b> , 7, e1002324	15
205	NHERF1 and NHERF2 are necessary for multiple but usually separate aspects of basal and acute regulation of NHE3 activity. <b>2011</b> , 300, C771-82	38
204	Opioid Receptor Signal Transduction Mechanisms. <b>2011</b> , 195-238	14
203	Phosphorylation of EBP50 negatively regulates EPIX-dependent Rac1 activity in anoikis. <b>2012</b> , 19, 1027-37	13
202	Recruitment and membrane interactions of host cell proteins during attachment of enteropathogenic and enterohaemorrhagic Escherichia coli. <i>Biochemical Journal</i> , <b>2012</b> , 445, 383-92	3.8 11
201	Protein interacting with C kinase 1 (PICK1) reduces reinsertion rates of interaction partners sorted to Rab11-dependent slow recycling pathway. <b>2012</b> , 287, 12293-308	33
200	Arrestin scaffolds NHERF1 to the P2Y12 receptor to regulate receptor internalization. <b>2012</b> , 287, 24505-15	27
199	Induction of cardiac fibrosis by $\beta$ -blocker in G protein-independent and G protein-coupled receptor kinase 5/ $\beta$ -arrestin2-dependent signaling pathways. <b>2012</b> , 287, 35669-35677	40



198	The other side of opioid receptor signalling: regulation by protein-protein interaction. <b>2012</b> , 13, 80-102	31
197	Protein-protein interactions at the adrenergic receptors. <b>2012</b> , 13, 15-27	19
196	Novel bioactivity of NHERF1 in corneal neovascularization. <b>2012</b> , 250, 1615-25	1
195	Molecular Mechanisms of G Protein-Independent Signaling Mediated by 7-Transmembrane Receptors. <b>2012</b> , 44, 255-264	3
194	Modulating neuromodulation by receptor membrane traffic in the endocytic pathway. <b>2012</b> , 76, 22-32	41
193	Plasticity of PDZ domains in ligand recognition and signaling. <b>2012</b> , 586, 2638-47	103
192	Regulation of GPCR trafficking by RAMPs. <b>2012</b> , 744, 25-37	9
191	Rescue of internalization-defective platelet-activating factor receptor function by EBP50/NHERF1. <b>2012</b> , 6, 205-16	5
190	Protein Kinase Technologies. <b>2012</b> ,	
189	NRFL-1, the C. elegans NHERF orthologue, interacts with amino acid transporter 6 (AAT-6) for age-dependent maintenance of AAT-6 on the membrane. <b>2012</b> , 7, e43050	7
188	Roles for NHERF1 and NHERF2 on the regulation of C3a receptor signaling in human mast cells. <b>2012</b> , 7, e51355	11
187	SLC9A3R1 (solute carrier family 9 (sodium/hydrogen exchanger), member 3 regulator 1). <b>2012</b> ,	
186	Getting active: protein sorting in endocytic recycling. <b>2012</b> , 13, 323-8	91
185	A novel EST-derived RNAi screen reveals a critical role for farnesyl diphosphate synthase in $\alpha$ -adrenergic receptor internalization and down-regulation. <b>2012</b> , 26, 1995-2007	11
184	Genetically Encoded pH Sensor for Tracking Surface Proteins through Endocytosis. <b>2012</b> , 124, 4922-4926	6
183	Genetically encoded pH sensor for tracking surface proteins through endocytosis. <b>2012</b> , 51, 4838-42	64
182	Regulation of GPCR activity, trafficking and localization by GPCR-interacting proteins. <b>2012</b> , 165, 1717-1736	239
181	Endocytic trafficking of neurotrophins in neural development. <b>2012</b> , 22, 266-73	64

180	NHERF1 regulates gp120-induced internalization and signaling by CCR5, and HIV-1 production. <b>2012</b> , 42, 299-310	6
179	$\beta$ -adrenergic receptor recycles via a membranous organelle, recycling endosome, by binding with sorting nexin27. <b>2013</b> , 246, 571-9	24
178	Real-time characterization of cannabinoid receptor 1 (CB1 ) allosteric modulators reveals novel mechanism of action. <b>2013</b> , 170, 893-907	77
177	Conformational biosensors reveal GPCR signalling from endosomes. <i>Nature</i> , <b>2013</b> , 495, 534-8	50.4 541
176	Scaffolding Proteins in Transport Regulation. <b>2013</b> , 405-426	
175	Control of actin dynamics by allosteric regulation of actin binding proteins. <b>2013</b> , 303, 1-25	15
174	Differential endosomal sorting of a novel P2Y12 purinoreceptor mutant. <b>2013</b> , 14, 585-98	10
173	Cardiac overexpression of Mammalian enabled (Mena) exacerbates heart failure in mice. <b>2013</b> , 305, H875-84	7
172	The PDZ-interaction of the intestinal anion exchanger downregulated in adenoma (DRA; SLC26A3) facilitates its movement into Rab11a-positive recycling endosomes. <b>2013</b> , 304, G980-90	9
171	Retromer maintains basolateral distribution of the type II TGF- $\beta$ receptor via the recycling endosome. <b>2013</b> , 24, 2285-98	24
170	Subcellular redistribution of NHERF1 in response to dehydroepiandrosterone (DHEA) administration in endometrial glands of Wistar rats. <b>2013</b> , 20, 103-11	6
169	Segregation of family A G protein-coupled receptor protomers in the plasma membrane. <b>2013</b> , 84, 346-52	25
168	Constitutive internalization of the leucine-rich G protein-coupled receptor-5 (LGR5) to the trans-Golgi network. <b>2013</b> , 288, 10286-97	38
167	The ERM proteins ezrin and moesin regulate retrograde Shiga toxin transport. <b>2013</b> , 14, 839-52	15
166	Association of 1936A > G in AKAP10 (A-kinase anchoring protein 10) and blood pressure in Polish full-term newborns. <b>2013</b> , 22, 51-6	4
165	Reprogramming of G protein-coupled receptor recycling and signaling by a kinase switch. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 15289-94	11.5 37
164	Moesin controls clathrin-mediated S1PR1 internalization in T cells. <b>2013</b> , 8, e82590	17
163	Chemical crosslinkers enhance detection of receptor interactomes. <b>2014</b> , 4, 171	12

162	Asymmetrical macromolecular complex formation of lysophosphatidic acid receptor 2 (LPA2) mediates gradient sensing in fibroblasts. <b>2014</b> , 289, 35757-69	6
161	Identification of a novel recycling sequence in the C-tail of FPR2/ALX receptor: association with cell protection from apoptosis. <b>2014</b> , 289, 36166-78	12
160	The prognostic value of the Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor 1 (NHERF1) protein in cancer. <b>2014</b> , 14, 177-84	15
159	Dynamics of ezrin and EBP50 in regulating microvilli on the apical aspect of epithelial cells. <b>2014</b> , 42, 189-94	40
158	G protein-coupled receptors: what a difference a 'partner' makes. <b>2014</b> , 15, 1112-42	18
157	Investigating signaling consequences of GPCR trafficking in the endocytic pathway. <b>2014</b> , 535, 403-18	5
156	Vps11, a subunit of the tethering complexes HOPS and CORVET, is involved in regulation of glycolipid degradation and retrograde toxin transport. <b>2014</b> , 7, e28129	3
155	Src regulates sequence-dependent beta-2 adrenergic receptor recycling via cortactin phosphorylation. <b>2014</b> , 15, 1195-205	10
154	Spatially restricted G protein-coupled receptor activity via divergent endocytic compartments. <b>2014</b> , 289, 3960-77	77
153	Sorting of $\beta$ -adrenergic receptors is mediated by pathways that are either dependent on or independent of type I PDZ, protein kinase A (PKA), and SAP97. <b>2014</b> , 289, 2277-94	19
152	LIMK-dependent actin polymerization in primary sensory neurons promotes the development of inflammatory heat hyperalgesia in rats. <b>2014</b> , 7, ra61	17
151	Single-molecule imaging revealed dynamic GPCR dimerization. <b>2014</b> , 27, 78-86	102
150	Multiplexed modular genetic targeting of quantum dots. <b>2014</b> , 8, 11138-46	21
149	Retromer: a master conductor of endosome sorting. <b>2014</b> , 6,	286
148	Endocytic trafficking of chemokine receptors. <b>2014</b> , 27, 72-7	69
147	The complex ultrastructure of the endolysosomal system. <b>2014</b> , 6, a016857	201
146	Retromer Ensures the Degradation of Autophagic Cargo by Maintaining Lysosome Function in <i>Drosophila</i> . <b>2015</b> , 16, 1088-107	39
145	Na <sup>(+)</sup> /H <sup>(+)</sup> exchanger regulatory factor 1 knockout mice have an attenuated hepatic inflammatory response and are protected from cholestatic liver injury. <b>2015</b> , 62, 1227-36	13

144	Association of functional genetic variants of A-kinase anchoring protein 10 with QT interval length in full-term Polish newborns. <b>2015</b> , 11, 149-54	5
143	Postendocytic Sorting of Adrenergic and Opioid Receptors: New Mechanisms and Functions. <b>2015</b> , 132, 189-206	13
142	The function and dynamics of the apical scaffolding protein E3KARP are regulated by cell-cycle phosphorylation. <b>2015</b> , 26, 3615-27	3
141	Structure, regulation, and functional diversity of microvilli on the apical domain of epithelial cells. <b>2015</b> , 31, 593-621	90
140	14-3-3 $\beta$ promotes surface expression of Cav2.2 ( $\alpha$ 1B) Ca <sup>2+</sup> channels. <b>2015</b> , 290, 2689-98	8
139	Near-instant surface-selective fluorogenic protein quantification using sulfonated triarylmethane dyes and fluorogen activating proteins. <b>2015</b> , 13, 2078-86	33
138	Retromer and sorting nexins in endosomal sorting. <b>2015</b> , 43, 33-47	132
137	Engineered hyperphosphorylation of the $\beta$ -adrenoceptor prolongs arrestin-3 binding and induces arrestin internalization. <b>2015</b> , 87, 349-62	17
136	G protein-coupled receptor (GPCR) signaling via heterotrimeric G proteins from endosomes. <b>2015</b> , 290, 6689-96	94
135	Minireview: Role of intracellular scaffolding proteins in the regulation of endocrine G protein-coupled receptor signaling. <b>2015</b> , 29, 814-30	26
134	The golgi-associated PDZ domain protein PIST/GOPC stabilizes the $\beta$ -adrenergic receptor in intracellular compartments after internalization. <b>2015</b> , 290, 6120-9	27
133	Trafficking of $\beta$ Adrenergic Receptors: Implications in Intracellular Receptor Signaling. <b>2015</b> , 132, 151-88	12
132	The transmembrane protein Crumbs displays complex dynamics during follicular morphogenesis and is regulated competitively by Moesin and aPKC. <b>2015</b> , 142, 1869-78	19
131	The structure-function role of C-terminus in human bitter taste receptor T2R4 signaling. <b>2015</b> , 1848, 1502-8	16
130	Minireview: Spatial Programming of G Protein-Coupled Receptor Activity: Decoding Signaling in Health and Disease. <b>2015</b> , 29, 1095-106	28
129	PDZ Protein Regulation of G Protein-Coupled Receptor Trafficking and Signaling Pathways. <b>2015</b> , 88, 624-39	75
128	Role of Cysteine Residues in the Carboxyl-Terminus of the Follicle-Stimulating Hormone Receptor in Intracellular Traffic and Postendocytic Processing. <b>2016</b> , 4, 76	12
127	Role of the Retromer Complex in Neurodegenerative Diseases. <b>2016</b> , 8, 42	16

126	A PDZ-Like Motif in the Biliary Transporter ABCB4 Interacts with the Scaffold Protein EBP50 and Regulates ABCB4 Cell Surface Expression. <b>2016</b> , 11, e0146962	6
125	Differential effects of BDNF and neurotrophin 4 (NT4) on endocytic sorting of TrkB receptors. <b>2016</b> , 138, 397-406	35
124	Phosphorylation of filamin A regulates chemokine receptor CCR2 recycling. <b>2017</b> , 130, 490-501	14
123	Phosphorylation of Cav1.2 on S1928 uncouples the L-type Ca <sup>2+</sup> channel from the $\beta$ adrenergic receptor. <b>2016</b> , 35, 1330-45	40
122	Actin-Sorting Nexin 27 (SNX27)-Retromer Complex Mediates Rapid Parathyroid Hormone Receptor Recycling. <b>2016</b> , 291, 10986-1002	48
121	A molecular code for endosomal recycling of phosphorylated cargos by the SNX27-retromer complex. <b>2016</b> , 23, 921-932	99
120	Cell surface recycling in yeast: mechanisms and machineries. <b>2016</b> , 44, 474-8	14
119	NHERF1 in Microvilli of Vomeronasal Sensory Neurons. <b>2017</b> , 42, 25-35	
118	Roles of GRK Dysfunction in Alzheimer's Pathogenesis. <b>2016</b> , 215-236	
117	G Protein-Coupled Receptor Kinases. <b>2016</b> ,	1
116	Identification of novel transplantable GPCR recycling motif for drug discovery. <b>2016</b> , 120, 22-32	12
115	Retromer Endosome Exit Domains Serve Multiple Trafficking Destinations and Regulate Local G Protein Activation by GPCRs. <b>2016</b> , 26, 3129-3142	31
114	Understanding the role of phosphorylation in the binding mechanism of a PDZ domain. <b>2017</b> , 30, 1-5	7
113	The $\beta$ -Arrestin ARRDC3 Regulates the Endosomal Residence Time and Intracellular Signaling of the $\beta$ -Adrenergic Receptor. <b>2016</b> , 291, 14510-25	40
112	Molecular Pharmacology of $\mu$ Opioid Receptors. <b>2016</b> , 68, 631-700	80
111	Snapin interacts with G-protein coupled receptor PKR2. <b>2016</b> , 469, 501-6	3
110	$\beta$ -Arrestin drives MAP kinase signalling from clathrin-coated structures after GPCR dissociation. <b>2016</b> , 18, 303-10	147
109	Glioma invasion mediated by the p75 neurotrophin receptor (p75(NTR)/CD271) requires regulated interaction with PDLIM1. <b>2016</b> , 35, 1411-22	30

108	PRMT5 C-terminal Phosphorylation Modulates a 14-3-3/PDZ Interaction Switch. <b>2017</b> , 292, 2255-2265	19
107	Regulation of Transporters and Channels by Membrane-Trafficking Complexes in Epithelial Cells. <b>2017</b> , 9,	2
106	Spatial encryption of G protein-coupled receptor signaling in endosomes; Mechanisms and applications. <b>2017</b> , 143, 1-9	17
105	Barcoding of GPCR trafficking and signaling through the various trafficking roadmaps by compartmentalized signaling networks. <b>2017</b> , 36, 42-55	40
104	Multidimensional Tracking of GPCR Signaling via Peroxidase-Catalyzed Proximity Labeling. <b>2017</b> , 169, 338-349.e11	140
103	Vasopressin-induced serine 269 phosphorylation reduces Sipa1l1 (signal-induced proliferation-associated 1 like 1)-mediated aquaporin-2 endocytosis. <b>2017</b> , 292, 7984-7993	12
102	Adrenergic receptor O-glycosylation regulates N-terminal cleavage and signaling responses in cardiomyocytes. <b>2017</b> , 7, 7890	16
101	Endosomal Phosphatidylinositol 3-Kinase Is Essential for Canonical GPCR Signaling. <b>2017</b> , 91, 65-73	6
100	Two barcodes encoded by the type-1 PDZ and by phospho-Ser regulate retromer/WASH-mediated sorting of the Adrenergic receptor from endosomes to the plasma membrane. <b>2017</b> , 29, 192-208	16
99	Visualization and quantification of GPCR trafficking in mammalian cells by confocal microscopy. <b>2017</b> , 142, 67-78	4
98	Low expression of the GOPC is a poor prognostic marker in colorectal cancer. <b>2017</b> , 14, 4483-4490	5
97	Catalytic activation of Arrestin by GPCRs. <i>Nature</i> , <b>2018</b> , 557, 381-386	50.4 101
96	Extracellular anti-angiogenic proteins augment an endosomal protein trafficking pathway to reach mitochondria and execute apoptosis in HUVECs. <b>2018</b> , 25, 1905-1920	17
95	Regulation and trafficking of muscarinic acetylcholine receptors. <b>2018</b> , 136, 374-382	5
94	Formin-dependent TGF- $\beta$ signaling for epithelial to mesenchymal transition. <b>2018</b> , 29, 1465-1475	16
93	Intracellular Follicle-Stimulating Hormone Receptor Trafficking and Signaling. <b>2018</b> , 9, 653	16
92	Scaffold Proteins: From Coordinating Signaling Pathways to Metabolic Regulation. <b>2018</b> , 159, 3615-3630	8
91	Regulation of actin-based apical structures on epithelial cells. <b>2018</b> , 131,	40

90	To degrade or not to degrade: mechanisms and significance of endocytic recycling. <b>2018</b> , 19, 679-696	190
89	Deletion of in adult mice impairs basal AMPA receptor transmission and LTP in hippocampal CA1 pyramidal neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, E5382-E5389	11.5 30
88	Intracellular cAMP Sensor EPAC: Physiology, Pathophysiology, and Therapeutics Development. <b>2018</b> , 98, 919-1053	84
87	Endocytosis and Signaling. <b>2018</b> ,	2
86	Evolving View of Membrane Trafficking and Signaling Systems for G Protein-Coupled Receptors. <b>2018</b> , 57, 273-299	12
85	Advances in Membrane Trafficking and Endosomal Signaling of G Protein-Coupled Receptors. <b>2018</b> , 339, 93-131	26
84	G Protein-Coupled Receptor Resensitization Paradigms. <b>2018</b> , 339, 63-91	8
83	Nogo-A promotes inflammatory heat hyperalgesia by maintaining TRPV-1 function in the rat dorsal root ganglion neuron. <b>2019</b> , 33, 668-682	9
82	Decreased expression of Na-H exchanger isoforms 1 and 3 in denervated spontaneously hypertensive rat kidney. <b>2019</b> , 41, 235-243	4
81	Emerging Themes in PDZ Domain Signaling: Structure, Function, and Inhibition. <b>2019</b> , 343, 129-218	26
80	Enteropathogenic Escherichia coli remodels host endosomes to promote endocytic turnover and breakdown of surface polarity. <b>2019</b> , 15, e1007851	7
79	Foxp1 controls brown/beige adipocyte differentiation and thermogenesis through regulating $\beta$ -AR desensitization. <b>2019</b> , 10, 5070	24
78	Specificity of NHERF1 regulation of GPCR signaling and function in human airway smooth muscle. <b>2019</b> , 33, 9008-9016	6
77	Regulation of Somatostatin Receptor 2 Trafficking by C-Tail Motifs and the Retromer. <b>2019</b> , 160, 1031-1043	6
76	Actin-dependent endosomal receptor recycling. <b>2019</b> , 56, 22-33	37
75	When trafficking and signaling mix: How subcellular location shapes G protein-coupled receptor activation of heterotrimeric G proteins. <b>2019</b> , 20, 130-136	50
74	Adrenergic Receptor Signaling in Heart Failure. <b>2020</b> , 91-102.e6	
73	Tackling the complexities of orphan GPCR ligand discovery with rationally assisted approaches. <b>2020</b> , 295-334	1

72	Real-time observation of ligand-induced allosteric transitions in a PDZ domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 26031-26039	11.5	24
71	Protein homeostasis and regulation of intracellular trafficking of G protein-coupled receptors. <b>2020</b> , 247-277		0
70	The protein kinase Akt acts as a coat adaptor in endocytic recycling. <b>2020</b> , 22, 927-933		4
69	GRK5 Controls SAP97-Dependent Cardiotoxic $\beta$ Adrenergic Receptor-CaMKII Signaling in Heart Failure. <b>2020</b> , 127, 796-810		4
68	Specificity in PDZ-peptide interaction networks: Computational analysis and review. <b>2020</b> , 4, 100022		11
67	Aging-related modifications to G protein-coupled receptor signaling diversity. <b>2021</b> , 223, 107793		3
66	The PDZ Domain Protein SYNJ2BP Regulates GRK-Dependent Sst2A Phosphorylation and Downstream MAPK Signaling. <b>2021</b> , 162,		0
65	Intracellular Trafficking of G Protein-Coupled Receptors to the Cell Surface Plasma Membrane in Health and Disease. <b>2021</b> , 375-412		1
64	FGF23 is an established master regulator of phosphate metabolism. <b>2021</b> , 7-21		
63	Phosphorylation of SNX27 by MAPK11/14 links cellular stress-signaling pathways with endocytic recycling. <b>2021</b> , 220,		9
62	Spatial decoding of endosomal cAMP signals by a metastable cytoplasmic PKA network. <b>2021</b> , 17, 558-566		7
61	Toward Understanding the Molecular Role of SNX27/Retromer in Human Health and Disease. <b>2021</b> , 9, 642378		6
60	Multiple roles for actin in secretory and endocytic pathways. <b>2021</b> , 31, R603-R618		7
59	Mechanisms for Regulating and Organizing Receptor Signaling by Endocytosis. <b>2021</b> , 90, 709-737		13
58	Mechanisms of selective G protein-coupled receptor localization and trafficking. <b>2021</b> , 71, 158-165		5
57	Differential barcoding of opioid receptors trafficking. <b>2021</b> ,		1
56	Spatiotemporal Characterization of GPCR Activity and Function during Endosomal Trafficking Pathway. <b>2021</b> , 93, 2010-2017		1
55	Opioid Receptor Signaling and Regulation. <b>2006</b> , 357-389		1



54	Overview of Phosphorus Homeostasis. <b>2017</b> , 11-28	1
53	Regulated Membrane Trafficking and Proteolysis of GPCRs. <b>2005</b> , 95-105	1
52	Regulators of GPCR Activity. <b>2005</b> , 159-198	4
51	Chemokine Receptors. <b>2002</b> , 87-98	1
50	The PDZ-interacting Domain of Cystic Fibrosis Transmembrane Conductance Regulator Is Required for Functional Expression in the Apical Plasma Membrane. <b>2000</b> , 275, 27069-27074	131
49	CHAPTER 9:Protein Interactions with Dopamine Receptors as Potential New Drug Targets for Treating Schizophrenia. <b>2015</b> , 202-233	2
48	Connecting the dots: combined control of endocytic recycling and degradation. <b>2020</b> , 48, 2377-2386	3
47	SNX27-retromer assembly recycles MT1-MMP to invadopodia and promotes breast cancer metastasis. <b>2020</b> , 219,	19
46	Analysis of the C-terminal tail of the rat thyrotropin-releasing hormone receptor-1 in interactions and cointernalization with beta-arrestin 1-green fluorescent protein. <b>2001</b> , 59, 375-85	30
45	PDZ Domain Proteins: Plug and Play!. <b>2003</b> , 2003, re7-re7	41
44	New functions for the NHERF family of proteins. <b>2001</b> , 108, 185-186	20
43	Polarization and interaction of adhesion molecules P-selectin glycoprotein ligand 1 and intercellular adhesion molecule 3 with moesin and ezrin in myeloid cells. <b>2000</b> , 95, 2413-2419	6
42	The neurofibromatosis-2 homologue, Merlin, and the tumor suppressor expanded function together in Drosophila to regulate cell proliferation and differentiation. <b>2000</b> , 127, 1315-1324	123
41	Mechanism and role of PDZ domains in signaling complex assembly. <b>2001</b> , 114, 3219-3231	603
40	The PtdIns3P phosphatase myotubularin is a cytoplasmic protein that also localizes to Rac1-inducible plasma membrane ruffles. <b>2002</b> , 115, 3105-3117	57
39	The PDZ-interacting domain of TRPC4 controls its localization and surface expression in HEK293 cells. <b>2002</b> , 115, 3497-3508	100
38	A dynamic view of domain-motif interactions. <b>2012</b> , 8, e1002341	41
37	Identification of a novel protein-protein interaction motif mediating interaction of GPCR-associated sorting proteins with G protein-coupled receptors. <b>2013</b> , 8, e56336	19

36	Deep sequencing of the murine olfactory receptor neuron transcriptome. <b>2015</b> , 10, e0113170	57
35	The early endosome: a busy sorting station for proteins at the crossroads. <b>2010</b> , 25, 99-112	240
34	Characterization of ANKRA, a novel ankyrin repeat protein that interacts with the cytoplasmic domain of megalin. <b>2000</b> , 11, 2167-2178	45
33	Protein Complexes Involved in Heptahelical Receptor-Mediated Signal Transduction. <b>2003</b> , 9, 169-194	16
32	Adrenergic receptor coupling and uncoupling in heart failure. <b>2005</b> , 323-340	2
31	Accelerating Alzheimer's pathogenesis by GRK5 deficiency via cholinergic dysfunction. <b>2013</b> , 02, 148-160	5
30	Receptor-receptor interactions in heteroreceptor complexes: a new principle in biology. Focus on their role in learning and memory. <b>2014</b> , 2, 6	29
29	GIPC proteins negatively modulate Plexin1 signaling during vascular development. <b>2019</b> , 8,	6
28	Signaling Down the Endocytic Pathway. <b>2003</b> , 441-448	
27	Agonist-Induced Desensitization and Endocytosis of G-Protein-Coupled Receptors. <b>2003</b> , 181-186	
26	5-HT Receptor-Associated Proteins (FRAPs). <b>2006</b> , 257-276	
25	Beta-2 Adrenoceptor. <b>2007</b> , 1-12	
24	Scaffolding proteins in cardiac myocytes. <b>2008</b> , 301-25	1
23	Nherf1.	
22	PDZ Domains: Intracellular Mediators of Carboxy-Terminal Protein Recognition and Scaffolding.	
21	Regulation of Dopamine Receptor Trafficking and Responsiveness. <b>2010</b> , 193-217	1
20	Activation of the Adrenergic Nervous System in Heart Failure. <b>2011</b> , 152-162	
19	Trafficking of Trk Receptors. <b>2012</b> , 273-289	

18	Proteomic Approaches to Investigate Regulated Trafficking and Signaling of G Protein-Coupled Receptors. <b>2021</b> , 99, 392-398		1
17	Protein Sorting in Endosomes. <b>2006</b> , 76-88		
16	New functions for the NHERF family of proteins. <b>2001</b> , 108, 185-6		4
15	GPCR Interacting Proteins. <b>2005</b> , 199-213		
14	Cloning and expression of the human transient receptor potential 4 (TRP4) gene: localization and functional expression of human TRP4 and TRP3. <i>Biochemical Journal</i> , <b>2000</b> , 351 Pt 3, 735-46	3.8	39
13	G-protein coupled receptor resensitization-appreciating the balancing act of receptor function. <b>2012</b> ,		18
12	Establishment of HIV-1 model cell line GHOST(3) with stable DRiP78 and NHERF1 knockdown. <i>Zoological Research</i> , <b>2015</b> , 36, 161-6		
11	Orchestrating serine/threonine phosphorylation and elucidating downstream effects by short linear motifs.. <i>Biochemical Journal</i> , <b>2022</b> , 479, 1-22	3.8	1
10	GRK5 Deficiency Causes Mild Cognitive Impairment due to Alzheimer's Disease.. <i>Journal of Alzheimer's Disease</i> , <b>2021</b> ,	4.3	
9	SNX27-Retromer directly binds ESCPE-1 to transfer cargo proteins during endosomal recycling.. <i>PLoS Biology</i> , <b>2022</b> , 20, e3001601	9.7	5
8	Loss of adipose TET proteins enhances $\beta$ adrenergic responses and protects against obesity by epigenetic regulation of $\beta$ -AR expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2022</b> , 119,	11.5	1
7	Discrete GPCR-triggered endocytic modes enable $\beta$ arrestins to flexibly regulate cell signaling.		0
6	GPCRs at Endosomes: Sorting, Signaling, and Recycling. <b>2022</b> , 180-196		0
5	A genome-wide CRISPR interference screen using an engineered trafficking biosensor reveals a role for RME-8 in opioid receptor regulation.		0
4	Discrete GPCR-triggered endocytic modes enable $\beta$ arrestins to flexibly regulate cell signaling. 11,		0
3	The fates of internalized NaV1.7 channels in sensory neurons: retrograde co-transport with other ion channels, axon-specific recycling, and degradation. <b>2022</b> , 102816		0
2	Vesicle-associated membrane protein 2 is a cargo-selective v-SNARE for a subset of GPCRs. <b>2023</b> , 222,		0
1	Function and dynamics of the intrinsically disordered carboxyl terminus of $\beta$ adrenergic receptor. <b>2023</b> , 14,		0

