Solid-phase extraction: method development, sorbents, chromatography

Journal of Chromatography A 856, 3-54 DOI: 10.1016/s0021-9673(99)00832-8

Citation Report

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| | | П | |
| 1 | Integration of Spe with the Analytical Technique, Part I - Liquid Chromatography. , 2000, , . | | 0 |
| 2 | Relationships between Retention Factors and Analyte Hydrophobicity on Cyanopropyl andn-Octadecyl Bonded Silicas, Cross-Linked Polymers and Porous Graphitic Carbon Stationary Phases. Consequences for the Trace Analysis of Highly Polar Organic Compounds. Journal of High Resolution Chromatography. 2000. 23. 437-444. | 2.0 | 9 |
| 3 | Novel use of a dual-zone restricted access sorbent: normal-phase solid-phase extraction separation of methyl oleate from polynuclear aromatic hydrocarbons stemming from semi-permeable membrane devices. Journal of Chromatography A, 2000, 883, 143-149. | 1.8 | 11 |
| 4 | Determination of urinary catecholamines with capillary electrophoresis after solid-phase extraction. Journal of Chromatography A, 2000, 895, 317-327. | 1.8 | 48 |
| 5 | Analysis of agrochemicals by capillary electrophoresis. Journal of Chromatography A, 2000, 891, 45-67. | 1.8 | 95 |
| 6 | Analysis of neuropeptide Y and its metabolites by high-performance liquid chromatography–electrospray ionization mass spectrometry and integrated sample clean-up with a novel restricted-access sulphonic acid cation exchanger. Journal of Chromatography A, 2000, 890, 135-144. | 1.8 | 48 |
| 7 | Miniaturised pressurised liquid extraction of polycyclic aromatic hydrocarbons from soil and sediment with subsequent large-volume injection–gas chromatography. Journal of Chromatography A, 2000, 891, 275-286. | 1.8 | 92 |
| 8 | Solid-phase trapping of solutes for further chromatographic or electrophoretic analysis. Journal of Chromatography A, 2000, 902, 137-166. | 1.8 | 85 |
| 9 | Application of molecularly imprinted polymers in supercritical fluid chromatography. Journal of Chromatography A, 2000, 897, 317-327. | 1.8 | 32 |
| 10 | Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis. Journal of Chromatography A, 2000, 902, 251-265. | 1.8 | 370 |
| 11 | Identification of impurities affecting commercial ethylene glycol UV transmittance. Journal of Chromatography A, 2000, 904, 87-97. | 1.8 | 4 |
| 12 | Immunoaffinity solid-phase extraction for the trace-analysis of low-molecular-mass analytes in complex sample matrices. Biomedical Applications, 2000, 745, 15-37. | 1.7 | 124 |
| 13 | Noncompetitive Immunoassay of Small Analytes at the Femtomolar Level by Affinity Probe Capillary Electrophoresis:Â Direct Analysis of Digoxin Using a Uniform-Labeled scFv Immunoreagent. Analytical Chemistry, 2000, 72, 5779-5786. | 3.2 | 60 |
| 14 | Water Analysis. Analytical Chemistry, 2001, 73, 2719-2734. | 3.2 | 23 |
| 15 | Tailored Chemosensors for Chloroaromatic Acids Using Molecular Imprinted TiO2Thin Films on Ion-Sensitive Field-Effect Transistors. Analytical Chemistry, 2001, 73, 720-723. | 3.2 | 122 |
| 16 | Thin layer molecularly imprinted microfiltration membranes by photofunctionalization using a coated α-cleavage photoinitiator. Analyst, The, 2001, 126, 803-809. | 1.7 | 49 |
| 18 | Multidimensional Chromatography: Biomedical and Pharmaceutical Applications. , 0, , 251-307. | | 3 |
| 19 | Coupled-Column Liquid Chromatography 0 109-134. | | 3 |

ITATION REDOD

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 20 | Partial-filling micellar electrokinetic chromatography and non-aqueous capillary electrophoresis for the analysis of selected agrochemicals. Fresenius' Journal of Analytical Chemistry, 2001, 371, 25-34. | 1.5 | 19 |
| 21 | Comparison of immunoextraction sorbents prepared from monoclonal and polyclonal and polyclonal anti-isoproturon antibodies and optimization of the appropriate monoclonal antibody-based sorbent for environmental and biological applications. Chromatographia, 2001, 53, S224-S230. | 0.7 | 26 |
| 22 | Rapid high-performance liquid chromatography determination of lopinavir, a novel HIV-1 protease inhibitor, in human plasma. Chromatographia, 2001, 54, 469-473. | 0.7 | 10 |
| 23 | Determination of aromatic sulfonates in coastal water by on-line Ion-pair solid-phase extraction/ion-pair liquid chromatography with UV detection. Chromatographia, 2001, 53, 22-26. | 0.7 | 17 |
| 24 | The application of molecular imprinting technology to solid phase extraction. Chromatographia, 2001, 53, 599-611. | 0.7 | 171 |
| 25 | Practice of solid-phase extraction and protein precipitation in the 96-well format combined with high-performance liquid chromatography–ultraviolet detection for the analysis of drugs in plasma and brain. Biomedical Applications, 2001, 754, 45-55. | 1.7 | 25 |
| 26 | Quantitation of promethazine and metabolites in urine samples using on-line solid-phase extraction and column-switching. Biomedical Applications, 2001, 763, 9-20. | 1.7 | 16 |
| 27 | Plasma deproteinization by precipitation and filtration in the 96-well format. Journal of Pharmaceutical and Biomedical Analysis, 2001, 25, 995-1000. | 1.4 | 30 |
| 28 | The role of column liquid chromatography-mass spectrometry in environmental trace-level analysis. Determination and identification of pesticides in water. Journal of Separation Science, 2001, 24, 331-354. | 1.3 | 52 |
| 29 | Automated liquid membrane extraction and trace enrichment of triazine herbicides and their metabolites in environmental and biological samples. Journal of Separation Science, 2001, 24, 567-576. | 1.3 | 38 |
| 30 | Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry. Journal of Chromatography A, 2001, 915, 139-147. | 1.8 | 33 |
| 31 | On-line coupling of sol–gel-generated immunoaffinity columns with high-performance liquid chromatography. Journal of Chromatography A, 2001, 919, 51-58. | 1.8 | 41 |
| 32 | Analysis of oxytetracycline, tetracycline, and chlortetracycline in water using solid-phase extraction and liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2001, 928, 177-186. | 1.8 | 188 |
| 33 | Use of solid–liquid distribution coefficients to determine retention properties of Porapak-Q resins. Journal of Chromatography A, 2001, 931, 31-39. | 1.8 | 32 |
| 34 | Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization. Journal of Chromatography A, 2001, 907, 89-99. | 1.8 | 156 |
| 35 | Advances in sample preparation in electromigration, chromatographic and mass spectrometric separation methods. Journal of Chromatography A, 2001, 909, 111-135. | 1.8 | 113 |
| 36 | Selective solid-phase extraction of bio- and environmental samples using molecularly imprinted polymers. Bioseparation, 2001, 10, 353-364. | 0.7 | 45 |
| 37 | Molecularly imprinted polymers in solid phase extractions. Techniques and Instrumentation in Analytical Chemistry, 2001, , 355-375. | 0.0 | 21 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 38 | Chapter 23 Sampling and sample preparation for clinical and pharmaceutical analysis. Comprehensive Analytical Chemistry, 2002, 37, 779-836. | 0.7 | 6 |
| 40 | Chapter 22 Sample preparation for water analysis. Comprehensive Analytical Chemistry, 2002, , 721-778. | 0.7 | 4 |
| 41 | Chapter 33 Immunosorbents in sample preparation. Comprehensive Analytical Chemistry, 2002, , 1081-1100. | 0.7 | 13 |
| 42 | Sorbent Extraction. Journal of Chromatography Library, 2002, 65, 341-401. | 0.1 | 1 |
| 43 | USE OF SOLID PHASE EXTRACTION AND HPLC FOR DETERMINATION OF HERBICIDE MULTIRESIDUE RECOVERIES IN WATER. Journal of Liquid Chromatography and Related Technologies, 2002, 25, 1093-1101. | 0.5 | 6 |
| 44 | Preparatory Information. Journal of Chromatography Library, 2002, 65, 3-111. | 0.1 | 13 |
| 45 | ON-LINE SOLID PHASE EXTRACTION OF PESTICIDE RESIDUES IN NATURAL WATER, COUPLED WITH LIQUID CHROMATOGRAPHY AND UV DETECTION, USING VARIOUS SORBENTS. Journal of Liquid Chromatography and Related Technologies, 2002, 25, 1779-1790. | 0.5 | 2 |
| 46 | IMMUNOCHEMICAL DETECTION OF POLYCYCLIC AROMATIC HYDROCARBONS (PAHs). Analytical Letters, 2002, 35, 1269-1300. | 1.0 | 58 |
| 47 | EVALUATION OF SOLID PHASE EXTRACTION PROTOCOLS FOR ISOLATION OF ANALGESIC COMPOUNDS FROM BIOLOGICAL FLUIDS PRIOR TO HPLC DETERMINATION. Journal of Liquid Chromatography and Related Technologies, 2002, 25, 185-204. | 0.5 | 4 |
| 48 | Use of non-ionic surfactant solutions for the extraction and preconcentration of phenolic compounds in water prior to their HPLC-UV detection. Analyst, The, 2002, 127, 1031-1037. | 1.7 | 66 |
| 49 | Chapter 12 Principles and practice of solid-phase extraction. Comprehensive Analytical Chemistry, 2002, 37, 341-387. | 0.7 | 19 |
| 50 | ON-LINE SOLID-PHASE EXTRACTION AND FLUORESCENCE DETECTION OF SELECTED ENDOCRINE DISRUPTING CHEMICALS IN WATER BY HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2002, 37, 225-234. | 0.7 | 29 |
| 51 | Chapter 32 New polymeric extraction materials. Comprehensive Analytical Chemistry, 2002, 37, 1023-1080. | 0.7 | 3 |
| 52 | Guidelines and Resources for Conducting an Environmental Crime Investigation in the United States. Environmental Forensics, 2002, 3, 91-113. | 1.3 | 13 |
| 53 | Restricted access materials for fast analysis of methadone in serum with liquid chromatography-mass spectrometry. Journal of Separation Science, 2002, 25, 222-228. | 1.3 | 21 |
| 54 | Comparison of adsorbents for on-line solid-phase extraction of polycyclic aromatic hydrocarbons before liquid chromatography with UV detection. Chromatographia, 2002, 56, 105-108. | 0.7 | 4 |
| 55 | Selective solid phase extraction of a drug lead compound using molecularly imprinted polymers prepared by the target analogue approach. Chromatographia, 2002, 56, 237-241. | 0.7 | 32 |
| 56 | Evaluation of the possibility of detecting benzenic pollutants by direct spectrophotometry on PDMS solid sorbent. Analytical and Bioanalytical Chemistry, 2002, 372, 169-173. | 1.9 | 25 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 57 | The sorption of several types of dye on crosslinked polysaccharides derivatives. Dyes and Pigments, 2002, 53, 79-92. | 2.0 | 97 |
| 58 | Recent applications of sample preparation techniques in food analysis. Journal of Chromatography A, 2002, 975, 47-70. | 1.8 | 181 |
| 60 | Poly(methyloctadecylsiloxane) immobilized on silica by Î ³ radiation for use in solid-phase extraction. Journal of Chromatography A, 2002, 948, 171-176. | 1.8 | 14 |
| 61 | Selective solid-phase extraction sorbent for caffeine made by molecular imprinting. Journal of Chromatography A, 2002, 948, 163-169. | 1.8 | 138 |
| 62 | Bio-compatible in-tube solid-phase microextraction capillary for the direct extraction and high-performance liquid chromatographic determination of drugs in human serum. Journal of Chromatography A, 2002, 963, 325-334. | 1.8 | 98 |
| 63 | Trace-level determination of pesticides in water by means of liquid and gas chromatography. Journal of Chromatography A, 2002, 970, 65-93. | 1.8 | 87 |
| 64 | Capillary electrophoresis with amperometric detection of curcumin in Chinese herbal medicine pretreated by solid-phase extraction. Journal of Chromatography A, 2002, 962, 117-125. | 1.8 | 75 |
| 65 | Determination of chlormequat and mepiquat in pear, tomato, and wheat flour using on-line solid-phase extraction (Prospekt) coupled with liquid chromatography–electrospray ionization tandem mass spectrometry. Journal of Chromatography A, 2002, 966, 15-23. | 1.8 | 57 |
| 66 | Solid-phase extraction sorbent consisting of alkyltrimethylammonium surfactants immobilized onto strong cation-exchange polystyrene resin. Journal of Chromatography A, 2002, 975, 135-143. | 1.8 | 13 |
| 67 | Use of a novel cation-exchange restricted-access material for automated sample clean-up prior to the determination of basic drugs in plasma by liquid chromatography. Journal of Chromatography A, 2002, 975, 145-155. | 1.8 | 64 |
| 68 | Current use of pressurised liquid extraction and subcritical water extraction in environmental analysis. Journal of Chromatography A, 2002, 975, 3-29. | 1.8 | 353 |
| 69 | Solid-phase extraction in clinical biochemistry. Annals of Clinical Biochemistry, 2002, 39, 464-477. | 0.8 | 49 |
| 70 | Proteome Analysis of Low-Abundance Proteins Using Multidimensional Chromatography and Isotope-Coded Affinity Tags. Journal of Proteome Research, 2002, 1, 47-54. | 1.8 | 329 |
| 71 | Solid-phase extraction—Thermal desorption—Gas chromatography with mass selective detection for the determination of drugs in urine. Chromatographia, 2003, 57, 221-225. | 0.7 | 9 |
| 72 | Ultrasonically assisted solid-phase extraction and GC analysis of filbertone in hazelnut oil. JAOCS, Journal of the American Oil Chemists' Society, 2003, 80, 307-310. | 0.8 | 7 |
| 73 | One-step cleanup for PAH residue analysis in plant matrices using size-exclusion chromatography. Analytical and Bioanalytical Chemistry, 2003, 376, 53-60. | 1.9 | 25 |
| 74 | Grafted Silicas in Electroanalysis: Amorphous Versus Ordered Mesoporous Materials. Electroanalysis, 2003, 15, 414-421. | 1.5 | 88 |
| 75 | Facile monitoring and evaluation of bacteria in a fermentation process using perfusion chromatography and polarimetry detection. Journal of Separation Science, 2003, 26, 20-28. | 1.3 | 3 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 76 | Rückstandsanalytik von Pflanzenschutzmitteln: Multimethoden versus Wirkstoffvielfalt. Chemie in Unserer Zeit, 2003, 37, 324-335. | 0.1 | 3 |
| 77 | On-line solid-phase extraction of ceramides from yeast with ceramide III imprinted monolith. Journal of Chromatography A, 2003, 984, 173-183. | 1.8 | 60 |
| 78 | Conductive polymers as new media for solid-phase extraction: Isolation of chlorophenols from water sample. Journal of Chromatography A, 2003, 986, 111-119. | 1.8 | 125 |
| 79 | Immuno-based sample preparation for trace analysis. Journal of Chromatography A, 2003, 1000, 29-52. | 1.8 | 231 |
| 80 | Solid-phase extraction clean-up of soil and sediment extracts for the determination of various types of pollutants in a single run. Journal of Chromatography A, 2003, 1003, 29-42. | 1.8 | 59 |
| 81 | Pyrrole-based conductive polymer as the solid-phase extraction medium for the preconcentration of environmental pollutants in water samples followed by gas chromatography with flame ionization and mass spectrometry detection. Journal of Chromatography A, 2003, 1015, 23-30. | 1.8 | 115 |
| 82 | Fast fractionation of complex organic extracts by normal-phase chromatography on a solid-phase extraction polymeric sorbent. Journal of Chromatography A, 2003, 1017, 17-26. | 1.8 | 34 |
| 83 | On-line selective solid-phase extraction of 4-nitrophenol with β-cyclodextrin bonded silica. Analytica Chimica Acta, 2003, 484, 145-153. | 2.6 | 31 |
| 84 | Supramolecular assemblies for extracting organic compounds. TrAC - Trends in Analytical Chemistry, 2003, 22, 470-485. | 5.8 | 105 |
| 85 | Fully automated LC method for the determination of sotalol in human plasma using restricted access material with cation exchange properties for sample clean-up. Journal of Pharmaceutical and Biomedical Analysis, 2003, 32, 829-838. | 1.4 | 45 |
| 86 | Factorial design for the development of automated solid-phase extraction in the 96-well format for determination of tesaglitazar, in plasma, by liquid chromatography–mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 787, 231-241. | 1.2 | 11 |
| 87 | Use of large particles support for fast analysis of methadone and its primary metabolite in human plasma by liquid chromatography–mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 784, 117-123. | 1.2 | 27 |
| 88 | Multiresidue method for determination of 90 pesticides in fresh fruits and vegetables using solid-phase extraction and gas chromatography-mass spectrometry. Journal of Chromatography A, 2003, 1015, 185-198. | 1.8 | 261 |
| 89 | Solid-Phase Extraction of Amphiphiles Based on Mixed Hemimicelle/Admicelle Formation:Â Application to the Concentration of Benzalkonium Surfactants in Sewage and River Water. Analytical Chemistry, 2003, 75, 6799-6806. | 3.2 | 95 |
| 90 | Trace Explosive Detection in Aqueous Samples by Solid-Phase Extraction Ion Mobility Spectrometry (SPE-IMS). Applied Spectroscopy, 2003, 57, 223-232. | 1.2 | 39 |
| 91 | Enhanced metal extractive behavior using dual mechanism bifunctional polymer: an effective metal chelatogen. Talanta, 2003, 61, 431-437. | 2.9 | 15 |
| 92 | Direct Plasma Analysis of Drug Compounds Using Monolithic Column Liquid Chromatography and Tandem Mass Spectrometry. Analytical Chemistry, 2003, 75, 1812-1818. | 3.2 | 67 |
| 93 | On-line coupling of sequential injection extraction with restricted-access materials for sample clean-up and analysis of drugs in biological matrix. Analyst, The, 2003, 128, 351-356. | 1.7 | 15 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 94 | Chromatographic behaviour of oxidised porous graphitic carbon columns. Analyst, The, 2003, 128, 844-848. | 1.7 | 33 |
| 95 | Multi-component analysis of polar water pollutants using sequential solid-phase extraction followed by LC-ESI-MS. Journal of Environmental Monitoring, 2003, 5, 384. | 2.1 | 54 |
| 96 | Chemically Modified Chloromethylated Resin as an Effective Metal Chelator in the Extraction of U(VI) and Th(IV). Analytical Letters, 2003, 36, 2277-2289. | 1.0 | 34 |
| 97 | Selective Extraction of U(VI) and Th(IV) from High Saline Matrices Using AXAD-16-BHBPD as Chelating Polymeric Matrix. Analytical Letters, 2003, 36, 2875-2892. | 1.0 | 10 |
| 99 | Solid-Phase Extraction. Journal of Chromatography Library, 2003, 67, 687-697. | 0.1 | 0 |
| 100 | Solid-phase extraction on molecularly imprinted polymers. Handbook of Analytical Separations, 2003, , 45-71. | 0.8 | 10 |
| 101 | Computational prediction of the solid phase extraction of herbicides in water. Computer Aided Chemical Engineering, 2003, 15, 1205-1209. | 0.3 | 0 |
| 102 | Chapter 12 Solid-phase extraction: Strategies for method development and optimization. Progress in Pharmaceutical and Biomedical Analysis, 2003, , 433-484. | 0.1 | 1 |
| 103 | Evaluation of .BETACyclodextrin Bonded Silica as a Selective Sorbent for the Solid-Phase Extraction of 4-Nitrophenol and 2,4-Dinitrophenol. Analytical Sciences, 2003, 19, 709-714. | 0.8 | 13 |
| 104 | A New Chelating Resin for Preconcentration and Determination of Mn(II), Ni(II), Cu(II), Zn(II), Cd(II), and Pb(II) by Flame Atomic Absorption Spectrometry. Journal of AOAC INTERNATIONAL, 2003, 86, 1218-1224. | 0.7 | 8 |
| 105 | Archiving Trace Organic Contaminants in Spacecraft Water. , 2003, , . | | 0 |
| 106 | Instrumental Aspects of Liquid Chromatography. , 2003, , 431-497. | | 1 |
| 107 | Extraction and Determination of Phenolic Derivatives in Water Samples by Using Polyoxyethylene Surfactants and Liquid Chromatography with Photodiode Array Detection. Journal of AOAC INTERNATIONAL, 2004, 87, 166-171. | 0.7 | 12 |
| 108 | Analysis of Unknown Organic Pollutants in Sewage by Solid-Phase Extraction Combined with Gas Chromatography-Mass Spectrometry. Journal of Chromatographic Science, 2004, 42, 91-99. | 0.7 | 11 |
| 109 | Automated Online and Off-Line Solid-Phase Extraction Methods for Measuring Isoflavones and Lignans in Urine. Journal of Chromatographic Science, 2004, 42, 495-500. | 0.7 | 30 |
| 110 | Chapter 10 Combined techniques. Journal of Chromatography Library, 2004, 69, 403-430. | 0.1 | 0 |
| 111 | Development and Characterization of an Immunoaffinity Solid-Phase-Extraction Sorbent for Trace Analysis of Propanil and Related Phenylurea Herbicides in Environmental Waters and in Beverages. Chromatographia, 2004, 60, S221. | 0.7 | 13 |
| 113 | Simple strategy for the optimization of solid-phase extraction procedures through the use of solid–liquid distribution coefficients. Journal of Chromatography A, 2004, 1025, 147-156. | 1.8 | 94 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 114 | Elucidation of retention mechanisms on hypercrosslinked polystyrene used as column packing material for high-performance liquid chromatography. Journal of Chromatography A, 2004, 1030, 17-24. | 1.8 | 54 |
| 115 | New materials for solid-phase extraction and multiclass high-performance liquid chromatographic analysis of pesticides in grapes. Journal of Chromatography A, 2004, 1032, 51-58. | 1.8 | 43 |
| 116 | Development of a monolithic silica extraction tip for the analysis of proteins. Journal of Chromatography A, 2004, 1043, 19-25. | 1.8 | 96 |
| 117 | Trace level detection and identification of chemicals related to the chemical weapons convention from complex organic samples. Journal of Chromatography A, 2004, 1038, 225-230. | 1.8 | 21 |
| 118 | Rapid immunoanalytical method for the determination of atrazine residues in olive oil. Analytical and Bioanalytical Chemistry, 2004, 378, 484-489. | 1.9 | 22 |
| 119 | Approaches for on-line coupling of extraction and chromatography. Analytical and Bioanalytical Chemistry, 2004, 378, 1962-1981. | 1.9 | 77 |
| 120 | Selective extraction of U(VI), Th(IV), and La(III) from acidic matrix solutions and environmental samples using chemically modified Amberlite XAD-16 resin. Analytical and Bioanalytical Chemistry, 2004, 379, 519-525. | 1.9 | 66 |
| 121 | Determination of ginkgolide A, B, and bilobalide in biloba L. extracts by microdialysis-HPLC. Analytical and Bioanalytical Chemistry, 2004, 379, 445-448. | 1.9 | 17 |
| 122 | Solid-phase extraction for HPLC analysis of dietary folates. European Food Research and Technology, 2004, 219, 199. | 1.6 | 31 |
| 123 | Immunoaffinity solid-phase extraction for pharmaceutical and biomedical trace-analysis—coupling with HPLC and CE—perspectives. Journal of Pharmaceutical and Biomedical Analysis, 2004, 34, 717-736. | 1.4 | 94 |
| 124 | The use of micellar systems in the extraction and pre-concentration of organic pollutants in environmental samples. TrAC - Trends in Analytical Chemistry, 2004, 23, 469-479. | 5.8 | 165 |
| 125 | Synthesis and analytical application of a chelating resin based on a crosslinked styrene/maleic acid copolymer for the extraction of trace-metal ions. Journal of Applied Polymer Science, 2004, 94, 1771-1779. | 1.3 | 33 |
| 126 | Effective sorbents for solid-phase extraction in the analysis of quinolones in animal tissues by capillary electrophoresis. Electrophoresis, 2004, 25, 65-73. | 1.3 | 40 |
| 127 | Preconcentration and determination of priority pollutant phenols in waters at trace levels using a polymeric solid-phase extraction cartridge. Journal of Separation Science, 2004, 27, 1524-1530. | 1.3 | 10 |
| 128 | Simultaneous solid-phase extraction of acidic, neutral and basic pharmaceuticals from aqueous samples at ambient (neutral) pH and their determination by gas chromatography–mass spectrometry. Journal of Chromatography A, 2004, 1023, 183-195. | 1.8 | 228 |
| 129 | Automated sample preparation based on the sequential injection principle. Journal of Chromatography A, 2004, 1030, 69-76. | 1.8 | 81 |
| 130 | Optimization of a matrix solid-phase dispersion method for the determination analysis of carbendazim residue in plant material. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 800, 309-314. | 1.2 | 33 |
| 131 | Restricted access materials and large particle supports for on-line sample preparation: an attractive approach for biological fluids analysis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 801, 141-156. | 1.2 | 236 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 132 | Validation of a gas chromatography–mass spectrometry method for the determination of pg/ml levels of 17β-estradiol and 17β-trenbolone in bovine serum. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 802, 307-315. | 1.2 | 30 |
| 133 | Evaluation of a novel anion-exchange restricted-access sorbent for on-line sample clean-up prior to the determination of acidic compounds in plasma by liquid chromatography. Journal of Chromatography A, 2004, 1030, 95-102. | 1.8 | 48 |
| 134 | Three-way models and detection capability of a gas chromatography–mass spectrometry method for the determination of clenbuterol in several biological matrices: the 2002/657/EC European Decision. Analytica Chimica Acta, 2004, 515, 55-63. | 2.6 | 72 |
| 135 | On-line trace enrichment of phenolic compounds from water using a pyrrole-based polymer as the solid-phase extraction sorbent coupled with high-performance liquid chromatography. Analytica Chimica Acta, 2004, 513, 445-449. | 2.6 | 148 |
| 136 | Nonionic surfactant mixtures: a new cloud-point extraction approach for the determination of PAHs in seawater using HPLC with fluorimetric detection. Analytica Chimica Acta, 2004, 518, 165-172. | 2.6 | 105 |
| 137 | Development of a molecularly imprinted polymer based solid-phase extraction of local anaesthetics from human plasma. Analytica Chimica Acta, 2004, 526, 147-154. | 2.6 | 42 |
| 138 | Simultaneous Determination of Selected Phenoxyacid Herbicides and Chlorophenols in Surface and Seawater by HPLC Coupled to DAD. Analytical Letters, 2004, 37, 545-560. | 1.0 | 8 |
| 139 | Multicolumn Gradient Technique ("Walking Columnâ€) . Journal of Liquid Chromatography and Related Technologies, 2004, 27, 1093-1103. | 0.5 | 0 |
| 140 | Synthesis of a Novel Magnetic Resin and the Study of Equilibrium in Cation Exchange with Amino Acids. Industrial & Engineering Chemistry Research, 2004, 43, 475-485. | 1.8 | 19 |
| 141 | Evaluation and Optimization of an On-Line Admicelle-Based Extraction-Liquid Chromatography Approach for the Analysis of Ionic Organic Compounds. Analytical Chemistry, 2004, 76, 3878-3886. | 3.2 | 70 |
| 142 | Isolation and Determination of 4â€Nonylphenol in Environmental Samples Using Combined Chromatographic Techniques. Journal of Liquid Chromatography and Related Technologies, 2004, 27, 2997-3012. | 0.5 | 4 |
| 143 | Synthesis of malonic acid-functionalized Amberlite XAD-4 and its use in solid phase extraction/preconcentrative separation of thorium(IV). Radiochimica Acta, 2004, 92, 931-937. | 0.5 | 15 |
| 144 | Probing Molecular Dynamics in Chromatographic Systems Using High-Resolution1H Magic-Angle-Spinning NMR Spectroscopy:A Interaction betweenp-Xylene and C18-Bonded Silica. Analytical Chemistry, 2004, 76, 3023-3028. | 3.2 | 13 |
| 145 | Determination of the Fat-Soluble Vitamins by HPLC. Food Additives, 2005, , 419-584. | 0.1 | 0 |
| 146 | Sample Preparation for Drug Discovery Bioanalysis. , 2005, , 477-510. | | 1 |
| 147 | Sample Preparation for Chromatographic Analysis of Environmental Samples. Chromatographic Science, 2005, , 31-131. | 0.1 | 2 |
| 148 | AXAD-16-3,4-dihydroxy benzoyl methyl phosphonic acid: a selective preconcentrator for U and Th from acidic waste streams and environmental samples. Reactive and Functional Polymers, 2005, 62, 105-114. | 2.0 | 45 |
| 149 | Uniformly sized molecularly imprinted polymer for atropine and its application to the determination of atropine and scopolamine in pharmaceutical preparations containing Scopolia extract. Journal of Pharmaceutical and Biomedical Analysis, 2005, 37, 231-237. | 1.4 | 52 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 150 | Investigation of elutions from a surfactant immobilized solid phase extraction sorbent based upon the hydrophobicity of the trapped species. Microchemical Journal, 2005, 80, 45-54. | 2.3 | 8 |
| 151 | Development and application of a new on-line SPE system combined with LC–MS/MS detection for high throughput direct analysis of pharmaceutical compounds in plasma. Journal of Chromatography A, 2005, 1080, 99-106. | 1.8 | 99 |
| 152 | Selectivity features of molecularly imprinted polymers recognising the carbamate group. Analytica Chimica Acta, 2005, 531, 199-207. | 2.6 | 36 |
| 153 | On-line solid-phase extraction and HPLC determination of polycyclic aromatic hydrocarbons in water using fluorocarbon polymer sorbents. Analytica Chimica Acta, 2005, 538, 35-40. | 2.6 | 91 |
| 154 | Determination of residues of quinolones in pig muscle. Analytica Chimica Acta, 2005, 539, 77-82. | 2.6 | 55 |
| 155 | Quantitation of fusidane antibiotics in pharmaceuticals using the surfactant–dye binding degree method. Analytica Chimica Acta, 2005, 549, 159-165. | 2.6 | 15 |
| 156 | Multiresidue determination of nicotinoid insecticide residues in drinking water by liquid chromatography with electrospray ionization mass spectrometry. Analytica Chimica Acta, 2005, 553, 21-26. | 2.6 | 113 |
| 157 | Sequential injection extraction based on restricted access material for determination of furosemide in serum. Journal of Chromatography A, 2005, 1087, 245-251. | 1.8 | 25 |
| 158 | Application of solid-phase extraction to quantitatively determine cyproconazole and tebuconazole in treated wood using liquid chromatography with UV detection. Journal of Chromatography A, 2005, 1063, 137-141. | 1.8 | 27 |
| 159 | Simultaneous determination of anabolic steroids and synthetic hormones in meat by freezing-lipid filtration, solid-phase extraction and gas chromatography–mass spectrometry. Journal of Chromatography A, 2005, 1067, 303-309. | 1.8 | 125 |
| 160 | Quantitative determination of benzalkonium chloride in treated wood by solid-phase extraction followed by liquid chromatography with ultraviolet detection. Journal of Chromatography A, 2005, 1095, 74-80. | 1.8 | 21 |
| 161 | Detection of PCBs in natural waters by front face fluorometry on solid sorbent on account of their fluorescence quantum yields and interaction with humic substances. Chemosphere, 2005, 61, 761-769. | 4.2 | 15 |
| 162 | Chlorinated Phenol Analysis Using Off-Line Solid-Phase Extraction and Capillary Electrophoresis Coupled with Amperometric Detection and a Boron-Doped Diamond Microelectrode. Analytical Chemistry, 2005, 77, 6542-6548. | 3.2 | 76 |
| 163 | Liquid chromatographic determination of nineN-methylcarbamates in drinking water. Biomedical Chromatography, 2005, 19, 107-110. | 0.8 | 8 |
| 164 | Determination of cymoxanil in drinking water and soil using high-performance liquid chromatography. Biomedical Chromatography, 2005, 19, 766-770. | 0.8 | 16 |
| 165 | Comparison of thin-layer and bulk MIPs synthesized by photoinitiatedin situ crosslinking polymerization from the same reaction mixtures. Journal of Applied Polymer Science, 2005, 98, 362-372. | 1.3 | 31 |
| 166 | Miniaturization in sample treatment for environmental analysis. Analytical and Bioanalytical Chemistry, 2005, 381, 119-140. | 1.9 | 95 |
| 167 | High-performance liquid chromatographic determination of pesticides in tomatoes using laboratory-made NH2 and C18 solid-phase extraction materials. Journal of Chromatography A, 2005, 1073, 75-81. | 1.8 | 60 |

ARTICLE IF CITATIONS Dependence of the pretreatment efficiency of polymer-based adsorbents for environmental water on 168 2.5 5 their uniformity and size. Journal of Polymer Science Part A, 2005, 43, 2112-2118. Extraction of Fipronil and Thiobencarb from Anaerobic Water Samples Using Solid-Phase Extraction. 169 Journal of AOAC INTERNATIONAL, 2005, 88, 854-859. Analysis of Phenothiazines in Human Body Fluids Using Disk Solid-Phase Extraction and Liquid 170 0.7 19 Chromatography. Journal of AOAC INTERNATIONAL, 2005, 88, 1655-1660. Solidâ€Phase Extraction Coupled to High Performance Liquid Chromatography Using a Micro Device Packed with Triacontylâ€Bonded Silica. Journal of Liquid Chromatography and Related Technologies, 0.5 2005, 28, 549-558. Simultaneous Quantitation of the Highly Lipophilic Atovaquone and Hydrophilic Strong Basic Proguanil and Its Metabolites Using a New Mixed-Mode SPE Approach and Steep-Gradient LC. Journal of 173 0.7 8 Chromatographic Science, 2005, 43, 259-266. Rational Design of an Imprinted Polymer: Maximizing Selectivity by Optimizing the Monomer–Template Ratio for a Cinchonidine MIP, Prior to Polymerization, Using Microcalorimetry. Journal of Liquid Chromatography and Related Technologies, 2005, 28, 1-15. 174 Sample Preparation Followed by High Performance Liquid Chromatographic (HPLC) Analysis for 176 Monitoring Muconic Acid as a Biomarker of Occupational Exposure to Benzene. International Journal 1.1 17 of Occupational Safety and Ergonomics, 2005, 11, 377-388. Chapter 4 Sample handling and clean-up procedures IIâ€"new developments. Comprehensive Analytical Chemistry, 2005, 43, 113-233. Automated On-Line Column-Switching HPLC-MS/MS Method with Peak Focusing for the Determination 178 3.2 373 of Nine Environmental Phenols in Urine. Analytical Chemistry, 2005, 77, 5407-5413. Solid Phase Extraction of Olanzapine with Reverse Phase Sorbents Prior to UV and HPLC Analysis. 179 1.0 Analytical Letters, 2005, 38, 815-824. Synthesis, Characterization, and Metal Extractive Behavior of Functionalized AXADâ€16 Polymeric 180 1.3 8 Matrix Using Oxyacetone Acetamide. Separation Science and Technology, 2005, 39, 941-957. Insights into the mechanism of molecular imprinting by immersion precipitation phase inversion of polymer blends via a detailed morphology analysis of porous membranes. Journal of Materials Chémistry, 2005, 15, 1487. LIQUID CHROMATOGRAPHY | Instrumentation., 2005, , 205-213. 182 0 LIQUID CHROMATOGRAPHY | Multidimensional., 2005, , 197-205. New Multidentate Ionâ€Selective Grafted Polymer for Preconcentration of Lanthanides and Actinides. 184 1.0 10 Analytical Letters, 2005, 38, 1331-1349. High-Performance Liquid Chromatography (HPLC)., 2005, , 661-685. Quantitative Determination of Pyrethroids, Pyrethrins, and Piperonyl Butoxide in Surface Water by 188 High-Resolution Gas Chromatography/High-Resolution Mass Spectrometry. Journal of Agricultural 2.4 41 and Food Chemistry, 2006, 54, 6957-6962. Automated On-Line Renewable Solid-Phase Extraction-Liquid Chromatography Exploiting Multisyringe 189 3.2 Flow Injection-Bead Injection Lab-on-Valve Analysis. Analytical Chemistry, 2006, 78, 2832-2840.

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 190 | The influence of mercury(II) on the extraction efficiency of herbicides from water. International Journal of Environmental Analytical Chemistry, 2006, 86, 553-562. | 1.8 | 2 |
| 191 | Comparison of Various Extraction Techniques to Determine Fungicide Residue in Wheat Grain. Journal of Liquid Chromatography and Related Technologies, 2006, 29, 247-261. | 0.5 | 13 |
| 192 | Application of Ceramic Carbon Materials for Solid-Phase Extraction of Organic Compounds. Analytical Chemistry, 2006, 78, 1345-1348. | 3.2 | 24 |
| 194 | Trends in Pesticide Transport into the River Rhine. , 0, , 155-175. | | 1 |
| 195 | Preparation of the Capillary-based Microchips for Solid Phase Extraction by Using the Monolithic Frits Prepared by UV-initiated Polymerization. Analytical Sciences, 2006, 22, 1099-1104. | 0.8 | 15 |
| 196 | Solid-Phase Extraction on Alkyl-bonded Silica Gels in Inorganic Analysis. Analytical Sciences, 2006, 22, 503-519. | 0.8 | 73 |
| 197 | Pyraflufen-ethyl Residues in Soil by Solid Phase Extraction and High-Performance Liquid Chromatography with UV Detection. Analytical Sciences, 2006, 22, 1589-1592. | 0.8 | 1 |
| 198 | Solid Phase Extractive Preconcentration of Some Actinide Elements Using Impregnated Carbon. Journal of Nuclear and Radiochemical Sciences, 2006, 7, 37-43. | 0.7 | 4 |
| 199 | A simplified protein precipitation/mixed-mode cation-exchange solid-phase extraction, followed by high-speed liquid chromatography/mass spectrometry, for the determination of a basic drug in human plasma. Rapid Communications in Mass Spectrometry, 2006, 20, 2660-2668. | 0.7 | 32 |
| 200 | Integration of photosynthetic biosensor with molecularly imprinted polymer-based solid phase extraction cartridge. Analytica Chimica Acta, 2006, 569, 50-57. | 2.6 | 67 |
| 201 | Retention behavior of silica-bonded and novel polymeric reversed-phase sorbents in studies on flavones as chemotaxonomic markers of Scutellaria L. genus. Journal of Chromatography A, 2006, 1120, 230-236. | 1.8 | 14 |
| 202 | Automated dynamic headspace organic solvent film microextraction for benzene, toluene, ethylbenzene and xylene. Journal of Chromatography A, 2006, 1107, 19-28. | 1.8 | 35 |
| 203 | Application of solid-phase extraction and liquid chromatography–mass spectrometry to the determination of neonicotinoid pesticide residues in fruit and vegetables. Journal of Chromatography A, 2006, 1108, 1-6. | 1.8 | 223 |
| 204 | Direct enrichment and high performance liquid chromatography analysis of ultra-trace Bisphenol A in water samples with narrowly dispersible Bisphenol A imprinted polymeric microspheres column. Journal of Chromatography A, 2006, 1110, 27-34. | 1.8 | 55 |
| 205 | Polymer-coated hollow fiber microextraction combined with on-column stacking in capillary electrophoresis. Journal of Chromatography A, 2006, 1128, 267-272. | 1.8 | 25 |
| 206 | Selective sample preparation with bioaffinity columns prepared by the sol–gel method. Journal of Chromatography A, 2006, 1124, 167-180. | 1.8 | 31 |
| 207 | On-line simultaneous removal of human serum albumin and enrichment of doxazosin using a weak cation-exchange monolithic column. Journal of Chromatography A, 2006, 1129, 231-235. | 1.8 | 62 |
| 208 | Isotope dilution high-resolution gas chromatography/high-resolution mass spectrometry method for analysis of selected acidic herbicides in surface water. Journal of Chromatography A, 2006, 1133, 293-299. | 1.8 | 12 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 209 | Pyrethroids, pyrethrins, and piperonyl butoxide in sediments by high-resolution gas chromatography/high-resolution mass spectrometry. Journal of Chromatography A, 2006, 1135, 71-77. | 1.8 | 39 |
| 210 | Orthogonal extraction/chromatography and UPLC, two powerful new techniques for bioanalytical quantitation of desloratadine and 3-hydroxydesloratadine at 25 pg/mL. Journal of Pharmaceutical and Biomedical Analysis, 2006, 40, 689-706. | 1.4 | 63 |
| 211 | Selective solid-phase extraction of cholesterol using molecularly imprinted polymers and its application in different biological samples. Journal of Pharmaceutical and Biomedical Analysis, 2006, 42, 549-555. | 1.4 | 52 |
| 212 | High throughput therapeutic drug monitoring of clozapine and metabolites in serum by on-line coupling of solid phase extraction with liquid chromatography–mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 834, 98-107. | 1.2 | 57 |
| 213 | Less common applications of monoliths: Preconcentration and solid-phase extraction. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 841, 52-64. | 1.2 | 193 |
| 214 | Preconcentration of phenols on a polymethacrylate sorbent for their gas-chromatographic determination in water. Journal of Analytical Chemistry, 2006, 61, 216-218. | 0.4 | 9 |
| 215 | On-line coupling of sorption preconcentration to liquid-chromatographic methods of analysis. Journal of Analytical Chemistry, 2006, 61, 416-441. | 0.4 | 13 |
| 216 | Polymer-Based Carbon Adsorbents Obtained from Copolymer of 4,4'-Bis(maleimidodiphenyl)methane and Divinylbenzene for Use in SPE. Chromatographia, 2006, 64, 1-7. | 0.7 | 15 |
| 217 | A new molecularly imprinted polymer for selective extraction of cotinine from urine samples by solid-phase extraction. Analytical and Bioanalytical Chemistry, 2006, 384, 761-768. | 1.9 | 44 |
| 218 | Environmental analysis based on luminescence in organized supramolecular systems. Analytical and Bioanalytical Chemistry, 2006, 385, 525-545. | 1.9 | 30 |
| 219 | Analytical methods for the determination of persistent ingredients of personal care products in environmental matrices. Analytical and Bioanalytical Chemistry, 2006, 386, 907-939. | 1.9 | 236 |
| 220 | The adsorption behaviors of Methylene Blue and Methyl Orange in a diaminoethane sporopollenin-mediated column system. Separation and Purification Technology, 2006, 52, 280-287. | 3.9 | 59 |
| 221 | Molecular imprinting of natural flavonoid antioxidants: Application in solid-phase extraction for the sample pretreatment of natural products prior to HPLC analysis. Journal of Separation Science, 2006, 29, 2310-2321. | 1.3 | 63 |
| 222 | Comparison of mixed-mode anion-exchange performance ofN-vinylimidazole-divinylbenzene sorbent. Journal of Separation Science, 2006, 29, 1622-1629. | 1.3 | 18 |
| 223 | Molecular imprinting science and technology: a survey of the literature for the years up to and including 2003. Journal of Molecular Recognition, 2006, 19, 106-180. | 1.1 | 1,073 |
| 224 | An integrated digital microfluidic chip for multiplexed proteomic sample preparation and analysis by MALDI-MS. Lab on A Chip, 2006, 6, 1213. | 3.1 | 266 |
| 225 | Resin and fatty-acid analysis by solid-phase extraction coupled to atmospheric pressure chemical ionization–mass spectrometry. International Journal of Environmental Analytical Chemistry, 2007, 87, 87-97. | 1.8 | 9 |
| 226 | Analysis of pyraflufen-ethyl residues in apples and soil by high-performance liquid chromatography. International Journal of Environmental Analytical Chemistry, 2007, 87, 99-109. | 1.8 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 227 | Solid Phase Extraction for Evaluation of Occupational Exposure to Pb (II) Using XAD-4 Sorbent Prior to Atomic Absorption Spectroscopy. International Journal of Occupational Safety and Ergonomics, 2007, 13, 137-145. | 1.1 | 24 |
| 228 | Relative influence of the dissolved humic material on the solid-phase extraction efficiency of pesticides from environmental water. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2007, 42, 615-627. | 0.7 | 4 |
| 229 | Solid Phase Extraction for Monitoring of Occupational Exposure to Cr (III). Analytical Chemistry Insights, 2007, 2, 117739010700200. | 2.7 | 9 |
| 230 | Review of the Sampling and Pretreatment Methods for Dioxins Determination in Solids, Liquids and Gases. Journal of the Chinese Chemical Society, 2007, 54, 245-262. | 0.8 | 11 |
| 231 | Clean-up and fractionation methods. , 2007, , 299-348. | | 1 |
| 232 | Quantitative determination of cyproconazole in wood treated with Tanalith CY using solid-phase extraction followed by HPLC UV analysis. MOKUZAI HOZON (Wood Protection), 2007, 33, 218-225. | 0.1 | 1 |
| 233 | Historical review of sample preparation for chromatographic bioanalysis: pros and cons. Drug Development Research, 2007, 68, 107-133. | 1.4 | 105 |
| 234 | Ultrahigh-pressure dual online solid phase extraction/capillary reverse-phase liquid chromatography/tandem mass spectrometry (DO-SPE/cRPLC/MS/MS): A versatile separation platform for high-throughput and highly sensitive proteomic analyses. Electrophoresis, 2007, 28, 1012-1021. | 1.3 | 23 |
| 235 | Removal of Carcinogenic Direct Azo Dyes from Aqueous Solutions Using Calix[n]arene Derivatives. Clean - Soil, Air, Water, 2007, 35, 612-616. | 0.7 | 33 |
| 236 | Online preconcentration using monoliths in electrochromatography capillary format and microchips. Journal of Separation Science, 2007, 30, 2858-2865. | 1.3 | 44 |
| 237 | Use of new generation poly(styrene-divinylbenzene) resins for gas-phase trapping-thermal desorption. Journal of Chromatography A, 2007, 1139, 36-44. | 1.8 | 32 |
| 238 | Extraction of alkyl methylphosphonic acids from aqueous samples using a conventional polymeric solid-phase extraction sorbent and a molecularly imprinted polymer. Journal of Chromatography A, 2007, 1139, 171-177. | 1.8 | 50 |
| 239 | Principles, developments and applications of on-line coupling of extraction with chromatography. Journal of Chromatography A, 2007, 1153, 14-28. | 1.8 | 80 |
| 240 | Sample preparation techniques for the determination of trace residues and contaminants in foods. Journal of Chromatography A, 2007, 1153, 36-53. | 1.8 | 311 |
| 241 | Methyl chloroacetate as an extraction solvent for coupling liquid–liquid semimicroextraction with micellar electrokinetic chromatography through on-capillary decomposition for the separation of neutral compounds with concentration enhancement. Journal of Chromatography A, 2007, 1147, 105-110. | 1.8 | 10 |
| 242 | High-throughput solid-phase extraction of metal ions using an iminodiacetate chelating porous disk prepared by graft polymerization. Journal of Chromatography A, 2007, 1176, 37-42. | 1.8 | 28 |
| 243 | Evaluation of carbon nanotubes as a solid-phase extraction adsorbent for the extraction of cephalosporins antibiotics, sulfonamides and phenolic compounds from aqueous solution. Analytica Chimica Acta, 2007, 594, 81-92. | 2.6 | 94 |
| 244 | Application of solid-phase extraction to brewed coffee caffeine and organic acid determination by UV/HPLC. Journal of Food Composition and Analysis, 2007, 20, 440-448. | 1.9 | 120 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 245 | Adsorptive removal of Methylene blue and Methyl orange from aqueous media by carboxylated diaminoethane sporopollenin: On the usability of an aminocarboxilic acid functionality-bearing solid-stationary phase in column techniques. Journal of Hazardous Materials, 2007, 146, 186-193. | 6.5 | 61 |
| 246 | Determination of phenol at nglâ^'1 level by flow-injection chemiluminescence combined with on-line solid-phase extraction. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2007, 66, 874-878. | 2.0 | 16 |
| 247 | Molecularly imprinted polymer microspheres for solid-phase extraction of chloramphenicol residues in foods. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 850, 24-30. | 1.2 | 97 |
| 248 | Validation of high-performance liquid chromatography assay for quantification of formoterol in urine samples after inhalation using UV detection technique. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 850, 31-37. | 1.2 | 23 |
| 249 | High-throughput liquid chromatographic-tandem mass spectrometric determination of arginine and dimethylated arginine derivatives in human and mouse plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 851, 211-219. | 1.2 | 149 |
| 250 | Determination of ximelagatran, melagatran and two intermediary metabolites in plasma by mixed-mode solid phase extraction and LC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 852, 317-324. | 1.2 | 12 |
| 251 | Analysis of phenolic acids in honeys of different floral origin by solid-pase extraction and high-performance liquid chromatography. Phytochemical Analysis, 2007, 18, 24-32. | 1.2 | 104 |
| 252 | Application of molecularly imprinted polymers to solid-phase extraction of analytes from real samples. Journal of Proteomics, 2007, 70, 133-150. | 2.4 | 335 |
| 253 | HPLC Analysis of Cotinine in Urine After SPE with a Cholesterol-Modified Adsorbent. Chromatographia, 2007, 66, 63-70. | 0.7 | 4 |
| 254 | Development of a New RAM-Chiral Column for Determination of Chiral Drugs in Biological Fluids by HPLC. Chromatographia, 2007, 66, 159-164. | 0.7 | 11 |
| 255 | Recent developments in extraction procedures relevant to analytical toxicology. Analytical and Bioanalytical Chemistry, 2007, 388, 1381-1391. | 1.9 | 63 |
| 256 | Methods of sample preparation for determination of pesticide residues in food matrices by chromatography–mass spectrometry-based techniques: a review. Analytical and Bioanalytical Chemistry, 2007, 389, 1663-1683. | 1.9 | 185 |
| 257 | Determination of trapidil in human serum and urine by derivative UV spectrophotometry after selective solid-phase extraction. Analytical and Bioanalytical Chemistry, 2007, 389, 923-929. | 1.9 | 5 |
| 258 | Rapid Analysis of Acylglycerols in Low Molecular Weight Milk Fat Fractions. Lipids, 2007, 42, 473-482. | 0.7 | 6 |
| 259 | Sorption behavior of Cu(II) ions on insolubilized humic acid under acidic conditions: An application of Scatchard plot analysis in evaluating the pH dependence of specific and nonspecific bindings. Separation and Purification Technology, 2007, 55, 132-139. | 3.9 | 44 |
| 260 | Trends in speciation analysis of vanadium in environmental samples and biological fluids—A review. Analytica Chimica Acta, 2008, 607, 1-14. | 2.6 | 81 |
| 261 | Solid phase microextraction sampling of high explosive residues in the presence of radionuclides and radionuclide surrogate metals. Journal of Radioanalytical and Nuclear Chemistry, 2008, 275, 579-593. | 0.7 | 6 |
| 262 | Development and application of molecularly imprinted polymers as solid-phase sorbents for erythromycin extraction. Analytical and Bioanalytical Chemistry, 2008, 390, 2141-2150. | 1.9 | 50 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 263 | Analysis of sulfamerazine in pond water and several fishes by high-performance liquid chromatography using molecularly imprinted solid-phase extraction. Analytical and Bioanalytical Chemistry, 2008, 391, 2291-2298. | 1.9 | 24 |
| 264 | Determination of higher carboxylic acids in snow samples using solid-phase extraction and LC/MS-TOF. Analytical and Bioanalytical Chemistry, 2008, 392, 1459-1470. | 1.9 | 21 |
| 265 | Molecularly imprinted polymers for bisphenol A for HPLC and SPE from water and milk. Journal of Separation Science, 2008, 31, 2272-2282. | 1.3 | 103 |
| 266 | Coupling of solidâ€phase microextraction continuous bed (monolithic) capillaries with capillary zone electrophoresis for direct analysis of drugs in biological fluids. Electrophoresis, 2008, 29, 1753-1760. | 1.3 | 34 |
| 267 | Development and validation of a gas chromatographic–mass spectrometric method for quantitative determination of perphenazine in rabbit plasma after sublingual administration. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 872, 51-57. | 1.2 | 11 |
| 268 | Structural features of polymer adsorbent LiChrolut EN and interfacial behavior of water and water/organic mixtures. Journal of Colloid and Interface Science, 2008, 323, 6-17. | 5.0 | 15 |
| 269 | Hydrophobic solid phase extraction using n-alkanoic acid-immobilized anion-exchange membranes as adsorbents. Microchemical Journal, 2008, 90, 129-135. | 2.3 | 5 |
| 270 | Extraction of chlorpromazine with a new molecularly imprinted polymer from pig urine. Process Biochemistry, 2008, 43, 1209-1214. | 1.8 | 36 |
| 271 | Synthesis and characterization of a polystyrenic resin functionalized by catechol: Application to retention of metal ions. Reactive and Functional Polymers, 2008, 68, 1362-1370. | 2.0 | 34 |
| 272 | Study of the factors affecting the performance of microextraction by packed sorbent (MEPS) using liquid scintillation counter and liquid chromatography-tandem mass spectrometry. Analytica Chimica Acta, 2008, 630, 116-123. | 2.6 | 86 |
| 273 | Mixed-mode chromatography for fractionation of peptides, phosphopeptides, and sialylated glycopeptides. Journal of Chromatography A, 2008, 1191, 162-170. | 1.8 | 65 |
| 274 | Weak cation-exchange restricted-access material for on-line purification of basic drugs in plasma. Journal of Chromatography A, 2008, 1190, 8-13. | 1.8 | 19 |
| 275 | Solid-phase extraction procedure for determination of phenolic acids and some flavonols in honey. Journal of Chromatography A, 2008, 1187, 18-24. | 1.8 | 201 |
| 276 | Preparation and characterization of octyl and octadecyl-modified mesoporous SBA-15 silica molecular sieves for adsorption of dimethyl phthalate and diethyl phthalate. Microporous and Mesoporous Materials, 2008, 111, 254-259. | 2.2 | 53 |
| 277 | LC–DAD Analysis of Six Bioactive Constituents in Rat Urine and Bile after Oral Administration of Luan-Pao-Prescription. Chromatographia, 2008, 67, 325-329. | 0.7 | 3 |
| 278 | Solid phase extractive preconcentration of some actinide elements using impregnated carbon. Radiochemistry, 2008, 50, 56-63. | 0.2 | 24 |
| 279 | Use of Molecularly Imprinted Solid-Phase Extraction Sorbent for the Determination of Four 5-Nitroimidazoles and Three of Their Metabolites from Egg-Based Samples before Tandem LCâ^'ESIMS/MS Analysis. Journal of Agricultural and Food Chemistry, 2008, 56, 3500-3508. | 2.4 | 45 |
| 280 | Preparation and Characterization of Sorption Properties of Porous Microspheres of 1â€Vinylâ€2â€Pyrrolidoneâ€Divinylbenzene. Journal of Liquid Chromatography and Related Technologies, 2008, 31, 950-961. | 0.5 | 17 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 281 | Synthesis and characterization of a propazine imprinted polymer for the extraction of triazines herbicides. Water Science and Technology, 2008, 57, 139-144. | 1.2 | 9 |
| 282 | Improvement on Analyte Extraction by Molecularly Imprinted Polymer Microspheres toward Enrofloxacin. Analytical Letters, 2008, 41, 1443-1458. | 1.0 | 13 |
| 283 | Optimization of Solid-Phase Extraction for the Liquid ChromatographyMass Spectrometry Analysis of Harpagoside, 8-para-Coumaroyl Harpagide, and Harpagide in Equine Plasma and Urine. Journal of Chromatographic Science, 2008, 46, 174-183. | 0.7 | 15 |
| 284 | Microextraction Methods in Food Analysis. , 2008, , . | | 1 |
| 285 | HPLC-MS/MS method for analysis of isoproturon in difficult matrix: poppy seeds. Czech Journal of Food Sciences, 2008, 26, 146-152. | 0.6 | 5 |
| 287 | Automated Solid-Phase Extraction Approaches for Large Scale Biomonitoring Studies. Journal of Chromatographic Science, 2009, 47, 12-18. | 0.7 | 28 |
| 288 | Comprehensive Analysis of Drugs of Abuse in Urine Using Disposable Pipette Extraction. Journal of Analytical Toxicology, 2009, 33, 356-365. | 1.7 | 46 |
| 289 | A simple and efficient method for the determination of pollutant phenols in soils with high levels of organic matter. International Journal of Environmental Analytical Chemistry, 2009, 89, 293-304. | 1.8 | 2 |
| 290 | Integrated microdevice for preconcentration and separation of a wide variety of compounds by electrochromatography. Electrophoresis, 2009, 30, 515-524. | 1.3 | 32 |
| 291 | Ultrasoundâ€assisted solidâ€phase extraction coupled with photodiodeâ€array and fluorescence detection for chemotaxonomy of isoflavone phytoestrogens in <i>Trifolium</i> L. (Clover) species. Journal of Separation Science, 2009, 32, 965-972. | 1.3 | 29 |
| 292 | Potential of combining of liquid membranes and molecularly imprinted polymers in extraction of 17βâ€estradiol from aqueous samples. Journal of Separation Science, 2009, 32, 1941-1948. | 1.3 | 28 |
| 293 | Molecularly imprinted polymer for solidâ€phase extraction of ephedrine and analogs from human plasma. Journal of Separation Science, 2009, 32, 1036-1042. | 1.3 | 161 |
| 294 | A review of current trends and advances in modern bio-analytical methods: Chromatography and sample preparation. Analytica Chimica Acta, 2009, 656, 8-35. | 2.6 | 485 |
| 295 | Optimization of solid-phase extraction using developed modern sorbent for trace determination of ametryn in environmental matrices. Journal of Hazardous Materials, 2009, 170, 1247-1255. | 6.5 | 38 |
| 296 | New HPLC assay for urinary salbutamol concentrations in samples collected post-inhalation. Journal of Pharmaceutical and Biomedical Analysis, 2009, 50, 175-182. | 1.4 | 31 |
| 297 | Evaluation of resin and fatty acid concentration levels by online sample enrichment followed by atmospheric pressure chemical ionization-mass spectrometry (APCI-MS). Environmental Science and Pollution Research, 2009, 16, 287-294. | 2.7 | 7 |
| 298 | Ultra performance liquid chromatography tandem mass spectrometry performance evaluation for analysis of antibiotics in natural waters. Analytical and Bioanalytical Chemistry, 2009, 393, 1709-1718. | 1.9 | 82 |
| 299 | Selection of SPE cartridge for automated solid-phase extraction of pesticides from water followed by liquid chromatography-tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2009, 394, 2257-2266. | 1.9 | 40 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 300 | A rapid ultraâ€performance liquid chromatography–electrospray Ionisation mass spectrometric method for the analysis of saponins in the adventitious roots of <i>Panax notoginseng</i> . Phytochemical Analysis, 2009, 20, 68-76. | 1.2 | 33 |
| 301 | Optimization of ethanol extraction and further purification of isoflavones from soybean sprout cotyledon. Food Chemistry, 2009, 117, 312-317. | 4.2 | 51 |
| 302 | Rapid sensing of molybdenum by combined colorimetric solid-phase extraction—Reflectance spectroscopy. Sensors and Actuators B: Chemical, 2009, 141, 491-497. | 4.0 | 19 |
| 303 | The assemble of the multi-wall carbon nanotubes on the surface of C18 and its electrochemiluminescence analytical application. Journal of Electroanalytical Chemistry, 2009, 625, 47-52. | 1.9 | 5 |
| 304 | Solid phase extraction of ultra traces silver(I) using octadecyl silica membrane disks modified by 1,3-bis(2-cyanobenzene) triazene (CBT) ligand prior to determination by flame atomic absorption. Journal of Hazardous Materials, 2009, 168, 1184-1187. | 6.5 | 51 |
| 305 | Development of sulfamethoxazole-imprinted polymers for the selective extraction from waters. Journal of Hazardous Materials, 2009, 170, 722-728. | 6.5 | 33 |
| 306 | Ligands for mixed-mode protein chromatography: Principles, characteristics and design. Journal of Biotechnology, 2009, 144, 3-11. | 1.9 | 157 |
| 307 | Novel molecularly imprinted polymers for the selective extraction and determination of metoclopramide in human serum and urine samples using high-performance liquid chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 2537-2544. | 1.2 | 56 |
| 308 | Theoretical models in LC based bioanalytical method development. Journal of Pharmaceutical and Biomedical Analysis, 2009, 49, 1-10. | 1.4 | 8 |
| 309 | Decontamination and disinfection of water by solar photocatalysis: Recent overview and trends. Catalysis Today, 2009, 147, 1-59. | 2.2 | 2,574 |
| 310 | Challenge of high polarity and low concentrations in analysis of cytostatics and metabolites in wastewater by hydrophilic interaction chromatography/tandem mass spectrometry. Journal of Chromatography A, 2009, 1216, 1100-1108. | 1.8 | 106 |
| 311 | Sampling and analysis of pesticides in ambient air. Journal of Chromatography A, 2009, 1216, 2972-2983. | 1.8 | 96 |
| 312 | Sulfonated polyvinyl chloride fibers for cation-exchange microextraction. Journal of Chromatography A, 2009, 1216, 6549-6553. | 1.8 | 13 |
| 313 | Selective extraction of triazine herbicides from food samples based on a combination of a liquid membrane and molecularly imprinted polymers. Journal of Chromatography A, 2009, 1216, 6796-6801. | 1.8 | 47 |
| 314 | On-line solid-phase extraction of large-volume injections coupled to liquid chromatography-tandem mass spectrometry for the quantitation and confirmation of 14 selected trace organic contaminants in drinking and surface water. Journal of Chromatography A, 2009, 1216, 8518-8527. | 1.8 | 102 |
| 315 | Combination of solid phase extraction and in vial solid phase derivatization using a strong anion exchange disk for the determination of nerve agent markers. Journal of Chromatography A, 2009, 1216, 8452-8459. | 1.8 | 30 |
| 316 | Separation and sample pre-treatment in bioanalysis using monolithic phases: A review. Analytica Chimica Acta, 2009, 652, 22-31. | 2.6 | 98 |
| 317 | A multidimensional high performance liquid chromatography method coupled with amperometric detection using a boron-doped diamond electrode for the simultaneous determination of sulfamethoxazole and trimethoprim in boving milk. Analytica Chimica Acta, 2009, 654, 127-132 | 2.6 | 57 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 318 | Mathematical modeling of sorption preconcentration in flow analysis system. Moscow University Chemistry Bulletin, 2009, 64, 192-197. | 0.2 | 1 |
| 319 | Developing and Optimizing an Immunoaffinity Cleanup Technique for Determination of Quinolones from Chicken Muscle. Journal of Agricultural and Food Chemistry, 2009, 57, 365-371. | 2.4 | 38 |
| 320 | Preparation of Octadecyl and Amino Mixed Group Modified Titanate Nanotubes and Its Efficient Adsorption to Several Ionic or Ionizable Organic Analytes. Analytical Chemistry, 2009, 81, 9913-9920. | 3.2 | 28 |
| 321 | Solid phase extraction and determination of metal ions in aqueous samples using Quercetin modified Amberlite XAD-16 chelating polymer as metal extractant. International Journal of Environmental Analytical Chemistry, 2009, 89, 503-514. | 1.8 | 44 |
| 322 | Data-Driven Optimization of Metabolomics Methods Using Rat Liver Samples. Analytical Chemistry, 2009, 81, 1315-1323. | 3.2 | 29 |
| 323 | Multisyringe flow injection system for solid-phase extraction coupled to liquid chromatography using monolithic column for screening of phenolic pollutants. Talanta, 2009, 77, 1466-1472. | 2.9 | 31 |
| 324 | Theoretical and experimental methods of determination of the breakthrough volume of SPE sorbents. Talanta, 2009, 80, 614-621. | 2.9 | 94 |
| 325 | Determination of Tricyclazole in Water Using Solid Phase Extraction and Liquid Chromatography. Journal of Liquid Chromatography and Related Technologies, 2009, 32, 2712-2720. | 0.5 | 4 |
| 326 | Development and application of a simplified sample preparation method for determination of TEGDMA and related metabolites. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2009, 91B, 452-458. | 1.6 | 0 |
| 327 | Affinity of Polymer-Supported Reagents for Lanthanides as a Function of Donor Atom Polarizability. Industrial & Engineering Chemistry Research, 2009, 48, 6173-6187. | 1.8 | 31 |
| 328 | Rapid and Simple Determination of Vitamin A and Vitamin E in Human Plasma by Column-Switching High-Performance Liquid Chromatography. Current Analytical Chemistry, 2009, 5, 311-315. | 0.6 | 7 |
| 329 | Modification of a Porous Sheet (MAPS) for the High-Performance Solid-Phase Extraction of Trace and Ultratrace Elements by Radiation-Induced Graft Polymerization. Analytical Sciences, 2010, 26, 649-658. | 0.8 | 16 |
| 330 | Automated mass spectrometric analysis of urinary and plasma serotonin. Analytical and Bioanalytical Chemistry, 2010, 396, 2609-2616. | 1.9 | 64 |
| 331 | Supramolecular recognition of estrogens via molecularly imprinted polymers. Analytical and Bioanalytical Chemistry, 2010, 397, 2977-2986. | 1.9 | 24 |
| 332 | Solid-phase extraction of tramadol from plasma and urine samples using a novel water-compatible molecularly imprinted polymer. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 1700-1706. | 1.2 | 94 |
| 333 | Direct modification of hydrogen/deuterium-terminated diamond particles with polymers to form reversed and strong cation exchange solid phase extraction sorbents. Journal of Chromatography A, 2010, 1217, 7621-7629. | 1.8 | 5 |
| 334 | Preparation, characterization and application of p-tert-butyl-calix[4]arene-SBA-15 mesoporous silica molecular sieves. Journal of Hazardous Materials, 2010, 178, 680-685. | 6.5 | 21 |
| 335 | New and unique methods of solid-phase extraction for use before instrumental analysis of xenobiotics in human specimens. Forensic Toxicology, 2010, 28, 61-68. | 1.4 | 33 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 336 | Towards monitoring real-time cellular response using an integrated microfluidics-matrix assisted laser desorption ionisation/nanoelectrospray ionisation-ion mobility-mass spectrometry platform. IET Systems Biology, 2010, 4, 416-427. | 0.8 | 25 |
| 337 | New hybrid materials as Zn(II) sorbents in water samples. Materials Research Bulletin, 2010, 45, 1177-1181. | 2.7 | 11 |
| 338 | Chromatographic Characterization of Molecularly Imprinted Microspheres Synthesized by Aqueous Microsuspension Polymerization : Influences of pH, Kinds and Concentration of Buffer on Capacity Factors. Chinese Journal of Chemistry, 2002, 20, 1012-1018. | 2.6 | 3 |
| 339 | Solidâ€Phase Extraction of Metoprolol onto (Methacrylic acid―ethylene glycol dimethacrylate)â€based Molecularly Imprinted Polymer and Its Spectrophotometric Determination. Chinese Journal of Chemistry, 2010, 28, 647-655. | 2.6 | 4 |
| 340 | Preparation and evaluation of a molecularly imprinted polymer for tolazoline. Journal of Applied Polymer Science, 2010, 115, 198-203. | 1.3 | 3 |
| 341 | Automated stir plate (bar) sorptive extraction coupled to highâ€performance liquid chromatography for the determination of polycyclic aromatic hydrocarbons. Journal of Separation Science, 2010, 33, 2176-2183. | 1.3 | 19 |
| 342 | Fibers with polypyrrole and polythiophene phases for isolation and determination of adrenolytic drugs from human plasma by SPME-HPLC. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 2226-2234. | 1.2 | 40 |
| 343 | Removal of direct azo dyes and aromatic amines from aqueous solutions using two β-cyclodextrin-based polymers. Journal of Hazardous Materials, 2010, 174, 592-597. | 6.5 | 101 |
| 344 | Octadecyltrimethylammonium surfactant-immobilized cation exchange membranes for solid-phase extraction of phenolic compounds. Microchemical Journal, 2010, 96, 290-295. | 2.3 | 4 |
| 345 | New coated SPME fibers for extraction and fast HPLC determination of selected drugs in human blood. Journal of Pharmaceutical and Biomedical Analysis, 2010, 53, 1022-1027. | 1.4 | 49 |
| 346 | Multiwalled carbon nanotubes/cryogel composite, a new sorbent for determination of trace polycyclic aromatic hydrocarbons. Microchemical Journal, 2010, 96, 317-323. | 2.3 | 64 |
| 347 | Selectivity and efficiency of different reversed-phase and mixed-mode sorbents to preconcentrate and isolate aroma molecules. Journal of Chromatography A, 2010, 1217, 1557-1566. | 1.8 | 23 |
| 348 | Supramolecular solvents in the extraction of organic compounds. A review. Analytica Chimica Acta, 2010, 677, 108-130. | 2.6 | 259 |
| 349 | Preparation and characterization of porous DVB copolymers and their applicability for adsorption (solid-phase extraction) of phenol compounds. Applied Surface Science, 2010, 257, 1222-1227. | 3.1 | 26 |
| 350 | Shotgun proteome analysis utilising mixed mode (reversed phaseâ€anion exchange chromatography) in conjunction with reversed phase liquid chromatography mass spectrometry analysis. Proteomics, 2010, 10, 2950-2960. | 1.3 | 34 |
| 351 | Automated solid-phase microextraction and thin-film microextraction for high-throughput analysis of biological fluids and ligand–receptor binding studies. Nature Protocols, 2010, 5, 140-161. | 5.5 | 91 |
| 352 | Analysis of smoke PAHs from selected Taiwanese cigarettes by using molecular imprinting polymers. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2010, 45, 211-223. | 0.9 | 12 |
| 353 | Molecularly Imprinted Polymers for Ochratoxin A Extraction and Analysis. Toxins, 2010, 2, 1536-1553. | 1.5 | 49 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 355 | Online Hyphenation of Multimodal Microsolid Phase Extraction Involving Renewable Molecularly Imprinted and Reversed-Phase Sorbents to Liquid Chromatography for Automatic Multiresidue Assays. Analytical Chemistry, 2010, 82, 3052-3060. | 3.2 | 45 |
| 356 | Integrated Multiprocess Microfluidic Systems for Automating Analysis. Journal of the Association for Laboratory Automation, 2010, 15, 198-209. | 2.8 | 22 |
| 357 | SAMPLE PREPARATION FOR TRACE ANALYSIS BY CHROMATOGRAPHIC METHODS. Journal of Liquid Chromatography and Related Technologies, 2010, 33, 1174-1207. | 0.5 | 20 |
| 358 | Detection and Quantification of Trace Organic Contaminants in Water Using the FT-IR-Attenuated Total Reflectance Technique. Analytical Chemistry, 2010, 82, 505-515. | 3.2 | 28 |
| 359 | Selective solid-phase extraction of trace thorium(IV) using surface-grafted Th(IV)-imprinted polymers with pyrazole derivative. Talanta, 2010, 81, 30-36. | 2.9 | 71 |
| 360 | Comparative Study of Solid-Phase Extraction and Liquidâ^'Liquid Extraction for the Reliable Quantification of High Value Added Compounds from Oxidation Processes of Wood-Derived Lignin. Industrial & Engineering Chemistry Research, 2010, 49, 12311-12318. | 1.8 | 60 |
| 361 | Explorative Solid-Phase Extraction (E-SPE) for Accelerated Microbial Natural Product Discovery, Dereplication, and Purification. Journal of Natural Products, 2010, 73, 1126-1132. | 1.5 | 73 |
| 362 | Adsorption Properties of Uranium (VI) Ions on Reactive Crosslinked Acrylamidoxime and Acrylic Acid Copolymer Resins. Journal of Dispersion Science and Technology, 2010, 32, 84-94. | 1.3 | 36 |
| 363 | Simultaneous determination of five quinoxaline-1,4-dioxides and two major metabolites in surface water by on-line solid phase extraction coupled to high-performance liquid chromatography. Analytical Methods, 2011, 3, 1821. | 1.3 | 11 |
| 364 | Weak molecular associations investigated by 1H-NMR spectroscopy on a neat organosiloxane–solvent mixture. Physical Chemistry Chemical Physics, 2011, 13, 10661. | 1.3 | 7 |
| 365 | Human Exposure Assessment: A Case Study of 8 PAH Contaminated Soils Using <i>in Vitro</i> Digestors and the Juvenile Swine Model. Environmental Science & Technology, 2011, 45, 4586-4593. | 4.6 | 70 |
| 366 | Automatic flow system for evaluation of polystyrene-divinylbenzene sorbents applied to preconcentration of phenolic pollutants. International Journal of Environmental Analytical Chemistry, 2011, 91, 884-899. | 1.8 | 1 |
| 367 | Electrospun nanofibers as sorbent material for solid phase extraction. Analyst, The, 2011, 136, 2879. | 1.7 | 116 |
| 368 | A SOLID PHASE EXTRACTION TECHNIQUE FOR HPLC ANALYSIS OF SHORT CHAIN FATTY ACID FLUXES DURING MICROBIAL DEGRADATION OF PLANT POLYMERS. Journal of Liquid Chromatography and Related Technologies, 2011, 34, 1546-1555. | 0.5 | 2 |
| 369 | Solid Phase Extraction of Ursolic Acid Using Imprinted Polymer Modified Multi-walled Carbon Nanotubes. Chinese Journal of Analytical Chemistry, 2011, 39, 839-845. | 0.9 | 9 |
| 370 | Continuous biocatalytic synthesis of (R)-2-octanol with integrated product separation. Green Chemistry, 2011, 13, 1430. | 4.6 | 22 |
| 371 | Sample treatment based on extraction techniques in biological matrices. Bioanalysis, 2011, 3, 2003-2018. | 0.6 | 106 |
| 372 | Greening Sample Treatments. Comprehensive Analytical Chemistry, 2011, 57, 87-120. | 0.7 | 23 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 373 | Rapid Determination of Estrogens in Milk Samples Based on Magnetite Nanoparticles/Polypyrrole Magnetic Solid-Phase Extraction Coupled with Liquid Chromatography–Tandem Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2011, 59, 8543-8549. | 2.4 | 139 |
| 374 | RECENT APPLICATIONS OF HYDROPHILIC INTERACTION CHROMATOGRAPHY IN ENVIRONMENTAL ANALYSIS. Journal of Liquid Chromatography and Related Technologies, 2011, 34, 1112-1132. | 0.5 | 6 |
| 375 | Design and evaluation of synthetic silica-based monolithic materials in shrinkable tube for efficient protein extraction. Analyst, The, 2011, 136, 4321. | 1.7 | 14 |
| 376 | Quantitative analysis of PD 0332991 in mouse plasma using automated micro-sample processing and microbore liquid chromatography coupled with tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 2860-2865. | 1.2 | 16 |
| 377 | Development of a molecularly imprinted polymer for selective extraction followed by liquid chromatographic determination of sitagliptin in rat plasma and urine. Talanta, 2011, 85, 950-957. | 2.9 | 42 |
| 378 | Extraction of Th(IV) from an HNO ₃ Solution by Diglycolamide in Ionic Liquids. Industrial & Engineering Chemistry Research, 2011, 50, 13990-13996. | 1.8 | 41 |
| 379 | Sample Preparation in the Analysis of Pesticides Residue in Food by Chromatographic Techniques. , 0, , . | | 0 |
| 380 | Monolithic Spin Column: A New Extraction Device for Analysis of Drugs in Urine and Serum by GC/MS and HPLC/MS. Journal of AOAC INTERNATIONAL, 2011, 94, 765-774. | 0.7 | 11 |
| 381 | Dimethylglyoxime based ion-imprinted polymer for the determination of Ni(II) ions from aqueous samples. Water S A, 2011, 37, . | 0.2 | 15 |
| 382 | Synthesis of Homoveratric Acid-Imprinted Polymers and Their Evaluation as Selective Separation Materials. Molecules, 2011, 16, 3826-3844. | 1.7 | 6 |
| 384 | Chapter 4. Green Sample Preparation Methods. RSC Green Chemistry, 2011, , 63-106. | 0.0 | 6 |
| 385 | Preparation of polymer based sorbents for solid phase extraction of polyphenolic compounds. Open Chemistry, 2011, 9, 206-212. | 1.0 | 16 |
| 386 | Gas chromatographic determination of pesticide residues using electron-capture detector and mass spectrometry. Food Science and Biotechnology, 2011, 20, 1299-1306. | 1.2 | 17 |
| 387 | Solid-phase extraction of lead(II) ions using multiwalled carbon nanotubes grafted with tris(2-aminoethyl)amine. Mikrochimica Acta, 2011, 174, 107-113. | 2.5 | 42 |
| 388 | Combination of Extraction by Silylated Vessel-Dispersive Liquid–Liquid Microextraction as a High-Enrichment Factor Technique: Optimization and Application in Preconcentration of Some Triazole Pesticides from Aqueous Samples Followed by GC-FID Determination. Chromatographia, 2011, 73, 393-401. | 0.7 | 24 |
| 389 | Application of the powder of porous titanium carbide ceramics to a reusable adsorbent for environmental pollutants. Journal of Hazardous Materials, 2011, 185, 725-731. | 6.5 | 24 |
| 390 | Preparation and antioxidant activity of Radix Astragali residues extracts rich in calycosin and formononetin. Biochemical Engineering Journal, 2011, 56, 84-93. | 1.8 | 38 |
| 391 | Preparation of polypyrrole-coated magnetic particles for micro solid-phase extraction of phthalates in water by gas chromatography–mass spectrometry analysis. Journal of Chromatography A, 2011, 1218, 1585-1591. | 1.8 | 155 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 392 | Micropollutant sorption to membrane polymers: A review of mechanisms for estrogens. Advances in Colloid and Interface Science, 2011, 164, 100-117. | 7.0 | 225 |
| 393 | Colorimetric detection and chromatographic analyses of designer drugs in biological materials: a comprehensive review. Forensic Toxicology, 2011, 29, 1-24. | 1.4 | 46 |
| 394 | Solidâ€phase extraction and ultra highâ€performance liquid chromatography tandem mass spectrometry analysis of the gastrointestinal absorption of emodin in different digestive segments of rats. Journal of Separation Science, 2011, 34, 260-267. | 1.3 | 13 |
| 395 | Monolith as a new sample preparation material: Recent devices and applications. Journal of Separation Science, 2011, 34, 901-924. | 1.3 | 101 |
| 396 | Magnetic solidâ€phase extraction using magnetic hypercrosslinked polymer for rapid determination of illegal drugs in urine. Journal of Separation Science, 2011, 34, 3083-3091. | 1.3 | 51 |
| 397 | The pivotal role of mass spectrometry in determining the presence of chemical contaminants in food raw materials. Mass Spectrometry Reviews, 2011, 30, 1073-1095. | 2.8 | 23 |
| 398 | Recent advances in sample preparation techniques for effective bioanalytical methods. Biomedical Chromatography, 2011, 25, 199-217. | 0.8 | 283 |
| 399 | Determination of quaternary ammonium compounds in seawater samples by solid-phase extraction and liquid chromatography–mass spectrometry. Journal of Chromatography A, 2011, 1218, 673-677. | 1.8 | 61 |
| 400 | Selective extraction of triazine herbicides based on a combination of membrane assisted solvent extraction and molecularly imprinted solid phase extraction. Journal of Chromatography A, 2011, 1218, 647-653. | 1.8 | 51 |
| 401 | Rapid magnetic solid phase extraction with in situ derivatization of methylmercury in seawater by Fe3O4/polyaniline nanoparticle. Journal of Chromatography A, 2011, 1218, 4269-4274. | 1.8 | 130 |
| 402 | Current status and future developments of LC-MS/MS in clinical chemistry for quantification of biogenic amines. Clinical Biochemistry, 2011, 44, 95-103. | 0.8 | 66 |
| 403 | Headspace hollow fiber protected liquid-phase microextraction combined with gas chromatography–mass spectroscopy for speciation and determination of volatile organic compounds of selenium in environmental and biological samples. Journal of Chromatography A, 2011, 1218, 380-386. | 1.8 | 41 |
| 404 | Stir bar sorptive extraction of diclofenac from liquid formulations: A proof of concept study. Journal of Pharmaceutical and Biomedical Analysis, 2011, 54, 701-710. | 1.4 | 26 |
| 405 | Comparison of sorption behavior of Th(IV) and U(VI) on modified impregnated resin containing quinizarin with that conventional prepared impregnated resin. Journal of Hazardous Materials, 2011, 190, 755-765. | 6.5 | 58 |
| 406 | A new strategy for ionization enhancement by derivatization for mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 1159-1165. | 1.2 | 105 |
| 407 | An efficient molecular docking method for adsorbent screening. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 1605-1609. | 1.2 | 5 |
| 408 | Extraction, Separation, Detection, and Structural Analysis of Flavonoids. Current Organic Chemistry, 2011, 15, 2541-2566. | 0.9 | 23 |
| 409 | Development of Molecular Imprinted Polymer for Selective Adsorption of Benz[a]pyrene Among Airborne Polycyclic Aromatic Hydrocarbon Compounds. Environmental Engineering Science, 2011, 28, 421-434 | 0.8 | 19 |

| # | ARTICLE Comparative Evaluation of Different Cell Lysis and Extraction Methods for Studying Benzo(a)pyrene | IF | CITATIONS |
|-----|---|-----|-----------|
| 410 | Metabolism in HT-29 Colon Cancer Cell Cúltures. Cellular Physiology and Biochémistry, 2011, 28, 209-218. | 1.1 | 14 |
| 411 | Incorporation of Ni(II)-dimethylglyoxime ion-imprinted polymer into electrospun polysulphone nanofibre for the determination of Ni(II) ions from aqueous samples. Water S A, 2011, 37, . | 0.2 | 1 |
| 412 | Determination of diphenylamine in contaminated air of agricultural buildings using active sampling on solid sorbents. International Journal of Environmental Analytical Chemistry, 2012, 92, 1457-1469. | 1.8 | 6 |
| 413 | Optimal synthesis of a Ni(II)-dimethylglyoxime ion-imprinted polymer for the enrichment of Ni(II) ions in water, soil and mine tailing samples. Water S A, 2012, 38, . | 0.2 | 11 |
| 415 | SYNTHESIS AND APPLICATION OF MOLECULARLY IMPRINTED POLYMERS FOR SOLID-PHASE EXTRACTION OF DIPYRIDAMOLE FROM COMPLEX BIOLOGICAL FLUIDS. Journal of Liquid Chromatography and Related Technologies, 2012, 35, 2669-2684. | 0.5 | 5 |
| 416 | Antimicrobial activity of Marcetia DC species (Melastomataceae) and analysis of its flavonoids by reverse phase-high performance liquid chromatography coupled-diode array detector. Pharmacognosy Magazine, 2012, 8, 209. | 0.3 | 13 |
| 417 | Carbon Nanotube- and Graphene-based Sensors for Environmental Applications. , 2012, , 621-645. | | 1 |
| 419 | Determination of PAH in the Black Sea Water by GC/MS Following Preconcentration with Solid-Phase Extraction. Ecological Chemistry and Engineering S, 2012, 19, 393-403. | 0.3 | 7 |
| 420 | Pharmacokinetic Studies of Chinese Medicinal Herbs Using an Automated Blood Sampling System and Liquid Chromatography-mass Spectrometry. Journal of Traditional and Complementary Medicine, 2012, 2, 33-40. | 1.5 | 6 |
| 421 | Molecularly Imprinted Microspheres for Bisphenol A Prepared Using a Microfluidic Device. Analytical Sciences, 2012, 28, 457-461. | 0.8 | 11 |
| 422 | Hybrid Field-Assisted Solid–Liquid–Solid Dispersive Extraction for the Determination of Organochlorine Pesticides in Tobacco with Gas Chromatography. Analytical Chemistry, 2012, 84, 420-427. | 3.2 | 35 |
| 423 | Fluorine Speciation Analysis Using Reverse Phase Liquid Chromatography Coupled Off-Line to Continuum Source Molecular Absorption Spectrometry (CS-MAS): Identification and Quantification of Novel Fluorinated Organic Compounds in Environmental and Biological Samples. Analytical Chemistry, 2012, 84, 6213-6219. | 3.2 | 49 |
| 424 | Simultaneous separation and determination of trace amounts of Cd(II) and Cu(II) in environmental samples using novel diphenylcarbazide modified nanoporous silica. Talanta, 2012, 89, 455-461. | 2.9 | 72 |
| 425 | Optimization of solid-phase extraction using artificial neural networks and response surface methodology in combination with experimental design for determination of gold by atomic absorption spectrometry in industrial wastewater samples. Talanta, 2012, 97, 211-217. | 2.9 | 26 |
| 426 | Fast, selective, and sensitive analysis of low-abundance peptides in human plasma by electromembrane extraction. Analytica Chimica Acta, 2012, 716, 16-23. | 2.6 | 52 |
| 427 | Review on recent applications of the liquid waveguide capillary cell in flow based analysis techniques to enhance the sensitivity of spectroscopic detection methods. Analytica Chimica Acta, 2012, 739, 1-13. | 2.6 | 54 |
| 428 | A new reversed-phase/strong anion-exchange mixed-mode stationary phase based on polar-copolymerized approach and its application in the enrichment of aristolochic acids. Journal of Chromatography A, 2012, 1246, 129-136. | 1.8 | 53 |
| 429 | Generic sample treatment method for simultaneous determination of multiclass pesticides and mycotoxins in wines by liquid chromatography–mass spectrometry. Journal of Chromatography A, 2012, 1249, 32-40. | 1.8 | 58 |

| # | Article | IF | CITATIONS |
|-----|--|------------|--------------------|
| 430 | Characterisation of dissolved organic compounds in hydrothermal fluids by stir bar sorptive extraction - gas chomatography - mass spectrometry. Case study: the Rainbow field (36°N, Mid-Atlantic) Tj ETQo | 01080 rgBT | G verlock 1 |
| 431 | Recent Advances in Solvent Extraction Processes and Techniques. , 2012, , 483-524. | | 2 |
| 432 | Sorbent-Phase Sample Preparation in Environmental Analysis. , 2012, , 541-567. | | 3 |
| 433 | Sorbent Chemistry, Evolution. , 2012, , 243-256. | | 4 |
| 434 | Principles and Practice of Solid-Phase Extraction. , 2012, , 273-297. | | 10 |
| 435 | Pre-concentration and Sample Treatment Techniques for Trace Element Analysis. , 2012, , 365-394. | | 1 |
| 436 | Sorbent-Based Techniques for the Determination of Pesticides in Food. , 2012, , 263-312. | | 1 |
| 437 | A magnetic copper(II)-imprinted polymer for the selective enrichment of trace copper(II) ions in environmental water. Mikrochimica Acta, 2012, 179, 283-289. | 2.5 | 35 |
| 439 | Applications of reversible covalent chemistry in analytical sample preparation. Analyst, The, 2012, 137, 5457. | 1.7 | 48 |
| 440 | Optimized conditions for liquid-phase microextraction based on solidification of floating organic droplet for extraction of nitrotoluene compounds by using response surface methodology. Analytical Methods, 2012, 4, 190-195. | 1.3 | 10 |
| 441 | Magnetic nanoparticles modified with polydimethylsiloxane and multi-walled carbon nanotubes for solid-phase extraction of fluoroquinolones. Mikrochimica Acta, 2012, 179, 257-264. | 2.5 | 48 |
| 442 | Halogen bonding: A new retention mechanism for the solid phase extraction of perfluorinated iodoalkanes. Analytica Chimica Acta, 2012, 753, 48-56. | 2.6 | 29 |
| 443 | OVERVIEW OF ANALYTICAL PROCEDURES FOR FATTY AND RESIN ACIDS IN THE PAPERMAKING PROCESS. BioResources, 2012, 7, . | 0.5 | 21 |
| 444 | Sample Preparation of Complex Biological Samples in the Analysis of Trace-Level Contaminants. , 2012, , 681-700. | | 5 |
| 446 | Synthesis and characterization of 3,4â€dihydroxyphenylacetic acid imprinted polymers. Polymer International, 2012, 61, 631-638. | 1.6 | 11 |
| 447 | Application of Graphene as a Sorbent for Simultaneous Preconcentration and Determination of Trace Amounts of Cobalt and Nickel in Environmental Water and Vegetable Samples. Journal of the Chinese Chemical Society, 2012, 59, 1468-1477. | 0.8 | 26 |
| 448 | Evaluation of the solid-phase extraction (SPE) cartridge method in combination with thermal desorption-gas chromatography-mass spectrometry (TD-GC-MS) for the analysis of different VOCs in liquid matrices in varying pH conditions. Journal of Separation Science, 2012, 35, 1914-1921. | 1.3 | 4 |
| 449 | Determination of quinolones in milk samples using a combination of magnetic solidâ€phase extraction and capillary electrophoresis. Electrophoresis, 2012, 33, 2041-2048. | 1.3 | 58 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 450 | Past, Present, and Future of Solid Phase Extraction: A Review. Critical Reviews in Analytical Chemistry, 2012, 42, 198-213. | 1.8 | 342 |
| 451 | The Determination of Occupational Exposure to Polycyclic Aromatic Hydrocarbons by the Analysis of 1-Hydroxypyrene in Urine using a Simple Automated Online Column Switching Device and High-Performance Liquid Chromatography. Journal of Analytical Toxicology, 2012, 36, 334-339. | 1.7 | 7 |
| 452 | Banded cucumber beetle (Coleoptera: Chrysomelidae) resistance in romaine lettuce: understanding latex chemistry. Arthropod-Plant Interactions, 2012, 6, 269-281. | 0.5 | 2 |
| 453 | Rapid narrow band elution for on-line SPE using a novel solvent plug injection technique. Analytical and Bioanalytical Chemistry, 2012, 404, 433-445. | 1.9 | 9 |
| 454 | Magnetic nanoparticles with an imprinted polymer coating for the selective extraction of uranyl ions. Mikrochimica Acta, 2012, 178, 89-97. | 2.5 | 85 |
| 455 | Two-dimensional liquid chromatography separation of peptides using reversed-phase/weak cation-exchange mixed-mode column in first dimension. Journal of Chromatography A, 2012, 1228, 242-249. | 1.8 | 45 |
| 456 | Dummy molecularly imprinted polymers on silica particles for selective solid-phase extraction of tetrabromobisphenol A from water samples. Journal of Chromatography A, 2012, 1220, 7-13. | 1.8 | 96 |
| 457 | Effect of oral administration of water-soluble extract from citrus peel (Citrus unshiu) on suppressing alcohol-induced fatty liver in rats. Food Chemistry, 2012, 130, 598-604. | 4.2 | 20 |
| 458 | Validation of an on-line solid-phase extraction method coupled to liquid chromatography–tandem mass spectrometry detection for the determination of Indacaterol in human serum. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 895-896, 1-9. | 1.2 | 21 |
| 459 | Simultaneous measurement of endogenous steroid hormones and their metabolites with LC–MS/MS in faeces of a New World primate species, Cebus capucinus. Physiology and Behavior, 2012, 105, 510-521. | 1.0 | 35 |
| 460 | Determination of nanomolar chromate in drinking water with solid phase extraction and a portable spectrophotometer. Journal of Hazardous Materials, 2012, 219-220, 247-252. | 6.5 | 29 |
| 461 | Crosslinked monodisperse particles containing luminophore groups in shells for molecular recognition of lower alcohols. Polymer Science - Series B, 2012, 54, 21-29. | 0.3 | 9 |
| 462 | Molecularly imprinted "bulk―copolymers as selective sorbents for gallic acid. Journal of Applied Polymer Science, 2013, 127, 366-374. | 1.3 | 25 |
| 463 | Preparation and performance valuation of high selective molecularly imprinted polymers for malachite green. Research on Chemical Intermediates, 2013, 39, 2321-2337. | 1.3 | 15 |
| 464 | Functionalized halloysite nanotubes with 2-hydroxybenzoic acid for selective solid-phase extraction of trace iron(III). International Journal of Environmental Analytical Chemistry, 2013, 93, 767-779. | 1.8 | 14 |
| 465 | Application of solid-phase extraction to agar-supported fermentation. Bioprocess and Biosystems Engineering, 2013, 36, 1285-1290. | 1.7 | 12 |
| 466 | Application of a New Functionalized Nanoporous Silica for Simultaneous Trace Separation and Determination of Cd(II), Cu(II), Ni(II), and Pb(II) in Food and Agricultural Products. Food Analytical Methods, 2013, 6, 1320-1329. | 1.3 | 78 |
| 467 | C18/C8-Functionalized Magnetic Silica Nanospheres (Fe3O4@Si-C8/C18) as Capture Probes for Highly Efficient and Rapid Purification of Veterinary Drug Residues. Food Analytical Methods, 2013, 6, 933-940. | 1.3 | 10 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 468 | Microextraction versus exhaustive extraction approaches for simultaneous analysis of compounds in wide range of polarity. Journal of Chromatography A, 2013, 1316, 37-43. | 1.8 | 45 |
| 469 | Development and application of salting-out assisted liquid/liquid extraction for multi-mycotoxin biomarkers analysis in pig urine with high performance liquid chromatography/tandem mass spectrometry. Journal of Chromatography A, 2013, 1292, 111-120. | 1.8 | 101 |
| 470 | Magnetic nanoparticles of nitrogen enriched carbon (mnNEC) for analysis of pesticides and metabolites in zebrafish by gas chromatography–mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 915-916, 46-51. | 1.2 | 8 |
| 471 | Fe3O4@MOF core–shell magnetic microspheres for magnetic solid-phase extraction of polychlorinated biphenyls from environmental water samples. Journal of Chromatography A, 2013, 1304, 241-245. | 1.8 | 156 |
| 472 | HILIC UHPLC–MS/MS for fast and sensitive bioanalysis: accounting for matrix effects in method development. Bioanalysis, 2013, 5, 2345-2357. | 0.6 | 19 |
| 473 | Novel and Facile Preparation of Hierarchically Porous TiO2 Monoliths. Springer Theses, 2013, , 107-119. | 0.0 | 0 |
| 474 | Facile Synthesis of Marshmallowâ€like Macroporous Gels Usable under Harsh Conditions for the Separation of Oil and Water. Angewandte Chemie - International Edition, 2013, 52, 1986-1989. | 7.2 | 408 |
| 475 | Development of EPA Method 525.3 for the analysis of semivolatiles in drinking water. Analytical Methods, 2013, 5, 151-163. | 1.3 | 10 |
| 476 | On-line anion exchange solid-phase extraction coupled to liquid chromatography with fluorescence detection to determine quinolones in water and human urine. Journal of Chromatography A, 2013, 1310, 91-97. | 1.8 | 34 |
| 477 | Determination of Chlorinated Hydrocarbons in Water Using Highly Sensitive Mid-Infrared Sensor Technology. Scientific Reports, 2013, 3, 2525. | 1.6 | 42 |
| 478 | ASPECTS: an automation-assisted SPE method development system. Bioanalysis, 2013, 5, 1661-1676. | 0.6 | 14 |
| 479 | New materials and trends in sorbents for solid-phase extraction. TrAC - Trends in Analytical Chemistry, 2013, 43, 14-23. | 5.8 | 239 |
| 480 | Advances in monolithic materials for sample preparation in drug and pharmaceutical analysis. TrAC - Trends in Analytical Chemistry, 2013, 45, 182-196. | 5.8 | 79 |
| 481 | A new approach for the extraction of pollutants from wastewaters handled by the graphic industry. Journal of Environmental Management, 2013, 122, 99-104. | 3.8 | 0 |
| 482 | Superparamagnetic surface molecularly imprinted nanoparticles for sensitive solid-phase extraction of tramadol from urine samples. Talanta, 2013, 105, 255-261. | 2.9 | 73 |
| 483 | Determination of Glyphosate and AMPA in Three Representative Agricultural Austrian Soils with a HPLC-MS/MS Method. Soil and Sediment Contamination, 2013, 22, 332-350. | 1.1 | 32 |
| 484 | Enantioselective reduction of sparingly water-soluble ketones: continuous process and recycle of the aqueous buffer system. Green Chemistry, 2013, 15, 167-176. | 4.6 | 16 |
| 485 | Semiautomated solid-phase extraction manifold with a solvent-level sensor. Talanta, 2013, 116, 39-44. | 2.9 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 486 | Challenges in the development of bioanalytical liquid chromatography–mass spectrometry method with emphasis on fast analysis. Journal of Chromatography A, 2013, 1292, 25-37. | 1.8 | 107 |
| 487 | A Review: Studies on Uranium Removal Using Different Techniques. Overview. Journal of Dispersion Science and Technology, 2013, 34, 182-213. | 1.3 | 93 |
| 488 | Selective determination of potential impurities in an active pharmaceutical ingredient using HPLC-SPE-HPLC. Journal of Pharmaceutical and Biomedical Analysis, 2013, 84, 41-47. | 1.4 | 15 |
| 489 | Selective extraction of lamivudine in human serum and urine using molecularly imprinted polymer technique. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 931, 50-55. | 1.2 | 31 |
| 490 | Dithizone-modified nanoporous fructose as a novel sorbent for solid-phase extraction of ultra-trace levels of heavy metals. Mikrochimica Acta, 2013, 180, 911-920. | 2.5 | 52 |
| 491 | Determination of Triazine Herbicides and Metabolites by Solid Phase Extraction with HPLC Analysis. Analytical Letters, 2013, 46, 2464-2477. | 1.0 | 19 |
| 492 | Selective solid-phase extraction of naproxen drug from human urine samples using molecularly imprinted polymer-coated magnetic multi-walled carbon nanotubes prior to its spectrofluorometric determination. Analyst, The, 2013, 138, 4542. | 1.7 | 84 |
| 493 | A sensitive and selective imprinted solid phase extraction coupled to HPLC for simultaneous detection of trace quinoxaline-2-carboxylic acid and methyl-3-quinoxaline-2-carboxylic acid in animal muscles. Food Chemistry, 2013, 139, 274-280. | 4.2 | 37 |
| 494 | Preconcentration and spectrophotometric determination of oxymetholone in the presence of its main metabolite (mestanolone) using modified maghemite nanoparticles in urine sample. Talanta, 2013, 115, 468-473. | 2.9 | 30 |
| 495 | Preconcentration of trace multi-elements in water samples using Dowex 50W-x8 and Chelex-100 resins prior to their determination using inductively coupled plasma atomic emission spectrometry (ICP-OES). Physics and Chemistry of the Earth, 2013, 66, 83-88. | 1.2 | 21 |
| 496 | High-Throughput Analytical Techniques for Multiresidue, Multiclass Determination of 653 Pesticides and Chemical Pollutants in Tea—Part III: Evaluation of the Cleanup Efficiency of an SPE Cartridge Newly Developed for Multiresidues in Tea. Journal of AOAC INTERNATIONAL, 2013, 96, 887-896. | 0.7 | 20 |
| 497 | DETERMINATION OF TWO TEXTILE DYES IN WASTEWATER BY SOLID PHASE EXTRACTION AND LIQUID CHROMATOGRAPHY/ELECTROSPRAY IONIZATION TANDEM MASS SPECTROMETRY ANALYSIS. Journal of Liquid Chromatography and Related Technologies, 2013, 36, 1646-1660. | 0.5 | 5 |
| 498 | Application of Ion Exchange Solid Phase Extraction Technique in Drug Residue Analysis. Applied Mechanics and Materials, 0, 333-335, 1907-1915. | 0.2 | 0 |
| 499 | Research on Liquid Chromatography Step Injection System. , 2013, , . | | 0 |
| 502 | Monitoring of atrazine biodegradation byPleurotus ostreatusINCQS 40310 through the simultaneous analysis of atrazine and its derivatives by HPLC. Biocatalysis and Biotransformation, 2014, 32, 23-33. | 1.1 | 10 |
| 503 | An Ionic Liquid Loaded β-Cyclodextrin-Cross-Linked Polymer as the Solid Phase Extraction Material Coupled with High-Performance Liquid Chromatography for the Determination of Rhodamine B in Food. Analytical Letters, 2014, 47, 504-516. | 1.0 | 18 |
| 504 | 3,3′-Diindolylmethane imprinted polymers: synthesis, characterization and analytical procedure for template isolation from biological matrix. Polymer International, 2014, 63, 695-702. | 1.6 | 3 |
| 505 | An Improved and Validated Sample Cleanup Method for Analysis of Ethyl Carbamate in Chinese Liquor. Journal of Food Science, 2014, 79, T1854-60. | 1.5 | 22 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 506 | Rapid analysis of three βâ€agonist residues in food of animal origin by automated onâ€line solidâ€phase extraction coupled to liquid chromatography and tandem mass spectrometry. Journal of Separation Science, 2014, 37, 2431-2438. | 1.3 | 14 |
| 507 | Synthesis of Molecularly Imprinted Polymer for Removal of Effective Impurity (Benzhydrol) from Diphenhydramine Hydrochloride Drug. Journal of the Chinese Chemical Society, 2014, 61, 643-648. | 0.8 | 9 |
| 508 | Research on Multidimensional Liquid Chromatography Sample Pretreatment System. Applied Mechanics and Materials, 2014, 701-702, 832-835. | 0.2 | 0 |
| 509 | Preparative Isolation of Antioxidant Flavonoids from Small Black Soybeans by Centrifugal Partition Chromatography and Sequential Solid-Phase Extraction. Separation Science and Technology, 2014, 49, 2756-2764. | 1.3 | 11 |
| 510 | Electric Field-Assisted Solid Phase Extraction: Devices, Development and Application with a Cationic Model Compound. Chromatographia, 2014, 77, 133-143. | 0.7 | 4 |
| 511 | Functionalized β-Cyclodextrin Polymer Solid Phase Extraction Coupled with UV–Visible Spectrophotometry for Analysis of Kaempferol in Food Samples. Food Analytical Methods, 2014, 7, 1256-1262. | 1.3 | 8 |
| 512 | Triazine-modified magnetite nanoparticles as a novel sorbent for preconcentration of lead and cadmium ions. Mikrochimica Acta, 2014, 181, 1781-1788. | 2.5 | 20 |
| 513 | Extraction for Metabolomics: Access to The Metabolome. Phytochemical Analysis, 2014, 25, 291-306. | 1.2 | 133 |
| 514 | Mass spectrometry in plant metabolomics strategies: from analytical platforms to data acquisition and processing. Natural Product Reports, 2014, 31, 784. | 5.2 | 149 |
| 515 | Ionic liquids functionalized β-cyclodextrin polymer for separation/analysis of magnolol. Journal of Pharmaceutical Analysis, 2014, 4, 242-249. | 2.4 | 15 |
| 516 | Determination of six chemotherapeutic agents in municipal wastewater using online solid-phase extraction coupled to liquid chromatography-tandem mass spectrometry. Science of the Total Environment, 2014, 487, 792-800. | 3.9 | 46 |
| 517 | A solid-phase extraction approach for the identification of pharmaceutical–sludge adsorption mechanisms. Journal of Pharmaceutical Analysis, 2014, 4, 117-124. | 2.4 | 15 |
| 518 | Mixed-mode solid-phase extraction coupled with liquid chromatography tandem mass spectrometry to determine phenoxy acid, sulfonylurea, triazine and other selected herbicides at nanogram per litre levels in environmental waters. Journal of Chromatography A, 2014, 1325, 56-64. | 1.8 | 52 |
| 519 | New Trends in Sample Preparation Techniques for Environmental Analysis. Critical Reviews in Analytical Chemistry, 2014, 44, 142-185. | 1.8 | 86 |
| 520 | Surface-Initiated Polymer Brushes in the Biomedical Field: Applications in Membrane Science, Biosensing, Cell Culture, Regenerative Medicine and Antibacterial Coatings. Chemical Reviews, 2014, 114, 10976-11026. | 23.0 | 499 |
| 521 | Fabrication of a TCEP-immobilised monolithic silica microchip for reduction of disulphide bonds in proteins. Analytical Methods, 2014, 6, 558-568. | 1.3 | 8 |
| 522 | Shotgun proteome analysis of honeybee venom using targeted enrichment strategies. Toxicon, 2014, 90, 255-264. | 0.8 | 27 |
| 523 | Automated system for extraction and instantaneous analysis of millimeter-sized samples. RSC Advances, 2014, 4, 10693. | 1.7 | 21 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 524 | Analysis of fluoxetine and norfluoxetine in human plasma by HPLC-UV using a high purity C18 silica-based SPE sorbent. Analytical Methods, 2014, 6, 4181-4187. | 1.3 | 9 |
| 525 | An alternative to trial and error methodology in solid phase extraction: an original automated solid phase extraction procedure for analysing PAHs and PAH-derivatives in soot. RSC Advances, 2014, 4, 33636-33644. | 1.7 | 13 |
| 526 | Rapid determination of technetium-99 by automatic solid phase extraction and inductively coupled plasma mass spectrometry. RSC Advances, 2014, 4, 39226-39230. | 1.7 | 12 |
| 528 | Programmable flow-based dynamic sorptive microextraction exploiting an octadecyl chemically modified rotating disk extraction system for the determination of acidic drugs in urine. Journal of Chromatography A, 2014, 1368, 64-69. | 1.8 | 33 |
| 529 | Graphene-based materials: Fabrication and application for adsorption in analytical chemistry. Journal of Chromatography A, 2014, 1362, 1-15. | 1.8 | 133 |
| 530 | Removal of potentioally genotoxic impurity from fluroxamine maleate crude drug by molecularly imprinted polymer. Korean Journal of Chemical Engineering, 2014, 31, 1898-1902. | 1.2 | 7 |
| 531 | Determination of trace analytes based on diffuse reflectance spectroscopic techniques: development of a multichannel membrane filtration-enrichment device to improve repeatability. RSC Advances, 2014, 4, 52123-52129. | 1.7 | 10 |
| 532 | In-syringe dispersive solid phase extraction: a novel format for electrospun fiber based microextraction. Analyst, The, 2014, 139, 6266-6271. | 1.7 | 21 |
| 533 | New magnetic polymeric nanoparticles for extraction of trace cadmium ions and the determination of cadmium content in diesel oil samples. Analytical Methods, 2014, 6, 4617-4624. | 1.3 | 17 |
| 534 | Development of a novel 96-well format for liquid-liquid microextraction and its application in the HPLC analysis of biological samples. Journal of Separation Science, 2014, 37, 1155-1161. | 1.3 | 12 |
| 535 | Optimization for peptide sample preparation for urine peptidomics. Clinical Proteomics, 2014, 11, 7. | 1.1 | 33 |
| 536 | Preparation of surface molecularly imprinted polymers as the solid-phase extraction sorbents for the specific recognition of penicilloic acid in penicillin. Analytical Methods, 2014, 6, 7865-7874. | 1.3 | 27 |
| 537 | Application of solid phase extraction with the use of silica modified with polyaniline film for pretreatment of samples from plant material before HPLC determination of triterpenic acids. Talanta, 2014, 122, 51-57. | 2.9 | 31 |
| 538 | Automated isotope dilution liquid chromatography–tandem mass spectrometry with on-line dilution and solid phase extraction for the measurement of cortisol in human serum sample. Journal of Pharmaceutical and Biomedical Analysis, 2014, 96, 220-223. | 1.4 | 9 |
| 539 | Determination of Parathion in Water Sample Using Ionic Liquid Head Space Microextraction Followed by HPLC. Advanced Materials Research, 0, 881-883, 594-597. | 0.3 | 4 |
| 540 | Analytical methods for the determination of personal care products in human samples: An overview. Talanta, 2014, 129, 448-458. | 2.9 | 68 |
| 541 | Electrospun polystyrene/oxidized carbon nanotubes film as both sorbent for thin film microextraction and matrix for matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. Journal of Chromatography A, 2014, 1351, 29-36. | 1.8 | 62 |
| 542 | Comparison of different sorbent materials for solid-phase extraction of selected drugs in human urine analyzed by UHPLC–UV. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 958, 22-28. | 1.2 | 20 |

| # 543 | ARTICLE On-line solid phase extraction–liquid chromatography, with emphasis on modern bioanalysis and miniaturized systems. Journal of Pharmaceutical and Biomedical Analysis, 2014, 87, 120-129. | IF 1.4 | CITATIONS |
|----------|--|-----------|-----------|
| 545 | Temperature-responsive Solid-phase Extraction Column for Biological Sample Pretreatment. Analytical Sciences, 2015, 31, 881-886. | 0.8 | 20 |
| 547 | Digestion, Purification, and Enrichment of Protein Samples for Mass Spectrometry. Current Protocols in Chemical Biology, 2015, 7, 201-222. | 1.7 | 20 |
| 551 | Waterâ€compatible molecularly imprinted polymer as a sorbent for the selective extraction and purification of adefovir from human serum and urine. Journal of Separation Science, 2015, 38, 1755-1762. | 1.3 | 19 |
| 552 | Degradation of four organophosphorous pesticides catalyzed by chitosan-metal coordination complexes. Environmental Science and Pollution Research, 2015, 22, 15104-15112. | 2.7 | 9 |
| 553 | A novel hybrid mesostructured silica for the solid-phase extraction of estrogenic hormones from waters. Analytical Methods, 2015, 7, 4740-4749. | 1.3 | 17 |
| 554 | Detection of melamine in milk using molecularly imprinted polymers–surface enhanced Raman spectroscopy. Food Chemistry, 2015, 176, 123-129. | 4.2 | 161 |
| 555 | Sample preparation with solid phase microextraction and exhaustive extraction approaches: Comparison for challenging cases. Analytica Chimica Acta, 2015, 873, 14-30. | 2.6 | 160 |
| 556 | Determination of Cotinine in Urine by Molecularly Imprinted Polymer Solid Phase and Liquid–Liquid Extraction Coupled with Gas Chromatography. Analytical Letters, 2015, 48, 1245-1256. | 1.0 | 5 |
| 557 | Stereoâ€specific LC and LCâ€MS bioassays of antidepressants and psychotics. Biomedical Chromatography, 2015, 29, 21-40. | 0.8 | 9 |
| 558 | Ionic-Liquid-Loaded β-Cyclodextrin-Cross-Linked Polymer Solid-Phase Extraction for the Separation/Analysis of Linuron in Fruit and Vegetable Samples. Food Analytical Methods, 2015, 8, 2315-2320. | 1.3 | 12 |
| 559 | Liquid Chromatographic Determination of NSAIDs in Urine After Dispersive Liquid–Liquid Microextraction Based on Solidification of Floating Organic Droplets. Chromatographia, 2015, 78, 987-994. | 0.7 | 27 |
| 560 | Determination of chlorinated pesticide residues in drinking water by liquid-solid extraction and vacuum manifold system. Turk Hijiyen Ve Deneysel Biyoloji Dergisi Turkish Bulletin of Hygiene and Experimental Biology, 2015, 72, 37-44. | 0.1 | 0 |
| 561 | Development and validation of an on-line multidimensional SPE-LC–MS/MS method for the quantitation of Tetrandrine in blood samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 988, 25-32. | 1.2 | 9 |
| 562 | Multi-residue analysis of legacy POPs and emerging organic contaminants in Singapore's coastal waters using gas chromatography–triple quadrupole tandem mass spectrometry. Science of the Total Environment, 2015, 523, 219-232. | 3.9 | 53 |
| 563 | Diamond porous membranes: A material toward analytical chemistry. Diamond and Related Materials, 2015, 55, 123-130. | 1.8 | 39 |
| 564 | Solid phase extraction in tandem with GC/MS for the determination of semi-volatile organic substances extracted from pharmaceutical packaging/delivery systems via aqueous solvent systems. Journal of Pharmaceutical and Biomedical Analysis, 2015, 112, 126-138. | 1.4 | 16 |
| 565 | Adsorption and extraction preconcentration of trace components in flow analytical systems. Journal of Analytical Chemistry, 2015, 70, 1289-1306. | 0.4 | 8 |

| | Сітатіої | CITATION REPORT | | |
|-----|---|-----------------|-----------|--|
| # | Article | IF | Citations | |
| 566 | Thermodynamics and Kinetics of Heavy Metals Adsorption on Silica Particles Chemically Modified by Conjugated β-Ketoenol Furan. Journal of Chemical & Engineering Data, 2015, 60, 2915-2925. | 1.0 | 60 | |
| 567 | On-Line Sample Pre-Treatment Procedures Applied to LC–MS. , 2015, , 187-269. | | Ο | |
| 568 | The development of methacrylic acid based monolithic discs used in the microfluidic chips for application in the determination of catecholamines. Sensors and Actuators B: Chemical, 2015, 208, 164-172. | 4.0 | 3 | |
| 569 | Molecularly imprinted solid phase extraction of fluconazole from pharmaceutical formulations. Talanta, 2015, 134, 1-7. | 2.9 | 41 | |
| 570 | Solid-Phase Extraction. , 2015, , 191-286. | | 2 | |
| 571 | Synthesis, Characterization, and Application of Zn–Al Layered Double Hydroxide as a Nano-Sorbent for the Removal of Direct Red 16 from Industrial Wastewater Effluents. Chemical Engineering Communications, 2015, 202, 1349-1359. | 1.5 | 16 | |
| 572 | Application of mercapto ordered carbohydrate-derived porous carbons for trace detection of cadmium and copper ions in agricultural products. Food Chemistry, 2015, 173, 1207-1212. | 4.2 | 56 | |
| 573 | Aptamer-based-sorbents for sample treatment—a review. Analytical and Bioanalytical Chemistry, 2015, 407, 681-698. | 1.9 | 87 | |
| 574 | Systematic optimization of an SPE with HPLC-FLD method for fluoroquinolone detection in wastewater. Journal of Hazardous Materials, 2015, 282, 96-105. | 6.5 | 77 | |
| 575 | Molecularly imprinted nanoparticles prepared by miniemulsion polymerization as a sorbent for selective extraction and purification of efavirenz from human serum and urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 974, 1-8. | 1.2 | 25 | |
| 576 | Electrochemically assisted solid based extraction techniques: A review. Talanta, 2015, 132, 339-353. | 2.9 | 30 | |
| 577 | Development and comparison of four methods for the extraction of antibiotics from a vegetative matrix. Environmental Toxicology and Chemistry, 2016, 35, 889-897. | 2.2 | 18 | |
| 578 | On-line coupling of solid-phase extraction of phenols on porous graphitic carbon and LC separation on C18 silica gel column via subcritical water desorption. Separation Science and Technology, 2016, 51, 1979-1985. | 1.3 | 10 | |
| 579 | Extraction of phenolic compounds from water samples by dispersive microâ€solidâ€phase extraction. Journal of Separation Science, 2016, 39, 2508-2516. | 1.3 | 17 | |
| 580 | Metabolic Profiling and Metabolomic Procedures for Investigating the Biodegradation of Hydrocarbons. Springer Protocols, 2016, , 111-161. | 0.1 | 3 | |
| 581 | Application of liquid chromatography-tandem mass spectrometry in quantitative bioanalyses of organic molecules in aquatic environment and organisms. Environmental Science and Pollution Research, 2016, 23, 9459-9479. | 2.7 | 13 | |
| 582 | Influence of the drying step within disk-based solid-phase extraction both on the recovery and the limit of quantification of organochlorine pesticides in surface waters including suspended particulate matter. Journal of Chromatography A, 2016, 1450, 1-8. | 1.8 | 20 | |
| 583 | In-syringe extraction using dissolvable layered double hydroxide-polymer sponges templated from hierarchically porous coordination polymers. Journal of Chromatography A, 2016, 1453, 1-9. | 1.8 | 24 | |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 584 | Simple Solid-Phase Extraction Method for High Efficiency and Low-Cost Crude Oil Demulsification. Energy & Fuels, 2016, 30, 4667-4675. | 2.5 | 11 |
| 585 | Automated solid-phase extraction of organic pollutants using melamine–formaldehyde polymer-derived carbon foams. RSC Advances, 2016, 6, 48558-48565. | 1.7 | 24 |
| 586 | Synthesis of novel monolithic cartridges with specific recognition sites for extraction of melamine. Reactive and Functional Polymers, 2016, 109, 33-41. | 2.0 | 15 |
| 587 | Graphene oxide framework: An adsorbent for solid phase extraction of phenylurea herbicides from water and celery samples. Journal of Chromatography A, 2016, 1469, 17-24. | 1.8 | 49 |
| 588 | Determination of Drugs by Online Column-Switching Liquid Chromatography. Journal of Chromatographic Science, 2016, 54, 1641-1647. | 0.7 | 5 |
| 589 | Profiling the substitution pattern of xyloglucan derivatives by integrated enzymatic hydrolysis, hydrophilic-interaction liquid chromatography and mass spectrometry. Journal of Chromatography A, 2016, 1463, 110-120. | 1.8 | 13 |
| 590 | A simple and rapid RP-HPLC method for the simultaneous determination of piperacillin and tazobactam in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2016, 131, 80-86. | 1.4 | 17 |
| 591 | Potential of ion imprinted polymers synthesized by trapping approach for selective solid phase extraction of lanthanides. Talanta, 2016, 161, 459-468. | 2.9 | 18 |
| 592 | Molecularly imprinted pipette-tip solid phase extraction for selective determination of fluoroquinolones in human urine using HPLC-DAD. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1033-1034, 27-39. | 1.2 | 57 |
| 593 | New Magnetic Graphitized Carbon Black TiO ₂ Composite for Phosphopeptide Selective Enrichment in Shotgun Phosphoproteomics. Analytical Chemistry, 2016, 88, 12043-12050. | 3.2 | 48 |
| 594 | Quantitative produced water analysis using mobile1H NMR. Measurement Science and Technology, 2016, 27, 105501. | 1.4 | 17 |
| 595 | Application of three-dimensional liquid chromatography for quantification of 2-acetyl-4-(1,2,3,4-tetrahydroxybutyl)imidazole (THI) in caramel colours. Analytical Methods, 2016, 8, 6573-6579. | 1.3 | 4 |
| 596 | Metal Oxide Assisted Preparation of Core–Shell Beads with Dense Metal–Organic Framework Coatings for the Enhanced Extraction of Organic Pollutants. Chemistry - A European Journal, 2016, 22, 11770-11777. | 1.7 | 24 |
| 597 | Extraction for analytical scale sample preparation (IUPAC Technical Report). Pure and Applied Chemistry, 2016, 88, 649-687. | 0.9 | 42 |
| 598 | Evaluation of efficiency and trapping capacity of restricted access media trap columns for the online trapping of small molecules. Journal of Separation Science, 2016, 39, 4183-4191. | 1.3 | 9 |
| 599 | Analysis of steroid hormones and their conjugated forms in water and urine by on-line solid-phase extraction coupled to liquid chromatography tandem mass spectrometry. Chemistry Central Journal, 2016, 10, 30. | 2.6 | 48 |
| 600 | Disposable pipette tips extraction: Fundamentals, applications and state of the art. Journal of Separation Science, 2016, 39, 1168-1172. | 1.3 | 91 |
| 601 | Microvolume trace environmental analysis using peak-focusing online solid-phase extraction–nano-liquid chromatography–high-resolution mass spectrometry. Analytical and Bioanalytical Chemistry, 2016, 408, 1879-1890. | 1.9 | 16 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 602 | Green chromatography for the analysis of foods of animal origin. TrAC - Trends in Analytical Chemistry, 2016, 80, 517-530. | 5.8 | 32 |
| 603 | Extraction techniques based on solid state and connected with liquid chromatography. Journal of Liquid Chromatography and Related Technologies, 2016, 39, 477-487. | 0.5 | 7 |
| 604 | Frontally eluted components procedure with thin layer chromatography as a mode of sample preparation for high performance liquid chromatography quantitation of acetaminophen in biological matrix. Journal of Chromatography A, 2016, 1436, 19-27. | 1.8 | 29 |
| 605 | Critical review of factors governing data quality of integrative samplers employed in environmental water monitoring. Water Research, 2016, 94, 200-207. | 5.3 | 48 |
| 606 | Solid-Phase Extraction Combined with Dispersive Liquid–Liquid Microextraction for the Simultaneous Determination of Deltamethrin and Permethrin in Honey by Gas Chromatography–Mass Spectrometry. Food Analytical Methods, 2016, 9, 2613-2620. | 1.3 | 11 |
| 607 | Electric field-assisted solid phase extraction and cleanup of ionic compounds in complex food matrices: Fluoroquinolones in eggs. Talanta, 2016, 152, 498-503. | 2.9 | 9 |
| 608 | Advances and applications of graphitic carbon nitride as sorbent in analytical chemistry for sample pretreatment: A review. TrAC - Trends in Analytical Chemistry, 2016, 84, 12-21. | 5.8 | 126 |
| 609 | Enlarging the bottleneck in the analysis of alkaloids: A review on sample preparation in herbal matrices. TrAC - Trends in Analytical Chemistry, 2016, 80, 66-82. | 5.8 | 37 |
| 610 | LC–MS based analysis of endogenous steroid hormones in human hair. Journal of Steroid Biochemistry and Molecular Biology, 2016, 162, 92-99. | 1.2 | 108 |
| 611 | Molecularly imprinted solid phase extraction in a syringe filter for determination of triazine herbicides in Radix Paeoniae Alba by ultra-fast liquid chromatography. Talanta, 2016, 148, 539-547. | 2.9 | 32 |
| 612 | Fluorometric method based on molecular recognition solid-phase extraction for determination of riboflavin in milk and infant formula. Journal of Food Composition and Analysis, 2016, 45, 141-146. | 1.9 | 18 |
| 613 | Direct extraction of lead (II) from untreated human blood serum using restricted access carbon nanotubes and its determination by atomic absorption spectrometry. Talanta, 2016, 147, 478-484. | 2.9 | 50 |
| 614 | Solid-phase reductive amination for glycomic analysis. Analytica Chimica Acta, 2017, 962, 32-40. | 2.6 | 19 |
| 615 | Auxin Extraction and Purification Based on Recombinant Aux/IAA Proteins. Biological Procedures Online, 2017, 19, 1. | 1.4 | 8 |
| 616 | Selective solid phase extraction of lanthanides from tap and river waters with ion imprinted polymers. Analytica Chimica Acta, 2017, 963, 44-52. | 2.6 | 27 |
| 617 | Porous monoliths for on-line sample preparation: A review. Analytica Chimica Acta, 2017, 964, 24-44. | 2.6 | 133 |
| 618 | Equilibrium partitioning of organic compounds to OASIS HLB \hat{A}^{\otimes} as a function of compound concentration, pH, temperature and salinity. Chemosphere, 2017, 174, 297-305. | 4.2 | 48 |
| 619 | Sample Cleanâ€up Strategies for ESI Mass Spectrometry Applications in Bottomâ€up Proteomics: Trends from 2012 to 2016. Proteomics, 2017, 17, 1700011. | 1.3 | 60 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 620 | Synthesis and application of in-situ molecularly imprinted silica monolithic in pipette-tip solid-phase microextraction for the separation and determination of gallic acid in orange juice samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1048, 102-110. | 1.2 | 92 |
| 621 | Pesticide Residue in Foods. , 2017, , . | | 14 |
| 622 | Silica aerogel coated on metallic wire by phase separation of polystyrene for in–tube solid phase microextraction. Journal of Chromatography A, 2017, 1500, 69-75. | 1.8 | 26 |
| 623 | Analytical Methods in Measuring Pesticides in Foods. , 2017, , 135-145. | | 3 |
| 624 | Molecularly imprinted polymers as selective adsorbents for ambient plasma mass spectrometry. Analytical and Bioanalytical Chemistry, 2017, 409, 3393-3405. | 1.9 | 19 |
| 625 | Extraction and Determination of Quercetin from Ginkgo biloba by DESs-Based Polymer Monolithic Cartridge. Journal of Chromatographic Science, 2017, 55, 866-871. | 0.7 | 10 |
| 626 | PAHs in animal tissues – the analytics of PAHs in new reference materials and their homogeneity. Analytical Methods, 2017, 9, 76-83. | 1.3 | 8 |
| 627 | Ultrasound-promoted dispersive micro solid-phase extraction of trace anti-hypertensive drugs from biological matrices using a sonochemically synthesized conductive polymer nanocomposite. Ultrasonics Sonochemistry, 2017, 39, 12-24. | 3.8 | 40 |
| 628 | Nanoporous Carbon as the Solid-Phase Extraction Adsorbent for the Extraction of Endocrine Disrupting Chemicals from Juice Samples. Food Analytical Methods, 2017, 10, 2710-2717. | 1.3 | 22 |
| 629 | Parts-per-trillion detection of harmala alkaloids in Undaria pinnatifida algae by on-line solid phase extraction capillary electrophoresis mass spectrometry. Analytica Chimica Acta, 2017, 954, 60-67. | 2.6 | 18 |
| 630 | Assessment of a novel device for onsite integrative large-volume solid phase extraction of water samples to enable a comprehensive chemical and effect-based analysis. Science of the Total Environment, 2017, 581-582, 350-358. | 3.9 | 63 |
| 631 | On-chip pulsed electromembrane extraction as a new concept for analysis of biological fluids in a small device. Journal of Chromatography A, 2017, 1527, 1-9. | 1.8 | 39 |
| 632 | One-step targeted accumulation and detection of camptothecin analogues from fruits of Camptotheca acuminata Decne using bilayer solid-phase extraction coupled with ultra-high-performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2017, 1524, 37-48. | 1.8 | 13 |
| 633 | On-line clean-up and LC-MS analysis of primary metabolites in cell culture supernatants. Analytical Methods, 2017, 9, 5703-5710. | 1.3 | 2 |
| 634 | Hydrophilic interaction liquid chromatography tandem mass spectrometry analysis of malonyl-coenzyme A in breast cancer cell cultures applying online solid-phase extraction. Journal of Separation Science, 2017, 40, 4303-4310. | 1.3 | 4 |
| 635 | Ultrasoundâ€assisted, hybrid ionic liquid, dispersive liquid–liquid microextraction for the determination of insecticides in fruit juices based on partition coefficients. Journal of Separation Science, 2017, 40, 3513-3521. | 1.3 | 16 |
| 636 | Size distributions of hydrophilic and hydrophobic fractions of water-soluble organic carbon in an urban atmosphere in Hong Kong. Atmospheric Environment, 2017, 166, 110-119. | 1.9 | 6 |
| 638 | Sample preparation of chemical warfare agent simulants on a digital microfluidic (DMF) device using magnetic bead-based solid-phase extraction. Microfluidics and Nanofluidics, 2017, 21, 1. | 1.0 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 639 | Optimization and application of octadecyl-modified monolithic silica for solid-phase extraction of drugs in whole blood samples. Journal of Chromatography A, 2017, 1517, 9-17. | 1.8 | 15 |
| 640 | Effective Enrichment and Simultaneous Quantitative Analysis of Trace Heavy Metal Ions Mixture in Aqueous Samples by the Combination of Radial Electric Focusing Solid Phase Extraction, UV-Vis Spectrophotometric Determination and Partial Least Squares Regression. Water, Air, and Soil Pollution. 2017. 228. 1. | 1.1 | 4 |
| 641 | Bioanalytical methods for the detection of antidiabetic drugs: a review. Bioanalysis, 2017, 9, 2015-2025. | 0.6 | 4 |
| 642 | Identification Strategies for Bioactive Secondary Metabolites of Fungal Origin. Medicinal and Aromatic Plants of the World, 2017, , 511-547. | 0.1 | 1 |
| 643 | Graphene oxide cross-linked with phytic acid: an efficient adsorbent for the extraction of carbamates. Mikrochimica Acta, 2017, 184, 3773-3779. | 2.5 | 20 |
| 644 | A versatile hydrogel including bentonite and gallocyanine for trace Rhodamine B analysis. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2017, 513, 110-116. | 2.3 | 20 |
| 645 | Quick, easy, cheap, effective, rugged, and safe sample preparation approach for pesticide residue analysis using traditional detectors in chromatography: A review. Journal of Separation Science, 2017, 40, 203-212. | 1.3 | 50 |
| 646 | Synthesis of core–shell magnetic ion-imprinted polymer nanospheres for selective solid-phase extraction of Pb ²⁺ from biological, food, and wastewater samples. Journal of Dispersion Science and Technology, 2017, 38, 1041-1048. | 1.3 | 11 |
| 647 | Sample pre-treatment techniques for use with ICP-MS hyphenated techniques for elemental speciation in biological samples. Journal of Analytical Atomic Spectrometry, 2017, 32, 58-77. | 1.6 | 31 |
| 648 | Bioanalytical method development and validation: Critical concepts and strategies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1043, 3-11. | 1.2 | 97 |
| 649 | Highly selective solid phase extraction and preconcentration of Azathioprine with nano-sized imprinted polymer based on multivariate optimization and its trace determination in biological and pharmaceutical samples. Materials Science and Engineering C, 2017, 71, 572-583. | 3.8 | 21 |
| 650 | Purification of high-purity glycyrrhizin from licorice using hydrophilic interaction solid phase extraction coupled with preparative reversed-phase liquid chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1040, 47-52. | 1.2 | 27 |
| 651 | Optimization for Peptide Sample Preparation for Urine Peptidomics. Methods in Molecular Biology, 2017, 1788, 63-72. | 0.4 | 5 |
| 652 | Mass Transfer in Mesoporous Microparticles Studied by Confocal Fluorescence Recovery after Photobleaching. Analytical Sciences, 2017, 33, 647-650. | 0.8 | 14 |
| 653 | Chemical Structure of Phenols and Its Consequence for Sorption Processes. , 0, , . | | 23 |
| 654 | The evolution of methods for urinary steroid metabolomics in clinical investigations particularly in childhood. Journal of Steroid Biochemistry and Molecular Biology, 2018, 181, 28-51. | 1.2 | 15 |
| 655 | Multi-dimensional hydroxyapatite microspheres as a filling material of minicolumns for effective removal at trace level of noble and non-noble metals from aqueous solutions. Journal of Environmental Chemical Engineering, 2018, 6, 1886-1897. | 3.3 | 2 |
| 656 | Dietary Phenolic Compounds in Biological Samples: Current Challenges in Analytical Chemistry. Reference Series in Phytochemistry, 2018, , 1-30. | 0.2 | 0 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 657 | Mechanochemical synthesis of covalent organic framework for the efficient extraction of benzoylurea insecticides. Journal of Chromatography A, 2018, 1551, 1-9. | 1.8 | 100 |
| 658 | <i>In vitro</i> studies on the degradation of poly(<i>cis</i> â€1,4â€isoprene). Biotechnology Progress, 2018, 34, 890-899. | 1.3 | 13 |
| 659 | mirRICH, a simple method to enrich the small RNA fraction from over-dried RNA pellets. RNA Biology, 2018, 15, 1-10. | 1.5 | 7 |
| 660 | Low-cost and convenient ballpoint tip-protected liquid-phase microextraction for sensitive analysis of organic molecules in water samples. Analytica Chimica Acta, 2018, 1006, 42-48. | 2.6 | 13 |
| 661 | Analytical Techniques for Phytochemical Estimation in Fruit Juices. , 2018, , 669-692. | | 1 |
| 662 | Feasibility study of ethylone determination in seized samples using boron-doped diamond electrode associated with solid phase extraction. Sensors and Actuators B: Chemical, 2018, 259, 1113-1122. | 4.0 | 27 |
| 663 | A polyethyleneimine-modified attapulgite as a novel solid support in matrix solid-phase dispersion for the extraction of cadmium traces in seafood products. Talanta, 2018, 180, 254-259. | 2.9 | 30 |
| 664 | Optimization of sample preparation and chromatography for the determination of perfluoroalkyl acids in sediments from the Yangtze Estuary and East China Sea. Chemosphere, 2018, 205, 524-530. | 4.2 | 11 |
| 665 | Preparation and evaluation of magnetic core–shell mesoporous molecularly imprinted polymers for selective adsorption of amitriptyline in biological samples. Journal of the Taiwan Institute of Chemical Engineers, 2018, 86, 230-239. | 2.7 | 41 |
| 666 | Determination of thiabendazole in orange juice using an MISPE-SERS chemosensor. Food Chemistry, 2018, 239, 816-822. | 4.2 | 76 |
| 667 | Application of the Ultrasonic-Assisted Extraction and Dispersive Liquid–Liquid Microextraction for the Analysis of AFB1 in Egg. Food Analytical Methods, 2018, 11, 913-920. | 1.3 | 13 |
| 668 | Emerging materials for sample preparation. Journal of Separation Science, 2018, 41, 262-287. | 1.3 | 33 |
| 669 | Advances in organic–inorganic hybrid sorbents for the extraction of organic and inorganic pollutants in different types of food and environmental samples. Journal of Separation Science, 2018, 41, 195-208. | 1.3 | 30 |
| 670 | Dual solid-phase and stir bar sorptive extraction combined with gas chromatography-mass spectrometry analysis provides a suitable tool for assaying limonene-derived mint aroma compounds in red wine. Analytica Chimica Acta, 2018, 1001, 168-178. | 2.6 | 25 |
| 671 | Sample preparation for largeâ€scale bioanalytical studies based on liquid chromatographic techniques. Biomedical Chromatography, 2018, 32, e4137. | 0.8 | 34 |
| 672 | Determination of Aroclor 1254 in Water Samples Using Polystyrene–Divinylbenzene Solid-Phase Extraction and Gas Chromatography. Journal of Analysis and Testing, 2018, 2, 306-311. | 2.5 | 6 |
| 673 | Comparison of Two Solid-Phase Extraction (SPE) Methods for the Identification and Quantification of Porcine Retinal Protein Markers by LC-MS/MS. International Journal of Molecular Sciences, 2018, 19, 3847. | 1.8 | 36 |
| 674 | Disk solid-phase extraction of multi-class pharmaceutical residues in tap water and hospital wastewater, prior to ultra-performance liquid chromatographic-tandem mass spectrometry (UPLC-MS/MS) analyses. RSC Advances, 2018, 8, 40358-40368. | 1.7 | 21 |

| # | Article | IF | CITATIONS |
|---|---|--------------------------|---|
| 675 | Solid-phase Extraction for Analysis of Short-Chain Chlorinated Paraffins in Water Samples. Chinese Journal of Analytical Chemistry, 2018, 46, 1102-1108. | 0.9 | 10 |
| 676 | Multidimensional Liquid Chromatography. , 2018, , . | | Ο |
| 677 | Solid-phase Extraction Properties of Novel Sorbents Modified with Adenine for Nucleic Acid Related Compounds. Bunseki Kagaku, 2018, 67, 445-451. | 0.1 | 4 |
| 678 | Review of Sample Preparation Techniques for Residue Pesticides in Tea. , 2018, , 253-255. | | 0 |
| 679 | The Evaluation of the Cleanup Efficiency of SPE Cartridge Newly Developed for Multiresidues in Tea. , 2018, , 309-494. | | 0 |
| 680 | A novel approach to the application of hexagonal mesoporous silica in solid-phase extraction of drugs. Heliyon, 2018, 4, e00930. | 1.4 | 13 |
| 681 | Preconcentration of Organic Substances on Low-Polar Adsorbents in the Flow Systems of Analysis. Journal of Analytical Chemistry, 2018, 73, 1030-1042. | 0.4 | 3 |
| 682 | Sample Preparation for Mass Spectrometry Applications. , 2018, , 67-91. | | 5 |
| 683 | Synthesis and Application of Histidine-Modified Poly(Glycidyl Methacrylate/Ethylene Glycol) Tj ETQq0 0 0 rgBT /C | verlock 10 0.7 | D Tf 50 427 To 2 |
| | Chromatographia, 2018, 81, 1467-1474. | | |
| 684 | Chromatographia, 2018, 81, 1467-1474. An improved LC–MS/MS method for simultaneous evaluation of CYP2C9, CYP2C19, CYP2D6 and CYP3A4 activity. Bioanalysis, 2018, 10, 1577-1590. | 0.6 | 5 |
| 684 685 | An improved LC–MS/MS method for simultaneous evaluation of CYP2C9, CYP2C19, CYP2D6 and CYP3A4 | 0.6 | 5 |
| | An improved LC–MS/MS method for simultaneous evaluation of CYP2C9, CYP2C19, CYP2D6 and CYP3A4 activity. Bioanalysis, 2018, 10, 1577-1590. Recent advances in facile synthesis and applications of covalent organic framework materials as | | |
| 685 | An improved LC–MS/MS method for simultaneous evaluation of CYP2C9, CYP2C19, CYP2D6 and CYP3A4 activity. Bioanalysis, 2018, 10, 1577-1590. Recent advances in facile synthesis and applications of covalent organic framework materials as superior adsorbents in sample pretreatment. TrAC - Trends in Analytical Chemistry, 2018, 108, 154-166. Screening of 439 Pesticide Residues in Fruits and Vegetables by Gas Chromatography-Quadrupole-Time-of-Flight Mass Spectrometry Based on TOF Accurate Mass Database | 5.8 | 151 |
| 685 686 | An improved LC–MS/MS method for simultaneous evaluation of CYP2C9, CYP2C19, CYP2D6 and CYP3A4 activity. Bioanalysis, 2018, 10, 1577-1590. Recent advances in facile synthesis and applications of covalent organic framework materials as superior adsorbents in sample pretreatment. TrAC - Trends in Analytical Chemistry, 2018, 108, 154-166. Screening of 439 Pesticide Residues in Fruits and Vegetables by Gas Chromatography-Quadrupole-Time-of-Flight Mass Spectrometry Based on TOF Accurate Mass Database and Q-TOF Spectrum Library. Journal of AOAC INTERNATIONAL, 2018, 101, 1631-1638. Reuse of organobentonites with a carbon dioxide responsive solvent. Environmental Science and | 5.8 0.7 | 151 17 |
| 685 686 687 | An improved LC–MS/MS method for simultaneous evaluation of CYP2C9, CYP2C19, CYP2D6 and CYP3A4 activity. Bioanalysis, 2018, 10, 1577-1590. Recent advances in facile synthesis and applications of covalent organic framework materials as superior adsorbents in sample pretreatment. TrAC - Trends in Analytical Chemistry, 2018, 108, 154-166. Screening of 439 Pesticide Residues in Fruits and Vegetables by Gas Chromatography-Quadrupole-Time-of-Flight Mass Spectrometry Based on TOF Accurate Mass Database and Q-TOF Spectrum Library. Journal of AOAC INTERNATIONAL, 2018, 101, 1631-1638. Reuse of organobentonites with a carbon dioxide responsive solvent. Environmental Science and Pollution Research, 2018, 25, 21693-21700. Development and validation of a QuEChERS method for the analysis of 5-nitroimidazole traces in infant milk-based samples by ultra-high performance liquid chromatography-tandem mass | 5.8 0.7 2.7 | 151 17 1 |
| 685 686 687 688 | An improved LC–MS/MS method for simultaneous evaluation of CYP2C9, CYP2C19, CYP2D6 and CYP3A4 activity. Bioanalysis, 2018, 10, 1577-1590. Recent advances in facile synthesis and applications of covalent organic framework materials as superior adsorbents in sample pretreatment. TrAC - Trends in Analytical Chemistry, 2018, 108, 154-166. Screening of 439 Pesticide Residues in Fruits and Vegetables by Gas Chromatography-Quadrupole-Time-of-Flight Mass Spectrometry Based on TOF Accurate Mass Database and Q-TOF Spectrum Library. Journal of AOAC INTERNATIONAL, 2018, 101, 1631-1638. Reuse of organobentonites with a carbon dioxide responsive solvent. Environmental Science and Pollution Research, 2018, 25, 21693-21700. Development and validation of a QuECHERS method for the analysis of 5-nitroimidazole traces in infant milk-based samples by ultra-high performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2018, 1562, 36-46. New Trends in Food Technology for Green Recovery of Bioactive Compounds From Plant Materials. , | 5.8 0.7 2.7 | 151 17 1 15 |
| 685 686 687 688 689 | An improved LC–MS/MS method for simultaneous evaluation of CYP2C9, CYP2C19, CYP2D6 and CYP3A4 activity. Bioanalysis, 2018, 10, 1577-1590. Recent advances in facile synthesis and applications of covalent organic framework materials as superior adsorbents in sample pretreatment. TrAC - Trends in Analytical Chemistry, 2018, 108, 154-166. Screening of 439 Pesticide Residues in Fruits and Vegetables by Gas Chromatography-Quadrupole-Time-of-Flight Mass Spectrometry Based on TOF Accurate Mass Database and Q-TOF Spectrum Library. Journal of AOAC INTERNATIONAL, 2018, 101, 1631-1638. Reuse of organobentonites with a carbon dioxide responsive solvent. Environmental Science and Pollution Research, 2018, 25, 21693-21700. Development and validation of a QuEChERS method for the analysis of 5-nitroimidazole traces in infant milk-based samples by ultra-high performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2018, 1562, 36-46. New Trends in Food Technology for Green Recovery of Bioactive Compounds From Plant Materials. , 2018, , 1-36. | 5.8 0.7 2.7 1.8 | 151 17 1 15 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 693 | Comparative study of mercury(II) species removal onto naked and modified magnetic chitosan flakes coated ethylenediaminetetraacetic-disodium: kinetic and thermodynamic modeling. Environmental Science and Pollution Research, 2018, 25, 24923-24938. | 2.7 | 11 |
| 694 | Reduced graphene oxide as an efficient sorbent in microextraction by packed sorbent: Determination of local anesthetics in human plasma and saliva samples utilizing liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2018. 1095. 177-182. | 1.2 | 14 |
| 695 | Chlorination and chloramination of benzophenone-3 and benzophenone-4 UV filters. Ecotoxicology and Environmental Safety, 2018, 163, 528-535. | 2.9 | 17 |
| 696 | Protein purification using solid-phase extraction on temperature-responsive hydrogel-modified silica beads. Journal of Chromatography A, 2018, 1568, 38-48. | 1.8 | 40 |
| 697 | Molecularly Imprinted Poly(2-oxazoline) Based on Cross-Linking by Direct Amidation of Methyl Ester Side Chains. Macromolecules, 2018, 51, 6468-6475. | 2.2 | 19 |
| 698 | Synthesis of cobalt-based magnetic nanoporous carbon core-shell molecularly imprinted polymers for the solid-phase extraction of phthalate plasticizers in edible oil. Analytical and Bioanalytical Chemistry, 2018, 410, 6943-6954. | 1.9 | 22 |
| 699 | Solvation characteristics of porous graphitic carbon Hypercarb in subcritical water chromatography. Talanta, 2018, 188, 365-369. | 2.9 | 2 |
| 700 | Green Chromatography and Related Techniques. Green Chemistry and Sustainable Technology, 2019, , 241-298. | 0.4 | 11 |
| 701 | Microextraction on a screw. Analytica Chimica Acta, 2019, 1083, 130-136. | 2.6 | 5 |
| 702 | Solubility Models for the Recovery of Rosmarinic Acid from Orthosiphon Aristatus Extract Using Solid Phase Extraction. ChemEngineering, 2019, 3, 64. | 1.0 | 4 |
| 703 | Hybrid Solid-Phase Extraction for Selective Determination of Methamphetamine and Amphetamine in Dyed Hair by Using Gas Chromatography–Mass Spectrometry. Molecules, 2019, 24, 2501. | 1.7 | 11 |
| 704 | MOF-based devices for detection and removal of environmental pollutants. , 2019, , 383-426. | | 7 |
| 705 | Sequestration of U(VI) from aqueous phase using diethylenetriamine anchored polystyrene-divinylbenzene copolymer. Environmental Technology and Innovation, 2019, 15, 100430. | 3.0 | 7 |
| 706 | Classification, extraction and current analytical approaches for detection of pesticides in various food products. Journal Fur Verbraucherschutz Und Lebensmittelsicherheit, 2019, 14, 209-221. | 0.5 | 33 |
| 707 | Comparison of the Effects of Extraction Techniques on Mass Spectrometry Profiles of Dissolved Organic Compounds in Oil Sand Process-Affected Water. Energy & Fuels, 2019, 33, 7001-7008. | 2.5 | 8 |
| 708 | Hesperetin and naringenin. , 2019, , 207-239. | | 1 |
| 709 | Development of a liquid chromatography Q Exactive high resolution mass spectrometry method by the Box-Behnken design for the investigation of sibutramine urinary metabolites. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1125, 121726. | 1.2 | 5 |
| 710 | Micro solid-phase extraction (pipette tip and spin column) and thin film solid-phase microextraction: Miniaturized concepts for chromatographic analysis. TrAC - Trends in Analytical Chemistry, 2019, 118, 810-827. | 5.8 | 109 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 711 | Simultaneous extraction and analysis of multiple cystine-dense peptides by μSPE and microflow-MS/MS from plasma. Bioanalysis, 2019, 11, 485-493. | 0.6 | 1 |
| 712 | Predictive significance of serum dipeptidyl peptidase-IV in papillary thyroid carcinoma. Cancer Biomarkers, 2019, 24, 7-17. | 0.8 | 1 |
| 713 | Persistent Organic Pollutants in Food: Contamination Sources, Health Effects and Detection Methods. International Journal of Environmental Research and Public Health, 2019, 16, 4361. | 1.2 | 214 |
| 714 | On-chip solid phase extraction and in situ optical detection. Talanta, 2019, 197, 299-303. | 2.9 | 9 |
| 715 | Recent review on carbon nanomaterials functionalized with ionic liquids in sample pretreatment application. TrAC - Trends in Analytical Chemistry, 2019, 120, 115641. | 5.8 | 65 |
| 716 | Analysis of structure and properties of DVB–GMA based porous polymers. Adsorption, 2019, 25, 257-266. | 1.4 | 10 |
| 717 | Tannic acid directed synthesis of Fe3O4@TA@P(NVP-co-NIPAM) magnetic microspheres for polyphenol extraction. Food Chemistry, 2019, 283, 530-538. | 4.2 | 14 |
| 718 | High throughput screening of complex biological samples with mass spectrometry – from bulk measurements to single cell analysis. Analyst, The, 2019, 144, 872-891. | 1.7 | 61 |
| 719 | Solid-phase extraction using a molecularly imprinted polymer for the selective purification and preconcentration of norfloxacin from seawater. Analytical Letters, 2019, 52, 2896-2913. | 1.0 | 10 |
| 720 | Analysis of phenylcarboxylic acid-type microbial metabolites by microextraction by packed sorbent from blood serum followed by GC–MS detection. Clinical Mass Spectrometry, 2019, 14, 46-53. | 1.9 | 14 |
| 721 | Recent advances in sorbents applications and techniques used for solid-phase extraction of atrazine and its metabolites deisopropylatrazine and deethylatrazine: a review. International Journal of Environmental Analytical Chemistry, 2019, 99, 1017-1068. | 1.8 | 14 |
| 722 | A fully automatic cross used solid-phase extraction online coupled with ultra-high performance liquid chromatography–tandem mass spectrometry system for the trace analysis of multi-class pharmaceuticals in water samples. Journal of Pharmaceutical and Biomedical Analysis, 2019, 174, 330-339. | 1.4 | 15 |
| 723 | Challenges for measuring oxytocin: The blind men and the elephant?. Psychoneuroendocrinology, 2019, 107, 225-231. | 1.3 | 119 |
| 724 | Recent Advances and Trends in Applications of Solid-Phase Extraction Techniques in Food and Environmental Analysis. Chromatographia, 2019, 82, 1207-1249. | 0.7 | 85 |
| 725 | Fabrication of Inorganic Monolith Coated with Gold Nanoparticles for Protein Purification. International Journal of Electrochemical Science, 2019, 14, 1293-1309. | 0.5 | 5 |
| 727 | Ultrasound-assisted synthesis of thermosensitive nanovesicle for direct trap and release of analgesic drugs in biofluid and sewage. Ultrasonics Sonochemistry, 2019, 54, 61-67. | 3.8 | 2 |
| 728 | A concise review of quantification methods for determination of vitamin K in various biological matrices. Journal of Pharmaceutical and Biomedical Analysis, 2019, 169, 133-141. | 1.4 | 25 |
| 729 | A clinical study for the evaluation of pharmacokinetic interaction between daclatasvir and fluoxetine. Journal of Pharmaceutical and Biomedical Analysis, 2019, 171, 104-110. | 1.4 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 730 | Solid-Phase Extraction of Organic Substances: Unconventional Methods and Approaches. Journal of Analytical Chemistry, 2019, 74, 205-212. | 0.4 | 16 |
| 731 | Synthetic Peptide Purification via Solid-Phase Extraction with Gradient Elution: A Simple, Economical, Fast, and Efficient Methodology. Molecules, 2019, 24, 1215. | 1.7 | 28 |
| 732 | Advances in sample preparation in chromatography for organic environmental pollutants analyses. Journal of Liquid Chromatography and Related Technologies, 2019, 42, 137-160. | 0.5 | 29 |
| 734 | Facile synthesis of boronic acid-functionalized magnetic nanoparticles for efficient dopamine extraction. Nano Convergence, 2019, 6, 30. | 6.3 | 22 |
| 736 | In-syringe solvent-assisted dispersive solid phase extraction followed by flame atomic absorption spectrometry for determination of nickel in water and food samples. Microchemical Journal, 2019, 144, 88-92. | 2.3 | 38 |
| 737 | Trace determination and occurrence of eight chlorophenylacetonitriles: An emerging class of aromatic nitrogenous disinfection byproducts in drinking water. Chemosphere, 2019, 220, 858-865. | 4.2 | 35 |
| 738 | Recent progress in nanomaterial-based assay for the detection of phytotoxins in foods. Food Chemistry, 2019, 277, 162-178. | 4.2 | 28 |
| 739 | Recent advances of online coupling of sample preparation techniques with ultra high performance liquid chromatography and supercritical fluid chromatography. Journal of Separation Science, 2019, 42, 226-242. | 1.3 | 44 |
| 740 | Basic and practical concepts of radiopharmaceutical purification methods. Drug Discovery Today, 2019, 24, 315-324. | 3.2 | 10 |
| 741 | 4-Ethylphenol, 4-ethylguaiacol and 4-ethylcatechol in red wines: Microbial formation, prevention, remediation and overview of analytical approaches. Critical Reviews in Food Science and Nutrition, 2019, 59, 1367-1391. | 5.4 | 35 |
| 742 | Membrane-based Separation in Flow Analysis for Environmental and Food Applications. Separation and Purification Reviews, 2020, 49, 37-54. | 2.8 | 3 |
| 743 | Core concepts and milestones in the development of solid-phase extraction. , 2020, , 1-36. | | 5 |
| 744 | Automated fluorimetric determination of the genotoxic impurity hydrazine in allopurinol pharmaceuticals using zone fluidics and on-line solid phase extraction. Journal of Pharmaceutical and Biomedical Analysis, 2020, 177, 112887. | 1.4 | 6 |
| 745 | Synthesis of a crosslinked poly(ionic liquid) and evaluation of its antimony binding properties. Journal of Hazardous Materials, 2020, 384, 121481. | 6.5 | 17 |
| 746 | The geometrical characteristics of nickel-based metal organic framework on its entrapment capability. Journal of Chromatography A, 2020, 1610, 460551. | 1.8 | 5 |
| 747 | Facile and efficient removal of Pb(II) from aqueous solution by chitosan-lead ion imprinted polymer network. Chemosphere, 2020, 240, 124772. | 4.2 | 40 |
| 748 | Simultaneous Determination of Free Phytosterols and Tocopherols in Vegetable Oils by an Improved SPE–GC–FID Method. Food Analytical Methods, 2020, 13, 358-369. | 1.3 | 15 |
| 749 | Aqueous-Organic Biphasic Systems: Extraction of Organic Compounds. , 2020, , 91-119. | | 4 |

| | Сітатіо | n Report | |
|-----|--|----------|-----------|
| # | Article | IF | CITATIONS |
| 750 | Graphene oxide and graphene oxide functionalized with silver nanoparticles as adsorbents of phosphates in waters. A comparative study. Science of the Total Environment, 2020, 709, 136111. | 3.9 | 36 |
| 751 | Hollow fiber-based liquid phase microextraction followed by analytical instrumental techniques for quantitative analysis of heavy metal ions and pharmaceuticals. Journal of Pharmaceutical Analysis, 2020, 10, 109-122. | 2.4 | 84 |
| 752 | Sample preparation and extraction methods for pesticides in aquatic environments: A review. TrAC - Trends in Analytical Chemistry, 2020, 123, 115772. | 5.8 | 120 |
| 753 | An automatic online solid-phase dehydrate extraction-ultra-high performance supercritical fluid chromatography-tandem mass spectrometry system using a dilution strategy for the screening of doping agents in human urine. Analytica Chimica Acta, 2020, 1101, 184-192. | 2.6 | 8 |
| 754 | An amino-functionalized zirconium-based metal-organic framework of type UiO-66-NH2 covered with a molecularly imprinted polymer as a sorbent for the extraction of aflatoxins AFB1, AFB2, AFG1 and AFG2 from grain. Mikrochimica Acta, 2020, 187, 32. | 2.5 | 60 |
| 755 | Facile synthesis of a core-shell structured magnetic covalent organic framework for enrichment of organophosphorus pesticides in fruits. Analytica Chimica Acta, 2020, 1101, 65-73. | 2.6 | 61 |
| 756 | Inorganic oxide and chemically bonded sorbents. , 2020, , 37-54. | | 1 |
| 757 | Electrospun core-shell nanofibers as an adsorbent for on-line micro-solid phase extraction of monohydroxy derivatives of polycyclic aromatic hydrocarbons from human urine, and their quantitation by LC-MS. Mikrochimica Acta, 2020, 187, 57. | 2.5 | 17 |
| 758 | Recent development and challenges in extraction of phytonutrients from palm oil. Comprehensive Reviews in Food Science and Food Safety, 2020, 19, 4031-4061. | 5.9 | 20 |
| 759 | Measuring fecal metabolites of endogenous steroids using ESI-MS/MS spectra in Taiwanese pangolin, (order Pholidota, family Manidae, Genus: Manis): A non-invasive method for endangered species. General and Comparative Endocrinology, 2020, 299, 113607. | 0.8 | 5 |
| 760 | A comparison of methods for the extraction of dissolved organic matter from freshwaters. Water Research, 2020, 184, 116114. | 5.3 | 10 |
| 761 | Multiphase Behavior of Tetraphenylethylene Derivatives with Different Polarities at High Pressures. Journal of Physical Chemistry B, 2020, 124, 7263-7271. | 1.2 | 4 |
| 762 | Non-Extractable Polyphenols from Food By-Products: Current Knowledge on Recovery, Characterisation, and Potential Applications. Processes, 2020, 8, 925. | 1.3 | 25 |
| 763 | Dendrimer-modified magnetic nanoparticles as a sorbent in dispersive micro-solid phase extraction for preconcentration of metribuzin in a water sample. Analytical Methods, 2020, 12, 5332-5343. | 1.3 | 8 |
| 764 | Immobilization of synthesized phenyl-enriched magnetic nanoparticles in a fabricated Y–Y shaped micro-channel containing microscaled hedges as a microextraction platform. Analytica Chimica Acta, 2020, 1136, 51-61. | 2.6 | 4 |
| 765 | Fate of Residual Pesticides in Fruit and Vegetable Waste (FVW) Processing. Foods, 2020, 9, 1468. | 1.9 | 40 |
| 766 | Synthesis of Molecularly Imprinted Polymer and Its Application as Solid-Phase Extraction Sorbent for Ceftazidime Determination in Human Serum and Urine Samples. Journal of Analytical Chemistry, 2020, 75, 1108-1115. | 0.4 | 4 |
| 767 | Coated glass capillaries as SPME devices for DART mass spectrometry. Rapid Communications in Mass Spectrometry, 2020, 34, e8946. | 0.7 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 768 | On-Line Coupling of a Micro-Pressurized Liquid Extraction Method to Liquid Chromatography Via Solid-Phase Trapping. Chromatographia, 2020, 83, 1319-1327. | 0.7 | 1 |
| 769 | Health Benefits of <i>Prunus avium</i> Plant Parts: An Unexplored Source Rich in Phenolic Compounds. Food Reviews International, 2022, 38, 118-146. | 4.3 | 16 |
| 770 | Solid-phase extraction of exosomes from diverse matrices via a polyester capillary-channeled polymer (C-CP) fiber stationary phase in a spin-down tip format. Analytical and Bioanalytical Chemistry, 2020, 412, 4713-4724. | 1.9 | 17 |
| 771 | Roles of Residual Silanol in Solid Phase Extraction of Copper to Octadecylsilyl Silica in the Presence of Acetylacetone. Analytical Sciences, 2020, 36, 847-851. | 0.8 | 1 |
| 772 | Accurate and Sensitive Analytical Method for the Determination of Cyclanilide in Cotton and Cosmetic Pads at Trace Levels Using the Combination of Vortex Assisted Iron(II,III)/Reduced Graphene Oxide Nanocomposite Based Dispersive Solid Phase Extraction and High Performance Liquid Chromatography (HPLC). Analytical Letters, 2020, 53, 2278-2291. | 1.0 | 1 |
| 773 | Extraction and Determination of Vitamin K1 in Foods by Ultrasound-Assisted Extraction, SPE, and LC-MS/MS. Molecules, 2020, 25, 839. | 1.7 | 7 |
| 774 | A Review of Recently Developed LC–MS/MS Methods for the Analysis of Pharmaceuticals and Personal Care Products in Water. Journal of AOAC INTERNATIONAL, 2020, 103, 9-22. | 0.7 | 7 |
| 775 | Determination of citric and oxalic acid in fungi fermentation broth through HPLC-DAD and solid-phase extraction. DYNA (Colombia), 2020, 87, 26-30. | 0.2 | 1 |
| 776 | Green Approaches to Sample Preparation Based on Extraction Techniques. Molecules, 2020, 25, 1719. | 1.7 | 55 |
| 777 | Progress in Pretreatment and Analytical Methods of Coumarins: An Update since 2012 – A Review. Critical Reviews in Analytical Chemistry, 2021, 51, 1-24. | 1.8 | 10 |
| 778 | Study of the Purification of 177Lu-DOTAELA Complex. Pharmaceutical Chemistry Journal, 2020, 54, 64-68. | 0.3 | 0 |
| 779 | Porous Graphitized Carbon for the Separation and Preconcentration of Hydrophilic Substances. Journal of Analytical Chemistry, 2020, 75, 423-442. | 0.4 | 8 |
| 780 | Advanced materials on sample preparation for safety analysis of aquatic products. Journal of Separation Science, 2021, 44, 1174-1194. | 1.3 | 12 |
| 781 | Carbon dots in sample preparation and chromatographic separation: Recent advances and future prospects. TrAC - Trends in Analytical Chemistry, 2021, 134, 116135. | 5.8 | 53 |
| 782 | Porous monolithic materials for extraction and preconcentration of pollutants from environmental waters. Trends in Environmental Analytical Chemistry, 2021, 29, e00112. | 5.3 | 9 |
| 783 | Investigation on Microstructure, Hardness and Wear Resistance of Electron Beam Wire-Feeding Deposited Inconel 718 Alloy Coatings. Metals and Materials International, 2021, 27, 1263-1272. | 1.8 | 8 |
| 784 | Pollen grains as a low-cost, green, alternative sorbent for hydrophilic solid-phase extraction. Analytical Methods, 2021, 13, 1295-1301. | 1.3 | 3 |
| 785 | Simultaneous measurement of free and conjugated estrogens in surface water using capillary liquid chromatography tandem mass spectrometry. Analyst, The, 2021, 146, 2689-2704. | 1.7 | 12 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 786 | Solid-phase extraction. , 2021, , 281-421. | | 2 |
| 787 | Gas Chromatography and Mass Spectroscopy (GC-MS) Technique for Food Analysis. , 2021, , 195-217. | | 0 |
| 788 | Optimising factors affecting solid phase extraction performances of molecular imprinted polymer as recent sample preparation technique. Heliyon, 2021, 7, e05934. | 1.4 | 44 |
| 789 | Biologically active peptides from marine proteobacteria: Discussion article. Open Journal of Bacteriology, 2021, , 005-012. | 0.3 | 2 |
| 790 | Recent developments in materials used for the removal of metal ions from acid mine drainage. Applied Water Science, 2021, 11, 1. | 2.8 | 14 |
| 791 | Synthesis of Molecularly Imprinted Polymers using Methacrylic Acid and Ethylene Glycol Dimethacrylate by Precipitation Polymerization Method. Asian Journal of Chemistry, 2021, 33, 785-788. | 0.1 | 0 |
| 792 | Sample preparation and instrumental methods for illicit drugs in environmental and biological samples: A review. Journal of Chromatography A, 2021, 1640, 461961. | 1.8 | 37 |
| 793 | A review of micro-solid-phase extraction techniques and devices applied in sample pretreatment coupled with chromatographic analysis. Acta Chromatographica, 2021, 33, 99-111. | 0.7 | 50 |
| 794 | Preparative Isolation and Purification of Calycosin and Formononetin from Astragali Radix using Hydrolytic Extraction Combined with High Speed Countercurrent Chromatography. Journal of Chromatographic Science, 2021, 59, 412-418. | 0.7 | 6 |
| 795 | Miniaturized sample preparation techniques and ambient mass spectrometry as approaches for food residue analysis. Journal of Chromatography A, 2021, 1640, 461949. | 1.8 | 24 |
| 796 | Preparation of amine–modified lignin and its applicability toward online micro–solid phase extraction of valsartan and losartan in urine samples. Journal of Chromatography A, 2021, 1643, 462081. | 1.8 | 6 |
| 797 | Doping control analysis of small peptides: A decade of progress. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1173, 122551. | 1.2 | 11 |
| 798 | Extraction of stabilizers from polymers: Separation of oligomeric hindered amine light stabilizers and phenolic antioxidants from polyolefins using liquid chromatography and highâ€temperature solidâ€phase extraction. Journal of Separation Science, 2021, 44, 2408-2417. | 1.3 | 2 |
| 799 | Effects of Residual Silanol on Solid Phase Extraction of Organic Compounds to Octadecylsilyl Silica. Analytical Sciences, 2021, 37, 879-885. | 0.8 | 2 |
| 800 | Peptidomics: A Review of Clinical Applications and Methodologies. Journal of Proteome Research, 2021, 20, 3782-3797. | 1.8 | 40 |
| 801 | Magnetic carbon nanotubes-molecularly imprinted polymer coupled with HPLC for selective enrichment and determination of ferulic acid in traditional Chinese medicine and biological samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1180, 122870. | 1.2 | 6 |
| 802 | Performance evaluation of functionalized chitosan-siloxane nano-sorbents for pesticides extraction and removal from aqueous samples. Nanotechnology for Environmental Engineering, 2021, 6, 1. | 2.0 | 3 |
| 803 | Simultaneous determination of melatonin and 6-hydroxymelatonin in human overnight urine by LC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1181, 122938. | 1.2 | 6 |

| | CITATIO | on Report | |
|-----|--|-----------|-----------|
| # | ARTICLE Application of deep eutectic solvents combined with vortex assisted dispersive liquid-liquid microextraction for five organophosphorus pesticides in juice and green tea beverage. Acta | IF | CITATIONS |
| | Chromatographica, 2021, 34, 53-60. Recent developments in sample preparation techniques combined with high-performance liquid | 0.7 | |
| 805 | chromatography: A critical review. Journal of Chromatography A, 2021, 1654, 462444. Enrichment of Rare Earth from Wasted NdFeB Lotion with the Extraction-Precipitation Method. | 1.8 | 81 |
| 806 | Industrial & amp; Engineering Chemistry Research, 2021, 60, 13338-13347. | 1.8 | 3 |
| 807 | Extractions and the Statistical Comparison of the Two Extraction Techniques. International Journal of Environment and Geoinformatics, 2021, 8, 521-528. Dietary Phenolic Compounds in Biological Samples: Current Challenges in Analytical Chemistry. | 0.5 | 1 |
| 809 | Reference Series in Phytochemistry, 2019, , 1929-1958. | 0.2 | 1 |
| 810 | Solvent-Free Extraction and Injection Techniques. , 2014, , 371-412. Fully automated method for the liquid chromatographic–tandem mass spectrometric determination | | 4 |
| 811 | of cyproterone acetate in human plasma using restricted access material for on-line sample clean-up. Journal of Chromatography A, 2004, 1056, 105-110. | 1.8 | 11 |
| 812 | Application of Carbonaceous Materials in Separation Science. RSC Green Chemistry, 2015, , 103-126. | 0.0 | 3 |
| 813 | A novel system for the comprehensive collection of nonvolatile molecules from human exhaled breath. Journal of Breath Research, 2021, 15, 016001. | 1.5 | 16 |
| 814 | Use of Amphiphilic Nonionic Polymer Nanoparticles for Removal of Hydrophobic Pollutants From Soil. , 2016, , 53-86. Evaluation of Commercial Solid-Phase Extraction (SPE) Carrier Materials for the Selective Automated | | 1 |
| 815 | Enrichment of Monoterpenoides and their Analysis in Cough Drops, Mouthwashes and Bath Additives by Gas- Chromatography Mass Spectrometry (GC-MS). The Open Analytical Chemistry Journal, 2013, 7, 12-21. | 2.0 | 6 |
| 816 | Different Solid Phase Extraction Fractions of Tualang (Koompassia excelsa) Honey Demonstrated Diverse Antibacterial Properties Against Wound and Enteric Bacteria. Journal of ApiProduct and ApiMedical Science, 2011, 3, 59-65. | 0.4 | 10 |
| 817 | Rapid Determination of Residual Quinolones in Honey Samples by Fast HPLC with an On-Line Sample Pretreatment System. American Journal of Analytical Chemistry, 2011, 02, 200-205. | 0.3 | 4 |
| 818 | Multiresidue Method for Determination of 67 Pesticides in Water Samples Using Solid-Phase Extraction with Centrifugation and Gas Chromatography-Mass Spectrometry. American Journal of Analytical Chemistry, 2012, 03, 257-265. | 0.3 | 35 |
| 819 | Analytical Methods for Isolation, Separation and Identification of Selected Furanocoumarins in Plant Material. , 0, , . | | 3 |
| 820 | Preparation and Evaluation of Molding-type Solid-phase Extraction Media Binding with Commercially Available Adhesives. Analytical Sciences, 2021, , . | 0.8 | 3 |
| 821 | Practical Considerations in Method Development for Gas Chromatography-Based Metabolomic Profiling. Advances in Experimental Medicine and Biology, 2021, 1336, 139-157. | 0.8 | 1 |
| 822 | Simultaneous Determination of Seven Bisphenol Analogues in Surface Water by Solid-Phase Extraction and Ultra-Performance Liquid Chromatography-Tandem Mass Spectrometry. SSRN Electronic Journal, 0, , . | 0.4 | 0 |

ARTICLE IF CITATIONS # Synthesis of Monodisperse Polymer Particles with Dozens $\hat{l}^{1}/4m$ by a Membrane Emulsification-Copolymerization Method and Evaluation of Solid-phase Extraction Characteristics. 823 0.1 0 Bunseki Kagaku, 2021, 70, 435-441. Comprehensive screening and separation of cyclooxygenase-2 inhibitors from Pterocephalus hookeri by affinity solid-phase extraction coupled with preparative high-performance liquid chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1183, 824 1.2 Fully-automated SPE coupled to UHPLC-MS/MS method for multiresidue analysis of 26 trace antibiotics 825 in environmental waters: SPE optimization and method validation. Environmental Science and 2.7 8 Pollution Research, 2022, 29, 16973-16987. Solid phase extraction: Applications to the chromatographic analysis of vegetable oils and fats. 0.3 Grasas Y Aceites, 2002, 53, . Sample Pretreatment in Clinical Chemistry., 2003, , . 827 0 HPLC in Bioavailability Examination., 2003, , . 830 Solid Phase Extraction and By-Product Removal., 2004, , 603-618. 1 Recent Trends in Sample Preparation for Pesticide Analysis., 2009, , 381-397. 831 832 Title is missing!. MOKUZAI HOZON (Wood Protection), 2010, 36, 92-99. 0.1 0 Water Associated with Bio-Objects: Cells and Tissues., 2013, , 806-905. - Interfacial Phenomena at Surfaces of Carbon Materials., 2013, , 484-551. 834 0 Preparation of Sodium Dodecyl Sulfate Coated Pyrrolidine-1-Dithiocarboxylic Acid Ammonium Modified Magnetite Nanoparticles for Magnetic Solid Phase Extraction of Lead from Water Samples. 1.3 Journal of Dispersion Science and Technology, 2015, 36, 1080-1090. Development and Validation of Content Uniformity Analytical Procedure of Glipizide Extended Release 839 0.7 1 Tablet. Journal of Applied Pharmaceutical Science, 0, , 192-196. Application of novel solid phase extraction-NMR protocols for metabolic profiling of human urine. Faraday Discussions, 2019, 218, 395-416. 840 1.6 Comprehensive Strategies for Polychlorinated biphenyls Quantitative Analysis Specialized in 842 0.1 0 Foodstuffs. Egyptian Journal of Chemistry, 2020, . Nucleic Acids Analytical Methods for Viral Infection Diagnosis: State-of-the-Art and Future 843 1.8 Perspectives. Biomolecules, 2021, 11, 1585. Determination of Menbutone Residues in Edible Swine Tissues Based on Solid-Phase Extraction and 844 0.3 1 RP-HPLC. Current Pharmaceutical Analysis, 2020, 16, 159-167. Review of the Use of Liquid Chromatography-Tandem Mass Spectrometry in Clinical Laboratories: Part 845 1.2 I-Development. Annals of Laboratory Medicine, 2022, 42, 121-140.

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 846 | Using sesame seed oil to preserve and concentrate cannabinoids for paper spray mass spectrometry. Comprehensive Analytical Chemistry, 2020, 90, 367-395. | 0.7 | 1 |
| 847 | Solid phase extraction for monitoring of occupational exposure to Cr (III). Analytical Chemistry Insights, 2007, 2, 125-32. | 2.7 | 0 |
| 848 | Presence of atrazine in the biological samples of cattle and its consequence adversity in human health. Iranian Journal of Public Health, 2011, 40, 112-21. | 0.3 | 13 |
| 849 | lonic liquids and polymeric ionic liquids as sorbents in micro-solid-phase extraction and solid-phase microextraction. , 2022, , 103-140. | | 1 |
| 850 | The Role of Gas Chromatography in Bioanalysis. , 2022, , 361-376. | | 0 |
| 851 | Covalent organic frameworks as multifunctional materials for chemical detection. Chemical Society Reviews, 2021, 50, 13498-13558. | 18.7 | 114 |
| 852 | Determination of 18 photoinitiators in food paper packaging materials by FastPrep-based extraction combined with GC–MS. Food Chemistry, 2022, 377, 131980. | 4.2 | 6 |
| 853 | Evaluation of the phenyl-bonded silica-based sorbent for pre-concentration of the booster antifouling biocides Zinc Pyrithione, Zineb and Ziram using solid-phase extraction technique and Inductively Coupled Plasma Mass Spectrometry. Ecletica Quimica, 2020, 45, 21-31. | 0.2 | 1 |
| 854 | Sample handling in chromatography. , 2022, , 453-493. | | 2 |
| 855 | Advanced Solid-Phase Microextraction Techniques and Related Automation: A Review of Commercially Available Technologies. Journal of Analytical Methods in Chemistry, 2022, 2022, 1-15. | 0.7 | 16 |
| 856 | Constructing magnetic covalent organic framework EB-COF@Fe3O4 for sensitive determination of five benzoylurea insecticides. Food Chemistry, 2022, 382, 132362. | 4.2 | 31 |
| 857 | Preconcentration of Nickel by Magnetic Solid-Phase Extraction (MSPE) as the 2-(5-Bromo-2-Pyridylazo)-5-Diethylamino-Phenol (PADAP) Chelate upon Multiwalled Carbon Nanotubes (MWCNTs) with Determination by Flame Atomic Absorption Spectrometry (FAAS). Analytical Letters, 2023, 56, 449-463. | 1.0 | 3 |
| 858 | Identification, Occurrence, and Cytotoxicity of Haloanilines: A New Class of Aromatic Nitrogenous Disinfection Byproducts in Chloraminated and Chlorinated Drinking Water. Environmental Science & Technology, 2022, 56, 4132-4141. | 4.6 | 29 |
| 859 | Concentration, purification and quantification of milk protein residues following cleaning processes using a combination of SPE and RP-HPLC. MethodsX, 2022, 9, 101695. | 0.7 | 8 |
| 860 | Advancement and New Trends in Analysis of Pesticide Residues in Food: A Comprehensive Review. Plants, 2022, 11, 1106. | 1.6 | 44 |
| 863 | Selective separation of radionuclides from environmental matrices using proprietary solid-phase extraction systems: A review. Microchemical Journal, 2022, 181, 107637. | 2.3 | 7 |
| 864 | Synergy Mechanisms of Rhizoma Paridis Saponins on Non-small Cell Lung Cancer: Segmented Solid Phase Extraction, Bioactivity Screening, and Network Pharmacology. Anti-Cancer Agents in Medicinal Chemistry, 2022, 22, . | 0.9 | 0 |
| 866 | Sample Preparation with Conductive Polymers. ACS Symposium Series, 0, , 119-140. | 0.5 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 868 | Antiviral drugs against influenza: Treatment methods, environmental risk assessment and analytical determination. Journal of Environmental Management, 2022, 318, 115523. | 3.8 | 6 |
| 869 | Specific recognition and determination of trace phthalic acid esters by molecularly imprinted polymer based on metal organic framework. Analytica Chimica Acta, 2022, 1227, 340292. | 2.6 | 4 |
| 870 | Carbon dots in separation science. , 2023, , 67-75. | | 0 |
| 871 | DNA photoproducts released by repair in biological fluids as biomarkers of the genotoxicity of UV radiation. Analytical and Bioanalytical Chemistry, 2022, 414, 7705-7720. | 1.9 | 2 |
| 872 | Green Extraction Processes for Complex Samples from Vegetable Matrices Coupled with On-Line Detection System: A Critical Review. Molecules, 2022, 27, 6272. | 1.7 | 5 |
| 873 | Recent molecularly imprinted polymers applications in bioanalysis. Chemical Papers, 2023, 77, 619-655. | 1.0 | 2 |
| 874 | A review of the modern principles and applications of solid-phase extraction techniques in chromatographic analysis. Analytical Sciences, 2022, 38, 1457-1487. | 0.8 | 52 |
| 875 | Determination of Cyclaniliprole in Fruits and Vegetables Using Disposable Pipette Extraction Cleanup and Ultrahigh-Performance Liquid Chromatography-Tandem Mass Spectrometry. Molecules, 2022, 27, 6464. | 1.7 | 1 |
| 876 | Optimization of ultrasonication-assisted extraction conditions using RSM-I-Optimal experimental design to recover vitamin D2 and K1 from selected green leafy vegetable samples. Journal of Food Measurement and Characterization, 0, , . | 1.6 | 0 |
| 877 | Sponge-nested polymer monolith sorptive extraction. Journal of Chromatography A, 2023, 1687, 463668. | 1.8 | 1 |
| 878 | Saffron: Metabolomics and Quality Point of View. Compendium of Plant Genomes, 2022, , 239-252. | 0.3 | 0 |
| 879 | Review of extraction and detection techniques for the analysis of pesticide residues in fruits to evaluate food safety and make legislative decisions: Challenges and anticipations. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2023, 1215, 123587. | 1.2 | 9 |
| 880 | An automated micro solid phase extraction gas chromatography–mass spectrometry (μSPE-GC–MS) detection method for geosmin and 2-methylisoborneol in drinking water. Scientific Reports, 2023, 13, . | 1.6 | 11 |
| 881 | Simultaneous determination of benzothiazoles, benzotriazoles, and benzotriazole UV absorbers by solid-phase extraction-gas chromatography-mass spectrometry. Environmental Science and Pollution Research, 2023, 30, 45315-45330. | 2.7 | 3 |
| 883 | Analysis of commonly prescribed analgesics using. Environmental Chemistry, 2023, 19, 446-459. | 0.7 | 5 |
| 884 | Simultaneous determination of fourteen pharmaceuticals in sewage sludge using online solid-phase extraction-liquid chromatography-tandem mass spectrometry combined with accelerated solvent extraction. Environmental Science and Pollution Research, 2023, 30, 62522-62531. | 2.7 | 2 |
| 885 | Aqueous two-phase systems as multipurpose tools to improve biomarker analysis. Separation and Purification Technology, 2023, 317, 123875. | 3.9 | 3 |
| 886 | Cutting edge approaches for natural product purification. , 2023, , 35-45. | | 0 |

| # | Article | IF | CITATIONS |
|-----|---|----|-----------|
| 892 | Carbonaceous Materials in Green Sample Preparation. , 2023, , 105-124. | | 0 |
| 895 | Steroid determination—Purification of extracts. , 2023, , 319-352. | | 0 |
| 898 | Steroid determination—Sample preparation. , 2023, , 291-318. | | 0 |
| 904 | Solid phase extraction for the determination of vitamins in food and beverages. , 2023, , . | | 0 |
| 906 | Sample preparation for ion-exchange separations. , 2024, , 287-313. | | 0 |