

CITATION REPORT

List of articles citing

Early prediction of persisting post-concussion symptoms following mild and moderate head injuries

DOI: 10.1348/014466599162638

British Journal of Clinical Psychology, 1999, 38, 15-25.

Source: <https://exaly.com/paper-pdf/30487439/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
69	Research Digest. <i>Neuropsychological Rehabilitation</i> , 2000 , 10, 202-208	3.1	
68	Base rate of post-concussion symptoms among normal people and its neuropsychological correlates. <i>Clinical Rehabilitation</i> , 2001 , 15, 266-73	3.3	102
67	An Introduction to Sports Concussion for the Sport Psychology Consultant. <i>Journal of Applied Sport Psychology</i> , 2004 , 16, 220-235	2	21
66	The psychological effects on nursing staff of administering physical restraint in a secure psychiatric hospital: "When I go home, it's then that I think about it" <i>British Journal of Forensic Practice</i> , 2004 , 6, 3-15		49
65	Les traumatismes cranio-cérébraux mineurs. <i>Douleur Et Analgesie</i> , 2004 , 17, 191-203	0.2	
64	Explanatory Style and Perception of Recovery in Symptomatic Mild Traumatic Brain Injury.. <i>Rehabilitation Psychology</i> , 2004 , 49, 334-337	2.7	8
63	Factors related to recovery after mild traumatic brain injury. <i>Brain Injury</i> , 2005 , 19, 975-87	2.1	138
62	Symptoms and disability until 3 months after mild TBI. <i>Brain Injury</i> , 2006 , 20, 799-806	2.1	187
61	Bench to bedside: evidence for brain injury after concussion--looking beyond the computed tomography scan. <i>Academic Emergency Medicine</i> , 2006 , 13, 199-214	3.4	71
60	The Rivermead Post Concussion Symptoms Questionnaire: a confirmatory factor analysis. <i>Journal of Neurology</i> , 2006 , 253, 1603-14	5.5	159
59	Impact of additional extracranial injuries on outcome after mild traumatic brain injury. <i>Journal of Neurotrauma</i> , 2006 , 23, 1561-9	5.4	62
58	Postconcussion syndrome: a review. <i>Trauma</i> , 2007 , 9, 21-27	0.3	7
57	Cognitive complaints after mild traumatic brain injury: things are not always what they seem. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 637-45	4.1	99
56	Community integration, social support and life satisfaction in relation to symptoms 3 years after mild traumatic brain injury. <i>Brain Injury</i> , 2007 , 21, 933-42	2.1	116
55	PTA testing, the Westmead post traumatic amnesia scale and opiate analgesia: a cautionary note. <i>Brain Injury</i> , 2007 , 21, 1393-7	2.1	13
54	Mild head injury--a close relationship between motor function at 1 week post-injury and overall recovery at 3 and 6 months. <i>Journal of the Neurological Sciences</i> , 2007 , 253, 34-47	3.2	27
53	The prevalence and recovery of concussed male and female collegiate athletes. <i>European Journal of Sport Science</i> , 2008 , 8, 295-303	3.9	11

52	Correlates of persistent postconcussional disorder: DSM-IV criteria versus ICD-10. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2008 , 30, 360-79	2.1	35
51	Mild traumatic brain injury and its sequelae: characterisation of divided attention deficits. <i>Neuropsychological Rehabilitation</i> , 2009 , 19, 110-37	3.1	34
50	Early clinical characteristics of patients with persistent post-concussion symptoms: a prospective study. <i>Brain Injury</i> , 2009 , 23, 299-306	2.1	43
49	Early predictors of postconcussive syndrome in a population of trauma patients with mild traumatic brain injury. <i>Journal of Trauma</i> , 2009 , 66, 289-96; discussion 296-7		135
48	Mild traumatic brain injury in the pediatric population: the role of the pediatrician in routine follow-up. <i>Journal of Trauma</i> , 2010 , 68, 1396-400		25
47	Elucidating the psychosocial context of post-concussion syndrome (PCS): a case study from post-Milan systemic family therapy. <i>Journal of Family Therapy</i> , 2010 , 32, 186-202	2.9	4
46	Recommendations for the use of common outcome measures in traumatic brain injury research. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 1650-1660.e17	2.8	324
45	Chronic stress and fatigue-related quality of life after mild to moderate traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 2011 , 26, 355-63	3	38
44	A comparison of the psychometric properties of 4 postconcussion syndrome measures in a nonclinical sample. <i>Journal of Head Trauma Rehabilitation</i> , 2011 , 26, 170-6	3	25
43	Coping strategies as a predictor of post-concussive symptoms in children with mild traumatic brain injury versus mild orthopedic injury. <i>Journal of the International Neuropsychological Society</i> , 2011 , 17, 317-26	3.1	46
42	A Model for Mild Traumatic Brain Injury that Induces Limited Transient Memory Impairment and Increased Levels of Axon Related Serum Biomarkers. <i>Frontiers in Neurology</i> , 2012 , 3, 115	4.1	51
41	Cognitive behavioural therapy and persistent post-concussional symptoms: integrating conceptual issues and practical aspects in treatment. <i>Neuropsychological Rehabilitation</i> , 2012 , 22, 1-25	3.1	47
40	Depression, anxiety, and stress as predictors of postconcussion-like symptoms in a non-clinical sample. <i>Psychiatry Research</i> , 2012 , 200, 41-5	9.9	34
39	Long-term cognitive complaint and post-concussive symptoms following mild traumatic brain injury: the role of cognitive and affective factors. <i>Brain Injury</i> , 2012 , 26, 298-307	2.1	43
38	Predictors of child post-concussion symptoms at 6 and 18 months following mild traumatic brain injury. <i>Brain Injury</i> , 2013 , 27, 145-57	2.1	54
37	Interventions provided in the acute phase for mild traumatic brain injury: a systematic review. <i>Systematic Reviews</i> , 2013 , 2, 63	3	37
36	Early intervention for patients at risk for persisting disability after mild traumatic brain injury: a randomized, controlled study. <i>Brain Injury</i> , 2013 , 27, 318-24	2.1	29
35	Patient Characterization Protocols for Psychophysiological Studies of Traumatic Brain Injury and Post-TBI Psychiatric Disorders. <i>Frontiers in Neurology</i> , 2013 , 4, 91	4.1	16

34	Preinjury resilience and mood as predictors of early outcome following mild traumatic brain injury. <i>Journal of Neurotrauma</i> , 2013 , 30, 642-52	5.4	95
33	Acute concussion symptom severity and delayed symptom resolution. <i>Pediatrics</i> , 2014 , 134, 54-62	7.4	58
32	The Incidence of Postconcussion Syndrome Remains Stable Following Mild Traumatic Brain Injury in Children. <i>Pediatric Neurology</i> , 2015 , 53, 491-7	2.9	69
31	Systematic review of multivariable prognostic models for mild traumatic brain injury. <i>Journal of Neurotrauma</i> , 2015 , 32, 517-26	5.4	186
30	Psychological Factors Associated with Delayed Symptom Resolution in Children with Concussion. <i>Journal of Pediatrics</i> , 2016 , 174, 27-32.e1	3.6	59
29	Usefulness of the rivermead postconcussion symptoms questionnaire and the trail-making test for outcome prediction in patients with mild traumatic brain injury. <i>Applied Neuropsychology Adult</i> , 2016 , 23, 213-22	1.9	14
28	Impact of a State Law on Physician Practice in Sports-Related Concussions. <i>Journal of Pediatrics</i> , 2016 , 178, 268-274	3.6	8
27	Prognostic Markers for Poor Recovery After Mild Traumatic Brain Injury in Older Adults: A Pilot Cohort Study. <i>Journal of Head Trauma Rehabilitation</i> , 2016 , 31, E33-E43	3	13
26	Acute Alcohol Intoxication in Patients with Mild Traumatic Brain Injury: Characteristics, Recovery, and Outcome. <i>Journal of Neurotrauma</i> , 2016 , 33, 339-45	5.4	28
25	Decreased susceptibility of major veins in mild traumatic brain injury is correlated with post-concussive symptoms: A quantitative susceptibility mapping study. <i>NeuroImage: Clinical</i> , 2017 , 15, 625-632	5.3	14
24	Cognitive Behavioral Intervention Compared to Telephone Counseling Early after Mild Traumatic Brain Injury: A Randomized Trial. <i>Journal of Neurotrauma</i> , 2017 , 34, 2713-2720	5.4	26
23	Description of an early cognitive behavioral intervention (UPFRONT-intervention) following mild traumatic brain injury to prevent persistent complaints and facilitate return to work. <i>Clinical Rehabilitation</i> , 2017 , 31, 1019-1029	3.3	12
22	Risk factors and outcomes associated with post-traumatic headache after mild traumatic brain injury. <i>Emergency Medicine Journal</i> , 2017 , 34, 800-805	1.5	31
21	Patients "At Risk" of Suffering from Persistent Complaints after Mild Traumatic Brain Injury: The Role of Coping, Mood Disorders, and Post-Traumatic Stress. <i>Journal of Neurotrauma</i> , 2017 , 34, 31-37	5.4	46
20	Do Mild Traumatic Brain Injury Severity Sub-classification Systems Help to Identify People Who Go on to Experience Long-Term Symptoms?. <i>Brain Impairment</i> , 2018 , 19, 119-132	1	5
19	The Structure of the Rivermead Post-Concussion Symptoms Questionnaire in Australian Adults with Traumatic Brain Injury. <i>Brain Impairment</i> , 2018 , 19, 166-182	1	9
18	Acute Clinical Predictors of Symptom Recovery in Emergency Department Patients with Uncomplicated Mild Traumatic Brain Injury or Non-Traumatic Brain Injuries. <i>Journal of Neurotrauma</i> , 2018 , 35, 249-259	5.4	16
17	Psychological Predictors of Postconcussive Symptoms Following Traumatic Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2018 , 33, E47-E60	3	0

16	A comparison of emergency department medical records to parental self-reporting of traumatic brain injury symptoms. <i>Concussion</i> , 2018 , 3, CNC52	1.8	2
15	Association between ondansetron use and symptom persistence in children with concussions: A 5P substudy. <i>Canadian Journal of Emergency Medicine</i> , 2019 , 21, 204-210	0.6	2
14	The psychometric validation of the Dutch version of the Rivermead Post-Concussion Symptoms Questionnaire (RPQ) after traumatic brain injury (TBI). <i>PLoS ONE</i> , 2019 , 14, e0210138	3.7	9
13	Why Outcomes Vary. 2019 , 285-382		
12	Prediction of Global Functional Outcome and Post-Concussive Symptoms after Mild Traumatic Brain Injury: External Validation of Prognostic Models in the Collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury (CENTER-TBI) Study. <i>Journal of Neurotrauma</i> , 2021 , 38, 196-209	5.4	4
11	Postconcussion syndrome assessment, management, and treatment. 2021 , 327-331.e2		
10	A Prognostic Model for Predicting One-Month Outcomes among Emergency Department Patients with Mild Traumatic Brain Injury and a Presenting Glasgow Coma Scale of Fifteen. <i>Journal of Neurotrauma</i> , 2021 , 38, 2714-2722	5.4	2
9	Post-Traumatic Headache. 2011 , 461-469		1
8	Bench to Bedside: Evidence for Brain Injury after Concussion Looking beyond the Computed Tomography Scan. <i>Academic Emergency Medicine</i> , 2006 , 13, 199-214	3.4	52
7	Neurocognitive Assessment of mTBI. 2012 , 49-67		
6	Activity restriction for short-term and medium-term outcomes following mild traumatic brain injury.		
5	Activity restriction for short-term and medium-term outcomes following mild traumatic brain injury.		
4	Educational Disengagement Following Mild Traumatic Brain Injury in Childhood. 2016 , 209-220		
3	PoCS Rule : Derivation and Validation of a Clinical Decision Rule for Early Prediction of Persistent Symptoms after a mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> ,	5.4	0
2	The relationship between psychosocial and psychiatric risk factors and poor long term outcome following mild traumatic brain injury: a systematic review.		0
1	Optimizing early education provided at the Hull-Ellis Concussion and Research Clinic: A multiple methods evaluation from the Toronto Concussion Study. 1-13		0