CITATION REPORT List of articles citing

Forearm fractures as predictors of subsequent osteoporotic fractures

DOI: 10.1007/s001980050172 Osteoporosis International, 1999, 9, 469-75.

Source: https://exaly.com/paper-pdf/30500060/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
325	Bibliography. Current world literature. Spondyloarthropathies. 2000 , 12, B119-25		
324	Osteoporosis in men. 2000 , 7, 303-309		4
323	More broken bones: a 4-year double cohort study of young girls with and without distal forearm fractures. 2000 , 15, 2011-8		304
322	Genetic determination of Colles' fracture and differential bone mass in women with and without Colles' fracture. 2000 , 15, 1243-52		121
321	Epidemiology of osteoporotic fractures. 2000 , 54 Suppl 1, 58-63		98
320	Pharmacological interventions for the prevention of vertebral and nonvertebral fractures in women with postmenopausal osteoporosis: does site-specificity exist?. 2000 , 27, 765-8		7
319	The role of bone turnover markers and risk factors in the assessment of osteoporosis and fracture risk. 2000 , 14, 213-32		12
318	Selection of individuals for prevention of fractures due to bone fragility. 2000 , 14, 233-49		3
317	Bone mineral density and body composition in boys with distal forearm fractures: a dual-energy x-ray absorptiometry study. 2001 , 139, 509-15		381
316	Osteoporosis in men. 2001 , 27, 19-47		53
315	Epidemiology of osteoporosis. 2001 , 27, 1-18		39
314	The cost of osteoporotic fractures in the UK: projections for 2000\(\mathbb{Q}\)020. 2001 , 4, 51-62		104
313	Distal forearm fracture history in an older community-dwelling population: the Nottingham Community Osteoporosis (NOCOS) study. 2001 , 30, 255-8		26
312	Distal forearm fracturetime for action?. 2001 , 30, 187-8		6
311	Bone loss from the hand in women following distal forearm fracture. <i>Osteoporosis International</i> , 2001 , 12, 610-5	5.3	8
310	The burden of osteoporotic fractures: a method for setting intervention thresholds. <i>Osteoporosis International</i> , 2001 , 12, 417-27	5.3	490
309	Secondary prevention of osteoporosis: when should a non-vertebral fracture be a trigger for action?. 2001 , 94, 575-97		49

308	Osteoporosis. 2002 , 78, 526-32		23
307	Reduced bone mineral density in postmenopausal women self-reporting premenopausal wrist fractures. 2002 , 31, 102-6		23
306	Secondary osteoporosis and the risk of distal forearm fractures in men and women. 2002 , 31, 119-25		34
305	Preventing osteoporosis: outcomes of the Australian Fracture Prevention Summit. 2002, 176, S1-16		62
304	Osteoporosis intervention following distal forearm fractures: a missed opportunity?. 2002 , 162, 421-6		146
303	An osteoporosis clinical pathway for the medical management of patients with low-trauma fracture. <i>Osteoporosis International</i> , 2002 , 13, 450-5	5.3	138
302	Does a fracture at one site predict later fractures at other sites? A British cohort study. <i>Osteoporosis International</i> , 2002 , 13, 624-9	5.3	243
301	Is distal forearm fracture in men due to osteoporosis?. Osteoporosis International, 2002, 13, 630-6	5.3	42
300	Association between Colles' fracture and low bone mass: age-based differences in postmenopausal women. <i>Osteoporosis International</i> , 2002 , 13, 824-8	5.3	50
299	How many children remain fracture-free during growth? a longitudinal study of children and adolescents participating in the Dunedin Multidisciplinary Health and Development Study. <i>Osteoporosis International</i> , 2002 , 13, 990-5	5.3	185
298	Inpatient hospital and post-acute care for vertebral fractures in women. 2002, 5, 301-11		18
297	Radius bone strength in bending, compression, and falling and its correlation with clinical densitometry at multiple sites. 2002 , 17, 1629-38		86
296	Is the use of placebo controls ethically permissible in clinical trials of agents intended to reduce fractures in osteoporosis?. 2003 , 18, 1105-9		20
295	Male osteoporosis: epidemiology and pathophysiology. 2003 , 1, 71-7		19
294	Predicting the failure load of the distal radius. Osteoporosis International, 2003, 14, 345-52	5.3	109
293	The effect of vertebral fracture as a risk factor for osteoporotic fracture and mortality in a Spanish population. <i>Osteoporosis International</i> , 2003 , 14, 520-4	5.3	93
292	Identification of risk factors for future fracture in patients following distal forearm fracture. <i>Osteoporosis International</i> , 2003 , 14, 757-60	5.3	8
291	The contribution of hip fracture to risk of subsequent fractures: data from two longitudinal studies. Osteoporosis International, 2003, 14, 879-83	5.3	134

290	Lack of diagnosis and treatment of osteoporosis in men and women after hip fracture. 2003 , 23, 190-8	7 ²
289	Vertebral morphometric X-ray absorptiometry in women with Colles' fracture. 2003 , 6, 359-66	3
288	In vivo measurement of apparent trabecular bone structure of the radius in women with low bone density discriminates patients with recent wrist fracture from those without fracture. 2003 , 6, 35-43	19
287	Independent predictors of all osteoporosis-related fractures in healthy postmenopausal women: the OFELY study. 2003 , 32, 78-85	237
286	Densitometra Sea mediante ultrasonidos en pacientes con fractura de Colles. 2003, 37, 123-128	
285	Decrease in Physical Function after Fall-related Distal Forearm Fracture in Elderly Women. 2003, 5, 146-154	10
284	An economic analysis of hormone replacement therapy for the prevention of fracture in young postmenopausal women. 2003 , 4, 1479-88	7
283	Incidence of childhood distal forearm fractures over 30 years: a population-based study. 2003 , 290, 1479-85	338
282	Osteoporotische Wirbelfrakturen - Epidemiologie und Krankheitslast. 2003 , 79, 135-142	2
281	Reliability and validity of the self-efficacy and outcome expectations for osteoporosis medication adherence scales. 2003 , 22, 139-47	28
280	Assessment of the risk of fracture in patients with gastrointestinal disease. 2003, 15, 865-8	5
279	Limb fractures in elderly men as indicators of subsequent fracture risk. 2003, 163, 2741-7	22
278	A controlled trial to increase detection and treatment of osteoporosis in older patients with a wrist fracture. 2004 , 141, 366-73	134
277	Bone mineral density in the distal radius and increased risk of fractures in haemodialysis. 2004 , 19, 1012; author reply 1012-3	3
276	Epidemiology of Osteoporotic Fractures. 2004 , 29-37	1
275	Physical Therapists Should Consider Including Strength Training as Part of Fracture Rehabilitation. 2004 , 9, 51-59	2
274	Cadmium exposure and distal forearm fractures. 2004 , 19, 900-5	67
273	Evidence from data searches and life-table analyses for gender-related differences in absolute risk of hip fracture after Colles' or spine fracture: Colles' fracture as an early and sensitive marker of skeletal fragility in white men. 2004 , 19, 1933-44	70

(2005-2005)

272	Association between self-reported prior wrist fractures and risk of subsequent hip and radiographic vertebral fractures in older women: a prospective study. 2005 , 20, 100-6	50
271	Population trends in BMD testing, treatment, and hip and wrist fracture rates: are the hip fracture projections wrong?. 2005 , 20, 898-905	159
270	Can geometry-based parameters from pQCT and material parameters from quantitative ultrasound (QUS) improve the prediction of radial bone strength over that by bone mass (DXA)?. <i>Osteoporosis</i> International, 2004 , 15, 375-81	44
269	Osteoporosis screening of postmenopausal women in the primary care setting: a case-based approach. 2004 , 1, 70-85	14
268	Multislice computed tomography of the distal radius metaphysis: relationship of cortical bone structure with gender, age, osteoporotic status, and mechanical competence. 2004 , 7, 169-82	8
267	The use of digital X-ray radiogrammetry and peripheral dual energy X-ray absorptiometry in patients attending fracture clinic after distal forearm fracture. 2004 , 34, 716-9	19
266	Increased fragility in patients with fracture of the proximal humerus: a case control study. 2004 , 34, 1072-7	27
265	A meta-analysis of previous fracture and subsequent fracture risk. 2004 , 35, 375-82	871
264	Wristwatch-distal radial fracture as a marker for osteoporosis investigation: a controlled trial of patient education and a physician alerting system. 2004 , 17, 324-8	54
263	Commentary on the AAOS Position Statement: Recommendations for Enhancing the Care of Patients with Fragility Fractures. 2004 , 19, 121-125	1
262	Sant`posturale chez les femmes : Le rle de la physiothfapie. 2005 , 27, 501-510	
261	Postural health in women: the role of physiotherapy. 2005 , 27, 493-510	15
260	Potential impact of osteoporosis treatment on hip fracture trends. 2005 , 20, 895-7	29
259	Identification of osteopenic women at high risk of fracture: the OFELY study. 2005 , 20, 1813-9	277
258	Rate of forearm bone loss is associated with an increased risk of fracture independently of bone mass in postmenopausal women: the OFELY study. 2005 , 20, 1929-35	63
257	Improving osteoporosis management in at-risk fracture clinic patients. 2005 , 53, 727-8	9
256	Prevalence of overweight and obesity in older U.S. adults: estimates from the 2003 Behavioral Risk Factor Surveillance System survey. 2005 , 53, 737-9	43
255	In search of affordable prescription medications. 2005 , 53, 739-40	

254	Long-term practice of Jaques-Dalcroze eurhythmics prevents age-related increase of gait variability under a dual task. 2005 , 53, 728-9		20
253	Tiapride may accelerate lung cancer in older people: a case report. 2005 , 53, 731-2		2
252	Paroxetine and improvement of visual hallucinations in patients with dementia with lewy bodies. 2005 , 53, 732-3		8
251	No positive correlation between anemia and disability in older people in Japan. 2005, 53, 733-4		10
250	Decreased serum substance P concentration in the acute phase of intracranial hemorrhage. 2005 , 53, 734-5		2
249	Age and acute mountain sickness: examining the data. 2005 , 53, 735		3
248	Universal bone densitometry screening combined with alendronate therapy for those diagnosed with osteoporosis is highly cost-effective for elderly women. 2005 , 53, 1697-704		81
247	Nonagenarians and trauma: an increasingly common combination. 2005 , 53, 729-31		4
246	Walking while talking: a dopamine-responsive task in early Parkinson's disease. 2005 , 53, 735-7		1
245	Physiotherapy and osteoporosis: practice behaviors and clinicians' perceptionsa survey. 2005 , 10, 21-7		22
244	Bone mineral density measurement and osteoporosis treatment after a fragility fracture in older adults: regional variation and determinants of use in Quebec. 2005 , 6, 33		30
243	A study of bone mineral density in women with forearm fracture in Northern Ireland. <i>Osteoporosis International</i> , 2005 , 16, 430-4	5.3	11
242	Gender differences in trabecular bone architecture of the distal radius assessed with magnetic resonance imaging and implications for mechanical competence. <i>Osteoporosis International</i> , 2005 , 16, 1124-33	5.3	45
241	The characteristics of fractures in Polish adolescents aged 16-20 years. <i>Osteoporosis International</i> , 2005 , 16, 1397-403	5.3	19
240	Potential cost-effective use of spine radiographs to detect vertebral deformity and select osteopenic post-menopausal women for amino-bisphosphonate therapy. <i>Osteoporosis International</i> , 2005 , 16, 1883-93	5.3	30
239	Trends and determinants of antiresorptive drug use for osteoporosis among elderly women. 2005 , 14, 685-95		16
238	Where now for the management of osteoporosis?. 2005 , 66, 284-7		_
237	Cost-effectiveness of alendronate therapy for osteopenic postmenopausal women. 2005 , 142, 734-41		96

(2007-2005)

236	An AOA critical issue. The future of the orthopaedic surgeon-proceduralist or keeper of the musculoskeletal system?. 2005 , 87, 2812-2821		14
235	Postmenopausal women with colles' fracture have lower values of bone mineral density than controls as measured by quantitative ultrasound and densitometry. 2005 , 8, 430-5		4
234	Older patients with distal forearm fracture. A challenge to future fall and fracture prevention. 2005 , 17, 90-5		16
233	The use of sentinel injury deaths to evaluate the quality of multiple source reporting for occupational injuries. 2005 , 15, 219-27		13
232	Fractura de colles y osteoporosis generalizada. 2005 , 6, 144-150		
231	Epidemiology of osteoporosis. 2006 , 32, 617-29		135
230	[Hormone replacement therapy in the management of postmenopausal osteoporosis and prevention of fracture risk]. 2006 , 35, 1557-63		10
229	[Raloxifene in postmenopausal women]. 2006 , 34, 147-53		2
228	The epidemiology of hospitalised wrist fractures in older people, New South Wales, Australia. 2006 , 39, 1144-1148		26
227	Traitement hormonal et ostòporose postmhopausique. 2006 , 73, 812-816		
226	A study of male patients with forearm fracture in Northern Ireland. 2007 , 26, 191-5		13
225	The global perspective of osteoporosis : the ILAR lecture, June 2004, Berlin. 2006 , 25, 613-8		10
224	Rib fractures predict incident limb fractures: results from the European prospective osteoporosis study. <i>Osteoporosis International</i> , 2006 , 17, 41-5	5.3	30
223	Epidemiology of osteoporotic hip fractures in Spain. 2006 , 30, 11-4		45
222	Knowledge and opinions of orthopaedic surgeons concerning medical evaluation and treatment of patients with osteoporotic fracture. 2006 , 88, 18-24		28
221	Women with low-energy fracture should be investigated for osteoporosis. 2007 , 78, 813-21		32
220	Assessment of non-vertebral fracture risk in postmenopausal women. 2007 , 66, 931-5		18
219	Are distal radius fractures due to fragility or to falls? A consecutive case-control study of bone mineral density, tendency to fall, risk factors for osteoporosis, and health-related quality of life. 2007 , 78, 271-7		26

218	High-trauma fractures and low bone mineral density in older women and men. 2007, 298, 2381-8		261
217	Risk of subsequent fracture after low-trauma fracture in men and women. 2007 , 297, 387-94		444
216	Beyond hip: importance of other nonspinal fractures. 2007 , 120, 381-7		43
215	Load distribution and the predictive power of morphological indices in the distal radius and tibia by high resolution peripheral quantitative computed tomography. 2007 , 41, 129-37		101
214	Peripheral quantitative computed tomography (pQCT) is useful for monitoring bone mineral density of the patients who receive hormone replacement therapy. 2007 , 56, 343-9		12
213	La densitometra de calcaeo permite discriminar fracturas de muêca en mujeres ancianas. 2007 , 51, 214-217		3
212	Diagnosis and treatment of osteoporosis in postmenopausal women with distal radius fracture in Germany. 2007 , 23, 2171-81		11
211	[Osteoporotic fractures: risk assessment in clinical practice]. 2007 , 129, 418-23		7
210	Calcaneal Densitometry as a Tool for Identifying Wrist Fractures in Older Women. 2007 , 51, 214-217		
209	Osteoporosis. 145-165		
208	. 2007,		2
207	On the assessment of brittlelastic cortical bone fracture in the distal radius. 2007, 74, 1917-1927		18
206	Apparent Young's modulus of human radius using inverse finite-element method. 2007, 40, 2022-8		51
205	Potential for bone turnover markers to cost-effectively identify and select post-menopausal osteopenic women at high risk of fracture for bisphosphonate therapy. <i>Osteoporosis International</i> , 2007 , 18, 201-10	5.3	38
204	Urban-rural differences in distal forearm fractures: Cohort Norway. <i>Osteoporosis International</i> , 2007 , 18, 1063-72	5.3	21
203	Genetic determination in onset age of wrist fracture. 2007 , 52, 481-484		2
202	Frailty, osteoporosis and hip fracture: causes, consequences and therapeutic perspectives. 2008 , 12, 335-46		81
201	Epidemiology of distal forearm fractures in Oslo, Norway. <i>Osteoporosis International</i> , 2008 , 19, 781-6	5.3	79

(2008-2008)

200	results from the National Osteoporosis Risk Assessment (NORA). <i>Osteoporosis International</i> , 2008 , 5.3 19, 607-13	65
199	Measurement of trabecular bone microstructure does not improve prediction of mechanical failure loads at the distal radius compared with bone mass alone. 2008 , 83, 293-9	13
198	Osteoporosis epidemiology update. 2008 , 10, 92-6	112
197	Comment valuer le risque fracturaire en 2008. 2008 , 75, 931-934	2
196	High-resolution pQCT analysis at the distal radius and tibia discriminates patients with recent wrist and femoral neck fractures. 2008 , 23, 1741-50	163
195	Site-specific deterioration of trabecular bone architecture in men and women with advancing age. 2008 , 23, 1964-73	54
194	Predicting the fracture risk in 2008. 2008 , 75, 661-4	20
193	Epidemiology of osteoporosis. 2008 , 22, 671-85	204
192	Osteoporosis in men. 2008 , 22, 787-812	30
191	Epidemiologic Methods in Studies of Osteoporosis. 2008, 645-666	1
190	Evidence-Based Osteoporosis Care. 2008 , 1629-1649	
189	Spatial distribution of anisotropic acoustic impedance assessed by time-resolved 50-MHz scanning acoustic microscopy and its relation to porosity in human cortical bone. 2008 , 43, 187-194	28
188	Sex steroids and bone turnover markers in men with symptomatic vertebral fractures. 2008, 43, 999-1005	25
187	Fitting Curve Passing through Designated Point to Data for Promoting the Reproducibility of Peripheral Quantitative Computed Tomography (pQCT). 2008 ,	
186	Improving evaluation and treatment for osteoporosis following distal radial fractures. A prospective randomized intervention. 2008 , 90, 953-61	132
185	Weight cycling and risk of forearm fractures: a 28-year follow-up of men in the Oslo Study. 2008 , 167, 1005-13	20
184	Osteoporosis management: impact of fracture type on cost and quality of life in patients at risk for fracture I. 2008 , 24, 1781-8	53
183	Clinical risk factors for fracture in postmenopausal osteoporotic women: a review of the recent literature. 2008 , 42, 375-86	29

182	Healthy children with frequent fractures: how much evaluation is needed?. 2008 , 121, 890-7	30
181	Osteoporosis in men. 2008 , 29, 441-64	278
180	Non-hip peripheral osteoporotic fractures: epidemiology and significance. 2008 , 59, 53-8	4
179	The American Orthopaedic Association's "own the bone" initiative to prevent secondary fractures. 2008 , 90, 163-73	104
178	Whole bone geometry and bone quality in distal forearm fracture. 2008 , 22, S59-65	8
177	Osteoporosis in Men: Epidemiology, Pathophysiology, and Clinical Characterization. 2008, 1055-1094	
176	Osteoporosis in the aging male: treatment options. 2007 , 2, 521-36	22
175	Can a risk factor questionnaire for osteoporosis and functional tests predict low bone mineral density or falls in patients with a distal radius fracture?. 2009 , 11, 71-80	2
174	Male osteoporosis: diagnosis and fracture risk evaluation. 2009 , 76, 129-33	31
173	Peripheral quantitative computed tomography is useful to monitor response to alendronate therapy in postmenopausal women. 2009 , 27, 175-81	5
172	Fragilit, ostoporose et fracture du col du fmur: causes, consquences et perspectives thrapeutiques. 2009 , 1, 172-187	
171	Prediction of Colles' fracture load in human radius using cohesive finite element modeling. 2009 , 42, 22-8	29
170	Validation of an anatomy specific finite element model of Colles' fracture. 2009, 42, 1726-31	60
169	Ostòporose masculine : dîmarche diagnostique. Identification des hommes ^risque de fracture et identification des patients ncessitant un traitement. 2009 , 76, 216-221	
168	Quantitative computed tomography (QCT) of the forearm using general purpose spiral whole-body CT scanners: accuracy, precision and comparison with dual-energy X-ray absorptiometry (DXA). 2009 , 45, 110-8	85
167	Low volumetric BMD is linked to upper-limb fracture in pubertal girls and persists into adulthood: a seven-year cohort study. 2009 , 45, 480-6	33
166	Assessment of volume fraction and fabric in the distal radius using HR-pQCT. 2009 , 45, 909-17	26
165	Comparison of radiographic fracture healing in the distal radius for patients on and off bisphosphonate therapy. 2009 , 34, 595-602	75

(2011-2009)

164	[Low bone mineral density and other risk factors in prepubertal children with fracture of the distal forearm]. 2009 , 71, 383-90	3
163	Epidemiology of pediatric forearm fractures in Washington, DC. 2010 , 69, S200-5	58
162	Patients with prior fractures have an increased risk of future fractures: a summary of the literature and statistical synthesis. 2000 , 15, 721-39	1345
161	Novel ultrasonic bone densitometry based on two longitudinal waves: significant correlation with pQCT measurement values and age-related changes in trabecular bone density, cortical thickness, and elastic modulus of trabecular bone in a normal Japanese population. Osteoporosis International,	31
160	Prevalence and predictors of osteoporosis risk in orthopaedic patients. 2010 , 468, 1765-72	12
159	The definition and clinical significance of nonvertebral fractures. 2010 , 8, 227-34	3
158	Overcoming barriers to secondary prevention in hip fracture patients: An electronic referral and management system for osteoporosis. 2010 , 41, 1249-55	8
157	Pathway-based genome-wide association analysis identified the importance of regulation-of-autophagy pathway for ultradistal radius BMD. 2010 , 25, 1572-80	82
156	Osteoporosis: social and economic impact. 2010 , 48, 477-82	77
155	Osteoporosis: impact on health and economics. 2010 , 6, 99-105	382
155 154	Osteoporosis: impact on health and economics. 2010 , 6, 99-105 HR-pQCT based FE analysis of the most distal radius section provides an improved prediction of Colles' fracture load in vitro. 2010 , 47, 982-8	382 58
	HR-pQCT based FE analysis of the most distal radius section provides an improved prediction of	
154	HR-pQCT based FE analysis of the most distal radius section provides an improved prediction of Colles' fracture load in vitro. 2010 , 47, 982-8 Comparison of pQCT-based measures of radial bone geometry and apparent trabecular bone	58
154 153	HR-pQCT based FE analysis of the most distal radius section provides an improved prediction of Colles' fracture load in vitro. 2010, 47, 982-8 Comparison of pQCT-based measures of radial bone geometry and apparent trabecular bone structure using manufacturer and in-house-developed algorithms. 2010, 13, 433-40 Official Positions for FRAXII clinical regarding prior fractures from Joint Official Positions Development Conference of the International Society for Clinical Densitometry and International	58
154 153 152	HR-pQCT based FE analysis of the most distal radius section provides an improved prediction of Colles' fracture load in vitro. 2010, 47, 982-8 Comparison of pQCT-based measures of radial bone geometry and apparent trabecular bone structure using manufacturer and in-house-developed algorithms. 2010, 13, 433-40 Official Positions for FRAXII clinical regarding prior fractures from Joint Official Positions Development Conference of the International Society for Clinical Densitometry and International Osteoporosis Foundation on FRAXII. 2011, 14, 205-11 Cortical and trabecular bone at the radius and tibia in postmenopausal breast cancer patients: a	58 5 20
154 153 152 151	HR-pQCT based FE analysis of the most distal radius section provides an improved prediction of Colles' fracture load in vitro. 2010, 47, 982-8 Comparison of pQCT-based measures of radial bone geometry and apparent trabecular bone structure using manufacturer and in-house-developed algorithms. 2010, 13, 433-40 Official Positions for FRAXII clinical regarding prior fractures from Joint Official Positions Development Conference of the International Society for Clinical Densitometry and International Osteoporosis Foundation on FRAXII. 2011, 14, 205-11 Cortical and trabecular bone at the radius and tibia in postmenopausal breast cancer patients: a Peripheral Quantitative Computed Tomography (pQCT) study. 2011, 48, 218-24	58 5 20
154 153 152 151 150	HR-pQCT based FE analysis of the most distal radius section provides an improved prediction of Colles' fracture load in vitro. 2010, 47, 982-8 Comparison of pQCT-based measures of radial bone geometry and apparent trabecular bone structure using manufacturer and in-house-developed algorithms. 2010, 13, 433-40 Official Positions for FRAXII clinical regarding prior fractures from Joint Official Positions Development Conference of the International Society for Clinical Densitometry and International Osteoporosis Foundation on FRAXII. 2011, 14, 205-11 Cortical and trabecular bone at the radius and tibia in postmenopausal breast cancer patients: a Peripheral Quantitative Computed Tomography (pQCT) study. 2011, 48, 218-24 Which fractures are most attributable to osteoporosis?. 2011, 64, 46-53	58 5 20 15 163
154 153 152 151 150	HR-pQCT based FE analysis of the most distal radius section provides an improved prediction of Colles' fracture load in vitro. 2010, 47, 982-8 Comparison of pQCT-based measures of radial bone geometry and apparent trabecular bone structure using manufacturer and in-house-developed algorithms. 2010, 13, 433-40 Official Positions for FRAXII clinical regarding prior fractures from Joint Official Positions Development Conference of the International Society for Clinical Densitometry and International Osteoporosis Foundation on FRAXII. 2011, 14, 205-11 Cortical and trabecular bone at the radius and tibia in postmenopausal breast cancer patients: a Peripheral Quantitative Computed Tomography (pQCT) study. 2011, 48, 218-24 Which fractures are most attributable to osteoporosis?. 2011, 64, 46-53 [Application of guidelines for secondary prevention of fracture and the FRAX index in patients with fragility fracture]. 2011, 136, 290-2 The Incidence of Osteoporosis and the Necessity of Bone Mineral Density Measurement in Distal	58 5 20 15 163

146	Clinical and demographic factors associated with fractures among older Americans. <i>Osteoporosis International</i> , 2011 , 22, 1263-74	5.3	63
145	Secondary prevention program for osteoporotic fractures and long-term adherence to bisphosphonates. <i>Osteoporosis International</i> , 2011 , 22, 1821-8	5.3	28
144	A population-based study on trend in incidence of distal radial fractures in adults in Taiwan in 2000-2007. <i>Osteoporosis International</i> , 2011 , 22, 2809-15	5.3	18
143	Prevalence and costs of osteoporotic patients with subsequent non-vertebral fractures in the US. <i>Osteoporosis International</i> , 2011 , 22, 2611-21	5.3	23
142	Minor, major, low-trauma, and high-trauma fractures: what are the subsequent fracture risks and how do they vary?. 2011 , 9, 122-8		41
141	The economics of improving medication adherence in osteoporosis: validation and application of a simulation model. 2011 , 96, 2762-70		20
140	Epidemiology of fall related forearm and wrist fractures among adults treated in US hospital emergency departments. 2011 , 17, 33-6		22
139	Bone mineral density and vitamin D status among African American children with forearm fractures. 2012 , 130, e553-60		43
138	Burden of non-hip, non-vertebral fractures on quality of life in postmenopausal women: the Global Longitudinal study of Osteoporosis in Women (GLOW). <i>Osteoporosis International</i> , 2012 , 23, 2863-71	5.3	73
137	Recognizing and treating secondary osteoporosis. 2012 , 8, 480-92		28
136	Distal radius fracture risk reduction with a comprehensive osteoporosis management program. 2012 , 37, 1543-9		22
135	Osteoporosis and upper extremity fragility fractures. 2012 , 37, 165-7		10
134	Journal CME Questions. 2012 , 37, 167		
133	The epidemiology of distal radius fractures. 2012 , 28, 113-25		383
132	The increasing incidence of paediatric diaphyseal both-bone forearm fractures and their internal fixation during the last decade. 2012 , 43, 362-6		65
131	Rib fracture as a predictor of future fractures in young and older postmenopausal women: National Osteoporosis Risk Assessment (NORA). <i>Osteoporosis International</i> , 2012 , 23, 821-8	5.3	19
130	Osteoporosis in Men. 2013 , 757-802		3
129	Osteoporosis diagnosis and medical treatment. 2013 , 44, 125-35		25

128	The Epidemiology of Osteoporotic Fractures. 2013 , 348-356	13
127	Distal forearm fractures and inheritance of bone mass. 2013 , 16, 79-80	
126	Fracture history of healthy premenopausal women is associated with a reduction of cortical microstructural components at the distal radius. 2013 , 55, 377-83	40
125	Factor of Risk for Fracture. 2013 , 133-150	
124	Progressively increasing fracture risk with advancing age after initial incident fragility fracture: the Troms[study. 2013 , 28, 2214-21	56
123	Outcomes Following Osteoporotic Fractures. 2013 , 841-852	4
122	Multiscale modeling of bone fracture using cohesive finite elements. 2013 , 103, 141-152	51
121	A new fracture assessment approach coupling HR-pQCT imaging and fracture mechanics-based finite element modeling. 2013 , 46, 1305-11	13
120	Recommendations for the acute and long-term medical management of low-trauma hip fractures. 2013 , 18, 21-32	5
119	Premenopausal women with a distal radial fracture have deteriorated trabecular bone density and morphology compared with controls without a fracture. 2013 , 95, 633-42	47
118	Incidence of subsequent hip fractures is significantly increased within the first month after distal radius fracture in patients older than 60 years. 2013 , 74, 317-21	32
117	Metabolic and Endocrine Disorders. 2013 , 215-231	
116	Survival times of patients with a first hip fracture with and without subsequent major long-bone fractures. 2013 , 80, 42-9	2
115	Distal radial fractures in older men. A missed opportunity?. 2014 , 96, 1820-7	21
114	Is loss in femorotibial cartilage thickness related to severity of contra-lateral radiographic knee osteoarthritis?longitudinal data from the Osteoarthritis Initiative. 2014 , 22, 2059-66	4
113	Management of Osteoporotic Patients with Distal Radial Fractures. 2014 , 2,	2
112	Improving compliance to osteoporosis workup and treatment in postmenopausal patients after a distal radius fracture. 2014 , 53, 206-9	6
111	Characterizing microarchitectural changes at the distal radius and tibia in postmenopausal women using HR-pQCT. <i>Osteoporosis International</i> , 2014 , 25, 2057-66	3 45

110	Results of a model of secondary prevention for osteoporotic fracture coordinated by rheumatology and focused on the nurse and primary care physicians. 2014 , 10, 299-303		17
109	Results of a Model of Secondary Prevention for Osteoporotic Fracture Coordinated by Rheumatology and Focused on the Nurse and Primary Care Physicians. 2014 , 10, 299-303		2
108	Medical management of fragility fractures of the distal radius. 2014, 37, e1068-73		7
107	The relationship between fracture and quality of life in Korean adults receiving treatment for osteoporosis based on the 2010 Korean Community Health Survey. 2015 , 27, 2083-6		5
106	Use of anti-osteoporotic drugs in central Norway after a forearm fracture. 2015 , 10, 235		10
105	Wrist Fracture and Risk of Subsequent Fracture: Findings from the Women's Health Initiative Study. 2015 , 30, 2086-95		37
104	The Association Between Weight Status and Pediatric Forearm Fractures Resulting From Ground-Level Falls. 2015 , 31, 835-8		14
103	Estimating osteoporotic fracture risk following a wrist fracture: a tale of two systems. 2015 , 10, 13		8
102	Management of osteoporosis in women after forearm fracture: data from a French health insurance database. 2015 , 82, 52-5		10
101	Correlation between distal radial cortical thickness and bone mineral density. 2015 , 40, 493-9		33
100	Opportunistic Osteoporosis Screening - Gleaning Additional Information from Diagnostic Wrist CT Scans. 2015 , 97, 1095-100		38
99	Fracture incidence in a large cohort of men age 30 years and older with osteoporosis. <i>Osteoporosis International</i> , 2015 , 26, 1619-27	5.3	11
98	Prise en charge de l'Ostòporose apr'il une fracture de l'Elvant-bras´: analyse ^partir d'Une base de donn'es de l'Assurance Maladie. 2015 , 82, 253-256		
97	Mortality after distal radial fractures in the Medicare population. 2015 , 40, 805-11		11
96	25-Hydroxyvitamin-D and Bone Turnover Marker Levels in Patients with Distal Radial Fracture. 2015 , 97, 1685-93		19
95	Reliability and validity of selected measures associated with increased fall risk in females over the age of 45 years with distal radius fracture - A pilot study. 2015 , 28, 2-9; quiz 10		10
94	In vivo precision of three HR-pQCT-derived finite element models of the distal radius and tibia in postmenopausal women. 2016 , 17, 389		13
93	Osteoporotische WirbelkEperfrakturen. 2016 , 04, 303-328		

92	Falls and Wrist Fracture: Relationship to Women's Functional Status after Age 50. 2016 , 35, 361-71		6
91	Colles' fractures and osteoporosisA new role for the Emergency Department. 2016 , 47, 930-3		6
90	Secondary prevention of osteoporosis following fragility fractures of the distal radius in a large health maintenance organization. 2016 , 11, 20		14
89	Using Hounsfield Units to Assess Osteoporotic Status on Wrist Computed Tomography Scans: Comparison With Dual Energy X-Ray Absorptiometry. 2016 , 41, 767-74		44
88	Forearm fractures in Central Norway, 1999-2012: incidence, time trends, and seasonal variation. 2016 , 11, 7		11
87	High Prevalence of Osteoporosis in Men with Distal Radius Fracture: A Cross-Sectional Study of 233 Men. 2016 , 99, 250-8		6
86	Epidemiology of distal radius fractures and factors predicting risk and prognosis. 2016, 29, 136-45		147
85	Hip fractures, preceding distal radius fractures and screening for osteoporosis: should we be screening earlier? A minimum 10-year retrospective cohort study at a single centre. <i>Osteoporosis International</i> , 2016 , 27, 361-6	5.3	10
84	IT-based trabecular anisotropy can be reproducibly computed from HR-pQCT scans using the triangulated bone surface. 2017 , 97, 114-120		9
83	Does regional loss of bone density explain low trauma distal forearm fractures in men (the Mr F study)?. <i>Osteoporosis International</i> , 2017 , 28, 2877-2886	5.3	6
82	Risk of hip fracture following a wrist fracture-A meta-analysis. 2017, 48, 399-405		19
81	Prevalence of vitamin D insufficiency in children with forearm fractures. <i>Journal of Childrent</i> s <i>Orthopaedics</i> , 2017 , 11, 180-184	2.1	11
80	2018 update of French recommendations on the management of postmenopausal osteoporosis. 2018 , 85, 519-530		65
79	Actualisation 2018 des recommandations fran\(\text{alises}\) du traitement de l\(\text{D}\)st\(\text{oporose}\) post-m\(\text{opausique}\). 2018, 85, 428-440		5
78	Characterization of trabecular bone microstructure in premenopausal women with distal radius fractures. <i>Osteoporosis International</i> , 2018 , 29, 409-419	5.3	6
77	A comprehensive overview on osteoporosis and its risk factors. 2018 , 14, 2029-2049		88
76	The relationship between estimated bone strength by finite element analysis at the peripheral skeleton to areal BMD and trabecular bone score at lumbar spine. 2018 , 117, 47-53		4
75	The Use of Distal Ulnar Hounsfield Units to Predict Future Fragility Fracture Risk. 2018 , 43, 1010-1015		3

74	Sensory impairments and wrist fractures: A case-control study. 2018 , 50, 209-215		7
73	Considerations in the Treatment of Osteoporotic Distal Radius Fractures in Elderly Patients. 2019 , 12, 50-56		14
7 ²	Long-term denosumab treatment restores cortical bone loss and reduces fracture risk at the forearm and humerus: analyses from the FREEDOM Extension cross-over group. <i>Osteoporosis International</i> , 2019 , 30, 1855-1864	5.3	9
71	Abaloparatide effect on forearm bone mineral density and wrist fracture risk in postmenopausal women with osteoporosis. <i>Osteoporosis International</i> , 2019 , 30, 1187-1194	5.3	15
70	Mortality and cause of death in distal radius fracture patients: A longitudinal follow-up study using a national sample cohort. 2019 , 98, e18604		3
69	4 Distal Radius Fracture: The Evidence. 2019 ,		
68	Association of Modifiable Risk Factors with Bone Mineral Density among People with Distal Radius Fracture: A Cross-Sectional Study. 2019 , 71, 58-68		
67	Multi-sensory training and wrist fractures: a randomized, controlled trial. 2020 , 32, 29-40		2
66	Coding and prescription rates of osteoporosis are low among distal radius fracture patients in Japan. 2020 , 38, 363-370		
65	Distal radius sections offer accurate and precise estimates of forearm fracture load. 2020 , 80, 105144		2
64	Gait analysis of patients with distal radius fracture by using a novel laser Timed Up-and-Go system. 2020 , 80, 223-227		2
63	High Luteinizing Hormone and Lower Levels of Sex Hormones in Younger Men With Distal Radius Fracture. 2020 , 4, e10421		O
62	Vertebral fracture assessment (VFA) for osteoporosis screening in US postmenopausal women: is it cost-effective?. <i>Osteoporosis International</i> , 2020 , 31, 2321-2335	5.3	7
61	Low-trauma ankle fractures in Brazil: secular trends in patients over 50 years old from 2004 to 2013. 2020 , 15, 105		2
60	Patient-related outcome, fracture displacement and bone mineral density following distal radius fracture in young and older men. 2020 , 21, 816		1
59	"Age Is Just a Number": Distal Radius Fractures in Patients Over 75. 2020 , 1558944720906552		2
58	Burden of fractures in France: incidence and severity by age, gender, and site in 2016. 2020 , 44, 947-955		6
57	Utility of Distal Forearm DXA as a Screening Tool for Primary Osteoporotic Fragility Fractures of the Distal Radius: A Case-Control Study. 2020 , 5, e0036		3

56	Off-axis loads cause failure of the distal radius at lower magnitudes than axial loads: A side-to-side experimental study. 2020 , 38, 1688-1692	1
55	Computed Tomography Evaluation of Forearm and Hand Muscles in Patients With Distal Radius Fracture. 2021 , 24, 88-93	1
54	Incidence of subsequent osteoporotic fractures after distal radius fractures and mortality of the subsequent distal radius fractures: a retrospective analysis of claims data of the Korea National Health Insurance Service. <i>Osteoporosis International</i> , 2021 , 32, 293-299	5
53	Epidemiology of Distal Radius Fractures. 2021 , 13-19	
52	Prevention of Distal Radius Fractures. 2021 , 309-317	
51	Reduced Awareness for Osteoporosis in Distal Radius Fracture Patients Compared to Patients with Proximal Femur Fractures. 2021 , 10,	O
50	Distal Radius Fractures in Patients Aged 50 Years or Older: Obstacles to Bone Health Analysis and Follow-Up in a Community Setting 2021 , 3, 88-93	0
49	Assessment of previous fracture and anti-osteoporotic medication prescription in hip fracture patients. 2021 , 1	Ο
48	Rate of Bone Mineral Density Testing and Subsequent Fracture-Free Interval After Distal Forearm Fracture in the Medicare Population. 2021 , 46, 267-277	1
47	Risk of Subsequent Fractures in Postmenopausal Women After Nontraumatic vs Traumatic Fractures. 2021 , 181, 1055-1063	3
46	High Risk of Hip and Spinal Fractures after Distal Radius Fracture: A Longitudinal Follow-Up Study Using a National Sample Cohort. 2021 , 18,	0
45	Associations of age at menopause with postmenopausal bone mineral density and fracture risk in women. 2021 ,	3
44	Site-Specific Volumetric Skeletal Changes in Women with a Distal Forearm Fracture. 2021 , 2021, 1578543	
43	Distal Radius Fractures. 2022 , 470-484	
42	The Epidemiology of Fracture: Why Treatment Matters. 2021 , 1-16	
41	Number, Location, and Time Since Prior Fracture as Predictors of Future Fracture in the Elderly From the General Population. 2018 , 33, 1956-1966	13
40	Individualized Prognosis of Fracture in Men. 2010 , 361-373	3
39	The Epidemiology of Osteoporotic Fractures. 2006 , 1-13	1

38	Assessment of Fracture Risk. 2008 , 923-957	2
37	Osteoporosis in Men. 2001 , 103-149	4
36	Metabolic Bone Disease. 2010 , 553-565	2
35	Association of Insulin-like Growth Factor-1, Bone Mass and Inflammation to Low-energy Distal Radius Fractures and Fracture Healing in Elderly Women Attending Emergency Care. 2017 , 9, 380-385	7
34	Low Osteoporosis Treatment Initiation Rate in Women after Distal Forearm or Proximal Humerus Fracture: A Healthcare Database Nested Cohort Study. 2015 , 10, e0143842	15
33	Refractures in patients at least forty-five years old. a prospective analysis of twenty-two thousand and sixty patients. 2002 , 84, 1528-33	73
32	Colles fracture, spine fracture, and subsequent risk of hip fracture in men and women. A meta-analysis. 2003 , 85, 1936-43	129
31	AN AOA CRITICAL ISSUE. 2005 , 87, 2812-2821	4
30	Prevalence of Osteoporosis in Patients with Distal Radius Fracture from Low-Energy Trauma. 2019 , 13, 15-20	4
29	Assessing the Relationship Between 25-Hydroxy Vitamin D3 Deficiency with Forearm Fracture in 2 to 15 Year-Old Children. 2016 , 2,	1
28	Identification of Patients with a Fragility Fracture in a Fracture Clinic Setting. 2002, 235-246	
27	KNOWLEDGE AND OPINIONS OF ORTHOPAEDIC SURGEONS CONCERNING MEDICAL EVALUATION AND TREATMENT OF PATIENTS WITH OSTEOPOROTIC FRACTURE. 2006 , 88, 18-24	20
26	Awareness of Osteoporosis and Related Treatments. 2006 , 141-144	
25	Osteoporosis. 2009 , 393-404	
24	Screening for Osteoporosis. 2010 , 527-543	
23	Epidemiology and classification of metabolic bone disease. 2011 , 1937-1944.e1	
22	Bones. 2011 , 218-235	
21	Epidemiology and classification of osteoporosis. 2015 , 1633-1640	1

20	Prevalence of vitamin D insufficiency in children with forearm fractures. <i>Journal of Childrents Orthopaedics</i> , 1-5	2.1	
19	History of fractures as predictor of subsequent hip and nonhip fractures among older Mexican Americans. <i>Journal of the National Medical Association</i> , 2007 , 99, 412-8	2.3	24
18	Male osteoporosis and androgenic therapy: from testosterone to SARMs. <i>Clinical Cases in Mineral and Bone Metabolism</i> , 2009 , 6, 229-33		9
17	Accident or osteoporosis?: Survey of community follow-up after low-trauma fracture. <i>Canadian Family Physician</i> , 2011 , 57, e128-33	0.9	4
16	Utilization of DXA Bone Mineral Densitometry in Ontario: An Evidence-Based Analysis. <i>Ontario Health Technology Assessment Series</i> , 2006 , 6, 1-180	3.1	12
15	Least significant changes and monitoring time intervals for high-resolution pQCT-derived bone outcomes in postmenopausal women. <i>Journal of Musculoskeletal Neuronal Interactions</i> , 2015 , 15, 190-6	1.3	13
14	Osteoporose und unfallchirurgische Verantwortlichkeit. <i>Acta Chirurgica Austriaca</i> , 2000 , 32, 154-155		
13	The Prevalence of Osteoporosis in Patients Older than 50 Years with Distal Radius Fractures in an Institutional Registry of 2,572 Patients in Singapore <i>journal of hand surgery Asian-Pacific volume, The</i> , 2022 , 2250002	0.5	
12	Sarcopenia in Distal Radius Fractures: A Scoping Review <i>Journal of Frailty & Distal Radius Fractures</i> : A Scoping Review <i>Journal of Frailty & Distal Radius Fractures</i> : A Scoping Review <i>Journal of Frailty & Distal Radius Fractures</i> : A Scoping Review <i>Journal of Frailty & Distal Radius Fractures</i> : A Scoping Review <i>Journal of Frailty & Distal Radius Fractures</i> : A Scoping Review <i>Journal of Frailty & Distal Radius Fractures</i> : A Scoping Review <i>Journal of Frailty & Distal Radius Fractures</i> : A Scoping Review <i>Journal of Frailty & Distal Radius Fractures</i> : A Scoping Review <i>Journal of Frailty & Distal Radius Fractures</i> : A Scoping Review <i>Journal of Frailty & Distal Radius Frail</i>	2.6	O
11	Distal radius fractures and risk of incident neurocognitive disorders in older adults: a retrospective cohort study. <i>Osteoporosis International</i> ,	5.3	
10	Risk factors of refracture after a fragility fracture in elderly. 2022 , 17,		
9	The risk factors for subsequent fractures after distal radius fracture.		
8	Reduced trabecular bone mineral density and thinner cortices in men with distal forearm fractures. 2022 , 164, 116513		
7	Evaluating probable predictors for fall related wrist fracture among the elderly population in a tertiary care hospital, Bhubaneswar. 2022 , 8, 200-205		O
6	Bone Mineral Density at Distal Forearm in Women in Mae Chaem District, Chiang Mai Province, Thailand: A Cross-Sectional Study. 2022 , 15,		O
5	The clinical necessity of a distal forearm DEXA scan for predicting distal radius fracture in elderly females: a retrospective case-control study.		О
4	The clinical necessity of a distal forearm DEXA scan for predicting distal radius fracture in elderly females: a retrospective case-control study. 2023 , 24,		О
3	Dietary Inflammatory Index and Fractures in Midlife Women: Study of Women's Health Across the Nation.		O

Declining Trend in Anti-osteoporotic Treatment, Despite a Rise in DEXA Screening Following BentinellDistal Radius Fractures. 155894472311531

О

Epidemiology of premenopausal osteoporosis in Japan: a retrospective cohort study based on real-world data.

О