

Late-glacial and Holocene vegetation history and dynamic
macrofossil analyses in annually laminated sediments from
Switzerland

Vegetation History and Archaeobotany
8, 165-184

DOI: [10.1007/bf02342718](https://doi.org/10.1007/bf02342718)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Title is missing!. Journal of Paleolimnology, 2001, 25, 411-420.	1.6	23
2	Title is missing!. Journal of Paleolimnology, 2001, 25, 65-79.	1.6	81
3	Response of interior North America to abrupt climate oscillations in the North Atlantic region during the last deglaciation. Earth-Science Reviews, 2001, 52, 333-369.	9.1	100
4	Lateglacial and Early Holocene vegetation history of the northern Wetterau and the Amöneburger Basin (Hessen), central-west Germany. Review of Palaeobotany and Palynology, 2001, 115, 177-204.	1.5	52
5	Central European vegetation response to abrupt climate change at 8.2 ka. Geology, 2001, 29, 551.	4.4	320
6	Plant Macrofossils. Developments in Paleoenvironmental Research, 2002, , 49-74.	8.0	45
7	Untangling a Holocene pollen record with forest model simulations and independent climate data. Ecological Modelling, 2002, 150, 1-21.	2.5	37
8	Impact of the Late Glacial Eruption of the Laacher See Volcano, Central Rhineland, Germany. Quaternary Research, 2002, 58, 273-288.	1.7	110
9	Title is missing!. Journal of Paleolimnology, 2003, 30, 261-272.	1.6	86
10	Environmental response to climatic and volcanic events in central Europe during the Weichselian Lateglacial. Quaternary Science Reviews, 2003, 22, 7-32.	3.0	124
11	Climatic change and contemporaneous land-use phases north and south of the Alps 2300 BC to 800 AD. Quaternary Science Reviews, 2003, 22, 1447-1460.	3.0	177
12	Human impact and climate changes – synchronous events and a causal link?. Quaternary International, 2003, 105, 7-12.	1.5	191
13	The last climatic cycles in Western Europe: a comparison between long continuous lacustrine sequences from France and other terrestrial records. Quaternary International, 2003, 111, 59-74.	1.5	89
14	Comparing contact-period archaeologies. Before Farming, 2004, 2004, 1-35.	0.2	9
15	Reverberations of Change: The Responses of the Earth System to Human Activities. Global Change - the IGBP Series, 2005, , 143-202.	2.1	0
16	Vegetation history and lake-level changes from the Younger Dryas to the present in Eastern Pyrenees (France): pollen, plant macrofossils and lithostratigraphy from Lake Racou (2000 m a.s.l.). Vegetation History and Archaeobotany, 2005, 14, 99-118.	2.1	37
17	Der nacheiszeitliche Bergsturz im Kandertal (Schweiz): Alter und Auswirkungen auf die damalige Umwelt. Eclogae Geologicae Helveticae, 2005, 98, 83-95.	0.6	22
18	An introduction to models and modelling. , 2005, , 19-33.		1

#	ARTICLE	IF	CITATIONS
19	Glacial and interglacial worlds. , 2005, , 74-96.		0
20	The Holocene. , 2005, , 118-151.		0
22	The palaeo-record: approaches, timeframes and chronology. , 2005, , 34-49.		0
23	The Palaeo-record: archives, proxies and calibration. , 2005, , 50-73.		0
24	The transition from the last glacial maximum to the Holocene. , 2005, , 97-117.		0
25	Changing biodiversity. , 2005, , 190-196.		0
26	Detection and attribution. , 2005, , 197-228.		0
28	The Anthropocene " a changing atmosphere. , 2005, , 152-168.		0
29	The Anthropocene " changing land. , 2005, , 169-178.		0
30	The Anthropocene: changing aquatic environments and ecosystems. , 2005, , 179-189.		0
31	Future global mean temperatures and sea-level. , 2005, , 229-246.		0
32	From the global to the specific. , 2005, , 247-261.		0
33	Impacts and vulnerability. , 2005, , 262-278.		1
34	Sceptics, responses and partial answers. , 2005, , 279-295.		0
35	Fire ecology north and south of the Alps since the last ice age. Holocene, 2005, 15, 1214-1226.	1.7	194
37	Early-Holocene afforestation processes in the lower subalpine belt of the Central Swiss Alps as inferred from macrofossil and pollen records. Holocene, 2005, 15, 672-686.	1.7	43
39	Petit-Lac (western Lake Geneva) environment and climate history from deglaciation to the present: a synthesis. Boreas, 2005, 34, 417-433.	2.4	25
40	Holocene expansions of <i>Fagus sylvatica</i> and <i>Abies alba</i> in Central Europe: where are we after eight decades of debate?. Quaternary Science Reviews, 2006, 25, 526-549.	3.0	218

#	ARTICLE	IF	CITATIONS
41	The expansion of hazel (<i>Corylus avellana</i> L.) in the southern Alps: a key for understanding its early Holocene history in Europe?. <i>Quaternary Science Reviews</i> , 2006, 25, 612-631.	3.0	105
42	ORIGINAL ARTICLE: Towards an understanding of the Holocene distribution of <i>Fagus sylvatica</i> L.. <i>Journal of Biogeography</i> , 2006, 34, 118-131.	3.0	136
43	Postglacial vegetational and fire history: pollen, plant macrofossil and charcoal records from two Alaskan lakes. <i>Vegetation History and Archaeobotany</i> , 2006, 15, 279-293.	2.1	51
44	Multi-proxy studies in palaeolimnology. <i>Vegetation History and Archaeobotany</i> , 2006, 15, 235-251.	2.1	294
45	Evidence for Mesolithic agriculture in and around central Europe?. <i>Vegetation History and Archaeobotany</i> , 2006, 16, 203-219.	2.1	109
46	Holocene vegetation and land-use changes in response to climatic changes in the forelands of the southwestern Alps, Italy. <i>Journal of Quaternary Science</i> , 2006, 21, 243-258.	2.1	45
47	Forest dynamics in the Pfyn forest in recent centuries (Valais, Switzerland, Central Alps): interaction of pine (<i>Pinus sylvestris</i>) and oak (<i>Quercus</i> sp.) under changing land use and fire frequency. <i>Holocene</i> , 2006, 16, 81-89.	1.7	10
48	16 000 years of vegetation and settlement history from Egelsee (Menzingen, central Switzerland). <i>Holocene</i> , 2007, 17, 747-761.	1.7	35
49	Long-term vegetation changes in the northern Scandinavian forest limit: a human impact-climate synergy?. <i>Holocene</i> , 2007, 17, 37-49.	1.7	33
50	Mesolithic agriculture in Switzerland? A critical review of the evidence. <i>Quaternary Science Reviews</i> , 2007, 26, 1416-1431.	3.0	66
51	Interactions between climate and vegetation during the Lateglacial period as recorded by lake and mire sediment archives in Northern Italy and Southern Switzerland. <i>Quaternary Science Reviews</i> , 2007, 26, 1650-1669.	3.0	141
52	Charcoal and fly-ash particles from Lake Lucerne sediments (Central Switzerland) characterized by image analysis: anthropologic, stratigraphic and environmental implications. <i>Quaternary Science Reviews</i> , 2007, 26, 2631-2643.	3.0	30
53	Evidence for the presence of the Vedde Ash in Central Europe. <i>Quaternary Science Reviews</i> , 2007, 26, 3030-3036.	3.0	74
54	Using the Past to Understand the Present Land Use and Land Cover. <i>Landscape Series</i> , 2007, , 133-144.	0.2	14
55	Patterns of post-glacial spread and the extent of glacial refugia of European beech (<i>Fagus sylvatica</i>) in Central Europe. <i>Journal of Biogeography</i> , 2007, 34, 118-131.	3.0	243
56	Improved age modelling approaches as exemplified by the revised chronology for the Central European varved lake Soppensee. <i>Quaternary Science Reviews</i> , 2008, 27, 61-71.	3.0	85
57	Spatial distribution of macrofossil assemblages in surface sediments of two small lakes in Estonia. <i>Estonian Journal of Ecology</i> , 2008, 57, 5.	0.5	18
58	Palaeoenvironmental changes and vegetation history of the northern Upper Rhine Graben (southwestern Germany) since the Lateglacial. <i>Geologie En Mijnbouw/Netherlands Journal of Geosciences</i> , 2008, 87, 67-90.	0.9	19

#	ARTICLE	IF	CITATIONS
59	Climate-induced changes in the trophic status of a Central European lake. <i>Journal of Limnology</i> , 2009, 68, 71.	1.1	36
60	Comparing seeds/fruits and pollen from a Middle Bronze Age pit in Florence (Italy). <i>Journal of Archaeological Science</i> , 2009, 36, 1135-1141.	2.4	23
61	Ein paläoökologischer Beitrag zum besseren Verständnis der natürlichen Vegetation der Schweiz. <i>Botanica Helvetica</i> , 2010, 120, 105-115.	1.1	11
62	Annual pollen traps reveal the complexity of climatic control on pollen productivity in Europe and the Caucasus. <i>Vegetation History and Archaeobotany</i> , 2010, 19, 285-307.	2.1	51
63	Late-Glacial and Holocene vegetation history of Pavullo nel Frignano (Northern Apennines, Italy). <i>Review of Palaeobotany and Palynology</i> , 2010, 160, 32-45.	1.5	33
64	Age-Depth Model of Lake Soppensee (Switzerland) Based on the High-Resolution ¹⁴ C Chronology Compared with Varve Chronology. <i>Radiocarbon</i> , 2010, 52, 1027-1040.	1.8	22
69	Tephrochronology and absolute centennial scale synchronisation of European and Greenland records for the last glacial to interglacial transition: A case study of Soppensee and NGRIP. <i>Quaternary International</i> , 2011, 246, 145-156.	1.5	68
70	Würmian deglaciation of western Lake Geneva (Switzerland) based on seismic stratigraphy. <i>Quaternary Science Reviews</i> , 2011, 30, 377-393.	3.0	27
71	Environmental responses to Lateglacial climatic fluctuations recorded in the sediments of pre-Alpine Lake Mondsee (northeastern Alps). <i>Journal of Quaternary Science</i> , 2011, 26, 253-267.	2.1	75
72	The Rhone Glacier was smaller than today for most of the Holocene. <i>Geology</i> , 2011, 39, 679-682.	4.4	91
73	Rock magnetic techniques complemented by ferromagnetic resonance spectroscopy to analyse a sediment record. <i>Geophysical Journal International</i> , 2012, 191, 51-63.	2.4	12
74	The Magdalenian in Switzerland: Re-colonization of a newly accessible landscape. <i>Quaternary International</i> , 2012, 272-273, 191-208.	1.5	32
75	A regional tephrostratigraphic framework for central and southern European climate archives during the Last Glacial to Interglacial transition: comparisons north and south of the Alps. <i>Quaternary Science Reviews</i> , 2012, 36, 50-58.	3.0	47
76	Volcanism and the Greenland ice-cores: the tephra record. <i>Earth-Science Reviews</i> , 2012, 115, 173-191.	9.1	134
77	Modern pollen studies from coppiced woodlands and their implications for the detection of woodland management in Holocene pollen records. <i>Review of Palaeobotany and Palynology</i> , 2012, 187, 11-28.	1.5	57
78	Reconstruction of late Glacial and Early Holocene near surface temperature anomalies in Europe and their statistical interpretation. <i>Quaternary International</i> , 2012, 274, 233-250.	1.5	8
79	Vegetation responses to rapid warming and to minor climatic fluctuations during the Late-Glacial Interstadial (GI-1) at Gerzensee (Switzerland). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 391, 40-59.	2.3	64
80	Quantitative reconstructions in palaeolimnology: new paradigm or sick science?. <i>Quaternary Science Reviews</i> , 2013, 64, 20-32.	3.0	296

#	ARTICLE	IF	CITATIONS
82	Late Quaternary record of the vegetation and catchment-related changes from Lake Paravani (Javakheti, South Caucasus). <i>Quaternary Science Reviews</i> , 2013, 77, 125-140.	3.0	73
83	Effect of climatic factors on height increment of Scots pine in experimental plantation in Kalsnava, Latvia. <i>Forest Ecology and Management</i> , 2013, 306, 185-191.	3.2	17
84	A TEX ⁸⁶ lake record suggests simultaneous shifts in temperature in Central Europe and Greenland during the last deglaciation. <i>Geophysical Research Letters</i> , 2013, 40, 948-953.	4.0	33
86	Responses to rapid warming at Termination 1a at Gerzensee (Central Europe): Primary succession, albedo, soils, lake development, and ecological interactions. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 391, 111-131.	2.3	28
87	Changes in biodiversity and vegetation composition in the central <i>Swiss Alps</i> during the transition from pristine forest to first farming. <i>Diversity and Distributions</i> , 2013, 19, 157-170.	4.1	69
88	Searching for ancient forests: A 2000 year history of land use in northeastern French forests deduced from the pollen compositions of closed depressions. <i>Holocene</i> , 2013, 23, 678-691.	1.7	31
89	Climatic and human impacts on mountain vegetation at Lauenensee (Bernese Alps, Switzerland) during the last 14,000 years. <i>Holocene</i> , 2013, 23, 1415-1427.	1.7	48
90	Determining the long-term changes in biodiversity and provisioning services along a transect from Central Europe to the Mediterranean. <i>Holocene</i> , 2013, 23, 1625-1634.	1.7	69
91	The past ecology of <i>Abies alba</i> provides new perspectives on future responses of silver fir forests to global warming. <i>Ecological Monographs</i> , 2013, 83, 419-439.	5.4	176
92	Climate and vegetation changes during the Lateglacial and early "middle Holocene at Lake Ledro (southern Alps, Italy). <i>Climate of the Past</i> , 2013, 9, 913-933.	3.4	40
93	Mid-Late Holocene environmental change and human activities in the northern Apennines, Italy. <i>Quaternary International</i> , 2014, 353, 34-51.	1.5	28
94	Inferring local to regional changes in forest composition from Holocene macrofossils and pollen of a small lake in central Upper Michigan. <i>Quaternary Science Reviews</i> , 2014, 98, 60-73.	3.0	24
95	Palaeoclimate records 60–8 ka in the Austrian and Swiss Alps and their forelands. <i>Quaternary Science Reviews</i> , 2014, 106, 186-205.	3.0	129
96	Lake Neuchâtel (Switzerland) seismic stratigraphic record points to the simultaneous Würmian deglaciation of the Rhône Glacier and Jura Ice Cap. <i>Quaternary Science Reviews</i> , 2014, 85, 1-19.	3.0	22
97	Lake dwellers occupation gap in Lake Geneva (France–Switzerland) possibly explained by an earthquake–mass movement–tsunami event during Early Bronze Age. <i>Earth and Planetary Science Letters</i> , 2014, 385, 28-39.	4.4	27
98	Climate and Biomass Control on Fire Activity during the Late-Glacial/Early-Holocene Transition in Temperate Ecosystems of the Upper Rhone Valley (France). <i>Quaternary Research</i> , 2015, 83, 94-104.	1.7	13
99	Lateglacial and early Holocene environmental dynamics in northern Lithuania: A multi-proxy record from Ginkėnai Lake. <i>Quaternary International</i> , 2015, 357, 44-57.	1.5	18
100	Pre-alpine mire sediments as a mirror of erosion, soil formation and landscape evolution during the last 45ka. <i>Catena</i> , 2015, 128, 63-79.	5.0	21

#	ARTICLE	IF	CITATIONS
101	Lateglacial/Holocene environmental changes in the Mediterranean Alps inferred from lacustrine sediments. <i>Quaternary Science Reviews</i> , 2015, 110, 49-71.	3.0	33
102	Early Holocene vegetation and climate dynamics in the central part of the East European Plain (Russia). <i>Quaternary International</i> , 2015, 388, 12-22.	1.5	29
103	High-resolution palynological evidence for vegetation response to the Laacher See eruption from the varved record of Meerfelder Maar (Germany) and other central European records. <i>Review of Palaeobotany and Palynology</i> , 2015, 221, 160-170.	1.5	16
104	Pollen from accurately dated speleothems supports alpine glacier low-stands during the early Holocene. <i>Quaternary Research</i> , 2016, 86, 45-53.	1.7	13
105	Long-stored soil carbon released by prehistoric land use: Evidence from compound-specific radiocarbon analysis on Soppensee lake sediments. <i>Quaternary Science Reviews</i> , 2016, 144, 123-131.	3.0	43
106	Determining the responses of vegetation to natural processes and human impacts in north-eastern Poland during the last millennium: combined pollen, geochemical and historical data. <i>Vegetation History and Archaeobotany</i> , 2016, 25, 479-498.	2.1	68
107	Reconstruction of Holocene vegetation dynamics at Lac de Bretaye, a high-mountain lake in the Swiss Alps. <i>Holocene</i> , 2016, 26, 380-396.	1.7	15
108	Differential proxy responses to late Allerød and early Younger Dryas climatic change recorded in varved sediments of the Trzechowskie palaeolake in Northern Poland. <i>Quaternary Science Reviews</i> , 2017, 158, 94-106.	3.0	36
109	Holocene treeline and timberline changes in the South Carpathians (Romania): Climatic and anthropogenic drivers on the southern slopes of the Retezat Mountains. <i>Holocene</i> , 2017, 27, 1613-1630.	1.7	30
110	Vegetational and agricultural dynamics at Burgäschisee (Swiss Plateau) recorded for 18,700 years by multi-proxy evidence from partly varved sediments. <i>Vegetation History and Archaeobotany</i> , 2017, 26, 571-586.	2.1	37
111	Origin and paleoenvironmental significance of Fe Mn nodules in the Holocene perialpine sediments of Geneva Basin, western Switzerland. <i>Applied Clay Science</i> , 2018, 160, 22-39.	5.2	15
112	Last Glacial to Holocene vegetation succession recorded in polyphase slope-failure deposits on the Malenok Ridge, Outer Western Carpathians. <i>Quaternary International</i> , 2018, 470, 38-52.	1.5	15
113	Land-use history as a guide for forest conservation and management. <i>Conservation Biology</i> , 2018, 32, 84-97.	4.7	54
114	One hundred years of Quaternary pollen analysis 1916–2016. <i>Vegetation History and Archaeobotany</i> , 2018, 27, 271-309.	2.1	48
115	Radiocarbon Wiggle Matching on Laminated Sediments Delivers High-Precision Chronologies. <i>Radiocarbon</i> , 2019, 61, 265-285.	1.8	18
116	Nutrient availability affected shallow-lake ecosystem response along the Late-Glacial/Holocene transition. <i>Hydrobiologia</i> , 2019, 846, 87-108.	2.0	4
117	Human demography changes in Morocco and environmental imprint during the Holocene. <i>Holocene</i> , 2019, 29, 816-829.	1.7	20
118	Causes and mechanisms of synchronous succession trajectories in primeval Central European mixed <i>Fagus sylvatica</i> forests. <i>Journal of Ecology</i> , 2019, 107, 1392-1408.	4.0	28

#	ARTICLE	IF	CITATIONS
119	Palaeoenvironmental reconstructions during the Meso- to Neolithic transition (9.2â€“5.3 cal. ka BP) in Northwestern France: Palynological evidences. <i>Holocene</i> , 2019, 29, 380-402.	1.7	6
120	Vegetation and disturbance history of the Bavarian Forest National Park, Germany. <i>Vegetation History and Archaeobotany</i> , 2020, 29, 277-295.	2.1	23
121	A Holocene high-resolution record of aquatic productivity, seasonal anoxia and meromixis from varved sediments of Lake Åazduny, Northâ€“Eastern Poland: insight from a novel multi-proxy approach. <i>Journal of Quaternary Science</i> , 2020, 35, 1070-1080.	2.1	13
122	Summer temperature development 18,000â€“14,000 cal. BP recorded by a new chironomid record from BurgÃschisee, Swiss Plateau. <i>Quaternary Science Reviews</i> , 2020, 243, 106484.	3.0	17
123	An annual-resolution stable isotope record from Swiss subfossil pine trees growing in the late Glacial. <i>Quaternary Science Reviews</i> , 2020, 247, 106550.	3.0	4
124	Epicuticular wax lipid composition of endemic European <i>Betula</i> species in a simulated ontogenetic/diagenetic continuum and its application to chemotaxonomy and paleobotany. <i>Science of the Total Environment</i> , 2020, 730, 138324.	8.0	10
125	Deglacial landscapes and the Late Upper Palaeolithic of Switzerland. <i>Quaternary Science Reviews</i> , 2020, 239, 106372.	3.0	10
126	Sequence completed â€“ palynological investigations on Lateglacial/Early Holocene environmental changes recorded in sequentially laminated lacustrine sediments of the Nahe palaeolake in Schleswig-Holstein, Germany. <i>Review of Palaeobotany and Palynology</i> , 2020, 280, 104271.	1.5	12
127	Modern pollen representation of the vegetation of the Tagus Basin (central Iberian Peninsula). <i>Review of Palaeobotany and Palynology</i> , 2020, 276, 104193.	1.5	20
128	A critical assessment of human-impact indices based on anthropogenic pollen indicators. <i>Quaternary Science Reviews</i> , 2020, 236, 106291.	3.0	36
129	Cultural evolution and environmental change in Central Europe between 40 and 15 ka. <i>Quaternary International</i> , 2021, 581-582, 225-240.	1.5	19
130	Holocene phototrophic community and anoxia dynamics in meromictic Lake Jaczno (NE Poland) using high-resolution hyperspectral imaging and HPLC data. <i>Biogeosciences</i> , 2021, 18, 1839-1856.	3.3	8
131	Influence of taxonomic resolution on the value of anthropogenic pollen indicators. <i>Vegetation History and Archaeobotany</i> , 2022, 31, 67-84.	2.1	6
132	Palynological investigations reveal Eemian interglacial vegetation dynamics at Spiezberg, Bernese Alps, Switzerland. <i>Quaternary Science Reviews</i> , 2021, 263, 106975.	3.0	6
133	Patterns in recent and Holocene pollen accumulation rates across Europe â€“ the Pollen Monitoring Programme Database as a tool for vegetation reconstruction. <i>Biogeosciences</i> , 2021, 18, 4511-4534.	3.3	5
134	The nexus among long-term changes in lake primary productivity, deep-water anoxia, and internal phosphorus loading, explored through analysis of a 15,000-year varved sediment record. <i>Global and Planetary Change</i> , 2021, 207, 103643.	3.5	7
135	Landscape Control of High Latitude Lakes in a Changing Climate. , 2006, , 221-252.		20
136	Bottom-current and wind-pattern changes as indicated by Late Glacial and Holocene sediments from western Lake Geneva (Switzerland). , 2003, , 39-48.		6

#	ARTICLE	IF	CITATIONS
137	The Role of Human Activities in Past Environmental Change. <i>Global Change - the IGBP Series</i> , 2003, , 143-162.	2.1	33
139	Pollen from accurately dated speleothems supports alpine glacier low-stands during the early Holocene. <i>Quaternary Research</i> , 2016, 86, 45-53.	1.7	2
140	Palaeoclimate within the River Rhine catchment during Holocene and historic times. <i>Erdkunde</i> , 2005, 59, 251-275.	0.8	14
141	Climate impacts on vegetation and fire dynamics since the last deglaciation at Moossee (Switzerland). <i>Climate of the Past</i> , 2020, 16, 1347-1367.	3.4	26
142	Climate warming and vegetation response after Heinrich event 1 (16 700â€“16 000 cal yr BP) in Europe south of the Alps. <i>Climate of the Past</i> , 2012, 8, 1913-1927.	3.4	33
145	Beyond the models: â€“Neolithisationâ€™ in Central Europe. , 2007, , .		14
146	Defining and exploring the key questions. , 2005, , 1-18.		0
147	Environmental change: key issues and alternative perspectives. <i>Choice Reviews</i> , 2006, 43, 43-4722-43-4722.	0.2	3
148	Relief Evolution. <i>Geography of the Physical Environment</i> , 2017, , 3-100.	0.4	0
149	CaractÃ©risation de lâ€™habitat naturel dâ€™une espÃ©ce de gÃ©ophyte menacÃ©e (<i>Tulipa sylvestris</i> L.) dans la fÃªret de Bouhriz (ouest AlgÃ©rie). <i>Acta Botanica Malacitana</i> , 0, 43, 71-81.	0.0	1
151	Spatial variability of diatoms, subfossil macrophytes, and OC/N values in surface sediments of Lake VÃ¤ike Juusa (southern Estonia). <i>Estonian Journal of Ecology</i> , 2004, 53, 147.	0.5	7
152	14,500Ã¢years of vegetation and land use history in the upper continental montane zone at Lac de Champex (Valais, Switzerland). <i>Vegetation History and Archaeobotany</i> , 2022, 31, 377-393.	2.1	5
153	A new indicator approach to reconstruct agricultural land use in Europe from sedimentary pollen assemblages. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 599, 111051.	2.3	8
154	Two Millennia of Complexity and Variability in a Perialpine Socioecological System (Savoie, France): The Contribution of Palynology and sedaDNA Analysis. <i>Frontiers in Ecology and Evolution</i> , 0, 10, .	2.2	5
155	Pollenâ€“based reconstruction reveals the impact of the onset of agriculture on plant functional trait composition. <i>Ecology Letters</i> , 2022, 25, 1937-1951.	6.4	7
156	The Roman Legacy on European Chestnut and Walnut Arboriculture. <i>Environmental Archaeology</i> , 0, , 1-22.	1.2	2
157	Radiocarbon sampling efforts for high-precision lake sediment chronologies. <i>Holocene</i> , 0, , 095968362311518.	1.7	1
158	Palaeoecological multiproxy reconstruction captures long-term climatic and anthropogenic impacts on vegetation dynamics in the Rhaetian Alps. <i>Review of Palaeobotany and Palynology</i> , 2024, 321, 105020.	1.5	0

#	ARTICLE	IF	CITATIONS
159	The role of fire in the Medieval and Early Modern landscape of Bad Waldsee within the broader context of the pre-Alpine forelands of south-western Germany. <i>Vegetation History and Archaeobotany</i> , 0, , .	2.1	0
160	Method development and application of object detection and classification to Quaternary fossil pollen sequences. <i>Quaternary Science Reviews</i> , 2024, 327, 108521.	3.0	0
161	Vegetation changes since the late Middle Ages around Bern, Switzerland. <i>Vegetation History and Archaeobotany</i> , 0, , .	2.1	0
162	Modern pollen-plant diversity relationship in open landscapes of Tibetan Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2024, 641, 112131.	2.3	0