

CITATION REPORT

List of articles citing

Meta-analysis of exercise testing to detect coronary artery disease in women

DOI: 10.1016/s0002-9149(98)00963-1
American Journal of Cardiology, 1999, 83, 660-6.

Source: <https://exaly.com/paper-pdf/30566028/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
364	Meta-analysis of exercise testing to detect coronary artery disease in women. <i>American Journal of Cardiology</i> , 1999 , 84, 1454-6	3	4
363	Management of coronary artery disease. 1999 , 12, 88-9		3
362	Letters to the editor. 1999 , 12, 89-90		
361	Diagnosis of suspected coronary artery disease in women: a cost-effectiveness analysis. 1999 , 137, 1019-27		42
360	Prevention Conference V: Beyond secondary prevention: identifying the high-risk patient for primary prevention: tests for silent and inducible ischemia: Writing Group II. 2000 , 101, E12-6		57
359	Current World Literature. 2000 , 11, 403-421		
358	Diabetes risk score: towards earlier detection of type 2 diabetes in general practice. 2000 , 16, 164-71		253
357	Noninvasive risk stratification in women with uncomplicated acute myocardial infarction. <i>American Journal of Cardiology</i> , 2000 , 86, 333-6	3	2
356	Are the American College of Cardiology/American Heart Association guidelines for exercise testing for suspected coronary artery disease correct?. 2000 , 118, 535-41		17
355	Cardiology services after stress testing: are there sex differences? A population-based study. 2000 , 53, 661-8		8
354	Provocative testing for chest pain. 2000 , 18, 793-801		3
353	Lack of association of C-reactive protein and coronary calcium by electron beam computed tomography in postmenopausal women: implications for coronary artery disease screening. 2000 , 36, 39-43		112
352	Lack of association of lipoprotein(a) levels with coronary calcium deposits in asymptomatic postmenopausal women. 2000 , 35, 314-20		32
351	Testing our tests: surrogate end points versus driving patient management and outcomes. 2001 , 37, 89-92		4
350	Exercise-induced myocardial ischaemia in women: factors affecting prevalence. 2001 , 31, 235-47		7
349	Pharmacologic stress testing for coronary disease diagnosis: A meta-analysis. 2001 , 142, 934-44		157
348	[Evidence based medicine. Application to nuclear medicine. Diagnostic slope. Part II]. 2001 , 20, 393-412; quiz 413-5		1

347	Exercise and preventive cardiology. A 34-year odyssey. 2001 , 90, 183-92		
346	Psychological testing and psychological assessment: A review of evidence and issues.. 2001 , 56, 128-165		855
345	Advantages of exercise echocardiography in comparison to dobutamine echocardiography in the diagnosis of coronary artery disease in hypertensive subjects. 2001 , 15, 805-9		12
344	Assessment of the exercise electrocardiogram in women versus men using tomographic myocardial perfusion imaging as the reference standard. <i>American Journal of Cardiology</i> , 2001 , 87, 868-73	3	27
343	The role of pharmacological stress echo for evaluating chest pain in women. 2001 , 22, 107-9		1
342	Stress testing in cardiac evaluation : current concepts with emphasis on the ECG. 2001 , 119, 907-25		41
341	Presenting Symptoms and Diagnosis of Coronary Heart Disease in Women. 2002 , 9, 303-307		1
340	Noninvasive Exercise Testing Modalities for Ischemia. 2002 , 32, 109-119		
339	. 2002 , 9, 303-307		4
338	Cardiac imaging in women: use of radionuclide myocardial perfusion imaging and echocardiography for acute chest pain. 2002 , 10, 149-60		9
337	Development and validation of a simple exercise test score for use in women with symptoms of suspected coronary artery disease. 2002 , 144, 818-25		23
336	A review of electron beam computed tomography: implications for coronary artery disease screening. 2002 , 5, 71-8		7
335	Electron beam tomography and angiography: sex differences. 2002 , 143, 877-82		18
334	Prognostic significance of ischemic electrocardiographic changes during vasodilator stress testing in patients with normal SPECT images. 2003 , 10, 4-8		64
333	American Society of Nuclear Cardiology consensus statement: Task Force on Women and Coronary Artery Disease--the role of myocardial perfusion imaging in the clinical evaluation of coronary artery disease in women [correction]. 2003 , 10, 95-101		80
332	Coronary heart disease: the female heart is vulnerable. 2003 , 46, 199-229		105
331	Diagnosis of coronary artery disease in women. 2003 , 46, 239-58		9
330	[Rational use of noninvasive cardiac stress testing in the diagnosis of coronary artery disease]. 2003 , 56, 1010-5		

329	Gender and noninvasive diagnosis of coronary artery disease in women and men. 2003 , 12, 51-9	2
328	Perceptions and experiences of heart disease: a literature review and identification of a research agenda in older women. 2003 , 2, 255-64	45
327	Ability of exercise testing to predict cardiovascular and all-cause death in asymptomatic women: a 20-year follow-up of the lipid research clinics prevalence study. 2003 , 290, 1600-7	361
326	Clinical and economic impact of exercise electrocardiography and exercise echocardiography in clinical practice. 2003 , 24, 1153-63	64
325	[Diagnosis of coronary heart disease in women. Peculiarities, difficulties and risk stratified management]. 2003 , 128, 97-102	2
324	Stress myocardial perfusion imaging in the diagnosis and prognosis of women with suspected coronary artery disease. 2003 , 11, 330-6	6
323	Gender-specific implications for cardiovascular medication use in the elderly optimizing therapy for older women. 2003 , 11, 275-98	28
322	Utility of stress testing and coronary calcification measurement for detection of coronary artery disease in women. 2004 , 164, 1610-20	18
321	[Comparison of the cost-effectiveness of the most common diagnostic methods for coronary artery disease]. 2004 , 129, 1415-9	2
320	Correct Interpretation of Latent Versus Observed Abilities: Implications From Structural Equation Modeling Applied to the WISC-III and WIAT Linking Sample. 2004 , 38, 159-173	26
319	Dobutamine stress echocardiography in women with systemic lupus erythematosus: increased occurrence of left ventricular outflow gradient. 2004 , 13, 101-4	4
318	Women's Ischemic Syndrome Evaluation: current status and future research directions: report of the National Heart, Lung and Blood Institute workshop: October 2-4, 2002: Section 5: gender-related risk factors for ischemic heart disease. 2004 , 109, e56-8	46
317	Nuclear Cardiology and Correlative Imaging. 2004 ,	2
316	[How to assess coronary lesion, reperfusion quality, and PCI result?]. 2004 , 53, 222-8	
315	Myocardial perfusion scintigraphy: the evidence. 2004 , 31, 261-91	352
314	The clinical role of stress myocardial perfusion imaging in women with suspected coronary artery disease. 2004 , 6, 27-31	1
313	Comment ?valuer le retentissement fonctionnel d'une l?sion coronaire, la qualit? de la reperfusion coronaire et le r?sultat d'une angioplastieB?. 2004 ,	
312	The clinical use of supine left lateral leg cycle ergometry for exercise electrocardiographic testing in women, as used in exercise echocardiography. 2004 , 17, 361-6	4

311	A novel method for the detection of transient myocardial ischaemia using body surface electrocardiac mapping. 2004 , 95, 75-81		10
310	Validation of the accuracy of pretest and exercise test scores in women with a low prevalence of coronary disease: the NHLBI-sponsored Women's Ischemia Syndrome Evaluation (WISE) study. 2004 , 147, 1085-92		15
309	Secular changes in disability among middle-aged and elderly Finns with and without coronary heart disease from 1978-1980 to 2000-2001. 2004 , 14, 479-85		10
308	Noninvasive diagnosis of coronary artery disease in women. <i>Journal of Cardiovascular Nursing</i> , 2005 , 20, 420-6	2.1	
307	Diagnostic accuracy of myocardial perfusion imaging in a study population without post-test referral bias. 2005 , 12, 530-7		28
306	Functional capacity and cardiovascular assessment: submaximal exercise testing and hidden candidates for pharmacologic stress. <i>American Journal of Cardiology</i> , 2005 , 96, 11J-19J	3	7
305	Alpha-crystallin: an ATP-independent complete molecular chaperone toward sorbitol dehydrogenase. 2005 , 62, 599-605		13
304	Cardiovascular disease in women: sex differences in presentation, risk factors, and evaluation. 2005 , 7, 166-72		35
303	A meta-analytic comparison of echocardiographic stressors. <i>International Journal of Cardiovascular Imaging</i> , 2005 , 21, 189-207	2.5	25
302	Recent Advances in Exercise Testing. 2005 , 1, 153-164		1
301	Headache response to glyceryl trinitrate in patients with and without obstructive coronary artery disease. 2005 , 91, 1164-6		9
300	Coronary artery disease in patients with systemic lupus erythematosus. 2005 , 1, 55-9; quiz 60		9
299	Influence of age on gender differences in the management of acute inferior or posterior myocardial infarction. 2005 , 128, 792-7		19
298	Impact of gender on risk stratification by exercise and dobutamine stress echocardiography: long-term mortality in 4234 women and 6898 men. 2005 , 26, 447-56		94
297	Stress testing in women: sexual discrimination or equal opportunity?. 2005 , 26, 423-5		4
296	The role of myocardial perfusion imaging in special populations: women, diabetics, and heart failure. 2005 , 35, 52-61		13
295	Noninvasive imaging techniques to aid in the triage of patients with suspected acute coronary syndrome: a review. 2005 , 23, 977-98		5
294	Role of noninvasive testing in the clinical evaluation of women with suspected coronary artery disease: Consensus statement from the Cardiac Imaging Committee, Council on Clinical Cardiology, and the Cardiovascular Imaging and Intervention Committee, Council on Cardiovascular Radiology and Intervention, American Heart Association. 2005 , 111, 682-86		366

293	Seeing transient regional myocardial ischaemia through new eyes. 2005 , 7, 155-8	3
292	Utility of combined parameters of common carotid intima-media thickness or albuminuria in diagnosis of coronary artery disease in women. 2005 , 105, 134-40	6
291	Exercise treadmill testing using a modified exercise protocol in women with suspected myocardial ischemia: findings from the National Heart, Lung and Blood Institute-sponsored Women's Ischemia Syndrome Evaluation (WISE). 2005 , 149, 527-33	15
290	Guidelines on the management of stable angina pectoris: executive summary: The Task Force on the Management of Stable Angina Pectoris of the European Society of Cardiology. 2006 , 27, 1341-81	981
289	Ischemic Heart Disease in Women: Clinical Presentation, Non-Invasive Testing, and Management of Acute Coronary Syndromes. 2006 , 59, 371-381	
288	[Current topics (2005) in clinical cardiology: cardiovascular disease in women]. 2006 , 59 Suppl 1, 99-104	9
287	Cardiopatia isquémica en la mujer: presentación clínica, pruebas diagnósticas y tratamiento de los síndromes coronarios agudos. 2006 , 59, 371-381	15
286	[Guidelines on the management of stable angina pectoris. Executive summary]. 2006 , 59, 919-70	22
285	Insights from the NHLBI-Sponsored Women's Ischemia Syndrome Evaluation (WISE) Study: Part I: gender differences in traditional and novel risk factors, symptom evaluation, and gender-optimized diagnostic strategies. 2006 , 47, S4-S20	516
284	The value of estimated functional capacity in estimating outcome: results from the NHLBI-Sponsored Women's Ischemia Syndrome Evaluation (WISE) Study. 2006 , 47, S36-43	104
283	Evidence of bias and variation in diagnostic accuracy studies. 2006 , 174, 469-76	406
282	Coronary artery disease in masters-level athletes. 2006 , 87, S79-81; quiz S82-3	6
281	Use of methodological search filters to identify diagnostic accuracy studies can lead to the omission of relevant studies. 2006 , 59, 234-40	105
280	[Increased rate-pressure product as predictor for the absence of significant obstructive coronary artery disease in patients with positive exercise test]. <i>Arquivos Brasileiros De Cardiologia</i> , 2006 , 86, 138-44 ^{1,2}	14
279	Cardiovascular Disorders. 2006 , 317-543	
278	The ratio of the apex/anterior wall: a marker of breast attenuation artifact in women. 2006 , 27, 803-6	2
277	Coronary artery disease: diagnostic and prognostic models for reducing patient risk. <i>Journal of Cardiovascular Nursing</i> , 2006 , 21, S2-16; quiz S17-9	2.1 9
276	Gender-specific prediction of cardiac disease: importance of risk factors and exercise variables. 2006 , 14, 281-5	14

275	Outcome of patients with adenosine-induced ST-segment depression but with normal perfusion on tomographic imaging. <i>American Journal of Cardiology</i> , 2006 , 98, 1009-11	3	29
274	Incremental cost-effectiveness of exercise echocardiography vs. SPECT imaging for the evaluation of stable chest pain. 2006 , 27, 2448-58		59
273	[Predictive value of an ischemia test in men and women with stable angina pectoris in clinical practice. Results of the heart catheter registry of the Working Society of Senior Hospital Cardiologists]. 2006 , 131, 1078-84		2
272	Schlagen Frauenherzen anders?. 2006 , 2, 255-269		0
271	Epidemiology and Risk Factors of Cardiovascular Disease in Postmenopausal Women. 2007 , 405-452		5
270	Diagnosis of cardiovascular disease in women. 2007 , 13, 19-22		6
269	Head-to-head comparison of multislice computed tomography and exercise electrocardiography for diagnosis of coronary artery disease. 2007 , 28, 2485-90		38
268	Do men and women differ on measures of mental stress-induced ischemia?. 2007 , 69, 918-22		12
267	Diagnostic strategies for heart disease in women: an update on imaging techniques for optimal management. 2007 , 15, 279-87		7
266	Diagnostic work-up of unselected patients with suspected coronary artery disease: complementary role of multidetector computed tomography, symptoms and electrocardiogram stress test. 2007 , 18, 265-74		15
265	The diagnostic role of stress echocardiography in women with coronary artery disease: evidence based review. 2007 , 22, 429-33		2
264	QRS score improves diagnostic ability of treadmill exercise testing in women. 2007 , 18, 313-8		5
263	Multislice cardiac computed tomography in symptomatic middle-aged women. 2007 , 39, 290-7		
262	The prognostic value of normal exercise myocardial perfusion imaging and exercise echocardiography: a meta-analysis. 2007 , 49, 227-37		354
261	[Cardiovascular disease in diabetic women without cardiac symptoms]. 2007 , 51, 305-11		3
260	GUIDELINES ON THE MANAGEMENT OF STABLE ANGINA PECTORIS (ENDING). 2007 , 3, 69-100		
259	Scientific research ontology to support systematic review in software engineering. 2007 , 21, 133-151		100
258	"Mismatch" in regional myocardial perfusion defects during exercise and pharmacologic vasodilation: a noninvasive marker of epicardial vasomotor dysfunction?. 2007 , 14, 769-74		9

257	Value of electrocardiographically gated single-photon emission computed tomographic myocardial perfusion scintigraphy in a cohort of symptomatic postmenopausal women. <i>American Journal of Cardiology</i> , 2007 , 99, 1096-9	3	16
256	Comparison of diagnostic accuracy of 64-slice computed tomography coronary angiography in women versus men with angina pectoris. <i>American Journal of Cardiology</i> , 2007 , 100, 1532-7	3	55
255	Cardiac Stress Testing. 2007 , 3, 18-23		
254	La consulta de acto físico en cardiología. 2007 , 7, 30C-36C		
253	Cost effectiveness of coronary angiography and calcium scoring using CT and stress MRI for diagnosis of coronary artery disease. 2007 , 17, 1301-9		82
252	Diagnostic and prognostic value of ambulatory ECG (Holter) monitoring in patients with coronary heart disease: a review. 2007 , 23, 135-45		24
251	Exercise electrocardiogram testing and imaging in women. 2007 , 1, 153-158		
250	Is there a gender difference in noninvasive coronary imaging? Multislice computed tomography for noninvasive detection of coronary stenoses. 2008 , 8, 2		12
249	Women with chest pain: expanding the diagnostic armamentarium. <i>JACC: Cardiovascular Imaging</i> , 2008 , 1, 446-9	8.4	4
248	The Stress-Recovery Index for the risk stratification of women with typical chest pain. 2008 , 127, 64-9		
247	How to improve noninvasive coronary artery disease diagnostics in premenopausal women? The influence of menstrual cycle on ST depression, left ventricle contractility, and chest pain observed during exercise echocardiography in women with angina and normal coronary angiogram. 2008 , 156, 964.e1-964.e5		15
246	Chronic stable angina pectoris. 2008 , 54, 671-89		8
245	Stress Test. 2008 , 221-255		2
244	Current diagnostic concepts to detect coronary artery disease in women. 2008 , 29, 707-17		35
243	Women and coronary disease. 2008 , 94, 108-16		37
242	Frequency of stress testing to document ischemia prior to elective percutaneous coronary intervention. 2008 , 300, 1765-73		164
241	Variations between clinical trial participants and Medicare beneficiaries in evidence used for Medicare national coverage decisions. 2008 , 168, 136-40		86
240	Cardiovascular disease in older women: a challenge in diagnosis and treatment. 2008 , 4, 449-64		9

239	[Comparison with myocardial perfusion MRI and myocardial perfusion SPECT in the diagnostic performance of coronary artery disease: a meta-analysis]. 2008 , 64, 251-8	2
238	Gender differences in coronary artery disease: review of diagnostic challenges and current treatment. 2009 , 121, 60-8	17
237	Echocardiography in Acute Coronary Syndrome. 2009 ,	1
236	Positionspapier Nuklearkardiologie. 2009 , 3, 283-293	0
235	Sex differences in percutaneous coronary interventions. 2009 , 2, 300-5	2
234	The WOMEN study: what is the optimal method for ischemia evaluation in women? A multi-center, prospective, randomized study to establish the optimal method for detection of coronary artery disease (CAD) risk in women at an intermediate-high pretest likelihood of CAD: study design. 2009 , 16, 105-12	9
233	Impact of gender on risk stratification by stress echocardiography. 2009 , 122, 301-9	12
232	Women and ischemic heart disease: evolving knowledge. 2009 , 54, 1561-75	463
231	Cardiovascular risk assessment of the diabetic patient undergoing major noncardiac surgery. 2009 , 23, 361-73	8
230	Angina estable: concepto, diagnóstico y pronóstico. 2009 , 10, 2399-2406	
229	How to improve noninvasive coronary artery disease diagnostics in premenopausal women?: The influence of menstrual cycle on ST depression, left ventricle contractility, and chest pain observed during exercise echocardiography in women with angina and normal coronary angiogram. 2009 , 2009, 214-216	
228	Gender differences in ischemic heart disease. 2009 , 4, 234-40	32
227	Significant association of female gender with lower degree of pathological 99mTc-sestamibi scintigraphy results as well as higher cardiac-related deaths free survival in elderly patients. 2010 , 105, 901-9	
226	Diagnostic performance of magnetic resonance first pass perfusion imaging is equally potent in female compared to male patients with coronary artery disease. 2010 , 99, 21-8	16
225	Patients with adenosine-induced ST-segment depressions and normal myocardial perfusion imaging: cardiac outcomes at 24 months. 2010 , 17, 874-80	17
224	Noninvasive assessment of coronary artery disease in women: What's next?. 2010 , 12, 147-54	6
223	Preoperative evaluation of patients with possible coronary artery disease. 2010 , 12, 286-94	2
222	Comparison of usefulness of exercise testing versus coronary computed tomographic angiography for evaluation of patients suspected of having coronary artery disease. <i>American Journal of Cardiology</i> , 2010 , 105, 773-9	3 22

221	Recent advances in the management of chronic stable angina I: approach to the patient, diagnosis, pathophysiology, risk stratification, and gender disparities. 2010 , 6, 635-56	32
220	Dobutamine stress magnetic resonance imaging for the detection of coronary artery disease in women. 2010 , 96, 616-20	18
219	Exercise stress testing in women: going back to the basics. 2010 , 122, 2570-80	90
218	Prognosis of a normal positron emission tomography 82Rb myocardial perfusion imaging study in women with no history of coronary disease. 2010 , 117, 301-6	12
217	[Angina pectoris without coronary stenosis--current concepts]. 2010 , 135, 1925-30	1
216	Exercise electrocardiography detection of coronary artery disease by ST-segment depression/heart rate hysteresis in women: the Finnish Cardiovascular Study. 2010 , 140, 182-8	7
215	Gender differences in the prognostic value of exercise treadmill test characteristics. 2011 , 161, 908-14	26
214	The accuracy of the electrocardiogram during exercise stress test based on heart size. 2011 , 6, e23044	1
213	Is there a difference in the diagnostic accuracy of computed tomography coronary angiography between women and men?. 2011 , 22, 421-7	5
212	Gender differences in the treatment of ischemic heart disease. 2011 , 17, 1059-69	8
211	Inferior outcomes in percutaneous coronary interventions: narrowing the gap between men and women. 2011 , 3, 119-121	2
210	Diagnostic and prognostic value of absence of coronary artery calcification in patients with stable chest symptoms. 2011 , 19, 223-8	11
209	Gender and microvascular angina. 2011 , 31, 37-46	18
208	Overall and gender-based negative predictive value of a normal gated myocardial perfusion SPECT study: a single center experience. 2011 , 25, 207-11	2
207	Sex differences in the diagnostic evaluation of coronary artery disease. 2011 , 18, 144-52	14
206	Diagnostic accuracy of 64-slice computed tomography coronary angiography in a large population of patients without revascularisation: registry data in NSTEMI acute coronary syndrome and influence of gender and risk factors. 2011 , 116, 1014-26	3
205	Cardiovascular disease in women. 2011 , 7, 613-27	2
204	Cardiovascular disease and stroke in women: role of radiology. 2011 , 196, 265-73	3

203	Prediction model to estimate presence of coronary artery disease: retrospective pooled analysis of existing cohorts. 2012 , 344, e3485		148
202	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS guideline for the diagnosis and management of patients with stable ischemic heart disease: executive summary: a report of the American College of Cardiology Foundation/American Heart Association task force on practice guidelines, and the		268
201	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association task force on practice guidelines, and the American	is, and	537
200	College of Physicians, American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Treading carefully: a qualitative ethnographic study of the clinical, social and educational uses of exercise ECG in evaluating stable chest pain. 2012 , 2, e000508		3
199	Gender differences in the prognostic value of exercise treadmill test characteristics. 2012 , 2012, 247-250		
198	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the Diagnosis and Management of Patients With Stable Ischemic Heart Disease: Executive Summary: A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the		139
197	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the American	is, and	1138
196	College of Physicians, American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Diagnostic performance of stress myocardial perfusion imaging for coronary artery disease: a systematic review and meta-analysis. 2012 , 22, 1881-95		98
195	Computed tomography coronary angiography accuracy in women and men at low to intermediate risk of coronary artery disease. 2012 , 22, 2415-23		13
194	Evaluation of molecular breast imaging in women undergoing myocardial perfusion imaging with Tc-99m sestamibi. 2012 , 21, 730-8		6
193	Comparison of exercise electrocardiography and stress perfusion CMR for the detection of coronary artery disease in women. 2012 , 14, 36		11
192	A gender-specific blood-based gene expression score for assessing obstructive coronary artery disease in nondiabetic patients: results of the Personalized Risk Evaluation and Diagnosis in the Coronary Tree (PREDICT) trial. 2012 , 164, 320-6		25
191	Sex comparison of diagnostic accuracy of 64-multidetector row coronary computed tomographic angiography: results from the multicenter ACCURACY trial. <i>Journal of Cardiovascular Computed Tomography</i> , 2012 , 6, 246-51	2.8	15
190	Bivariate meta-analysis of predictive values of diagnostic tests can be an alternative to bivariate meta-analysis of sensitivity and specificity. 2012 , 65, 1088-97		60
189	Improving the positive predictive value of exercise testing in women for coronary artery disease. <i>American Journal of Cardiology</i> , 2012 , 110, 1619-22	3	15
188	Cardiovascular disease in women. 2012 , 37, 450-526		44
187	Imaging Tests, Provocative Tests, Including Exercise Testing in Women with Suspected Coronary Artery Disease. 2012 , 6, 469-478		2
186	Diagnostic performance of 64-slice multidetector coronary computed tomographic angiography in women. 2012 , 19, 1154-61		10

185	Gender Differences in Coronary Artery Disease. 2012 ,	1
184	Female gender and mortality after percutaneous coronary intervention: results from a large registry. 2012 , 80, 514-21	44
183	Noninvasive diagnostic techniques for coronary disease in women. 2012 , 35, 149-55	5
182	Myocardial ischemia in women: lessons from the NHLBI WISE study. 2012 , 35, 141-8	104
181	Risk stratification of CAD with SPECT-MPI in women with known estrogen status. 2012 , 19, 330-7	4
180	The WOMENs trial: how should I interpret the results?. 2012 , 19, 785-6	
179	An update on exercise stress testing. 2012 , 37, 177-202	28
178	Diagnostic accuracy of exercise stress testing for coronary artery disease: a systematic review and meta-analysis of prospective studies. 2012 , 66, 477-92	71
177	Diagnostic accuracy of 64-slice computed tomography coronary angiography in a large population of patients without revascularisation: registry data on the comparison between male and female population. 2012 , 117, 6-18	9
176	Diagnosing and characterizing coronary artery disease in women: developments in noninvasive and invasive imaging techniques. 2013 , 6, 740-51	5
175	Nuclear cardiology in the present and beyond: can we meet the challenges?. 2013 , 20, 510-8	
174	Gender differences in the evaluation of coronary artery disease with a cadmium-zinc telluride camera. 2013 , 40, 1542-8	20
173	Diagnostic Imaging to Exclude Acute Coronary Syndrome. 2013 , 1, 37-42	1
172	Gender aspects in patients with angina and unobstructed coronary arteries. 2013 , 8, 25-31	4
171	Discrepancy between stress electrocardiographic changes and nuclear myocardial perfusion defects in the prognostic assessment of patients with chest pain. 2013 , 32, 761-8	3
170	Assessing cardiovascular risk in women: A growing body of evidence. 2013 , 62, 1877-9	
169	Angina pectoris in women: focus on microvascular disease. 2013 , 163, 132-40	22
168	Coronary computed tomography versus exercise testing in patients with stable chest pain: comparative effectiveness and costs. 2013 , 167, 1268-75	21

167	Discrepancy between stress electrocardiographic changes and nuclear myocardial perfusion defects in the prognostic assessment of patients with chest pain. 2013 , 32, 761-768	1
166	Ischaemic heart disease in the ageing woman. 2013 , 27, 689-97	4
165	Incremental value of adenosine stress cardiac magnetic resonance in coronary artery disease detection. 2013 , 168, 4160-7	12
164	High-frequency QRS analysis improves the specificity of exercise ECG testing in women referred for angiography. 2013 , 46, 19-26	12
163	Gender differences in the diagnostic accuracy of SPECT myocardial perfusion imaging: a bivariate meta-analysis. 2013 , 20, 53-63	29
162	Outcome of patients with regadenoson-induced ST-segment depression but normal perfusion on single-photon emission computed tomography. 2013 , 64, 46-8	7
161	Exercise standards for testing and training: a scientific statement from the American Heart Association. 2013 , 128, 873-934	1060
160	Variation of a test's sensitivity and specificity with disease prevalence. 2013 , 185, E537-44	262
159	MR myocardial perfusion imaging. 2013 , 266, 701-15	77
158	Exploration d'une douleur thoracique suspecte d'origine coronaire en 2013 : contre le scanner en 1re intention en dehors de l'urgence?. 2013 , 65-71	
157	SBP ratio in exercise stress testing: validation by perfusion imaging. 2013 , 14, 714-8	
156	Diagnosis and Treatment of Ischemic Heart Disease in Women. 2013 , 975-989	
155	Ischemic heart disease in women. <i>Southern Medical Journal</i> , 2013 , 106, 427-33	0.6 10
154	Computed Tomography Imaging of the Coronary Arteries: State of the Art Applications and Recent Patents. 2014 , 4, 22-30	
153	Role of echocardiography in the management of cardiac disease in women. 2014 , 22, 173-9	6
152	The Assessment and Management of Coronary Artery Disease in Patients with HIV. 2014 , 05,	
151	Noninvasive cardiac imaging for the diagnosis of coronary artery disease in women. 2014 , 14, 741-6	5
150	Role of noninvasive testing in the clinical evaluation of women with suspected ischemic heart disease: a consensus statement from the American Heart Association. 2014 , 130, 350-79	170

149	Feasibility and correlation of standard 2D speckle tracking echocardiography and automated function imaging derived parameters of left ventricular function during dobutamine stress test. <i>International Journal of Cardiovascular Imaging</i> , 2014 , 30, 729-37	2.5	24
148	The role of nuclear cardiology in the diagnosis and risk stratification of women with ischemic heart disease. 2014 , 44, 423-38		3
147	Cardiopulmonary exercise testing is more accurate than ECG-stress testing in diagnosing myocardial ischemia in subjects with chest pain. 2014 , 174, 337-42		29
146	Deciding when to test. 145-164		
145	Cardiovascular recovery from psychological and physiological challenge and risk for adverse cardiovascular outcomes and all-cause mortality. 2015 , 77, 215-26		51
144	Use of a blood test incorporating age, sex, and gene expression influences medical decision-making in the evaluation of women presenting with symptoms suggestive of obstructive coronary artery disease: summary results from two ambulatory care studies in primary care. 2015 , 22, 1224-30		3
143	The optimal imaging strategy for patients with stable chest pain: a cost-effectiveness analysis. 2015 , 162, 474-84		49
142	Detection of coronary artery disease in postmenopausal women: the significance of integrated stress imaging tests in a 4-year prognostic study. 2015 , 104, 258-71		5
141	The diagnosis of CAD in women: addressing the unmet need - a report from the national expert roundtable meeting. 2015 , 18, 86-92		3
140	Women-specific factors to consider in risk, diagnosis and treatment of cardiovascular disease. 2015 , 11, 239-257		67
139	Value of Exercise ECG for Risk Stratification in Suspected or Known CAD in the Era of Advanced Imaging Technologies. <i>JACC: Cardiovascular Imaging</i> , 2015 , 8, 1309-21	8.4	46
138	High-sensitivity cardiac troponin T and copeptin assays to improve diagnostic accuracy of exercise stress test in patients with suspected coronary artery disease. 2015 , 22, 684-92		13
137	Head to Head Comparison of Stress Echocardiography with Exercise Electrocardiography for the Detection of Coronary Artery Stenosis in Women. 2016 , 24, 135-43		5
136	Diagnostic performance of coronary computed tomography angiography versus exercise electrocardiography for coronary artery disease: a systematic review and meta-analysis. 2016 , 8, 1688-96		9
135	Is Needed Dobutamine Stress Echocardiography for the Detection of Coronary Artery Stenosis in Women?. 2016 , 24, 110-1		
134	Stable Coronary Artery Disease. 2016 , 50-85		
133	Utility of Pretest Probability and Exercise Treadmill Test in Korean Women with Suspected Coronary Artery Disease. 2016 , 25, 617-22		3
132	[Myocardial ischaemia detection in women]. 2016 , 65, 433-439		

131	Nationale Versorgungsleitlinie (NVL) Chronische KHK. 2016 , 13, 50-68		
130	La maladie coronaire de la femme : de vraies spécificités à bien connaître pour améliorer les prises en charge. 2016 , 28, 173-182		
129	Preventing and Experiencing Ischemic Heart Disease as a Woman: State of the Science: A Scientific Statement From the American Heart Association. 2016 , 133, 1302-31		151
128	[Coronary artery disease in women: True specificities to know in order to improve management and outcome]. 2016 , 45, 577-87		4
127	Ischemic Heart Disease in Women: A Need for Sex-Specific Diagnostic Algorithms. <i>JACC: Cardiovascular Imaging</i> , 2016 , 9, 347-9	8.4	7
126	Gender Differences in Radiation Dose From Nuclear Cardiology Studies Across the World: Findings From the INCAPS Registry. <i>JACC: Cardiovascular Imaging</i> , 2016 , 9, 376-84	8.4	11
125	The prognostic value of non-perfusion variables obtained during vasodilator stress myocardial perfusion imaging. 2016 , 23, 390-413		26
124	Diagnostic testing to evaluate ischemic symptoms in women. 2016 , 12, 267-70		
123	Effectiveness of cardiogoniometry compared with exercise-ECG test in diagnosing stable coronary artery disease in women. 2017 , 110, 89-95		2
122	The role of treadmill exercise testing in women. 2016 , 23, 991-996		4
121	[National disease management guidelines (NVL) for chronic CAD : What is new, what is particularly important?]. 2016 , 41, 537-60		1
120	Cardiac Risk Stratification Among Ambulatory Patients Undergoing Non-Cardiac Surgery. 2016 , 6, 394-401		
119	Evaluation of screening for myocardial ischaemia in women at cardiovascular risk. 2017 , 110, 379-388		0
118	Coronary artery calcium score as a gatekeeper in the non-invasive evaluation of suspected coronary artery disease in symptomatic patients. 2017 , 24, 826-831		4
117	Sex Differences in the Performance of Cardiac Computed Tomography Compared With Functional Testing in Evaluating Stable Chest Pain: Subanalysis of the Multicenter, Randomized CRESCENT Trial (Calcium Imaging and Selective CT Angiography in Comparison to Functional Testing for Suspected Coronary Artery Disease). 2017 , 10,		14
116	Chest Pain. 98-106		
115	Stress Testing. 127-137		
114	Effect of gender on the prognostic value of dobutamine stress myocardial contrast echocardiography. 2017 , 58, 419-424		3

113	National Institute for Health and Care Excellence updates the stable chest pain guideline with radical changes to the diagnostic paradigm. 2017 , 103, 982-986	39
112	Myocardial perfusion imaging in women for the evaluation of stable ischemic heart disease-state-of-the-evidence and clinical recommendations. 2017 , 24, 1402-1426	47
111	Imaging of Heart Disease in Women. 2017 , 282, 34-53	6
110	Utility of Imaging in Risk Stratification of Chest Pain in Women. 2017 , 19, 72	1
109	Geriatric Insights on Elderly Women and Heart Disease. 2017 , 11, 1	3
108	Independent and incremental prognostic value of exercise stress echocardiography in low cardiovascular risk female patients with chest pain. 2017 , 34, 69-77	4
107	Women in danger: detecting coronary artery disease - Are there any sex differences?. 2017 , 58, 425-426	1
106	Stable ischemic heart disease in women: current perspectives. 2017 , 9, 701-709	3
105	Cardiovascular Disease in Women: Understanding Symptoms and Risk Factors. 2017 , 12, 10-13	22
104	Exámenes diagnósticos cardiovasculares: ¿diferencias de género en su interpretación?. 2018 , 25, 66-72	
103	Test Selection for Women with Suspected Stable Ischemic Heart Disease. 2018 , 27, 867-874	2
102	Optimizing Risk Stratification and Noninvasive Diagnosis of Ischemic Heart Disease in Women. 2018 , 34, 400-412	4
101	The Importance of Sex in the Stress-Heart Disease Relationship and the Potential Contribution of Gender to Future Research. 2018 , 38, 290-291	1
100	Cost-effectiveness of a management strategy based on exercise echocardiography versus exercise electrocardiography in patients presenting with suspected angina during long term follow up: A randomized study. 2018 , 259, 1-7	9
99	Management of mature athletes with cardiovascular conditions. 2018 , 104, 1125-1134	4
98	Gender aspects on exercise-induced ECG changes in relation to scintigraphic evidence of myocardial ischaemia. 2018 , 38, 798-807	
97	Welcher Belastungstest bei Verdacht auf stabile Angina pectoris?. 2018 , 47, 512-519	
96	Long-term mortality and estimated functional capacity among women with symptoms of ischemic heart disease: From the NHLBI-sponsored Women's Ischemia Syndrome Evaluation. 2018 , 206, 123-126	5

95	Coronary artery disease in post-menopausal women: are there appropriate means of assessment?. 2018 , 132, 1937-1952	12
94	Contrast-Enhanced Stress Echocardiography and Myocardial Perfusion Imaging in Patients Hospitalized With Chest Pain: A Randomized Study. 2018 , 17, 98-104	2
93	Heart Disease in Women. 2018 , 444-452	
92	Cardiac Phase Space Tomography: A novel method of assessing coronary artery disease utilizing machine learning. 2018 , 13, e0198603	9
91	Coronary Computed Tomography Angiography Improving Outcomes in Patients with Chest Pain. 2019 , 12, 15	3
90	Heart Teams for Treatment of Cardiovascular Disease. 2019 ,	2
89	Current approach to the diagnosis of atherosclerotic coronary artery disease: more questions than answers. 2019 , 10, 2040622319884819	8
88	Does gender influence the outcome of ischemic heart disease?. 2019 , 18, 51-56	2
87	Diagnosis and Prognosis of Coronary Artery Disease with SPECT and PET. 2019 , 21, 57	14
86	Sex Differences in Coronary Artery Disease. 2019 , 185-201	
85	Patient Selection: When to Use Cardiac CT Versus Other Imaging or Non-imaging Tests. 2019 , 235-244	
84	Comparison of exercise electrocardiography and magnetocardiography for detection of coronary artery disease using ST-segment fluctuation score. 2019 , 73, 283-291	2
83	The additive prognostic value of coronary calcium score (CCS) to single photon emission computed tomography myocardial perfusion imaging (SPECT-MPI)-real world data from a single center. 2021 , 28, 2086-2096	4
82	[Radiological imaging to assess individual cardiovascular risk]. 2019 , 59, 35-42	
81	High-sensitivity cardiac troponin T increases after stress echocardiography. 2019 , 63, 18-23	11
80	Evaluation of Chest Pain and Myocardial Ischemia. 2019 , 219-225	
79	State of the Art in Noninvasive Imaging of Ischemic Heart Disease and Coronary Microvascular Dysfunction in Women: Indications, Performance, and Limitations. 2020 , 22, 73	1
78	Sex-specific definitions of electrocardiographic abnormalities. 2020 , 153-162	1

77	The ST segment depression pattern in asymptomatic peri-menopausal female athletes. 2020 , 6, e04738		0
76	Sex-Based Considerations in the Evaluation of Chest Pain and Management of Obstructive Coronary Artery Disease. 2020 , 22, 39		3
75	Coronary artery disease in women: a 2013 update. 2013 , 8, 105-12		56
74	Cardiac Phase Space Analysis: Assessing Coronary Artery Disease Utilizing Artificial Intelligence. 2021 , 2021, 6637039		1
73	Atrial fibrillation is a predictor of nonobstructive coronary artery disease in elective angiography in old age: a cross-sectional study in Poland and Russia. 2021 , 1		0
72	Imaging for the Assessment and Management of Cardiovascular Disease in Women and Minority Populations. 2021 , 217-232		
71	Clinical Risk Assessment in Women. 2004 , 129-141		1
70	Minority Women and Cardiovascular Disease. 2009 , 297-320		1
69	Kardiologie. 2008 , 343-387		2
68	Myocardial Perfusion Scintigraphy in Diabetes: Current Status and Limitations. 2009 , 305-323		1
67	Imaging in Women. 2010 , 425-436		1
66	Gender-Specific Aspects of the Experience of Coronary Artery Disease. 2004 , 215-223		1
65	Chronic Ischaemic Heart Disease. 2009 , 597-664		5
64	Diagnostic strategies for women with suspected coronary artery disease. <i>Journal of Cardiovascular Nursing</i> , 2001 , 15, 39-53	2.1	8
63	Coronary artery disease: Part 1. Epidemiology and diagnosis. <i>Western Journal of Medicine</i> , 2001 , 174, 257-61		14
62	Use of the Corus [®] CAD Gene Expression Test for Assessment of Obstructive Coronary Artery Disease Likelihood in Symptomatic Non-Diabetic Patients. <i>PLOS Currents</i> , 2013 , 5,		13
61	[Symptoms and diagnosis of coronary heart disease in women]. <i>Tidsskrift for Den Norske Laegeforening</i> , 2009 , 129, 1853-7	3.5	1
60	12-year Temporal Trend in Referral Pattern and Test Results of Stress Echocardiography in a Tertiary Care Referral Center with Moderate Volume Activities and Cath-lab Facility. <i>Journal of Cardiovascular Echography</i> , 2018 , 28, 32-38	0.6	2

59	Overview of exercise stress testing. <i>Annals of Saudi Medicine</i> , 2006 , 26, 1-6	1.6	9
58	Major adverse cardiac events in symptomatic women with non-obstructive CAD on coronary CTA: pooled analysis from PROMISE and SCOT-HEART. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 1	2.5	
57	The evolving role of coronary computed tomography in understanding sex differences in coronary atherosclerosis. <i>Journal of Cardiovascular Computed Tomography</i> , 2021 ,	2.8	0
56	Geschlechtsunterschiede im Aussagewert der Diagnostik der KHK. 2002 , 137-147		2
55	Exercise Electrocardiography in Women with Suspected Coronary Disease. <i>Developments in Cardiovascular Medicine</i> , 2002 , 57-69		
54	Stabile Angina. 2002 , 51-86		
53	Stress Echocardiography and Nuclear Imaging. 2003 , 419-436		
52	Stable Angina. 2003 , 47-81		
51	Comparison of stress echocardiography and other stress-imaging techniques for the diagnosis of coronary artery disease. <i>Developments in Cardiovascular Medicine</i> , 2003 , 119-145		
50	Should All Women With Suspected Coronary Disease Undergo Stress Cardiac Imaging?. 2004 , 161-172		
49	Gender Bias. 2004 , 351-369		
48	Diagnostic Tools to Approach the Cardiac Patient. 2004 , 1-12		
47	Kardiologie. 2004 , 313-356		
46	Applications of Myocardial Perfusion Imaging in Special Populations. 2004 , 331-344		
45	State-of-the-Art Diagnostic Testing in Women. 2004 , 173-194		
44	Medicina basada en la evidencia como guía para el diagnóstico por imagen del corazón. 2005 , 186-196		
43	Diagnosis of Coronary Artery Disease. 2006 , 155-187		
42	Prognostic Assessment by Noninvasive Imaging. Part a. Clinical Decision-making in Patients with Suspected or Known Coronary Artery Disease. 2006 , 189-208		

- 41 Exercise Echocardiography. **2007**, 326-352
- 40 Women and Coronary Heart Disease. **2008**, 71-96
- 39 Stress test: a primer for primary care physicians. *Southern Medical Journal*, **2008**, 101, 806-14 0.6
- 38 Principles of Interpretation of Stress Echocardiography. **2009**, 167-191
- 37 Coronary Heart Disease in Women. **2009**, 337-369 1
- 36 Belastungsuntersuchung bei Frauen. **2010**, 253-257
- 35 Echocardiography and Detection of Coronary Artery Disease. **2010**, 225-248
- 34 Detection of Myocardial Ischemia. **2010**, 53-92
- 33 Stress Echocardiography Versus Radionuclide Imaging. **2010**, 159-176
- 32 Exercise Treadmill Stress Testing With and Without Imaging. **2011**, 489-502 1
- 31 MPI of Special Patient Groups. **2012**, 231-252
- 30 Choice of Stress Test. **2012**, 113-139
- 29 Acute Coronary Syndrome. 189-204
- 28 ON Noninvasive diagnostics of ischemic heart disease in women. *I P Pavlov Russian Medical Biological Herald*, **2012**, 20, 92 0.4
- 27 Prevalence of ischemia on myocardial perfusion scintigraphy of pre-and postmenopausal women. *Arquivos Brasileiros De Cardiologia*, **2013**, 101, 487-94 1.2
- 26 PCI Considerations in Women: Gender-Specific Outcomes and Challenges. **2014**, 227-241
- 25 Noninvasive Diagnosis of Coronary Artery Disease in Women. **2014**, 61-81
- 24 Chest Pain in Women: Evaluation and Management. **2015**, 111-132

23	CORONARY ARTERY PROFILE ON CORONARY ANGIOGRAPHY IN TMT POSITIVE FEMALE PATIENTS. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2015 , 4, 16510-16512	0.1	1
22	AN EVALUATION OF CORONARY ARTERY DISEASE BY CORONARY ANGIOGRAPHY IN TMT POSITIVE FEMALE PATIENTS. <i>Journal of Evidence Based Medicine and Healthcare</i> , 2017 , 4, 1460-1462	0	
21	Two-dimensional speckle tracking echocardiography as a predictor of significant coronary artery stenosis in female patients with effort angina who are treadmill test positive: An angiographic correlation. <i>Journal of Clinical and Preventive Cardiology</i> , 2019 , 8, 126	0.2	1
20	Heart Teams for Women—Heart Health: Advancing Cardiovascular Prevention and Care for Women. 2019 , 93-108		0
19	The investigation of electromagnetic radiation (EMR) for normal exercise and intense exercise difference in gender. 2020 ,		
18	Gender-Related Differences in the Pathogenesis and Diagnosis of Ischemic Heart Disease. 2020 , 3-23		
17	Gender-based differences in coronary artery disease: A prospective observational study from a North Indian state. <i>Heart India</i> , 2020 , 8, 85	0.2	0
16	Cardiovascular Disease in Women Part 2: Prevention, Identification, and Treatment of Cardiovascular Disease. 2020 , 361-374		
15	Testing Special Populations. 2009 , 55-77		
14	Myocardial Perfusion Imaging for Risk Stratification in Suspected or Known Coronary Artery Disease: Current Status and Limitations. 2009 , 231-236		
13	Machine learning of treadmill exercise test to improve selection for testing for coronary artery disease. <i>Atherosclerosis</i> , 2021 , 340, 23-27	3.1	0
12	Diagnose stellen —muss es immer gleich der Herzkatheter sein?. 2021 , 83-97		
11	JCS 2018 Guideline on Revascularization of Stable Coronary Artery Disease.. <i>Circulation Journal</i> , 2022 , 86,	2.9	3
10	Stress Electrocardiography Testing in Coronary Artery Disease: Is It Time for Its Swan Song or To Redefine Its Role in the Modern Era ?. <i>Indian Heart Journal</i> , 2022 ,	1.6	2
9	Cardiovascular Imaging for Ischemic Heart Disease in Women: Time for a Paradigm Shift.. <i>JACC: Cardiovascular Imaging</i> , 2022 ,	8.4	1
8	Evaluation of the QRS score for diagnosing coronary artery disease in women: A Finnish cardiovascular study.. <i>Annals of Noninvasive Electrocardiology</i> , 2022 , e12968	1.5	
7	Beyond equality, women require extra care in cardiovascular imaging.		0
6	Coronary Artery Disease in Women: Lessons Learned from Single-Center SPECT Registry and Future Directions for INOCA Patients. 2022 , 58, 1139		

- 5 Multimodality Imaging in the Detection of Ischemic Heart Disease in Women. **2022**, 9, 350
- 4 Posicionamento sobre a Saúde Cardiovascular nas Mulheres ¹2022. **2022**, 119, 815-882
- 3 Updates in Cardiovascular Disease Prevention, Diagnosis, and Treatment in Women. **2023**, 107, 285-298
- 2 Sex-Specific Stress Perfusion Cardiac Magnetic Resonance Imaging in Suspected Ischemic Heart Disease. **2023**,
- 1 Exercise Testing and Its Role in Ischemic Heart Disease. **2023**, 191-207