

CITATION REPORT

List of articles citing

Introduction: positive inotropy by calcium sensitizationan evolving approach for the treatment of end-stage heart failure

**DOI: 10.1016/s0002-9149(99)00309-4
American Journal of Cardiology, 1999, 83, 1-3.**

Source: <https://exaly.com/paper-pdf/30566439/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
350	Exercise tolerance as a guide to therapeutic efficacy for heart failure : the potential for angiotensin receptor blockers. <i>Circulation</i> , 1999 , 100, 2208-9	16.7	2
349	Evaluation of antiarrhythmic drug efficacy in patients with an ICD: unlimited potential or replete with complexity and problems?. 1999 , 10, 1534-49		5
348	Chronic Heart Failure. 1999 , 1, 231-242		3
347	Introduction: positive inotropy by calcium sensitization—An evolving approach for the treatment of end-stage heart failure. <i>American Journal of Cardiology</i> , 1999 , 83, 1-3	3	330
346	Hypertension: an important precursor of heart failure. 1999 , 8, 253-60		20
345	Aldosterone action: new answers, new questions. 1999 , 151, 1-3		6
344	Causas de muerte sbita. Problemas a la hora de establecer y clasificar los tipos de muerte. 1999 , 52, 1.004-1.014		2
343	Bisoprolol reduced rates of all-cause and cardiovascular mortality among patients with CHF. 1999 , 3, 27-28		
342	Heart failure outcomes in the community: clinical and policy implications for a vulnerable population. <i>American Journal of Medicine</i> , 1999 , 107, 634-6	2.4	0
341	Update on recent clinical trials in congestive heart failure. 2000 , 15, 293-303		11
340	Choice of catecholamine: does it matter?. 2000 , 6, 347-353		14
339	Diastolic Function Impairment in Alcoholics. 2000 , 24, 1830-1835		47
338	Good correlation between gated single photon emission computed myocardial tomography and contrast ventriculography in the assessment of global and regional left ventricular function. 2000 , 16, 447-53		22
337	Management of the patient with congestive heart failure using outpatient, home, and palliative care. 2000 , 43, 259-74		33
336	Heart failure in women. 2000 , 15, 121-33		29
335	Spironolactone in the management of congestive heart failure. 2000 , 15, 145-8		
334	Developing clinical practice guidelines for heart failure: creative process and practice implications. 2000 , 20, 379S-384S		2

333	HEART FAILURE SOCIETY OF AMERICA (HFSA) PRACTICE GUIDELINES. 2000 , 20, 495-522		24
332	Update on the interaction between aspirin and angiotensin-converting enzyme inhibitors. 2000 , 20, 698-710		16
331	Simple methods of assessing physical activity in patients with chronic heart failure. <i>Congestive Heart Failure</i> , 2000 , 6, 250-255		5
330	The AHF SCENE II Preceptorship Program: rationale and design of an educational program to optimize management of advanced heart failure. <i>Congestive Heart Failure</i> , 2000 , 6, 319-324		1
329	Increased platelet reactivity in patients given orbofiban after an acute coronary syndrome: an OPUS-TIMI 16 substudy. Orbofiban in Patients with Unstable coronary syndromes. Thrombolysis In Myocardial Infarction. <i>American Journal of Cardiology</i> , 2000 , 85, 491-3, A10	3	85
328	Comparison of electrocardiographic-gated technetium-99m sestamibi single-photon emission computed tomographic imaging and rest-redistribution thallium-201 in the prediction of myocardial viability. <i>American Journal of Cardiology</i> , 2000 , 85, 680-4	3	20
327	Efficacy and safety of the novel ultrasound contrast agent perflutren (definity) in patients with suboptimal baseline left ventricular echocardiographic images. <i>American Journal of Cardiology</i> , 2000 , 86, 669-74	3	134
326	Nitrate-enhanced gated technetium 99m sestamibi SPECT for evaluating regional wall motion at baseline and during low-dose dobutamine infusion in patients with chronic coronary artery disease and left ventricular dysfunction: comparison with two-dimensional echocardiography. <i>Journal of Nuclear Cardiology</i> , 2000 , 7, 426-31	2.1	23
325	Idiopathic Cardiomyopathy. 2000 , 2, 421-430		1
324	[Drug therapy of heart failure]. 2000 , 41 Suppl 1, S2-12		2
323	Assessment of tissue viability after frostbite injury by technetium-99m-sestamibi scintigraphy in an experimental rabbit model. 2000 , 27, 41-5		18
322	Chronic cardiac failure in children due to dilated cardiomyopathy: diagnostic approach, pathophysiology and management. 2000 , 159, 803-10		9
321	Evaluating quality of care for patients with heart failure. <i>Circulation</i> , 2000 , 101, E122-40	16.7	101
320	Underlying causes and long-term survival in patients with initially unexplained cardiomyopathy. 2000 , 342, 1077-84		1182
319	Drug treatment of heart failure--do nursing-home residents deserve better?. 2000 , 18, 226-31		13
318	Trends and disparities in coronary heart disease, stroke, and other cardiovascular diseases in the United States: findings of the national conference on cardiovascular disease prevention. <i>Circulation</i> , 2000 , 102, 3137-47	16.7	647
317	Clinical Nurse Specialists: Key To Improving Outcomes in Home Care. 2000 , 12, 32-42		6
316	Team management of patients with heart failure: A statement for healthcare professionals from The Cardiovascular Nursing Council of the American Heart Association. <i>Circulation</i> , 2000 , 102, 2443-56	16.7	295

315	Influence of beta-blockers on mortality in chronic heart failure. 2000 , 34, 1440-51		7
314	Apoptosis: a pivotal event or an epiphenomenon in the pathophysiology of heart failure?. 2000 , 84, 355-6		10
313	Diagnosis and treatment of erectile dysfunction. <i>American Journal of Medicine</i> , 2000 , 109 Suppl 9A, 3S-12S; discussion 29S-30S	2.4	53
312	Pediatric pain assessment. 2000 , 5, 181-4		9
311	Cardiac troponin I as diagnostic and prognostic marker in severe heart failure. 2000 , 19, 644-52		155
310	Report of the Xenotransplantation Advisory Committee of the International Society for Heart and Lung Transplantation: the present status of xenotransplantation and its potential role in the treatment of end-stage cardiac and pulmonary diseases. 2000 , 19, 1125-65		120
309	Beta-blockers for congestive heart failure: what is the current consensus?. 2000 , 16, 1-7		9
308	Defining diastolic heart failure: a call for standardized diagnostic criteria. <i>Circulation</i> , 2000 , 101, 2118-2116.7		576
307	Efectos de las estatinas sobre la presi3n arterial. 2000 , 17, 357-364		
306	The COHERE Registry: hype or hope?. <i>Journal of Cardiac Failure</i> , 2000 , 6, 272-5	3.3	14
305	Rationale, design, and methods for a Coreg (carvedilol) Heart Failure Registry (COHERE). COHERE Participant Physicians. <i>Journal of Cardiac Failure</i> , 2000 , 6, 264-71	3.3	17
304	New developments in heart failure: role of endothelin and the use of endothelin receptor antagonists. <i>Journal of Cardiac Failure</i> , 2000 , 6, 359-68	3.3	8
303	La insuficiencia cardıaca congestiva en atenci3n primaria (y II).. 2000 , 26, 66-76		2
302	Congestive heart failure and the role of two-dimensional Doppler echocardiography: a primer for cardiac sonographers. <i>Journal of the American Society of Echocardiography</i> , 2000 , 13, 157-63	5.8	1
301	[Do angiotensin II receptor antagonists substitute angiotensin converting enzyme inhibitors in the treatment of high blood pressure?]. 2000 , 53, 4-12		0
300	Cardiotoxicity of chemotherapeutic agents: incidence, treatment and prevention. 2000 , 22, 263-302		468
299	Lisinopril: a review of its use in congestive heart failure. 2000 , 59, 1149-67		24
298	Metoprolol: a review of its use in chronic heart failure. 2000 , 60, 647-78		16

297	The use of subcutaneous erythropoietin and intravenous iron for the treatment of the anemia of severe, resistant congestive heart failure improves cardiac and renal function and functional cardiac class, and markedly reduces hospitalizations. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 1737-44	15.1	534
296	Proposal for a new clinical end point to evaluate the efficacy of drugs and devices in the treatment of chronic heart failure. <i>Journal of Cardiac Failure</i> , 2001 , 7, 176-82	3.3	316
295	Sensitivity, specificity, and predictive accuracies of various noninvasive techniques for detecting hibernating myocardium. 2001 , 26, 147-86		165
294	Levosimendan. 2001 , 61, 613-27; discussion 628-9		90
293	The effect of correction of mild anemia in severe, resistant congestive heart failure using subcutaneous erythropoietin and intravenous iron: a randomized controlled study. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 1775-80	15.1	518
292	The relationship between obesity and mortality in patients with heart failure. <i>Journal of the American College of Cardiology</i> , 2001 , 38, 789-95	15.1	616
291	ACC/AHA guidelines for the evaluation and management of chronic heart failure in the adult: executive summary. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to revise the 1995 Guidelines for the Evaluation and Management of Heart Failure). <i>Journal of the American College of Cardiology</i> , 2001 , 38, 2101-13	15.1	1002
290	Approach to patients with heart failure and normal ejection fraction. 2001 , 76, 1047-52		22
289	Prospective evaluation of an outpatient heart failure management program. <i>Journal of Cardiac Failure</i> , 2001 , 7, 64-74	3.3	54
288	Milrinone echocardiographic viability test: a pilot study. <i>Journal of the American Society of Echocardiography</i> , 2001 , 14, 668-75	5.8	1
287	Efectividad del tratamiento con sildenafil en pacientes con disfunci3n er3ctil e hipertensi3n arterial. 2001 , 18, 65-71		
286	Assessing patients with possible heart disease using scores. 2001 , 31, 387-408		1
285	Introduction and overview: beta-blocker therapy in the management of chronic heart failure. <i>American Journal of Medicine</i> , 2001 , 110 Suppl 7A, 1S-5S	2.4	4
284	Practical aspects of using beta-adrenergic blockade in systolic heart failure. <i>American Journal of Medicine</i> , 2001 , 110 Suppl 7A, 68S-73S	2.4	8
283	Current utilization trends for beta-blockers in cardiovascular disease. <i>American Journal of Medicine</i> , 2001 , 110 Suppl 5A, 2S-6S	2.4	16
282	Current role of beta-adrenergic blockers in the management of chronic heart failure. <i>American Journal of Medicine</i> , 2001 , 110 Suppl 7A, 81S-94S	2.4	102
281	Pitfalls in assessing the quality of care for patients with cardiovascular disease. <i>American Journal of Medicine</i> , 2001 , 111, 297-303	2.4	14
280	Medical management of mild-to-moderate heart failure before the advent of beta blockers. <i>American Journal of Medicine</i> , 2001 , 110 Suppl 7A, 47S-62S	2.4	2

279	Positive inotropic drug infusions for the patient with heart failure. 2001 , 6, 78-80		
278	Gated single-photon emission computed tomographic myocardial imaging: a new tool in clinical cardiology. <i>American Heart Journal</i> , 2001 , 141, 383-90	4-9	40
277	Evaluation Study of Congestive Heart Failure and Pulmonary Artery Catheterization Effectiveness (ESCAPE): design and rationale. <i>American Heart Journal</i> , 2001 , 141, 528-35	4-9	95
276	Reduced right ventricular ejection fraction as a marker for idiopathic dilated cardiomyopathy compared with ischemic left ventricular dysfunction. <i>American Heart Journal</i> , 2001 , 142, 181-9	4-9	79
275	Cost-effectiveness of beta-blocker therapy with metoprolol or with carvedilol for treatment of heart failure in Canada. <i>American Heart Journal</i> , 2001 , 142, 537-43	4-9	34
274	Comparing methods to identify general internal medicine clinic patients with chronic heart failure. <i>American Heart Journal</i> , 2001 , 142, 1003-9	4-9	15
273	The role of losartan in the management of patients with heart failure. 2001 , 23, 1456-77		7
272	Regression of fibrosis and hypertrophy in failing myocardium following mechanical circulatory support. 2001 , 20, 457-64		170
271	[Rhabdomyolysis complicated with acute renal insufficiency in a patient treated with gemfibrozil and cerivastatin]. 2001 , 201, 228-9		3
270	A clinician's perspective on clinical trials. <i>Journal of Cardiac Failure</i> , 2001 , 7, 1-3	3-3	12
269	Sexualidad en pacientes que han sufrido un infarto. 2001 , 27, 516-520		2
268	Observation unit management of heart failure. 2001 , 19, 209-32		36
267	Estudio de la hipertensi3n arterial en poblaci3n dislipid3nica. 2001 , 18, 406-410		
266	[New pharmacological agents in heart failure]. 2001 , 54, 624-34		1
265	[Rhabdomyolysis associated with combined treatment of cerivastatin and gemfibrozil]. 2001 , 201, 731-2		3
264	Torsemide: a pharmacoeconomic review of its use in chronic heart failure. 2001 , 19, 679-703		15
263	The impact of cardiac natriuretic peptide determination on the diagnosis and management of heart failure. 2001 , 39, 571-88		176
262	The additive value of gated SPET myocardial perfusion imaging in patients with known and suspected coronary artery disease. 2001 , 22, 45-55		10

261	Relevance of 99mTc-MIBI rest uptake, ejection fraction and location of contractile abnormality in predicting myocardial recovery after revascularization. 2001 , 22, 795-805		13
260	Detection of residual wall motion after sustained myocardial infarction by gated 99Tcm-tetrofosmin SPECT: a comparison with echocardiography. 2001 , 22, 175-82		13
259	Beta blockers for CHF. Adrenergic blockade dramatically reduces morbidity and mortality. 2001 , 109, 49-56		7
258	Translating heart failure guidelines into clinical practice: clinical science and the art of medicine. 2001 , 3, 130-5		8
257	Heart Failure with Normal Ejection Fraction. 2001 , 3, 507-513		1
256	Aspirin and ACE-inhibitors: for wedding or funeral?. 2001 , 11, 163-9		1
255	Comparison of Tl-201 with Tc-99m-labeled myocardial perfusion agents: technical, physiologic, and clinical issues. <i>Journal of Nuclear Cardiology</i> , 2001 , 8, 482-98	2.1	42
254	Usefulness of distinct activity thresholds according to baseline regional asynergy for predicting functional recovery in patients with chronic coronary artery disease and left ventricular dysfunction: a study with nitrate-enhanced sestamibi gated SPECT. <i>Journal of Nuclear Cardiology</i> , 2001 , 8, 555-60	2.1	5
253	Detection of residual wall motion after myocardial infarction by gated technetium-99m tetrofosmin SPET: a comparison with contrast ventriculography. 2001 , 28, 514-21		2
252	The history of erectile dysfunction management. 2001 , 13 Suppl 3, S3-7		18
251	Prediction of functional recovery in patients with chronic coronary artery disease and left ventricular dysfunction combining the evaluation of myocardial perfusion and of contractile reserve using nitrate-enhanced technetium-99m sestamibi gated single-photon emission computed tomography and dobutamine stress. <i>American Journal of Cardiology</i> , 2001 , 87, 1346-50	3	24
250	Crossovers between functional and proliferative signaling: key to understanding the pathophysiology and management of heart failure. 2001 , 5, 125-31		2
249	Using the transtheoretical approach to facilitate change in the heart failure population. <i>Congestive Heart Failure</i> , 2001 , 7, 151-155		2
248	Metoprolol CR/XL in the treatment of chronic heart failure. 2001 , 21, 604-13		7
247	Combined therapy with an angiotensin II receptor blocker and an angiotensin-converting enzyme inhibitor in heart failure. 2001 , 35, 242-8		13
246	New competition in the realm of renin-angiotensin axis inhibition; the angiotensin II receptor antagonists in congestive heart failure. 2001 , 35, 71-84		12
245	Acute precipitants of congestive heart failure exacerbations. 2001 , 161, 2337-42		234
244	Mediators of chronic heart failure: how drugs work. 2001 , 35, 1066-74		2

243	Manipulation of the renin-angiotensin system. <i>Circulation</i> , 2001 , 104, E14-8	16.7	62
242	ACC/AHA Guidelines for the Evaluation and Management of Chronic Heart Failure in the Adult: Executive Summary A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1995 Guidelines for the Evaluation and Management of Heart Failure). <i>Circulation</i> , 2001 , 104, 2996-3007	16.7	997
241	Impact of diabetes on the risk stratification using stress single-photon emission computed tomography myocardial perfusion imaging in patients with symptoms suggestive of coronary artery disease. <i>Circulation</i> , 2002 , 105, 32-40	16.7	281
240	Angiotensin-Converting Enzyme Inhibitors in Congestive Heart Failure: Practice versus Guidelines. 2002 , 18, 229-240		1
239	Inappropriate use of digoxin in older hospitalized heart failure patients. 2002 , 57, M138-43		15
238	Myocardial perfusion correlates with improvement of systolic function of the left ventricle after CABG. Dobutamine echocardiography and Tc-99m-MIBI SPECT study. 2002 , 21, 32-5		8
237	Perindopril improves six minute walking distance in older patients with left ventricular systolic dysfunction: a randomised double blind placebo controlled trial. 2002 , 88, 373-7		77
236	beta-Blockers in heart failure: clinical applications. 2002 , 287, 890-7		35
235	Validation of quantitative gated single photon emission computed tomography and an automated scoring system for the assessment of regional left ventricular systolic function. 2002 , 23, 887-98		19
234	Inotropic activity of hydroindene amidinohydrazones. 2002 , 45, 127-36		20
233	Potential indications for angiotensin-converting enzyme inhibitors in atherosclerotic vascular disease. <i>American Journal of Medicine</i> , 2002 , 112, 126-34	2.4	43
232	Utility of history, physical examination, electrocardiogram, and chest radiograph for differentiating normal from decreased systolic function in patients with heart failure. <i>American Journal of Medicine</i> , 2002 , 112, 437-45	2.4	107
231	Neurohormonal blockade in chronic heart failure. How much is enough? Can there be too much?. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 79-82	15.1	22
230	Electrocardiogram-gated single-photon emission computed tomography versus cardiac magnetic resonance imaging for the assessment of left ventricular volumes and ejection fraction: a meta-analysis. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 2059-68	15.1	101
229	African-American Heart Failure Trial (A-HeFT): rationale, design, and methodology. <i>Journal of Cardiac Failure</i> , 2002 , 8, 128-35	3.3	86
228	Cefditoren Pivoxil. 2002 , 62, 337-338		1
227	Perindopril: in congestive heart failure. 2002 , 62, 1367-77; discussion 1378-9		8
226	Rapid measurement of B-type natriuretic peptide in the emergency diagnosis of heart failure. 2002 , 347, 161-7		2595

225	Severe heart failure in the elderly: potential benefits of high-dose and continuous infusion diuretics. 2002 , 19, 249-56		8
224	Potential contributing factors to noncompliance with dietary sodium restriction in patients with heart failure. <i>American Heart Journal</i> , 2002 , 143, 29-33	4.9	69
223	Diuretic resistance predicts mortality in patients with advanced heart failure. <i>American Heart Journal</i> , 2002 , 144, 31-8	4.9	271
222	ACC/AHA guidelines for the evaluation and management of chronic heart failure in the adult: executive summary. 2002 , 21, 189-203		101
221	Manejo de la insuficiencia cardíaca del viejo. ¿Quién y dónde? Visión del geriatra. 2002 , 37, 5-12		
220	Beta-blockers in chronic heart failure: considerations for selecting an agent. 2002 , 77, 1199-206		17
219	[Hospitalized congestive heart failure patients with preserved versus abnormal left ventricular systolic function]. 2002 , 55, 579-86		25
218	Management of essential tremor. 2002 , 2, 324-30		13
217	[Beta blockers in therapy of chronic heart failure]. 2002 , 27, 150-65		5
216	Early prediction of regional functional recovery in reperfused myocardium using single-injection resting quantitative electrocardiographic gated SPET. 2002 , 29, 458-64		9
215	Use of angiotensin-converting enzyme inhibitors in patients with heart failure and renal insufficiency: how concerned should we be by the rise in serum creatinine?. 2002 , 50, 1297-300		65
214	Survival benefits of angiotensin-converting enzyme inhibitors in older heart failure patients with perceived contraindications. 2002 , 50, 1659-66		83
213	Quality of care of nursing home residents hospitalized with heart failure. 2002 , 50, 1831-6		35
212	Use of chronic medications among a large, commercially-insured US population. 2002 , 11, 301-9		10
211	Current perspectives for AT(1)-receptor blockers in the management of heart failure. 2002 , 16 Suppl 3, S47-51		2
210	Prevention of stent thrombosis following brachytherapy and implantation of drug-eluting stents. 2002 , 15, 477-83		5
209	Novel use of a short-acting intravenous beta blocker in combination with inotropic therapy as a bridge to chronic oral beta blockade in patients with advanced heart failure. 2002 , 25, 247-9		13
208	Management of heart failure in the elderly. 2002 , 7, 89-97		46

207	Economic evaluation of the randomized aldactone evaluation study (RALES): treatment of patients with severe heart failure. <i>Cardiovascular Drugs and Therapy</i> , 2002 , 16, 53-9	3.9	31
206	How to use nitrates. <i>Cardiovascular Drugs and Therapy</i> , 2002 , 16, 511-4	3.9	13
205	Visual assessment of left ventricular perfusion and function with electrocardiography-gated SPECT has high intraobserver and interobserver reproducibility among experienced nuclear cardiologists and cardiology trainees. <i>Journal of Nuclear Cardiology</i> , 2002 , 9, 263-70	2.1	29
204	Low-dose dobutamine nitrate-enhanced technetium 99m sestamibi gated SPECT versus low-dose dobutamine echocardiography for detecting reversible dysfunction in ischemic cardiomyopathy. <i>Journal of Nuclear Cardiology</i> , 2002 , 9, 402-6	2.1	23
203	Functional role of potassium channels in the vasodilating mechanism of levosimendan in porcine isolated coronary artery. <i>Cardiovascular Drugs and Therapy</i> , 2003 , 17, 115-21	3.9	65
202	Amiodarone decreases plasma brain natriuretic peptide level in patients with heart failure and ventricular tachyarrhythmia. <i>Cardiovascular Drugs and Therapy</i> , 2003 , 17, 325-33	3.9	9
201	Effects of long-term transdermal nitrate treatment on left ventricular function in patients following myocardial infarction. 2003 , 26, 120-6		2
200	Expanding role of beta-blockade in the management of chronic heart failure. 2003 , 23, 451-9		3
199	BNP and congestive heart failure. 2003 , 28, 264-311		8
198	2-Methoxy-3,8,9-trihydroxy coumestan: a new synthetic inhibitor of Na ⁺ ,K ⁺ -ATPase with an original mechanism of action. 2003 , 66, 2169-76		21
197	Effect of percutaneous coronary angioplasty on myocardial perfusion, function, and wall thickness as assessed by quantitative gated single-photon emission computed tomography. <i>American Journal of Cardiology</i> , 2003 , 91, 591-4	3	15
196	Heart failure: a hemodynamic disorder complicated by maladaptive proliferative responses. 2003 , 7, 1-10		37
195	Potential role of type 5 phosphodiesterase inhibition in the treatment of congestive heart failure. <i>Congestive Heart Failure</i> , 2003 , 9, 9-15		27
194	The role of norepinephrine in exercise impairment in congestive heart failure. <i>Congestive Heart Failure</i> , 2003 , 9, 25-8		2
193	Controversies in the use of beta blockers in heart failure. <i>Congestive Heart Failure</i> , 2003 , 9, 255-62		1
192	Switching between beta blockers in heart failure patients: rationale and practical considerations. <i>Congestive Heart Failure</i> , 2003 , 9, 271-8		11
191	Mortality benefit of beta blockade in patients with acute coronary syndromes undergoing coronary intervention: pooled results from the Epic, Epilog, Epistent, Capture and Rapport Trials. 2003 , 16, 299-305		48
190	American College of Cardiology/American Heart Association Chronic Heart Failure Evaluation and Management guidelines: relevance to the geriatric practice. 2003 , 51, 123-6		49

189	Erythropoietin should be part of congestive heart failure management. 2003 , S40-7		27
188	Disease modification in migraine: a concept that has come of age?. 2003 , 43, 135-43		29
187	Myocardial energetics: still only the tip of an iceberg. 2003 , 12, 3-6		4
186	CHART: congestive cardiac failure in hospitals, an Australian review of treatment. 2003 , 12, 94-102		13
185	Effect of gastric banding on aminoterminal pro-brain natriuretic peptide in the morbidly obese. 2003 , 11, 695-8		20
184	Infections in the heart transplant recipient. 2003 , 15, 97-108		1
183	[Use of bisoprolol in heart failure. The BISOCOR observational study]. 2003 , 56, 873-9		2
182	Utilidad del perindopril en insuficiencia cardíaca leve-moderada en la práctica clínica diaria. Estudio MÉRICA. 2003 , 203, 3-9		
181	A practical approach to hypertension in the 21st century. 2003 , 14, 961-75		4
180	Clinical efficacy of cardiac resynchronization therapy using left ventricular pacing in heart failure patients stratified by severity of ventricular conduction delay. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 2109-16	15.1	306
179	Cardiac resynchronization therapy for the treatment of heart failure in patients with intraventricular conduction delay and malignant ventricular tachyarrhythmias. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 1454-9	15.1	537
178	The prognostic importance of anemia in patients with heart failure. <i>American Journal of Medicine</i> , 2003 , 114, 112-9	2.4	221
177	Should the patient with coronary artery disease use sildenafil?. 2003 , 6, 161-5		11
176	Ghrelin, a novel growth hormone-releasing peptide, in the treatment of chronic heart failure. 2003 , 114, 71-7		75
175	Rationale and design of the Initiation Management Predischarge: Process for Assessment of Carvedilol Therapy for Heart Failure (IMPACT-HF) study. <i>American Heart Journal</i> , 2003 , 145, S60-1	4.9	9
174	Concomitant use of a positive inotropic agent to create a bridge to the successful initiation of beta-blocker therapy in patients with heart failure: a proposal for a trial. <i>American Heart Journal</i> , 2003 , 145, S62-6	4.9	1
173	Dobutamine stress echocardiography predicts myocardial improvement in patients supported by left ventricular assist devices (LVADs): hemodynamic and histologic evidence of improvement before LVAD explantation. 2003 , 22, 137-46		93
172	[Clinical predictors of the presence of perfusion defects in more than than one territory in myocardial scintigraphy with GATED-SPECT]. 2003 , 22, 20-5		

171	Anemia: not just an innocent bystander?. 2003 , 163, 1400-4	147
170	Interdisciplinary Team-Based Management of Heart Failure. 2003 , 11, 87-94	9
169	Immunosuppressive therapy for heart failure: a guide to patient selection. 2003 , 3, 321-4	1
168	Interaction of beta-blockers and angiotensin receptor blockers/ACE inhibitors in heart failure. 2003 , 4, 137-9	5
167	Mechanisms and management of diuretic resistance in congestive heart failure. 2003 , 79, 268-71	60
166	Outcomes of chronic heart failure. 2003 , 163, 347-52	183
165	A randomized trial of telenursing to reduce hospitalization for heart failure: patient-centered outcomes and nursing indicators. 2003 , 22, 1-20	80
164	Extended-release metoprolol succinate in chronic heart failure. 2003 , 37, 701-10	14
163	Efficacy and safety of oral candesartan cilexetil in patients with congestive heart failure. 2003 , 5, 669-77	53
162	Rolle der nuklearmedizinischen Verfahren und der Magnetresonanztomographie in der kardialen Diagnostik. 2003 , 26, 292-299	
161	The effect of correction of anaemia in diabetics and non-diabetics with severe resistant congestive heart failure and chronic renal failure by subcutaneous erythropoietin and intravenous iron. 2003 , 18, 141-6	172
160	Technetium-99m-tetrofosmin imaging with incremental nitroglycerin infusion to detect severely ischaemic but viable myocardium: a comparative study with thallium-201. 2003 , 24, 987-94	3
159	The cardio-renal anaemia syndrome: does it exist?. 2003 , 18 Suppl 8, viii7-12	44
158	Anemia in chronic kidney disease and congestive heart failure. 2003 , 21, 124-30	14
157	Radionuclide techniques for the assessment of myocardial viability and hibernation. 2004 , 90 Suppl 5, v26-33	66
156	Natriuretic peptides as markers of mild forms of left ventricular dysfunction: effects of assays on diagnostic performance of markers. 2004 , 50, 1174-83	86
155	Renal function, digoxin therapy, and heart failure outcomes: evidence from the digoxin intervention group trial. 2004 , 15, 2195-203	118
154	Chapter 5 Cardioembolic Stroke. 2004 , 29, 79-98	

153	Late systolic onset of regional LV relaxation demonstrated in three-dimensional space by MRI tissue tagging. 2004 , 287, H1740-6		52
152	Effect of valsartan added to background ACE inhibitor therapy in patients with heart failure: results from Val-HeFT. 2004 , 6, 937-45		74
151	Use of angiotensin-converting enzyme inhibitor therapy and dose-related outcomes in older adults with new heart failure in the community. 2004 , 19, 676-83		12
150	Role of dobutamine-atropine stress echocardiography in prognostic evaluation of 300 women. 2004 , 21, 113-8		4
149	Heart failure management in the emergency department observation unit. 2004 , 46, 465-85		13
148	Angiotensin-converting enzyme inhibitor therapy in patients with heart failure enrolled in a managed care organization: effect on costs and probability of hospitalization. 2004 , 24, 351-7		10
147	Importance of in-hospital initiation of evidence-based medical therapies for heart failure-a review. <i>American Journal of Cardiology</i> , 2004 , 94, 1155-60	3	41
146	Effects of a phosphodiesterase-5 (PDE5) inhibitor on endothelium-dependent relaxation of myometrial small arteries. 2004 , 190, 1283-90		51
145	A rationale for the use of anticoagulation in heart failure management. 2004 , 17, 87-93		6
144	Relation between wall thickening on gated perfusion SPECT and functional recovery after coronary revascularization in patients with previous myocardial infarction. 2004 , 31, 1599-605		12
143	[From hypertension to heart failure-a pathophysiological continuum]. 2004 , 29, 239-47		1
142	Use of diuretics in cardiovascular diseases: (1) heart failure. 2004 , 80, 201-5		12
141	Características clinicoevolutivas en la insuficiencia cardíaca descompensada con disfunción sistólica y función sistólica preservada. 2004 , 57, 45-52		12
140	Betabloqueantes e insuficiencia cardíaca. 2004 , 30, 470-473		
139	Differences in Clinical Profile and Outcome in Patients With Decompensated Heart Failure and Systolic Dysfunction or Preserved Systolic Function. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2004 , 57, 45-51	0.7	2
138	Dismantling mandates in the treatment of heart failure. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 1831-3	15.1	7
137	Digitalis for treatment of congestive heart failure in patients in sinus rhythm: a systematic review and meta-analysis. <i>Journal of Cardiac Failure</i> , 2004 , 10, 155-64	3.3	55
136	Neurohormones and heart failure. 2004 , 39, 845-61		4

135	Anesthesiology: perioperative medicine or "when the anesthetic is a diuretic". 2004 , 16, 130-7		1
134	The role and scope of practice of nurses working in Canadian heart failure clinics. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2004 , 33, 201-9	2.6	2
133	Is B-type natriuretic peptide-guided heart failure management cost-effective?. <i>International Journal of Cardiology</i> , 2004 , 96, 177-81	3.2	30
132	Organized Program to Initiate Lifesaving Treatment in Hospitalized Patients with Heart Failure (OPTIMIZE-HF): rationale and design. <i>American Heart Journal</i> , 2004 , 148, 43-51	4.9	262
131	Association between chronic heart failure and inhaled beta-2-adrenoceptor agonists. <i>American Heart Journal</i> , 2004 , 148, 915-20	4.9	49
130	Benefits of inpatient initiation of beta-blockers. <i>American Heart Journal</i> , 2004 , 148, 944-50	4.9	5
129	Managing the patient with diabetes mellitus and heart failure: issues and considerations. <i>American Journal of Medicine</i> , 2004 , 116 Suppl 5A, 76S-88S	2.4	15
128	Evidence of improved right ventricular structure after LVAD support in patients with end-stage cardiomyopathy. 2004 , 23, 28-35		46
127	Neurohumoral and hemodynamic effects of the selective endothelin antagonist darusentan in advanced chronic heart failure. 2004 , 23, 20-7		13
126	CHF in the elderly using ACEIs appropriately. 2004 , 29, 46-52		22
125	Scintigraphic prediction of left ventricular functional recovery early after primary coronary angioplasty using single-injection quantitative electrocardiographic gated SPECT. 2005 , 26, 505-11		4
124	Pharmacogenetics and response to beta-adrenergic receptor antagonists in heart failure. 2005 , 77, 123-6		9
123	Novel milrinone analogs of pyridine-3-carbonitrile derivatives as promising cardiotoxic agents. 2005 , 40, 1405-13		64
122	Expression of phosphodiesterase 5 in maternal and fetal sheep. 2005 , 193, 1005-10		26
121	Clinical implications of an accurate problem list on heart failure treatment. 2005 , 20, 143-7		51
120	Management of chronic heart failure: an old disease with a new face. 2005 , 17, 143-51		1
119	Determinants of mortality in patients undergoing cardiac resynchronization therapy: baseline clinical, echocardiographic, and angioscintigraphic evaluation prior to resynchronization. 2005 , 28, 1260-70		24
118	Congestive heart failure: understanding the pathophysiology and management. 2001 , 13, 249-57		5

117	Myocardial viability: nuclear assessment. 2005 , 22, 155-64		2
116	Essential tremor. 2005 , 4, 100-10		312
115	An observer study methodology for evaluating detection of motion abnormalities in gated myocardial perfusion SPECT. 2005 , 52, 480-5		4
114	Assessment of myocardial viability by nuclear imaging techniques. 2005 , 7, 124-9		7
113	When to initiate beta-blockers in heart failure: is it ever too early?. <i>Current Heart Failure Reports</i> , 2005 , 2, 94-9	2.8	3
112	Neurohormonal intervention to reduce sudden cardiac death in heart failure: what is the optimal pharmacologic strategy?. 2004 , 9, 337-45; discussion 347-51		7
111	The diagnosis of heart failure in European primary care: The IMPROVEMENT Programme survey of perception and practice. 2005 , 7, 768-79		26
110	Simple clinical criteria to determine the prognosis of heart failure. 2005 , 10, 173-80		23
109	Effects of levosimendan on left ventricular functional remodelling and exercise intolerance: a tissue Doppler study. 2005 , 33, 397-405		9
108	Effects of nebivolol on left ventricular function in elderly patients with chronic heart failure: results of the ENECA study. 2005 , 7, 631-9		47
107	Titration of carvedilol in elderly heart failure patients. 2005 , 14, 230-5		6
106	Pharmacotherapy of congestive heart failure in elderly patients. 2005 , 10, 85-94		5
105	Practice parameter: therapies for essential tremor: report of the Quality Standards Subcommittee of the American Academy of Neurology. 2005 , 64, 2008-20		289
104	Tratamiento de la insuficiencia cardíaca en fase muy avanzada. 2005 , 12, 315-324		
103	Assessment of myocardial viability. 2005 , 35, 2-16		57
102	Using the emergency department clinical decision unit for acute decompensated heart failure. 2005 , 23, 569-88, viii		22
101	Early initiation of beta blockade in heart failure: issues and evidence. <i>Journal of Clinical Hypertension</i> , 2005 , 7, 520-8; quiz 529-30	2.3	6
100	Observation unit treatment of heart failure with nesiritide: results from the proaction trial. 2005 , 29, 243-52		62

99	Two-year follow-up of quality of life in patients referred for heart transplant. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2005 , 34, 187-93	2.6	20
98	A propensity score analysis of the impact of angiotensin-converting enzyme inhibitors on long-term survival of older adults with heart failure and perceived contraindications. <i>American Heart Journal</i> , 2005 , 149, 737-43	4.9	36
97	Nesiritide added to standard care favorably reduces systolic blood pressure compared with standard care alone in patients with acute decompensated heart failure. <i>American Journal of Emergency Medicine</i> , 2005 , 23, 327-31	2.9	36
96	Incremental effects of concurrent pharmacotherapeutic regimens for heart failure on hospitalizations and costs. 2005 , 39, 1785-91		9
95	ACC/AHA Key Data Elements and Definitions for Measuring the Clinical Management and Outcomes of Patients With Chronic Heart Failure. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 1179-1207	15.1	33
94	ACC/AHA 2005 guideline update for the diagnosis and management of chronic heart failure in the adult: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Update the 2001 Guidelines for the Evaluation and Management of Heart Failure). <i>Journal of the American College of Cardiology</i> , 2005 , 46, e1-82	15.1	1119
93	The interaction between heart failure and other heart diseases, renal failure, and anemia. 2006 , 26, 296-306		94
92	Nuclear probes for assessing myocardial viability in heart failure. 2006 , 2, 129-43		1
91	Amphiphilic conjugates of human brain natriuretic peptide designed for oral delivery: in vitro activity screening. 2006 , 17, 267-74		14
90	Essential tremor. 2006 , 22, 843-57, vii		14
89	Hypertension and smoking are associated with reduced regional left ventricular function in asymptomatic individuals the Multi-Ethnic Study of Atherosclerosis. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 1150-8	15.1	103
88	High-sodium food choices by southern, urban African Americans with heart failure. <i>Journal of Cardiac Failure</i> , 2006 , 12, 144-8	3.3	10
87	Heart failure in patients with left ventricular systolic dysfunction. <i>Journal of Cardiac Failure</i> , 2006 , 12, e38-57	3.3	18
86	Executive summary: HFSA 2006 Comprehensive Heart Failure Practice Guideline. <i>Journal of Cardiac Failure</i> , 2006 , 12, 10-38	3.3	393
85	The amidase activity of human tissue kallikrein is significantly lower in the urine of patients with systolic heart failure. <i>Journal of Cardiac Failure</i> , 2006 , 12, 653-8	3.3	5
84	Use of valsartan in post-myocardial infarction and heart failure patients. 2006 , 7 Suppl 1, S19-22		1
83	Overview of acute decompensated heart failure in Argentina: lessons learned from 5 registries during the last decade. <i>American Heart Journal</i> , 2006 , 151, 84-91	4.9	20
82	Mortality benefit of a comprehensive heart failure disease management program in indigent patients. <i>American Heart Journal</i> , 2006 , 151, 478-83	4.9	15

81	Phosphodiesterase-5 inhibitors and omental and placental small artery function in normal pregnancy and pre-eclampsia. 2006 , 127, 41-9		30
80	Multidisciplinary and multisetting team management programme in heart failure patients affects hospitalisation and costing. <i>International Journal of Cardiology</i> , 2006 , 111, 377-85	3.2	14
79	Assessment of myocardial viability by radionuclide and echocardiographic techniques: is it simply a sensitivity and specificity issue?. 2006 , 21, 450-6		9
78	Prognostic role of single-photon emission computed tomography (SPECT) imaging in myocardial viability. 2006 , 21, 457-63		15
77	Comparison of 18F SPECT with PET in myocardial imaging: a realistic thorax-cardiac phantom study. 2006 , 6, 5		9
76	Imaging of myocardial dyssynchrony in congestive heart failure. 2006 , 11, 289-303		6
75	Anemia, chronic renal disease and congestive heart failure--the cardio renal anemia syndrome: the need for cooperation between cardiologists and nephrologists. 2006 , 38, 295-310		86
74	Hurricanes and heart failure: a review of the who, what, when, and where of beta-blocker therapy. <i>Current Heart Failure Reports</i> , 2006 , 3, 89-95	2.8	5
73	Contribution of 99mTc-sestamibi infusion SPECT to the characterization of fixed perfusion defects. 2006 , 20, 471-5		1
72	Assigning patients with heart failure to observation status: B-type natriuretic peptide, ejection fraction, or physician judgment. <i>Congestive Heart Failure</i> , 2006 , 12, 26-31		
71	Quality of care in African-American patients admitted for congestive heart failure at a university teaching hospital. <i>American Journal of Cardiology</i> , 2006 , 97, 690-3	3	12
70	Changing incidence and survival for heart failure in a well-defined older population, 1970-1974 and 1990-1994. <i>Circulation</i> , 2006 , 113, 799-805	16.7	192
69	Sildenafil citrate and fetal outcome in pregnant rats. 2006 , 21, 259-63		27
68	Effects of nurse management on the quality of heart failure care in minority communities: a randomized trial. 2006 , 145, 273-83		119
67	The effect of neurohormonal antagonists in reducing heart failure hospitalizations. 2006 , 22, 139-50		4
66	Impact of chronic heart failure on elderly persons' daily life: a validation study. 2006 , 5, 137-45		28
65	Cardiac troponin T as a prognostic marker in patients with heart failure : a 3-year outcome study. 2007 , 58, 603-9		10
64	Can LV dyssynchrony as assessed with phase analysis on gated myocardial perfusion SPECT predict response to CRT?. 2007 , 48, 1104-11		198

63	Conundrums in the combined use of anticoagulants and antiplatelet drugs. <i>Circulation</i> , 2007 , 116, 305-156.7	21
62	Predictors for health related quality of life in persons 65 years or older with chronic heart failure. 2007 , 6, 112-20	53
61	Cyclic guanosine monophosphate phosphodiesterase-5 inhibitor promotes an endothelium NO-dependent-like vasodilation in patients with refractory hypertension. 2007 , 16, 315-21	11
60	Natural history, adherence, or iatrogenic insult: repeat hospitalizations as a predictor of survival. <i>American Heart Journal</i> , 2007 , 154, 203-5	4.9 2
59	Effects of beta-erythropoietin treatment on left ventricular remodeling, systolic function, and B-type natriuretic peptide levels in patients with the cardiorenal anemia syndrome. <i>American Heart Journal</i> , 2007 , 154, 645.e9-15	4.9 100
58	Relationship between C-reactive protein levels and regional left ventricular function in asymptomatic individuals: the Multi-Ethnic Study of Atherosclerosis. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 594-600	15.1 37
57	Phase analysis of gated myocardial perfusion single-photon emission computed tomography compared with tissue Doppler imaging for the assessment of left ventricular dyssynchrony. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 1708-14	15.1 163
56	Laboratory monitoring of potassium and creatinine in ambulatory patients receiving angiotensin converting enzyme inhibitors and angiotensin receptor blockers. 2007 , 16, 55-64	61
55	Left ventricular volume and function in cynomolgus monkeys using real-time three-dimensional echocardiography. 2007 , 36, 39-46	10
54	Anaemia in heart failure: a common interaction with renal insufficiency called the cardio-renal anaemia syndrome. 2008 , 62, 281-6	30
53	[Analysis of hospital admissions associated with digitalis glycosides]. 2007 , 102, 603-11	5
52	Left ventricular dyssynchrony assessed by two three-dimensional imaging modalities: phase analysis of gated myocardial perfusion SPECT and tri-plane tissue Doppler imaging. 2008 , 35, 166-73	61
51	Acute heart failure: new diagnostic perspectives for the emergency physician. 2008 , 3, 37-41	12
50	The study of Cu and Zn serum levels in idiopathic dilated cardiomyopathy (IDCMP) patients and its comparison with healthy volunteers. <i>Biological Trace Element Research</i> , 2008 , 125, 97-108	4.5 24
49	The success of recruiting minorities, women, and elderly into a randomized controlled effectiveness trial. <i>Mount Sinai Journal of Medicine</i> , 2008 , 75, 37-43	20
48	Pharmacological profile of the new inotropic agent AT-11. <i>European Journal of Pharmacology</i> , 2008 , 580, 224-30	5.3 2
47	Valoraci3n de la viabilidad mioc3rdica mediante gated-SPECT de perfusi3n mioc3rdica. <i>Revista Espanola De Cardiologia Suplementos</i> , 2008 , 8, 35B-48B	0.2
46	Microalbuminuria in nondiabetic and nonhypertensive systolic heart failure patients. <i>Congestive Heart Failure</i> , 2008 , 14, 234-8	6

45	Effect of Coronary Revascularization in Patients With Ischemic Cardiomyopathy Who Satisfy Viability Criteria on Gated-SPECT Assessment of Myocardial Perfusion. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008 , 61, 540-544	0.7	
44	Chronic ischemic left ventricular dysfunction: from pathophysiology to imaging and its integration into clinical practice. <i>JACC: Cardiovascular Imaging</i> , 2008 , 1, 536-55	8.4	36
43	Acute Heart Failure. 2008 ,		7
42	Veterans' decision-making preferences and perceived involvement in care for chronic heart failure. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2008 , 37, 440-8	2.6	26
41	Impact of cardiac resynchronization therapy on exercise performance, functional capacity, and quality of life in systolic heart failure with QRS prolongation: COMPANION trial sub-study. <i>Journal of Cardiac Failure</i> , 2008 , 14, 9-18	3.3	60
40	Real-time three-dimensional echocardiography as a novel approach to quantify left ventricular dyssynchrony: a comparison study with phase analysis of gated myocardial perfusion single photon emission computed tomography. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 801-7	5.8	61
39	Efficacy and safety of torsemide in children with heart failure. <i>Archives of Disease in Childhood</i> , 2008 , 93, 768-71	2.2	8
38	Differentiation of ischemic and dilated cardiomyopathy on electrocardiograms. <i>Asian Cardiovascular and Thoracic Annals</i> , 2008 , 16, 103-6	0.6	3
37	2009 focused update incorporated into the ACC/AHA 2005 Guidelines for the Diagnosis and Management of Heart Failure in Adults: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines: developed in collaboration with the International Society for Heart and Lung Transplantation. <i>Circulation</i> , 2009 ,	16.7	1178
36	Acute effects of sildenafil on flow mediated dilatation and cardiovascular autonomic nerve function in type 2 diabetic patients. <i>Diabetes/Metabolism Research and Reviews</i> , 2009 , 25, 136-43	7.5	17
35	Serum zinc and copper levels in ischemic cardiomyopathy. <i>Biological Trace Element Research</i> , 2009 , 127, 116-23	4.5	67
34	Coronary heart disease attributable to passive smoking: CHD Policy Model. <i>American Journal of Preventive Medicine</i> , 2009 , 36, 13-20	6.1	18
33	Prevention of recurrent lone atrial fibrillation by the angiotensin-II converting enzyme inhibitor ramipril in normotensive patients. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 24-9	15.1	83
32	2009 Focused update incorporated into the ACC/AHA 2005 Guidelines for the Diagnosis and Management of Heart Failure in Adults A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines Developed in Collaboration With the International Society for Heart and Lung Transplantation. <i>Journal of the</i>	15.1	1224
31	Race, Medicine, and the Science behind BiDil: How ACE-Inhibition Took the Fall for the First Ethnic Drug. <i>Review of Black Political Economy</i> , 2010 , 37, 115-130	0.8	1
30	Angiotensin-Converting Enzyme Inhibitors. 2010 , 267-302		
29	Metabolic syndrome does not predict an increased risk of coronary disease in patients with traditional risk factors referred for stress imaging study. <i>Metabolic Syndrome and Related Disorders</i> , 2010 , 8, 223-8	2.6	4
28	Impact of history of heart failure on diagnostic and prognostic value of BNP: results from the B-type Natriuretic Peptide for Acute Shortness of Breath Evaluation (BASEL) study. <i>International Journal of Cardiology</i> , 2010 , 142, 265-72	3.2	21

27	L'apport de la fusion scintigraphie myocardique scanner coronaire. <i>Medecine Nucleaire</i> , 2010 , 34, 485-489.	0.1	1
26	L'analyse combinée de la tomoscintigraphie myocardique de stress et de l'angiogramme coronaire pour identifier les artères responsables de l'ischémie. <i>Medecine Nucleaire</i> , 2010 , 34, 637-646	0.1	1
25	Section 7: Heart Failure in Patients With Reduced Ejection Fraction. <i>Journal of Cardiac Failure</i> , 2010 , 16, e73-e97	3.3	
24	Days alive and out of hospital and the patient journey in patients with heart failure: Insights from the candesartan in heart failure: assessment of reduction in mortality and morbidity (CHARM) program. <i>American Heart Journal</i> , 2011 , 162, 900-6	4.9	93
23	The impact of the aging population on coronary heart disease in the United States. <i>American Journal of Medicine</i> , 2011 , 124, 827-33.e5	2.4	128
22	Actividad inotrópica inducida por el derivado carbamacepina-alquino en un modelo de corazón aislado y perfundido a flujo constante. <i>Biomedica</i> , 2011 , 31, 232	0.9	5
21	Effectiveness and cost-effectiveness of blood pressure screening in adolescents in the United States. <i>Journal of Pediatrics</i> , 2011 , 158, 257-64.e1-7	3.6	32
20	Effects of tolvaptan on systemic and renal hemodynamic function in dogs with congestive heart failure. <i>Cardiovascular Drugs and Therapy</i> , 2011 , 25 Suppl 1, S67-76	3.9	43
19	Quantitative study of cardiac motion estimation and abnormality classification in emission computed tomography. <i>Medical Engineering and Physics</i> , 2011 , 33, 563-72	2.4	8
18	Management of essential tremor, including medical and surgical approaches. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2011 , 100, 449-56	3	4
17	Mediating role of daily physical activity on quality of life in patients with heart failure. <i>Journal of Cardiovascular Nursing</i> , 2012 , 27, 16-23	2.1	13
16	Diuretic dosing in acute decompensated heart failure: lessons from DOSE. <i>Current Heart Failure Reports</i> , 2012 , 9, 260-5	2.8	3
15	The pleiotropic effects of phosphodiesterase 5 inhibitors on function and safety in patients with cardiovascular disease and hypertension. <i>Journal of Clinical Hypertension</i> , 2012 , 14, 644-9	2.3	22
14	Effect of certain angiotensin-converting enzyme inhibitors on mortality in heart failure: a multiple-propensity analysis. <i>Research in Social and Administrative Pharmacy</i> , 2012 , 8, 145-56	2.9	6
13	Effectiveness and safety of phosphodiesterase 5 inhibitors in patients with cardiovascular disease and hypertension. <i>Current Hypertension Reports</i> , 2013 , 15, 475-83	4.7	42
12	Cardiac Resynchronization Therapy. 2013 , 231-263		
11	Diagnosing heart failure among acutely dyspneic patients with cardiac, inferior vena cava, and lung ultrasonography. <i>American Journal of Emergency Medicine</i> , 2013 , 31, 1208-14	2.9	101
10	Tomographic Imaging Methods and Gated Technique in Nuclear Cardiology: A Review on Current Status and Future Developments. <i>Recent Patents on Medical Imaging</i> , 2013 , 3, 60-79		

9	Cardiac CT for myocardial ischaemia detection and characterization--comparative analysis. <i>British Journal of Radiology</i> , 2014 , 87, 20140159	3.4	11
8	Évaluation de la cinétique globale et segmentaire du ventricule gauche chez les patients connus ou suspects de cardiopathie ischémique : comparaison des données apportées en scintigraphie de perfusion myocardique et en tomoventriculographie isotopique. <i>Medecine Nucleaire</i> , 2014 , 38, 59-70	0.1	
7	White matter microstructural changes in psychogenic erectile dysfunction patients. <i>Andrology</i> , 2014 , 2, 379-85	4.2	17
6	Task-based evaluation of a 4D MAP-RBI-EM image reconstruction method for gated myocardial perfusion SPECT using a human observer study. <i>Physics in Medicine and Biology</i> , 2015 , 60, 6789-809	3.8	4
5	Comprehensive Management of High Risk Cardiovascular Patients. 2016 ,		1
4	Development of a 2-Layer Double-Pump Dynamic Cardiac Phantom. <i>Journal of Nuclear Medicine Technology</i> , 2016 , 44, 31-5	1.1	2
3	Effects of Chaihu-Shugan-San capsule for psychogenic erectile dysfunction: Study protocol of a randomized placebo-controlled trial. <i>Medicine (United States)</i> , 2019 , 98, e17925	1.8	3
2	Incremental value of myocardial wall motion and thickening to perfusion alone by gated SPECT myocardial perfusion imaging for viability assessment in patients with ischemic heart failure. <i>Journal of Nuclear Cardiology</i> , 2020 , 1	2.1	3
1	How Great Is the Arrhythmic Risk for Heart Failure Patients and Does Resynchronization Therapy Modify It?. 2002 , 151-156		