

# CITATION REPORT

List of articles citing

**Best method in clinical practice and in research studies to determine left atrial size**

**DOI: 10.1016/s0002-9149(99)00446-4**  
**American Journal of Cardiology, 1999, 84, 829-32.**

**Source:** <https://exaly.com/paper-pdf/30566576/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
465	Maternal cardiac systolic and diastolic function: relationship with uteroplacental resistances. A Doppler and echocardiographic longitudinal study. <b>2000</b> , 15, 487-97		77
464	Radiographic measurements of cardiac size as predictors of outcome in patients with dilated cardiomyopathy. <b>2001</b> , 7, 13-20		17
463	Improvement of afterload mismatch of left atrial booster pump function with positive inotropic agent. <b>2001</b> , 37, 270-7		15
462	Left atrial volume: important risk marker of incident atrial fibrillation in 1655 older men and women. <b>2001</b> , 76, 467-75		454
461	Relation of fibrillatory wave amplitude with hemostatic abnormality and left atrial appendage dysfunction in patients with chronic nonrheumatic atrial fibrillation. <b>2001</b> , 65, 375-80		20
460	Maternal diastolic dysfunction and left ventricular geometry in gestational hypertension. <b>2001</b> , 37, 1209-15		61
459	Effects of long-term biventricular stimulation for resynchronization on echocardiographic measures of remodeling. <b>2002</b> , 105, 1304-10		228
458	Determinants and prognostic value of left atrial volume in patients with dilated cardiomyopathy. <b>2002</b> , 40, 1425		273
457	Compensatory changes in atrial volumes with normal aging: is atrial enlargement inevitable?. <b>2002</b> , 40, 1630-5		155
456	Left ventricular diastolic dysfunction as a predictor of the first diagnosed nonvalvular atrial fibrillation in 840 elderly men and women. <b>2002</b> , 40, 1636-44		498
455	Comparison of left ventricular geometry and left atrial size and function in patients with aortic stenosis versus those with pure aortic regurgitation. <i>American Journal of Cardiology</i> , <b>2002</b> , 90, 601-6	3	34
454	Left atrial volume as a morphophysiologic expression of left ventricular diastolic dysfunction and relation to cardiovascular risk burden. <i>American Journal of Cardiology</i> , <b>2002</b> , 90, 1284-9	3	870
453	A comparison of left atrial size by two-dimensional transthoracic echocardiography and magnetic endocardial catheter mapping. <b>2002</b> , 25, 95-7		7
452	Hemodynamic response to intensive unloading therapy (furosemide and nitroprusside) in patients >70 years of age with left ventricular systolic dysfunction and decompensated chronic heart failure. <i>American Journal of Cardiology</i> , <b>2003</b> , 92, 1050-6	3	20
451	Comparison of left atrial volume assessed by magnetic endocardial catheter mapping versus transthoracic echocardiography. <i>American Journal of Cardiology</i> , <b>2003</b> , 91, 351-4	3	7
450	Comparison of left ventricular diastolic function in obstructive hypertrophic cardiomyopathy in patients undergoing percutaneous septal alcohol ablation versus surgical myotomy/myectomy. <i>American Journal of Cardiology</i> , <b>2003</b> , 91, 817-21	3	46
449	Increase in atrial size in long-term survivors of heart transplant. <b>2003</b> , 16, 1043-8		12

448	Left atrial volume as an index of left atrial size: a population-based study. <b>2003</b> , 41, 1036-43		464
447	Recommendations for evaluation of the severity of native valvular regurgitation with two-dimensional and Doppler echocardiography. <b>2003</b> , 16, 777-802		3276
446	American Society of Echocardiography: recommendations for evaluation of the severity of native valvular regurgitation with two-dimensional and Doppler echocardiography A report from the American Society of Echocardiography Nomenclature and Standards Committee and The Task Force on Valvular Regurgitation, developed in conjunction with the American College of Cardiology Echocardiography Committee, The Cardiac Imaging Committee, Council on Clinical Cardiology, The American Heart Association, and the European. <b>2003</b> , 4, 237-261		37
445	Effect of Age and Sex on Left Atrial Morphology and Function. <b>2003</b> , 4, 36-42		93
444	Determinants of left atrial size in patients with newly diagnosed untreated hypertension. <b>2003</b> , 8, 3-7		10
443	[The diastolic function: an echocardiographic study and its clinical meaning]. <b>2004</b> , 62, 73-85		1
442	Assessment of left atrial volume by contrast enhanced magnetic resonance angiography. <b>2004</b> , 6, 491-7		18
441	Assessment of left atrial volumes in sinus rhythm and atrial fibrillation using the biplane area-length method and cardiovascular magnetic resonance imaging with TrueFISP. <b>2004</b> , 6, 855-63		79
440	How to measure left atrial volume. <b>2004</b> , 21, 569-71		10
439	Echocardiographic evidence of left atrial abnormality in young patients with lone paroxysmal atrial fibrillation. <i>American Journal of Cardiology</i> , <b>2004</b> , 94, 511-3	3	32
438	Usefulness of left atrial volume as a predictor of mortality in patients with ischemic cardiomyopathy. <i>American Journal of Cardiology</i> , <b>2004</b> , 94, 760-3	3	73
437	Determinants of atrial fibrillation development in patients with hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , <b>2004</b> , 94, 895-900	3	96
436	Effect of preload reduction by hemodialysis on left atrial volume and echocardiographic Doppler parameters in patients with end-stage renal disease. <i>American Journal of Cardiology</i> , <b>2004</b> , 94, 1208-10	3	57
435	American Society of Echocardiography recommendations for use of echocardiography in clinical trials. <b>2004</b> , 17, 1086-119		392
434	Determinant of left atrial dilation in patients with hypertrophic cardiomyopathy: a real-time 3-dimensional echocardiographic study. <b>2004</b> , 17, 968-75		37
433	Left atrial volume in the prediction of first ischemic stroke in an elderly cohort without atrial fibrillation. <b>2004</b> , 79, 1008-14		209
432	Left atrial volume and the risk of paroxysmal atrial fibrillation in patients with hypertrophic cardiomyopathy. <b>2004</b> , 17, 644-8		94
431	Long-term prognostic significance of left atrial volume in acute myocardial infarction. <b>2004</b> , 44, 327-34		221

430 Back issue box. **2004**, 147, 196

429	How should left atrial size be reported? Comparative assessment with use of multiple echocardiographic methods. <b>2004</b> , 147, 369-74			84
428	Left atrial size: renewed interest in an old echocardiographic measurement. <b>2004</b> , 147, 195-6			13
427	Relationship between left ventricular geometry and left atrial size and function in patients with systemic hypertension. <b>2004</b> , 22, 1589-96			81
426	Comparison of left atrial size by freehand scanning three-dimensional echocardiography and two-dimensional echocardiography. <b>2004</b> , 5, 18-24			22
425	Persistent electrical and morphological atrial abnormalities after early closure of atrial septal defect. <b>2004</b> , 14, 481-7			3
424	American Society of Echocardiography recommendations for use of echocardiography in clinical trialsA report from the american society of echocardiography® guidelines and standards committee and the task force on echocardiography in clinical trials. <b>2004</b> , 17, 1086-1119			636
423	Comparison of left atrial dimensions by transesophageal and transthoracic echocardiography. <b>2005</b> , 22, 789-96			9
422	Comparison of transesophageal echocardiographic identification of embolic risk markers in patients with lone versus non-lone atrial fibrillation. <i>American Journal of Cardiology</i> , <b>2005</b> , 95, 592-6	3		15
421	Usefulness of left atrial emptying fraction to predict exercise capacity in patients with normal systolic left ventricular function and without myocardial ischemia. <i>American Journal of Cardiology</i> , <b>2005</b> , 95, 1014-7	3		7
420	Is functional capacity related to left atrial contractile function in nonobstructive hypertrophic cardiomyopathy?. <b>2005</b> , 11, 234-40			7
419	Assessment of atrial regional and global electromechanical function by tissue velocity echocardiography: a feasibility study on healthy individuals. <b>2005</b> , 3, 4			38
418	Assessment of Factors Influencing Plasma BNP Level in Patients with Chronic Atrial Fibrillation and Preserved Left Ventricular Systolic Function. <b>2005</b> , 35, 605			2
417	Differential value of left atrial systolic and diastolic volumes as independent predictors of congestive heart failure or early death in acute myocardial infarction. <i>Heart</i> , <b>2006</b> , 92, 397-8	5.1		4
416	Influence of regression of left ventricular hypertrophy on left atrial size and function in patients with moderate hypertension. <b>2005</b> , 14, 273-8			37
415	Role of echocardiography in the contemporary management of chronic heart failure. <b>2005</b> , 3, 51-70			4
414	Effect of atrial fibrillation on chamber dimensions. <b>2005</b> , 2, 25-7			2
413	Left atrial index is a predictor of exercise capacity in patients with hypertrophic cardiomyopathy. <b>2005</b> , 18, 1373-80			34

412	Changes in left atrial size in patients with persistent atrial fibrillation: a prospective echocardiographic study with a 5-year follow-up period. <i>International Journal of Cardiology</i> , <b>2005</b> , 101, 47-52	3.2	48
411	Tissue Doppler echocardiographic evidence of atrial mechanical dysfunction in coronary artery disease. <i>International Journal of Cardiology</i> , <b>2005</b> , 105, 178-85	3.2	52
410	Left atrial volumetric remodeling is predictive of functional capacity in nonobstructive hypertrophic cardiomyopathy. <b>2005</b> , 149, 730-6		63
409	Enlarged left atrial volume in hypertrophic cardiomyopathy: a marker for disease severity. <b>2005</b> , 18, 1074-82		103
408	Use of real-time three-dimensional echocardiography to measure left atrial volume: comparison with other echocardiographic techniques. <b>2005</b> , 18, 991-7		140
407	Recommendations for chamber quantification: a report from the American Society of Echocardiography® Guidelines and Standards Committee and the Chamber Quantification Writing Group, developed in conjunction with the European Association of Echocardiography, a branch of the European Society of Cardiology. <b>2005</b> , 18, 1440-48		8967
406	Effect of age and heart rate on atrial mechanical function assessed by Doppler tissue imaging in healthy individuals. <b>2006</b> , 19, 422-8		28
405	What is the best approach for the assessment of left atrial size? Comparison of various unidimensional and two-dimensional parameters with three-dimensional echocardiographically determined left atrial volume. <b>2006</b> , 19, 1026-32		85
404	Impact of chronic lisinopril therapy on left atrial volume versus dimension in chronic organic mitral regurgitation. <b>2006</b> , 22, 125-9		7
403	Two-Dimensional Echocardiographic Assessment of the Feline Left Atrium. <b>2006</b> , 20, 111-119		113
402	Effect of preload reduction by hemodialysis on myocardial ultrasonic characterization, left atrial volume, and Doppler tissue imaging in patients with end-stage renal disease. <b>2006</b> , 19, 1359-64		31
401	Prediction of cardiovascular outcomes with left atrial size: is volume superior to area or diameter?. <b>2006</b> , 47, 1018-23		563
400	Predictive value of normal left atrial volume in stress echocardiography. <b>2006</b> , 47, 1024-8		39
399	Left atrial size: physiologic determinants and clinical applications. <b>2006</b> , 47, 2357-63		793
398	Left atrial volume predicts the risk of atrial fibrillation after cardiac surgery: a prospective study. <b>2006</b> , 48, 779-86		140
397	Cardiovascular imaging in the management of atrial fibrillation. <b>2006</b> , 48, 2077-84		89
396	Changes in plasma N-terminal proBNP levels and ventricular filling pressures during intensive unloading therapy in elderly with decompensated congestive heart failure and preserved left ventricular systolic function. <b>2006</b> , 12, 608-15		23
395	Left atrial diameter as an independent predictor of first clinical cardiovascular events in middle-aged and elderly adults: the Strong Heart Study (SHS). <b>2006</b> , 151, 412-8		284

394	Left atrial volume in normal Japanese adults. <b>2006</b> , 70, 285-8		36
393	Objective evaluation of changes in left ventricular and atrial volumes during parabolic flight using real-time three-dimensional echocardiography. <b>2006</b> , 101, 460-8		21
392	Functional mitral regurgitation in heart failure. <b>2006</b> , 7, 514-23		7
391	The interplay between haemodynamic load, brain natriuretic peptide and left atrial size in the early stages of essential hypertension. <b>2006</b> , 24, 965-72		38
390	Left atrial volume in end-stage renal disease: a prospective cohort study. <b>2006</b> , 24, 1173-80		73
389	Left atrial size is a poor predictor of pathology in the older patient: preliminary observations. <b>2006</b> , 23, 24-30		2
388	Effects of quinapril on left atrial structural remodeling and arterial stiffness. <i>American Journal of Cardiology</i> , <b>2006</b> , 97, 916-20	3	66
387	Effect of radiofrequency catheter ablation for atrial fibrillation on left atrial cavity size. <i>American Journal of Cardiology</i> , <b>2006</b> , 97, 1220-2	3	86
386	Relation of left atrial volume to B-type natriuretic peptide levels in patients with stable chronic heart failure. <i>American Journal of Cardiology</i> , <b>2006</b> , 98, 98-101	3	25
385	Significance of left atrial contractile function in asymptomatic subjects with hereditary hemochromatosis. <i>American Journal of Cardiology</i> , <b>2006</b> , 98, 954-9	3	31
384	Two-dimensional echocardiographic methods for assessment of left atrial volume. <i>American Journal of Cardiology</i> , <b>2006</b> , 98, 1185-8	3	161
383	P-wave morphology correlation with left atrial volumes assessed by 2-dimensional echocardiography. <b>2006</b> , 39, 225-9		23
382	Detecting left atrial enlargement by ECG—a comparison of 4 methods. <b>2006</b> , 39, 230-1		0
381	Left atrial geometric and functional remodeling in athletes. <b>2006</b> , 27, 267-71		13
380	Prognostic importance of diastolic function and filling pressure in patients with acute myocardial infarction. <b>2006</b> , 114, 438-44		518
379	Recommendations for chamber quantification. <b>2006</b> , 7, 79-108		2545
378	Feasibility of strain and strain rate imaging for the assessment of regional left atrial deformation: a study in normal subjects. <b>2006</b> , 7, 199-208		142
377	Left Atrial Size Is a Poor Predictor of Pathology in the Older Patient: Preliminary Observations. <b>2006</b> , 060123074912020-???		

376	Right atrial size and function in patients with pulmonary hypertension associated with disorders of respiratory system or hypoxemia. <b>2007</b> , 8, 322-31		73
375	Multi-modality imaging to assess left atrial size, anatomy and function. <i>Heart</i> , <b>2007</b> , 93, 1461-70	5.1	52
374	Left atrial remodelling in mitral regurgitation--methodologic approach, physiological determinants, and outcome implications: a prospective quantitative Doppler-echocardiographic and electron beam-computed tomographic study. <b>2007</b> , 28, 1773-81		113
373	Is there an anatomical substrate for idiopathic paroxysmal atrial fibrillation? A case-control echocardiographic study. <b>2007</b> , 9, 294-8		23
372	Left atrial volume provides independent and incremental information compared with exercise tolerance parameters in patients with heart failure and left ventricular systolic dysfunction. <i>Heart</i> , <b>2007</b> , 93, 1420-5	5.1	43
371	Predictors of arrhythmia recurrence in patients with lone atrial fibrillation. <b>2008</b> , 10, 9-14		19
370	Left atrial Frank-Starling law assessed by real-time, three-dimensional echocardiographic left atrial volume changes. <i>Heart</i> , <b>2007</b> , 93, 1393-7	5.1	76
369	An unusual origin of the left coronary system. <i>Heart</i> , <b>2007</b> , 93, 1425	5.1	
368	Left atrial volume monitoring and cardiovascular risk in patients with end-stage renal disease: a prospective cohort study. <b>2007</b> , 18, 1316-22		69
367	Relationships of the appropriateness of left ventricular mass to left atrial size and function in arterial hypertension. <b>2007</b> , 8, 445-52		12
366	Prevalence, predictors and prognostic value of acute impairment in renal function during intensive unloading therapy in a community population hospitalized for decompensated heart failure. <b>2007</b> , 8, 419-27		21
365	Cardiovascular remodelling and extracellular fluid excess in early stages of chronic kidney disease. <b>2008</b> , 23, 239-48		76
364	Interleukin-2 serum levels variations in recent onset atrial fibrillation are related with cardioversion outcome. <b>2007</b> , 40, 157-64		30
363	Assessment of factors affecting plasma BNP levels in patients with chronic atrial fibrillation and preserved left ventricular systolic function. <i>International Journal of Cardiology</i> , <b>2007</b> , 118, 145-50	3.2	24
362	Lone atrial fibrillation and sport practice. The no gain without pain history revisited again?. <i>International Journal of Cardiology</i> , <b>2007</b> , 118, 414-5	3.2	4
361	Diagnostic Accuracy of Electrocardiography and Thoracic Radiography in the Assessment of Left Atrial Size in Cats: Comparison with Transthoracic 2-Dimensional Echocardiography. <b>2007</b> , 21, 709-718		53
360	Essential Echocardiography. <b>2007</b> ,		9
359	Three methods for evaluation of left atrial volume. <b>2008</b> , 9, 351-5		76

358	Usefulness of left atrial volume for the differentiation of normal from pseudonormal diastolic function pattern in patients on hemodialysis. <b>2007</b> , 20, 359-65		26
357	Methods and reliability of echocardiographic assessment of left atrial size and mechanical function in horses. <b>2007</b> , 68, 735-47		57
356	Assessment of atrial function. <b>2007</b> , 16, 234-42		16
355	Diastolic dysfunction is an independent risk factor for death in patients with sickle cell disease. <b>2007</b> , 49, 472-9		219
354	Improvement of atrial function and atrial reverse remodeling after cardiac resynchronization therapy for heart failure. <b>2007</b> , 50, 778-85		70
353	Role of left atrial size in risk stratification and prognosis of patients undergoing stress echocardiography. <b>2007</b> , 50, 1254-62		45
352	. <b>2007</b> ,		13
351	Contrast enhanced echocardiographic follow-up of cardiac remodeling and function after myocardial infarction in rats. <b>2007</b> , 33, 1561-71		2
350	Left atrial remodeling: assessment of size and shape to detect vulnerability to atrial fibrillation. <b>2007</b> , 30 Suppl 1, S147-50		16
349	Reversal of left ventricular dysfunction following ablation of atrial fibrillation. <b>2007</b> , 18, 9-14		214
348	Evaluation of left atrial size in patients with atrial arrhythmias: comparison of standard 2D versus real time 3D echocardiography. <b>2007</b> , 24, 960-6		20
347	Prognostic role of left atrial volume in elderly patients with symptomatic stable chronic heart failure: comparison with left ventricular diastolic dysfunction and B-type natriuretic peptide. <b>2007</b> , 24, 1035-43		24
346	Using traditional measurements of the left atrial diameter to predict the left atrial volume index. <b>2008</b> , 25, 36-9		8
345	Left atrial volume is associated with inflammation and atherosclerosis in patients with kidney disease. <b>2008</b> , 25, 264-9		20
344	Relation of electrocardiographic criteria for left atrial enlargement to two-dimensional echocardiographic left atrial volume measurements. <i>American Journal of Cardiology</i> , <b>2007</b> , 99, 113-8	3	29
343	Three-dimensional echocardiography: What is next?. <b>2008</b> , 1, 39-48		
342	Accuracy of electrocardiographic criteria for atrial enlargement: validation with cardiovascular magnetic resonance. <b>2008</b> , 10, 7		72
341	Effects of levosimendan on left atrial functions in patients with ischemic heart failure. <i>Clinical Cardiology</i> , <b>2008</b> , 31, 607-13	3-3	13



340	Long-term follow-up of P-wave duration and dispersion in patients with mitral stenosis. <b>2008</b> , 31, 1620-4		16
339	Comparison of different views with three-dimensional echocardiography: apical views offer superior visualization compared with parasternal and subcostal views. <b>2008</b> , 28, 409-16		8
338	Fate of left atrial function as determined by real-time three-dimensional echocardiography study after radiofrequency catheter ablation for the treatment of atrial fibrillation. <i>American Journal of Cardiology</i> , <b>2008</b> , 101, 1285-90	3	54
337	Relation of left atrial maximal volume measured by real-time 3D echocardiography to demographic, clinical, and Doppler variables. <i>American Journal of Cardiology</i> , <b>2008</b> , 101, 1347-52	3	34
336	Echocardiographic assessment of left ventricular filling pressures. <b>2008</b> , 4, 57-70		10
335	Left atrial dimension in stress echocardiography. <b>2008</b> , 51, 514-5; author reply 515-6		
334	Unlocking the mysteries of diastolic function: deciphering the Rosetta Stone 10 years later. <b>2008</b> , 51, 679-89		275
333	Reply. <b>2008</b> , 51, 515-516		
332	Echocardiography in hypertrophic cardiomyopathy: the role of conventional and emerging technologies. <b>2008</b> , 1, 787-800		85
331	Evaluation of left atrial size on transoesophageal echocardiography: what is the best measure?. <b>2008</b> , 17, 100-6		5
330	Left atrial volume is a predictor of atrial fibrillation recurrence after catheter ablation. <b>2008</b> , 21, 697-702		111
329	Assessment of left atrial volume and function by real-time three-dimensional echocardiography. <i>International Journal of Cardiology</i> , <b>2008</b> , 123, 155-61	3.2	99
328	Prognostic value of left atrial volume in patients who underwent dobutamine stress echocardiography for known or suspected coronary artery disease. <b>2008</b> , 156, 1110-6		13
327	Echocardiographic evaluation of left atrial size and function: current understanding, pathophysiologic correlates, and prognostic implications. <b>2008</b> , 156, 1056-64		202
326	European Association of Echocardiography recommendations for standardization of performance, digital storage and reporting of echocardiographic studies. <b>2008</b> , 9, 438-48		246
325	Impact of septal myectomy on left atrial volume and left ventricular diastolic filling patterns: an echocardiographic study of young patients with obstructive hypertrophic cardiomyopathy. <b>2008</b> , 21, 684-8		23
324	Left atrial size by planimetry is superior to M-mode diameter: biochemical calibration by atrial and brain natriuretic peptide. <b>2008</b> , 21, 380-5		10
323	Cardiac cycle-dependent left atrial dynamics: implications for catheter ablation of atrial fibrillation. <b>2008</b> , 5, 787-93		32

322	Left atrium reclassified: application of the American Society of Echocardiography/European Society of Cardiology cutoffs to unselected outpatients referred to the echocardiography laboratory. <b>2008</b> , 21, 433-8	13
321	Left atrial volume and function in patients with obstructive sleep apnea assessed by real-time three-dimensional echocardiography. <b>2008</b> , 21, 1355-61	53
320	Improvement of left atrial function is associated with lower incidence of atrial fibrillation and mortality after cardiac resynchronization therapy. <b>2008</b> , 5, 780-6	33
319	Left atrial velocity vector imaging for the detection and quantification of left ventricular diastolic function in type 2 diabetes. <b>2008</b> , 10, 1080-7	45
318	Assessment of Left Atrial Size and Function. <b>2008</b> , 163-170	
317	Evaluation of Intracardiac Filling Pressures. <b>2008</b> , 181-192	1
316	Elevated B-type natriuretic peptide despite normal left ventricular function on rest and exercise stress echocardiography in mitral regurgitation. <b>2008</b> , 29, 363-70	32
315	Physical activity, height, and left atrial size are independent risk factors for lone atrial fibrillation in middle-aged healthy individuals. <b>2008</b> , 10, 15-20	198
314	Long-term endurance sport practice increases the incidence of lone atrial fibrillation in men: a follow-up study. <b>2008</b> , 10, 618-23	223
313	Managing catheter ablation for atrial fibrillation: the role of echocardiography. <b>2008</b> , 10 Suppl 3, iii8-13	1
312	Assessment of Filling Pressure at Rest. <b>2008</b> , 53-71	
311	Stratification of impaired relaxation filling patterns by passive leg lifting in patients with preserved left ventricular ejection fraction. <b>2008</b> , 10, 1094-101	8
310	Urotensin II and cardiomyopathy in end-stage renal disease. <b>2008</b> , 51, 326-33	17
309	Left atrial remodelling early after mitral valve repair for degenerative mitral regurgitation. <i>Heart</i> , <b>2008</b> , 94, 759-64	5.1 28
308	Changes in left atrial structure and function after catheter ablation and electrical cardioversion for atrial fibrillation. <b>2008</b> , 72, 2051-7	35
307	Left atrial systolic force: comparison between two methods for the noninvasive assessment of left atrial systolic function. <b>2008</b> , 9, 601-7	6
306	How many patients would be misclassified using M-mode and two-dimensional estimates of left atrial size instead of left atrial volume? A three-dimensional echocardiographic study. <b>2008</b> , 9, 476-84	43
305	Changes in left atrial dimension and function and left ventricular geometry in newly diagnosed untreated hypertensive subjects. <b>2008</b> , 9, 561-9	7

304	Echo-Based Approach to the Management of Diastolic Heart Failure. <b>2008</b> , 429-434		
303	Computed axial tomography evidence of left atrial enlargement: a predictor of elevated pulmonary capillary wedge pressure in pulmonary hypertension. <i>International Journal of General Medicine</i> , <b>2009</b> , 23	2.3	1
302	Angiotensin II receptor blockers in the prevention of atrial fibrillation. <b>2009</b> , 10, 1395-411		2
301	Left atrial volume and geometry in healthy aging: the Cardiovascular Health Study. <i>Circulation: Cardiovascular Imaging</i> , <b>2009</b> , 2, 282-9	3.9	81
300	Left atrial function and deformation in chronic primary mitral regurgitation. <b>2009</b> , 10, 833-40		47
299	Left ventricular mass but not geometry determines left atrial size in the early stages of hypertension. <i>Journal of Human Hypertension</i> , <b>2009</b> , 23, 674-9	2.6	20
298	A randomized trial of the impact of strict glycaemic control on myocardial diastolic function and perfusion reserve: a report from the DADD (Diabetes mellitus And Diastolic Dysfunction) study. <b>2009</b> , 11, 39-47		49
297	Correlation of left atrial diameter by echocardiography and left atrial volume by computed tomography. <b>2009</b> , 20, 159-63		65
296	Predicting outcome from AF ablation: size of the chamber, or is tissue the issue?. <b>2009</b> , 20, 1011-3		3
295	Tei index correlates with tissue Doppler parameters and reflects neurohormonal activation in patients with an abnormal transmitral flow pattern. <b>2009</b> , 26, 1012-8		9
294	The aging process of the heart: obesity is the main risk factor for left atrial enlargement during aging the MONICA/KORA (monitoring of trends and determinations in cardiovascular disease/cooperative research in the region of Augsburg) study. <b>2009</b> , 54, 1982-9		138
293	Left atrial dysfunction and new-onset atrial fibrillation after cardiac surgery. <b>2009</b> , 62, 774-80		1
292	Three-dimensional echocardiographic assessment of left atrial size and function and the normal range of asynchrony in healthy individuals. <b>2009</b> , 62, 816-9		3
291	Independent value of left atrial volume index for the prediction of mortality in patients with suspected heart failure referred from the community. <i>Heart</i> , <b>2009</b> , 95, 1172-8	5.1	44
290	Three-dimensional transesophageal echocardiographic imaging and volumetry of giant left atrial myxomas. <b>2009</b> , 23, 66-8		7
289	Disfunci3n auricular izquierda y fibrilaci3n auricular de reciente comienzo en cirug3a cardiaca. <b>2009</b> , 62, 774-780		7
288	Evaluaci3n de tama3o, funci3n y rangos de normalidad de la asincron3a de la aur3cula izquierda en sujetos sanos mediante ecocardiograf3a tridimensional. <b>2009</b> , 62, 816-819		11
287	Left atrial systolic force in children: reference values for normal children and changes in cardiovascular disease with left ventricular volume overload or pressure overload. <b>2009</b> , 22, 939-46		11

286	Prognostic significance of left atrial volume dilatation in patients with hypertrophic cardiomyopathy. <b>2009</b> , 22, 76-81		62
285	Echocardiography in cardiovascular public health: the Feigenbaum Lecture 2008. <b>2009</b> , 22, 649-56; quiz 751-2		14
284	Prognostic value of ventricular-arterial coupling and B-type natriuretic peptide in patients after myocardial infarction: a five-year follow-up study. <b>2009</b> , 22, 1239-45		46
283	How to detect early left atrial remodelling and dysfunction in mild-to-moderate hypertension. <b>2009</b> , 27, 2086-93		23
282	Evaluation of the Pulmonary Veins and Left Atrial Volume using Multidetector Computed Tomography in Patients Undergoing Catheter Ablation for Atrial Fibrillation. <b>2009</b> , 5, 17-21		8
281	Compensatory or inappropriate left ventricular mass in different models of left ventricular pressure overload: comparison between patients with aortic stenosis and arterial hypertension. <b>2009</b> , 27, 642-9		14
280	Left atrial size: a structural expression of abnormal left ventricular segmental relaxation evaluated by strain echocardiography. <b>2009</b> , 10, 865-71		10
279	Effect of diabetes and hypertension on left ventricular diastolic function in a high-risk population without evidence of heart disease. <b>2010</b> , 12, 454-61		61
278	Preoperative left atrial mechanical dysfunction predicts postoperative atrial fibrillation after coronary artery bypass graft operation: a velocity vector imaging-based study. <b>2010</b> , 74, 2109-17		19
277	Augmentation of left atrial contractile function: a herald of iron overload in patients with beta thalassemia major. <b>2010</b> , 31, 680-8		11
276	Left Atrial Function: Doppler and Strain. <b>2010</b> , 3, 276-285		
275	End-systolic and end-diastolic left atrial volume assessment by two-dimensional echocardiography: a comparison study with magnetic resonance imaging. <i>Journal of Echocardiography</i> , <b>2010</b> , 8, 52-8	1.6	3
274	Factors contributing to left atrial enlargement in adults with normal left ventricular systolic function. <b>2010</b> , 55, 196-204		17
273	Comparison of left and right atrial volume by echocardiography versus cardiac magnetic resonance imaging using the area-length method. <i>American Journal of Cardiology</i> , <b>2010</b> , 106, 1345-50	3	76
272	Left atrial volume and function assessment by magnetic resonance imaging. <b>2010</b> , 21, 1247-50		22
271	The atria: from morphology to function. <b>2011</b> , 22, 223-35		25
270	Indexed left atrial volume is a more sensitive indicator of filling pressures and left heart function than is anteroposterior left atrial diameter. <b>2010</b> , 27, 1049-55		22
269	Correlation of left ventricular pressure changes and left atrial function on strain rate imaging during acute left ventricular ischemia. <b>2010</b> , 51, 421-5		2

268	[Echocardiographic alterations in patients with chronic kidney failure undergoing hemodialysis]. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2010</b> , 94, 140-6	1.2	3
267	Longitudinal tracking of left atrial diameter over the adult life course: Clinical correlates in the community. <b>2010</b> , 121, 667-74		70
266	Imaging and atrial fibrillation: the role of multimodality imaging in patient evaluation and management of atrial fibrillation. <b>2010</b> , 31, 542-51		29
265	Underestimation of left atrial size measured with transthoracic echocardiography compared with 3D MDCT. <b>2010</b> , 194, W375-81		22
264	Comparison of echocardiographic single-plane versus biplane method in the assessment of left atrial volume and validation by real time three-dimensional echocardiography. <b>2010</b> , 23, 954-60		57
263	Predictors of B-type natriuretic peptide and left atrial volume index in patients with preserved left ventricular systolic function: an echocardiographic-catheterization study. <b>2010</b> , 103, 3-9		13
262	Real three-dimensional assessment of left atrial and left atrial appendage volumes by 64-slice spiral computed tomography in individuals with or without cardiovascular disease. <i>International Journal of Cardiology</i> , <b>2010</b> , 140, 189-96	3.2	33
261	Relation of B-type natriuretic peptide (BNP) and infarct size as assessed by contrast-enhanced MRI. <i>International Journal of Cardiology</i> , <b>2010</b> , 144, 53-8	3.2	16
260	Evaluation of left atrial function by multidetector computed tomography before left atrial radiofrequency-catheter ablation: comparison of a manual and automated 3D volume segmentation method. <b>2010</b> , 75, e141-6		17
259	Left atrial volume predicts mortality in low-risk dialysis population on long-term low-salt diet. <b>2010</b> , 159, 1089-94		38
258	Left atrial volume index in highly trained athletes. <b>2010</b> , 159, 1155-61		124
257	Axial area and anteroposterior diameter as estimates of left atrial size using computed tomography of the chest: comparison with 3-dimensional volume. <b>2010</b> , 4, 49-54		26
256	Left atrial size: when an imperfect measurement may be close enough. <b>2010</b> , 4, 55-7		
255	Left atrial volume by real-time three-dimensional echocardiography: validation by 64-slice multidetector computed tomography. <b>2011</b> , 24, 680-6		94
254	Early changes in left ventricular long-axis function in Friedreich ataxia: relation with the FXN gene mutation and cardiac structural change. <b>2011</b> , 24, 782-9		27
253	Left atrial dysfunction in chagas cardiomyopathy is more severe than in idiopathic dilated cardiomyopathy: a study with real-time three-dimensional echocardiography. <b>2011</b> , 24, 526-32		14
252	Higher LA pressure may prevent opening of patent foramen ovale in acute ischemic stroke patients with atrial fibrillation. <b>2011</b> , 304, 111-6		4
251	Left atrial function: physiology, assessment, and clinical implications. <b>2011</b> , 12, 421-30		269

250	Refining thromboembolic risk prediction in non-valvular atrial fibrillation with echocardiography: a call to arms. <b>2011</b> , 24, 520-5		1
249	Comparison of atrial and brain natriuretic peptide for the assessment of mitral stenosis. <b>2011</b> , 20, 517-24		13
248	Left atrial wall thickness in paroxysmal atrial fibrillation by multislice-CT is initial marker of structural remodeling and predictor of transition from paroxysmal to chronic form. <i>International Journal of Cardiology</i> , <b>2011</b> , 148, 139-47	3.2	57
247	Recommendations of the European Association of Echocardiography: how to use echo-Doppler in clinical trials: different modalities for different purposes. <b>2011</b> , 12, 339-53		118
246	Role of echocardiography in atrial fibrillation. <b>2011</b> , 19, 51-61		24
245	Is diastolic dysfunction associated with atrial electrocardiographic parameters in Behçet's disease?. <b>2011</b> , 66, 607-12		6
244	Left atrial size in hypertension and stroke. <b>2011</b> , 29, 1988-93		32
243	Early-pregnancy changes in cardiac diastolic function in women with recurrent pre-eclampsia and in previously pre-eclamptic women without recurrent disease. <b>2011</b> , 118, 1112-9		17
242	Cardiac structure and function and dependency in the oldest old. <b>2011</b> , 59, 1429-34		13
241	Decrease in left atrium volume after successful balloon mitral valvuloplasty: an echocardiographic and hemodynamic study. <b>2011</b> , 28, 154-60		10
240	Left atrial systolic force in asymptomatic aortic stenosis. <b>2011</b> , 28, 968-77		10
239	Estimating left atrial enlargement parameters from the electrocardiogram using wavelets. <b>2011</b> , 44, 622-5		1
238	Left atrial size and function after catheter ablation of atrial fibrillation: comparing apples and oranges. <i>American Journal of Cardiology</i> , <b>2011</b> , 107, 143; author reply 143-4	3	1
237	Cardiac structure and function in persons 85 years of age. <i>American Journal of Cardiology</i> , <b>2011</b> , 108, 465-70	3	18
236	Strain imaging in morbid obesity: insights into subclinical ventricular dysfunction. <i>Clinical Cardiology</i> , <b>2011</b> , 34, 288-93	3.3	49
235	Left atrial volume and dominant frequency of atrial fibrillation in patients undergoing catheter ablation of persistent atrial fibrillation. <b>2011</b> , 32, 155-61		20
234	Assessment of left atrial volume: a focus on echocardiographic methods and clinical implications. <b>2011</b> , 100, 97-105		24
233	Relation of N-terminal pro-B-type natriuretic peptide (NT-proBNP) and left atrial volume index to left ventricular function in chronic hemodialysis patients. <b>2011</b> , 26, 421-7		8

232	Novel association patterns of cardiac remodeling markers in patients with essential hypertension and atrial fibrillation. <i>BMC Cardiovascular Disorders</i> , <b>2011</b> , 11, 77	2.3	23
231	Echocardiographic predictors of early in-hospital heart failure during first ST-elevation acute myocardial infarction: does myocardial performance index and left atrial volume improve diagnosis over conventional parameters of left ventricular function?. <b>2011</b> , 9, 17		8
230	Left atrial volume predicts adverse cardiac and cerebrovascular events in patients with hypertrophic cardiomyopathy. <b>2011</b> , 9, 34		37
229	Cardiovascular magnetic resonance imaging for accurate sizing of the left atrium: predictability of pulmonary vein isolation success in patients with atrial fibrillation. <b>2011</b> , 33, 455-63		19
228	Functional assessment of the left atrium by real-time three-dimensional echocardiography using a novel dedicated analysis tool: initial validation studies in comparison with computed tomography. <b>2011</b> , 12, 497-505		35
227	Left atrial size and risk for all-cause mortality and ischemic stroke. <b>2011</b> , 183, E657-64		90
226	Echocardiographic markers of elevated pulmonary pressure and left ventricular diastolic dysfunction are associated with exercise intolerance in adults and adolescents with homozygous sickle cell anemia in the United States and United Kingdom. <b>2011</b> , 124, 1452-60		97
225	The role of echocardiography in the management of atrial fibrillation. <b>2011</b> , 12, i33-8		12
224	Prolonged left ventricular twist in cardiomyopathies: a potential link between systolic and diastolic dysfunction. <b>2011</b> , 12, 841-9		49
223	Left atrial volume is an independent predictor of mortality in CAPD patients. <b>2011</b> , 26, 3732-9		41
222	Plasma heparin cofactor II activity is inversely associated with left atrial volume and diastolic dysfunction in humans with cardiovascular risk factors. <b>2011</b> , 34, 225-31		5
221	Textbook of Real-Time Three Dimensional Echocardiography. <b>2011</b> ,		6
220	The significance of the left atrial volume index in cardioversion success and its relationship with recurrence in patients with non-valvular atrial fibrillation subjected to electrical cardioversion: a study on diagnostic accuracy. <b>2013</b> , 13, 18-25		12
219	Diastolic function in pregnant patients with cardiac symptoms. <b>2012</b> , 31, 367-74		7
218	Echocardiographic assessment of left atrial volume index in elderly patients with left ventricle anterior myocardial infarction. <b>2012</b> , 13, 97-9		1
217	Normal values of left atrial volume in pediatric age group using a validated allometric model. <i>Circulation: Cardiovascular Imaging</i> , <b>2012</b> , 5, 791-6	3.9	20
216	Left atrial volume and function in patients with Behcet® disease assessed by real-time three-dimensional echocardiography. <b>2012</b> , 13, 650-5		13
215	Physical activity and cardiac function in the oldest old. <b>2012</b> , 15, 32-40		5



214	Left atrial volume is an independent predictor of all-cause mortality in chronic hemodialysis patients. <b>2012</b> , 51, 1479-85		14
213	Evaluation of different magnetic resonance imaging techniques for the assessment of active left atrial emptying. <b>2012</b> , 22, 1904-11		3
212	Left atrial enlargement in essential hypertension: role in the assessment of subclinical hypertensive heart disease. <b>2012</b> , 21, 88-96		18
211	Left atrial remodeling and reduced atrial pump function after chronic right ventricular apical pacing in patients with preserved ejection fraction. <i>International Journal of Cardiology</i> , <b>2012</b> , 157, 364-9	3-2	14
210	Effects of serum potassium level on left ventricular diastolic function in patients with primary aldosteronism. <i>International Journal of Cardiology</i> , <b>2012</b> , 160, 68-70	3-2	4
209	Cardiac structure and function and renal insufficiency in the oldest old. <i>Clinical Cardiology</i> , <b>2012</b> , 35, 764-9	3-3	4
208	High-sensitive cardiac Troponin T is superior to echocardiography in predicting 1-year mortality in patients with SIRS and shock in intensive care. <b>2012</b> , 12, 25		9
207	Could successful cryoballoon ablation of paroxysmal atrial fibrillation prevent progressive left atrial remodeling?. <b>2012</b> , 10, 11		7
206	Left atrial function during pregnancy: a three-dimensional echocardiographic study. <b>2012</b> , 29, 1096-101		21
205	Poor relationship between left atrial diameter and volume in patients with atrial fibrillation. <b>2012</b> , 54, e386-e392		2
204	Left atrial dilatation and ST-T changes predict cardiovascular outcome in chronic hemodialysis patients. <b>2012</b> , 27, 610-7		6
203	Left atrial volume by echocardiography in patients with false positive myocardial perfusion scans. <b>2012</b> , 53, 18-22		
202	A simplified method to determine left atrial volume and transport function using multi-slice computed tomography in patients with atrial fibrillation: comparison with transthoracic echocardiography. <b>2012</b> , 28, 1205-16		8
201	N-terminal pro-B-type natriuretic peptide level at long-term follow-up after atrial fibrillation ablation: a marker of reverse atrial remodelling and successful ablation. <b>2012</b> , 34, 129-36		20
200	Left atrial volume: clinical value revisited. <b>2012</b> , 14, 374-80		24
199	Cardiac ultrasound imaging in heart failure: recent advances. <b>2012</b> , 9, 154-61		1
198	Analysis of circumferential and longitudinal left ventricular systolic function in patients with non-ischemic chronic heart failure and preserved ejection fraction (from the CARRY-IN-HFpEF study). <i>American Journal of Cardiology</i> , <b>2012</b> , 109, 383-9	3	29
197	Cardiac structure and function as predictors of mortality in persons 85 years of age. <i>American Journal of Cardiology</i> , <b>2012</b> , 109, 901-5	3	12



196	Assessment of echocardiographic left atrial size: accuracy of M-mode and two-dimensional methods and prediction of diastolic dysfunction. <b>2012</b> , 29, 379-84		27
195	Left atrial pressure as predictor for recurrence of atrial fibrillation after pulmonary vein isolation. <b>2013</b> , 38, 107-14		20
194	Prevalence and prognosis of aortic valve disease in subjects older than 85 years of age. <i>American Journal of Cardiology</i> , <b>2013</b> , 112, 395-9	3	7
193	Left atrial volume and phasic function in clinically healthy dogs of 12 different breeds. <b>2013</b> , 197, 639-45		30
192	Indexed maximal left atrial volume predicts response to cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 3629-33	3.2	11
191	Cardiovascular effects of aldosterone: insight from adult carriers of mineralocorticoid receptor mutations. <b>2013</b> , 6, 381-90		21
190	Left atrial remodeling: shape before size?. <b>2013</b> , 24, 760-1		5
189	Effect of cardiac resynchronization therapy on left atrial reverse remodeling: role of echocardiographic AV delay optimization. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 1456-60	3.2	7
188	Effect of epicardial adipose tissue on diastolic functions and left atrial dimension in untreated hypertensive patients with normal systolic function. <b>2013</b> , 61, 359-64		22
187	Role of the left atrial function on the pseudonormalization of the transmitral flow velocity pattern evaluated by two-dimensional tissue tracking technique. <b>2013</b> , 61, 365-71		4
186	Head-to-head comparison of two-dimensional and three-dimensional echocardiographic methods for left atrial chamber quantification with magnetic resonance imaging. <b>2013</b> , 26, 428-35		34
185	Prognostic stratification by conventional echocardiography of patients with aortic stenosis: the "CAIMAN-ECHO score". <b>2013</b> , 30, 367-77		10
184	Assessment of left atrial function after percutaneous closure of patent foramen ovale. <b>2013</b> , 30, 765-71		1
183	Fibrosis, myocardial crossings, disconnections, abrupt turns, and epicardial reflections: do they play an actual role in human permanent atrial fibrillation? A controlled necropsy study. <b>2013</b> , 22, 65-9		23
182	Assessing pre-clinical ventricular dysfunction in obese children and adolescents: the value of speckle tracking imaging. <b>2013</b> , 14, 882-9		50
181	Patients with hypertrophic cardiomyopathy at risk for paroxysmal atrial fibrillation: advanced echocardiographic evaluation of the left atrium combined with non-invasive P-wave analysis. <b>2013</b> , 14, 425-34		18
180	Left atrial volume index in healthy subjects: clinical and echocardiographic correlates. <b>2013</b> , 30, 1001-7		36
179	Clinical utility and prognostic value of left atrial volume assessment by cardiovascular magnetic resonance in non-ischaemic dilated cardiomyopathy. <b>2013</b> , 15, 660-70		66

178	Determination of early cardiac deterioration in beta-thalassaemia major by echocardiography. <b>2013</b> , 68, 299-305		5
177	Analysis of Right Atrial Function in Obese Pediatric Patients. <b>2013</b> , 04,		
176	Quantitative and Semiquantitative Echocardiography. <b>2014</b> , 72-89		
175	Left atrium by echocardiography in clinical practice: from conventional methods to new echocardiographic techniques. <b>2014</b> , 2014, 451042		41
174	Disturbed Left Atrial Function is Associated with Paroxysmal Atrial Fibrillation in Hypertension. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2014</b> , 102, 253-62	1.2	4
173	Left atrial mechanical functions in chronic primary mitral regurgitation patients: a velocity vector imaging-based study. <b>2014</b> , 10, 455-63		2
172	Diagnostic concordance of echocardiography and cardiac magnetic resonance-based tissue tracking for differentiating constrictive pericarditis from restrictive cardiomyopathy. <i>Circulation: Cardiovascular Imaging</i> , <b>2014</b> , 7, 819-27	3.9	37
171	Pulmonary artery systolic pressure and mortality in the oldest old. <b>2014</b> , 129, 111-6		5
170	Left atrial size, atrial function and left ventricular diastolic function in cats with hypertrophic cardiomyopathy. <b>2014</b> , 55, 198-206		36
169	Left atrial size: an underappreciated perioperative cardiac risk factor. <b>2014</b> , 28, 1624-32		2
168	Discrepancies in identification of left atrial enlargement using left atrial volume versus left atrial-to-aortic root ratio in dogs. <b>2014</b> , 28, 1527-33		42
167	Simplified single plane echocardiography is comparable to conventional biplane two-dimensional echocardiography in the evaluation of left atrial volume: a study validated by three-dimensional echocardiography in 143 individuals. <b>2014</b> , 31, 265-72		7
166	Frequent premature ventricular complex is associated with left atrial enlargement in patients with normal left ventricular ejection fraction. <b>2014</b> , 37, 1455-61		11
165	Contemporary profile of acute heart failure in Southern Nigeria: data from the Abeokuta Heart Failure Clinical Registry. <b>2014</b> , 2, 250-9		34
164	Left atrial volume index in patients with asymptomatic severe aortic stenosis. <b>2014</b> , 66, 55-62		1
163	Echocardiography in hypertension: a call for standardization from the Working Group on Heart and Hypertension of the Italian Society of Hypertension. <b>2014</b> , 21, 53-61		2
162	Lone atrial fibrillation: does it exist?. <b>2014</b> , 63, 1715-23		125
161	Left atrial appendage function in prediction of paroxysmal atrial fibrillation in patients with untreated hypertension. <b>2014</b> , 36, 348-53		1

160	Left atrial function in patients with mitral valve regurgitation. <b>2014</b> , 307, H1430-7		11
159	Effects of septal myectomy on left ventricular diastolic function and left atrial volume in patients with hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , <b>2014</b> , 114, 1568-72	3	12
158	Longitudinal development of left ventricular diastolic function in patients with type 2 diabetes. <b>2014</b> , 37, 3092-7		13
157	Atrial longitudinal strain parameters predict left atrial reverse remodeling after mitral valve surgery: a speckle tracking echocardiography study. <b>2014</b> , 30, 1049-56		22
156	The left atrium: from the research laboratory to the clinic. <b>2014</b> , 129, 1-17		12
155	Endovascular aortic repair increases vascular stiffness and alters cardiac structure and function. <b>2014</b> , 78, 322-8		52
154	Left atrial volume is superior to the ratio of the left atrium to aorta diameter for assessment of the severity of patent ductus arteriosus in extremely low birth weight infants. <b>2014</b> , 78, 1701-9		9
153	Predictors of left atrial coagulation activity among paroxysmal atrial fibrillation patients. <b>2015</b> , 79, 61-9		10
152	Left atrial passive emptying function is preserved in patients with permanent atrial fibrillation--a 320-slice multidetector computed tomography study. <b>2014</b> , 129, 144-52		
151	The influence of type 2 diabetes on left atrial remodeling. <i>Clinical Cardiology</i> , <b>2015</b> , 38, 48-55	3.3	24
150	Echocardiographic characteristics of patients with acute heart failure requiring tolvaptan: a retrospective study. <b>2015</b> , 13, 27		5
149	Exercise stress echocardiography in patients with valvular heart disease. <b>2015</b> , 2, 89-98		3
148	Echocardiographic Evaluation of Left Atrial Mechanics: Function, History, Novel Techniques, Advantages, and Pitfalls. <b>2015</b> , 2015, 765921		33
147	Recommendations for cardiac chamber quantification by echocardiography in adults: an update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. <b>2015</b> , 16, 233-70		3615
146	Echocardiographic measurement of left atrial volume: Does the method matter?. <b>2015</b> , 108, 643-9		5
145	Recommendations for cardiac chamber quantification by echocardiography in adults: an update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. <b>2015</b> , 28, 1-39.e14		6118
144	Left atrial volume is more important than the type of atrial fibrillation in predicting the long-term success of catheter ablation. <i>International Journal of Cardiology</i> , <b>2015</b> , 184, 56-61	3.2	41
143	Left atrial volume is not an index of left ventricular diastolic dysfunction in patients with sickle cell anaemia. <b>2015</b> , 108, 156-62		13

142	Cardiac function after repair of tetralogy of fallot: how are the atria performing? pilot study by cardiac magnetic resonance imaging. <b>2015</b> , 36, 96-105		4
141	Hypertensive heart failure in Nigerian Africans: insights from the Abeokuta Heart Failure Registry. <b>2015</b> , 17, 263-72		14
140	Echocardiographic assessment of maximum and minimum left atrial volumes: a population-based study of middle-aged and older subjects without apparent cardiovascular disease. <b>2015</b> , 31, 57-64		8
139	New insights into symptomatic or silent atrial fibrillation complicating acute myocardial infarction. <b>2015</b> , 108, 598-605		9
138	At the Heart of the Matter: An Overview of Adult Echocardiography for the NonCardiac Sonographer. <b>2015</b> , 31, 221-232		0
137	Relationship between CHA2DS2-VASc score and atrial electromechanical function in patients with paroxysmal atrial fibrillation: A pilot study. <b>2015</b> , 66, 382-7		10
136	Cardiac Imaging in Hypertrophic Cardiomyopathy. <b>2016</b> ,		
135	Volume Measurements in Aortic Root Assessment Using Two-Dimensional Echocardiography. <b>2016</b> , 10, 91-7		
134	Multivariate Analysis of Correspondence between Left Atrial Volumes Assessed by Echocardiography and 3-Dimensional Electroanatomic Mapping in Patients with Atrial Fibrillation. <i>PLoS ONE</i> , <b>2016</b> , 11, e0152553	3.7	3
133	State-of-the-Art CT Imaging of the Left Atrium. <b>2016</b> , 4, 1		
132	Exercise-Induced Abnormal Increase of Systolic Pulmonary Artery Pressure in Adult Patients With Sickle Cell Anemia: An Exercise Stress Echocardiography Study. <b>2016</b> , 33, 1880-1890		9
131	The differences in left atrial function between ischemic and idiopathic dilated cardiomyopathy patients: A two-dimensional speckle tracking imaging study. <i>Journal of Clinical Ultrasound</i> , <b>2016</b> , 44, 437-45		6
130	EHRA/HRS/APHRS/SOLAECE expert consensus on atrial cardiomyopathies: definition, characterization, and clinical implication. <b>2016</b> , 18, 1455-1490		268
129	Early change in left atrial function in patients treated with anthracyclines assessed by real-time three-dimensional echocardiography. <b>2016</b> , 6, 255-12		3
128	Técnicas de imagen en la fibrilaci3n auricular. <b>2016</b> , 16, 20-24		
127	Left atrial dimension is related to blood pressure variability in newly diagnosed untreated hypertensive patients. <b>2016</b> , 39, 583-7		14
126	A simple, fast and reproducible echocardiographic approach to grade left ventricular diastolic function. <b>2016</b> , 32, 743-52		14
125	Associations of residual left ventricular and left atrial remodeling with clinical outcomes in patients after aortic valve replacement for severe aortic stenosis. <b>2016</b> , 68, 241-7		13

124	Left Atrial Volume and Pulmonary Artery Diameter Are Noninvasive Measures of Age-Related Diastolic Dysfunction in Mice. <b>2016</b> , 71, 1141-50		13
123	Evaluation of single right atrial volume and function with magnetic resonance imaging in children with hypoplastic left heart. <b>2016</b> , 46, 991-1002		
122	Quantitative, Noninvasive Assessment of Patent Ductus Arteriosus Shunt Flow by Measuring Proximal Isovelocity Surface Area on Color Doppler Mapping in Very Low-Birth-Weight Infants. <b>2016</b> , 33, 930-8		1
121	EHRA/HRS/APHRS/SOLAECE expert consensus on Atrial cardiomyopathies: Definition, characterisation, and clinical implication. <b>2016</b> , 32, 247-78		59
120	The Clinical Value of Nongated Dual-Source Computed Tomography in Atrial Fibrillation Catheter Ablation. <b>2016</b> , 27, 34-40		2
119	Influence of Genotype on Structural Atrial Abnormalities and Atrial Fibrillation or Flutter in Arrhythmogenic Right Ventricular Dysplasia/Cardiomyopathy. <b>2016</b> , 27, 1420-1428		14
118	Quantitative evaluation of left atrial volume and function by one-dimensional, two-dimensional, and three-dimensional echocardiography in a population of normal dogs. <b>2016</b> , 18, 336-349		18
117	Cardiac Structure and Function and Frailty in Subjects Aged 85 and 86 Years. <i>American Journal of Cardiology</i> , <b>2016</b> , 118, 760-4	3	7
116	Carotid atherosclerosis is associated with left ventricular diastolic function. <i>Journal of Echocardiography</i> , <b>2016</b> , 14, 120-9	1.6	7
115	Plasma brain natriuretic peptide concentrations in patients with valvular heart disease. <b>2016</b> , 3, e000184		6
114	Biplane versus short-axis measures of the left atrium and ventricle in patients with systolic dysfunction assessed by magnetic resonance. <b>2016</b> , 40, 907-12		3
113	Comparison of four echocardiographic methods to determine left atrial size in dogs. <b>2016</b> , 18, 137-45		27
112	EHRA/HRS/APHRS/SOLAECE expert consensus on atrial cardiomyopathies: Definition, characterization, and clinical implication. <b>2017</b> , 14, e3-e40		138
111	Determinants of discrepancies between two-dimensional echocardiographic methods for assessment of maximal left atrial volume. <b>2017</b> , 18, 584-602		4
110	Left Atrial Volumes in Health and Disease Measured Using Cardiac Magnetic Resonance. <i>Circulation: Cardiovascular Imaging</i> , <b>2017</b> , 10,	3.9	3
109	Left atrial size and risk of recurrent ischemic stroke in a Chinese population. <b>2017</b> , 7, e00702		6
108	Determinants of left atrial volume index in patients with aortic stenosis: A multicentre pilot study. <b>2017</b> , 110, 525-533		5
107	Left Atrium Measurements via Computed Tomography Pulmonary Angiogram as a Predictor of Diastolic Dysfunction. <b>2017</b> , 41, 792-797		3

106	3D-Echo Protocols for Assessing Cardiac Chambers, Volume and Function. <b>2017</b> , 123-143		
105	Indexed left atrial size predicts all-cause and cardiovascular mortality in patients undergoing aortic valve surgery. <b>2017</b> , 153, 1275-1284.e7		6
104	Manual of 3D Echocardiography. <b>2017</b> ,		
103	Validation of Left Atrial Volume Estimation by Left Atrial Diameter from the Parasternal Long-Axis View. <b>2017</b> , 30, 262-269		26
102	Left atrial deformation: Useful index for early detection of cardiac damage in chronic mitral regurgitation. <b>2017</b> , 17, 17-22		19
101	Left Atrial Volume and Mortality in Patients With Aortic Stenosis. <i>Journal of the American Heart Association</i> , <b>2017</b> , 6,	6	24
100	Changes in Left Atrial Transport Function in Patients Who Maintained Sinus Rhythm After Successful Radiofrequency Catheter Ablation for Atrial Fibrillation: A 1-Year Follow-Up Multislice Computed Tomography Study. <b>2017</b> , 28, 167-176		10
99	Electrocardiographic detection of hypertensive left atrial enlargement in the presence of obesity: re-calibration against cardiac magnetic resonance. <i>Journal of Human Hypertension</i> , <b>2017</b> , 31, 212-219	2.6	4
98	Diagnostic accuracy of electrocardiographic P wave related parameters in the assessment of left atrial size in dogs with degenerative mitral valve disease. <b>2017</b> , 79, 1682-1689		2
97	Standardization of adult transthoracic echocardiography reporting in agreement with recent chamber quantification, diastolic function, and heart valve disease recommendations: an expert consensus document of the European Association of Cardiovascular Imaging. <b>2017</b> , 18, 1301-1310		239
96	The significance of the left atrial volume index in prediction of atrial fibrillation recurrence after electrical cardioversion. <b>2017</b> , 9, 54-59		21
95	Endocardial Changes in Nonvalvular Atrial Fibrillation Without Atrial Thrombus-Thrombomodulin and Tissue Factor Pathway Inhibitor. <b>2018</b> , 24, 1148-1152		6
94	Correlation between plasma brain natriuretic peptide levels and left atrial appendage flow velocity in patients with non-valvular atrial fibrillation and normal left ventricular systolic function. <i>Journal of Echocardiography</i> , <b>2018</b> , 16, 72-80	1.6	4
93	Left Atrial Volumes and Strain in Healthy Children Measured by Three-Dimensional Echocardiography: Normal Values and Maturational Changes. <b>2018</b> , 31, 187-193.e1		15
92	Left atrial dilatation: A target organ damage in young to middle-age hypertensive patients. The Campania Salute Network. <i>International Journal of Cardiology</i> , <b>2018</b> , 265, 229-233	3.2	31
91	Assessment of electrocardiographic criteria of left atrial enlargement. <b>2018</b> , 26, 273-276		8
90	The Left Atrio-Vertebral Ratio: a new simple means for assessing left atrial enlargement on Computed Tomography. <b>2018</b> , 28, 1310-1317		0
89	Cardiac structure and function predicts functional decline in the oldest old. <b>2018</b> , 25, 263-269		1

88	Validation of 3D echocardiographic volume detection of left atrium by human cadaveric casts. <b>2018</b> , 18, 43		2
87	3D electroanatomical mapping is less sensitive to atrial remodeling in estimation of true left atrial volume than echocardiography. <b>2018</b> , 18, 32		2
86	Comparison of non-triggered magnetic resonance imaging and echocardiography for the assessment of left atrial volume and morphology. <b>2018</b> , 16, 17		3
85	Success predictor of cryoballoon ablation in atrial fibrillation: Left atrial volume vs area. <i>International Journal of Cardiology</i> , <b>2018</b> , 270, 188	3.2	1
84	The effect of hemodialysis on the body composition and cardiovascular disease markers in recently diagnosed end stage renal disease patients. <b>2018</b> , 64, 354-360		3
83	Assessment of left atrial volume in dogs: comparisons of two-dimensional and real-time three-dimensional echocardiography with ECG-gated multidetector computed tomography angiography. <b>2019</b> , 24, 64-77		5
82	Usefulness of Left Atrial Volume as an Independent Predictor of Development of Heart Failure in Patients With Atrial Fibrillation. <i>American Journal of Cardiology</i> , <b>2019</b> , 124, 1430-1435	3	4
81	Value of Syntax Score II in Prediction of New-Onset Atrial Fibrillation in Patients With NSTEMI-ACS Undergoing Percutaneous Coronary Intervention. <b>2019</b> , 70, 860-866		2
80	Echocardiographic Abnormalities and Determinants of 1-Month Outcome of Stroke Among West Africans in the SIREN Study. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e010814	6	1
79	Evaluation of left atrial volume and function by real time three-dimensional echocardiography in anemic patients without overt heart disease before and after anemia correction. <b>2019</b> , 35, 1619-1626		2
78	Evaluation of left atrial volume and functions by real time three-dimensional echocardiography in patients with subclinical hypothyroidism before and after levothyroxine therapy. <b>2019</b> , 36, 916-923		4
77	Hypertension and Heart Failure. <b>2019</b> ,		
76	Role of Echocardiography. <b>2019</b> , 169-184		
75	Comparison of Left Atrial Measurements Using 2- and 3-Dimensional Transesophageal Echocardiography. <b>2019</b> , 33, 1518-1526		2
74	THE CORRELATION OF LEFT ATRIAL FUNCTION AND CIRCULATING N-TERMINAL PRO-BRAIN NATRIURETIC PEPTIDE LEVELS IN CATS WITH HEART DISEASES. <b>2019</b> , 45, 97-107		
73	Glycemic control is associated with atrial structural remodeling in patients with type 2 diabetes. <i>BMC Cardiovascular Disorders</i> , <b>2019</b> , 19, 278	2.3	5
72	Exercise Rehabilitation Improves Cardiac Volumes and Functional Capacity in Patients With Endomyocardial Fibrosis: A RANDOMIZED CONTROLLED TRIAL. <b>2019</b> , 39, 373-380		1
71	The value of syntax score to predict new-onset atrial fibrillation in patients with acute coronary syndrome. <b>2019</b> , 24, e12622		5



70	Immediate Preoperative Transthoracic Echocardiography for the Prediction of Postoperative Atrial Fibrillation in High-Risk Cardiac Surgery. <b>2020</b> , 34, 719-725		7
69	Left atrial strain in left ventricular diastolic dysfunction: have we finally found the missing piece of the puzzle?. <b>2020</b> , 25, 409-417		25
68	Predictors and Mechanisms of Atrial Fibrillation in Patients With Hypertrophic Cardiomyopathy. <i>American Journal of Cardiology</i> , <b>2020</b> , 136, 140-148	3	3
67	Left atrial mass: relationship between gross anatomy and quantitative echocardiography. <b>2020</b> , 49, 107265		
66	Evaluation of Left Atrial Size and Function: Relevance for Clinical Practice. <b>2020</b> , 33, 934-952		32
65	Three-Dimensional Echocardiography in Evaluating LA Volumes and Functions in Diabetic Normotensive Patients without Symptomatic Cardiovascular Disease. <i>International Journal of Vascular Medicine</i> , <b>2020</b> , 2020, 5923702	1.2	0
64	Feasibility and rationale of direct current cardioversion immediately after transcatheter percutaneous edge-to-edge mitral valve repair. <i>European Journal of Clinical Investigation</i> , <b>2020</b> , 50, e13274	4.6	4
63	Global Left Atrial Longitudinal Strain Using 3-Beat Method Improves Risk Prediction of Stroke Over Conventional Echocardiography in Atrial Fibrillation. <i>Circulation: Cardiovascular Imaging</i> , <b>2020</b> , 13, e010287	3.9	8
62	Prevention of sudden cardiac death in hypertrophic cardiomyopathy: Risk assessment using left atrial diameter predicted from left atrial volume. <i>Clinical Cardiology</i> , <b>2020</b> , 43, 581-586	3.3	4
61	Left atrial sphericity as a marker of atrial remodeling: Comparison of atrial fibrillation patients and controls. <i>International Journal of Cardiology</i> , <b>2020</b> , 304, 69-74	3.2	9
60	Left atrial cross-sectional area is a novel measure of atrial shape associated with cardioembolic strokes. <i>Heart</i> , <b>2020</b> , 106, 1176-1182	5.1	2
59	Exploring Associations Between Cardiac Structure and Retinal Vascular Geometry. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e014654	6	3
58	Longitudinal changes in maternal left atrial volume index and uterine artery pulsatility indices in uncomplicated pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , <b>2021</b> , 224, 221.e1-221.e15	6.4	0
57	Low-intensity pulsed ultrasound ameliorates cardiac diastolic dysfunction in mice: a possible novel therapy for heart failure with preserved left ventricular ejection fraction. <i>Cardiovascular Research</i> , <b>2021</b> , 117, 1325-1338	9.9	7
56	Assessment of Left Atrial Size and Function. <b>2021</b> , 157-168		
55	Validation of evaluating left ventricular diastolic function with estimated left atrial volume from anteroposterior diameter. <i>BMC Cardiovascular Disorders</i> , <b>2021</b> , 21, 110	2.3	0
54	Correlations between left atrial volumes and strains in healthy adults: Detailed analysis from the three-dimensional speckle-tracking echocardiographic MAGYAR-Healthy Study. <i>Journal of Clinical Ultrasound</i> , <b>2021</b> , 49, 650-658	1	1
53	Optimising Large Animal Models of Sustained Atrial Fibrillation: Relevance of the Critical Mass Hypothesis. <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 690897	4.6	0



52	Echocardiography features in determining left atrial dilatation in patients with hypertension. <i>Translational Medicine</i> , <b>2021</b> , 8, 5-13	0.3	
51	Mitral Regurgitation. <b>2007</b> , 255-284		3
50	Normal Left and Right Ventricular Volume and Function. <b>2008</b> , 113-121		1
49	Evaluation of Diastolic Function. <b>2011</b> , 342-345		1
48	Perioperative assessment of diastolic dysfunction. <i>Anesthesia and Analgesia</i> , <b>2011</b> , 113, 449-72	3.9	54
47	Interleukin-16 promotes cardiac fibrosis and myocardial stiffening in heart failure with preserved ejection fraction. <i>PLoS ONE</i> , <b>2013</b> , 8, e68893	3.7	50
46	Homocysteine as a prognostic marker of atrial remodeling and clinical picture in patients with paroxysmal and persistent forms of atrial fibrillation. <i>Klinicheskaia Meditsina</i> , <b>2016</b> , 94, 16-22	0.2	2
45	Renewed Interest in Left Atrial Function: What do we Need to Evaluate Clinically?. <i>Journal of Echocardiography</i> , <b>2005</b> , 3, 60-76	1.6	9
44	Disparity between two-dimensional echocardiographic and electroanatomic left and right atrial volumes in patients undergoing catheter ablation for long-standing persistent atrial fibrillation. <i>Physiological Research</i> , <b>2017</b> , 66, 241-249	2.1	3
43	Cardiac remodeling as a consequence of atrial fibrillation: An anatomical study of perfusion-fixed human heart specimens. <i>Journal of Geriatric Cardiology</i> , <b>2011</b> , 8, 141-6	1.7	4
42	Left Atrial Longitudinal Speckle Tracking Echocardiography in Healthy Aging Heart. <i>Journal of Cardiovascular Echography</i> , <b>2015</b> , 25, 40-45	0.6	2
41	Left Atrial Volume during Stress Is Associated with Increased Risk of Arrhythmias in Patients with Hypertrophic Cardiomyopathy. <i>Journal of Cardiovascular Echography</i> , <b>2019</b> , 29, 1-6	0.6	6
40	Assessment of Left Atrial Volume Measurements in Normal Young Adult Population. <i>Choonpa Igaku</i> , <b>2006</b> , 33, 647-653	0	
39	The Role of Echocardiography in Atrial Fibrillation and Flutter. <b>2007</b> , 999-1018		
38	WITHDRAWN: Left atrial function and arterial hypertension. <i>Journal of Human Hypertension</i> , <b>2008</b> ,	2.6	
37	Role of Three-Dimensional Echocardiography in Drug Trials. <b>2010</b> , 183-192		
36	Left Ventricular Diastolic Dysfunction. <b>2011</b> , 125-134		
35	Dilated Cardiomyopathy. <b>2011</b> , 303-305		

34	Predictor Analysis of Mid-Term Left Atrial Reverse Remodeling after Mitral Valve Surgery*. <i>World Journal of Cardiovascular Surgery</i> , <b>2013</b> , 03, 52-57	0	
33	Left atrial volume index and prediction of events in acute coronary syndrome: Solar Registry. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2014</b> , 103, 282-91	1.2	8
32	Linker en rechter atrium. <b>2015</b> , 79-96		
31	Assessment of left atrial volume and mechanical functions using real-time three-dimensional echocardiography in patients with mitral annular calcification. <i>Anatolian Journal of Cardiology</i> , <b>2016</b> , 16, 42-7	0.8	8
30	Left Atrial Volumes and Function: Evaluation With Real-Time 3D Echocardiography in an Acute Care Setting. <i>Archives of Cardiovascular Imaging</i> , <b>2015</b> , 3,		
29	Assessment of Left Ventricular Systolic and Diastolic Function by Echocardiography. <b>2016</b> , 35-61		
28	Left Atrial Volume Index as a Clinical Marker for Atrial Fibrillation and Predictor of Cardiovascular Outcomes. <i>Journal of Cardiology &amp; Current Research</i> , <b>2016</b> , 6,	0.1	
27	Atria: A comprehensive evaluation with echocardiography. <i>Heart Vessels and Transplantation</i> , 1, 11		1
26	Acute Atrial Fibrillation and Other Arrhythmias. <b>2019</b> , 387-402		
25	Elevated Troponin T and Enlarged Left Atrium Are Associated with the Incidence of Atrial Fibrillation in Patients with CKD Stage 4-5. <i>Nephron</i> , <b>2021</b> , 145, 71-77	3.3	
24	Quantitative Differentiation of Left Atrial Performance in Hypertrophic Cardiomyopathy: Comparison Between Nonobstruction and Occult Obstruction With 4-dimensional Volume-strain. <i>Journal of Thoracic Imaging</i> , <b>2022</b> , 37, 34-41	5.6	0
23	Torsional Dynamics and 2D Speckle Tracking in Heart Failure with Reduced Ejection Fraction on Patients Taking Sacubitril/Valsartan and Naive. <i>World Journal of Cardiovascular Diseases</i> , <b>2020</b> , 10, 294-304		0
22	Additional roles of diastolic parameters in the diagnosis of obstructive coronary artery disease. <i>Coronary Artery Disease</i> , <b>2021</b> , 32, 145-151	1.4	0
21	Influence of age on the relationship between left atrial performance and left ventricular systolic and diastolic function in systemic arterial hypertension. <i>Experimental and Clinical Cardiology</i> , <b>2006</b> , 11, 305-10		7
20	Evaluation of atrial fibrillation burden before catheter ablation predicts outcome after pulmonary vein isolation. <i>Indian Pacing and Electrophysiology Journal</i> , <b>2009</b> , 9, 138-50	1.5	3
19	Computed axial tomography evidence of left atrial enlargement: a predictor of elevated pulmonary capillary wedge pressure in pulmonary hypertension. <i>International Journal of General Medicine</i> , <b>2010</b> , 3, 23-9	2.3	6
18	Left atrial size and force in patients with systolic chronic heart failure: Comparison with healthy controls and different cardiac diseases. <i>Experimental and Clinical Cardiology</i> , <b>2010</b> , 15, e45-51		13
17	Increased p wave dispersion in elite athletes. <i>Indian Pacing and Electrophysiology Journal</i> , <b>2011</b> , 11, 73-80.	1.5	3

16	Echocardiographic assessment of left atrial size in patients with end-stage renal disease. <i>Cardiovascular Journal of Africa</i> , <b>2009</b> , 20, 183-6	0.7	2
15	The Relationship between Left Atrial Volume and Ventricular Arrhythmias in the Patients with Dilated Cardiomyopathy. <b>2014</b> , 8, 18-23		3
14	Role of Echocardiography in the Management and Prognosis of Atrial Fibrillation. <i>Journal of Atrial Fibrillation</i> , <b>2012</b> , 4, 463	0.8	
13	Echocardiographic Evaluation of Left Atrial Function to Discriminate Non-Valvular Atrial Fibrillation Development in Patients with Apical Hypertrophic Cardiomyopathy. <i>Acta Cardiologica Sinica</i> , <b>2020</b> , 36, 33-43	1.1	2
12	Effects of Sacubitril/Valsartan Treatment on Left Ventricular Myocardial Torsion Mechanics in Patients with Heart Failure Reduced Ejection Fraction 2D Speckle Tracking Echocardiography. <i>Journal of Cardiovascular Echography</i> , <b>2021</b> , 31, 59-67	0.6	1
11	Minimum Left Atrial Volume Evaluated by 3D Echocardiography Predicts Atrial Fibrillation Recurrences After a First Radiofrequency Catheter Ablation for Paroxysmal Episodes.. <i>Medica</i> , <b>2021</b> , 16, 345-352		0
10	Surgical Restoration of Antero-Apical Left Ventricular Aneurysms: Cardiac Computed Tomography for Therapy Planning.. <i>Frontiers in Cardiovascular Medicine</i> , <b>2022</b> , 9, 763073	5.4	0
9	Left atrial deformation in heart failure: a clinical update.. <i>Current Problems in Cardiology</i> , <b>2022</b> , 101183	17.1	
8	Echo-Doppler and strain assessment of filling pressures in adults with congenitally corrected transposition and systemic right ventricles.		
7	Correlation between Morris index on electrocardiography and left atrium measurements on the echocardiogram of dogs with myxomatous mitral valve disease. <b>2022</b> ,		0
6	Biatrial Volumetric Assessment by Non-ECG-Gated CT Pulmonary Angiography Correlated with Transthoracic Echocardiography in Patients with Normal Diastology. <b>2022</b> , 8, 2761-2771		0
5	Myocardial contraction fraction predicts mortality in the oldest old. <b>2022</b> , 43, 101158		0
4	Left Atrium a Microscope for Left Ventricle: Left Atrial Expansion Index (LAEI) One of the Lens: What can We See with this?. <b>2023</b> , 8, 23-25		0
3	Association Between Electrocardiographic Left Atrial Enlargement and Echocardiographic Left Atrial Indices Among Hypertensive Subjects in a Tertiary Hospital in South South Nigeria. <b>2023</b> ,		0
2	Deep learning estimation of three-dimensional left atrial shape from two-chamber and four-chamber cardiac long axis views.		0
1	Comparison of Left Ventricular Diastolic Function Parameters between Patients with Unplanned and Planned Hemodialysis Initiation: A Cross-Sectional Study. <b>2023</b> , 3, 163-170		0