

CITATION REPORT

List of articles citing

Survey of C-reactive protein and cardiovascular risk factors in apparently healthy men

DOI: 10.1016/s0002-9149(99)00491-9

American Journal of Cardiology, 1999, 84, 1018-22.

Source: <https://exaly.com/paper-pdf/30566621/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
287	[C-reactive protein as a coronary risk factor]. 2001 , 117, 303-8		4
286	Distribution of C-reactive protein and its relation to risk factors and coronary heart disease risk estimation in the National Health and Nutrition Examination Survey (NHANES) III. 2001 , 4, 109-114		93
285	Therapeutic relevance of altered cytokine expression. 2001 , 14, 1-10		33
284	C-reactive protein is not associated with the presence or extent of calcified subclinical atherosclerosis. <i>American Heart Journal</i> , 2001 , 141, 206-10	4.9	100
283	Human C-reactive protein: expression, structure, and function. 2001 , 38, 189-97		628
282	Obesity and preeclampsia: the potential role of inflammation. 2001 , 98, 757-62		114
281	Age and duration of follow-up as modulators of the risk for ischemic heart disease associated with high plasma C-reactive protein levels in men. 2001 , 161, 2474-80		100
280	Variability and Classification Accuracy of Serial High-Sensitivity C-Reactive Protein Measurements in Healthy Adults. 2001 , 47, 444-450		323
279	Obesity and Preeclampsia. 2001 , 98, 757-762		82
278	Systemic inflammation as a cardiovascular disease risk factor and as a potential target for drug therapy. 2001 , 3, 326-32		41
277	Autoantibodies against oxidized low-density lipoprotein and C-reactive protein are associated with diabetes and myocardial infarction in women. 2001 , 101, 523-531		19
276	Autoantibodies against oxidized low-density lipoprotein and C-reactive protein are associated with diabetes and myocardial infarction in women. 2001 , 101, 523		12
275	The relationship between attendance at religious services and cardiovascular inflammatory markers. 2001 , 31, 415-25		34
274	Primary prevention of ischemic stroke: A statement for healthcare professionals from the Stroke Council of the American Heart Association. 2001 , 32, 280-99		341
273	Urinary albumin excretion is independently associated with C-reactive protein levels in overweight and obese nondiabetic premenopausal women. 2001 , 250, 502-7		31
272	Synergistic effect of tocotrienol-rich fraction (TRF(25)) of rice bran and lovastatin on lipid parameters in hypercholesterolemic humans. 2001 , 12, 318-329		87
271	Evaluation of C-reactive protein, a sensitive marker of inflammation, as a risk factor for stable coronary artery disease. 2001 , 34, 309-15		32

270	C-reactive protein is independently associated with total body fat, central fat, and insulin resistance in adult women. 2001 , 25, 1416-20		143
269	Association of C-reactive protein with markers of prevalent atherosclerotic disease. <i>American Journal of Cardiology</i> , 2001 , 88, 112-7	3	195
268	Risk factors for coronary disease: the time for a paradigm shift?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2001 , 39, 907-19	5.9	7
267	Serum levels of C-reactive protein are associated with obesity, weight gain, and hormone replacement therapy in healthy postmenopausal women. 2001 , 153, 1094-101		85
266	Primary prevention of ischemic stroke: A statement for healthcare professionals from the Stroke Council of the American Heart Association. 2001 , 103, 163-82		289
265	Elevated C-reactive protein constitutes an independent predictor of advanced carotid plaques in dyslipidemic subjects. 2001 , 21, 1962-8		105
264	Distribution of serum C-reactive protein and its association with atherosclerotic risk factors in a Japanese population : Jichi Medical School Cohort Study. 2001 , 153, 1183-90		185
263	Ethnic variation in C-reactive protein: UK resident Indo-Asians compared with Caucasians. 2002 , 9, 139-41		4
262	Prospective study of effect of androgens on serum inflammatory markers in men. 2002 , 22, 1136-41		61
261	Need to test the arterial inflammation hypothesis. 2002 , 106, 136-40		106
260	Does exercise reduce inflammation? Physical activity and C-reactive protein among U.S. adults. 2002 , 13, 561-8		429
259	Associations between cardiorespiratory fitness and C-reactive protein in men. 2002 , 22, 1869-76		272
258	Blood pressure increase and incidence of hypertension in relation to inflammation-sensitive plasma proteins. 2002 , 22, 2054-8		110
257	Lung function and cardiovascular risk: relationship with inflammation-sensitive plasma proteins. 2002 , 106, 2555-60		205
256	Systemic inflammation in cardiovascular and periodontal disease: comparative study. 2002 , 9, 425-32		67
255	Time course of plasma adhesion molecules in acute coronary syndromes. 2002 , 13, 215-21		3
254	. 2002 , 9, 139-141		16
253	High-sensitivity C-reactive protein and cardiovascular risk in patients with coronary heart disease. 2002 , 17, 325-31		36

252	Long-term effects of inflammation-sensitive plasma proteins and systolic blood pressure on incidence of stroke. 2002 , 33, 2744-9		74
251	C-reactive protein levels are influenced by common IL-1 gene variations. 2002 , 17, 171-4		104
250	Effect of atorvastatin and bezafibrate on plasma levels of C-reactive protein in combined (mixed) hyperlipidemia. <i>Atherosclerosis</i> , 2002 , 162, 245-51	3.1	37
249	Interrelationships among circulating interleukin-6, C-reactive protein, and traditional cardiovascular risk factors in women. 2002 , 22, 1668-73		337
248	Fisiopatología de la enfermedad aterotrombótica coronaria. 2002 , 14, 258-271		1
247	Different associations of C-reactive protein, fibrinogen and C3 with traditional risk factors in middle-aged men. <i>International Journal of Cardiology</i> , 2002 , 83, 63-71	3.2	22
246	Beyond lipid lowering: the role of statins in vascular protection. <i>International Journal of Cardiology</i> , 2002 , 86, 5-18	3.2	205
245	Inflamación, hemostasia y enfermedad coronaria. La proteína C reactiva y el dímero D como marcadores del proceso de la arteriosclerosis. 2002 , 14, 242-257		
244	Effect of Analytical Error on the Assessment of Cardiac Risk by the High-Sensitivity C-Reactive Protein and Lipid Screening Model. 2002 , 48, 1955-1962		5
243	Elevated C-reactive protein is associated with an increased intima to media thickness of the common carotid artery. 2002 , 13, 57-63		45
242	Inflammation, blood pressure, and stroke: an opportunity to target primary prevention?. 2002 , 33, 2732-3		5
241	Relative risk of cardiovascular events in patients with rheumatoid arthritis. <i>American Journal of Cardiology</i> , 2002 , 89, 33D-38D	3	72
240	Relation between markers of systemic vascular inflammation and smoking in women. <i>American Journal of Cardiology</i> , 2002 , 89, 1117-9	3	291
239	Effect of cocaine usage on C-reactive protein, von Willebrand factor, and fibrinogen. <i>American Journal of Cardiology</i> , 2002 , 89, 1133-5	3	51
238	Serum markers of periodontal disease status and inflammation in hemodialysis patients. 2002 , 40, 983-9		82
237	The kinetics of C-reactive protein concentration in patients operated for atheromatous arterial obliteration of the lower limbs. 2002 , 11, 248-250		
236	A family history of Type 2 diabetes is associated with increased plasma levels of C-reactive protein in non-smoking healthy adult women. 2002 , 19, 689-92		21
235	Inflammation and emerging risk factors in diabetes mellitus and atherosclerosis. 2003 , 3, 248-54		45

234	[Vulnerable plaque -- vulnerable vessel -- vulnerable patient. Plaques prone to rupture in atheroma/fibroatheroma]. 2003 , 28, 483-7		0
233	C-Reactive Protein and Cardiovascular Diseases. 2003 , 12, 1-12		17
232	Associations between inflammatory markers, traditional risk factors, and complications in patients with type 2 diabetes mellitus. 2003 , 17, 120-7		45
231	A comparison of acute phase proteins and traditional risk factors as markers of combined plaque and intima-media thickness and plaque density in carotid and femoral arteries. 2003 , 26, 81-7		10
230	Association between inflammatory markers, hemostatic, and lipid factors in postinfarction patients. <i>American Journal of Cardiology</i> , 2003 , 91, 1120-3	3	20
229	Utility of inflammatory markers in the management of coronary artery disease. <i>American Journal of Cardiology</i> , 2003 , 92, 10i-8i	3	64
228	Plasma C-reactive protein concentrations in relation to 5-year body weight change among children: the Taipei Children Heart Study. 2003 , 27, 735-9		7
227	Inflammation, endothelial dysfunction, and the risk of high blood pressure: epidemiologic and biological evidence. 2003 , 17, 223-30		144
226	Effects of hormone therapy and alendronate on C-reactive protein, E-selectin, and sex hormone-binding globulin in osteoporotic women. 2003 , 80, 541-5		10
225	Reduction of C-reactive protein levels through use of a multivitamin. <i>American Journal of Medicine</i> , 2003 , 115, 702-7	2.4	47
224	Influence of depressive mood on the association of CRP and obesity in 3205 middle aged healthy men. 2003 , 17, 268-75		91
223	Plasma C-reactive protein levels and their relationship to anthropometric and lipid characteristics among children. 2003 , 56, 94-100		40
222	High sensitivity C-reactive protein as an independent risk factor for essential hypertension. 2003 , 16, 429-33		129
221	Independent association of various smoking characteristics with markers of systemic inflammation in men. Results from a representative sample of the general population (MONICA Augsburg Survey 1994/95). 2003 , 24, 1365-72		218
220	Blood pressure, C-reactive protein, and risk of future cardiovascular events. 2003 , 108, 2993-9		259
219	The effects of haemodialysis and peritoneal dialysis on serum lipoprotein(a) and C-reactive protein levels. 2003 , 31, 378-83		3
218	C-reactive protein and the risk of developing hypertension. 2003 , 290, 2945-51		683
217	Effect of estrogen plus progestin on stroke in postmenopausal women: the Women's Health Initiative: a randomized trial. 2003 , 289, 2673-84		818

216	Analytical performance of a highly sensitive C-reactive protein-based immunoassay and the effects of laboratory variables on levels of protein in blood. 2003 , 10, 652-7	82
215	Inflammation modifies the effects of a reduced-fat low-cholesterol diet on lipids: results from the DASH-sodium trial. 2003 , 108, 150-4	91
214	First-trimester C-reactive protein and subsequent gestational diabetes. 2003 , 26, 819-24	178
213	Population distribution of high-sensitivity C-reactive protein among US men: findings from National Health and Nutrition Examination Survey 1999-2000. 2003 , 49, 686-90	68
212	Pathophysiology of atherosclerotic plaque development and rupture: an overview. 2003 , 3, 347-54	14
211	Novel Serum Cardiac Risk Biomarkers: Risk Assessment for Primary Prevention. 2003 , 6, 121-128	
210	The role of C-reactive protein in the evaluation and management of infants with suspected sepsis. 2003 , 3, 3-13	59
209	C-reactive protein as a predictor for incident diabetes mellitus among middle-aged men: results from the MONICA Augsburg cohort study, 1984-1998. 2003 , 163, 93-9	242
208	Increasing Physical Activity and Reducing Cardiovascular Risk Using Methods of Accumulating Physical Activity. 2004 , 18, 3-10	
207	C-reactive protein and atherosclerosis of the thoracic aorta: a population-based transesophageal echocardiographic study. 2004 , 164, 1781-7	21
206	Relationship between C-reactive protein and progression of early carotid atherosclerosis in hypertensive subjects. 2004 , 35, 1625-30	44
205	Nontraditional risk factors for cardiovascular disease in diabetes. 2004 , 25, 153-75	126
204	Homozygous familial hyperlipidaemia presenting as severe aortic stenosis and unstable angina. 2004 , 90, 1285	2
203	Chapter 2 Primary Prevention of Stroke by Modification of Selected Risk Factors. 2004 , 29, 5-54	
202	Serum amyloid A as a predictor of coronary artery disease and cardiovascular outcome in women: the National Heart, Lung, and Blood Institute-Sponsored Women's Ischemia Syndrome Evaluation (WISE). 2004 , 109, 726-32	319
201	C-reactive protein: structure affects function. 2004 , 109, 1914-7	85
200	Increased high sensitivity C reactive protein concentrations and increased arterial stiffness in children with a history of Kawasaki disease. 2004 , 90, 1281-5	54
199	High-sensitivity C-reactive protein: Clinical importance. 2004 , 29, 439-493	14

198	Plasma homocysteine and inflammation in elderly patients with cardiovascular disease and dementia. <i>Experimental Gerontology</i> , 2004 , 39, 443-50	4.5	19
197	Fluorescent nanoparticles as labels for immunometric assay of C-reactive protein using two-photon excitation assay technology. 2004 , 328, 210-8		48
196	Heritability of C-reactive protein and association with apolipoprotein E genotypes in Japanese Americans. 2004 , 68, 179-88		49
195	High-sensitivity C-reactive protein concentration in a healthy Brazilian population. <i>International Journal of Cardiology</i> , 2004 , 97, 433-8	3.2	12
194	Elevation of C-reactive protein in people with prehypertension. 2004 , 6, 562-8		76
193	Inflammation, infection, and aortic valve sclerosis; Insights from the Olmsted County (Minnesota) population. <i>Atherosclerosis</i> , 2004 , 174, 337-42	3.1	44
192	New and confirmatory evidence of an association between APOE genotype and baseline C-reactive protein in dyslipidemic individuals. <i>Atherosclerosis</i> , 2004 , 177, 345-51	3.1	58
191	Relationship between depression and C-reactive protein in a screening population. 2004 , 66, 679-83		75
190	High-sensitivity C-reactive protein: Clinical importance. 2004 , 29, 439-493		30
189	A proinflammatory state is associated with hyperhomocysteinemia in the elderly. 2005 , 82, 335-341		75
188	Association between carotid haemodynamics and inflammation in patients with essential hypertension. 2005 , 19, 787-91		37
187	Association between dietary arginine and C-reactive protein. 2005 , 21, 125-30		61
186	Baseline levels of C-reactive protein and prediction of death from cardiovascular disease in patients with inflammatory polyarthritis: a ten-year followup study of a primary care-based inception cohort. 2005 , 52, 2293-9		223
185	Dietary fiber, inflammation, and cardiovascular disease. 2005 , 49, 594-600		104
184	Platelets and atherothrombosis: An essential role for inflammation in vascular disease [A review. 2005 , 14, 211-217		2
183	A proinflammatory state is associated with hyperhomocysteinemia in the elderly. 2005 , 82, 335-41		77
182	Relations of plasma high-sensitivity C-reactive protein to various cardiovascular risk factors. 2005 , 20, 379-83		12
181	Conjoint analysis of preferences for cardiac risk assessment in primary care. 2005 , 21, 211-218		12

180	Effect of Exercise on Serum C-Reactive Protein. 2005 , 35, 533		2
179	Anti-Atherogenic Role of Peroxisome Proliferator-Activated Receptor Ligands. 2005 , 1, 89-102		2
178	Association of C-reactive protein with blood pressure and hypertension: life course confounding and mendelian randomization tests of causality. 2005 , 25, 1051-6		159
177	Fiber and C-reactive protein in diabetes, hypertension, and obesity. 2005 , 28, 1487-9		37
176	Prepregnancy health status and the risk of preterm delivery. 2005 , 159, 89-90		58
175	Adaptation of the Human Skin by Chronic Solar-simulating UV Irradiation Prevents Ultraviolet-B Irradiation-induced Rise in Serum CReactive Protein Levels¶. 2005 , 81, 654		6
174	Clinical, laboratory, and transesophageal echocardiographic correlates of interatrial septal thickness: a population-based transesophageal echocardiographic study. 2005 , 18, 175-82		10
173	Risk factors associated with abdominal aortic aneurysm: a population-based study with historical and current data. 2005 , 41, 390-6		129
172	Associations between cigarette smoking, pipe/cigar smoking, and smoking cessation, and haemostatic and inflammatory markers for cardiovascular disease. 2005 , 26, 1765-73		307
171	Physical activity as anti-inflammatory therapy for cardiovascular disease. 2005 , 8, 8-10		4
170	An association between the methylenetetrahydrofolate reductase (MTHFR) C677T mutation and inflammation markers related to cardiovascular disease. <i>International Journal of Cardiology</i> , 2005 , 100, 409-14	3.2	25
169	Increased levels of CD40-CD40 ligand system in patients with essential hypertension. 2005 , 355, 191-6		24
168	Relationship of C-reactive protein with components of the metabolic syndrome in normal-weight and overweight elderly. 2005 , 15, 270-8		26
167	Cigarette smoking is associated with increased circulating proinflammatory and procoagulant markers in patients with chronic coronary artery disease: effects of aspirin treatment. <i>American Heart Journal</i> , 2005 , 149, 832-9	4.9	59
166	[C-reactive protein changes with antihypertensive and statin treatment]. 2005 , 125, 561-4		3
165	The effects of physical activity on serum C-reactive protein and inflammatory markers: a systematic review. 2005 , 45, 1563-9		726
164	Relationship between uncontrolled risk factors and C-reactive protein levels in patients receiving standard or intensive statin therapy for acute coronary syndromes in the PROVE IT-TIMI 22 trial. 2005 , 46, 1417-24		99
163	Inflammatory response after acute ischemic stroke. 2005 , 236, 65-71		40

162	Markers of inflammation are inversely related to physical activity and fitness in sedentary men with treated hypertension. 2006 , 19, 669-75; discussion 676-7		35
161	Physical activity and high-sensitivity C-reactive protein. 2006 , 36, 443-58		161
160	Association of C-reactive protein with the metabolic risk factors among young and middle-aged Koreans. 2006 , 55, 415-21		21
159	Effects of lifestyle modifications on C-reactive protein: contribution of weight loss and improved aerobic capacity. 2006 , 55, 825-31		46
158	Lower heart rate variability is associated with higher serum high-sensitivity C-reactive protein concentration in healthy individuals aged 46 years or more. <i>International Journal of Cardiology</i> , 2006 , 107, 333-7	3.2	31
157	Endothelial dysfunction and oxidative stress in arterial hypertension. 2006 , 16, 222-33		83
156	Predictors of coronary artery disease in the Lebanese population. 2006 , 117, 631-7		19
155	Association of decreased variation of R-R interval and elevated serum C-reactive protein level in a general population in Japan. 2006 , 47, 867-76		29
154	Body mass index and C-reactive protein in the healthy Korean aged men. 2006 , 21, 811-5		2
153	Low-grade inflammation, thrombogenicity, and atherogenic lipid profile in cigarette smokers. 2006 , 70, 8-13		79
152	Homocysteine as an emerging risk factor for cardiovascular disease in the elderly. 2006 , 2, 983-997		
151	Gender differences in associations of C-reactive protein with atherosclerotic risk factors and psychosocial characteristics in Japanese civil servants. 2006 , 68, 58-63		8
150	C-reactive protein (CRP)-lowering agents. 2006 , 24, 33-50		193
149	The course of high-sensitive C-reactive protein in correlation with pain and clinical function in patients with acute lumbosciatic pain and chronic low back pain - a 6 months prospective longitudinal study. 2006 , 10, 711-9		33
148	Statins in the treatment of polycythaemia vera and allied disorders: an antithrombotic and cyto-reductive potential?. 2006 , 30, 1217-25		25
147	Effect of inflammation on the aging microcirculation: impact on skeletal muscle blood flow control. 2006 , 13, 343-52		74
146	Obesity, plasma high sensitivity C-reactive protein levels and insulin resistance status among school children in Taiwan. 2006 , 39, 810-5		28
145	Dose-response impact of various tocotrienols on serum lipid parameters in 5-week-old female chickens. 2006 , 41, 453-61		45

144	Coronary heart disease: How do the benefits of EB fatty acids compare with those of aspirin, alcohol/red wine, and statin drugs?. 2006 , 83, 985-997		3
143	Relation of social integration to inflammatory marker concentrations in men and women 70 to 79 years. <i>American Journal of Cardiology</i> , 2006 , 97, 1010-6	3	121
142	The effect of a worksite based walking programme on cardiovascular risk in previously sedentary civil servants [NCT00284479]. 2006 , 6, 136		65
141	Antirheumatic drug use and the risk of acute myocardial infarction. 2006 , 55, 531-6		140
140	Ankle brachial index, C-reactive protein, and central augmentation index to identify individuals with severe atherosclerosis. 2006 , 27, 316-22		37
139	Macroangiopathy in adults and children with diabetes: risk factors (part 2). 2006 , 38, 706-20		9
138	Genetic determinants of C-reactive protein in COPD. 2006 , 28, 1156-62		19
137	Is hypertension an inflammatory process?. 2006 , 12, 1623-35		123
136	Clinical relevance of C-reactive protein during follow-up of patients with acute coronary syndromes in the Aggrastat-to-Zocor Trial. 2006 , 114, 281-8		239
135	C-reactive protein and hypertension: is there a causal relationship?. 2007 , 13, 1693-8		27
134	Systemic effects of smoking. 2007 , 131, 1557-66		667
133	Waist circumference adds to the variance in plasma C-reactive protein levels in elderly patients with metabolic syndrome. 2007 , 53, 329-39		26
132	Multiple biomarkers and the risk of incident hypertension. 2007 , 49, 432-8		138
131	Association between homocysteine, vitamin B(6) concentrations and inflammation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 1728-36	5.9	19
130	The effect of weight loss on C-reactive protein: a systematic review. 2007 , 167, 31-9		216
129	The effects of cigarette smoking on C-reactive protein concentrations in men and women and its modification by exogenous oral hormones in women. 2007 , 14, 694-700		23
128	Increasing Physical Activity and Reducing Cardiovascular Risk Using Methods of Accumulating Physical Activity. 2007 , 18, 3-10		2
127	Exercise and biomarkers for cancer prevention studies. 2007 , 137, 161S-169S		82

126	The predictive value of CRP levels on future severe renal disease in overweight and obese subjects without diabetes mellitus and hypertension. 2007 , 334, 444-51			3
125	The influence of exercise training on inflammatory cytokines and C-reactive protein. 2007 , 39, 1714-9			183
124	The mevalonate pathway as a therapeutic target in the Ph-negative chronic myeloproliferative disorders. 2007 , 8, 247-56			5
123	Synergistic relationship between hyperglycaemia and inflammation with respect to clinical outcomes in non-ST-elevation acute coronary syndromes: analyses from OPUS-TIMI 16 and TACTICS-TIMI 18. 2007 , 28, 806-13			38
122	Association between inflammation, lipid and hemostatic factors in patients with stable angina. 2007 , 120, 53-9			12
121	Acute phase proteins in patients with acute coronary syndrome: Correlations with diagnosis, clinical features, and angiographic findings. 2007 , 18, 109-17			33
120	The emerging anti-inflammatory role of HDL-cholesterol, illustrated in cardiovascular disease free population; the ATTICA study. <i>International Journal of Cardiology</i> , 2007 , 122, 29-33	3.2		41
119	The role of C-reactive protein as a marker for cardiovascular risk associated with antiretroviral therapy in HIV-infected patients. <i>Atherosclerosis</i> , 2007 , 195, 167-71	3.1		43
118	The molecular basis of homocysteine thiolactone-mediated vascular disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 1704-16	5.9		73
117	A useful predictor of early atherosclerosis in obese children: serum high-sensitivity C-reactive protein. 2007 , 22, 192-7			26
116	Adaptation of the Human Skin by Chronic Solar-simulating UV Irradiation Prevents Ultraviolet-B Irradiation-induced Rise in Serum C-Reactive Protein Levels¶. 2007 , 81, 654-658			
115	Association between tobacco smoke exposure and levels of C-reactive protein in the Oslo II Study. 2007 , 22, 311-7			28
114	History of unemployment predicts future elevations in C-reactive protein among male participants in the Coronary Artery Risk Development in Young Adults (CARDIA) Study. 2008 , 36, 176-85			38
113	Cross-sectional associations of C-reactive protein with vascular risk factors and vascular complications in the DCCT/EDIC cohort. 2008 , 22, 153-63			19
112	Lifestyle-related factors in predementia and dementia syndromes. 2008 , 8, 133-58			110
111	Exercise, vascular wall and cardiovascular diseases: an update (Part 1). 2008 , 38, 1009-24			109
110	High-sensitivity C-reactive protein is associated with the risk of coronary heart disease as estimated by the Framingham Risk Score in middle-aged Japanese men. <i>International Journal of Cardiology</i> , 2008 , 129, 245-50	3.2		12
109	Biomarkers for cardiovascular disease: challenges and future directions. 2008 , 14, 261-7			31

108	Plasma homocysteine is a determinant of tissue necrosis factor-alpha in hypertensive patients. 2008 , 62, 360-5		27
107	Elevated blood pressure, race/ethnicity, and C-reactive protein levels in children and adolescents. 2008 , 122, 1252-7		41
106	Hypertension in rheumatoid arthritis. 2008 , 47, 1286-98		197
105	Plasma total homocysteine: instigator or indicator of cardiovascular disease?. <i>Annals of Clinical Biochemistry</i> , 2008 , 45, 345-8	2.2	19
104	The role of TNF-alpha in patients with chronic low back pain-a prospective comparative longitudinal study. 2008 , 24, 273-8		94
103	An Evaluation of the Clinical Evidence on the Role of Inflammation and Oxidative Stress in Smoking-Mediated Cardiovascular Disease. 2008 , 3, 127-139		23
102	High sensitive C-reactive protein, adiponectin, and urine albumin excretion rate in Chinese coronary artery disease patients with different glucose tolerance status. 2008 , 121, 2509-2516		7
101	Let her sleep...but how much?. 2009 , 32, 841-2		
100	The Effect of Smoking on Inflammation, Prothrombotic State and Endothelial Dysfunction in Patients with Essential Hypertension. 2009 , 16, 47-53		
99	Smoking and atherosclerotic cardiovascular disease: part II: role of cigarette smoking in cardiovascular disease development. <i>Biomarkers in Medicine</i> , 2009 , 3, 617-53	2.3	29
98	Homocysteine and inflammation as main determinants of oxidative stress in the elderly. 2009 , 46, 737-44		43
97	Acute phase proteins activation in subjects with coronary atherosclerosis and micro-vessel coronary circulation impairment. <i>Journal of Thrombosis and Thrombolysis</i> , 2009 , 28, 50-6	5.1	13
96	Effects of serum homocysteine and adiponectin levels on platelet aggregation in untreated patients with essential hypertension. <i>Journal of Thrombosis and Thrombolysis</i> , 2009 , 28, 418-24	5.1	8
95	Physical activity and high-sensitivity C-reactive protein: the multi-ethnic study of atherosclerosis. 2009 , 36, 56-62		27
94	Diagnosis of subclinical coronary atherosclerosis: challenges and insight. 2009 , 3, 37-52		1
93	Marriage protects men from clinically meaningful elevations in C-reactive protein: results from the National Social Life, Health, and Aging Project (NSHAP). 2009 , 71, 828-35		58
92	Relation between C-reactive protein levels and body composition in a multiethnic sample of school children in Hawaii. 2010 , 22, 675-9		8
91	Systemic Circulation. 2010 , 91-116		

90	Lipoprotein-associated phospholipase A2, C-reactive protein, and coronary artery disease in individuals with type 1 diabetes and macroalbuminuria. 2010 , 7, 47-55		18
89	Race/ethnicity and acute respiratory distress syndrome: a National Trauma Data Bank study. 2010 , 102, 865-9		23
88	Inverse relationship between fasting direct bilirubin and metabolic syndrome in Korean adults. 2010 , 411, 1496-501		50
87	Effects of smoking intensity and cessation on inflammatory markers in a large cohort of active smokers. <i>American Heart Journal</i> , 2010 , 160, 458-63	4.9	52
86	Carotid plaque formation and serum biomarkers. <i>Atherosclerosis</i> , 2010 , 213, 21-9	3.1	75
85	Preoperative C-reactive protein level adjusted for comorbidities and lifestyle factors predicts overall mortality in localized renal cell carcinoma. <i>Molecular Diagnosis and Therapy</i> , 2011 , 15, 229-34	4.5	12
84	Smoking cessation program with exercise improves cardiovascular disease biomarkers in sedentary women. <i>Journal of Women's Health</i> , 2011 , 20, 1051-64	3	31
83	The impact of diurnal fasting during Ramadan on the lipid profile, hs-CRP, and serum leptin in stable cardiac patients. <i>Vascular Health and Risk Management</i> , 2012 , 8, 7-14	4.4	26
82	Association of maternal folate nutrition and serum C-reactive protein concentrations with gestational age at delivery. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 350-6	5.2	21
81	Hormones, heart disease, and health: individualized medicine versus throwing the baby out with the bathwater. <i>Depression and Anxiety</i> , 2011 , 28, 282-96	8.4	6
80	Hormones, heart disease, and health: individualized medicine versus throwing the baby out with the bathwater. <i>Depression and Anxiety</i> , 2011 , 28, E1-E15	8.4	9
79	Relationship between biomarkers of cigarette smoke exposure and biomarkers of inflammation, oxidative stress, and platelet activation in adult cigarette smokers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1760-9	4	62
78	Higher plasma homocysteine is associated with lower vitamin B6 status in critically ill surgical patients. <i>Nutrition in Clinical Practice</i> , 2012 , 27, 695-700	3.6	8
77	Moderate intensities of leisure-time physical activity are associated with lower levels of high-sensitivity C-reactive protein in healthy middle-aged men. <i>Angiology</i> , 2012 , 63, 412-5	2.1	22
76	Plasma total homocysteine is a determinant of carotid intima-media thickness and circulating endothelial progenitor cells in patients with newly diagnosed hypertension. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 1107-13	5.9	20
75	Prognostic role of pre-transplantation serum C-reactive protein levels in patients with acute leukemia undergoing myeloablative allogeneic stem cell transplantation. <i>Clinical Transplantation</i> , 2012 , 26, E513-21	3.8	15
74	Pentraxin-3 as a marker of advanced atherosclerosis results from the Bruneck, ARMY and ARFY Studies. <i>PLoS ONE</i> , 2012 , 7, e31474	3.7	49
73	Vitamin B12 level in peripheral arterial disease. <i>Journal of Thrombosis and Thrombolysis</i> , 2013 , 36, 77-83	5.1	3

72	Association between C-reactive protein, pro-oxidant-antioxidant balance and traditional cardiovascular risk factors in an Iranian population. <i>Annals of Clinical Biochemistry</i> , 2013 , 50, 115-21	2.2	19
71	Obesity and C-reactive protein in various populations: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 2013 , 14, 232-44	10.6	338
70	[Rheumatoid arthritis. Systemic inflammation and cardiovascular morbidity]. <i>Der Internist</i> , 2013 , 54, 434-40		0
69	Homocysteine in Protein Structure/Function and Human Disease. 2013 ,		19
68	High-sensitivity C-reactive protein is a predictive factor of adiposity in children: results of the identification and prevention of dietary- and lifestyle-induced health effects in children and infants (IDEFICS) study. <i>Journal of the American Heart Association</i> , 2013 , 2, e000101	6	36
67	Yin Yang gene expression ratio signature for lung cancer prognosis. <i>PLoS ONE</i> , 2013 , 8, e68742	3.7	11
66	Does farming have an effect on health status? A comparison study in west Greece. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 776-92	4.6	16
65	Are C-reactive protein associated genetic variants associated with serum levels and retinal markers of microvascular pathology in Asian populations from Singapore?. <i>PLoS ONE</i> , 2013 , 8, e67650	3.7	18
64	Anti-inflammatory and antioxidant effects of resveratrol in healthy smokers a randomized, double-blind, placebo-controlled, cross-over trial. <i>Current Medicinal Chemistry</i> , 2013 , 20, 1323-31	4.3	125
63	Correlations between the level of high-sensitivity C-reactive protein and cardiovascular risk factors in Korean adults with cardiovascular disease or diabetes mellitus: the CALLISTO study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013 , 20, 616-22	4	18
62	Effect of probiotic (VSL#3) and omega-3 on lipid profile, insulin sensitivity, inflammatory markers, and gut colonization in overweight adults: a randomized, controlled trial. <i>Mediators of Inflammation</i> , 2014 , 2014, 348959	4.3	156
61	Comparative study between different biomarkers for early prediction of gestational diabetes mellitus. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 1108-12	2	46
60	Cardiovascular risk in patients with small and medium abdominal aortic aneurysms, and no history of cardiovascular disease. <i>British Journal of Surgery</i> , 2014 , 101, 1238-43	5.3	14
59	Acrolein exposure is associated with increased cardiovascular disease risk. <i>Journal of the American Heart Association</i> , 2014 , 3,	6	109
58	Wash-free highly sensitive detection of C-reactive protein using gold derivatised triangular silver nanoplates. <i>RSC Advances</i> , 2014 , 4, 29022-29031	3.7	17
57	Plasma Inflammatory Markers and the Risk of Developing Hypertension in Men. <i>Journal of the American Heart Association</i> , 2015 , 4, e001802	6	25
56	Effect of Surgical Periodontal Therapy on Serum C-reactive Protein Levels Using ELISA in Both Chronic and Aggressive Periodontitis Patient. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2015 , 9, ZC01-5	0	4
55	Inadequate Vitamin B-6 Status in Critical Care. 2015 , 1423-1431		

54	The relationship between serum levels of hs-CRP and coronary lesion severity. <i>Medicine and Pharmacy Reports</i> , 2016 , 89, 322-6	1.5	7
53	The Association between ESR and CRP and Systemic Hypertension in Sarcoidosis. <i>International Journal of Hypertension</i> , 2016 , 2016, 2402515	2.4	6
52	Exercise Modulates Oxidative Stress and Inflammation in Aging and Cardiovascular Diseases. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 7239639	6.7	174
51	High-Sensitivity C-Reactive Protein and Cardiovascular Disease Across Countries and Ethnicities. <i>Clinics</i> , 2016 , 71, 235-42	2.3	54
50	Infarction Size, Interleukin-6, and Their Interaction Are Predictors of Short-Term Stroke Outcome in Young Egyptian Adults. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 2475-81	2.8	13
49	Time course of various cell origin circulating microparticles in ST-segment elevation myocardial infarction patients undergoing percutaneous transluminal coronary intervention. <i>Experimental and Therapeutic Medicine</i> , 2016 , 11, 1481-1486	2.1	7
48	Electronic cigarette inhalation alters innate immunity and airway cytokines while increasing the virulence of colonizing bacteria. <i>Journal of Molecular Medicine</i> , 2016 , 94, 667-79	5.5	156
47	Development of a high sensitivity C-reactive protein immunoassay and comparison with a commercial kit. <i>Journal of Immunoassay and Immunochemistry</i> , 2017 , 38, 10-20	1.8	1
46	Computational Biomechanics for Medicine. 2017 ,		2
45	Constitutive Modelling of Lamb Aorta. 2017 , 15-25		
44	Risk factors for cardiovascular disease in rheumatoid arthritis. 2017 , 39-52		
43	Handbook of Cardiovascular Disease Management in Rheumatoid Arthritis. 2017 ,		1
42	Increased Levels of Inflammatory Marker hsCRP, MDA and Lipid Profile in Non-obese Hypertension Subjects. <i>Biochemistry and Analytical Biochemistry: Current Research</i> , 2017 , 06,		
41	The effects of sodium butyrate and inulin supplementation on angiotensin signaling pathway via promotion of abundance in type 2 diabetes; A randomized, double-blind, placebo-controlled trial. <i>Journal of Cardiovascular and Thoracic Research</i> , 2017 , 9, 183-190	1.3	37
40	MTHFR gene C677T and A1298C variants are associated with FMF risk in a Turkish cohort. <i>Journal of Clinical Laboratory Analysis</i> , 2018 , 32,	3	3
39	The usefulness of selected biomarkers in patients with valve disease. <i>Biomarkers in Medicine</i> , 2018 , 12, 1341-1346	2.3	9
38	Mechanisms in hypertension and target organ damage: Is the role of the thymus key? (Review). <i>International Journal of Molecular Medicine</i> , 2018 , 42, 3-12	4.4	4
37	Comparison of Chronic Hemodialysis Patients under Strict Volume Control with respect to Cardiovascular Disease. <i>International Journal of Nephrology</i> , 2019 , 2019, 6430947	1.7	1

36	Proteomic Analysis of Longitudinal Changes in Blood Pressure. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
35	Female sex and cardiovascular disease risk in rural Uganda: a cross-sectional, population-based study. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 96	2.3	7
34	A 6-Week Worksite Positivity Program Leads to Greater Life Satisfaction, Decreased Inflammation, and a Greater Number of Employees With A1C Levels in Range. <i>Journal of Occupational and Environmental Medicine</i> , 2019 , 61, 357-372	2	1
33	The Effects of Synbiotic Supplementation on Body Mass Index, Metabolic and Inflammatory Biomarkers, and Appetite in Patients with Metabolic Syndrome: A Triple-Blind Randomized Controlled Trial. <i>Journal of Dietary Supplements</i> , 2019 , 16, 294-306	2.3	25
32	Do documented records and retrospective reports of childhood maltreatment similarly predict chronic inflammation?. <i>Psychological Medicine</i> , 2020 , 50, 2406-2415	6.9	15
31	High-sensitivity C-reactive protein as a prognostic marker in patients undergoing valve surgery. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2020 , 17, 15-19	0.3	
30	Reducing Tobacco-Related Disability in Chronic Smokers. <i>American Journal of Medicine</i> , 2020 , 133, 908-915	15	2
29	Exposure to chemicals formed from natural processes is ubiquitous. <i>Toxicology Research and Application</i> , 2020 , 4, 239784732092294	0.8	
28	Joint effect of blood pressure and C-reactive protein and the risk of sudden cardiac death: A prospective cohort study. <i>International Journal of Cardiology</i> , 2021 , 326, 184-188	3.2	1
27	Elevated circulating CD16+ monocytes and TLR4+ monocytes in older adults with multiple cardiometabolic disease risk factors: A cross-sectional analysis.		
26	Elevated circulating CD16+ monocytes and TLR4+ monocytes in older adults with multiple cardiometabolic disease risk factors. <i>Experimental Gerontology</i> , 2021 , 154, 111530	4.5	
25	Treatment of patients with lipid disorders in the primary care setting: new treatment guidelines and their implications. <i>Southern Medical Journal</i> , 2003 , 96, 266-75	0.6	5
24	Mechanisms Associating Physical Activity with Cancer Incidence. <i>Nutrition and Disease Prevention</i> , 2005 , 157-175		1
23	Prognostic value of low and moderately elevated C-reactive protein in acute coronary syndrome: a 2-year follow-up study. <i>Medical Science Monitor</i> , 2013 , 19, 777-86	3.2	7
22	Trends in prevalence of dyslipidaemias and the risk of mortality in Lithuanian urban population aged 45-64 in relation to the presence of the dyslipidaemias and the other cardiovascular risk factors. <i>PLoS ONE</i> , 2014 , 9, e100158	3.7	7
21	Association between C-reactive protein and blood pressure in a cohort of elderly Muscovites: epidemiological study data. <i>Cardiovascular Therapy and Prevention (Russian Federation)</i> , 2012 , 11, 65-69	0.9	1
20	Hepatitis B virus infection and coronary atherosclerosis: results from a population with relatively high prevalence of hepatitis B virus. <i>World Journal of Gastroenterology</i> , 2005 , 11, 1292-6	5.6	32
19	Elevated hs-CRP in Patients with Stable Angina Pectoris. <i>Korean Journal of Medicine</i> , 2012 , 82, 45	0.5	2

18	Characteristics of subclinical inflammation in uncomplicated arterial hypertension. <i>Arterial Hypertension (Russian Federation)</i> , 2006 , 12, 216-221	0.7	1
17	The Effect of Weight Reduction Diet on C-Reactive Protein Level in Obese-Adult Subjects. <i>Journal of Medical Sciences (Faisalabad, Pakistan)</i> , 2008 , 9, 17-23	0.5	3
16	The Role of C-reactive Protein as a Inflammation-related Factor in Metabolic Syndrome. <i>Korean Journal of Family Medicine</i> , 2009 , 30, 449	1.7	2
15	Relationship between Nicotine Yield and Cardiovascular Risk Factors. <i>Journal of the Korean Society for Research on Nicotine and Tobacco</i> , 2010 , 1, 107-114	0.3	
14	Calorie Restriction, Exercise, and Colon Cancer Prevention: A Mechanistic Perspective. 2011 , 69-97		
13	Number of components of the metabolic syndrome; smoking and inflammatory markers. <i>International Journal of Endocrinology and Metabolism</i> , 2013 , 11, 23-6	1.8	2
12	Pathophysiological Consequences of Protein N-Homocysteinylation. 2013 , 107-119		
11	Inadequate Vitamin B-6 Status in Critical Care. 2014 , 1-11		
10	The Effects of Marathon Running on Retinol Binding Protein 4 and C-reactive Protein Levels in Healthy Middle-aged Korean Men. <i>The Korean Journal of Obesity</i> , 2014 , 23, 203		
9	Relationship of the hs-CRP Levels with FBG, Fructosamine, and HbA1c in Non-diabetic Obesity Adults. <i>Korean Journal of Clinical Laboratory Science</i> , 2018 , 50, 190-196	0.4	1
8	Targeting C-Reactive Protein in Inflammatory Disease. 2019 , 173-186		
7	Inflammatory Markers in Cardiovascular Disease; Lessons Learned and Future Perspectives. <i>Current Vascular Pharmacology</i> , 2021 , 19, 323-342	3.3	8
6	Multiple Faces of C-Reactive Protein: StructureFunction Relationships. 2020 , 1-34		
5	C-reactive protein as a prognostic tool in cardiovascular practices: should CRP testing be ordered along with lipid profiles?. <i>Netherlands Heart Journal</i> , 2003 , 11, 265-267	2.2	2
4	24-Hour ambulatory blood pressure associates inversely with prostaglandin F(2 α) interleukin-6 and F(2)-isoprostane formation in a Swedish population of older men. <i>International Journal of Clinical and Experimental Medicine</i> , 2012 , 5, 145-53		5
3	High Sensitivity C Reactive Protein (hs-CRP) in Adolescent and Young Adult Patients with History of Kawasaki Disease. <i>Acta Cardiologica Sinica</i> , 2015 , 31, 473-7	1.1	6
2	Lipoprotein(a)-The Crossroads of Atherosclerosis, Atherothrombosis and Inflammation.. <i>Biomolecules</i> , 2021 , 12,	5.9	5
1	Regular Use of Cannabis in Female Athletes Is Associated With a Reduction in Early Anaerobic Power Production. <i>Journal of Strength and Conditioning Research</i> , 2022 , Publish Ahead of Print,	3.2	

