

CITATION REPORT

List of articles citing

Electrocardiographic predictive factors of long-term clinical improvement with multisite biventricular pacing in advanced heart failure

DOI: 10.1016/s0002-9149(99)00588-3

American Journal of Cardiology, 1999, 84, 1417-21.

Source: <https://exaly.com/paper-pdf/30566715/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
248	Intermediate-term results of biventricular pacing in heart failure: correlation between clinical and hemodynamic data. 2000 , 23, 1713-7		50
247	Hemodynamic assessment of right, left, and biventricular pacing by peak endocardial acceleration and echocardiography in patients with end-stage heart failure. 2000 , 23, 1726-30		42
246	Prevalence of potential candidates for biventricular pacing among patients with known coronary artery disease: a prospective registry from a single center. 2000 , 23, 1718-21		16
245	Hemodynamic implications of left bundle branch block. <i>Journal of Electrocardiology</i> , 2000 , 33 Suppl, 115-21	24	100
244	Should stimulation site be tailored in the individual heart failure patient?. <i>American Journal of Cardiology</i> , 2000 , 86, 144K-151K	3	37
243	Biventricular cardiac pacing: promising new therapy for congestive heart failure. 2000 , 118, 1819-21		7
242	Predictors of systolic augmentation from left ventricular preexcitation in patients with dilated cardiomyopathy and intraventricular conduction delay. 2000 , 101, 2703-9		708
241	Implantable defibrillators in the third millennium: increasingly relegated to a standby role?. 2000 , 36, 828-31		9
240	Doppler myocardial imaging in patients with heart failure receiving biventricular pacing treatment. 2001 , 142, 881-96		132
239	Prolonged QRS duration (QRS \geq 170 ms) and left axis deviation in the presence of left bundle branch block: A marker of poor left ventricular systolic function?. 2001 , 142, 756-9		37
238	Advances in cardiac electrophysiology and pacing. 2001 , 17, 337-64		2
237	Biventricular pacing for heart failure. 2001 , 19, 637-51		6
236	Electrotherapeutic management of patients with heart failure. 2001 , 1, 227-31		1
235	The Relationship between QRS duration and LV systolic function in Paced Patients. 2001 , 31, 327		1
234	Plasma natriuretic peptide levels and daily physical activity in patients with pacemaker implantation. 2001 , 42, 471-82		10
233	Impact of acute biventricular pacing on left ventricular performance and volumes in patients with severe heart failure. A tissue doppler and three-dimensional echocardiographic study. 2001 , 95, 173-82		67
232	Biventricular pacing therapy for congestive heart failure: a review of the literature. 2001 , 9, 217-26		8

231	Biventricular pacing in heart failure: update on results from clinical trials. 2001 , 2, 292-297		7
230	What is first, left bundle branch block or left ventricular dysfunction?. <i>Journal of Cardiovascular Electrophysiology</i> , 2001 , 12, 1425-8	2-7	9
229	Triple-site ventricular pacing in a biventricular pacing system. 2001 , 24, 1165-7		21
228	Global improvement in left ventricular performance observed with cardiac contractility modulation is the result of changes in regional contractility. 2001 , 6, 35-44		3
227	Congestive heart failure treatment: the pacing approach. 2001 , 6, 15-25		4
226	Resynchronization pacing is a useful adjunct to the management of acute heart failure after surgery for congenital heart defects. <i>American Journal of Cardiology</i> , 2001 , 88, 145-52	3	119
225	Comparison of chronic biventricular pacing between epicardial and endocardial left ventricular stimulation using Doppler tissue imaging in patients with heart failure. <i>American Journal of Cardiology</i> , 2001 , 88, 858-62	3	144
224	Three dimensional echocardiography documents haemodynamic improvement by biventricular pacing in patients with severe heart failure. 2001 , 85, 514-20		45
223	Effects of multisite biventricular pacing in patients with heart failure and intraventricular conduction delay. 2001 , 344, 873-80		2212
222	The structure and function of the helical heart and its buttress wrapping. V. Anatomic and physiologic considerations in the healthy and failing heart. 2001 , 13, 358-85		58
221	Biventricular pacing in patients with heart failure and intraventricular conduction delay: state of the art and perspectives. The European view. 2002 , 23, 682-6		11
220	Comparative effects of permanent biventricular and right-univentricular pacing in heart failure patients with chronic atrial fibrillation. 2002 , 23, 1780-7		294
219	Congestive heart failure and QRS duration: establishing prognosis study. 2002 , 122, 528-34		190
218	Impact of atrio-biventricular pacing to poor left-ventricular function after CABG. 2002 , 50, 131-5		33
217	Systolic improvement and mechanical resynchronization does not require electrical synchrony in the dilated failing heart with left bundle-branch block. 2002 , 106, 1760-3		380
216	Effects of long-term biventricular stimulation for resynchronization on echocardiographic measures of remodeling. 2002 , 105, 1304-10		228
215	Management of heart failure: use of biventricular pacing. 2002 , 16, 72-81		1
214	Retiming the failing heart: principles and current clinical status of cardiac resynchronization. 2002 , 39, 194-201		359

213	Tissue Doppler imaging predicts improved systolic performance and reversed left ventricular remodeling during long-term cardiac resynchronization therapy. 2002 , 40, 723-30		499
212	Cardiac resynchronization therapy tailored by echocardiographic evaluation of ventricular asynchrony. 2002 , 40, 1615-22		556
211	Interventricular and intraventricular dyssynchrony in idiopathic dilated cardiomyopathy: a prognostic study with fourier phase analysis of radionuclide angioscintigraphy. 2002 , 40, 2022-30		162
210	Considerations in patients undergoing implantation of a biventricular pacemaker. 2002 , 16, 175-9		4
209	Left bundle-branch block is associated with increased 1-year sudden and total mortality rate in 5517 outpatients with congestive heart failure: a report from the Italian network on congestive heart failure. 2002 , 143, 398-405		569
208	Echocardiographic prediction of long-term response to biventricular pacemaker in severe heart failure. 2002 , 4, 83-90		30
207	Estudo comparativo das estimulações ventricular direita e biventricular no pós-operatório de revascularização miocárdica. 2002 , 17, 61		
206	Electrical therapy in patients with congestive heart failure introduction. 2002 , 27, 45-93		1
205	Comparison of characteristics in responders versus nonresponders with biventricular pacing for drug-resistant congestive heart failure. <i>American Journal of Cardiology</i> , 2002 , 89, 346-50	3	232
204	Effectiveness of resynchronization therapy in patients with end-stage heart failure. <i>American Journal of Cardiology</i> , 2002 , 90, 379-83	3	55
203	Temporary and permanent biventricular pacing via left ventricular epicardial leads implanted during primary cardiac surgery. 2002 , 50, 284-9		13
202	Noninvasive assessment of cardiac resynchronization therapy for congestive heart failure using myocardial strain and left ventricular peak power as parameters of myocardial synchrony and function. <i>Journal of Cardiovascular Electrophysiology</i> , 2002 , 13, 1203-8	2.7	56
201	Matching approved "nondedicated" hardware to obtain biventricular pacing and defibrillation: feasibility and troubleshooting. 2002 , 25, 1066-71		17
200	Addition of a left ventricular lead to conventional pacing systems in patients with congestive heart failure: feasibility, safety, and early results in 60 consecutive patients. 2002 , 25, 1166-71		89
199	Early and late QRS morphology and width in biventricular pacing: relationship to lead site and electrical remodeling. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2002 , 6, 279-85	2.4	21
198	[Surgical therapy of end-stage heart failure]. 2003 , 28, 380-92		5
197	Cardiac resynchronization therapy with or without an implantable defibrillator: only indicated when everything else has failed?. 2003 , 7, 421-9		
196	Predictors of left ventricular reverse remodeling after cardiac resynchronization therapy for heart failure secondary to idiopathic dilated or ischemic cardiomyopathy. <i>American Journal of Cardiology</i> , 2003 , 91, 684-8	3	513

195	Reliability of QRS duration and morphology on surface electrocardiogram to identify ventricular dyssynchrony in patients with idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2003 , 92, 341-4	3	51
194	End-stage cardiomyopathy and secondary mitral insufficiency surgical alternative with prosthesis implant and left ventricular remodeling. 2003 , 18, 201-5		1
193	Effect of biventricular pacing on myocardial glucose metabolism in patients with heart failure using fluoro-18-deoxyglucose positron emission tomography. 2003 , 26, 144-7		4
192	Which patients with congestive heart failure may benefit from biventricular pacing?. 2003 , 26, 158-61		20
191	Optical mapping technique applied to biventricular pacing: potential mechanisms of ventricular arrhythmias occurrence. 2003 , 26, 197-205		21
190	Basal asynchrony and resynchronization with biventricular pacing predict long-term improvement of LV function in heart failure patients. 2003 , 26, 1815-23		40
189	Long-term effectiveness of cardiac resynchronization therapy in patients with refractory heart failure and "narrow" QRS. 2003 , 42, 2117-24		259
188	Intra-ventricular resynchronization for optimal left ventricular function during pacing in experimental left bundle branch block. 2003 , 42, 558-67		118
187	Resynchronization therapy for the management of heart failure. 2003 , 15, 467-75		1
186	High prevalence of left ventricular systolic and diastolic asynchrony in patients with congestive heart failure and normal QRS duration. 2003 , 89, 54-60		440
185	Interventricular and intra-left ventricular electromechanical delays in right ventricular paced patients with heart failure: implications for upgrading to biventricular stimulation. 2003 , 89, 1401-5		51
184	Fragile left atrial thrombus successfully treated with anticoagulants. 2003 , 89, 60		1
183	Simultaneous vs. sequential biventricular pacing in dilated cardiomyopathy: an acute hemodynamic study. 2003 , 5, 305-13		117
182	Eligibility for biventricular pacing in patients with an implantable cardioverter defibrillator. 2003 , 5, 315-7		5
181	Regional myocardial perfusion during chronic biventricular pacing and after acute change of the pacing mode in patients with congestive heart failure and bundle branch block treated with an atrioventricular sequential biventricular pacemaker. 2003 , 5, 179-86		23
180	A case of rheumatic fever. 2003 , 89, 1405		
179	. 2003 ,		
178	Biventricular mechanical asynchrony predicts hemodynamic effect of uni- and biventricular pacing. 2003 , 285, H2788-96		45

177	. 2004,		7
176	Electrocardiogram Interpretation with Biventricular Pacing Devices. 73-98		5
175	Usefulness of Doppler Myocardial Imaging for the Quantitative Assessment of Ventricular Asynchrony in Patients with Heart Failure. 2004 , 34, 492		1
174	Strain rate imaging in CRT candidates. 2004 , 6, D16-D24		1
173	Cardiac resynchronization therapy. <i>Europace</i> , 2004 , 5 Suppl 1, S42-8	3.9	18
172	Unusual method for occlusive coronary sinus angiography. 2004 , 90, 51		1
171	Non-contact left ventricular endocardial mapping in cardiac resynchronisation therapy. 2004 , 90, 44-51		107
170	Non-contact mapping of the left ventricle and new insights into the mechanisms for success of biventricular pacing. 2004 , 90, 3-4		3
169	Improvement of left ventricular function after cardiac resynchronization therapy is predicted by tissue Doppler imaging echocardiography. 2004 , 109, 978-83		335
168	Midterm benefits of left univentricular pacing in patients with congestive heart failure. 2004 , 109, 1741-4		89
167	Improvement of left ventricular wall synchronization with multisite ventricular pacing in heart failure: a prospective study using Doppler tissue imaging. 2004 , 6, 203-12		14
166	QRS duration and shortening to predict clinical response to cardiac resynchronization therapy in patients with end-stage heart failure. 2004 , 27, 308-13		139
165	Performance of left ventricular versus biventricular pacing in chronic heart failure assessed by stress echocardiography. 2004 , 27, 626-31		16
164	The spectrum of inter- and intraventricular conduction abnormalities in patients eligible for cardiac resynchronization therapy. 2004 , 27, 1105-12		26
163	Relationship of baseline electrocardiographic characteristics with the response to cardiac resynchronization therapy for heart failure. 2004 , 27, 1513-8		24
162	Noninvasive assessment of the biventricular pacing system. 2004 , 9, 58-70		11
161	Cardiac resynchronization therapy and automatic implantable cardiac defibrillators in the treatment of heart failure: a review article. 2004 , 16, 441-50		4
160	Cardiac resynchronization therapy: device-based medicine for heart failure. 2004 , 19, 270-4		4

159	Comparison of benefits from cardiac resynchronization therapy in patients with ischemic cardiomyopathy versus idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2004 , 93, 860-3	3	90
158	Effect of left ventricular remodeling after cardiac resynchronization therapy on frequency of ventricular arrhythmias. <i>American Journal of Cardiology</i> , 2004 , 94, 130-2	3	29
157	Quantification of radial mechanical dyssynchrony in patients with left bundle branch block and idiopathic dilated cardiomyopathy without conduction delay by tissue displacement imaging. <i>American Journal of Cardiology</i> , 2004 , 94, 514-8	3	60
156	Cardiac resynchronization therapy in congestive heart failure: Ready for prime time?. 2004 , 1, 355-63		18
155	Predictors of Lack of Clinical Improvement at Mid-Term Follow-up With Cardiac Resynchronization Therapy. 2004 , 57, 306-312		
154	Predictores de ausencia de mejoría clínica a medio plazo con la terapia de resincronización cardíaca. 2004 , 57, 306-312		2
153	Désynchronisation dans l'insuffisance cardiaque. 2004 , 2004, 21-22		
152	Cardiac resynchronization by pacing: an electrical treatment of heart failure. <i>International Journal of Cardiology</i> , 2004 , 94, 151-61	3.2	34
151	QRS dispersion: an electrocardiographic index of systolic left ventricular dysfunction in patients with left bundle branch block. <i>International Journal of Cardiology</i> , 2004 , 97, 321-2	3.2	11
150	Electrocardiography of Multisite Ventricular Pacing. 84-100		3
149	Multisite Pacing for Heart Failure: From Electrophysiology to Hemodynamics. 61-75		
148	Influence of permanent right ventricular pacing on cardiorespiratory exercise parameters in chronic heart failure patients with implanted cardioverter defibrillators. 2005 , 127, 787-93		9
147	Understanding nonresponders of cardiac resynchronization therapy--current and future perspectives. <i>Journal of Cardiovascular Electrophysiology</i> , 2005 , 16, 1117-24	2.7	517
146	Optimizing resynchronization therapy: can we increase the number of true responders?. <i>Journal of Cardiovascular Electrophysiology</i> , 2005 , 16 Suppl 1, S48-51	2.7	11
145	Comparison of effectiveness of cardiac resynchronization therapy in patients with versus without diabetes mellitus. <i>American Journal of Cardiology</i> , 2005 , 96, 108-11	3	23
144	Handbook of Cardiac Anatomy, Physiology, and Devices. 2005 ,		15
143	Cardiac resynchronisation therapy in chronic atrial fibrillation: impact on left atrial size and reversal to sinus rhythm. <i>Heart</i> , 2006 , 92, 490-4	5.1	47
142	Surgical epicardial left ventricular lead versus coronary sinus lead placement in biventricular pacing. 2005 , 27, 235-42		93

141	Ventricular asynchrony predicts a better outcome in patients with chronic heart failure receiving cardiac resynchronization therapy. 2005 , 45, 65-9		217
140	Significance of QRS complex duration in patients with heart failure. 2005 , 46, 2183-92		273
139	Prospective validation of stress echocardiography as an identifier of cardiac resynchronization therapy responders. 2006 , 3, 406-13		68
138	Myocardial dyssynchrony and resynchronization. 2006 , 2, 179-92		8
137	Electrocardiographic remodeling during cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2006 , 108, 165-70	3.2	22
136	Cardiac Resynchronization Therapy: Biventricular Pacing. 2006 , 36, 329		2
135	Miocardiópatia terminal com insuficiência mitral secundária: tratamento com implante de prótese e remodelamento interno do ventrículo esquerdo. 2006 , 21, 283-288		
134	Prolonged QRS duration and severity of mitral regurgitation are unfavorable prognostic markers of heart failure in patients with nonischemic dilated cardiomyopathy. <i>Circulation Journal</i> , 2006 , 70, 57-62	2.9	11
133	The problem of non-response to cardiac resynchronization therapy. 2006 , 21, 20-6		198
132	Cardiac resynchronisation therapy for heart failure. 2006 , 36, 114-23		3
131	Cardiac resynchronisation therapy in heart failure: current status. 2006 , 11, 147-54		18
130	[Echocardiographic evaluation to select patients for cardiac resynchronization therapy]. 2006 , 17 Suppl 1, 163-72		
129	Selecting patients for cardiac resynchronization therapy: electrical or mechanical dyssynchrony?. 2006 , 27, 1270-81		138
128	Impact of viability and scar tissue on response to cardiac resynchronization therapy in ischaemic heart failure patients. 2007 , 28, 33-41		285
127	Upgrade to biventricular pacing in patients with pacing-induced heart failure: can resynchronization do the trick?. <i>Europace</i> , 2006 , 8, 352-7	3.9	22
126	Optimization of right ventricular lead position in cardiac resynchronisation therapy. 2006 , 8, 609-14		39
125	End-stage cardiomyopathy and secondary mitral insufficiency surgical alternative with prosthesis implant and left ventricular restoration. 2006 , 29 Suppl 1, S266-71		11
124	Comparison of the haemodynamics of different pacing sites in patients undergoing resynchronisation treatment: need for individualisation of lead localisation. <i>Heart</i> , 2006 , 92, 1795-800	5.1	39

123	Echocardiography: prospects for the next 5 years. 2006 , 4, 232-8		
122	Cardiac resynchronization therapy: redefining the role of device therapy in heart failure. 2006 , 6, 455-69	0	
121	Cardiac Arrhythmias 2005. 2006 ,		3
120	Guidelines for cardiac pacing and cardiac resynchronization therapy: The Task Force for Cardiac Pacing and Cardiac Resynchronization Therapy of the European Society of Cardiology. Developed in collaboration with the European Heart Rhythm Association. 2007 , 28, 2256-95		529
119	Acute biventricular pacing after cardiac surgery has no influence on regional and global left ventricular systolic function. <i>Europace</i> , 2007 , 9, 432-6	3.9	16
118	Echocardiographic measures of acute haemodynamic response after cardiac resynchronization therapy predict long-term clinical outcome. 2007 , 28, 1143-8		45
117	Can LV dyssynchrony as assessed with phase analysis on gated myocardial perfusion SPECT predict response to CRT?. 2007 , 48, 1104-11		198
116	Measurements of mechanical asynchrony in patients with heart failure: is the puzzle completed?. 2007 , 8, 657-67		3
115	Cardiac resynchronization therapy: left or left-and-right for optimal symptomatic effect--the LOLA ROSE study. <i>Europace</i> , 2007 , 9, 862-8	3.9	15
114	Myocardial contractile reserve predicts improvement in left ventricular function after cardiac resynchronization therapy. 2007 , 154, 1160-5		60
113	Guía de práctica clínica sobre marcapasos y terapia de resincronización cardíaca. 2007 , 60, 1272.e1-1272.e51		3
112	Guidelines for cardiac pacing and cardiac resynchronization therapy. The Task Force for Cardiac Pacing and Cardiac Resynchronization Therapy of the European Society of Cardiology. Developed in collaboration with the European Heart Rhythm Association. <i>Europace</i> , 2007 , 9, 959-98	3.9	247
111	Acute effects of initiation and withdrawal of cardiac resynchronization therapy on papillary muscle dyssynchrony and mitral regurgitation. 2007 , 50, 2071-7		144
110	Evidence for electrical remodeling of the native conduction system with cardiac resynchronization therapy. 2007 , 30, 591-5		36
109	Biventricular upgrading in patients with conventional pacing system and congestive heart failure: results and response predictors. 2007 , 30, 1096-104		25
108	Electrical remodeling and cardiac dimensions in patients treated by cardiac resynchronization and heart failure controls. 2008 , 31, 70-7		16
107	Intrathoracic impedance monitoring to predict decompensated heart failure. <i>American Journal of Cardiology</i> , 2007 , 99, 554-7	3	105
106	Effect of total scar burden on contrast-enhanced magnetic resonance imaging on response to cardiac resynchronization therapy. <i>American Journal of Cardiology</i> , 2007 , 99, 657-60	3	214

105	FDG PET as a predictor of response to resynchronization therapy in patients with ischaemic cardiomyopathy. 2007 , 34, 309-15		28
104	Cardiac resynchronization therapy in clinical practice: need for electrical, mechanical, clinical and logistic synchronization. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2006 , 17, 215-24	2.4	13
103	Imaging techniques in cardiac resynchronization therapy. 2008 , 24, 89-105		15
102	Relationship between left ventricular lead position using a simple radiographic classification scheme and long-term outcome with resynchronization therapy. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2008 , 23, 219-27	2.4	53
101	Cardiac incoordination induced by left bundle branch block: its relation with left ventricular systolic function in patients with and without cardiomyopathy. 2008 , 6, 39		3
100	Nonischemic dilated cardiomyopathy: results of noninvasive and invasive evaluation in 310 patients and clinical significance of bundle branch block. 2008 , 31, 1383-90		13
99	Prognostic value of electrocardiographic measurements before and after cardiac resynchronization device implantation in patients with heart failure due to ischemic or nonischemic cardiomyopathy. <i>American Journal of Cardiology</i> , 2008 , 101, 359-63	3	35
98	Effects of interruption of long-term cardiac resynchronization therapy on left ventricular function and dyssynchrony. <i>American Journal of Cardiology</i> , 2008 , 102, 718-21	3	6
97	Interventricular delay interval optimization in cardiac resynchronization therapy guided by echocardiography versus guided by electrocardiographic QRS interval width. <i>American Journal of Cardiology</i> , 2008 , 102, 1373-7	3	38
96	Assessment of heart failure and left ventricular systolic dysfunction after cardiac pacing in patients with preserved left ventricular systolic function. 2008 , 57, 29-36		8
95	Influence of the preimplantation QRS axis on responses to cardiac resynchronization therapy. 2008 , 61, 1245-52		4
94	Optimal left ventricular lead position predicts reverse remodeling and survival after cardiac resynchronization therapy. 2008 , 52, 1402-9		314
93	Remission of left ventricular systolic dysfunction and of heart failure symptoms after cardiac resynchronization therapy: temporal pattern and clinical predictors. 2008 , 155, 507-14		47
92	Influencia del eje eléctrico QRS preimplante en la respuesta a la terapia de resincronización cardíaca. 2008 , 61, 1245-1252		3
91	Devices for Cardiac Resynchronization. 2008 ,		3
90	Mechanism of improvement in mitral regurgitation after cardiac resynchronization therapy. 2008 , 29, 757-65		91
89	Effects of cardiac resynchronization therapy on echocardiographic indices, functional capacity, and clinical outcomes of patients with a systemic right ventricle. <i>Europace</i> , 2009 , 11, 184-90	3.9	64
88	Responders to cardiac resynchronization therapy with narrow or intermediate QRS complexes identified by simple echocardiographic indices of dyssynchrony: the DESIRE study. 2008 , 10, 273-80		41

87	Measurement of QRS duration for biventricular pacing optimization. 2008 , 54, 335-40		2
86	Left ventricular lead placement in cardiac resynchronization therapy: where and how?. <i>Europace</i> , 2009 , 11, 554-61	3.9	51
85	The QRS interval in patients treated with resynchronization therapy: which value?. 2009 , 11, 635-7		
84	Prediction of response to cardiac resynchronization therapy using simple electrocardiographic and echocardiographic tools. <i>Europace</i> , 2009 , 11, 1330-7	3.9	40
83	Surface electrocardiogram to predict outcome in candidates for cardiac resynchronization therapy: a sub-analysis of the CARE-HF trial. 2009 , 11, 699-705		154
82	Optimization of the interventricular delay in cardiac resynchronization therapy using the QRS width. <i>American Journal of Cardiology</i> , 2009 , 104, 1407-12	3	30
81	Gated myocardial perfusion SPECT asynchrony measurements in patients with left bundle branch block. 2009 , 25, 43-51		6
80	Long-term prognosis after cardiac resynchronization therapy is related to the extent of left ventricular reverse remodeling at midterm follow-up. 2009 , 53, 483-90		305
79	Selecting patients for cardiac resynchronization therapy: the fallacy of echocardiographic dyssynchrony. 2009 , 53, 1944-59		60
78	Change in blood pressure just after initiation of cardiac resynchronization therapy predicts long-term clinical outcome in patients with advanced heart failure. <i>Circulation Journal</i> , 2009 , 73, 288-94	2.9	12
77	Relation of QRS shortening to cardiac output during temporary resynchronization therapy after cardiac surgery. 2010 , 56, 434-40		5
76	Modeling of 3D Left Ventricular motion to evaluate paced myocardial function. 2010 ,		
75	Intra-left ventricular systolic asynchrony in patients with overt hyperthyroidism. 2010 , 38, 283-8		10
74	Assessment of left ventricular systolic asynchrony in patients with clinical hypothyroidism. 2010 , 27, 117-22		15
73	Myocardial infarction does not preclude electrical and hemodynamic benefits of cardiac resynchronization therapy in dyssynchronous canine hearts. 2010 , 3, 361-8		59
72	Minimally invasive video-assisted epicardial lead cardiac resynchronization therapy for the dilated cardiomyopathy heart failure cases. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2010 , 5, 345-8	1.5	2
71	Prevalence and characteristics of patients with clinical improvement but not significant left ventricular reverse remodeling after cardiac resynchronization therapy. 2010 , 160, 737-43		32
70	Long-term effectiveness of cardiac resynchronization therapy in heart failure patients with unfavorable cardiac veins anatomy comparison of surgical versus hemodynamic procedure. 2011 , 58, 483-90		38

69	Inotropic contractile reserve and response to cardiac resynchronization therapy in patients with markedly remodeled left ventricle. 2011 , 24, 91-7		11
68	Determinants of mortality in patients with heart failure and atrial fibrillation during long-term follow-up. 2011 , 66, 751-7		2
67	The QRS narrowing index predicts reverse left ventricular remodeling following cardiac resynchronization therapy. 2011 , 34, 604-11		47
66	Positioning of left ventricular pacing lead guided by intracardiac echocardiography with vector velocity imaging during cardiac resynchronization therapy procedure. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 1034-41	2.7	20
65	Electrocardiographic versus echocardiographic optimization of the interventricular pacing delay in patients undergoing cardiac resynchronization therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 1129-34	2.7	39
64	The assessment of left ventricular systolic asynchrony in patients with primary hyperparathyroidism. 2011 , 28, 955-60		9
63	Diverse patterns of longitudinal and radial dyssynchrony in patients with advanced systolic heart failure. <i>Heart</i> , 2011 , 97, 574-8	5.1	6
62	Paced left ventricular QRS width and ECG parameters predict outcomes after cardiac resynchronization therapy: PROSPECT-ECG substudy. 2011 , 4, 851-7		82
61	A simultaneous X-Ray/MRI and noncontact mapping study of the acute hemodynamic effect of left ventricular endocardial and epicardial cardiac resynchronization therapy in humans. 2011 , 4, 170-9		51
60	The use of epicardial electrogram as a simple guide to select the optimal site of left ventricular pacing in cardiac resynchronization therapy. 2011 , 2011, 956062		7
59	Predictive value of QRS changes after cardiac resynchronization therapy. 2012 , 9, 1679-80		
58	2012 EHRA/HRS expert consensus statement on cardiac resynchronization therapy in heart failure: implant and follow-up recommendations and management. <i>Europace</i> , 2012 , 14, 1236-86	3.9	195
57	Radiofrequency ablation of premature ventricular ectopy improves the efficacy of cardiac resynchronization therapy in nonresponders. 2012 , 60, 1531-9		103
56	2012 EHRA/HRS expert consensus statement on cardiac resynchronization therapy in heart failure: implant and follow-up recommendations and management. 2012 , 9, 1524-76		170
55	Adverse response to cardiac resynchronisation therapy in patients with septal scar on cardiac MRI preventing a septal right ventricular lead position. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012 , 33, 151-60	2.4	12
54	Biophysical modeling to simulate the response to multisite left ventricular stimulation using a quadripolar pacing lead. 2012 , 35, 204-14		68
53	Patients with ankylosing spondylitis have evidence of left ventricular asynchrony. 2012 , 29, 661-7		8
52	Left ventricular pacing should be considered when biventricular pacing worsens heart failure: left ventricular pacing instead of biventricular pacing?. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012 , 33, 37-41	2.4	

51	Left ventricular synchronicity is impaired in patients with active acromegaly. 2013 , 44, 200-6		8
50	Association between QRS duration and outcome with cardiac resynchronization therapy: a systematic review and meta-analysis. <i>Journal of Electrocardiology</i> , 2013 , 46, 147-55	1.4	32
49	Prognostic significance of left ventricular dyssynchrony by phase analysis of gated SPECT in medically treated patients with dilated cardiomyopathy. 2013 , 38, 510-5		10
48	Left ventricular systolic asynchrony: an important sign for cardiac involvement in plaque-type psoriasis. <i>International Journal of Dermatology</i> , 2014 , 53, 369-75	1.7	4
47	Fusion-optimized intervals (FOI): a new method to achieve the narrowest QRS for optimization of the AV and VV intervals in patients undergoing cardiac resynchronization therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 283-92	2.7	39
46	Impact of pacing site on QRS duration and its relationship to hemodynamic response in cardiac resynchronization therapy for congestive heart failure. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 1012-1020	2.7	25
45	Native QRS narrowing reflects electrical reversal and associates with anatomical reversal in cardiac resynchronization therapy. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2014 , 41, 161-8	2.4	9
44	Left ventricular synchronization and systolic function estimated by speckle tracking echocardiography pre-and post-radiofrequency ablation in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2014 , 172, 217-9	3.2	3
43	Electrocardiographic predictors of response to cardiac resynchronization therapy in patients with intraventricular conduction delay. <i>Circulation Journal</i> , 2014 , 78, 71-7	2.9	12
42	Current trends in use of implantable cardioverter defibrillators and cardiac resynchronization therapy with a pacemaker or defibrillator in Japanese pediatric patients: results from a nationwide questionnaire survey. <i>Circulation Journal</i> , 2014 , 78, 1710-6	2.9	19
41	Hemodynamic effects of Purkinje potential pacing in the left ventricular endocardium in patients with advanced heart failure. <i>Journal of Arrhythmia</i> , 2015 , 31, 371-5	1.5	
40	Left Ventricular Lead Placement Targeted at the Latest Activated Site Guided by Electrophysiological Mapping in Coronary Sinus Branches Improves Response to Cardiac Resynchronization Therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 1333-9	2.7	17
39	A fundamental relationship between intraventricular conduction and heart rate. <i>Journal of Electrocardiology</i> , 2016 , 49, 362-70	1.4	12
38	Meta-Analysis of the Usefulness of Change in QRS Width to Predict Response to Cardiac Resynchronization Therapy. <i>American Journal of Cardiology</i> , 2016 , 118, 1368-1373	3	26
37	Prolongation of atrio-ventricular node conduction in a rabbit model of ischaemic cardiomyopathy: Role of fibrosis and connexin remodelling. <i>Journal of Molecular and Cellular Cardiology</i> , 2016 , 94, 54-64	5.8	15
36	Lessons Learned and Insights Gained in the Design, Analysis, and Outcomes of the COMPANION Trial. <i>JACC: Heart Failure</i> , 2016 , 4, 521-535	7.9	10
35	Three-dimensional echocardiographic evaluation of mechanical dyssynchrony in systolic heart failure with narrow QRS complex. <i>Indian Heart Journal</i> , 2018 , 70, 387-393	1.6	2
34	Contemporary Review of Left Bundle Branch Block in the Failing Heart - Pathogenesis, Prognosis, and Therapy. <i>Heart Lung and Circulation</i> , 2018 , 27, 291-300	1.8	4

33	Prognostic implications of QRS dispersion for major adverse cardiovascular events in asymptomatic women and men: the Multi-Ethnic Study of Atherosclerosis. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019 , 56, 45-53	2.4	1
32	Cardiac resynchronization therapy-induced acute shortening of QRS duration predicts long-term mortality only in patients with left bundle branch block. <i>Europace</i> , 2019 , 21, 281-289	3.9	18
31	Optimizing the interventricular interval in biventricular pacing: When and how. <i>Hellenic Journal of Cardiology</i> , 2019 , 60, 26-27	2.1	1
30	Cardiac resynchronisation therapy optimisation of interventricular delay by the systolic dyssynchrony index: A comparative, randomised, 12-month follow-up study. <i>Hellenic Journal of Cardiology</i> , 2019 , 60, 16-25	2.1	4
29	Technological and Clinical Challenges in Lead Placement for Cardiac Rhythm Management Devices. <i>Annals of Biomedical Engineering</i> , 2020 , 48, 26-46	4.7	4
28	Synchronized Biventricular Heart Pacing in a Closed-chest Porcine Model based on Wirelessly Powered Leadless Pacemakers. <i>Scientific Reports</i> , 2020 , 10, 2067	4.9	7
27	Cardiac Resynchronisation Therapy and Heart Failure: Persepctive from 5P Medicine. <i>Cardiac Failure Review</i> , 2015 , 1, 35-37	4.2	2
26	Three dimensional echocardiography documents haemodynamic improvement by biventricular pacing in patients with severe heart failure. <i>Heart</i> , 2001 , 85, 514-520	5.1	
25	What Are the Clinical Benefits of Biventricular Pacing in Heart Failure Patients?. 2002 , 103-108		
24	Multisite Pacing in ICD Patients: Which Benefits?. 2002 , 170-180		
23	Is Echocardiography Useful for Selecting Patients with Heart Failure as Candidates for Ventricular Resynchronization Therapy?. 2002 , 114-120		
22	Biventricular Pacing: How to Predict the Clinical Response in the Single Patient?. 2002 , 646-653		
21	Ventricular Resynchronization Therapy in Heart Failure Patients with Chronic Atrial Fibrillation: Is It Worthwhile ?. 2002 , 140-146		
20	How Many Patients Really Need Ventricular Resynchronization Therapy?. 2002 , 99-102		
19	The Electrophysiological Aspect. 2003 , 229-232		
18	Role of Electrical Therapy in Patients with Left Ventricular Dysfunction: The Clinical Cardiologist's Experience. 2003 , 249-255		
17	Patients with Heart Failure and Right Bundle Branch Block or Nonspecific Intraventricular Conduction Disturbances Can They Benefit from Cardiac Resynchronization Therapy?. 2004 , 829-835		
16	How to Identify Patients Most Likely to Respond to Cardiac Resynchronization Therapy. 2004 , 805-813		

- 15 Resynchronization therapy for heart failure. *Clinical Intensive Care: International Journal of Critical & Coronary Care Medicine*, **2005**, 16, 121-128
- 14 Cardiac Resynchronization Therapy. **2009**, 475-497
- 13 Minimally Invasive Video-Assisted Epicardial Lead Cardiac Resynchronization Therapy for the Dilated Cardiomyopathy Heart Failure Cases. *Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery*, **2010**, 5, 345-348 1.5
- 12 Timing Cycles. 255-318
- 11 Pulmonary perfusion and NYHA classification improve after cardiac resynchronization therapy. *Journal of Nuclear Cardiology*, **2021**, 1 2.1 0
- 10 Resynchronization therapy for heart failure. *Clinical Intensive Care: International Journal of Critical & Coronary Care Medicine*, **2005**, 16, 121-128
- 9 Use of Fluid Accumulation Monitoring in HF Patients. **2007**, 137-141
- 8 Chirurgische Optionen bei Herzinsuffizienz. **2005**, 97-111
- 7 Cardiac Resynchronisation Therapy: How to Identify Patients Who Will not Respond to Therapy. **2006**, 491-501
- 6 Pacemaker resynchronisation in the treatment of severe heart failure. **2006**, 99-112
- 5 Importance of the Right Ventricular Pacing Site in Cardiac Resynchronization. **2008**, 27-33
- 4 Biventricular Pacing for Congestive Heart Failure. **2005**, 349-359
- 3 Chirurgische Optionen bei Herzinsuffizienz. **2007**, 303-318
- 2 Techniques for identification of left ventricular asynchrony for cardiac resynchronization therapy in heart failure. *Indian Pacing and Electrophysiology Journal*, **2005**, 5, 175-85 1.5 1
- 1 Cardiac resynchronization therapy in congestive heart failure: The state of the art and future perspectives. *Experimental and Clinical Cardiology*, **2002**, 7, 212-5 1