

# Optimal strategies for measuring diffusion in anisotropic imaging

Magnetic Resonance in Medicine

42, 515-525

DOI: [10.1002/\(sici\)1522-2594\(199909\)42:3<515::aid-mrm14>3.0.co;2-q](https://doi.org/10.1002/(sici)1522-2594(199909)42:3<515::aid-mrm14>3.0.co;2-q)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Mapping eddy current induced fields for the correction of diffusion-weighted echo planar images. <i>Magnetic Resonance Imaging</i> , 1999, 17, 1335-1345.	1.0	103
3	Evidence of Red Cell Alignment in the Magnetic Field of an NMR Spectrometer Based on the Diffusion Tensor of Water. <i>Journal of Magnetic Resonance</i> , 2000, 145, 291-301.	1.2	29
4	Condition Number as a Measure of Noise Performance of Diffusion Tensor Data Acquisition Schemes with MRI. <i>Journal of Magnetic Resonance</i> , 2000, 147, 340-352.	1.2	275
5	Minimal gradient encoding for robust estimation of diffusion anisotropy†. <i>Magnetic Resonance Imaging</i> , 2000, 18, 671-679.	1.0	128
6	On the use of water phantom images to calibrate and correct eddy current induced artefacts in MR diffusion tensor imaging. <i>Magnetic Resonance Imaging</i> , 2000, 18, 681-687.	1.0	49
7	Using diffusion-weighted MRI in multicenter clinical trials for multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2001, 186, S51-S54.	0.3	17
9	Evidence for cortical "disconnection" as a mechanism of age-related cognitive decline. <i>Neurology</i> , 2001, 57, 632-638.	1.5	728
10	Abnormal brain white matter in schizophrenia: a diffusion tensor imaging study. <i>NeuroReport</i> , 2001, 12, 2251-2254.	0.6	244
11	Normal-appearing white matter in ischemic leukoaraiosis: A diffusion tensor MRI study. <i>Neurology</i> , 2001, 57, 2307-2310.	1.5	221
12	On the effects of gating in diffusion imaging of the brain using single shot EPI. <i>Magnetic Resonance Imaging</i> , 2001, 19, 1125-1128.	1.0	141
13	On the use of the FLAIR technique to improve the correction of eddy current induced artefacts in MR diffusion tensor imaging. <i>Magnetic Resonance Imaging</i> , 2001, 19, 937-950.	1.0	32
14	MRI based diffusion and perfusion predictive model to estimate stroke evolution. <i>Magnetic Resonance Imaging</i> , 2001, 19, 1043-1053.	1.0	51
15	Diffusion MRI: apparent diffusion coefficient (ADC) values in the normal brain and a classification of brain disorders based on ADC values. <i>Computerized Medical Imaging and Graphics</i> , 2001, 25, 299-326.	3.5	171
16	Herpes simplex encephalitis: diffusion MR imaging findings. <i>Computerized Medical Imaging and Graphics</i> , 2001, 25, 391-397.	3.5	93
17	Diffusion tensor imaging: Concepts and applications. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 13, 534-546.	1.9	2,973
18	Comparison of gradient encoding schemes for diffusion-tensor MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 13, 769-780.	1.9	285
19	Analysis of partial volume effects in diffusion-tensor MRI. <i>Magnetic Resonance in Medicine</i> , 2001, 45, 770-780.	1.9	621
20	Utilizing the diffusion-to-noise ratio to optimize magnetic resonance diffusion tensor acquisition strategies for improving measurements of diffusion anisotropy. <i>Magnetic Resonance in Medicine</i> , 2001, 45, 1056-1065.	1.9	43

#	ARTICLE	IF	CITATIONS
21	Improving relative anisotropy measurement using directional correlation of diffusion tensors. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 1088-1092.	1.9	18
22	Theoretical analysis of the effects of noise on diffusion tensor imaging. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 1174-1188.	1.9	264
23	Diffusion tensor magnetic resonance imaging in multiple sclerosis. <i>Neurology</i> , 2001, 56, 304-311.	1.5	491
24	Magnetisation transfer ratio and mean diffusivity of normal appearing white and grey matter from patients with multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 70, 311-317.	0.9	263
25	“Atraumatic” Sprotte needle reduces the incidence of post-lumbar puncture headaches. <i>Neurology</i> , 2001, 57, 2310-2312.	1.5	122
26	Myocardial Fiber Orientation Mapping Using Reduced Encoding Diffusion Tensor Imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2001, 3, 339-347.	1.6	72
27	Correlates of MS disability assessed in vivo using aggregates of MR quantities. <i>Neurology</i> , 2001, 56, 1331-1334.	1.5	91
28	Diffusion tensor trace mapping in normal adult brain using single-shot epi technique: A methodological study of the aging brain. <i>Acta Radiologica</i> , 2001, 42, 447-458.	0.5	34
29	Diffusion Tensor MR Imaging of the Brain and White Matter Tractography. <i>American Journal of Roentgenology</i> , 2002, 178, 3-16.	1.0	270
30	The Future for Diffusion Tensor Imaging in Neuropsychiatry. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2002, 14, 1-5.	0.9	30
31	Characterization of the normal cardiac myofiber field in goat measured with MR-diffusion tensor imaging. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H139-H145.	1.5	170
32	White matter damage in Alzheimer's disease assessed in vivo using diffusion tensor magnetic resonance imaging. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002, 72, 742-746.	0.9	486
33	Regularized iterative reconstruction in tensor tomography using gradient constraints. <i>IEEE Transactions on Nuclear Science</i> , 2002, 49, 2387-2393.	1.2	2
34	Estimating distributed anatomical connectivity using fast marching methods and diffusion tensor imaging. <i>IEEE Transactions on Medical Imaging</i> , 2002, 21, 505-512.	5.4	270
35	Diffusion imaging in multiple sclerosis. <i>Neuroimaging Clinics of North America</i> , 2002, 12, 71-106.	0.5	34
36	Initial Demonstration of in Vivo Tracing of Axonal Projections in the Macaque Brain and Comparison with the Human Brain Using Diffusion Tensor Imaging and Fast Marching Tractography. <i>NeuroImage</i> , 2002, 15, 797-809.	2.1	171
37	Investigating Cervical Spinal Cord Structure Using Axial Diffusion Tensor Imaging. <i>NeuroImage</i> , 2002, 16, 93-102.	2.1	240
38	Correlations between Structural CNS Damage and Functional MRI Changes in Primary Progressive MS. <i>NeuroImage</i> , 2002, 15, 537-546.	2.1	173

#	ARTICLE	IF	CITATIONS
39	A Model-Based Method for Retrospective Correction of Geometric Distortions in Diffusion-Weighted EPI. <i>NeuroImage</i> , 2002, 16, 177-199.	2.1	259
40	Virtual in Vivo Interactive Dissection of White Matter Fasciculi in the Human Brain. <i>NeuroImage</i> , 2002, 17, 77-94.	2.1	1,515
41	Spatial Normalization and Averaging of Diffusion Tensor MRI Data Sets. <i>NeuroImage</i> , 2002, 17, 592-617.	2.1	208
42	Tuberous sclerosis: diffusion MRI findings in the brain. <i>European Radiology</i> , 2002, 12, 138-143.	2.3	26
43	Differences in white matter architecture between musicians and non-musicians: a diffusion tensor imaging study. <i>Neuroscience Letters</i> , 2002, 321, 57-60.	1.0	187
44	Diffusion tensor brain imaging and tractography. <i>Neuroimaging Clinics of North America</i> , 2002, 12, 1-19.	0.5	69
45	Principles, Methods, and Applications of Diffusion Tensor Imaging. , 2002, , 379-397.		10
46	Adaptive functional changes in the cerebral cortex of patients with nondisabling multiple sclerosis correlate with the extent of brain structural damage. <i>Annals of Neurology</i> , 2002, 51, 330-339.	2.8	224
47	Exploring white matter tracts in band heterotopia using diffusion tractography. <i>Annals of Neurology</i> , 2002, 52, 327-334.	2.8	55
48	ADC mapping of the human optic nerve: Increased resolution, coverage, and reliability with CSF-suppressed ZOOM-EPI. <i>Magnetic Resonance in Medicine</i> , 2002, 47, 24-31.	1.9	129
49	Imaging cortical association tracts in the human brain using diffusion-tensor-based axonal tracking. <i>Magnetic Resonance in Medicine</i> , 2002, 47, 215-223.	1.9	534
50	Diffusion tensor imaging using single-shot SENSE-EPI. <i>Magnetic Resonance in Medicine</i> , 2002, 48, 128-136.	1.9	267
51	Detection and modeling of non-Gaussian apparent diffusion coefficient profiles in human brain data. <i>Magnetic Resonance in Medicine</i> , 2002, 48, 331-340.	1.9	498
52	Diffusion tensor fiber tracking of human brain connectivity: acquisition methods, reliability analysis and biological results. <i>NMR in Biomedicine</i> , 2002, 15, 494-515.	1.6	161
53	Diffusion-tensor MRI: theory, experimental design and data analysis - a technical review. <i>NMR in Biomedicine</i> , 2002, 15, 456-467.	1.6	1,291
54	Isotropic resolution diffusion tensor imaging with whole brain acquisition in a clinically acceptable time. <i>Human Brain Mapping</i> , 2002, 15, 216-230.	1.9	172
55	Intra-voxel and inter-voxel coherence in patients with multiple sclerosis assessed using diffusion tensor MRI. <i>Journal of Neurology</i> , 2002, 249, 875-883.	1.8	53
56	MR correlates of cerebral atrophy in patients with multiple sclerosis. <i>Journal of Neurology</i> , 2002, 249, 1072-1077.	1.8	79

#	ARTICLE	IF	CITATIONS
57	Diffusion MRI in neurofibromatosis type 1: ADC evaluations of the optic pathways, and a comparison with normal individuals. <i>Computerized Medical Imaging and Graphics</i> , 2002, 26, 59-64.	3.5	18
58	A 3D fiber model of the human brainstem. <i>Computerized Medical Imaging and Graphics</i> , 2002, 26, 439-444.	3.5	12
59	Mapping the development of white matter tracts with diffusion tensor imaging. <i>Developmental Science</i> , 2002, 5, 293-300.	1.3	28
60	Diffusion-weighted imaging: basic concepts and application in cerebral stroke and head trauma. <i>European Radiology</i> , 2003, 13, 2283-2297.	2.3	188
61	Occult tissue damage in patients with primary progressive multiple sclerosis is independent of T2-visible lesions. <i>Journal of Neurology</i> , 2003, 250, 456-460.	1.8	56
62	A framework for a streamline-based probabilistic index of connectivity (PICO) using a structural interpretation of MRI diffusion measurements. <i>Journal of Magnetic Resonance Imaging</i> , 2003, 18, 242-254.	1.9	482
63	Circular spectrum mapping for intravoxel fiber structures based on high angular resolution apparent diffusion coefficients. <i>Magnetic Resonance in Medicine</i> , 2003, 49, 1077-1088.	1.9	28
64	Anisotropic noise propagation in diffusion tensor MRI sampling schemes. <i>Magnetic Resonance in Medicine</i> , 2003, 49, 1143-1151.	1.9	128
65	Analysis and generalized correction of the effect of spatial gradient field distortions in diffusion-weighted imaging. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 560-569.	1.9	131
66	Characterization and propagation of uncertainty in diffusion-weighted MR imaging. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 1077-1088.	1.9	2,715
67	A new leukoencephalopathy with brainstem and spinal cord involvement and high lactate. <i>Annals of Neurology</i> , 2003, 53, 252-258.	2.8	160
68	Non-invasive mapping of connections between human thalamus and cortex using diffusion imaging. <i>Nature Neuroscience</i> , 2003, 6, 750-757.	7.1	2,131
69	Parametric and non-parametric statistical analysis of DT-MRI data. <i>Journal of Magnetic Resonance</i> , 2003, 161, 1-14.	1.2	139
70	Diffusion tensor imaging: background, potential, and utility in psychiatric research. <i>Biological Psychiatry</i> , 2003, , .	0.7	0
71	Multi-modal MRI in normal pressure hydrocephalus identifies pre-operative haemodynamic and diffusion coefficient changes in normal appearing white matter correlating with surgical outcome. <i>Clinical Neurology and Neurosurgery</i> , 2003, 105, 193-202.	0.6	50
72	From diffusion tractography to quantitative white matter tract measures: a reproducibility study. <i>NeuroImage</i> , 2003, 18, 348-359.	2.1	219
73	Diffusion tractography based group mapping of major white-matter pathways in the human brain. <i>NeuroImage</i> , 2003, 19, 1545-1555.	2.1	116
74	Diffusion-weighted magnetic resonance imaging fibre tracking using a front evolution algorithm. <i>NeuroImage</i> , 2003, 20, 276-288.	2.1	64

#	ARTICLE	IF	CITATIONS
75	A functional magnetic resonance imaging study of patients with secondary progressive multiple sclerosis. <i>NeuroImage</i> , 2003, 19, 1770-1777.	2.1	88
76	How to correct susceptibility distortions in spin-echo echo-planar images: application to diffusion tensor imaging. <i>NeuroImage</i> , 2003, 20, 870-888.	2.1	2,535
77	A normal distribution for tensor-valued random variables: applications to diffusion tensor MRI. <i>IEEE Transactions on Medical Imaging</i> , 2003, 22, 785-794.	5.4	98
78	Basic principles of diffusion-weighted imaging. <i>European Journal of Radiology</i> , 2003, 45, 169-184.	1.2	702
79	D: The Diffusion of Water. , 0, , 203-256.		11
80	Persistent angular structure: new insights from diffusion magnetic resonance imaging data. <i>Inverse Problems</i> , 2003, 19, 1031-1046.	1.0	266
81	Persistent Angular Structure: New Insights from Diffusion MRI Data. Dummy Version. <i>Lecture Notes in Computer Science</i> , 2003, 18, 672-683.	1.0	131
82	Preterm Children Have Disturbances of White Matter at 11 Years of Age as Shown by Diffusion Tensor Imaging. <i>Pediatric Research</i> , 2003, 54, 672-679.	1.1	168
83	Age-related Changes in Conventional, Magnetization Transfer, and Diffusion-Tensor MR Imaging Findings: Study with Whole-Brain Tissue Histogram Analysis. <i>Radiology</i> , 2003, 227, 731-738.	3.6	134
84	Evidence for Cortical Functional Changes in Patients With Migraine and White Matter Abnormalities on Conventional and Diffusion Tensor Magnetic Resonance Imaging. <i>Stroke</i> , 2003, 34, 665-670.	1.0	53
85	Diffusion Tensor Imaging. <i>Current Protocols in Magnetic Resonance Imaging</i> , 2003, 11, A6.4.1.	0.0	0
86	Fundamentals of diffusion MR imaging. , 2004, , 54-85.		2
87	ADVANCED PULSE SEQUENCE TECHNIQUES. , 2004, , 802-954.		11
88	Correlation of Quantitative EEG in Acute Ischemic Stroke With 30-Day NIHSS Score. <i>Stroke</i> , 2004, 35, 899-903.	1.0	162
89	Ipsilateral axial lateropulsion as an initial symptom of vertebral artery occlusion. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 1648-1648.	0.9	11
90	Diffusion tensor MRI correlates with executive dysfunction in patients with ischaemic leukoaraiosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 441-447.	0.9	332
91	Baroreflex failure secondary to paraneoplastic encephalomyelitis in a 17 year old woman with neuroblastoma. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 1650-1651.	0.9	4
92	Non-herpetic limbic encephalitis associated with relapsing polychondritis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 1646-1647.	0.9	47

#	ARTICLE	IF	CITATIONS
93	Diffusion tensor imaging of thalamus correlates with cognition in CADASIL without dementia. <i>Neurology</i> , 2004, 62, 702-707.	1.5	90
94	Epilepsy in one family with parietal foramina: an incidental finding?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 1648-1649.	0.9	10
95	Improved Prediction of Final Infarct Volume Using Bolus Delayâ€œCorrected Perfusion-Weighted MRI. <i>Stroke</i> , 2004, 35, 2466-2471.	1.0	35
96	Diffusion tensor MRI of the cervical cord in a patient with syringomyelia and multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 1647-1647.	0.9	14
97	Acquired ocular motor apraxia from bilateral frontoparietal infarcts associated with Takayasu arteritis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 1651-1652.	0.9	14
98	Multiple painful sensory mononeuropathies (MPSM), a novel pattern of sarcoid neuropathy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 1645-1646.	0.9	10
99	Abnormal frontal white matter tracts in bipolar disorder: a diffusion tensor imaging study. <i>Bipolar Disorders</i> , 2004, 6, 197-203.	1.1	201
100	Diffusive sensitivity to muscle architecture: a magnetic resonance diffusion tensor imaging study of the human calf. <i>European Journal of Applied Physiology</i> , 2004, 93, 253-262.	1.2	147
102	Fast quantitative diffusion-tensor imaging of cerebral white matter from the neonatal period to adolescence. <i>Neuroradiology</i> , 2004, 46, 258-266.	1.1	205
103	Clinical applications of diffusion tensor imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 19, 6-18.	1.9	183
104	Analytical error propagation in diffusion anisotropy calculations. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 19, 489-498.	1.9	76
105	Eddy current correction in diffusion-weighted imaging using pairs of images acquired with opposite diffusion gradient polarity. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 188-193.	1.9	135
106	SENSE-DTI at 3 T. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 230-236.	1.9	202
107	The effect of gradient sampling schemes on measures derived from diffusion tensor MRI: A Monte Carlo study. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 807-815.	1.9	714
108	Selection of the optimum b factor for diffusion-weighted magnetic resonance imaging assessment of ischemic stroke. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 996-1001.	1.9	56
109	In vivo diffusion tensor imaging of the human prostate. <i>Magnetic Resonance in Medicine</i> , 2004, 52, 530-537.	1.9	81
110	?Squashing peanuts and smashing pumpkins?: How noise distorts diffusion-weighted MR data. <i>Magnetic Resonance in Medicine</i> , 2004, 52, 979-993.	1.9	527
111	A comparison study of multishot vs. single-shot DWI-EPI in the neonatal brain: reduced effects of ghosting compared to adults. <i>Magnetic Resonance Imaging</i> , 2004, 22, 1169-1180.	1.0	9

#	ARTICLE	IF	CITATIONS
112	Diffusion tensor magnetic resonance image regularization. <i>Medical Image Analysis</i> , 2004, 8, 47-67.	7.0	82
113	Affine and polynomial mutual information coregistration for artifact elimination in diffusion tensor imaging of newborns. <i>Magnetic Resonance Imaging</i> , 2004, 22, 1319-1323.	1.0	17
114	Analysis of MR diffusion weighted images. <i>British Journal of Radiology</i> , 2004, 77, S176-S185.	1.0	46
115	Towards diffusion profile image registration. , 2004, , .		0
116	Fiber Tractâ€based Atlas of Human White Matter Anatomy. <i>Radiology</i> , 2004, 230, 77-87.	3.6	1,727
117	Diffusion tensor imaging: background, potential, and utility in psychiatric research. <i>Biological Psychiatry</i> , 2004, 55, 201-207.	0.7	184
118	Electric field and stimulating influence generated by deep brain stimulation of the subthalamic nucleus. <i>Clinical Neurophysiology</i> , 2004, 115, 589-595.	0.7	455
119	Characterizing functionâ€structure relationships in the human visual system with functional MRI and diffusion tensor imaging. <i>NeuroImage</i> , 2004, 21, 1452-1463.	2.1	149
120	Pyramidal tract lesions and movement-associated cortical recruitment in patients with MS. <i>NeuroImage</i> , 2004, 23, 141-147.	2.1	54
121	Direct estimation of the fiber orientation density function from diffusion-weighted MRI data using spherical deconvolution. <i>NeuroImage</i> , 2004, 23, 1176-1185.	2.1	1,466
122	Diffusion tensor imaging in newborns. , 2004, , .		0
123	Diffusion Tensor Imaging in Cerebral Tumor Diagnosis and Therapy. <i>Topics in Magnetic Resonance Imaging</i> , 2004, 15, 315-324.	0.7	68
124	Preoperative and Intraoperative Diffusion Tensor Imaging-based Fiber Tracking in Glioma Surgery. <i>Neurosurgery</i> , 2005, 56, 130-138.	0.6	379
125	Estimating intensity variance due to noise in registered images. , 2005, , .		1
126	Evaluation of MRI DTI-tractography by tract-length histogram. , 2005, , .		4
127	White matter lesion phantom for diffusion tensor data and its application to the assessment of fiber tracking. , 2005, 5746, 835.		5
128	Multipleâ€Fiber Reconstruction Algorithms for Diffusion MRI. <i>Annals of the New York Academy of Sciences</i> , 2005, 1064, 113-133.	1.8	221
129	Adolescents with Disruptive Behavior Disorder Investigated Using an Optimized MR Diffusion Tensor Imaging Protocol. <i>Annals of the New York Academy of Sciences</i> , 2005, 1064, 184-192.	1.8	45



#	ARTICLE	IF	CITATIONS
130	A comparative evaluation of a RARE-based single-shot pulse sequence for diffusion-weighted MRI of musculoskeletal soft-tissue tumors. <i>European Radiology</i> , 2005, 15, 772-783.	2.3	34
131	Optic radiation changes after optic neuritis detected by tractography-based group mapping. <i>Human Brain Mapping</i> , 2005, 25, 308-316.	1.9	114
132	Cognitive functions correlate with white matter architecture in a normal pediatric population: A diffusion tensor MRI study. <i>Human Brain Mapping</i> , 2005, 26, 139-147.	1.9	370
133	Diffusion tensor-based imaging reveals occult abnormalities in adrenomyeloneuropathy. <i>Annals of Neurology</i> , 2005, 58, 758-766.	2.8	39
134	Accelerating MR diffusion tensor imaging via filtered reduced-encoding projection-reconstruction. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 93-102.	1.9	18
135	Visualization of tensor fields using superquadric glyphs. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 169-176.	1.9	60
136	Ischemia-induced ADC changes are larger than osmotically-induced ADC changes in a neonatal rat hippocampus model. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 348-355.	1.9	20
137	Macroscopic orientation component analysis of brain white matter and thalamus based on diffusion tensor imaging. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 649-657.	1.9	28
138	RESTORE: Robust estimation of tensors by outlier rejection. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 1088-1095.	1.9	573
139	Contrast-to-noise ratios of diffusion anisotropy indices. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 911-918.	1.9	35
140	Confidence mapping in diffusion tensor magnetic resonance imaging tractography using a bootstrap approach. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 1143-1149.	1.9	133
141	Determination of mouse skeletal muscle architecture using three-dimensional diffusion tensor imaging. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 1333-1340.	1.9	143
142	Self-navigated multishot echo-planar pulse sequence for high-resolution diffusion-weighted imaging. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 1474-1478.	1.9	37
143	Noise removal in magnetic resonance diffusion tensor imaging. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 393-401.	1.9	82
144	Multitensor approach for analysis and tracking of complex fiber configurations. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 1216-1225.	1.9	117
145	Dependence on diffusion time of apparent diffusion tensor of ex vivo calf tongue and heart. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 1387-1396.	1.9	73
146	Importance of exactb-tensor calculation for quantitative diffusion tensor imaging and tracking of neuronal fiber bundles. <i>Applied Magnetic Resonance</i> , 2005, 29, 107-122.	0.6	5
147	Approximating Anatomical Brain Connectivity with Diffusion Tensor MRI Using Kernel-Based Diffusion Simulations. <i>Lecture Notes in Computer Science</i> , 2005, 19, 64-75.	1.0	9

#	ARTICLE	IF	CITATIONS
148	Damage within a network of white matter regions underlies executive dysfunction in CADASIL. <i>Neurology</i> , 2005, 65, 1584-1590.	1.5	102
149	Regional ventricular wall thickening reflects changes in cardiac fiber and sheet structure during contraction: quantification with diffusion tensor MRI. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H1898-H1907.	1.5	170
150	Quantification of cervical cord pathology in primary progressive MS using diffusion tensor MRI. <i>Neurology</i> , 2005, 64, 631-635.	1.5	99
151	Functionalâ€“Anatomical Validation and Individual Variation of Diffusion Tractography-based Segmentation of the Human Thalamus. <i>Cerebral Cortex</i> , 2005, 15, 31-39.	1.6	514
152	Probabilistic anatomical connectivity derived from the microscopic persistent angular structure of cerebral tissue. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2005, 360, 893-902.	1.8	312
153	Validation of q -ball imaging with a diffusion fibre-crossing phantom on a clinical scanner. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2005, 360, 881-891.	1.8	110
154	Progressive Gray Matter Damage in Patients With Relapsing-Remitting Multiple Sclerosis. <i>Archives of Neurology</i> , 2005, 62, 578.	4.9	103
155	Diffusion Magnetic Resonance Histograms as a Surrogate Marker and Predictor of Disease Progression in CADASIL. <i>Stroke</i> , 2005, 36, 2559-2565.	1.0	138
156	Brain tissue damage in dementia with Lewy bodies: an in vivo diffusion tensor MRI study. <i>Brain</i> , 2005, 128, 1595-1604.	3.7	101
157	Diffusion tensor imaging and tractography of distal peripheral nerves at 3 T. <i>Clinical Neurophysiology</i> , 2005, 116, 2315-2323.	0.7	125
158	Lateralization of ventral and dorsal auditory-language pathways in the human brain. <i>NeuroImage</i> , 2005, 24, 656-666.	2.1	458
159	Bootstrap white matter tractography (BOOT-TRAC). <i>NeuroImage</i> , 2005, 24, 524-532.	2.1	181
160	Short-term accrual of gray matter pathology in patients with progressive multiple sclerosis: an in vivo study using diffusion tensor MRI. <i>NeuroImage</i> , 2005, 24, 1139-1146.	2.1	106
161	A method for obtaining tract-specific diffusion tensor MRI measurements in the presence of disease: application to patients with clinically isolated syndromes suggestive of multiple sclerosis. <i>NeuroImage</i> , 2005, 26, 258-265.	2.1	182
162	DTI tractography based parcellation of white matter: Application to the mid-sagittal morphology of corpus callosum. <i>NeuroImage</i> , 2005, 26, 195-205.	2.1	335
163	Estimating intensity variance due to noise in registered images: Applications to diffusion tensor MRI. <i>NeuroImage</i> , 2005, 26, 673-684.	2.1	44
164	Mean diffusivity and fractional anisotropy histogram analysis of the cervical cord in MS patients. <i>NeuroImage</i> , 2005, 26, 822-828.	2.1	123
165	Optimal imaging parameters for fiber-orientation estimation in diffusion MRI. <i>NeuroImage</i> , 2005, 27, 357-367.	2.1	226

#	ARTICLE	IF	CITATIONS
166	Flow-based fiber tracking with diffusion tensor and q-ball data: Validation and comparison to principal diffusion direction techniques. <i>NeuroImage</i> , 2005, 27, 725-736.	2.1	155
167	Imagerie cÃ©rÃ©brale en tenseur de diffusion et tractographie de la substance blanche : principes et limites actuelles. <i>Feuillets De Radiologie</i> , 2005, 45, 191-199.	0.0	2
168	Estimation of multiple fiber orientations from diffusion tensor MRI using independent component analysis. <i>IEEE Transactions on Nuclear Science</i> , 2005, 52, 266-273.	1.2	15
169	Diffusion-Weighted, Perfusion-Weighted, and Functional MR Imaging. , 2005, , 1073-1114.		1
170	Diffusion Tensor Imaging in Schizophrenia. <i>Biological Psychiatry</i> , 2005, 58, 921-929.	0.7	305
171	White and gray matter development in human fetal, newborn and pediatric brains. <i>NeuroImage</i> , 2006, 33, 27-38.	2.1	346
172	Pediatric diffusion tensor imaging: Normal database and observation of the white matter maturation in early childhood. <i>NeuroImage</i> , 2006, 29, 493-504.	2.1	383
173	An fMRI study of the motor system in patients with neuropsychiatric systemic lupus erythematosus. <i>NeuroImage</i> , 2006, 30, 478-484.	2.1	37
174	Assessment of the early organization and maturation of infants' cerebral white matter fiber bundles: A feasibility study using quantitative diffusion tensor imaging and tractography. <i>NeuroImage</i> , 2006, 30, 1121-1132.	2.1	300
175	Reliable identification of the auditory thalamus using multi-modal structural analyses. <i>NeuroImage</i> , 2006, 30, 1112-1120.	2.1	89
176	Evaluation of the GTRACT diffusion tensor tractography algorithm: A validation and reliability study. <i>NeuroImage</i> , 2006, 31, 1075-1085.	2.1	53
177	Tract-based spatial statistics: Voxelwise analysis of multi-subject diffusion data. <i>NeuroImage</i> , 2006, 31, 1487-1505.	2.1	5,755
178	Evidence of altered prefrontalâ€”thalamic circuitry in schizophrenia: An optimized diffusion MRI study. <i>NeuroImage</i> , 2006, 32, 16-22.	2.1	67
179	Between session reproducibility and between subject variability of diffusion MR and tractography measures. <i>NeuroImage</i> , 2006, 33, 867-877.	2.1	245
180	A Bayesian approach for stochastic white matter tractography. <i>IEEE Transactions on Medical Imaging</i> , 2006, 25, 965-978.	5.4	216
181	Evaluation of white matter integrity in ex vivo brains of amyloid plaque-bearing APP <sup>sw</sup> transgenic mice using magnetic resonance diffusion tensor imaging. <i>Experimental Neurology</i> , 2006, 199, 408-415.	2.0	36
183	Multiple echo diffusion tensor acquisition technique. <i>Magnetic Resonance Imaging</i> , 2006, 24, 7-18.	1.0	23
184	Analyzing and shaping human attentional networks. <i>Neural Networks</i> , 2006, 19, 1422-1429.	3.3	181

#	ARTICLE	IF	CITATIONS
185	3D curve inference for diffusion MRI regularization and fibre tractography. Medical Image Analysis, 2006, 10, 799-813.	7.0	52
186	Quantitative diffusion tensor MR imaging of the brain: field strength related variance of apparent diffusion coefficient (ADC) and fractional anisotropy (FA) scalars. European Radiology, 2006, 16, 1651-1658.	2.3	127
187	Computational Model of Interstitial Transport in the Spinal Cord using Diffusion Tensor Imaging. Annals of Biomedical Engineering, 2006, 34, 1304-1321.	1.3	65
188	Optimized diffusion gradient orientation schemes for corrupted clinical DTI data sets. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2006, 19, 134-143.	1.1	62
189	Diffusion tensor imaging of midline posterior fossa malformations. Pediatric Radiology, 2006, 36, 510-517.	1.1	42
190	A unifying theoretical and algorithmic framework for least squares methods of estimation in diffusion tensor imaging. Journal of Magnetic Resonance, 2006, 182, 115-125.	1.2	216
191	DtiStudio: Resource program for diffusion tensor computation and fiber bundle tracking. Computer Methods and Programs in Biomedicine, 2006, 81, 106-116.	2.6	910
192	Alterations of white matter connectivity in first episode schizophrenia. Neurobiology of Disease, 2006, 22, 702-709.	2.1	108
193	Tract-specific anisotropy measurements in diffusion tensor imaging. Psychiatry Research - Neuroimaging, 2006, 146, 73-82.	0.9	148
194	Three-dimensional characterization of non-gaussian water diffusion in humans using diffusion kurtosis imaging. NMR in Biomedicine, 2006, 19, 236-247.	1.6	377
195	Introduction to diffusion tensor imaging mathematics: Part I. Tensors, rotations, and eigenvectors. Concepts in Magnetic Resonance Part A: Bridging Education and Research, 2006, 28A, 101-122.	0.2	94
196	Introduction to diffusion tensor imaging mathematics: Part II. Anisotropy, diffusion-weighting factors, and gradient encoding schemes. Concepts in Magnetic Resonance Part A: Bridging Education and Research, 2006, 28A, 123-154.	0.2	108
197	Introduction to diffusion tensor imaging mathematics: Part III. Tensor calculation, noise, simulations, and optimization. Concepts in Magnetic Resonance Part A: Bridging Education and Research, 2006, 28A, 155-179.	0.2	83
198	Quantification of the shape of fiber tracts. Magnetic Resonance in Medicine, 2006, 55, 894-903.	1.9	82
199	Q-ball reconstruction of multimodal fiber orientations using the spherical harmonic basis. Magnetic Resonance in Medicine, 2006, 56, 104-117.	1.9	338
200	DTI-based assessment of ischemia-reperfusion in mouse skeletal muscle. Magnetic Resonance in Medicine, 2006, 56, 272-281.	1.9	94
201	Just how much data need to be collected for reliable bootstrap DT-MRI?. Magnetic Resonance in Medicine, 2006, 56, 884-890.	1.9	19
202	Infants with Perinatal Hypoxic Ischemia: Feasibility of Fiber Tracking at Birth and 3 Months. Radiology, 2006, 240, 203-214.	3.6	21

#	ARTICLE	IF	CITATIONS
203	Probabilistic diffusion tractography: a potential tool to assess the rate of disease progression in amyotrophic lateral sclerosis. <i>Brain</i> , 2006, 129, 1859-1871.	3.7	177
204	Childhood White Matter Disorders: Quantitative MR Imaging and Spectroscopy. <i>Radiology</i> , 2006, 241, 510-517.	3.6	78
205	Diffusion indices on magnetic resonance imaging and neuropsychological performance in amnesic mild cognitive impairment. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 77, 1122-1128.	0.9	171
206	Bayesian regularization of diffusion tensor images. <i>Biostatistics</i> , 2006, 8, 784-799.	0.9	6
207	Grading cervical cord damage in neuromyelitis optica and MS by diffusion tensor MRI. <i>Neurology</i> , 2006, 67, 161-163.	1.5	49
208	Model-Based Tractography Based on Statistical Atlas of MR-DTI. , 0, , .		1
209	Segmentation of Thalamic Nuclei from DTI Using Spectral Clustering. <i>Lecture Notes in Computer Science</i> , 2006, 9, 807-814.	1.0	62
210	The Evolution of Prefrontal Inputs to the Cortico-pontine System: Diffusion Imaging Evidence from Macaque Monkeys and Humans. <i>Cerebral Cortex</i> , 2006, 16, 811-818.	1.6	258
211	Diffusion anisotropy of the cervical cord is strictly associated with disability in amyotrophic lateral sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 78, 480-484.	0.9	80
212	Diffusion-Tensor MR Imaging and Tractography: Exploring Brain Microstructure and Connectivity. <i>Radiology</i> , 2007, 245, 367-384.	3.6	298
213	In vivo assessment of cervical cord damage in MS patients: a longitudinal diffusion tensor MRI study. <i>Brain</i> , 2007, 130, 2211-2219.	3.7	141
214	Spinal cord spectroscopy and diffusion-based tractography to assess acute disability in multiple sclerosis. <i>Brain</i> , 2007, 130, 2220-2231.	3.7	154
215	Skeletal Muscle Degeneration and Regeneration after Femoral Artery Ligation in Mice: Monitoring with Diffusion MR Imaging. <i>Radiology</i> , 2007, 243, 413-421.	3.6	91
216	DTI-based Virtual Reality System for Neurosurgery. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2007, 1326-9.	0.5	9
217	Statistical Analysis of Diffusion Tensors in Diffusion-Weighted Magnetic Resonance Imaging Data. <i>Journal of the American Statistical Association</i> , 2007, 102, 1085-1102.	1.8	60
218	Diffusion Tensor Analysis With Invariant Gradients and Rotation Tangents. <i>IEEE Transactions on Medical Imaging</i> , 2007, 26, 1483-1499.	5.4	63
219	Anatomical Traces of Vocabulary Acquisition in the Adolescent Brain. <i>Journal of Neuroscience</i> , 2007, 27, 1184-1189.	1.7	141
220	Diffusion Tensor MR Study of Optic Nerve Degeneration in Glaucoma. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2007, 4312-5.	0.5	34

#	ARTICLE	IF	CITATIONS
221	Retrospective processing of DTI tractography to compensate for partial volume effects. , 2007, 6511, 673.		0
222	Diffusion Tensor Imaging in Children with Periventricular Leukomalacia: Variability of Injuries to White Matter Tracts. American Journal of Neuroradiology, 2007, 28, 1213-1222.	1.2	140
223	Diffusion tensor sharpening improves white matter tractography. , 2007, , .		12
224	PREOPERATIVE AND INTRAOPERATIVE DIFFUSION TENSOR IMAGING-BASED FIBER TRACKING IN GLIOMA SURGERY. Neurosurgery, 2007, 61, 130-138.	0.6	149
225	An objective method for regularization of fiber orientation distributions derived from diffusion-weighted MRI. NeuroImage, 2007, 34, 169-176.	2.1	57
226	Probabilistic diffusion tractography with multiple fibre orientations: What can we gain?. NeuroImage, 2007, 34, 144-155.	2.1	3,129
227	Diffusion tensor imaging in children and adolescents: Reproducibility, hemispheric, and age-related differences. NeuroImage, 2007, 34, 733-742.	2.1	247
228	Diffusion tensor studies dissociated two fronto-temporal pathways in the human memory system. NeuroImage, 2007, 34, 827-838.	2.1	53
229	Diffusion tensor imaging of post mortem multiple sclerosis brain. NeuroImage, 2007, 35, 467-477.	2.1	347
230	An approach to high resolution diffusion tensor imaging in fixed primate brain. NeuroImage, 2007, 35, 553-565.	2.1	178
231	Characterizing brain anatomical connections using diffusion weighted MRI and graph theory. NeuroImage, 2007, 36, 645-660.	2.1	322
232	Robust determination of the fibre orientation distribution in diffusion MRI: Non-negativity constrained super-resolved spherical deconvolution. NeuroImage, 2007, 35, 1459-1472.	2.1	1,860
233	Reproducibility of quantitative tractography methods applied to cerebral white matter. NeuroImage, 2007, 36, 630-644.	2.1	1,464
234	Effects of diffusion weighting schemes on the reproducibility of DTI-derived fractional anisotropy, mean diffusivity, and principal eigenvector measurements at 1.5T. NeuroImage, 2007, 36, 1123-1138.	2.1	266
235	Minimum detectable change in water diffusion using 3-T magnetic resonance imaging. NeuroImage, 2007, 36, 491-496.	2.1	4
236	Evidence for cervical cord tissue disorganisation with aging by diffusion tensor MRI. NeuroImage, 2007, 36, 728-735.	2.1	51
237	Parametric spherical deconvolution: Inferring anatomical connectivity using diffusion MR imaging. NeuroImage, 2007, 37, 474-488.	2.1	175
238	Practical aspects of diffusion tensor imaging. , 2007, , 49-67.		8

#	ARTICLE	IF	CITATIONS
239	References and Suggested Readings. , 2007, , 163-173.		0
240	Diffusion Basis Functions Decomposition for Estimating White Matter Intravoxel Fiber Geometry. IEEE Transactions on Medical Imaging, 2007, 26, 1091-1102.	5.4	101
241	Axon radius measurements in vivo from diffusion MRI: a feasibility study. , 2007, , .		6
242	Error Propagation Framework for Diffusion Tensor Imaging via Diffusion Tensor Representations. IEEE Transactions on Medical Imaging, 2007, 26, 1017-1034.	5.4	36
243	White-Matter Integrity Predicts Stroop Performance in Patients with Geriatric Depression. Biological Psychiatry, 2007, 61, 1007-1010.	0.7	116
244	Neurodevelopment of C57B/L6 mouse brain assessed by in vivo diffusion tensor imaging. NMR in Biomedicine, 2007, 20, 375-382.	1.6	54
245	fMRI changes in relapsing-remitting multiple sclerosis patients complaining of fatigue after IFN $\beta$ -1a injection. Human Brain Mapping, 2007, 28, 373-382.	1.9	83
246	Physical foundations, models, and methods of diffusion magnetic resonance imaging of the brain: A review. Concepts in Magnetic Resonance Part A: Bridging Education and Research, 2007, 30A, 278-307.	0.2	71
247	Multiple $\pi$ -modulation $\pi$ -multiple $\pi$ -echo magnetic resonance. Concepts in Magnetic Resonance Part A: Bridging Education and Research, 2007, 30A, 358-377.	0.2	9
248	Boosting the sampling efficiency of q-ball imaging using multiple wavevector fusion. Magnetic Resonance in Medicine, 2007, 57, 289-296.	1.9	43
249	Variance of estimated DTI-derived parameters via first-order perturbation methods. Magnetic Resonance in Medicine, 2007, 57, 141-149.	1.9	39
250	Statistical group comparison of diffusion tensors via multivariate hypothesis testing. Magnetic Resonance in Medicine, 2007, 57, 1065-1074.	1.9	49
251	Regularized, fast, and robust analytical Q $\pi$ -ball imaging. Magnetic Resonance in Medicine, 2007, 58, 497-510.	1.9	723
252	Optimal acquisition orders of diffusion-weighted MRI measurements. Journal of Magnetic Resonance Imaging, 2007, 25, 1051-1058.	1.9	118
253	Effects of signal $\pi$ -to $\pi$ -noise ratio on the accuracy and reproducibility of diffusion tensor imaging $\pi$ -derived fractional anisotropy, mean diffusivity, and principal eigenvector measurements at 1.5T. Journal of Magnetic Resonance Imaging, 2007, 26, 756-767.	1.9	336
254	A framework for quality control and parameter optimization in diffusion tensor imaging: theoretical analysis and validation. Magnetic Resonance Imaging, 2007, 25, 1196-1202.	1.0	63
255	Diffusion tensor encoding schemes optimized for white matter fibers with selected orientations. Magnetic Resonance Imaging, 2007, 25, 147-153.	1.0	16
256	Diffusion tensor imaging of the brain. Neurotherapeutics, 2007, 4, 316-329.	2.1	2,186

#	ARTICLE	IF	CITATIONS
257	Spectral decomposition of a 4th-order covariance tensor: Applications to diffusion tensor MRI. <i>Signal Processing</i> , 2007, 87, 220-236.	2.1	82
258	Acquisition and voxelwise analysis of multi-subject diffusion data with Tract-Based Spatial Statistics. <i>Nature Protocols</i> , 2007, 2, 499-503.	5.5	526
259	Evaluation of Subcortical White Matter and Deep White Matter Tracts in Malformations of Cortical Development. <i>Epilepsia</i> , 2007, 48, 1460-1469.	2.6	80
260	Speed of lexical decision correlates with diffusion anisotropy in left parietal and frontal white matter: Evidence from diffusion tensor imaging. <i>Neuropsychologia</i> , 2007, 45, 2439-2446.	0.7	105
261	Diffusion-weighted imaging of the brain in infants and children. <i>Pediatric Radiology</i> , 2007, 37, 749-768.	1.1	21
262	Fusion imaging of computed tomographic pulmonary angiography and SPECT ventilation/perfusion scintigraphy: initial experience and potential benefit. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 135-142.	3.3	36
263	Efficacy of motion artifact reduction in neonatal DW segmented EPI at 3 T using phase correction by numerical optimization and segment data swapping. <i>Magnetic Resonance Imaging</i> , 2007, 25, 1283-1291.	1.0	4
264	Development and initial evaluation of 7-T q-ball imaging of the human brain. <i>Magnetic Resonance Imaging</i> , 2008, 26, 171-180.	1.0	23
265	Correction of B0 susceptibility induced distortion in diffusion-weighted images using large-deformation diffeomorphic metric mapping. <i>Magnetic Resonance Imaging</i> , 2008, 26, 1294-1302.	1.0	93
266	Diffusion tensor imaging of the brain: effects of distortion correction with correspondence to numbers of encoding directions. <i>Radiation Medicine</i> , 2008, 26, 481-7.	0.8	7
267	Gray and white matter changes in Alzheimer's disease: A diffusion tensor imaging study. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 27, 20-26.	1.9	151
268	Diffusion tensor imaging and fiber tractography of C6 rat glioma. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 28, 566-573.	1.9	16
269	Visualization of the protective ability of a free radical trapping compound against rat C6 and F98 gliomas with diffusion tensor fiber tractography. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 28, 574-587.	1.9	25
270	Age-related non-Gaussian diffusion patterns in the prefrontal brain. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 28, 1345-1350.	1.9	221
271	Visualization of the coherence of the principal diffusion orientation: An eigenvector-based approach. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 764-770.	1.9	13
272	Quantitative magnetic resonance of postmortem multiple sclerosis brain before and after fixation. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 268-277.	1.9	255
273	Evidence for enhanced functional activity of cervical cord in relapsing multiple sclerosis. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 1035-1042.	1.9	50
274	A general framework for experiment design in diffusion MRI and its application in measuring direct tissue microstructure features. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 439-448.	1.9	286



#	ARTICLE	IF	CITATIONS
275	Altered white matter diffusion anisotropy in normal and preterm infants at term-equivalent age. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 761-767.	1.9	109
276	Effects of image noise in muscle diffusion tensor (DT) MRI assessed using numerical simulations. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 934-944.	1.9	100
277	New diffusion phantoms dedicated to the study and validation of high-angular-resolution diffusion imaging (HARDI) models. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 1276-1283.	1.9	166
278	Focal reversible deactivation of cerebral metabolism affects water diffusion. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 1178-1189.	1.9	14
279	Diffusion tensor MRI in rat models of invasive and well-demarcated brain tumors. <i>NMR in Biomedicine</i> , 2008, 21, 208-216.	1.6	48
280	Using the wild bootstrap to quantify uncertainty in diffusion tensor imaging. <i>Human Brain Mapping</i> , 2008, 29, 346-362.	1.9	96
281	Developmental differences in white matter architecture between boys and girls. <i>Human Brain Mapping</i> , 2008, 29, 696-710.	1.9	211
282	Real-time MR diffusion tensor and Q-ball imaging using Kalman filtering. <i>Medical Image Analysis</i> , 2008, 12, 527-534.	7.0	28
283	Experimental validation, quality control methods and unified theory for DTI error propagation are needed. <i>Magnetic Resonance Imaging</i> , 2008, 26, 1197-1199.	1.0	0
284	Bilateral diffusion tensor abnormalities of temporal lobe and cingulate gyrus white matter in children with temporal lobe epilepsy. <i>Epilepsy Research</i> , 2008, 81, 128-135.	0.8	54
285	Is diffusion anisotropy an accurate monitor of myelination?. <i>Magnetic Resonance Imaging</i> , 2008, 26, 874-888.	1.0	208
286	Experimental validation, quality control methods and unified theory for DTI error propagation are needed: a rebuttal. <i>Magnetic Resonance Imaging</i> , 2008, 26, 1199-1200.	1.0	0
287	On the Reliability of Quantitative Volumetric and Structural Neuroimaging. <i>Imaging Decisions (Berlin,)</i> Tj ETQq0 0 0,rgBT /Overlock 10 T	0.2	3
288	Selective Diffusion Changes of The Visual Pathways in Patients with Migraine: A 3-T Tractography Study. <i>Cephalalgia</i> , 2008, 28, 1061-1068.	1.8	69
289	Fluid Registration of Diffusion Tensor Images Using Information Theory. <i>IEEE Transactions on Medical Imaging</i> , 2008, 27, 442-456.	5.4	98
290	Tractography Gone Wild: Probabilistic Fibre Tracking Using the Wild Bootstrap With Diffusion Tensor MRI. <i>IEEE Transactions on Medical Imaging</i> , 2008, 27, 1268-1274.	5.4	133
291	Callosal function in MS patients with mild and severe callosal damage as reflected by diffusion tensor imaging. <i>Brain Research</i> , 2008, 1226, 218-225.	1.1	13
292	White matter anisotropy related to electrophysiology of first episode schizophrenia during NoGo inhibition. <i>Neurobiology of Disease</i> , 2008, 30, 270-280.	2.1	11

#	ARTICLE	IF	CITATIONS
293	Diffusion weighted callosal integrity reflects interhemispheric communication efficiency in multiple sclerosis. <i>Neuropsychologia</i> , 2008, 46, 2258-2264.	0.7	24
294	Basics of Magnetic Resonance Imaging and Magnetic Resonance Spectroscopy. , 2008, , 3-167.		12
295	Readout-segmented EPI for rapid high resolution diffusion imaging at 3T. <i>European Journal of Radiology</i> , 2008, 65, 36-46.	1.2	167
296	Estimating Crossing Fibers: A Tensor Decomposition Approach. <i>IEEE Transactions on Visualization and Computer Graphics</i> , 2008, 14, 1635-1642.	2.9	102
297	Tract probability maps in stereotaxic spaces: Analyses of white matter anatomy and tract-specific quantification. <i>NeuroImage</i> , 2008, 39, 336-347.	2.1	1,293
298	Tactile-associated recruitment of the cervical cord is altered in patients with multiple sclerosis. <i>NeuroImage</i> , 2008, 39, 1542-1548.	2.1	53
299	Stereotaxic white matter atlas based on diffusion tensor imaging in an ICBM template. <i>NeuroImage</i> , 2008, 40, 570-582.	2.1	1,528
300	An optimized wild bootstrap method for evaluation of measurement uncertainties of DTI-derived parameters in human brain. <i>NeuroImage</i> , 2008, 40, 1144-1156.	2.1	31
301	Mossy fiber sprouting in pilocarpine-induced status epilepticus rat hippocampus: A correlative study of diffusion spectrum imaging and histology. <i>NeuroImage</i> , 2008, 41, 789-800.	2.1	36
302	Towards better MR characterization of neural tissues using directional diffusion kurtosis analysis. <i>NeuroImage</i> , 2008, 42, 122-134.	2.1	236
303	Automated fiber tracking of human brain white matter using diffusion tensor imaging. <i>NeuroImage</i> , 2008, 42, 771-777.	2.1	87
304	Resolving crossing fibres using constrained spherical deconvolution: Validation using diffusion-weighted imaging phantom data. <i>NeuroImage</i> , 2008, 42, 617-625.	2.1	524
305	Variational inference of the fiber orientation density using diffusion MR imaging. <i>NeuroImage</i> , 2008, 42, 1366-1380.	2.1	28
306	Human brain white matter atlas: Identification and assignment of common anatomical structures in superficial white matter. <i>NeuroImage</i> , 2008, 43, 447-457.	2.1	486
307	Diffusion tensor imaging in schizophrenia. <i>European Psychiatry</i> , 2008, 23, 255-273.	0.1	139
308	Quantitative Diffusion Tensor Analysis Using Multiple Tensor Ellipsoids Model and Tensor Field Interpolation at Fiber Crossing. <i>Academic Radiology</i> , 2008, 15, 84-92.	1.3	6
309	Diffusion Tensor MR Imaging in Chronic Spinal Cord Injury. <i>American Journal of Neuroradiology</i> , 2008, 29, 1976-1982.	1.2	112
310	Automatically identifying white matter tracts using cortical labels. , 2008, , 895.		3

#	ARTICLE	IF	CITATIONS
311	Estimation of uncertainty in constrained spherical deconvolution fiber orientations. , 2008, , .		5
312	Diffusion Tensor Imaging Segmentation by Watershed Transform on Tensorial Morphological Gradient. , 2008, , .		7
313	Diffusion tensor imaging of acute mild traumatic brain injury in adolescents. <i>Neurology</i> , 2008, 70, 948-955.	1.5	484
314	Microstructural Organization of the Cingulum Tract and the Level of Default Mode Functional Connectivity. <i>Journal of Neuroscience</i> , 2008, 28, 10844-10851.	1.7	301
315	Diffusion Tensor Imaging of Frontal Lobe in Autism Spectrum Disorder. <i>Cerebral Cortex</i> , 2008, 18, 2659-2665.	1.6	250
316	Dissociated Pathways for Successful Memory Retrieval from the Human Parietal Cortex: Anatomical and Functional Connectivity Analyses. <i>Cerebral Cortex</i> , 2008, 18, 1771-1778.	1.6	30
317	Optimal Acquisition Schemes in High Angular Resolution Diffusion Weighted Imaging. <i>Lecture Notes in Computer Science</i> , 2008, 11, 9-17.	1.0	16
318	Anisotropic diffusion of fluorescently labeled ATP in rat cardiomyocytes determined by raster image correlation spectroscopy. <i>American Journal of Physiology - Cell Physiology</i> , 2008, 295, C1302-C1315.	2.1	67
319	Diffusion Tensor MR Imaging and Fiber Tractography: Technical Considerations. <i>American Journal of Neuroradiology</i> , 2008, 29, 843-852.	1.2	352
320	Brain Imaging in Nonhuman Primates: Insights into Drug Addiction. <i>ILAR Journal</i> , 2008, 49, 89-102.	1.8	24
321	Diffusion-Tensor Neuronal Fiber Tractography and Manganese-enhanced MR Imaging of Primate Visual Pathway in the Common Marmoset: Preliminary Results. <i>Radiology</i> , 2008, 249, 855-864.	3.6	37
322	Mapping genetic influences on brain fiber architecture with high angular resolution diffusion imaging (HARDI). , 2008, , .		4
323	The tensor distribution function. , 2008, , .		0
324	Advanced MR diffusion characterization of neural tissue using directional diffusion kurtosis analysis. , 2008, 2008, 3941-4.		16
325	Comparison of fractional and geodesic anisotropy in diffusion tensor images of 90 monozygotic and dizygotic twins. , 2008, 2008, 943-946.		15
326	Nerve fiber impairment of anterior thalamocortical circuitry in juvenile myoclonic epilepsy. <i>Neurology</i> , 2008, 71, 1981-1985.	1.5	126
327	Robust optimization of diffusion-weighted MRI protocols used for fiber reconstruction. <i>Journal of Physics: Conference Series</i> , 2008, 135, 012069.	0.3	1
328	Reconstructing Brain White Matter Pathways with Diffusion Tensor MRI Using Kernel-Based Diffusion Simulations. <i>Journal of Algorithms and Computational Technology</i> , 2008, 2, 501-526.	0.4	0

#	ARTICLE	IF	CITATIONS
329	Exploring the Anatomical Basis of Effective Connectivity Models with DTI-Based Fiber Tractography. International Journal of Biomedical Imaging, 2008, 2008, 1-9.	3.0	10
330	Diffusion Maps Clustering for Magnetic Resonance Q-Ball Imaging Segmentation. International Journal of Biomedical Imaging, 2008, 2008, 1-12.	3.0	20
331	Design of optimal experimental parameters for diffusion-weighted MRI fibre-tracking protocols. International Journal of Applied Electromagnetics and Mechanics, 2008, 28, 61-67.	0.3	1
332	The use of novel gradient directions with DTI to synthesize data with complicated diffusion behavior. Medical Physics, 2009, 36, 1875-1885.	1.6	5
333	Fundamentals of diffusion MR imaging. , 0, , 44-67.		0
334	Segmentation of Brain Structures by Watershed Transform on Tensorial Morphological Gradient of Diffusion Tensor Imaging. , 2009, , .		0
335	Visualization and Processing of Tensor Fields. Mathematics and Visualization, 2009, , .	0.4	21
336	The effects of hypercapnia on DTI quantification in anesthetized rat brain. , 2009, 2009, 2711-4.		1
337	Age- and Gender-Related Differences in the Cortical Anatomical Network. Journal of Neuroscience, 2009, 29, 15684-15693.	1.7	595
338	Analyzing multi-fiber reconstruction in high angular resolution diffusion imaging using the tensor distribution function. , 2009, , .		5
339	Modelling, Fitting and Sampling in Diffusion MRI. Mathematics and Visualization, 2009, , 3-20.	0.4	8
340	White matter integrity measured by fractional anisotropy correlates poorly with actual individual fiber anisotropy. , 2009, , .		6
341	Maturation of Thalamic Radiations between 34 and 41 Weeks' Gestation: A Combined Voxel-Based Study and Probabilistic Tractography with Diffusion Tensor Imaging. American Journal of Neuroradiology, 2009, 30, 1780-1786.	1.2	54
342	Segmentation of DTI based on tensorial morphological gradient. Proceedings of SPIE, 2009, , .	0.8	2
343	Temporal and Spatial Development of Axonal Maturation and Myelination of White Matter in the Developing Brain. American Journal of Neuroradiology, 2009, 30, 290-296.	1.2	259
344	Monte Carlo-based diffusion tensor tractography with a geometrically corrected voxel-centre connecting method. Physics in Medicine and Biology, 2009, 54, 1009-1033.	1.6	12
345	Subcortical Alterations in Tissue Microstructure Adjacent to Focal Cortical Dysplasia: Detection at Diffusion-Tensor MR Imaging by Using Magnetoencephalographic Dipole Cluster Localization. Radiology, 2009, 251, 206-215.	3.6	76
346	Integrated Imaging Approach with MEG and DTI to Detect Mild Traumatic Brain Injury in Military and Civilian Patients. Journal of Neurotrauma, 2009, 26, 1213-1226.	1.7	194

#	ARTICLE	IF	CITATIONS
347	Quantitative Diffusion-Weighted Imaging as an Adjunct to Conventional Breast MRI for Improved Positive Predictive Value. <i>American Journal of Roentgenology</i> , 2009, 193, 1716-1722.	1.0	246
348	Fiber Tracking with Distinct Software Tools Results in a Clear Diversity in Anatomical Fiber Tract Portrayal. <i>Central European Neurosurgery</i> , 2009, 70, 27-35.	0.7	93
349	Quantitative MR Imaging and Spectroscopy in Congenital Cytomegalovirus Infection and Periventricular Leukomalacia Suggests a Comparable Neuropathological Substrate of the Cerebral White Matter Lesions. <i>Neuropediatrics</i> , 2009, 40, 168-173.	0.3	28
350	Effects of gradient encoding and number of signal averages on fractional anisotropy and fiber density index in vivo at 1.5 tesla. <i>Acta Radiologica</i> , 2009, 50, 106-113.	0.5	11
351	Mapping of Functional Areas in the Human Cortex Based on Connectivity through Association Fibers. <i>Cerebral Cortex</i> , 2009, 19, 1889-1895.	1.6	53
352	Hypoxic Injury during Neonatal Development in Murine Brain: Correlation between In Vivo DTI Findings and Behavioral Assessment. <i>Cerebral Cortex</i> , 2009, 19, 2891-2901.	1.6	49
353	Structural Correlates of Preterm Birth in the Adolescent Brain. <i>Pediatrics</i> , 2009, 124, e964-e972.	1.0	100
354	Consequences of Intraventricular Hemorrhage in a Rabbit Pup Model. <i>Stroke</i> , 2009, 40, 3369-3377.	1.0	103
355	Genetics of Brain Fiber Architecture and Intellectual Performance. <i>Journal of Neuroscience</i> , 2009, 29, 2212-2224.	1.7	420
356	Tract-based spatial statistics (TBSS) of diffusion tensor imaging data in alcohol dependence: Abnormalities of the motivational neurocircuitry. <i>Psychiatry Research - Neuroimaging</i> , 2009, 173, 22-30.	0.9	112
357	Altered white matter microstructure in adolescent substance users. <i>Psychiatry Research - Neuroimaging</i> , 2009, 173, 228-237.	0.9	158
358	Deterministic and Probabilistic Tractography Based on Complex Fibre Orientation Distributions. <i>IEEE Transactions on Medical Imaging</i> , 2009, 28, 269-286.	5.4	593
359	Using the Model-Based Residual Bootstrap to Quantify Uncertainty in Fiber Orientations From $\mathbb{S}^2$ -Ball Analysis. <i>IEEE Transactions on Medical Imaging</i> , 2009, 28, 535-550.	5.4	42
360	Using diffusion MRI for measuring the temperature of cerebrospinal fluid within the lateral ventricles. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010, 99, 237-243.	0.7	47
361	Blood pressure and white matter integrity in geriatric depression. <i>Journal of Affective Disorders</i> , 2009, 115, 171-176.	2.0	35
362	Investigation of white matter pathology in ALS and PLS using tract-based spatial statistics. <i>Human Brain Mapping</i> , 2009, 30, 615-624.	1.9	123
363	Assessing and minimizing the effects of noise and motion in clinical DTI at 3 T. <i>Human Brain Mapping</i> , 2009, 30, 2641-2655.	1.9	44
364	Exploring the relationship between white matter and gray matter damage in early primary progressive multiple sclerosis: An in vivo study with TBSS and VBM. <i>Human Brain Mapping</i> , 2009, 30, 2852-2861.	1.9	170

#	ARTICLE	IF	CITATIONS
365	Functionally linked resting-state networks reflect the underlying structural connectivity architecture of the human brain. <i>Human Brain Mapping</i> , 2009, 30, 3127-3141.	1.9	907
366	Optimal diffusion MRI acquisition for fiber orientation density estimation: An analytic approach. <i>Human Brain Mapping</i> , 2009, 30, 3696-3703.	1.9	22
367	Dynamic corticospinal white matter connectivity changes during stroke recovery: A diffusion tensor probabilistic tractography study. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 529-536.	1.9	40
368	Evaluation of measurement uncertainties in human diffusion tensor imaging (DTI)-derived parameters and optimization of clinical DTI protocols with a wild bootstrap analysis. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 422-435.	1.9	32
369	Contiguous-slice zonally oblique multislice (CO-ZOOM) diffusion tensor imaging: Examples of in vivo spinal cord and optic nerve applications. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 454-460.	1.9	48
370	Construction of a temperature-controlled diffusion phantom for quality control of diffusion measurements. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 692-698.	1.9	28
371	DTI-based muscle fiber tracking of the quadriceps mechanism in lateral patellar dislocation. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 663-670.	1.9	54
372	MRI of late microstructural and metabolic alterations in radiation-induced brain injuries. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 1013-1020.	1.9	82
373	Potential in reducing scan times of HARDI by accurate correction of the cross-term in a hemispherical encoding scheme. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 1386-1394.	1.9	8
374	Toward a practical protocol for human optic nerve DTI with EPI geometric distortion correction. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 699-707.	1.9	25
375	Comparison of gradient encoding directions for higher order tensor diffusion data. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 335-343.	1.9	14
376	Quantitative assessment of DTI-based muscle fiber tracking and optimal tracking parameters. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 467-472.	1.9	84
377	The tensor distribution function. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 205-214.	1.9	90
378	The $\mathbf{B}_0$ -matrix must be rotated when correcting for subject motion in DTI data. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 1336-1349.	1.9	1,204
379	Free water elimination and mapping from diffusion MRI. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 717-730.	1.9	754
380	High-resolution diffusion tensor imaging of the human pons with a reduced field-of-view, multishot, variable-density, spiral acquisition at 3 T. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 1007-1016.	1.9	35
381	Low-frequency conductivity tensor of rat brain tissues inferred from diffusion MRI. <i>Bioelectromagnetics</i> , 2009, 30, 489-499.	0.9	20
382	Diffusion tensor imaging of left ventricular remodeling in response to myocardial infarction in the mouse. <i>NMR in Biomedicine</i> , 2009, 22, 182-190.	1.6	99

#	ARTICLE	IF	CITATIONS
383	How background noise shifts eigenvectors and increases eigenvalues in DTI. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2009, 22, 151-158.	1.1	22
384	Using Perturbation theory to reduce noise in diffusion tensor fields. <i>Medical Image Analysis</i> , 2009, 13, 580-597.	7.0	5
385	A highly sensitive radial diffusion measurement method for white matter tract investigation. <i>Magnetic Resonance Imaging</i> , 2009, 27, 519-530.	1.0	2
386	Time Efficient DT-MRI Acquisition Parameters for Robust Estimation of Fiber Tracts. <i>Journal of Signal Processing Systems</i> , 2009, 54, 25-31.	1.4	0
387	Unraveling pathology in juvenile Alexander disease: serial quantitative MR imaging and spectroscopy of white matter. <i>Neuroradiology</i> , 2009, 51, 669-675.	1.1	28
388	An anatomical signature for literacy. <i>Nature</i> , 2009, 461, 983-986.	13.7	362
389	Rey Visual Design Learning Test performance correlates with white matter structure. <i>Acta Neuropsychiatrica</i> , 2009, 21, 67-74.	1.0	6
390	Evidence for Plasticity in White Matter Tracts of Patients with Chronic Broca's Aphasia Undergoing Intense Intonation-based Speech Therapy. <i>Annals of the New York Academy of Sciences</i> , 2009, 1169, 385-394.	1.8	340
391	In vivo structural analysis of articular cartilage using diffusion tensor magnetic resonance imaging. <i>Magnetic Resonance Imaging</i> , 2009, 27, 1242-1248.	1.0	23
392	Optimal real-time Q-ball imaging using regularized Kalman filtering with incremental orientation sets. <i>Medical Image Analysis</i> , 2009, 13, 564-579.	7.0	37
393	Efficient and robust computation of PDF features from diffusion MR signal. <i>Medical Image Analysis</i> , 2009, 13, 715-729.	7.0	72
394	A signal transformational framework for breaking the noise floor and its applications in MRI. <i>Journal of Magnetic Resonance</i> , 2009, 197, 108-119.	1.2	129
395	Experimental and theoretical characterization of the voltage distribution generated by deep brain stimulation. <i>Experimental Neurology</i> , 2009, 216, 166-176.	2.0	153
396	Transverse diffusivity of cerebral parenchyma predicts visual tracking performance in relapsing-remitting multiple sclerosis. <i>Brain and Cognition</i> , 2009, 71, 410-415.	0.8	21
397	Developmental sex differences in the relation of neuroanatomical connectivity to intelligence. <i>Intelligence</i> , 2009, 37, 164-173.	1.6	57
398	Late measures of microstructural alterations in severe neonatal hypoxic-ischemic encephalopathy by MR diffusion tensor imaging. <i>International Journal of Developmental Neuroscience</i> , 2009, 27, 607-615.	0.7	56
399	Diffusion tensor imaging in a case of Kearns-Sayre syndrome: Striking brainstem involvement as a possible cause of oculomotor symptoms. <i>Journal of the Neurological Sciences</i> , 2009, 281, 110-112.	0.3	9
400	Regression Models for Identifying Noise Sources in Magnetic Resonance Images. <i>Journal of the American Statistical Association</i> , 2009, 104, 623-637.	1.8	43

#	ARTICLE	IF	CITATIONS
401	Gaussian Modeling of the Diffusion Signal. , 2009, , 37-54.		7
403	The multivariate A/C/E model and the genetics of fiber architecture. , 2009, 2009, 125-128.		5
404	Landmark-referenced voxel-based analysis of diffusion tensor images of the brainstem white matter tracts. NeuroImage, 2009, 44, 906-913.	2.1	26
405	A unified optimization approach for diffusion tensor imaging technique. NeuroImage, 2009, 44, 729-741.	2.1	19
406	Does diffusion kurtosis imaging lead to better neural tissue characterization? A rodent brain maturation study. NeuroImage, 2009, 45, 386-392.	2.1	241
407	Atlas-based whole brain white matter analysis using large deformation diffeomorphic metric mapping: Application to normal elderly and Alzheimer's disease participants. NeuroImage, 2009, 46, 486-499.	2.1	456
408	Active fibers: Matching deformable tract templates to diffusion tensor images. NeuroImage, 2009, 47, T82-T89.	2.1	18
409	Fully automated classification of HARDI in vivo data using a support vector machine. NeuroImage, 2009, 46, 642-651.	2.1	19
410	DTI abnormalities in anterior corpus callosum of rats with spike-wave epilepsy. NeuroImage, 2009, 47, 459-466.	2.1	80
411	Tractography-based priors for dynamic causal models. NeuroImage, 2009, 47, 1628-1638.	2.1	137
412	New Methods in Diffusion-Weighted and Diffusion Tensor Imaging. Magnetic Resonance Imaging Clinics of North America, 2009, 17, 175-204.	0.6	56
413	Theory of diffusion tensor imaging and fiber tractography analysis. European Journal of Radiography, 2009, 1, 37-41.	0.2	6
414	Generation of histo-anatomically representative models of the individual heart: tools and application. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2009, 367, 2257-2292.	1.6	135
415	Diffusion Tensor Imaging (DTI) of the Kidney at 3 Tesla-Feasibility, Protocol Evaluation and Comparison to 1.5 Tesla. Investigative Radiology, 2010, 45, 245-254.	3.5	94
416	Evaluation of Corticospinal Tract Impairment in the Brain of Patients With Amyotrophic Lateral Sclerosis by Using Diffusion Tensor Imaging Acquisition Schemes With Different Numbers of Diffusion-Weighting Directions. Journal of Computer Assisted Tomography, 2010, 34, 746-750.	0.5	23
417	Dependence of brain DTI maps of fractional anisotropy and mean diffusivity on the number of diffusion weighting directions. Journal of Applied Clinical Medical Physics, 2010, 11, 176-190.	0.8	59
418	Diffusion tensor imaging of the cortical plate and subplate in very-low-birth-weight infants. Pediatric Radiology, 2010, 40, 1397-1404.	1.1	19
419	Age-related variations in white matter anisotropy in school-age children. Pediatric Radiology, 2010, 40, 1918-1930.	1.1	19



#	ARTICLE	IF	CITATIONS
420	Robust optimal design of diffusion-weighted magnetic resonance experiments for skin microcirculation. <i>Journal of Magnetic Resonance</i> , 2010, 206, 246-254.	1.2	5
421	The temporal stem in traumatic brain injury: preliminary findings. <i>Brain Imaging and Behavior</i> , 2010, 4, 270-282.	1.1	37
422	Optimal Experimental Design for Diffusion Kurtosis Imaging. <i>IEEE Transactions on Medical Imaging</i> , 2010, 29, 819-829.	5.4	180
423	Estimation of Diffusion Properties in Crossing Fiber Bundles. <i>IEEE Transactions on Medical Imaging</i> , 2010, 29, 1504-1515.	5.4	43
424	Longitudinal characterization of white matter maturation during adolescence. <i>Brain Research</i> , 2010, 1327, 38-46.	1.1	191
425	Repeatability of DTI-based skeletal muscle fiber tracking. <i>NMR in Biomedicine</i> , 2010, 23, 294-303.	1.6	81
426	<i>In vivo</i> diffusion tensor magnetic resonance imaging and fiber tracking of the mouse brain. <i>NMR in Biomedicine</i> , 2010, 23, 884-896.	1.6	47
427	Twenty-five pitfalls in the analysis of diffusion MRI data. <i>NMR in Biomedicine</i> , 2010, 23, 803-820.	1.6	717
428	Intercenter differences in diffusion tensor MRI acquisition. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 1458-1468.	1.9	81
429	<i>In vivo</i> vascular hallmarks of diffuse leukoaraiosis. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 184-190.	1.9	54
430	Ground truth hardware phantoms for validation of diffusion-weighted MRI applications. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 482-488.	1.9	63
431	A novel splice site mutation in the <i>SPG7</i> gene causing widespread fiber damage in homozygous and heterozygous subjects. <i>Movement Disorders</i> , 2010, 25, 413-420.	2.2	25
432	<i>In vivo</i> generalized diffusion tensor imaging (GDTI) using higher-order tensors (HOT). <i>Magnetic Resonance in Medicine</i> , 2010, 63, 243-252.	1.9	30
433	Correcting eddy current and motion effects by affine whole-brain registrations: Evaluation of three-dimensional distortions and comparison with slice-wise correction. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 1047-1056.	1.9	129
434	Independent component analysis-based multifiber streamline tractography of the human brain. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 1676-1684.	1.9	14
435	Diffusion of water in skeletal muscle tissue is not influenced by compression in a rat model of deep tissue injury. <i>Journal of Biomechanics</i> , 2010, 43, 570-575.	0.9	14
436	Novel diffusion tensor imaging methodology to detect and quantify injured regions and affected brain pathways in traumatic brain injury. <i>Magnetic Resonance Imaging</i> , 2010, 28, 22-40.	1.0	84
437	Quantitative assessment of motion correction for high angular resolution diffusion imaging. <i>Magnetic Resonance Imaging</i> , 2010, 28, 290-296.	1.0	26

#	ARTICLE	IF	CITATIONS
438	Diffusion tensor magnetic resonance imaging of the normal breast. <i>Magnetic Resonance Imaging</i> , 2010, 28, 320-328.	1.0	67
439	A Monte Carlo simulation of image misalignment effects in diffusion tensor imaging. <i>Magnetic Resonance Imaging</i> , 2010, 28, 834-841.	1.0	3
440	A tensorial framework for color images. <i>Pattern Recognition Letters</i> , 2010, 31, 277-296.	2.6	13
441	The direct tensor solution and higher-order acquisition schemes for generalized diffusion tensor imaging. <i>Journal of Magnetic Resonance</i> , 2010, 206, 9-19.	1.2	3
442	Effects of cardiac pulsation in diffusion tensor imaging of the rat brain. <i>Journal of Neuroscience Methods</i> , 2010, 194, 116-121.	1.3	7
443	Keyhole and zero-padding approaches for reduced-encoding diffusion tensor imaging of the mouse brains. <i>Magnetic Resonance Imaging</i> , 2010, 28, 1413-1419.	1.0	3
444	Motor Network Degeneration in Amyotrophic Lateral Sclerosis: A Structural and Functional Connectivity Study. <i>PLoS ONE</i> , 2010, 5, e13664.	1.1	153
445	Serum C-reactive protein is linked to cerebral microstructural integrity and cognitive function. <i>Neurology</i> , 2010, 74, 1022-1029.	1.5	196
446	Multiparametric MR investigation of the motor pyramidal system in patients with "truly benign" multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2010, 16, 178-188.	1.4	12
447	Significant Temporal Evolution of Diffusion Anisotropy for Evaluating Early Response to Radiosurgery in Patients with Vestibular Schwannoma: Findings from Functional Diffusion Maps. <i>American Journal of Neuroradiology</i> , 2010, 31, 269-274.	1.2	23
448	A diffusion tensor MRI study of cervical cord damage in benign and secondary progressive multiple sclerosis patients. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010, 81, 26-30.	0.9	38
449	Precision and Accuracy in Diffusion Tensor Magnetic Resonance Imaging. <i>Topics in Magnetic Resonance Imaging</i> , 2010, 21, 87-99.	0.7	69
450	Segmentation of thalamic nuclei based on tensorial morphological gradient of diffusion tensor fields. , 2010, , .		10
451	Full Tensor Diffusion Imaging Is Not Required To Assess the White-Matter Integrity in Mouse Contusion Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2010, 27, 253-262.	1.7	26
452	Multivariate variance-components analysis in DTI. , 2010, 2010, 1157-1160.		10
453	Evaluating the Relationship between Memory Functioning and Cingulum Bundles in Acute Mild Traumatic Brain Injury Using Diffusion Tensor Imaging. <i>Journal of Neurotrauma</i> , 2010, 27, 303-307.	1.7	129
454	Combining tractography and cortical measures to test system-specific hypotheses in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2010, 16, 555-565.	1.4	33
455	Improving RESTORE for robust diffusion tensor estimation: a simulation study. <i>Proceedings of SPIE</i> , 2010, , .	0.8	0

#	ARTICLE	IF	CITATIONS
456	DTI Parameter Optimisation for Acquisition at 1.5T: SNR Analysis and Clinical Application. Computational Intelligence and Neuroscience, 2010, 2010, 1-8.	1.1	25
457	Brachial Plexus and Nerves about the Shoulder. Seminars in Musculoskeletal Radiology, 2010, 14, 523-546.	0.4	76
458	White Matter Impairment in Rett Syndrome: Diffusion Tensor Imaging Study with Clinical Correlations. American Journal of Neuroradiology, 2010, 31, 295-299.	1.2	55
459	Genetics of microstructure of cerebral white matter using diffusion tensor imaging. NeuroImage, 2010, 53, 1109-1116.	2.1	156
460	The effect of finite diffusion gradient pulse duration on fibre orientation estimation in diffusion MRI. NeuroImage, 2010, 51, 743-751.	2.1	22
461	Comparative mouse brain tractography of diffusion magnetic resonance imaging. NeuroImage, 2010, 51, 1027-1036.	2.1	70
462	Genetic influences on brain asymmetry: A DTI study of 374 twins and siblings. NeuroImage, 2010, 52, 455-469.	2.1	127
463	A study of the reproducibility and etiology of diffusion anisotropy differences in developmental stuttering: A potential role for impaired myelination. NeuroImage, 2010, 52, 1495-1504.	2.1	113
464	Orientationally invariant indices of axon diameter and density from diffusion MRI. NeuroImage, 2010, 52, 1374-1389.	2.1	629
465	Atlas-guided tract reconstruction for automated and comprehensive examination of the white matter anatomy. NeuroImage, 2010, 52, 1289-1301.	2.1	277
466	Integrity of the hippocampus and surrounding white matter is correlated with language training success in aphasia. NeuroImage, 2010, 53, 283-290.	2.1	93
467	Training of Working Memory Impacts Structural Connectivity. Journal of Neuroscience, 2010, 30, 3297-3303.	1.7	452
468	White matter pathology isolates the hippocampal formation in Alzheimer's disease. Neurobiology of Aging, 2010, 31, 244-256.	1.5	241
469	Cerebral blood volume in Alzheimer's disease and correlation with tissue structural integrity. Neurobiology of Aging, 2010, 31, 2038-2046.	1.5	19
470	Optimization of in vivo high-resolution DTI of non-human primates on a 3T human scanner. Methods, 2010, 50, 205-213.	1.9	12
471	Increasing top-down suppression from prefrontal cortex facilitates tactile working memory. NeuroImage, 2010, 49, 1091-1098.	2.1	42
472	Processing speed is correlated with cerebral health markers in the frontal lobes as quantified by neuroimaging. NeuroImage, 2010, 49, 1190-1199.	2.1	125
473	How does angular resolution affect diffusion imaging measures?. NeuroImage, 2010, 49, 1357-1371.	2.1	70

#	ARTICLE	IF	CITATIONS
474	Diffusion orientation transform revisited. <i>NeuroImage</i> , 2010, 49, 1326-1339.	2.1	29
475	Altered white matter microstructure in the corpus callosum in Huntington's disease: Implications for cortical "disconnection". <i>NeuroImage</i> , 2010, 49, 2995-3004.	2.1	231
476	Functional MRI of postnatal visual development in normal and hypoxic-ischemic-injured superior colliculi. <i>NeuroImage</i> , 2010, 49, 2013-2020.	2.1	47
477	An automated strategy for the delineation and parcellation of commissural pathways suitable for clinical populations utilising high angular resolution diffusion imaging tractography. <i>NeuroImage</i> , 2010, 50, 1044-1053.	2.1	40
478	Techniques and Optimization. <i>Medical Radiology</i> , 2010, , 19-32.	0.0	5
479	Computational Cardiovascular Mechanics. , 2010, , .		8
480	The Role of Corticospinal Tract Damage in Chronic Motor Recovery and Neurorehabilitation: A Pilot Study. <i>Neurorehabilitation and Neural Repair</i> , 2010, 24, 413-419.	1.4	59
481	A diffusion tensor MRI study of patients with MCI and AD with a 2-year clinical follow-up. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010, 81, 798-805.	0.9	84
482	High-energy phosphate transfer in human muscle: diffusion of phosphocreatine. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 301, C234-C241.	2.1	28
483	A comprehensive assessment of cerebellar damage in multiple sclerosis using diffusion tractography and volumetric analysis. <i>Multiple Sclerosis Journal</i> , 2011, 17, 1079-1087.	1.4	62
484	Digital Processing of Diffusion-Tensor Images of Avascular Tissues. <i>Biological and Medical Physics Series</i> , 2011, , 341-371.	0.3	5
485	MR Diffusion Imaging in Ischemic Stroke. <i>Neuroimaging Clinics of North America</i> , 2011, 21, 345-377.	0.5	83
486	Partial volume effect as a hidden covariate in DTI analyses. <i>NeuroImage</i> , 2011, 55, 1566-1576.	2.1	308
487	Multi-contrast human neonatal brain atlas: Application to normal neonate development analysis. <i>NeuroImage</i> , 2011, 56, 8-20.	2.1	277
488	Quantification of accuracy and precision of multi-center DTI measurements: A diffusion phantom and human brain study. <i>NeuroImage</i> , 2011, 56, 1398-1411.	2.1	130
489	Symmetric diffeomorphic registration of fibre orientation distributions. <i>NeuroImage</i> , 2011, 56, 1171-1180.	2.1	229
490	Distribution of collateral fibers in the monkey cervical spinal cord detected with diffusion-weighted magnetic resonance imaging. <i>NeuroImage</i> , 2011, 56, 923-929.	2.1	24
491	Contrast-to-noise ratios for indices of anisotropy obtained from diffusion MRI: A study with standard clinical b-values at 3T. <i>NeuroImage</i> , 2011, 57, 1103-1115.	2.1	7

#	ARTICLE	IF	CITATIONS
492	Fractional anisotropy of cerebral white matter and thickness of cortical gray matter across the lifespan. <i>NeuroImage</i> , 2011, 58, 41-49.	2.1	139
493	Direct segmentation of the major white matter tracts in diffusion tensor images. <i>NeuroImage</i> , 2011, 58, 458-468.	2.1	62
494	White matter integrity and lack of insight in schizophrenia and schizoaffective disorder. <i>Schizophrenia Research</i> , 2011, 128, 76-82.	1.1	77
495	A simple scheme for generating nearly uniform distribution of antipodally symmetric points on the unit sphere. <i>Journal of Computational Science</i> , 2011, 2, 377-381.	1.5	34
496	The structure and connectivity of semantic memory in the healthy older adult brain. <i>NeuroImage</i> , 2011, 54, 1488-1494.	2.1	85
497	The average pathlength map: A diffusion MRI tractography-derived index for studying brain pathology. <i>NeuroImage</i> , 2011, 55, 133-141.	2.1	59
499	Medical Image Processing. <i>Biological and Medical Physics Series</i> , 2011, , .	0.3	44
500	A review of diffusion tensor magnetic resonance imaging computational methods and software tools. <i>Computers in Biology and Medicine</i> , 2011, 41, 1062-1072.	3.9	73
501	High-resolution diffusion tensor imaging of prostate cancer using a reduced FOV technique. <i>European Journal of Radiology</i> , 2011, 80, e34-e41.	1.2	43
502	Testâ€“retest reliability and repeatability of renal diffusion tensor MRI in healthy subjects. <i>European Journal of Radiology</i> , 2011, 80, e263-e268.	1.2	37
503	MRI is a sensitive marker of subtle white matter pathology in hypoperfused mice. <i>Neurobiology of Aging</i> , 2011, 32, 2325.e1-2325.e6.	1.5	51
504	Technical Note: DTI measurements of fractional anisotropy and mean diffusivity at 1.5 T: Comparison of two radiofrequency head coils with different functional designs and sensitivities. <i>Medical Physics</i> , 2011, 38, 3205-3211.	1.6	26
505	Diffusion Tensor Imaging: Exploring the Motor Networks and Clinical Applications. <i>Korean Journal of Radiology</i> , 2011, 12, 651.	1.5	32
506	Genetic Analysis of Cortical Thickness and Fractional Anisotropy of Water Diffusion in the Brain. <i>Frontiers in Neuroscience</i> , 2011, 5, 120.	1.4	52
507	Differential Development of Human Brain White Matter Tracts. <i>PLoS ONE</i> , 2011, 6, e23437.	1.1	64
508	Acquisition Parameters for Diffusion Tensor Imaging to Emphasize Fractional Anisotropy: Phantom Study. <i>Magnetic Resonance in Medical Sciences</i> , 2011, 10, 121-128.	1.1	7
509	An Investigation of the Relationship Between Cortical Connectivity and Schizotypy in the General Population. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 348-353.	0.5	28
510	Intravoxel Incoherent Motion MRI for the Differentiation Between Mass Forming Chronic Pancreatitis and Pancreatic Carcinoma. <i>Investigative Radiology</i> , 2011, 46, 57-63.	3.5	129

#	ARTICLE	IF	CITATIONS
511	Spatial and orientational heterogeneity in the statistical sensitivity of skeleton-based analyses of diffusion tensor MR imaging data. <i>Journal of Neuroscience Methods</i> , 2011, 201, 213-219.	1.3	63
512	SNR Dependence of Optimal Parameters for Apparent Diffusion Coefficient Measurements. <i>IEEE Transactions on Medical Imaging</i> , 2011, 30, 424-437.	5.4	45
513	Sex differences in adolescent white matter architecture. <i>Brain Research</i> , 2011, 1375, 41-48.	1.1	139
514	Diffusion Tensor Imaging. <i>Methods in Molecular Biology</i> , 2011, 711, 127-144.	0.4	197
515	The Rotterdam Scan Study: design and update up to 2012. <i>European Journal of Epidemiology</i> , 2011, 26, 811-824.	2.5	115
516	DTI studies in patients with Alzheimer's disease, mild cognitive impairment, or normal cognition with evaluation of the intrinsic background gradients. <i>Neuroradiology</i> , 2011, 53, 749-762.	1.1	17
517	Recent advances in diffusion MRI modeling: Angular and radial reconstruction. <i>Medical Image Analysis</i> , 2011, 15, 369-396.	7.0	94
518	Geometric analysis of the b-dependent effects of Rician signal noise on diffusion tensor imaging estimates and determining an optimal b value. <i>Magnetic Resonance Imaging</i> , 2011, 29, 777-788.	1.0	12
519	Quality assessment of high angular resolution diffusion imaging data using bootstrap on Q&Eball reconstruction. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 1194-1208.	1.9	29
520	Impact of outliers on diffusion tensor and Q&Eball imaging: Clinical implications and correction strategies. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 1491-1502.	1.9	8
521	Quantitative and reproducibility study of four tractography algorithms used in clinical routine. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 34, 165-172.	1.9	30
522	Reproducibility analysis of diffusion tensor indices and fiber architecture of human calf muscles in vivo at 1.5 Tesla in neutral and plantarflexed ankle positions at rest. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 34, 107-119.	1.9	41
523	More accurate estimation of diffusion tensor parameters using diffusion kurtosis imaging. <i>Magnetic Resonance in Medicine</i> , 2011, 65, 138-145.	1.9	202
524	Apparent exchange rate mapping with diffusion MRI. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 356-365.	1.9	102
525	Diffusion tensor imaging and beyond. <i>Magnetic Resonance in Medicine</i> , 2011, 65, 1532-1556.	1.9	771
526	Progressive changes in $T_1$ , $T_2$ and left&Eventricular histo&Earchitecture in the fixed and embedded rat heart. <i>NMR in Biomedicine</i> , 2011, 24, 836-843.	1.6	31
527	Age&Edependent brain temperature decline assessed by diffusion&Eweighted imaging thermometry. <i>NMR in Biomedicine</i> , 2011, 24, 1063-1067.	1.6	38
528	Probabilistic fiber tracking using the residual bootstrap with constrained spherical deconvolution. <i>Human Brain Mapping</i> , 2011, 32, 461-479.	1.9	335

#	ARTICLE	IF	CITATIONS
529	An ex vivo imaging pipeline for producing high-quality and high-resolution diffusion-weighted imaging datasets. <i>Human Brain Mapping</i> , 2011, 32, 544-563.	1.9	199
530	Diffusion tensor fiber tractography of the olfactory tract. <i>Magnetic Resonance Imaging</i> , 2011, 29, 289-292.	1.0	24
531	DTI at 7 and 3 T: systematic comparison of SNR and its influence on quantitative metrics. <i>Magnetic Resonance Imaging</i> , 2011, 29, 739-751.	1.0	44
532	A diffusion gradient optimization framework for spinal cord diffusion tensor imaging. <i>Magnetic Resonance Imaging</i> , 2011, 29, 789-804.	1.0	5
533	Toward an optimal distribution of b values for intravoxel incoherent motion imaging. <i>Magnetic Resonance Imaging</i> , 2011, 29, 766-776.	1.0	249
534	A framework on surface-based connectivity quantification for the human brain. <i>Journal of Neuroscience Methods</i> , 2011, 197, 324-332.	1.3	6
535	Analytically exact spiral scheme for generating uniformly distributed points on the unit sphere. <i>Journal of Computational Science</i> , 2011, 2, 88-91.	1.5	37
536	Multiple q-shell diffusion propagator imaging. <i>Medical Image Analysis</i> , 2011, 15, 603-621.	7.0	157
537	Editorial: Novel spinal cord imaging. <i>Journal of Neurosurgery: Spine</i> , 2011, 15, 645-647.	0.9	1
538	Correlating Quantitative MR Imaging with Histopathology in X-Linked Adrenoleukodystrophy. <i>American Journal of Neuroradiology</i> , 2011, 32, 481-489.	1.2	40
539	Modeling diffusion-weighted MRI as a spatially variant Gaussian mixture: Application to image denoising. <i>Medical Physics</i> , 2011, 38, 4350-4364.	1.6	8
540	Extremely efficient and deterministic approach to generating optimal ordering of diffusion MRI measurements. <i>Medical Physics</i> , 2011, 38, 4795-4801.	1.6	8
541	Diffusion Tensor Imaging of the Perforant Pathway Zone and Its Relation to Memory Function in Patients with Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2011, 28, 711-725.	1.7	31
542	Tractography: Where Do We Go from Here?. <i>Brain Connectivity</i> , 2011, 1, 169-183.	0.8	542
543	Optimized workflow for diffusion kurtosis imaging of newborns. , 2011, , .		2
544	Altered Structural Brain Connectivity in Healthy Carriers of the Autism Risk Gene, <i>CNTNAP2</i> . <i>Brain Connectivity</i> , 2011, 1, 447-459.	0.8	98
545	Frontotemporal Connections in Episodic Memory and Aging: A Diffusion MRI Tractography Study. <i>Journal of Neuroscience</i> , 2011, 31, 13236-13245.	1.7	205
546	Brain network local interconnectivity loss in aging <i>APOE</i> -4 allele carriers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 20760-20765.	3.3	161

#	ARTICLE	IF	CITATIONS
547	Mesencephalic Corticospinal Atrophy Predicts Baseline Deficit but Not Response to Unilateral or Bilateral Arm Training in Chronic Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2011, 25, 81-87.	1.4	22
548	Blood Pressure and Cerebral White Matter Share Common Genetic Factors in Mexican Americans. <i>Hypertension</i> , 2011, 57, 330-335.	1.3	37
549	Rich-Club Organization of the Human Connectome. <i>Journal of Neuroscience</i> , 2011, 31, 15775-15786.	1.7	2,010
550	Anatomical Correlates of Age-Related Working Memory Declines. <i>Journal of Aging Research</i> , 2011, 2011, 1-9.	0.4	38
551	Thalamocingulate Interactions In Performance Monitoring. <i>Journal of Neuroscience</i> , 2011, 31, 3375-3383.	1.7	68
552	Segmenting Thalamic Nuclei: What Can We Gain from HARDI?. <i>Lecture Notes in Computer Science</i> , 2011, 14, 141-148.	1.0	3
553	A Diffusion Tensor Imaging Study on the White Matter Skeleton in Individuals with Sports-Related Concussion. <i>Journal of Neurotrauma</i> , 2011, 28, 189-201.	1.7	263
554	White Matter Changes in Healthy Adolescents at Familial Risk for Unipolar Depression: A Diffusion Tensor Imaging Study. <i>Neuropsychopharmacology</i> , 2011, 36, 684-691.	2.8	166
555	A quality assurance protocol for diffusion tensor imaging using the head phantom from American College of Radiology. <i>Medical Physics</i> , 2011, 38, 4415-4421.	1.6	26
556	Predicting White Matter Integrity from Multiple Common Genetic Variants. <i>Neuropsychopharmacology</i> , 2012, 37, 2012-2019.	2.8	49
557	Temporal association tracts and the breakdown of episodic memory in mild cognitive impairment. <i>Neurology</i> , 2012, 79, 2233-2240.	1.5	88
558	Thalamus and Cognitive Impairment in Mild Traumatic Brain Injury: A Diffusional Kurtosis Imaging Study. <i>Journal of Neurotrauma</i> , 2012, 29, 2318-2327.	1.7	223
559	Motion Analysis of Magnetic Resonance Angiography Image in Diffusion Tensor Fields. <i>IEEE Sensors Journal</i> , 2012, 12, 3275-3276.	2.4	1
560	Heart wall myofibers are arranged in minimal surfaces to optimize organ function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 9248-9253.	3.3	59
561	Diffusion imaging protocol effects on genetic associations. , 2012, , 944-947.		14
562	Parametric Diffusion Tensor Imaging of the Breast. <i>Investigative Radiology</i> , 2012, 47, 284-291.	3.5	87
563	Mapping of distributions of a local $\langle i \rangle b \langle i \rangle$ matrix cross-term strength using diffusion tensor MRI in patients with Alzheimer's disease. <i>Medical Physics</i> , 2012, 39, 6324-6331.	1.6	1
564	Sparse and optimal acquisition design for diffusion MRI and beyond. <i>Medical Physics</i> , 2012, 39, 2499-2511.	1.6	35



#	ARTICLE	IF	CITATIONS
565	Histo-anatomical structure of the living isolated rat heart in two contraction states assessed by diffusion tensor MRI. <i>Progress in Biophysics and Molecular Biology</i> , 2012, 110, 319-330.	1.4	96
566	Frontotemporal anatomical connectivity and working relational memory performance predict everyday functioning in schizophrenia. <i>Psychophysiology</i> , 2012, 49, 1340-1352.	1.2	29
567	The Pulvinar Regulates Information Transmission Between Cortical Areas Based on Attention Demands. <i>Science</i> , 2012, 337, 753-756.	6.0	814
568	Diffusion tensor imaging evidence of white matter disruption associated with loss versus alteration of consciousness in warfighters exposed to combat in Operations Enduring and Iraqi Freedom. <i>Psychiatry Research - Neuroimaging</i> , 2012, 204, 149-154.	0.9	44
569	Diffusion tensor imaging and volumetric analysis of the ventral striatum in adults with traumatic brain injury. <i>Brain Injury</i> , 2012, 26, 201-210.	0.6	41
570	Direct reconstruction of fibre orientation using discrete ground truth interpolation. , 2012, , .		0
571	A DTI-based model for TMS using the independent impedance method with frequency-dependent tissue parameters. <i>Physics in Medicine and Biology</i> , 2012, 57, 2169-2188.	1.6	41
572	A Preliminary Investigation of Corpus Callosum and Anterior Commissure Aberrations in Aggressive Youth with Bipolar Disorders. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2012, 22, 112-119.	0.7	65
573	Fractional anisotropy of water diffusion in cerebral white matter across the lifespan. <i>Neurobiology of Aging</i> , 2012, 33, 9-20.	1.5	325
574	Distinctive disruption patterns of white matter tracts in Alzheimer's disease with full diffusion tensor characterization. <i>Neurobiology of Aging</i> , 2012, 33, 2029-2045.	1.5	104
575	Advanced Magnetic Resonance Neuroimaging of Language Function Recovery After Aphasic Stroke: A Technical Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, S4-S14.	0.5	20
576	Manifestation and post hoc correction of gradient cross-term artifacts in DTI. <i>Magnetic Resonance Imaging</i> , 2012, 30, 764-773.	1.0	8
577	White matter microstructural abnormalities in the frontal lobe of adults with antisocial personality disorder. <i>Cortex</i> , 2012, 48, 216-229.	1.1	121
578	Neurodegenerative dementias: From MR Physics lab to assessment room. <i>European Physical Journal Plus</i> , 2012, 127, 1.	1.2	4
579	Atlas-based white matter analysis in individuals with velo-cardio-facial syndrome (22q11.2 deletion) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.4	44
580	Maternal separation with early weaning: A rodent model providing novel insights into neglect associated developmental deficits. <i>Development and Psychopathology</i> , 2012, 24, 1401-1416.	1.4	72
581	Super-resolution track-density imaging studies of mouse brain: Comparison to histology. <i>NeuroImage</i> , 2012, 59, 286-296.	2.1	105
582	Inter-individual variation in blood pressure is associated with regional white matter integrity in generally healthy older adults. <i>NeuroImage</i> , 2012, 59, 181-192.	2.1	95

#	ARTICLE	IF	CITATIONS
583	The influence of complex white matter architecture on the mean diffusivity in diffusion tensor MRI of the human brain. <i>NeuroImage</i> , 2012, 59, 2208-2216.	2.1	183
584	Resolution of crossing fibers with constrained compressed sensing using diffusion tensor MRI. <i>NeuroImage</i> , 2012, 59, 2175-2186.	2.1	115
585	Apparent Fibre Density: A novel measure for the analysis of diffusion-weighted magnetic resonance images. <i>NeuroImage</i> , 2012, 59, 3976-3994.	2.1	491
586	Diffusion tensor imaging of white matter tract evolution over the lifespan. <i>NeuroImage</i> , 2012, 60, 340-352.	2.1	924
587	A comprehensive reliability assessment of quantitative diffusion tensor tractography. <i>NeuroImage</i> , 2012, 60, 1127-1138.	2.1	121
588	Regional changes of cortical mean diffusivities with aging after correction of partial volume effects. <i>NeuroImage</i> , 2012, 62, 1705-1716.	2.1	27
589	Architectural configuration and microstructural properties of the sacral plexus: A diffusion tensor MRI and fiber tractography study. <i>NeuroImage</i> , 2012, 62, 1792-1799.	2.1	59
590	White matter pathology in Parkinson's disease: The effect of imaging protocol differences and relevance to executive function. <i>NeuroImage</i> , 2012, 62, 1675-1684.	2.1	102
591	Identification and characterization of Huntington related pathology: An in vivo DKI imaging study. <i>NeuroImage</i> , 2012, 63, 653-662.	2.1	34
592	HOMOR: Higher Order Model Outlier Rejection for high b-value MR diffusion data. <i>NeuroImage</i> , 2012, 63, 835-842.	2.1	43
593	Diffusion tensor imaging of acute inflammatory lesion evolution in multiple sclerosis. <i>Journal of Clinical Neuroscience</i> , 2012, 19, 1689-1694.	0.8	13
594	Position-orientation adaptive smoothing of diffusion weighted magnetic resonance data (POAS). <i>Medical Image Analysis</i> , 2012, 16, 1142-1155.	7.0	41
595	Diffusion MRI signal reconstruction with continuity constraint and optimal regularization. <i>Medical Image Analysis</i> , 2012, 16, 1113-1120.	7.0	16
596	Minimum SNR and acquisition for bias-free estimation of fractional anisotropy in diffusion tensor imaging – a comparison of two analytical techniques and field strengths. <i>Magnetic Resonance Imaging</i> , 2012, 30, 1123-1133.	1.0	20
597	Local susceptibility causes diffusion alterations in patients with Alzheimer's disease and mild cognitive impairment. <i>Brain Imaging and Behavior</i> , 2012, 6, 426-436.	1.1	3
598	Diffusion magnetic resonance imaging for Brainnetome: A critical review. <i>Neuroscience Bulletin</i> , 2012, 28, 375-388.	1.5	14
599	Brain structure in healthy adults is related to serum transferrin and the H63D polymorphism in the <i>HFE</i> gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E851-9.	3.3	83
600	Corticospinal tractography with morphological, functional and diffusion tensor MRI: a comparative study of four deterministic algorithms used in clinical routine. <i>Surgical and Radiologic Anatomy</i> , 2012, 34, 709-719.	0.6	8

#	ARTICLE	IF	CITATIONS
601	New Developments in the Visualization and Processing of Tensor Fields. Mathematics and Visualization, 2012, , .	0.4	10
602	Tract Specific Reproducibility of Tractography Based Morphology and Diffusion Metrics. PLoS ONE, 2012, 7, e34125.	1.1	57
603	Changes in white matter integrity follow excitatory rTMS treatment of post-stroke aphasia. Restorative Neurology and Neuroscience, 2012, 30, 103-113.	0.4	57
604	Optimizing the functional diffusion map using Monte Carlo simulations. Journal of Magnetic Resonance Imaging, 2012, 36, 1002-1009.	1.9	2
605	Reorientation of fiber orientation distributions using apodized point spread functions. Magnetic Resonance in Medicine, 2012, 67, 844-855.	1.9	103
606	Implementation and assessment of diffusion-weighted partial Fourier readout-segmented echo-planar imaging. Magnetic Resonance in Medicine, 2012, 68, 441-451.	1.9	33
607	Six is enough? Comparison of diffusion parameters measured using six or more diffusion-encoding gradient directions with deterministic tractography. Magnetic Resonance in Medicine, 2012, 68, 474-483.	1.9	92
608	<i>Informed</i> RESTORE: A method for robust estimation of diffusion tensor from low redundancy datasets in the presence of physiological noise artifacts. Magnetic Resonance in Medicine, 2012, 68, 1654-1663.	1.9	96
609	Diffusion tensor imaging of the optic radiations after optic neuritis. Human Brain Mapping, 2012, 33, 2047-2061.	1.9	44
610	Neuroanatomical changes in a mouse model of early life neglect. Brain Structure and Function, 2012, 217, 459-472.	1.2	22
611	The Fornix Sign: A Potential Sign for Alzheimer's Disease Based on Diffusion Tensor Imaging. Journal of Neuroimaging, 2012, 22, 365-374.	1.0	77
612	Modeling the orientation distribution function by mixtures of angular central Gaussian distributions. Journal of Neuroscience Methods, 2012, 203, 200-211.	1.3	17
613	Reconstruction of scattered data in fetal diffusion MRI. Medical Image Analysis, 2012, 16, 28-37.	7.0	49
614	The effect of gradient sampling schemes on diffusion metrics derived from probabilistic analysis and tract-based spatial statistics. Magnetic Resonance Imaging, 2012, 30, 402-412.	1.0	14
615	Optimal real-time estimation in diffusion tensor imaging. Magnetic Resonance Imaging, 2012, 30, 506-517.	1.0	2
616	Polynomial fitting of DT-MRI fiber tracts allows accurate estimation of muscle architectural parameters. Magnetic Resonance Imaging, 2012, 30, 589-600.	1.0	27
617	High b-value diffusion-weighted imaging: A sensitive method to reveal white matter differences in schizophrenia. Psychiatry Research - Neuroimaging, 2012, 201, 144-151.	0.9	21
618	MRtrix: Diffusion tractography in crossing fiber regions. International Journal of Imaging Systems and Technology, 2012, 22, 53-66.	2.7	1,191

#	ARTICLE	IF	CITATIONS
619	Association between white matter microstructure, executive functions, and processing speed in older adults: The impact of vascular health. <i>Human Brain Mapping</i> , 2013, 34, 77-95.	1.9	118
620	Multimodal magnetic resonance imaging: The coordinated use of multiple, mutually informative probes to understand brain structure and function. <i>Human Brain Mapping</i> , 2013, 34, 253-271.	1.9	55
621	Interindividual variation in serum cholesterol is associated with regional white matter tissue integrity in older adults. <i>Human Brain Mapping</i> , 2013, 34, 1826-1841.	1.9	63
622	Angular versus spatial resolution trade-offs for diffusion imaging under time constraints. <i>Human Brain Mapping</i> , 2013, 34, 2688-2706.	1.9	45
623	Investigating the prevalence of complex fiber configurations in white matter tissue with diffusion magnetic resonance imaging. <i>Human Brain Mapping</i> , 2013, 34, 2747-2766.	1.9	887
624	Effects of chronic mild traumatic brain injury on white matter integrity in Iraq and Afghanistan war veterans. <i>Human Brain Mapping</i> , 2013, 34, 2986-2999.	1.9	107
625	Improved diffusion imaging through SNR-enhancing joint reconstruction. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 277-289.	1.9	86
626	Super-resolution for multislice diffusion tensor imaging. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 103-113.	1.9	50
627	Fast diffusion tensor imaging and tractography of the whole cervical spinal cord using point spread function corrected echo planar imaging. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 144-149.	1.9	12
628	Acute White Matter Differences in the Fornix Following Mild Traumatic Brain Injury Using Diffusion Tensor Imaging. <i>Journal of Neuroimaging</i> , 2013, 23, 224-227.	1.0	78
629	Diffusion MR imaging: How to get the maximum from the experimental time. <i>Translational Neuroscience</i> , 2013, 4, .	0.7	3
630	Diffusion tensor imaging metrics in neonates—a comparison of manual region-of-interest analysis vs. tract-based spatial statistics. <i>Pediatric Radiology</i> , 2013, 43, 69-79.	1.1	10
631	Diffusion imaging quality control via entropy of principal direction distribution. <i>NeuroImage</i> , 2013, 82, 1-12.	2.1	18
632	Analysis of Scalar Maps for the Segmentation of the Corpus Callosum in Diffusion Tensor Fields. <i>Journal of Mathematical Imaging and Vision</i> , 2013, 45, 214-226.	0.8	17
634	Imaging the Brain in Autism. , 2013, , .		20
635	Sampling Signals With a Finite Rate of Innovation on the Sphere. <i>IEEE Transactions on Signal Processing</i> , 2013, 61, 4552-4561.	3.2	70
636	Diffusion tensor MRI of chemotherapy-induced cognitive impairment in non-CNS cancer patients: a review. <i>Brain Imaging and Behavior</i> , 2013, 7, 409-435.	1.1	93
637	Distinct subdivisions of the cingulum bundle revealed by diffusion MRI fibre tracking: Implications for neuropsychological investigations. <i>Neuropsychologia</i> , 2013, 51, 67-78.	0.7	204

#	ARTICLE	IF	CITATIONS
638	Neuroanatomical analysis of the BTBR mouse model of autism using magnetic resonance imaging and diffusion tensor imaging. <i>NeuroImage</i> , 2013, 70, 288-300.	2.1	128
639	Effect of cerebral spinal fluid suppression for diffusional kurtosis imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 37, 365-371.	1.9	46
640	Overlapping connections within the motor cortico-basal ganglia circuit: fMRI-tractography analysis. <i>NeuroImage</i> , 2013, 78, 353-362.	2.1	74
641	Continuous diffusion signal, EAP and ODF estimation via Compressive Sensing in diffusion MRI. <i>Medical Image Analysis</i> , 2013, 17, 556-572.	7.0	86
642	Diffusional kurtosis imaging of cingulate fibers in Parkinson disease: Comparison with conventional diffusion tensor imaging. <i>Magnetic Resonance Imaging</i> , 2013, 31, 1501-1506.	1.0	76
643	White matter structures associated with empathizing and systemizing in young adults. <i>NeuroImage</i> , 2013, 77, 222-236.	2.1	77
644	Anti-epileptogenesis: Electrophysiology, diffusion tensor imaging and behavior in a genetic absence model. <i>Neurobiology of Disease</i> , 2013, 60, 126-138.	2.1	49
646	Reduced white matter integrity in the cingulum and anterior corona radiata in posttraumatic stress disorder in male combat veterans: A diffusion tensor imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2013, 214, 260-268.	0.9	98
647	Testing the Hypothesis of Accelerated Cerebral White Matter Aging in Schizophrenia and Major Depression. <i>Biological Psychiatry</i> , 2013, 73, 482-491.	0.7	107
648	Permeability- $\mu$ diffusivity modeling vs. fractional anisotropy on white matter integrity assessment and application in schizophrenia. <i>NeuroImage: Clinical</i> , 2013, 3, 18-26.	1.4	22
649	Error bounds in diffusion tensor estimation using multiple-coil acquisition systems. <i>Magnetic Resonance Imaging</i> , 2013, 31, 1372-1383.	1.0	6
650	Longitudinal Changes in White Matter Integrity Among Adolescent Substance Users. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, E181-9.	1.4	136
651	Tracking cerebral white matter changes across the lifespan: insights from diffusion tensor imaging studies. <i>Journal of Neural Transmission</i> , 2013, 120, 1369-1395.	1.4	97
652	Layer-specific diffusion weighted imaging in human primary visual cortex in-vitro. <i>Cortex</i> , 2013, 49, 2569-2582.	1.1	54
653	White matter fiber tractography: why we need to move beyond DTI. <i>Journal of Neurosurgery</i> , 2013, 118, 1367-1377.	0.9	386
654	Weighted linear least squares estimation of diffusion MRI parameters: Strengths, limitations, and pitfalls. <i>NeuroImage</i> , 2013, 81, 335-346.	2.1	407
655	A computational diffusion MRI and parametric dictionary learning framework for modeling the diffusion signal and its features. <i>Medical Image Analysis</i> , 2013, 17, 830-843.	7.0	24
656	Diffusion Weighted Magnetic Resonance Imaging of the Breast. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2013, 21, 601-624.	0.6	142

#	ARTICLE	IF	CITATIONS
657	Linear transforms for Fourier data on the sphere: Application to high angular resolution diffusion MRI of the brain. <i>NeuroImage</i> , 2013, 71, 233-247.	2.1	23
658	Relationship between fractional anisotropy of cerebral white matter and metabolite concentrations measured using 1H magnetic resonance spectroscopy in healthy adults. <i>NeuroImage</i> , 2013, 66, 161-168.	2.1	34
659	A pitfall in the reconstruction of fibre ODFs using spherical deconvolution of diffusion MRI data. <i>NeuroImage</i> , 2013, 65, 433-448.	2.1	103
660	Diffusion-weighted magnetic resonance imaging detection of basal forebrain cholinergic degeneration in a mouse model. <i>NeuroImage</i> , 2013, 66, 133-141.	2.1	28
661	MRI TV-Rician Denoising. <i>Communications in Computer and Information Science</i> , 2013, , 255-268.	0.4	3
662	RAPID: A routine assurance pipeline for imaging of diffusion. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 490-496.	1.9	8
663	In vivo diffusion tensor MRI of the human heart: Reproducibility of breath-hold and navigator-based approaches. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 454-465.	1.9	145
664	Sampling great circles at their rate of innovation. , 2013, , .		1
665	DTI quality control assessment via error estimation from Monte Carlo simulations. <i>Proceedings of SPIE</i> , 2013, 8669, 1667549.	0.8	5
666	Motion Detection in Diffusion MRI via Online ODF Estimation. <i>International Journal of Biomedical Imaging</i> , 2013, 2013, 1-8.	3.0	9
667	Delay Discounting and Frontostriatal Fiber Tracts: A Combined DTI and MTR Study on Impulsive Choices in Healthy Young Adults. <i>Cerebral Cortex</i> , 2013, 23, 1695-1702.	1.6	124
668	Acquisition Guidelines and Quality Assessment Tools for Analyzing Neonatal Diffusion Tensor MRI Data. <i>American Journal of Neuroradiology</i> , 2013, 34, 1496-1505.	1.2	26
669	An exploration into diffusion tensor imaging in the bovine ocular lens. <i>Frontiers in Physiology</i> , 2013, 4, 33.	1.3	7
670	Centrum Semiovale and Corpus Callosum Integrity in Relation to Information Processing Speed in Patients With Severe Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2013, 28, 433-441.	1.0	27
671	A Better Characterization of Spinal Cord Damage in Multiple Sclerosis: A Diffusional Kurtosis Imaging Study. <i>American Journal of Neuroradiology</i> , 2013, 34, 1846-1852.	1.2	64
672	A hitchhiker's guide to diffusion tensor imaging. <i>Frontiers in Neuroscience</i> , 2013, 7, 31.	1.4	615
673	Application of Self-Organizing Artificial Neural Networks on Simulated Diffusion Tensor Images. <i>Mathematical Problems in Engineering</i> , 2013, 2013, 1-13.	0.6	2
674	Alterations in white matter microstructure in women recovered from anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2013, 46, 701-708.	2.1	50

#	ARTICLE	IF	CITATIONS
675	HiFiVE: A Hilbert Space Embedding of Fiber Variability Estimates for Uncertainty Modeling and Visualization. <i>Computer Graphics Forum</i> , 2013, 32, 121-130.	1.8	17
676	Effects of different field strengths, gradient directions, and acquisitions on fractional anisotropy in diffusion tensor imaging: A tract-based spatial statistics study. <i>Concepts in Magnetic Resonance Part B</i> , 2013, 43B, 41-48.	0.3	3
677	Determination of the appropriate $b$ value and number of gradient directions for high-angular-resolution diffusion-weighted imaging. <i>NMR in Biomedicine</i> , 2013, 26, 1775-1786.	1.6	346
678	DTI of human skeletal muscle: the effects of diffusion encoding parameters, signal-to-noise ratio and $T_2$ on tensor indices and fiber tracts. <i>NMR in Biomedicine</i> , 2013, 26, 1339-1352.	1.6	106
679	Functional and structural architecture of the human dorsal frontoparietal attention network. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 15806-15811.	3.3	160
680	Diffusion tensor imaging of white matter networks in individuals with current and remitted alcohol use disorders and comorbid conditions. <i>Psychology of Addictive Behaviors</i> , 2013, 27, 455-465.	1.4	35
681	Diffusion-sensitive magnetic resonance spectroscopy and imaging in biomedical sciences. <i>Biomedical Spectroscopy and Imaging</i> , 2013, 2, 265-287.	1.2	3
682	Model-based reconstruction of undersampled diffusion tensor k-space data. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 429-440.	1.9	40
683	Reliability of two clinically relevant fiber pathways reconstructed with constrained spherical deconvolution. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 1544-1556.	1.9	38
684	Design of multishell sampling schemes with uniform coverage in diffusion MRI. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 1534-1540.	1.9	260
685	A gestational ketogenic diet alters maternal metabolic status as well as offspring physiological growth and brain structure in the neonatal mouse. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 198.	0.9	39
686	Comprehensive framework for accurate diffusion MRI parameter estimation. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 972-984.	1.9	89
687	White Matter and Cognitive Changes in Veterans Diagnosed with Alcoholism and PTSD. <i>Journal of Alcoholism and Drug Dependence</i> , 2013, 02, 144.	0.2	16
688	Using High Angular Resolution Diffusion Imaging Data to Discriminate Cortical Regions. <i>PLoS ONE</i> , 2013, 8, e63842.	1.1	37
689	Assessment of Structural Connectivity in the Preterm Brain at Term Equivalent Age Using Diffusion MRI and T2 Relaxometry: A Network-Based Analysis. <i>PLoS ONE</i> , 2013, 8, e68593.	1.1	29
690	Diffusion Microscopist Simulator: A General Monte Carlo Simulation System for Diffusion Magnetic Resonance Imaging. <i>PLoS ONE</i> , 2013, 8, e76626.	1.1	46
691	Multi-Fiber Tractography Visualizations for Diffusion MRI Data. <i>PLoS ONE</i> , 2013, 8, e81453.	1.1	24
692	Acute nicotine administration effects on fractional anisotropy of cerebral white matter and associated attention performance. <i>Frontiers in Pharmacology</i> , 2013, 4, 117.	1.6	31

#	ARTICLE	IF	CITATIONS
693	Imaging White Matter in Human Brainstem. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 400.	1.0	36
694	Differences of inter-tract correlations between neonates and children around puberty: a study based on microstructural measurements with DTI. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 721.	1.0	24
695	A Framework for Linear and Non-Linear Registration of Diffusion-Weighted MRIs Using Angular Interpolation. <i>Frontiers in Neuroscience</i> , 2013, 7, 41.	1.4	11
696	In Situ Magnetic Resonance Imaging of Plant Roots. <i>Vadose Zone Journal</i> , 2014, 13, 1-8.	1.3	13
697	Functional and Structural Network Impairment in Childhood Frontal Lobe Epilepsy. <i>PLoS ONE</i> , 2014, 9, e90068.	1.1	49
698	Dual-Phase Cardiac Diffusion Tensor Imaging with Strain Correction. <i>PLoS ONE</i> , 2014, 9, e107159.	1.1	72
699	Microanisotropy imaging: quantification of microscopic diffusion anisotropy and orientational order parameter by diffusion MRI with magic-angle spinning of the q-vector. <i>Frontiers in Physics</i> , 2014, 2, .	1.0	163
700	Microstructure, Length, and Connection of Limbic Tracts in Normal Human Brain Development. <i>Frontiers in Aging Neuroscience</i> , 2014, 6, 228.	1.7	32
701	Delayed convergence between brain network structure and function in rolandic epilepsy. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 704.	1.0	36
702	Constrained spherical deconvolution analysis of the limbic network in human, with emphasis on a direct cerebello-limbic pathway. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 987.	1.0	53
703	DTIPrep: quality control of diffusion-weighted images. <i>Frontiers in Neuroinformatics</i> , 2014, 8, 4.	1.3	221
704	Dipy, a library for the analysis of diffusion MRI data. <i>Frontiers in Neuroinformatics</i> , 2014, 8, 8.	1.3	891
705	Isotropic non-white matter partial volume effects in constrained spherical deconvolution. <i>Frontiers in Neuroinformatics</i> , 2014, 8, 28.	1.3	51
706	The value and cost of complexity in predictive modelling: role of tissue anisotropic conductivity and fibre tracts in neuromodulation. <i>Journal of Neural Engineering</i> , 2014, 11, 036002.	1.8	52
707	Interindividual Variation in Fornix Microstructure and Macrostructure Is Related to Visual Discrimination Accuracy for Scenes But Not Faces. <i>Journal of Neuroscience</i> , 2014, 34, 12121-12126.	1.7	35
708	Cerebral Volumetric Changes Induced by Prolonged Hypoxic Exposure and Whole-Body Exercise. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 1802-1809.	2.4	21
709	Altered Interhemispheric and Temporal Lobe White Matter Microstructural Organization in Severe Chronic Schizophrenia. <i>Neuropsychopharmacology</i> , 2014, 39, 944-954.	2.8	68
710	Practical Aspects of Diffusion Tensor Imaging. , 2014, , 39-52.		0



#	ARTICLE	IF	CITATIONS
711	Investigating brain connectivity heritability in a twin study using diffusion imaging data. <i>NeuroImage</i> , 2014, 100, 628-641.	2.1	33
712	Interrogation of living myocardium in multiple static deformation states with diffusion tensor and diffusion spectrum imaging. <i>Progress in Biophysics and Molecular Biology</i> , 2014, 115, 213-225.	1.4	19
713	Gaussian Modeling of the Diffusion Signal. , 2014, , 87-104.		6
714	Corticospinal Tract Integrity and Lesion Volume Play Different Roles in Chronic Hemiparesis and Its Improvement Through Motor Practice. <i>Neurorehabilitation and Neural Repair</i> , 2014, 28, 335-343.	1.4	51
715	Information pathways in a disordered lattice. <i>Physical Review E</i> , 2014, 89, 032142.	0.8	18
716	Inter-individual differences in audio-motor learning of piano melodies and white matter fiber tract architecture. <i>Human Brain Mapping</i> , 2014, 35, 2483-2497.	1.9	43
717	White matter integrity is associated with alcohol cue reactivity in heavy drinkers. <i>Brain and Behavior</i> , 2014, 4, 158-170.	1.0	27
718	High angular resolution diffusion imaging with stimulated echoes: compensation and correction in experiment design and analysis. <i>NMR in Biomedicine</i> , 2014, 27, 918-925.	1.6	35
719	Pediatric frontal lobe epilepsy: white matter abnormalities and cognitive impairment. <i>Acta Neurologica Scandinavica</i> , 2014, 129, 252-262.	1.0	20
720	Improved B <sub>0</sub> -distortion correction in diffusion MRI using interlaced q-space sampling and constrained reconstruction. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 1218-1232.	1.9	22
721	Multi-parametric MRI characterization of inflammation in murine skeletal muscle. <i>NMR in Biomedicine</i> , 2014, 27, 716-725.	1.6	49
722	Multi-tissue constrained spherical deconvolution for improved analysis of multi-shell diffusion MRI data. <i>NeuroImage</i> , 2014, 103, 411-426.	2.1	1,063
723	White Matter Integrity in Veterans With Mild Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2014, 29, 21-32.	1.0	68
724	Breast Magnetic Resonance Imaging Performance. <i>Topics in Magnetic Resonance Imaging</i> , 2014, 23, 373-384.	0.7	9
725	Effect of head impacts on diffusivity measures in a cohort of collegiate contact sport athletes. <i>Neurology</i> , 2014, 82, 63-69.	1.5	204
726	Interpersonal Competence in Young Adulthood and Right Laterality in White Matter. <i>Journal of Cognitive Neuroscience</i> , 2014, 26, 1257-1265.	1.1	13
727	White matter integrity in alcohol-naïve youth with a family history of alcohol use disorders. <i>Psychological Medicine</i> , 2014, 44, 2775-2786.	2.7	22
728	Associative Learning and Regional White Matter Deficits in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2014, 41, 421-430.	1.2	6

#	ARTICLE	IF	CITATIONS
729	Mean diffusivity as a potential diffusion tensor biomarker of motor rehabilitation after electrical stimulation incorporating task specific exercise in stroke: a pilot study. <i>Brain Imaging and Behavior</i> , 2014, 8, 359-369.	1.1	13
730	Automated longitudinal intra-subject analysis (ALISA) for diffusion MRI tractography. <i>NeuroImage</i> , 2014, 86, 404-416.	2.1	13
731	Diffusion tensor imaging predicts functional impairment in mild-to-moderate cervical spondylotic myelopathy. <i>Spine Journal</i> , 2014, 14, 2589-2597.	0.6	67
732	Full diffusion characterization implicates regionally disparate neuropathology in Mild Cognitive Impairment. <i>Brain Structure and Function</i> , 2014, 219, 367-379.	1.2	11
733	Distance informed Track-Weighted Imaging (diTWI): A framework for sensitising streamline information to neuropathology. <i>NeuroImage</i> , 2014, 86, 60-66.	2.1	3
734	Brain networks disconnection in early multiple sclerosis cognitive deficits: An anatomofunctional study. <i>Human Brain Mapping</i> , 2014, 35, 4706-4717.	1.9	116
735	White matter damage is related to ataxia severity in SCA3. <i>Journal of Neurology</i> , 2014, 261, 291-299.	1.8	55
736	Sparse regularization for fiber ODF reconstruction: From the suboptimality of and priors to. <i>Medical Image Analysis</i> , 2014, 18, 820-833.	7.0	49
737	Why diffusion tensor MRI does well only some of the time: Variance and covariance of white matter tissue microstructure attributes in the living human brain. <i>NeuroImage</i> , 2014, 89, 35-44.	2.1	224
738	Localized diffusion magnetic resonance micro-imaging of the live mouse brain. <i>NeuroImage</i> , 2014, 91, 12-20.	2.1	37
739	White matter in the older brain is more plastic than in the younger brain. <i>Nature Communications</i> , 2014, 5, 5504.	5.8	48
740	A novel approach with "skeletonised MTR" measures tract-specific microstructural changes in early primary "progressive MS. <i>Human Brain Mapping</i> , 2014, 35, 723-733.	1.9	12
741	The vertical occipital fasciculus: A century of controversy resolved by in vivo measurements. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E5214-23.	3.3	221
742	A finite-element reciprocity solution for EEG forward modeling with realistic individual head models. <i>NeuroImage</i> , 2014, 103, 542-551.	2.1	30
743	Neurocognitive Outcome and White Matter Anisotropy in Childhood Acute Lymphoblastic Leukemia Survivors Treated with Different Protocols. <i>Pediatric Hematology and Oncology</i> , 2014, 31, 194-204.	0.3	29
744	A Bayesian approach to the creation of a study-customized neonatal brain atlas. <i>NeuroImage</i> , 2014, 101, 256-267.	2.1	11
745	A computational pipeline for quantification of mouse myocardial stiffness parameters. <i>Computers in Biology and Medicine</i> , 2014, 53, 65-75.	3.9	13
746	Distributing points uniformly on the unit sphere under a mirror reflection symmetry constraint. <i>Journal of Computational Science</i> , 2014, 5, 696-700.	1.5	6

#	ARTICLE	IF	CITATIONS
747	Correction strategy for diffusion-weighted images corrupted with motion: application to the DTI evaluation of infants' white matter. <i>Magnetic Resonance Imaging</i> , 2014, 32, 981-992.	1.0	34
748	Histological correlation of diffusional kurtosis and white matter modeling metrics in cuprizone-induced corpus callosum demyelination. <i>NMR in Biomedicine</i> , 2014, 27, 948-957.	1.6	80
749	The role of diffusion tensor imaging in brain tumor surgery: A review of the literature. <i>Clinical Neurology and Neurosurgery</i> , 2014, 124, 51-58.	0.6	86
750	White Matter Microstructure Predicts Autistic Traits in Attention-Deficit/Hyperactivity Disorder. <i>Journal of Autism and Developmental Disorders</i> , 2014, 44, 2742-2754.	1.7	14
751	Diffusion Tensor MRI of the Heart – In Vivo Imaging of Myocardial Fiber Architecture. <i>Current Cardiovascular Imaging Reports</i> , 2014, 7, 1.	0.4	19
752	Mapping track density changes in nigrostriatal and extranigral pathways in Parkinson's disease. <i>NeuroImage</i> , 2014, 99, 498-508.	2.1	58
753	Mapping somatosensory connectivity in adult mice using diffusion MRI tractography and super-resolution track density imaging. <i>NeuroImage</i> , 2014, 102, 381-392.	2.1	15
754	Alterations of hippocampal projections in adult macaques with neonatal hippocampal lesions: A Diffusion Tensor Imaging study. <i>NeuroImage</i> , 2014, 102, 828-837.	2.1	19
755	Lifespan maturation and degeneration of human brain white matter. <i>Nature Communications</i> , 2014, 5, 4932.	5.8	335
756	Voxel-based clustered imaging by multiparameter diffusion tensor images for glioma grading. <i>NeuroImage: Clinical</i> , 2014, 5, 396-407.	1.4	45
757	Evaluation and statistical inference for human connectomes. <i>Nature Methods</i> , 2014, 11, 1058-1063.	9.0	225
758	Bidirectional iterative parcellation of diffusion weighted imaging data: Separating cortical regions connected by the arcuate fasciculus and extreme capsule. <i>NeuroImage</i> , 2014, 102, 704-716.	2.1	6
759	Efficient and precise calculation of the b-matrix elements in diffusion-weighted imaging pulse sequences. <i>Journal of Magnetic Resonance</i> , 2014, 243, 65-73.	1.2	4
760	The effects of noise over the complete space of diffusion tensor shape. <i>Medical Image Analysis</i> , 2014, 18, 197-210.	7.0	13
761	Recursive calibration of the fiber response function for spherical deconvolution of diffusion MRI data. <i>NeuroImage</i> , 2014, 86, 67-80.	2.1	163
762	Study of the Reduced Field-of-View Diffusion-Weighted Imaging of the Breast. <i>Clinical Breast Cancer</i> , 2014, 14, 265-271.	1.1	39
763	The current state-of-the-art of spinal cord imaging: Methods. <i>NeuroImage</i> , 2014, 84, 1070-1081.	2.1	256
764	Track Orientation Density Imaging (TODI) and Track Orientation Distribution (TOD) based tractography. <i>NeuroImage</i> , 2014, 94, 312-336.	2.1	37

#	ARTICLE	IF	CITATIONS
765	Assessment of the structural brain network reveals altered connectivity in children with unilateral cerebral palsy due to periventricular white matter lesions. <i>NeuroImage: Clinical</i> , 2014, 5, 84-92.	1.4	65
766	Multimodal white matter imaging to investigate reduced fractional anisotropy and its age-related decline in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2014, 223, 148-156.	0.9	37
767	Automated correction of improperly rotated diffusion gradient orientations in diffusion weighted MRI. <i>Medical Image Analysis</i> , 2014, 18, 953-962.	7.0	29
768	Serum cholesterol and variant in cholesterol-related gene CETP predict white matter microstructure. <i>Neurobiology of Aging</i> , 2014, 35, 2504-2513.	1.5	26
769	Structural network underlying visuospatial imagery in humans. <i>Cortex</i> , 2014, 56, 85-98.	1.1	53
770	Orthogonalizing crusher and diffusion encoding gradients to suppress undesired echo pathways in the twice refocused spin echo diffusion sequence. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 506-515.	1.9	4
771	Assessment of whole brain white matter integrity in youths and young adults with a family history of substance use disorders. <i>Human Brain Mapping</i> , 2014, 35, 5401-5413.	1.9	39
772	Pseudometrically constrained centroidal voronoi tessellations: Generating uniform antipodally symmetric points on the unit sphere with a novel acceleration strategy and its applications to diffusion and three-dimensional radial MRI. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 723-734.	1.9	4
773	The Effect of Respiratory and Cardiac Motion in Liver Diffusion Tensor Imaging (DTI). <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 352-359.	0.5	9
774	The Comprehensive Neuro-Oncology Data Repository (CONDR). <i>Neurosurgery</i> , 2014, 74, 88-98.	0.6	8
775	Combining diffusion tensor imaging and magnetic resonance spectroscopy to study reduced frontal white matter integrity in youths with family histories of substance use disorders. <i>Human Brain Mapping</i> , 2014, 35, 5877-5887.	1.9	26
776	Improved precision in CHARMED assessment of white matter through sampling scheme optimization and model parsimony testing. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 661-671.	1.9	49
777	An optimal dimensionality sampling scheme on the sphere for antipodal signals in diffusion magnetic resonance imaging. , 2015, , .		5
778	Determinant of the information matrix: A new rotation invariant optimality metric to design gradient encoding schemes. , 2015, , .		2
779	Striatal activity and reduced white matter increase frontal activity in youths with family histories of alcohol and other substance use disorders performing a go/no-go task. <i>Brain and Behavior</i> , 2015, 5, e00352.	1.0	6
780	White matter structures associated with loneliness in young adults. <i>Scientific Reports</i> , 2015, 5, 17001.	1.6	61
781	NMR diffusion-encoding with axial symmetry and variable anisotropy: Distinguishing between prolate and oblate microscopic diffusion tensors with unknown orientation distribution. <i>Journal of Chemical Physics</i> , 2015, 142, 104201.	1.2	70
782	Free water elimination diffusion tractography: A comparison with conventional and fluid attenuated inversion recovery, diffusion tensor imaging acquisitions. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1572-1581.	1.9	23

#	ARTICLE	IF	CITATIONS
783	Slab profile encoding (PEN) for minimizing slab boundary artifact in three-dimensional diffusion-weighted multislab acquisition. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 605-613.	1.9	33
784	Toward tract-specific fractional anisotropy (TSFA) at crossing-fiber regions with clinical diffusion MRI. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 1768-1779.	1.9	18
785	Acquisition strategy to reduce cerebrospinal fluid partial volume effects for improved DTI tractography. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1075-1084.	1.9	22
786	Optimization of white matter fiber tractography with diffusional kurtosis imaging. <i>NMR in Biomedicine</i> , 2015, 28, 1245-1256.	1.6	29
787	Cortisol Reactivity to Stress and Its Association With White Matter Integrity in Adults With Schizophrenia. <i>Psychosomatic Medicine</i> , 2015, 77, 733-742.	1.3	28
788	Test-retest reliability of diffusion measures in cerebral white matter: A multiband diffusion MRI study. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1106-1116.	1.9	30
789	Diffusion Tensor Imaging of TBI. <i>Topics in Magnetic Resonance Imaging</i> , 2015, 24, 241-251.	0.7	58
790	Diffusion weighted imaging with circularly polarized oscillating gradients. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1171-1176.	1.9	29
791	Iterative reweighted linear least squares for accurate, fast, and robust estimation of diffusion magnetic resonance parameters. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 2174-2184.	1.9	48
792	Brain tissue compartment density estimated using diffusion-weighted MRI yields tissue parameters consistent with histology. <i>Human Brain Mapping</i> , 2015, 36, 3687-3702.	1.9	113
793	Optimal diffusion weighting for in vivo cardiac diffusion tensor imaging. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 420-430.	1.9	45
794	The Structural Properties of Major White Matter Tracts in Strabismic Amblyopia. , 2015, 56, 5152.		63
795	Cerebral Involvement in Stargardt's Disease: A VBM and TBSS Study. , 2015, 56, 7388.		16
796	Synchronous Changes of Cortical Thickness and Corresponding White Matter Microstructure During Brain Development Accessed by Diffusion MRI Tractography from Parcellated Cortex. <i>Frontiers in Neuroanatomy</i> , 2015, 9, 158.	0.9	29
797	Probabilistic atlases of default mode, executive control and salience network white matter tracts: an fMRI-guided diffusion tensor imaging and tractography study. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 585.	1.0	35
798	Structural and Functional Brain Remodeling during Pregnancy with Diffusion Tensor MRI and Resting-State Functional MRI. <i>PLoS ONE</i> , 2015, 10, e0144328.	1.1	22
799	A Segregated Neural Pathway for Prefrontal Top-Down Control of Tactile Discrimination. <i>Cerebral Cortex</i> , 2015, 25, 161-166.	1.6	12
800	Comparison of sampling strategies and sparsifying transforms to improve compressed sensing diffusion spectrum imaging. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 401-416.	1.9	50

#	ARTICLE	IF	CITATIONS
801	Morphological covariance in anatomical MRI scans can identify discrete neural pathways in the brain and their disturbances in persons with neuropsychiatric disorders. <i>NeuroImage</i> , 2015, 111, 215-227.	2.1	3
802	lop-DWI: A Novel Scheme for Pre-Processing of Diffusion-Weighted Images in the Gradient Direction Domain. <i>Frontiers in Neurology</i> , 2014, 5, 290.	1.1	6
803	Structural development of human brain white matter from mid-fetal to perinatal stage. <i>Proceedings of SPIE</i> , 2015, 9417, .	0.8	1
804	Longitudinal changes in white matter microstructure after heavy cannabis use. <i>Developmental Cognitive Neuroscience</i> , 2015, 16, 23-35.	1.9	70
805	Higher-Order Motion-Compensation for In Vivo Cardiac Diffusion Tensor Imaging in Rats. <i>IEEE Transactions on Medical Imaging</i> , 2015, 34, 1843-1853.	5.4	59
806	The Rotterdam Scan Study: design update 2016 and main findings. <i>European Journal of Epidemiology</i> , 2015, 30, 1299-1315.	2.5	182
807	Scan time reduction for readoutâ€segmented EPI using simultaneous multislice acceleration: Diffusionâ€weighted imaging at 3 and 7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 136-149.	1.9	70
808	Does diffusion MRI tell us anything about the white matter? An overview of methods and pitfalls. <i>Schizophrenia Research</i> , 2015, 161, 133-141.	1.1	86
809	Diffusion tensor imaging of the auditory nerve in patients with long-term single-sided deafness. <i>Hearing Research</i> , 2015, 323, 1-8.	0.9	24
810	Improving the accuracy of PGSE DTI experiments using the spatial distribution of b matrix. <i>Magnetic Resonance Imaging</i> , 2015, 33, 286-295.	1.0	31
811	Comparison of quality control software tools for diffusion tensor imaging. <i>Magnetic Resonance Imaging</i> , 2015, 33, 276-285.	1.0	38
812	Effects of rejecting diffusion directions on tensor-derived parameters. <i>NeuroImage</i> , 2015, 109, 160-170.	2.1	34
813	Precisionâ€guided sampling schedules for efficient T1â€mapping. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 242-250.	1.9	19
814	Analysis of the contribution of experimental bias, experimental noise, and inter-subject biological variability on the assessment of developmental trajectories in diffusion MRI studies of the brain. <i>NeuroImage</i> , 2015, 109, 480-492.	2.1	16
815	3D structure tensor analysis of light microscopy data for validating diffusion MRI. <i>NeuroImage</i> , 2015, 111, 192-203.	2.1	73
816	Cholinergic Basal Forebrain Structure Influences the Reconfiguration of White Matter Connections to Support Residual Memory in Mild Cognitive Impairment. <i>Journal of Neuroscience</i> , 2015, 35, 739-747.	1.7	45
817	The Evolution of Collagen Fiber Orientation in Engineered Cardiovascular Tissues Visualized by Diffusion Tensor Imaging. <i>PLoS ONE</i> , 2015, 10, e0127847.	1.1	33
818	Diffusion tensor imaging reveals no white matter impairments among adults with autism spectrum disorder. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 64-72.	0.9	31

#	ARTICLE	IF	CITATIONS
819	DR-BUDDI (Diffeomorphic Registration for Blip-Up blip-Down Diffusion Imaging) method for correcting echo planar imaging distortions. <i>NeuroImage</i> , 2015, 106, 284-299.	2.1	144
820	Exploring the 3D geometry of the diffusion kurtosis tensor—Impact on the development of robust tractography procedures and novel biomarkers. <i>NeuroImage</i> , 2015, 111, 85-99.	2.1	45
821	High-field magnetic resonance imaging of the human temporal lobe. <i>NeuroImage: Clinical</i> , 2015, 9, 58-68.	1.4	19
822	Hedonic tone is associated with left supero-lateral medial forebrain bundle microstructure. <i>Psychological Medicine</i> , 2015, 45, 865-874.	2.7	33
823	Shared genetic variance between obesity and white matter integrity in Mexican Americans. <i>Frontiers in Genetics</i> , 2015, 6, 26.	1.1	17
824	Connectivity-based fixel enhancement: Whole-brain statistical analysis of diffusion MRI measures in the presence of crossing fibres. <i>NeuroImage</i> , 2015, 117, 40-55.	2.1	276
825	Optimized magnetic resonance diffusion protocol for ex-vivo whole human brain imaging with a clinical scanner. <i>Proceedings of SPIE</i> , 2015, , .	0.8	1
826	Military blast exposure, ageing and white matter integrity. <i>Brain</i> , 2015, 138, 2278-2292.	3.7	73
827	Structured sparsity for spatially coherent fibre orientation estimation in diffusion MRI. <i>NeuroImage</i> , 2015, 115, 245-255.	2.1	26
828	Diffusion Tensor Imaging. , 2015, , 245-251.		9
829	Structural connectivity of neural reward networks in youth at risk for substance use disorders. <i>Psychopharmacology</i> , 2015, 232, 2217-2226.	1.5	15
830	Impact of Measurement Parameters on Apparent Diffusion Coefficient Quantification in Diffusion-Weighted-Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2015, 50, 46-56.	3.5	36
831	ADHD severity is associated with white matter microstructure in the subgenual cingulum. <i>NeuroImage: Clinical</i> , 2015, 7, 653-660.	1.4	27
832	Icosahedral gradient encoding scheme for an arbitrary number of measurements. , 2015, , .		3
833	Macro- and Microstructural Changes in Patients with Spinocerebellar Ataxia Type 6: Assessment of Phylogenetic Subdivisions of the Cerebellum and the Brain Stem. <i>American Journal of Neuroradiology</i> , 2015, 36, 84-90.	1.2	6
834	Brainstem white matter integrity is related to loss of consciousness and postconcussive symptomatology in veterans with chronic mild to moderate traumatic brain injury. <i>Brain Imaging and Behavior</i> , 2015, 9, 500-512.	1.1	45
835	The effect of Gibbs ringing artifacts on measures derived from diffusion MRI. <i>NeuroImage</i> , 2015, 120, 441-455.	2.1	94
836	A model-based reconstruction for undersampled radial spin-echo DTI with variational penalties on the diffusion tensor. <i>NMR in Biomedicine</i> , 2015, 28, 353-366.	1.6	39

#	ARTICLE	IF	CITATIONS
837	Corticopontocerebellar Connectivity Disruption in Congenital Hemiplegia. <i>Neurorehabilitation and Neural Repair</i> , 2015, 29, 858-866.	1.4	13
838	Strengths and weaknesses of state of the art fiber tractography pipelines – A comprehensive in-vivo and phantom evaluation study using Tractometer. <i>Medical Image Analysis</i> , 2015, 26, 287-305.	7.0	63
839	Diffusion tensor imaging parameters’ changes of cerebellar hemispheres in Parkinson’s disease. <i>Neuroradiology</i> , 2015, 57, 327-334.	1.1	30
840	Development of Human Brain Structural Networks Through Infancy and Childhood. <i>Cerebral Cortex</i> , 2015, 25, 1389-1404.	1.6	165
841	Short fused? associations between white matter connections, sex steroids, and aggression across adolescence. <i>Human Brain Mapping</i> , 2015, 36, 1043-1052.	1.9	56
842	Probing region-specific microstructure of human cortical areas using high angular and spatial resolution diffusion MRI. <i>NeuroImage</i> , 2015, 105, 198-207.	2.1	73
843	Cortical and Subcortical Connections of the Human Claustrum Revealed In Vivo by Constrained Spherical Deconvolution Tractography. <i>Cerebral Cortex</i> , 2015, 25, 406-414.	1.6	88
844	Comparison of twice refocused spin echo versus stimulated echo diffusion tensor imaging for tracking muscle fibers. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 624-632.	1.9	25
845	Quantification of microscopic diffusion anisotropy disentangles effects of orientation dispersion from microstructure: Applications in healthy volunteers and in brain tumors. <i>NeuroImage</i> , 2015, 104, 241-252.	2.1	216
846	REKINDLE: Robust extraction of kurtosis INDices with linear estimation. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 794-808.	1.9	139
847	Basal ganglia network by constrained spherical deconvolution: A possible cortico-pallidal pathway?. <i>Movement Disorders</i> , 2015, 30, 342-349.	2.2	67
848	Global Efficiency of Structural Networks Mediates Cognitive Control in Mild Cognitive Impairment. <i>Frontiers in Aging Neuroscience</i> , 2016, 08, 292.	1.7	51
849	Extensive Direct Subcortical Cerebellum-Basal Ganglia Connections in Human Brain as Revealed by Constrained Spherical Deconvolution Tractography. <i>Frontiers in Neuroanatomy</i> , 2016, 10, 29.	0.9	90
850	Feasibility of Diffusion Tractography for the Reconstruction of Intra-Thalamic and Cerebello-Thalamic Targets for Functional Neurosurgery: A Multi-Vendor Pilot Study in Four Subjects. <i>Frontiers in Neuroanatomy</i> , 2016, 10, 76.	0.9	25
851	Small Worldness in Dense and Weighted Connectomes. <i>Frontiers in Physics</i> , 2016, 4, .	1.0	10
852	The Diameters of Cortical Axons and Their Relevance to Neural Computing. , 2016, , 317-335.		7
853	Optimization of Scan Parameters to Reduce Acquisition Time for Diffusion Kurtosis Imaging at 1.5T. <i>Magnetic Resonance in Medical Sciences</i> , 2016, 15, 41-48.	1.1	23
854	Quantifying the impact of underlying measurement error on cervical spinal cord diffusion tensor imaging at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 1608-1618.	1.9	11



#	ARTICLE	IF	CITATIONS
855	The effects of noise in cardiac diffusion tensor imaging and the benefits of averaging complex data. NMR in Biomedicine, 2016, 29, 588-599.	1.6	32
856	Heritability of complex white matter diffusion traits assessed in a population isolate. Human Brain Mapping, 2016, 37, 525-535.	1.9	19
857	White Matter Microstructural Compromise Is Associated With Cognition But Not Posttraumatic Stress Disorder Symptoms in Military Veterans With Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2016, 31, 297-308.	1.0	22
858	Q-space truncation and sampling in diffusion spectrum imaging. Magnetic Resonance in Medicine, 2016, 76, 1750-1763.	1.9	13
859	Function-structure connectivity in patients with severe brain injury as measured by MRI-DWI and FDG-PET. Human Brain Mapping, 2016, 37, 3707-3720.	1.9	44
860	Structural brain MRI studies in eye diseases: are they clinically relevant? A review of current findings. Acta Ophthalmologica, 2016, 94, 113-121.	0.6	55
861	Distribution-aware estimation of the minimum achievable uncertainty in diffusion-tensor imaging (DTI). , 2016, 2016, 5541-5544.		0
862	Extent of altered white matter in unilateral and bilateral periventricular white matter lesions in children with unilateral cerebral palsy. Research in Developmental Disabilities, 2016, 55, 368-376.	1.2	12
863	Myelination of the right parahippocampal cingulum is associated with physical activity in young healthy adults. Brain Structure and Function, 2016, 221, 4537-4548.	1.2	28
864	Dynamics of the Human Structural Connectome Underlying Working Memory Training. Journal of Neuroscience, 2016, 36, 4056-4066.	1.7	82
865	Global and regional cortical connectivity maturation index (CCMI) of developmental human brain with quantification of short-range association tracts. , 2016, 9788, .		7
866	Subgenual Cingulum Microstructure Supports Control of Emotional Conflict. Cerebral Cortex, 2016, 26, 2850-2862.	1.6	24
867	Computational Diffusion MRI. Mathematics and Visualization, 2016, , .	0.4	2
868	Relationship Between Cortical Gyrfication, White Matter Connectivity, and Autism Spectrum Disorder. Cerebral Cortex, 2016, 26, 3297-3309.	1.6	75
869	Red nucleus connectivity as revealed by constrained spherical deconvolution tractography. Neuroscience Letters, 2016, 626, 68-73.	1.0	36
870	Slow gait, white matter characteristics, and prior 10-year interleukin-6 levels in older adults. Neurology, 2016, 87, 1993-1999.	1.5	16
871	Cervical Spinal Cord DTI Is Improved by Reduced FOV with Specific Balance between the Number of Diffusion Gradient Directions and Averages. American Journal of Neuroradiology, 2016, 37, 2163-2170.	1.2	7
872	Multi-compartment microscopic diffusion imaging. NeuroImage, 2016, 139, 346-359.	2.1	280

#	ARTICLE	IF	CITATIONS
873	The link between diffusion MRI and tumor heterogeneity: Mapping cell eccentricity and density by diffusional variance decomposition (DIVIDE). <i>NeuroImage</i> , 2016, 142, 522-532.	2.1	141
874	T2-adjusted computed diffusion-weighted imaging: A novel method to enhance tumour visualisation. <i>Computers in Biology and Medicine</i> , 2016, 79, 92-98.	3.9	9
875	Reducing CSF Partial Volume Effects to Enhance Diffusion Tensor Imaging Metrics of Brain Microstructure. <i>Technology and Innovation</i> , 2016, 18, 5-20.	0.2	24
876	Towards higher sensitivity and stability of axon diameter estimation with diffusion-weighted MRI. <i>NMR in Biomedicine</i> , 2016, 29, 293-308.	1.6	70
877	Optimal DSI reconstruction parameter recommendations: Better ODFs and better connectivity. <i>NeuroImage</i> , 2016, 142, 1-13.	2.1	15
878	Denoising of diffusion MRI using random matrix theory. <i>NeuroImage</i> , 2016, 142, 394-406.	2.1	1,208
879	Identification of the stria medullaris thalami using diffusion tensor imaging. <i>NeuroImage: Clinical</i> , 2016, 12, 852-857.	1.4	11
881	Incorporating outlier detection and replacement into a non-parametric framework for movement and distortion correction of diffusion MR images. <i>NeuroImage</i> , 2016, 141, 556-572.	2.1	559
882	Studying Dynamic Myofiber Aggregate Reorientation in Dilated Cardiomyopathy Using In Vivo Magnetic Resonance Diffusion Tensor Imaging. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, .	1.3	58
883	Diffusion-weighted imaging uncovers likely sources of processing-speed deficits in schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13504-13509.	3.3	43
884	Optimal Gradient Encoding Schemes for Diffusion Tensor and Kurtosis Imaging. <i>IEEE Transactions on Computational Imaging</i> , 2016, 2, 375-391.	2.6	0
885	Longitudinal in vivo MRI in a Huntington's disease mouse model: Global atrophy in the absence of white matter microstructural damage. <i>Scientific Reports</i> , 2016, 6, 32423.	1.6	26
886	Second-order motion-compensated spin echo diffusion tensor imaging of the human heart. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1669-1676.	1.9	90
887	Heritability and genetic correlation between the cerebral cortex and associated white matter connections. <i>Human Brain Mapping</i> , 2016, 37, 2331-2347.	1.9	14
888	Increased fractional anisotropy in the motor tracts of Parkinson's disease suggests compensatory neuroplasticity or selective neurodegeneration. <i>European Radiology</i> , 2016, 26, 3327-3335.	2.3	94
889	Including diffusion time dependence in the extra-axonal space improves in vivo estimates of axonal diameter and density in human white matter. <i>NeuroImage</i> , 2016, 130, 91-103.	2.1	92
890	Early life trauma is associated with altered white matter integrity and affective control. <i>Journal of Psychiatric Research</i> , 2016, 79, 70-77.	1.5	16
891	Multi-site study of diffusion metric variability: characterizing the effects of site, vendor, field strength, and echo time using the histogram distance. , 2016, 9788, .		18

#	ARTICLE	IF	CITATIONS
892	Can diffusion tensor anisotropy indices assist in breast cancer detection?. Journal of Magnetic Resonance Imaging, 2016, 44, 1624-1632.	1.9	39
893	White Matter Associations With Performance Validity Testing in Veterans With Mild Traumatic Brain Injury: The Utility of Biomarkers in Complicated Assessment. Journal of Head Trauma Rehabilitation, 2016, 31, 346-359.	1.0	11
894	Conduct disorder in females is associated with reduced corpus callosum structural integrity independent of comorbid disorders and exposure to maltreatment. Translational Psychiatry, 2016, 6, e714-e714.	2.4	26
895	An Optimal Dimensionality Sampling Scheme on the Sphere with Accurate and Efficient Spherical Harmonic Transform for Diffusion MRI. IEEE Signal Processing Letters, 2016, 23, 15-19.	2.1	19
896	Neuroimaging of a minipig model of Huntington's disease: Feasibility of volumetric, diffusion-weighted and spectroscopic assessments. Journal of Neuroscience Methods, 2016, 265, 46-55.	1.3	18
897	Dietary Docosahexaenoic Acid Improves Cognitive Function, Tissue Sparing, and Magnetic Resonance Imaging Indices of Edema and White Matter Injury in the Immature Rat after Traumatic Brain Injury. Journal of Neurotrauma, 2016, 33, 390-402.	1.7	37
898	Trade-off between angular and spatial resolutions in in vivo fiber tractography. NeuroImage, 2016, 129, 117-132.	2.1	27
899	Greedy algorithms for nonnegativity-constrained simultaneous sparse recovery. Signal Processing, 2016, 125, 274-289.	2.1	18
900	The Role of DTI in Multiple Sclerosis and Other Demyelinating Conditions. , 2016, , 331-341.		2
901	Comparison of 3D orientation distribution functions measured with confocal microscopy and diffusion MRI. NeuroImage, 2016, 129, 185-197.	2.1	85
902	The status of the precommissural and postcommissural fornix in normal ageing and mild cognitive impairment: An MRI tractography study. NeuroImage, 2016, 130, 35-47.	2.1	38
903	Statistical machine learning to identify traumatic brain injury (TBI) from structural disconnections of white matter networks. NeuroImage, 2016, 129, 247-259.	2.1	56
904	Prenatal $\beta$ -catenin/Brn2/Tbr2 transcriptional cascade regulates adult social and stereotypic behaviors. Molecular Psychiatry, 2016, 21, 1417-1433.	4.1	62
905	Realistic simulation of artefacts in diffusion MRI for validating post-processing correction techniques. NeuroImage, 2016, 125, 1079-1094.	2.1	94
906	Multi-oriented windowed harmonic phase reconstruction for robust cardiac strain imaging. Medical Image Analysis, 2016, 29, 1-11.	7.0	2
907	Tract Orientation and Angular Dispersion Deviation Indicator (TOADDI): A framework for single-subject analysis in diffusion tensor imaging. NeuroImage, 2016, 126, 151-163.	2.1	3
908	High Angular Resolution Diffusion Imaging. , 2016, , 383-406.		5
909	Microstructural Changes in Absence Seizure Children: A Diffusion Tensor Magnetic Resonance Imaging Study. Pediatrics and Neonatology, 2016, 57, 318-325.	0.3	9

#	ARTICLE	IF	CITATIONS
910	Probabilistic maps of the white matter tracts with known associated functions on the neonatal brain atlas: Application to evaluate longitudinal developmental trajectories in term-born and preterm-born infants. <i>NeuroImage</i> , 2016, 128, 167-179.	2.1	50
911	An integrated approach to correction for off-resonance effects and subject movement in diffusion MR imaging. <i>NeuroImage</i> , 2016, 125, 1063-1078.	2.1	2,562
912	A majority rule approach for region-of-interest-guided streamline fiber tractography. <i>Brain Imaging and Behavior</i> , 2016, 10, 1137-1147.	1.1	20
913	Clinical feasibility of using mean apparent propagator (MAP) MRI to characterize brain tissue microstructure. <i>NeuroImage</i> , 2016, 127, 422-434.	2.1	101
914	White Matter Microstructure and Cognitive Function in Young Women With Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 314-323.	1.8	40
915	Robust MR-based approaches to quantifying white matter structure and structure/function alterations in Huntington's disease. <i>Journal of Neuroscience Methods</i> , 2016, 265, 2-12.	1.3	17
916	Structural Development of Human Fetal and Preterm Brain Cortical Plate Based on Population-Averaged Templates. <i>Cerebral Cortex</i> , 2016, 26, 4381-4391.	1.6	58
917	In vivo mapping of macroscopic neuronal projections in the mouse hippocampus using high-resolution diffusion MRI. <i>NeuroImage</i> , 2016, 125, 84-93.	2.1	41
918	The common genetic influence over processing speed and white matter microstructure: Evidence from the Old Order Amish and Human Connectome Projects. <i>NeuroImage</i> , 2016, 125, 189-197.	2.1	29
919	Evaluation of diffusion kurtosis imaging in ex vivo hypomyelinated mouse brains. <i>NeuroImage</i> , 2016, 124, 612-626.	2.1	71
920	MGHâ€“USC Human Connectome Project datasets with ultra-high b-value diffusion MRI. <i>NeuroImage</i> , 2016, 124, 1108-1114.	2.1	209
921	Morphological maturation of the mouse brain: An in vivo MRI and histology investigation. <i>NeuroImage</i> , 2016, 125, 144-152.	2.1	120
922	Resolving relaxometry and diffusion properties within the same voxel in the presence of crossing fibres by combining inversion recovery and diffusionâ€“weighted acquisitions. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 372-380.	1.9	55
923	Analysis of correlation between white matter changes and functional responses in thalamic stroke: a DTI & EEG study. <i>Brain Imaging and Behavior</i> , 2016, 10, 424-436.	1.1	13
924	Diffusion tensor imaging in abdominal organs. <i>NMR in Biomedicine</i> , 2017, 30, e3434.	1.6	16
925	A prospective microstructure imaging study in mixed-martial artists using geometric measures and diffusion tensor imaging: methods and findings. <i>Brain Imaging and Behavior</i> , 2017, 11, 698-711.	1.1	33
926	Concurrent <scp>3D</scp> acquisition of diffusion tensor imaging and magnetic resonance elastography displacement data (<scp>DTIâ€“MRE</scp>): Theory and in vivo application. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 273-284.	1.9	21
927	Skeletal muscle diffusion tensorâ€“MRI fiber tracking: rationale, data acquisition and analysis methods, applications and future directions. <i>NMR in Biomedicine</i> , 2017, 30, e3563.	1.6	68

#	ARTICLE	IF	CITATIONS
928	â€œMASSIVEâ€•brain dataset: Multiple acquisitions for standardization of structural imaging validation and evaluation. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1797-1809.	1.9	65
929	Robust diffusion tensor imaging by spatiotemporal encoding: Principles and in vivo demonstrations. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1124-1133.	1.9	25
930	Tracking Dynamic Interactions Between Structural and Functional Connectivity: A TMS/EEG-dMRI Study. <i>Brain Connectivity</i> , 2017, 7, 84-97.	0.8	23
931	Prospective motion correction in diffusion-weighted imaging using intermediate pseudo-trace-weighted images. <i>NeuroImage</i> , 2017, 149, 1-14.	2.1	5
932	Dynamic association between perfusion and white matter integrity across time since injury in Veterans with history of TBI. <i>NeuroImage: Clinical</i> , 2017, 14, 308-315.	1.4	31
933	Topographic separation of fornical fibers associated with the anterior and posterior hippocampus in the human brain: An <sc>MRI</sc>â€•diffusion study. <i>Brain and Behavior</i> , 2017, 7, e00604.	1.0	17
934	Multiâ€•component diffusion characterization of radiationâ€•induced white matter damage. <i>Medical Physics</i> , 2017, 44, 1747-1754.	1.6	9
935	Axonal disruption in white matter underlying cortical sulcus tau pathology in chronic traumatic encephalopathy. <i>Acta Neuropathologica</i> , 2017, 133, 367-380.	3.9	62
936	Reproducibility of tractâ€•based white matter microstructural measures using the <sc>ENIGMA</sc>â€•<sc>DTI</sc> protocol. <i>Brain and Behavior</i> , 2017, 7, e00615.	1.0	43
937	A multicomponent approach to nonrigid registration of diffusion tensor images. <i>Applied Intelligence</i> , 2017, 46, 241-253.	3.3	8
938	A timeâ€•efficient acquisition protocol for multipurpose diffusionâ€•weighted microstructural imaging at 7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 2170-2184.	1.9	18
939	Complement C5aR1 Signaling Promotes Polarization and Proliferation of Embryonic Neural Progenitor Cells through PKCÎ¶. <i>Journal of Neuroscience</i> , 2017, 37, 5395-5407.	1.7	63
940	Population-averaged macaque brain atlas with high-resolution ex vivo DTI integrated into in vivo space. <i>Brain Structure and Function</i> , 2017, 222, 4131-4147.	1.2	36
941	Fast and Accurate Estimation of the HARDI Signal in Diffusion MRI Using a Nearest-Neighbor Interpolation Approach. <i>Irbm</i> , 2017, 38, 156-166.	3.7	4
942	Dynamics of White Matter Plasticity Underlying Working Memory Training: Multimodal Evidence from Diffusion MRI and Relaxometry. <i>Journal of Cognitive Neuroscience</i> , 2017, 29, 1509-1520.	1.1	61
943	Towards a comprehensive framework for movement and distortion correction of diffusion MR images: Within volume movement. <i>NeuroImage</i> , 2017, 152, 450-466.	2.1	278
944	Maximum likelihood estimation of cardiac fiber bundle orientation from arbitrarily spaced diffusion weighted images. <i>Medical Image Analysis</i> , 2017, 39, 56-77.	7.0	9
945	Quantitative validation of a nonlinear histology-MRI coregistration method using generalized Q-sampling imaging in complex human cortical white matter. <i>NeuroImage</i> , 2017, 153, 152-167.	2.1	31

#	ARTICLE	IF	CITATIONS
946	Joint eigenvector estimation from mutually anisotropic tensors improves susceptibility tensor imaging of the brain, kidney, and heart. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 2331-2346.	1.9	13
947	Quantitative Comparison of Spherical Deconvolution Approaches to Resolve Complex Fiber Configurations in Diffusion MRI: ISRA-Based vs L2L0 Sparse Methods. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 2847-2857.	2.5	2
948	Heterogeneous increases of regional cerebral blood flow during preterm brain development: Preliminary assessment with pseudo-continuous arterial spin labeled perfusion MRI. <i>NeuroImage</i> , 2017, 147, 233-242.	2.1	47
949	A novel measure of reliability in Diffusion Tensor Imaging after data rejections due to subject motion. <i>NeuroImage</i> , 2017, 147, 57-65.	2.1	11
950	Comparative analysis of isotropic diffusion weighted imaging sequences. <i>Journal of Magnetic Resonance</i> , 2017, 275, 137-147.	1.2	16
951	Motion correction for diffusion weighted SMS imaging. <i>Magnetic Resonance Imaging</i> , 2017, 38, 33-38.	1.0	5
952	High angular resolution diffusion-weighted imaging in mild traumatic brain injury. <i>NeuroImage: Clinical</i> , 2017, 13, 174-180.	1.4	22
953	Age-Related Changes in Topological Degradation of White Matter Networks and Gene Expression in Chronic Schizophrenia. <i>Brain Connectivity</i> , 2017, 7, 574-589.	0.8	8
954	DWI in the Assessment of Breast Lesions. <i>Topics in Magnetic Resonance Imaging</i> , 2017, 26, 201-209.	0.7	29
955	Multidimensional encoding of brain connectomes. <i>Scientific Reports</i> , 2017, 7, 11491.	1.6	33
956	Early detection of neonatal hypoxic-ischemic white matter injury. <i>NeuroReport</i> , 2017, 28, 845-855.	0.6	11
957	Effects of B Value on Quantification of Rapid Diffusion Kurtosis Imaging in Normal and Acute Ischemic Brain Tissues. <i>Journal of Computer Assisted Tomography</i> , 2017, 41, 868-876.	0.5	8
958	Whole mouse brain imaging using optical coherence tomography: reconstruction, normalization, segmentation, and comparison with diffusion MRI. <i>Neurophotonics</i> , 2017, 4, 041501.	1.7	30
959	In utero diffusion tensor imaging of the fetal brain: A reproducibility study. <i>NeuroImage: Clinical</i> , 2017, 15, 601-612.	1.4	33
960	Multimodal Neuroimaging in Schizophrenia: Description and Dissemination. <i>Neuroinformatics</i> , 2017, 15, 343-364.	1.5	131
961	Calibrated imaging reveals altered grey matter metabolism related to white matter microstructure and symptom severity in multiple sclerosis. <i>Human Brain Mapping</i> , 2017, 38, 5375-5390.	1.9	14
962	A spatio-temporal atlas of neonatal diffusion MRI based on kernel ridge regression. , 2017, , .		3
963	Germline Chd8 haploinsufficiency alters brain development in mouse. <i>Nature Neuroscience</i> , 2017, 20, 1062-1073.	7.1	210

#	ARTICLE	IF	CITATIONS
964	Estimation of individual axon bundle properties by a Multi-Resolution Discrete-Search method. <i>Medical Image Analysis</i> , 2017, 42, 26-43.	7.0	8
965	Dependence on b-value of the direction-averaged diffusion-weighted imaging signal in brain. <i>Magnetic Resonance Imaging</i> , 2017, 36, 121-127.	1.0	72
966	The role of white matter microstructure in inhibitory deficits in patients with schizophrenia. <i>Brain Stimulation</i> , 2017, 10, 283-290.	0.7	9
967	Cognitive fatigue is associated with reduced anterior internal capsule integrity in veterans with history of mild to moderate traumatic brain injury. <i>Brain Imaging and Behavior</i> , 2017, 11, 1548-1554.	1.1	18
968	Constrained Spherical Deconvolution Tractography Reveals Cerebello-Mammillary Connections in Humans. <i>Cerebellum</i> , 2017, 16, 483-495.	1.4	31
969	Exploring sex differences in the adult zebra finch brain: In vivo diffusion tensor imaging and ex vivo super-resolution track density imaging. <i>NeuroImage</i> , 2017, 146, 789-803.	2.1	18
970	Analytical performance bounds for multi-tensor diffusion-MRI. <i>Magnetic Resonance Imaging</i> , 2017, 36, 146-158.	1.0	8
971	Creative females have larger white matter structures: Evidence from a large sample study. <i>Human Brain Mapping</i> , 2017, 38, 414-430.	1.9	43
972	Utilization of MRI for Cerebral White Matter Injury in a Hypobaric Swine Model—Validation of Technique. <i>Military Medicine</i> , 2017, 182, e1757-e1764.	0.4	5
973	Reproducibility of quantitative structural and physiological $\text{qMRI}$ measurements. <i>Brain and Behavior</i> , 2017, 7, e00759.	1.0	24
974	The Olfactory System Revealed: Non-Invasive Mapping by using Constrained Spherical Deconvolution Tractography in Healthy Humans. <i>Frontiers in Neuroanatomy</i> , 2017, 11, 32.	0.9	37
975	Fiberweb: Diffusion Visualization and Processing in the Browser. <i>Frontiers in Neuroinformatics</i> , 2017, 11, 54.	1.3	7
976	Human Fetal Brain Connectome: Structural Network Development from Middle Fetal Stage to Birth. <i>Frontiers in Neuroscience</i> , 2017, 11, 561.	1.4	52
977	Improving the Reliability of Network Metrics in Structural Brain Networks by Integrating Different Network Weighting Strategies into a Single Graph. <i>Frontiers in Neuroscience</i> , 2017, 11, 694.	1.4	48
978	Bayesian intravoxel incoherent motion parameter mapping in the human heart. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 85.	1.6	20
979	The impact of signal-to-noise ratio, diffusion-weighted directions and image resolution in cardiac diffusion tensor imaging—insights from the ex-vivo rat heart. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 90.	1.6	16
980	Identification of Stria Medullaris Fibers in the Massa Intermedia Using Diffusion Tensor Imaging. <i>World Neurosurgery</i> , 2018, 112, e497-e504.	0.7	18
981	Diffusion tensor imaging using multiple coils for mouse brain connectomics. <i>NMR in Biomedicine</i> , 2018, 31, e3921.	1.6	3

#	ARTICLE	IF	CITATIONS
982	Optimization of diffusion-weighted single-refocused spin-echo EPI by reducing eddy-current artifacts and shortening the echo time. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2018, 31, 585-597.	1.1	9
983	Diffusion kurtosis imaging with free water elimination: A bayesian estimation approach. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 802-813.	1.9	20
984	Childhood Music Training Induces Change in Micro and Macroscopic Brain Structure: Results from a Longitudinal Study. <i>Cerebral Cortex</i> , 2018, 28, 4336-4347.	1.6	84
985	Diffusion Tensor Imaging (DTI). <i>Methods in Molecular Biology</i> , 2018, 1718, 103-116.	0.4	51
986	Miniature pig model of human adolescent brain white matter development. <i>Journal of Neuroscience Methods</i> , 2018, 296, 99-108.	1.3	22
987	Double diffusion encoding MRI for the clinic. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 507-520.	1.9	63
988	Quantitative Magnetization Transfer of White Matter Tracts Correlates with Diffusion Tensor Imaging Indices in Predicting the Conversion from Mild Cognitive Impairment to Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 561-575.	1.2	7
989	Efficient experimental designs for isotropic generalized diffusion tensor MRI (IGDTI). <i>Magnetic Resonance in Medicine</i> , 2018, 79, 180-194.	1.9	16
990	MRI Evidence of Neuropathic Changes in Former College Football Players. <i>Clinical Journal of Sport Medicine</i> , 2018, 28, 100-105.	0.9	27
991	Evaluating g-ratio weighted changes in the corpus callosum as a function of age and sex. <i>NeuroImage</i> , 2018, 182, 304-313.	2.1	68
992	Cardiac Diffusion MRI. , 2018, , 55-109.		2
993	Single- and Multiple-Shell Uniform Sampling Schemes for Diffusion MRI Using Spherical Codes. <i>IEEE Transactions on Medical Imaging</i> , 2018, 37, 185-199.	5.4	14
994	Microstructural cerebral lesions are associated with the severity of central sleep apnea with Cheyne-Stokes-respiration in heart failure and are modified by PAP-therapy. <i>Respiratory Physiology and Neurobiology</i> , 2018, 247, 181-187.	0.7	3
995	Construction of Brain Structural Connectome Using PROPELLER Echo-Planar Diffusion Tensor Imaging with Probabilistic Tractography: Comparison with Conventional Imaging. <i>Journal of Medical and Biological Engineering</i> , 2018, 38, 625-633.	1.0	0
996	Experimental studies of g-ratio MRI in ex vivo mouse brain. <i>NeuroImage</i> , 2018, 167, 366-371.	2.1	16
997	Encoding and readout strategies in magnetic resonance elastography. <i>NMR in Biomedicine</i> , 2018, 31, e3919.	1.6	13
998	Diffusion Tensor Imaging of Tendons and Ligaments at Ultra-High Magnetic Fields. <i>Critical Reviews in Biomedical Engineering</i> , 2018, 46, 311-339.	0.5	5
999	Optimizing diffusion-weighted magnetic resonance imaging for evaluation of lung tumors: A comparison of respiratory triggered and free breathing techniques. <i>European Journal of Radiology Open</i> , 2018, 5, 189-193.	0.7	4



#	ARTICLE	IF	CITATIONS
1000	Diffusion-Tensor Imaging Versus Digitization in Reconstructing the Masseter Architecture. <i>Journal of Biomechanical Engineering</i> , 2018, 140, .	0.6	9
1001	Compressed Sensing Diffusion Spectrum Imaging for Accelerated Diffusion Microstructure MRI in Long-Term Population Imaging. <i>Frontiers in Neuroscience</i> , 2018, 12, 650.	1.4	26
1002	Diffusion sensitivity enhancement filter for raw DWIs. <i>IET Computer Vision</i> , 2018, 12, 950-956.	1.3	0
1003	Integrated and efficient diffusion-relaxometry using ZEBRA. <i>Scientific Reports</i> , 2018, 8, 15138.	1.6	82
1004	The Relationship between Neurite Density Measured with Confocal Microscopy in a Cleared Mouse Brain and Metrics Obtained from Diffusion Tensor and Diffusion Kurtosis Imaging. <i>Magnetic Resonance in Medical Sciences</i> , 2018, 17, 138-144.	1.1	12
1005	Minimal number of gradient directions for robust measurement of spherical mean diffusion weighted signal. <i>Magnetic Resonance Imaging</i> , 2018, 54, 148-152.	1.0	9
1006	Advanced magnetic resonance imaging (MRI) techniques of the spine and spinal cord in children and adults. <i>Insights Into Imaging</i> , 2018, 9, 549-557.	1.6	29
1007	Tractography optimization using quantitative T1 mapping in the human optic radiation. <i>NeuroImage</i> , 2018, 181, 645-658.	2.1	28
1008	Evaluation of the accuracy and precision of the diffusion parameter Estimation with Gibbs and Noise removal pipeline. <i>NeuroImage</i> , 2018, 183, 532-543.	2.1	123
1009	Fast and accurate Slicewise Outlier Detection (SOLID) with informed model estimation for diffusion MRI data. <i>NeuroImage</i> , 2018, 181, 331-346.	2.1	41
1010	Modeling white matter tract integrity in aging with diffusional kurtosis imaging. <i>Neurobiology of Aging</i> , 2018, 70, 265-275.	1.5	31
1011	Toward personalised diffusion MRI in psychiatry: improved delineation of fibre bundles with the highest-ever angular resolution in vivo tractography. <i>Translational Psychiatry</i> , 2018, 8, 91.	2.4	10
1012	Fractional anisotropy of the uncinate fasciculus and cingulum in bipolar disorder type I, type II, unaffected siblings and healthy controls. <i>British Journal of Psychiatry</i> , 2018, 213, 548-554.	1.7	34
1013	Minipigs as a Large-Brained Animal Model for Huntington's Disease: From Behavior and Imaging to Gene Therapy. <i>Methods in Molecular Biology</i> , 2018, 1780, 241-266.	0.4	2
1014	Neuroimaging of brain trauma. <i>Current Opinion in Neurology</i> , 2018, 31, 362-370.	1.8	10
1015	Variability of non-Gaussian diffusion MRI and intravoxel incoherent motion (IVIM) measurements in the breast. <i>PLoS ONE</i> , 2018, 13, e0193444.	1.1	15
1016	Orthopedic Injured versus Uninjured Comparison Groups for Neuroimaging Research in Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2019, 36, 239-249.	1.7	45
1017	Aberrant Middle Prefrontal-Motor Cortex Connectivity Mediates Motor Inhibitory Biomarker in Schizophrenia. <i>Biological Psychiatry</i> , 2019, 85, 49-59.	0.7	23

#	ARTICLE	IF	CITATIONS
1018	Analysis of errors in diffusion kurtosis imaging caused by slice crosstalk in simultaneous multi-slice imaging. <i>NMR in Biomedicine</i> , 2019, 32, e4162.	1.6	3
1019	Diffusion kurtosis and quantitative susceptibility mapping MRI are sensitive to structural abnormalities in amyotrophic lateral sclerosis. <i>NeuroImage: Clinical</i> , 2019, 24, 101953.	1.4	29
1020	Phase Image Texture Analysis for Motion Detection in Diffusion MRI (PITA-MDD). <i>Magnetic Resonance Imaging</i> , 2019, 62, 228-241.	1.0	3
1021	Tractography delineation of the vertical occipital fasciculus using quantitative T1 mapping. <i>NeuroImage</i> , 2019, 202, 116121.	2.1	24
1022	Diffusion Tensor Imaging of the Kidney: Design and Evaluation of a Reliable Processing Pipeline. <i>Scientific Reports</i> , 2019, 9, 12789.	1.6	15
1023	Reduction of bias in the evaluation of fractional anisotropy and mean diffusivity in magnetic resonance diffusion tensor imaging using region-of-interest methodology. <i>Scientific Reports</i> , 2019, 9, 13095.	1.6	7
1024	Crossing muscle fibers of the human tongue resolved in vivo using constrained spherical deconvolution. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 96-105.	1.9	11
1025	Effect of combination and number of b values in IVIM analysis with post-processing methodology: simulation and clinical study. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2019, 32, 519-527.	1.1	15
1026	Maxwell-compensated design of asymmetric gradient waveforms for tensor-valued diffusion encoding. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1424-1437.	1.9	81
1027	Three-Dimensional Lesion Phenotyping and Physiologic Characterization Inform Remyelination Ability in Multiple Sclerosis. <i>Journal of Neuroimaging</i> , 2019, 29, 605-614.	1.0	10
1028	Better Brain and Cognition Prior to Surgery Is Associated With Elevated Postoperative Brain Extracellular Free-Water in Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 117.	1.7	8
1029	Optimization of q-space sampling for mean apparent propagator MRI metrics using a genetic algorithm. <i>NeuroImage</i> , 2019, 199, 237-244.	2.1	10
1030	Evidence for genetic correlation between human cerebral white matter microstructure and inflammation. <i>Human Brain Mapping</i> , 2019, 40, 4180-4191.	1.9	16
1031	Computational Diffusion MRI. <i>Mathematics and Visualization</i> , 2019, , .	0.4	4
1032	On probing intravoxel incoherent motion in the heartâ€”spinâ€”echo versus stimulatedâ€”echo DWI. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1150-1163.	1.9	16
1033	Diffusion MRI in the brain â€” Theory and concepts. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2019, 112-113, 1-16.	3.9	51
1034	Anatomically constrained tractography facilitates biologically plausible fiber reconstruction of the optic radiation in multiple sclerosis. <i>NeuroImage: Clinical</i> , 2019, 22, 101740.	1.4	19
1035	Sex-specific effects of central adiposity and inflammatory markers on limbic microstructure. <i>NeuroImage</i> , 2019, 189, 793-803.	2.1	22

#	ARTICLE	IF	CITATIONS
1036	The Superoanterior Fasciculus (SAF): A Novel White Matter Pathway in the Human Brain?. <i>Frontiers in Neuroanatomy</i> , 2019, 13, 24.	0.9	22
1037	VERDICT MRI validation in fresh and fixed prostate specimens using patient-specific moulds for histological and MR alignment. <i>NMR in Biomedicine</i> , 2019, 32, e4073.	1.6	22
1038	The Canadian Dementia Imaging Protocol: Harmonizing National Cohorts. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 456-465.	1.9	101
1039	Age-related microstructural and physiological changes in normal brain measured by MRI $\hat{I}^3$ -metrics derived from anomalous diffusion signal representation. <i>NeuroImage</i> , 2019, 188, 654-667.	2.1	17
1040	Neuroimaging of Traumatic Brain Injury. <i>Medical Sciences (Basel, Switzerland)</i> , 2019, 7, 2.	1.3	37
1041	Comparison of basis functions and $q$ -space sampling schemes for robust compressed sensing reconstruction accelerating diffusion spectrum imaging. <i>NMR in Biomedicine</i> , 2019, 32, e4055.	1.6	5
1042	Improved Visualization of Middle Ear Cholesteatoma with Computed Diffusion-weighted Imaging. <i>Magnetic Resonance in Medical Sciences</i> , 2019, 18, 233-237.	1.1	3
1043	Whole mouse brain connectomics. <i>Journal of Comparative Neurology</i> , 2019, 527, 2146-2157.	0.9	22
1044	Longitudinal evaluation of tumor microenvironment in rat focal brainstem glioma using diffusion and perfusion MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 1322-1332.	1.9	2
1045	Investigation of Neurodegenerative Processes in Amyotrophic Lateral Sclerosis Using White Matter Fiber Density. <i>Clinical Neuroradiology</i> , 2019, 29, 493-503.	1.0	10
1046	Characterizing Microstructural Tissue Properties in Multiple Sclerosis with Diffusion MRI at 7 $\mu$ T and 3 $\mu$ T: The Impact of the Experimental Design. <i>Neuroscience</i> , 2019, 403, 17-26.	1.1	54
1047	Myelin Breakdown in Human Huntington's Disease: Multi-Modal Evidence from Diffusion MRI and Quantitative Magnetization Transfer. <i>Neuroscience</i> , 2019, 403, 79-92.	1.1	51
1048	Structural connections support emotional connections: Uncinate Fasciculus microstructure is related to the ability to decode facial emotion expressions. <i>Neuropsychologia</i> , 2020, 145, 106562.	0.7	40
1049	Cingulum and abnormal psychological stress response in schizophrenia. <i>Brain Imaging and Behavior</i> , 2020, 14, 548-561.	1.1	3
1050	Tensor-valued diffusion MRI in under 3 minutes: an initial survey of microscopic anisotropy and tissue heterogeneity in intracranial tumors. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 608-620.	1.9	55
1051	The adverse effect of gradient nonlinearities on diffusion MRI: From voxels to group studies. <i>NeuroImage</i> , 2020, 205, 116127.	2.1	32
1052	Regions of white matter abnormalities in the arcuate fasciculus in veterans with anger and aggression problems. <i>Brain Structure and Function</i> , 2020, 225, 1401-1411.	1.2	10
1053	Organization of the commissural fiber system in congenital and late-onset blindness. <i>NeuroImage: Clinical</i> , 2020, 25, 102133.	1.4	14

#	ARTICLE	IF	CITATIONS
1054	Subdividing the superior longitudinal fasciculus using local quantitative MRI. <i>NeuroImage</i> , 2020, 208, 116439.	2.1	19
1055	Differential White Matter Maturation from Birth to 8 Years of Age. <i>Cerebral Cortex</i> , 2020, 30, 2674-2690.	1.6	37
1056	Determination of optimized set of b-values for Apparent Diffusion Coefficient mapping in liver Diffusion-Weighted MRI. <i>Journal of Magnetic Resonance</i> , 2020, 310, 106634.	1.2	12
1057	Abnormalities in Brain and Muscle Microstructure and Neurochemistry of the DMD Rat Measured by in vivo Diffusion Tensor Imaging and High Resolution Localized 1H MRS. <i>Frontiers in Neuroscience</i> , 2020, 14, 739.	1.4	1
1058	Ex vivo cardiovascular magnetic resonance diffusion weighted imaging in congenital heart disease, an insight into the microstructures of tetralogy of Fallot, biventricular and univentricular systemic right ventricle. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 69.	1.6	9
1059	A data-driven approach to optimising the encoding for multi-shell diffusion MRI with application to neonatal imaging. <i>NMR in Biomedicine</i> , 2020, 33, e4348.	1.6	18
1060	Rapid hippocampal plasticity supports motor sequence learning. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 23898-23903.	3.3	48
1061	APOE- $\epsilon$ 4-related differences in left thalamic microstructure in cognitively healthy adults. <i>Scientific Reports</i> , 2020, 10, 19787.	1.6	8
1062	Diffusion tensor imaging and arterial tissue: establishing the influence of arterial tissue microstructure on fractional anisotropy, mean diffusivity and tractography. <i>Scientific Reports</i> , 2020, 10, 20718.	1.6	19
1063	Drumming Motor Sequence Training Induces Apparent Myelin Remodelling in Huntington's Disease: A Longitudinal Diffusion MRI and Quantitative Magnetization Transfer Study. <i>Journal of Huntington's Disease</i> , 2020, 9, 303-320.	0.9	12
1064	Damage in the Thalamocortical Tracts is Associated With Subsequent Thalamus Atrophy in Early Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2020, 11, 575611.	1.1	6
1065	A 4D Basis and Sampling Scheme for the Tensor Encoded Multi-Dimensional Diffusion MRI Signal. <i>IEEE Signal Processing Letters</i> , 2020, 27, 790-794.	2.1	6
1066	Brain MRI Diffusion Encoding Direction Number Affects Tract-Based Spatial Statistics Results in Multiple Sclerosis. <i>Journal of Neuroimaging</i> , 2020, 30, 512-522.	1.0	5
1067	Impact of $b$ -value on estimates of apparent fibre density. <i>Human Brain Mapping</i> , 2020, 41, 2583-2595.	1.9	64
1068	Baseline cerebral metabolism predicts fatigue and cognition in Multiple Sclerosis patients. <i>NeuroImage: Clinical</i> , 2020, 27, 102281.	1.4	8
1069	The association of white matter free water with cognition in older adults. <i>NeuroImage</i> , 2020, 219, 117040.	2.1	23
1070	Genetic risk of dementia modifies obesity effects on white matter myelin in cognitively healthy adults. <i>Neurobiology of Aging</i> , 2020, 94, 298-310.	1.5	17
1071	Imaging microstructure with diffusion and susceptibility MR: neuronal density correlation in Disrupted-in-Schizophrenia mutant mice. <i>NMR in Biomedicine</i> , 2020, 33, e4365.	1.6	11

#	ARTICLE	IF	CITATIONS
1072	Network diffusion modeling predicts neurodegeneration in traumatic brain injury. <i>Annals of Clinical and Translational Neurology</i> , 2020, 7, 270-279.	1.7	29
1073	A comprehensive approach for correcting voxel-wise B <sub>0</sub> value errors in diffusion MRI. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 2173-2184.	1.9	15
1074	Direction-averaged diffusion-weighted MRI signal using different axisymmetric B <sub>0</sub> tensor encoding schemes. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 1579-1591.	1.9	12
1075	Correlation tensor magnetic resonance imaging. <i>NeuroImage</i> , 2020, 211, 116605.	2.1	56
1076	Diffusion-time dependence of diffusional kurtosis in the mouse brain. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 1564-1578.	1.9	22
1077	Improving Spatial Normalization of Brain Diffusion MRI to Measure Longitudinal Changes of Tissue Microstructure in the Cortex and White Matter. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 52, 766-775.	1.9	7
1078	A fixel-based analysis of micro- and macro-structural changes to white matter following adult traumatic brain injury. <i>Human Brain Mapping</i> , 2020, 41, 2187-2197.	1.9	15
1079	Mapping Short Association Fibers in the Early Cortical Visual Processing Stream Using In Vivo Diffusion Tractography. <i>Cerebral Cortex</i> , 2020, 30, 4496-4514.	1.6	40
1080	Altered task-induced cerebral blood flow and oxygen metabolism underlies motor impairment in multiple sclerosis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 182-193.	2.4	7
1081	Handedness and White Matter Networks. <i>Neuroscientist</i> , 2021, 27, 88-103.	2.6	24
1082	Elevated Intraindividual Variability in Executive Functions and Associations with White Matter Microstructure in Veterans with Mild Traumatic Brain Injury. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 305-314.	1.2	15
1083	Computing and visualising intra-voxel orientation-specific relaxation diffusion features in the human brain. <i>Human Brain Mapping</i> , 2021, 42, 310-328.	1.9	35
1084	Accelerating in vivo fast spin echo high angular resolution diffusion imaging with an isotropic resolution in mice through compressed sensing. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 1397-1413.	1.9	3
1085	A comparative study of gradient nonlinearity correction strategies for processing diffusion data obtained with ultra-strong gradient MRI scanners. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 1104-1113.	1.9	28
1086	Neuroanatomical underpinning of diffusion kurtosis measurements in the cerebral cortex of healthy macaque brains. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 1895-1908.	1.9	11
1087	MICRA: Microstructural image compilation with repeated acquisitions. <i>NeuroImage</i> , 2021, 225, 117406.	2.1	20
1088	Improved reproducibility of diffusion MRI of the human brain with a four-way blip-up and down phase-encoding acquisition approach. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 2696-2708.	1.9	5
1089	Constrained spherical deconvolution of nonspherically sampled diffusion MRI data. <i>Human Brain Mapping</i> , 2021, 42, 521-538.	1.9	14

#	ARTICLE	IF	CITATIONS
1092	Systematic Study of Joint Influence of Angular Resolution and Noise in Cardiac Diffusion Tensor Imaging. <i>Lecture Notes in Computer Science</i> , 2021, , 200-210.	1.0	0
1093	Towards Learned Optimal q-Space Sampling in Diffusion MRI. <i>Mathematics and Visualization</i> , 2021, , 13-28.	0.4	0
1094	Diffusion kurtosis imaging detects subclinical white matter abnormalities in Phenylketonuria. <i>NeuroImage: Clinical</i> , 2021, 29, 102555.	1.4	7
1095	Impact of the acquisition protocol on the sensitivity to demyelination and axonal loss of clinically feasible DWI techniques: a simulation study. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2021, 34, 523-543.	1.1	0
1096	The variability of MR axon radii estimates in the human white matter. <i>Human Brain Mapping</i> , 2021, 42, 2201-2213.	1.9	30
1097	Decreased myelin content of the fornix predicts poorer memory performance beyond vascular risk, hippocampal volume, and fractional anisotropy in nondemented older adults. <i>Brain Imaging and Behavior</i> , 2021, 15, 2563-2571.	1.1	3
1098	A new framework for MR diffusion tensor distribution. <i>Scientific Reports</i> , 2021, 11, 2766.	1.6	14
1099	White matter alterations in glaucoma and monocular blindness differ outside the visual system. <i>Scientific Reports</i> , 2021, 11, 6866.	1.6	11
1100	Combination of histochemical analyses and micro-MRI reveals regional changes of the murine cervix in preparation for labor. <i>Scientific Reports</i> , 2021, 11, 4903.	1.6	6
1101	Multiple b-values improve discrimination of cortical gray matter regions using diffusion MRI: an experimental validation with a data-driven approach. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2021, 34, 677-687.	1.1	2
1102	The clinical relevance of gray matter atrophy and microstructural brain changes across the psychosis continuum. <i>Schizophrenia Research</i> , 2021, 229, 12-21.	1.1	4
1105	Toward more robust and reproducible diffusion kurtosis imaging. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 1600-1613.	1.9	25
1106	Rotigaptide Infusion for the First 7 Days After Myocardial Infarction Reperfusion Reduced Late Complexity of Myocardial Architecture of the Healing Border Zone and Arrhythmia Inducibility. <i>Journal of the American Heart Association</i> , 2021, 10, e020006.	1.6	4
1108	Myelin development in visual scene-network tracts beyond late childhood: A multimethod neuroimaging study. <i>Cortex</i> , 2021, 137, 18-34.	1.1	7
1109	Temperature Measurement by Diffusion-Weighted Imaging. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2021, 29, 253-261.	0.6	3
1111	Validating pore size estimates in a complex microfiber environment on a human MRI system. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 1514-1530.	1.9	5
1112	Maturation and degeneration of the human brainstem across the adult lifespan. <i>Aging</i> , 2021, 13, 14862-14891.	1.4	11
1113	Fiber orientation distribution from diffusion MRI: Effects of inaccurate response function calibration. <i>Journal of Neuroimaging</i> , 2021, 31, 1082-1098.	1.0	4

#	ARTICLE	IF	CITATIONS
1114	Whole-Brain Imaging of Subvoxel T1-Diffusion Correlation Spectra in Human Subjects. <i>Frontiers in Neuroscience</i> , 2021, 15, 671465.	1.4	17
1115	Sensitivity of fiber orientation dependent to temperature and post mortem interval. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 2703-2715.	1.9	8
1116	Rapid microscopic fractional anisotropy imaging via an optimized linear regression formulation. <i>Magnetic Resonance Imaging</i> , 2021, 80, 132-143.	1.0	7
1117	Cross-term-compensated gradient waveform design for tensor-valued diffusion MRI. <i>Journal of Magnetic Resonance</i> , 2021, 328, 106991.	1.2	10
1118	Diffusion tensor imaging in cubital tunnel syndrome. <i>Scientific Reports</i> , 2021, 11, 14982.	1.6	9
1119	Computing the orientational-average of diffusion-weighted MRI signals: a comparison of different techniques. <i>Scientific Reports</i> , 2021, 11, 14345.	1.6	10
1120	The relation between cannabis use, dependence severity and white matter microstructure: A diffusion tensor imaging study. <i>Addiction Biology</i> , 2022, 27, e13081.	1.4	7
1121	Placental endocrine function shapes cerebellar development and social behavior. <i>Nature Neuroscience</i> , 2021, 24, 1392-1401.	7.1	52
1122	Mapping gradient nonlinearity and miscalibration using diffusion-weighted MR images of a uniform isotropic phantom. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 3259-3273.	1.9	8
1124	Dementia Risk Factors Modify Hubs but Leave Other Connectivity Measures Unchanged in Asymptomatic Individuals: A Graph Theoretical Analysis. <i>Brain Connectivity</i> , 2022, 12, 26-40.	0.8	9
1126	Optimal Diffusion Gradient Encoding Scheme for Diffusion Tensor Imaging Based on Golden Ratio. <i>Journal of Magnetic Resonance Imaging</i> , 2021, , .	1.9	1
1127	Consecutive Independence and Correlation Transform for Multimodal Data Fusion: Discovery of One-to-Many Associations in Structural and Functional Imaging Data. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 8382.	1.3	3
1128	A functional cerebral endothelium is necessary to protect against cognitive decline. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2022, 42, 74-89.	2.4	12
1129	On the down-sampling of diffusion MRI data along the angular dimension. <i>Magnetic Resonance Imaging</i> , 2021, 82, 104-110.	1.0	4
1130	Deep learning-based parameter estimation in fetal diffusion-weighted MRI. <i>NeuroImage</i> , 2021, 243, 118482.	2.1	22
1131	Fiber tractography bundle segmentation depends on scanner effects, vendor effects, acquisition resolution, diffusion sampling scheme, diffusion sensitization, and bundle segmentation workflow. <i>NeuroImage</i> , 2021, 242, 118451.	2.1	35
1132	Ventral intermediate nucleus structural connectivity-derived segmentation: anatomical reliability and variability. <i>NeuroImage</i> , 2021, 243, 118519.	2.1	7
1133	In vivo tensor-valued diffusion MRI of focal demyelination in white and deep grey matter of rodents. <i>NeuroImage: Clinical</i> , 2021, 30, 102675.	1.4	7

#	ARTICLE	IF	CITATIONS
1135	Enhancing Diffusion Signal Augmentation Using Spherical Convolutions. Mathematics and Visualization, 2021, , 189-200.	0.4	0
1137	Study of Connectivity in the Brain Using the Full Diffusion Tensor from MRI. Lecture Notes in Computer Science, 2001, , 121-133.	1.0	25
1138	Distributed Anatomical Brain Connectivity Derived from Diffusion Tensor Imaging. Lecture Notes in Computer Science, 2001, , 106-120.	1.0	16
1139	Imaging-Based Assessment and Modeling of the Structures of the Myocardium. , 2010, , 23-39.		4
1140	Diffusion Imaging in Tremor. , 2013, , 391-401.		3
1141	Diffusion Tensor Magnetic Resonance Imaging in Autism. , 2013, , 179-230.		2
1142	A Framework for Calculating Time-Efficient Diffusion MRI Protocols for Anisotropic IVIM and An Application in the Placenta. Mathematics and Visualization, 2019, , 251-263.	0.4	3
1143	Acquiring and Predicting Multidimensional Diffusion (MUDI) Data: An Open Challenge. Mathematics and Visualization, 2020, , 195-208.	0.4	8
1144	Designing Single- and Multiple-Shell Sampling Schemes for Diffusion MRI Using Spherical Code. Lecture Notes in Computer Science, 2014, 17, 281-288.	1.0	13
1145	Novel Single and Multiple Shell Uniform Sampling Schemes for Diffusion MRI Using Spherical Codes. Lecture Notes in Computer Science, 2015, 9349, 28-36.	1.0	3
1146	On the Use of Antipodal Optimal Dimensionality Sampling Scheme on the Sphere for Recovering Intra-Voxel Fibre Structure in Diffusion MRI. Mathematics and Visualization, 2016, , 75-86.	0.4	3
1147	Probabilistic Monte Carlo Based Mapping of Cerebral Connections Utilising Whole-Brain Crossing Fibre Information. Lecture Notes in Computer Science, 2003, 18, 684-695.	1.0	174
1148	Information-Theoretic Analysis of Brain White Matter Fiber Orientation Distribution Functions. Lecture Notes in Computer Science, 2007, 20, 172-182.	1.0	15
1149	Brain Fiber Architecture, Genetics, and Intelligence: A High Angular Resolution Diffusion Imaging (HARDI) Study. Lecture Notes in Computer Science, 2008, 11, 1060-1067.	1.0	31
1150	Visualization Tools for High Angular Resolution Diffusion Imaging. Lecture Notes in Computer Science, 2008, 11, 298-305.	1.0	15
1151	HARDI Denoising: Variational Regularization of the Spherical Apparent Diffusion Coefficient sADC. Lecture Notes in Computer Science, 2009, 21, 515-527.	1.0	9
1152	A Novel Measure of Fractional Anisotropy Based on the Tensor Distribution Function. Lecture Notes in Computer Science, 2009, 12, 845-852.	1.0	16
1153	Evaluation of q-Space Sampling Strategies for the Diffusion Magnetic Resonance Imaging. Lecture Notes in Computer Science, 2009, 12, 406-414.	1.0	5



#	ARTICLE	IF	CITATIONS
1154	Impact of Radial and Angular Sampling on Multiple Shells Acquisition in Diffusion MRI. Lecture Notes in Computer Science, 2011, 14, 116-123.	1.0	6
1155	Classification Study of DTI and HARDI Anisotropy Measures for HARDI Data Simplification. Mathematics and Visualization, 2012, , 229-251.	0.4	2
1156	Test-Retest Reliability of Graph Theory Measures of Structural Brain Connectivity. Lecture Notes in Computer Science, 2012, 15, 305-312.	1.0	33
1157	Automatic Total Generalized Variation-Based DTI Rician Denoising. Lecture Notes in Computer Science, 2013, , 581-588.	1.0	8
1158	Optimal Diffusion Tensor Imaging with Repeated Measurements. Lecture Notes in Computer Science, 2013, 16, 687-694.	1.0	1
1166	HOT- Lines: Tracking Lines in Higher Order Tensor Fields. , 0, , .		6
1167	Surface-Based Analysis on Shape and Fractional Anisotropy of White Matter Tracts in Alzheimer's Disease. PLoS ONE, 2010, 5, e9811.	1.1	22
1168	Impaired Structural Motor Connectome in Amyotrophic Lateral Sclerosis. PLoS ONE, 2011, 6, e24239.	1.1	124
1169	Gender Differences in White Matter Microstructure. PLoS ONE, 2012, 7, e38272.	1.1	167
1170	Improving DTI Tractography by including Diagonal Tract Propagation. PLoS ONE, 2012, 7, e43415.	1.1	25
1171	Parametric Representation of Multiple White Matter Fascicles from Cube and Sphere Diffusion MRI. PLoS ONE, 2012, 7, e48232.	1.1	65
1172	Brainstem Involvement as a Cause of Central Sleep Apnea: Pattern of Microstructural Cerebral Damage in Patients with Cerebral Microangiopathy. PLoS ONE, 2013, 8, e60304.	1.1	33
1173	Reduced Structural Connectivity between Sensorimotor and Language Areas in Rolandic Epilepsy. PLoS ONE, 2013, 8, e83568.	1.1	35
1174	Probabilistic MRI Tractography of the Optic Radiation Using Constrained Spherical Deconvolution: A Feasibility Study. PLoS ONE, 2015, 10, e0118948.	1.1	28
1175	Dimensionless, Scale Invariant, Edge Weight Metric for the Study of Complex Structural Networks. PLoS ONE, 2015, 10, e0131493.	1.1	14
1176	Prediction of Neurological Impairment in Cervical Spondylotic Myelopathy using a Combination of Diffusion MRI and Proton MR Spectroscopy. PLoS ONE, 2015, 10, e0139451.	1.1	46
1177	D-BRAIN: Anatomically Accurate Simulated Diffusion MRI Brain Data. PLoS ONE, 2016, 11, e0149778.	1.1	11
1178	Subcortical White Matter Changes with Normal Aging Detected by Multi-Shot High Resolution Diffusion Tensor Imaging. PLoS ONE, 2016, 11, e0157533.	1.1	16

#	ARTICLE	IF	CITATIONS
1179	Comparison of Diffusion MRI Acquisition Protocols for the In Vivo Characterization of the Mouse Spinal Cord: Variability Analysis and Application to an Amyotrophic Lateral Sclerosis Model. PLoS ONE, 2016, 11, e0161646.	1.1	5
1180	The extent of intrauterine growth restriction determines the severity of cerebral injury and neurobehavioural deficits in rodents. PLoS ONE, 2017, 12, e0184653.	1.1	25
1181	Mammillothalamic Disconnection Alters Hippocampocortical Oscillatory Activity and Microstructure: Implications for Diencephalic Amnesia. Journal of Neuroscience, 2019, 39, 6696-6713.	1.7	36
1182	QMRTTools: a Mathematica toolbox for quantitative MRI analysis.. Journal of Open Source Software, 2019, 4, 1204.	2.0	18
1183	HARDI data denoising using vectorial total variation and logarithmic barrier. Inverse Problems and Imaging, 2010, 4, 273-310.	0.6	8
1184	The physical and biological basis of quantitative parameters derived from diffusion MRI. Quantitative Imaging in Medicine and Surgery, 2012, 2, 254-65.	1.1	125
1185	The effect of different number of diffusion gradients on SNR of diffusion tensor-derived measurement maps. Journal of Biomedical Science and Engineering, 2009, 02, 96-101.	0.2	8
1186	Diffusion Tensor Imaging and Its Application to Traumatic Brain Injury: Basic Principles and Recent Advances. Open Journal of Medical Imaging, 2012, 02, 137-161.	0.1	7
1187	Imaging Improves Diagnosis of Dementia with Lewy Bodies. Psychiatry Investigation, 2009, 6, 233.	0.7	25
1188	MAGNETIC RESONANCE WATER SELF-DIFFUSION TENSOR ENCODING OPTIMIZATION METHODS FOR FULL BRAIN ACQUISITION. Image Analysis and Stereology, 2002, 21, 87.	0.4	18
1189	Dissociable roles of the inferior longitudinal fasciculus and fornix in face and place perception. ELife, 2015, 4, .	2.8	43
1190	Noninvasive quantification of axon radii using diffusion MRI. ELife, 2020, 9, .	2.8	137
1191	Building Statistical Atlas of White Matter Fiber Tract Based on Vector/Tensor Field Reconstruction in Diffusion Tensor MRI. Lecture Notes in Computer Science, 2005, , 84-91.	1.0	1
1192	Imaging structural and functional connectivity of the human thalamus. Future Neurology, 2006, 1, 153-157.	0.9	0
1193	SU-FF-I-64: Modification of Multidirectional Distortion for DTI and Tractography. Medical Physics, 2006, 33, 2011-2011.	1.6	0
1194	Insights into Brain Connectivity Using Quantitative MRI Measures of White Matter. Understanding Complex Systems, 2007, , 221-271.	0.3	2
1196	Diffusion Tensor Imaging and Fiber Tractography. , 2009, , 229-246.		0
1197	Fiber Architecture Mapping of the Renal Medulla Using Respiratory Triggered Diffusion Tensor Imaging at 3 Tesla. IFMBE Proceedings, 2009, , 346-349.	0.2	0

#	ARTICLE	IF	CITATIONS
1198	Optimal Diffusion Encoding Strategies for Fiber Mapping in Diffusion MRI. , 2009, , 90-107.		1
1199	Diffusion Tensor Imaging and Drug Development. , 2010, , 47-65.		0
1200	DTI and fMRI: Review of Complementary Techniques. , 2011, , 803-830.		0
1201	Appearance Similarity Flow for Quantification of Anatomical Landmark Uncertainty in Medical Images. Lecture Notes in Computer Science, 2012, , 12-21.	1.0	2
1203	An optimal direction strategy of diffusion sensitive gradient magnetic fields in magnetic resonance diffusion tensor imaging based on generalized Fibonacci sequence. Wuli Xuebao/Acta Physica Sinica, 2014, 63, 048704.	0.2	1
1204	Crutchfield Information Metric: A Valid Tool for Quality Control of Multiparametric MRI Data?. Communications in Computer and Information Science, 2015, , 113-125.	0.4	0
1205	Monitoring ischemic cerebral injury in spontaneously hypertensive rats by diffusion tensor imaging. Turkish Neurosurgery, 2015, 26, 500-12.	0.1	2
1215	An Evolutionary Framework for Microstructure-Sensitive Generalized Diffusion Gradient Waveforms. Lecture Notes in Computer Science, 2020, , 94-103.	1.0	0
1220	Current Challenges and Future Directions in Diffusion MRI: From Model- to Data- Driven Analysis. Mathematics and Visualization, 2020, , 63-78.	0.4	0
1221	Research progress of diffusion sensitive gradient field encoding schemes in magnetic resonance diffusion tensor imaging. Wuli Xuebao/Acta Physica Sinica, 2020, 69, 038702.	0.2	2
1223	Quantitative Diffusion Imaging. , 2005, , 63-81.		0
1224	Intraoperative acquisition of DTI in cranial neurosurgery: readout-segmented DTI versus standard single-shot DTI. Journal of Neurosurgery, 2020, 133, 1210-1219.	0.9	4
1227	Feasibility of Data-Driven, Model-Free Quantitative MRI Protocol Design: Application to Brain and Prostate Diffusion-Relaxation Imaging. Frontiers in Physics, 2021, 9, .	1.0	2
1229	Does powder averaging remove dispersion bias in diffusion MRI diameter estimates within real 3D axonal architectures?. NeuroImage, 2022, 248, 118718.	2.1	12
1230	Axonal T2 estimation using the spherical variance of the strongly diffusion-weighted MRI signal. Magnetic Resonance Imaging, 2022, 86, 118-134.	1.0	4
1231	Guided Diffusion Tensor Tractography with GTRACT: A Validation Study. The Insight Journal, 2005, , .	0.2	0
1232	Generalisation of continuous time random walk to anomalous diffusion MRI models with an age-related evaluation of human corpus callosum. NeuroImage, 2022, 250, 118903.	2.1	4
1233	The future of neuroimaging and gut-brain axis research for substance use disorders. Brain Research, 2022, 1781, 147835.	1.1	3

#	ARTICLE	IF	CITATIONS
1234	Optimized Diffusion Imaging for Brain Structural Connectome Analysis. IEEE Transactions on Medical Imaging, 2022, 41, 2118-2129.	5.4	1
1236	Investigating the Anatomy and Microstructure of the Dentato-rubro-thalamic and Subthalamo-ponto-cerebellar Tracts in Parkinson's Disease. Frontiers in Neurology, 2022, 13, 793693.	1.1	2
1237	Apolipoprotein $\hat{\mu}4$ modifies obesity-related atrophy in the hippocampal formation of cognitively healthy adults. Neurobiology of Aging, 2022, 113, 39-54.	1.5	0
1238	SDnDTI: Self-supervised deep learning-based denoising for diffusion tensor MRI. NeuroImage, 2022, 253, 119033.	2.1	31
1239	FOD-Net: A deep learning method for fiber orientation distribution angular super resolution. Medical Image Analysis, 2022, 79, 102431.	7.0	9
1240	Improved diffusion parameter estimation by incorporating T2 relaxation properties into the DKI-FWE model. NeuroImage, 2022, 256, 119219.	2.1	4
1247	Diffusion-relaxation scattered MR signal representation in a multi-parametric sequence. Magnetic Resonance Imaging, 2022, , .	1.0	1
1248	Distinguishing Tumor Admixed in a Radiation Necrosis (RN) Background: 1H and 2H MR With a Novel Mouse Brain-Tumor/RN Model. Frontiers in Oncology, 0, 12, .	1.3	8
1249	Diffusion tensor estimation with transformer neural networks. Artificial Intelligence in Medicine, 2022, 130, 102330.	3.8	8
1250	A review on investigation of the basic contrast mechanism underlying multidimensional diffusion MRI in assessment of neurological disorders. Journal of Clinical Neuroscience, 2022, 102, 26-35.	0.8	2
1251	Diffusion Breast MRI: Current Standard and Emerging Techniques. Frontiers in Oncology, 0, 12, .	1.3	8
1252	Genetic risk for schizophrenia is associated with increased proportion of indirect connections in brain networks revealed by a semi-metric analysis: evidence from population sample stratified for polygenic risk. Cerebral Cortex, 2023, 33, 2997-3011.	1.6	1
1253	MRI diffusion tensor imaging scalar values in dogs with intervertebral disc herniation: A comparison between manual and semiautomated region of interest methods. Veterinary Radiology and Ultrasound, 0, , .	0.4	0
1254	Minimal number of sampling directions for robust measures of the spherical mean diffusion weighted signal: Effects of sampling directions, b-value, signal-to-noise ratio, hardware, and fitting strategy. Magnetic Resonance Imaging, 2022, 94, 25-35.	1.0	1
1255	Tract-specific differences in white matter microstructure between young adult APOE $\hat{\mu}4$ carriers and non-carriers: A replication and extension study. NeuroImage Reports, 2022, 2, 100126.	0.5	1
1256	Clinical Interpretation of Diffusion MRI, ROI Assessment, Common Errors, Pitfalls and Artifacts, Challenges in Acquisition. , 2023, , 203-219.		0
1257	Diffusion Tensor Imaging (DTI) of the Breast. , 2023, , 144-161.		0
1258	Atlas-Powered Deep Learning (ADL) - Application to Diffusion Weighted MRI. Lecture Notes in Computer Science, 2022, , 123-132.	1.0	3

#	ARTICLE	IF	CITATIONS
1259	Simultaneous Acquisition of Diffusion Tensor and Dynamic Diffusion <scp>MRI</scp>. Journal of Magnetic Resonance Imaging, 0, , .	1.9	1
1260	Cognitive-motor telerehabilitation in multiple sclerosis (CoMoTeMS): study protocol for a randomised controlled trial. Trials, 2022, 23, .	0.7	0
1261	Ex Vivo Study Using Diffusion Tensor Imaging to Identify Biomarkers of Atherosclerotic Disease in Human Cadaveric Carotid Arteries. Arteriosclerosis, Thrombosis, and Vascular Biology, 2022, 42, 1398-1412.	1.1	5
1262	Advanced spinal cord MRI in multiple sclerosis: Current techniques and future directions. NeuroImage: Clinical, 2022, 36, 103244.	1.4	10
1263	Advanced MRI Neuroimaging Technique: Diffusion-Tensor Imaging. , 2022, , 47-57.		0
1265	Lack of placental neurosteroid alters cortical development and female somatosensory function. Frontiers in Endocrinology, 0, 13, .	1.5	3
1266	Diffusion imaging. Advances in Magnetic Resonance Technology and Applications, 2023, , 461-479.	0.0	0
1267	Advances in magnetic resonance imaging. , 2023, , 21-52.		1
1268	How Can Spherical CNNs Benefit ML-Based Diffusion MRI Parameter Estimation?. Lecture Notes in Computer Science, 2022, , 101-112.	1.0	2
1269	The impact of genetic risk for Alzheimer's disease on the structural brain networks of young adults. Frontiers in Neuroscience, 0, 16, .	1.4	2
1270	Mapping the effects of pregnancy on resting state brain activity, white matter microstructure, neural metabolite concentrations and grey matter architecture. Nature Communications, 2022, 13, .	5.8	21
1271	Mapping the impact of nonlinear gradient fields with noise on diffusion MRI. Magnetic Resonance Imaging, 2023, , .	1.0	1
1272	The distortions of the free water model for diffusion MRI data when assuming single compartment relaxometry and proton density. Physics in Medicine and Biology, 2023, 68, 05NT01.	1.6	0
1273	Diffusion sampling schemes: A generalized methodology with nongeometric criteria. Magnetic Resonance in Medicine, 0, , .	1.9	1
1274	Diffusion MRI data analysis assisted by deep learning synthesized anatomical images (DeepAnat). Medical Image Analysis, 2023, 86, 102744.	7.0	3
1275	Current State of Diffusion-Weighted Imaging and Diffusion Tensor Imaging for Traumatic Brain Injury Prognostication. Neuroimaging Clinics of North America, 2023, 33, 279-297.	0.5	1
1276	High-frequency longitudinal white matter diffusion and myelin-based <scp>MRI</scp> database: Reliability and variability. Human Brain Mapping, 2023, 44, 3758-3780.	1.9	5
1277	dtiRIM: A generalisable deep learning method for diffusion tensor imaging. NeuroImage, 2023, 269, 119900.	2.1	2

#	ARTICLE	IF	CITATIONS
1281	BOLD fMRI and DTI fiber tracking for preoperative mapping of eloquent cerebral regions in brain tumor patients: impact on surgical approach and outcome. Neurological Sciences, 2023, 44, 2903-2914.	0.9	1
1282	fMRI and DTI: Review of Complementary Techniques. , 2023, , 1025-1060.		0
1292	Diffusion Imaging in Tremor. Contemporary Clinical Neuroscience, 2023, , 393-406.	0.3	0
1295	Microstructural Features and Functional Assessment of the Kidney Using Diffusion MRI. , 2023, , 271-297.		0