

CITATION REPORT

List of articles citing

A finite element method for crack growth without remeshing

DOI: 10.1002/(sici)1097-0207(19990910)46:13.O.co;2-j
International Journal for Numerical Methods in
Engineering, 1999, 46, 131-150.

Source: <https://exaly.com/paper-pdf/30624922/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2270	Extended finite element method for three-dimensional crack modelling. <i>International Journal for Numerical Methods in Engineering</i> , 2000 , 48, 1549-1570	2.4	856
2269	Arbitrary branched and intersecting cracks with the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2000 , 48, 1741-1760	2.4	679
2268	Modeling fracture in Mindlin-Reissner plates with the extended finite element method. 2000 , 37, 7161-7183		184
2267	On a finite element method with variable element topology. 2000 , 190, 1509-1527		27
2266	Discontinuous enrichment in finite elements with a partition of unity method. 2000 , 36, 235-260		287
2265	Formulation of a triangular finite element with an embedded interface via isoparametric mapping. 2001 , 27, 463-473		26
2264	A generalized finite element method for the simulation of three-dimensional dynamic crack propagation. 2001 , 190, 2227-2262		269
2263	The generalized finite element method. 2001 , 190, 4081-4193		459
2262	Modeling holes and inclusions by level sets in the extended finite-element method. 2001 , 190, 6183-6200		768
2261	An extended finite element method for modeling crack growth with frictional contact. 2001 , 190, 6825-6846		367
2260	The meshless hypersingular boundary node method for three-dimensional potential theory and linear elasticity problems. 2001 , 25, 639-653		17
2259	Hierarchical enrichment for bridging scales and mesh-free boundary conditions. <i>International Journal for Numerical Methods in Engineering</i> , 2001 , 50, 507-524	2.4	75
2258	Arbitrary discontinuities in finite elements. <i>International Journal for Numerical Methods in Engineering</i> , 2001 , 50, 993-1013	2.4	807
2257	Discontinuous analysis of softening solids under impact loading. 2001 , 25, 691-709		19
2256	A new method for modelling cohesive cracks using finite elements. <i>International Journal for Numerical Methods in Engineering</i> , 2001 , 50, 2667-2682	2.4	669
2255	The extended finite element method for rigid particles in Stokes flow. <i>International Journal for Numerical Methods in Engineering</i> , 2001 , 51, 293-313	2.4	111
2254	Modelling crack growth by level sets in the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2001 , 51, 943-960	2.4	555

2253	Computability in non-linear solid mechanics. <i>International Journal for Numerical Methods in Engineering</i> , 2001 , 52, 3-21	2.4	39
2252	Recent Advances in Models for Thermal Oxidation of Silicon. 2001 , 174, 138-170		21
2251	X-FEM, de nouvelles frontiÈres pour les Éléments finis. 2002 , 11, 305-318		5
2250	Numerical modeling of strong discontinuities. 2002 , 6, 1133-1146		7
2249	Nonlocal Integral Formulations of Plasticity and Damage: Survey of Progress. 2002 , 128, 1119-1149		843
2248	Stress Analysis of Composite Materials Using X-FEM. 2002 ,		
2247	Moving particle finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2002 , 53, 1937-1958	2.4	29
2246	Simulating the propagation of displacement discontinuities in a regularized strain-softening medium. <i>International Journal for Numerical Methods in Engineering</i> , 2002 , 53, 1235-1256	2.4	87
2245	The extended finite element method (XFEM) for solidification problems. <i>International Journal for Numerical Methods in Engineering</i> , 2002 , 53, 1959-1977	2.4	221
2244	Non-planar 3D crack growth by the extended finite element and level setsPart I: Mechanical model. <i>International Journal for Numerical Methods in Engineering</i> , 2002 , 53, 2549-2568	2.4	473
2243	Non-planar 3D crack growth by the extended finite element and level setsPart II: Level set update. <i>International Journal for Numerical Methods in Engineering</i> , 2002 , 53, 2569-2586	2.4	380
2242	A consistent geometrically non-linear approach for delamination. <i>International Journal for Numerical Methods in Engineering</i> , 2002 , 54, 1333-1355	2.4	122
2241	A hybrid extended finite element/level set method for modeling phase transformations. <i>International Journal for Numerical Methods in Engineering</i> , 2002 , 54, 1209-1233	2.4	120
2240	Adaptive hierarchical enrichment for delamination fracture using a decohesive zone model. <i>International Journal for Numerical Methods in Engineering</i> , 2002 , 54, 1369-1390	2.4	35
2239	A vector level set method and new discontinuity approximations for crack growth by EFG. <i>International Journal for Numerical Methods in Engineering</i> , 2002 , 54, 923-944	2.4	233
2238	A pure boundary node method for potential theory. 2002 , 18, 411-427		6
2237	Numerical simulation of delamination growth in curved interfaces. 2002 , 191, 2073-2095		9
2236	Loss of constraint on fracture in thin film structures due to creep. 2002 , 50, 4137-4148		38

2235	On the computation of mixed-mode stress intensity factors in functionally graded materials. 2002 , 39, 2557-2574		204
2234	Numerical simulation of debonding of adhesively bonded joint. 2002 , 39, 6355-6383		10
2233	Extended finite element method for cohesive crack growth. 2002 , 69, 813-833		1033
2232	On the use of effective properties for the fracture analysis of microstructured materials. 2002 , 69, 1607-1634		23
2231	Thin film cracking modulated by underlayer creep. 2003 , 43, 269-279		22
2230	The partition-of-unity method for linear diffusion and convection problems: accuracy, stabilization and multiscale interpretation. 2003 , 43, 199-213		12
2229	A note on enrichment functions for modelling crack nucleation. 2003 , 19, 921-932		38
2228	Mesh independent modelling of cracks by using higher order shape functions. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 56, 869-882	2.4	82
2227	Stress intensity factor analysis of interface cracks using X-FEM. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 56, 1151-1173	2.4	106
2226	Particulate flow simulations using lubrication theory solution enrichment. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 56, 1261-1289	2.4	30
2225	An improved crack analysis technique by element-free Galerkin method with auxiliary supports. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 56, 1291-1314	2.4	11
2224	Arbitrary placement of local meshes in a global mesh by the interface-element method (IEM). <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 56, 2279-2312	2.4	14
2223	Brittle fracture in polycrystalline microstructures with the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 56, 2015-2037	2.4	111
2222	Strongly non-local gradient-enhanced finite strain elastoplasticity. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 56, 2039-2068	2.4	62
2221	An analysis of strain localization in a shear layer under thermally coupled dynamic conditions. Part 2: Localized thermoplastic models. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 56, 2101-2133	2.4	6
2220	Structured extended finite element methods for solids defined by implicit surfaces. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 56, 609-635	2.4	208
2219	Symmetric-Galerkin BEM simulation of fracture with frictional contact. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 57, 835-851	2.4	30
2218	3D modelling of strong discontinuities in elastoplastic solids: fixed and rotating localization formulations. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 57, 1553-1576	2.4	81

2217	Extended finite element method for quasi-brittle fracture. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 58, 103-126	2.4	156
2216	On the construction of blending elements for local partition of unity enriched finite elements. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 57, 1015-1038	2.4	252
2215	Time continuity in cohesive finite element modeling. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 58, 679-701	2.4	91
2214	Finite cover method for linear and non-linear analyses of heterogeneous solids. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 58, 1321-1346	2.4	116
2213	Topology optimization with implicit functions and regularization. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 57, 1177-1196	2.4	198
2212	Algorithms for automated meshing and unit cell analysis of periodic composites with hierarchical tri-quadratic tetrahedral elements. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 58, 1683-1711	2.4	23
2211	Vector level sets for description of propagating cracks in finite elements. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 58, 1571-1592	2.4	157
2210	New crack-tip elements for XFEM and applications to cohesive cracks. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 57, 2221-2240	2.4	386
2209	A solid-like shell element allowing for arbitrary delaminations. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 58, 2013-2040	2.4	73
2208	Dynamic crack propagation based on loss of hyperbolicity and a new discontinuous enrichment. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 58, 1873-1905	2.4	392
2207	An enriched finite element method and level sets for axisymmetric two-phase flow with surface tension. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 58, 2041-2064	2.4	90
2206	Finite strain discrete dislocation plasticity. 2003 , 51, 2057-2083		54
2205	Kinetics of crack initiation and growth in organic-containing integrated structures. 2003 , 51, 2169-2190		34
2204	Geometrically non-linear and consistently linearized embedded strong discontinuity models for 3D problems with an application to the dissection analysis of soft biological tissues. 2003 , 192, 5059-5098		63
2203	Modeling quasi-static crack growth with the extended finite element method Part II: Numerical applications. 2003 , 40, 7539-7552		114
2202	Modeling quasi-static crack growth with the extended finite element method Part I: Computer implementation. 2003 , 40, 7513-7537		296
2201	Extended finite element method and fast marching method for three-dimensional fatigue crack propagation. 2003 , 70, 29-48		199
2200	Channel-cracking of thin films with the extended finite element method. 2003 , 70, 2513-2526		90

2199	Numerical aspects of cohesive-zone models. 2003 , 70, 1743-1757	217
2198	Modeling thermal fatigue cracking in integrated circuits by level sets and the extended finite element method. 2003 , 41, 2381-2410	32
2197	Evolving crack patterns in thin films with the extended finite element method. 2003 , 40, 2343-2354	58
2196	Non-homogeneous displacement jumps in strong embedded discontinuities. 2003 , 40, 5799-5817	72
2195	An Eulerian method for computation of multimaterial impact with ENO shock-capturing and sharp interfaces. 2003 , 186, 136-177	78
2194	A finite element technique for multifluid incompressible flow using Eulerian grids. 2003 , 187, 255-273	42
2193	A mesh-based partition of unity method for discontinuity modeling. 2003 , 192, 1515-1532	64
2192	Two gradient plasticity theories discretized with the element-free Galerkin method. 2003 , 192, 2377-2403	57
2191	A computational approach to handle complex microstructure geometries. 2003 , 192, 3163-3177	465
2190	Numerical modelling of crack propagation: automatic remeshing and comparison of different criteria. 2003 , 192, 3887-3908	232
2189	From continuous to discontinuous failure in a gradient-enhanced continuum damage model. 2003 , 192, 4581-4607	142
2188	Modelling of stationary and growing cracks in FE framework without remeshing: a state-of-the-art review. 2003 , 81, 119-129	145
2187	A review of techniques, advances and outstanding issues in numerical modelling for rock mechanics and rock engineering. 2003 , 40, 283-353	652
2186	Direct evaluation of accurate coefficients of the linear elastic crack tip asymptotic field. 2003 , 26, 719-729	46
2185	Finite Element Modelling of Cracks Based on the Partition of Unity Method. 2003 , 2, 226-227	2
2184	Aspects of Computational Modeling of Discontinuities with Enriched Triangular Finite Elements. 2003 , 3, 300-301	1
2183	Fatigue crack propagation of multiple coplanar cracks with the coupled extended finite element/fast marching method. 2003 , 41, 845-869	95
2182	New Methods for Discontinuity and Crack Modeling in EFG. 2003 , 37-50	9

2181	Damage and Fracture Mechanics Techniques for Composite Structures. 2003 , 459-539	7
2180	Process zone resolution by extended finite elements. 2003 , 70, 957-977	68
2179	Computational Aspects of Nonlinear Fracture Mechanics. 2003 , 127-209	49
2178	On solving singular interface problems using the enriched partition-of-unity finite element methods. 2003 , 20, 998-1022	1
2177	An Extended Finite Element Method for Two-Phase Fluids. 2003 , 70, 10-17	201
2176	Computational Modeling of Concrete Structures. 2003 , 541-606	4
2175	The Extended Finite Element and Level Set Methods for Non-Planar 3D Crack Growth. 2003 , 343-354	2
2174	Novel Discretization Concepts. 2003 , 377-425	6
2173	Reliability of Metal Interconnects. 2003 , 265-324	38
2172	On Extended Finite Element Method (XFEM) for Modelling of Organ Deformations Associated with Surgical Cuts. 2004 , 134-143	11
2171	Chemically induced swelling of hydrogels. 2004 , 52, 51-84	114
2170	On the modeling of highly localized deformations induced by material failure: The strong discontinuity approach. 2004 , 11, 389-446	19
2169	A particle-level set-based sharp interface cartesian grid method for impact, penetration, and void collapse. 2004 , 193, 469-510	76
2168	Enriched partition-of-unity finite element method for stress intensity factors at crack tips. 2004 , 82, 445-461	22
2167	Numerical prediction of crack propagation by an enhanced element-free Galerkin method. 2004 , 227, 257-271	16
2166	A finite element method for cohesive crack modelling. 2004 , 4, 350-351	2
2165	Simulation of crack propagation using embedded discontinuities. 2004 , 4, 366-367	1
2164	Partition of unity-based discontinuous elements for interface phenomena: computational issues. 2004 , 20, 465-478	68

2163	Continuum approach to the numerical simulation of material failure in concrete. 2004 , 28, 609-632		107
2162	Discrete vs smeared crack models for concrete fracture: bridging the gap. 2004 , 28, 583-607		144
2161	A 3D anisotropic elastoplastic-damage model using discontinuous displacement fields. <i>International Journal for Numerical Methods in Engineering</i> , 2004 , 60, 923-948	2.4	12
2160	On error estimator and p-adaptivity in the generalized finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2004 , 60, 2373-2398	2.4	38
2159	A method for multiple crack growth in brittle materials without remeshing. <i>International Journal for Numerical Methods in Engineering</i> , 2004 , 61, 1741-1770	2.4	167
2158	Cracking particles: a simplified meshfree method for arbitrary evolving cracks. <i>International Journal for Numerical Methods in Engineering</i> , 2004 , 61, 2316-2343	2.4	964
2157	Arbitrary discontinuities in space-time finite elements by level sets and X-FEM. <i>International Journal for Numerical Methods in Engineering</i> , 2004 , 61, 2595-2614	2.4	76
2156	On strategies for enforcing interfacial constraints and evaluating jump conditions with the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2004 , 61, 2508-2535	2.4	129
2155	Enrichment of enhanced assumed strain approximations for representing strong discontinuities: addressing volumetric incompressibility and the discontinuous patch test. <i>International Journal for Numerical Methods in Engineering</i> , 2004 , 59, 47-67	2.4	55
2154	Partition of unity enrichment for bimaterial interface cracks. <i>International Journal for Numerical Methods in Engineering</i> , 2004 , 59, 1075-1102	2.4	191
2153	XFEM for direct evaluation of mixed mode SIFs in homogeneous and bi-materials. <i>International Journal for Numerical Methods in Engineering</i> , 2004 , 59, 1103-1118	2.4	157
2152	Combined extended and superimposed finite element method for cracks. <i>International Journal for Numerical Methods in Engineering</i> , 2004 , 59, 1119-1136	2.4	53
2151	A meshless method with enriched weight functions for fatigue crack growth. <i>International Journal for Numerical Methods in Engineering</i> , 2004 , 59, 1945-1961	2.4	106
2150	Cohesive-zone models, higher-order continuum theories and reliability methods for computational failure analysis. <i>International Journal for Numerical Methods in Engineering</i> , 2004 , 60, 289-315	2.4	81
2149	Performance assessment of generalized elements in the finite cover method. 2004 , 41, 111-132		40
2148	Evaluation of the amount of crack growth in 2D LEFM problems. 2004 , 71, 1403-1419		6
2147	Three-dimensional numerical simulations of dynamic fracture in silicon carbide reinforced aluminum. 2004 , 71, 1357-1378		23
2146	Fully automatic modelling of cohesive discrete crack propagation in concrete beams using local arc-length methods. 2004 , 41, 801-826		63

2145	Modelling cracks in arbitrarily shaped finite bodies by distribution of dislocation. 2004 , 41, 399-411	28
2144	A mesh-independent interface technology for simulation of mixed-mode delamination growth. 2004 , 41, 3809-3831	26
2143	The use of displacement discontinuities in a rate-dependent medium. 2004 , 193, 3015-3033	30
2142	Theoretical and computational issues in modelling material failure in strong discontinuity scenarios. 2004 , 193, 2987-3014	70
2141	Strain localization due to crack-microcrack interactions: X-FEM for a multifield approach. 2004 , 193, 5035-5062	18
2140	Embedded crack vs. smeared crack models: a comparison of elementwise discontinuous crack path approaches with emphasis on mesh bias. 2004 , 193, 3351-3375	85
2139	Analysis and numerical simulation of strong discontinuities in finite strain poroplasticity. 2004 , 193, 2941-2986	22
2138	Application de la méthode X-FEM à la résolution de problèmes de micromécanique. 2004 , 13, 475-484	
2137	A method for growing multiple cracks without remeshing and its application to fatigue crack growth. 2004 , 12, 901-915	82
2136	Application of the Discontinuous Solid-Like Shell Element to Delamination. 2004 ,	1
2135	Modelling Surgical Cuts, Retractions, and Resections via Extended Finite Element Method. 2004 , 311-318	8
2134	Computational Fracture Mechanics. 2004 ,	10
2133	Meshfree Methods. 2004 ,	10
2132	Damage, Material Instabilities, and Failure. 2004 ,	16
2131	Finite element-based model for crack propagation in polycrystalline materials. 2004 , 23,	8
2130	Recent Advances in the Level Set Method. 2005 , 201-256	1
2129	Theoretical and experimental investigation of stress redistribution in open hole composite laminates due to damage accumulation. 2005 , 36, 163-171	48
2128	Finite Cover Method for Physically and Geometrically Nonlinear Problems. 2005 , 169-190	

2127	On Fracture Modelling Based on Inverse Strong Discontinuities. 2005 , 269-277		
2126	Modeling of pressure-sensitive materials using a cap plasticity theory in extended finite element method. 2005 , 164-165, 1248-1257		4
2125	Modern topics and challenges in dynamic fracture. 2005 , 53, 565-596		90
2124	Application of soft tissue modelling to image-guided surgery. 2005 , 27, 893-909		91
2123	On fracture analysis using an element overlay technique. 2005 , 72, 773-789		40
2122	A rate-dependent cohesive model for simulating dynamic crack propagation in brittle materials. 2005 , 72, 1383-1410		149
2121	Enriched meshless manifold method for two-dimensional crack modeling. 2005 , 44, 234-248		85
2120	Numerical analyses of discontinuous material bifurcation: strong and weak discontinuities. 2005 , 194, 979-1000		20
2119	Modeling 3D crack propagation in unreinforced concrete using PUFEM. 2005 , 194, 2859-2896		128
2118	A novel algorithmic framework for the numerical implementation of locally embedded strong discontinuities. 2005 , 194, 4731-4757		14
2117	A numerical strategy for investigating the kinetic response of stimulus-responsive hydrogels. 2005 , 194, 4447-4480		53
2116	Non-linear analysis of shells with arbitrary evolving cracks using XFEM. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 62, 384-415	2.4	124
2115	The Arlequin method as a flexible engineering design tool. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 62, 1442-1462	2.4	266
2114	Multiscale enrichment based on partition of unity. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 62, 1341-1359	2.4	103
2113	A framework for fracture modelling based on the material forces concept with XFEM kinematics. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 62, 1763-1788	2.4	31
2112	Continuum-discontinuum modelling of shear bands. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 62, 1857-1872	2.4	70
2111	An energy-conserving scheme for dynamic crack growth using the eXtended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 63, 631-659	2.4	163
2110	A finite element method for the computational modelling of cohesive cracks. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 63, 276-289	2.4	188

2109	Stress analysis around crack tips in finite strain problems using the eXtended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 63, 290-314	2.4	72
2108	Analysis of three-dimensional crack initiation and propagation using the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 63, 760-788	2.4	275
2107	Adaptivity for structured meshfree particle methods in 2D and 3D. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 63, 1559-1582	2.4	211
2106	On advanced solution strategies to overcome locking effects in strong discontinuity approaches. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 63, 1313-1341	2.4	33
2105	A combined space-time extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 64, 260-284	2.4	56
2104	High-order extended finite element method for cracked domains. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 64, 354-381	2.4	324
2103	Improved implementation and robustness study of the X-FEM for stress analysis around cracks. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 64, 1033-1056	2.4	317
2102	Strong and weak arbitrary discontinuities in spectral finite elements. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 64, 991-1008	2.4	60
2101	Three-dimensional immersed finite element methods for electric field simulation in composite materials. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 64, 940-972	2.4	77
2100	The contour integral method for loaded cracks. 2005 , 22, 421-432		12
2099	On the efficient implementation of an elastoplastic damage model for large-scale analyses of material failure: a multiscale approach. 2005 , 83, 369-382		6
2098	A geometric nonlinear triangular finite element with an embedded discontinuity for the simulation of quasi-brittle fracture. 2005 , 36, 139-157		4
2097	Cohesive models for damage evolution in laminated composites. 2005 , 133, 107-137		321
2096	APPROXIMATION PROPERTIES OF GENERALIZED ELEMENTS IN HIGHER-ORDER FINITE COVER APPROXIMATION. 2005 , 2005, 794_131-794_142		
2095	The Extended Finite Element Method for Dynamic Fractures. 2005 , 12, 9-23		48
2094	Meshfree Methods for Partial Differential Equations II. 2005 ,		14
2093	Computational Mechanics of Failure in Composites at Multiple Scales. 2005 , 63-101		1
2092	A Mixed Mode Fatigue Crack Growth Model Applied to Rolling Contact Fatigue. 2005 , 63		1

2091	Modeling and Simulation of Multiphysics Systems. 2005 , 5, 198	52
2090	Numerical simulation of crack problems using triangular finite elements with embedded interfaces. 2005 , 32, 435-445	9
2089	On Approximation in Meshless Methods. 2005 , 65-141	8
2088	Multi-scale modelling of heterogeneous materials with fixed and evolving microstructures. 2005 , 13, 95-121	9
2087	Examination of Ply Cracking in Composite Laminates with Open-Holes: a Moire Interferometric and Numerical Study. 2005 ,	
2086	Discontinuous Radial Basis Function Approximations for Meshfree Methods. 2005 , 231-253	5
2085	Handbook of Biomedical Image Analysis. 2005 ,	13
2084	IUTAM Symposium on Topological Design Optimization of Structures, Machines and Materials. 2006 ,	20
2083	A Dynamic Crack Propagation Criteria for XFEM, Based on Path-Independent Integral Evaluation. 2006 , 943-944	
2082	Advances in Fracture Research. 2006 ,	
2081	III European Conference on Computational Mechanics. 2006 ,	1
2080	High performance multiscale simulation or crack propagation.	5
2079	Damage and fatigue. 2006 , 10, 849-877	3
2078	Elastic-decohesive constitutive model for sea ice. 2006 , 111,	55
2077	Analysis of Finite Strain Anisotropic Elastoplastic Fracture in Thin Plates and Shells. 2006 , 19, 259-270	32
2076	Appropriate extended functions for X-FEM simulation of elastic-plastic crack growth with frictional contact. 2006 , 15, 155-166	2
2075	Crack growth in fretting-fatigue problems using the extended finite element method. 2006 , 253-253	
2074	In quest of virtual tests for structural composites. 2006 , 314, 1102-7	163

2073	Examination of ply cracking in composite laminates with open holes: A moiré interferometric and numerical study. 2006 , 37, 282-294	49
2072	A comparison of the extended finite element method with the immersed interface method for elliptic equations with discontinuous coefficients and singular sources. 2006 , 1, 207-228	25
2071	A one-dimensional variational formulation for quasibrittle fracture. 2006 , 1, 1323-1343	8
2070	Crack propagation modelled by T-elements. 2006 , 23, 100-123	1
2069	Asymptotic fields at frictionless and frictional cohesive crack tips in quasibrittle materials. 2006 , 1, 881-910	28
2068	Numerical simulation of crack propagation in shells. 2006 , 6, 219-220	0
2067	A quasi-optimal convergence result for fracture mechanics with XFEM. 2006 , 342, 527-532	15
2066	Kinetics of thermally induced swelling of hydrogels. 2006 , 43, 1878-1907	51
2065	Mixed-mode stress intensity factors for graded materials. 2006 , 43, 1946-1959	15
2064	Extended finite element method in plasticity forming of powder compaction with contact friction. 2006 , 43, 5421-5448	47
2063	Fatigue crack propagation: In situ visualization using X-ray microtomography and 3D simulation using the extended finite element method. 2006 , 54, 1111-1122	104
2062	An embedded strong discontinuity model for cracking of plain concrete. 2006 , 195, 7115-7138	43
2061	Appropriate extended functions for X-FEM simulation of plastic fracture mechanics. 2006 , 195, 501-515	168
2060	A comment on the article 'A finite element method for simulation of strong and weak discontinuities in solid mechanics' by A. Hansbo and P. Hansbo [Comput. Methods Appl. Mech. Engrg. 193 (2004) 3523-3540]. 2006 , 195, 1275-1276	69
2059	A local space-time discontinuous finite element method. 2006 , 195, 1325-1343	29
2058	A coupled discrete-continuum approach to simulate moisture effects on damage processes in porous materials. 2006 , 195, 7139-7153	20
2057	A geometrically nonlinear FE approach for the simulation of strong and weak discontinuities. 2006 , 195, 5037-5052	33
2056	Modeling strong discontinuities at finite strains: A novel numerical implementation. 2006 , 195, 4396-4419	13

2055	Interface material failure modeled by the extended finite-element method and level sets. 2006 , 195, 4753-4767	33
2054	Analysis of fracture in thin shells by overlapping paired elements. 2006 , 195, 5343-5360	95
2053	Arbitrarily smooth generalized finite element approximations. 2006 , 196, 33-56	28
2052	Mesh objective tensile cracking via a local continuum damage model and a crack tracking technique. 2006 , 196, 304-320	77
2051	Computational modelling of delamination. 2006 , 66, 713-722	74
2050	Numerical modeling of softening hinges in thin EulerBernoulli beams. 2006 , 84, 641-656	64
2049	Mesh-independent discrete numerical representations of cohesive-zone models. 2006 , 73, 160-177	124
2048	Surface crack and cracks networks in biaxial fatigue. 2006 , 73, 233-251	13
2047	Effect of material uncertainties on fatigue life calculations of aircraft fuselages: A cohesive element model. 2006 , 73, 1202-1219	21
2046	Enriched finite elements and level sets for damage tolerance assessment of complex structures. 2006 , 73, 1176-1201	125
2045	Fully automatic modelling of mixed-mode crack propagation using scaled boundary finite element method. 2006 , 73, 1711-1731	116
2044	Numerical modeling of crack propagation and shielding effects in a striping network. 2006 , 236, 954-964	15
2043	Image-based extended finite element modeling of thermal barrier coatings. 2006 , 201, 2369-2380	44
2042	Strength prediction in composites with stress concentrations: classical Weibull and critical failure volume methods with micromechanical considerations. 2006 , 41, 6610-6621	22
2041	Modern Domain-based Discretization Methods for Damage and Fracture. 2006 , 138, 241-262	12
2040	Bridging the scales in nano engineering and science. 2006 , 8, 577-594	110
2039	Finite cover method for progressive failure with cohesive zone fracture in heterogeneous solids and structures. 2006 , 39, 191-210	55
2038	A mortared finite element method for frictional contact on arbitrary interfaces. 2006 , 39, 223-235	55

2037	Spiral weight for modeling cracks in meshless numerical methods. 2006 , 38, 101-111		1
2036	A Numerical Approach for Arbitrary Cracks in a Fluid-Saturated Medium. 2006 , 75, 595-606		93
2035	Crack analysis in orthotropic media using the extended finite element method. 2006 , 44, 1031-1038		95
2034	A robust and consistent remeshing-transfer operator for ductile fracture simulations. 2006 , 84, 604-623		57
2033	Modeling crack in orthotropic media using a coupled finite element and partition of unity methods. 2006 , 42, 1165-1175		73
2032	Modelling dynamic failure of concrete with meshfree methods. 2006 , 32, 1878-1897		128
2031	A rate-dependent cohesive crack model based on anisotropic damage coupled to plasticity. 2006 , 30, 887-916		1
2030	Smearred crack approach: back to the original track. 2006 , 30, 1173-1199		100
2029	A new approach for modelling slip lines in geological materials with cohesive models. 2006 , 30, 1159-1172		81
2028	MLS-based variable-node elements compatible with quadratic interpolation. Part II: application for finite crack element. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 65, 517-547	2.4	23
2027	On the elimination of quadrature subcells for discontinuous functions in the eXtended Finite-Element Method. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 66, 761-795	2.4	146
2026	Discrete crack modelling of ductile fracture driven by non-local softening plasticity. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 66, 661-688	2.4	56
2025	Theory and numerics for finite deformation fracture modelling using strong discontinuities. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 66, 911-948	2.4	57
2024	Two-scale shear band evolution by local partition of unity. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 66, 878-910	2.4	46
2023	Spatial convergence of crack nucleation using a cohesive finite-element model on a pinwheel-based mesh. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 67, 1-16	2.4	32
2022	Improving the accuracy of XFEM crack tip fields using higher order quadrature and statically admissible stress recovery. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 66, 1378-1410	2.4	107
2021	The discontinuous enrichment method for elastic wave propagation in the medium-frequency regime. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 66, 2086-2114	2.4	38
2020	A method for dynamic crack and shear band propagation with phantom nodes. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 67, 868-893	2.4	519

2019	Failure analysis of quasi-brittle materials involving multiple mechanisms on fractured surfaces. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 67, 960-988	2.4	5
2018	A Generalized Finite Element Method for polycrystals with discontinuous grain boundaries. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 67, 1122-1145	2.4	148
2017	Multiple crack weight for solution of multiple interacting cracks by meshless numerical methods. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 67, 1146-1159	2.4	18
2016	Imposing Dirichlet boundary conditions in the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 67, 1641-1669	2.4	165
2015	Efficient explicit time stepping for the eXtended Finite Element Method (X-FEM). <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 68, 911-939	2.4	127
2014	The intrinsic XFEM: a method for arbitrary discontinuities without additional unknowns. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 68, 1358-1385	2.4	129
2013	A two-scale approach for fluid flow in fractured porous media. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 71, 780-800	2.4	143
2012	Towards the algorithmic treatment of 3D strong discontinuities. 2006 , 23, 97-108		35
2011	Eulerian finite cover method for quasi-static equilibrium problems of hyperelastic bodies. 2006 , 23, 1081-1094		9
2010	An Effective Numerical Approach for Multiple Void-Crack Interaction. 2006 , 73, 525-535		18
2009	Simulation of Plastic Fatigue Crack Growth by a Two Scale Extended Finite Element Method. 2006 , 933-934		
2008	Some Improvements for Extended Finite Element Methods in Fracture Mechanics. 2006 , 953-954		
2007	Robust Stress Intensity Factors Evaluation for 3D Fracture Mechanics with X-FEM. 2006 , 939-940		
2006	Partly Cracked XFEM Interface for Intersecting Cracks. 2006 , 397-398		
2005	Recent Developments of Hybrid Crack Element: Determination of Its Complete Displacement Field and Combination with XFEM. 2006 , 21-21		
2004	X-FEM for 3D Cracks in Shaft with Contact. 2006 , 951-952		
2003	Multi-Scale Modeling of Human Cortical Bone: Aging and Failure Studies. 2006 , 975, 1		7
2002	Aspects of crack propagation and hygro-mechanical coupling using X-FEM. 2006 , 254-254		

2001	Global-local approaches: the Arlequin framework. 2006 , 15, 67-80	21
2000	Une approche micro-macro pour le suivi de fissure avec enrichissement local. 2006 , 15, 187-198	4
1999	On the Advantages of Using a Strong Coupling Variational Formulation to Model Electro-Mechanical Problem.	
1998	Fluid-Structure Interaction. 2006 ,	71
1997	STRESS ANALYSES OF COMPOSITE LAMINATE WITH DELAMINATION USING X-FEM. 2006 , 03, 521-543	8
1996	Etude de la stabilité d'une formulation incompressible traitée par X-FEM. 2006 , 15, 257-268	1
1995	Large Deformation Fluid-Structure Interaction [Advances in ALE Methods and New Fixed Grid Approaches. 2006 , 195-232	27
1994	Une méthode d'éléments finis d'ordre supérieur optimale. 2006 , 15, 233-244	
1993	Architecture tradeoffs of integrating a mesh generator to partition of unity enriched object-oriented finite element software. 2007 , 16, 237-258	26
1992	Prise en compte de discontinuité en espace et en temps par la méthode des éléments finisendus. 2007 , 16, 827-843	1
1991	A physically-based framework for real-time haptic cutting and interaction with 3D continuum models. 2007 ,	12
1990	Variational Extended Finite Element Model for Cohesive Cracks: Influence of Integration and Interface Law. 2007 , 283-301	2
1989	Numerical Simulations Of Moving Interfaces By Level Set Method In The Partition Of Unity Concept. 2007 ,	
1988	On the Application of Hansbo's Method for Interface Problems. 2007 , 255-265	1
1987	Partition of unity-based discontinuous finite elements: GFEM, PUFEM, XFEM. 2007 , 11, 1045-1068	7
1986	Designing Distributed Compliant Mechanisms With Characteristic Stiffness. 2007 , 33	27
1985	Multiple scale modeling for cortical bone fracture in tension using X-FEM. 2007 , 16, 213-236	32
1984	A stable 3D contact formulation using X-FEM. 2007 , 16, 259-275	41

1983	Advances in Meshfree Techniques. 2007 ,	3
1982	The extended finite element method for boundary layer problems in biofilm growth. 2007 , 2, 35-56	18
1981	Capturing the bottom boundary layer in finite element ocean models. 2007 , 17, 153-162	12
1980	Computational Fracture Mechanics. 2007 ,	2
1979	On Applications of XFEM to Dynamic Fracture and Dislocations. 2007 , 155-170	
1978	Recent Developments in the Formulation of Finite Elements with Embedded Strong Discontinuities. 2007 , 105-122	
1977	Multiscaling in Molecular and Continuum Mechanics: Interaction of Time and Size from Macro to Nano. 2007 ,	8
1976	X-SFEM, a computational technique based on X-FEM to deal with random shapes. 2007 , 16, 277-293	24
1975	Extended Finite Element for Electromechanical Coupling. 2007 ,	2
1974	IUTAM Symposium on Discretization Methods for Evolving Discontinuities. 2007 ,	1
1973	A Truly Mixed Approach for Cohesive-Crack Propagation in Functionally Graded Materials. 2007 , 14, 643-654	6
1972	An enriched finite element approach for prescribed motions of thin immersed structures in a fluid. 2007 , 16, 145-160	3
1971	Three-dimensional non-linear fracture mechanics by enriched meshfree methods without asymptotic enrichment. 2007 , 21-36	3
1970	A substructured FE/XFE method for stress intensity factors computation in an industrial structure. 2007 , 16, 199-212	4
1969	A Global-Local Approach for the Construction of Enrichment Functions for the Generalized FEM and Its Application to Three-Dimensional Cracks. 2007 , 1-26	8
1968	A multi-grid extended finite element method for elastic crack growth simulation. 2007 , 16, 161-182	13
1967	New and Advanced Numerical Strategies for the Simulation of Material Forming. 2007 , 11-22	
1966	Numerical propagation of dynamic cracks using X-FEM. 2007 , 16, 183-198	

1965	CURVED-CRACK MODELING BY X-FEM AND ITS APPLICATION FOR SIMULATION OF CRACK GROWTH. 2007 , 63, 108-121		5
1964	Energy-based simulation of concrete cracking using an improved mixed-mode cohesive crack model within a meshless discretization. 2007 , 31, 285-305		13
1963	An extended FE strategy for transition from continuum damage to mode I cohesive crack propagation. 2007 , 31, 213-238		94
1962	Three-dimensional simulation of concrete fracture using embedded crack elements without enforcing crack path continuity. 2007 , 31, 173-187		43
1961	Three-dimensional fracture simulations based on the SDA. 2007 , 31, 189-212		35
1960	Modelling surface orientation and stress at failure of concrete and geological materials. 2007 , 31, 147-171		10
1959	Crack propagation criteria in the framework of X-FEM-based structural analyses. 2007 , 31, 239-259		105
1958	Discrete crack modelling in a new X-FEM format with emphasis on dynamic response. 2007 , 31, 261-283		5
1957	A discrete model for the dynamic propagation of shear bands in a fluid-saturated medium. 2007 , 31, 347-370		35
1956	The cohesive element approach to dynamic fragmentation: the question of energy convergence. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 69, 484-503	2.4	69
1955	A simplified mesh-free method for shear bands with cohesive surfaces. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 69, 993-1021	2.4	171
1954	Level set X-FEM non-matching meshes: application to dynamic crack propagation in elastic-plastic media. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 69, 1553-1569	2.4	83
1953	Developing new enrichment functions for crack simulation in orthotropic media by the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 69, 2150-2172	2.4	123
1952	Clustered generalized finite element methods for mesh unrefinement, non-matching and invalid meshes. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 69, 2409-2440	2.4	8
1951	Incremental-secant modulus iteration scheme and stress recovery for simulating cracking process in quasi-brittle materials using XFEM. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 69, 2606-2635	2.4	33
1950	A new fast finite element method for dislocations based on interior discontinuities. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 69, 423-441	2.4	60
1949	A study of the representation of cracks with level sets. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 70, 1261-1302	2.4	137
1948	An extended finite element library. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 71, 703-732	2.4	200

1947	XFEM-based crack detection scheme using a genetic algorithm. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 71, 1051-1080	2.4	71
1946	A robust algorithm for configurational-force-driven brittle crack propagation with R-adaptive mesh alignment. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 72, 127-155	2.4	108
1945	A multiscale projection method for macro/microcrack simulations. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 71, 1466-1482	2.4	136
1944	A mixed augmented Lagrangian-extended finite element method for modelling elastic-plastic fatigue crack growth with unilateral contact. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 71, 1569-1597	2.4	71
1943	A high-order generalized FEM for through-the-thickness branched cracks. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 72, 325-351	2.4	95
1942	A meshfree thin shell method for non-linear dynamic fracture. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 72, 524-548	2.4	375
1941	A consistent partly cracked XFEM element for cohesive crack growth. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 72, 464-485	2.4	51
1940	Two-scale method for shear bands: thermal effects and variable bandwidth. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 72, 658-696	2.4	26
1939	A substructured FE-shell/XFE-3D method for crack analysis in thin-walled structures. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 72, 757-779	2.4	55
1938	Finite elements with embedded strong discontinuities for the modeling of failure in solids. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 72, 1391-1433	2.4	170
1937	CAD inspired hierarchical partition of unity constructions for NURBS-based, meshless design, analysis and optimization. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 72, 1452-1489	2.4	28
1936	Reduced basis approximation and a posteriori error estimation for stress intensity factors. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 72, 1219-1259	2.4	33
1935	A simple error estimator for extended finite elements. 2007 , 24, 961-971		71
1934	A three-dimensional large deformation meshfree method for arbitrary evolving cracks. 2007 , 196, 2777-2799		731
1933	Implementation of hybrid crack element on a general finite element mesh and in combination with XFEM. 2007 , 196, 1864-1873		38
1932	Modeling dislocation by coupling Peierls-Nabarro and element-free Galerkin methods. 2007 , 196, 1915-1923		33
1931	Orbital HP-Clouds for solving Schrödinger equation in quantum mechanics. 2007 , 196, 3693-3705		13
1930	Numerical modelling and experimental validation of dynamic fracture events along weak planes. 2007 , 196, 3833-3840		24

1929	Energy-based modeling of cohesive and cohesionless cracks via X-FEM. 2007 , 196, 2338-2357	128
1928	Extended finite element simulation of quasi-brittle fracture in functionally graded materials. 2007 , 196, 4013-4026	52
1927	A new fatigue frictional contact crack propagation model with the coupled X-FEM/LATIN method. 2007 , 196, 3230-3247	55
1926	Derivative recovery and a posteriori error estimate for extended finite elements. 2007 , 196, 3381-3399	107
1925	Modelling of cohesive crack growth in concrete structures with the extended finite element method. 2007 , 196, 4087-4100	162
1924	Shear-band capturing using a multiscale extended digital image correlation technique. 2007 , 196, 5016-5030	93
1923	From pictures to extended finite elements: extended digital image correlation (X-DIC). 2007 , 335, 131-137	51
1922	Dynamic crack propagation under mixed-mode loading [Comparison between experiments and X-FEM simulations. 2007 , 44, 6517-6534	88
1921	A mesh-free simulation of cracking and failure using the cohesive segments method. 2007 , 45, 541-553	28
1920	Brittle and ductile crack propagation using automatic finite element crack box technique. 2007 , 74, 1810-1824	22
1919	A δ method-based numerical simulation of crack growth in linear elastic fracture. 2007 , 74, 1727-1738	3
1918	An overview of a hybrid crack element and determination of its complete displacement field. 2007 , 74, 1107-1117	27
1917	Coupling between experimental measurements and polycrystal finite element calculations for micromechanical study of metallic materials. 2007 , 23, 1512-1539	171
1916	Extrinsic meshfree approximation using asymptotic expansion for interfacial discontinuity of derivative. 2007 , 221, 370-394	35
1915	An extended pressure finite element space for two-phase incompressible flows with surface tension. 2007 , 224, 40-58	152
1914	Modelling of tear propagation in soft hydrated biological tissue. 2007 , 7, 4030009-4030010	0
1913	Diagnoses of vertical transport in a three-dimensional finite element model of the tidal circulation around an island. 2007 , 74, 655-669	23
1912	Mechanical Failure in Microstructural Heterogeneous Materials. 2007 , 533-541	

1911	Stress concentration minimization of 2D filets using X-FEM and level set description. 2007 , 33, 425-438	99
1910	Constrained optimization for interface cracks in composite materials subject to non-penetration conditions. 2007 , 59, 301-321	4
1909	Crack shielding and amplification due to multiple microcracks interacting with a macrocrack. 2007 , 145, 1-8	53
1908	A multiscale approach to damage configurational forces. 2007 , 147, 285-294	4
1907	A Meshfree Method based on the Local Partition of Unity for Cohesive Cracks. 2007 , 39, 743-760	239
1906	Multiscale enrichment based on partition of unity for nonperiodic fields and nonlinear problems. 2007 , 40, 249-259	30
1905	Extended meshfree methods without branch enrichment for cohesive cracks. 2007 , 40, 367-382	144
1904	A three-dimensional meshfree method for continuous multiple-crack initiation, propagation and junction in statics and dynamics. 2007 , 40, 473-495	275
1903	The intrinsic partition of unity method. 2007 , 40, 803-814	18
1902	p-Adaptive Ck generalized finite element method for arbitrary polygonal clouds. 2007 , 41, 175-187	14
1901	Research advance in safety analysis methods for high concrete dam. 2007 , 50, 62-78	16
1900	On XFEM applications to dislocations and interfaces. 2007 , 23, 1721-1738	76
1899	Meshless methods: A review and computer implementation aspects. 2008 , 79, 763-813	778
1898	Numerical implementation of the eXtended Finite Element Method for dynamic crack analysis. 2008 , 39, 573-587	36
1897	A survey of the extended finite element. 2008 , 86, 1141-1151	143
1896	Coupling of the boundary element method and the scaled boundary finite element method for computations in fracture mechanics. 2008 , 86, 1198-1203	23
1895	Asymptotic fields at the tip of a cohesive crack. 2008 , 150, 55-74	33
1894	Digital Image Mechanical Identification (DIMI). 2008 , 48, 495-508	65

1893	Coupling of the eXtended finite element method and the matching asymptotic development in the modelling of brazed assembly. 2008 , 1, 1119-1122		
1892	Domain and boundary quadrature for enrichment functions in the extended finite element method. 2008 , 1, 1135-1138		0
1891	A Local Multi-grid X-FEM approach for 3D fatigue crack growth. 2008 , 1, 1103-1106		2
1890	A two-scale model for fluid flow in an unsaturated porous medium with cohesive cracks. 2008 , 42, 227-238		111
1889	A comparative study on finite element methods for dynamic fracture. 2008 , 42, 239-250		252
1888	An XFEM/level set approach to modelling surface/interface effects and to computing the size-dependent effective properties of nanocomposites. 2008 , 42, 119-131		139
1887	Fracture strength assessment and aging signs detection in human cortical bone using an X-FEM multiple scale approach. 2008 , 42, 579-591		56
1886	Tear Propagation in Soft Hydrated Biological Tissue. 2008 , 8, 10235-10236		1
1885	Extended digital image correlation with crack shape optimization. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 73, 248-272	2.4	164
1884	Efficient finite element formulation for the analysis of localized failure in beam structures. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 73, 1217-1250	2.4	5
1883	Parametric enrichment adaptivity by the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 73, 1671-1692	2.4	44
1882	The immersed/fictitious element method for fluid-structure interaction: Volumetric consistency, compressibility and thin members. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 74, 32-55	2.4	40
1881	Multiscale aggregating discontinuities: A method for circumventing loss of material stability. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 73, 869-894	2.4	180
1880	Mass lumping strategies for X-FEM explicit dynamics: Application to crack propagation. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 74, 447-474	2.4	72
1879	Quasi-static crack propagation in plane and plate structures using set-valued traction-separation laws. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 74, 475-505	2.4	36
1878	A regularized XFEM model for the transition from continuous to discontinuous displacements. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 74, 911-944	2.4	42
1877	The extended finite element method in thermoelastic fracture mechanics. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 74, 827-847	2.4	130
1876	A combined extended finite element and level set method for biofilm growth. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 74, 848-870	2.4	103

1875	Blending in the extended finite element method by discontinuous Galerkin and assumed strain methods. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 74, 1645-1669	2.4	99
1874	Crack growth analysis using mesh superposition technique and X-FEM. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 75, 291-304	2.4	11
1873	The enriched space-time finite element method (EST) for simultaneous solution of fluid-structure interaction. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 75, 305-334	2.4	63
1872	A corrected XFEM approximation without problems in blending elements. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 75, 503-532	2.4	352
1871	Crack tip enrichment in the XFEM using a cutoff function. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 75, 629-646	2.4	72
1870	A new crack tip element for the phantom-node method with arbitrary cohesive cracks. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 75, 577-599	2.4	176
1869	New development in extended finite element modeling of large elasto-plastic deformations. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 75, 1133-1171	2.4	26
1868	A recovery-type error estimator for the extended finite element method based on singular+smooth stress field splitting. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 76, 545-571	2.4	72
1867	Three-dimensional non-planar crack growth by a coupled extended finite element and fast marching method. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 76, 727-748	2.4	76
1866	Contact with friction in multi-material arbitrary Lagrangian-Eulerian formulations using X-FEM. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 76, 893-921	2.4	22
1865	Singularity enrichment for complete sliding contact using the partition of unity finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 76, 1402-1418	2.4	9
1864	Robust and direct evaluation of J_2 in linear elastic fracture mechanics with the X-FEM. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 76, 1471-1488	2.4	8
1863	A contact algorithm for frictional crack propagation with the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 76, 1489-1512	2.4	107
1862	A smeared-embedded mesh-corrected damage model for tensile cracking. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 76, 1930-1954	2.4	17
1861	On the smoothed finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 76, 1285-1295	2.4	11
1860	Approximation capability of a bilinear immersed finite element space. 2008 , 24, 1265-1300		81
1859	Enhancement of fixed-grid methods towards complex fluid-structure interaction applications. 2008 , 57, 1227-1248		26
1858	Approaches to dynamic fracture modelling at finite deformations. 2008 , 56, 613-639		24

1857	On a new extended finite element method for dislocations: Core enrichment and nonlinear formulation. 2008 , 56, 200-214	41
1856	X-FEM a good candidate for energy conservation in simulation of brittle dynamic crack propagation. 2008 , 197, 309-318	48
1855	An eXtended Finite Element Method/Lagrange multiplier based approach for fluid-structure interaction. 2008 , 197, 1699-1714	193
1854	Modeling of failure in composites by X-FEM and level sets within a multiscale framework. 2008 , 197, 414-424	101
1853	A multiscale extended finite element method for crack propagation. 2008 , 197, 381-399	81
1852	Coupling volume-of-fluid based interface reconstructions with the extended finite element method. 2008 , 197, 439-447	5
1851	Extended finite element method on polygonal and quadtree meshes. 2008 , 197, 425-438	101
1850	Analysis and applications of a generalized finite element method with global-local enrichment functions. 2008 , 197, 487-504	142
1849	Discontinuous modelling of shear bands using adaptive meshfree methods. 2008 , 197, 641-658	126
1848	Stability of incompressible formulations enriched with X-FEM. 2008 , 197, 1835-1849	44
1847	A non-intrusive method for the calculation of strict and efficient bounds of calculated outputs of interest in linear viscoelasticity problems. 2008 , 197, 994-1014	32
1846	Extended finite element method for three-dimensional large plasticity deformations on arbitrary interfaces. 2008 , 197, 1100-1114	35
1845	A smoothed finite element method for plate analysis. 2008 , 197, 1184-1203	247
1844	An orthotropic mesh corrected crack model. 2008 , 197, 1603-1619	17
1843	New finite elements with embedded strong discontinuities in the finite deformation range. 2008 , 197, 3138-3170	64
1842	Residual-free bubbles for embedded Dirichlet problems. 2008 , 197, 3751-3759	36
1841	A regularized XFEM framework for embedded cohesive interfaces. 2008 , 197, 4367-4378	61
1840	An extended stochastic finite element method for solving stochastic partial differential equations on random domains. 2008 , 197, 4663-4682	75

1839	Generalized finite element method for modeling nearly incompressible bimaterial hyperelastic solids. 2008 , 197, 4882-4893	29
1838	A mixed interface finite element for cohesive zone models. 2008 , 198, 302-317	63
1837	Numerical modelling of the effective conductivities of composites with arbitrarily shaped inclusions and highly conducting interface. 2008 , 68, 2818-2825	88
1836	Substructuring FE \times FE approaches applied to three-dimensional crack propagation. 2008 , 215, 626-638	43
1835	Controlled crack arrest in brittle thin films: The effect of embedded voids. 2008 , 56, 6214-6223	7
1834	An extended finite element method for modeling near-interfacial crack propagation in a layered structure. 2008 , 45, 4756-4765	19
1833	Extended finite element method for fretting fatigue crack propagation. 2008 , 45, 5675-5687	72
1832	A new discontinuous FE formulation for crack path prediction in brittle solids. 2008 , 45, 6501-6517	4
1831	Modified generalized beam lattice model associated with fracture of reinforced fiber/particle composites. 2008 , 50, 132-141	11
1830	A comparative study between discrete and continuum models to simulate concrete fracture. 2008 , 75, 117-127	35
1829	Noise-robust stress intensity factor determination from kinematic field measurements. 2008 , 75, 3763-3781	43
1828	Three-dimensional crack initiation, propagation, branching and junction in non-linear materials by an extended meshfree method without asymptotic enrichment. 2008 , 75, 943-960	276
1827	Modeling of crack propagation via an automatic adaptive mesh refinement based on modified superconvergent patch recovery technique. 2008 , 75, 2921-2945	61
1826	Using the X-FEM method to model the dynamic propagation and arrest of cleavage cracks in ferritic steel. 2008 , 75, 2984-3009	32
1825	Mesh scalability in direct finite element simulation of brittle fracture. 2008 , 75, 4066-4084	3
1824	A geometrically non-linear three-dimensional cohesive crack method for reinforced concrete structures. 2008 , 75, 4740-4758	235
1823	An extended arbitrary Lagrangian-Eulerian finite element method for large deformation of solid mechanics. 2008 , 44, 401-416	33
1822	A nearest-nodes finite element method with local multivariate Lagrange interpolation. 2008 , 44, 797-803	16

1821	Multi-scale modelling of sandwich structures using the Arlequin method Part I: Linear modelling. 2008 , 45, 37-51	39
1820	Numerical modelling of fracture in human arteries. 2008 , 11, 553-67	55
1819	X-FEM Toolkit for Automated Crack Onset and Growth Prediction. 2008 ,	14
1818	Curvilinear Crack Growth and Remaining Life Prediction of Aluminum Weldment Using X-FEM. 2008	3
1817	Fluid-structure interaction approaches on fixed grids based on two different domain decomposition ideas. 2008 , 22, 411-427	36
1816	Challenges in computational materials science: Multiple scales, multi-physics and evolving discontinuities. 2008 , 43, 1-15	75
1815	Finite element crack propagation calculation using trial cracks. 2008 , 43, 179-183	10
1814	Modelling the electromechanical coupling of RF switch using Extended Finite Element. 2008 ,	1
1813	Implementing a Universal Quantum Cloning Machine via Adiabatic Evolution in Ion-Trap System. 2008 , 49, 80-82	
1812	Exact subgrid interface correction schemes for elliptic interface problems. 2008 , 105, 9874-9	8
1811	IUTAM Symposium on Theoretical, Computational and Modelling Aspects of Inelastic Media. 2008 ,	3
1810	Analysis of Interacting Cracks Using the Generalized Finite Element Method With Global-Local Enrichment Functions. 2008 , 75,	35
1809	A continuous-discontinuous approach to simulate fracture processes in quasi-brittle materials. 2008 , 88, 3281-3298	21
1808	Experimental investigation of localized phenomena using digital image correlation. 2008 , 88, 3339-3355	29
1807	Progressive Damage of Unidirectional Composite Panels. 2008 , 42, 25-44	29
1806	GENERALIZED FINITE ELEMENT METHOD FOR NONLINEAR THREE-DIMENSIONAL ANALYSIS OF SOLIDS. 2008 , 05, 37-62	5
1805	Recent progress in digital image correlation: From measurement to mechanical identification. 2008 , 135, 012002	5
1804	Spider XFEM, an extended finite element variant for partially unknown crack-tip displacement. 2008 , 17, 625-636	17

1803	Fracture of piezoelectric materials with the X-FEM. 2008 , 17, 637-649	2
1802	Structures Under Crash and Impact. 2008 ,	3
1801	A method for coupling atoms to continuum mechanics for capturing dynamic crack propagation. 2008 , 17, 651-662	
1800	Extended finite-element analysis of fractures in concrete. 2008 , 161, 187-197	
1799	Three-Dimensional Crack Analysis using X-FEM Considering Symmetric Conditions. 2008 , 2, 210-221	2
1798	Dynamic Crack Propagation Analysis by Node-Based FEM. 2008 , 2, 212-221	0
1797	Two-scale extended finite element method for studying crack propagation of porous bioceramic. 2008 ,	
1796	Framework for Flaw Detection: Application to Dynamic Crack Detection in Flat Membranes. 2008 ,	
1795	. 2008 ,	147
1794	États-finis Éendus pour la modélisation des structures soudées par points. 2008 , 9, 103-108	1
1793	References. 235-248	
1792	AN EXTENDED FINITE ELEMENT METHOD FORMULATION FOR MODELING THE RESPONSE OF POLYCRYSTALLINE MATERIALS TO DYNAMIC LOADING. 2008 ,	1
1791	EVALUATION OF BLENDING ELEMENTS IN XFEM ON CRACK ANALYSIS AND PROPOSAL FOR IMPROVEMENT OF ANALYTICAL ACCURACY. 2008 , 64, 970-981	3
1790	PROPOSAL ON APPROXIMATION OF PATH-INDEPENDENT M-INTEGRAL BY MAPPING AND ANALYSES OF KINKED OR CURVED CRACK USING X-FEM. 2008 , 64, 303-316	4
1789	A posteriori error analysis for Poisson's equation approximated by XFEM. 2009 , 27, 107-121	3
1788	A numerical approach for modelling thin cracked plates with XFEM. 2009 , 27, 240-253	1
1787	Failure Assessment of Layered Composites Subject to Impact Loadings: a Finite Element, Sigma-Point Kalman Filter Approach. 2009 , 2, 808-827	6
1786	Automated Modelling of Evolving Discontinuities. 2009 , 2, 1008-1030	4

1785	FORMULATION OF XFEM BASED ON PUFEM FOR AVOIDING PROBLEM CAUSED BY BLENDING ELEMENTS. 2009 , 65, 228-242		2
1784	EXPERIMENTAL AND NUMERICAL STUDIES ON THE CRACK GROWTH UNDER THE QUASI-STATIC LOADING. 2009 , 65, 321-334		
1783	Design structures subjected to uncertainty using wide bezier curve. 2009 ,		2
1782	A Reduced Basis Enrichment for the eXtended Finite Element Method. 2009 , 4, 88-105		12
1781	A Stabilized Lagrange Multiplier Method for the Finite Element Approximation of Frictional Contact Problems in Elastostatics. 2009 , 4, 163-182		1
1780	Numerical Simulation of Ice Action to a Lighthouse. 2009 ,		2
1779	Mesh cutting during real-time physical simulation. 2009 ,		3
1778	2D XFEM-based modeling of retraction and successive resections for preoperative image update. 2009 , 14, 1-20		12
1777	Enrichment textures for detailed cutting of shells. 2009 ,		8
1776	New experimental techniques for dynamic crack localization. 2009 , 18, 255-283		15
1775	Enrichment textures for detailed cutting of shells. 2009 , 28, 1-10		43
1774	Numerical Simulation of Mixed-Mode Crack Propagation in Functionally Graded Materials. 2009 , 631-632, 121-126		2
1773	An extended finite element method for hydraulic fracture problems. 2009 , 25, 121-133		158
1772	Sloshing analysis of a liquid storage container using level set X-FEM. 2009 , 25, 357-379		10
1771	The intrinsic XFEM for two-fluid flows. 2009 , 60, 437-471		46
1770	Fast integration and weight function blending in the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 77, 1-29	2.4	151
1769	Fluid-structure interaction by the discontinuous-Galerkin method for large deformations. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 77, 30-49	2.4	22
1768	Enhanced blending elements for XFEM applied to linear elastic fracture mechanics. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 77, 126-148	2.4	78

1767	The extended finite element method for fracture in composite materials. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 77, 214-239	2.4	88
1766	Cracking node method for dynamic fracture with finite elements. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 77, 360-385	2.4	94
1765	Crack identification by arrival time using XFEM and a genetic algorithm. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 77, 337-359	2.4	47
1764	hp-Generalized FEM and crack surface representation for non-planar 3-D cracks. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 77, 601-633	2.4	92
1763	A local multigrid X-FEM strategy for 3-D crack propagation. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 77, 581-600	2.4	49
1762	Modeling shear bands in J2 plasticity using a two-scale formulation via embedded strong discontinuity modes. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 77, 1015-1043	2.4	1
1761	Application of the X-FEM to the fracture of piezoelectric materials. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 77, 1535-1565	2.4	83
1760	A moving Kriging interpolation-based meshless method for numerical simulation of Kirchhoff plate problems. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 77, 1371-1395	2.4	92
1759	Geometry update driven by material forces for simulation of brittle crack growth in functionally graded materials. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 77, 1753-1788	2.4	2
1758	An extended finite element method with analytical enrichment for cohesive crack modeling. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 78, 48-83	2.4	51
1757	A multiscale strategy for structural optimization. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 78, 101-126	2.4	11
1756	An efficient finite element method for embedded interface problems. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 78, 229-252	2.4	166
1755	Concurrently coupled atomistic and XFEM models for dislocations and cracks. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 78, 354-378	2.4	68
1754	Error estimation and adaptivity for discontinuous failure. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 78, 528-563	2.4	26
1753	On methods for stabilizing constraints over enriched interfaces in elasticity. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 78, 1009-1036	2.4	56
1752	A stable Lagrange multiplier space for stiff interface conditions within the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 78, 931-954	2.4	109
1751	Integration of singular enrichment functions in the generalized/extended finite element method for three-dimensional problems. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 78, 1220-1257	2.4	66
1750	An X-FEM approach for large sliding contact along discontinuities. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 78, 1407-1435	2.4	47

1749	Finite cover method with multi-cover layers for the analysis of evolving discontinuities in heterogeneous media. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 79, 1-24	2.4	42
1748	Identification of random shapes from images through polynomial chaos expansion of random level set functions. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 79, 127-155	2.4	41
1747	An enriched element-failure method (REFM) for delamination analysis of composite structures. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 79, 639-666	2.4	11
1746	Numerical integration over arbitrary polygonal domains based on Schwarz-Christoffel conformal mapping. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 80, 103-134	2.4	135
1745	A localized mixed-hybrid method for imposing interfacial constraints in the extended finite element method (XFEM). <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 79, 733-752	2.4	13
1744	A variational multiscale method to model crack propagation at finite strains. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 80, 269-289	2.4	25
1743	Numerical analysis of growing crack problems using particle discretization scheme. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 80, 46-73	2.4	34
1742	Numerical modelling of electromechanical coupling using fictitious domain and level set methods. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 80, 478-506	2.4	9
1741	A hybridizable discontinuous Galerkin method for linear elasticity. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 80, 1058-1092	2.4	73
1740	An enriched cohesive zone model for delamination in brittle interfaces. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 80, 609-630	2.4	33
1739	Element-local level set method for three-dimensional dynamic crack growth. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 80, 1520-1543	2.4	50
1738	Immersed particle method for fluid-structure interaction. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 81, n/a-n/a	2.4	290
1737	Higher-order XFEM for curved strong and weak discontinuities. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 82, n/a-n/a	2.4	16
1736	Multiscale modeling of impact on heterogeneous viscoelastic solids containing evolving microcracks. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 82, n/a-n/a	2.4	17
1735	Analysis of micro fracture in human Haversian cortical bone under transverse tension using extended physical imaging. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 82, 940-965	2.4	36
1734	The XFEM for high-gradient solutions in convection-dominated problems. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 82, 1044-1072	2.4	20
1733	Vibration analysis of cracked plates using the extended finite element method. 2009 , 79, 249-262		53
1732	Generalized finite element method enrichment functions for curved singularities in 3D fracture mechanics problems. 2009 , 44, 73-92		26

1731	A Ck continuous generalized finite element formulation applied to laminated Kirchhoff plate model. 2009 , 44, 377-393	16
1730	Developments in the application of the generalized finite element method to thick shell problems. 2009 , 44, 669-682	7
1729	Arbitrary bi-dimensional finite strain cohesive crack propagation. 2009 , 45, 61-75	37
1728	A novel virtual node method for polygonal elements. 2009 , 30, 1233-1246	47
1727	Displacement measurement technique for beam kinematics. 2009 , 47, 495-503	39
1726	A three-dimensional numerical manifold method based on tetrahedral meshes. 2009 , 87, 880-889	49
1725	3D adaptive RKPM method for contact problems with elastic-plastic dynamic large deformation. 2009 , 33, 1211-1222	14
1724	Splitting meshless deforming objects with explicit surface tracking. 2009 , 71, 209-220	19
1723	A sharp interface finite volume method for elliptic equations on Cartesian grids. 2009 , 228, 5184-5206	47
1722	Modeling complex crack problems using the numerical manifold method. 2009 , 156, 21-35	186
1721	A phantom node formulation with mixed mode cohesive law for splitting in laminates. 2009 , 158, 107-124	115
1720	An augmented finite element method for modeling arbitrary discontinuities in composite materials. 2009 , 156, 53-73	109
1719	Numerical simulation of dynamic fracture using finite elements with embedded discontinuities. 2009 , 160, 119-141	101
1718	Numerical modeling of concrete hydraulic fracturing with extended finite element method. 2009 , 52, 559-565	57
1717	Development of the extended parametric meshless Galerkin method to predict the crack propagation path in two-dimensional damaged structures. 2009 , 32, 552-566	2
1716	A finite thickness band method for ductile fracture analysis. 2009 , 25, 2349-2365	63
1715	Application of the substructured finite element/extended finite element method (S-FE/XFE) to the analysis of cracks in aircraft thin walled structures. 2009 , 76, 44-58	25
1714	Simulations of instability in dynamic fracture by the cracking particles method. 2009 , 76, 730-741	120

1713	Computational analysis of mixed-mode fatigue crack growth in quasi-brittle materials using extended finite element methods. 2009 , 76, 165-181	39
1712	An Abaqus implementation of the extended finite element method. 2009 , 76, 347-368	228
1711	Computational multiscale modelling of heterogeneous material layers. 2009 , 76, 793-812	56
1710	Microcrack nucleation in thermal barrier coating systems. 2009 , 76, 813-825	40
1709	A discrete strong discontinuity approach. 2009 , 76, 1176-1201	61
1708	3D adaptive finite element modeling of non-planar curved crack growth using the weighted superconvergent patch recovery method. 2009 , 76, 1703-1728	33
1707	Crack propagation toward a desired path by controlling the force direction. 2009 , 76, 2554-2559	6
1706	A hybrid element approach to three dimensional problems of cracked anisotropic multi-material. 2009 , 45, 377-385	4
1705	A generalized cohesive element technique for arbitrary crack motion. 2009 , 45, 501-510	3
1704	Modeling inclusion problems in viscoelastic materials with the extended finite element method. 2009 , 45, 721-729	30
1703	Development of discrete cracks in concrete loaded by shock waves. 2009 , 36, 700-710	30
1702	Submarine hull integrity under blast loading. 2009 , 36, 1070-1078	14
1701	Numerical modelling of crack-contact interaction in 2D incomplete fretting contacts using X-FEM. 2009 , 42, 1269-1275	25
1700	Numerical simulation of premixed combustion using an enriched finite element method. 2009 , 228, 3605-3624	14
1699	A novel Galerkin-like weakform and a superconvergent alpha finite element method (SEEM) for mechanics problems using triangular meshes. 2009 , 228, 4055-4087	47
1698	Thermomechanical modeling of regressing heterogeneous solid propellants. 2009 , 228, 7883-7901	8
1697	Identification of adhesive properties in GLARE assemblies using digital image correlation. 2009 , 57, 1003-1016	55
1696	Regularized formulation of the variational brittle fracture with unilateral contact: Numerical experiments. 2009 , 57, 1209-1229	625

1695	An adaptive hp-version of the multilevel particle-partition of unity method. 2009 , 198, 1260-1272	22
1694	The stochastic finite element method: Past, present and future. 2009 , 198, 1031-1051	612
1693	A computational framework of three-dimensional configurational-force-driven brittle crack propagation. 2009 , 198, 1413-1428	71
1692	An explicit dynamics extended finite element method. Part 1: Mass lumping for arbitrary enrichment functions. 2009 , 198, 2297-2317	75
1691	Modeling cohesive crack growth via a truly-mixed formulation. 2009 , 198, 3836-3851	13
1690	Structural design optimization subjected to uncertainty using fat Bezier curve. 2009 , 199, 210-219	18
1689	Multiscale aggregating discontinuities method for micro-macro failure of composites. 2009 , 40, 417-426	32
1688	A node-based smoothed finite element method (NS-FEM) for upper bound solutions to solid mechanics problems. 2009 , 87, 14-26	438
1687	Strict bounds for computed stress intensity factors. 2009 , 87, 1015-1021	14
1686	Numerical prediction of crack propagation and crack widths in concrete structures. 2009 , 31, 1832-1840	30
1685	Finite elements with embedded branching. 2009 , 45, 280-293	77
1684	Reformulation of XFEM based on PUFEM for solving problem caused by blending elements. 2009 , 45, 806-816	26
1683	Determination of crack spacing and penetration due to shrinkage of a solidifying layer. 2009 , 46, 1078-1084	17
1682	A thermodynamic method for the construction of a cohesive law from a nonlocal damage model. 2009 , 46, 1476-1490	58
1681	Size effect and localization in J2 plasticity. 2009 , 46, 3301-3312	29
1680	New experimental and numerical techniques to study the arrest and the restart of a crack under impact in transparent materials. 2009 , 46, 3480-3491	36
1679	Investigation of mixed-mode stress intensity factors for nonhomogeneous materials using an interaction integral method. 2009 , 46, 3710-3724	93
1678	Using image-based computational modeling to study microstructure-field correlations in metals. 2009 , 57, 4233-4247	39

1677	A state-of-the-art review of the X-FEM for computational fracture mechanics. 2009 , 33, 4269-4282	97
1676	Simulation of crack propagation in mixed mode and at bimaterial interfaces using trial cracks. 2009 , 45, 680-683	6
1675	A non-local finite element based on volumetric strain gradient: Application to ductile fracture. 2009 , 45, 762-767	27
1674	A new continuum FE approach for fracture mechanics discontinuous problems. 2009 , 45, 367-377	8
1673	A simple element-splitting model to simulate the tensile fracture of brittle materials and its experimental verification. 2009 , 46, 672-676	2
1672	Digital image correlation and fracture: an advanced technique for estimating stress intensity factors of 2D and 3D cracks. 2009 , 42, 214004	159
1671	Dynamic Response of Cracked Plate Subjected to Impact Loading Using the Extended Finite Element Method (X-FEM). 2009 , 297-306	
1670	Enriched Finite Element for Modal Analysis of Cracked Plates. 2009 , 463-471	1
1669	An extended and integrated digital image correlation technique applied to the analysis of fractured samples. 2009 , 18, 285-306	91
1668	A review of extended/generalized finite element methods for material modeling. 2009 , 17, 043001	530
1667	Correction force for releasing crack tip element with XFEM and only discontinuous enrichment. 2009 , 18, 465-483	7
1666	Modeling Failure in Composite Materials with the Extended Finite Element and Level Set Methods. 2009 ,	4
1665	XFEM Toolkit for Delamination Failure Prediction of Composite Bonded Pi Joints. 2009 ,	4
1664	XFEM Toolkit for Crack Path and Life Prediction of Aluminum Structures. 2009 ,	1
1663	Dynamic Fracture of Shells Subjected to Impulsive Loads. 2009 , 76,	59
1662	Numerical Modelling of Nano Inclusions in Small and Large Deformations Using a Level-Set/Extended Finite Element Method. 2009 , 192-199	
1661	Advances in Cohesive Zone Modeling of Dynamic Fracture. 2009 , 349-405	8
1660	Coupling of Peridynamic Theory and Finite Element Method. 2009 ,	2

1659	An Algebraic Treatment of Essential Boundary Conditions in the Particle Partition of Unity Method. 2009 , 31, 1581-1602		11
1658	Tensile damage response from discrete element virtual testing. 2009 , 4, 79-89		3
1657	Residual Error Estimators for Coulomb Friction. 2009 , 47, 3550-3583		17
1656	A New Fictitious Domain Approach Inspired by the Extended Finite Element Method. 2009 , 47, 1474-1499		63
1655	Interface handling for three-dimensional higher-order XFEM-computations in fluid-structure interaction. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 79, 846-869	2-4	37
1654	On the Linear Dependencies of Interpolation Functions in s-Version Finite Element Method. 2009 , 3, 124-135		6
1653	Topological Shape Optimum Design of Structures via X-FEM and Level Set Method. 2009 , 3, 887-897		
1652	A Finite Element Flux-Corrected Transport Method for Wave Propagation in Heterogeneous Solids. 2009 , 2, 1-18		5
1651	Stress Intensity Factors for Semi-Elliptical Surface Cracks With Flaw Aspect Ratio Beyond the ASME XI Limit. 2009 ,		5
1650	Crack Analysis in Residual Stress Field by X-FEM. 2009 , 3, 136-147		5
1649	Numerical Analysis of Melting/Solidification Phenomena Using a Moving Boundary Analysis Method X-FEM. 2009 , 167, 83-94		
1648	Stress Intensity Factors for Unusual Semi-Elliptical Surface Cracks With Ratio a/l Greater Than 0.5. 2009 ,		
1647	Analysis of Multistranded Hydraulic Fracture Propagation: An Improved Model for the Interaction Between Induced and Natural Fractures. 2009 ,		51
1646	A New Enriched Finite Element Method to Simulate Hydrocarbon Reservoirs Containing Subsurface Features. 2009 ,		2
1645	Coupling of peridynamic theory and the finite element method. 2010 , 5, 707-733		124
1644	Simulation of Ductile Crack Propagation for Pipe Structures Using X-FEM. 2010 , 4, 356-364		1
1643	Numerical Methods. 2010 , 50, 877-892		2
1642	Crack propagation simulator V-X3D based on VCAD framework. 2010 , 10, 012053		

1641	Modelling Ductile Tearing From Diffuse Plasticity to Crack Propagation. 2010 ,	2
1640	A COMPLEX VARIABLE MESHLESS MANIFOLD METHOD FOR FRACTURE PROBLEMS. 2010 , 07, 55-81	64
1639	Meshfree Discretization Methods for Solid Mechanics. 2010 ,	1
1638	Extended Finite Element Methods. 2010 ,	
1637	Object-oriented programming and the extended finite-element method. 2010 , 163, 271-278	4
1636	The optimal XFEM approximation for fracture analysis. 2010 , 10, 012067	
1635	An improvement within XFEM of the bonding between the enrichment area and the classical finite elements. 2010 , 19, 177-187	1
1634	Robust implementation of contact under friction and large sliding with the eXtended finite element method. 2010 , 19, 189-203	13
1633	Numerical analysis of 2-D crack propagation problems using the numerical manifold method. 2010 , 34, 41-50	160
1632	A coupled BEM/scaled boundary FEM formulation for accurate computations in linear elastic fracture mechanics. 2010 , 34, 599-610	33
1631	Modelling well leakage in multilayer aquifer systems using the extended finite element method. 2010 , 46, 504-513	8
1630	Puncture fracture in an aluminum beverage can. 2010 , 37, 150-160	13
1629	Validated simulation of droplet sedimentation with finite-element and level-set methods. 2010 , 65, 2037-2051	43
1628	An edge-based smoothed finite element method (ES-FEM) with stabilized discrete shear gap technique for analysis of Reissner-Mindlin plates. 2010 , 199, 471-489	164
1627	Three dimensional experimental and numerical multiscale analysis of a fatigue crack. 2010 , 199, 1307-1325	114
1626	On the use of XFEM within the Arlequin framework for the simulation of crack propagation. 2010 , 199, 1403-1414	19
1625	Strong discontinuities in partially saturated poroplastic solids. 2010 , 199, 1513-1535	48
1624	Studied X-FEM enrichment to handle material interfaces with higher order finite element. 2010 , 199, 1922-1936	74

1623	Strain smoothing in FEM and XFEM. 2010 , 88, 1419-1443	229
1622	User friendly assessment of stress intensity factor in thermal shocked cracked structures with finite boundary restraint. 2010 , 2, 499-509	
1621	Capturing the residence time boundary layer—application to the Scheldt Estuary. 2010 , 60, 535-554	16
1620	Dynamic Fracturing Simulation of Brittle Material using the Distinct Lattice Spring Method with a Full Rate-Dependent Cohesive Law. 2010 , 43, 717-726	32
1619	Dynamic fracture with meshfree enriched XFEM. 2010 , 213, 53-69	48
1618	A singular edge-based smoothed finite element method (ES-FEM) for bimaterial interface cracks. 2010 , 45, 109-125	62
1617	Generalized Duffy transformation for integrating vertex singularities. 2010 , 45, 127-140	45
1616	Analysis of an efficient finite element method for embedded interface problems. 2010 , 46, 205-211	36
1615	3D fluid-structure-contact interaction based on a combined XFEM FSI and dual mortar contact approach. 2010 , 46, 53-67	58
1614	Impact on highly compressible media in explicit dynamics using the X-FEM. 2010 , 46, 329-348	3
1613	Higher order tip enrichment of eXtended Finite Element Method in thermoelasticity. 2010 , 46, 851-866	46
1612	Ultrasonic Welding. Simulation of the Flow at the Interface. 2010 , 3, 623-626	2
1611	From local to global probabilistic modeling of concrete cracking. 2010 , 1, 103-115	29
1610	The influence of fluid flow on modeling quorum sensing in bacterial biofilms. 2010 , 72, 1143-65	24
1609	Concurrent fatigue crack growth simulation using extended finite element method. 2010 , 4, 339-347	4
1608	Modeling failure of heterogeneous viscoelastic solids under dynamic/impact loading due to multiple evolving cracks using a two-way coupled multiscale model. 2010 , 14, 125-151	19
1607	Time dependent crack tip enrichment for dynamic crack propagation. 2010 , 162, 33-49	39
1606	Dynamic crack propagation analysis of orthotropic media by the extended finite element method. 2010 , 161, 21-39	64

1605	A comparative study on the modelling of discontinuous fracture by means of enriched nodal and element techniques and interface elements. 2010 , 161, 97-119		54
1604	Extended Finite Element Method for the Analysis of Discontinuities in Rock Masses. 2010 , 28, 643-659		36
1603	A coupled molecular dynamics and extended finite element method for dynamic crack propagation. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 81, 72-88	2.4	20
1602	Analysis of three-dimensional fracture mechanics problems: A two-scale approach using coarse-generalized FEM meshes. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 81, 335-365	2.4	86
1601	Hybrid analytical and extended finite element method (HAX-FEM): A new enrichment procedure for cracked solids. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 81, 269-285	2.4	30
1600	Coarse-graining of multiscale crack propagation. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 81, 537-563	2.4	104
1599	Strict and effective bounds in goal-oriented error estimation applied to fracture mechanics problems solved with XFEM. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 81, 671-700	2.4	38
1598	An adaptive spacetime discontinuous Galerkin method for cohesive models of elastodynamic fracture. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 81, 1207-1241	2.4	19
1597	An embedded Dirichlet formulation for 3D continua. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 82, 537-563	2.4	75
1596	Detection and quantification of flaws in structures by the extended finite element method and genetic algorithms. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 82, 303-328	2.4	65
1595	Generalized finite element enrichment functions for discontinuous gradient fields. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 82, 242-268	2.4	44
1594	An optimally convergent discontinuous Galerkin-based extended finite element method for fracture mechanics. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 82, 716-755	2.4	29
1593	Finite deformation formulation for embedded frictional crack with the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 82, 773-804	2.4	22
1592	Integrating strong and weak discontinuities without integration subcells and example applications in an XFEM/GFEM framework. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 83, 269-294	2.4	94
1591	Crack face contact in X-FEM using a segment-to-segment approach. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 82, 1424-1449	2.4	35
1590	An improved cohesive element for shell delamination analyses. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 83, 611-641	2.4	35
1589	Numerically determined enrichment functions for the extended finite element method and applications to bi-material anisotropic fracture and polycrystals. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 83, n/a-n/a	2.4	9
1588	Subdomain radial basis collocation method for fracture mechanics. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 83, 851-876	2.4	38

1587	A generalized finite element formulation for arbitrary basis functions: From isogeometric analysis to XFEM. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 83, 765-785	2.4	175
1586	eXtended Stochastic Finite Element Method for the numerical simulation of heterogeneous materials with random material interfaces. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 83, 1312-1344	2.4	39
1585	A novel singular node-based smoothed finite element method (NS-FEM) for upper bound solutions of fracture problems. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 83, 1466-1497	2.4	82
1584	Smoothed nodal forces for improved dynamic crack propagation modeling in XFEM. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 84, 47-72	2.4	30
1583	An extended finite element method applied to levitated droplet problems. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 84, 757-773	2.4	8
1582	The extended/generalized finite element method: An overview of the method and its applications. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 84, 253-304	2.4	826
1581	A partition of unity finite element method for obtaining elastic properties of continua with embedded thin fibres. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 84, 708-732	2.4	32
1580	A continuous/discontinuous approach to simulate physical degradation processes in porous media. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 84, 1009-1037	2.4	12
1579	eXtended finite element methods for thin cracked plates with Kirchhoff-Love theory. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 84, 1115-1138	2.4	21
1578	An extended finite element/level set method to study surface effects on the mechanical behavior and properties of nanomaterials. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 84, 1466-1489	2.4	53
1577	Calculation of strict error bounds for finite element approximations of non-linear pointwise quantities of interest. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 84, 1638-1664	2.4	31
1576	Harmonic enrichment functions: A unified treatment of multiple, intersecting and branched cracks in the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2010 , 85, n/a-n/a	2.4	8
1575	High-order gaussian quadrature in X-FEM with the lagrange-multiplier for fluid-structure coupling. 2010 , 64, 1219-1239		6
1574	A second order virtual node method for elliptic problems with interfaces and irregular domains. 2010 , 229, 6405-6426		70
1573	Interaction integral method for the interfacial fracture problems of two nonhomogeneous materials. 2010 , 42, 435-450		50
1572	Study of interface influence on crack growth: Application to Solid Oxide Fuel Cell like materials design. 2010 , 31, 1033-1041		19
1571	Recent developments on damage modeling and finite element analysis for composite laminates: A review. 2010 , 31, 3825-3834		193
1570	An extended finite element method for the simulation of particulate viscoelastic flows. 2010 , 165, 607-624		49

1569	Coupled reliability and boundary element model for probabilistic fatigue life assessment in mixed mode crack propagation. 2010 , 32, 1823-1834	37
1568	Numerical simulation of thermo-elastic fracture problems using element free Galerkin method. 2010 , 52, 1745-1755	51
1567	Deformation measurement across crack using two-step extended digital image correlation method. 2010 , 48, 1126-1131	52
1566	A three-dimensional (3D) numerical study of fatigue crack growth using remeshing techniques. 2010 , 77, 94-111	64
1565	Calibration procedures for a computational model of ductile fracture. 2010 , 77, 492-509	111
1564	An efficient fluid-solid coupled finite element scheme for weapon fragmentation simulations. 2010 , 77, 549-564	11
1563	A three-dimensional steel/concrete interface model including corrosion effects. 2010 , 77, 951-973	36
1562	Fatigue crack propagation in rocker and roller-rocker bearings of railway steel bridges. 2010 , 77, 1454-1466	4
1561	An analytical stiffness derivative extended finite element technique for extraction of crack tip Strain Energy Release Rates. 2010 , 77, 3204-3215	19
1560	A cohesive zone model which is energetically equivalent to a gradient-enhanced coupled damage-plasticity model. 2010 , 29, 976-989	29
1559	3D two scale X-FEM crack model with interfacial frictional contact: Application to fretting fatigue. 2010 , 43, 1831-1841	19
1558	Automatic LEM crack propagation method based on local Lepp-Delaunay mesh refinement. 2010 , 41, 111-119	33
1557	A hybrid finite element-scaled boundary finite element method for crack propagation modelling. 2010 , 199, 1178-1192	59
1556	A two-scale extended finite element method for modelling 3D crack growth with interfacial contact. 2010 , 199, 1165-1177	32
1555	Stability and convergence proofs for a discontinuous-Galerkin-based extended finite element method for fracture mechanics. 2010 , 199, 2360-2382	8
1554	Design of maintenance schedules for fatigue-prone metallic components using reliability-based optimization. 2010 , 199, 2305-2318	31
1553	Stabilized low-order finite elements for frictional contact with the extended finite element method. 2010 , 199, 2456-2471	72
1552	Mixed stabilized finite element methods in nonlinear solid mechanics: Part II: Strain localization. 2010 , 199, 2571-2589	88

1551	Accurate recovery-based upper error bounds for the extended finite element framework. 2010 , 199, 2607-2621	40
1550	On the use of strong discontinuity formulations for the modeling of preferential moisture uptake in fractured porous media. 2010 , 199, 2828-2839	11
1549	Generalized Gaussian quadrature rules for discontinuities and crack singularities in the extended finite element method. 2010 , 199, 3237-3249	81
1548	On three-dimensional modelling of crack growth using partition of unity methods. 2010 , 88, 1391-1411	270
1547	Variable-node finite elements with smoothed integration techniques and their applications for multiscale mechanics problems. 2010 , 88, 413-425	24
1546	X-FEM analyses of a thin-walled composite shell structure with a delamination. 2010 , 88, 549-557	32
1545	Hybridized enriched space-time finite element method for analysis of thin-walled structures immersed in generalized Newtonian fluids. 2010 , 88, 1265-1277	5
1544	A study on X-FEM in continuum structural optimization using a level set model. 2010 , 42, 708-719	110
1543	Mixed-mode crack propagation using a Hybrid Analytical and eXtended Finite Element Method. 2010 , 338, 121-126	18
1542	Modeling of fatigue crack propagation using dual boundary element method and Gaussian Monte Carlo method. 2010 , 34, 297-305	20
1541	Numerical study on deformations in a cracked viscoelastic body with the extended finite element method. 2010 , 34, 619-624	26
1540	Dual boundary element formulation applied to analysis of multi-fractured domains. 2010 , 34, 1092-1099	22
1539	Crack observation methods, their application and simulation of curved fatigue crack growth. 2010 , 77, 2077-2090	21
1538	Abaqus implementation of extended finite element method using a level set representation for three-dimensional fatigue crack growth and life predictions. 2010 , 77, 2840-2863	133
1537	A crack-tracking technique for localized damage in quasi-brittle materials. 2010 , 77, 2431-2450	65
1536	Dynamic analysis of fixed cracks in composites by the extended finite element method. 2010 , 77, 3373-3393	53
1535	Implementation of the extended finite element method for dynamic thermoelastic fracture initiation. 2010 , 47, 1392-1404	78
1534	A multi-model X-FEM strategy dedicated to frictional crack growth under cyclic fretting fatigue loadings. 2010 , 47, 1405-1423	26

1533	Experimental and numerical investigation of fracture in a cast aluminium alloy. 2010 , 47, 3352-3365	29
1532	Elasticity with energy limiters for modeling dynamic failure propagation. 2010 , 47, 3389-3396	7
1531	Asymptotic fields ahead of mixed mode frictional cohesive cracks. 2010 , 90, 710-720	11
1530	Multiscale Modelling of the Effective Viscoplastic Material Behaviour of Textile-Reinforced Polymers Using XFEM. 2010 , 10, 297-298	1
1529	Finite Element Modelling of Complex 3D Static and Dynamic Crack Propagation by Embedding Cohesive Elements in Abaqus. 2010 , 23, 271-282	71
1528	Essence of Nonlinear Structural Analysis. 2010 , 79, 118-121	
1527	A unified enrichment scheme for fracture problems. 2010 , 10, 012045	1
1526	An enriched Dual Boundary Element Method for Fracture Mechanics. 2010 , 10, 012047	
1525	EULERIAN FINITE COVER METHOD FOR SOLID DYNAMICS. 2010 , 07, 33-54	6
1524	Numerical Simulation of Quasi-Brittle Fracture in Concrete Structures with Extended Finite Element Method. 2010 , 163-167, 1837-1843	7
1523	A Variational Technique for Element Free Analysis of Static and Dynamic Fracture Mechanics. 2010 , 454, 31-46	
1522	Prediction of Incipient Damage Sites in Composites using Classifiers. 2010 , 19, 233-260	10
1521	Research of Multi-Scale Mechanics Behavior in Hierarchical Porous Bio-Ceramics. 2010 , 37-38, 964-967	1
1520	Semantic-Preserving Mesh Direct Drilling. 2010 ,	
1519	Damage mechanics applied to the seismic behavior of concrete structures. 2010 , 14, 839-854	1
1518	Thermal Shock Criteria of Refractory Ceramics: Limitations of Conventional Analyses and Some Numerical Approaches to Improve the Prediction of the Resistance to Thermal Shock. 2010 , 70, 160-166	
1517	A Multiscale Molecular Dynamics / Extended Finite Element Method for Dynamic Fracture. 2010 , 211-237	
1516	Analysis of Crack Propagation in Fixed-Free Single-Walled Carbon Nanotube Under Tensile Loading Using XFEM. 2010 , 1,	9

1515	Propagation of an Air Finger Into a Fluid Filled Bifurcation. 2010,	
1514	Modeling of Cohesive Zone and Crack Growth in Ni-Al Thin-Film Using MD-XFEM Based Approach. 2010,	
1513	Multi-scale Method for the Crack Problem in Microstructural Materials. 2010, 10, 69-86	2
1512	Advances in Computational Fluid-Thin-Walled-Structure Interaction [Formulations and Solvers. 2010, 175-203	1
1511	Life Prediction of Aerospace Structures by Combined XFEM and Advanced Fatigue Models. 2010,	
1510	MULTISCALE SIMULATION OF MICROCRACK BASED ON A NEW ADAPTIVE FINITE ELEMENT METHOD. 2010, 24, 2719-2724	
1509	Modeling of Powder Forming Processes; Application of a Three-Invariant Cap Plasticity and an Enriched Arbitrary Lagrangian-Eulerian FE Method. 2010, 257-299	
1508	Analysis of Reflective Cracks in Airfield Pavements using a 3-D Generalized Finite Element Method. 2010, 11, 459-477	21
1507	Hierarchical Partition of Unity Field Compositions (HPFC) for Optimal Design in the Presence of Cracks. 2010, 17, 467-480	5
1506	Finite Element Coupled Deformation and Fluid Flow in Fractured Porous Media. 2010,	10
1505	Characteristics of windshield cracking upon low-speed impact: Numerical simulation based on the extended finite element method. 2010, 48, 582-588	70
1504	On Acoustic Cloaking Devices by Transformation Media and Their Simulation. 2010, 70, 2996-3021	6
1503	Improvement of algorithm for numerical crack modelling. 2010, 10, 19-35	26
1502	Ductile Fracture by Void Growth to Coalescence. 2010, 44, 169-305	395
1501	Computer Methods in Mechanics. 2010,	0
1500	Development of a finite element enriched method adapted for the case of multiple cracked structure. 2010, 19, 217-228	
1499	Extended Finite Element Methods-Based Two-Parameter Fatigue Crack Growth Prediction. 2010,	
1498	Reanalysis of the Extended Finite Element Method for Crack Initiation and Propagation. 2010,	4

1497	Comparison of XFEM, CZM and PD for Predicting Crack Initiation and Propagation. 2010,	1
1496	Modeling Progressive Damage Using Local Displacement Discontinuities within the FEAMAC Multiscale Modeling Framework. 2010,	1
1495	Mechanism-Based Direct Simulation of Tensile Failure in Composite Laminates. 2010,	1
1494	Level Set-Based Topology Optimization for Mechanical Structures with Large Deformation Using a Particle Method. 2010,	
1493	Enhanced XFA3D for Fatigue Crack Growth and Life Prediction in Aluminum Structures. 2010,	0
1492	A Coupled Cohesive and XFEM for 3-D Delamination Onset and Growth Prediction. 2010,	1
1491	Fluid Structure Interaction II. 2010,	35
1490	Predicting crack initiation and propagation using XFEM, CZM and peridynamics: A comparative study. 2010,	5
1489	THE NUMERICAL MANIFOLD METHOD: A REVIEW. 2010, 07, 1-32	159
1488	Simulation for Cutting Deformable Model Based on X-FEM. 2010,	
1487	Lifetime prediction for solder joints with the extended finite element method. 2011,	3
1486	Numerical Modeling of Multistranded-Hydraulic-Fracture Propagation: Accounting for the Interaction Between Induced and Natural Fractures. 2011, 16, 575-581	290
1485	Extended Finite Element Modeling: Basic Review and Programming. 2011, 03, 713-718	4
1484	Crack models based on the extended finite element method. 2011, 221-264	1
1483	A Phantom-Node Method for Predicting Residual Strength in Shell Structures with a Single Crack Based on a Crack Tip Opening Angle Criterion. 2011, 14, 630-635	1
1482	Investigation of Fracture Behavior of Heterogeneous Infrastructure Materials with Extended-Finite-Element Method and Image Analysis. 2011, 23, 1662-1671	27
1481	Numerical Modeling of Concrete Cracking. 2011,	12
1480	Strength Prediction in Open Hole Composite Laminates by Using Discrete Damage Modeling. 2011,	

1461	A Hexahedral Multigrid Approach for Simulating Cuts in Deformable Objects. 2011 , 17, 1663-75	43
1460	Modeling the transition of microcracks into macrocracks in heterogeneous viscoelastic media using a two-way coupled multiscale model. 2011 , 48, 3160-3175	23
1459	Unified analysis of enriched finite elements for modeling cohesive cracks. 2011 , 200, 3031-3050	35
1458	A singular ES-FEM for plastic fracture mechanics. 2011 , 200, 2943-2955	26
1457	A one field full discontinuous Galerkin method for KirchhoffLove shells applied to fracture mechanics. 2011 , 200, 3223-3241	18
1456	A new way to treat material discontinuities in the numerical manifold method. 2011 , 200, 3296-3308	45
1455	A three-dimensional self-adaptive cohesive zone model for interfacial delamination. 2011 , 200, 3540-3553	19
1454	Mesh-size-objective XFEM for regularized continuous-discontinuous transition. 2011 , 47, 1326-1336	19
1453	An XFEM Based Fixed-Grid Approach for 3D Fluid-Structure Interaction. 2011 , 327-349	0
1452	Analysis and computations of oscillating crack propagation in a heated strip. 2011 , 167, 57-70	19
1451	An enrichment based new criterion for the simulation of multiple interacting cracks using element free Galerkin method. 2011 , 167, 157-171	18
1450	An XFEM/Spectral element method for dynamic crack propagation. 2011 , 169, 183-198	48
1449	Equilibrium state of mode-I sub-interfacial crack growth in bi-materials. 2011 , 170, 27-36	18
1448	Predicting crack propagation with peridynamics: a comparative study. 2011 , 171, 65-78	137
1447	On the use of enriched finite element method to model subsurface features in porous media flow problems. 2011 , 15, 721-736	28
1446	XFEM simulation of cracks, holes and inclusions in functionally graded materials. 2011 , 7, 199-218	43
1445	A ContinuousDiscontinuous Approach to Simulate Heat Transfer in Fractured Media. 2011 , 89, 399-419	5
1444	Ritz analysis of discontinuous beams using local trigonometric functions. 2011 , 47, 235-250	3

1443	Parallel simulations of three-dimensional cracks using the generalized finite element method. 2011 , 47, 265-282	28
1442	Numerical integration of polynomials and discontinuous functions on irregular convex polygons and polyhedrons. 2011 , 47, 535-554	142
1441	LLM and X-FEM based interface modeling of fluid-structure interactions on a non-interface-fitted mesh. 2011 , 48, 319-332	22
1440	Development of X-FEM methodology and study on mixed-mode crack propagation. 2011 , 27, 406-415	22
1439	A Meshless Cohesive Segments Method for Crack Initiation and Propagation in Composites. 2011 , 18, 45-63	17
1438	Stable enrichment and local preconditioning in the particle-partition of unity method. 2011 , 118, 137-170	50
1437	Multilevel particle-partition of unity method. 2011 , 118, 307-328	3
1436	Evaluation on reproduction of priori knowledge in XFEM. 2011 , 47, 424-433	8
1435	Application of a mesh-free continuum method for simulation of rock caving processes. 2011 , 48, 703-711	35
1434	Physically-based Dirac delta functions in the static analysis of multi-cracked Euler-Bernoulli and Timoshenko beams. 2011 , 48, 2184-2195	51
1433	Damage and fracture evolution in brittle materials by shape optimization methods. 2011 , 230, 5010-5044	72
1432	Extended finite element modeling of deformable porous media with arbitrary interfaces. 2011 , 35, 5426-5441	33
1431	A non-conformal eXtended Finite Element approach: Integral matching Xfem. 2011 , 61, 322-343	17
1430	A global model reduction approach for 3D fatigue crack growth with confined plasticity. 2011 , 200, 699-716	31
1429	AES for multiscale localization modeling in granular media. 2011 , 200, 2473-2482	28
1428	Coordinate-free derivation and weak formulation of a general imperfect interface model for thermal conduction in composites. 2011 , 71, 1209-1216	34
1427	Finite element simulation of tensile bond strength of atmospheric plasma spraying thermal barrier coatings. 2011 , 205, 2964-2969	18
1426	Continuous-discontinuous formulation for ductile fracture. 2011 , 4, 271-281	20

1425	Virtual testing of aircraft structures. 2011 , 1, 83-103		45
1424	In-situ AFM Experiments with Discontinuous DIC Applied to Damage Identification in Biomaterials. 2011 , 51, 591-607		15
1423	Evaluation of cracking potential for concrete arch dam based on simulation feedback analysis. 2011 , 54, 565-572		20
1422	Extended digital image correlation method for micro-region deformation measurement. 2011 , 54, 1355-1361	20	
1421	A novel enriched CB shell element method for simulating arbitrary crack growth in pipes. 2011 , 54, 1520-1531		18
1420	A new description of cracks in the XFEM. 2011 , 11, 145-146		1
1419	Extended Finite Element Method for hygro-mechanical analysis of crack propagation in porous materials. 2011 , 11, 161-162		8
1418	Experimental and numerical behaviour of reinforced mortar plates subjected to accelerated corrosion. 2011 , 35, 1141-1159		6
1417	Frictional slip plane growth by localization detection and the extended finite element method (XFEM). 2011 , 35, 1278-1298		43
1416	Electrostatic simulation using XFEM for conductor and dielectric interfaces. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 85, n/a-n/a	2.4	2
1415	Reliable second-order hexahedral elements for explicit methods in nonlinear solid dynamics. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 85, 1073-1102	2.4	15
1414	A higher-order extended finite element method for dislocation energetics in strained layers and epitaxial islands. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 85, 920-938	2.4	9
1413	A coupled two-scale computational scheme for the failure of periodic quasi-brittle thin planar shells and its application to masonry. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 85, 1177-1206	2.4	59
1412	Hanging nodes and XFEM. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 86, 404-430	2.4	63
1411	A multiple level set approach to prevent numerical artefacts in complex microstructures with nearby inclusions within XFEM. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 85, 1436-1459 ⁴⁰		
1410	Combination of the material force concept and the extended finite element method for mixed mode crack growth simulations. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 85, 1522-1542	2.4	9
1409	A robust preconditioning technique for the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 85, 1609-1632	2.4	106
1408	A partly and fully cracked triangular XFEM element for modeling cohesive fracture. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 85, 1667-1686	2.4	5

1407	A weighted least squares particle-in-cell method for solid mechanics. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 85, 1687-1704	2.4	13
1406	3D corrected XFEM approach and extension to finite deformation theory. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 86, 431-452	2.4	66
1405	A partition of unity finite element method for simulating non-linear debonding and matrix failure in thin fibre composites. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 86, 453-476	2.4	37
1404	Multiscale XFEM-modelling and simulation of the inelastic material behaviour of textile-reinforced polymers. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 86, 477-498	2.4	35
1403	A level set based model for damage growth: The thick level set approach. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 86, 358-380	2.4	146
1402	On the use of the extended finite element method with quadtree/octree meshes. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 86, 717-743	2.4	39
1401	An X-FEM and level set computational approach for image-based modelling: Application to homogenization. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 86, 915-934	2.4	74
1400	Optimal convergence analysis for the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 86, 528-548	2.4	35
1399	Higher-order extended finite elements with harmonic enrichment functions for complex crack problems. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 86, 560-574	2.4	19
1398	Delamination analysis of composites by new orthotropic bimaterial extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 86, 1507-1543	2.4	72
1397	Development of a quadratic finite element formulation based on the XFEM and NURBS. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 86, 598-617	2.4	40
1396	X-FEM in isogeometric analysis for linear fracture mechanics. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 87, 541-565	2.4	189
1395	X-FEM analysis of the effects of holes or other cracks on dynamic crack propagations. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 86, 618-636	2.4	24
1394	Uncertainty quantification in homogenization of heterogeneous microstructures modeled by XFEM. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 88, 257-278	2.4	68
1393	Three-dimensional numerical modelling by XFEM of spring-layer imperfect curved interfaces with applications to linearly elastic composite materials. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 88, 307-328	2.4	23
1392	Modelling dynamic crack propagation using the scaled boundary finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 88, 329-349	2.4	61
1391	A quasi-static crack growth simulation based on the singular ES-FEM. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 88, 473-492	2.4	26
1390	Embedded interfaces by polytope FEM. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 88, 715-748	2.4	15

- 1389 Mesh-independent matrix cracking and delamination modeling in laminated composites. *International Journal for Numerical Methods in Engineering*, **2011**, 88, 749-773 2.4 130
- 1388 An augmented cohesive zone element for arbitrary crack coalescence and bifurcation in heterogeneous materials. *International Journal for Numerical Methods in Engineering*, **2011**, 88, 841-861 2.4 53
- 1387 Efficient modeling of localized material failure by means of a variationally consistent embedded strong discontinuity approach. *International Journal for Numerical Methods in Engineering*, **2011**, 88, 1008-1041 2.4 8
- 1386 An XFEM method for modeling geometrically elaborate crack propagation in brittle materials. *International Journal for Numerical Methods in Engineering*, **2011**, 88, 1042-1065 2.4 60
- 1385 Fracture in magneto-electroelastic materials using the extended finite element method. *International Journal for Numerical Methods in Engineering*, **2011**, 88, 1238-1259 2.4 32
- 1384 An XFEM-based embedding mesh technique for incompressible viscous flows. **2011**, 65, 166-190 20
- 1383 Adaptive analysis using the node-based smoothed finite element method (NS-FEM). **2011**, 27, 198-218 57
- 1382 Multiple random crack propagation using a boundary element formulation. **2011**, 78, 1077-1090 54
- 1381 Evaluation of J1 and J2 integrals for curved cracks using an enriched boundary element method. **2011**, 78, 623-637 17
- 1380 Optimal and noise-robust extraction of Fracture Mechanics parameters from kinematic measurements. **2011**, 78, 1827-1845 28
- 1379 Modeling of the variability of fatigue crack growth using cohesive zone elements. **2011**, 78, 2399-2413 28
- 1378 Analysis of anisotropic Mindlin plate model by continuous and non-continuous GFEM. **2011**, 47, 698-717 9
- 1377 Determination of the length of a short crack at a v-notch from a full field measurement. **2011**, 48, 884-892 13
- 1376 Mesh cutting during real-time physical simulation. **2011**, 43, 809-819 16
- 1375 A partition of unity enriched dual boundary element method for accurate computations in fracture mechanics. **2011**, 200, 1-10 41
- 1374 New finite elements with embedded strong discontinuities for the modeling of failure in electromechanical coupled solids. **2011**, 200, 141-161 35
- 1373 A scalable 3D fracture and fragmentation algorithm based on a hybrid, discontinuous Galerkin, cohesive element method. **2011**, 200, 326-344 97
- 1372 Finite element analysis on implicitly defined domains: An accurate representation based on arbitrary parametric surfaces. **2011**, 200, 774-796 74

1371	Homogenization-based multiscale crack modelling: From micro-diffusive damage to macro-cracks. 2011 , 200, 1220-1236	115
1370	A moving Kriging interpolation-based element-free Galerkin method for structural dynamic analysis. 2011 , 200, 1354-1366	84
1369	An extended residual-based variational multiscale method for two-phase flow including surface tension. 2011 , 200, 1866-1876	28
1368	Fast and robust level set update for 3D non-planar X-FEM crack propagation modelling. 2011 , 200, 2160-2180	39
1367	A Nitsche-extended finite element method for earthquake rupture on complex fault systems. 2011 , 200, 2859-2870	16
1366	Modelling rock fracturing and blast-induced rock mass failure via advanced discretisation within the discontinuous deformation analysis framework. 2011 , 38, 40-49	144
1365	Experimental application and enhancement of the XFEM/GA algorithm for the detection of flaws in structures. 2011 , 89, 556-570	66
1364	A singular cell-based smoothed radial point interpolation method for fracture problems. 2011 , 89, 1378-1396	40
1363	Variable kinematic beam elements coupled via Arlequin method. 2011 , 93, 697-708	42
1362	Natural frequencies of cracked functionally graded material plates by the extended finite element method. 2011 , 93, 3082-3092	106
1361	Phase-field modeling of the coupled microstructure and fracture evolution in ferroelectric single crystals. 2011 , 59, 4733-4746	46
1360	Experimental and numerical analysis of fretting crack formation based on 3D X-FEM frictional contact fatigue crack model. 2011 , 339, 532-551	9
1359	A novel variable power singular element in G space with strain smoothing for bi-material fracture analyses. 2011 , 35, 1303-1317	13
1358	A BEM model applied to failure analysis of multi-fractured structures. 2011 , 18, 1538-1549	20
1357	Modelling crack propagation in reinforced concrete using a hybrid finite element-scaled boundary finite element method. 2011 , 78, 252-273	52
1356	A singular edge-based smoothed finite element method (ES-FEM) for crack analyses in anisotropic media. 2011 , 78, 85-109	46
1355	Calculation of KII in crack face contacts using X-FEM. Application to fretting fatigue. 2011 , 78, 428-445	9
1354	Calculation of J-integrals using experimental and numerical data: Influences of ratio (a/W) and the 3D structure. 2011 , 78, 1976-1985	4

1353	A self-adaptive finite element approach for simulation of mixed-mode delamination using cohesive zone models. 2011 , 78, 2202-2219	15
1352	Numerical strategies for prediction of drying cracks in heterogeneous materials: Comparison upon experimental results. 2011 , 33, 920-931	46
1351	A level set based approach for the finite element simulation of a forming process involving multiphysics coupling: Ultrasonic welding of thermoplastic composites. 2011 , 30, 501-509	22
1350	Structural topology optimization with implicit design variable optimality and algorithm. 2011 , 47, 922-932	32
1349	Strength prediction of single- and double-lap joints by standard and extended finite element modelling. 2011 , 31, 363-372	236
1348	Experimental fatigue testing of a fretting complete contact and numerical life correlation using X-FEM. 2011 , 33, 811-822	37
1347	Fretting fatigue life prediction using the extended finite element method. 2011 , 53, 217-225	33
1346	Modelling of fully grouted rock bolt based on enriched finite element method. 2011 , 48, 283-293	44
1345	A space-time approach in digital image correlation: Movie-DIC. 2011 , 49, 71-81	28
1344	Investigation on periodic cracking of elastic film/substrate system by the extended finite element method. 2011 , 257, 6718-6724	28
1343	Diffusional evolution of precipitates in elastic media using the extended finite element and the level set methods. 2011 , 230, 1249-1264	30
1342	The extended finite element method for two-phase and free-surface flows: A systematic study. 2011 , 230, 3369-3390	61
1341	A conservative level set method suitable for variable-order approximations and unstructured meshes. 2011 , 230, 4536-4558	99
1340	Finite element analysis of quasistatic crack propagation in brittle media with voids or inclusions. 2011 , 230, 6866-6899	13
1339	Numerical simulation of crack growth through particulate clusters in brittle matrix using the XFEM technique. 2011 , 10, 786-791	7
1338	Influence of hydrogen coverage on the parameters of a cohesive zone model dedicated to fatigue crack propagation. 2011 , 10, 2657-2662	8
1337	A comparative study of the different procedures for seismic cracking analysis of concrete dams. 2011 , 31, 1594-1606	57
1336	3D XFEM-based modeling of retraction for preoperative image update. 2011 , 16, 121-34	13

1335	Second Sound in a Cracked Layer Based on Lord Shulman Theory. 2011 , 34, 181-200	24
1334	An Integration Scheme of Extended Finite Element Method. 2011 , 148-149, 286-290	
1333	ARBITRARY DISCONTINUITIES IN THE NUMERICAL MANIFOLD METHOD. 2011 , 08, 315-347	13
1332	A COMBINED EXTENDED AND EDGE-BASED SMOOTHED FINITE ELEMENT METHOD (ES-XFEM) FOR FRACTURE ANALYSIS OF 2D ELASTICITY. 2011 , 08, 773-786	14
1331	EIGENVALUE ANALYSIS OF THIN PLATE WITH COMPLICATED SHAPES BY A NOVEL MESH-FREE METHOD. 2011 , 03, 21-46	13
1330	Microdeformation measurement via single-element extended digital image correlation. 2011 , 46, 327-336	4
1329	Numerical Solution of an Edge Cracked 2-D Piezoelectric Media Using Extended Finite Element Method. 2011 , 110-116, 91-98	1
1328	Numerical Test of Crack Propagation Path in Asphalt Beam Using Coupled Extended Finite Element with Field Variable Method. 2011 , 250-253, 2754-2759	3
1327	The role of cohesive properties on intergranular crack propagation in brittle polycrystals. 2011 , 19, 035006	27
1326	Multiscale Modeling and Simulation of Composite Materials and Structures. 2011 , 215-231	10
1325	Extended finite element simulation of crack propagation in fractured rock masses. 2011 , 15, s594-s596	9
1324	Virtual Testing for Advanced Aerospace Composites: Advances and Future Needs. 2011 , 133,	17
1323	Modelling the Tearing Crack Growth in a Ductile Ferritic Steel Using X-FEM Elements. 2011 ,	
1322	Geometric Issues in Computer Aided Design/Computer Aided Engineering Integration. 2011 , 11,	26
1321	A review of numerical modeling of three-dimensional braided textile composites. 2011 , 45, 2415-2436	62
1320	B-Spline Wavelet on the Interval Element for the Solution of Hamilton Canonical Equation. 2011 , 18, 446-453	
1319	Digital volume correlation analyses of synchrotron tomographic images. 2011 , 46, 683-695	41
1318	Investigation of Stress Intensity Factors for an Interface Crack in Multi-Interface Materials Using an Interaction Integral Method. 2011 , 78,	10

1317	Modeling of field singularities at dielectric edges using grid based methods. 2011 , 9, 39-44	7
1316	Study of Crack Growth Based on Extended Finite Element Method. 2012 , 446-449, 3639-3642	
1315	A Novel Approach for Evaluation of Stress Intensity Factors Using X-FEM. 2012 , 446-449, 816-823	
1314	An Efficient Computational Procedure of Fatigue Crack Growth under Variable Amplitude Loading via XFEM. 2012 , 538-541, 3012-3020	
1313	Numerical Methods for Fluid-Structure Interaction [A Review]. 2012 , 12, 337-377	367
1312	Shape optimization approach based on the extended finite element method. 2012 , 31, 477-497	1
1311	An Edge-Based Smoothed Point Interpolation Method for Material Discontinuity. 2012 , 19, 3-17	9
1310	Serial FEM/XFEM-Based Update of Preoperative Brain Images Using Intraoperative MRI. 2012 , 2012, 872783	11
1309	A New Approach for Numerical Modeling of Hydraulic Fracture Propagation in Naturally Fractured Reservoirs. 2012 ,	25
1308	Modeling of Crack Growth in Steels. 2012 , 726, 233-240	
1307	X-FEM Applied to Three-Dimensional Curvilinear Crack Front. 2012 , 472-475, 1418-1425	1
1306	Numerical Integration Technique in Computation of Extended Finite Element Method. 2012 , 446-449, 3557-3560	3
1305	Extended Finite Element Method for Fracture Mechanics and Mesh Refinement Controlled by Density Function. 2012 , 525-526, 413-416	
1304	Enriched Basis Functions for Automatically Handling Wake-Body Intersections in Source-Doublet-Potential Panel Methods. 2012 ,	1
1303	AN IMPROVED FINITE ELEMENT METHOD FOR CRACKS WITH MULTIPLE BRANCHES. 2012 , 09, 1250043	1
1302	Mesh Dependence of the Discrete Damage Modeling in Laminated Composites. 2012 ,	
1301	Determination of sharp V-notch stress intensity factors using the extended finite element method. 2012 , 47, 95-103	18
1300	Experimental and numerical study of standard impact tests on polypropylene pipes with brittle behaviour. 2012 , 226, 2035-2046	16

1299	Thermal Interfaces by Higher-Order Polytope FEM. 2012 , 35, 103-117	0
1298	An adaptive algorithm for cohesive zone model and arbitrary crack propagation. 2012 , 21, 208-218	8
1297	Analysis of Fretting Crack Propagation Behavior with X-FEM Method. 2012 , 157-158, 1162-1166	
1296	A Comparison of Cohesive Crack Model and Crack Band Model in Concrete Fracture. 2012 , 170-173, 3375-3380	
1295	Extended finite element method with simplified spherical harmonics approximation for the forward model of optical molecular imaging. 2012 , 2012, 394374	3
1294	Numerical convergence and stability of mixed formulation with X-FEM cut-off. 2012 , 21, 160-173	5
1293	Level set propagation for mixed-mode crack advance. 2012 , 21, 219-230	
1292	RECENT ADVANCES IN COMPUTATIONAL MECHANICS FOR CIVIL ENGINEERING. 2012 , 68, 31-50	
1291	A comparative study on PU-based finite element methods for approximating strong/weak discontinuities. 2012 , 68, I_129-I_138	
1290	Estimation of SCC Crack Growth Behavior Under Weld Residual Stress in the Bottom of a Reactor Pressure Vessel by Finite Element Analysis. 2012 ,	
1289	A mixed finite element method for Darcy flow in fractured porous media with non-matching grids. 2012 , 46, 465-489	119
1288	Two-Dimensional Crack Analyses by XFEM Using Crack Tip Elements. 2012 , 78, 1642-1655	4
1287	Application of XFEM to Hermite Element. 2012 , 78, 1656-1659	
1286	Application of Extended Finite Element Method to Cracked Concrete Elements [Numerical Aspects. 2012 , 58, 409-431	3
1285	Computation of stress intensity factors in functionally graded materials using partition-of-unity meshfree method. 2012 , 116, 1263-1287	8
1284	A stabilized Lagrange multiplier method for the enriched finite-element approximation of contact problems of cracked elastic bodies. 2012 , 46, 813-839	30
1283	Propagation and arrest of cleavage cracks in a nuclear pressure vessel steel. 2012 , 64, 17-21	14
1282	Extended Finite Element Modeling of Multi-scale Flow in Fractured Shale Gas Reservoirs. 2012 ,	12

1281	Automatic modelling of cohesive crack propagation in concrete using polygon scaled boundary finite elements. 2012 , 93, 13-33	43
1280	A Quasi-algebraic Multigrid Approach to Fracture Problems Based on Extended Finite Elements. 2012 , 34, A603-A626	17
1279	Dynamic crack analysis in 2D elastic solids with the singular edge-based smoothed finite element method. 2012 , 12, 147-148	
1278	Levelset based fluid topology optimization using the extended finite element method. 2012 , 46, 311-326	98
1277	A consistent projection-based SUPG/PSPG XFEM for incompressible two-phase flows. 2012 , 28, 1309-1322	8
1276	Strong discontinuities in antiplane/torsional problems of computational failure mechanics. 2012 , 178, 3-32	9
1275	An enriched finite element for crack opening and rebar slip in reinforced concrete members. 2012 , 178, 33-50	43
1274	Simulation of the shear-tensile mode transition on dynamic crack propagations. 2012 , 178, 195-213	10
1273	Crack propagation criteria in three dimensions using the XFEM and an explicit/implicit crack description. 2012 , 178, 51-70	41
1272	Error controlled adaptive multiscale XFEM simulation of cracks. 2012 , 178, 147-156	17
1271	Fatigue crack propagation in a quasi-one-dimensional elasto-plastic model. 2012 , 49, 3224-3232	3
1270	A domain-independent interaction integral for fracture analysis of nonhomogeneous piezoelectric materials. 2012 , 49, 3301-3315	23
1269	Fracture Toughness of Northeast China Larch. 2012 , 517, 661-668	3
1268	Influence of thickness of interfacial IMC layer and solder mask layer on mechanical reliability of micro-scale BGA structure interconnects. 2012 ,	1
1267	A new method for fracture toughness determination of graded (Pt,Ni)Al bond coats by microbeam bend tests. 2012 , 92, 3326-3345	46
1266	Some numerical issues on the use of XFEM for ductile fracture. 2012 , 50, 611-629	12
1265	Advances in Numerical Modelling of Adhesive Joints. 2012 , 1-93	33
1264	Mesolevel Modeling of Failure in Composite Laminates: Constitutive, Kinematic and Algorithmic Aspects. 2012 , 19, 381-425	33

1263	A Review of the Challenges and Limitations of Full-Field Measurements Applied to Large Heterogeneous Deformations of Rubbers. 2012 , 48, 174-188	23
1262	Improvement of the extended finite element method for ductile crack growth. 2012 , 551, 255-271	18
1261	An eXtended Finite Element Method (XFEM) study on the effect of reinforcing particles on the crack propagation behavior in a metal matrix composite. 2012 , 44, 151-156	44
1260	Modeling and simulation of large-scale ductile fracture in plates and shells. 2012 , 49, 2373-2393	35
1259	Hybridizable discontinuous Galerkin methods for partial differential equations in continuum mechanics. 2012 , 231, 5955-5988	82
1258	Optimization of a stabilized X-FEM formulation for frictional cracks. 2012 , 59, 18-27	11
1257	Extract of stress intensity factors on honeycomb elements by the numerical manifold method. 2012 , 59, 55-65	29
1256	Application of X-FEM to study two-unequal-collinear cracks in 2-D finite magnetoelectroelastic specimen. 2012 , 60, 75-98	14
1255	Extended finite element simulation of stationary dynamic cracks in piezoelectric solids under impact loading. 2012 , 62, 243-257	83
1254	Simulation of discrete damage in composite Overheight Compact Tension specimens. 2012 , 43, 1667-1679	24
1253	Predictions of crack propagation using a variational multiscale approach and its application to fracture in laminated fiber reinforced composites. 2012 , 94, 3336-3346	26
1252	Finite element based simulation of fatigue crack growth with a focus on elastic-plastic material behavior. 2012 , 57, 73-79	12
1251	An analytical singular element for interface cracks in bi-material Kirchhoff plate bending. 2012 , 91, 103-116	14
1250	Crack initiation and path selection in brittle specimens: A novel experimental method and computations. 2012 , 89, 65-74	6
1249	Analysis of three-dimensional fracture mechanics problems: A non-intrusive approach using a generalized finite element method. 2012 , 90, 41-64	30
1248	Tailored Extended Finite-Element Model for Predicting Crack Propagation and Fracture Properties within Idealized and Digital Cementitious Material Samples. 2012 , 138, 89-100	9
1247	References. 2012 , 339-361	
1246	References. 2012 , 353-371	

1245	A generalized finite element method with global-local enrichment functions for confined plasticity problems. 2012 , 50, 563-578	37
1244	A COMPARISON BETWEEN THE NMM AND THE XFEM IN DISCONTINUITY MODELING. 2012 , 09, 1240030	16
1243	Enriched goal-oriented error estimation applied to fracture mechanics problems solved by XFEM. 2012 , 25, 393-403	7
1242	High order X-FEM and levelsets for complex microstructures: Uncoupling geometry and approximation. 2012 , 241-244, 172-189	60
1241	Benchmarking on bifurcation and localization in J2 plasticity for plane stress and plane strain conditions. 2012 , 241-244, 206-224	17
1240	Analysis and improvements of global-local enrichments for the Generalized Finite Element Method. 2012 , 245-246, 47-62	41
1239	Integrated layout design of multi-component systems using XFEM and analytical sensitivity analysis. 2012 , 245-246, 75-89	48
1238	A coupling approach of discretized peridynamics with finite element method. 2012 , 245-246, 163-175	114
1237	XFEM with hanging nodes for two-phase incompressible flow. 2012 , 245-246, 290-312	15
1236	Quadratically consistent one-point (QC1) quadrature for meshfree Galerkin methods. 2012 , 245-246, 256-272	15
1235	Delamination of FRP-reinforced concrete by means of an extended finite element formulation. 2012 , 43, 3258-3269	27
1234	Extended finite element method for dynamic fracture of piezo-electric materials. 2012 , 92, 19-31	51
1233	Thermo-hydro-mechanical modeling of impermeable discontinuity in saturated porous media with X-FEM technique. 2012 , 96, 701-723	40
1232	The effect of thermally grown oxide on multiple surface cracking in air plasma sprayed thermal barrier coating system. 2012 , 208, 7-13	42
1231	Identification of Deformation Mechanism in Abalone Shells Through AFM and Digital Image Correlation. 2012 , 4, 27-39	3
1230	Mechanical Assistance to DIC. 2012 , 4, 159-168	15
1229	Extended finite element method for computation of mixed-mode stress intensity factors in three dimensions. 2012 , 31, 373-380	2
1228	Phase-field modeling of crack propagation in piezoelectric and ferroelectric materials with different electromechanical crack conditions. 2012 , 60, 2100-2126	93

1227	XFEM schemes for level set based structural optimization. 2012 , 7, 335-356	22
1226	A Novel Numerical Method for Computing Stress Intensity Factors. 2012 , 204-208, 4486-4489	
1225	A Lagrange-multiplier-based XFEM to solve pressure Poisson equations in problems with quasi-static interfaces. 2012 , 55, 693-705	3
1224	Finite Element Analysis of Plastic Collapse and Crack Behavior of Steel Pressure Vessels and Piping Using XFEM. 2012 , 12, 707-718	18
1223	Future Communication, Computing, Control and Management. 2012 ,	
1222	Research advance in failure risk and local strength failure for high arch dams. 2012 , 57, 4672-4682	12
1221	Discretized peridynamics for linear elastic solids. 2012 , 50, 579-590	56
1220	New anisotropic crack-tip enrichment functions for the extended finite element method. 2012 , 50, 591-601	32
1219	Simulation of finite-width process zone in concrete-like materials by means of a regularized extended finite element model. 2012 , 50, 479-497	26
1218	Numerical solutions for crack growth based on the variational theory of fracture. 2012 , 50, 285-301	16
1217	Using a Simple Crack Growth Model in Predicting Remaining Useful Life. 2012 , 49, 1965-1973	30
1216	Finite Element Quadrature of Regularized Discontinuous and Singular Level Set Functions in 3D Problems. 2012 , 5, 529-544	4
1215	On the role of enrichment and statical admissibility of recovered fields in a posteriori error estimation for enriched finite element methods. 2012 , 29, 814-841	23
1214	Impact damage assessment by using peridynamic theory. 2012 , 2,	26
1213	A NEW CRACK TIP ENRICHMENT FUNCTION IN THE EXTENDED FINITE ELEMENT METHOD FOR GENERAL INELASTIC MATERIALS. 2012 , 10, 343-360	8
1212	A New Interaction Integral Method for Nonhomogeneous Materials. 2012 , 450-451, 605-609	
1211	Generalizations of the Finite Element Method. 2012 , 10, 3-24	21
1210	T-stress evaluations of an interface crack in the materials with complex interfaces. 2012 , 177, 25-37	11

1209	A new weight-function enrichment in meshless methods for multiple cracks in linear elasticity. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 90, 177-195	2.4	37
1208	Dynamic simulation of damage-fracture transition in smoothed particles hydrodynamics shells. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 90, 707-738	2.4	38
1207	Lower-dimensional interface elements with local enrichment: application to coupled hydro-mechanical problems in discretely fractured porous media. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 90, n/a-n/a	2.4	20
1206	A probabilistic nonlocal model for crack initiation and propagation in heterogeneous brittle materials. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 90, n/a-n/a	2.4	2
1205	An explicit residual-type error estimator for -quadrilateral extended finite element method in two-dimensional linear elastic fracture mechanics. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 90, 1118-1155	2.4	20
1204	T-stress evaluations for nonhomogeneous materials using an interaction integral method. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 90, 1393-1413	2.4	27
1203	On enrichment functions in the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 91, 186-217	2.4	15
1202	An improved nonintrusive global/local approach for sharp thermal gradients in a standard FEA platform. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 91, 426-449	2.4	11
1201	Polygon scaled boundary finite elements for crack propagation modelling. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 91, 319-342	2.4	154
1200	Stress intensity factors computation for bending plates with extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 91, 909-928	2.4	17
1199	Three-dimensional finite elements with embedded strong discontinuities to model material failure in the infinitesimal range. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 91, 1291-1330	2.4	39
1198	Enriched space/time finite element method: a new paradigm for multiscaling from elastodynamics to molecular dynamics. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 92, 115-140	2.4	13
1197	Dynamic failure simulation of quasi-brittle material in dual particle dynamics. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 91, 1227-1250	2.4	5
1196	Error estimation for crack simulations using the XFEM. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 91, 1459-1474	2.4	41
1195	An exact reanalysis algorithm using incremental Cholesky factorization and its application to crack growth modeling. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 91, 1358-1364	2.4	13
1194	An XFEM-based numerical strategy to model mechanical interactions between biological cells and a deformable substrate. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 92, 238-267	2.4	20
1193	Stable imposition of stiff constraints in explicit dynamics for embedded finite element methods. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 92, 206-228	2.4	26
1192	Simple multidimensional integration of discontinuous functions with application to level set methods. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 92, 637-651	2.4	22

1191	Cohesive zone representation and junction partitioning for crystal plasticity analyses. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 92, 715-733	2.4	7
1190	Adaptive atomistic-to-continuum modeling of propagating defects. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 92, 835-856	2.4	18
1189	Three-dimensional integration strategies of singular functions introduced by the XFEM in the LEFM. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 92, 1117-1138	2.4	22
1188	Cahn-Willard modeling of particles suspended in two-phase flows. 2012 , 69, 995-1015		16
1187	Extended finite element method for viscous flow inside complex three-dimensional geometries with moving internal boundaries. 2012 , 70, 775-792		10
1186	Analysis of micro fracture in human Haversian cortical bone under compression. 2012 , 28, 974-98		22
1185	Formulation and implementation of a high-order 3-D domain integral method for the extraction of energy release rates. 2012 , 49, 459-476		4
1184	A two-dimensional co-rotational Timoshenko beam element with XFEM formulation. 2012 , 49, 667-683		8
1183	Crack face contact for a hexahedral-based XFEM formulation. 2012 , 49, 725-734		15
1182	A coupled quantum/continuum mechanics study of graphene fracture. 2012 , 173, 163-173		74
1181	Implementation of an X-FEM Solver for the Classical Two-Phase Stefan Problem. 2012 , 52, 271-293		14
1180	X-FEM simulation for two-unequal-collinear cracks in 2-D finite piezoelectric specimen. 2012 , 8, 129-148		18
1179	A numerical investigation on the size effect of fiber-reinforced concrete specimens in crack propagation. 2012 , 50, 99-117		1
1178	Modeling rock failure using the numerical manifold method followed by the discontinuous deformation analysis. 2012 , 28, 760-773		11
1177	Determination of coefficients of crack tip asymptotic fields by an element-free Galerkin scaled boundary method. 2012 , 35, 767-785		14
1176	Challenges in computer applications for ship and floating structure design and analysis. 2012 , 44, 166-185		28
1175	Modeling the cracking process of rocks from continuity to discontinuity using a cellular automaton. 2012 , 42, 87-99		33
1174	Effects of uniaxial stress on alkali-silica reaction induced expansion of concrete. 2012 , 42, 567-576		52

1173	Explicit dynamics X-FEM simulation of heterogeneous materials. 2012 , 56, 52-79	4
1172	Implicit solutions with consistent additive and multiplicative components. 2012 , 57, 15-31	10
1171	The numerical simulation of fatigue crack growth using extended finite element method. 2012 , 36, 109-119	150
1170	Phase transformations in the proximity of TiC precipitates in a NiTi matrix during fatigue. 2012 , 41, 72-82	3
1169	Enabling high-order integration of fatigue crack growth with surrogate modeling. 2012 , 43, 150-159	9
1168	Treating volumetric inequality constraint in a continuum media with a coupled X-FEM/level-set strategy. 2012 , 205-208, 16-28	4
1167	Extended finite element method with edge-based strain smoothing (ESm-XFEM) for linear elastic crack growth. 2012 , 209-212, 250-265	168
1166	A micromechanics-enhanced finite element formulation for modelling heterogeneous materials. 2012 , 201-204, 53-64	14
1165	Stable Generalized Finite Element Method (SGFEM). 2012 , 201-204, 91-111	172
1164	Multiscale failure modeling of concrete: Micromechanical modeling, discontinuous homogenization and parallel computations. 2012 , 201-204, 139-156	88
1163	A geometrically nonlinear discontinuous solid-like shell element (DSLS) for thin shell structures. 2012 , 201-204, 191-207	23
1162	Gradient-enhanced damage modeling of cracked bodies by reproducing kernel element method. 2012 , 213-216, 266-288	0
1161	A 3D interface-enriched generalized finite element method for weakly discontinuous problems with complex internal geometries. 2012 , 217-220, 46-57	55
1160	A phase-field description of dynamic brittle fracture. 2012 , 217-220, 77-95	847
1159	Reliability-based optimization of maintenance scheduling of mechanical components under fatigue. 2012 , 221-222, 24-40	27
1158	Damage growth modeling using the Thick Level Set (TLS) approach: Efficient discretization for quasi-static loadings. 2012 , 233-236, 11-27	59
1157	The singular edge-based smoothed finite element method for stationary dynamic crack problems in 2D elastic solids. 2012 , 233-236, 68-80	49
1156	Investigation of linear dependence problem of three-dimensional partition of unity-based finite element methods. 2012 , 233-236, 137-151	20

1155	A finite element approach coupling a continuous gradient damage model and a cohesive zone model within the framework of quasi-brittle failure. 2012 , 237-240, 244-259	35
1154	Simulation of the flow of a viscoelastic fluid around a stationary cylinder using an extended finite element method. 2012 , 57, 183-194	26
1153	Free-edge singularities meet the microstructure: Important considerations. 2012 , 72, 933-937	4
1152	Anisotropic constitutive model of plasticity capable of accounting for details of meso-structure of two-phase composite material. 2012 , 90-91, 153-162	38
1151	Phantom-node method for shell models with arbitrary cracks. 2012 , 92-93, 242-256	207
1150	Zero-thickness interface model formulation for failure behavior of fiber-reinforced cementitious composites. 2012 , 98-99, 23-32	52
1149	Fracture analysis of composites by time independent moving-crack orthotropic XFEM. 2012 , 54, 20-37	43
1148	Crack problems in a viscoelastic medium using enriched finite element method. 2012 , 58, 34-46	6
1147	An extended strain energy density failure criterion by differentiating volumetric and distortional deformation. 2012 , 49, 1117-1126	16
1146	A simple method for crack growth in mixed mode with X-FEM. 2012 , 49, 2094-2106	32
1145	An enhanced continuous-discontinuous multiscale method for modeling mode-I cohesive failure in random heterogeneous quasi-brittle materials. 2012 , 79, 78-102	51
1144	A level set model for delamination [Modeling crack growth without cohesive zone or stress singularity. 2012 , 79, 191-212	35
1143	A novel singular ES-FEM for crack growth simulation. 2012 , 84, 41-66	55
1142	Modelling a squat form crack on a rail laid on an elastic foundation. 2012 , 85, 47-58	19
1141	Numerical simulation of crack growth in brittle matrix of particle reinforced composites using the xfem technique. 2012 , 25, 9-21	30
1140	Progressive failure analysis of bolted single-lap composite joint based on extended finite element method. 2012 , 37, 582-588	35
1139	Numerical modelling of the fracture behaviour of brittle materials reinforced with unidirectional or randomly distributed fibres. 2012 , 52, 12-27	18
1138	Different crack sizes analyzed for surrounding rock mass around underground caverns in Jinping I hydropower station. 2012 , 57, 19-30	19

1137	Bridging Scales with a Generalized Finite Element Method. 2012 , 3, 172-191			1
1136	CFDDEM simulation of particle transport and deposition in pulmonary airway. 2012 , 228, 309-318			64
1135	A second order virtual node method for elliptic problems with interfaces and irregular domains in three dimensions. 2012 , 231, 2015-2048			51
1134	Effect of electric displacement saturation on the hysteretic behavior of ferroelectric ceramics and the initiation and propagation of cracks in piezoelectric ceramics. 2012 , 60, 882-903			34
1133	The effect of compression stresses, stress level and stress order on fatigue crack growth of multiple site damage. 2012 , 35, 903-917			5
1132	Adaptive non-conformal mesh refinement and extended finite element method for viscous flow inside complex moving geometries. 2012 , 68, 1031-1052			26
1131	Simulating fracture propagation in rock and concrete by an augmented virtual internal bond method. 2012 , 36, 459-482			23
1130	Estimation of crack opening from a two-dimensional continuum-based finite element computation. 2012 , 36, 1813-1830			14
1129	Computational homogenization for multiscale crack modeling. Implementational and computational aspects. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 89, 192-226	2.4		63
1128	Extended FEM modeling of crack paths near inclusions. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 89, 786-804	2.4		11
1127	An interface-enriched generalized FEM for problems with discontinuous gradient fields. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 89, 991-1008	2.4		88
1126	On the numerical stability and mass-lumping schemes for explicit enriched meshfree methods. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 89, 1009-1027	2.4		52
1125	Extended isogeometric analysis for simulation of stationary and propagating cracks. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 89, 1069-1101	2.4		153
1124	Discretized peridynamics for brittle and ductile solids. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 89, 1028-1046	2.4		32
1123	A level-set-based large sliding contact algorithm for easy analysis of implant positioning. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 89, 1317-1336	2.4		2
1122	hp-adaptive extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 89, 1392-1418	2.4		20
1121	Crack propagation with the extended finite element method and a hybrid explicit/implicit crack description. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 89, 1527-1558	2.4		88
1120	Robust imposition of Dirichlet boundary conditions on embedded surfaces. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 90, 40-64	2.4		58

1119	Cohesive and non-cohesive fracture by higher-order enrichment of XFEM. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 90, 452-483	2.4	36
1118	Directly resolving particles in an electric field: local charge, force, torque, and applications. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 90, 537-568	2.4	11
1117	Numerical simulation of bi-material interfacial cracks using EFGM and XFEM. 2012 , 8, 9-36		61
1116	A two-scale approach for the analysis of propagating three-dimensional fractures. 2012 , 49, 99-121		31
1115	Modeling localized failure with arbitrary Lagrangian Eulerian methods. 2012 , 49, 197-212		15
1114	A Nitsche embedded mesh method. 2012 , 49, 243-257		55
1113	Guaranteed error bounds on pointwise quantities of interest for transient viscodynamics problems. 2012 , 49, 291-307		23
1112	An embedded atom hyperelastic constitutive model and multiscale cohesive finite element method. 2012 , 49, 337-355		28
1111	The adapted augmented Lagrangian method: a new method for the resolution of the mechanical frictional contact problem. 2012 , 49, 259-275		17
1110	Hydro-mechanical modeling of cohesive crack propagation in multiphase porous media using the extended finite element method. 2013 , 37, 1247-1279		122
1109	Modeling three-dimensional hydraulic fracture propagation using virtual multidimensional internal bonds. 2013 , 37, 2021-2038		38
1108	An adaptive multiscale method for crack propagation and crack coalescence. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 93, 23-51	2.4	38
1107	A partition of unity FEM for time-dependent diffusion problems using multiple enrichment functions. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 93, 245-265	2.4	26
1106	An extended finite element method approach for structural-acoustic problems involving immersed structures at arbitrary positions. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 93, 376-399	2.4	5
1105	Extended FEM modelling of crack propagation using the semi-circular bending test. 2013 , 48, 270-277		55
1104	Meshfree Particle Methods in the Framework of Boundary Element Methods for the Helmholtz Equation. 2013 , 55, 200-230		1
1103	Extended meshless method based on partition of unity for solving multiple crack problems. 2013 , 48, 2263-2270		13
1102	Extended finite element framework for fault rupture dynamics including bulk plasticity. 2013 , 37, 3087-3111		26

1101	A continuous/discontinuous cellular automaton method for regular frictional contact problems. 2013 , 83, 1239-1255	12
1100	Electromechanical simulations of dislocations. 2013 , 21, 035003	4
1099	Subspace fluid re-simulation. 2013 , 32, 1-9	44
1098	Continuum damage mechanics based model for quasi brittle materials subjected to cyclic loadings: Formulation, numerical implementation and applications. 2013 , 98, 383-406	38
1097	Flow and Combustion in Advanced Gas Turbine Combustors. 2013 ,	1
1096	Finite element simulation of dynamic crack propagation process using an arbitrary Lagrangian Eulerian formulation. 2013 , 36, 533-547	5
1095	A hybrid smoothed extended finite element/level set method for modeling equilibrium shapes of nano-inhomogeneities. 2013 , 52, 1417-1428	22
1094	Cohesive modeling of transverse cracking in laminates under in-plane loading with a single layer of elements per ply. 2013 , 50, 3308-3318	25
1093	A weak formulation for solving elliptic interface problems without body fitted grid. 2013 , 249, 80-95	42
1092	Numerical simulation of incompressible two-phase flows with a Boussinesq/Scriven interface stress tensor. 2013 , 73, n/a-n/a	5
1091	Dynamic analysis of a viscoelastic orthotropic cracked body using the extended finite element method. 2013 , 109, 17-32	17
1090	Subdomain-based error techniques for generalized finite element approximations of problems with singular stress fields. 2013 , 52, 1395-1415	7
1089	Local/global non-intrusive crack propagation simulation using a multigrid X-FEM solver. 2013 , 52, 1381-1393	47
1088	Coupling of fully Eulerian and arbitrary Lagrangian/Eulerian methods for fluid-structure interaction computations. 2013 , 52, 1113-1124	20
1087	Strong tangential discontinuity modeling of shear bands using the extended finite element method. 2013 , 52, 1023-1038	10
1086	Initially rigid cohesive laws and fracture based on edge rotations. 2013 , 52, 931-947	74
1085	A comparison of stress intensity factors obtained through crack closure integral and other approaches using extended element-free Galerkin method. 2013 , 52, 587-605	8
1084	Enhanced error estimator based on a nearly equilibrated moving least squares recovery technique for FEM and XFEM. 2013 , 52, 321-344	11

1083	Goal-oriented explicit residual-type error estimates in XFEM. 2013 , 52, 361-376	16
1082	A two-field modified Lagrangian formulation for robust simulations of extrinsic cohesive zone models. 2013 , 51, 865-884	9
1081	Efficient analysis of transient heat transfer problems exhibiting sharp thermal gradients. 2013 , 51, 743-764	15
1080	Application of reproducing kernel particle method and element-free Galerkin method on the simulation of the membrane of capacitive micromachined microphone in viscothermal air. 2013 , 51, 295-308	6
1079	An extended finite element method for fluid flow in partially saturated porous media with weak discontinuities; the convergence analysis of local enrichment strategies. 2013 , 51, 327-345	33
1078	Modeling Damage Growth in Oxidized High-Temperature Polymeric Composites. 2013 , 65, 246-255	4
1077	Modelling of crack propagation of gravity dams by scaled boundary polygons and cohesive crack model. 2013 , 183, 29-48	41
1076	Quadrature schemes for arbitrary convex/concave volumes and integration of weak form in enriched partition of unity methods. 2013 , 258, 39-54	74
1075	Damage driven crack initiation and propagation in ductile metals using XFEM. 2013 , 52, 161-179	46
1074	Numerical Estimation of Fretting Fatigue Lifetime Using Damage and Fracture Mechanics. 2013 , 52, 11-25	39
1073	Fatigue-life estimation of functionally graded materials using XFEM. 2013 , 29, 427-448	20
1072	Triangular element partition method with consideration of crack tip. 2013 , 56, 2081-2088	6
1071	Scalable FEA on non-conforming assembly mesh. 2013 , 266, 98-111	1
1070	Identification of a scatterer embedded in elastic heterogeneous media using dynamic XFEM. 2013 , 259, 50-63	39
1069	A micro-meso-model of intra-laminar fracture in fiber-reinforced composites based on a discontinuous Galerkin/cohesive zone method. 2013 , 104, 162-183	48
1068	Numerical simulation of continuum models for fluid-fluid interface dynamics. 2013 , 222, 211-239	10
1067	2D axisymmetric X-FEM modeling of the Hertzian cone crack system. 2013 , 341, 715-725	13
1066	Numerical simulation of CAD thin structures using the eXtended Finite Element Method and Level Sets. 2013 , 77, 40-58	9

1065	Modeling of caprock discontinuous fracturing during CO2 injection into a deep brine aquifer. 2013 , 19, 559-575		31
1064	Dynamic crack propagation simulation with scaled boundary polygon elements and automatic remeshing technique. 2013 , 106, 1-21		54
1063	An algebraic multigrid approach to solve extended finite element method based fracture problems. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 94, 248-272	2.4	12
1062	A multi-scale strain-localization analysis of a layered strip with debonding interfaces. 2013 , 50, 2061-2077		22
1061	Implicit level set schemes for modeling hydraulic fractures using the XFEM. 2013 , 266, 125-143		84
1060	Fatigue crack growth simulations of 3-D problems using XFEM. 2013 , 76, 112-131		58
1059	A phase-field model for cohesive fracture. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 96, 43-62	2.4	234
1058	An XFEM plate element for high gradient zones resulted from yield lines. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 93, 1314-1344	2.4	6
1057	An XFEM frame for plate elements in yield line analyses. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 96, 150-175	2.4	4
1056	Convergence of domain integrals for stress intensity factor extraction in 2-D curved cracks problems with the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 94, 740-757	2.4	25
1055	An extended finite element method for hydraulic fracture propagation in deformable porous media with the cohesive crack model. 2013 , 73, 77-95		227
1054	A Comparative Study of the Different Procedures for Seismic Cracking Analysis of Concrete Dams. 2013 , 283-310		
1053	An Extension of the Discontinuous Galerkin Method for the Singular Poisson Equation. 2013 , 35, A603-A622		5
1052	Fatigue crack growth simulations of bi-material interfacial cracks under thermo-elastic loading by extended finite element method. 2013 , 22, 79-104		23
1051	XFEM modeling and homogenization of magnetoactive composites. 2013 , 224, 2453-2469		42
1050	Extended finite element modeling of crack propagation in ceramic tool materials by considering the microstructural features. 2013 , 77, 236-244		27
1049	Methods for the prediction of fatigue delamination growth in composites and adhesive bonds [A critical review]. 2013 , 112-113, 72-96		158
1048	Nonlinear Simulation of an Embedded Crack in the Presence of Holes and Inclusions by XFEM. 2013 , 64, 642-651		22

1047	A level-set and anisotropic adaptive remeshing strategy for the modeling of void growth under large plastic strain. 2013 , 68, 32-46		20
1046	Numerical fracture growth modeling using smooth surface geometric deformation. 2013 , 108, 19-36		27
1045	Development of the T+M coupled flow-geomechanical simulator to describe fracture propagation and coupled flow-thermal-geomechanical processes in tight/shale gas systems. 2013 , 60, 184-198		48
1044	An estimation of the high-pressure pipe residual life. 2013 , 13, 36-44		5
1043	Mode III 2-D fracture analysis by the scaled boundary finite element method. 2013 , 26, 619-628		12
1042	XFEM Crack Propagation Under Rolling Contact Fatigue. 2013 , 66, 775-782		6
1041	Nondestructive identification of multiple flaws using XFEM and a topologically adapting artificial bee colony algorithm. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 95, 871-900	2.4	48
1040	Analysis of generalized dynamic intensity factors of cracked magnetoelastoelectroelastic solids by X-FEM. 2013 , 69, 19-36		87
1039	An extended finite element method with algebraic constraints (XFEM-AC) for problems with weak discontinuities. 2013 , 266, 70-80		6
1038	Finite element simulation of crack propagation based on phase field theory. 2013 , 27, 3073-3085		7
1037	A robust shell element in meshfree SPH method. 2013 , 29, 241-255		15
1036	A continuous/discontinuous deformation analysis (CDDA) method based on deformable blocks for fracture modeling. 2013 , 7, 369-378		47
1035	A phase-field model for fracture in piezoelectric ceramics. 2013 , 183, 135-153		57
1034	Bibliography. 2013 , 455-475		
1033	TWO-SCALE 3D ANALYSIS OF REFLECTIVE CRACKS IN AIRFIELD PAVEMENTS. 2013 , 10, 1350045		4
1032	A combined finite-discrete element model for RC structures under dynamic loading. 2013 , 30, 982-1010		18
1031	A multiscale method with patch for the solution of stochastic partial differential equations with localized uncertainties. 2013 , 255, 255-274		29
1030	An enriched 6-node MITC plate element for yield line analysis. 2013 , 128, 64-76		3

1029	Dynamic crack propagation in elastoplastic thin-walled structures: Modelling and validation. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 96, 63-86	2.4	14
1028	Inferring biological evolution from fracture patterns in teeth. 2013 , 338, 59-65		27
1027	Modeling cracking behavior of rock mass containing inclusions using the enriched numerical manifold method. 2013 , 162, 1-13		64
1026	Local enrichment of the finite cell method for problems with material interfaces. 2013 , 52, 741-762		55
1025	An arbitrary order variationally consistent integration for Galerkin meshfree methods. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 95, 387-418	2.4	102
1024	The XFEM with an Implicit-Explicit Crack Description for a Plane-Strain Hydraulic Fracture Problem. 2013 , 13, 83-84		4
1023	Numerical analysis of thermal fracturing in subsurface cold water injection by finite element methods. 2013 , 37, 2523-2538		11
1022	Application of Reproducing the Kernel Particle Method on the Simulation of the Membrane of a Capacitive Micromachined Microphone in Viscothermal Air. 2013 , 63, 120-143		
1021	Large sliding contact along branched discontinuities with X-FEM. 2013 , 52, 201-219		32
1020	Fatigue life prediction methodology using entropy index of stress interaction and crack severity index of effective stress. 2013 , 22, 375-392		23
1019	The stable XFEM for two-phase flows. 2013 , 87, 41-49		57
1018	The finite element method enriched by interpolation covers. 2013 , 116, 35-49		36
1017	Modelling porous structures by penalty approach in the extended finite element method. 2013 , 16, 347-57		5
1016	An edge-based smoothed XFEM for fracture in composite materials. 2013 , 179, 179-199		20
1015	An embedded crack in a constant strain triangle utilizing extended finite element concepts. 2013 , 117, 1-9		2
1014	RETRACTED: Numerical modeling of hydraulic fracture propagation: Accounting for the effect of stresses on the interaction between hydraulic and parallel natural fractures. 2013 , 22, 557-563		7
1013	Numerical Simulation of Plane Crack Problems Using Extended Isogeometric Analysis. 2013 , 64, 661-670		14
1012	A three-dimensional progressive failure model for laminated composite plates subjected to transverse loading. 2013 , 114, 69-91		17

1011	Cohesive crack growth modelling based on an alternative nonlinear BEM formulation. 2013 , 111, 86-97	23
1010	Variationally consistent eXtended FE model for 3D planar and curved imperfect interfaces. 2013 , 267, 434-457	18
1009	A three-dimensional ES-FEM for fracture mechanics problems in elastic solids. 2013 , 114, 127-150	36
1008	A new enriched finite element for fatigue crack growth. 2013 , 48, 247-256	30
1007	A multi-scale rate dependent crack model for quasi-brittle heterogeneous materials. 2013 , 104, 96-113	30
1006	The all-ceramic, inlay supported fixed partial denture. Part 5. Extended finite element analysis validation. 2013 , 58, 434-441	12
1005	Numerical simulation of the fracture process in concrete resulting from deflagration phenomena. 2013 , 180, 163-175	7
1004	Continuous and lattice models to describe crack paths in brittle matrix composites with random and unidirectional fibres. 2013 , 108, 170-182	6
1003	Asymptotic fields at the tip of a cohesive frictional crack growing at the bi-material interface between a dam and the foundation rock. 2013 , 108, 152-161	11
1002	Refined fatigue assessment of joints with welded in-plane attachments by LEFM. 2013 , 56, 25-32	11
1001	A stable and optimally convergent generalized FEM (SGFEM) for linear elastic fracture mechanics. 2013 , 266, 23-39	90
1000	Propagation of interactive parallel flat elliptical cracks inclined to shear stress. 2013 , 63-64, 18-31	5
999	Time-independent hybrid enrichment for finite element solution of transient conduction-radiation in diffusive grey media. 2013 , 251, 81-101	18
998	Use of Lagrange multipliers to combine 1D variable kinematic finite elements. 2013 , 129, 194-206	44
997	Dynamic fracture research based on XFEM and its application on discharge valve guard of hydrogen compressor. 2013 , 34, 59-68	4
996	XFEM investigation of a crack path in residual stresses resulting from quenching. 2013 , 75, 62-70	29
995	Element-wise fracture algorithm based on rotation of edges. 2013 , 110, 113-137	186
994	Modeling bimaterial interface cracks using the numerical manifold method. 2013 , 37, 464-474	33

993	Extra-dof-free and linearly independent enrichments in GFEM. 2013 , 266, 1-22		22
992	XFEM Modelling of Inelastic Material Behaviour and Interface Failure in Textile-Reinforced Composites. 2013 , 2, 43-51		7
991	Coupling flat-top partition of unity method and finite element method. 2013 , 67, 43-55		12
990	Heterogeneous mixtures of elliptical particles: Directly resolving local and global properties and responses. 2013 , 235, 161-181		5
989	Influence of concrete fracture on the rain infiltration and thermal performance of building facades. 2013 , 61, 340-352		17
988	Identification of a cohesive zone model from digital images at the micron-scale. 2013 , 61, 1407-1420		38
987	Strength Prediction in Open Hole Composite Laminates by Using Discrete Damage Modeling. 2013 , 51, 936-945		50
986	Higher-order extended FEM for weak discontinuities Γ -level set representation, quadrature and application to magneto-mechanical problems. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 93, 1403-1424	2.4	21
985	Fatigue crack growth simulations of interfacial cracks in bi-layered FGMs using XFEM. 2013 , 52, 799-814		90
984	An XFEM crack-tip enrichment for a crack terminating at a bi-material interface. 2013 , 102, 51-64		46
983	Bibliography. 2013 , 235-252		
982	Extended stochastic FEM for diffusion problems with uncertain material interfaces. 2013 , 51, 1031-1049		20
981	Structural Analysis. 2013 , 43-119		0
980	An object-oriented approach to the Generalized Finite Element Method. 2013 , 59, 1-18		28
979	Analysis of a subinterface crack in piezoelectric bimetals with the extended finite element method. 2013 , 104, 114-139		70
978	Effects of elastic strain energy and interfacial stress on the equilibrium morphology of misfit particles in heterogeneous solids. 2013 , 61, 1433-1445		44
977	Cracking behaviour of fibre-reinforced cementitious composites: A comparison between a continuous and a discrete computational approach. 2013 , 103, 103-114		17
976	Complete Tangent Stiffness for eXtended Finite Element Method by including crack growth parameters. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 95, 33-45	2.4	0

975	A spline-based enrichment function for arbitrary inclusions in extended finite element method with applications to finite deformations. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 95, 361-386	2.4	16
974	A simple and efficient XFEM approach for 3-D cracks simulations. 2013 , 181, 189-208		37
973	Non-intrusive global/local analysis for the study of fine cracking. 2013 , 37, 973-992		10
972	Modeling the Macroscopic Behavior of Concrete. 2013 , 63-120		
971	XFEM modeling of ultrasonic wave propagation in polymer matrix particulate/fibrous composites. 2013 , 50, 389-401		21
970	Fracture and impulse based finite-discrete element modeling of fragmentation. 2013 , 52, 1071-1084		39
969	Influence of surface tension implementation in Volume of Fluid and coupled Volume of Fluid with Level Set methods for bubble growth and detachment. 2013 , 53, 11-28		193
968	A NURBS enhanced extended finite element approach for unfitted CAD analysis. 2013 , 52, 913-929		36
967	Modelling of failure in long fibres reinforced composites by X-FEM and cohesive zone model. 2013 , 55, 352-361		48
966	Thermomechanical Fatigue Characterization of Three Dimensional Compact Tension Specimens Made from Steel. 2013 , 682, 41-48		
965	The XFEM with an Explicit-Implicit Crack Description for Hydraulic Fracture Problems. 2013 ,		7
964	Discontinuous Approach to Concrete. 2013 , 95-107		
963	Seismic cracking analysis of concrete gravity dams with initial cracks using the extended finite element method. 2013 , 56, 528-543		65
962	Transient thermomechanical analysis of thin layers using a hybrid MAX-FEM model. 2013 , 69, 73-87		5
961	Implementation of the extended finite element method for coupled dynamic thermoelastic fracture of a functionally graded cracked layer. 2013 , 35, 69-81		14
960	Domain integral formulation for 3-D curved and non-planar cracks with the extended finite element method. 2013 , 264, 129-144		38
959	Transient dynamic crack analysis in non-homogeneous functionally graded piezoelectric materials by the X-FEM. 2013 , 69, 542-558		59
958	XFEM fracture analysis of orthotropic functionally graded materials. 2013 , 44, 8-25		85

957	Robust Ck/C0 generalized FEM approximations for higher-order conformity requirements: Application to Reddy's HSDT model for anisotropic laminated plates. 2013 , 96, 332-345	7
956	Fretting fatigue crack growth simulation based on a combined experimental and XFEM strategy. 2013 , 47, 31-43	38
955	Crack growth modeling via 3D automatic adaptive mesh refinement based on modified-SPR technique. 2013 , 37, 357-383	29
954	A strong discontinuity approach on multiple levels to model solids at failure. 2013 , 253, 558-583	49
953	An adaptive singular ES-FEM for mechanics problems with singular field of arbitrary order. 2013 , 253, 252-273	150
952	Adaptive finite elements using hierarchical mesh and its application to crack propagation analysis. 2013 , 253, 1-14	13
951	Coupling schemes for modeling hydraulic fracture propagation using the XFEM. 2013 , 253, 305-322	162
950	Tensile Behaviour of a Structural Adhesive at High Temperatures by the eXtended Finite Element Method. 2013 , 89, 529-547	5
949	A fracture mapping and extended finite element scheme for coupled deformation and fluid flow in fractured porous media. 2013 , 37, 2916-2936	26
948	Efficient Implementation of Finite Element Methods on Nonmatching and Overlapping Meshes in Three Dimensions. 2013 , 35, C23-C47	47
947	Systematic assessment of directional mesh bias with periodic boundary conditions: Applied to the crack band model. 2013 , 109, 186-208	23
946	A large deformation formulation for fluid flow in a progressively fracturing porous material. 2013 , 256, 29-37	34
945	Mixed-mode fatigue crack growth analysis of functionally graded materials by XFEM. 2013 , 183, 81-97	20
944	Interface Delamination of Diamond-Coated Carbide Tools Considering Coating Fractures by XFEM. 2013 ,	
943	PERFORMANCE OF DIFFERENT INTEGRATION SCHEMES IN FACING DISCONTINUITIES IN THE FINITE CELL METHOD. 2013 , 10, 1350002	68
942	Improved Extend Finite Element Method for SIF Calculation. 2013 , 690-693, 1728-1731	
941	Singular CS-RPIM for Fracture Mechanics Problems. 2013 , 559-598	
940	XFEM-Based Analysis for Crack Growth Characteristics of Diffusion Bonded Laminates of Titanium Alloy with Localized Nonwelded Zone. 2013 , 2013, 1-8	1

939	XFEM for Thermal Crack of Massive Concrete. 2013 , 2013, 1-9	3
938	New Finite Element Modeling Approach of a Propagating Shaft Crack. 2013 , 80,	10
937	Damage evolution in delaminated woven fabric E-glass/epoxy composite plates under transverse static patch loading. 2013 , 22, 982-1005	3
936	Dual BEM Formulation Applied to Analysis of Multiple Crack Propagation. 2013 , 560, 99-106	11
935	Simple but Efficient Method for Integrating $1/r$ Singularities. 2013 , 444-445, 615-620	
934	Optimization Algorithm of Crack Initial Angle Using the Extended Finite Element Method. 2013 , 444-445, 77-84	1
933	Analysis of the Crack Propagation Based on Extended Finite Method. 2013 , 275-277, 169-173	1
932	An Accurate and Efficient Augmented Finite Element Method for Arbitrary Crack Interactions. 2013 , 80,	35
931	The Numerical Simulation of the Crack Elastoplastic Extension Based on the Extended Finite Element Method. 2013 , 2013, 1-13	
930	Efficient Finite Element Methodology Based on Cartesian Grids: Application to Structural Shape Optimization. 2013 , 2013, 1-19	32
929	Free Vibration Analysis and Damage Identification of Beam-Like Structures Containing a Crack Based on the Extended Finite Element Method. 2013 , 831, 164-169	
928	XFEM Based Analysis of the Crack Tip Stress Fields on a Three-Point Bending Specimen. 2013 , 300-301, 1114-1117	1
927	Evaluation of elastic properties of interpenetrating phase composites by mesh-free method. 2013 , 47, 1407-1423	21
926	The Effect of Inhomogeneities on an Edge Crack: A Numerical Study using XFEM. 2013 , 14, 505-523	12
925	Investigation of Internal Frost Damage in Concrete with Thermodynamic Analysis, Microdamage Modeling, and Time-Domain Reflectometry Sensor Measurements. 2013 , 25, 1248-1259	13
924	A NOVEL TRIANGULAR FINITE ELEMENT PARTITION METHOD FOR FRACTURE SIMULATION WITHOUT ENRICHMENT OF INTERPOLATION. 2013 , 10, 1350015	8
923	Multiple Crack Growth and Coalescence in Meshfree Methods with A distance Function-Based Enriched Kernel. 2013 , 560, 37-60	1
922	Modeling Thixoforming Process Using the eXtended Finite Element Method and the Arbitrary Lagrangian Eulerian Formulation. 2013 , 554-557, 691-698	1

921	Flooding associated with predecessor rain events over the Midwest United States. 2013 , 8, 024007		13
920	Explicit Dynamic Finite Element Method for Failure with Smooth Fracture Energy Dissipations. 2013 , 2013, 1-12		1
919	Griffith's crack in a 2-D piezoelectric domain with an arbitrary polarization direction: Analytical/X-FEM solution. 2013 , 8, 1-11		
918	Explicit Dynamic Finite Element Method for Predicting Implosion/Explosion Induced Failure of Shell Structures. 2013 , 2013, 1-11		2
917	Numerical Method for Solving Matrix Coefficient Elliptic Equation on Irregular Domains with Sharp-Edged Boundaries. 2013 , 2013, 1-10		4
916	Computational Methods for Fracture in Brittle and Quasi-Brittle Solids: State-of-the-Art Review and Future Perspectives. 2013 , 2013, 1-38		105
915	On Simulations of Discrete Fracture Network Flows with an Optimization-Based Extended Finite Element Method. 2013 , 35, A908-A935		50
914	Ductile Failure Modelling: Stress Dependence, Nonlocality, and Damage to Fracture Transition. 2013 , 1-53		
913	Evaluating Damage with Digital Image Correlation: C. Applications to Composite Materials. 2013 , 1-21		
912	A direct analytical method to extract mixed-mode components of strain energy release rates from Irwin's integral using extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 95, 1033-1052	2.4	17
911	Detection of flaws in piezoelectric structures using extended FEM. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 96, 373-389	2.4	78
910	A stable extended FEM formulation for multi-phase problems enforcing the accuracy of the fluxes through Lagrange multipliers. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 96, 1741-1754	2.4	2
909	Highly accurate surface and volume integration on implicit domains by means of moment-fitting. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 96, 512-528	2.4	99
908	A Review of the Extended Finite Element for Fracture Analysis of Structures. 2013 , 444-445, 96-102		1
907	Fracture mechanics analysis using the wavelet Galerkin method and extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 93, 1082-1108	2.4	39
906	The Role of the Cortical Membrane in Cell Mechanics: Model and Simulation. 2013 , 241-265		4
905	A High-order extended finite element method for extraction of mixed-mode strain energy release rates in arbitrary crack settings based on Irwin's integral. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 96, 787-812	2.4	19
904	A marching cubes based failure surface propagation concept for three-dimensional finite elements with non-planar embedded strong discontinuities of higher-order kinematics. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 96, 339-372	2.4	34

903	Finite strain fracture of plates and shells with configurational forces and edge rotations. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 94, 1099-1122	2.4	213
902	Error estimation and model adaptation for a stochastic-deterministic coupling method based on the Arlequin framework. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 96, 87-109	2.4	10
901	The strength experimental design and data analysis of the nose landing gear. 2013 ,		
900	A three-dimensional atomistic-based process zone model simulation of fragmentation in polycrystalline solids. <i>International Journal for Numerical Methods in Engineering</i> , 2013 , 93, 989-1014	2.4	15
899	Notice of Retraction: Fracture mechanics analysis of cracked structure with partitioned coupled approach. 2013 ,		
898	Stress-based Non-local Damage Model. 2013 , 51-88		
897	Inter-Element Stabilization for Linear Large-Deformation Elements to Solve Coupled CFD/CSD Blast and Impact problems. 2013 ,		
896	Deposition Simulation of Nanometer Sized Grains under High Electric Field with XFEM. 2013 , 79, 863-875		
895	A Topology Optimization Method for Geometrically Nonlinear Problems Incorporating Level Set Boundary Expressions and a Particle Method. 2013 , 7, 630-643		5
894	Stress distribution and fracture propagation in a fractured medium due to fluid pressure changes. 2013 ,		
893	Fatigue Crack Growth Analysis on a Rotor Blade Under Forced Response. 2013 ,		2
892	Creep Fatigue Life Simulation for Cylinder Head of Diesel Engine Based on the Concept of Continuum Damage Mechanics. 2013 , 79, 1411-1421		1
891	Investigation of Hydraulic and Natural Fracture Interaction: Numerical Modeling or Artificial Intelligence?. 2013 ,		5
890	An ABAQUS Implementation of the XFEM for Hydraulic Fracture Problems. 2013 ,		18
889	A study for numerical techniques for fatigue crack propagation analysis of surface crack in welded joints. 2013 , 17, 93-106		0
888	IMPROVED CRACK TIP ENRICHMENT FUNCTIONS AND INTEGRATION FOR CRACK MODELING USING THE EXTENDED FINITE ELEMENT METHOD. 2013 , 11, 597-631		41
887	Modeling and Experimental Studies of Crack Propagation in Laminated Glass Sheets. 2014 , 7, 328-336		3
886	Extended Finite Element Method for Predicting Productivity of Multifractured Horizontal Wells. 2014 , 2014, 1-9		4

885	Implementation of Finite Element Method with Higher Order Particle Discretization Scheme. 2014 , 70, I_297-I_305	2
884	A New Iterative Method for Linear Systems from XFEM. 2014 , 2014, 1-8	1
883	Material models and properties in the finite element analysis of knee ligaments: a literature review. 2014 , 2, 54	33
882	Dynamic stress intensity factors for homogeneous and non-homogeneous materials using the interaction integral method. 2014 , 128, 8-21	17
881	Coupled atomistic-continuum study of the effects of C atoms at Fe dislocation cores. 2014 , 22, 075007	8
880	Numerical optimization of an electrostatic device based on the 3D XFEM and genetic algorithm. 2014 ,	1
879	Finite Element Simulations of Crack Propagation in Al ₂ O ₃ /6061Al Composites. 2014 , 27, 853-861	5
878	A simple and efficient preconditioning scheme for heaviside enriched XFEM. 2014 , 54, 1357-1374	57
877	A floating node method for the modelling of discontinuities in composites. 2014 , 127, 104-134	111
876	A geometrically nonlinear phase field theory of brittle fracture. 2014 , 189, 139-148	63
875	Evolutionary topology optimization using the extended finite element method and isolines. 2014 , 46, 628-647	18
874	Dynamic Simulation of Multiple Offset-Edge Crack of a Finite Plate. 2014 , 51, 849-860	6
873	Probabilistic modelling of cracking in concrete structures. 2014 , 18, 770-779	1
872	Enriched Basis Functions for Handling WakeBody Intersections in Dirichlet Panel Methods. 2014 , 51, 1891-1903	3
871	Cracking analysis of reinforced concrete structures. 2014 , 18, 724-737	9
870	Nonlinear graded Delaunay meshes. 2014 , 90, 106-112	
869	Hydro-Mechanical Coupled Model of Hydraulic Fractures Using the eXtended Finite Element Method. 2014 ,	2
868	A node-splitting discrete element model for fluid-structure interaction. 2014 , 416, 61-79	7

867	Multi-Scale Modeling of Free-Edge Micro-Cracks with XFEM. 2014,		2
866	A Modified Interaction Integral for 3D Extended Finite Element based Crack Growth Prediction. 2014,		
865	Numerical investigation of the spall opening angle of surface initiated rolling contact fatigue. 2014, 131, 538-556		8
864	Algebraically constrained extended edge element method (eXFEM-AC) for resolution of multi-material cells. 2014, 276, 596-612		1
863	Research of the Penetration Process for Concrete Target Based on the Extended Finite Element Method. 2014, 644-650, 429-432		
862	Study of the Crack Propagation Mechanism in the Process of Projectile Penetration into Target. 2014, 1079-1080, 276-279		
861	Stable Cracking Particles Method Based on Stabilized Nodal Integration and Updated Lagrangian Kernel. 2014, 2014, 1-10		
860	Overview and comparison of different variants of the XFEM. 2014, 14, 27-30		8
859	Numerical and experimental analysis of crack propagation behaviour for ceramic materials. 2014, 18, 418-429		1
858	On the Cyclic J-Integral of a 3D Semi Elliptical Surface Crack. 2014,		
857	An efficient augmented finite element method for arbitrary cracking and crack interaction in solids. <i>International Journal for Numerical Methods in Engineering,</i> 2014, 99, 438-468	2.4	43
856	A selective immersed discontinuous Galerkin method for elliptic interface problems. 2014, 37, 983-1002		22
855	A Locally Modified Parametric Finite Element Method for Interface Problems. 2014, 52, 2315-2334		37
854	A coupled FEMBernstein approach for computing the J_k integrals. 2014, 84, 1883-1902		4
853	A conformal decomposition finite element method for arbitrary discontinuities on moving interfaces. <i>International Journal for Numerical Methods in Engineering,</i> 2014, 100, 87-110	2.4	16
852	Underground rockfall stability analysis using the numerical manifold method. 2014, 76, 69-85		11
851	A finite element method with mesh-separation-based approximation technique and its application in modeling crack propagation with adaptive mesh refinement. <i>International Journal for Numerical Methods in Engineering,</i> 2014, 99, 487-521	2.4	14
850	Stochastic Virtual Tests for High-Temperature Ceramic Matrix Composites. 2014, 44, 479-529		55

849	The eXtended finite element method for cracked hyperelastic materials: A convergence study. <i>International Journal for Numerical Methods in Engineering</i> , 2014 , 100, 222-242	2.4	11
848	New strategies for some issues of numerical manifold method in simulation of crack propagation. <i>International Journal for Numerical Methods in Engineering</i> , 2014 , 97, 986-1010	2.4	185
847	Bridging scale simulation of lattice fracture using enriched space-time Finite Element Method. <i>International Journal for Numerical Methods in Engineering</i> , 2014 , 97, 819-850	2.4	12
846	Imposing Dirichlet boundary conditions in hierarchical Cartesian meshes by means of stabilized Lagrange multipliers. <i>International Journal for Numerical Methods in Engineering</i> , 2014 , 98, 399-417	2.4	12
845	Integrity analysis of a reactor pressure vessel with quasi laminar flaws subjected to pressurized thermal shocks. 2014 , 280, 464-472		11
844	A singular element for reissner plate bending problem with V-shaped notches. 2014 , 74, 143-156		9
843	Interface delamination study of diamond-coated carbide tools considering coating fractures. 2014 , 260, 239-245		11
842	Numerical study of quasi-static crack growth problems based on extended finite element method. 2014 , 19, 736-746		3
841	Multi Field Simulation of Fracture. 2014 , 367-519		18
840	Discontinuous Galerkin/extrinsic cohesive zone modeling: Implementation caveats and applications in computational fracture mechanics. 2014 , 128, 37-68		64
839	Extension of numerical manifold method for coupled fluid flow and fracturing problems. 2014 , 38, 1990-2008		34
838	The MLS-based numerical manifold method with applications to crack analysis. 2014 , 190, 147-166		73
837	References. 2014 , 533-555		
836	CRACK ANALYSIS IN ORTHOTROPIC MEDIA USING COMBINATION OF ISOGEOMETRIC ANALYSIS AND EXTENDED FINITE ELEMENT. 2014 , 06, 1450068		13
835	Treatment of nearly-singular problems with the X-FEM. 2014 , 1,		2
834	Effects of Interfacial Strength and Roughness on the Static Friction Coefficient. 2014 , 56, 355-374		14
833	S-FEM FOR FRACTURE PROBLEMS, THEORY, FORMULATION AND APPLICATION. 2014 , 11, 1343003		14
832	Crack Propagation Modeling with Scaled Boundary Polygons. 2014 , 553, 719-724		

831	Numerical Modeling of Part-through Cracks in Pipe and Pipe Bend Using XFEM. 2014 , 6, 72-79		11
830	An X-FEM Based Approach for Topology Optimization of Continuum Structures. 2014 , 277-289		2
829	THE STABILITY OF TIDALLY DEFORMED NEUTRON STARS TO THREE- AND FOUR-MODE COUPLING. 2014 , 781, 23		36
828	Dynamic Crack Analysis in Isotropic/Orthotropic Media via Extended Isogeometric Analysis. 2014 , 2014, 1-11		1
827	Improvements of explicit crack surface representation and update within the generalized finite element method with application to three-dimensional crack coalescence. <i>International Journal for Numerical Methods in Engineering</i> , 2014 , 97, 231-273	2.4	30
826	Sobre la utilizaci3n de c3digos de elementos finitos basados en mallados cartesianos en optimizaci3n estructural. 2014 , 30, 155-165		1
825	An extended finite element method for a diffuse-interface model. 2014 , 272, 25-40		1
824	A multigrid coupled (FE-EFG) approach to simulate fatigue crack growth in heterogeneous materials. 2014 , 72, 121-135		25
823	On the influence of transgranular and intergranular failure mechanisms during dynamic loading of silicon nitride. 2014 , 67, 239-251		12
822	An asymptotic solution approach for elliptic equations with discontinuous coefficients. 2014 , 261, 230-243		2
821	XLME interpolants, a seamless bridge between XFEM and enriched meshless methods. 2014 , 53, 45-57		150
820	Flapping and contact FSI computations with the fluid-solid interface-tracking/interface-capturing technique and mesh adaptivity. 2014 , 53, 29-43		39
819	A fictitious domain approach for the Stokes problem based on the extended finite element method. 2014 , 74, 73-99		18
818	3D multiscale crack propagation using the XFEM applied to a gas turbine blade. 2014 , 53, 173-188		40
817	Higher order stable generalized finite element method. 2014 , 128, 1-29		42
816	Enriched goal-oriented error estimation for fracture problems solved by continuum-based shell extended finite element method. 2014 , 35, 33-48		5
815	An XFEM model for cracked porous media: effects of fluid flow and heat transfer. 2014 , 185, 155-169		11
814	Nitsche's method for two and three dimensional NURBS patch coupling. 2014 , 53, 1163-1182		147

813	Extended particle difference method for weak and strong discontinuity problems: part II. Formulations and applications for various interfacial singularity problems. 2014 , 53, 1105-1128	40
812	A framework for correcting brain retraction based on an eXtended Finite Element Method using a laser range scanner. 2014 , 9, 669-81	7
811	Extended particle difference method for weak and strong discontinuity problems: part I. Derivation of the extended particle derivative approximation for the representation of weak and strong discontinuities. 2014 , 53, 1087-1103	47
810	Simulation of the Steady-State Flow in Discrete Fracture Networks with Non-Conforming Meshes and Extended Finite Elements. 2014 , 47, 2171-2182	18
809	A consistent iterative scheme for 2D and 3D cohesive crack analysis in XFEM. 2014 , 136, 98-107	20
808	Detection of multiple flaws in piezoelectric structures using XFEM and level sets. 2014 , 275, 98-112	64
807	Two- and three-dimensional isogeometric cohesive elements for composite delamination analysis. 2014 , 60, 193-212	48
806	A three-dimensional analysis of fatigue crack paths in thin metallic sheets. 2014 , 62, 119-132	7
805	Fatigue life simulation of functionally graded materials under cyclic thermal load using XFEM. 2014 , 82, 41-59	25
804	Sensitivity analysis based crack propagation criterion for compressible and (near) incompressible hyperelastic materials. 2014 , 82, 1-15	3
803	Fifteen node tetrahedral elements for explicit methods in nonlinear solid dynamics. 2014 , 272, 160-180	21
802	A Discontinuous Cellular Automaton Method for Modeling Rock Fracture Propagation and Coalescence Under Fluid Pressurization Without Remeshing. 2014 , 47, 2183-2198	8
801	Modeling crack propagation in wood by extended finite element method. 2014 , 72, 273-283	27
800	Three-dimensional finite elements with embedded strong discontinuities to model failure in electromechanical coupled materials. 2014 , 273, 143-160	20
799	An augmented-Lagrangian method for the phase-field approach for pressurized fractures. 2014 , 271, 69-85	175
798	Real-time simulation of contact and cutting of heterogeneous soft-tissues. 2014 , 18, 394-410	112
797	Calculation of stress intensity factors in 2-D linear fracture mechanics by Petrov-Galerkin natural element method. <i>International Journal for Numerical Methods in Engineering</i> , 2014 , 98, 819-839	2.4 14
796	A stabilized Lagrange multiplier method for the enriched finite-element approximation of Tresca contact problems of cracked elastic bodies. 2014 , 270, 178-200	5

795	An XFEM-based methodology for fatigue delamination and permeability of composites. 2014 , 107, 205-218	37
794	Phase field modeling of fracture in rubbery polymers. Part I: Finite elasticity coupled with brittle failure. 2014 , 65, 93-113	116
793	Weak discontinuity in porous media: an enriched EFG method for fully coupled layered porous media. 2014 , 38, 1792-1822	7
792	Comparison of different fracture modelling approaches to gravity dam failure. 2014 , 31, 18-32	11
791	A quasi-static crack propagation simulation based on shape-free hybrid stress-function finite elements with simple remeshing. 2014 , 275, 159-188	13
790	Three-dimensional fatigue crack growth modelling in a helical gear using extended finite element method. 2014 , 37, 581-591	29
789	Adaptive concurrent multiscale model for fracture and crack propagation in heterogeneous media. 2014 , 276, 566-588	18
788	A new continuous-discontinuous damage model: Cohesive cracks via an accurate energy-transfer process. 2014 , 69, 90-101	13
787	A meshless sub-region radial point interpolation method for accurate calculation of crack tip fields. 2014 , 69, 118-125	68
786	Boundary element simulation of fatigue crack growth in multi-site damage. 2014 , 43, 67-75	22
785	XFEM with equivalent eigenstrain for matrix-inclusion interfaces. 2014 , 53, 893-908	18
784	Free vibration analysis of cracked Mindlin plate using an extended cell-based smoothed discrete shear gap method (XCS-DSG3). 2014 , 72, 150-163	53
783	Numerical modeling tensile failure behavior of concrete at mesoscale using extended finite element method. 2014 , 23, 872-898	43
782	A computational library for multiscale modeling of material failure. 2014 , 53, 1047-1071	307
781	Material damage evaluation with measured microdefects and multiresolution numerical analysis. 2014 , 23, 537-566	18
780	An explicit application of partition of unity approach to XFEM approximation for precise reproduction of a priori knowledge of solution. <i>International Journal for Numerical Methods in Engineering</i> , 2014 , 97, 551-581	2.4 5
779	A domain-independent interaction integral for magneto-electro-elastic materials. 2014 , 51, 336-351	28
778	Discontinuous cellular automaton method for crack growth analysis without remeshing. 2014 , 38, 291-307	12

777	A scaled boundary polygon formulation for elasto-plastic analyses. 2014 , 268, 905-937	79
776	Modified crack closure integral technique for extraction of SIFs in meshfree methods. 2014 , 78, 25-39	14
775	A multi-temporal scale approach to high cycle fatigue simulation. 2014 , 53, 387-400	14
774	Strength prediction in CFRP woven laminate bolted double-lap joints under quasi-static loading using XFEM. 2014 , 56, 192-202	25
773	Computational aspects of the combined finite-discrete element method in modelling of plane reinforced concrete structures. 2014 , 131, 669-686	19
772	Convergence analysis of linear or quadratic X-FEM for curved free boundaries. 2014 , 278, 794-827	7
771	How Natural Fractures Could Affect Hydraulic-Fracture Geometry. 2014 , 19, 161-171	136
770	Accurate Simulation of Frictionless and Frictional Cohesive Crack Growth in Quasi-Brittle Materials Using XFEM. 2007 , 233-254	1
769	An optimal explicit time stepping scheme for cracks modeled with X-FEM. 2007 , 267-281	1
768	Modeling Evolving Discontinuities with Spacetime Discontinuous Galerkin Methods. 2007 , 59-87	2
767	Computational Methods for Debonding in Composites. 2008 , 1-25	6
766	Computation of Effective Stiffness Properties for Textile-Reinforced Composites Using X-FEM. 2008 , 261-279	2
765	A Precipitous Two-Scale Approaches For Fracture In Porous Media. 2009 , 149-171	1
764	Multiscale Methods for Fracturing Solids. 2008 , 79-87	5
763	Advances in Fixed-Grid Fluid Structure Interaction. 2009 , 235-249	3
762	Durability of Structural Joints. 2012 , 483-512	1
761	Evaluating Damage with Digital Image Correlation: C. Applications to Composite Materials. 2015 , 1301-1322	1
760	Introduction. 2014 , 1-17	2

759	Preconditioned Conjugate Gradient Solvers for the Generalized Finite Element Method. 2019 , 1-17	1
758	Advanced Numerical Models for Predicting the Load and Environmentally Dependent Behaviour of Adhesives and Adhesively Bonded Joints. 2019 , 211-244	2
757	A Moving Least Squares Approach to the Construction of Discontinuous Enrichment Functions. 2014 , 347-360	3
756	Sequentially Linear Analysis of Structures with Stochastic Material Properties. 2014 , 19-32	1
755	Multiscale Partition of Unity. 2015 , 185-204	10
754	Numerical Integration of On-the-Fly-Computed Enrichment Functions in the PUM. 2015 , 247-267	3
753	Strain Assessment in Cracked Sheet Metals by Optical Grid Method. 2015 , 39-46	2
752	Eulerian Techniques for Fluid-Structure Interactions: Part I [Modeling and Simulation. 2015 , 745-753	5
751	On Time Discretizations of Fluid-Structure Interactions. 2015 , 377-400	14
750	Universal Meshes for the Simulation of Brittle Fracture and Moving Boundary Problems. 2016 , 115-134	1
749	Rapid Enriched Simulation Application Development with PUMA. 2017 , 207-226	2
748	Well Conditioned Extended Finite Elements and Vector Level Sets for Three-Dimensional Crack Propagation. 2017 , 307-329	5
747	New Shape Functions for Arbitrary Discontinuities without Additional Unknowns. 2007 , 87-103	1
746	Integrated Digital Image Correlation for the Identification of Mechanical Properties. 2009 , 161-171	55
745	Pressure XFEM for two-phase incompressible flows with application to 3D droplet problems. 2011 , 81-87	1
744	Goal-Oriented Residual Error Estimates for XFEM Approximations in LEFM. 2011 , 231-238	5
743	X-FEM Studies on an Inclined Crack in a 2-D Finite Piezoelectric Media. 2012 , 285-290	1
742	Efficient Crack Propagation Simulation Using the Superimposed Finite Element Method and Cohesive Zone Model. 2013 , 63-75	1

741	Immersed Boundary Methods for Fluid-Structure Interaction and Shape Optimization within an FEM-Based PDE Toolbox. 2013 , 25-56	1
740	Advances in Statistical Damage Mechanics (SDM): New Modeling Strategies. 2011 , 105-224	15
739	Smearred Crack and X-FEM Models in the Context of Poromechanics. 2011 , 265-327	1
738	The Boundary Node Method. 2002 , 151-179	3
737	A Phase Field Approach to Mathematical Modeling of Crack Propagation. 2014 , 161-170	1
736	On Numerical Integration of Discontinuous Approximations in Partition of Unity Finite Elements. 2010 , 297-304	1
735	An Extended Finite Element Method for the Analysis of Submicron Heat Transfer Phenomena. 2011 , 195-212	3
734	Discontinuous Galerkin Methods for Premixed Combustion Multiphase Problems. 2013 , 235-260	1
733	A Large Strain Discontinuous Finite Element Approach to Laminated Composites. 2003 , 355-364	4
732	Comparative Analysis of Nonlinear Seismic Response of Concrete Gravity Dams Using XFEM and CDP Model. 2021 , 11-51	2
731	Validation of a 3-D adaptive stable generalized/eXtended finite element method for mixed-mode brittle fracture propagation. 2020 , 225, 129-152	2
730	Application of hybrid numerical and analytical solutions for the simulation of coupled thermal, hydraulic, mechanical and chemical processes during fluid flow through a fractured rock. 2015 , 74, 7837	1
729	Modeling dendritic solidification with the extended finite element method. 2001 , 1135-1138	3
728	Enrichment functions for weak singularities in 2D elastic problems with isotropic and orthotropic materials. 2019 , 350, 402-415	4
727	Enriched mixed numerical manifold formulation with continuous nodal gradients for dynamics of fractured poroelasticity. 2020 , 86, 225-258	21
726	A continuous-discontinuous hybrid boundary node method for solving stress intensity factor. 2017 , 81, 35-43	2
725	A generalized finite element method for three-dimensional hydraulic fracture propagation: Comparison with experiments. 2020 , 235, 107098	7
724	Crack propagation and burst pressure of longitudinally cracked pipelines using extended finite element method. 2020 , 184, 104115	8

723	Finite element implementation of coupled temperature-rate dependent fracture using the phase field model. 2020 , 148, 103449	3
722	Fatigue Crack Propagation Path and Life Prediction Based on XFEM. 2019 , 37, 737-743	4
721	Analysis of eddy current formulations in two-dimensional domains with cracks. 2015 , 49, 141-170	1
720	Numerical estimation of stress intensity factors and crack propagation in lug connector with existing flaw. 2016 ,	3
719	Numerical simulations of damage and fracture in viscoelastic solids using a nonlocal fracture criterion. 2020 , 27, 1085-1097	10
718	Equilibrium shape of misfitting precipitates with anisotropic elasticity and anisotropic interfacial energy. 2020 , 28, 075009	1
717	Genetic design automation for autonomous formation of multicellular shapes from a single cell progenitor.	1
716	Statistical Volume Elements for the Characterization of Angle-Dependent Fracture Strengths in Anisotropic Microcracked Materials. 2020 , 6,	1
715	Thermal-Mechanical Fracture Analysis Considering Heat Flux Singularity. 2019 , 141,	5
714	Stochastic Extended Finite Element Implementation for Natural Frequency of Cracked Functionally Gradient and Bi-Material Structures. 2021 , 21, 2150044	2
713	Numerical Investigation on Mixed Mode (I-II) Fracture Propagation of CCBD Specimens Under Confining Pressure. 2020 , 12, 2050111	5
712	Non-manifold level sets. 2015 , 34, 1-9	17
711	Metasilicone. 2017 , 36, 1-13	26
710	A Numerical Method for Solving 3D Elasticity Equations with Sharp-Edged Interfaces. 2013 , 2013, 1-13	8
709	Thin film cracking modulated by underlayer creep. 2003 , 43, 269	1
708	Discontinuous representation of brittle failure. 2004 , 339-352	2
707	Multidecadal climate oscillations and climate scenarios for impact analysis on hydrological extremes in Belgium. 2013 , 21-30	1
706	Nanoindentation for Fracture Toughness of Coatings. 2015 , 123-178	21

705	A coupled damage-viscoplasticity model for the analysis of localisation and size effects. 2004 , 1, 169-188	1
704	An experimental-computational investigation of fracture in brittle materials. 2004 , 1, 227-248	1
703	A direct XFEM formulation for modeling of cohesive crack growth in concrete. 2007 , 4, 83-100	14
702	Enhanced solid element for modelling of reinforced concrete structures with bond-slip. 2010 , 7, 347-364	8
701	Experimental and numerical analysis of corrosion-induced cover cracking in reinforced concrete sample. 2016 , 18, 421-439	4
700	Two-scale approaches for fracture in fluid-saturated porous media. 2008 , 1, 83-101	5
699	Extended-FEM for the solid-fluid mixture two-scale problems with BCC and FCC microstructures. 2009 , 2, 45-68	4
698	Convergence studies for Enriched Free Mesh Method and its application to fracture mechanics. 2009 , 2, 277-293	8
697	Investigation of allowable time-step sizes for generalized finite element analysis of the transient heat equation. 2010 , 3, 235-255	3
696	A meshfree adaptive procedure for shells in the sheet metal forming applications. 2013 , 6, 137-156	6
695	Fatigue life prediction of multiple site damage based on probabilistic equivalent initial flaw model. 2011 , 38, 443-457	14
694	Combination of isogeometric analysis and extended finite element in linear crack analysis. 2013 , 48, 125-150	8
693	3-D fracture analysis of cracked aluminum plates repaired with single and double composite patches using XFEM. 2014 , 50, 525-539	11
692	Computation of 2-D mixed-mode stress intensity factors by Petrov-Galerkin natural element method. 2015 , 56, 589-603	1
691	XFEM for fatigue and fracture analysis of cracked stiffened panels. 2016 , 57, 65-89	1
690	New Extended Finite Element Method for Pinching Effect in Reinforced Concrete Columns. 2016 , 113,	11
689	Simulation of Mesofracture Process of Asphalt Mixture Using Digital Image Processing and Extended Finite-Element Method. 2017 , 45, 20160143	7
688	On the Mesoscale Fracture Initiation Criterion of Heterogeneous Steels During Quenching. 2017 , 6, 20160098	2

687	Numerical Analysis of Impact Fracture of Laminated Glass - A Review. 2017 , 3,	4
686	Effects of Ductility of Organic-Rich Shale on Hydraulic Fracturing: A Fully Coupled Extended-Finite-Element-Method Analysis Using a Modified Cohesive Zone Model. 2021 , 26, 591-609	0
685	A Review of Numerical Simulation Strategies for Hydraulic Fracturing, Natural Fracture Reactivation and Induced Microseismicity Prediction. 2016 , 9, 72-91	5
684	FUNDAMENTAL STUDY ON THE SIMULATION OF FAST CRACK PROPAGATION BY FINITE ELEMENT METHOD. 2015 , 71, I_29-I_38	1
683	Residual life estimation of a thermal power plant component: The high-pressure turbine housing case. 2009 , 13, 99-106	2
682	Aging concrete structures: a review of mechanics and concepts. 2018 , 69, 175-199	1
681	NUMERICAL MODELLING OF THE AIRFRAME DAMAGE GROWTH FOR THE ADHESIVE REPAIR JOINT CALCULATION. 2018 , 21, 125-138	1
680	3D Analysis of Crack Growth in Metal Using Tension Tests and XFEM. 2014 , 38, 409-417	2
679	A study on the vibration analysis of marine pump. 2015 , 51, 279-284	1
678	Recent progresses in boundary layer theory. 2015 , 36, 2521-2583	6
677	Cohesive delamination and frictional contact on joining surface via XFEM. 2018 , 5, 127-144	11
676	Finite Element Method Study on the Squats Growth Simulation. 2013 , 04, 29-38	1
675	3D Nonlinear XFEM Simulation of Delamination in Unidirectional Composite Laminates: A Sensitivity Analysis of Modeling Parameters. 2013 , 03, 113-126	17
674	Relationship between Crack Propagation Depth and Crack Width Movement in Continuously Reinforced Concrete Slab Systems. 2015 , 17, 83-90	1
673	Theoretical Investigation of Unconditionally Stable Sequential Algorithms of Coupled Flow and Geomechanics for Hydraulically Fractured Systems. 2021 ,	
672	Analysis of delamination of composite laminates via extended finite element method based on the layerwise displacement theory and cohesive zone method. 146442072110461	
671	A numerical model for optimizing injection parameters in tight oil reservoirs. 2021 , 14, 1	1
670	An Unfitted Finite Element Method for Two-Phase Stokes Problems with Slip Between Phases. 2021 , 89, 1	0

669	The Coupling Approach of Isogeometric Analysis and Peridynamics for Plane Problem with Non-Uniform Control Net. 1		
668	Influence of natural caves on hydraulic fracturing pressure curves: numerical modelling and ANNs. 2021 , 14, 1	1	
667	A Review of Hydraulic Fracturing Simulation. 1		9
666	A time-based arc-length like method to remove step size effects during fracture propagation. <i>International Journal for Numerical Methods in Engineering</i> ,	2.4	0
665	On a marching level-set method for extended discontinuous Galerkin methods for incompressible two-phase flows: Application to two-dimensional settings. <i>International Journal for Numerical Methods in Engineering</i> , 2022 , 123, 197	2.4	0
664	An auxiliary crack approach for efficient approximative crack tip loading analyses. 1		
663	Modeling Brittle Fractures in Epoxy Nanocomposites Using Extended Finite Element and Cohesive Zone Surface Methods. 2021 , 13,		
662	Unified Reservoir And Seismic Simulation With Explicit Representation Of Fractures And Faults. 2021 ,		
661	A state-of-the-art review of crack branching. 2021 , 257, 108036		5
660	Fatigue crack propagation in carbon steel using RVE based model. 2021 , 258, 108050		2
659	A novel structural health monitoring approach in concrete structures using embedded magnetic shape memory alloy components. 2021 , 311, 125212		1
658	Integration of an adaptive cohesive zone and continuum ductile fracture model to simulate crack propagation in steel structures. 2021 , 258, 108041		3
657	Formulation, calibration, and applications of disk-based discontinuous deformation analysis for rock failure simulation. 2021 , 148, 104944		2
656	A displacement correlation method for stress intensity factor extraction from 3D fractures in anisotropic materials. 2021 , 258, 108040		1
655	Analysis of Cohesive Cracks Under Quasi-Static and Dynamic Loading. 2002 , 293-302		
654	Numerical aspects of a triangular finite element with an embedded discontinuity. 2003 , 422-425		
653	A Cohesive Segments Approach For Dynamic Crack Growth. 2004 , 299-306		
652	Continuous-discontinuous modelling of mode-I and mode-II failure. 2004 , 353-368		

- 651 Two-scale continuous-discontinuous modelling of damaging materials. **2004**, 161-170
- 650 Modern domain-based discretization methods for damage and fracture. **2006**, 241-262
- 649 Finite Element Simulation of Dynamic Crack Propagation for Complex Geometries Without Remeshing. **2006**, 3, 13218
- 648 Solid Phase Change Observation Using Digital Image Correlation. **2007**, 465-466
- 647 Accounting for weak discontinuities and moving boundaries in the context of the Natural Element Method and model reduction techniques. **2007**, 37-55
- 646 A discrete model for the propagation of discontinuities in a fluid-saturated medium. **2007**, 323-342
- 645 Application of X-FEM to 3D Real Cracks and Elastic-Plastic Fatigue Crack Growth. **2007**, 213-231
- 644 MULTI-SCALE MULTI-PHYSICS ANALYSIS FOR DETERIORATION OF QUASI-BRITTLE MATERIALS INVOLVING MICRO-CRACK PROPAGATIONS. **2008**, 64, 363-375
- 643 On Crack Analysis of Functionally Graded Materials with Material Forces. **2009**, 61-71
- 642 Numerical methods for The Modelling Of Debonding In Composites. **2009**, 37-76
- 641 Flaw Identification in Structures via Computationally Assisted NDT. **2009**, 223-235
- 640 Time dependent crack tip enrichment for dynamic crack propagation. **2009**, 33-49 ○
- 639 Treatment of general domains in two space dimensions in a Partition of Unity Method. **2011**, 27-49
- 638 Some Numerical Studies with X-FEM for Cracked Piezoelectric Media. **2011**, 141-152
- 637 3D Multiscale Projection Method for Micro-/Macrocrack Interaction Simulations. **2011**, 223-230 1
- 636 Elasto-Plastic Analysis Using the Generalized Finite Element Method with Global-Local Enrichment Functions. **2012**, 12, 17-22
- 635 Meshless and Partition-of-unity Methods. 441-472
- 634 Implicit Moving Least Squares Difference Method for 1-D Moving Boundary Problem. **2012**, 25, 439-446

633 Characterization of Localized Phenomena. 379-410

632 Numerical Simulation of Quasi-Brittle Fracture in Concrete Structures with Extended Finite Element Method. **2013**, 02, 10-15

631 Bibliography. 375-386

630 Multilevel Modeling. 199-263

629 Moving Least Squares Difference Method for the Analysis of 2-D Melting Problem. **2013**, 26, 39-48

628 Fretting Fatigue: Modeling and Applications. 195-230

627 Concurrent Approach to Lattice Dynamics Based on Extended Space-Time Finite Element Method. **2013**,

626 Predicting Damage Evolution in Composites with Explicit Representation of Discrete Damage Modes. **2014**, 1-49

625 Homogenization of Random Heterogeneous Media with Inclusions of Arbitrary Shape. **2014**, 85-99

2

624 Encyclopedia of Thermal Stresses. **2014**, 5041-5052

623 SFE methods for the propagation of geometrical variabilities. **2014**, 3283-3288

622 A PUFEM model for glass strength in stress-corrosion regime. **2014**, 707-716

621 Analysis of cohesive crack coupled with thermoelasticity. **2014**, 149-156

620 Analysis of Shrinkage Crack Propagation Considering Long-Term Behavior of Concrete. **2014**, 30, 35-42

619 Predicting Damage Evolution in Composites with Explicit Representation of Discrete Damage Modes. **2015**, 1369-1424

618 Ductile Failure Modeling: Stress Dependence, Non-locality and Damage to Fracture Transition. **2015**, 877-937

617 Selective Activation of Cohesive Elements using MPC. **2014**, 42, 911-918

616 Simulation of cracks in linear elastic solids using higher order Particle Discretization Scheme-FEM. **2015**, 71, 1_327-1_337

1

- 615 ???-???? ?? ???? ???? ?? ??? ?. **2015**, 28, 1-8 1
- 614 Review of Research on Fast Crack Propagation (Theory, Measurements and Numerical Simulations). **2015**, 84, 75-82
- 613 Reliability-Based Shape Design Optimization of Structures Subjected to Fatigue. **2015**, 451-488
- 612 Finite Element Modelling of 2D Brittle Fracture: The Phase-Field Approach. **2015**, 1-21
- 611 Application of Extended Finite Element Method (XFEM) to Simulate Hydraulic Fracture Propagation from Oriented Perforations. **2015**, 0
- 610 Drying Shrinkage Crack Analysis of Concrete Using Optimized Prony Series. **2015**, 31, 27-34 1
- 609 Numerical simulation of the through-thickness cracking of concrete cover due to steel reinforcing bars corrosion. **2015**, 37-43
- 608 Micromechanical and Finite Element Modeling for Composites. **2016**, 101-162
- 607 Modelling of Internal Fluid Flow in Cracks with Embedded Strong Discontinuities. **2016**, 315-341
- 606 Development of Glass/Steel Bibeam Specimen for Study of Brittle Crack Path Stability. **2017**, 59-66
- 605 Comparison of fracture criteria for cracked steel pipelines by finite element method. **2017**, 17, 13-20 1
- 604 Assessment of the crack propagation in reinforced concrete. **2017**,
- 603 Crack Propagation Analysis in Concrete Dams Based on the eXtended Finite Element Method. **2018**, 111-119
- 602 Computational Mechanics and the Finite Element Method. **2018**, 3-25
- 601 X-FEM algorithm with closest point projection fracture representation. **2018**, 1-36 2
- 600 Einföhrung. **2018**, 1-12
- 599 Peridynamic Modeling for Crack Propagation Analysis of Materials. **2018**, 31, 105-114
- 598 Introduction. **2019**, 1-57

597 The Effects of Local Cavities on the Cracking Performance of an Existing Tunnel Lining. **2019**, 92-101

596 Two-Dimensional Model Analysis for Extended Finite Element Method(XFEM) Verification of General Purpose Finite Element Analysis Program. **2018**, 31, 199-206

595 Application of Numerical Methods in Design and Analysis of Orthopedic Implant Integrity. **2019**, 96-111 2

594 Encyclopedia of Continuum Mechanics. **2019**, 1-10

593 Global-Local Enrichments in PUMA. **2019**, 167-183

592 Large deflection and initial instability analysis of anisotropic plates by the generalized finite element method. **2019**, 16,

591 ~~XXXXX~~-FEM. **2019**,
31, 18-42

1

590 Galerkin Methods. **2019**, 75-148

0

589 Introduction. **2019**, 1-14

588 Continuum Modeling of Partially Saturated Soils. **2019**, 63-100

587 Nondestructive Evaluation for Damage Tolerance Life Management of Composite Structures. **2020**, 1054-1064 1

586 Analysis of Interface Problem using the MLS Difference Method with Interface Condition Embedment. **2019**, 32, 215-222

585 P-FEM Based on Meshless Trial and Test Functions: Part I-MLS Approximation. **2020**, 421-437

584 Arresting Longitudinal Cracks in Steel Pipelines: Computational Analysis Technique. **2020**, 993-1001

583 Encyclopedia of Continuum Mechanics. **2020**, 1840-1846

0

582 Load sequence effects and mixed-mode fatigue crack growth in offshore structures.

581 A Review of Fracturing Technologies Utilized in Shale Gas Resources.

0

580 A new domain-independent interaction integral for three-dimensional non-homogeneous thermoelastic materials. **2020**, 233, 107084

0

- 579 A specialised finite element for simulating self-healing quasi-brittle materials. **2020**, 7, 3
- 578 Dynamic Crack Propagation and Its Interaction With Micro-Cracks in an Impact Problem. **2021**, 143, 7
- 577 Benchmark Analysis of Ductile Fracture Simulation for Circumferentially Cracked Pipes Subjected to Bending. **2021**,
- 576 Interaction integral method for crack-tip intensity factor evaluations of magneto-electro-elastic materials with residual strain. **2021**, 108084 4
- 575 A hybrid phase-field isogeometric analysis to crack propagation in porous functionally graded structures. 1 2
- 574 Numerical simulation of hydro-mechanically coupled mud loss in fractured reservoirs. **2021**, 861, 032052
- 573 XFEM Analyses Using Two-Dimensional Quadrilateral Elements Enriched with Only the Heaviside Step Function. 0
- 572 Evaluation of the transient performance of magneto-electro-elastic based structures with the enriched finite element method. **2021**, 280, 114888 5
- 571 FFT based approaches in micromechanics: fundamentals, methods and applications. 4
- 570 Development of higher-order displacement discontinuity method to simulate fatigue crack growth in brittle materials. **2021**, 258, 108087 3
- 569 Mechanical Evaluation for a Fatigue Fracture Surface generated in Steel T-shaped Tubular Joints with Different Weld Toe Radius. **2020**, 32, 141-152 1
- 568 Encyclopedia of Continuum Mechanics. **2020**, 868-877
- 567 Encyclopedia of Continuum Mechanics. **2020**, 1914-1927
- 566 Treatment of Brittle Fracture in Solids with the Virtual Element Method. **2020**, 201-228 1
- 565 An Orthotropic Multi-surface Elastic-Damaging-Plastic Model with Regularized XFEM Interfaces for Wood Structures. **2020**, 1230-1244
- 564 Assessing Model Form Uncertainty in Fracture Models Using Digital Image Correlation. **2020**, 119-129
- 563 An adaptive polytree approach to the scaled boundary boundary finite element method. **2020**, 12, 171-182
- 562 Evaluation Method for Cohesive Crack Propagation in Fragile Locations of RCC Dam Using XFEM. **2021**, 13, 58 2

561	An XFEM-based computational homogenization framework for thermal conductivity evaluation of composites with imperfectly bonded inclusions. 2020 , 2, 045030	2
560	Experimentally validated phase-field fracture modeling of epoxy resins. 2022 , 279, 114806	2
559	A phase-field framework for failure modeling of variable stiffness composite laminae. 2022 , 388, 114192	2
558	Selective enrichment and modal matrix reduction in the generalized / eXtended Finite Element Method applied to dynamic analysis of plane state problems. 2022 , 91, 104430	0
557	Mechanistic fatigue in Ni-based superalloy single crystals: A study of crack paths and growth rates. 2022 , 158, 104663	2
556	Prüfs of gap test results requiring reappraisal of line crack and phase-field models of fracture mechanics. 2022 , 250, 113285	1
555	Towards an extrinsic, CG-XFEM approach based on hierarchical enrichments for modeling progressive fracture. 2022 , 388, 114221	
554	Intrinsic extended isogeometric analysis with emphasis on capturing high gradients or singularities. 2022 , 134, 231-240	2
553	Application of Continuum Damage Mechanics in Hydraulic Fracturing Simulations. 2020 , 1-19	
552	Finite element framework for closest point projection method for surface PDEs. 2020 , 1-36	3
551	Digital Volume Correlation of Laminographic and Tomographic Images: Results and Challenges. 2020 , 3-20	0
550	Discrete Element Method Adopting Microstructure Information. 2020 , 225-237	
549	An investigation of short crack propagation in a single crystal Ni-based superalloy using crystal plasticity and the extended finite element method. 2020 , 28, 1176-1183	0
548	XFEM SIMULATION OF RUPTURE DIRECTION ON BRANCHING FAULT. 2020 , 76, I_217-I_224	
547	Encyclopedia of Continuum Mechanics. 2020 , 1550-1563	
546	Encyclopedia of Continuum Mechanics. 2020 , 541-551	0
545	Numerical Study of SIF for a Crack in P265GH Steel by XFEM. 2020 , 105-127	
544	MECHANISM OF VERTICAL CRACK GENERATION ON MESNAGER HINGE. 2020 , 76, I_363-I_376	

543	Simulation of edge cracked 3D functionally graded domain using XFEM. 2020 ,	2
542	Fatigue Fracture Investigation of Engineered Cementitious Composites. 2021 , 49, 20190877	0
541	XFEM Simulation of Tensile and Fracture Behavior of Ultrafine-Grained Al 6061 Alloy. 2021 , 11, 1761	4
540	Comparative Study of Smeared Crack and Extended Finite Element Method for Predicting the Crack Propagation in Concrete Gravity Dams. 1-35	0
539	Enhancements for technique of stable low cycle fatigue crack propagation simulation for gas turbine engine. 1	
538	An innovative truly-mixed method for cohesive-crack propagation problems. 2006 , 391-391	
537	A multiscale approach to damage configurational forces. 2008 , 285-294	
536	Cutting and Fracturing Models without Remeshing. 2008 , 107-118	1
535	A Particle-Partition of Unity Method Part VIII: Hierarchical Enrichment. 2008 , 277-299	1
534	Functional optimization of fluidic devices with differentiable stokes flow. 2020 , 39, 1-15	6
533	Crack Propagation Modeling Using the Extended Isogeometric Analysis Technique. 2021 , 566-576	
532	Uncertainty Quantification of Random Heterogeneous Media Using XFEM. 2021 , 565-573	
531	An adaptive phase-field model based on bilinear elements for tensile-compressive-shear fracture. 2022 , 105, 112-135	1
530	A cut finite-element method for fracture and contact problems in large-deformation solid mechanics. 2022 , 388, 114234	2
529	Study of underfill corner cracks by the confocal-DIC and phantom-nodes methods. 2022 , 128, 114431	1
528	Extended Voronoi cell finite element methods for fracture analysis of composites. 2022 , 117, 103165	
527	A coupled discontinuous Galerkin-Finite Volume framework for solving gas dynamics over embedded geometries. 2022 , 450, 110861	2
526	Coupling of phase field and viscoplasticity for modelling cyclic softening and crack growth under fatigue. 2022 , 92, 104472	2

525	Numerical modelling of the quasi-brittle behaviour of refractory ceramics by considering microcracks effect. 2022 , 42, 1149-1161	2
524	Extended virtual element method for two-dimensional linear elastic fracture. 2021 , 114352	2
523	Nonlinear ABAQUS Simulations for Notched Concrete Beams. 2021 , 14,	2
522	Quasi-static fracture analysis by coupled three-dimensional peridynamics and high order one-dimensional finite elements based on local elasticity. <i>International Journal for Numerical Methods in Engineering</i> ,	2.4 2
521	Toughening mechanisms of Ti3SiC2- and TiB2- toughened SiC matrix prepared via reactive melt infiltration. 1	0
520	Peridynamic simulation of dynamic fracture in functionally graded materials subjected to impact load. 1	1
519	Study of spontaneous adiabatic shear bands in expanding rings under explosion by thermo-elastic-plastic phase field model. 2021 , 104084	2
518	Mixed Graph-FEM phase field modeling of fracture in plates and shells with nonlinearly elastic solids. 2021 , 389, 114282	1
517	Smoothed floating node method for modelling 2D arbitrary crack propagation problems. 2021 , 117, 103190	1
516	Mesh independent modelling of tensile failure in laminates using mixed-time integration in explicit analysis. 2021 , 259, 108113	0
515	Numerical Modeling on Crack Propagation Based on a Multi-Grid Bond-Based Dual-Horizon Peridynamics. 2021 , 9, 2848	0
514	Numerical simulation of fracture propagation in freezing rocks using the extended finite element method (XFEM). 2021 , 148, 104963	3
513	Analysis of the Quasi-Static and Dynamic Fracture of the Silica Refractory Using the Mesoscale Discrete Element Modelling. 2021 , 14,	1
512	An Uzawa-type augmented Lagrangian numerical manifold method for frictional discontinuities in rock masses. 2021 , 148, 104970	1
511	Rock models. 2021 , 319-371	0
510	Advanced geometry representations and tools for microstructural and multiscale modeling. 2021 , 54, 1-111	
509	Numerical analysis by XFEM of hybrid T-peel joints. 2021 , 33, 673-684	
508	Progressive Damage Predictions of Composite Subelements Using Discrete Damage Modeling. 2022 ,	0

507	CO2 Storage in deep saline aquifers: impacts of fractures on hydrodynamic trapping. 2022 , 113, 103552		1
506	Eulerian time-stepping schemes for the non-stationary Stokes equations on time-dependent domains. 1		4
505	Stress-constrained multiscale topology optimization with connectable graded microstructures using the worst-case analysis. <i>International Journal for Numerical Methods in Engineering</i> ,	2.4	0
504	Bayesian Calibration for Large-Scale Fluid Structure Interaction Problems Under Embedded/Immersed Boundary Framework. <i>International Journal for Numerical Methods in Engineering</i> ,	2.4	0
503	Finite Element Simulation of a Crack Growth in the Presence of a Hole in the Vicinity of the Crack Trajectory.. 2022 , 15,		1
502	Modeling the transient dynamic fracture and quasi-static crack growth in cracked functionally graded composites by the extended four-node gradient finite elements. 2022 , 284, 115056		0
501	An Implementation of Regularized Extended Finite Element Method in Abaqus/Explicit. 2022 ,		
500	Analysis on mechanical characteristics of CRTSII slab ballastless track structures in rectification considering material brittleness. 2022 , 319, 126058		0
499	Shear band evolution and post-failure simulation by the extended material point method (XMPM) with localization detection and frictional self-contact. 2022 , 390, 114530		3
498	Crack extension identification based on distributed fiber sensing measurement and optimized support vector regression. 2022 , 245, 110515		0
497	Modelling stress-induced permeability alterations in sandstones using CT scan-based representations of the pore space morphology. 2022 , 150, 104998		0
496	A continuous-discontinuous localizing gradient damage framework for failure analysis of quasi-brittle materials. 2022 , 390, 114434		1
495	Cyclic fracture simulation through element deletion in structural steel systems. 2022 , 189, 107082		2
494	Phase-field modeling of 3D fracture in elasto-plastic solids based on the modified GTN theory. 2022 , 260, 108196		0
493	A recycling preconditioning method with auxiliary tip subspace for elastic crack propagation simulation using XFEM. 2022 , 452, 110910		0
492	Chapitre 8. Modélisation du pli. 2019 , 205-235		
491	Finite Element Modeling and Damage-Failure Simulation of Laminated CFRP Components for Vehicle Crash Simulation. 2020 , 46, 256-264		
490	MODELING OF THERMAL SHRINKAGE INDUCED-CRACKING IN BRITTLE MATERIAL USING PARTICLE DISCRETIZATION SCHEME FINITE ELEMENT METHOD. 2021 , 77, I_205-I_215		

489	Geraç� de Malha com Elementos de Interface para Modelagem em Microestrutura Policristalina em 2D. 2021 , 81-87	0
488	A Peridynamics-Based Finite Element Method (PeriFEM) for Quasi-Static Fracture Analysis. 1	0
487	A dimensionally-reduced fracture flow model for poroelastic media with fluid entry resistance and fluid slip. 2022 , 455, 110972	0
486	A Novel Notion of Local and Nonlocal Deformation-Gamuts to Model Elastoplastic Deformation. 1	
485	Optimal convergence analysis of the energy-preserving immersed weak Galerkin method for second-order hyperbolic interface problems in inhomogeneous media. 2022 , 105, 150-171	1
484	A weighted Nitsche� method for interface problems with higher-order simplex elements. 1	
483	A Review on Damage and Rupture Modelling for Soft Tissues.. 2022 , 9,	1
482	Enhanced failure prediction of single-lap countersunk fastened composite joints in bearing using discrete damage modelling. 2022 ,	
481	Intrinsic damage characteristics for recycled crumb rubber concrete subjected to uniaxial pressure employing cohesive zone model. 2022 , 317, 125773	0
480	An inverse problem in an elastic domain with a crack : a fictitious domain approach. 2022 , 26, 423	1
479	Convergence Investigation of XFEM Enrichment Schemes for Modeling Cohesive Cracks. 2022 , 10, 383	
478	The durability of concrete subject to mechanical load coupled with freeze�haw cycles: a review. 2022 , 22, 1	1
477	An XFEM-Based Approach to Fatigue Crack Growth in Press-Fit Spur Gears. 095440892110727	
476	Exploitation of Roller Compacted Concrete Based on Recycled Aggregates as a Solution for Degraded Pavements: Experimentation and Modeling. 2022 , 47, 5303	
475	Stress-constrained topology optimization with precise and explicit geometric boundaries. 2022 , 65, 1	0
474	Numerical Simulation of Three Dimensional Fracture Mechanics Problems of Functionally Graded Pipe and Pipe Bend Using XFEM. 1	1
473	Phase field modeling and computer implementation: A review. 2022 , 262, 108234	2
472	Higher-Order Approximations for Stabilizing Zero-Energy Modes in Peridynamics Crystal Plasticity Models with Large Horizon Interactions. 2022 ,	1

471	Bond parameters for peeling and debonding in thin plated RC beams subjected to mixed mode loading [Framework. 2022 , 25, 662-682	2
470	Numerical Simulation of Fatigue Crack Propagation of S355 Steel Under Mode I Loading. 2022 , 333-345	
469	Modelling Of Crack Propagation in Flexible Pavement Using X-FEM Method. 2022 , 961, 012014	1
468	A Fragile Points Method, with an interface debonding model, to simulate damage and fracture of U-notched structures. <i>International Journal for Numerical Methods in Engineering</i> ,	2.4 0
467	A new simulation approach for crack initiation, propagation and arrest in hollow cylinders under thermal shock based on XFEM. 2022 , 386, 111582	1
466	Phase-field modeling of rock fractures with roughness.	0
465	Analysis of Crack Formation and Growth in Tunnel Linings Using Double-K Fracture Criterion. 2022 , 12, 1064	0
464	A meshfree model enhanced by NURBS-based Cartesian transformation method for cracks at finite deformation in hyperelastic solids. 2022 , 261, 108176	1
463	An X-FEM based framework for 3D fatigue crack growth using a B-spline crack geometry description. 2022 , 261, 108238	2
462	Three-dimensional dynamic and quasi-static crack growth by a hybrid XFEM-peridynamics approach. 2022 , 261, 108205	2
461	Fracture analysis of single edge notched specimen using phase field approach. 2022 , 37, 756-771	0
460	A PD-FEM approach for fast solving static failure problems and its engineering application. 2022 , 262, 108269	
459	An enriched Bernstein-Bézier finite element method for problems with sharp gradients or singularities. 2022 , 165, 103091	1
458	XFEM crack growth virtual monitoring in self-sensing CNT reinforced polymer nanocomposite plates using ANSYS. 2022 , 284, 115137	1
457	Kinked and forked crack arrays in anisotropic elastic bimetals. 2022 , 160, 104744	0
456	On the solution of hyperbolic equations using the peridynamic differential operator. 2022 , 391, 114574	1
455	Adaptive finite element modeling of phase-field fracture driven by hydrogen embrittlement. 2022 , 391, 114509	0
454	An extended numerical manifold method for two-phase seepage stress coupling process modelling in fractured porous medium. 2022 , 391, 114514	0

453	Fracture analysis of cracked magneto-electro-elastic functionally graded materials using scaled boundary finite element method. 2022 , 118, 103228	1
452	An XFEM-based numerical strategy to model three-dimensional fracture propagation regarding crack front segmentation. 2022 , 118, 103250	2
451	Crack propagation in quasi-brittle materials by fourth-order phase-field cohesive zone model. 2022 , 118, 103236	0
450	A strategy for rib-to-deck crack propagation analysis and strengthening of orthotropic deck bridges. 2022 , 134, 106057	0
449	An eXtended Finite Element Method implementation in COMSOL Multiphysics: Solid Mechanics. 2022 , 202, 103707	5
448	Earthquake damage estimation of the Koyna concrete gravity dam using explicit GFVM model considering fluid-structure interaction. 2022 , 195, 151-170	
447	A damage phase-field model for fractional viscoelastic materials in finite strain. 1	0
446	Design of Buried Equipment for the Collection of Urban Solid Waste. 2022 , 50, 20210672	
445	An adaptive isogeometric phase-field method for brittle fracture in rock-like materials. 2022 , 263, 108298	0
444	A damaging beam-lattice model for quasi-brittle fracture. 2022 , 239-240, 111404	0
443	A generalized multigrid method for solving contact problems in Lagrange multiplier based unfitted Finite Element method. 2022 , 392, 114630	1
442	Modeling and Simulation of Failure in Fiber-Reinforced Polymer Composites. 2022 , 1-34	
441	Cost-effective and accurate interlaminar stress modeling of composite Kirchhoff plates via immersed isogeometric analysis and equilibrium. 2022 , 38, 32-43	0
440	Crack Propagations in Functionally Graded Material Using a Phase-Field NURBS-Based Finite Element Approach. 2022 , 159-176	0
439	Identification of Crack Parameters Using XFEM-QPSO. 2022 , 275-289	
438	Application of Continuum Damage Mechanics in Hydraulic Fracturing Simulations. 2022 , 751-768	
437	Numerical analysis of crack initiation angles and propagation paths in adhesively bonded joints under mixed mode I/II loading using a novel test specimen. 2022 , 39, 393-402	1
436	Multiscale modeling of multiple-cracking fracture behavior of engineered cementitious composite (ECC). 2022 , 337-388	

- 435 A Review on Phase-Field Models Applied to Fracture in Solids. **2022**, 33-56
- 434 Numerical Analysis of Damage by Phase-Field Method. **2022**, 701-724 ○
- 433 Modelling of the fatigue cracking resistance of grid reinforced asphalt concrete by coupling fast BEM and FEM. 1-22
- 432 Modeling of contact interfaces by penalty based enriched finite element method. 1-19 ○
- 431 Crack Growth and Delamination Analysis in GFRP Composite Materials. **2022**, 12, 1945 ○
- 430 Integration of a peridynamic fatigue model with two-parameter crack driving force. 1
- 429 A comparative review of peridynamics and phase-field models for engineering fracture mechanics. 1 2
- 428 A thermodynamically consistent phase field model for mixed-mode fracture in rock-like materials. **2022**, 392, 114642 1
- 427 Estimating Leak-Off Characteristics Due to Hydraulic Fracture and Natural Fracture Interaction Utilizing XFEM-Based 3D Hydraulic Fracture Model. **2022**,
- 426 Effect of microstructural length scales on crack propagation in elastic Cosserat media. **2022**, 108399 ○
- 425 Computational multiphase periporomechanics for unguided cracking in unsaturated porous media. *International Journal for Numerical Methods in Engineering*, 2.4 1
- 424 Fracture phase field modeling of 3D stitched composite with optimized suture design. **2022**, 392, 114650 ○
- 423 Yet Another Approach to Fatigue Crack Growth Simulation. **2022**, 12, 539 1
- 422 A new γ -FEM approach for problems with natural boundary conditions.
- 421 A hydraulic-mechanical coupling model based on smoothed particle dynamics for simulating rock fracture. **2022**, 15, 1 2
- 420 Peridynamics for Fracture Analysis of Reflective Cracks in Semi-Rigid Base Asphalt Pavement. **2022**, 12, 3486 1
- 419 Modeling fracture propagation in a rock-water-air system with the assumed enhanced strain method. *International Journal for Numerical Methods in Engineering*, 2.4 ○
- 418 Shape optimization of a linearly elastic rolling structure under unilateral contact using Nitsche's method and cut finite elements. 1 ○

417	Adaptivity for clustering-based reduced-order modeling of localized history-dependent phenomena. 2022 , 393, 114726		0
416	Multi phase-field modeling of anisotropic crack propagation in 3D fiber-reinforced composites based on an adaptive isogeometric meshfree collocation method. 2022 , 393, 114794		1
415	Numerical and experimental analysis of intact and cracked railway bridges. 2022 , 38, 1018-1030		0
414	Experimentally validated Multiphysics modeling of fracture induced by thermal shocks in Sintered UO2 Pellets. 2022 , 153719		1
413	A barrier method for frictional contact on embedded interfaces. 2022 , 393, 114820		0
412	Concurrent multiscale analysis without meshing: Microscale representation with CutFEM and micro/macro model blending. 2022 , 393, 114807		0
411	A peridynamic frictional contact model for contact fatigue crack initiation and propagation. 2022 , 264, 108338		0
410	An adaptive peridynamics material point method for dynamic fracture problem. 2022 , 393, 114786		0
409	Coupled hydro-mechanical modelling of saturated fractured porous media with unified embedded finite element discretisations. 2022 , 393, 114804		0
408	A parallel scalable domain decomposition preconditioner for elastic crack simulation using XFEM. <i>International Journal for Numerical Methods in Engineering</i> ,	2.4	0
407	An iteratively coupled model for flow, deformation, and fracture propagation in fractured unconventional reservoirs. 2022 , 110468		1
406	A three-dimensional Generalized Finite Element Method for simultaneous propagation of multiple hydraulic fractures from a wellbore. 2022 , 265, 108360		0
405	Damage-augmented nonlocal lattice particle method for fracture simulation of solids. 2022 , 243, 111561		
404	Hydraulic fracture propagation at weak interfaces between contrasting layers in shale using XFEM with energy-based criterion. 2022 , 101, 104502		0
403	The high-order Shifted Boundary Method and its analysis. 2022 , 394, 114885		0
402	An anisotropic elasto-viscoplastic-damage model for Selective Laser Sintered food. 2022 , 266, 108368		1
401	Investigation on fracture behavior of polymer-bonded explosives under compression using a viscoelastic phase-field fracture method. 2022 , 266, 108411		1
400	Topology optimization for enhanced dynamic fracture resistance of structures. 2022 , 394, 114846		0

- 399 Stable generalized finite element methods (SGFEM) for interfacial crack problems in bi-materials. **2022**, 138, 83-94
- 398 Crack propagation characteristics and fracture toughness analysis of rock-based layered material with pre-existing crack under semi-circular bending. **2022**, 119, 103295 1
- 397 Improve the ill-conditioning for small physical covers by area normalized method in numerical manifold method (NMM). **2022**, 139, 192-207 0
- 396 A new approach for dynamic crack propagation modeling based on meshless Galerkin method and visibility based criterion. **2022**, 107, 1-19 0
- 395 A novel SAM/X-FEM coupling approach for the simulation of 3D fatigue crack growth under rolling contact loading. **2022**, 206, 103752 0
- 394 A New Digital Speckle Correlation Method for Studying the Dynamic Fracture Parameters of Rocks under an Impact Load. **2021**, 56, 1124-1139 0
- 393 On a Computational Smeared Damage Approach to the Analysis of Strength of Quasi-Brittle Materials. **2021**, 16, 283-292 0
- 392 Porosity effect on fracture behavior of sintered silver nanoparticles by phase-field modeling. **2021**, 0
- 391 A mass conserving arbitrary LagrangianEulerian formulation for three-dimensional multiphase fluid flows. **2022**, 94, 346-376
- 390 The Impacts of Increased Ductility in Organic-Rich Shale on Fracture Network Growth by Hydraulic Fracturing. **2021**, 0
- 389 A Novel Implementation of the LDEM in the Ansys LS-DYNA Finite Element Code.. **2021**, 14, 3
- 388 A theoretical method of mechanical analysis for a circular tunnel reinforced by fully grouted rock bolts. 108128652110533 0
- 387 Analysis on fracture behaviour of stitched foam sandwich composites using interlaminar tension test. **2022**, 24, 1515-1534
- 386 FREE VIBRATION ANALYSIS OF CRACKED KIRCHHOFF-LOVE PLATE USING THE EXTENDED RADIAL POINT INTERPOLATION METHOD. **2021**, 59, 0
- 385 Numerical simulation of cold and hot water injection into naturally fractured porous media using the extendedBEM and an equivalent continuum model. **2022**, 46, 617-655 0
- 384 Inter-Element Crack Propagation with High-Order Stress Equilibrium Element. **2022**, 13, 0
- 383 Dynamic soil consolidation model using a nonlocal continuum poroelastic damage approach. **2022**, 46, 486-528 0
- 382 An extended finite element method with polygonal enrichment shape functions for crack propagation and stiff interfaceproblems. *International Journal for Numerical Methods in Engineering* , **2022**, 123, 1432-1455 2.4 0

- 381 Iteratively Coupled Flow and Geomechanics in Fractured Poroelastic Reservoirs: A Phase Field Fracture Model. **2021**, 2021, 1-13 2
- 380 Analyses of 3D non-planar fatigue crack propagation with smoothed particle hydrodynamics. **2022**, 45, 701-712
- 379 Combining H-Adaptivity with the Element Splitting Method for Crack Simulation in Large Structures.. **2021**, 15,
- 378 An XFEM-based approach for 3D hydraulic fracturing simulation considering crack front segmentation. **2022**, 110518 1
- 377 Elucidating the effect of cohesive zone length in fracture simulations of particulate composites. **2022**, 108431
- 376 XFEM Method for Crack Propagation in Concrete Gravity Dams. 1
- 375 3D simulation of complex fractures with a simple mesh. *International Journal for Numerical Methods in Engineering*, 2.4 0
- 374 Chemical and Reactive Transport Processes Associated with Hydraulic Fracturing of Unconventional Oil/Gas Shales.. **2022**, 1
- 373 An improved bond-based peridynamic model with shear bonds for eliminating rigid body rotation. **2022**, 103369 0
- 372 Numerical Analysis of Bi-material Plate of Various Material Distributions with Crack and Other Discontinuities Under Thermo-mechanical Loadings Using XFEM. 1
- 371 Deviation-based calibration for progressive damage analysis in pultruded glass fiber reinforced composites. 105678952210896 0
- 370 Numerical prediction based on XFEM for mixed-mode crack growth path and fatigue life under cyclic overload. **2022**, 106943 0
- 369 Three-layer phase-field model of finite strain shell for simulating quasi-static and dynamic fracture of elasto-plastic materials. **2022**, 267, 108435
- 368 Seismic damage and life cycle cost assessment of unanchored brick masonry veneers. **2022**, 260, 114187
- 367 Phase-Field Description of Ductile Fracture in Structural Steel under Cyclic Loading. **2022**, 148, 1
- 366 Assessment of Solving the Rans Equations with Two-Equation Eddy-Viscosity Models Using High-Order Accurate Discretization.
- 365 A robust 3D crack growth method based on the eXtended Finite Element Method and the Fast Marching Method. 1
- 364 Phase-Field Modelling of Brittle Fracture along the Thickness Direction of Plates and Shells. *International Journal for Numerical Methods in Engineering*, 2.4 1

- 363 Prediction of fracture toughness due to delamination in cross-ply composite laminates considering interlaminar and intralaminar cracking and inhomogeneous fiber-matrix modeling. 002199832210937
- 362 An adapted deflated conjugate gradient solver for robust extended/generalised finite element solutions of large scale, 3D crack propagation problems. **2022**, 395, 114937 ○
- 361 Interactive Physics-Based Virtual Sculpting with Haptic Feedback. **2022**, 5, 1-20 ○
- 360 Optimisation Study on Crack Resistance of Tunnel Lining Concrete Under High Ground Temperature Environment. 1
- 359 Experimental and XFEM Simulation Research on HTPB Propellant Precracks Based on Microscopic Observation and DIC.
- 358 A combined phase-field and cohesive zone model approach for crack propagation in layered structures made of nonlinear rubber-like materials. **2022**, 395, 115007 1
- 357 A slender body theory for the motion of special Cosserat filaments in Stokes flow. 108128652210833 ○
- 356 Non-conventional Small-Scale Mechanical Testing of Materials. 1
- 355 Graph neural networks for simulating crack coalescence and propagation in brittle materials. **2022**, 395, 115021 ○
- 354 Research on Crack Propagation of Deep Geologic Mass Disturbed by Excavation Based on Phase Field Method. **2022**, 2022, 1-13
- 353 Robust numerical integration on curved polyhedra based on folded decompositions. **2022**, 395, 114948 ○
- 352 Phase field fracture model of transversely isotropic piezoelectric materials with thermal effect. **2022**, 268, 108479 ○
- 351 Field-enriched finite element method for simulating complex cracks in brittle solids. **2022**, 268, 108504 ○
- 350 Cohesive fracture evolution within virtual element method. **2022**, 269, 108464 ○
- 349 Assessment of the flat-top stable GFEM for free vibration analysis. **2022**, 117, 271-283 ○
- 348 A novel cohesive zone model for predicting the interface bonding behaviours of the ballastless track of high-speed railway. **2022**, 41, 1-14 ○
- 347 Fatigue crack growth in CNT reinforced polymer composite.
- 346 An anisotropic localizing gradient damage approach for failure analysis of fiber reinforced composites. **2022**, 115677 ○

- 345 A double-phase field model for multiple failures in composites. **2022**, 115730 ○
- 344 A damage-driven integration scheme in physically non-linear transient analysis for quasi-brittle materials. **2022**, 108531 ○
- 343 Fatigue crack propagation simulation method using XFEM with variable-node element. **2022**, 269, 108533 2
- 342 Fatigue crack-propagation law of diaphragm-to-rib welded joint in steel bridge deck. **2022**, 194, 107311 ○
- 341 Phase field modeling of corrosion damage. **2022**, ○
- 340 A R&D Software Platform for Shape and Topology Optimization Using Body-Fitted Meshes. **2022**, 23-39 ○
- 339 Computational Modelling for the Effects of Capsular Clustering on Fracture of Encapsulation-Based Self-Healing Concrete Using XFEM and Cohesive Surface Technique. **2022**, 12, 5112 ○
- 338 Multi-objective design optimization of 3D micro-architected implants. **2022**, 396, 115102 ○
- 337 Analysis of IGBT Wire Bonds Failure Using Extended Finite Element Method. ○
- 336 Developments in remeshing-free fatigue crack growth simulation including a new adaptive virtual crack closure technique. ○
- 335 Three dimensional extended finite element simulation of cracked functionally graded pipe and pipe bend. 095440622210915 ○
- 334 Numerical simulation of wave propagation through interfaces using the extended finite element method for magnetic resonance elastography. **2022**, 151, 3481-3495 ○
- 333 An object-oriented geometric engine design for discontinuities in unfitted/immersed/enriched finite element methods. *International Journal for Numerical Methods in Engineering*, 2.4 ○
- 332 Singularity-free theory and adaptive finite element computations of arbitrarily-shaped dislocation loop dynamics in 3D heterogeneous material structures. **2022**, 104954 ○
- 331 Fracture mechanics investigation of crack coalescence in a steel tubular T-joint specimen. **2022**, 106504 ○
- 330 Modeling diffusive phase transformation and fracture in viscoplastic materials. **2022**, 111757 ○
- 329 Stress and Failure Onset Analysis of Thin Composite Deployables by Global/Local Approach. 1-13 ○
- 328 A non incremental variational principle for brittle fracture. **2022**, 111761 ○

- 327 Numerical simulation and analysis of thermo-hydro-mechanical behaviors of hydraulic fracturing in naturally fractured formation using a THM-XFEM coupling model. **2022**, 103, 104657 ○
- 326 Unfitted finite element method for fully coupled poroelasticity with stabilization. **2022**, 397, 115132 ○
- 325 Frequency response analysis of edge-cracked magneto-electro-elastic functionally graded plates using extended finite element method. **2022**, 120, 103417 ○
- 324 A coupled smeared crack-plasticity model in incremental sequentially linear analysis for mixed failure modes. **2022**, 269, 106824 ○
- 323 Phase-Field Modelling of Brittle Fracture Using Time-Series Forecasting. **2022**, 266-274
- 322 Automatic Mesoscopic Fracture Modelling of Concrete Based on Enriched Sbfem Space and Quad-Tree Mesh.
- 321 Adaptive finite element method for hybrid phase-field modeling of three-dimensional cracks. **2022**, 108636 ○
- 320 Eighty Years of the Finite Element Method: Birth, Evolution, and Future. 1
- 319 A GPU parallel scheme for accelerating 2D and 3D peridynamics models. **2022**, 103458 ○
- 318 Phase-field modelling of fatigue crack growth during tooth flank fracture in case-hardened spur gears. **2022**, 107091 ○
- 317 Atomistic to continuum simulations of fracture and damage evolutions in oxide glass and glass-ceramic materials: a critical review. **2022**, 100102 1
- 316 Novel XFEM Variable Strain Damage Model for Predicting Fracture in Small-scale SENT and Full-scale Pipe Tests. **2022**, 108628 ○
- 315 Locally conservative discontinuous bubble scheme for Darcy flow and its application to Hele-Shaw equation based on structured grids. 2
- 314 Elasto-plastic fracture modelling of 3-D metallic structure using XFEM. 1-26
- 313 Application of phase-field method in corrosion fracture of reinforced concrete. **2022**, 14, 168781322211082
- 312 On the Error Estimation of the FEM for the Nikol'skij-Lizorkin Problem with Degeneracy in the Lebesgue Space. **2022**, 14, 1276
- 311 Simulation of metal forming Visualization of invisible phenomena in the digital era. **2022**, 1
- 310 Stress intensity factors and fatigue crack growth law of cracked submarine special-shaped pipe under earthquake load. **2022**, 257, 111267 ○

- 309 A hybrid numerical approach for hydraulic fracturing in a naturally fractured formation combining the XFEM and phase-field model. **2022**, 271, 108621 1
- 308 A smoothed particle hydrodynamics approach for phase field modeling of brittle fracture. **2022**, 398, 115191 0
- 307 A novel peridynamic approach for fracture analysis of quasi-brittle materials. **2022**, 227, 107445 1
- 306 Moment fitted cut spectral elements for explicit analysis of guided wave propagation. **2022**, 398, 115140 1
- 305 A new enriched method for extended finite element modeling of fluid flow in fractured reservoirs. **2022**, 148, 104806 0
- 304 A local to global (L2G) finite element method for efficient and robust analysis of arbitrary cracking in 2D solids. **2022**, 398, 115205 0
- 303 Peridynamic investigation of dynamic damage behaviors of PBX confined in spherical steel shells. **2022**, 172, 104389 0
- 302 Simulating concrete failure using the Microplane (M7) constitutive model in correspondence-based peridynamics: Validation for classical fracture tests and extension to discrete fracture. **2022**, 166, 104947 0
- 301 Fatigue crack propagation of planar three-dimensional cracks. **2022**, 163, 107062 0
- 300 Crack initiation considering the possible stress acting on the crack surface under uniaxial tension or compression. **2022**, 121, 103433 0
- 299 Thermodynamically-consistent derivation and computation of twinning and fracture in brittle materials by means of phase-field approaches in the finite element method. **2022**, 252, 111789 0
- 298 A UMAP-based clustering method for multi-scale damage analysis of laminates. **2022**, 111, 78-93 0
- 297 Enriched element free Galerkin method for solving frictional contact between solid bodies. 1-19 0
- 296 Design and analysis of the Extended Hybrid High-Order method for the Poisson problem. **2022**, 48, 0
- 295 A surrogate model to accelerate non-intrusive global/local simulations of cracked steel structures. **2022**, 65, 0
- 294 Analytical strain localization analysis of isotropic and anisotropic damage models for quasi-brittle materials. **2022**, 111869 0
- 293 The seismic resistance simulation for cracked clayey backfill. **2022**, 106616 0
- 292 A three-field phase-field model for mixed-mode fracture in rock based on experimental determination of the mode II fracture toughness. 0

- 291 XIGA: An eXtended IsoGeometric analysis approach for multi-material problems. 0
- 290 A length scale insensitive phase-field model for fully coupled thermo-mechanical fracture in concrete at high temperatures. 0
- 289 Study on crack initiation of harmonic gears based on extended finite element method*. 2022, 0
- 288 Fracture characterization from noisy displacement data using artificial neural networks. 2022, 271, 108649 1
- 287 A phase field method with adaptive refinement strategy and virtual crack insertion technique. 2022, 271, 108669 0
- 286 3D fluid-structure interaction with fracturing: A new method with applications. 2022, 398, 115210 0
- 285 Investigation of different discrete modeling strategies to mimic microstructural aspects that influence the fracture energy of refractory materials. 2022, 11, 100288 0
- 284 An adaptive mesh refinement algorithm for phase-field fracture models: Application to brittle, cohesive, and dynamic fracture. 2022, 399, 115347 2
- 283 Peridynamic modeling of toughening enhancement in unidirectional fiber-reinforced composites with micro-cracks. 2022, 297, 115950 0
- 282 Phase-field modeling for dynamic cracking behavior in bedded shale. 2022, 121, 103480 0
- 281 A fast simulation method for hydraulic-fracture-network generation in fractured rock based on fully coupled XFEM. 2022, 150, 104892 0
- 280 A Nitsche mixed extended finite element method for the biharmonic interface problem. 2023, 203, 112-130 0
- 279 A coarse-grained concurrent multiscale method for simulating brittle fracture. 2022, 111898 0
- 278 Hybrid of monolithic and staggered solution techniques for the computational analysis of fracture, assessed on fibrous network mechanics. 0
- 277 Investigation of fracture in porous materials: a phase-field fracture study informed by ReaxFF. 0
- 276 Experimental and modeling study on small fatigue crack initiation and propagation behavior of Inconel 617. 2022, 107158 0
- 275 Mesoscopic study on fracture behavior of fully graded concrete under uniaxial tension by using the phase-field method. 2022, 108678 1
- 274 Sensitivity Analysis of Factors Affecting Fracture Height and Aperture. 2022, 9, 100079 0

- 273 S-version finite element strategy for accurately evaluating local stress in the vicinity of dynamically propagating crack front in 3D solid. **2022**, 399, 115374 ○
- 272 Voids identification by isogeometric boundary element and neural network algorithms. **2022**, 231, 107538 ○
- 271 Study on Thermal Damage of Large-Span Ice Shell Structure Based on Thermal-Mechanical Coupling. **2021**, 62, 282-293
- 270 The eXtended Finite Element Method (XFEM) Through State of the Art Applications. **2022**,
- 269 Character articulation through profile curves. **2022**, 41, 1-14
- 268 Numerical Investigation of Hydraulic Fracture Propagation Morphology in the Conglomerate Reservoir. **2022**, 2022, 1-22
- 267 Domain decomposition methods for 3D crack propagation problems using XFEM. **2022**, 115390 1
- 266 A method for introducing mode II dissipation energy into mixed fracture analyses.
- 265 Parametric effects on fracture geometries from multi-fracture propagation emanating from neighbouring wellbores in quasi-brittle rocks. **2022**,
- 264 A Priori Estimates for the Solution of an Initial Boundary Value Problem of Fluid Flow through Fractured Porous Media. **2022**, 11, 408
- 263 Significant effect of the rock parameters of Longmaxi formation in hydraulic fracturing. **2022**, 100384 ○
- 262 Numerical Investigation of Slurry Fracturing during Shield Tunneling under a Reservoir. **2022**, 12, 7929 1
- 261 Fatigue damage assessment of complex railway turnout crossings via Peridynamics-based digital twin. **2022**, 12, 1
- 260 Eigenvalue Analysis of Timoshenko Beams and Mindlin Plates with Unfitted Finite Element Methods. 1-17
- 259 Modeling Tunable Fracture in Hydrogel Shell Structures for Biomedical Applications. **2022**, 8, 515
- 258 On stress concentration analysis of inverse distance weighted function based finite FGM panel with circular hole under biaxial loading. **2022**, 18, 708-733 1
- 257 A non-intrusive iterative generalized finite element method for multiscale coupling of 3-D solid and shell models. **2022**, 115408
- 256 NUMERICAL SIMULATION OF TRADITIONAL AND TECHNOLOGICAL ZINC-BASED COATINGS: PART II.

- 255 Three-dimensional fatigue crack growth simulation and fatigue life assessment based on finite element analysis. ○
- 254 Study on the fracture performance for rock-concrete interface in the high geothermal tunnel environment. **2022**, 347, 128568
- 253 Seismic and failure behavior simulation for RC shear walls under cyclic loading based on vector form intrinsic finite element. **2022**, 43, 1834-1853 ○
- 252 Crack analysis using a hybrid numerical manifold method with node-based strain smoothing and double-interpolation. **2022**, 273, 108685
- 251 A thermodynamically consistent finite strain phase field approach to ductile fracture considering multi-axial stress states. **2022**, 400, 115467 ○
- 250 Automatic mesoscopic fracture modelling of concrete based on enriched SBFEM space and quad-tree mesh. **2022**, 350, 128890 1
- 249 Efficient shape sensing of plate structures using the inverse Finite Element Method aided by strain pre-extrapolation. **2022**, 180, 109798 1
- 248 An improved numerical manifold method for investigating the mechanism of tunnel supports to prevent large squeezing deformation hazards in deep tunnels. **2022**, 151, 104941 ○
- 247 Local refinement strategy and implementation in the Numerical Manifold Method (NMM) for two-dimensional geotechnical problems. **2022**, 151, 104940 ○
- 246 Simulation and analysis of corrosion fracture of reinforced concrete based on phase field method. **2022**, 17, e01366
- 245 The enriched degree of freedom method for the absorbing boundary and its application to XFEM in elastodynamic problems. **2022**, 112, 168-198 ○
- 244 Implementation of Johnson-Holmquist-Beissel model in four-dimensional lattice spring model and its application in projectile penetration. **2022**, 170, 104340 5
- 243 A model scaling approach for fracture and size effect simulations in solids: Cohesive zone, smeared crack band and phase-field models. **2022**, 400, 115519 ○
- 242 Crack initiation and growth in 316LN stainless steel: Experiments and XFEM simulations. **2022**, 274, 108770 ○
- 241 Extended PowellBabin finite element scheme for linear elastic fracture mechanics. **2022**, 274, 108719 ○
- 240 Anisotropic adaptive body-fitted meshes for CFD. **2022**, 400, 115562 ○
- 239 A combination of failures of interfacial delamination and layer cracking in REBCO multilayered conductors. **2022**, 274, 108785 ○
- 238 Finite element analysis on properties evolution of slab track FLC under the coupling action of rainfall and fatigue load. **2022**, 271, 114919 ○

- 237 Balanced stress fracturing theory and its application in platform well fracturing during unconventional oil and gas development. **2022**, 8, 10705-10727 1
- 236 Modelling of short crack growth in single crystal Ni γ microstructure. **2022**, 240, 118305 0
- 235 Investigation of the shear band evolution in soil-rock mixture using the assumed enhanced strain method with the meshes of improved numerical manifold method. **2022**, 144, 530-538 0
- 234 Scaled cohesive zone models for fatigue crack propagation. **2022**, 256, 111956 0
- 233 A network element method for heterogeneous and anisotropic diffusion-reaction problems. **2022**, 470, 111597 0
- 232 Weight function procedure for reduced order fracture analysis of arbitrary flaws in cylindrical pressure vessels. **2022**, 200, 104784 0
- 231 Uncovering the intrinsic deficiencies of phase-field modeling for dynamic fracture. **2022**, 256, 111961 0
- 230 Fracture propagation based on meshless method and energy release rate criterion extended to the Double Cantilever Beam adhesive joint test. **2022**, 122, 103577 1
- 229 Predicting mixed mode damage propagation in snowpack using the extended cohesive damage element method. **2022**, 122, 103567 0
- 228 Modeling and Simulation of Failure in Fiber-Reinforced Polymer Composites. **2022**, 1059-1092 0
- 227 Performance evaluation of three-node triangular element based on generalized finite element method approximation for nearly incompressible materials. **2022**, 88, 22-00152-22-00152 0
- 226 Damage tolerance analysis of wading structures of amphibious aircraft based on Franc3D. **2022**, 40, 476-484 0
- 225 Three-dimensional X-FEM modeling of crack coalescence phenomena in the Smart CutTM technology. **2023**, 213, 103839 0
- 224 Investigation of Bioinspired Nacreous Structure on Strength and Toughness. **2022**, 7, 120 0
- 223 Stable generalized finite element method (SGFEM) for three-dimensional crack problems. **2022**, 152, 475-509 0
- 222 A multi-point constraint unfitted finite element method. **2022**, 9, 0
- 221 Theoretical and computational investigation of the fracturing behavior of anisotropic geomaterials. 1
- 220 A bottom-up approach to model collagen fiber damage and failure in soft biological tissues. **2022**, 105086 0

- 219 A CutFEM divergence--free discretization for the Stokes problem. 0
- 218 Deep learning phase-field model for brittle fractures. 0
- 217 References. **2022**, 407-415 0
- 216 Evaluating MTS criterion in predicting mixed-mode crack extension under different loading conditions. 0
- 215 Comparative analysis of numerical methods for the modeling of ice-structure interaction problems. 0
- 214 Probabilistic dipole BEM model for cohesive crack propagation analysis. **2022**, 44, 1
- 213 Research on crack propagation of 3D printed material with complex cracks based on the phase-field fracture model. **2022**, 233, 4247-4271 1
- 212 Concrete Beams with External Reinforcement of Composite Materials. **2023**, 353-361 0
- 211 Numerical Evaluation of Stress Intensity Factors in Functionally Graded CNTRC Plates. 0
- 210 Immersed Boundary Methods: Historical Perspective and Future Outlook. **2023**, 55, 0
- 209 The Influence of Prefabricated Cracks at Different Angles on the Propagation Characteristics of Main Cracks in Slot Blasting. 1
- 208 Alleviation of shear locking in the Peridynamic Timoshenko beam model using the developed mixed formulation method. 0
- 207 Diagnostics and prognostics of multi-mode failure scenarios in miter gates using multiple data sources and a dynamic Bayesian network. **2022**, 65, 0
- 206 Cohesive Zone Interpretations of Phase-Field Fracture Models. **2022**, 89, 0
- 205 A generalized model for dynamic mixed-mode fracture via state-based peridynamics. 0
- 204 A thermodynamically consistent J-integral formulation for fluid-driven fracture propagation in poroelastic continua. **2022**, 105082 0
- 203 A new enrichment scheme for the interfacial crack modeling using the XFEM. **2022**, 122, 103595 0
- 202 Prediction of fatigue crack growth using convolutional neural network (1st Report, Prediction for a single crack with angle). **2022**, 0

- 201 Virtual Element Methods for Engineering Applications. **2022**, 557-605 ○
- 200 NUMERICAL ANALYSIS OF SINGULAR GROUND DEFORMATION FOCUSING ON RATE DEPENDENT PROPERTY AND VELOCITY OF FORCED DISPLACEMENT. **2022**, 78, 341-354 ○
- 199 Bond-based peridynamics, a survey prospecting nonlocal theories of fluid-dynamics. **2022**, 2022, ○
- 198 Advances in micro-mechanical modeling using a bonded-particle model and periodic homogenization within discrete element framework applied to heterogeneous ceramics. **2022**, ○
- 197 Weakly singular BIE-based procedure for T-stress analysis of cracks in 3D anisotropic linear elastic finite media. ○
- 196 Numerical study on crack propagation in functionally graded CNT-reinforced composite plates. ○
- 195 Investigations on the influence of the boundary conditions when computing the effective crack energy of random heterogeneous materials using fast marching methods. ○
- 194 Simulation of crack patterns in quasi-brittle materials under thermal shock using phase field and cohesive zone models. **2022**, 108889 ○
- 193 On Some Peculiarities of Numerical Modelling of Cement-Based Composites. 338, 135-140 1
- 192 Advanced Characterization of Adhesive Joints and Adhesives. **2022**, 15, 7347 ○
- 191 A multi-resolution approach to hydraulic fracture simulation. ○
- 190 Improved peridynamic model and its application to crack propagation in rocks. **2022**, 9, 1
- 189 Real-time inverse crack tracking in uncertain microstructures using PGD-based model reduction and extended Kalman filtering. ○
- 188 Fracture and damage in quasi-brittle materials: A comparison of approaches. **2022**, 103652 ○
- 187 XFEM rolling contact fatigue crack propagation in railways considering creepages on contact shear stresses. **2022**, 108896 ○
- 186 A Blended Shifted-Fracture/Phase-Field Framework for Sharp/Diffuse Crack Modeling. ○
- 185 Investigations into Gas-Pore Effects on Fatigue Strength with a Peridynamic Approach. **2022**, 9, 641 ○
- 184 Warped Gaussian processes for predicting the degradation of aerospace structures. 147592172211272 ○

- 183 Fracture behavior analysis of brittle graphite sphere using a special bond model. **2022**, 108888 ○
- 182 A Review on the Modeling of the Clinching Process Chain - Part III: Operational Phase. **2022**, 100135 1
- 181 Phase-field fracture modeling for large structures. **2022**, 105118 ○
- 180 Fractal Analysis for Fatigue Crack Growth Rate Response of Engineering Structures with Complex Geometry. **2022**, 6, 635 ○
- 179 Advantages of the Extended Finite Element Method for the Analysis of Crack Propagation in Power. **2022**, 100027 ○
- 178 Phase-field modeling of cracking process in partially saturated porous media and application to rainfall-induced landslides. **2022**, 310, 106884 ○
- 177 Simulation of tensile failure problems by improved three-dimensional discontinuous deformation analysis with multi-spring face-to-face contact model. **2022**, 160, 105223 ○
- 176 Cracking behavior of concrete/rock bi-material specimens containing a parallel flaw pair under compression. **2022**, 360, 129440 ○
- 175 Numerical simulation of crack propagation and coalescence in marine cast iron materials using ordinary state-based peridynamics. **2022**, 266, 112812 ○
- 174 Discontinuous deformation analysis (DDA) simulations of crack propagation, branching and coalescence in brittle materials under dynamic loading. **2022**, 122, 103648 ○
- 173 The peridynamics-based finite element method (PeriFEM) with adaptive continuous/discrete element implementation for fracture simulation. **2023**, 146, 56-65 ○
- 172 A meshless analysis of mode I fracture propagation in adhesive joints with experimental validation. **2023**, 146, 119-131 ○
- 171 Study of the Fragile Points Method for solving two-dimensional linear and nonlinear wave equations on complex and cracked domains. **2023**, 146, 44-55 ○
- 170 On the fracture behavior of cortical bone microstructure: The effects of morphology and material characteristics of bone structural components. **2023**, 137, 105530 ○
- 169 Moving local mesh based on analysis-suitable T-splines and Bézier extraction for extended isogeometric finite element analysis - Application to two-dimensional crack propagation. **2023**, 213, 103854 ○
- 168 A generalized finite element interface method for mesh reduction of composite materials simulations. **2022**, 19, ○
- 167 Mixed Mode Fatigue Crack Propagation Mechanism of the Diaphragm Cutout Detail in Steel Bridge Deck. **2022**, ○
- 166 Numerical Fatigue Simulation of Access Hole Detail in Orthotropic Steel Bridge Deck. **2022**, ○

- 165 Adaptive quadrature/cubature rule: Application to polytopes. **2023**, 403, 115726 ○
- 164 Multisize Discrete Solid-Element Method for Continua. **2023**, 149, ○
- 163 Multi-level optimisation of composite structures through a global-local modelling approach based on high-order theories. **2023**, 275, 106932 ○
- 162 A Study on the Initiation of Discontinuities in Hypoplastic Granular Materials for Some Simple Motion Fields in Classical Continua. **2023**, 149, ○
- 161 Fluid-Driven Fracturing of Rock Mass: A Review. ○
- 160 Dynamic propagation of mode III cracks in a Lattice Boltzmann method for solids. ○
- 159 RKPM-based smoothed GFEM with Kronecker-Delta property for 2D and 3D solid problems. ○
- 158 Experimental and numerical study of fracturing in degraded and graded crystalline rocks at the laboratory scale. **2022**, 160, 105255 ○
- 157 Using XFEM Technique to Predict the Effect of Default on the Damage of Steel Pipe Reduced-Connection Under Bending and Pressure Loading. 1
- 156 Computational homogenization of fully coupled hydro-mechanical analysis of micro-fractured porous media. **2023**, 154, 105121 ○
- 155 Key role of boundary conditions for the 2D modeling of crack propagation in linear elastic Compact Tension tests. **2023**, 277, 109012 ○
- 154 A pure complex variable enrichment method for modeling progressive fracture of orthotropic functionally gradient materials. **2023**, 277, 108984 ○
- 153 Static and dynamic analyses of the effects of shim material stiffness on insert crack initiation and propagation. **2023**, 85, 141-159 ○
- 152 Exploring the dynamic fracture performance of epoxy/cement based piezoelectric composites with complex interfaces. **2023**, 305, 116497 1
- 151 Simulation of ductile fracture propagation using the elastoplastic phase-field damage method calibrated by ultrasonic wave velocity measurement. **2023**, 161, 105296 ○
- 150 Flexural behaviors of concrete beams under monotonic and cyclic loadings. **2023**, 362, 129721 ○
- 149 A framework to model thermomechanical coupled of fracture and martensite transformation in austenitic microstructures. **2023**, 183, 110435 ○
- 148 Strategy for accurately and efficiently modelling an internal traction-free boundary based on the s-version finite element method: Problem clarification and solutions verification. **2023**, 404, 115843 ○

- 147 Adaptive phase-field modeling of dynamic brittle fracture in composite materials. **2023**, 306, 116589 ○
- 146 A novel hybrid model for hydraulic fracture simulation based on peridynamic theory and extended finite element method. **2023**, 123, 103731 ○
- 145 A Volume Averaging FEM-Based Fracture Model for Damage Process in Cohesive-Frictional Solids. **2023**, 23, ○
- 144 Coupled diffusion-viscoplasticity-phase field modeling for calcia-magnesia-alumina-silicate (CMAS) corrosion assisted fracture of thermal barrier coating system. **2023**, 98, 104900 ○
- 143 A singular crack tip element based on sub-partition and XFEM for modeling crack growth in plates and shells. **2023**, 215, 103890 ○
- 142 An enhanced extended isogeometric analysis with strong imposition of essential boundary conditions for crack problems using B++ splines. **2023**, 116, 393-414 ○
- 141 A fracture multiscale model for peridynamic enrichment within the partition of unity method. **2023**, 176, 103360 ○
- 140 Phase field model of brittle fracture based on polynomial degradation function. **2022**, 40, 980-989 ○
- 139 Adaptive coupling peridynamic least-square minimization with finite element method for fracture analysis. ○
- 138 Aspects of simulating stable low-cycle fatigue crack growth in the main parts of aircraft gas turbine engines. **2022**, 21, 127-140 ○
- 137 Semi-analytical solution for internal forces of tunnel lining with multiple longitudinal cracks. **2022**, ○
- 136 Locking alleviation technique for the peridynamic Reissner-Mindlin plate model: the developed reduced integration method. ○
- 135 A Fully Coupled Thermomechanical Phase Field Method for Modeling Cracks with Frictional Contact. **2022**, 10, 4416 ○
- 134 Forward and backward mixed-mode crack estimation using artificial neural network. ○
- 133 XFEM level set-based topology optimization for turbulent conjugate heat transfer problems. **2023**, 66, ○
- 132 A unified fracture model for X65 pipeline material under various constraints using the eXtended finite element method (XFEM). ○
- 131 Numerical simulation of fatigue crack propagation in heterogeneous geomaterials under varied loads using displacement discontinuity method. **2022**, ○
- 130 Analysis of Interaction of Multiple Cracks Based on Tip Stress Field Using Extended Finite Element Method. **2022**, 2022, 1-15 ○

- 129 Gradient damage model for ductile fracture introducing degradation of damage hardening modulus: implementation and experimental investigations. ○
- 128 Fracture analysis of functionally graded materials by the method of fundamental solutions. **2022**, 103724 ○
- 127 Experimental and Numerical Investigation into the Fracture Patterns Induced by Blast-Loading Under Unconfined and Confined Conditions. ○
- 126 Assessment of Fatigue Life in Presence of Different Hole Geometries by X-FEM. ○
- 125 Fracture analysis of interfacial crack in piezoelectric bimaterial by XIGA approach using Bézier extraction of NURBS. 1-18 ○
- 124 The Extended Meshfree Method for Crack Analysis in Hyperelastic Bodies. **2023**, 485-496 ○
- 123 Numerical Simulation of Thermal Fracturing During Heat Extraction from a Closed-Loop Circulation Enhanced Geothermal System. **2022**, 207-223 ○
- 122 Viscoelastic peridynamic fracture analysis for concrete beam with initial crack under impact. **2023**, 103757 ○
- 121 Simulation of crack propagation in a thick-walled cylinder using XFEM. **2022**, 42, 224-235 ○
- 120 2D finite elements for the computational analysis of crack propagation in brittle materials and the handling of double discontinuities. **2022**, 42, 1291-1298 ○
- 119 Introduction. **2023**, 1-65 ○
- 118 Discrete element modeling of delamination behavior in thermal barrier coating. ○
- 117 General Finite Element Methods with Special Focus on XFEM. **2023**, 325-392 ○
- 116 Mixed Mode Crack Initiation and Propagation in Functionally Graded Materials: Experimental and Numerical Investigations. ○
- 115 Analysis of a method to compute mixed-mode stress intensity factors for non-planar cracks in three-dimensions. ○
- 114 A novel phase-field model for mixed cracks in elastic-plastic materials incorporating unilateral effect and friction sliding. **2023**, 405, 115869 ○
- 113 Numerical study of the influence of loading rate on fracture mechanism in elastoplastic rock-like materials with a modified phase-field model. **2023**, 162, 105309 ○
- 112 A coupled XFEM fatigue modelling of crack growth, delamination and bridging in FRP strengthened metallic plates. **2023**, 279, 109017 ○

- 111 Improved XFEM (IXFEM): 3D dynamic crack propagation under impact loading. **2023**, 405, 115844 ○
- 110 The study of diffuse interface propagation of dynamic failure in advanced ceramics using the phase-field approach. **2023**, 405, 115862 ○
- 109 Cosserat ordinary state-based peridynamic model and numerical simulation of rock fracture. **2023**, 155, 105240 ○
- 108 Objective and automated calibration of progressive damage models for finite element simulation of fiber reinforced composites. **2023**, 307, 116618 ○
- 107 The onset of unstable fracture and crack deflection of AA7085 in mixed mode I+II loading. **2023**, 124, 103739 ○
- 106 Towards improving the computational efficiency of the phase field model. **2023**, 277-278, 106951 ○
- 105 Improved discontinuous deformation analysis method for modeling tensile cracking in quasi-brittle materials. **2023**, 124, 103748 ○
- 104 Numerical analysis of frictional contact between crack lips in the framework of Linear Elastic Fracture Mechanics by a mesh-free approach. **2023**, 124, 103749 1
- 103 Crack growth in anisotropic brittle and polycrystalline materials by adaptive phase field model using variable-node elements. **2023**, 217, 103909 ○
- 102 Modeling of Mixed Cracks in Rock-Like Brittle Materials Under Compressive Stresses by a Double-Phase-Field Method. ○
- 101 Structural health monitoring based on the cumulative function and cumulative circle of a defective beam under a moving load. 146134842211480 ○
- 100 Stress-dependent unstable dynamic propagation of multiple hydraulic fractures: a review of stress shadow effects and continuum-discontinuum methods. ○
- 99 Reliability with spatial-temporal variability. **2023**, 325-396 ○
- 98 Variable node higher-order XFEM for fracture modeling in orthotropic material. 095440622211488 ○
- 97 An ANN-assisted efficient enriched finite element method via the selective enrichment of moment fitting. ○
- 96 Adaptive Multiscale Extended Finite Element Method (Ms-Xfem) for the Simulation of Multiple Fractures Propagation in Geological Formations. ○
- 95 A Computational Framework for Crack Propagation Along Contact Interfaces and Surfaces Under Load. ○
- 94 A Peridynamic Investigation of Ceramic Material Response Under High-Speed Solid Impact Loadings. **2023**, ○

- 93 Multiscale Modeling of Composite Materials under Volumetric and Interfacial Damage: Achieving Adaptive Model Order Reduction. **2023**, ○
- 92 Bibliographies. **2023**, 581-608 ○
- 91 Integration of rock joint roughness into the Mohr-Coulomb shear behaviour model Application to dam safety analysis. 1-22 ○
- 90 A cross-scale finite element analysis of concrete-faced rockfill dam. **2023**, 130, 103375 ○
- 89 Vector-based damage-driven computational homogenization with localized gradient enhanced boundary conditions for multi-scale modelling of quasi-brittle materials. **2023**, 280, 106985 ○
- 88 ALLDMD Dissipation Energy Analysis by the Method Extended Finite Elements of a 2D Cracked Structure of an Elastic Linear Isotropic Homogeneous Material. **2023**, 1-8 ○
- 87 Virtual modelling integrated phase field method for dynamic fracture analysis. **2023**, 108372 ○
- 86 A smeared-crack-based field-enriched finite element method for simulating cracking in quasi-brittle materials. **2023**, 124, 103817 ○
- 85 Simulation of crack propagation in solder layer of IGBT device under temperature shock by viscoplastic phase field method. **2023**, 109260 ○
- 84 Fatigue crack growth behavior of AA2024T3 under mixed mode loading within the framework of EPFM. ○
- 83 A modified phase-field model for cohesive interface failure in quasi-brittle solids. **2023**, 108368 ○
- 82 An adaptive mesh refinement strategy for 3D phase modeling of brittle fracture. **2023**, 284, 109241 ○
- 81 Retarding effect of submicron carbides on short fatigue crack propagation: Mechanistic modeling and Experimental validation. **2023**, 250, 118875 ○
- 80 Geometrically exact beam theory with embedded strong discontinuities for the modeling of failure in structures. Part I: Formulation and finite element implementation. **2023**, 410, 116013 ○
- 79 Meso-scale Finite Element modeling of the Fracture Process Zone evolution for concrete. **2023**, 125, 103869 ○
- 78 Quasi-static crack propagation in soft materials using the material-sink theory. **2023**, 248, 108160 ○
- 77 Adaptive mesh refinement for the phase field method: A FEniCS implementation. **2023**, 14, 100127 ○
- 76 Unified functional based data-model-coupling computing for composite materials and structures. **2023**, 312, 116840 ○

- 75 Fracture study of glass with bubbles: Multiscale finite element method and experimental facts. **2023**, 28, 101746 ○
- 74 Determination of mode-II critical energy release rate using mixed-mode phase-field model. **2023**, 125, 103840 ○
- 73 Model of calf muscle tear during a simulated eccentric contraction, comparison between ex-vivo experiments and discrete element model. **2023**, 142, 105823 ○
- 72 Efficient XFEM approach for the analysis of thin-walled beams. **2023**, 285, 116068 ○
- 71 An adaptive finite element method for crack propagation based on a multifunctional super singular element. **2023**, 247, 108191 ○
- 70 A pore-level multiscale method for the elastic deformation of fractured porous media. **2023**, 483, 112074 ○
- 69 Assessment of solving the RANS equations with two-equation eddy-viscosity models using high-order accurate discretization. **2023**, 483, 112059 ○
- 68 A multiscale preconditioner for microscale deformation of fractured porous media. **2023**, 482, 112061 ○
- 67 Phase field model for brittle fracture using threshold strategy. **2023**, 125, 103831 ○
- 66 A benchmark study of different numerical methods for predicting rock failure. **2023**, 166, 105381 ○
- 65 Inverse problems of inhomogeneous fracture toughness using phase-field models. **2023**, 448, 133734 ○
- 64 Construction of discontinuous enrichment functions for enriched or generalized FEM for interface elliptic problems in 1D. **2023**, 428, 115180 ○
- 63 A structured deformation driven nonlocal macro-meso-scale consistent damage model for the compression/shear dominate failure simulation of quasi-brittle materials. **2023**, 410, 115945 ○
- 62 A nonlinear and rate-dependent fracture phase field framework for multiple cracking of polymer. **2023**, 410, 116017 ○
- 61 Adaptive multiscale extended finite element method (MS-XFEM) for the simulation of multiple fractures propagation in geological formations. **2023**, 486, 112114 ○
- 60 Modeling of rock multiple fractures system with a new contact algorithm and a novel approach for complex topology construction. **2023**, 124, 103778 ○
- 59 On enrichment strategies and methods to extract stress intensity factors using extended finite element method for bimetals. **2023**, 281, 109060 ○
- 58 Peridynamics for mechanism analysis of soil desiccation cracking: Coupled hygro-mechanical model, staggered and monolithic solution. **2023**, 406, 115896 ○

- 57 Numerical simulation of interfacial and subinterfacial crack propagation by using extended peridynamics. **2023**, 279, 106971 ○
- 56 Modeling and Stress Analysis of Rounded Rectangular Inclusion Enclosed by FGM Layer. **2023**, 8, 282-293 ○
- 55 Modeling fracture problems by the local mesh refinement NMM with variable-midside-node elements. **2023**, 279, 106984 ○
- 54 Preconditioned numerical manifold method for linear elastic fractures. **2023**, 406, 115911 ○
- 53 An Interface/Boundary-Unfitted EXTended HDG Method for Linear Elasticity Problems. **2023**, 94, ○
- 52 Adaptive fourth-order phase-field modeling of ductile fracture using an isogeometric-meshfree approach. **2023**, 406, 115861 ○
- 51 A novel boundary tracing method without enrichment for modeling cracks and their propagation. **2023**, 124, 103799 ○
- 50 A linearization solution for elastic-plastic torsion problems by Edge-based smoothed finite element method. **2023**, 67, 101965 ○
- 49 A Fully Coupled Hydro-Mechanical Approach for Multi-Fracture Propagation Simulations. **2023**, 16, 1601 ○
- 48 Damage model for simulating cohesive fracture behavior of multi-phase composite materials. **2023**, 10, ○
- 47 Lateral behaviour of masonry walls with different types of brick bonds, aspect ratio and strengthening measures by polypropylene bands and wire mesh. **2023**, 49, 623-639 ○
- 46 Study on in-plane double-crack propagation in the rib-to-deck welded toe of steel-bridge. **2023**, 203, 107838 ○
- 45 Envisioning faults beyond the framework of fracture mechanics. **2023**, 238, 104358 ○
- 44 Quasi-static thermoelastic fracture: Adaptive phase-field modeling with variable-node elements. **2023**, 124, 103811 ○
- 43 Failure Analysis of Beam Composite Elements Subjected to Three-Point Bending Using Advanced Numerical Damage Models. **2023**, 17, 133-144 ○
- 42 Automated crack detection in laminated composites by optical flow measurements. **2023**, 255, 110599 ○
- 41 Exact subdomain and embedded interface polynomial integration in finite elements with planar cuts. ○
- 40 A probabilistic FEM approach for the structural design of glass components. **2023**, 282, 109157 ○

- 39 A Numerical Study of Crack Mixed Mode Model in Concrete Material Subjected to Cyclic Loading. **2023**, 16, 1916 1
- 38 A review on crack growth simulation for estimating failure probability of pipes in nuclear power plants. **2023**, 5, 1-11 0
- 37 Real-Time Simulation of Hydraulic Fracturing Using a Combined Integrated Finite Difference and Discontinuous Displacement Method: Numerical Algorithm and Field Applications. **2023**, 15, 938 0
- 36 An enriched phase-field method for the efficient simulation of fracture processes. **2023**, 71, 1015-1039 0
- 35 A locally modified second-order finite element method for interface problems and its implementation in 2 dimensions. 0
- 34 An efficient peridynamic framework based on the arc-length method for fracture modeling of brittle and quasi-brittle problems with snapping instabilities. **2023**, 136, 165-190 1
- 33 Simulations of complex crack paths using a robust and cost-efficient continuous/discontinuous approach. **2023**, 112199 0
- 32 Fatigue fracture investigation of a tube-to-tubesheet welded joint. **2023**, 283, 115908 0
- 31 Fracture analysis of cracked thin plate by NURBS-based extended finite element method. **2023**, 45, 0
- 30 An explicit phase field material point method for modeling dynamic fracture problems. 0
- 29 The simple shifted fracture method. 0
- 28 An XBEM technique for numerical simulation of variable-density flow in fractured porous media. **2023**, 10, 102137 0
- 27 Mixed mode stress intensity factors of single edge cracked/notched plates under different boundary conditions using strain energy approach. 0
- 26 A coupling approach of the isogeometric/meshfree method and peridynamics for static and dynamic crack propagation. **2023**, 410, 115904 0
- 25 Finite element evaluation of fracture toughness and crack propagation in LB-PBF AlSi10Mg. **2023**, 35, 677-697 0
- 24 Modeling fracture of multidirectional thin-ply laminates using an anisotropic phase field formulation at the macro-scale. **2023**, 112221 0
- 23 Modeling Three-Dimensional Pattern of Fluid-Driven Fracturing Using a Simplified Flow-Mechanical Damage Model. 0
- 22 Extended-FEM Analysis of Injection-Induced Slip on a Fault with Rate-and-State Friction: Insights into Parameters that Control Induced Seismicity. 0

- 21 Physical, Mechanical and Transfer Properties at the Steel-Concrete Interface: A Review. **2023**, 13, 886 ○
- 20 Finite element-based phase field simulation of complex branching crack propagation under different loads. 1-11 ○
- 19 Perturbations of Cracks. **2023**, 79-206 ○
- 18 3D implementation of push-out test in ABAQUS using the phase-field method. **2023**, 37, 1731-1745 ○
- 17 Study on the effect of hydro-chemical dissolution on shear properties of rock fractures using the improved discontinuous deformation analysis. ○
- 16 Modelling crack propagation during relaxation of viscoelastic material. **2023**, 58, 6254-6266 ○
- 15 A hydro-mechanically-coupled XFEM model for the injection-induced evolution of multiple fractures. ○
- 14 An Evaluation Method of Crack Variation on Structural Performance of Concrete Dams with Fusion Entropy Based on Observation and Simulation. **2023**, 2023, 1-19 ○
- 13 Lateral behaviour of unreinforced masonry walls with different types of opening and effect of strengthening measures: A computational approach. ○
- 12 Contact and Fracture. **2023**, 227-303 ○
- 11 DiSECT: a differentiable simulator for parameter inference and control in robotic cutting. ○
- 10 Damage propagation analysis of CFRP laminate by quasi-3D XFEM using hexahedral elements. **2023**, 117024 ○
- 9 Parallel parametric analysis approach based on an s-version FEM for fracture mechanics analysis in designing hole positions. **2023**, ○
- 8 A viscoplastic-coupled phase field modelling for mechanical behaviors of thermal barrier coating system with randomly microporous structures. **2023**, 109268 ○
- 7 Implementation into OpenSees of XFEM for Analysis of Crack Propagation in Brittle Materials. **2023**, 157-165 ○
- 6 Fracture and size effect analysis in concrete using 3-D G/XFEM and a CZM-LEFM correlation model: Validation with experiments. **2023**, 282, 107043 ○
- 5 An eXtended finite element method implementation in COMSOL multiphysics: Thermo-hydro-mechanical modeling of fluid flow in discontinuous porous media. **2023**, 159, 105458 ○
- 4 A New Immersed Finite Element Method for Two-Phase Stokes Problems Having Discontinuous Pressure. **2023**, ○

- 3 Coupled hydromechanical analysis of sparsely fractured crystalline rocks. **2023**, 159, 105478 ○
- 2 A peridynamic model for electromechanical fracture and crack propagation in piezoelectric solids. **2023**, 412, 116081 ○
- 1 Assessment of EqP in XFEM for weak discontinuities. **2023**, 45, ○