

Identification of linear structural systems using earthquake

Earthquake Engineering and Structural Dynamics

28, 1449-1467

DOI: [10.1002/\(sici\)1096-9845\(199911\)28:11<1449::aid-eqe881>3.0.co;2-5](https://doi.org/10.1002/(sici)1096-9845(199911)28:11<1449::aid-eqe881>3.0.co;2-5)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Response of tall buildings to weak long distance earthquakes. Earthquake Engineering and Structural Dynamics, 2001, 30, 709-729.	4.4	28
2	On-line identification of non-linear hysteretic structural systems using a variable trace approach. Earthquake Engineering and Structural Dynamics, 2001, 30, 1279-1303.	4.4	121
3	Extracting Physical Parameters of Mechanical Models From Identified State-Space Representations. Journal of Applied Mechanics, Transactions ASME, 2002, 69, 617-625.	2.2	74
4	Obtaining refined first-order predictive models of linear structural systems. Earthquake Engineering and Structural Dynamics, 2002, 31, 1413-1440.	4.4	35
5	System identification of the Vincent Thomas suspension bridge using earthquake records. Earthquake Engineering and Structural Dynamics, 2003, 32, 339-367.	4.4	76
6	System identification of instrumented bridge systems. Earthquake Engineering and Structural Dynamics, 2003, 32, 999-1020.	4.4	29
7	Constructing Second-Order Models of Mechanical Systems from Identified State Space Realizations. Part II: Numerical Investigations. Journal of Engineering Mechanics - ASCE, 2003, 129, 489-501.	2.9	22
8	Constructing Second-Order Models of Mechanical Systems from Identified State Space Realizations. Part I: Theoretical Discussions. Journal of Engineering Mechanics - ASCE, 2003, 129, 477-488.	2.9	50
9	A New Approach for Reduced Order Modeling of Mechanical Systems Using Vibration Measurements. Journal of Applied Mechanics, Transactions ASME, 2003, 70, 715-723.	2.2	17
10	A wavelet packet based sifting process and its application for structural health monitoring. , 2004, , .		19
11	HIGH ACCURATE ESTIMATION OF STRUCTURAL VIBRATION-FREQUENCY BY AMBIENT VIBRATION WITH AR MODEL. Doboku Gakkai Ronbunshu, 2004, 2004, 271-282.	0.2	4
12	Some real-world applications of wireless sensor nodes. , 2004, 5391, 344.		68
13	Investigation of a System Identification Methodology in the Context of the ASCE Benchmark Problem. Journal of Engineering Mechanics - ASCE, 2004, 130, 71-84.	2.9	47
14	Identification of base-excited structures using output-only parameter estimation. Earthquake Engineering and Structural Dynamics, 2004, 33, 133-155.	4.4	26
15	On-line identification and damage detection in non-linear structural systems using a variable forgetting factor approach. Earthquake Engineering and Structural Dynamics, 2004, 33, 419-444.	4.4	53
16	On-line identification of non-linear hysteretic structures using an adaptive tracking technique. International Journal of Non-Linear Mechanics, 2004, 39, 1481-1491.	2.6	115
17	Dynamic identification of a masonry building using forced vibration tests. Engineering Structures, 2005, 27, 155-165.	5.3	93
18	Modal identification of bridge systems using state-space methods. Structural Control and Health Monitoring, 2005, 12, 381-404.	4.0	34

#	ARTICLE	IF	CITATIONS
19	Stiffness-Damping Simultaneous Identification under Limited Observation. Journal of Engineering Mechanics - ASCE, 2005, 131, 1027-1035.	2.9	41
20	Observed dynamic performance of the Yokohama-Bay Bridge from system identification using seismic records. Structural Control and Health Monitoring, 2006, 13, 226-244.	4.0	56
21	Online weighted LS-SVM for hysteretic structural system identification. Engineering Structures, 2006, 28, 1728-1735.	5.3	95
22	On a modal damping identification model of building structures. Archive of Applied Mechanics, 2006, 76, 443-463.	2.2	25
23	A state observer for a building with a magneto-rheological damper and parameter uncertainty. , 2006, , .		2
24	Application of Structural Health Monitoring Techniques to Track Structural Changes in a Retrofitted Building Based on Ambient Vibration. Journal of Engineering Mechanics - ASCE, 2007, 133, 1311-1325.	2.9	36
25	ADAPTIVE STATE ESTIMATION IN A BUILDING WITH AN ADJUSTABLE DAMPER3. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2007, 40, 1046-1051.	0.4	0
26	A real-time estimation scheme for buildings with intelligent dissipation devices. Mechanical Systems and Signal Processing, 2007, 21, 2427-2440.	8.0	12
27	Dynamic characteristics of a curved cable-stayed bridge identified from strong motion records. Engineering Structures, 2007, 29, 2001-2017.	5.3	42
28	Monitoring the collision of a cargo ship with the Vincent Thomas Bridge. Structural Control and Health Monitoring, 2008, 15, 183-206.	4.0	22
29	System identification applied to long-span cable-supported bridges using seismic records. Earthquake Engineering and Structural Dynamics, 2008, 37, 361-386.	4.4	42
30	Output-only structural identification in time domain: Numerical and experimental studies. Earthquake Engineering and Structural Dynamics, 2008, 37, 517-533.	4.4	40
31	Dynamic identification of structural systems with viscous and friction damping. Journal of Sound and Vibration, 2008, 318, 911-926.	3.9	22
32	Time-Domain Identification of Structural Systems from Input-Output Measurements. CISM International Centre for Mechanical Sciences, Courses and Lectures, 2008, , 67-93.	0.6	5
34	A novel approach for the structural identification and monitoring of a full-scale 17-story building based on ambient vibration measurements. Smart Materials and Structures, 2008, 17, 025006.	3.5	129
35	Operational modal analysis for vibration-based structural health monitoring of civil structures. , 2009, , 213-259.		8
36	Structural Damage Detection Using Auxiliary Particle Filtering Method. Structural Health Monitoring, 2009, 8, 101-112.	7.5	11
37	Identification of Linear Structural Systems With a Limited Set of Input-Output Measurements. Journal of Applied Mechanics, Transactions ASME, 2009, 76, .	2.2	7

#	ARTICLE	IF	CITATIONS
38	Simultaneous state estimation and parameter tuning in a shear building with a magneto-rheological damper. <i>Structural Control and Health Monitoring</i> , 2009, 16, 483-502.	4.0	7
39	Identification of dynamic models of a building structure using multiple earthquake records. <i>Structural Control and Health Monitoring</i> , 2009, 16, 178-199.	4.0	34
40	Identification and variation of story lateral stiffness in buildings. <i>Structural Control and Health Monitoring</i> , 2009, 16, 200-222.	4.0	6
41	Identification and health monitoring of an instrumented building using earthquake response data. <i>Proceedings of SPIE</i> , 2010, , .	0.8	1
42	Temporal variation in modal properties of a base-isolated building during an earthquake. <i>Journal of Zhejiang University: Science A</i> , 2010, 11, 1-8.	2.4	20
43	Performance of equilibrium-based system identification algorithms with incomplete state data. <i>Engineering Structures</i> , 2010, 32, 483-497.	5.3	2
44	An adaptive observer for a shear building with an energy-dissipation device. <i>Control Engineering Practice</i> , 2010, 18, 331-338.	5.5	10
45	Re-tuning tuned mass dampers using ambient vibration measurements. <i>Smart Materials and Structures</i> , 2010, 19, 115002.	3.5	35
46	Wavelet-based blind identification of the UCLA Factor building using ambient and earthquake responses. <i>Smart Materials and Structures</i> , 2010, 19, 025005.	3.5	33
47	Parametric identification of seismically excited buildings using acceleration measurements. , 2011, , .		2
49	Model updating of multistory shear buildings for simultaneous identification of mass, stiffness and damping matrices using two different soft-computing methods. <i>Expert Systems With Applications</i> , 2011, 38, 5320-5329.	7.6	24
50	System identification of a building from multiple seismic records. <i>Earthquake Engineering and Structural Dynamics</i> , 2011, 40, 661-674.	4.4	37
51	Experimental and numerical modal analyses of a historical masonry palace. <i>Construction and Building Materials</i> , 2011, 25, 81-91.	7.2	93
52	Physical Parameter Estimation from State-Space Models for Systems with Missing Input Information. <i>Journal of Engineering Mechanics - ASCE</i> , 2012, 138, 1402-1410.	2.9	3
53	A Procedure to Identify the Modal and Physical Parameters of a Classically Damped System under Seismic Motions. <i>Advances in Acoustics and Vibration</i> , 2012, 2012, 1-11.	0.5	6
54	Estimation of the parameters of structures using acceleration measurements. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2012, 45, 1791-1796.	0.4	1
55	Underdetermined Blind Identification of Structures by Using the Modified Cross-Correlation Method. <i>Journal of Engineering Mechanics - ASCE</i> , 2012, 138, 327-337.	2.9	45
56	System identification of super high-rise buildings using limited vibration data during the 2011 Tohoku (Japan) earthquake. <i>Structural Control and Health Monitoring</i> , 2012, 20, n/a-n/a.	4.0	20

#	ARTICLE	IF	CITATIONS
57	Blind identification of earthquake-excited structures. <i>Smart Materials and Structures</i> , 2012, 21, 045019.	3.5	27
58	Rapid evaluation and damage assessment of instrumented highway bridges. <i>Earthquake Engineering and Structural Dynamics</i> , 2012, 41, 755-774.	4.4	26
59	Variation of modal parameters of a highway bridge extracted from six earthquake records. <i>Earthquake Engineering and Structural Dynamics</i> , 2013, 42, 565-579.	4.4	25
60	Identification of structural models using a modified Artificial Bee Colony algorithm. <i>Computers and Structures</i> , 2013, 116, 59-74.	4.4	97
61	Ambient and Forced Vibration Testing of a Reinforced Concrete Building before and after Its Seismic Retrofitting. <i>Journal of Structural Engineering</i> , 2013, 139, 1741-1752.	3.4	41
62	Seismic System Identification Using Centrifuge-based Soil-Structure Interaction Test Data. <i>Journal of Earthquake Engineering</i> , 2013, 17, 469-496.	2.5	11
63	Application of Orthogonal Decomposition Approaches to Long-Term Monitoring of Infrastructure Systems. <i>Journal of Engineering Mechanics - ASCE</i> , 2013, 139, 678-690.	2.9	12
64	A state-space methodology to identify modal and physical parameters of non-viscously damped systems. <i>Mechanical Systems and Signal Processing</i> , 2013, 41, 380-395.	8.0	22
65	Health Diagnostics of Highway Bridges Using Vibration Response Data. , 2013, , 269-293.		0
66	Simultaneous identification of structural parameters and dynamic input with incomplete output-only measurements. <i>Structural Control and Health Monitoring</i> , 2014, 21, 868-889.	4.0	63
67	Modal parameter based structural identification using input-output data: Minimal instrumentation and global identifiability issues. <i>Mechanical Systems and Signal Processing</i> , 2014, 45, 283-301.	8.0	28
68	Parametric time-domain identification of multiple-input systems using decoupled output signals. <i>Earthquake Engineering and Structural Dynamics</i> , 2014, 43, 1307-1324.	4.4	9
69	Data Compression of Structural Seismic Responses via Principled Independent Component Analysis. <i>Journal of Structural Engineering</i> , 2014, 140, .	3.4	26
71	Seismic Behaviour Assessment of Long Viaducts: a combined FEM and SHM approach. , 2014, , .		0
72	Data compression of very large-scale structural seismic and typhoon responses by low-rank representation with matrix reshape. <i>Structural Control and Health Monitoring</i> , 2015, 22, 1119-1131.	4.0	16
73	Structural identification with incomplete instrumentation and global identifiability requirements under base excitation. <i>Structural Control and Health Monitoring</i> , 2015, 22, 1024-1047.	4.0	25
74	A Hybrid Optimization Algorithm with Bayesian Inference for Probabilistic Model Updating. <i>Computer-Aided Civil and Infrastructure Engineering</i> , 2015, 30, 602-619.	9.8	92
75	Long-term structural monitoring of the damaged Basilica S. Maria di Collemaggio through a low-cost wireless sensor network. <i>Journal of Civil Structural Health Monitoring</i> , 2015, 5, 655-676.	3.9	57

#	ARTICLE	IF	CITATIONS
76	Vibration-Based Damage Detection and Seismic Performance Assessment of Bridges. Earthquake Spectra, 2015, 31, 137-157.	3.1	24
77	Parameter Identification of Multistorey Frame Structure from Uncertain Dynamic Data. Strojnikski Vestnik/Journal of Mechanical Engineering, 2015, 60, 331-338.	1.1	7
78	Output-only observer/Kalman filter identification (OKID). Structural Control and Health Monitoring, 2015, 22, 847-872.	4.0	43
79	A Comparative Study of Mode Decomposition to Relate Next-ERA, PCA, and ICA Modes. Conference Proceedings of the Society for Experimental Mechanics, 2015, , 113-133.	0.5	0
80	An experimental validation of time domain system identification methods with fusion of heterogeneous data. Earthquake Engineering and Structural Dynamics, 2015, 44, 523-547.	4.4	60
81	Identification of Torsionally Coupled Shear Buildings Models Using a Vector Parameterization. Shock and Vibration, 2016, 2016, 1-22.	0.6	3
82	Implementation of Identification Methodologies on Large-Scale Structures. CISM International Centre for Mechanical Sciences, Courses and Lectures, 2016, , 1-34.	0.6	1
83	Identification Methods for Structural Health Monitoring. CISM International Centre for Mechanical Sciences, Courses and Lectures, 2016, , .	0.6	9
84	Modal identification of a centrifuge soil model using subspace state space method. Soil Dynamics and Earthquake Engineering, 2016, 88, 280-296.	3.8	2
85	Recursive Combined Subspace Identification Technique for Tracking Dynamic Characteristics of Structures under Earthquake Excitation. Journal of Engineering Mechanics - ASCE, 2016, 142, .	2.9	12
86	Identification of shear buildings using an instrumental variable method and linear integral filters. Journal of Sound and Vibration, 2016, 385, 149-170.	3.9	7
87	High-resolution seismic monitoring of instrumented buildings using a model-based state observer. Earthquake Engineering and Structural Dynamics, 2016, 45, 2513-2531.	4.4	14
88	Near-Real-Time Hybrid System Identification Framework for Civil Structures with Application to Burj Khalifa. Journal of Structural Engineering, 2016, 142, .	3.4	29
89	Probabilistic updating of building models using incomplete modal data. Mechanical Systems and Signal Processing, 2016, 75, 27-40.	8.0	61
90	A compact self-adaptive recursive least square approach for real-time structural identification with unknown inputs. Advances in Structural Engineering, 2016, 19, 1118-1129.	2.4	7
91	Simultaneous parameter and state estimation of shear buildings. Mechanical Systems and Signal Processing, 2016, 70-71, 788-810.	8.0	12
92	Probabilistic Structural Health Assessment with Identified Physical Parameters from Incomplete Measurements. ASCE-ASME Journal of Risk and Uncertainty in Engineering Systems, Part A: Civil Engineering, 2016, 2, .	1.7	5
93	Extended Blind Modal Identification Technique for Nonstationary Excitations and Its Verification and Validation. Journal of Engineering Mechanics - ASCE, 2016, 142, .	2.9	30

#	ARTICLE	IF	CITATIONS
94	A multi-mode approach for multi-directional damage detection in frame structures. <i>Engineering Structures</i> , 2017, 147, 505-516.	5.3	4
95	Vibration analysis of the civic tower in Rieti. <i>Procedia Engineering</i> , 2017, 199, 2268-2273.	1.2	4
97	Vibration Analysis and Models of Adjacent Structures Controlled by Magnetorheological Dampers. <i>Shock and Vibration</i> , 2017, 2017, 1-21.	0.6	2
98	Estimation of Structural Modal Parameters under Winds Using a Virtual Dynamic Shaker. <i>Journal of Engineering Mechanics - ASCE</i> , 2018, 144, .	2.9	10
99	Parameter and State Estimation of Shear Buildings Using Spline Interpolation and Linear Integral Filters. <i>Shock and Vibration</i> , 2018, 2018, 1-21.	0.6	1
100	A Gibbs sampling algorithm for structural modal identification under seismic excitation. <i>Earthquake Engineering and Structural Dynamics</i> , 2018, 47, 2735-2755.	4.4	12
101	Structural health monitoring techniques implemented on IASCA€ASCE benchmark problem: a review. <i>Journal of Civil Structural Health Monitoring</i> , 2018, 8, 689-718.	3.9	25
102	Seismic response of a suspension bridge: Insights from long-term full-scale seismic monitoring system. <i>Structural Control and Health Monitoring</i> , 2018, 25, e2252.	4.0	22
103	Responses of the odd couple Carquinez, CA, suspension bridge during the Mw6.0 south Napa earthquake of August 24, 2014. <i>Journal of Civil Structural Health Monitoring</i> , 2019, 9, 719-739.	3.9	3
104	Dynamic identification of a masonry facade from seismic response data based on an elementary Ordinary Least Squares approach. <i>Engineering Structures</i> , 2019, 197, 109415.	5.3	36
105	Identification of Soil-Structure Systems. <i>Springer Tracts in Civil Engineering</i> , 2019, , 139-167.	0.5	3
106	Evaluation of soil-structure interaction effects from system identification of structures subject to forced vibration tests. <i>Soil Dynamics and Earthquake Engineering</i> , 2019, 116, 747-760.	3.8	21
107	Fast Bayesian frequency domain modal identification from seismic response data. <i>Computers and Structures</i> , 2019, 212, 225-235.	4.4	22
108	Identification of first and second order models for the superstructure of base-isolated buildings using free vibration tests: A case study. <i>Soil Dynamics and Earthquake Engineering</i> , 2020, 135, 106178.	3.8	6
109	Modal parameter identification of a multiple-span post-tensioned concrete bridge using hybrid vibration testing data. <i>Engineering Structures</i> , 2020, 219, 110953.	5.3	13
110	Sparse representation for damage identification of structural systems. <i>Structural Health Monitoring</i> , 2021, 20, 1644-1656.	7.5	13
111	Tracking Dynamic Characteristics of Structures Using Output-Only Recursive Combined Subspace Identification Technique. <i>Journal of Engineering Mechanics - ASCE</i> , 2020, 146, .	2.9	2
112	Output-only model updating of adjacent buildings from sparse seismic response records and identification of their common excitation. <i>Structural Control and Health Monitoring</i> , 2020, 27, e2597.	4.0	9

#	ARTICLE	IF	CITATIONS
113	Direct identification of reduced building models based on noisy measurements for performance based earthquake engineering. <i>Journal of Building Engineering</i> , 2021, 34, 101776.	3.4	1
114	Synergistic bridge modal analysis using frequency domain decomposition, observer Kalman filter identification, stochastic subspace identification, system realization using information matrix, and autoregressive exogenous model. <i>Mechanical Systems and Signal Processing</i> , 2021, 160, 107818.	8.0	22
115	A statistical framework with stiffness proportional damage sensitive features for structural health monitoring. <i>Smart Structures and Systems</i> , 2015, 15, 699-715.	1.9	7
116	Experimental identification of modal parameters for the model of a building subjected to short-term kinematic excitation. <i>Studia Geotechnica Et Mechanica</i> , 2018, 40, 321-332.	0.5	2
117	Identification of Modal Parameters with Unknown Input. , 2003, , 59-72.		0
118	Application of orthogonal decomposition approaches to long-term monitoring of infrastructure systems. <i>Bridge Maintenance, Safety and Management</i> , 2012, , 2275-2279.	0.1	0
119	Identifying second-order models of mechanical structures in physical coordinates: An orthogonal complement approach. , 2013, , .		3
120	Structural Identification Using Response Measurements under Base Excitation. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2014, , 107-118.	0.5	0
121	Influence of movable bearings performance on the dynamic characteristics of a cable-stayed bridge: insights from seismic monitoring records. <i>Bulletin of Earthquake Engineering</i> , 0, , 1.	4.1	2
122	Earthquake Early Warning for Estimating Floor Shaking Levels of Tall Buildings. <i>Bulletin of the Seismological Society of America</i> , 2022, 112, 820-849.	2.3	3
123	A methodological framework to relate the earthquake-induced frequency reduction to structural damage in masonry buildings. <i>Bulletin of Earthquake Engineering</i> , 2022, 20, 4603-4638.	4.1	17
124	Raspberry Shake-Based Rapid Structural Identification of Existing Buildings Subject to Earthquake Ground Motion: The Case Study of Bucharest. <i>Sensors</i> , 2022, 22, 4787.	3.8	4
125	Experimental Dynamic Response of a Multi-Story Frame Structure Equipped with Non-Conventional TMD Implemented via Inter-Story Isolation. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 9153.	2.5	3
126	Assessing uncertainty in fast Bayesian modal identification based on seismic structural responses. <i>Mechanical Systems and Signal Processing</i> , 2023, 185, 109686.	8.0	4
127	Benefits of OKID in system realization with low amount of samples. <i>Journal of Vibration Engineering and Technologies</i> , 0, , .	2.2	0
128	A Literature Review and Result Interpretation of the System Identification of Arch Dams Using Seismic Monitoring Data. <i>Water (Switzerland)</i> , 2022, 14, 3207.	2.7	3
129	Cumulative power spectral density-based damping estimation. <i>Earthquake Engineering and Structural Dynamics</i> , 2024, 53, 1787-1802.	4.4	0