

CITATION REPORT

List of articles citing

Localization of orphanin FQ (nociceptin) peptide and messenger RNA in the central nervous system of the rat

DOI: 10.1002/(sici)1096-9861(19990419)406:43.0.co;2-p
Journal of Comparative Neurology, 1999, 406, 503-547.

Source: <https://exaly.com/paper-pdf/30631746/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
360	Endogenous opioids: overview and current issues. <i>Drug and Alcohol Dependence</i> , 1998 , 51, 127-40	4.9	141
359	Opioid receptor-like (ORL1) receptor distribution in the rat central nervous system: Comparison of ORL1 receptor mRNA expression with 125I-[14Tyr]-orphanin FQ binding. <i>Journal of Comparative Neurology</i> , 1999 , 412, 563-605	3.4	296
358	Regulation of nociceptin mRNA expression in the septum by dopamine and adenosine systems. 2000 , 11, 3243-6		1
357	Pharmacology of nociceptin and its receptor: a novel therapeutic target. <i>British Journal of Pharmacology</i> , 2000 , 129, 1261-83	8.6	347
356	Blockade of mu-opioid receptors reveals the hyperalgesic effect of orphanin FQ/nociceptin in the rat hot plate test. <i>British Journal of Pharmacology</i> , 2000 , 131, 1684-8	8.6	15
355	Fos expression in feeding-related brain areas following intracerebroventricular administration of orphanin FQ in rats. 2000 , 855, 171-5		40
354	Effect of nociceptin/orphanin FQ on the rewarding properties of morphine. 2000 , 404, 153-9		112
353	Opioids affect acquisition of LiCl-induced conditioned taste aversion: involvement of OT and VP systems. 2000 , 279, R1504-11		45
352	Nociceptin inhibits rat sympathetic preganglionic neurons in situ and in vitro. 2000 , 278, R592-7		13
351	Selective suppression of inhibitory synaptic transmission by nocistatin in the rat spinal cord dorsal horn. 2000 , 20, 4922-9		68
350	Role of endogenous nociceptin in the regulation of arginine vasopressin release in conscious rats. 2000 , 141, 4466-71		18
349	Central roles of nociceptin/orphanin FQ and nocistatin: allodynia as a model of neural plasticity. 2000 , 129, 205-18		10
348	Characterization of nociceptin/orphanin FQ-induced pain responses in conscious mice: neonatal capsaicin treatment and N-methyl-D-aspartate receptor GluRepsilon subunit knockout mice. 2000 , 97, 133-42		29
347	Opioid modulation of magnocellular neurosecretory cell activity. 2000 , 36, 97-120		79
346	Peripheral modulation of rat knee joint afferent mechanosensitivity by nociceptin/orphanin FQ. 2000 , 288, 123-6		26
345	Evidence of the synthesis of opioid receptor like 1 receptor in nociceptinergic neurons in rat brain suggests the existence of autoreceptor: a confocal double staining study. 2000 , 290, 193-6		10
344	The orphanin FQ/nociceptin gene: structure, tissue distribution of expression and functional implications obtained from knockout mice. 2000 , 21, 901-6		54

343	Nociceptin/orphanin FQ metabolism and bioactive metabolites. 2000 , 21, 919-22		51
342	Nociceptin/orphanin FQ in spinal nociceptive mechanisms under normal and pathological conditions. 2000 , 21, 1031-6		39
341	Nociceptin and the micturition reflex. 2000 , 21, 1007-21		34
340	Nociceptin/orphanin FQ and drugs of abuse. 2000 , 21, 1071-80		81
339	Neurohumoral effects of orphanin FQ/nociceptin: relevance to cardiovascular and renal function. 2000 , 21, 1081-99		49
338	Nocistatin: a novel neuropeptide encoded by the gene for the nociceptin/orphanin FQ precursor. 2000 , 21, 1101-9		62
337	Effects of an antisense oligonucleotide to pronociceptin and long-term prevention of morphine actions by nociceptin. 2000 , 21, 1119-24		12
336	Opposite modulation of histaminergic neurons by nociceptin and morphine. <i>Neuropharmacology</i> , 2000 , 39, 2492-8	5.5	23
335	MULTIPLE SITES OF ACTION IN THE INHIBITORY EFFECT OF NOCICEPTIN ON THE MICTURITION REFLEX. <i>Journal of Urology</i> , 2000 , 163, 638-645	2.5	14
334	Nociceptin/orphanin FQ regulates neuroendocrine function of the limbic-hypothalamic-pituitary-adrenal axis. 2001 , 102, 541-53		91
333	Orphanin-FQ/nociceptin inhibits kindling epileptogenesis and enhances hippocampal feed-forward inhibition. 2001 , 105, 325-33		20
332	Nociceptin-induced outward current in substantia gelatinosa neurones of the adult rat spinal cord. 2001 , 108, 323-30		28
331	Distinct effect of orphanin FQ in nucleus raphe magnus and nucleus reticularis gigantocellularis on the rat tail flick reflex. 2001 , 306, 69-72		10
330	Novel neurotransmitters as natural ligands of orphan G-protein-coupled receptors. 2001 , 24, 230-7		122
329	Central and peripheral roles of prostaglandins in pain and their interactions with novel neuropeptides nociceptin and nocistatin. 2001 , 41, 299-332		153
328	Influence of the selective ORL1 receptor agonist, Ro64-6198, on rodent neurological function. <i>Neuropharmacology</i> , 2001 , 41, 97-107	5.5	64
327	Effects of orphanin FQ on central dopaminergic neuronal activities and prolactin secretion. 2001 , 280, R705-12		14
326	Nociceptin reduces epileptiform events in CA3 hippocampus via presynaptic and postsynaptic mechanisms. 2001 , 21, 6940-8		35

325	Nociceptin/orphanin FQ inhibits stress- and CRF-induced anorexia in rats. 2001 , 12, 1145-9	65
324	Effects of loperamide and other opioid-related substances on the transcriptional regulation of the rat pro-opiomelanocortin gene in AtT20 cells. 2001 , 74, 87-94	3
323	Participation of NK1 receptors in nociceptin-induced modulation of rat knee joint mechanosensitivity. 2001 , 137, 249-53	25
322	Inhibitory action of nociceptin/orphanin FQ on functionally different thalamic neurons in urethane-anaesthetized rats. <i>British Journal of Pharmacology</i> , 2001 , 134, 333-42	8.6 15
321	Actions of nociceptin/orphanin FQ and other prepronociceptin products on rat rostral ventromedial medulla neurons in vitro. 2001 , 534, 849-59	46
320	Control of glutamate and GABA release by nociceptin/orphanin FQ in the rat lateral amygdala. 2001 , 532, 701-12	63
319	Nociceptin inhibits calcium channel currents in a subpopulation of small nociceptive trigeminal ganglion neurons in mouse. 2001 , 536, 35-47	73
318	Effect of different concentrations of iontophoretic nociceptin on distinct classes of nociceptive neurons in rat spinal cord. 2001 , 897, 184-7	6
317	Quantitative autoradiographic mapping of the ORL1, mu-, delta- and kappa-receptors in the brains of knockout mice lacking the ORL1 receptor gene. 2001 , 906, 13-24	41
316	Nociceptin/orphanin FQ into the rat periaqueductal gray decreases the withdrawal latency to heat and loading, an effect reversed by (Nphe(1))nociceptin(1-13)NH(2). 2001 , 922, 118-24	14
315	Characterization of nociceptin/orphanin FQ-induced pain responses by the novel receptor antagonist N-(4-amino-2-methylquinolin-6-yl)-2-(4-ethylphenoxy)methyl benzamide monohydrochloride. 2002 , 303, 424-30	23
314	Nociceptin/orphanin FQ modulation of ionic conductances in rat basal forebrain neurons. 2002 , 303, 188-95	21
313	Nociceptin inhibits gamma-aminobutyric acidergic inputs to cardiac parasympathetic neurons in the nucleus ambiguus. 2002 , 300, 78-82	16
312	Chronic paroxetine increases [³ H]nociceptin binding in rat dorsal raphe nucleus. 2002 , 13, 111-4	8
311	Chapter III Neuroanatomical studies of the opioid receptor-like-1 receptor and its endogenous neuropeptide orphanin FQ (nociceptin). 2002 , 103-193	
310	Nociceptin/orphanin FQ and related peptides reduce the increase in plasma corticosterone elicited in mice by an intracerebroventricular injection. 2002 , 72, 163-71	26
309	Expression of orphanin FQ and the opioid receptor-like (ORL1) receptor in the developing human and rat brain. 2001 , 22, 219-49	61
308	Pharmacological characterization of the nociceptin receptor which mediates reduction of alcohol drinking in rats. 2002 , 23, 117-25	41

307	Nociceptin inhibits excitatory but not inhibitory transmission to substantia gelatinosa neurones of adult rat spinal cord. 2002 , 109, 349-58		64
306	Orphanin FQ-induced hyperphagia is mediated by corticosterone and central glucocorticoid receptors. 2002 , 115, 637-43		34
305	[Phe(1)Psi(CH(2)-NH)Gly(2)]NC(1-13)NH(2) does not antagonize orphaninFQ/nociceptin-induced prolactin release. 2002 , 57, 695-703		9
304	Descending control of pain. 2002 , 66, 355-474		2191
303	Antioscillatory effects of nociceptin/orphanin FQ in synaptic networks of the rat thalamus. 2002 , 22, 718-27		27
302	Peptidergic Transmitter Systems. 85-95		1
301	Urocortin in the lateral septal area modulates feeding induced by orexin A in the lateral hypothalamus. 2002 , 283, R358-67		46
300	Involvement of the neuropeptide nociceptin/orphanin FQ in kainate seizures. 2002 , 22, 10030-8		35
299	The orphanin FQ/nociceptin knockout mouse: a behavioral model for stress responses. <i>Neuropeptides</i> , 2002 , 36, 72-6	3-3	48
298	Endocrine effects of centrally injected nociceptin in the rat. 2002 , 938, 55-61		15
297	Involvement of endogenous opioid systems in nociceptin-induced spinal antinociception in rats. 2002 , 945, 88-96		27
296	Expression of orphanin FQ/nociceptin and its receptor in rat peripheral ganglia and spinal cord. 2002 , 945, 266-75		49
295	Pro-nociceptin/orphanin FQ and NOP receptor mRNA levels in the forebrain of food deprived rats. 2002 , 957, 354-61		32
294	Nociceptin/orphanin FQ and opioid receptor-like receptor mRNA expression in dopamine systems. <i>Journal of Comparative Neurology</i> , 2002 , 444, 358-68	3-4	71
293	[Nociceptin and the ORL1 receptor: pharmacology of a new opioid receptor]. 2002 , 51, 996-1005		4
292	Reversal of stress- and CRF-induced anorexia in rats by the synthetic nociceptin/orphanin FQ receptor agonist, Ro 64-6198. <i>Psychopharmacology</i> , 2002 , 161, 113-9	4-7	59
291	Involvement of the neuropeptide orphanin FQ/nociceptin in kainate and kindling seizures and epileptogenesis. 2002 , 43 Suppl 5, 18-9		15
290	A combined pharmacological and genetic approach to investigate the role of orphanin FQ in learning and memory. 2002 , 15, 911-22		64

289	Sympathoinhibitory action of nociceptin in the rat spinal cord. 2002 , 29, 233-7		9
288	Responses to microinjections of endomorphin and nociceptin into the medullary cardiovascular areas. 2002 , 29, 243-7		16
287	Central injections of nocistatin or its C-terminal hexapeptide exert anxiogenic-like effect on behaviour of mice in the plus-maze test. <i>British Journal of Pharmacology</i> , 2002 , 136, 764-72	8.6	54
286	Colocalization of estrogen beta-receptor messenger RNA with orphanin FQ, vasopressin and oxytocin in the rat hypothalamic paraventricular and supraoptic nuclei. 2003 , 206, 461-9		25
285	Dexamethasone exposure during the neonatal period alters ORL1 mRNA expression in the hypothalamic paraventricular nucleus and hippocampus of the adult rat. 2003 , 146, 15-24		13
284	Cardiovascular responses to microinjections of nociceptin into a midline area in the commissural subnucleus of the nucleus tractus solitarius of the rat. 2003 , 984, 93-103		6
283	Effect of intrathecal nocistatin on nociceptin/orphanin FQ analgesia in chronic constriction injury rat. 2003 , 988, 189-92		16
282	Nociceptin/orphanin FQ content is decreased in forebrain neurones during acute stress. 2003 , 15, 69-74		50
281	Attenuation of neuropathic pain by the nociceptin/orphanin FQ antagonist JTC-801 is mediated by inhibition of nitric oxide production. 2003 , 17, 1384-92		86
280	Normal sensitivity to acute pain, but increased inflammatory hyperalgesia in mice lacking the nociceptin precursor polypeptide or the nociceptin receptor. 2003 , 17, 2381-7		47
279	Orphanin FQ/nociceptin: from neural circuitry to behavior. 2003 , 73, 813-22		37
278	Distribution of ORL-1 receptor binding and receptor-activated G-proteins in rat forebrain and their experimental localization in anterior cingulate cortex. <i>Neuropharmacology</i> , 2003 , 45, 220-30	5.5	19
277	The rostral ventromedial medulla mediates the facilitatory effect of microinjected orphanin FQ in the periaqueductal gray on spinal nociceptive transmission in rats. <i>Neuropharmacology</i> , 2003 , 45, 612-22	5.5	5
276	The nociceptin/orphanin FQ/NOP receptor system as a target for treatment of alcohol abuse: a review of recent work in alcohol-preferring rats. 2003 , 79, 121-8		69
275	The neurobiology and control of anxious states. 2003 , 70, 83-244		748
274	Acetyl-RYYRIK-NH ₂ , a purported orphanin FQ antagonist, does not block the orphanin FQ-induced prolactin secretory response in female rats. 2003 , 345, 149-52		6
273	Nociceptin/orphanin FQ knockout mice display up-regulation of the opioid receptor-like 1 receptor and alterations in opioid receptor expression in the brain. 2003 , 117, 157-68		12
272	[³ H]-nociceptin ligand-binding and nociceptin opioid receptor mRNA expression in the human brain. 2003 , 121, 629-40		50

271	Impact of environmental housing conditions on the emotional responses of mice deficient for nociceptin/orphanin FQ peptide precursor gene. <i>Behavioural Brain Research</i> , 2003 , 144, 111-7	3.4	51
270	Binding and GTPgammaS autoradiographic analysis of preproorphanin precursor peptide products at the ORL1 and opioid receptors. 2003 , 25, 233-47		11
269	Utilizing functional genomics to identify new pain treatments : the example of nociceptin. 2003 , 3, 117-30		21
268	Involvement of sympathetic efferents but not capsaicin-sensitive afferents in nociceptin-mediated dual control of rat synovial blood flow. 2003 , 284, R1477-85		8
267	Nociceptin/orphanin FQ and its receptor--potential targets for pain therapy?. 2003 , 306, 423-9		88
266	Nociceptin/orphanin FQ: actions within the brain. 2003 , 9, 158-68		35
265	Delayed epileptogenesis in nociceptin/orphanin FQ-deficient mice. 2003 , 14, 825-7		16
264	Glycinergic inputs to cardiac vagal neurons in the nucleus ambiguus are inhibited by nociceptin and mu-selective opioids. <i>Journal of Neurophysiology</i> , 2003 , 90, 1581-8	3.2	18
263	The bed nucleus is a neuroanatomical substrate for the anorectic effect of corticotropin-releasing factor and for its reversal by nociceptin/orphanin FQ. 2003 , 23, 9445-51		117
262	Neuropeptide conversion to bioactive fragments--an important pathway in neuromodulation. 2003 , 4, 31-44		74
261	Vestibular System. 2004 , 965-996		1
260	Minireview: Characterization of influence of central nociceptin/orphanin FQ on consummatory behavior. 2004 , 145, 2627-32		47
259	Nociceptin/orphanin FQ increases anxiety-related behavior and circulating levels of corticosterone during neophobic tests of anxiety. <i>Neuropsychopharmacology</i> , 2004 , 29, 59-71	8.7	81
258	Agonist-independent modulation of N-type calcium channels by ORL1 receptors. 2004 , 7, 118-25		117
257	Nociceptin/orphanin FQ modulates human T cell function in vitro. 2004 , 149, 110-20		33
256	Distribution of nociceptin/orphanin FQ in adult human brain. 2004 , 997, 24-9		37
255	Nociceptin/orphanin FQ modulates spatial learning via ORL-1 receptors in the dorsal hippocampus of the rat. 2004 , 997, 222-33		51
254	Efficacy of nociceptin inhibition on WDR neuron activity is enhanced in mononeuropathic rats. 2004 , 998, 251-4		9

253	Inhibition of nociceptin/orphanin FQ on penicillin-induced seizures in rats. 2004 , 1020, 214-9		16
252	[Regulation of spinal nociceptin expression by neuropathic pain]. 2004 , 53, 621-8		4
251	Evidence for an exclusive antinociceptive effect of nociceptin/orphanin FQ, an endogenous ligand for the ORL1 receptor, in two animal models of neuropathic pain. <i>Pain</i> , 2004 , 110, 236-236	8	
250	Effects of electroacupuncture on orphanin FQ immunoreactivity and preproorphanin FQ mRNA in nucleus of raphe magnus in the neuropathic pain rats. 2004 , 63, 509-13		19
249	Interneuron Diversity series: Interneuronal neuropeptides--endogenous regulators of neuronal excitability. 2004 , 27, 135-42		155
248	Evidence for an exclusive antinociceptive effect of nociceptin/orphanin FQ, an endogenous ligand for the ORL1 receptor, in two animal models of neuropathic pain. <i>Pain</i> , 2004 , 110, 236-45	8	64
247	Involvement of the histaminergic system in the nociceptin-induced pain-related behaviors in the mouse spinal cord. <i>Pain</i> , 2004 , 112, 171-82	8	23
246	Nociceptin/orphanin FQ acts as a functional antagonist of corticotropin-releasing factor to inhibit its anorectic effect. 2004 , 82, 63-8		63
245	Biostable aptamers with antagonistic properties to the neuropeptide nociceptin/orphanin FQ. 2004 , 10, 516-27		34
244	Central Regulation of Feeding. 2005 ,		
243	Nociceptin system does not affect MAC of volatile anaesthetics. 2005 , 49, 771-3		7
242	Nociceptin/orphanin FQ-induced delay in gastric emptying: role of central corticotropin-releasing factor and glucocorticoid receptors. 2005 , 17, 871-7		13
241	Involvement of nociceptin/orphanin FQ in release of hypothalamic GnRH mediated by ORL1 receptor in ovariectomized rats. 2005 , 26, 1039-44		17
240	Methamphetamine sensitization in nociceptin receptor knockout mice: locomotor and c-fos expression. 2005 , 507, 57-67		6
239	Anti-allodynic and anti-hyperalgesic effects of nociceptin receptor antagonist, JTC-801, in rats after spinal nerve injury and inflammation. 2005 , 510, 223-8		25
238	Microinjections of nociceptin into the nucleus ambiguus elicit tachycardia in the rat. 2005 , 1051, 199-204		8
237	Mechanism of cardiovascular effects of nociceptin microinjected into the nucleus tractus solitarius of the rat. 2005 , 288, R1553-62		7
236	Neuropeptide Processing. 2005 , 203-234		4

235	Opioid receptor-like 1 (ORL1) molecular "road map" to understanding ligand interaction and selectivity. 2005 , 5, 325-40		12
234	Blockade of nociceptin/orphanin FQ transmission attenuates symptoms and neurodegeneration associated with Parkinson disease. 2005 , 25, 9591-601		105
233	Lack of involvement of dopamine and serotonin during the orphanin FQ/Nociceptin (OFQ/N)-induced prolactin secretory response. 2005 , 77, 1465-79		2
232	Nociceptin/orphanin FQ: pain, stress and neural circuits. 2005 , 77, 3127-32		27
231	Cardiovascular responses to microinjection of nociceptin and endomorphin-1 into the nucleus tractus solitarius in conscious rats. 2005 , 132, 1009-15		12
230	The opioid peptide nociceptin/orphanin FQ mediates prostaglandin E2-induced allodynia, tactile pain associated with nerve injury. 2006 , 23, 995-1004		17
229	Nociceptin/orphanin FQ evokes knee joint pain in rats via a mast cell independent mechanism. 2006 , 398, 135-8		16
228	Endogenous nociceptin/orphanin FQ signalling produces opposite spinal antinociceptive and supraspinal pronociceptive effects in the mouse formalin test: pharmacological and genetic evidences. <i>Pain</i> , 2006 , 124, 100-8	8	54
227	Functional interaction between nociceptin/orphanin FQ and alpha-melanocyte-stimulating hormone in the regulation of feeding. 2006 , 27, 1827-34		36
226	Anxiolytic-like effects of nociceptin/orphanin FQ in the elevated plus maze and in the conditioned defensive burying test in rats. 2006 , 27, 2193-200		56
225	Activation of the nociceptin/orphanin FQ system is unable to reverse CRF2 receptor mediated anorexia in the rat. 2006 , 27, 3284-91		6
224	Effect of novel nociceptin/orphanin FQ-NOP receptor ligands on ethanol drinking in alcohol-preferring msP rats. 2006 , 27, 3299-306		44
223	The nociceptin receptor antagonist [Nphe1,Arg14,Lys15]nociceptin/orphanin FQ-NH2 blocks the stimulatory effects of nociceptin/orphanin FQ on the HPA axis in rats. 2006 , 141, 2051-7		45
222	Differential protection against MPTP or methamphetamine toxicity in dopamine neurons by deletion of ppN/OFQ expression. 2006 , 98, 495-505		34
221	ORL1 receptor-mediated internalization of N-type calcium channels. 2006 , 9, 31-40		139
220	Pharmacological characterization of inhibitory effects of postsynaptic opioid and cannabinoid receptors on calcium currents in neonatal rat nucleus tractus solitarius. <i>British Journal of Pharmacology</i> , 2006 , 147, 391-401	8.6	27
219	Stimulation of sensory neuropeptide release by nociceptin/orphanin FQ leads to hyperaemia in acutely inflamed rat knees. <i>British Journal of Pharmacology</i> , 2006 , 148, 938-46	8.6	17
218	Antidepressant- and anxiolytic-like effects of nociceptin/orphanin FQ receptor ligands. 2006 , 372, 319-30		69

217	Comparison of the in vitro efficacy of mu, delta, kappa and ORL1 receptor agonists and non-selective opioid agonists in dog brain membranes. 2006 , 1073-1074, 290-6		32
216	Involvement of nociceptin/orphanin FQ and its receptor in electroacupuncture-produced anti-hyperalgesia in rats with peripheral inflammation. 2006 , 1078, 212-8		30
215	Immunolocalization of orphanin FQ in rat cochlea. 2006 , 1113, 146-52		5
214	Orphanin FQ/nociceptin interactions with the immune system in vivo: gene expression changes in lymphoid organs and regulation of the cytokine response to staphylococcal enterotoxin A. 2006 , 176, 76-85		24
213	Site-specific estrogen and progestin regulation of orphanin FQ/nociceptin and nociceptin opioid receptor mRNA expression in the female rat limbic hypothalamic system. <i>Journal of Comparative Neurology</i> , 2006 , 496, 252-68	3-4	39
212	Orphanin FQ/nociceptin is a physiological regulator of prolactin secretion in female rats. 2006 , 147, 5087-93		15
211	Nociceptin/orphanin FQ presynaptically decreases GABAergic transmission and blocks the ethanol-induced increase of GABA release in central amygdala. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 9715-20	11.5	75
210	Effects of intrathecally administered nociceptin/orphanin FQ in monkeys: behavioral and mass spectrometric studies. 2006 , 318, 1257-64		57
209	Endogenous orphanin FQ/nociceptin is involved in the development of morphine tolerance. 2006 , 318, 262-7		59
208	Centrally administered nociceptin/orphanin FQ (N/OFQ) evokes bradycardia, hypotension, and diuresis in mice via activation of central N/OFQ peptide receptors. 2007 , 322, 324-31		12
207	Involvement of local orphanin FQ in the tolerance induced by repeated microinjections of morphine into ventrolateral periaqueductal gray in rats. 2007 , 80, 261-8		4
206	Orphanin FQ: evidence for a role in the control of the reproductive neuroendocrine system. 2007 , 148, 4993-5001		28
205	Orphanin FQ/nociceptin interacts with the basolateral amygdala noradrenergic system in memory consolidation. 2007 , 14, 29-35		39
204	Relaxin receptors--new drug targets for multiple disease states. 2007 , 8, 91-104		22
203	Release of orphanin FQ/nociceptin in the medial preoptic nucleus and ventromedial nucleus of the hypothalamus facilitates lordosis. 2007 , 51, 406-12		24
202	Regulation of proinflammatory cytokines gene expression by nociceptin/orphanin FQ in the spinal cord and the cultured astrocytes. 2007 , 144, 275-85		47
201	The nociceptin/orphanin FQ antagonist UFP-101 differentially modulates the glucocorticoid response to restraint stress in rats during the peak and nadir phases of the hypothalamo-pituitary-adrenal axis circadian rhythm. 2007 , 147, 757-64		28
200	Effects of social crowding on emotionality and expression of hippocampal nociceptin/orphanin FQ system transcripts in mice. <i>Behavioural Brain Research</i> , 2007 , 184, 167-73	3-4	35

199	Bradycardia elicited by microinjections of nociceptin/orphanin FQ into the intermediolateral cell column at T1-T2 in the rat. 2007 , 416, 188-92		3
198	Coexpression of prodynorphin and corticotrophin-releasing hormone in the rat central amygdala: evidence of two distinct endogenous opioid systems in the lateral division. <i>Journal of Comparative Neurology</i> , 2007 , 504, 702-15	3-4	99
197	Identification of central nervous system sites involved in the water diuresis response elicited by central microinjection of nociceptin/ Orphanin FQ in conscious rats via c-Fos and inducible cAMP early repressor immunocytochemistry. 2007 , 19, 531-42		5
196	Role of hypothalamus nociceptin/orphanin FQ in pre-ovulatory luteinizing hormone surge of estrogen and progesterone-primed, ovariectomized rats. 2007 , 28, 1189-97		11
195	Nociceptin/orphanin FQ blocks the antinociception induced by mu, kappa and delta opioid agonists on the cold water tail-flick test. 2007 , 557, 32-6		14
194	Roles of the bed nucleus of stria terminalis and of the amygdala in N/OFQ-mediated anxiety and HPA axis activation. <i>Neuropeptides</i> , 2007 , 41, 399-410	3-3	42
193	Functional antagonism between nociceptin/orphanin FQ (N/OFQ) and corticotropin-releasing factor (CRF) in the rat brain: evidence for involvement of the bed nucleus of the stria terminalis. <i>Psychopharmacology</i> , 2008 , 196, 523-31	4-7	57
192	A neuropeptide-centric view of psychostimulant addiction. <i>British Journal of Pharmacology</i> , 2008 , 154, 343-57	8.6	36
191	Activation of nociceptin/orphanin FQ-NOP receptor system inhibits tyrosine hydroxylase phosphorylation, dopamine synthesis, and dopamine D(1) receptor signaling in rat nucleus accumbens and dorsal striatum. 2008 , 107, 544-56		34
190	Effects of nociceptin/orphanin FQ receptor (NOP) agonist, Ro64-6198, on reactivity to acute pain in mice: comparison to morphine. 2008 , 579, 141-8		46
189	Involvement of the GABA/benzodiazepine receptor in the axiolytic-like effect of nociceptin/orphanin FQ. 2008 , 590, 185-9		13
188	The orphanin FQ/nociceptin (OFQ/N) system. 2008 , 46, 1-25		40
187	Inhibitory Regulation of Excitatory Neurotransmission. 2008 ,		
186	Sensing with Ion Channels. <i>Springer Series in Biophysics</i> , 2008 ,		2
185	Acute myocardial ischemia up-regulates nociceptin/orphanin FQ in dorsal root ganglion and spinal cord of rats. 2008 , 433, 274-8		5
184	Orphanin FQ and glutamate connection in the regulation of gonadotropin-releasing hormone secretion in the preoptic area of conscious male rats. 2008 , 440, 109-12		4
183	A role for brain stress systems in addiction. <i>Neuron</i> , 2008 , 59, 11-34	13.9	746
182	The endogenous OFQ/N/ORL-1 receptor system regulates the rewarding effects of acute cocaine. <i>Neuropharmacology</i> , 2008 , 54, 564-8	5.5	39

181	Alterations in the level of OFQ/N-IR in rat brain regions by cocaine. <i>Neuropharmacology</i> , 2008 , 55, 198-203	10
180	Involvement of ORL1 receptor and ERK kinase in the orphanin FQ-induced nociception in the nucleus accumbens of rats. 2008 , 151, 43-7	13
179	Nocistatin and nociceptin given centrally induce opioid-mediated gastric mucosal protection. 2008 , 29, 2257-65	16
178	Presynaptic inhibition of glutamate release by neuropeptides: use-dependent synaptic modification. 2008 , 44, 177-200	24
177	Role of amygdaloid nuclei in the anxiolytic-like effect of nociceptin/orphanin FQ in rats. 2008 , 431, 66-70	22
176	Signaling complexes of voltage-gated calcium channels and G protein-coupled receptors. 2008 , 28, 71-81	25
175	Nociceptin receptor impairs recognition memory via interaction with NMDA receptor-dependent mitogen-activated protein kinase/extracellular signal-regulated kinase signaling in the hippocampus. 2008 , 28, 2190-8	57
174	Chronic intracerebroventricular infusion of nociceptin/orphanin FQ produces body weight gain by affecting both feeding and energy metabolism in mice. 2009 , 150, 2668-73	28
173	Nociceptin/orphanin FQ and NOP receptor gene regulation after acute or repeated social defeat stress. <i>Neuropeptides</i> , 2009 , 43, 507-14	3-3 37
172	The nociceptin system and hippocampal cognition in mice: a pharmacological and genetic analysis. 2009 , 1305 Suppl, S7-19	26
171	Distinct effects of nociceptin analogs on scopolamine-induced memory impairment in mice. 2009 , 602, 328-33	3
170	Nociceptin receptor antagonist JTC-801 inhibits nitrous oxide-induced analgesia in mice. 2009 , 23, 301-3	7
169	Central administration of Orphanin FQ inhibits GnRH secretion by ORL1 receptor in the median eminence of freely moving ovariectomized rats. 2009 , 25, 1-6	5
168	Receptor mediation and nociceptin inhibition of bradykinin-induced plasma extravasation in the knee joint of the rat. 2009 , 58, 873-80	2
167	Endogenous nociceptin / orphanin FQ system involvement in hypothalamic-pituitary-adrenal axis responses: relevance to models of inflammation. 2009 , 21, 888-97	30
166	Activation of nociceptin opioid peptide (NOP) receptor impairs contextual fear learning in mice through glutamatergic mechanisms. 2009 , 91, 393-401	34
165	The hypothalamus-pituitary-adrenal axis does not influence the protective effects of nociceptin/orphanin FQ on the rat gastric mucosa. 2009 , 154, 32-8	3
164	Endogenous nociceptin modulates diet preference independent of motivation and reward. 2009 , 97, 1-13	24

163	Nociceptin/orphanin FQ suppresses adaptive immune responses in vivo and at picomolar levels in vitro. 2010 , 5, 143-54		16
162	Medial forebrain stimulation enhances intracranial nociception and attenuates morphine analgesia suggesting the existence of an endogenous opioid antagonist. 2010 , 95, 273-7		2
161	Neuropeptides in learning and memory processes with focus on galanin. 2010 , 626, 9-17		66
160	Role of innate and drug-induced dysregulation of brain stress and arousal systems in addiction: Focus on corticotropin-releasing factor, nociceptin/orphanin FQ, and orexin/hypocretin. 2010 , 1314, 145-61		91
159	Brain interstitial nociceptin/orphanin FQ levels are elevated in Parkinson's disease. 2010 , 25, 1723-32		34
158	Nociceptin/orphanin FQ peptide in hypothalamic neurones associated with the control of feeding behaviour. 2010 , 22, 75-82		30
157	Neuropeptide-mediated calcium signaling in the suprachiasmatic nucleus network. 2010 , 32, 1497-506		28
156	The nociceptin/orphanin FQ system as a target for treating alcoholism. 2010 , 9, 87-93		26
155	Recently patented and promising ORL-1 ligands: where have we been and where are we going?. 2010 , 20, 291-305		30
154	Heterodimerization of ORL1 and opioid receptors and its consequences for N-type calcium channel regulation. 2010 , 285, 1032-40		68
153	Nociceptin/orphanin FQ and the regulation of neuronal excitability in the rat bed nucleus of the stria terminalis: interaction with glucocorticoids. 2010 , 13, 516-27		13
152	Orphanin FQ/nociceptin not only blocks but also reverses behavioral adaptive changes induced by repeated cocaine in mice. 2010 , 68, 223-30		20
151	Swim stress enhances nociceptin/orphanin FQ-induced inhibition of rat dorsal raphe nucleus activity in vivo and in vitro: role of corticotropin releasing factor. <i>Neuropharmacology</i> , 2010 , 58, 457-64	5.5	23
150	Somatostatin and nociceptin inhibit neurons in the central nucleus of amygdala that project to the periaqueductal grey. <i>Neuropharmacology</i> , 2010 , 59, 425-30	5.5	18
149	MPTP treatment increases expression of pre-pro-nociceptin/orphanin FQ mRNA in a subset of substantia nigra reticulata neurons. 2010 , 169, 269-78		17
148	Nociceptin and its metabolite attenuate U0126-induced memory impairment through a nociceptin opioid peptide (NOP) receptor-independent mechanism. 2010 , 93, 396-405		5
147	Peripheral infusion of nociceptin/orphanin FQ influences the response of rat gastric and colonic mucosa to repeated stress. 2010 , 160, 49-56		7
146	The Opiate Receptors. 2011 ,		8

145	Long-term peripheral infusion of nociceptin/orphanin FQ promotes hyperplasia, activation and migration of mucosal mast cells in the rat gastric fundus. 2011 , 32, 729-36		6
144	Direct inhibition of hypocretin/orexin neurons in the lateral hypothalamus by nociceptin/orphanin FQ blocks stress-induced analgesia in rats. <i>Neuropharmacology</i> , 2011 , 60, 543-9	5.5	30
143	Contributions of serotonin in addiction vulnerability. <i>Neuropharmacology</i> , 2011 , 61, 421-32	5.5	105
142	NOP Receptor Ligands as Potential Agents for Inflammatory and Autoimmune Diseases. 2011 , 2011, 836569		16
141	The nociceptin/orphanin FQ receptor (NOP) as a target for drug abuse medications. 2011 , 11, 1151-6		58
140	Neuroadaptation of GABAergic transmission in the central amygdala during chronic morphine treatment. 2011 , 16, 551-64		15
139	Nociceptin/orphanin FQ suppresses the excitability of neurons in the ventromedial nucleus of the hypothalamus. 2011 , 589, 3103-14		27
138	Gender differences in Nociceptin/Orphanin FQ-induced food intake in strains derived from rats prone (WOKW) and resistant (Dark Agouti) to metabolic syndrome: a possible involvement of the cocaine- and amphetamine-regulated transcript system. 2011 , 6, 197-202		10
137	Narcolepsy. 2011 ,		2
136	GIRK channel-mediated inhibition of melanin-concentrating hormone neurons by nociceptin/orphanin FQ. <i>Journal of Neurophysiology</i> , 2011 , 105, 1179-84	3.2	17
135	Nociceptin/orphanin FQ receptor agonists attenuate L-DOPA-induced dyskinesias. 2012 , 32, 16106-19		34
134	Mapping pain activation and connectivity of the human habenula. <i>Journal of Neurophysiology</i> , 2012 , 107, 2633-48	3.2	71
133	Unmasking the mysteries of the habenula in pain and analgesia. 2012 , 96, 208-19		70
132	Kainic acid-induced changes in the opioid/nociceptin system and the stress/toxicity pathways in the rat hippocampus. 2012 , 60, 555-64		5
131	Role of nociceptin/orphanin FQ and NOP receptors in the response to acute and repeated restraint stress in rats. 2012 , 24, 1527-41		30
130	Stress-related neuropeptides and addictive behaviors: beyond the usual suspects. <i>Neuron</i> , 2012 , 76, 192-208	3.5	80
129	Nociceptin/orphanin FQ blockade of corticotropin-releasing factor-induced gamma-aminobutyric acid release in central amygdala is enhanced after chronic ethanol exposure. 2012 , 71, 666-76		63
128	The central amygdala and alcohol: role of GABAergic, glutamate, and neuropeptides. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2012 , 2, a012195	5.4	86

127	Effect of stress on hippocampal nociceptin expression in the rat. 2012 , 15, 378-84		33
126	Morphine history sensitizes postsynaptic GABA receptors on dorsal raphe serotonin neurons in a stress-induced relapse model in rats. 2012 , 37, 859-70		18
125	Neuropeptide modulation of central amygdala neuroplasticity is a key mediator of alcohol dependence. <i>Neuroscience and Biobehavioral Reviews</i> , 2012 , 36, 873-88	9	63
124	Modification of anxiety-like behaviors by nociceptin/orphanin FQ (N/OFQ) and time-dependent changes in N/OFQ-NOP gene expression following ethanol withdrawal. 2013 , 18, 467-79		35
123	Caloric restriction increases the sensitivity to the hyperphagic effect of nociceptin/orphanin FQ limiting its ability to reduce binge eating in female rats. <i>Psychopharmacology</i> , 2013 , 228, 53-63	4-7	33
122	Ghrelin, neuropeptide Y, and other feeding-regulatory peptides active in the hippocampus: role in learning and memory. 2013 , 71, 541-61		51
121	Evidence that orphanin FQ mediates progesterone negative feedback in the ewe. 2013 , 154, 4249-58		11
120	Nocistatin inhibits pregnant rat uterine contractions in vitro: roles of calcitonin gene-related peptide and calcium-dependent potassium channel. 2013 , 714, 96-104		8
119	The effects of new nociceptin analogs on the behavior of white rats. 2013 , 449, 85-8		2
118	Neuropeptide orphanin FQ inhibits dendritic morphogenesis through activation of RhoA. 2013 , 73, 769-84		15
117	Protective and worsening peripheral nociceptin/orphanin FQ receptor-mediated effect in a rat model of experimental colitis. 2013 , 70, 72-9		14
116	Pharmacological and genetic evidence for pre- and postsynaptic D2 receptor involvement in motor responses to nociceptin/orphanin FQ receptor ligands. <i>Neuropharmacology</i> , 2013 , 72, 126-38	5-5	13
115	Nociceptin/orphanin FQ receptor antagonists as innovative antidepressant drugs. <i>Pharmacology & Therapeutics</i> , 2013 , 140, 10-25	13,9	67
114	Kainic acid-induced seizure activity alters the mRNA expression and G-protein activation of the opioid/nociceptin receptors in the rat brain cortex. 2013 , 105, 13-9		9
113	Deciphering intracellular localization and physiological role of nociceptin and nocistatin. 2013 , 43, 174-83		7
112	Retrodialysis of N/OFQ into the nucleus accumbens shell blocks cocaine-induced increases in extracellular dopamine and locomotor activity. 2013 , 699, 200-6		28
111	The role of NOP receptors in psychomotor stimulation and locomotor sensitization induced by cocaine and amphetamine in mice. 2013 , 707, 41-5		10
110	Pharmacological Investigation of NOP-Related Ligands as Analgesics without Abuse Liability. 2013 , 393-416		6

109	A Review of the NOP (ORL-1)-Nociceptin/Orphanin FQ System Covering Receptor Structure, Distribution, Role in Analgesia and Reward and Interactions with Other Receptors. 2013 , 327-368		5
108	Pharmacology of Mixed NOP/Mu Ligands. 2013 , 369-391		1
107	Medicinal Chemistry, Pharmacology, and Biological Actions of Peptide Ligands Selective for the Nociceptin/Orphanin FQ Receptor. 2013 , 275-325		16
106	Nociceptin/Orphanin FQ. 2013 , 1577-1585		4
105	Effects of co-administration of intrathecal nociceptin/orphanin FQ and opioid antagonists on formalin-induced pain in rats. 2013 , 54, 763-71		6
104	The Neurobiology of Reward and Stress and Its Relevance for Understanding Drug-Seeking and Dependence Symptomatology. 2014 ,		
103	Pharmacogenomic study of the role of the nociceptin/orphanin FQ receptor and opioid receptors in diabetic hyperalgesia. 2014 , 741, 264-71		9
102	Functional plasticity of the N/OFQ-NOP receptor system determines analgesic properties of NOP receptor agonists. <i>British Journal of Pharmacology</i> , 2014 , 171, 3777-800	8.6	87
101	Nociceptin/orphanin FQ-induced inhibition of delayed rectifier potassium currents by calcium/calmodulin-dependent protein kinase type II. 2014 , 25, 1227-31		2
100	Restraint stress alters nociceptin/orphanin FQ and CRF systems in the rat central amygdala: significance for anxiety-like behaviors. 2014 , 34, 363-72		68
99	The role of the opioid system in alcohol dependence. <i>Journal of Psychopharmacology</i> , 2014 , 28, 8-22	4.6	53
98	The biology of Nociceptin/Orphanin FQ (N/OFQ) related to obesity, stress, anxiety, mood, and drug dependence. <i>Pharmacology & Therapeutics</i> , 2014 , 141, 283-99	13.9	135
97	Neurotransmitter map of the asymmetric dorsal habenular nuclei of zebrafish. 2014 , 52, 636-55		40
96	Involvement of neurotransmitters in the action of the nociceptin/orphanin FQ peptide-receptor system on passive avoidance learning in rats. 2014 , 39, 1477-83		2
95	Supraspinal actions of nociceptin/orphanin FQ, morphine and substance P in regulating pain and itch in non-human primates. <i>British Journal of Pharmacology</i> , 2015 , 172, 3302-12	8.6	41
94	Synthesis and biological activity of small peptides as NOP and opioid receptors ligands: view on current developments. <i>Vitamins and Hormones</i> , 2015 , 97, 123-46	2.5	0
93	Small-molecule nociceptin receptor agonist ameliorates mast cell activation and pain in sickle mice. 2015 , 100, 1517-25		33
92	The neuronal circuit between nociceptin/orphanin FQ and hypocretins/orexins coordinately modulates stress-induced analgesia and anxiety-related behavior. <i>Vitamins and Hormones</i> , 2015 , 97, 295-321	2.5	3

91	Nociceptin/orphanin-FQ modulation of learning and memory. <i>Vitamins and Hormones</i> , 2015 , 97, 323-45	2.5	5
90	Nociceptin/orphanin FQ induces simultaneously anxiolytic and amnesic effects in the mouse elevated T-maze task. 2015 , 388, 33-41		7
89	Endogenous nociceptin system involvement in stress responses and anxiety behavior. <i>Vitamins and Hormones</i> , 2015 , 97, 267-93	2.5	4
88	Nociceptin/orphanin FQ-NOP receptor system in inflammatory and immune-mediated diseases. <i>Vitamins and Hormones</i> , 2015 , 97, 241-66	2.5	15
87	The Vestibular System. 2015 , 805-864		16
86	Neuropeptide regulation of signaling and behavior in the BNST. 2015 , 38, 1-13		56
85	Pathophysiology of L-dopa-induced motor and non-motor complications in Parkinson disease. 2015 , 132, 96-168		282
84	Orphanin FQ-ORL-1 regulation of reproduction and reproductive behavior in the female. <i>Vitamins and Hormones</i> , 2015 , 97, 187-221	2.5	7
83	Role of nociceptin/orphanin FQ in thermoregulation. <i>Neuropeptides</i> , 2015 , 50, 51-6	3.3	10
82	Mechanical hyperalgesia in rats with diabetic polyneuropathy is selectively inhibited by local peripheral nociceptin/orphanin FQ receptor and μ -opioid receptor agonism. 2015 , 754, 61-5		23
81	Neuropeptides: metabolism to bioactive fragments and the pharmacology of their receptors. 2015 , 35, 464-519		46
80	A Novel, Orally Bioavailable Nociceptin Receptor Antagonist, LY2940094, Reduces Ethanol Self-Administration and Ethanol Seeking in Animal Models. 2016 , 40, 945-54		41
79	Central N/OFQ-NOP Receptor System in Pain Modulation. 2016 , 75, 217-43		41
78	A key role for the N/OFQ-NOP receptor system in modulating nicotine taking in a model of nicotine and alcohol co-administration. 2016 , 6, 26594		22
77	Nociceptin receptor antagonist SB 612111 decreases high fat diet binge eating. <i>Behavioural Brain Research</i> , 2016 , 307, 25-34	3.4	23
76	Nociceptin receptor activation does not alter acquisition, expression, extinction and reinstatement of conditioned cocaine preference in mice. 2016 , 1632, 34-41		9
75	Proof-of-Concept Study to Assess the Nociceptin Receptor Antagonist LY2940094 as a New Treatment for Alcohol Dependence. 2016 , 40, 1935-44		28
74	The nociceptin/orphanin FQ receptor agonist SR-8993 as a candidate therapeutic for alcohol use disorders: validation in rat models. <i>Psychopharmacology</i> , 2016 , 233, 3553-63	4.7	21

73	The Nociceptin Receptor as an Emerging Molecular Target for Cocaine Addiction. 2016 , 137, 149-81		12
72	Genetic and pharmacological evidence that endogenous nociceptin/orphanin FQ contributes to dopamine cell loss in Parkinson's disease. 2016 , 89, 55-64		20
71	Nociceptin/Orphanin FQ Receptor Structure, Signaling, Ligands, Functions, and Interactions with Opioid Systems. 2016 , 68, 419-57		166
70	Nociceptin/Orphanin FQ Inhibits the Survival and Axon Growth of Midbrain Dopaminergic Neurons Through a p38-MAPK Dependent Mechanism. 2016 , 53, 7284-7297		9
69	Interhemispheric connections between the infralimbic and entorhinal cortices: The endopiriform nucleus has limbic connections that parallel the sensory and motor connections of the claustrum. <i>Journal of Comparative Neurology</i> , 2017 , 525, 1363-1380	3-4	17
68	Antinociceptive action of NOP and opioid receptor agonists in the mouse orofacial formalin test. 2017 , 94, 71-77		13
67	A Novel and Selective Nociceptin Receptor (NOP) Agonist (1-(1-((cis)-4-isopropylcyclohexyl)piperidin-4-yl)-1H-indol-2-yl)methanol (AT-312) Decreases Acquisition of Ethanol-Induced Conditioned Place Preference in Mice. 2018 , 42, 461-471		14
66	Regulation of the Genes Encoding the ppN/OFQ and NOP Receptor. <i>Handbook of Experimental Pharmacology</i> , 2019 , 254, 141-162	3-2	3
65	The Nociceptin/Orphanin FQ System and the Regulation of Memory. <i>Handbook of Experimental Pharmacology</i> , 2019 , 254, 259-278	3-2	5
64	The Nociceptin Receptor (NOP) Agonist AT-312 Blocks Acquisition of Morphine- and Cocaine-Induced Conditioned Place Preference in Mice. <i>Frontiers in Psychiatry</i> , 2018 , 9, 638	5	16
63	NOP Ligands for the Treatment of Anxiety and Mood Disorders. <i>Handbook of Experimental Pharmacology</i> , 2019 , 254, 233-257	3-2	10
62	Extranuclear signaling by ovarian steroids in the regulation of sexual receptivity. 2018 , 104, 4-14		10
61	NOP agonists prevent the antidepressant-like effects of nortriptyline and fluoxetine but not R-ketamine. <i>Psychopharmacology</i> , 2018 , 235, 3093-3102	4-7	15
60	Nociceptin/orphanin FQ receptor agonists increase aggressiveness in the mouse resident-intruder test. <i>Behavioural Brain Research</i> , 2019 , 356, 120-126	3-4	6
59	Environmental stressors and alcoholism development: Focus on molecular targets and their epigenetic regulation. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 106, 165-181	9	11
58	Limbic circuit connectivity and the stress response: New insights into the mammalian nociceptin peptide system. <i>Vitamins and Hormones</i> , 2019 , 111, 131-145	2-5	
57	Modulation of the NOP receptor signaling affects resilience to acute stress. <i>Journal of Psychopharmacology</i> , 2019 , 33, 1540-1549	4-6	11
56	Cellular Mechanisms for Antinociception Produced by Oxytocin and Orexins in the Rat Spinal Lamina II-Comparison with Those of Other Endogenous Pain Modulators. <i>Pharmaceuticals</i> , 2019 , 12,	5-2	3

55	Role of nociceptin/orphanin FQ and nociceptin opioid peptide receptor in depression and antidepressant effects of nociceptin opioid peptide receptor antagonists. <i>Korean Journal of Physiology and Pharmacology</i> , 2019 , 23, 427-448	1.8	5
54	NOP-Related Mechanisms in Pain and Analgesia. <i>Handbook of Experimental Pharmacology</i> , 2019 , 254, 165-186	3.2	10
53	A Motivational and Neuropeptidergic Hub: Anatomical and Functional Diversity within the Nucleus Accumbens Shell. <i>Neuron</i> , 2019 , 102, 529-552	13.9	65
52	Central Amygdala Prepronociceptin-Expressing Neurons Mediate Palatable Food Consumption and Reward. <i>Neuron</i> , 2019 , 102, 1037-1052.e7	13.9	41
51	Targeting opioid dysregulation in depression for the development of novel therapeutics. <i>Pharmacology & Therapeutics</i> , 2019 , 201, 51-76	13.9	37
50	Agonist-selective NOP receptor phosphorylation correlates in vitro and in vivo and reveals differential post-activation signaling by chemically diverse agonists. <i>Science Signaling</i> , 2019 , 12,	8.8	22
49	Cutting-Edge Search for Safer Opioid Pain Relief: Retrospective Review of Salvinorin A and Its Analogs. <i>Frontiers in Psychiatry</i> , 2019 , 10, 157	5	9
48	Bifunctional opioid receptor ligands as novel analgesics. <i>Neuropharmacology</i> , 2019 , 151, 195-207	5.5	16
47	NOP-Related Mechanisms in Substance Use Disorders. <i>Handbook of Experimental Pharmacology</i> , 2019 , 254, 187-212	3.2	20
46	Short-term withdrawal from repeated exposure to cocaine during adolescence modulates dynorphin mRNA levels and BDNF signaling in the rat nucleus accumbens. <i>Drug and Alcohol Dependence</i> , 2019 , 197, 127-133	4.9	5
45	Transcriptional profile of spinal dynorphin-lineage interneurons in the developing mouse. <i>Pain</i> , 2019 , 160, 2380-2397	8	10
44	The relationship between the claustrum and endopiriform nucleus: A perspective towards consensus on cross-species homology. <i>Journal of Comparative Neurology</i> , 2019 , 527, 476-499	3.4	35
43	Gene expression and neurochemical characterization of the rostromedial tegmental nucleus (RMTg) in rats and mice. <i>Brain Structure and Function</i> , 2019 , 224, 219-238	4	24
42	NOP receptor antagonism reduces alcohol drinking in male and female rats through mechanisms involving the central amygdala and ventral tegmental area. <i>British Journal of Pharmacology</i> , 2020 , 177, 1525-1537	8.6	15
41	Managing Parkinson's disease: moving ON with NOP. <i>British Journal of Pharmacology</i> , 2020 , 177, 28-47	8.6	4
40	Opioid receptor modulation of neural circuits in depression: What can be learned from preclinical data?. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 108, 658-678	9	12
39	Nociceptin/orphanin FQ peptide receptor mediates inhibition of N-type calcium currents in vestibular afferent neurons of the rat. <i>Journal of Neurophysiology</i> , 2020 , 124, 1605-1614	3.2	1
38	Prepronociceptin-Expressing Neurons in the Extended Amygdala Encode and Promote Rapid Arousal Responses to Motivationally Salient Stimuli. <i>Cell Reports</i> , 2020 , 33, 108362	10.6	13

37	Neprilysin Controls the Synaptic Activity of Neuropeptides in the Intercalated Cells of the Amygdala. <i>Molecular Pharmacology</i> , 2020 , 98, 454-461	4.3	2
36	Effects of non-peptide nociceptin/orphanin FQ receptor ligands on methylphenidate-induced hyperactivity in mice: Implications for bipolar disorders. <i>Neuropeptides</i> , 2020 , 82, 102059	3.3	1
35	Blockade of NOP receptor modulates anxiety-related behaviors in mice exposed to inescapable stress. <i>Psychopharmacology</i> , 2020 , 237, 1633-1642	4.7	7
34	Nociceptin attenuates the escalation of oxycodone self-administration by normalizing CeA-GABA transmission in highly addicted rats. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 2140-2148	11.5	15
33	Therapeutic potentials of NOP and MOP receptor coactivation for the treatment of pain and opioid abuse. <i>Journal of Neuroscience Research</i> , 2020 ,	4.4	18
32	NOP receptor agonist attenuates nitroglycerin-induced migraine-like symptoms in mice. <i>Neuropharmacology</i> , 2020 , 170, 108029	5.5	6
31	The Role of the Central Amygdala in Alcohol Dependence. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2021 , 11,	5.4	27
30	Pituitary neuropeptides and B lymphocyte function. <i>Scandinavian Journal of Immunology</i> , 2021 , 94, e13041	4.1	0
29	N/OFQ modulates orofacial pain induced by tooth movement through CGRP-dependent pathways. <i>BMC Neuroscience</i> , 2021 , 22, 25	3.2	0
28	The NOP Receptor System in Neurological and Psychiatric Disorders: Discrepancies, Peculiarities and Clinical Progress in Developing Targeted Therapies. <i>CNS Drugs</i> , 2021 , 35, 591-607	6.7	2
27	Behavioral Responses and Expression of Nociceptin/Orphanin FQ and Its Receptor (N/OFQ-NOP System) during Experimental Tooth Movement in Rats. <i>Pain Research and Management</i> , 2021 , 2021, 9981732	2.6	0
26	NOP receptor antagonism attenuates reinstatement of alcohol-seeking through modulation of the mesolimbic circuitry in male and female alcohol-preferring rats. <i>Neuropsychopharmacology</i> , 2021 , 46, 2121-2131	8.7	1
25	Therapeutic potential of nociceptin/orphanin FQ peptide (NOP) receptor modulators for treatment of traumatic brain injury, traumatic stress, and their co-morbidities. <i>Pharmacology & Therapeutics</i> , 2021 , 231, 107982	13.9	0
24	The Neurochemistry of Limbic-Hypothalamic Circuits Regulating Sexual Receptivity. 2007 , 151-193		8
23	Neurotransmitters in the Nucleus Tractus Solitarius Mediating Cardiovascular Function. 2004 , 81-98		12
22	Endogenous Opioids. 2011 , 93-120		2
21	Voltage-Gated Calcium Channels in Nociception. <i>Springer Series in Biophysics</i> , 2008 , 267-298		2
20	Neurochemical Basis of Electroacupuncture Analgesia on Acute and Chronic Pain. 2010 , 194-225		1

19	Pharmacology of the vestibular system. <i>Current Opinion in Neurology</i> , 2000 , 13, 31-7	7.1	21
18	Extrahypothalamic GABAergic nociceptin-expressing neurons regulate AgRP neuron activity to control feeding behavior. <i>Journal of Clinical Investigation</i> , 2020 , 130, 126-142	15.9	7
17	Hypocretin/orexin and nociceptin/orphanin FQ coordinately regulate analgesia in a mouse model of stress-induced analgesia. <i>Journal of Clinical Investigation</i> , 2008 , 118, 2471-81	15.9	63
16	Nociceptin/Orphanin-FQ Inhibits Gonadotropin-Releasing Hormone Neurons via G-Protein-Gated Inwardly Rectifying Potassium Channels. <i>ENeuro</i> , 2018 , 5,	3.9	6
15	MULTIPLE SITES OF ACTION IN THE INHIBITORY EFFECT OF NOCICEPTIN ON THE MICTURITION REFLEX. <i>Journal of Urology</i> , 2000 , 638	2.5	
14	Nociceptin (NOC; Orphanin FQ).		
13	Nociceptin. 2006 , 1351-1357		
12	Opioidergic Transmission in the Dorsal Horn. 2009 , 139-173		1
11	PEPTIDES Dynorphin and Nociceptin/Orphanin FQ. 2009 , 1085-1089		
10	Afferent Control of the Hypocretin/Orexin Neurons. 2011 , 153-162		
9	Prepronociceptin expressing neurons in the extended amygdala encode and promote rapid arousal responses to motivationally salient stimuli.		1
8	Role of Nociceptin/Orphanin FQ-NOP Receptor System in the Regulation of Stress-Related Disorders. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
7	The NOP antagonist BTRX-246040 increases stress resilience in mice without affecting adult neurogenesis in the hippocampus.. <i>Neuropharmacology</i> , 2022 , 212, 109077	5.5	
6	Rostromedial tegmental nucleus nociceptin/orphanin FQ (N/OFQ) signaling regulates anxiety- and depression-like behaviors in alcohol withdrawn rats.		0
5	Neurotransmitters. 2022 , 69-105		0
4	Regulation of N-type calcium channels by nociceptin receptors and its possible role in neurological disorders. 2022 , 15,		0
3	Bed Nucleus of Stria Terminalis (BNST) circuits. 2023 , 321-372		0
2	Ventral pallidal regulation of motivated behaviors and reinforcement. 17,		0

- 1 Molecular and Epigenetic Aspects of Opioid Receptors in Drug Addiction and Pain Management in Sport. **2023**, 24, 7831

o