

CITATION REPORT

List of articles citing

Covariation of activity in habenula and dorsal raph nuclei following tryptophan depletion

DOI: 10.1006/nimg.1999.0455
NeuroImage, 1999, 10, 163-72.

Source: <https://exaly.com/paper-pdf/30659135/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
227	Mood and cerebral perfusion revisited. 2000 , 12, 87-92		1
226	Interaction of prefrontal cortical and hypothalamic systems in the pathogenesis of depression. 2000 , 126, 369-96		50
225	Distribution of the messenger RNA for the small conductance calcium-activated potassium channel SK3 in the adult rat brain and correlation with immunoreactivity. 2001 , 102, 209-15		62
224	The role of the brain reward system in depression. 2001 , 25, 781-823		181
223	Imaging the serotonergic system in depression. 2001 , 251, 76-80		14
222	Tryptophan depletion and its implications for psychiatry. 2001 , 178, 399-405		213
221	Brain Imaging in Mood Disorders. 815-828		1
220	White matter injury, neural connectivity and the pathophysiology of psychiatric disorders. 2002 , 24, 255-61		39
219	Substance P (neurokinin 1) receptor antagonists enhance dorsal raphe neuronal activity. 2002 , 22, 7730-6		76
218	Antidepressant-like profile and reduced sensitivity to rolipram in mice deficient in the PDE4D phosphodiesterase enzyme. 2002 , 27, 587-95		171
217	The effects of tryptophan depletion on cognitive and affective processing in healthy volunteers. 2002 , 163, 42-53		194
216	Opposite metabolic changes in the habenula and ventral tegmental area of a genetic model of helpless behavior. 2003 , 963, 274-81		179
215	Electrophysiological evidence for convergence of inputs from the medial prefrontal cortex and lateral habenula on single neurons in the dorsal raphe nucleus. 2003 , 17, 280-6		108
214	Brain systems underlying susceptibility to helplessness and depression. 2003 , 2, 198-221		104
213	Altered anxiety-related responses in mutant mice lacking the beta4 subunit of the nicotinic receptor. 2003 , 23, 6255-63		130
212	Functional Neuroanatomy of Human Emotion. 2004 , 365-396		1
211	Ionic mechanism of long-lasting discharges of action potentials triggered by membrane hyperpolarization in the medial lateral habenula. 2004 , 24, 2172-81		35

210	Functional Imaging of Cognitive Psychopharmacology. 2004 , 303-327		1
209	Neural and behavioral responses to tryptophan depletion in unmedicated patients with remitted major depressive disorder and controls. 2004 , 61, 765-73		209
208	Dendritic morphology, local circuitry, and intrinsic electrophysiology of neurons in the rat medial and lateral habenular nuclei of the epithalamus. 2005 , 483, 236-50		114
207	Tryptophan depletion reduces right inferior prefrontal activation during response inhibition in fast, event-related fMRI. 2005 , 179, 791-803		134
206	Olanzapine plus venlafaxine in treatment-resistant depression. 2005 , 19, 434-5		7
205	Circadian firing-rate rhythms and light responses of rat habenular nucleus neurons in vivo and in vitro. 2005 , 132, 519-28		114
204	Acute tryptophan depletion reduces activation in the right hippocampus during encoding in an episodic memory task. <i>NeuroImage</i> , 2006 , 31, 1188-96	7.9	32
203	Association, commissural, and projection pathways and their functional deficit reported in literature. 2006 , 30, 695-715		94
202	Mapping of the habenulo-interpeduncular pathway in living mice using manganese-enhanced 3D MRI. 2006 , 24, 209-15		20
201	The effect of acute tryptophan depletion on the BOLD response during performance monitoring and response inhibition in healthy male volunteers. 2006 , 187, 200-8		58
200	Effect of acute tryptophan depletion on pre-frontal engagement. 2006 , 187, 486-97		36
199	Neuroimaging and electrophysiological studies of the effects of acute tryptophan depletion: a systematic review of the literature. 2006 , 188, 131-43		43
198	Anterior cingulate and subgenual prefrontal blood flow changes following tryptophan depletion in healthy males. 2006 , 31, 1757-67		55
197	A sex-specific role of type VII adenylyl cyclase in depression. 2006 , 26, 12609-19		34
196	Deep brain stimulation of the lateral habenula in treatment resistant major depression. 2007 , 69, 1305-8		197
195	Mood is indirectly related to serotonin, norepinephrine and dopamine levels in humans: a meta-analysis of monoamine depletion studies. <i>Molecular Psychiatry</i> , 2007 , 12, 331-59	15.1	549
194	Prefrontal cortical functional abnormality in major depressive disorder: a stereotactic meta-analysis. 2007 , 101, 1-11		74
193	Decreased anxiety-like behavior in beta3 nicotinic receptor subunit knockout mice. 2007 , 87, 146-57		41

192	Habenula: crossroad between the basal ganglia and the limbic system. 2008 , 28, 11825-9		307
191	Serotonin transporter genotype and depressive phenotype determination by discriminant analysis of glucose metabolism under acute tryptophan depletion. <i>NeuroImage</i> , 2008 , 43, 764-74	7.9	15
190	The lateral habenula: no longer neglected. 2008 , 13, 484-9		125
189	GPR3 receptor, a novel actor in the emotional-like responses. 2009 , 4, e4704		51
188	The habenular nuclei: a conserved asymmetric relay station in the vertebrate brain. 2009 , 364, 1005-20		237
187	Pretreatment regional brain glucose uptake in the midbrain on PET may predict remission from a major depressive episode after three months of treatment. 2009 , 173, 63-70		42
186	Topographic commissural and descending projections of the habenula in the rat. 2009 , 513, 173-87		59
185	Effects of acute tryptophan depletion on memory, attention and executive functions: a systematic review. 2009 , 33, 926-52		117
184	Activation of the septohippocampal system differentiates anxiety from fear in startle paradigms. 2009 , 163, 1046-60		24
183	The effects of tryptophan depletion on neural responses to emotional words in remitted depression. 2009 , 66, 441-50		92
182	The bright side of being blue: depression as an adaptation for analyzing complex problems. 2009 , 116, 620-54		358
181	Serotonergic neurotransmission and lapses of attention in children and adolescents with attention deficit hyperactivity disorder: availability of tryptophan influences attentional performance. 2010 , 13, 933-41		22
180	Metabolic mapping of the effects of the antidepressant fluoxetine on the brains of congenitally helpless rats. 2010 , 1343, 218-25		19
179	The habenula: from stress evasion to value-based decision-making. <i>Nature Reviews Neuroscience</i> , 2010 , 11, 503-13	13.5	632
178	Deep brain stimulation in clinical trials and animal models of depression. 2010 , 32, 1109-17		52
177	The Etiology of Depression in Parkinson's Disease. 2010 ,		
176	BOLD Responses to Negative Reward Prediction Errors in Human Habenula. 2010 , 4, 36		85
175	Diencephalon: Hypothalamus and epithalamus. 140-155		

174	Evidence for structural abnormalities of the human habenular complex in affective disorders but not in schizophrenia. 2010 , 40, 557-67	119
173	Remission of major depression under deep brain stimulation of the lateral habenula in a therapy-refractory patient. 2010 , 67, e9-e11	433
172	Reward and the serotonergic system. 2010 , 166, 1023-35	189
171	Habenula volume in bipolar disorder and major depressive disorder: a high-resolution magnetic resonance imaging study. 2011 , 69, 336-43	124
170	Pharmacological inhibition of the lateral habenula improves depressive-like behavior in an animal model of treatment resistant depression. 2011 , 216, 463-5	113
169	Phylogeny and ontogeny of the habenular structure. <i>Frontiers in Neuroscience</i> , 2011 , 5, 138	5.1 69
168	Are 5-HT Levels Increased in Depression?. 2011 , 7, 19-24	
167	Beyond Depression: Towards a Process-Based Approach to Research, Diagnosis, and Treatment. 2011 , 18, 275-299	31
166	Synaptic potentiation onto habenula neurons in the learned helplessness model of depression. 2011 , 470, 535-9	416
165	Time series fMRI measures detect changes in pontine raph following acute tryptophan depletion. 2011 , 191, 112-21	14
164	Mesolimbic effects of the antidepressant fluoxetine in Holtzman rats, a genetic strain with increased vulnerability to stress. 2011 , 1387, 71-84	17
163	The inhibitory influence of the lateral habenula on midbrain dopamine cells: ultrastructural evidence for indirect mediation via the rostromedial mesopontine tegmental nucleus. 2011 , 519, 1143-64	162
162	Morphologic and immunohistochemical organization of the human habenular complex. 2011 , 519, 3727-47	24
161	Neurostimulation therapies for treatment resistant depression: a focus on vagus nerve stimulation and deep brain stimulation. 2011 , 23, 424-36	31
160	Phosphorylation of MeCP2 at Ser421 contributes to chronic antidepressant action. 2012 , 32, 14355-63	42
159	Deep brain stimulation for treatment-resistant depression: efficacy, safety and mechanisms of action. 2012 , 36, 1920-33	99
158	Mapping pain activation and connectivity of the human habenula. 2012 , 107, 2633-48	71
157	Unmasking the mysteries of the habenula in pain and analgesia. 2012 , 96, 208-19	70

156	Patterning and compartment formation in the diencephalon. <i>Frontiers in Neuroscience</i> , 2012 , 6, 66	5.1	20
155	Prediction of SSRI treatment response in major depression based on serotonin transporter interplay between median raphe nucleus and projection areas. <i>NeuroImage</i> , 2012 , 63, 874-81	7.9	99
154	The mast cell-nerve functional unit: a key component of physiologic and pathophysiologic responses. 2012 , 98, 196-221		75
153	Topography of descending projections from anterior insular and medial prefrontal regions to the lateral habenula of the epithalamus in the rat. 2012 , 35, 1253-69		70
152	The habenula couples the dopaminergic and the serotonergic systems: application to depression in Parkinson's disease. 2012 , 36, 2822-9		41
151	Differential projections from the lateral habenula to the rostromedial tegmental nucleus and ventral tegmental area in the rat. 2012 , 520, 1278-300		85
150	Towards a Theoretical Neuroscience: from Cell Chemistry to Cognition. 2013 ,		4
149	Chronic mild stress for modeling anhedonia. 2013 , 354, 155-69		94
148	CaMKII in lateral habenula mediates core symptoms of depression. 2013 , 341, 1016-20		246
147	The moderating influence of nicotine and smoking on resting-state mood and EEG changes in remitted depressed patients during tryptophan depletion. 2013 , 94, 545-55		4
146	The neurobiology of depression and antidepressant action. 2013 , 37, 2331-71		315
145	Neural correlates of rapid antidepressant response to ketamine in treatment-resistant unipolar depression: a preliminary positron emission tomography study. 2013 , 73, 1213-21		121
144	Oscillatory serotonin function in depression. 2013 , 67, 801-20		18
143	Defining the habenula in human neuroimaging studies. <i>NeuroImage</i> , 2013 , 64, 722-7	7.9	69
142	Rostral anterior cingulate activity in major depressive disorder: state or trait marker of responsiveness to medication?. 2013 , 25, 126-33		21
141	A new translational target for deep brain stimulation to treat depression. 2013 , 5, 1151-3		49
140	Molecular profiling of the lateral habenula in a rat model of depression. 2013 , 8, e80666		25
139	Functional opposition between habenula metabolism and the brain reward system. 2013 , 7, 662		8

138	Hyperactivation of the habenula as a link between depression and sleep disturbance. 2013 , 7, 826	50
137	Mapping of the internal structure of human habenula with ex vivo MRI at 7T. 2013 , 7, 878	19
136	Kctd12 and Ulk2 partner to regulate dendritogenesis and behavior in the habenular nuclei. 2014 , 9, e110280	2
135	Increased metabolic activity in the septum and habenula during stress is linked to subsequent expression of learned helplessness behavior. 2014 , 8, 29	45
134	The role of the habenula in drug addiction. 2014 , 8, 174	91
133	Does the kappa opioid receptor system contribute to pain aversion?. 2014 , 5, 253	58
132	Climate change. Six centuries of variability and extremes in a coupled marine-terrestrial ecosystem. 2014 , 345, 1498-502	53
131	Lateral habenula and the rostromedial tegmental nucleus innervate neurochemically distinct subdivisions of the dorsal raphe nucleus in the rat. 2014 , 522, 1454-84	86
130	Glial dysfunction in the mouse habenula causes depressive-like behaviors and sleep disturbance. 2014 , 34, 16273-85	93
129	High-resolution MRI and diffusion-weighted imaging of the human habenula at 7 tesla. 2014 , 39, 1018-26	45
128	Peril and pleasure: an rdoc-inspired examination of threat responses and reward processing in anxiety and depression. <i>Depression and Anxiety</i> , 2014 , 31, 233-49	8.4 114
127	Deep Brain Stimulation for Treatment-Refractory DepressionPart I. 2014 , 36, 1-5	
126	Deep Brain Stimulation for Treatment-Refractory DepressionPart I. 2014 , 36, 6	
125	Deep Brain Stimulation for Treatment-Refractory DepressionPart II. 2014 , 36, 1-5	
124	Deep Brain Stimulation for Treatment-Refractory DepressionPart II. 2014 , 36, 6	
123	Reward and aversion in a heterogeneous midbrain dopamine system. 2014 , 76 Pt B, 351-9	445
122	The lateral habenula in addiction and depression: an anatomical, synaptic and behavioral overview. 2014 , 39, 1170-8	126
121	Reward processing by the lateral habenula in normal and depressive behaviors. 2014 , 17, 1146-52	261

120	Mood regulation. GABA/glutamate co-release controls habenula output and is modified by antidepressant treatment. 2014 , 345, 1494-8	221
119	Substance P receptor antagonist in lateral habenula improves rat depression-like behavior. 2014 , 100, 22-8	28
118	. 2015 ,	
117	GPR139, an Orphan Receptor Highly Enriched in the Habenula and Septum, Is Activated by the Essential Amino Acids L-Tryptophan and L-Phenylalanine. 2015 , 88, 911-25	36
116	Activation of serotonin(2C) receptors in the lateral habenular nucleus increases the expression of depression-related behaviors in the hemiparkinsonian rat. 2015 , 93, 68-79	47
115	Is serotonin an upper or a downer? The evolution of the serotonergic system and its role in depression and the antidepressant response. 2015 , 51, 164-88	158
114	Amino acid challenge and depletion techniques in human functional neuroimaging studies: an overview. 2015 , 47, 651-83	15
113	An excitatory synapse hypothesis of depression. 2015 , 38, 279-94	156
112	Kisspeptin1 modulates odorant-evoked fear response via two serotonin receptor subtypes (5-HT1A and 5-HT2) in zebrafish. 2015 , 133, 870-8	34
111	Effects of acute tryptophan depletion on raphé functional connectivity in depression. 2015 , 234, 164-71	8
110	Volumetric MRI study of the habenula in first episode, recurrent and chronic major depression. 2015 , 25, 2015-21	25
109	Habenula: Recently recognized functions and potential clinical relevance. 2015 , 85, 992-1000	41
108	Electrical stimulation alleviates depressive-like behaviors of rats: investigation of brain targets and potential mechanisms. <i>Translational Psychiatry</i> , 2015 , 5, e535	8.6 75
107	Modulation of locomotor activation by the rostromedial tegmental nucleus. 2015 , 40, 676-87	19
106	Lateral habenula as a link between dopaminergic and serotonergic systems contributes to depressive symptoms in Parkinson's disease. 2015 , 110, 40-6	33
105	Conserved expression of the GPR151 receptor in habenular axonal projections of vertebrates. 2015 , 523, 359-80	36
104	Epistemological Dimensions of Evolutionary Psychology. 2015 ,	
103	Chapter 11 Deep Brain Stimulation for Treatment-Resistant Depression. 2016 , 197-214	

102	Serotonin7 receptors in the lateral habenular nucleus regulate depressive-like behaviors in the hemiparkinsonian rats. 2016 , 1644, 79-87	16
101	Reward and Aversion. 2016 , 39, 297-324	110
100	High-frequency stimulation of the subthalamic nucleus modulates neuronal activity in the lateral habenula nucleus. 2016 , 44, 2698-2707	7
99	Deep brain stimulation. 2016 , 277-293	
98	Resting-state functional connectivity of the human habenula in healthy individuals: Associations with subclinical depression. 2016 , 37, 2369-84	56
97	Pathogenesis of depression: Insights from human and rodent studies. 2016 , 321, 138-162	238
96	Rescue of GABAB and GIRK function in the lateral habenula by protein phosphatase 2A inhibition ameliorates depression-like phenotypes in mice. 2016 , 22, 254-61	91
95	Antidepressant actions of lateral habenula deep brain stimulation differentially correlate with CaMKII/GSK3/AMPK signaling locally and in the infralimbic cortex. 2016 , 306, 170-7	18
94	Translating the Habenula-From Rodents to Humans. 2017 , 81, 296-305	91
93	The neural underpinnings of cognitive flexibility and their disruption in psychotic illness. 2017 , 345, 203-217	46
92	Disrupted habenula function in major depression. <i>Molecular Psychiatry</i> , 2017 , 22, 202-208	15.1 104
91	Involvement of lateral habenula β subunit-containing GABA receptor-mediated inhibitory transmission in the regulation of depression-related behaviors in experimental Parkinson's disease. 2017 , 116, 399-411	22
90	Bidirectional relationship of mast cells-neurovascular unit communication in neuroinflammation and its involvement in POCD. 2017 , 322, 60-69	25
89	The habenula in psychiatric disorders: More than three decades of translational investigation. 2017 , 83, 721-735	55
88	Association between habenula dysfunction and motivational symptoms in unmedicated major depressive disorder. 2017 , 12, 1520-1533	34
87	The lateral habenula and the serotonergic system. 2017 , 162, 22-28	48
86	Cortico-limbic connectivity in MAOA-L carriers is vulnerable to acute tryptophan depletion. 2017 , 38, 1622-1635	13
85	Footshock-induced plasticity of GABA signalling in the lateral habenula requires dopamine and glucocorticoid receptors. 2017 , 71, e21948	10

84	Changes in neural circuitry associated with depression at pre-clinical, pre-motor and early motor phases of Parkinson's disease. 2017 , 35, 17-24	30
83	Neural circuit adaptations during drug withdrawal - Spotlight on the lateral habenula. 2017 , 162, 87-93	19
82	The Amygdala. 2017 , 427-478	16
81	Learning shapes the aversion and reward responses of lateral habenula neurons. 2017 , 6,	62
80	Disconnectivity between Dorsal Raphe Nucleus and Posterior Cingulate Cortex in Later Life Depression. 2017 , 9, 236	12
79	Neuronal substrates underlying stress resilience and susceptibility in rats. 2017 , 12, e0179434	20
78	Sex Differences in the Neuroadaptations of Reward-related Circuits in Response to Subchronic Variable Stress. 2018 , 376, 108-116	25
77	Impaired reward prediction error encoding and striatal-midbrain connectivity in depression. 2018 , 43, 1581-1588	98
76	Ketamine blocks bursting in the lateral habenula to rapidly relieve depression. 2018 , 554, 317-322	395
75	The Habenula's Role in Adaptive Behaviors: Contributions From Neuroimaging. 2018 , 30, A4-4	2
74	The habenula in neurosurgery for depression: A convergence of functional neuroanatomy, psychiatry and imaging. 2018 , 1694, 13-18	7
73	Lateral habenula in the pathophysiology of depression. 2018 , 48, 90-96	94
72	Rescue of glutamate transport in the lateral habenula alleviates depression- and anxiety-like behaviors in ethanol-withdrawn rats. 2018 , 129, 47-56	37
71	Information processing in the vertebrate habenula. 2018 , 78, 130-139	13
70	Generalizability of Footwear Traction Performance across Flooring and Contaminant Conditions. 2018 , 6, 98-108	10
69	Decoding Depression: Insights from Glial and Ketamine Regulation of Neuronal Burst Firing in Lateral Habenula. 2018 , 83, 141-150	10
68	Contingency Training Alters Neurobiological Components of Emotional Resilience in Male and Female Rats. 2018 , 386, 121-136	5
67	Lateral Habenula Gone Awry in Depression: Bridging Cellular Adaptations With Therapeutics. <i>Frontiers in Neuroscience</i> , 2018 , 12, 485	5.1 18

66	Awakening Neuropsychiatric Research Into the Stria Medullaris: Development of a Diffusion-Weighted Imaging Tractography Protocol of This Key Limbic Structure. 2018 , 12, 39	4
65	Lateral habenula perturbation reduces default-mode network connectivity in a rat model of depression. <i>Translational Psychiatry</i> , 2018 , 8, 68	8.6 13
64	A neural pathway controlling motivation to exert effort. 2018 , 115, 5792-5797	45
63	The rostromedial tegmental nucleus modulates the development of stress-induced helpless behavior. 2019 , 359, 950-957	12
62	Habenular connectivity may predict treatment response in depressed psychiatric inpatients. 2019 , 242, 211-219	19
61	Blockade of calcium-permeable AMPA receptors in the lateral habenula produces increased antidepressant-like effects in unilateral 6-hydroxydopamine-lesioned rats compared to sham-lesioned rats. 2019 , 157, 107687	13
60	Activation of calcium-impermeable GluR2-containing AMPA receptors in the lateral habenula produces antidepressant-like effects in a rodent model of Parkinson's disease. 2019 , 322, 113058	10
59	A Major Role for the Lateral Habenula in Depressive Illness: Physiologic and Molecular Mechanisms. 2019 , 10, 320	18
58	Acute 5 Hz deep brain stimulation of the lateral habenula is associated with depressive-like behavior in male wild-type Wistar rats. 2019 , 1721, 146283	9
57	Toward an understanding of the habenula's various roles in human depression. 2019 , 73, 607-612	17
56	Connections of the laterodorsal tegmental nucleus with the habenular-interpeduncular-raphe system. 2019 , 527, 3046-3072	9
55	Lateral Habenular Burst Firing as a Target of the Rapid Antidepressant Effects of Ketamine. 2019 , 42, 179-191	39
54	Deep Brain Stimulation for Depression: An Emerging Indication. 2019 , 30, 243-256	11
53	A resting-state study of volumetric and functional connectivity of the habenular nucleus in treatment-resistant depression patients. 2019 , 9, e01229	9
52	Depressive Disorders: Mechanisms, Measurement and Management. 2019 ,	2
51	Deep brain stimulation targets for treating depression. 2019 , 359, 266-273	56
50	Predominant Striatal Input to the Lateral Habenula in Macaques Comes from Striosomes. 2019 , 29, 51-61.e5	19
49	The aetiology of social deficits within mental health disorders: The role of the immune system and endogenous opioids. 2020 , 1, 100003	2

48	Engagement of the Lateral Habenula in the Association of a Conditioned Stimulus with the Absence of an Unconditioned Stimulus. 2020 , 444, 136-148	2
47	Blockade of GABA transporter-1 and GABA transporter-3 in the lateral habenula improves depressive-like behaviors in a rat model of Parkinson's disease. 2020 , 181, 108369	5
46	The Zebrafish Dorsolateral Habenula Is Required for Updating Learned Behaviors. 2020 , 32, 108054	16
45	The Emerging Role of Lhb CaMKII in the Comorbidity of Depressive and Alcohol Use Disorders. 2020 , 21,	3
44	Circuits and functions of the lateral habenula in health and in disease. <i>Nature Reviews Neuroscience</i> , 2020 , 21, 277-295	13.5 96
43	Habenular connections with the dopaminergic and serotonergic system and their role in stress-related psychiatric disorders. 2021 , 53, 65-88	21
42	Tonic activity in lateral habenula neurons promotes disengagement from reward-seeking behavior.	1
41	Increased theta/alpha synchrony in the habenula-prefrontal network with negative emotional stimuli in human patients.	
40	Ongoing habenular activity is driven by forebrain networks and modulated by olfactory stimuli.	0
39	Zebrafish Tools for Deciphering Habenular Network-Linked Mental Disorders. 2021 , 11,	3
38	Diffusion Tensor Imaging: A Promising New Technique for Accurate Identification of the Stria Medullaris and Habenula. 2021 , 14, 1-7	
37	Activation and blockade of dorsal hippocampal serotonin ₄ receptors produce antidepressant effects in the hemiparkinsonian rats. 2021 , 1761, 147426	0
36	Increased theta/alpha synchrony in the habenula-prefrontal network with negative emotional stimuli in human patients. 2021 , 10,	3
35	Early-life experiences altered the maturation of the lateral habenula in mouse models, resulting in behavioural disorders in adulthood. 2021 , 46, E480-E489	2
34	Neuronal adaptations in the lateral habenula during drug withdrawal: Preclinical evidence for addiction therapy. 2021 , 192, 108617	1
33	Downregulation of astroglial glutamate transporter GLT-1 in the lateral habenula is associated with depressive-like behaviors in a rat model of Parkinson's disease. 2021 , 196, 108691	2
32	White Matter: Functional Anatomy of Key Tracts. 2011 , 767-783	3
31	Advances in Molecular and Circuitry Mechanisms of Depressive Disorder-A Focus on Lateral Habenula. 2019 , 1180, 135-146	2

30	The zebrafish dorsolateral habenula is required for updating learned behaviors.		1
29	The Critical Role of Nurr1 as a Mediator and Therapeutic Target in Alzheimer's Disease-related Pathogenesis. 2020 , 11, 705-724		18
28	The Posterior Perforated Substance: A Brain Mystery Wrapped in an Enigma. 2019 , 19, 2991-2998		2
27	Deep brain stimulation in the treatment of depression. <i>Dialogues in Clinical Neuroscience</i> , 2014 , 16, 83-91	5.7	54
26	The Role of the Habenula in Nicotine Addiction. <i>Journal of Addiction Research & Therapy</i> , 2011 , S1,	2.5	31
25	The interaction between the dopaminergic and the serotonergic systems in the 6-OHDA rat model of Parkinson's disease. <i>Health</i> , 2012 , 04, 1218-1224		0.4
24	Major Anatomical Structures. 2013 , 131-205		
23	Deep Brain Stimulation in Treatment of Refractory Major Depression. 89-96		
22	Depression as an Adaptation: The Infection-Defense Hypothesis and Cytokine Mechanisms. 2015 , 175-196		
21	Maturation of lateral habenula and early-life experience-dependent alteration with behavioral disorders in adulthood.		
20	A habenula-insular circuit encodes the willingness to act. <i>Nature Communications</i> , 2021 , 12, 6329	17.4	1
19	Lateral habenula neurocircuits mediate the maternal disruptive effect of maternal stress: A hypothesis.. <i>Zoological Research</i> , 2022 , 43, 166-175		3.4
18	Neural Circuits Underlying the Pathophysiology of Major Depression. <i>Neuromethods</i> , 2022 , 35-56		0.4
17	Power signatures of habenular neuronal signals in patients with bipolar or unipolar depressive disorders correlate with their disease severity.. <i>Translational Psychiatry</i> , 2022 , 12, 72	8.6	0
16	Response Flexibility: The Role of the Lateral Habenula.. <i>Frontiers in Behavioral Neuroscience</i> , 2022 , 16, 852235	3.5	0
15	The stressed synapse 2.0: pathophysiological mechanisms in stress-related neuropsychiatric disorders. <i>Nature Reviews Neuroscience</i> , 2021 ,	13.5	9
14	Functional connectivity between the habenula and default mode network and its association with the antidepressant effect of ketamine.. <i>Depression and Anxiety</i> , 2021 ,	8.4	0
13	The lateral habenula mediates the association of a conditioned stimulus with the absence of an appetitive unconditioned stimulus.		

12	The intersection of astrocytes and the endocannabinoid system in the lateral habenula: on the fast-track to novel rapid-acting antidepressants.. <i>Molecular Psychiatry</i> , 2022 ,	15.1	○
11	Laterality and Sex Differences of Human Lateral Habenula Afferent and Efferent Fiber Tracts. <i>Frontiers in Neuroscience</i> , 16,	5.1	○
10	Deep Brain Stimulation for Depression. <i>Neurotherapeutics</i> ,	6.4	○
9	Tonic activity in lateral habenula neurons acts as a neutral valence brake on reward-seeking behavior. 2022 ,		○
8	5-HT1B receptor-AC-PKA signal pathway in the lateral habenula is involved in the regulation of depressive-like behaviors in 6-hydroxydopamine-induced Parkinson rats. 1-11		1
7	In vivo Multi-Parameter Mapping of the Habenula using MRI.		○
6	Associations between the kynurenine pathway and the brain in patients with major depressive disorderA systematic review of neuroimaging studies. 2023 , 121, 110675		○
5	The mu opioid receptor and the orphan receptor GPR151 contribute to social reward in the habenula. 2022 , 12,		○
4	A unified model of ketamine's dissociative and psychedelic properties. 026988112211400		○
3	Neural mechanism underlying depressive-like state associated with social status loss. 2023 , 186, 560-576.e17		○
2	Foxg1 modulation of the Prkcd gene in the lateral habenula mediates trigeminal neuralgia-associated anxiety-like behaviors in mice.		○
1	In vivo multi-parameter mapping of the habenula using MRI. 2023 , 13,		○