

CITATION REPORT

List of articles citing

HMG-1 as a late mediator of endotoxin lethality in mice

DOI: 10.1126/science.285.5425.248
Science, 1999, 285, 248-51.

Source: <https://exaly.com/paper-pdf/30674459/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2264	Induction of high mobility group box 1 release from serotonin-stimulated human umbilical vein endothelial cells. 1998 , 22, 639		1
2263	Increased serum concentrations of high-mobility-group protein 1 in haemorrhagic shock. 1999 , 354, 1446-7		152
2262	Alanine mutagenesis of high-mobility-group-protein-1 box B (HMG1-B). 2000 , 347, 807		4
2261	Alanine mutagenesis of high-mobility-group-protein-1 box B (HMG1-B). 2000 , 347, 807-814		12
2260	Current World Literature. 2000 , 13, 277-332		
2259	Pathophysiologic basis of sepsis: considerations for future strategies of intervention. 2000 , 28, S4-8		74
2258	Improving the outcome of septic shock in children. 2000 , 13, 253-258		4
2257	Genetics of uterine leiomyomata. 2000 , 28, 235-245		97
2256	High affinity binding of proteins HMG1 and HMG2 to semicatenated DNA loops. 2000 , 1, 1		27
2255	Response of the ruminant respiratory tract to Mannheimia (Pasteurella) haemolytica. 2000 , 2, 1079-88		104
2254	Protection from septic shock by neutralization of macrophage migration inhibitory factor. 2000 , 6, 164-70		650
2253	Receptor-dependent cell stress and amyloid accumulation in systemic amyloidosis. 2000 , 6, 643-51		267
2252	Vagus nerve stimulation attenuates the systemic inflammatory response to endotoxin. 2000 , 405, 458-62		2853
2251	Pilot-scale purification of zeamatin, an antifungal protein from maize. 2000 , 16, 38-43		7
2250	Further observations on the fetal inflammatory response syndrome: a potential homeostatic role for the soluble receptors of tumor necrosis factor alpha. 2000 , 183, 1070-7		60
2249	The chicken genome contains no HMG1 retropseudogenes but a functional HMG1 gene with long introns. 2000 , 1493, 64-72		2
2248	Sepsis: Our Fourth Year. 2000 , 4, 5-6		

2247	Hemofiltration in septic patients is not able to alter the plasma concentration of cytokines therapeutically. 2000 , 26, 1176-8	25
2246	Occurrence of Amphoterin (HMG1) as an Endogenous Protein of Human Platelets that Is Exported to the Cell Surface upon Platelet Activation. 2000 , 84, 1087-1094	120
2245	Impact of endotoxin on UCP homolog mRNA abundance, thermoregulation, and mitochondrial proton leak kinetics. 2000 , 279, E433-46	60
2244	High mobility group 1 protein (HMG-1) stimulates proinflammatory cytokine synthesis in human monocytes. 2000 , 192, 565-70	1194
2243	The clinical usefulness of the measurement of cytokines. 2000 , 38, 267-85	77
2242	Mechanism of hepatocellular dysfunction during sepsis: the role of gut-derived norepinephrine (review). 2000 , 5, 457-65	16
2241	HMG-1 as a mediator of acute lung inflammation. 2000 , 165, 2950-4	631
2240	Pharmacological treatment of septic shock. 2000 , 10, 601-622	6
2239	Luminescence studies of the phagocyte response to endotoxin infusion into normal human subjects: multiple discriminant analysis of luminescence response and correlation with phagocyte morphologic changes and release of elastase. 2000 , 6, 3-15	3
2238	Expression of cytokine genes during pneumococcal and nontypeable Haemophilus influenzae acute otitis media in the rat. 2000 , 68, 4024-31	74
2237	The biology of the receptor for advanced glycation end products and its ligands. 2000 , 1498, 99-111	505
2236	Heparin-binding proteins HB-GAM (pleiotrophin) and amphoterin in the regulation of cell motility. 2000 , 19, 377-87	126
2235	Detection of anti-neutrophil cytoplasmic antibodies in MRL/Mp-lpr/lpr mice and analysis of their target antigens. 2000 , 32, 281-91	3
2234	Steroid hormones induce HMG1 overexpression and sensitize breast cancer cells to cisplatin and carboplatin. 2000 , 97, 5768-72	180
2233	Chronologie et ?compartmentalisation? de la rponse inflammatoire au cours du choc septique et du syndrome de dtresse respiratoire de l'adulte. 2000 , 9, 613-620	0
2232	Drug discovery in the next millennium. 2000 , 40, 177-91	99
2231	Humoral markers of severity and prognosis of critical illness. 2001 , 15, 553-73	29
2230	HMGB1 as a late mediator of lethal systemic inflammation. 2001 , 164, 1768-73	395

2229	Dual roles for HMGB1: DNA binding and cytokine. 2001 , 7, 315-21	91
2228	Systemic LPS injection leads to granulocyte influx into normal and injured brain: effects of ICAM-1 deficiency. 2001 , 172, 137-52	83
2227	Correlating functional staging to effective treatment of acute surgical illness. 2001 , 182, 278-86	12
2226	A new model of sciatic inflammatory neuritis (SIN): induction of unilateral and bilateral mechanical allodynia following acute unilateral peri-sciatic immune activation in rats. 2001 , 94, 231-244	243
2225	Immunotherapy of sepsis. 2001 , 1, 165-74	118
2224	Transcriptional mechanisms of acute lung injury. 2001 , 281, L1037-50	191
2223	Receptor for age (RAGE) is a gene within the major histocompatibility class III region: implications for host response mechanisms in homeostasis and chronic disease. 2001 , 6, D1151-60	47
2222	Inflammation, coagulopathy, and the pathogenesis of multiple organ dysfunction syndrome. 2001 , 29, S99-106	388
2221	Materials for rechargeable batteries and clean hydrogen energy sources. 2001 , 46, 1-49	65
2220	HMG box A in HMG2 protein functions as a mediator of DNA structural alteration together with box B. 2001 , 129, 643-51	5
2219	Inhibitory effect of glycyrrhizin on the phosphorylation and DNA-binding abilities of high mobility group proteins 1 and 2 in vitro. 2001 , 24, 906-11	31
2218	Extracellular processing of amphoterin generates a peptide active on erythroleukaemia cell differentiation. 2001 , 357, 569-74	16
2217	Extracellular processing of amphoterin generates a peptide active on erythroleukaemia cell differentiation. 2001 , 357, 569-574	19
2216	New EMBO members' review: the double life of HMGB1 chromatin protein: architectural factor and extracellular signal. 2001 , 20, 4337-40	340
2215	TREM-1: a new regulator of innate immunity in sepsis syndrome. 2001 , 7, 530-2	86
2214	The well-tempered vessel. 2001 , 7, 532-4	95
2213	TREM-1 amplifies inflammation and is a crucial mediator of septic shock. 2001 , 410, 1103-7	858
2212	The human HMGB1 promoter is modulated by a silencer and an enhancer-containing intron. 2001 , 1520, 79-84	20

2211	The timing of endothelin and nitric oxide inhibition affects survival in a mice model of septic shock. 2001 , 414, 281-7	12
2210	Molecular and in silico characterization of a promoter module and C/EBP element that mediate LPS-induced RANTES/CCL5 expression in monocytic cells. 2001 , 15, 577-9	45
2209	The high mobility group (HMG) boxes of the nuclear protein HMG1 induce chemotaxis and cytoskeleton reorganization in rat smooth muscle cells. 2001 , 152, 1197-206	399
2208	Mind over immunity. 2001 , 15, 1575-6	66
2207	Borna disease virus phosphoprotein binds a neurite outgrowth factor, amphoterin/HMG-1. 2001 , 75, 8742-51	50
2206	Pathogenesis of septic shock: implications for prevention and treatment. 2001 , 13 Spec No 1, 173-80	34
2205	Ethyl pyruvate prevents lethality in mice with established lethal sepsis and systemic inflammation. 2002 , 99, 12351-6	519
2204	Clinical trials of immunomodulatory therapies in severe sepsis and septic shock. 2002 , 34, 1084-93	186
2203	The cardiovascular response in sepsis: proposed mechanisms of the beneficial effect of adrenomedullin and its binding protein (Review). 2002 , 9, 443	
2202	Involvement of Pro- and Anti-Inflammatory Cytokines in Sepsis. 2002 , 159-195	
2201	Markers of Sepsis. 2002 , 47-66	4
2200	At the crossroads of necrosis and apoptosis: signaling to multiple cellular targets by HMGB1. 2002 , 2002, pe39	40
2199	Human recombinant activated protein C in meningococcal sepsis. 2002 , 121, 292-5	24
2198	Does high mobility group 1 protein function as a late mediator for LPS- or TNF-induced shock in galactosamine-sensitized mice?. 2002 , 8, 391-398	3
2197	HMGB1 interacts with many apparently unrelated proteins by recognizing short amino acid sequences. 2002 , 277, 7021-8	83
2196	The cytoplasmic tail of L-selectin interacts with members of the Ezrin-Radixin-Moesin (ERM) family of proteins: cell activation-dependent binding of Moesin but not Ezrin. 2002 , 277, 2321-9	78
2195	Pharmacological stimulation of the cholinergic antiinflammatory pathway. 2002 , 195, 781-8	405
2194	Management of septic shock. 2002 , 34, 606-13	14

2193	High-mobility group-I/Y proteins: Potential role in the pathophysiology of critical illnesses. 2002 , 30, S36-S42	20
2192	Globin attenuates the innate immune response to endotoxin. 2002 , 17, 485-90	27
2191	The significance of changes in high mobility group-1 protein mRNA expression in rats after thermal injury. 2002 , 17, 329-33	51
2190	Autologous stem cell transplantation for primary systemic amyloidosis. 2002 , 99, 4276-82	289
2189	Stimulation of erythroleukaemia cell differentiation by extracellular high-mobility group-box protein 1 is independent of the receptor for advanced glycation end-products. 2002 , 363, 529-35	15
2188	Stimulation of erythroleukaemia cell differentiation by extracellular high-mobility group-box protein 1 is independent of the receptor for advanced glycation end-products. 2002 , 363, 529-535	24
2187	Genetic background determines susceptibility during murine septic peritonitis. 2002 , 102, 45-9	46
2186	HMGB-1, a DNA-binding protein with cytokine activity, induces brain TNF and IL-6 production, and mediates anorexia and taste aversion. 2002 , 18, 231-6	125
2185	Cytokine expression in three mouse models of experimental hepatitis. 2002 , 19, 115-20	173
2184	HMGB1 B box increases the permeability of Caco-2 enterocytic monolayers and impairs intestinal barrier function in mice. 2002 , 123, 790-802	286
2183	HMGB1 as a cytokine and therapeutic target. 2002 , 8, 469-472	4
2182	High mobility group box chromosomal protein 1 (HMGB1) is an antibacterial factor produced by the human adenoid. 2002 , 52, 148-54	51
2181	High mobility group box chromosomal protein 1: a novel proinflammatory mediator in synovitis. 2002 , 46, 2598-603	240
2180	Functional genomics and proteomics--the role of nuclear medicine. 2002 , 29, 115-32	29
2179	N-Glycans on the receptor for advanced glycation end products influence amphotericin binding and neurite outgrowth. 2002 , 80, 998-1008	110
2178	Release of chromatin protein HMGB1 by necrotic cells triggers inflammation. 2002 , 418, 191-5	3263
2177	Reciprocal regulation of CD4/CD8 expression by SWI/SNF-like BAF complexes. 2002 , 418, 195-9	207
2176	The inflammatory reflex. 2002 , 420, 853-9	2511

2175	The immunopathogenesis of sepsis. 2002 , 420, 885-91	2219
2174	The nuclear protein HMGB1 is secreted by monocytes via a non-classical, vesicle-mediated secretory pathway. 2002 , 3, 995-1001	722
2173	Inflammation-promoting activity of HMGB1 on human microvascular endothelial cells. 2003 , 101, 2652-60	602
2172	Monocytic cells hyperacetylate chromatin protein HMGB1 to redirect it towards secretion. 2003 , 22, 5551-60	929
2171	The pathophysiology and treatment of sepsis. 2003 , 348, 138-50	3167
2170	The Treatment of Severe Group A Streptococcal Infections. 2003 , 5, 28-37	15
2169	[Clinical management of patients with sepsis]. 2003 , 52, 3-22	22
2168	Molecular genetic characterization of the distal NKC recombination hotspot and putative murine CMV resistance control locus. 2003 , 55, 370-8	13
2167	Coupled plasma filtration adsorption. 2003 , 29, 1222-8	73
2166	Delivering the message: epimorphin and mammary epithelial morphogenesis. 2003 , 13, 426-34	59
2165	HMGB1, an architectural chromatin protein and extracellular signalling factor, has a spatially and temporally restricted expression pattern in mouse brain. 2003 , 3, 29-33	64
2164	Intracellular high mobility group B1 protein (HMGB1) represses HIV-1 LTR-directed transcription in a promoter- and cell-specific manner. 2003 , 314, 179-89	39
2163	The pathophysiology of falciparum malaria. 2003 , 99, 221-60	148
2162	Differential effects between amphotericin and advanced glycation end products on colon cancer cells. 2003 , 104, 722-7	115
2161	Disposal of dying cells: a balancing act between infection and autoimmunity. 2003 , 48, 6-11	31
2160	High mobility group box chromosomal protein 1 as a nuclear protein, cytokine, and potential therapeutic target in arthritis. 2003 , 48, 876-81	77
2159	High mobility group box chromosomal protein 1 plays a role in the pathogenesis of rheumatoid arthritis as a novel cytokine. 2003 , 48, 971-81	399
2158	High mobility group box chromosomal protein 1, a DNA binding cytokine, induces arthritis. 2003 , 48, 1693-700	145

2157	Successful treatment of collagen-induced arthritis in mice and rats by targeting extracellular high mobility group box chromosomal protein 1 activity. 2003 , 48, 2052-8	267
2156	La double vie de la protéine HMGB1: composant structural de la chromatine et cytokine pro-inflammatoire. 2003 , 2003, 41-47	
2155	The mystery of nonclassical protein secretion. A current view on cargo proteins and potential export routes. 2003 , 270, 2109-19	460
2154	High mobility group 1 B-box mediates activation of human endothelium. 2003 , 254, 375-85	278
2153	Ethyl pyruvate decreases sepsis-induced acute renal failure and multiple organ damage in aged mice. 2003 , 64, 1620-31	206
2152	Nicotinic acetylcholine receptor alpha7 subunit is an essential regulator of inflammation. 2003 , 421, 384-8	2834
2151	Novel strategies for the treatment of sepsis. 2003 , 9, 517-24	682
2150	Such stuff as dreams are made on: mediator-directed therapy in sepsis. 2003 , 2, 391-405	209
2149	Therapeutic approaches to innate immunity: severe sepsis and septic shock. 2003 , 2, 635-45	52
2148	TREMs in the immune system and beyond. 2003 , 3, 445-53	489
2147	Ethyl Pyruvate Protects against Lethal Systemic Inflammation by Preventing HMGB1 Release. 2003 , 987, 319-321	22
2146	Pathogenesis of sepsis: new concepts and implications for future treatment. 2003 , 326, 262-6	147
2145	Activation of gene expression in human neutrophils by high mobility group box 1 protein. 2003 , 284, C870-9	352
2144	Blockade of receptor for advanced glycation endproducts: a new target for therapeutic intervention in diabetic complications and inflammatory disorders. 2003 , 419, 80-8	144
2143	Further characterization of high mobility group box 1 (HMGB1) as a proinflammatory cytokine: central nervous system effects. 2003 , 24, 254-65	110
2142	The Therapeutic Potential of Ethyl Pyruvate for the Management of Ischemia/Reperfusion Syndromes, Sepsis and Sepsis-Related Organ Dysfunction, and Other Conditions Associated With Excessive Inflammation. 2003 , 5, 432-436	
2141	Capsaicin-sensitive nerves regulate the metabolic response to abdominal sepsis. 2003 , 112, 152-61	13
2140	The nuclear protein HMGB1, a new kind of chemokine?. 2003 , 553, 11-7	64

2139	Simultaneous activation of apoptosis and inflammation in pathogenesis of septic shock: a hypothesis. 2003 , 555, 180-4	47
2138	Role of high mobility group protein-1 (HMG1) in amyloid-beta homeostasis. 2003 , 301, 699-703	68
2137	Source Control. 2003 ,	3
2136	Neural inhibition of inflammation: the cholinergic anti-inflammatory pathway. 2003 , 9, 409-413	50
2135	HMGB-1. 2003 , 913-923	7
2134	Recent developments in the identification of novel therapeutic targets for the treatment of patients with sepsis and septic shock. 2003 , 35, 690-6	9
2133	HMGB1 in sepsis. 2003 , 35, 577-84	80
2132	High mobility group protein 1 (HMGB1) quantified by ELISA with a monoclonal antibody that does not cross-react with HMGB2. 2003 , 49, 1535-7	92
2131	Failure of monocytes of trauma patients to convert to immature dendritic cells is related to preferential macrophage-colony-stimulating factor-driven macrophage differentiation. 2003 , 170, 6355-62	67
2130	Immunology and Infectious Disease. 2003 ,	
2129	Apolipoprotein E and transferrin genotyping by ligation detection reaction and universal array. 2003 , 49, 1537-40	4
2128	Molecular characterization of the canine HMGB1. 2003 , 101, 33-8	28
2127	HMGB1 inhibits cell death in yeast and mammalian cells and is abundantly expressed in human breast carcinoma. 2003 , 17, 1295-7	166
2126	Cisplatin sensitivity in Hmbg1 ^{-/-} and Hmbg1 ^{+/+} mouse cells. 2003 , 278, 1769-73	33
2125	Glycation, inflammation, and RAGE: a scaffold for the macrovascular complications of diabetes and beyond. 2003 , 93, 1159-69	414
2124	IFN-gamma induces high mobility group box 1 protein release partly through a TNF-dependent mechanism. 2003 , 170, 3890-7	283
2123	TREM-1 (triggering receptor expressed on myeloid cells): a new player in acute inflammatory responses. 2003 , 187 Suppl 2, S397-401	207
2122	Recent developments in the treatment of sepsis. 2003 , 12, 139-52	19

2121	High mobility group box-1 as a therapeutic target downstream of tumor necrosis factor. 2003 , 187 Suppl 2, S391-6	43
2120	Neural inhibition of inflammation: the cholinergic anti-inflammatory pathway. 2003 , 9, 409-13	30
2119	Cytokine therapeutics for the treatment of sepsis: why has nothing worked?. 2003 , 9, 75-82	124
2118	Anti-inflammatory strategies for the treatment of sepsis. 2003 , 3, 339-50	27
2117	Physiological significance of apoptosis during animal virus infection. 2003 , 22, 341-59	38
2116	Response to article by Zetterström et al. 2003 , 54, 554-5; author reply 555	6
2115	Co-expression of receptor for advanced glycation end products and the ligand amphoterin associates closely with metastasis of colorectal cancer. 2003 , 10, 445	11
2114	Intestinal epithelial hyperpermeability: update on the pathogenesis of gut mucosal barrier dysfunction in critical illness. 2003 , 9, 143-51	152
2113	. 2003 , 6, 283-287	
2112	Targeting high mobility group box 1 as a late-acting mediator of inflammation. 2003 , 31, S46-50	49
2111	Ethyl pyruvate: a novel anti-inflammatory agent. 2003 , 31, S51-6	61
2110	Endotoxin stimulates in vivo expression of inflammatory cytokines tumor necrosis factor alpha, interleukin-1beta, -6, and high-mobility-group protein-1 in skeletal muscle. 2003 , 19, 538-46	158
2109	The gesture life of high mobility group box 1. 2003 , 6, 283-7	4
2108	Blood purification in non-renal critical illness. 2003 , 21, 6-13	28
2107	Cytokines as Mediators of Disease. 2003 ,	
2106	The role of the endothelium in severe sepsis and multiple organ dysfunction syndrome. 2003 , 101, 3765-77	873
2105	The North Shore-Long Island Jewish Research Institute. 2003 , 9, 63-64	
2104	Structural Basis for the Proinflammatory Cytokine Activity of High Mobility Group Box 1. 2003 , 9, 37-45	261

2103	Amphoterin induction in prostatic stromal cells by androgen deprivation is associated with metastatic prostate cancer. 2003 , 10, 1863	4
2102	The Cholinergic Anti-inflammatory Pathway: A Missing Link in Neuroimmunomodulation. 2003 , 9, 125-134	438
2101	Endotoxin recognition molecules MD-2 and toll-like receptor 4 as potential targets for therapeutic intervention of endotoxin shock. 2004 , 3, 291-7	27
2100	Grundlage ff die Entwicklung neuer Therapiestrategien -Aktuelle Aspekte zur Pathophysiologie der Sepsis. 2004 , 33, 162-166	
2099	Cloning and characterization of granulosa cell high-mobility group (HMG)-box protein-1, a novel HMG-box transcriptional regulator strongly expressed in rat ovarian granulosa cells. 2004 , 145, 2307-18	13
2098	Suppression of infection-induced endotoxin shock in mice by a citrus flavanone naringin. 2004 , 70, 17-22	35
2097	Contributions of high mobility group box protein in experimental and clinical acute lung injury. 2004 , 170, 1310-6	308
2096	Reversing established sepsis with antagonists of endogenous high-mobility group box 1. 2004 , 101, 296-301	954
2095	Down-regulation of the receptor for advanced glycation end-products (RAGE) supports non-small cell lung carcinoma. 2005 , 26, 293-301	114
2094	RAGE and its ligands: a lasting memory in diabetic complications?. 2004 , 1, 10-20	33
2093	Hepatoma-derived growth factor is a neurotrophic factor harbored in the nucleus. 2004 , 279, 27320-6	56
2092	The precursor form of IL-1alpha is an intracrine proinflammatory activator of transcription. 2004 , 101, 2434-9	282
2091	Bacterial endotoxin stimulates macrophages to release HMGB1 partly through CD14- and TNF-dependent mechanisms. 2004 , 76, 994-1001	154
2090	Depletion of tumor-infiltrating macrophages is associated with amphoterin expression in colon cancer. 2004 , 71, 129-36	38
2089	NF-kappaB: key mediator of inflammation-associated cancer. 2004 , 3, 1214-6	54
2088	Importance of tumor necrosis factor-alpha cleavage process in post-transplantation lung injury in rats. 2004 , 170, 1239-46	29
2087	Pathogenesis of malaria and clinically similar conditions. 2004 , 17, 509-39, table of contents	152
2086	Conformational difference in HMGB1 proteins of human neutrophils and lymphocytes revealed by epitope mapping of a monoclonal antibody. 2004 , 136, 155-62	10

2085	Antagonism of RAGE suppresses peripheral nerve regeneration. 2004 , 18, 1812-7	89
2084	High mobility group box protein 1: an endogenous signal for dendritic cell maturation and Th1 polarization. 2004 , 173, 307-13	365
2083	RAGE axis: Animal models and novel insights into the vascular complications of diabetes. 2004 , 24, 1342-9	110
2082	Tezosentan, an endothelin receptor antagonist, limits liver injury in endotoxin challenged cirrhotic rats. 2004 , 53, 1844-9	24
2081	Time course of nitric oxide production after endotoxin challenge in mice. 2004 , 287, E912-8	19
2080	High-porosity activated carbon as a possible matrix for native DNA and dextran-sulfate immobilization. 2004 , 32, 529-37	2
2079	Increased expression of the DNA-binding cytokine HMGB1 in human atherosclerotic lesions: role of activated macrophages and cytokines. 2004 , 24, 2320-5	223
2078	Extracellular HMGB1, a signal of tissue damage, induces mesoangioblast migration and proliferation. 2004 , 164, 441-9	380
2077	Thermal injury impairs cardiac protein synthesis and is associated with alterations in translation initiation. 2004 , 286, R740-50	17
2076	Regulated expression and subcellular localization of HMGB1, a chromatin protein with a cytokine function. 2004 , 255, 332-43	290
2075	Amphotericin as an extracellular regulator of cell motility: from discovery to disease. 2004 , 255, 351-66	144
2074	Extracellular role of HMGB1 in inflammation and sepsis. 2004 , 255, 320-31	389
2073	HMGB1 is a potent trigger of arthritis. 2004 , 255, 344-50	122
2072	HMGB1, a pro-inflammatory cytokine of clinical interest: introduction. 2004 , 255, 318-9	28
2071	Polymyxin B-immobilized fiber hemoperfusion after emergency surgery in patients with chronic renal failure. 2004 , 8, 286-92	17
2070	Activation of human umbilical vein endothelial cells leads to relocation and release of high-mobility group box chromosomal protein 1. 2004 , 60, 566-73	129
2069	Lipid unites disparate syndromes of sepsis. 2004 , 10, 124-5	40
2068	Can nicotine treat sepsis?. 2004 , 10, 1161-2	40

2067	Cholinergic agonists inhibit HMGB1 release and improve survival in experimental sepsis. 2004 , 10, 1216-21	1452
2066	The dark side of C5a in sepsis. 2004 , 4, 133-42	337
2065	HMGB1 is an endogenous immune adjuvant released by necrotic cells. 2004 , 5, 825-30	504
2064	Significant (re)location: how to use chromatin and/or abundant proteins as messages of life and death. 2004 , 14, 287-93	47
2063	Recombinant HMGB1 with cytokine-stimulating activity. 2004 , 289, 211-23	118
2062	Chromatin and cell death. 2004 , 1677, 181-6	94
2061	High mobility group box 1 protein, a cue for stem cell recruitment. 2004 , 68, 1165-70	74
2060	The systemic inflammatory response syndrome. 2004 , 18, 455-75	55
2059	Bench to bedside: HMGB1-a novel proinflammatory cytokine and potential therapeutic target for septic patients in the emergency department. 2004 , 11, 867-73	48
2058	Native versus recombinant high-mobility group B1 proteins: functional activity in vitro. 2004 , 28, 221-9	42
2057	[Role of the innate immune response in sepsis]. 2004 , 53, 10-28	10
2056	Neural regulators of innate immune responses and inflammation. 2004 , 61, 2322-31	116
2055	Mini-review: The nuclear protein HMGB1 as a proinflammatory mediator. 2004 , 34, 1503-12	311
2054	RAGE (receptor for advanced glycation end products): a central player in the inflammatory response. 2004 , 6, 1219-25	213
2053	8th Annual Toronto Critical Care Medicine Symposium, 30 October-1 November 2003, Toronto, Ontario, Canada. 2004 , 8, 58-66	
2052	HMGB1 as a mediator of necrosis-induced inflammation and a therapeutic target in arthritis. 2004 , 30, 627-37, xi	47
2051	Involvement of toll-like receptors 2 and 4 in cellular activation by high mobility group box 1 protein. 2004 , 279, 7370-7	1223
2050	[Pathophysiological role of endotoxins, a common denominator to various diseases]. 2004 , 52, 415-22	2

2049	Pathogenic role of HMGB1 in SARS?. 2004 , 63, 691-5	30
2048	Extracellular HMGB1 as a proinflammatory cytokine. 2004 , 24, 329-33	88
2047	Insulin attenuates the systemic inflammatory response in endotoxemic rats. 2004 , 145, 4084-93	180
2046	HMGB1 in the immunology of sepsis (not septic shock) and arthritis. 2004 , 84, 181-200	44
2045	Cell death, BAX activation, and HMGB1 release during infection with Chlamydia. 2004 , 6, 1145-55	29
2044	Noninvasive interfaces: should we go to helmets?. 2004 , 32, 2162-3	7
2043	Do not get sick when you are sick: the impact of comorbid conditions. 2004 , 32, 2147-8	5
2042	In vivo, in vitro, in silico. 2004 , 32, 2159-60	31
2041	Eliminating catheter-related bloodstream infections: fairy tale or new reality?. 2004 , 32, 2150-2	12
2040	Hypothermia during cardiac arrest: moving from defense to offense. 2004 , 32, 2164-5	9
2039	Do not suction above the cuff. 2004 , 32, 2160-2	11
2038	Targeting leukocyte trafficking in the treatment of severe trauma. 2004 , 32, 2152-3	1
2037	Which patient with a do-not-intubate order is a candidate for noninvasive ventilation?. 2004 , 32, 2148-50	9
2036	Macrophage migration inhibitory factor levels correlate with fatal outcome in sepsis. 2004 , 22, 309-13	133
2035	Albumin versus crystalloid solutions for the critically ill and injured. 2004 , 32, 2154-5	2
2034	Through a glass darkly: the brave new world of in silico modeling. 2004 , 32, 2157-9	14
2033	Sepsis: current status, future prospects. 2004 , 10, 250-64	26
2032	Thrombolytics for occluded catheters. 2004 , 32, 2146-7	3

2031 The deceptive complexity of "simple" proning. **2004**, 32, 2156-7

2030 Regulation of monocyte migration by amphoterin (HMGB1). **2004**, 104, 1174-82 218

2029 Limitation of polymyxin B on suppression of endotoxin shock induced by Salmonella infection in mice. **2004**, 27, 1840-3 3

2028 The effects of cholesterol-3-sulfate (CH-3S) on the phosphorylation of human C3a (hC3a) in vitro and on the ability of hC3a to induce vascular permeability in rats. **2004**, 27, 282-7 8

2027 A citrus flavonoid hesperidin suppresses infection-induced endotoxin shock in mice. **2004**, 27, 679-83 63

2026 [Stress proteins and regulation of microglial amyloid-beta phagocytosis]. **2004**, 124, 407-13 1

2025 Chromosomal HMG-box proteins. **2004**, 103-134 6

2024 Recombinant activated factor VII: panacea or passing fad?. **2005**, 6, 379-80 0

2023 Persistent elevation of high mobility group box-1 protein (HMGB1) in patients with severe sepsis and septic shock. **2005**, 33, 564-73 345

2022 Heat shock protein: tracing the enemy in septic shock. **2005**, 6, 376-7 1

2021 Variability in end-of-life care--how much is too much?. **2005**, 6, 368-9 20

2020 Interleukin-32A Cytokine and Inducer of TNF β . **2005**, 22, 131-142 72

2019 Organ dysfunction in circulatory shock: Altered perfusion, metabolism or tight junctions? Do we need a shift of paradigm?. **2005**, 577-585

2018 Unknown anions and gaps in medical knowledge. **2005**, 6, 373-4 4

2017 High mobility group box 1 (HMGB1). **2005**, 33, S472-4 34

2016 Should high mobility group box-1 protein (HMGB1) be measured in patients with severe sepsis and septic shock? If so, when, where, and how?. **2005**, 33, 682-3 7

2015 Stress of admission to pediatric intensive care unit on children. **2005**, 6, 374-6

2014 New technologies in the intensive care unit: a cautionary tale. **2005**, 6, 378-9 29

2013	Evaluating corticosteroids in the pediatric intensive care unit: a tale of apples and oranges. 2005 , 6, 370-1	
2012	The context in which to better understand quality care. 2005 , 6, 367-8	
2011	Heat shock response inhibits release of high mobility group box 1 protein induced by endotoxin in murine macrophages. 2005 , 23, 434-40	37
2010	Interferon-gamma inhibition attenuates lethality after cecal ligation and puncture in rats: implication of high mobility group box-1. 2005 , 24, 396-401	39
2009	Skeletal muscle cytokines: regulation by pathogen-associated molecules and catabolic hormones. 2005 , 8, 255-63	69
2008	Adrenomedullin and its binding protein attenuate the proinflammatory response after hemorrhage. 2005 , 33, 391-8	32
2007	Food for thought. 2005 , 6, 371-2	8
2006	Addicted to death: invasive cancer and the immune response to unscheduled cell death. 2005 , 28, 1-9	126
2005	NK/iDC interaction results in IL-18 secretion by DCs at the synaptic cleft followed by NK cell activation and release of the DC maturation factor HMGB1. 2005 , 106, 609-16	268
2004	High mobility group box 1 (HMGB1) protein: possible amplification signal in the pathogenesis of falciparum malaria. 2005 , 99, 171-4	25
2003	Immunologic role of the cholinergic anti-inflammatory pathway and the nicotinic acetylcholine alpha 7 receptor. 2005 , 1062, 209-19	84
2002	The vagus nerve and the nicotinic anti-inflammatory pathway. 2005 , 4, 673-84	315
2001	High-mobility group box 1 protein (HMGB1): nuclear weapon in the immune arsenal. 2005 , 5, 331-42	1904
2000	Temporal differences in the ability of ethanol to modulate endotoxin-induced increases in inflammatory cytokines in muscle under in vivo conditions. 2005 , 29, 1247-56	24
1999	Recombinant derivatives of the human high-mobility group protein HMGB2 mediate efficient nonviral gene delivery. 2005 , 272, 4221-36	30
1998	RAGE is the major receptor for the proinflammatory activity of HMGB1 in rodent macrophages. 2005 , 61, 1-9	404
1997	Ethyl pyruvate ameliorates ileus induced by bowel manipulation in mice. 2005 , 138, 530-7	26
1996	The RAGE axis and endothelial dysfunction: maladaptive roles in the diabetic vasculature and beyond. 2005 , 15, 237-43	56

1995	Requirement of HMGB1 and RAGE for the maturation of human plasmacytoid dendritic cells. 2005 , 35, 2184-90	161
1994	Increased expression of the novel proinflammatory cytokine high mobility group box chromosomal protein 1 in skin lesions of patients with lupus erythematosus. 2005 , 52, 3639-45	126
1993	Current and future concepts of abdominal sepsis. 2005 , 29, 3-9	21
1992	Understanding RAGE, the receptor for advanced glycation end products. 2005 , 83, 876-86	914
1991	Atherosclerosis and restenosis: is there a role for RAGE?. 2005 , 5, 11-6	32
1990	The multiple organ dysfunction syndrome and late-phase mortality in sepsis. 2005 , 7, 335-41	12
1989	Plasma concentrations and importance of High Mobility Group Box protein in the prognosis of organ failure in patients with disseminated intravascular coagulation. 2005 , 94, 975-9	189
1988	. 2005 ,	3
1987	High-mobility group box 1 protein is an inflammatory mediator in necrotizing enterocolitis: protective effect of the macrophage deactivator semapimod. 2005 , 289, G643-52	43
1986	Sympathetic excitotoxicity in sepsis: pro-inflammatory priming of macrophages by norepinephrine. 2005 , 10, 2217-29	47
1985	Novel Pathways of Protein Secretion. 2005 , 45-60	6
1984	Linking the "two-hit" response following injury to enhanced TLR4 reactivity. 2005 , 77, 16-23	66
1983	Genes involved in invasion and metastasis of gastric cancer identified by array-based hybridization and serial analysis of gene expression. 2005 , 69 Suppl 1, 17-22	46
1982	Alpha-chemokine receptor blockade reduces high mobility group box 1 protein-induced lung inflammation and injury and improves survival in sepsis. 2005 , 289, L583-90	63
1981	HMGB1 contributes to the development of acute lung injury after hemorrhage. 2005 , 288, L958-65	212
1980	Perspectives of Activated Protein C in the Vasculature: Update on Proposed Roles of the Protein C Pathway. 2005 , 6, 405-410	
1979	Pathophysiology of mifepristone-induced septic shock due to Clostridium sordellii. 2005 , 39, 1483-8	55
1978	DAP12 (KARAP) amplifies inflammation and increases mortality from endotoxemia and septic peritonitis. 2005 , 202, 363-9	76

1977	Essential role of STAT1 in caspase-independent cell death of activated macrophages through the p38 mitogen-activated protein kinase/STAT1/reactive oxygen species pathway. 2005 , 25, 6821-33	66
1976	Suppression of HMGB1 release by stearyl lysophosphatidylcholine:an additional mechanism for its therapeutic effects in experimental sepsis. 2005 , 46, 623-7	98
1975	Release of high mobility group box 1 by dendritic cells controls T cell activation via the receptor for advanced glycation end products. 2005 , 174, 7506-15	419
1974	Anaesthesia, Pain, Intensive Care and Emergency Medicine [A.P.I.C.E.. 2005 ,	1
1973	Médiateurs de l'inflammation. 2005 , 23-49	1
1972	Effect of hemoperfusion using polymyxin B-immobilized fiber on IL-6, HMGB-1, and IFN gamma in a neonatal sepsis model. 2005 , 58, 309-14	27
1971	The nuclear factor HMGB1 mediates hepatic injury after murine liver ischemia-reperfusion. 2005 , 201, 1135-43	1532
1970	Therapeutic intervention and targets for sepsis. 2005 , 56, 225-48	123
1969	Hepatic ischemia/reperfusion injury involves functional TLR4 signaling in nonparenchymal cells. 2005 , 175, 7661-8	315
1968	RAGE limits regeneration after massive liver injury by coordinated suppression of TNF-alpha and NF-kappaB. 2005 , 201, 473-84	123
1967	Exogenous high-mobility group box 1 protein induces myocardial regeneration after infarction via enhanced cardiac C-kit+ cell proliferation and differentiation. 2005 , 97, e73-83	229
1966	The effects of CpG DNA on HMGB1 release by murine macrophage cell lines. 2005 , 78, 930-6	37
1965	The effect of inflammation on the generation of plasma DNA from dead and dying cells in the peritoneum. 2005 , 77, 296-302	40
1964	Determinants of plasma acid-base balance. 2005 , 21, 329-46	43
1963	ISO-1 binding to the tautomerase active site of MIF inhibits its pro-inflammatory activity and increases survival in severe sepsis. 2005 , 280, 36541-4	229
1962	The cytokine activity of HMGB1. 2005 , 78, 1-8	407
1961	Advanced glycation end products and RAGE: a common thread in aging, diabetes, neurodegeneration, and inflammation. 2005 , 15, 16R-28R	573
1960	Insulin prevents liver damage and preserves liver function in lipopolysaccharide-induced endotoxemic rats. 2005 , 42, 870-9	59

1959	Determinants of specific binding of HMGB1 protein to hemicatenated DNA loops. 2005 , 353, 822-37	30
1958	Monocytes promote natural killer cell interferon gamma production in response to the endogenous danger signal HMGB1. 2005 , 42, 433-44	86
1957	The "cytokine profile": a code for sepsis. 2005 , 11, 56-63	1009
1956	Apoptotic cells, autoantibodies, and the role of HMGB1 in the subcellular localization of an autoantigen. 2005 , 25, 264-71	10
1955	Interleukin-32: a cytokine and inducer of TNFalpha. 2005 , 22, 131-42	453
1954	HMGB1: guiding immunity from within. 2005 , 26, 381-7	291
1953	The role of HMGB-1 on the development of necrosis during hepatic ischemia and hepatic ischemia/reperfusion injury in mice. 2005 , 124, 59-66	78
1952	Longitudinal study of cytokine and immune transcription factor mRNA expression in septic shock. 2005 , 114, 61-9	66
1951	Angiogenetic signaling through hypoxia: HMGB1: an angiogenetic switch molecule. 2005 , 166, 1259-63	190
1950	Innate immune responses to infection. 2005 , 116, 241-9; quiz 250	250
1949	The double life of the Ku protein: facing the DNA breaks and the extracellular environment. 2005 , 4, 438-41	58
1948	Human malarial disease: a consequence of inflammatory cytokine release. 2006 , 5, 85	189
1947	Emerging drugs for the treatment of sepsis. 2006 , 11, 7-22	2
1946	Anaesthesia, Pain, Intensive Care and Emergency A.P.I.C.E.. 2006 ,	1
1945	Cytokines in idiopathic inflammatory myopathies. 2006 , 39, 177-90	43
1944	Potential role of high mobility group box 1 in viral infectious diseases. 2006 , 19, 3-9	70
1943	Innate immunity in critical care. 2006 , 17, 25-35	4
1942	High-mobility group box-1 isoforms as potential therapeutic targets in sepsis. 2007 , 361, 145-62	29

1941 The Emerging Role of RAGE in Sepsis. **2006**, 14-22

1940 The Role of Toll-like Receptors in Sepsis. **2006**, 3-13

1939 Receptor for advanced glycation end products and the cardiovascular complications of diabetes and beyond: lessons from AGEing. **2006**, 35, 511-24, viii 17

1938 Glycation and RAGE: Common Links in the Pathogenesis of Microvascular and Macrovascular Complications of Diabetes. **2006**, 30, 422-429 4

1937 Acute lung injury and the acute respiratory distress syndrome: challenges in clinical trial design. **2006**, 27, 733-54; abstract xi 11

1936 Endocrine markers of severity and prognosis in critical illness. **2006**, 22, 161-79, viii 4

1935 Inflammatory mediators in sepsis: Cytokines, chemokines, adhesion molecules and gases. **2006**, 2, 80-92 22

1934 Upregulation of RAGE and its ligands in proliferative retinal disease. **2006**, 82, 807-15 87

1933 New high mobility group box 1 assay system. **2006**, 372, 173-8 73

1932 Cloning the genes and DNA binding properties of High Mobility Group B1 (HMGB1) proteins from the human blood flukes *Schistosoma mansoni* and *Schistosoma japonicum*. **2006**, 377, 33-45 17

1931 Role of HMGB1 in cardiovascular diseases. **2006**, 6, 130-5 93

1930 HMGB1 activates replication of latent HIV-1 in a monocytic cell-line, but inhibits HIV-1 replication in primary macrophages. **2006**, 34, 17-23 34

1929 High-mobility group box 1 (HMGB1) protein: friend and foe. **2006**, 17, 189-201 278

1928 More tea for septic patients?--Green tea may reduce endotoxin-induced release of high mobility group box 1 and other pro-inflammatory cytokines. **2006**, 66, 660-3 17

1927 A scarlet pimpernel for the resolution of inflammation? The role of supra-therapeutic doses of cobalamin, in the treatment of systemic inflammatory response syndrome (SIRS), sepsis, severe sepsis, and septic or traumatic shock. **2006**, 67, 124-42 43

1926 On-line continuous hemodiafiltration in sepsis. **2006**, 35, 265-9 3

1925 Anti-HMGB1 neutralizing antibody ameliorates gut barrier dysfunction and improves survival after hemorrhagic shock. **2006**, 12, 105-14 194

1924 The aqueous extract of a popular herbal nutrient supplement, *Angelica sinensis*, protects mice against lethal endotoxemia and sepsis. **2006**, 136, 360-5 72

1923 Evolution and Diversity of Macrophages. **2006**, 245-330

1922 HMGB1 signals through toll-like receptor (TLR) 4 and TLR2. **2006**, 26, 174-9 619

1921 Hmgb-1 as a therapeutic target for infectious and inflammatory disorders. **2006**, 25, 4-11 114

1920 Elevated high-mobility group box 1 levels in patients with cerebral and myocardial ischemia. **2006**, 25, 571-4 191

1919 Increased susceptibility to septic and endotoxic shock in monocyte chemoattractant protein 1/cc chemokine ligand 2-deficient mice correlates with reduced interleukin 10 and enhanced macrophage migration inhibitory factor production. **2006**, 26, 457-63 41

1918 The role of high mobility group box-1 protein in severe sepsis. **2006**, 19, 231-6 55

1917 Emerging paradigm: toll-like receptor 4-sentinel for the detection of tissue damage. **2006**, 26, 430-7 255

1916 Adenosine A2A receptor inactivation increases survival in polymicrobial sepsis. **2006**, 176, 5616-26 106

1915 Significant increase of serum high-mobility group box chromosomal protein 1 levels in patients with severe acute pancreatitis. **2006**, 33, 359-63 120

1914 Activation of the liver X receptor protects against hepatic injury in endotoxemia by suppressing Kupffer cell activation. **2006**, 25, 141-6 60

1913 The impact of endogenous triggers on trauma-associated inflammation. **2006**, 12, 595-601 97

1912 Cytokines and Escherichia coli Sepsis. **2006**, 2, 2

1911 Protection of early phase hepatic ischemia-reperfusion injury by cholinergic agonists. **2006**, 6, 3 33

1910 Trauma: the role of the innate immune system. **2006**, 1, 15 141

1909 Differentially expressed proteins in gastrointestinal stromal tumors with KIT and PDGFRA mutations. **2006**, 6, 1151-7 38

1908 Haemodynamic and metabolic effects of resuscitation with Ringer's ethyl pyruvate in the acute phase of porcine endotoxaemic shock. **2006**, 50, 1198-206 15

1907 Serum concentrations of high-mobility group box chromosomal protein 1 before and after exposure to the surgical stress of thoracic esophagectomy: a predictor of clinical course after surgery?. **2006**, 19, 5-9 45

1906 Elevation of serum high-mobility group box 1 protein during granulocyte colony-stimulating factor-induced peripheral blood stem cell mobilisation. **2006**, 135, 567-9 15

1905	The TREM receptor family and signal integration. 2006 , 7, 1266-73	427
1904	A reduced mathematical model of the acute inflammatory response II. Capturing scenarios of repeated endotoxin administration. 2006 , 242, 237-56	131
1903	A reduced mathematical model of the acute inflammatory response: I. Derivation of model and analysis of anti-inflammation. 2006 , 242, 220-36	202
1902	HMGB1 as a key mediator of tissue response to injury: roles in inflammation and tissue repair. 2006 , 38, 283-292	5
1901	Anti-high-mobility group box chromosomal protein 1 antibodies improve survival of rats with sepsis. 2006 , 30, 1755-62	88
1900	Role of inducible nitric oxide synthase expressed by alveolar macrophages in high mobility group box 1--induced acute lung injury. 2006 , 55, 207-15	31
1899	The ligand/RAGE axis: lighting the fuse and igniting vascular stress. 2006 , 8, 232-9	16
1898	Cloning and characterization of a high mobility group box 1 (HMGB1) homologue protein from <i>Schistosoma mansoni</i> . 2006 , 145, 137-46	21
1897	Is pyruvate an endogenous anti-inflammatory molecule?. 2006 , 22, 965-72	37
1896	Increased extracellular levels of the novel proinflammatory cytokine high mobility group box chromosomal protein 1 in minor salivary glands of patients with Sjögren's syndrome. 2006 , 54, 2289-94	67
1895	Soluble receptor for advanced glycation end products triggers a proinflammatory cytokine cascade via beta2 integrin Mac-1. 2006 , 54, 3898-907	98
1894	HMGB1 expression and release by bone cells. 2006 , 207, 480-90	51
1893	WHAT'S NEW IN Shock, January 2006?. 2006 , 25, 1-3	1
1892	Expression of receptor for advanced glycation end products during rat tongue carcinogenesis by 4-nitroquinoline 1-oxide and effect of a selective cyclooxygenase-2 inhibitor, etodolac. 2006 , 73, 317-24	9
1891	The high mobility group box chromosomal protein 1 is expressed in the human and rat testis where it may function as an antibacterial factor. 2006 , 21, 2801-9	42
1890	Contribution of high-mobility group box-1 to the development of ventilator-induced lung injury. 2006 , 174, 400-7	124
1889	The extracellular release of HMGB1 during apoptotic cell death. 2006 , 291, C1318-25	395
1888	HMGB1 is secreted by immunostimulated enterocytes and contributes to cytomix-induced hyperpermeability of Caco-2 monolayers. 2006 , 290, C990-9	127

1887	The phase 2 enzyme inducers ethacrynic acid, DL-sulforaphane, and oltipraz inhibit lipopolysaccharide-induced high-mobility group box 1 secretion by RAW 264.7 cells. 2006 , 316, 1070-9	41
1886	High mobility group box 1 protein interacts with multiple Toll-like receptors. 2006 , 290, C917-24	707
1885	Role of HMGB1 in apoptosis-mediated sepsis lethality. 2006 , 203, 1637-42	312
1884	The K1 serotype capsular polysaccharide of <i>Porphyromonas gingivalis</i> elicits chemokine production from murine macrophages that facilitates cell migration. 2006 , 74, 6236-43	36
1883	Increased expression of high mobility group box 1 (HMGB1) is associated with an elevated level of the antiapoptotic c-IAP2 protein in human colon carcinomas. 2006 , 55, 234-42	111
1882	The DEK nuclear autoantigen is a secreted chemotactic factor. 2006 , 26, 9484-96	68
1881	The Emerging Role of RAGE in Sepsis. 2006 , 14-22	
1880	High-mobility-group box nuclear factors of <i>Plasmodium falciparum</i> . 2006 , 5, 672-82	35
1879	Nuclear ADP-ribosylation reactions in mammalian cells: where are we today and where are we going?. 2006 , 70, 789-829	522
1878	Target Discovery and Validation Reviews and Protocols. 2006 ,	1
1877	Smooth muscle cells in human atherosclerotic plaques secrete and proliferate in response to high mobility group box 1 protein. 2006 , 20, 2565-6	140
1876	Nucleocytoplasmic shuttling of HMGB1 is regulated by phosphorylation that redirects it toward secretion. 2006 , 177, 7889-97	277
1875	HMGB1, a novel cytokine-like mediator linking acute neuronal death and delayed neuroinflammation in the postischemic brain. 2006 , 26, 6413-21	456
1874	The role of IFN-alpha and nitric oxide in the release of HMGB1 by RAW 264.7 cells stimulated with polyinosinic-polycytidylic acid or lipopolysaccharide. 2006 , 177, 3337-43	88
1873	Toll-like receptors: a new target in rheumatoid arthritis?. 2006 , 2, 585-99	18
1872	IL-33, the IL-1-like cytokine ligand for ST2 receptor, is a chromatin-associated nuclear factor in vivo. 2007 , 104, 282-7	739
1871	Bench-to-bedside review: High-mobility group box 1 and critical illness. 2007 , 11, 229	42
1870	The maturation potential of NK cell clones toward autologous dendritic cells correlates with HMGB1 secretion. 2007 , 81, 92-9	32

1869	Hemorrhagic shock induces NAD(P)H oxidase activation in neutrophils: role of HMGB1-TLR4 signaling. 2007 , 178, 6573-80	248
1868	Pivotal advance: analysis of proinflammatory activity of highly purified eukaryotic recombinant HMGB1 (amphoterin). 2007 , 81, 49-58	172
1867	Hydrogen peroxide stimulates macrophages and monocytes to actively release HMGB1. 2007 , 81, 741-7	225
1866	Anti-high mobility group box 1 monoclonal antibody ameliorates brain infarction induced by transient ischemia in rats. 2007 , 21, 3904-16	293
1865	Multiple effects of high mobility group box protein 1 in skeletal muscle regeneration. 2007 , 27, 2377-83	78
1864	Receptor for AGE (RAGE): weaving tangled webs within the inflammatory response. 2007 , 7, 743-51	85
1863	Toll-like receptors, new horizons in sepsis. 2007 , 7, 522-31	6
1862	RAGE as a receptor of HMGB1 (Amphoterin): roles in health and disease. 2007 , 7, 725-34	80
1861	Stage-specific secretion of HMGB1 in cartilage regulates endochondral ossification. 2007 , 27, 5650-63	81
1860	Mechanisms of Disease: the role of high-mobility group protein 1 in the pathogenesis of inflammatory arthritis. 2007 , 3, 52-8	26
1859	High mobility group box 1 protein induction by Mycobacterium bovis BCG. 2007 , 2007, 53805	9
1858	Cytolytic cells induce HMGB1 release from melanoma cell lines. 2007 , 81, 75-83	72
1857	Interview with Dr. Heikki Rauvala regarding pivotal advance: analysis of proinflammatory activity of highly purified eukaryotic recombinant HMGB1 (amphoterin). Interview by Marco E Bianchi. 2007 , 81, 46-8	2
1856	Endogenous estrogen attenuates pulmonary artery vasoreactivity and acute hypoxic pulmonary vasoconstriction: the effects of sex and menstrual cycle. 2007 , 293, E865-71	58
1855	Increasing numbers of hepatic dendritic cells promote HMGB1-mediated ischemia-reperfusion injury. 2007 , 81, 119-28	101
1854	RAGE and RAGE ligands in cancer. 2007 , 7, 777-89	151
1853	Receptor for Advanced Glycation Endproducts (RAGE): A Formidable Force in the Pathogenesis of the Cardiovascular Complications of Diabetes & Aging. 2007 , 7, 699-710	74
1852	Factors masking HMGB1 in human serum and plasma. 2007 , 81, 67-74	115

1851	Relationship between effect of polymyxin B-immobilized fiber and high-mobility group box-1 protein in septic shock patients. 2007 , 53, 324-8	540
1850	Ethyl Pyruvate: A Novel Treatment for Sepsis. 2007 , 8, 515-518	41
1849	Mechanisms of disease: a 'DAMP' view of inflammatory arthritis. 2007 , 3, 382-90	255
1848	HMGB1-secreting capacity of multiple cell lineages revealed by a novel HMGB1 ELISPOT assay. 2007 , 81, 129-36	37
1847	Mechanisms of Sepsis-Induced Organ Dysfunction and Recovery. 2007 ,	
1846	HMGB1 release induced by liver ischemia involves Toll-like receptor 4 dependent reactive oxygen species production and calcium-mediated signaling. 2007 , 204, 2913-23	484
1845	Transcutaneous vagus nerve stimulation reduces serum high mobility group box 1 levels and improves survival in murine sepsis. 2007 , 35, 2762-8	182
1844	Acid-base disorders and strong ion gap. 2007 , 156, 158-66	9
1843	The relationship between apoptosis and high-mobility group protein 1 release from murine macrophages stimulated with lipopolysaccharide or polyinosinic-polycytidylic acid. 2007 , 178, 6495-503	110
1842	Receptor for advanced glycation end products expression on T cells contributes to antigen-specific cellular expansion in vivo. 2007 , 179, 8051-8	74
1841	Translocation of the novel cytokine HMGB1 to the cytoplasm and extracellular space coincides with the peak of clinical activity in experimentally UV-induced lesions of cutaneous lupus erythematosus. 2007 , 16, 794-802	72
1840	Receptor for advanced glycation end products (RAGE) in a dash to the rescue: inflammatory signals gone awry in the primal response to stress. 2007 , 82, 204-12	104
1839	A cardiovascular drug rescues mice from lethal sepsis by selectively attenuating a late-acting proinflammatory mediator, high mobility group box 1. 2007 , 178, 3856-64	137
1838	Interleukin-10 (IL-10). 2007 , 165-179	
1837	Treatment with HMGB1 inhibitors diminishes CTL-induced liver disease in HBV transgenic mice. 2007 , 81, 100-7	106
1836	A protein associated with Toll-like receptor (TLR) 4 (PRAT4A) is required for TLR-dependent immune responses. 2007 , 204, 2963-76	131
1835	Antibodies against RAGE in sepsis and inflammation: implications for therapy. 2007 , 8, 1193-6	13
1834	RAGE Signaling in Cell Adhesion and Inflammation. 2007 , 3, 1-9	1

1833	Tolerization with BLP down-regulates HMGB1 a critical mediator of sepsis-related lethality. 2007 , 82, 906-14	3
1832	Expression of high mobility group protein 1 in the sera of patients and mice with systemic lupus erythematosus. 2008 , 67, 727-8	48
1831	Pivotal advances: high-mobility group box 1 protein--a cytokine with a role in cardiac repair. 2007 , 81, 41-5	43
1830	Systemic inflammation and remote organ injury following trauma require HMGB1. 2007 , 293, R1538-44	180
1829	Autonomic nervous system activity and decline as prognostic indicators of cardiovascular and cerebrovascular events: the 'PROOF' Study. Study design and population sample. Associations with sleep-related breathing disorders: the 'SYNAPSE' Study. 2007 , 29, 18-28	96
1828	Activation of poly(ADP)-ribose polymerase (PARP-1) induces release of the pro-inflammatory mediator HMGB1 from the nucleus. 2007 , 282, 17845-54	148
1827	Two cases of acute exacerbation of interstitial pneumonia treated with polymyxin B-immobilized fiber column hemoperfusion treatment. 2007 , 46, 1447-54	18
1826	The RAGE connection to diabetes and atherosclerosis: an intertwined web of advanced glycation and inflammation. 2007 , 2, 239-250	2
1825	Sodium butyrate prevents lethality of severe sepsis in rats. 2007 , 27, 672-7	51
1824	Biologically active versus immunoreactive high-mobility group box 1. 2007 , 35, 1809; author reply 1809	
1823	Prognostic value of natriuretic peptides in severe sepsis. 2007 , 35, 1805-6; author reply 1806	2
1822	Intraperitoneal microdialysis: Critique of an editorial. 2007 , 35, 1802	
1821	Role of Janus kinase/signal transducer and activator of transcription pathway in regulation of expression and inflammation-promoting activity of high mobility group box protein 1 in rat peritoneal macrophages. 2007 , 27, 55-60	42
1820	Slurping at the inside--do not forget to clean the outside too. 2007 , 35, 1803; author reply 1803-4	1
1819	Prognostic value of natriuretic peptides in severe sepsis. 2007 , 35, 1806	1
1818	Intraperitoneal microdialysis: critique of an editorial. 2007 , 35, 1802; discussion 1802	
1817	Arginine-vasopressin as a rescue therapy in children with cardiocirculatory failure. 2007 , 35, 1800	
1816	Dynamic respiratory mechanics measurements for optimization of ventilator settings in acute lung injury. 2007 , 35, 1807-1808	1

1815	Nafamostat mesilate inhibits high-mobility group box 1 by lipopolysaccharide stimulation in murine macrophage RAW 264.7. 2007 , 27, 429-35	11
1814	Blood transfusions are associated with increased risk for development of sepsis in severely burned pediatric patients. 2007 , 35, 579-83	99
1813	Pronounced elevation of resistin correlates with severity of disease in severe sepsis and septic shock. 2007 , 35, 1536-42	101
1812	Selenium in intensive care: an interesting yet not fully proven concept. 2007 , 35, 1812	
1811	Slurping at the insideDo not forget to clean the outside too. 2007 , 35, 1803-1804	
1810	Circadian variation of glucose levels: biology or timing of measurements?. 2007 , 35, 1800-1; author reply 1801-2	1
1809	Dynamic respiratory mechanics measurements for optimization of ventilator settings in acute lung injury. 2007 , 35, 1806-7; author reply 1807-8	2
1808	The role of the intestinal barrier in the pathogenesis of necrotizing enterocolitis. 2007 , 27, 124-33	156
1807	Ethyl pyruvate improves survival and ameliorates distant organ injury in rats with severe acute pancreatitis. 2007 , 35, 256-61	48
1806	High-mobility group box 1 (HMGB1) as a potential therapeutic target in sepsis--more questions than answers. 2007 , 35, 1205-6	9
1805	Selective alpha7-nicotinic acetylcholine receptor agonist GTS-21 improves survival in murine endotoxemia and severe sepsis. 2007 , 35, 1139-44	307
1804	Selenium supplementation in septic patients: the method of delivery matters. 2007 , 35, 1802-3	1
1803	Biologically active versus immunoreactive high-mobility group box 1. 2007 , 35, 1809	
1802	A strategy of escalating doses of benzodiazepines and phenobarbital administration reduces the need for mechanical ventilation in delirium tremens. 2007 , 35, 1809-10; author reply 1811-2	1
1801	Which is the right antibiotic treatment for ventilator-associated pneumonia?. 2007 , 35, 1808; author reply 1808-9	
1800	Benzodiazepine administration and need for mechanical ventilation in delirium tremens. 2007 , 35, 1811-1812	
1799	Is ventricular fibrillation waveform analysis suitable for optimizing timing of ventricular defibrillation? Yes it is. 2007 , 35, 1804-5; author reply 1805	3
1798	Which is the right antibiotic treatment for ventilator-associated pneumonia?. 2007 , 35, 1808-1809	

1797	Increase of high-mobility group box chromosomal protein 1 in blood and injured organs in experimental severe acute pancreatitis. 2007 , 34, 487-8	37
1796	The cancer related thrombotic tendency in sepsis. 2007 , 8, 543-9	
1795	Systemic and local high mobility group box 1 concentrations during severe infection. 2007 , 35, 2799-804	61
1794	High-mobility group box 1 protein induces HIV-1 expression from persistently infected cells. 2007 , 21, 283-92	24
1793	Benzodiazepine administration and need for mechanical ventilation in delirium tremens. 2007 , 35, 1810-1; author reply 1811-2	
1792	Circulating high-mobility group box 1 (HMGB1) concentrations are elevated in both uncomplicated pneumonia and pneumonia with severe sepsis. 2007 , 35, 1061-7	187
1791	Arginine-vasopressin as a rescue therapy in children with cardiocirculatory failure. 2007 , 35, 1800; author reply 1800	4
1790	The inflammatory response to ischemic acute kidney injury: a result of the 'right stuff' in the 'wrong place'?. 2007 , 16, 83-9	45
1789	Circadian variation of glucose levels: Biology or timing of measurements?. 2007 , 35, 1801-1802	
1788	Is ventricular fibrillation waveform analysis suitable for optimizing timing of ventricular defibrillation? Yes it is. 2007 , 35, 1805	1
1787	Promising therapeutic agents for sepsis. 2007 , 15, 31-7	18
1786	Dual localization: proteins in extracellular and intracellular compartments. 2007 , 109, 89-110	59
1785	Sepsis. 2007 , 120, 1012-22	108
1784	Essential roles of high-mobility group box 1 in the development of murine colitis and colitis-associated cancer. 2007 , 360, 394-400	81
1783	HMGB1, a novel inflammatory cytokine. 2007 , 375, 36-42	124
1782	Microbial pathogen-induced necrotic cell death mediated by the inflammasome components CIAS1/cryopyrin/NLRP3 and ASC. 2007 , 2, 147-59	244
1781	HMGB1 expression by activated vascular smooth muscle cells in advanced human atherosclerosis plaques. 2007 , 16, 136-43	106
1780	Neuro-immune interactions via the cholinergic anti-inflammatory pathway. 2007 , 80, 2325-9	100

1779	Inside, outside, upside down: damage-associated molecular-pattern molecules (DAMPs) and redox. 2007 , 28, 429-36	462
1778	Inhibition of HMGB1 by deep ocean water attenuates endotoxin-induced sepsis. 2007 , 68, 1429-30	2
1777	Complement-related molecular events in sepsis leading to heart failure. 2007 , 44, 95-102	40
1776	Distribution and cellular localization of high mobility group box protein 1 (HMGB1) in the spinal cord of a transgenic mouse model of ALS. 2007 , 412, 73-7	43
1775	Stress molecules in sepsis and systemic inflammatory response syndrome. 2007 , 581, 3723-33	92
1774	The role of nuclear macromolecules in innate immunity. 2007 , 4, 258-62	14
1773	Pathophysiology of sepsis. 2007 , 170, 1435-44	348
1772	Masquerader: high mobility group box-1 and cancer. 2007 , 13, 2836-48	300
1771	A novel role for HMGB1 in TLR9-mediated inflammatory responses to CpG-DNA. 2007 , 110, 1970-81	361
1770	Morphological characterization of intra-articular HMGB1 expression during the course of collagen-induced arthritis. 2007 , 9, R35	32
1769	Clinical and radiological picture of Jaccoud arthropathy in the context of systemic sclerosis. 2008 , 67, 728-9	9
1768	Nuclear heat shock protein 72 as a negative regulator of oxidative stress (hydrogen peroxide)-induced HMGB1 cytoplasmic translocation and release. 2007 , 178, 7376-84	82
1767	The anti-inflammatory effects of heat shock protein 72 involve inhibition of high-mobility-group box 1 release and proinflammatory function in macrophages. 2007 , 179, 1236-44	120
1766	Pediatric Infectious Diseases Revisited. 2007 ,	
1765	Phenolic hydrazones are potent inhibitors of macrophage migration inhibitory factor proinflammatory activity and survival improving agents in sepsis. 2007 , 50, 1993-7	50
1764	Post-translational methylation of high mobility group box 1 (HMGB1) causes its cytoplasmic localization in neutrophils. 2007 , 282, 16336-44	159
1763	HMGB1: a signal of necrosis. 2007 , 40, 285-9	134
1762	High mobility group box-1 protein induces the migration and activation of human dendritic cells and acts as an alarmin. 2007 , 81, 59-66	305

1761	The roles of therapy-induced autophagy and necrosis in cancer treatment. 2007 , 13, 7271-9	374
1760	Cellular mechanisms in sepsis. 2007 , 22, 63-72	120
1759	High mobility group box-1 protein in patients with suspected community-acquired infections and sepsis: a prospective study. 2007 , 11, R32	45
1758	A comparison of high-mobility group-box 1 protein, lipopolysaccharide-binding protein and procalcitonin in severe community-acquired infections and bacteraemia: a prospective study. 2007 , 11, R76	51
1757	Bench-to-bedside review: The inflammation-perpetuating pattern-recognition receptor RAGE as a therapeutic target in sepsis. 2008 , 12, 201	90
1756	RAGE: exacting a toll on the host in response to polymicrobial sepsis and <i>Listeria monocytogenes</i> . 2007 , 11, 183	5
1755	Immune-Mediated Diseases. 2007 ,	4
1754	Physiopathologie du choc septique. 2007 , 9, 9-19	0
1753	Chronic sepsis mortality characterized by an individualized inflammatory response. 2007 , 179, 623-30	64
1752	Alarmins initiate host defense. 2007 , 601, 185-94	143
1751	A major ingredient of green tea rescues mice from lethal sepsis partly by inhibiting HMGB1. 2007 , 2, e1153	110
1750	Sinusoidal Cells in Liver Injury and Repair. 341-370	2
1749	Proinflammatory Effects of High Mobility Group B1 (HMGB1) Versus LPS and the Mechanism of IL-8 Promoter Stimulation by HMGB1. 2007 , 62, 299	1
1748	<i>Mycobacterium bovis</i> BCG induces high mobility group box 1 protein release from monocytic cells. 2007 , 54, 323-37	
1747	TLR4 activation mediates kidney ischemia/reperfusion injury. 2007 , 117, 2847-59	621
1746	Cholinergic anti-inflammatory pathway activity and High Mobility Group Box-1 (HMGB1) serum levels in patients with rheumatoid arthritis. 2007 , 13, 210-5	143
1745	The hepatic response to a thermal injury. 2007 , 361-378	1
1744	Receptor for Advanced Glycation End-products and the Endothelium: A Path to the Complications of Diabetes and Inflammation. 419-429	1

1743 The Role of the Endothelium in Systemic Inflammatory Response Syndrome and Sepsis. 1294-1302

1742 . 2007, 2

1741 Systemic and local high mobility group box 1 concentrations during severe infection. 2007, 35, 2799-2804 61

1740 Historical insights into cytokines. 2007, 37 Suppl 1, S34-45 458

1739 Endogenous secretory receptor for advanced glycation endproducts as a novel prognostic marker in chondrosarcoma. 2007, 109, 2532-40 19

1738 Endogenous signals released from necrotic cells augment inflammatory responses to bacterial endotoxin. 2007, 111, 36-44 130

1737 Glycyrrhizin binds to high-mobility group box 1 protein and inhibits its cytokine activities. 2007, 14, 431-41 385

1736 A direct inhibitor of HMGB1 cytokine. 2007, 14, 345-7 37

1735 Increased serum high mobility group box-1 level in Churg-Strauss syndrome. 2007, 148, 241-7 19

1734 Toll-like receptor 9-dependent activation by DNA-containing immune complexes is mediated by HMGB1 and RAGE. 2007, 8, 487-96 1071

1733 Toll-like receptor 4-dependent contribution of the immune system to anticancer chemotherapy and radiotherapy. 2007, 13, 1050-9 2207

1732 A novel pathway of HMGB1-mediated inflammatory cell recruitment that requires Mac-1-integrin. 2007, 26, 1129-39 293

1731 Autoimmunity: the nuclear arsenal of autoimmunity. 2007, 85, 344-5 1

1730 High mobility group box 1 and refeeding-resistance in anorexia nervosa. 2007, 12, 976-7 5

1729 The genetic variation of the human HMGB1 gene. 2007, 70, 151-6 31

1728 Neutrophil elastase inhibitor improves postoperative clinical courses after thoracic esophagectomy. 2007, 20, 478-86 49

1727 Ethyl pyruvate: a novel anti-inflammatory agent. 2007, 261, 349-62 121

1726 Increased expression of HMGB-1 in the skin lesions of erythema toxicum. 2007, 24, 474-82 22

1725	High-mobility group box 1 protein promotes development of microvascular thrombosis in rats. 2007 , 5, 109-16	134
1724	The interaction between HMGB1 and TLR4 dictates the outcome of anticancer chemotherapy and radiotherapy. 2007 , 220, 47-59	431
1723	The grateful dead: damage-associated molecular pattern molecules and reduction/oxidation regulate immunity. 2007 , 220, 60-81	500
1722	Tumor necrosis factor-alpha stimulates gingival epithelial cells to release high mobility-group box 1. 2008 , 43, 76-83	51
1721	Systemic inflammation after trauma. 2007 , 38, 1336-45	437
1720	Blockade of RAGE suppresses alloimmune reactions in vitro and delays allograft rejection in murine heart transplantation. 2007 , 7, 293-302	72
1719	The identity of innate immune activators in organ transplantation: origins from within or exterior to the host?. 2007 , 7, 1692-4	12
1718	Intracellular HMGB1 transactivates the human IL1B gene promoter through association with an Ets transcription factor PU.1. 2008 , 80, 10-9	16
1717	Septic Shock. 2007 , 372-382	1
1716	Endogenous Danger Signals in Liver Injury: Role of High Mobility Group Box Protein-1. 2007 , 383-391	
1715	The Gut. 2007 , 369-381	
1714	The Significance of HMGB1, a Late-Acting Pro-inflammatory Cytokine. 2007 , 67-75	0
1713	High-mobility group box 1 (HMGB1) protein at the crossroads between innate and adaptive immunity. 2007 , 220, 35-46	476
1712	High-mobility group box 1 protein plasma concentrations during septic shock. 2007 , 33, 1347-53	125
1711	HMGB1 and LPS induce distinct patterns of gene expression and activation in neutrophils from patients with sepsis-induced acute lung injury. 2007 , 33, 1829-39	71
1710	HMGB1 modulates inflammatory responses in LPS-activated macrophages. 2007 , 56, 162-7	90
1709	Changes in cell culture temperature alter release of inflammatory mediators in murine macrophagic RAW264.7 cells. 2007 , 56, 297-303	39
1708	Nafamostat mesilate inhibits the expression of HMGB1 in lipopolysaccharide-induced acute lung injury. 2007 , 21, 164-70	14

1707	Three-step research strategies for ARDS: new target molecules ACE2, HMGB1, and HSP47. 2007 , 21, 122-123	78
1706	Differential proteomic analysis of human colorectal carcinoma cell lines metastasis-associated proteins. 2007 , 133, 771-82	53
1705	A case of limited cutaneous systemic sclerosis developing anti-mitochondria antibody positive primary biliary cirrhosis after acute myocardial infarction. 2007 , 26, 1571-4	5
1704	The biology of RAGE and its ligands: uncovering mechanisms at the heart of diabetes and its complications. 2007 , 7, 146-53	44
1703	Is the septic response good or bad?. 2007 , 9, 366-73	5
1702	A neutrophil elastase inhibitor, sivelestat, reduces lung injury following endotoxin-induced shock in rats by inhibiting HMGB1. 2008 , 31, 227-34	41
1701	High dose antithrombin III inhibits HMGB1 and improves endotoxin-induced acute lung injury in rats. 2008 , 34, 361-7	46
1700	Dear SIRS, the concept of "alarmins" makes a lot of sense!. 2008 , 34, 218-21	15
1699	HMGB1 as a predictor of organ dysfunction and outcome in patients with severe sepsis. 2008 , 34, 1046-53	125
1698	High-dose intravenous immunoglobulin G improves systemic inflammation in a rat model of CLP-induced sepsis. 2008 , 34, 1812-9	38
1697	Changes of high mobility group box 1 in serum of pig acute hepatic failure model and significance. 2008 , 28, 52-5	7
1696	Blockage of receptor-interacting protein 2 expression by small interfering RNA in murine macrophages. 2008 , 2, 166-170	
1695	Convergence and amplification of toll-like receptor (TLR) and receptor for advanced glycation end products (RAGE) signaling pathways via high mobility group B1 (HMGB1). 2008 , 11, 91-9	386
1694	High-mobility group box 1 protein in endophthalmitis. 2008 , 246, 1053-8	12
1693	Macrophage activation by endogenous danger signals. 2008 , 214, 161-78	384
1692	High mobility group box 1 protein as a marker of hepatocellular injury in human liver transplantation. 2008 , 14, 1517-25	70
1691	Is HMGB1 an osteocyte alarmin?. 2008 , 103, 1671-80	44
1690	HMGB1 is a bone-active cytokine. 2008 , 214, 730-9	82

1689	Extracellular high mobility group box chromosomal protein 1 is a coupling factor for hypoxia and inflammation in arthritis. 2008 , 58, 2675-85	97
1688	Dengue virus infection induces passive release of high mobility group box 1 protein by epithelial cells. 2008 , 56, 143-50	37
1687	The binding domain of the HMGB1 inhibitor carbenoxolone: Theory and experiment. 2008 , 456, 236-242	5
1686	Induction of immunological tolerance by apoptotic cells requires caspase-dependent oxidation of high-mobility group box-1 protein. 2008 , 29, 21-32	438
1685	High mobility group box 1 (HMGB1) is implicated in preimplantation embryo development in the mouse. 2008 , 75, 1290-9	26
1684	A novel function of the receptor for advanced glycation end-products (RAGE) in association with tumorigenesis and tumor differentiation of HCC. 2008 , 15, 923-33	67
1683	Experimental therapeutic strategies for severe sepsis: mediators and mechanisms. 2008 , 1144, 210-36	55
1682	Receptor for advanced glycation end products: fundamental roles in the inflammatory response: winding the way to the pathogenesis of endothelial dysfunction and atherosclerosis. 2008 , 1126, 7-13	96
1681	Nucleic acid-sensing Toll-like receptors: beyond ligand search. 2008 , 60, 782-5	6
1680	Molecular mimicry between IL-33 and KSHV for attachment to chromatin through the H2A-H2B acidic pocket. 2008 , 9, 1006-12	210
1679	A novel DNA vaccine-targeting macrophage migration inhibitory factor improves the survival of mice with sepsis. 2008 , 15, 1513-22	21
1678	Functional roles for C5a receptors in sepsis. 2008 , 14, 551-7	312
1677	Harmful molecular mechanisms in sepsis. 2008 , 8, 776-87	862
1676	Molecular characteristics of immunogenic cancer cell death. 2008 , 15, 3-12	332
1675	Early release of HMGB-1 from neurons after the onset of brain ischemia. 2008 , 28, 927-38	330
1674	High-mobility group box 1 protein in human and murine skin: involvement in wound healing. 2008 , 128, 1545-53	125
1673	Effects of direct haemoperfusion through fibres immobilizing polymyxin B and nafamostat mesilate on endotoxaemia in conscious Guinea-pigs. 2008 , 35, 17-22	6
1672	Mycobacterial infection induces the secretion of high-mobility group box 1 protein. 2008 , 10, 1390-404	29

1671	New immunological serum markers in bacteraemia: anti-inflammatory soluble CD163, but not proinflammatory high mobility group-box 1 protein, is related to prognosis. 2008 , 151, 423-31	51
1670	High mobility group box 1 and adenosine are both released by endothelial cells during hypothermic preservation. 2008 , 152, 311-9	6
1669	The microsatellite, macrophage migration inhibitory factor -794, may influence gene expression in human mononuclear cells stimulated with <i>E. coli</i> or <i>S. pneumoniae</i> . 2008 , 35, 309-16	15
1668	Blockade of receptor for advanced glycation end product attenuates pulmonary reperfusion injury in mice. 2008 , 136, 1576-85	42
1667	Pivotal advance: HMGB1 expression in active lesions of human and experimental multiple sclerosis. 2008 , 84, 1248-55	151
1666	Understanding the role of reactive metabolites in drug-induced hepatotoxicity: state of the science. 2008 , 4, 1415-27	57
1665	High mobility group box (HMGB) proteins of <i>Plasmodium falciparum</i> : DNA binding proteins with pro-inflammatory activity. 2008 , 57, 150-7	27
1664	<i>Legionella pneumophila</i> infection induces programmed cell death, caspase activation, and release of high-mobility group box 1 protein in A549 alveolar epithelial cells: inhibition by methyl prednisolone. 2008 , 9, 39	18
1663	The inflammatory response to cell death. 2008 , 3, 99-126	584
1662	Unconventional mechanisms of protein transport to the cell surface of eukaryotic cells. 2008 , 24, 287-308	202
1661	High-mobility group box protein 1 (HMGB1): an alarmin mediating the pathogenesis of rheumatic disease. 2008 , 10, 209	142
1660	High mobility group box-1 protein as a tumor necrosis factor-independent therapeutic target in rheumatoid arthritis. 2008 , 10, 111	8
1659	Induction of arthritis by high mobility group box chromosomal protein 1 is independent of tumour necrosis factor signalling. 2008 , 10, R72	15
1658	Systemic TNF blockade does not modulate synovial expression of the pro-inflammatory mediator HMGB1 in rheumatoid arthritis patients—a prospective clinical study. 2008 , 10, R33	30
1657	Le syndrome de dtresse respiratoire aigu 2008 ,	
1656	Innate Immunity of Plants, Animals, and Humans. 2008 ,	1
1655	High mobility group box chromosomal protein 1 in patients with renal diseases. 2008 , 108, c194-201	23
1654	The induction of HMGB1 release from RAW 264.7 cells by transfected DNA. 2008 , 45, 2038-44	14

1653	PACAP inhibit the release and cytokine activity of HMGB1 and improve the survival during lethal endotoxemia. 2008 , 8, 1646-51	28
1652	Cannabidiol prevents a post-ischemic injury progressively induced by cerebral ischemia via a high-mobility group box1-inhibiting mechanism. 2008 , 55, 1280-6	70
1651	High Mobility Group Box 1-Protein expression in canine haematopoietic cells and influence on canine peripheral blood mononuclear cell proliferative activity. 2008 , 126, 367-72	4
1650	HMGB1-stimulated human primary cardiac fibroblasts exert a paracrine action on human and murine cardiac stem cells. 2008 , 44, 683-93	89
1649	C-reactive protein induces high-mobility group box-1 protein release through activation of p38MAPK in macrophage RAW264.7 cells. 2008 , 17, 129-38	46
1648	Construction and characterization of the HMGB1 mutant as a competitive antagonist to HMGB1 induced cytokines release. 2008 , 372, 703-7	7
1647	Interactions of recombinant HMGB proteins with branched RNA substrates. 2008 , 377, 262-7	12
1646	Effects of insulin therapy on inflammatory mediators in infants undergoing cardiac surgery with cardiopulmonary bypass. 2008 , 44, 96-100	13
1645	Role of soluble receptor for advanced glycation end products on endotoxin-induced lung injury. 2008 , 178, 356-62	106
1644	Neuropeptides rescue mice from lethal sepsis by down-regulating secretion of the late-acting inflammatory mediator high mobility group box 1. 2008 , 172, 1297-307	62
1643	Neuropeptide modulators of high mobility group box 1 secretion as potential therapeutic agents for severe sepsis. 2008 , 172, 1171-3	5
1642	Receptor for advanced glycation endproducts and atherosclerosis: From basic mechanisms to clinical implications. 2008 , 196, 9-21	270
1641	Host-pathogen interactions in sepsis. 2008 , 8, 32-43	397
1640	Sepsis strategies in development. 2008 , 29, 735-47, x-xi	26
1639	Ghrelin protects against experimental sepsis by inhibiting high-mobility group box 1 release and by killing bacteria. 2008 , 180, 8369-77	114
1638	Mechanisms of disease: advanced glycation end-products and their receptor in inflammation and diabetes complications. 2008 , 4, 285-93	295
1637	Non-Hodgkin lymphoma expressing high levels of the danger-signalling protein HMGB1. 2008 , 49, 1184-9	33
1636	High mobility group box 1 protein binding to lipopolysaccharide facilitates transfer of lipopolysaccharide to CD14 and enhances lipopolysaccharide-mediated TNF-alpha production in human monocytes. 2008 , 180, 5067-74	213

1635	High mobility group box 1 protein inhibits the proliferation of human mesenchymal stem cells and promotes their migration and differentiation along osteoblastic pathway. 2008 , 17, 805-13	82
1634	Calcium/calmodulin-dependent protein kinase (CaMK) IV mediates nucleocytoplasmic shuttling and release of HMGB1 during lipopolysaccharide stimulation of macrophages. 2008 , 181, 5015-23	96
1633	High mobility group protein-1 inhibits phagocytosis of apoptotic neutrophils through binding to phosphatidylserine. 2008 , 181, 4240-6	135
1632	Targeting RAGE in sepsis. 2008 , 12, 103	15
1631	Danaparoid sodium inhibits systemic inflammation and prevents endotoxin-induced acute lung injury in rats. 2008 , 12, R43	34
1630	Bench-to-bedside review: latest results in hemorrhagic shock. 2008 , 12, 218	123
1629	Association of HMGB1 polymorphisms with outcome in patients with systemic inflammatory response syndrome. 2008 , 12, R83	40
1628	High mobility group box-1 protein--one step closer to the clinic?. 2008 , 12, 168	6
1627	Year in review 2007: Critical Care--multiple organ failure and sepsis. 2008 , 12, 228	6
1626	Sensing danger--Hsp72 and HMGB1 as candidate signals. 2008 , 83, 489-92	39
1625	HMGB1 preconditioning: therapeutic application for a danger signal?. 2008 , 83, 558-63	25
1624	The IL-1 family member 7b translocates to the nucleus and down-regulates proinflammatory cytokines. 2008 , 180, 5477-82	178
1623	Initial delay in the immune response to Francisella tularensis is followed by hypercytokinemia characteristic of severe sepsis and correlating with upregulation and release of damage-associated molecular patterns. 2008 , 76, 3001-10	83
1622	Induction of inflammatory and immune responses by HMGB1-nucleosome complexes: implications for the pathogenesis of SLE. 2008 , 205, 3007-18	416
1621	Proteolytic cleavage of high mobility group box 1 protein by thrombin-thrombomodulin complexes. 2008 , 28, 1825-30	181
1620	High-mobility group box-1 in ischemia-reperfusion injury of the heart. 2008 , 117, 3216-26	504
1619	Pivotal advance: inhibition of HMGB1 nuclear translocation as a mechanism for the anti-rheumatic effects of gold sodium thiomalate. 2008 , 83, 31-8	38
1618	Elevation of high-mobility group box 1 concentration in asphyxiated neonates. 2008 , 94, 105-9	18

1617	Early events in the recognition of danger signals after tissue injury. 2008 , 83, 546-52	100
1616	Tracking the toll of kidney disease. 2008 , 19, 1444-50	49
1615	Relationship between high-mobility group box 1 protein release and T-cell suppression in rats after thermal injury. 2008 , 30, 449-55	32
1614	Elevated levels of high mobility group box chromosomal protein-1 (HMGB-1) in sera from patients with severe bacterial pneumonia coinfecting with influenza virus. 2008 , 40, 338-42	21
1613	High mobility group protein B1 enhances DNA repair and chromatin modification after DNA damage. 2008 , 105, 10320-5	152
1612	Systemic release of high mobility group box 1 protein during severe murine influenza. 2008 , 181, 1454-9	35
1611	Up-regulation of the Receptor for Advanced Glycation End Product (RAGE) in Esophageal Cancer and Down-regulation in Lung Cancer and Their Relationship to Clinicopathological Features. 2008 , 39, 661-667	5
1610	Therapeutic potential of HMGB1-targeting agents in sepsis. 2008 , 10, e32	87
1609	High-mobility group box 1 protein (HMGB1) in ischaemic heart disease: beneficial or deleterious?. 2008 , 80, 5-6	18
1608	Methyl-2-acetamidoacrylate, an ethyl pyruvate analog, decreases sepsis-induced acute kidney injury in mice. 2008 , 295, F1825-35	63
1607	High-mobility group box 1 restores cardiac function after myocardial infarction in transgenic mice. 2008 , 80, 40-6	110
1606	Negative inotropic effects of high-mobility group box 1 protein in isolated contracting cardiac myocytes. 2008 , 294, H1490-6	48
1605	Invited review: deterioration of the immune system after trauma: signals and cellular mechanisms. 2008 , 14, 333-44	60
1604	Staphylococcal toxic shock syndrome toxin-1 induces the translocation and secretion of high mobility group-1 protein from both activated T cells and monocytes. 2008 , 2008, 512196	6
1603	Splenectomy protects against sepsis lethality and reduces serum HMGB1 levels. 2008 , 181, 3535-9	75
1602	Adverse functions of IL-17A in experimental sepsis. 2008 , 22, 2198-205	157
1601	Modulated inflammation by injection of high-mobility group box 1 recovers post-infarction chronically failing heart. 2008 , 118, S106-14	73
1600	A calculated response: control of inflammation by the innate immune system. 2008 , 118, 413-20	300

1599	Role of high-mobility group box 1 protein in post-infarction healing process and left ventricular remodelling. 2009 , 81, 565-73	124
1598	AGE-RAGE system and carcinogenesis. 2008 , 14, 940-5	122
1597	Potential role of high-mobility group box 1 in cystic fibrosis airway disease. 2008 , 178, 822-31	94
1596	Occult injury in the residual lung after pneumonectomy in mice. 2008 , 7, 1114-20	10
1595	Delayed treatment with minocycline ameliorates neurologic impairment through activated microglia expressing a high-mobility group box1-inhibiting mechanism. 2008 , 39, 951-8	119
1594	High-mobility group box proteins modulate tumor necrosis factor-alpha expression in osteoclastogenesis via a novel deoxyribonucleic acid sequence. 2008 , 22, 1141-53	37
1593	Pre-B cell colony-enhancing factor (PBEF)/visfatin: a novel mediator of innate immunity. 2008 , 83, 804-16	211
1592	TLR3 is an endogenous sensor of tissue necrosis during acute inflammatory events. 2008 , 205, 2609-21	357
1591	The role of cell death in the pathogenesis of autoimmune disease: HMGB1 and microparticles as intercellular mediators of inflammation. 2008 , 18, 319-326	27
1590	HMGB1 develops enhanced proinflammatory activity by binding to cytokines. 2008 , 180, 2531-7	320
1589	Preconditioning with high mobility group box 1 (HMGB1) induces lipopolysaccharide (LPS) tolerance. 2008 , 84, 1326-34	54
1588	The role of high mobility group box1 in pulmonary fibrosis. 2008 , 39, 440-7	148
1587	Extracellular high-mobility group box 1 acts as an innate immune mediator to enhance autoimmune progression and diabetes onset in NOD mice. 2008 , 57, 2118-27	88
1586	Innate immunity in sepsis pathogenesis and its modulation: new immunomodulatory targets revealed. 2008 , 20, 672-83	24
1585	Roles of high-mobility group box 1 in murine experimental colitis. 2009 , 2, 23-7	12
1584	Effects of HMGB1 on ischemia-reperfusion injury in the rat heart. 2008 , 72, 1178-84	63
1583	HMGB1: endogenous danger signaling. 2008 , 14, 476-84	590
1582	Prone or supine positions: differences in regional ventilation with positive end-expiratory pressure. 2008 , 36, 2469-71	

1581	Can we safely discharge patients from the intensive care unit after hours?. 2008 , 36, 2443-4	3
1580	Mechanisms involved in radiation enhancement of intratumoral dendritic cell therapy. 2008 , 31, 345-58	67
1579	Moving the goalposts? Fluid volume assessment in severe acute pancreatitis. 2008 , 36, 2464-6	1
1578	Hyperglycemia aggravates endotoxin-induced high mobility group box 1 protein release: yet another reason not to be too sweet. 2008 , 36, 2475-6	5
1577	Effects of hyperglycemia and insulin therapy on high mobility group box 1 in endotoxin-induced acute lung injury in a rat model. 2008 , 36, 2407-13	90
1576	Pulmonary defense mechanisms against pneumonia and sepsis. 2008 , 14, 260-5	25
1575	Advances in understanding sepsis. 2008 , 42, 146-53	54
1574	Ethyl pyruvate. 2008 , 21, 160-7	73
1573	Withdrawal assessment in the pediatric intensive care unit: quantifying a morbidity of pain and sedation management in the critically ill child. 2008 , 36, 2479-80	4
1572	The effects of estrogen on pulmonary artery vasoreactivity and hypoxic pulmonary vasoconstriction: potential new clinical implications for an old hormone. 2008 , 36, 2174-83	65
1571	"Sunbreaks" for critical care in the modern era of genetic epidemiology. 2008 , 36, 2453-5	
1570	Sepsis-induced vasoplegia--is vasopressin V1A-receptor a new target?. 2008 , 36, 2468-9	1
1569	Intracranial pressure--looking behind a number is important. 2008 , 36, 2476-7	
1568	Normalization of glucose in the intensive care unit: does one size really fit all?. 2008 , 36, 2448-9	5
1567	Promises, promises: N-terminal proB-type natriuretic peptide as a biomarker in acute lung injury. 2008 , 36, 2461-2	
1566	Inappropriate therapy for staphylococcal infection is common and commonly fatal. 2008 , 36, 2462-4	1
1565	Recombinant bactericidal/permeability-increasing protein inhibits endotoxin-induced high-mobility group box 1 protein gene expression in sepsis. 2008 , 29, 278-84	18
1564	Does mechanical ventilation "hit" the lungs?. 2008 , 36, 2471-3	1

1563	Beta-adrenergic blockade exacerbates sepsis-induced changes in tumor necrosis factor alpha and interleukin-6 in skeletal muscle and is associated with impaired translation initiation. 2008 , 64, 477-86	19
1562	Ventilator-associated pneumonia prevention: WHAP, positive end-expiratory pressure, or both?. 2008 , 36, 2441-2	2
1561	Burning issues surrounding inflammation and coagulation in heatstroke. 2008 , 36, 2455-6	6
1560	A pilot study to detect high mobility group box 1 and heat shock protein 72 in cerebrospinal fluid of pediatric patients with meningitis. 2008 , 36, 291-5	66
1559	Pharmacologic cholinesterase inhibition improves survival in experimental sepsis. 2008 , 36, 404-8	116
1558	Levosimendan in cardiogenic shock: better than enoximone!. 2008 , 36, 2450-1	4
1557	The use of S100B as a biomarker in subarachnoid hemorrhage: clarity in its promise and limits. 2008 , 36, 2452-3	3
1556	Parenteral ascorbic acid as a key for regulating microcirculation in critically ill. 2008 , 36, 2466-8	4
1555	Just do it. 2008 , 36, 2456-7	2
1554	Erythropoietin and the promise of ischemic multiorgan protection. 2008 , 36, 2446-7	3
1553	Biomarkers in acute lung injury: are we making progress?. 2008 , 36, 2457-9	11
1552	The glycemia threat in sepsis: too high, too low, or too... variable!. 2008 , 36, 2459-60	1
1551	Pharmacologic neuroprotection--is xenon the light at the end of the tunnel?. 2008 , 36, 2477-9	22
1550	Therapeutic hypercapnia: are we in "stasis" or moving forward?. 2008 , 36, 2473-4	2
1549	Use it or lose it!. 2008 , 36, 2444-5	4
1548	Toll-like receptor signaling in transplantation. 2008 , 13, 358-65	35
1547	Role of Toll-like receptors in the development of sepsis. 2008 , 29, 315-21	169
1546	KLF4 promotes the expression, translocation, and release of HMGB1 in RAW264.7 macrophages in response to LPS. 2008 , 30, 260-6	34

1545	Regulation of muscle growth by pathogen-associated molecules. 2008 , 86, E84-93	58
1544	Cytokine Modulation Therapy in Acute Respiratory Failure and ARDS. 2008 , 503-508	
1543	A high-sensitivity method for detection and measurement of HMGB1 protein concentration by high-affinity binding to DNA hemicatenanes. 2008 , 3, e2855	20
1542	The Acute Inflammatory Response in Trauma /Hemorrhage and Traumatic Brain Injury: Current State and Emerging Prospects. 2008 , 4, 97-103	31
1541	Insulin decreases inflammatory signal transcription factor expression in primary human liver cells after LPS challenge. 2008 , 14, 11-9	31
1540	Sepsis: from bench to bedside. 2008 , 63, 109-20	20
1539	Monitoring immune dysfunctions in the septic patient: a new skin for the old ceremony. 2008 , 14, 64-78	248
1538	High Mobility Group Box Protein-1 correlates with renal function in chronic kidney disease (CKD). 2008 , 14, 109-15	76
1537	Infectious Diseases in the Pediatric Intensive Care Unit. 2008 ,	0
1536	Antimicrobial cathelicidin peptide CAP11 suppresses HMGB1 release from lipopolysaccharide-stimulated mononuclear phagocytes via the prevention of necrotic cell death. 2009 , 23, 341-6	2
1535	. 2009 ,	5
1534	High mobility group box protein-1 in experimental autoimmune uveoretinitis. 2009 , 50, 2283-90	26
1533	High mobility group box 1 as a mediator of endotoxin administration after hemorrhagic shock-primed lung injury. 2009 , 42, 804-11	2
1532	Pathophysiology of sepsis and recent patents on the diagnosis, treatment and prophylaxis for sepsis. 2009 , 3, 26-32	21
1531	Spermine protects mice against lethal sepsis partly by attenuating surrogate inflammatory markers. 2009 , 15, 275-82	74
1530	Biphasic Increase of Pro-inflammatory Cytokines in Mice Lung after Irradiation. 2009 , 67, 14	
1529	The selective alpha7 agonist GTS-21 attenuates cytokine production in human whole blood and human monocytes activated by ligands for TLR2, TLR3, TLR4, TLR9, and RAGE. 2009 , 15, 195-202	152
1528	The acute inflammatory response in trauma / hemorrhage and traumatic brain injury: current state and emerging prospects. 2009 , 4, 97-103	59

1527	Animal models of sepsis and sepsis-induced kidney injury. 2009 , 119, 2868-78	377
1526	High-mobility group box 1 protein induces tissue factor expression in vascular endothelial cells via activation of NF-kappaB and Egr-1. 2009 , 102, 352-9	61
1525	HMGB1 mediates endogenous TLR2 activation and brain tumor regression. 2009 , 6, e10	262
1524	A dual regulatory role of apurinic/aprimidinic endonuclease 1/redox factor-1 in HMGB1-induced inflammatory responses. 2009 , 11, 575-88	23
1523	Chromatin-specific remodeling by HMGB1 and linker histone H1 silences proinflammatory genes during endotoxin tolerance. 2009 , 29, 1959-71	120
1522	Quercetin prevents LPS-induced high-mobility group box 1 release and proinflammatory function. 2009 , 41, 651-60	92
1521	HMGB1 enhances the proinflammatory activity of lipopolysaccharide by promoting the phosphorylation of MAPK p38 through receptor for advanced glycation end products. 2009 , 183, 6244-50	189
1520	NLRP3 (NALP3, Cryopyrin) facilitates in vivo caspase-1 activation, necrosis, and HMGB1 release via inflammasome-dependent and -independent pathways. 2009 , 183, 2008-15	263
1519	Langerhans cell protein 1 (LCP1) binds to PNUTS in the nucleus: implications for this complex in transcriptional regulation. 2009 , 41, 189-200	12
1518	High-mobility group box-1 protein and keratin-18, circulating serum proteins informative of acetaminophen-induced necrosis and apoptosis in vivo. 2009 , 112, 521-31	180
1517	Dengue virus infection promotes translocation of high mobility group box 1 protein from the nucleus to the cytosol in dendritic cells, upregulates cytokine production and modulates virus replication. 2009 , 90, 1827-1835	40
1516	Nucleophosmin may act as an alarmin: implications for severe sepsis. 2009 , 86, 645-53	31
1515	Immature dendritic cell-derived exosomes rescue septic animals via milk fat globule epidermal growth factor-factor VIII [corrected]. 2009 , 183, 5983-90	85
1514	The hepatic microcirculation: mechanistic contributions and therapeutic targets in liver injury and repair. 2009 , 89, 1269-339	330
1513	Src family kinases are necessary for cell migration induced by extracellular HMGB1. 2009 , 86, 617-23	45
1512	Effect of polymyxin B-immobilized fiber hemoperfusion on serum high mobility group box-1 protein levels and oxidative stress in patients with acute respiratory distress syndrome. 2009 , 55, 395-9	24
1511	Lupus antibodies to the HMGB1 chromosomal protein: epitope mapping and association with disease activity. 2009 , 19, 283-292	35
1510	Suppression of dendritic cells by HMGB1 is associated with lymph node metastasis of human colon cancer. 2009 , 76, 155-62	63

1509	High-mobility group box 1 contributes to lethality of endotoxemia in heme oxygenase-1-deficient mice. 2009 , 41, 129-35	66
1508	Anchoring fusion thrombomodulin to the endothelial lumen protects against injury-induced lung thrombosis and inflammation. 2009 , 180, 247-56	51
1507	Damage-associated molecular patterns--emerging targets for biologic therapy of childhood arthritides. 2009 , 8, 139-45	6
1506	Scientific and clinical challenges in sepsis. 2009 , 15, 1918-35	42
1505	Interacting neuroendocrine and innate and acquired immune pathways regulate neutrophil mobilization from bone marrow following hemorrhagic shock. 2009 , 182, 572-80	39
1504	Bile high-mobility group box 1 contributes to gut barrier dysfunction in experimental endotoxemia. 2009 , 297, R362-9	40
1503	Linking innate and adaptive immunity: human Vgamma9Vdelta2 T cells enhance CD40 expression and HMGB-1 secretion. 2009 , 2009, 819408	7
1502	Programmed cellular necrosis mediated by the pore-forming alpha-toxin from <i>Clostridium septicum</i> . 2009 , 5, e1000516	91
1501	Molecular biology of inflammation and sepsis: a primer. 2009 , 37, 291-304	319
1500	Antimicrobial cathelicidin polypeptide CAP11 suppresses the production and release of septic mediators in D-galactosamine-sensitized endotoxin shock mice. 2009 , 21, 905-12	15
1499	Ghrelin protects mice against endotoxemia-induced acute kidney injury. 2009 , 297, F1032-7	67
1498	Ethyl pyruvate administration inhibits hepatic tumor growth. 2009 , 86, 599-607	54
1497	Hemorrhagic shock augments lung endothelial cell activation: role of temporal alterations of TLR4 and TLR2. 2009 , 297, R1670-80	59
1496	Heme-oxygenase-1 induction and carbon monoxide-releasing molecule inhibit lipopolysaccharide (LPS)-induced high-mobility group box 1 release in vitro and improve survival of mice in LPS- and cecal ligation and puncture-induced sepsis model in vivo. 2009 , 76, 173-82	160
1495	Role of toll-like receptors 2 and 4, and the receptor for advanced glycation end products in high-mobility group box 1-induced inflammation in vivo. 2009 , 31, 280-4	209
1494	The alarmin HMGB1 acts in synergy with endogenous and exogenous danger signals to promote inflammation. 2009 , 86, 655-62	229
1493	CD24 and Siglec-10 selectively repress tissue damage-induced immune responses. <i>Science</i> , 2009 , 323, 1722-5	33-3 537
1492	High-mobility group box chromosomal protein 1 as a potential inflammatory biomarker of joint injury in Thoroughbreds. 2009 , 70, 1230-5	5

1491	The cell death-inducing activity of the peptide containing Noxa mitochondrial-targeting domain is associated with calcium release. 2009 , 69, 8356-65		26
1490	The free radical scavenger edaravone rescues rats from cerebral infarction by attenuating the release of high-mobility group box-1 in neuronal cells. 2009 , 329, 865-74		47
1489	Factors associated with serum high mobility group box 1 (HMGB1) levels in a general population. 2009 , 58, 1688-93		41
1488	Receptor for advanced glycation end products is detrimental during influenza A virus pneumonia. 2009 , 391, 265-73		66
1487	Alpha7 cholinergic-agonist prevents systemic inflammation and improves survival during resuscitation. <i>Journal of Cellular and Molecular Medicine</i> , 2009 , 13, 3774-85	5.6	32
1486	Human HMGB1 directly facilitates interactions between nucleotide excision repair proteins on triplex-directed psoralen interstrand crosslinks. 2009 , 8, 865-72		32
1485	Binding of S100 proteins to RAGE: an update. 2009 , 1793, 993-1007		327
1484	Histidine-rich glycoprotein inhibited high mobility group box 1 in complex with heparin-induced angiogenesis in matrigel plug assay. 2009 , 623, 89-95		26
1483	Post-Translational Modification of HMGB1 and Its Role in Immune Activation. 2009 , 165-178		
1482	Cisplatin prevents high mobility group box 1 release and is protective in a murine model of hepatic ischemia/reperfusion injury. 2009 , 50, 565-74		64
1481	HMGB1: the jack-of-all-trades protein is a master DNA repair mechanic. 2009 , 48, 571-80		121
1480	Comparison of distinct protein isoforms of the receptor for advanced glycation end-products expressed in murine tissues and cell lines. 2009 , 337, 79-89		27
1479	Immunogenic cell death modalities and their impact on cancer treatment. 2009 , 14, 364-75		163
1478	Clinical significance of serum HMGB-1 and sRAGE levels in systemic sclerosis: association with disease severity. 2009 , 29, 180-9		83
1477	High-mobility group box 1 protein in CSF of patients with subarachnoid hemorrhage. 2009 , 11, 362-8		76
1476	[Pathophysiology and pathogens of sepsis]. 2009 , 50, 779-80, 782-4, 786-7		5
1475	Neutrophil elastase inhibitor (sivelestat) reduces the levels of inflammatory mediators by inhibiting NF-kB. 2009 , 58, 198-203		33
1474	Antagonist of the type-1 ANG II receptor prevents against LPS-induced septic shock in rats. 2009 , 35, 1471-8		46

1473	Amino acid residues 201-205 in C-terminal acidic tail region plays a crucial role in antibacterial activity of HMGB1. 2009 , 16, 83	14
1472	Cholinergic control of inflammation. 2009 , 265, 663-79	358
1471	Intraocular expression and release of high-mobility group box 1 protein in retinal detachment. 2009 , 89, 278-89	45
1470	Extracellular histones are major mediators of death in sepsis. 2009 , 15, 1318-21	996
1469	Mesenchymal stem cells: another anti-inflammatory treatment for sepsis?. 2009 , 15, 601-2; author reply 602	6
1468	Proteomic identification of multitasking proteins in unexpected locations complicates drug targeting. 2009 , 8, 935-48	112
1467	Single proteins might have dual but related functions in intracellular and extracellular microenvironments. 2009 , 10, 228-34	76
1466	Regulatory molecules required for nucleotide-sensing Toll-like receptors. 2009 , 227, 32-43	71
1465	Melatonin reduces stress-activated/mitogen-activated protein kinases in spinal cord injury. 2009 , 46, 79-86	50
1464	Paeoniflorin inhibits systemic inflammation and improves survival in experimental sepsis. 2009 , 105, 64-71	49
1463	[HMGB1: a link between innate and adaptive immunity]. 2009 , 2009, 59-68	1
1462	The novel selective toll-like receptor 4 signal transduction inhibitor tak-242 prevents endotoxaemia in conscious Guinea-pigs. 2009 , 36, 589-93	18
1461	Human gingival fibroblasts release high-mobility group box-1 protein through active and passive pathways. 2009 , 24, 292-8	34
1460	Accumulation of soluble inflammatory mediators between blood donation and pre-storage leucocyte depletion. 2009 , 96, 163-6	15
1459	Dual functionality of interleukin-1 family cytokines: implications for anti-interleukin-1 therapy. 2009 , 157, 1318-29	66
1458	Expression of receptor for advanced glycation end products (RAGE) is related to prognosis in patients with esophageal squamous cell carcinoma. 2009 , 16, 440-6	30
1457	The inflammatory reflex and the role of complementary and alternative medical therapies. 2009 , 1172, 172-80	91
1456	Central sympatholytics prolong survival in experimental sepsis. 2009 , 13, R11	86

1455	Early release of high mobility group box nuclear protein 1 after severe trauma in humans: role of injury severity and tissue hypoperfusion. 2009 , 13, R174	212
1454	Combination effect of antithrombin and recombinant human soluble thrombomodulin in a lipopolysaccharide induced rat sepsis model. 2009 , 13, R203	47
1453	Immunoregulatory effects of HO-1: how does it work?. 2009 , 9, 482-9	82
1452	Anti-inflammatory effect of aldose reductase inhibition in murine polymicrobial sepsis. 2009 , 48, 170-6	29
1451	High mobility group box-1 protein acts as a coactivator of nuclear factor of activated T cells-2 in promoting interleukin-2 transcription. 2009 , 41, 641-8	8
1450	Increased high mobility group box-1 protein levels are associated with impaired cardiopulmonary and echocardiographic findings after acute myocardial infarction. 2009 , 15, 362-7	37
1449	Increased serum HMGB1 is related to the severity of coronary artery stenosis. 2009 , 406, 139-42	52
1448	Inflammation in human disease: anticytokine therapy. 2009 , 15, 134-6	14
1447	Serum high mobility group box protein 1 as a clinical marker for non-small cell lung cancer. 2009 , 103, 1949-53	65
1446	Innate immune sensing and activation of cell surface Toll-like receptors. 2009 , 21, 175-84	43
1445	High mobility group box chromosomal protein 1 acts as a proliferation signal for activated T lymphocytes. 2009 , 214, 303-9	52
1444	Alarmins link neutrophils and dendritic cells. 2009 , 30, 531-7	190
1443	CD24-Siglec G/10 discriminates danger- from pathogen-associated molecular patterns. 2009 , 30, 557-61	101
1442	Ethyl pyruvate ameliorates liver injury secondary to severe acute pancreatitis. 2009 , 153, 302-9	39
1441	Exacerbation of bleomycin-induced injury and fibrosis by pneumonectomy in the residual lung of mice. 2009 , 154, 336-44	11
1440	Mechanistic simulations of inflammation: current state and future prospects. 2009 , 217, 1-10	109
1439	Modeling endotoxin-induced systemic inflammation using an indirect response approach. 2009 , 217, 27-42	75
1438	The role of the anaphylatoxins in health and disease. 2009 , 46, 2753-66	467

1437	Cerebroprotective action of telmisartan by inhibition of macrophages/microglia expressing HMGB1 via a peroxisome proliferator-activated receptor gamma-dependent mechanism. 2009 , 464, 151-5	27
1436	Effect of high mobility group box-1 protein on apoptosis of peritoneal macrophages. 2009 , 492, 54-61	17
1435	The effect of high mobility group box-1 protein on splenic dendritic cell maturation in rats. 2009 , 29, 677-86	31
1434	Circulating levels of advanced glycation end products (AGE) and interleukin-6 (IL-6) are independent determinants of serum asymmetric dimethylarginine (ADMA) levels in patients with septic shock. 2009 , 60, 515-8	40
1433	Compensatory anti-inflammatory response syndrome. 2009 , 101, 36-47	241
1432	Ethyl pyruvate reduces mortality in an endotoxin-induced severe acute lung injury mouse model. 2009 , 10, 91	32
1431	RAGE (Receptor for Advanced Glycation Endproducts), RAGE ligands, and their role in cancer and inflammation. 2009 , 7, 17	386
1430	Serum high mobility group box-1 (HMGB1) is closely associated with the clinical and pathologic features of gastric cancer. 2009 , 7, 38	91
1429	Alarmins and antimicrobial immunity. 2009 , 47 Suppl 1, S146-53	14
1428	Mechanism-based bioanalysis and biomarkers for hepatic chemical stress. 2009 , 39, 565-77	39
1427	RAGE: therapeutic target and biomarker of the inflammatory response--the evidence mounts. 2009 , 86, 505-12	203
1426	HMGB1 is phosphorylated by classical protein kinase C and is secreted by a calcium-dependent mechanism. 2009 , 182, 5800-9	127
1425	The IL-1-like cytokine IL-33 is inactivated after maturation by caspase-1. 2009 , 106, 9021-6	517
1424	Unraveling the role of high mobility group box protein 1 in severe trauma. 2009 , 13, 1004	15
1423	Increased serum HMGB1 level is associated with coronary artery disease in nondiabetic and type 2 diabetic patients. 2009 , 205, 544-8	110
1422	HMGB1 loves company. 2009 , 86, 573-6	311
1421	The translocation of HMGB1 during cell activation and cell death. 2009 , 42, 299-301	53
1420	Plasma concentrations of high-mobility group box protein 1, soluble receptor for advanced glycation end-products and circulating DNA in patients with acute pancreatitis. 2009 , 9, 383-91	50

1419	Endogenous damage-associated molecular pattern molecules at the crossroads of inflammation and cancer. 2009 , 11, 615-28	205
1418	Bacterial endotoxin induces the release of high mobility group box 1 via the IFN-beta signaling pathway. 2009 , 182, 2458-66	82
1417	Recombinant human soluble thrombomodulin decreases the plasma high-mobility group box-1 protein levels, whereas improving the acute liver injury and survival rates in experimental endotoxemia. 2009 , 37, 2181-6	92
1416	Neutralization of receptor for advanced glycation end-products and high mobility group box-1 attenuates septic diaphragm dysfunction in rats with peritonitis. 2009 , 37, 2619-24	39
1415	Estrogen therapy for trauma/hemorrhage: the heart follows suit. 2009 , 37, 2471-3	2
1414	Before we go too far: ultrasound-guided central catheter placement. 2009 , 37, 2473-4	19
1413	Sepsis, ghrelin, the cholinergic anti-inflammatory pathway, gut mucosal hyperpermeability, and high-mobility group box 1. 2009 , 37, 2483-5	8
1412	Studies in hypothermia-treated cardiac arrest patients are needed to establish the accuracy of proposed outcome predictors. 2009 , 37, 2485-6	0
1411	Grading intensive care unit performance--does one size fit all?. 2009 , 37, 2479-80	0
1410	Optimizing the shape of defibrillation shocks. 2009 , 37, 2482-3	
1409	Gram-specific quantitative polymerase chain reaction for diagnosis of neonatal sepsis: implications for clinical practice. 2009 , 37, 2487-8	5
1408	Danaparoid sodium prevents cerulein-induced acute pancreatitis in rats. 2009 , 32, 94-9	13
1407	Edaravone, a novel free radical scavenger, reduces high-mobility group box 1 and prolongs survival in a neonatal sepsis model. 2009 , 32, 586-92	27
1406	Regional occult hypoperfusion detected by lactate and Sequential Organ Failure Assessment subscores: old tools for new tricks?. 2009 , 37, 2477-8	
1405	Landiolol, an ultrashort-acting beta1-adrenoceptor antagonist, has protective effects in an LPS-induced systemic inflammation model. 2009 , 31, 515-20	74
1404	Novel HMGB1-inhibiting therapeutic agents for experimental sepsis. 2009 , 32, 348-57	95
1403	Inhibition of Janus kinase 2 and signal transduction and activator of transcription 3 protect against cecal ligation and puncture-induced multiple organ damage and mortality. 2009 , 66, 859-65	27
1402	Effects of an angiotensin-converting enzyme inhibitor on the inflammatory response in in vivo and in vitro models. 2009 , 37, 626-33	106

1401	Ministering to the dead in critical care medicine: has its time come?. 2009 , 37, 2480-1	
1400	Cytomegalovirus reactivation and mortality during critical illness: a \$64,000 question. 2009 , 37, 2475-6	8
1399	Hyperglycemia contributes to cardiac dysfunction in a lipopolysaccharide-induced systemic inflammation model. 2009 , 37, 2223-7	27
1398	Circulating levels of a soluble form of receptor for advanced glycation end products and high-mobility group box chromosomal protein 1 in patients with acute pancreatitis. 2009 , 38, e215-20	18
1397	Protective effect of HMGB1 a box on organ injury of acute pancreatitis in mice. 2009 , 38, 143-8	49
1396	Tetrandrine increased the survival rate of mice with lipopolysaccharide-induced endotoxemia. 2009 , 38, 411-7	8
1395	[A treatment for brain infarction targeting HMGB1]. 2009 , 134, 271-5	
1394	HMGB1 is markedly elevated within 6 hours of mechanical trauma in humans. 2009 , 32, 17-22	146
1393	Antithrombin III prevents cerulein-induced acute pancreatitis in rats. 2009 , 38, 746-51	22
1392	The expression of high-mobility group protein box 1 correlates with the progression of non-small cell lung cancer. 2009 , 22, 535-9	40
1391	Rosmarinic acid protects against experimental sepsis by inhibiting proinflammatory factor release and ameliorating hemodynamics. 2009 , 32, 608-13	42
1390	Therapeutic time window of cannabidiol treatment on delayed ischemic damage via high-mobility group box1-inhibiting mechanism. 2009 , 32, 1538-44	26
1389	[Therapeutic effect of anti-nucleokine monoclonal antibody on ischemic brain infarction]. 2009 , 129, 25-31	6
1388	100% oxygen inhalation protects against zymosan-induced sterile sepsis in mice: the roles of inflammatory cytokines and antioxidant enzymes. 2009 , 32, 451-61	30
1387	Orexigenic hormone ghrelin ameliorates gut barrier dysfunction in sepsis in rats. 2009 , 37, 2421-6	69
1386	Anti-inflammatory adjuvant in resuscitation fluids improves survival in hemorrhage. 2009 , 37, 860-8	21
1385	Microcirculation: more questions than answers. 2009 , 37, 2470-1	1
1384	Mechanisms of Toll-like receptor 4 (TLR4)-mediated inflammation after cold ischemia/reperfusion in the heart. 2009 , 87, 1455-63	84

1383	RAGE inhibition: healthy or harmful?. 2010 , 38, 1487-90	4
1382	Airway pressure release ventilation reduces the increase in bronchoalveolar lavage fluid high-mobility group box-1 levels and lung water in experimental acute respiratory distress syndrome induced by lung lavage. 2010 , 27, 726-33	12
1381	Protective effect of high-mobility group box 1 blockade on acute liver failure in rats. 2010 , 34, 573-9	30
1380	Microvascular thrombosis and multiple organ dysfunction syndrome. 2010 , 38, S35-42	234
1379	Glutamine attenuates acute lung injury by inhibition of high mobility group box protein-1 expression during sepsis. 2010 , 103, 890-8	42
1378	Carbon monoxide from CORM-2 reduces HMGB1 release through regulation of IFN- γ /JAK2/STAT-1/INOS/NO signaling but not COX-2 in TLR-activated macrophages. 2010 , 34, 608-14	49
1377	Burn trauma induces early HMGB1 release in patients: its correlation with cytokines. 2010 , 33, 562-7	49
1376	Hemoperfusion with a high-mobility group box 1 adsorption column can prevent the occurrence of hepatic ischemia-reperfusion injury in rats. 2010 , 38, 879-85	49
1375	Lipid-enriched enteral nutrition controls the inflammatory response in murine Gram-negative sepsis. 2010 , 38, 1996-2002	39
1374	Preconditioning with high mobility group box 1 (HMGB1) induces lipoteichoic acid (LTA) tolerance. 2010 , 33, 663-71	18
1373	Spherical sulfated cellulose adsorbs high-mobility-group box chromosomal protein 1 in vitro and in vivo. 2010 , 56, 210-4	7
1372	In vivo and in vitro effects of the anticoagulant, thrombomodulin, on the inflammatory response in rodent models. 2010 , 33, 282-8	37
1371	Protective effects of hydrogen gas on murine polymicrobial sepsis via reducing oxidative stress and HMGB1 release. 2010 , 34, 90-7	153
1370	Recombinant thrombomodulin prevents heatstroke by inhibition of high-mobility group box 1 protein in sera of rats. 2010 , 34, 402-6	31
1369	Ligands of the receptor for advanced glycation end products, including high-mobility group box 1, limit bacterial dissemination during Escherichia coli peritonitis. 2010 , 38, 1414-22	19
1368	Hydrogen gas improves survival rate and organ damage in zymosan-induced generalized inflammation model. 2010 , 34, 495-501	84
1367	Remote ischemic preconditioning by hindlimb occlusion prevents liver ischemic/reperfusion injury: the role of High Mobility Group-Box 1. 2010 , 251, 292-9	38
1366	Effects of physostigmine on microcirculatory alterations during experimental endotoxemia. 2010 , 33, 405-11	30

1365	HMGB1: A new marker for estimation of the postmortem interval. 2010 , 1, 109-111	16
1364	Neutrophil elastase inhibitor improves survival of rats with clinically relevant sepsis. 2010 , 33, 526-31	31
1363	Role of Apoptosis in Amplifying Inflammatory Responses in Lung Diseases. 2010 , 2010, 41-53	50
1362	Advanced malignant melanoma responds to Prunus mume Sieb. Et Zucc (Ume) extract: Case report and in vitro study. 2010 , 1, 569-574	14
1361	Stimulation of autophagy in the liver by lipopolysaccharide-induced systemic inflammation in a rat model of diabetes mellitus. 2010 , 31, 263-71	10
1360	Functional aspects of redox control during neuroinflammation. 2010 , 13, 193-247	49
1359	Dendritic cell activation in response to ischemia-reperfusion injury of the small intestine. 2010 , 40, 137-45	12
1358	High-mobility-group box chromosomal protein 1 as a new target for modulating stress response. 2010 , 40, 592-601	12
1357	Immunosuppression following surgical and traumatic injury. 2010 , 40, 793-808	142
1356	High-dose antithrombin III prevents heat stroke by attenuating systemic inflammation in rats. 2010 , 59, 511-8	22
1355	Urinary trypsin inhibitor suppresses excessive generation of superoxide anion radical, systemic inflammation, oxidative stress, and endothelial injury in endotoxemic rats. 2010 , 59, 597-606	34
1354	JAK2 inhibition prevents innate immune responses and rescues animals from sepsis. 2010 , 88, 851-9	48
1353	High-mobility group box 1 exacerbates concanavalin A-induced hepatic injury in mice. 2010 , 88, 1289-98	47
1352	The RAGE axis in systemic inflammation, acute lung injury and myocardial dysfunction: an important therapeutic target?. 2010 , 36, 1644-56	56
1351	Toll-like receptors 2 and 4: initiators of non-septic inflammation in critical care medicine?. 2010 , 36, 1826-35	76
1350	Endothelin receptor antagonist attenuates inflammatory response and prolongs the survival time in a neonatal sepsis model. 2010 , 36, 2132-9	11
1349	HMGB1: the missing link between diabetes mellitus and heart failure. 2010 , 105, 805-20	93
1348	Overexpression of high-mobility group box 1 correlates with tumor progression and poor prognosis in human colorectal carcinoma. 2010 , 136, 677-84	78

1347	Inefficient clearance of dying cells in patients with SLE: anti-dsDNA autoantibodies, MFG-E8, HMGB-1 and other players. 2010 , 15, 1098-113	76
1346	On self-nonsel self discrimination in pattern recognition. 2010 , 53, 169-71	5
1345	Nicotinic modulation of innate immune pathways via α 7 nicotinic acetylcholine receptor. 2010 , 5, 479-88	54
1344	Hmgb1 promotes wound healing of 3T3 mouse fibroblasts via RAGE-dependent ERK1/2 activation. 2010 , 57, 9-17	66
1343	Bacterial LPS-mediated acute inflammation-induced spermatogenic failure in rats: role of stress response proteins and mitochondrial dysfunction. 2010 , 33, 235-43	49
1342	The expression of HMGB1 protein and its receptor RAGE in human malignant tumors. 2010 , 337, 251-8	110
1341	High Mobility Group Box 1: a potential therapeutic target for systemic lupus erythematosus. 2010 , 37, 1191-5	21
1340	High mobility group box protein-1 crossing cell borders may incite an inflammatory "tornado" in renal disease. 2010 , 42, 847-50	2
1339	Antioxidant inhibits HMGB1 expression and reduces pancreas injury in rats with severe acute pancreatitis. 2010 , 55, 2529-36	29
1338	Neuroprotection by biodegradable PAMAM ester (e-PAM-R)-mediated HMGB1 siRNA delivery in primary cortical cultures and in the postischemic brain. 2010 , 142, 422-30	101
1337	Enhancement of antibody response by high mobility group box protein-1-based DNA immunization. 2010 , 361, 21-30	5
1336	Analysis and verification of the HMGB1 signaling pathway. 2010 , 11 Suppl 7, S10	45
1335	Prognostic value of HMGB1 overexpression in resectable gastric adenocarcinomas. 2010 , 8, 52	32
1334	Reactive oxygen species and endothelial function in diabetes. 2010 , 636, 8-17	107
1333	Minocycline protects against myocardial ischemia and reperfusion injury by inhibiting high mobility group box 1 protein in rats. 2010 , 638, 84-9	80
1332	Soluble RAGE: therapy and biomarker in unraveling the RAGE axis in chronic disease and aging. 2010 , 79, 1379-86	130
1331	Innate immune signals in atherosclerosis. 2010 , 134, 5-24	137
1330	Linking oxidative stress to inflammation: Toll-like receptors. 2010 , 48, 1121-32	388

1329	Current theories on the pathophysiology of multiple organ failure after trauma. 2010 , 41, 21-6	144
1328	Pattern of release and relationship between HMGB-1 and IL-6 following blunt trauma. 2010 , 41, 1323-7	21
1327	Role of ERK map kinase and CRM1 in IL-1beta-stimulated release of HMGB1 from cortical astrocytes. 2010 , 58, 1007-15	51
1326	SIRT1 modulates high-mobility group box 1-induced osteoclastogenic cytokines in human periodontal ligament cells. 2010 , 111, 1310-20	47
1325	Unphosphorylated STAT3 modulates alpha 7 nicotinic receptor signaling and cytokine production in sepsis. 2010 , 40, 2580-9	72
1324	Chondrocyte innate immune myeloid differentiation factor 88-dependent signaling drives pro-catabolic effects of the endogenous Toll-like receptor 2/Toll-like receptor 4 ligands low molecular weight hyaluronan and high mobility group box chromosomal protein 1 in mice. 2010 , 62, 2004-12	86
1323	Protective targeting of high mobility group box chromosomal protein 1 in a spontaneous arthritis model. 2010 , 62, 2963-72	42
1322	High-mobility group box-1 protein, lipopolysaccharide-binding protein, interleukin-6 and C-reactive protein in children with community acquired infections and bacteraemia: a prospective study. 2010 , 10, 28	18
1321	Toll-like receptor 4 signaling in liver injury and hepatic fibrogenesis. 2010 , 3, 21	192
1320	High-mobility group box 1 as a surrogate prognostic marker in dogs with systemic inflammatory response syndrome. 2010 , 20, 298-302	30
1319	Hydrogen-rich saline protects against liver injury in rats with obstructive jaundice. 2010 , 30, 958-68	65
1318	Cytokine profiles of bronchoalveolar lavage fluid in patients with pneumocystis pneumonia. 2010 , 54, 425-33	19
1317	HMGB1 release and redox regulates autophagy and apoptosis in cancer cells. 2010 , 29, 5299-310	362
1316	High-mobility group protein box-1 and its relevance to cerebral ischemia. 2010 , 30, 243-54	75
1315	Peripheral administration of fetuin-A attenuates early cerebral ischemic injury in rats. 2010 , 30, 493-504	54
1314	Inhibition of reactive astrocytes with fluorocitrate retards neurovascular remodeling and recovery after focal cerebral ischemia in mice. 2010 , 30, 871-82	116
1313	High-mobility group box-1 protein promotes granulomatous nephritis in adenine-induced nephropathy. 2010 , 90, 853-66	38
1312	Expression and purification of the fusion protein HMGB1Abox-TMD1, a novel HMGB1 antagonist. 2010 , 75, 466-71	4

1311	Understanding immunity requires more than immunology. 2010 , 11, 561-4	119
1310	Redox remodeling: a candidate regulator of HMGB1 function in injured skeletal muscle. 2010 , 1209, 83-90	24
1309	Tumor antigen presentation by dendritic cells. 2010 , 30, 345-86	44
1308	Infection, inflammation, and damage to fetal and perinatal brain. 245-260	
1307	High mobility group box 1 protein as a potential drug target for infection- and injury-elicited inflammation. 2010 , 9, 60-72	42
1306	Novel insights for systemic inflammation in sepsis and hemorrhage. 2010 , 2010, 642462	78
1305	Innate pathways of immune activation in transplantation. 2010 , 2010,	16
1304	Diet restriction inhibits apoptosis and HMGB1 oxidation and promotes inflammatory cell recruitment during acetaminophen hepatotoxicity. 2010 , 16, 479-90	86
1303	The value of procalcitonin and the SAPS II and APACHE III scores in the differentiation of infectious and non-infectious fever in the ICU: a prospective, cohort study. 2010 , 25, 1633-7	6
1302	Pattern recognition receptor-dependent mechanisms of acute lung injury. 2010 , 16, 69-82	74
1301	Immunomodulatory drugs regulate HMGB1 release from activated human monocytes. 2010 , 16, 343-51	35
1300	Proteômica na sepse: estudo piloto. 2010 , 22, 403-412	9
1299	IFN-gamma is a master regulator of endotoxin shock syndrome in mice primed with heat-killed <i>Propionibacterium acnes</i> . 2010 , 22, 157-66	22
1298	Implications of the release of high-mobility group box 1 protein from dying cells during human immunodeficiency virus type 1 infection in vitro. 2010 , 91, 1800-9	26
1297	Molecular mechanism of cell apoptosis by paclitaxel and pirarubicin in a human osteosarcoma cell line. 2010 , 56, 101-7	25
1296	The C-terminal acidic tail is responsible for the inhibitory effects of HMGB1 on efferocytosis. 2010 , 88, 973-9	39
1295	Moderate hypothermia suppressed excessive generation of superoxide anion radical and inflammatory reactions in blood and liver in heatstroke: laboratory study in rats. 2010 , 44, 462-72	10
1294	HMGB1: a dangerous player in lupus pathogenesis. 2010 , 37, 689-91	8

1293	PYK2 interacts with MyD88 and regulates MyD88-mediated NF-kappaB activation in macrophages. 2010 , 87, 415-23	25
1292	Involvement of a novel preimplantation-specific gene encoding the high mobility group box protein Hmgpi in early embryonic development. 2010 , 19, 480-93	12
1291	A central role for free heme in the pathogenesis of severe sepsis. 2010 , 2, 51ra71	310
1290	NK cell-derived cytokines and delivery. 2010 , 177-188	0
1289	High mobility group box 1 release from hepatocytes during ischemia and reperfusion injury is mediated by decreased histone deacetylase activity. 2010 , 285, 39888-97	184
1288	Is HMGB1 a new indirect marker for revealing fibrosis in chronic hepatitis and a new therapeutic target in treatment?. 2010 , 23, 633-8	51
1287	Effects of HMGB1 on in vitro responses of isolated muscle fibers and functional aspects in skeletal muscles of idiopathic inflammatory myopathies. 2010 , 24, 570-8	63
1286	xCT deficiency accelerates chemically induced tumorigenesis. 2010 , 107, 6436-41	44
1285	Mast cell stabilization improves survival by preventing apoptosis in sepsis. 2010 , 185, 709-16	36
1284	A critical cysteine is required for HMGB1 binding to Toll-like receptor 4 and activation of macrophage cytokine release. 2010 , 107, 11942-7	581
1283	Expression of high mobility group box chromosomal protein 1 and its modulating effects on downstream cytokines in systemic lupus erythematosus. 2010 , 37, 766-75	66
1282	Tissue-specific expression profiling of receptor for advanced glycation end products and its soluble forms in esophageal and lung cancer. 2010 , 14, 355-61	17
1281	Association between high-mobility group box-1 protein release and immune function of dendritic cells in thermal injury. 2010 , 30, 487-95	13
1280	Activation of macrophages by P2X7-induced microvesicles from myeloid cells is mediated by phospholipids and is partially dependent on TLR4. 2010 , 185, 3740-9	53
1279	Extracellular high mobility group box-1 (HMGB1) inhibits enterocyte migration via activation of Toll-like receptor-4 and increased cell-matrix adhesiveness. 2010 , 285, 4995-5002	52
1278	The alarmin cytokine, high mobility group box 1, is produced by viable cardiomyocytes and mediates the lipopolysaccharide-induced myocardial dysfunction via a TLR4/phosphatidylinositol 3-kinase gamma pathway. 2010 , 184, 1492-8	78
1277	HMGB1 contributes to kidney ischemia reperfusion injury. 2010 , 21, 1878-90	266
1276	Mikro- und Nanosysteme. 2010 , 55, 1-139	1

1275	High-mobility group box-1 protein promotes angiogenesis after peripheral ischemia in diabetic mice through a VEGF-dependent mechanism. 2010 , 59, 1496-505		88
1274	Oxidative stress enhances IL-8 and inhibits CCL20 production from intestinal epithelial cells in response to bacterial flagellin. 2010 , 299, G733-41		25
1273	Elevation of high-mobility group protein box-1 in serum correlates with severity of acute intracerebral hemorrhage. 2010 , 2010,		47
1272	The anti-inflammatory activity of HMGB1 A box is enhanced when fused with C-terminal acidic tail. 2010 , 2010, 915234		17
1271	DAMPening inflammation by modulating TLR signalling. 2010 , 2010,		606
1270	Complement factor 3 deficiency attenuates hemorrhagic shock-related hepatic injury and systemic inflammatory response syndrome. 2010 , 299, R1175-82		23
1269	Using Complementary and Alternative Medicines to Target the Host Response during Severe Influenza. <i>Evidence-based Complementary and Alternative Medicine</i> , 2010 , 7, 501-10	2-3	23
1268	WITHDRAWN: Sodium butyrate protects against myocardial ischemia and reperfusion injury by inhibiting high mobility group box 1 protein in rats. 2010 ,		7
1267	Release of danger signals during ischemic storage of the liver: a potential marker of organ damage?. 2010 , 2010, 436145		32
1266	HMGB1 attenuates anti-metastatic defense of the lymph nodes in colorectal cancer. 2010 , 77, 17-23		30
1265	Sympathetic modulation of the host defense response to infectious challenge during recovery from hemorrhage. 2010 , 17, 349-58		4
1264	The harmful role of c5a on innate immunity in sepsis. 2010 , 2, 439-45		112
1263	Danger signaling protein HMGB1 induces a distinct form of cell death accompanied by formation of giant mitochondria. 2010 , 70, 8558-68		45
1262	Effects of reactive oxygen species scavenger on the protective action of 100% oxygen treatment against sterile inflammation in mice. 2010 , 33, 646-54		34
1261	High-mobility group box-1 protein in tracheal aspirates from premature infants: relationship with bronchopulmonary dysplasia and steroid therapy. 2010 , 30, 610-5		22
1260	The role of HMGB1 in efferocytosis: when the dead go unburied. Focus on "HMGB1 inhibits macrophage activity in efferocytosis through binding to the alphavbeta3-integrin". 2010 , 299, C1253-5		5
1259	Receptors for advanced glycation end-products targeting protect against hyperoxia-induced lung injury in mice. 2010 , 42, 545-51		64
1258	The role of proteomics in the diagnosis of chorioamnionitis and early-onset neonatal sepsis. 2010 , 37, 355-74		31

1257	Toll-like receptor 4 participates in gastric mucosal protection through Cox-2 and PGE2. 2010 , 42, 472-6	15
1256	High mobility group box-1 expression correlates with poor outcome in lung injury patients. 2010 , 61, 116-20	26
1255	The role of damage associated molecular pattern molecules in acetaminophen-induced liver injury in mice. 2010 , 192, 387-94	176
1254	Molecular biology of liver ischemia/reperfusion injury: established mechanisms and recent advancements. 2010 , 90, 665-77	151
1253	Pancreas-specific ablation of beta1 integrin induces tissue degeneration by disrupting acinar cell polarity. 2010 , 138, 2531-40, 2540.e1-4	22
1252	Biphasic actions of HMGB1 signaling in inflammation and recovery after stroke. 2010 , 1207, 50-7	106
1251	Ventilator-associated pneumonia caused by <i>Pseudomonas aeruginosa</i> and respiratory colonization by <i>Candida</i> spp. 2010 , 14, P87	78
1250	Abstracts of the 30th International Symposium on Intensive Care and Emergency Medicine. Brussels, Belgium. March 9-12, 2010. 2010 , 14 Suppl 1, P1-602	
1249	Sodium 4-phenylbutylate protects against myocardial ischemia-reperfusion injury by reducing unfolded protein response-mediated apoptosis in mice. 2010 , 14, P2	78
1248	Time-dependent effects of intravenous H ₂ S during long-term, resuscitated porcine hemorrhagic shock. 2010 , 14, P3	1
1247	An ovine intensive care model of septic shock. 2010 , 14, P4	1
1246	Effects of temperature and H ₂ S inhalation on glucose metabolism in murine resuscitated septic shock. 2010 , 14, P5	78
1245	Mitochondrial respiration and cytochrome c inhibition by sulfide in peritoneal macrophages in vitro: effects of temperature and pH. 2010 , 14, P6	2
1244	Alterations of caspase 9 mRNA gene expression in survivors and nonsurvivors of severe sepsis. 2010 , 14, P7	78
1243	The TLR4 antagonist CRX-526 reduces LPS-induced leukocyte activation and improves capillary perfusion of the rat intestine. 2010 , 14, P8	78
1242	Effects of lipopolysaccharide on isolated muscle mitochondrial respiration are dose and time dependent. 2010 , 14, P9	78
1241	Clinical severity and local inflammatory responses in animal models of sepsis. 2010 , 14, P10	78
1240	Adenosine increases during human experimental endotoxemia, but does not influence the immune response and subsequent organ injury. 2010 , 14, P11	78

1239	Bacterial load plays a crucial role for survival in experimental peritonitis and modulates immunoparalysis of monocytes. 2010 , 14, P12	78
1238	Decreased whole blood TNF α production capacity after acute alcohol exposure and LPS stimulation ex vivo. 2010 , 14, P13	3
1237	Leukocyte immunophenotyping: methodological aspects. 2010 , 14, P14	78
1236	Phenotypical analysis of peripheral human T lymphocytes in early sepsis. 2010 , 14, P15	78
1235	CD64, a marker of leucocyte activation kinetics after uncomplicated cardiac surgery. 2010 , 14, P16	78
1234	Interferon-gamma reverses sepsis-induced immunoparalysis of monocytes in vitro. 2010 , 14, P17	78
1233	Early hydrocortisone treatment counteracts circulatory derangement but not cytokine response in porcine endotoxemia. 2010 , 14, P18	78
1232	CD40L is selectively expressed on platelets from thrombocytopenic septic patients. 2010 , 14, P19	1
1231	Neuronal NOS-inhibition in the setting of septic cardiomyopathy. 2010 , 14, P20	78
1230	Urinary albumin excretion is elevated in sepsis, but does not correlate with circulating VEGF-A levels. 2010 , 14, P21	1
1229	High mobility group box protein-1 preconditions isolated rat hearts and protects human pulmonary and renal cells against hypoxic injury. 2010 , 14, P22	78
1228	Intravenous immunoglobulins prevent breakdown of the blood-brain barrier in experimental sepsis. 2010 , 14, P24	1
1227	Early use of immunoglobulin in septic shock. 2010 , 14, P25	1
1226	Low levels of immunoglobulin G in patients with sepsis or septic shock: a signum mali ominis?. 2010 , 14, P26	2
1225	Background factors in patients receiving immunoglobulin administration and changes in sepsis markers. 2010 , 14, P27	78
1224	C1-esterase inhibitor (C1INH) implication in systemic inflammation in sepsis. 2010 , 14, P28	1
1223	Prognostic value of B-type natriuretic peptide in critically ill patients with new onset of fever: preliminary study. 2010 , 14, P29	78
1222	Microalbuminuria evaluated as a biomarker in patients with septic shock. 2010 , 14, P30	78

1221	Evaluation of automated hematologic VCS parameters in severe sepsis and septic shock: a case-control study. 2010 , 14, P31	1
1220	Use of CD64 for the diagnosis of sepsis: a case-control study. 2010 , 14, P32	1
1219	Endotoxin assay with endotoxin scattering photometry is one of the diagnostic markers of sepsis. 2010 , 14, P33	78
1218	Immature platelet fraction as predictive index of sepsis. 2010 , 14, P34	1
1217	Serial estimation of cytokine markers and their correlation with mortality in elderly patients with sepsis. 2010 , 14, P35	78
1216	Influence of TIMP-1/MMP-9 ratio on the severity and mortality in sepsis. 2010 , 14, P36	78
1215	Cytokine response in severe sepsis: predicting and modelling the course of illness. 2010 , 14, P37	78
1214	Time course of IL-6 and LBP, candidate biomarkers of sepsis in surgical critical care. 2010 , 14, P38	78
1213	Prognostic value of melatonin in patients with sepsis: a comparison of survivors and nonsurvivors. 2010 , 14, P39	1
1212	Serum C-reactive protein as a prognostic variable in elective surgery ICU patients: especially valuable following esophagectomy. 2010 , 14, P40	78
1211	Role of procalcitonin as a diagnostic and prognostic marker of infectious diseases in the emergency department: preliminary data. 2010 , 14, P41	78
1210	Evaluation of procalcitonin at James Paget Intensive Care Unit. 2010 , 14, P42	78
1209	Procalcitonin facing the postoperative culture results after liver transplantation. 2010 , 14, P43	78
1208	Efficiency diagnostic and advantages of procalcitonin and C-reactive protein in the early diagnosis of sepsis. 2010 , 14, P45	78
1207	Biomarkers of sepsis in burn patients. 2010 , 14, P46	1
1206	Age-related differences of outcomes in patients hospitalized with community-acquired pneumonia are not explained by differences in immune response. 2010 , 14, P47	78
1205	A multicentre study of bacteraemia using a new commercial universal 16S rDNA PCR test. 2010 , 14, P49	78
1204	Time to antibiotics in sepsis. 2010 , 14, P50	4

1203	Utility of an antibiotic guideline in hospital-associated infections. 2010 , 14, P51	78
1202	Assessment of antibiotic prescriptions in two French intensive care units. 2010 , 14, P52	78
1201	Occurrence of alert pathogens in the clinical materials and consumption of antibiotics in the ICU, in the years 2007 and 2008. 2010 , 14, P53	78
1200	Treatment cost of secondary peritonitis in Germany: a comparative study of medical cost incurred for tigecycline therapy and standard regimens. 2010 , 14, P54	78
1199	Efficacy and safety of once daily dosing of colistin to critically ill patients. 2010 , 14, P56	78
1198	A comparison of the effect on renal function of flucloxacillin and vancomycin antibiotic prophylaxis in cardiac surgery patients. 2010 , 14, P57	78
1197	Microdialysis study of meropenem cerebral distribution in patients with acute brain injury. 2010 , 14, P58	78
1196	Effects of two regimens of antibiotic prophylaxis on colonizing flora of the respiratory tract in patients with cardiovascular surgery. 2010 , 14, P59	78
1195	Prevalence of infections among patients admitted to ICUs in Nordic countries and the Netherlands in comparison with Mediterranean countries: a report from the EPIC II study. 2010 , 14, P60	78
1194	Risk factors for the development of carbapenem-resistant <i>Klebsiella pneumoniae</i> infections in critically ill patients. 2010 , 14, P61	78
1193	Outcome of unimicrobial versus polymicrobial sepsis. 2010 , 14, P62	2
1192	De-escalation practice pattern in an Indian intensive care unit. 2010 , 14, P63	1
1191	Incidence, identification of multidrug-resistant pathogens and impact on the outcome after cardiac surgery. 2010 , 14, P64	2
1190	Surveillance of ICU-acquired infections in Belgium: 2008 reference data. 2010 , 14, P65	78
1189	Risk of acquiring drug-resistant (MDR) Gram-negative isolates with previous exposure to antibiotic. 2010 , 14, P66	78
1188	Ozone fumigation successfully controlled and eradicated multidrug-resistant <i>Acinetobacter baumannii</i> from an intensive care unit. 2010 , 14, P67	0
1187	Viral infections in the ICU: should we search for them?. 2010 , 14, P68	78
1186	Oseltamivir dosing with haemofiltration. 2010 , 14, P69	6

1185	Efficacy and utility of a protocol for pre-emptive antimycotic therapy. 2010 , 14, P70	2
1184	Amphotericin B used as a continuous infusion is safer. 2010 , 14, P71	78
1183	Anidulafungin compared with fluconazole therapy in critically ill patients. 2010 , 14, P72	5
1182	Increase in systolic blood pressure and improvement in laboratory parameters following polymyxin B-immobilized fiber treatment in septic shock. 2010 , 14, P73	78
1181	Selection of acute blood purification therapy according to lipid mediator adsorption and blood purification in patients with septic shock. 2010 , 14, P74	78
1180	Prognostic assessment in community-acquired pneumonia by pneumonia severity scores and biomarkers. 2010 , 14, P75	78
1179	Current progress in pneumonia research. 2010 , 14, P76	78
1178	Bacterial colonization and infections of the lower respiratory tract in an interdisciplinary ICU. 2010 , 14, P77	78
1177	Rehydration does not affect pulmonary immune responses to influenza or susceptibility to secondary bacterial pneumonia. 2010 , 14, P78	78
1176	Bacteremic nosocomial pneumonia cases from the ATTAIN studies. 2010 , 14, P79	78
1175	Late ventilator-associated pneumonia: analysis of baseline characteristics and clinical outcomes in the ATTAIN studies. 2010 , 14, P80	1
1174	On the diagnosis of acute respiratory distress syndrome in nosocomial pneumonias. 2010 , 14, P81	78
1173	Genetic variability at the surfactant proteins A and D in susceptibility and severity of pneumonia. 2010 , 14, P82	1
1172	Successful strategy to reduce ventilator-associated pneumonia. 2010 , 14, P83	78
1171	Ventilator-associated pneumonia rate and ventilator bundle compliance in a district general hospital. 2010 , 14, P84	78
1170	Oral chlorhexidine to prevent nosocomial pneumonia in critically ill patients: a systematic review and meta-analysis. 2010 , 14, P85	78
1169	Impact of routine multiple site decontamination in intubated patients on ICU-acquired infections. 2010 , 14, P86	78
1168	Time course of RT-PCR positivity in H1N1-induced ARDS. 2010 , 14, P88	78

1167	Novel swine influenza A: most frequent ultrasonographic lung patterns. 2010 , 14, P89	78
1166	Outcome and prognostic factors in patients with HIV-negative pneumocystis pneumonia requiring mechanical ventilation. 2010 , 14, P90	78
1165	Acute respiratory failure from pandemic influenza A (H1N1) in an intensive care unit in southern Brazil. 2010 , 14, P91	4
1164	Extracorporeal membrane oxygenation for influenza A (H1N1): experience in a regional referral center. 2010 , 14, P92	78
1163	Budd-Chiari syndrome complicated by abdominal compartment syndrome: evidence of central hypovolaemia?. 2010 , 14, P93	78
1162	Adenosine signalling has a protective role in intestinal ischemia and reperfusion injury. 2010 , 14, P94	78
1161	Threshold levels of extreme body surface area that may cause a misrepresentation of cardiac performance. 2010 , 14, P96	78
1160	Cardiac output measurement is feasible in the presence of left-to-right shunt with ultrasound dilution method: a validation study in lambs. 2010 , 14, P97	2
1159	The PAPIKAS trial: a comparative clinical trial of pulmonary catheter versus the PiCCO device during therapy of patients with acute heart failure and cardiogenic shock. 2010 , 14, P98	1
1158	Bioreactance versus PICCOTD/PC in critically ill septic shock patients. 2010 , 14, P99	1
1157	NICOM vs LiDCO ^{Plus} during changes in cardiac output in critically ill patients. 2010 , 14, P100	78
1156	PulseCO consistency: variation in calibration factor over 24 and 48 hours. 2010 , 14, P102	5
1155	Comparison of cardiac output values; pulse contour methods against thermodilution technique. 2010 , 14, P105	78
1154	Continuous cardiac output measurement: effect of time. 2010 , 14, P106	78
1153	A comparison in cardiac output data: a random effects model for repeated measures. 2010 , 14, P107	78
1152	In vivo validation of a new transpulmonary thermodilution method to assess global end-diastolic volume and extravascular lung water. 2010 , 14, P108	78
1151	Cardiac index derived from arterial pressure waveform: uncalibrated analysis vs once-only calibrated analysis. 2010 , 14, P109	78
1150	Cardiac output monitoring during abdominal aortic cross clamping: a comparison between Vigileo/FloTrac system and transoesophageal Doppler. 2010 , 14, P110	78

1149	Stroke volume index assessment using two minimal invasive devices during hemodynamic postoperative optimization. 2010 , 14, P111	78
1148	Non-invasive cardiac output monitoring in children: clinical validation. 2010 , 14, P112	2
1147	Global end-diastolic volume and its correlation to cardiac index inside and outside normal values. 2010 , 14, P114	78
1146	Relationship of stroke volume variation, pulse pressure variation and global end-diastolic volume in patients undergoing brain surgery. 2010 , 14, P115	78
1145	The value of pulse pressure variation to predict volume response in patients ventilated with low VT. 2010 , 14, P116	1
1144	Pre-ejection period is a reliable parameter to estimate cardiac preload in a hemorrhagic shock. 2010 , 14, P117	78
1143	Predictive value of pulse pressure variation for fluid responsiveness after maneuver to change tidal volume in patients with protective ventilatory strategy. 2010 , 14, P118	1
1142	Does stroke volume increase after a fluid challenge? A study on the management of patients undergoing major head and neck free flap surgery: preliminary data. 2010 , 14, P119	1
1141	Optimizing stroke volume and oxygen delivery in elective abdominal aortic surgery. 2010 , 14, P120	78
1140	Oxygen saturation determined from the mouth is an early indicator of central hypovolemia in humans. 2010 , 14, P121	78
1139	Plethysmographic indices as predictors of fluid responsiveness: a meta-analysis. 2010 , 14, P122	1
1138	Maintenance of cardiac index within normal range is associated with mortality reduction in patients undergoing major urological surgery. 2010 , 14, P123	2
1137	Effect of a preload challenge on peripheral perfusion in critically ill patients. 2010 , 14, P124	78
1136	Distensibility index of inferior vena cava diameter in ventilated septic and trauma patients with shock. 2010 , 14, P125	1
1135	Aortic dP/dtmax accurately reflects left ventricular contractility when effective preload independence is achieved. 2010 , 14, P126	78
1134	Cardiac cycle efficiency: a new index for cardiac work estimation tested during aortic valve plasty. 2010 , 14, P127	1
1133	Nonocclusive mesenteric ischemia following cardiothoracic surgery. 2010 , 14, P128	78
1132	Etiology, comorbidity and prognosis of hospitalized patients with congestive heart failure. 2010 , 14, P129	1

1131	Factors associated with intensive care morbidity following surgical repair of tetralogy of fallot. 2010, 14, P130	78
1130	Sildenafil attenuates pulmonary vascular remodeling and upregulates Kv1.5 mRNA expression in pulmonary hypertension secondary to left-to-right shunt in rats. 2010, 14, P131	78
1129	Validation of echocardiographic indices of right ventricular afterload: an experimental, open pericardium pig model. 2010, 14, P132	78
1128	Activation of apoptotic pathways in experimental acute afterload-induced right ventricular failure. 2010, 14, P133	78
1127	High incidence of severely prolonged QT interval after cardiac surgery. 2010, 14, P134	2
1126	Endothelial protein C receptor expression after cardiopulmonary bypass in adult cardiac surgical patients. 2010, 14, P135	78
1125	Urapidyl for hypertension control in severe pre-eclampsia: a comparative study with nicardipine. 2010, 14, P136	2
1124	Comparison of the effects of furosemide, captopril and lorazepam on noncomplicated hypertensive patients in the emergency department. 2010, 14, P137	78
1123	Incidence, risk factors and outcome of hypertensive crises in critically ill patients: a retrospective survey. 2010, 14, P138	78
1122	Comparative study to evaluate blood pressure levels measured by an invasive method versus a non-invasive method in patients in an intensive care unit. 2010, 14, P139	78
1121	Chronic atrial fibrillation in intensive care unit treated with electrical cardioversion: is it appropriate?. 2010, 14, P140	78
1120	Applanation tonometry application in ICU patients with acute cardiogenic edema. 2010, 14, P141	78
1119	A better prognosis for septic patients with left ventricular dysfunction?. 2010, 14, P142	78
1118	Microvascular effects of pulsatile versus nonpulsatile perfusion during cardiopulmonary bypass. 2010, 14, P143	78
1117	Microcirculation and intravascular coagulopathy in patients with severe sepsis and septic shock. 2010, 14, P144	78
1116	Prevalence and prognostic significance of cardiac abnormalities in the ICU: an echocardiographic study. 2010, 14, P145	78
1115	BNP and NT-proBNP in patients with acute myocardial infarction complicated by cardiogenic shock: results from the IABP Shock trial. 2010, 14, P146	6
1114	Understanding vital-sign abnormalities in critical care patients. 2010, 14, P147	78

1113	Tissue microdialysis in critically ill septic patients: associations with sepsis severity and mortality. 2010, 14, P148	1
1112	Delayed increase in inflammation and thenar VO ₂ in marathon runners. 2010, 14, P149	78
1111	Value of peripheral tissue oxygen tension in animal experimental models of haemorrhagic and septic shock. 2010, 14, P150	78
1110	Incidence of a low tissue oxygen saturation in a mixed population of critically ill patients. 2010, 14, P151	2
1109	Use of near-infrared spectroscopy during a vascular occlusion test to assess the microcirculatory response during fluid responsiveness. 2010, 14, P152	1
1108	Influence of mechanical ventilation on intestinal microcirculation and inflammation in septic rats. 2010, 14, P153	78
1107	ScvO ₂ and Pcv-aCO ₂ as complementary tools for goal-directed therapy during high-risk surgery. 2010, 14, P154	3
1106	Prognostic value of central venous-arterial pCO ₂ difference in severe sepsis and septic shock patients. 2010, 14, P155	78
1105	Veno-arterial carbon dioxide gradient at the early stage of septic shock. 2010, 14, P156	2
1104	Venous-arterial PCO ₂ difference as an early predictor of organ dysfunction in the ICU. 2010, 14, P157	78
1103	Lactate and ScvO ₂ combinations do not predict mortality in ICU patients. 2010, 14, P158	78
1102	Early changes in lactate and central venous saturation combinations do not predict subsequent changes in organ performance. 2010, 14, P159	78
1101	Regional lactate and oxygen saturation gradients: preliminary experimental data. 2010, 14, P160	78
1100	Metformin increases platelet lactate production by inhibiting mitochondrial function. 2010, 14, P162	1
1099	Artifactual lactic acidosis from point of care analysis: mind the gap. 2010, 14, P163	78
1098	Physicochemical acid-base parameters and mortality in 1,070 ICU patients: a retrospective cohort study. 2010, 14, P165	78
1097	Accuracy of predicting arterial blood gases following mechanical ventilator adjustment. 2010, 14, P166	78
1096	Use of capnography and the availability of airway equipment on UK intensive care units. 2010, 14, P167	78

1095	Combined oximetry and transcutaneous capnography is a reliable non-invasive monitoring in patients after cardiac surgery. 2010, 14, P168	1
1094	Computerized lung sound monitoring to assess effectiveness of physiotherapy and secretion removal: a feasibility study. 2010, 14, P169	3
1093	Analysis of sound waves recorded with the VRI pulmonary acoustic monitoring system in critically ill mechanically ventilated patients. 2010, 14, P170	78
1092	Lung tissue properties obtained by optical alveolar elastometry. 2010, 14, P171	1
1091	Combined monitoring of functional residual capacity and compliance may avoid hyperinflation and cardiac depression in ARDS. 2010, 14, P172	78
1090	Electrical impedance tomography at two thoracic levels provides detailed information about ventilation distribution in the cranial to caudal direction. 2010, 14, P173	78
1089	Changes in regional ventilation determined by volume and pressure-controlled ventilation as assessed by electrical impedance tomography in an experimental model of acid-induced acute lung injury. 2010, 14,	78
1088	Changes in lung tidal distribution assessed by electrical impedance tomography in a model of hemorrhagic shock with endotoxemia and resuscitation. 2010, 14,	78
1087	Estimating the intratidal compliance profile with the new gliding-SLICE method. 2010, 14, P176	1
1086	Atelectasis and overdistension are detected by heartbeat-induced disturbances in the pressure-volume loop. 2010, 14, P177	78
1085	Transpulmonary pressure and ventilation distribution measured with EIT during a PEEP trial in porcine acute lung injury. 2010, 14, P178	1
1084	A prospective pilot study of the effect of neutrophil elastase on the pulmonary vascular permeability in patients with pneumonia. 2010, 14, P179	78
1083	Evaluating the fibroproliferative response to ventilator-induced lung injury. 2010, 14, P180	78
1082	Effects of severe hemorrhage on pulmonary mechanics in ventilated pigs with ARDS. 2010, 14, P181	78
1081	Higher versus lower positive end-expiratory pressure in acute lung injury and acute respiratory distress syndrome: systematic review and individual patient data meta-analysis. 2010, 14, P182	1
1080	Effect of different recruitment maneuvers on bacterial translocation. 2010, 14, P183	78
1079	Nonlinear recruitment model with viscoelastic component fit respiratory mechanics in ARDS. 2010, 14, P184	2
1078	Lung recruitment and PEEP response in ARDS-related H1N1 virus patients. 2010, 14, P185	78

1077	Maximal recruitment strategy minimizes tidal recruitment in severe ARDS: a CT scan study. 2010, 14, P186	78
1076	Mechanical ventilation with different alveolar pressures improves alveolar recruitment: a model study. 2010, 14, P187	78
1075	Decreasing tidal volume from 6 to 4 ml/kg: feasibility and effects on repeated opening and closing. 2010, 14, P188	78
1074	Barriers to providing lung-protective ventilation to patients with ALI/ARDS. 2010, 14, P189	1
1073	Influence of aetiology of acute respiratory distress syndrome and early differences in oxygenation on outcome. 2010, 14, P190	78
1072	Acute lung injury in TBI patients with SIRS: role of vascular endothelial damage. 2010, 14, P191	1
1071	Mechanical ventilation aggravates transfusion-related acute lung injury induced by MHC class I antibodies. 2010, 14, P192	78
1070	Adaptive support ventilation may be inappropriate for patients with ALI/ARDS after recruitment: an observational study. 2010, 14, P193	78
1069	Receptor for advanced glycation end products is associated with systemic and organ-specific severity of acute lung injury and acute respiratory distress syndrome. 2010, 14, P194	1
1068	Mild hypothermia was protective in a physiological model of ventilator-induced lung injury by reducing inflammation but not by reducing the respiratory rate. 2010, 14, P195	78
1067	Effect of induced hypothermia on respiratory parameters in mechanically ventilated patients. 2010, 14, P196	78
1066	Extracorporeal life support service in a regional referral center: the Florence experience. 2010, 14, P197	78
1065	Interhospital ground transportation of severe acute respiratory distress syndrome patients on extracorporeal membrane oxygenation: Monza's experience. 2010, 14, P198	78
1064	Effects of hypertonic saline on a pig model of acute lung injury induced by hydrochloric acid instillation. 2010, 14,	78
1063	Conventional mechanical ventilation can injury intact lungs in severe trauma patients. 2010, 14, P200	1
1062	Protective effect of methylprednisolone on ventilator-induced diaphragm dysfunction is dose dependent. 2010, 14, P201	78
1061	Alveolar recruitment with non-invasive mechanical ventilation (C-PAP) in patients with nonobstructive respiratory failure. 2010, 14, P202	78
1060	N-acetylcysteine attenuates ventilator-induced diaphragm dysfunction in rats. 2010, 14, P203	78

1059	In vitro muscle contraction force measurements on isolated and entire rat diaphragms. 2010, 14, P204	1
1058	Useful of implementation of neurally adjusted ventilatory assist in critically ill patients. 2010, 14, P205	1
1057	Twenty-four-hour neurally adjusted ventilatory assist and volume cycled ventilation have similar effects on respiratory neuromuscular function in a porcine model of fecal peritonitis. 2010, 14, P206	78
1056	Effects of conventional and closed-loop neurally adjusted ventilatory assist in intubated spinal cord injured patients. 2010, 14, P207	78
1055	A level of neurally adjusted ventilatory assist corresponds to low levels of continuous positive airway pressure and pressure support ventilation in patients preparing to be extubated from mechanical ventilation. 2010, 14, P208	78
1054	Towards partially automated ventilation: adapting decision-making according to medical preferences. 2010, 14, P209	78
1053	Postoperative pulmonary complications in adult elective surgery patients in the US: severity, outcomes and resources use. 2010, 14, P210	10
1052	Increased duration of mechanical ventilation is associated with decreased diaphragmatic force. 2010, 14, P211	1
1051	Haemodynamics and volhaemic stage in patients with respiratory disorders to thermal injury. 2010, 14, P212	78
1050	Invasive mechanical ventilation in cancer patients: prior non-invasive ventilation is a poor prognostic factor. 2010, 14, P213	78
1049	Laryngeal angioedema: do we need a new treatment algorithm in the ER?. 2010, 14, P214	78
1048	Comparison of two insertion techniques of the ProSeal laryngeal mask airway: standard versus 90° rotation in pediatric patients. 2010, 14, P215	78
1047	Endotracheal intubation in the critically ill: complication rate and use of intubation aids. 2010, 14, P216	78
1046	Intensity and adequacy of laryngoscope light in seven intensive care units. 2010, 14, P217	78
1045	Airtraq: new device in patients at increased risk for difficult tracheal intubation. 2010, 14, P218	78
1044	Evaluation of a new tracheostomy technique for morbidly obese patients on an intensive care unit. 2010, 14, P219	2
1043	Our percutaneous tracheostomy experiences using the rotation-dilatation screw method. 2010, 14, P220	78
1042	Single-step vs balloon dilatation tracheostomy: a pilot study on 20 tracheostomies. 2010, 14, P221	78

1041	Recruitment maneuver for prevention of alevolar derecruitment during percutaneous dilation tracheostomy. 2010 , 14, P222	78
1040	An audit of timing of tracheostomy formation in neurosurgical patients: how long should we wait?. 2010 , 14, P223	78
1039	Percutaneous dilational tracheotomy in adult burn patients. 2010 , 14, P224	2
1038	Safety of percutaneous tracheostomy in trauma patients. 2010 , 14, P225	3
1037	Safety of balloon dilatational tracheostomy with the Ciaglia Blue Dolphin device. 2010 , 14, P226	78
1036	Influence of the cuff pressure on the swallowing reflex in tracheostomized ICU patients. 2010 , 14, P227	78
1035	Microaspirations during mechanical ventilation: polyurethane versus polyvinyl cuffed endotracheal tubes. 2010 , 14, P228	78
1034	Do endotracheal tubes prevent microaspiration?. 2010 , 14, P229	4
1033	A cuff -leak pressure test is a simple method for assessing severe laryngeal edema in postoperative patients. 2010 , 14, P230	78
1032	Code critical airway teams improves patient safety. 2010 , 14, P231	3
1031	A prospective evaluation of hemodynamic indexes to predict weaning from mechanical ventilation in patients after cardiac surgery. 2010 , 14, P232	78
1030	Rapid shallow breathing index predicts readiness to wean?. 2010 , 14, P233	78
1029	Increasing pressure support during vibrocompression is useful during respiratory therapy?. 2010 , 14, P234	78
1028	Predicting success in weaning from mechanical ventilation in patients with and without cardiac disease. 2010 , 14, P235	78
1027	Implementation of a standardised weaning protocol in patients with prolonged mechanical ventilation in a post-acute care ICU. 2010 , 14, P236	0
1026	Comparison of pressure control and pressure support modes for non-invasive mechanical ventilation in acute hypercapnic respiratory failure. 2010 , 14, P237	1
1025	Non-invasive CPAP with face mask: comparison between different devices. 2010 , 14, P238	1
1024	Effects of non-invasive mechanical ventilation on hemodynamic and gas exchanges parameters after cardiac surgery in patients with $300 >PaO_2/FiO_2 >150$. 2010 , 14, P239	78

1023	Non-invasive positive pressure ventilation in burns. 2010 , 14, P240	78
1022	Non-invasive mechanical ventilation in the weaning process: continuous hemodynamic monitoring. 2010 , 14, P241	78
1021	Influence of severe obesity on non-invasive ventilation strategies and responses in patients with acute hypercapnic respiratory failure in ICU. 2010 , 14, P242	1
1020	A simple predictive scoring system for prolonged mechanical ventilation in severe sepsis and septic shock. 2010 , 14, P243	78
1019	Simplified approach to ICU severity scoring with MPM and EUROSCORE. 2010 , 14, P244	78
1018	Validation of a computerised system to calculate the sequential organ failure assessment score. 2010 , 14, P245	3
1017	Sequential Organ Failure Assessment scores and mortality. 2010 , 14, P246	78
1016	Bacteremia, APACHE II and need for renal replacement therapy are independent predictors of mortality in critically ill transplanted patients with cirrhosis. 2010 , 14, P247	78
1015	External validation of six mortality prediction systems for intensive care unit patients. 2010 , 14, P248	78
1014	Prognostic accuracy of severity score for prolonged ICU length of stay >72 hours in general surgical ICU: a prospective study. 2010 , 14, P249	78
1013	Perioperative scores to predict mortality in surgical oncologic patients: a review of 1,362 cases. 2010 , 14,	78
1012	Scoring patients with a suspected infection in the emergency department (ED): comparison of the ED-specific MEDS score with APACHE II and SOFA score. 2010 , 14, P251	1
1011	Validation of the new proposed Emergency Trauma Score (EMTRAS). 2010 , 14, P252	2
1010	A new severity score for community-acquired pneumonia: PARB score. 2010 , 14, P253	2
1009	Modified Early Warning Score and identification of patients with severe sepsis. 2010 , 14, P254	78
1008	Impact of a systematic MEWS introduction on preoperative and postoperative evaluation in urgent/emergency surgery. 2010 , 14, P255	2
1007	Clinical predictors of physiological deterioration. 2010 , 14, P256	78
1006	Modified Early Warning Scores: inaccurate summation or inaccurate assignment of score?. 2010 , 14, P257	8

1005	Analysis of Modified Early Warning System scores and intraoperative factors on the incidence of sepsis and septic shock after elective major surgery. 2010 , 14, P258	2
1004	Temporal variability of medical emergency team calls. 2010 , 14, P259	78
1003	Medical emergency team use and outcomes in an Australian private hospital. 2010 , 14, P260	1
1002	Continuously improving patient safety by a rapid response system. 2010 , 14, P261	78
1001	Role of critical care outreach to provide the intention to treat of hematological disorders: a pilot study. 2010 , 14, P262	78
1000	Score to door time: a benchmarking tool for rapid response systems. 2010 , 14, P263	1
999	A comparison of injected lidocaine 2% and no analgesia for peripheral intravenous cannula insertion in the emergency department. 2010 , 14, P264	78
998	High-sensitive troponin T measurement for patients with acute chest pain: improvement of diagnostics?. 2010 , 14, P265	78
997	Correlation of lung comet score with decreased gas exchange in patients with acute pulmonary edema: a pilot study. 2010 , 14, P267	78
996	Magnitude of first medical contact in the long-term prognosis of patients treated with STEMI. 2010 , 14, P268	78
995	Ultrasound-guided hematoma block and fracture reduction: a new way to go forward. 2010 , 14, P269	2
994	Pulmonary edema in the prehospital setting: the importance of early treatment. 2010 , 14, P270	78
993	Efficacy of bedside ultrasonography in early diagnosis of patients admitted to the emergency department with dyspnea. 2010 , 14, P271	78
992	Auscultation in flight: comparison of amplified and traditional stethoscopes. 2010 , 14, P272	1
991	Performance of ventilators at simulated altitude: study of fraction of inspired oxygen. 2010 , 14, P273	78
990	Aeromedical evacuation of the French Army: survey of the past 10 years. 2010 , 14, P274	1
989	Comparison of two disaster drills' management performed by trained and not-trained students: key times evaluation. 2010 , 14, P275	78
988	Acute severe asthma: performance of ventilator at simulated altitude. 2010 , 14, P276	78

987	Validation of a new French-language triage algorithm: the ELISA scale. 2010 , 14, P277	1
986	Examining the suitability of medical admissions to the emergency short stay ward of a large UK hospital. 2010 , 14, P278	3
985	A study on reliability of a new triage emergency method among nursing students. 2010 , 14, P279	78
984	Aggression and violence against staff of ambulance services. 2010 , 14, P280	78
983	Analysis of the disease spectrum of treated patients after Wenchuan earthquake. 2010 , 14, P281	78
982	Large-scale implementation of a critical care surge capacity management program. 2010 , 14, P282	78
981	Standard X-rays for the victims of severe trauma: time for a change. 2010 , 14, P283	78
980	Focused assessment with sonography for trauma in the prehospital setting. 2010 , 14, P284	0
979	Clinicopathogenetic aspects of systemic inflammatory response development in polytrauma. 2010 , 14, P285	78
978	Diagnostic and prognostic significance of serum apoptosis markers in the patients with severe trauma injury. 2010 , 14, P286	78
977	Predictors of mechanical ventilation after burn injury. 2010 , 14, P287	78
976	Impact of regional imaging guidelines for head injury and unconscious polytrauma patients. 2010 , 14, P288	78
975	Blunt vascular injuries of the carotid and vertebral arteries: should we screen the asymptomatic trauma patients at high risk? Preliminary results of a prospective cohort study. 2010 , 14, P289	78
974	Effect of 8.4% sodium bicarbonate on raised intracranial pressure after traumatic brain injury. 2010 , 14, P290	78
973	Hyponatremia in pediatric patients with severe traumatic brain injury. 2010 , 14, P291	78
972	Use of transcranial Doppler in patients with severe traumatic brain injury. 2010 , 14, P292	2
971	Effect of hyperbaric oxygen on cerebral oxygen saturation in patients with sub-acute traumatic brain injury. 2010 , 14, P294	78
970	Brain biomarkers and brain tissue oxygenation: changes and correlations following severe head injury. 2010 , 14, P295	78

969	Cortex and deep grey matter have different sensitivities to hypoxia-hypotension and traumatic brain injury: a combined PtiO ₂ and microdialysis study in rats. 2010 , 14, P296	78
968	Diagnosis of carotid and vertebral artery injury in major trauma with head injury. 2010 , 14, P297	78
967	Decompressive craniectomy in severe intracranial hypertension after brain injury: early or late?. 2010 , 14, P298	78
966	Optic nerve ultrasound for detecting intracranial hypertension. 2010 , 14, P300	1
965	Measurement of neuronal specific enolase as a predictor of outcome in patients suffering from severe traumatic brain injury. 2010 , 14, P301	78
964	Hyperphosphorylated neurofilament NF-H, S100 β and NSE as indicators of severity of brain injury in children. 2010 , 14, P302	78
963	A simple hospital discharge score predicts Glasgow Outcome Scale at 12 months in patients with traumatic brain injury. 2010 , 14, P303	78
962	Outcome of aggressive treatment for blunt and penetrating traumatic cardiac arrest. 2010 , 14, P304	78
961	Using flow-rate limiting bag-valve-mask device without training. 2010 , 14, P305	78
960	Out-of-hospital cardiac arrest and resource utilisation in the ICU. 2010 , 14, P306	78
959	Comparison of external cardiac compression on the floor and in a dental chair. 2010 , 14, P307	78
958	Time factors rather than type and/or nature of CPR modify the prognosis of out-of-hospital cardiac arrests witnessed by bystanders. 2010 , 14, P309	78
957	Use of the laryngeal tube by paramedics during prehospital resuscitation: an observational study. 2010 , 14, P310	78
956	The i-gel supraglottic airway as an alternative in the preclinical emergency medical aid? A comparative study on a manikin. 2010 , 14, P311	78
955	Retention of skills during emergency airway management training: a 12-month follow-up. 2010 , 14, P312	2
954	Factors correlated with the advanced life support simulation performance of senior medical students. 2010 , 14, P313	78
953	Aging augments unwillingness to the initial three links in chains of survival. 2010 , 14, P314	78
952	Prediction of the success of cardiac resuscitation: a pattern classification approach based on ECG spectral and temporal features. 2010 , 14, P315	78

951	Dispatcher-assisted telephone cardiopulmonary resuscitation using a French compression-only protocol: performance of volunteers with or without prior life support training. 2010 , 14, P316	78
950	CPR team members' attitudes towards family presence during cardiopulmonary resuscitation. 2010 , 14, P317	78
949	Prehospital therapeutic hypothermia induced with cold infusions improves haemodynamic stability in nonshockable cardiac arrest patients. 2010 , 14, P318	1
948	Trans-nasal cooling during CPR: a single-center experience. 2010 , 14, P319	1
947	Intra-arrest cooling using a novel intra-nasal cooling method for immediate induction of therapeutic hypothermia in Germany. 2010 , 14, P320	78
946	Therapeutic hypothermia after cardiac arrest: implementation in UK intensive care units. 2010 , 14, P321	78
945	Hospital-wide therapeutic hypothermia protocol significantly reduces the time to induce hypothermia but does not improve outcomes. 2010 , 14, P322	78
944	Induced hypothermia after cardiac arrest for 12 hours: single-centre experience. 2010 , 14, P323	78
943	Survival following adult cardiac arrest in intensive care units: a 5-year retrospective analysis. 2010 , 14, P324	78
942	Effects of bed height and time on the quality of chest compressions during cardiopulmonary resuscitation. 2010 , 14, P325	78
941	New results about early therapeutic hypothermia in sudden cardiac death and following return of spontaneous circulation. 2010 , 14, P326	78
940	Infection rates among cooled patients post cardiac arrest. 2010 , 14, P327	78
939	Strategies to implement a therapeutic hypothermia program. 2010 , 14, P328	78
938	A comparison of core and tympanic temperature measurement in the critically ill. 2010 , 14, P329	1
937	Can we predict neurological prognoses with computed tomography just after resuscitation?. 2010 , 14, P330	78
936	Unintended consequences of technology improvement. 2010 , 14, P331	78
935	Bispectral Index Scale alterations in brain death patients. 2010 , 14, P332	78
934	Prognosis in patients presenting with nontraumatic coma. 2010 , 14, P333	2

933	Dynamic changes in cerebral oxygenation by two methods during cardiac surgery and postoperative cognitive decline. 2010 , 14, P334	1
932	Acetazolamide-induced cerebrovascular reactivity is impaired in sepsis-associated encephalopathy. 2010 , 14, P335	1
931	Epidemiological analysis of patients with cerebral aneurysms submitted to embolization at S8 Jos8do Ava8Hospital. 2010 , 14, P336	78
930	Frequency/prevalence analysis of risk factors on aneurysmal subarachnoid hemorrhage. 2010 , 14, P337	1
929	Monitoring regional brain oxygen saturation in patients with clipped aneurysms of the anterior circle of Willis. 2010 , 14, P338	78
928	Early prognosis value of the first 24 hours mean plasma S100b protein level after subarachnoid aneurysmal hemorrhage. 2010 , 14, P339	78
927	Altered aortic stiffness associated with stress cardiomyopathy in patients with aneurysmal subarachnoid haemorrhage. 2010 , 14, P340	78
926	Effect of packed red blood cell transfusion on cerebral oxygenation and metabolism after subarachnoid hemorrhage. 2010 , 14, P341	1
925	Comparison of surgical or endovascular treated aneurysmal SAH patients with a special emphasis on cerebral vasospasm. 2010 , 14, P342	78
924	Prediction of cerebral vasospasm in patients with aneurysmal subarachnoid hemorrhage using jugular bulb oximetry monitoring: preliminary results. 2010 , 14, P343	0
923	Magnesium use on prophylaxis of vasospasm morbidity and mortality rate in subarachnoid hemorrhage. 2010 , 14, P344	78
922	Effects of simvastatin in prevention of vasospasm in nontraumatic subarachnoid hemorrhage: preliminary data. 2010 , 14, P345	78
921	Addition of new criteria to Sequential Organ Failure Assessment for patients with subarachnoid hemorrhage. 2010 , 14, P346	78
920	Cardiac output augmentation with fluid resuscitation improves brain tissue oxygenation after severe brain injury. 2010 , 14, P347	78
919	Multicentre experience of using ICM+ for investigations of cerebrovascular dynamics with near-infrared spectroscopy. 2010 , 14, P348	2
918	Cerebral oxygen saturation and cerebral blood flow are relatively stable during single-lung ventilation, if normocapnia is maintained. 2010 , 14, P349	78
917	Factors affecting the transient hyperaemic response test of the cerebral autoregulation. 2010 , 14, P350	78
916	Infection associated with the external ventricular derivation catheter: preliminary data. 2010 , 14, P351	78

915	fMRI default mode connectivity in vegetative state and locked-in syndrome patients. 2010 , 14, P352	78
914	Incidence of cerebral salt wasting syndrome: comparison in subarachnoid haemorrhagic compared with head trauma. 2010 , 14, P353	78
913	Sodium dysbalances in neurointensive care: results of a 5-year prospective study. 2010 , 14, P354	78
912	Impact of hypernatremia on patients with severe traumatic brain injury. 2010 , 14, P355	5
911	Prevalence and clinical setting of SIADH in neurosurgery: comparison between subarachnoid haemorrhage and head trauma. 2010 , 14, P356	78
910	Risk factors for venous thromboembolism in Japanese patients with severe blunt trauma. 2010 , 14, P357	78
909	Safety of heparin prophylaxis for venous thromboembolism in patients with neurotrauma. 2010 , 14, P358	78
908	Prevalence and incidence of proximal deep vein thrombosis in critically ill patients. 2010 , 14, P359	78
907	Trauma patients with prophylactic IVC filter and chemical prophylaxis: a descriptive study. 2010 , 14, P360	78
906	Clinical signs and risk factors of acute deep vein thrombosis of lower extremities in patients after abdominal surgery for cancer: efficiency and safety of different types of anticoagulant therapy. 2010 , 14, P361	78
905	Multidrug sedation as a risk factor for deep vein thrombosis in the intensive care unit. 2010 , 14, P362	78
904	New method diagnostics for coagulation disorders after surgery. 2010 , 14, P363	78
903	Thrombocytopenia in surgical ICU patients. 2010 , 14, P364	78
902	Platelet count as a prognostic marker in intensive care. 2010 , 14, P365	1
901	66 Evaluation of the particle immunofiltration anti-platelet factor 4 rapid assay in MICU patients with thrombocytopenia. 2010 , 14, P366	78
900	Heparin-induced thrombocytopenia incidence in the ICU: preliminary results. 2010 , 14, P367	78
899	Treatment of the coagulation deficit during extracorporeal circulation in a porcine model by a prothrombin complex concentrate. 2010 , 14, P368	78
898	Fibrinogen in dilutional coagulopathy: a dose study in pigs. 2010 , 14, P369	78

897	Tranexamic acid reduces blood loss in postpartum haemorrhage. 2010 , 14, P370	6
896	Regional variation of the off-licence use of rFVIIa for patients with uncontrolled haemorrhage in England. 2010 , 14, P371	78
895	Early use of factor VIIa in cardiac surgery is associated with lower rates of blood transfusions without impact on outcome. 2010 , 14,	78
894	Low-frequency hemoviscoelastography in monitoring coagulation disorders after abdominal surgery for cancer. 2010 , 14, P373	78
893	Reliability of the HemoCue [®] hemoglobinometer in critically ill patients. 2010 , 14, P374	78
892	Effect of transfusion, leukocyte-depleted blood product on onset of new septic shock and mortality in septic shock. 2010 , 14, P375	78
891	Transfusion Requirements After Cardiac Surgery (TRACS) study: preliminary data of a randomized controlled clinical trial. 2010 , 14,	3
890	Analysis of red cell transfusion practices in patients without active haemorrhage over a 12-month period in a UK intensive care unit. 2010 , 14, P377	78
889	Effects of red blood cell transfusion in central venous saturation and lactate levels in patients with septic shock. 2010 , 14, P378	78
888	Massive transfusion in paediatric trauma: a single-centre experience. 2010 , 14, P379	78
887	Cytokine levels evaluation during acute isovolemic anemia. 2010 , 14,	78
886	Haemodynamic alterations in community-acquired sepsis at early stage. 2010 , 14, P381	3
885	Epidemiology of severe sepsis in India: an update. 2010 , 14, P382	18
884	Systemic inflammatory response syndrome is reduced by inline filtration in intensive care patients. 2010 , 14, P383	78
883	Review of central venous catheter-related infections in neurointensive care patients in a tertiary referral centre. 2010 , 14, P384	78
882	Clinical impact of diagnosis methods for catheter-related bloodstream infection in ICU patients. 2010 , 14, P385	78
881	Catheter-related bacteremia in a jugular site with tracheostomy and in a femoral site. 2010 , 14, P386	78
880	A comparative study between conventional and antiseptic impregnated central venous catheters in neurocritical patients. 2010 , 14, P387	78

879	Comparison between peripherally inserted central venous catheters and short-term central venous catheter in patients discharged from the ICU. 2010 , 14, P388	1
878	Vacuum-assisted closure of laparostomy, an efficient strategy for complicated intra-abdominal infection. 2010 , 14, P389	78
877	Comparison between left ventricular tissue Doppler strain imaging and the sequential organ failure assessment score (SOFA score) in patients with severe sepsis or septic shock. 2010 , 14, P390	78
876	Systolic and diastolic function and survival in severe sepsis and septic shock: clinical, echocardiographic, biochemical correlation. 2010 , 14, P391	78
875	Frequency and clinical spectrum of myocardial dysfunction in severe sepsis and septic shock. 2010 , 14, P392	78
874	Effects of nitroglycerin on intestinal microcirculatory blood flow in patients with abdominal sepsis. 2010 , 14, P393	78
873	Diastolic dysfunction in septic shock is an independent predictor of elevated B-type natriuretic peptide and hospital mortality. 2010 , 14, P394	1
872	Cardiac-specific troponin I and cardiovascular dysfunction in post-traumatic sepsis. 2010 , 14, P395	78
871	Both systolic and diastolic functions are impaired in critically ill patients with community-acquired sepsis. 2010 , 14, P396	78
870	Selective V1a agonism reduces vascular leakage and cardiopulmonary dysfunction in methicillin-resistant <i>Staphylococcus aureus</i> sepsis. 2010 , 14, P397	2
869	Sepsis resuscitation bundle compliance in septic shock: improves survival and yet better late than never. 2010 , 14, P398	78
868	Effect of myocardial preservation of early goal-directed therapy on severe sepsis/septic shock patients in the ICU. 2010 , 14, P399	1
867	Impact of the sepsis bundle strategy on the outcomes of the patients suffering from severe sepsis and septic shock. 2010 , 14, P400	78
866	Impact of Surviving Sepsis Campaign implementation in Brazil. 2010 , 14, P401	78
865	Effect of synthetic vasopressin in septic shock using esophageal Doppler. 2010 , 14, P402	78
864	Effects of sepsis resuscitation bundle in cirrhotic patients with septic shock. 2010 , 14, P403	78
863	Outcomes and incidence of bleeding events associated with drotrecogin alfa: a single-centre experience of 440 patients. 2010 , 14, P404	78
862	Activated protein C: cost matters!. 2010 , 14, P405	78

861	Outcome of patients receiving two or more infusions of activated protein C: a single-centre experience. 2010 , 14, P406	78
860	Drotrecogin alfa (activated): a single-centre experience of 110 patients. 2010 , 14, P407	78
859	Efficacy of recombinant human soluble thrombomodulin in disseminated intravascular coagulation. 2010 , 14, P408	78
858	Clinical experience with lipopolysaccharide adsorber in cancer patients with severe sepsis and septic shock. 2010 , 14, P409	78
857	Apheresis of activated leukocytes with an immobilized polymyxin B filter. 2010 , 14, P410	0
856	Therapeutic blood purification using functionalized core/shell nanomagnets. 2010 , 14, P411	78
855	Coupled plasma filtration and adsorption in septic shock: a multicentric experience. 2010 , 14, P412	2
854	Patients admitted to the ICU for extra-abdominal disease and operated on for emergency laparotomy have significant survival. 2010 , 14, P413	78
853	Can ICU admission be predicted?. 2010 , 14, P414	78
852	Unsuitable for ICU: what happens next?. 2010 , 14, P415	78
851	Admission pattern and outcome in a UK weaning centre. 2010 , 14, P416	78
850	Referral to intensive care: who and when?. 2010 , 14, P417	78
849	Acute drug overdose in an ICU: 15 years experience. 2010 , 14, P418	3
848	Prognostic factors for very short-term mortality in severe sepsis. 2010 , 14, P419	78
847	Is sepsis mortality rate driven by differences in Brazilian healthcare systems?. 2010 , 14, P420	78
846	Prognoses indicators of HIV patients admitted to the ICU. 2010 , 14, P421	78
845	Outcomes of cancer patients admitted to intensive care units with severe acute kidney injury. 2010 , 14, P422	78
844	Is intensive care beneficial for patients with haematologic malignancies?. 2010 , 14, P423	78

843	Postoperative mortality in the Netherlands: identifying high-risk surgery. 2010 , 14, P424	0
842	Outcomes of 1,000 patients with cancer admitted to the intensive care unit: a Brazilian prospective study. 2010 , 14,	1
841	Trend in outcome of critically ill patients with co-morbidity: a 15-year study. 2010 , 14, P426	78
840	Clinical profile, maternal and fetal mortality analysis of severe gestosis admitted to the ICU. 2010 , 14, P427	78
839	Obstetric critical care in developing countries: a comparison between two intensive care units. 2010 , 14, P428	78
838	Co-morbidity, demographic and social factors as predictors of outcome from intensive care: an observational cohort study. 2010 , 14, P429	78
837	C-Reactive protein and albumin as prognostic markers in intensive care. 2010 , 14, P430	1
836	Statin therapy on admission to intensive care and outcome: an observational cohort study. 2010 , 14, P431	78
835	How did you sleep in the ICU?. 2010 , 14, P432	1
834	Factors associated with longer stay on a surgical intensive care unit. 2010 , 14, P433	78
833	Social support: a significant factor for health-related quality of life after critical illness?. 2010 , 14, P434	78
832	Quality of the evaluations of clinical studies in adult critical care and emergency medicine on a specialized Internet site. 2010 , 14, P435	0
831	Functional status and quality of life in patients suffering severe cranioencephalic trauma at the time of discharge from the intensive care unit and 1 year after. 2010 , 14, P436	2
830	Long-term (>6 years) quality of life after surgical intensive care admission. 2010 , 14, P437	78
829	Children's self-reported health-related quality of life after intensive care treatment. 2010 , 14, P438	4
828	Activities of daily living (Barthel Index) at discharge from the intensive care unit. 2010 , 14, P439	4
827	A comparison of Short Form 36 and Hospital Anxiety and Depression Scale based on patients 1 month after discharge from the intensive care unit. 2010 , 14, P440	78
826	Post-traumatic stress disorder after surgical ICU admission. 2010 , 14, P441	78

825	Health-related quality of life before intensive care. 2010 , 14, P442	78
824	Nursing staff development: strategies for success in a unique critical care unit in a developing country. 2010 , 14, P443	78
823	Implementing the Leapfrog standard in a developing country. 2010 , 14, P444	78
822	Impact of thiopental use on cerebral perfusion pressure in severe brain trauma: an example of caregivers' adaptation. 2010 , 14, P445	78
821	Knowledge of ICU nurses regarding selected care areas commonly guided by protocols. 2010 , 14, P446	78
820	Pharmacist clinical interventions in the ICU. 2010 , 14, P447	5
819	Adverse drug events in the critical care unit. 2010 , 14, P448	78
818	Evaluation of appropriateness of intensive care unit admissions: the GIVITI's StART approach. 2010 , 14, P449	1
817	Noise in the critical care environment. 2010 , 14, P450	1
816	Allergy documentation and transfer within critical care. 2010 , 14, P451	78
815	Use of an anonymous medication incident reporting system on a critical care unit. 2010 , 14, P452	1
814	Three years experience of a quality improvement programme. 2010 , 14, P453	78
813	Improving team work during bedside rounds: using daily goals and best practices. 2010 , 14, P454	78
812	Stress induced by simulation-based training in anesthesiologist residents. 2010 , 14, P455	78
811	Impact of an education program in respiratory therapy quality of care. 2010 , 14, P456	78
810	Use of the FAST HUG checklist in Mexican critically ill patients. 2010 , 14, P457	78
809	Bay rooms vs single-bed rooms in intensive care unit nosocomial infections: a case-control study. 2010 , 14, P458	2
808	Impact of quality improvement process on healthcare-associated infection in the ICU in a tertiary care hospital in India. 2010 , 14, P459	78

807	Teaching airway resuscitation to novices: a randomized controlled simulator mannequin study. 2010, 14, P460	78
806	Impact of ultrasound guidance in central venous catheterization by inexperienced trainees: a prospective observational study. 2010, 14, P461	78
805	Performance analysis of an ICU according to GiViTI's StART approach. 2010, 14, P462	78
804	Simulation training at the point of care to decrease the incidence of airway complications on the intensive care unit. 2010, 14, P463	78
803	Management of needle stick injuries from incapacitated patients. 2010, 14, P464	78
802	Stress and fatigue among anaesthesia and intensive care doctors in Lithuania. 2010, 14, P465	78
801	Implementation of daily goals in the ICU reduces length of ICU stay and errors of omission in patient care. 2010, 14, P466	1
800	Use of single patient rooms to decrease acquisition of antibiotic-resistant bacteria in the ICU. 2010, 14, P467	78
799	Time to first review of new admissions to critical care by the consultant intensivist. 2010, 14, P468	78
798	Analysis of critical care referrals. 2010, 14, P469	2
797	Communication with intensive care patients. 2010, 14, P470	78
796	Quality of transfers of critically ill patients within the hospital. 2010, 14, P471	78
795	Are bariatric patients putting a strain on intensive care beds?. 2010, 14, P472	78
794	Five-year evolution of drug prescribing in a university adult intensive care unit. 2010, 14, P473	78
793	A semiquantitative assessment of the effects of delayed discharge from the intensive care unit of survivors of critical illness. 2010, 14, P474	78
792	Robotics telepresence in acute care facilities during influenza AH1N1 outbreak in Mexico. 2010, 14, P475	78
791	Association between out of hours discharge from the ICU and subsequent readmission. 2010, 14, P476	3
790	Sequential Organ Failure Assessment in pandemic planning. 2010, 14, P477	2

789	Failure mode and effect analysis in interhospital transport of critically ill patients: a tool to design checklists for handovers in the mobile intensive care unit. 2010 , 14, P478	78
788	Selective neurogenic blockades and perioperative immune reactivity in patients undergoing lung resection. 2010 , 14, P479	78
787	Adverse effects of beta adrenergic blockers during spinal anesthesia with 0.5% bupivacaine. 2010 , 14, P480	2
786	Remifentanyl for postoperative analgo-sedation: effects on glycaemia and HOMA score. 2010 , 14, P481	78
785	Adding ultralow-dose oral naltrexone to morphine: a double-blind, randomized clinical trial. 2010 , 14, P482	78
784	Four-day sedation using sevoflurane: fluoride and renal function. 2010 , 14, P483	78
783	Beneficial effect of sevoflurane on endotoxin-induced pulmonary hypertension. 2010 , 14, P484	1
782	Does etomidate affect prognosis in septic shock patients treated with hydrocortisone?. 2010 , 14, P485	78
781	Use of methyl-naltrexone for the treatment of opioid-induced constipation in critical care patients. 2010 , 14, P486	78
780	Safety and efficacy of a nurse-driven sedation protocol with daily sedation interruption in the ICU. 2010 , 14, P487	78
779	Effects of propofol and midazolam on indocyanine green elimination assessed with LiMON for early sepsis patients. 2010 , 14, P488	78
778	Assessment of correlation between Bispectral Index monitorization and sedation scales used in the intensive care unit. 2010 , 14, P489	0
777	Sedation and analgesia: early results from a web-based survey of UK practice. 2010 , 14, P490	4
776	Severe alcohol withdrawal syndrome in ICU: is propofol a safe option?. 2010 , 14, P491	1
775	Agitation and pain during physiotherapy in intensive care. 2010 , 14, P492	1
774	Pain evaluation in the intensive care unit: listen to the patient, a new approach!. 2010 , 14, P493	0
773	Pharmacokinetics of orally administered melatonin in critically ill patients. 2010 , 14, P494	78
772	Manifestations and clinical course of delirium tremens in the ICU. 2010 , 14, P495	1

771	Comparison of two methods for diagnosing delirium conducted in a mixed medical ICU and the concordance between two independent nurse assessors. 2010 , 14, P496	78
770	Quetiapine in prolonged ICU delirium. 2010 , 14, P497	2
769	PREDICT, Prediction of Delirium in ICU Patients: development and validation of a prediction model. 2010 , 14, P498	2
768	Hospital anxiety depression scale in our surgical ICU. 2010 , 14, P499	1
767	Fluid therapy change from synthetic colloids to only crystalloids in patients with severe sepsis. 2010 , 14, P500	78
766	Effects of balanced and unbalanced colloid and crystalloid solutions on renal microvascular perfusion in endotoxemic rats. 2010 , 14, P501	78
765	Effects of balanced and unbalanced colloid and crystalloid solutions on renal oxygenation in a rat model of hemorrhagic shock and resuscitation. 2010 , 14, P502	78
764	Triggering Receptor Expressed on Myeloid Cells-1 Signaling: Protective and Pathogenic Roles on Streptococcal Toxic-Shock-Like Syndrome Caused by. 2018 , 9, 577	5
763	High-Mobility Group Box 1-Induced Complement Activation Causes Sterile Inflammation. 2018 , 9, 705	27
762	Trauma-Induced Damage-Associated Molecular Patterns-Mediated Remote Organ Injury and Immunosuppression in the Acutely Ill Patient. 2018 , 9, 1330	53
761	Emerging Mechanisms of Innate Immunity and Their Translational Potential in Inflammatory Bowel Disease. 2018 , 5, 32	22
760	A hypothetical new role for single-stranded DNA binding proteins in the immune system. 2018 , 223, 671-676	1
759	Association of circulating blood HMGB1 levels with ischemic stroke: a systematic review and meta-analysis. 2018 , 40, 907-916	14
758	The Circadian Clock Controls Immune Checkpoint Pathway in Sepsis. 2018 , 24, 366-378	65
757	Paeonol Reduces the Nucleocytoplasmic Transportation of HMGB1 by Upregulating HDAC3 in LPS-Induced RAW264.7 Cells. 2018 , 41, 1536-1545	6
756	HMGB1 mediates HAdV-7 infection-induced pulmonary inflammation in mice. 2018 , 501, 1-8	14
755	Up-regulation of HMGB1 and TLR4 in skin lesions of lichen planus. 2018 , 310, 523-528	5
754	Exploring the biological functional mechanism of the HMGB1/TLR4/MD-2 complex by surface plasmon resonance. 2018 , 24, 21	29

- 753 Angiotensin II enhances the acetylation and release of HMGB1 in RAW264.7 macrophage. **2018**, 42, 1160-1169 15
- 752 Overexpression of miR-381 relieves neuropathic pain development via targeting HMGB1 and CXCR4. **2018**, 107, 818-823 23
- 751 High mobility group box 1 as a biomarker in critically ill patients. **2018**, 32, e22584 12
- 750 [Viewing sepsis and autoimmune disease in relation with infection and NETs-formation]. **2018**, 73, 171-191 1
- 749 Distant Organ Dysfunction in Acute Kidney Injury: A Review. **2018**, 72, 846-856 102
- 748 LrHMGB1 Shares Structural Similarities with Human HMGB1, and Its Expression Is Induced in Bacterial Infection, Antiviral Vaccination, and Pathogen-Associated Molecular Patterns Stimulation. **2018**, 37, 708-723 3
- 747 HMGB1/IL-1 α complexes in plasma microvesicles modulate immune responses to burn injury. **2018**, 13, e0195335 17
- 746 Paeonol attenuates acute lung injury by inhibiting HMGB1 in lipopolysaccharide-induced shock rats. **2018**, 61, 169-177 20
- 745 Clinical Implication of the Relationship Between High Mobility Group Box-1 and Tumor Differentiation in Hepatocellular Carcinoma. **2018**, 38, 3411-3418 8
- 744 Aminoacyl-tRNA synthetases, therapeutic targets for infectious diseases. **2018**, 154, 424-434 32
- 743 The role of HMGB1 in neuroinflammation and tissue repair: A potential therapeutic target for depression?. **2018**, 01, 85-93 1
- 742 Low-dose ionizing radiation exposure represses the cell cycle and protein synthesis pathways in in vitro human primary keratinocytes and U937 cell lines. **2018**, 13, e0199117 5
- 741 Porcine reproductive and respiratory syndrome virus induces concurrent elevation of High Mobility Group Box-1 protein and pro-inflammatory cytokines in experimentally infected piglets. **2019**, 113, 21-30 11
- 740 Pathogen-Associated Molecular Patterns, Damage-Associated Molecular Patterns, and Their Receptors in Acute Kidney Injury. **2019**, 121-127.e3 2
- 739 Telmisartan Protects a Microglia Cell Line from LPS Injury Beyond AT1 Receptor Blockade or PPAR α Activation. **2019**, 56, 3193-3210 10
- 738 High-Mobility Group Box 1 expression predicts survival of patients after resection of adenocarcinoma of the ampulla of Vater. **2019**, 17, 140 6
- 737 The Modulation of Regulatory T Cells via HMGB1/PTEN/ β Catenin Axis in LPS Induced Acute Lung Injury. **2019**, 10, 1612 28
- 736 Post-surgical immune suppression: another target to improve postoperative outcomes. **2019**, 33, 625-627 1

735	AGER-Mediated Lipid Peroxidation Drives Caspase-11 Inflammasome Activation in Sepsis. 2019 , 10, 1904	13
734	Dual regulatory roles of HMGB1 in inflammatory reaction of chondrocyte cells and mice. 2019 , 18, 2268-2280	8
733	The Cholinergic Anti-Inflammatory Pathway as a Conceptual Framework to Treat Inflammation-Mediated Renal Injury. 2019 , 44, 435-448	11
732	Alleviation of Hepatic Ischemia Reperfusion Injury by Oleanolic Acid Pretreating via Reducing HMGB1 Release and Inhibiting Apoptosis and Autophagy. 2019 , 2019, 3240713	15
731	High-Mobility Group Box 1 (HMGB1) and Autophagy in Acute Lung Injury (ALI): A Review. 2019 , 25, 1828-1837	49
730	Evidence For SIRT1 Mediated HMGB1 Release From Kidney Cells in the Early Stages of Hemorrhagic Shock. 2019 , 10, 854	14
729	Sepsis and Septic Shock: A Review of Definitions, Pathogenesis, and Treatment. 2019 , 807-835	0
728	SIRT1-regulated HMGB1 release is partially involved in TLR4 signal transduction: A possible anti-neuroinflammatory mechanism of resveratrol in neonatal hypoxic-ischemic brain injury. 2019 , 75, 105779	39
727	Surviving Sepsis: Tolerance Towards Bacteria and Their Cell Wall Components. 2019 , 159-175	
726	Role of TLR4 in Sepsis. 2019 , 113-129	
725	Global gene expression reveals an increase of HMGB1 and APEX1 proteins and their involvement in oxidative stress, apoptosis and inflammation pathways among beta-thalassaemia intermedia and major phenotypes. 2019 , 186, 608-619	3
724	Serum high mobility group box protein 1 (HMGB1) levels reflect clinical features of childhood hemophagocytic lymphohistiocytosis. 2019 , 10, 301-306	1
723	Recombinant thrombomodulin prevented hepatic ischemia-reperfusion injury by inhibiting high-mobility group box 1 in rats. 2019 , 863, 172681	4
722	Autophagy Regulation of Innate Immunity. 2019 ,	1
721	Involvement of high mobility group box 1 in the pathogenesis of severe hemolytic uremic syndrome in a murine model. 2019 , 317, F1420-F1429	4
720	JAK2/STAT1-mediated HMGB1 translocation increases inflammation and cell death in a ventilator-induced lung injury model. 2019 , 99, 1810-1821	15
719	Carbon Nanomaterials Stimulate HMGB1 Release From Macrophages and Induce Cell Migration and Invasion. 2019 , 172, 398-410	7
718	Extracellular nicotinate phosphoribosyltransferase binds Toll like receptor 4 and mediates inflammation. 2019 , 10, 4116	24

717	HMGB1 mediates the development of tendinopathy due to mechanical overloading. 2019 , 14, e0222369	11
716	Soluble RAGE attenuates AngII-induced endothelial hyperpermeability by disrupting HMGB1-mediated crosstalk between AT1R and RAGE. 2019 , 51, 1-15	19
715	Long-Term Treatment with Thrombomodulin Improves Functional Outcomes after Cerebral Ischemia Even if Administration is Delayed. 2019 , 119, 467-478	6
714	Targeting nuclear proteins for control of viral replication. 2019 , 45, 495-513	5
713	Late Peaks of HMGB1 and Sepsis Outcome: Evidence For Synergy With Chronic Inflammatory Disorders. 2019 , 52, 334-339	11
712	The release and activity of HMGB1 in ferroptosis. 2019 , 510, 278-283	140
711	Enhanced Macrophage Pannexin 1 Expression and Hemichannel Activation Exacerbates Lethal Experimental Sepsis. 2019 , 9, 160	20
710	Differential expression patterns of Toll Like Receptors and Interleukin-37 between calcific aortic and mitral valve cusps in humans. 2019 , 116, 150-160	6
709	Therapeutic Role of Recombinant Human Soluble Thrombomodulin for Acute Exacerbation of Idiopathic Pulmonary Fibrosis. 2019 , 55,	4
708	Anti-HMGB1 monoclonal antibody therapy for a wide range of CNS and PNS diseases. 2019 , 140, 94-101	43
707	Severe Trauma and Sepsis. 2019 ,	
706	Genetic Variation in Human Gene Regulatory Factors Uncovers Regulatory Roles in Local Adaptation and Disease. 2019 , 11, 2178-2193	7
705	Targeting high-mobility group box protein 1 (HMGB1) in pediatric traumatic brain injury: Chronic neuroinflammatory, behavioral, and epileptogenic consequences. 2019 , 320, 112979	30
704	The Role of HMGB1, a Nuclear Damage-Associated Molecular Pattern Molecule, in the Pathogenesis of Lung Diseases. 2019 , 31, 954-993	23
703	Recombinant human soluble thrombomodulin attenuates anti-glomerular basement membrane glomerulonephritis in Wistar-Kyoto rats through anti-inflammatory effects. 2019 , 34, 774-782	8
702	High mobility group box 1 enables bacterial lipids to trigger receptor-interacting protein kinase 3 (RIPK3)-mediated necroptosis and apoptosis in mice. 2019 , 294, 8872-8884	10
701	Aloin Reduces HMGB1-Mediated Septic Responses and Improves Survival in Septic Mice by Activation of the SIRT1 and PI3K/Nrf2/HO-1 Signaling Axis. 2019 , 47, 613-633	11
700	Serum levels of interleukin-6, interleukin-8, interleukin-10, and tumor necrosis factor- β renal function biochemical parameters and clinical outcomes in pediatric cardiopulmonary bypass surgery. 2019 , 34, 651-659	14

699	Prospective multicenter randomized patient recruitment and sample collection to enable future measurements of sputum biomarkers of inflammation in an observational study of cystic fibrosis. 2019 , 19, 88	5
698	Genomic and Genetic Approaches to Deciphering Acute Respiratory Distress Syndrome Risk and Mortality. 2019 , 31, 1027-1052	14
697	Intestinal epithelial HMGB1 inhibits bacterial infection via STAT3 regulation of autophagy. 2019 , 15, 1935-1953	30
696	Association of high mobility group box 1 protein with coronary artery disease. 2019 , 27, 251-255	5
695	Papaverine identified as an inhibitor of high mobility group box 1/receptor for advanced glycation end-products interaction suppresses high mobility group box 1-mediated inflammatory responses. 2019 , 511, 665-670	19
694	Trimethylamine N-oxide promotes tissue factor expression and activity in vascular endothelial cells: A new link between trimethylamine N-oxide and atherosclerotic thrombosis. 2019 , 177, 110-116	27
693	Suppressive activities of KC1-3 on HMGB1-mediated septic responses. 2019 , 163, 260-268	1
692	Acute and chronic remote ischemic conditioning attenuate septic cardiomyopathy, improve cardiac output, protect systemic organs, and improve mortality in a lipopolysaccharide-induced sepsis model. 2019 , 114, 15	36
691	High Mobility Group Box 1 Protein in Osteoarthritic Knee Tissue and Chondrogenic Progenitor Cells: An and Study. 2021 , 12, 484-495	3
690	Inhibition of high mobility group box 1 (HMGB1) attenuates podocyte apoptosis and epithelial-mesenchymal transition by regulating autophagy flux. 2019 , 11, 826-836	10
689	Activated protein C inhibits lipopolysaccharide-mediated acetylation and secretion of high-mobility group box 1 in endothelial cells. 2019 , 17, 803-817	8
688	Increased dermal expression of chromatin-associated protein HMGB1 and concomitant T-cell expression of the DNA RAGE in patients with psoriasis vulgaris. 2019 , 9, 7-17	7
687	The Multitasking Potential of Alarmins and Atypical Chemokines. 2019 , 6, 3	40
686	Targeting High Mobility Group Box-1 (HMGB1) Promotes Cell Death in Myelodysplastic Syndrome. 2019 , 25, 4155-4167	9
685	Dexmedetomidine protects against high mobility group box 1-induced cellular injury by inhibiting pyroptosis. 2019 , 43, 651-657	8
684	Inhibition of HMGB1/RAGE-mediated endocytosis by HMGB1 antagonist box A, anti-HMGB1 antibodies, and cholinergic agonists suppresses inflammation. 2019 , 25, 13	50
683	Role of toll-like receptor 4 in the regulation of the cell death pathway and neuroinflammation. 2019 , 148, 79-90	8
682	Location is the key to function: HMGB1 in sepsis and trauma-induced inflammation. 2019 , 106, 161-169	54

681	Ameliorative effect of gossypin against acute lung injury in experimental sepsis model of rats. 2019 , 221, 327-334	30
680	Role of Damage-Associated Molecular Patterns and Uncontrolled Inflammation in Pediatric Sepsis-Induced Multiple Organ Dysfunction Syndrome. 2019 , 8, 25-31	9
679	Stearoyl lysophosphatidylcholine inhibits LPS-induced extracellular release of HMGB1 through the G2A/calcium/CaMKK β /AMPK pathway. 2019 , 852, 125-133	5
678	Suppression of HMGB1 Released in the Glioblastoma Tumor Microenvironment Reduces Tumoral Edema. 2019 , 12, 93-102	20
677	Characterization of a phospholipid-regulated β -galactosidase from <i>Akkermansia muciniphila</i> involved in mucin degradation. 2019 , 8, e00796	11
676	Ureteral stent-associated infection and sepsis: pathogenesis and prevention: a review. 2019 , 35, 117-127	23
675	Coenzyme Q10 protects against burn-induced mitochondrial dysfunction and impaired insulin signaling in mouse skeletal muscle. 2019 , 9, 348-363	13
674	Pattern Recognition Receptors in Autoinflammation. 2019 , 61-87	2
673	MicroRNA-29a is a key regulon that regulates BRD4 and mitigates liver fibrosis in mice by inhibiting hepatic stellate cell activation. 2019 , 16, 212-220	30
672	Tanshinone IIA attenuates sepsis-induced immunosuppression and improves survival rate in a mice peritonitis model. 2019 , 112, 108609	6
671	The Molecular Mechanisms of Human Osteosarcoma Cell Apoptosis Induced by Arsenic Trioxide and Vincristine. 2019 , 1, 13-20	
670	DAMPs and NETs in Sepsis. 2019 , 10, 2536	153
669	Role of High-Mobility Group Box-1 in Liver Pathogenesis. 2019 , 20,	15
668	Different measures of HMGB1 location in cancer immunology. 2019 , 629, 195-217	5
667	Paeonol attenuates inflammation by targeting HMGB1 through upregulating miR-339-5p. 2019 , 9, 19370	15
666	Clinical Implications of Extracellular HMGA1 in Breast Cancer. 2019 , 20,	11
665	Epithelial HMGB1 Delays Skin Wound Healing and Drives Tumor Initiation by Priming Neutrophils for NET Formation. 2019 , 29, 2689-2701.e4	16
664	Anti-Inflammatory Effects of Shenfu Injection against Acute Lung Injury through Inhibiting HMGB1-NF- κ B Pathway in a Rat Model of Endotoxin Shock. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019 , 2019, 9857683	2.3 14

663	Inhibition of HMGB1 Promotes Osseointegration under Hyperglycemic Condition through Improvement of BMSC Dysfunction. 2019 , 2019, 1703709	5
662	High-Mobility Group Box 1 Contributes to Cerebral Cortex Injury in a Neonatal Hypoxic-Ischemic Rat Model by Regulating the Phenotypic Polarization of Microglia. 2019 , 13, 506	17
661	Emerging Players in Autophagy Deficiency-Induced Liver Injury and Tumorigenesis. 2019 , 19, 229-234	8
660	Recombinant Thrombomodulin on Neutrophil Extracellular Traps in Murine Intestinal Ischemia-Reperfusion. 2019 , 131, 866-882	20
659	High Mobility Group Box 1 and TLR4 Signaling Pathway in Gnotobiotic Piglets Colonized/Infected with , , Nissle 1917 and . Typhimurium. 2019 , 20,	6
658	Bifidobacterium longum and VSL#3 amelioration of TNBS-induced colitis associated with reduced HMGB1 and epithelial barrier impairment. 2019 , 92, 77-86	21
657	High-mobility group box-1 translocation and release after hypoxic ischemic brain injury in neonatal rats. 2019 , 311, 1-14	24
656	HMGB1 and repair: focus on the heart. 2019 , 196, 160-182	28
655	Middle-ear dexamethasone delivery via ultrasound microbubbles attenuates noise-induced hearing loss. 2019 , 129, 1907-1914	19
654	Clinical chorioamnionitis at term IX: in vivo evidence of intra-amniotic inflammasome activation. 2019 , 47, 276-287	34
653	Letter to the Editor Regarding Article, "High mobility group box 1 as a biomarker in critically ill patients". 2019 , 33, e22821	1
652	Impact of curcumin on toll-like receptors. 2019 , 234, 12471-12482	32
651	ECatenin phosphorylation at Y654 and Y142 is crucial for high mobility group box-1 protein-induced pulmonary vascular hyperpermeability. 2019 , 127, 174-184	4
650	A genome wide association study for the number of animals born dead in domestic pigs. 2019 , 20, 4	3
649	Pyroptosis versus necroptosis: similarities, differences, and crosstalk. 2019 , 26, 99-114	291
648	G2A Protects Mice against Sepsis by Modulating Kupffer Cell Activation: Cooperativity with Adenosine Receptor 2b. 2019 , 202, 527-538	3
647	Age-dependent release of high-mobility group box protein-1 and cellular neuroinflammation after traumatic brain injury in mice. 2019 , 527, 1102-1117	20
646	Anti-High Mobility Group Box 1 Antibody Therapy May Prevent Cognitive Dysfunction After Traumatic Brain Injury. 2019 , 122, e864-e871	18

645	The Janus face of HMGB1 in heart disease: a necessary update. 2019 , 76, 211-229	57
644	Combined effect of anti-high-mobility group box-1 monoclonal antibody and peramivir against influenza A virus-induced pneumonia in mice. 2019 , 91, 361-369	15
643	Innate immune response in retinal homeostasis and inflammatory disorders. 2020 , 74, 100778	29
642	The role of TLR4 and HO-1 in neuroinflammation after subarachnoid hemorrhage. 2020 , 98, 549-556	19
641	Uterine deficiency of high-mobility group box-1 (HMGB1) protein causes implantation defects and adverse pregnancy outcomes. 2020 , 27, 1489-1504	8
640	Intravenous, Perioperatively Administered Lidocaine Regulates Serum Pain Modulators' Concentrations in Children Undergoing Spinal Surgery. 2020 , 21, 1464-1473	5
639	HMGB1: an overview of its versatile roles in the pathogenesis of colorectal cancer. 2020 , 43, 177-193	18
638	Impact of perioperative high mobility group box chromosomal protein 1 expression on long-term outcomes in patients with esophageal squamous cell carcinoma. 2020 , 35, 788-794	1
637	Glycyrrhizin mitigates radiation-induced acute lung injury by inhibiting the HMGB1/TLR4 signalling pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 214-226	5.6 25
636	Expression of IL-1 β , HMGB1, HO-1, and LDH in malignant and non-malignant pleural effusions. 2020 , 272, 103330	4
635	Circulating intranuclear proteins may play a role in development of disseminated intravascular coagulation in individuals with acute leukemia. 2020 , 111, 378-387	4
634	High mobility group box 1 antibody represses autophagy and alleviates hippocampus damage in pilocarpine-induced mouse epilepsy model. 2020 , 122, 151485	6
633	Deoxyelephantopin decreases the release of inflammatory cytokines in macrophage associated with attenuation of aerobic glycolysis via modulation of PKM2. 2020 , 79, 106048	10
632	MicroRNA-421 improves ischemia/reperfusion injury via regulation toll-like receptor 4 pathway. 2020 , 48, 300060519871863	2
631	Endoplasmic reticulum stress in the cellular release of damage-associated molecular patterns. 2020 , 350, 1-28	9
630	Cannabinoid receptor 2 promotes the intracellular degradation of HMGB1 via the autophagy-lysosome pathway in macrophage. 2020 , 78, 106007	3
629	The role of Toll-like receptor signaling in the macrophage response to implanted materials. 2020 , 10, 55-68	3
628	Entamoeba histolytica stimulates the alarmin molecule HMGB1 from macrophages to amplify innate host defenses. 2020 , 13, 344-356	5

627	Phase I/II open-label trial of intravenous allogeneic mesenchymal stromal cell therapy in adults with recessive dystrophic epidermolysis bullosa. 2020 , 83, 447-454	26
626	Emergence of antibodies endowed with proteolytic activity against High-mobility group box 1 protein (HMGB1) in patients surviving septic shock. 2020 , 347, 104020	1
625	[Recent advances in the elucidation of migraine pathophysiology]. 2020 , 60, 20-26	1
624	Trimebutine attenuates high mobility group box 1-receptor for advanced glycation end-products inflammatory signaling pathways. 2020 , 533, 1155-1161	3
623	Extracellular SQSTM1 mediates bacterial septic death in mice through insulin receptor signalling. 2020 , 5, 1576-1587	17
622	Endothelial HMGB1 Is a Critical Regulator of LDL Transcytosis via an SREBP2-SR-BI Axis. 2021 , 41, 200-216	14
621	How Do Sensory Neurons Sense Danger Signals?. 2020 , 43, 822-838	25
620	HMGB1 (High-Mobility Group Box-1): A Common Link Determining the Consequences of Tissue Injury, Sterile/Microbial and Low-Grade Chronic Inflammation. 2020 , 40, 2561-2563	1
619	Use of Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers During the COVID-19 Pandemic: A Modeling Analysis. 2020 , 16, e1008235	5
618	miR-129-5p alleviates LPS-induced acute kidney injury via targeting HMGB1/TLRs/NF-kappaB pathway. 2020 , 89, 107016	18
617	Immunomodulatory properties of high mobility group box 1 and its potential role in brain injury: Review article. 2020 , 59, 106-109	3
616	Application and Efficacy of Vitamin E-Bonded Polysulfone Membrane in Acute Blood Purification Therapy. 2020 , 1-7	
615	Role of Alarmins in the Pathogenesis of Systemic Sclerosis. 2020 , 21,	4
614	Toll-Like Receptor 4 (TLR4)/Opioid Receptor Pathway Crosstalk and Impact on Opioid Analgesia, Immune Function, and Gastrointestinal Motility. 2020 , 11, 1455	34
613	High Mobility Group Box 1 Expression in Oral Inflammation and Regeneration. 2020 , 11, 1461	3
612	The rCC16 Protein Protects Against LPS-Induced Cell Apoptosis and Inflammatory Responses in Human Lung Pneumocytes. 2020 , 11, 1060	3
611	Histidine-Rich Glycoprotein Inhibits High-Mobility Group Box-1-Mediated Pathways in Vascular Endothelial Cells through CLEC-1A. 2020 , 23, 101180	12
610	Severe COVID-19: NLRP3 Inflammasome Dysregulated. 2020 , 11, 1580	103

609	Biological functions and theranostic potential of HMGB family members in human cancers. 2020 , 12, 1758835920970850	4
608	Stroke promotes the development of brain atrophy and delayed cell death in hypertensive rats. 2020 , 10, 20233	7
607	An overview of the non-canonical inflammasome. 2020 , 76, 100924	43
606	HMGB1 Aggravates Pressure Overload-Induced Left Ventricular Dysfunction by Promoting Myocardial Fibrosis. 2020 , 2020, 1-8	2
605	Intraoperative Peritoneal Interleukin-6 Concentration Changes in Relation to the High-Mobility Group Protein B1 and Heat Shock Protein 70 Levels in Children Undergoing Cholecystectomy. 2020 , 2020, 9613105	3
604	Role of HMGB1 in the Interplay between NETosis and Thrombosis in Ischemic Stroke: A Review. 2020 , 9,	28
603	Exploring the therapeutic promise of targeting HMGB1 in rheumatoid arthritis. 2020 , 258, 118164	11
602	MicroRNA-410-3p modulates chondrocyte apoptosis and inflammation by targeting high mobility group box 1 (HMGB1) in an osteoarthritis mouse model. 2020 , 21, 486	8
601	NOX2 decoy peptides disrupt trauma-mediated neutrophil immunosuppression and protect against lethal peritonitis. 2020 , 36, 101651	3
600	Hsa_circ_0003645 Promotes Breast Cancer Progression by Regulating miR-139-3p/HMGB1 Axis. 2020 , 13, 10361-10372	9
599	The Anti-inflammatory Effects of HMGB1 Blockades in a Mouse Model of Cutaneous Vasculitis. 2020 , 11, 2032	5
598	Time to Develop Therapeutic Antibodies Against Harmless Proteins Colluding with Sepsis Mediators?. 2020 , 9, 157-166	1
597	Functional Diversity of Non-Histone Chromosomal Protein HmgB1. 2020 , 21,	11
596	The $\alpha 7$ nicotinic acetylcholine receptor agonist GTS-21 improves bacterial clearance in mice by restoring hyperoxia-compromised macrophage function. 2020 , 26, 98	5
595	Paeonol promotes the phagocytic ability of macrophages through confining HMGB1 to the nucleus. 2020 , 89, 107068	2
594	Age-Dependent Changes of Adipokine and Cytokine Secretion From Rat Adipose Tissue by Endogenous and Exogenous Toll-Like Receptor Agonists. 2020 , 11, 1800	4
593	The Critical Roles and Mechanisms of Immune Cell Death in Sepsis. 2020 , 11, 1918	12
592	Common Protective Strategies in Neurodegenerative Disease: Focusing on Risk Factors to Target the Cellular Redox System. 2020 , 2020, 8363245	18

591	Unveiling the Physical and Functional Niches of FAM26F by Analyzing Its Subcellular Localization and Novel Interacting Partners. 2020 , 5, 22008-22020	1
590	Arctigenin protects against depression by inhibiting microglial activation and neuroinflammation via HMGB1/TLR4/NF- κ B and TNF- α /TNFR1/NF- κ B pathways. 2020 , 177, 5224-5245	17
589	Sesamin attenuates intestinal injury in sepsis via the HMGB1/TLR4/IL-33 signalling pathway. 2020 , 58, 898-904	6
588	Indirect regulation of HMGB1 release by gasdermin D. 2020 , 11, 4561	41
587	High Mobility Group Box-1 and Blood-Brain Barrier Disruption. 2020 , 9,	19
586	Contribution of Connexin Hemichannels to the Pathogenesis of Acute Lung Injury. 2020 , 2020, 8094347	3
585	Data Driven Mathematical Model of Colon Cancer Progression. 2020 , 9,	11
584	HMGB1 as a potential biomarker and therapeutic target for severe COVID-19. 2020 , 6, e05672	50
583	Extracellular vesicles derived from macrophages display glycyl-tRNA synthetase 1 and exhibit anti-cancer activity. 2020 , 10, e12029	4
582	Sirtuin 1-dependent regulation of high mobility box 1 in hypoxia-reoxygenated brain microvascular endothelial cells: roles in neuronal amyloidogenesis. 2020 , 11, 1072	1
581	Nuclear Alarmin Cytokines in Inflammation. 2020 , 2020, 7206451	8
580	Signal Transduction Pathways Activated by Innate Immunity in Mast Cells: Translating Sensing of Changes into Specific Responses. 2020 , 9,	13
579	The role of RAGE in host pathology and crosstalk between RAGE and TLR4 in innate immune signal transduction pathways. 2020 , 34, 15659-15674	19
578	Inflammation in Traumatic Brain Injury. 2020 , 74, 1-28	10
577	Quercetin Attenuates d-GaLN-Induced L02 Cell Damage by Suppressing Oxidative Stress and Mitochondrial Apoptosis Inhibition of HMGB1. 2020 , 11, 608	8
576	Extracellular HMGB1: a therapeutic target in severe pulmonary inflammation including COVID-19?. 2020 , 26, 42	121
575	HMGB1 mediates lipopolysaccharide-induced inflammation via interacting with GPX4 in colon cancer cells. 2020 , 20, 205	11
574	Effects of Circulating HMGB-1 and Histones on Cardiomyocytes-Hemadsorption of These DAMPs as Therapeutic Strategy after Multiple Trauma. 2020 , 9,	1

573	Molecular Biochemical Aspects of Cancer. 2020 ,	0
572	Loss of High-Mobility Group Box 1 (HMGB1) Protein in Rods Accelerates Rod Photoreceptor Degeneration After Retinal Detachment. 2020 , 61, 50	6
571	Ethyl pyruvate protects against sepsis-associated encephalopathy through inhibiting the NLRP3 inflammasome. 2020 , 26, 55	10
570	The Receptor for Advanced Glycation Endproducts (RAGE) Contributes to Severe Inflammatory Liver Injury in Mice. 2020 , 11, 1157	6
569	The Role of Tumor-Associated Myeloid Cells in Modulating Cancer Therapy. 2020 , 10, 899	20
568	Extensive Changes in Transcriptomic "Fingerprints" and Immunological Cells in the Large Organs of Patients Dying of Acute Septic Shock and Multiple Organ Failure Caused by. 2020 , 10, 42	2
567	Toddalolactone Protects Lipopolysaccharide-Induced Sepsis and Attenuates Lipopolysaccharide-Induced Inflammatory Response by Modulating HMGB1-NF- κ B Translocation. 2020 , 11, 109	16
566	Inhibitory functions of maslinic acid, a natural triterpene, on HMGB1-mediated septic responses. <i>Phytomedicine</i> , 2020 , 69, 153200	6.5 11
565	The influence of hyperglycemia on neutrophil extracellular trap formation and endothelial glycocalyx damage in a mouse model of type 2 diabetes. 2020 , 27, e12617	10
564	Oxidation of HMGB1 Is a Dynamically Regulated Process in Physiological and Pathological Conditions. 2020 , 11, 1122	12
563	The α 7 nicotinic acetylcholine receptor agonist, GTS-21, attenuates hyperoxia-induced acute inflammatory lung injury by alleviating the accumulation of HMGB1 in the airways and the circulation. 2020 , 26, 63	10
562	Insights into the genetic basis of in atrial fibrillation in a Chinese Han population. 2020 , 10, 388-395	0
561	RAGE modulatory effects on cytokines network and histopathological conditions in malarial mice. 2020 , 216, 107946	
560	Influence of Herbal Medicines on HMGB1 Release, SARS-CoV-2 Viral Attachment, Acute Respiratory Failure, and Sepsis. A Literature Review. 2020 , 21,	18
559	The role of high mobility proteins (HMGB1) in systemic lupus erythematosus. 2020 , 27, 37-45	
558	Extracellular HMGB1 exacerbates autoimmune progression and recurrence of type 1 diabetes by impairing regulatory T cell stability. 2020 , 63, 987-1001	11
557	Thioredoxin-2 impacts the inflammatory response via suppression of NF- κ B and MAPK signaling in sepsis shock. 2020 , 524, 876-882	3
556	Immunotherapy in sepsis - brake or accelerate?. 2020 , 208, 107476	35

555	Recombinant thrombomodulin prevents acute lung injury induced by renal ischemia-reperfusion injury. 2020 , 10, 289	18
554	Recombinant human soluble thrombomodulin is associated with attenuation of sepsis-induced renal impairment by inhibition of extracellular histone release. 2020 , 15, e0228093	6
553	LncRNA ZEB1-AS1 facilitates ox-LDL-induced damage of HCTAEC cells and the oxidative stress and inflammatory events of THP-1 cells via miR-942/HMGB1 signaling. 2020 , 247, 117334	17
552	The Inflammation Superhighway. 2020 , 131-150	1
551	Dietary Antioxidants Significantly Attenuate Hyperoxia-Induced Acute Inflammatory Lung Injury by Enhancing Macrophage Function via Reducing the Accumulation of Airway HMGB1. 2020 , 21,	35
550	New synthetic coumarinolignans as attenuators of pro-inflammatory cytokines in LPS-induced sepsis and carrageenan-induced paw oedema models. 2020 , 28, 1365-1373	3
549	Implication of HMGB1 signaling pathways in Amyotrophic lateral sclerosis (ALS): From molecular mechanisms to pre-clinical results. 2020 , 156, 104792	8
548	Circulating levels of High-mobility group box 1 protein and nucleosomes are associated with outcomes after liver transplant. 2020 , 34, e13869	2
547	Targeting High Mobility Group Box 1 in Subarachnoid Hemorrhage: A Systematic Review. 2020 , 21,	6
546	LPS Induces Active HMGB1 Release From Hepatocytes Into Exosomes Through the Coordinated Activities of TLR4 and Caspase-11/GSDMD Signaling. 2020 , 11, 229	30
545	Identification of tetranectin-targeting monoclonal antibodies to treat potentially lethal sepsis. 2020 , 12,	12
544	Papel de las proteínas de alta movilidad (HMGB1) en el lupus eritematoso sistémico. 2020 , 27, 37-45	
543	An Overview of HMGB1 and its Potential Role as a Biomarker for RSV Infection. 2020 , 15, 205-209	
542	The role of type 1 interferons in coagulation induced by gram-negative bacteria. 2020 , 135, 1087-1100	30
541	Mitochondrial DNA in inflammation and immunity. 2020 , 21, e49799	159
540	Targeting Inflammation Driven by HMGB1. 2020 , 11, 484	118
539	NAMPT and NAPRT: Two Metabolic Enzymes With Key Roles in Inflammation. 2020 , 10, 358	46
538	Adsorption kinetics of high mobility group box 1 protein in a polyacrylonitrile hemofiltration membrane. 2021 , 25, 66-72	4

537	Inappropriate activation of invariant natural killer T cells and antigen-presenting cells with the elevation of HMGB1 in preterm births without acute chorioamnionitis. 2021 , 85, e13330	1
536	The performance of the alarmin HMGB1 in pediatric diseases: From lab to clinic. 2021 , 9, 8-30	6
535	Structure-based design of glycyrrhetic acid derivatives as potent anti-sepsis agents targeting high-mobility group box-1. 2021 , 106, 104461	1
534	Emotional and cognitive impairments in the peripheral nerve chronic constriction injury model (CCI) of neuropathic pain: A systematic review. 2021 , 399, 113008	4
533	Classically activated mouse macrophages produce methylglyoxal that induces a TLR4- and RAGE-independent proinflammatory response. 2021 , 109, 605-619	11
532	The current evidence for the treatment of sepsis with Xuebijing injection: Bioactive constituents, findings of clinical studies and potential mechanisms. 2021 , 265, 113301	13
531	Is there a link between inorganic polyphosphate (polyP), mitochondria, and neurodegeneration?. 2021 , 163, 105211	8
530	Non-invasive intranasal administration route directly to the brain using dendrimer nanoplateforms: An opportunity to develop new CNS drugs. 2021 , 209, 112905	15
529	MicroRNA-574-5p Attenuates Acute Respiratory Distress Syndrome by Targeting HMGB1. 2021 , 64, 196-207	8
528	Barrier protective functions of hederacolchiside-E against HMGB1-mediated septic responses. 2021 , 163, 105318	3
527	Upregulation of HMGB1 secretion in lungs of pigs infected by highly pathogenic porcine reproductive and respiratory syndrome virus. 2021 , 252, 108922	2
526	Sepsis and Autoimmune Disease: Pathology, Systems Medicine, and Artificial Intelligence. 2021 , 581-592	
525	Neuroinflammation in hemorrhagic transformation after tissue plasminogen activator thrombolysis: Potential mechanisms, targets, therapeutic drugs and biomarkers. 2021 , 90, 107216	8
524	Elevation of Proinflammatory Cytokine HMGB1 in the Synovial Fluid of Patients With Legg-Calvé-Perthes Disease and Correlation With IL-6. 2021 , 5, e10429	4
523	HMGB1 as a therapeutic target in disease. 2021 , 236, 3406-3419	35
522	HMGB1: an important regulator of myeloid differentiation and acute myeloid leukemia as well as a promising therapeutic target. 2021 , 99, 107-118	4
521	Sex- and cell-dependent contribution of peripheral high mobility group box 1 and TLR4 in arthritis-induced pain. 2021 , 162, 459-470	10
520	Bioactive hyaluronic acid fragments inhibit lipopolysaccharide-induced inflammatory responses via the Toll-like receptor 4 signaling pathway. 2021 , 15, 292-301	3

519	Advances in the diagnosis and treatment of disseminated intravascular coagulation in haematological malignancies. 2021 , 113, 34-44	12
518	Halodule pinifolia (Seagrass) attenuated lipopolysaccharide-, carrageenan-, and crystal-induced secretion of pro-inflammatory cytokines: mechanism and chemistry. 2021 , 29, 253-267	1
517	Exploring the Pivotal Immunomodulatory and Anti-Inflammatory Potentials of Glycyrrhizic and Glycyrrhetic Acids. 2021 , 2021, 6699560	16
516	The Regulatory Effect of SIRT1 on Extracellular Microenvironment Remodeling. 2021 , 17, 89-96	3
515	Potential mechanisms of tumor progression associated with postoperative infectious complications. 2021 , 40, 285-296	5
514	Intracellular immune sensing promotes inflammation via gasdermin D-driven release of a lectin alarmin. 2021 , 22, 154-165	31
513	The Worst Things in Life are Free: The Role of Free Heme in Sickle Cell Disease. 2020 , 11, 561917	15
512	Beneficial role of oleuropein in sepsis-induced myocardial injury. Possible Involvement of GSK-3 β /NF- κ B pathway. 2021 , 36, e360107	1
511	Expression profiles of HMGB1 on B-CLL related leukocytes contribute to prediction of relapse. 2021 , 226, 152048	0
510	Amelioration of diabetes-induced inflammation mediated pyroptosis, sarcopenia, and adverse muscle remodelling by bone morphogenetic protein-7. 2021 , 12, 403-420	11
509	Tumor-intrinsic determinants of immunogenic cell death modalities. 2021 , 10, 1893466	12
508	Toll-like receptor 4 mediates blood-brain barrier permeability and disease in C3H mice during Venezuelan equine encephalitis virus infection. 2021 , 12, 430-443	5
507	Angiotensin II Increases HMGB1 Expression in the Myocardium Through AT1 and AT2 Receptors When Under Pressure Overload. 2021 , 62, 162-170	0
506	Hemorrhagic Shock Induces a Rapid Transcriptomic Shift of the Immune Balance in Leukocytes after Experimental Multiple Injury. 2021 , 2021, 6654318	1
505	Ghrelin as an Anti-Sepsis Peptide: Review. 2020 , 11, 610363	8
504	High-mobility group box-1 and inter-alpha inhibitor proteins: In vitro binding and co-localization in cerebral cortex after hypoxic-ischemic injury. 2021 , 35, e21399	1
503	Deficiency of the novel high mobility group protein HMGXB4 protects against systemic inflammation-induced endotoxemia in mice. 2021 , 118,	4
502	Paeonol attenuates inflammation by confining HMGB1 to the nucleus. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 2885-2899	5.6 4

501	Regulation, Activation and Function of Caspase-11 during Health and Disease. 2021 , 22,		5
500	Bacteria and Host Interplay in Septic Arthritis and Sepsis. 2021 , 10,		11
499	Combination Cancer Immunotherapy of Nanoparticle-Based Immunogenic Cell Death Inducers and Immune Checkpoint Inhibitors. 2021 , 16, 1435-1456		12
498	High-mobility group box-1 protein as a novel biomarker to diagnose healthcare-associated ventriculitis and meningitis: a pilot study. 2021 , 87, 43-51		1
497	Ginsenoside Rb3 alleviates smoke-induced lung injury via the H19/miR-29b-3p/HMGB1/TLR4 signalling pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 2725-2729	5.6	5
496	Dampening the Fire: A Negative Feedback Loop in Acute Respiratory Distress Syndrome. 2021 , 64, 158-160		1
495	2. Anti-HMGB1 Antibody Therapy for Neural Diseases and Cancers. 2021 , 52, 34-37		
494	The Immune Tolerance Role of the HMGB1-RAGE Axis. 2021 , 10,		10
493	Heparin prevents caspase-11-dependent septic lethality independent of anticoagulant properties. 2021 , 54, 454-467.e6		27
492	Damage-Associated Molecular Patterns As Double-Edged Swords in Sepsis. 2021 , 35, 1308-1323		3
491	Role of Damage-Associated Molecular Patterns in Septic Acute Kidney Injury, From Injury to Recovery. 2021 , 12, 606622		2
490	Sialoglycan recognition is a common connection linking acidosis, zinc, and HMGB1 in sepsis. 2021 , 118,		3
489	Extracellular HMGB1 blockade inhibits tumor growth through profoundly remodeling immune microenvironment and enhances checkpoint inhibitor-based immunotherapy. 2021 , 9,		21
488	Plasma HMGB1 levels and physical performance in ICU survivors. 2021 , 65, 921-927		
487	HMGB1, anti-HMGB1 antibodies, and ratio of HMGB1/anti-HMGB1 antibodies as diagnosis indicator in fever of unknown origin. 2021 , 11, 5059		1
486	Local administration of HMGB-1 promotes bone regeneration on the critical-sized mandibular defects in rabbits. 2021 , 11, 8950		0
485	The Effect and Regulatory Mechanism of High Mobility Group Box-1 Protein on Immune Cells in Inflammatory Diseases. 2021 , 10,		11
484	Association of High-Mobility Group Box-1 with Inflammationrelated Cytokines in the Aqueous Humor with Acute Primary Angle-Closure Eyes. 2021 , 21, 237-245		3

483	Reactive oxygen species induce Cys106-mediated anti-parallel HMGB1 dimerization that protects against DNA damage. 2021 , 40, 101858	11
482	HMGB1/TLR4 Signaling Affects Regulatory T Cells in Acute Lung Injury. 2021 , 14, 1551-1561	2
481	Bioenergetic maladaptation and release of HMGB1 in calcineurin inhibitor-mediated nephrotoxicity. 2021 , 21, 2964-2977	0
480	HMGB1 Promotes the Release of Sonic Hedgehog From Astrocytes. 2021 , 12, 584097	1
479	HMGB1 expression in leukocytes as a biomarker of cellular damage induced by [Tc]Tc-HMPAO-labelling procedure: A quality control study. 2021 , 96-97, 94-100	1
478	Anti-HMGB1 auto-Abs influence fatigue in patients with Crohn's disease. 2021 , 27, 286-293	1
477	HMGA1 Is a Potential Driver of Preeclampsia Pathogenesis by Interference with Extravillous Trophoblasts Invasion. 2021 , 11,	0
476	AICAR decreases acute lung injury by phosphorylating AMPK and upregulating heme oxygenase-1. 2021 ,	0
475	An 8-Hydroxy-Quinoline Derivative Protects Against Lipopolysaccharide-Induced Lethality in Endotoxemia by Inhibiting HMGB1-Mediated Caspase-11 Signaling. 2021 , 12, 673818	1
474	HMGB1-like dorsal switch protein 1 of the mealworm, <i>Tenebrio molitor</i> , acts as a damage-associated molecular pattern. 2021 , 107, e21795	4
473	Allylpyrocatechol ameliorates sepsis-induced lung injury via SIRT1-mediated suppression of p65 and nucleocytoplasmic translocation of HMGB1. 2021 , 17, 397-407	
472	Association of plasma level of high-mobility group box-1 with necroptosis and sepsis outcomes. 2021 , 11, 9512	4
471	Targeting HMGB1 for the treatment of sepsis and sepsis-induced organ injury. 2021 ,	8
470	Role of Atypical Chemokines and Chemokine Receptors Pathways in the Pathogenesis of COPD. 2021 , 28, 2577-2653	7
469	Effect of folic acid on serum homocysteine, TNF- α and IL-10, and HMGB1 gene expression in head injury model. 2021 , 65, 102273	4
468	Data Driven Mathematical Model of FOLFIRI Treatment for Colon Cancer. 2021 , 13,	5
467	Role of Mitochondria-Derived Danger Signals Released After Injury in Systemic Inflammation and Sepsis. 2021 , 35, 1273-1290	5
466	Disulfide and Fully Reduced HMGB1 Induce Different Macrophage Polarization and Migration Patterns. 2021 , 11,	3

465	Tumor necrosis: A synergistic consequence of metabolic stress and inflammation. 2021 , 43, e2100029	4
464	The HMGB1-AGER-STING1 pathway mediates the sterile inflammatory response to alkaliptosis. 2021 , 560, 165-171	2
463	Emerging mechanisms of immunocoagulation in sepsis and septic shock. 2021 , 42, 508-522	7
462	LPS Primes Brain Responsiveness to High Mobility Group Box-1 Protein. 2021 , 14,	2
461	Redox modifications of cysteine residues regulate the cytokine activity of HMGB1. 2021 , 27, 58	7
460	Ginseng leaf extract ameliorates the survival of endotoxemic mice by inhibiting the release of high mobility group box 1. 2021 , 45, e13805	
459	Metformin ameliorates HMGB1-mediated oxidative stress through mTOR pathway in experimental periodontitis. 2021 ,	1
458	Identification of High-Mobility Group Box 1 (HMGB1) Expression as a Potential Predictor of Rejection and Poor Prognosis After Liver Transplantation. 2021 , 26, e931625	1
457	Specific detection of high mobility group box 1 degradation product with a novel ELISA. 2021 , 27, 59	0
456	A mouse monoclonal antibody against influenza C virus attenuates acetaminophen-induced liver injury in mice. 2021 , 11, 11816	
455	HMGB1, neuronal excitability and epilepsy. 2021 , 3,	2
454	Circulating HMGB1 is elevated in veterans with Gulf War Illness and triggers the persistent pro-inflammatory microglia phenotype in male C57Bl/6J mice. 2021 , 11, 390	3
453	Leukocyte-Derived High-Mobility Group Box 1 Governs Hepatic Immune Responses to <i>Listeria monocytogenes</i> . <i>Hepatology Communications</i> , 2021 , 5, 2104-2120	6
452	Platelet Innate Immune Receptors and TLRs: A Double-Edged Sword. 2021 , 22,	9
451	Sepsis-induced acute lung injury in young rats is relieved by calycosin through inactivating the HMGB1/MyD88/NF- κ B pathway and NLRP3 inflammasome. 2021 , 96, 107623	3
450	Sustained sterile inflammation is related to pulmonary morbidities in premature infants. 2021 , 1-5	1
449	Vagotomy and insights into the microbiota-gut-brain axis. 2021 , 168, 20-27	13
448	High Mobility Group Box 1 in Pig Amniotic Membrane Experimentally Infected with O55. 2021 , 11,	1

447	[Interaction between HMGB1/Tetranectine as a possible therapeutic target in sepsis?]. 2021 , 37, 820-822	
446	Potential protective mechanisms of green tea polyphenol EGCG against COVID-19. 2021 , 114, 11-24	26
445	Donor Hepatic Occult Collagen Deposition Predisposes to Peritransplant Stress and Impacts Human Liver Transplantation. 2021 , 74, 2759-2773	2
444	DNA-Aptamer Raised against Receptor for Advanced Glycation End Products Improves Survival Rate in Septic Mice. 2021 , 2021, 9932311	0
443	HMGB1 released from nociceptors mediates inflammation. 2021 , 118,	9
442	Antagonism of Cerebral High Mobility Group Box 1 Ameliorates Dendritic Cell Dysfunction in Sepsis. 2021 , 12, 665579	0
441	Possible role of the HMGB1 and RAGE inflammatory pathway in primary sclerosing cholangitis. 2021 , 46, 101791	0
440	High Mobility Group Box 1 Release by Cholangiocytes Governs Biliary Atresia Pathogenesis and Correlates With Increases in Afflicted Infants. 2021 , 74, 864-878	7
439	Endogenous Regulation and Pharmacological Modulation of Sepsis-Induced HMGB1 Release and Action: An Updated Review. 2021 , 10,	5
438	Curcumin improves memory deficits by inhibiting HMGB1-RAGE/TLR4-NF- κ B signalling pathway in APP ^{sw} /PS1 ^{dE9} transgenic mice hippocampus. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 8947-8956 ^{5,6,6}	
437	CNS-Spleen Axis - a Close Interplay in Mediating Inflammatory Responses in Burn Patients and a Key to Novel Burn Therapeutics. 2021 , 12, 720221	0
436	Glycyrrhizin ameliorating sterile inflammation induced by low-dose radiation exposure. 2021 , 11, 18356	0
435	Inhaled [D-Ala]-Dynorphin 1-6 Prevents Hyperacetylation and Release of High Mobility Group Box 1 in a Mouse Model of Acute Lung Injury. 2021 , 2021, 4414544	1
434	Targeting Inflammation Driven by HMGB1 in Bacterial Keratitis-A Review. 2021 , 10,	0
433	Role of serum high-motility group box-1 (HMGB1) concentration as a prognostic factor in canine acute pancreatitis: A pilot study. 2021 , 141, 26-32	
432	The Effects of a Meldonium Pre-Treatment on the Course of the Faecal-Induced Sepsis in Rats. 2021 , 22,	0
431	Mechanisms and Consequences of Noncanonical Inflammasome-Mediated Pyroptosis. 2021 , 434, 167245	1
430	Dietary supplementation of camel whey protein attenuates heat stress-induced liver injury by inhibiting NLRP3 inflammasome activation through the HMGB1/RAGE signalling pathway. 2021 , 84, 104584	0

429	A Nonlethal Murine Flame Burn Model Leads to a Transient Reduction in Host Defenses and Enhanced Susceptibility to Lethal <i>Pseudomonas aeruginosa</i> Infection. 2021 , 89, e0009121	0
428	Synthetic hydrogel nanoparticles for sepsis therapy. 2021 , 12, 5552	3
427	High-Mobility Group Box-1 and Its Potential Role in Perioperative Neurocognitive Disorders. 2021 , 10,	1
426	Trimebutine suppresses Toll-like receptor 2/4/7/8/9 signaling pathways in macrophages. 2021 , 711, 109029	0
425	Correlation of blood high mobility group box-1 protein with mortality of patients with sepsis: A meta-analysis. 2021 , 50, 885-892	1
424	Biapenem reduces sepsis mortality via barrier protective pathways against HMGB1-mediated septic responses. 2021 , 73, 786-795	1
423	Beyond Acute Traumatic Brain Injury: Molecular Implications of Associated Neuroinflammation in Higher-Order Cognitive Processes. 2021 , 237-259	1
422	?????????????????????. 2021 , 55, 22-28	
421	The nature of the immune response in microbial-associated and sterile intraamniotic inflammation. 2021 , 207-237	0
420	Ethyl Pyruvate: A Novel Anti-inflammatory Agent. 2003 , 604-614	1
419	Analysis of the released nuclear cytokine HMGB1 in human serum. 2014 , 1172, 13-25	1
418	Host response biomarkers in the diagnosis of sepsis: a general overview. 2015 , 1237, 149-211	40
417	The Hepatic Response to Severe Injury. 2007 , 651-665	2
416	AcidBase Balance. 2010 , 139-146	3
415	The Role of Receptor for Advanced Glycation Endproducts (RAGE) in Infection. 2011 , 3-15	2
414	The molecular basis of paediatric malarial disease. 2007 , 239-272	1
413	The New Antigenic Ecospace of the Globalized World and its Impact on the Immune System: The Battleground of Trade-off and Antagonistic Pleiotropy. 2014 , 125-144	1
412	Novel Inflammatory and Immunomodulatory Mediators in Sepsis. 2017 , 211-234	1

411	The Interplay Between Pattern Recognition Receptors and Autophagy in Inflammation. 2019 , 1209, 79-108	22
410	The role of cell death in the pathogenesis of autoimmune disease: HMGB1 and microparticles as intercellular mediators of inflammation. 2008 , 18, 319-26	20
409	Lupus antibodies to the HMGB1 chromosomal protein: epitope mapping and association with disease activity. 2009 , 19, 283-92	25
408	Curcumin Protects Against Concanavalin A-Induced Hepatitis in Mice Through Inhibiting the Cytoplasmic Translocation and Expression of High Mobility Group Box 1. 2013 , 36, 206	1
407	Sepsis, Severe Sepsis, and Septic Shock. 2010 , 987-1010	14
406	Infection and the Host Response. 2006 , 1299-1319	1
405	Sepsis. 2006 , 1474-1493	2
404	The systemic inflammatory response syndrome. 2007 , 292-309	2
403	Cytokines and Inflammatory Response in the Fetus and Neonate. 2011 , 1652-1671	1
402	The Inflammatory Response. 2012 , 40-65	1
401	High-mobility group box 1 promotes epithelial-to-mesenchymal transition in crystalline silica induced pulmonary inflammation and fibrosis. 2020 , 330, 134-143	3
400	Blood purification in sepsis: an idea whose time has come?. 2002 , 30, 1387-8	13
399	Transcutaneous vagus nerve stimulation reduces serum high mobility group box 1 levels and improves survival in murine sepsis *. 2007 , 35, 2762-2768	195
398	Alveolar macrophage suppression in sepsis is associated with high mobility group box 1 transmigration. 2008 , 29, 754-60	15
397	Effect of enteral versus parenteral nutrition on inflammation and cardiac function in a rat model of endotoxin-induced sepsis. 2008 , 30, 280-4	9
396	Combination therapy with molecular hydrogen and hyperoxia in a murine model of polymicrobial sepsis. 2012 , 38, 656-63	32
395	Potential effect of recombinant thrombomodulin on ischemia-reperfusion liver injury in rats. 2018 , 48, 391-396	6
394	Bench to Bedside: HMGB1 A Novel Proinflammatory Cytokine and Potential Therapeutic Target for Septic Patients in the Emergency Department. 2004 , 11, 867-873	51

393	At the Crossroads of Necrosis and Apoptosis: Signaling to Multiple Cellular Targets by HMGB1. 2002 , 2002, pe39-pe39	1
392	SIRT3 diminishes inflammation and mitigates endotoxin-induced acute lung injury. 2019 , 4,	53
391	Identification of CD163 as an antiinflammatory receptor for HMGB1-haptoglobin complexes. 2016 , 1,	67
390	Receptor for advanced glycation end products (RAGE) regulates sepsis but not the adaptive immune response. 2004 , 113, 1641-50	227
389	The enigma of sepsis. 2003 , 112, 460-7	216
388	Pre-B cell colony-enhancing factor inhibits neutrophil apoptosis in experimental inflammation and clinical sepsis. 2004 , 113, 1318-27	429
387	The enigma of sepsis. 2003 , 112, 460-467	433
386	Receptor for advanced glycation end products (RAGE) regulates sepsis but not the adaptive immune response. 2004 , 113, 1641-1650	380
385	Sepsis: avoiding its deadly toll. 2004 , 113, 1387-1389	17
384	Antagonistic antibody prevents toll-like receptor 2-driven lethal shock-like syndromes. 2004 , 113, 1473-81	167
383	The N-terminal domain of thrombomodulin sequesters high-mobility group-B1 protein, a novel antiinflammatory mechanism. 2005 , 115, 1267-74	401
382	Vascular and inflammatory stresses mediate atherosclerosis via RAGE and its ligands in apoE ^{-/-} mice. 2008 , 118, 183-94	282
381	High-mobility group box 1 is involved in the initial events of early loss of transplanted islets in mice. 2010 , 120, 735-43	110
380	Cytosolic HMGB1 controls the cellular autophagy/apoptosis checkpoint during inflammation. 2015 , 125, 1098-110	126
379	Altered homeostatic regulation of innate and adaptive immunity in lower gastrointestinal tract GVHD pathogenesis. 2017 , 127, 2441-2451	26
378	HMGB1 promotes ductular reaction and tumorigenesis in autophagy-deficient livers. 2018 , 128, 2419-2435	56
377	HMGB1 as a DNA-binding cytokine. 2002 , 72, 1084-1091	54
376	Regulation of cell migration by amphoterin. 2000 , 113, 611-620	115

375	Blockade of Extracellular High-Mobility Group Box 1 Attenuates Systemic Inflammation and Coagulation Abnormalities in Rats with Acute Traumatic Coagulopathy. 2016 , 22, 2561-70	7
374	The IL-1-like cytokine IL-33 is constitutively expressed in the nucleus of endothelial cells and epithelial cells in vivo: a novel 'alarmin'?. 2008 , 3, e3331	830
373	CK2 phosphorylation of Schistosoma mansoni HMGB1 protein regulates its cellular traffic and secretion but not its DNA transactions. 2011 , 6, e23572	14
372	HMGB1 and cord blood: its role as immuno-adjuvant factor in innate immunity. 2011 , 6, e23766	25
371	Meningococcal outer membrane protein NhhA triggers apoptosis in macrophages. 2012 , 7, e29586	12
370	Toll-like receptor 4 and high-mobility group box 1 are critical mediators of tissue injury and survival in a mouse model for heatstroke. 2012 , 7, e44100	24
369	Lack of evidence for mtDNA as a biomarker of innate immune activation in HIV infection. 2012 , 7, e50486	12
368	HMGB in mollusk Crassostrea ariakensis Gould: structure, pro-inflammatory cytokine function characterization and anti-infection role of its antibody. 2012 , 7, e50789	11
367	The potential role of HMGB1 release in peritoneal dialysis-related peritonitis. 2013 , 8, e54647	14
366	Neuropathic pain in rats with a partial sciatic nerve ligation is alleviated by intravenous injection of monoclonal antibody to high mobility group box-1. 2013 , 8, e73640	62
365	A dual-role of Gu-4 in suppressing HMGB1 secretion and blocking HMGB1 pro-inflammatory activity during inflammation. 2014 , 9, e89634	9
364	Apoptotic response through a high mobility box 1 protein-dependent mechanism in LPS/GalN-induced mouse liver failure and glycyrrhizin-mediated inhibition. 2014 , 9, e92884	24
363	Sequestering HMGB1 via DNA-conjugated beads ameliorates murine colitis. 2014 , 9, e103992	13
362	Glycyrrhizin suppresses the expressions of HMGB1 and relieves the severity of traumatic pancreatitis in rats. 2014 , 9, e115982	14
361	Redox proteomics of the inflammatory secretome identifies a common set of redoxins and other glutathionylated proteins released in inflammation, influenza virus infection and oxidative stress. 2015 , 10, e0127086	52
360	Plasma HMGB-1 Levels in Subjects with Obesity and Type 2 Diabetes: A Cross-Sectional Study in China. 2015 , 10, e0136564	41
359	Pathophysiology of Endometriosis: Role of High Mobility Group Box-1 and Toll-Like Receptor 4 Developing Inflammation in Endometrium. 2016 , 11, e0148165	23
358	HMGB1 May Be a Biomarker for Predicting the Outcome in Patients with Polymyositis /Dermatomyositis with Interstitial Lung Disease. 2016 , 11, e0161436	11

357	High-Density Lipoprotein (HDL) Counter-Regulates Serum Amyloid A (SAA)-Induced sPLA2-IIe and sPLA2-V Expression in Macrophages. 2016 , 11, e0167468	20
356	HMGB1 Is Involved in IFN- β Production and TRAIL Expression by HIV-1-Exposed Plasmacytoid Dendritic Cells: Impact of the Crosstalk with NK Cells. 2016 , 12, e1005407	19
355	The hallmarks of COVID-19 disease. 2020 , 16, e1008536	200
354	Impacts of intensive insulin therapy in patients undergoing heart valve replacement. 2010 , 13, E292-8	10
353	Low molecular weight heparin prevents CLP-induced acute lung injury in rats by anti-inflammatory coagulation. 2013 , 13, 50-6	6
352	High-mobility group box1 as an amplifier of immune response and target for treatment in keratitis. 2020 , 13, 708-717	2
351	HMGB1 targeting by ethyl pyruvate suppresses malignant phenotype of human mesothelioma. 2017 , 8, 22649-22661	30
350	Treatment of severe sepsis: where next? Current and future treatment approaches after the introduction of drotrecogin alfa. 2006 , 2, 3-18	8
349	The Next Generation of Pattern Recognition Receptor Agonists: Improving Response Rates in Cancer Immunotherapy. 2020 , 27, 5654-5674	7
348	The Potential of Receptor for Advanced Glycation End Products (RAGE) as a Therapeutic Target for Lung Associated Diseases. 2019 , 20, 679-689	8
347	High Mobility Group Box-1 (HMGB1): A Potential Target in Therapeutics. 2019 , 20, 1474-1485	26
346	High Mobility Group Box 1: An Immune-regulatory Protein. 2019 , 19, 100-109	5
345	Novel pharmacologic approaches to the management of sepsis: targeting the host inflammatory response. 2009 , 3, 96-112	43
344	Proline-Glycine-Proline (PGP) and High Mobility Group Box Protein-1 (HMGB1): Potential Mediators of Cystic Fibrosis Airway Inflammation. 2010 , 4, 32-8	20
343	Proline-Glycine-Proline (PGP) and High Mobility Group Box Protein-1 (HMGB1): Potential Mediators of Cystic Fibrosis Airway Inflammation~!2009-08-07~!2009-11-10~!2010-03-30~!. 2010 , 4, 32-38	25
342	TLR Cross-Talk Mechanism of Hemorrhagic Shock-Primed Pulmonary Neutrophil Infiltration. 2010 , 2, 1-8	24
341	Molecular determinants for a cardiovascular collapse in anthrax. 2014 , 6, 139-47	8
340	Autophagy and liver cancer. 2020 , 26, 606-617	19

339	Editorial: The Role of HMGB1 in Immunity. 2020 , 11, 594253	1
338	The Roles of High Mobility Group Box 1 in Cerebral Ischemic Injury. 2020 , 14, 600280	8
337	Pathomechanisms of HIV-Associated Cerebral Small Vessel Disease: A Comprehensive Clinical and Neuroimaging Protocol and Analysis Pipeline. 2020 , 11, 595463	2
336	Xuebijing Injection Maintains GRP78 Expression to Prevent -Induced Epithelial Death in the Kidney. 2019 , 10, 1416	4
335	[Effects of Niupo Zhibao Pellet on high-mobility group box-1 protein expression in lung tissues of endotoxin shock rats]. 2009 , 7, 441-6	1
334	Delayed ethyl pyruvate therapy attenuates experimental severe acute pancreatitis via reduced serum high mobility group box 1 levels in rats. 2008 , 14, 4546-50	41
333	Blockade of high mobility group box-1 protein attenuates experimental severe acute pancreatitis. 2006 , 12, 7666-70	114
332	MK615 decreases RAGE expression and inhibits TAGE-induced proliferation in hepatocellular carcinoma cells. 2010 , 16, 5334-41	27
331	Inhibition of high-mobility group box 1 expression by siRNA in rat hepatic stellate cells. 2011 , 17, 4090-8	34
330	Ethyl pyruvate protects against experimental acute-on-chronic liver failure in rats. 2012 , 18, 5709-18	22
329	Glycyrrhizin attenuates HMGB1-induced hepatocyte apoptosis by inhibiting the p38-dependent mitochondrial pathway. 2012 , 18, 679-84	40
328	Scolopendra subspinipes mutilans protected the cerulein-induced acute pancreatitis by inhibiting high-mobility group box protein-1. 2013 , 19, 1551-62	13
327	Decreased serum platelet derived growth factor BB levels in acute and increased in chronic pancreatitis. 2014 , 20, 13127-32	6
326	Liuweiwuling tablets attenuate acetaminophen-induced acute liver injury and promote liver regeneration in mice. 2015 , 21, 8089-95	11
325	Inhibition of sphingosine kinase 1 ameliorates acute liver failure by reducing high-mobility group box 1 cytoplasmic translocation in liver cells. 2015 , 21, 13055-63	14
324	Sphingosine kinase 1 dependent protein kinase C- β activation plays an important role in acute liver failure in mice. 2015 , 21, 13438-46	11
323	High-mobility group box 1 protein and its role in severe acute pancreatitis. 2015 , 21, 1424-35	36
322	TLR4/MD-2 is a receptor for extracellular nucleophosmin 1. 2021 , 14, 21	2

321	Treatment effect of thrombomodulin- α ; on septic disseminated intravascular coagulation (DIC): a historical cohort study. 2012 , 19, 359-366	4
320	Epochal neuroinflammatory role of high mobility group box 1 in central nervous system diseases. 2017 , 4, 185-218	6
319	A novel hypothesis: up-regulation of HO-1 by activation of PPAR γ inhibits HMGB1-RAGE signaling pathway and ameliorates the development of ALI/ARDS. 2013 , 5, 706-10	19
318	Transplantation of umbilical cord mesenchymal stem cells alleviates pneumonitis of MRL/lpr mice. 2014 , 6, 109-17	8
317	High mobility group box 1: a novel mediator of Th2-type response-induced airway inflammation of acute allergic asthma. 2015 , 7, 1732-41	31
316	An Autonomous Multi-Agent Simulation Model for Acute Inflammatory Response. 218-233	1
315	Evaluation of lipopolysaccharide-induced acute lung injury attenuation in mice by Glycyrrhiza glabra. 2020 , 16, 92	4
314	Ethyl Acetate Fraction Induces Secondary Necrosis in Human Breast and Lung Cancer Cell Lines. 2017 , 13, S688-S692	6
313	Exploring the beneficial role of telmisartan in sepsis-induced myocardial injury through inhibition of high-mobility group box 1 and glycogen synthase kinase-3 β /nuclear factor- κ B pathway. 2020 , 24, 311-317	2
312	LL-37 induced cystitis and the receptor for advanced glycation end-products (RAGE) pathway. 2013 , 4, 1-8	9
311	Role of the CXCR4-SDF1-HMGB1 pathway in the directional migration of cells and regeneration of affected organs. 2020 , 12, 0-0	1
310	Role of the CXCR4-SDF1-HMGB1 pathway in the directional migration of cells and regeneration of affected organs. 2020 , 12, 938-951	6
309	Inflammation and Sepsis. 2010 , 25, 1	4
308	Cell death in the pathogenesis of immune-mediated diseases: the role of HMGB1 and DAMP-PAMP complexes. 2011 , 141, w13256	46
307	Use of antithrombin and thrombomodulin in the management of disseminated intravascular coagulation in patients with acute cholangitis. 2013 , 7, 363-70	8
306	Expression of high mobility group protein B1 in the lungs of rats with sepsis. 2011 , 2, 302-6	7
305	Novel insights for high mobility group box 1 protein-mediated cellular immune response in sepsis: A systemic review. 2012 , 3, 165-71	17
304	p38MAPK plays a pivotal role in the development of acute respiratory distress syndrome. 2019 , 74, e509	9

303	Microarray and quantitative PCR analysis of gene expression profiles in response to treatment with tomato leaf extract in mcf-7 breast cancer cells. 2012 , 13, 6319-25	2
302	High mobility group box 1 protein is methylated and transported to cytoplasm in clear cell renal cell carcinoma. 2013 , 14, 5789-95	23
301	[HMGB1/TLR4/NF- κ B signaling pathway and role of vitamin D in asthmatic mice]. 2017 , 19, 95-103	5
300	RAGE deficiency predisposes mice to virus-induced paucigranulocytic asthma. 2017 , 6,	18
299	extract-loaded nanoemulsion improves the survival of endotoxemic mice by inhibiting nitric oxide-dependent HMGB1 release. 2017 , 5, e3808	10
298	Formononetin inhibits lipopolysaccharide-induced release of high mobility group box 1 by upregulating SIRT1 in a PPAR α -dependent manner. 2018 , 6, e4208	13
297	Issue of Self and Non-self. 2021 , 87-110	
296	Extension of Endogenous Field. 2021 , 111-131	
295	Evaluation of the Molecular Mechanisms of Sepsis Using Proteomics. 2021 , 12, 733537	3
294	Quercetin Reduces Oxidative Stress and Apoptosis by Inhibiting HMGB1 and Its Translocation, Thereby Alleviating Liver Injury in ACLF Rats.. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021 , 2021, 2898995	2,3 2
293	The Role of HMGB1 in Invasive <i>Candida albicans</i> Infection. 2021 , 186, 789-805	1
292	Salicylic Acid, a Plant Hormone, Suppresses Phytophagous Insect Immune Response by Interrupting HMG-Like DSP1. 2021 , 12, 744272	3
291	The Molecular Genetics of Sepsis: Clinical Epidemiology Considerations. 2000 , 3-17	
290	Clinical Trials of Mediator-Targeted Therapy in Sepsis. 2000 , 161-174	
289	Is the Dosing and Timing of the Intervention Adequate?. 2000 , 155-160	
288	Perspectives in Anti-Inflammatory Therapies in Sepsis. 2001 , 145-161	1
287	Chronic neuronal perturbation mediated by RAGE, a receptor for β -sheet fibrils and S100/calgranulins. 2001 , 241-252	
286	A potential new therapy for sepsis: learning from experience. 2001 , 29, 690-1	

- 285 Increase in Serum Cannabinoids in a Rat Model of Septic Shock Induced by the Cell Wall Components of *Staphylococcus aureus*. **2002**, 14, 135-142
- 284 Molekulare Basis für neue therapeutische Ansätze. **2002**, 27-39
- 283 HMG (High Mobility Group) Proteins.
- 282 Experimental Models of Source Control. **2003**, 17-22
- 281 Infektionen. **2003**, 289-345
- 280 Immune Monitoring and Strategies for Immune Modulation. **2003**, 155-185
- 279 Lung Repairing and Remodeling by Tissue Regenerative Factor Analysis by a New Tissue Damaging Factor and Fibrosing Factor \square **2005**, 25, 301-309
- 278 The Innate Immune System. **2006**, 1293-1298
- 277 The Role of Toll-like Receptors in Sepsis. **2006**, 3-13 2
- 276 Recent advances in inflammatory markers.-HMGB1 and TREM-1-. **2007**, 27, 88-95
- 275 The Systemic Inflammatory Response Syndrome (SIRS), Sepsis, and Septic Shock. **2008**, 99-110
- 274 ?????????????????????? HMGB1 ??????????????. **2008**, 120, 271-277
- 273 The Inflammatory Response to Ischemic Acute Renal Injury. **2008**, 2577-2589
- 272 ???HMGB1. **2008**, 33, 95-96
- 271 Death in a Lonely Place: Pathophysiology of the Dying Patient. **2008**, 45-64
- 270 New Therapies for Sepsis. **2008**, 521-557
- 269 Toll-Like Receptors in the Mammalian Innate Immune System. **2008**, 135-167
- 268 Epithelial Barrier Dysfunction as a Mechanism Underlying the Pathogenesis of Multiple-Organ Dysfunction. **2009**, 808-814

- 267 The Host Response to Sepsis. **2009**, 39-50
- 266 Non-septic Acute Lung Injury and Inflammation: Role of TLR4. **2009**, 162-170
- 265 Thrombomodulin maintains the systemic circulation in good condition. **2009**, 20, 418-421
- 264 Non-septic Acute Lung Injury and Inflammation: Role of TLR4. **2009**, 162-170
- 263 High Mobility Group Box 1 Protein. **2009**, 802-807
- 262 The Host Response to Sepsis. **2009**, 39-50
- 261 NORMAL AND IMPAIRED IMMUNOLOGIC RESPONSES TO INFECTION. **2009**, 21-65
- 260 Effect of Sivelestat Sodium on Postoperative Course after Lung Resection. **2009**, 68, 322-325
- 259 Sepsis. **2010**, 472-482
- 258 Antithrombin III prevents cerulein-induced acute pancreatitis in rats. **2010**, 25, 86-88
- 257 Experimental and clinical findings of HMGB1 in sepsis and inflammation. **2010**, 21, 619-622
- 256 My research history in human thrombomodulin. **2010**, 21, 626-635
- 255 La brûlure: une pathologie inflammatoire. **2010**, 37-52
- 254 Organ-Protective Strategy as the Management of Hyperglycemia. **2011**, 31, 107-115
- 253 Anti-HMGB1 mAb protects the blood-brain barrier from ischemia-induced disruption in rats. **2011**, 123, 185-189
- 252 Local Inflammatory Changes Induced by Fractures and Soft Tissue Injuries. **2011**, 19-31
- 251 Early loss of transplanted islets as a major limiting factor for successful islet transplantation from one donor to one recipient. **2011**, 26, 183-189
- 250 Dynamic Models of Disease Progression: Toward a Multiscale Model of Systemic Inflammation in Humans. 319-368

- 249 Future Application of Integrative Therapies for Sepsis: Bench and Experimental Animal Models. **2012**, 189-206
- 248 Inhibitory Effects of Lycopene on the Expression of Pro-inflammatory Genes in Human Vascular Endothelial Cells. **2012**, 19, 287-293
- 247 Anti-high mobility group box-1 antibody therapy for traumatic brain injury. **2013**, 125, 97-102
- 246 Tea and Sepsis: Effects on Inflammatory Cytokines. **2013**, 581-591
- 245 Basic research on thrombomodulin. **2014**, 25, 55-60
- 244 Intravenous Immunoglobulin Therapy in Superantigen-Mediated Toxic Shock Syndrome. 195-215
- 243 Sepsis, Severe Sepsis, and Septic Shock. **2015**, 914-934.e6 0
- 242 Mechanistic Safety Biomarkers for Drug-Induced Liver Injury. 107-124
- 241 Pathophysiologie. **2016**, 39-62
- 240 Extension of Endogenous Field. **2016**, 107-125
- 239 HMGB-1. **2016**, 30, 668-669
- 238 Encyclopedia of Signaling Molecules. **2016**, 1-5
- 237 Cell Dynamics in Tumor Environment After Treatments. 2
- 236 Trauma, Regulated Cell Death, and Inflammation. **2017**, 253-281
- 235 A New Approach: Chronotherapy in Acute Blood Purification for Septic Shock. **2017**, 05, 32-36
- 234 Encyclopedia of Signaling Molecules. **2018**, 2365-2369
- 233 HIV protease inhibitor Saquinavir inhibits toll-like receptor 4 activation by targeting receptor dimerization.
- 232 A hypothetical new role for single-stranded DNA binding proteins in the immune system.

- 231 Myeloid-derived Suppressor Cells in Cancer: A Review on the Pathogenesis and Therapeutic Potentials. **2018**, 7, 16-33
- 230 Modulation of HMGB1 Release for Treating Lethal Infection and Injury. **2019**, 229-252
- 229 DANGER THEORY AND DAMAGE - ASSOCIATED MOLECULAR PATTERN. **2019**, 57, 328-337 0
- 228 Diagnostic accuracy of the Smoothed Cepstral Peak Prominence (CPPS) in the detection of dysphonia in the Spanish language. **2019**, 6, 058 1
- 227 Effectiveness of Soluble Recombinant Human Thrombomodulin in Patients with Severe Acute Pancreatitis Complicated by Disseminated Intravascular Coagulation. **2019**, 47, 320-326 0
- 226 HMGB1 mediates the development of tendinopathy due to mechanical overloading.
- 225 The Effect of a Lipopolysaccharide from *Rhodobacter capsulatus* PG on Inflammation Caused by Various Influenza Strains. **2019**, 11, 46-55
- 224 Recombinant human soluble thrombomodulin is associated with attenuation of sepsis-induced renal impairment by inhibition of extracellular histone release.
- 223 Leukocyte-derived High-mobility group box 1 controls innate immune responses against *Listeria monocytogenes*.
- 222 Icing treatment in rats with crush syndrome can improve survival through reduction of potassium concentration and mitochondrial function disorder effect. **2020**, 19, 777-785 3
- 221 Anti-Inflammatory Effect of Polyherbal Formulation (PHF) on Carrageenan and Lipopolysaccharide-Induced Acute Inflammation in Rats. **2019**, 12, 1801-1809 1
- 220 Introduction to Genes, Oncogenes, and Anti-oncogenes. **2020**, 1-40
- 219 The role of HMGB1 in invasive *Candida albicans* infection.
- 218 Analysis of Circulating HMGB1 in Human Serum. **2020**, 2108, 15-28 0
- 217 Study on the Relationship between High Mobility Group Box 1 and Drug-Induced Liver Injury. **2020**, 10, 1097-1101
- 216 Solid Organ Injury. **2020**, 337-430
- 215 Dynamics of HMGB1 (High Mobility Group Box 1) during radiochemotherapy correlate with outcome of HNSCC patients. **2021**, 1 2
- 214 Acidosis, Zinc and HMGB1 in Sepsis: A Common Connection Involving Sialoglycan Recognition.

- 213 High-Mobility Group Box 1: Missing Link Between Thrombosis and Inflammation?. **2008**, 193-202
- 212 Combination therapy for sepsis: the wave of the future or too complex to consider?. **2006**, 519-524
- 211 The Hepatic Response to Severe Injury. **2007**, 651-665
- 210 Impact of Tumour Cell Death on the Activation of Anti-tumour Immune Response. **2009**, 347-370
- 209 Sepsis: avoiding its deadly toll. **2004**, 113, 1387-9 7
- 208 Glycation. **2006**, 137-148
- 207 Perspectives thérapeutiques dans le SDRA. **2008**, 247-262
- 206 Data driven mathematical model of colon cancer progression.
- 205 Alanine mutagenesis of high-mobility-group-protein-1 box B (HMGB1-B). **2000**, 347 Pt 3, 807-14 4
- 204 The North Shore-Long Island Jewish Research Institute. **2003**, 9, 63-4
- 203 Structural basis for the proinflammatory cytokine activity of high mobility group box 1. **2003**, 9, 37-45 134
- 202 The cholinergic anti-inflammatory pathway: a missing link in neuroimmunomodulation. **2003**, 9, 125-34 205
- 201 Cholinergic modulation of inflammation. **2008**, 1, 203-12 40
- 200 Caging a Beast in the Inflammation Arena: Use of Chinese Medicinal Herbs to Inhibit a Late Mediator of Lethal Sepsis, HMGB1. **2008**, 1, 64-75 12
- 199 HMGB1, an innate alarmin, in the pathogenesis of type 1 diabetes. **2009**, 3, 24-38 36
- 198 Examination of Setarud (IMOD) in the management of patients with severe sepsis. **2010**, 18, 23-8 18
- 197 HMGB1 is a therapeutic target for leukemia. **2012**, 2, 36-43 12
- 196 High mobility group box 1 (HMGB 1): a new protein in the pathogenesis of ENT inflammatory and infectious diseases. **2012**, 32, 46-7 11

195	Life after death: targeting high mobility group box 1 in emergent cancer therapies. 2013 , 3, 1-20	42
194	LPS may enhance expression and release of HMGB1 in human nasal epithelial cells in vitro. 2013 , 33, 398-404	14
193	Preterm Cervical Ripening in humans. 2012 , 4, 245-53	4
192	HMGB1 enhances smooth muscle cell proliferation and migration in pulmonary artery remodeling. 2014 , 7, 3836-44	10
191	Inflammatory response and immune regulation of high mobility group box-1 protein in treatment of sepsis. 2010 , 1, 93-8	9
190	Role of biphasic changes in splenic dendritic cell activity in a mouse model of multiple organ dysfunction syndrome. 2014 , 7, 4720-33	1
189	Intraoperative systemic lidocaine inhibits the expression of HMGB1 in patients undergoing radical hysterectomy. 2014 , 7, 3398-403	10
188	Serum glycated albumin is superior to hemoglobin A1c for correlating with HMGB1 in coronary artery disease with type 2 diabetic mellitus patients. 2015 , 8, 4821-5	5
187	Hypoxia-induced HMGB1 in wound tissues promotes the osteoblast cell proliferation via activating ERK/JNK signaling. 2015 , 8, 15087-97	13
186	Effects of bone marrow MSCs transfected with sRAGE on the intervention of HMGB1 induced immuno-inflammatory reaction. 2015 , 8, 12028-40	7
185	Ionizing Radiation Induces HMGB1 Cytoplasmic Translocation and Extracellular Release. 2016 , 40, 91-99	19
184	Ethanol extracts from <i>L. attenuatus</i> ischemia/reperfusion induced rat neural injury through inhibition of HMGB1 induced inflammation. 2016 , 8, 5016-5024	6
183	Role of Apoptosis in Amplifying Inflammatory Responses in Lung Diseases. 2010 , 3, 41-53	3
182	Post-translational modifications of high mobility group box 1 and cancer. 2017 , 9, 5181-5196	26
181	Decreasing HMGB1 levels improves outcome of keratitis in mice. 2016 , 1, 36-39	2
180	Ethyl pyruvate improves skin flap survival after ischaemia reperfusion injury. 2017 , 146, 369-374	
179	Overexpression of High-Mobility Motor Box 1 in the Blood and Tissues of Patients with Head and Neck Squamous Cell Carcinoma. 2018 , 30, 261-271	9
178	p-Coumaric acid protects cardiac function against lipopolysaccharide-induced acute lung injury by attenuation of oxidative stress. 2019 , 22, 949-955	5

177	The Dual Role of HMGB1 in Pancreatic Cancer. 2018 , 1, 19-24	2
176	CRISPLD2 attenuates pro-inflammatory cytokines production in HMGB1-stimulated monocytes and septic mice. 2021 , 13, 4080-4091	
175	Comparison of clinical and inflammatory parameters in dogs with pyometra before and after ovariohysterectomy. 2021 , 85, 271-278	
174	Inhibition of HMGB1 Might Enhance the Protective Effect of Taxifolin in Cardiomyocytes via PI3K/AKT Signaling Pathway. 2021 , 20, 316-332	1
173	Transcriptomics Analysis Reveals the Immune Response Mechanism of Rabbits with Diarrhea Fed an Antibiotic-Free Diet. 2021 , 11,	
172	Transcriptomics Analysis Reveals the Immune Response Mechanism of Rabbits with Diarrhea Fed an Antibiotic-Free Diet. 2021 , 11, 2994	1
171	R-loops trigger the release of cytoplasmic ssDNAs leading to chronic inflammation upon DNA damage. 2021 , 7, eabj5769	5
170	N-Acetyl Cysteine Restores Sirtuin-6 and Decreases HMGB1 Release Following Lipopolysaccharide-Sensitized Hypoxic-Ischemic Brain Injury in Neonatal Mice. 2021 , 15, 743093	0
169	The immunology of sepsis. 2021 , 54, 2450-2464	19
168	The Serine Protease CD26/DPP4 in Non-Transformed and Malignant T Cells. 2021 , 13,	2
167	Zuojin Pill attenuates Helicobacter pylori-induced chronic atrophic gastritis in rats and improves gastric epithelial cells function in GES-1 cells. 2021 , 114855	2
166	Enhancement of CD8 T-Cell-Mediated Tumor Immunotherapy via Magnetic Hyperthermia. 2021 ,	1
165	Redrawing the map to novel DILI biomarkers in circulation: Where are we, where should we go, and how can we get there?. 2021 , 1, 286-293	3
164	Nomogram prediction of severe risk in patients with COVID-19 pneumonia. 2021 , 149,	
163	Jing Si Herbal Drink as a prospective adjunctive therapy for COVID-19 treatment: Molecular evidence and mechanisms. 2022 , 2, 100024	0
162	Targeting necroptosis in muscle fibers ameliorates inflammatory myopathies.. 2022 , 13, 166	2
161	Human Dermcidin Protects Mice Against Hepatic Ischemia-Reperfusion-Induced Local and Remote Inflammatory Injury.. 2021 , 12, 821154	1
160	HMGB1 Inhibition to Ameliorate Organ Failure and Increase Survival in Trauma.. 2022 , 12,	2

159	Cytokines in the Brain and Neuroinflammation: We Didn't Starve the Fire!. 2022 , 15,	4
158	HMGB1-Mediated Restriction of EPO Signaling Contributes to Anemia of Inflammation.. 2022 ,	3
157	High mobility group box 1 inhibition by BoxA attenuates ovalbumin-induced allergic rhinitis in mice.. 2022 , 1-9	
156	Inhibition of Connexin 36 attenuates HMGB1-mediated depressive-like behaviors induced by chronic unpredictable mild stress.. 2022 , e2470	1
155	Transcriptional alterations in bladder epithelial cells in response to infection with different morphological states of uropathogenic Escherichia coli.. 2022 , 12, 486	1
154	Oxidative stress and inflammatory markers in patients with COVID-19: Potential role of RAGE, HMGB1, GFAP and COX-2 in disease severity.. 2022 , 104, 108502	7
153	Heme oxygenase-1 gene delivery for altering high mobility group box-1 protein in pancreatic islet.. 2022 ,	
152	Interferon- β Preferentially Promotes Necroptosis of Lung Epithelial Cells by Upregulating MLKL.. 2022 , 11,	0
151	Ferroptosis in cancer and cancer immunotherapy.. 2022 , 42, 88-116	8
150	Time-dependent expression of high-mobility group box-1 and toll-like receptors proteins as potential determinants of skin wound age in rats: Forensic implication.. 2022 , 1	1
149	A genome-wide association study in a large community-based cohort identifies multiple loci associated with susceptibility to bacterial and viral infections.. 2022 , 12, 2582	1
148	The Role of HMGB1 in Rheumatic Diseases.. 2022 , 13, 815257	1
147	The Effects of a Meldonium Pre-Treatment on the Course of the LPS-Induced Sepsis in Rats.. 2022 , 23,	2
146	Anti-Septic Functions of Cornuside against HMGB1-Mediated Severe Inflammatory Responses.. 2022 , 23,	2
145	The mechanism of HMGB1 secretion and release.. 2022 ,	12
144	Role of Base Excision Repair in Innate Immune Cells and Its Relevance for Cancer Therapy.. 2022 , 10,	
143	Regulation of the release of damage-associated molecular patterns from necroptotic cells.. 2022 , 479, 677-685	0
142	MicroRNA-23a-3p targeting of HMGB1 inhibits LPS-induced inflammation in murine macrophages .. 2022 , 23, 322	

141	Investigating key cell types and molecules dynamics in PyMT mice model of breast cancer through a mathematical model.. 2022 , 18, e1009953		1
140	HMGB1 is a critical molecule in the pathogenesis of Gram-negative sepsis. 2022 ,		0
139	Targeting Chemokines and Chemokine GPCRs to Enhance Strong Opioid Efficacy in Neuropathic Pain.. 2022 , 12,		0
138	Salvianolic acid B improves the survival rate, acute kidney dysfunction, inflammation and NETosis-mediated antibacterial action in a crush syndrome rat model.. 2022 , 23, 320		0
137	Extracellular HMGB1 Impairs Macrophage-Mediated Efferocytosis by Suppressing the Rab43-Controlled Cell Surface Transport of CD91.. 2022 , 13, 767630		0
136	The bidirectional lung brain-axis of amyloid- β pathology: ozone dysregulates the peri-plaque microenvironment.. 2022 ,		2
135	Doxorubicin induced immune abnormalities and inflammatory responses via HMGB1, HIF1- α and VEGF pathway in progressive of cardiovascular damage.. 2022 , 76, 103501		0
134	Glycyrrhizin attenuates caspase-11-dependent immune responses and coagulopathy by targeting high mobility group box 1.. 2022 , 107, 108713		
133	Naturally occurring HMGB1 inhibitor delineating the anti-hepatitis B virus mechanism of glycyrrhizin via in vitro and in silico studies. 2022 , 356, 119029		
132	Lipopolysaccharide-Induced Transcriptional Changes in LBP-Deficient Rat and Its Possible Implications for Liver Dysregulation during Sepsis.. 2021 , 2021, 8356645		0
131	Glycyrrhizin regulates rat TMJOA progression by inhibiting the HMGB1-RAGE/TLR4-NF- κ B/AKT pathway.. <i>Journal of Cellular and Molecular Medicine</i> , 2021 ,	5.6	1
130	Tissue chaperoning-the expanded functions of fetuin-A beyond inhibition of systemic calcification.. 2022 , 1		1
129	HMGB1 in macrophage nucleus protects against pressure overload induced cardiac remodeling via regulation of macrophage differentiation and inflammatory response.. 2022 , 611, 91-98		0
128	Data_Sheet_1.pdf. 2020 ,		
127	Image_1.JPEG. 2017 ,		
126	Image_2.JPEG. 2017 ,		
125	Image_3.JPEG. 2017 ,		
124	Image_4.JPEG. 2017 ,		

123 Image_5.JPEG. 2017,

122 Data_Sheet_1.docx. 2019,

121 Data_Sheet_2.doc. 2019,

120 Image_1.tiff. 2020,

119 Image_2.TIFF. 2020,

118 Image_3.tiff. 2020,

117 Data_Sheet_1.DOCX. 2020,

116 presentation_1.PDF. 2018,

115 Data_Sheet_1.PDF. 2020,

114 presentation_1.PDF. 2018,

113 Image_1.JPEG. 2018,

112 Image_2.JPEG. 2018,

111 Presentation_1.pdf. 2018,

110 Data_Sheet_1.PDF. 2020,

109 Image_1.TIF. 2018,

108 Image_2.TIF. 2018,

107 Image_3.TIF. 2018,

106 Image_4.TIF. 2018,

105 Image_5.TIF. **2018**,

104 Table_1.DOCX. **2018**,

103 Table_2.DOCX. **2018**,

102 Table_3.XLSX. **2018**,

101 Data_Sheet_1.PDF. **2018**,

100 Image_1.pdf. **2020**,

99 DataSheet_3.zip. **2020**,

98 Image_1.tif. **2020**,

97 Image_2.tif. **2020**,

96 Table_1.pdf. **2020**,

95 Table_2.pdf. **2020**,

94 Image_1.TIF. **2019**,

93 Milk fat globule-epidermal growth factor-factor 8 decreased neuronal apoptosis and neuroinflammation to ameliorate early brain injury induced by subarachnoid hemorrhage through the inhibition of high mobility group box-1.. **2022**, 41, 9603271221093635 1

92 Complement System and Alarmin HMGB1 Crosstalk: For Better or Worse.. **2022**, 13, 869720 0

91 The Cellular Senescence Factor Extracellular HMGB1 Directly Inhibits Oligodendrocyte Progenitor Cell Differentiation and Impairs CNS Remyelination.. **2022**, 16, 833186 0

90 A TLR4-independent critical role for CD14 in intracellular LPS sensing.. **2022**, 39, 110755 5

89 Targeting HMGB1-NF κ B Axis and miR-21 by Glycyrrhizin: Role in Amelioration of Corneal Injury in a Mouse Model of Alkali Burn.. **2022**, 13, 841267 0

88 Design of Smart Nanomedicines for Effective Cancer Treatment.. **2022**, 121791 1

87	Innate immune signalling and immunothrombosis: New insights and therapeutic opportunities.. 2022,		2
86	Therapeutic effect of anti-HMGB1 antibody in a mouse model of 4-h middle cerebral artery occlusion: comparison with tissue plasminogen activator. 2022, 33, 297-303		
85	Endothelial Dysfunction Induced by Extracellular Neutrophil Traps Plays Important Role in the Occurrence and Treatment of Extracellular Neutrophil Traps-Related Disease. 2022, 23, 5626		1
84	Celastrol mitigates inflammation in sepsis by inhibiting the PKM2-dependent Warburg effect. 2022, 9,		0
83	Selenium Antagonizes Cadmium-Induced Inflammation and Oxidative Stress via Suppressing the Interplay between NLRP3 Inflammasome and HMGB1/NF- κ B Pathway in Duck Hepatocytes. 2022, 23, 6252		0
82	Transcriptomic Profiling Reveals That HMGB1 Induces Macrophage Polarization Different from Classical M1. 2022, 12, 779		0
81	Inhibition of HMGB1/RAGE signaling reduces the incidence of Medication-Related Osteonecrosis of the Jaw (MRONJ) in mice.		0
80	Downregulation of thrombomodulin contributes to ischemia-reperfusion injury in mice with steatotic liver.		
79	Novel aspects of sepsis pathophysiology: NETs, plasma glycoproteins, endotheliopathy and COVID-19. 2022,		1
78	The STING1-MYD88 complex drives ACOD1/IRG1 expression and function in lethal innate immunity. 2022, 25, 104561		1
77	High-mobility group box 1-mediated hippocampal microglial activation induces cognitive impairment in mice with neuropathic pain. 2022, 355, 114146		0
76	Lycorine and organ protection: Review of its potential effects and molecular mechanisms. <i>Phytomedicine</i> , 2022, 104, 154266	6.5	1
75	Suppressive activity of RGX-365 on HMGB1-mediated septic responses. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 58,	1.8	
74	Induction of Human Oral Squamous Carcinoma Apoptosis by <i>Derris scandens</i> Benth and <i>Elephantopus scaber</i> Linn Extracts. <i>Natural Product Communications</i> , 2022, 17, 1934578X2211079	0.9	
73	Genetic alterations, RNA expression profiling and DNA methylation of HMGB1 in malignancies. <i>Journal of Cellular and Molecular Medicine</i> ,	5.6	0
72	The alarmins high mobility group box protein 1 and S100A8/A9 display different inflammatory profiles after acute knee injury. <i>Osteoarthritis and Cartilage</i> , 2022,	6.2	0
71	JieduanNiwan Formula Ameliorates Oxidative Stress and Apoptosis in Acute-on-Chronic Liver Failure by Suppressing HMGB1/TLR-4/NF- κ B Signaling Pathway: A Study In Vivo and In Vitro. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022, 2022, 1-15	2.3	
70	Molecular cloning and functional characterization of HMGB1 and HMGB2 in large yellow croaker <i>Larimichthys crocea</i> . <i>Fish and Shellfish Immunology</i> , 2022,	4.3	0

69	Rhesus rotavirus receptor-binding site affects high mobility group box 1 release, altering the pathogenesis of experimental biliary atresia. <i>Hepatology Communications</i> ,	6	0
68	A Larger Membrane Area Increases Cytokine Removal in Polymethyl Methacrylate Hemofilters. 2022 , 12, 811		
67	Microglial polarization in TBI: Signaling pathways and influencing pharmaceuticals. 14,		1
66	Aconitate decarboxylase 1 is a mediator of polymicrobial sepsis. 2022 , 14,		1
65	Chromatin-Associated Molecular Patterns (CAMPs) in sepsis. 2022 , 13,		1
64	Sepsis and Acute Kidney Injury: A Review Focusing on the Bidirectional Interplay. 2022 , 23, 9159		1
63	Cytosolic HMGB1 Mediates LPS-Induced Autophagy in Microglia by Interacting with NOD2 and Suppresses Its Proinflammatory Function. 2022 , 11, 2410		0
62	Dual effects of supplemental oxygen on pulmonary infection, inflammatory lung injury, and neuromodulation in aging and COVID-19. 2022 , 190, 247-263		0
61	Posttranslational S-nitrosylation modification regulates HMGB1 secretion and promotes its proinflammatory and neurodegenerative effects. 2022 , 40, 111330		1
60	High mobility group box 1 and Dickkopf-related protein 1 as biomarkers of glucose toxicity, atherogenicity, and lower cell function in patients with type 2 diabetes mellitus. 1-14		0
59	HMGB1 mediates lipopolysaccharide-induced macrophage autophagy and pyroptosis.		0
58	Therapeutic potential of dietary flavonoid hyperoside against non-communicable diseases: targeting underlying properties of diseases. 1-31		0
57	Inhibitory Activities of Rare Ginsenoside Rg4 on Cecal Ligation and Puncture-Induced Sepsis. 2022 , 23, 10836		0
56	Expression profiling and inflammatory activation analysis of high mobility group box 1 in <i>Schizothorax prenanti</i> .		0
55	HMGB1 is a mediator of cuproptosis-related sterile inflammation. 10,		2
54	A potential new pathway for heparin treatment of sepsis-induced lung injury: inhibition of pulmonary endothelial cell pyroptosis by blocking hMGB1-LPS-induced caspase-11 activation. 12,		0
53	Curcumin Attenuates Hypoxic-Ischemic Brain Injury in Neonatal Mice Through Inhibition of HMGB1 Acetylation-Mediated Inflammation. 2022 , 32, 767-773		0
52	Site-Specific Knockdown of Microglia in the Locus Coeruleus Regulates Hypervigilant Responses to Social Stress in Female Rats.		0

- 51 Hepatic macrophage mediated immune response in liver steatosis driven carcinogenesis. 12,
- 50 Histamine induced high mobility group box-1 release from vascular endothelial cells through H1 receptor. 13,
- 49 S100A9 induces reactive oxygen species-dependent formation of neutrophil extracellular traps in abdominal sepsis. **2022**, 113405
- 48 Glycyrrhizin through liquorice intake modulates ACE2 and HMGB1 levels: A pilot study in healthy individuals with implications for COVID-19 and ARDS. **2022**, 17, e0275181
- 47 HMGB1 in nervous system diseases: A common biomarker and potential therapeutic target. 13,
- 46 Characteristics of Gut Microbiota in Female Patients with Diabetic Microvascular Complications. **2022**, 2022, 1-7
- 45 Organ Crosstalk in Acute Kidney Injury: Evidence and Mechanisms. **2022**, 11, 6637
- 44 Low-dose aspirin protects unexplained recurrent spontaneous abortion via downregulation of HMGB1 inflammation activation. 13,
- 43 Neutrophil Heterogeneity in Sepsis: The Role of DAMPs. Publish Ahead of Print,
- 42 Association between hypomagnesemia and coagulopathy in sepsis: a retrospective observational study. **2022**, 22,
- 41 Advances in Innate Immunity to Overcome Immune Rejection during Xenotransplantation. **2022**, 11, 3865
- 40 Potential of HMGB -inhibitory oligodeoxynucleotide ISM ODN to neutrophil recruitment in mouse model of hepatitis.
- 39 Regulation of HMGB1 Release in Health and Diseases. **2023**, 12, 46
- 38 The pathogenesis and therapeutic strategies of heat stroke-induced liver injury. **2022**, 26,
- 37 HMGB1 Promotes In Vitro and In Vivo Skeletal Muscle Atrophy through an IL-18-Dependent Mechanism. **2022**, 11, 3936
- 36 Role of Autophagy in HIV-1 and Drug Abuse-Mediated Neuroinflammation. **2023**, 15, 44
- 35 Electroacupuncture Alleviates Neuroinflammation by Inhibiting the HMGB1 Signaling Pathway in Rats with Sepsis-Associated Encephalopathy. **2022**, 12, 1732
- 34 Review: The role of HMGB1 in spinal cord injury. 13,

- 33 The Effect of Necrosis Inhibitor on Dextran Sulfate Sodium Induced Chronic Colitis Model in Mice. **2023**, 15, 222 ○
- 32 Danger signals in traumatic hemorrhagic shock and new lines for clinical applications. 13, ○
- 31 Jujuboside B Inhibited High Mobility Group Box Protein 1-Mediated Severe Inflammatory Responses in Human Endothelial Cells and Mice. **2023**, 26, 40-48 ○
- 30 Immunoregulatory mechanism of acute kidney injury in sepsis: A Narrative Review. **2023**, 159, 114202 ○
- 29 RAGE Inhibitors for Targeted Therapy of Cancer: A Comprehensive Review. **2023**, 24, 266 1
- 28 USP13 regulates HMGB1 stability and secretion through its deubiquitinase activity. **2022**, 28, ○
- 27 Predictive Strategies for ADRs [Biomarkers and In Vitro Models. **2017**, 343-378 ○
- 26 Immunogenic Cell Death in Cancer. **2023**, ○
- 25 GAT107-mediated α 7 nicotinic acetylcholine receptor signaling attenuates inflammatory lung injury and mortality in a mouse model of ventilator-associated pneumonia by alleviating macrophage mitochondrial oxidative stress via reducing MnSOD-S-glutathionylation. **2023**, 102614 ○
- 24 Inflammation balance in skeletal muscle damage and repair. 14, ○
- 23 HMGB1 mediates lipopolysaccharide-induced macrophage autophagy and pyroptosis. **2023**, 24, ○
- 22 The Pathogenetic Role of DAMPs in Severe Infectious Diseases. **2023**, 285-380 ○
- 21 HMGB1 mediates synaptic loss and cognitive impairment in an animal model of sepsis-associated encephalopathy. **2023**, 20, ○
- 20 HMGB1 is a promising therapeutic target for asthma. **2023**, 165, 156171 ○
- 19 Saroglitazar, a dual PPAR- α/γ agonist, alleviates LPS-induced hepatic and renal injury in rats. **2023**, 115, 109688 ○
- 18 LncRNA GAS5 suppresses inflammatory responses by inhibiting HMGB1 release via miR-155-5p/SIRT1 axis in sepsis. **2023**, 942, 175520 ○
- 17 Site-Specific knockdown of microglia in the locus coeruleus regulates hypervigilant responses to social stress in female rats. **2023**, 109, 190-203 ○
- 16 Identification of procathepsin L (pCTS-L) neutralizing monoclonal antibodies to treat potentially lethal sepsis. **2023**, 9, ○

- 15 The Receptor for Advanced Glycation Endproducts (RAGE) and Its Ligands S100A8/A9 and High Mobility Group Box Protein 1 (HMGB1) Are Key Regulators of Myeloid-Derived Suppressor Cells. **2023**, 15, 1026 1
- 14 Co-Targeting IL-6 and EGFR signaling for the treatment of schwannomatosis and associated pain. 0
- 13 Expression of HMGB1 in Organs in a Rodent Model of Transient Ischemia. **2022**, 81, 347-354 0
- 12 Heparan sulfates and heparan sulfate binding proteins in sepsis. 10, 0
- 11 Early Thrombomodulin Improved Disseminated Intravascular Coagulation After Cardiac Surgery. **2023**, 0
- 10 Targeting circulating high mobility group box-1 and histones by extracorporeal blood purification as an immunomodulation strategy against critical illnesses. **2023**, 27, 0
- 9 Intracellular DAMPs in Neurodegeneration and Their Role in Clinical Therapeutics. 1
- 8 DNA binding protein YB-1 is a part of the neutrophil extracellular trap mediation of kidney damage and cross-organ effects. **2023**, 0
- 7 Release of High-Mobility Group Box-1 after a Raynaud's Attack Leads to Fibroblast Activation and Interferon- γ Induced Protein-10 Production: Role in Systemic Sclerosis Pathogenesis. **2023**, 12, 794 0
- 6 Potential antiviral activities of chrysin against hepatitis B virus. **2023**, 15, 0
- 5 Downregulation of circ-YES1 suppresses NSCLC migration and proliferation through the miR-142-3p/HMGB1 axis. **2023**, 24, 0
- 4 Acute kidney injury and distant organ dysfunction—network system analysis. **2023**, 0
- 3 Protective effects of an anti-4-HNE monoclonal antibody against liver injury and lethality of endotoxemia in mice. **2023**, 175702 0
- 2 Autophagy and Breast Cancer: Connected in Growth, Progression, and Therapy. **2023**, 12, 1156 0
- 1 UP360, a Standardized Composition from Extracts of Aloe barbadense, Poria cocos, and Rosemary officinalis Protected Against Sepsis and Mitigated Acute Lung Injury in Murine Models. 0