CITATION REPORT List of articles citing

C-reactive protein in healthy subjects: associations with obesity, insulin resistance, and endothelial dysfunction: a potential role for cytokines originating from adipose tissue?

DOI: 10.1161/01.atv.19.4.972 Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 972-8.

Source: https://exaly.com/paper-pdf/30724811/citation-report.pdf

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper IF	Citations
2036	[Endothelial dysfunction in patients with acute coronary syndrome]. 1999 , 24, 534-43	3
2035	Hormone replacement therapy and C-reactive protein. 1999 , 354, 1908	
2034	Lack of evidence for secretion of plasminogen activator inhibitor-1 by human subcutaneous adipose tissue in vivo. 1999 , 96, 1-9	33
2033	Endothelial dysfunction as a possible link between C-reactive protein levels and cardiovascular disease. 2000 , 98, 531-535	159
2032	Endothelial dysfunction as a possible link between C-reactive protein levels and cardiovascular disease. 2000 , 98, 531	81
2031	American Diabetes Association Annual Meeting, 1999: more on cardiovascular disease. 2000 , 23, 845-52	9
2030	Birth weight relates to blood pressure and microvascular function in normal subjects. 2000 , 18, 1421-7	37
2029	Plasma viscosity and its biochemical predictors: associations with lifestyle factors in healthy middle-aged men. 2000 , 11, 609-16	9
2028	Peripheral vascular disease and type 2 diabetes mellitus. 2000 , 16 Suppl 1, S11-5	33
2027	Inflammation and microalbuminuria in nondiabetic and type 2 diabetic subjects: The Insulin Resistance Atherosclerosis Study. 2000 , 58, 1703-10	257
2026	Adverse endothelial function and the insulin resistance syndrome. 2000 , 247, 425-31	111
2025	C-reactive protein, cardiovascular risk factors and the association with myocardial infarction in men. 2000 , 248, 406-14	33
2024	Fibrinogen, other putative markers of inflammation, and weight gain in middle-aged adultsthe ARIC study. Atherosclerosis Risk in Communities. 2000 , 8, 279-86	96
2023	The influence of improved glycaemic control with insulin and sulphonylureas on acute phase and endothelial markers in Type II diabetic subjects. 2000 , 43, 1099-106	77
2022	Evaluation of Four Automated High-Sensitivity C-Reactive Protein Methods: Implications for Clinical and Epidemiological Applications. 2000 , 46, 461-468	197
2021	C-reactive protein: a new cardiovascular risk factor?. 2000 , 173, 117-8	2
2020	Elevated levels of interleukin 6 are reduced in serum and subcutaneous adipose tissue of obese women after weight loss. 2000 , 85, 3338-42	726

2019 An Author Responds to Meigs' Invited Commentary. **2000**, 152, 912-912

Genetics of inflammation and risk of coronary artery disease: the central role of interleukin-6. 20 21, 1574-83	000,	154
Relationship of serum C3 complement with insulin resistance and coronary heart disease-cause, consequence or common antecedent?. 2000 , 21, 1036-9		14
2016 Searching for new coronary heart disease risk factors. 2000 , 21, 1905-6		2
Relationship of serum C3 to fasting insulin, risk factors and previous ischaemic events in middle-aged men. 2000 , 21, 1081-90		101
Regulation of plasminogen activitor inhibitor-1 in human adipose tissue: interaction between cytokines, cortisol and estrogen. 2000 , 32, 515-20		30
2013 Insulin action is associated with endothelial function in hypertension and type 2 diabetes. 2000 ,	35, 507-11	95
Stromelysin-1 and interleukin-6 gene promoter polymorphisms are determinants of asymptomal carotid artery atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 2657-6	\sim 1	189
Elevated Levels of Interleukin 6 Are Reduced in Serum and Subcutaneous Adipose Tissue of Obe Women after Weight Loss. 2000 , 85, 3338-3342	:se	588
2010 Adipose tissue as an endocrine organ. 2000 , 11, 327-32		1067
Successful eradication of Helicobacter pylori as determined by ((13))C-urea breath test does not alter fibrinogen and acute phase response markers. 2000 , 97, 411-20		17
Secretion of tumor necrosis factor-alpha shows a strong relationship to insulin-stimulated glucos transport in human adipose tissue. 2000 , 49, 688-92	se	79
2007 Hormone replacement therapy and coronary heart disease. A new debate. 2000 , 84, 181-98, ix-x		7
2006 High sensitivity C-reactive protein: biological variations and reference limits. 2000 , 38, 1003-11		62
Association between C-reactive protein and features of the metabolic syndrome: a population-based study. 2000 , 23, 1835-9		510
Lipoprotein-associated phospholipase A2 as an independent predictor of coronary heart disease West of Scotland Coronary Prevention Study Group. 2000 , 343, 1148-55		708
Chronic subclinical inflammation as part of the insulin resistance syndrome: the Insulin Resistance Atherosclerosis Study (IRAS). 2000 , 102, 42-7	ie .	1841
2002 Inflammation, obesity, stress and coronary heart disease: is interleukin-6 the link?. 2000 , 148, 209	9-14	1425

2001	Familial and genetic determinants of systemic markers of inflammation: the NHLBI family heart study. 2001 , 154, 681-9	307
2000	The association of c-reactive protein, serum amyloid a and fibrinogen with prevalent coronary heart diseasebaseline findings of the PAIS project. 2001 , 156, 451-6	89
1999	Obesity is independently associated with coronary endothelial dysfunction in patients with normal or mildly diseased coronary arteries. 2001 , 37, 1523-8	218
1998	C-reactive protein is increased in patients with degenerative aortic valvular stenosis. 2001 , 38, 1078-82	138
1997	Therapeutic relevance of altered cytokine expression. 2001 , 14, 1-10	33
1996	C-reactive protein and body mass index in children: findings from the Third National Health and Nutrition Examination Survey, 1988-1994. 2001 , 138, 486-92	171
1995	The interleukin-6 -174 G/C promoter polymorphism is associated with risk of coronary heart disease and systolic blood pressure in healthy men. 2001 , 22, 2243-52	281
1994	High-sensitivity C-reactive protein: potential adjunct for global risk assessment in the primary prevention of cardiovascular disease. 2001 , 103, 1813-8	1051
1993	Endothelial dysfunction in endocrine disease. 2001 , 12, 257-65	52
1992	Obesity and preeclampsia: the potential role of inflammation. 2001 , 98, 757-62	114
1991	Association of circulating cellular adhesion molecules with menopausal status and hormone replacement therapy. Time-dependent change in transdermal, but not oral estrogen users. 2001 , 101, 35-43	39
1990	Effect of alcohol consumption on systemic markers of inflammation. 2001 , 357, 763-7	425
1989	Fosfolipasa A2 asociada a lipoproteñas como predictor independiente de coronariopatâ. 2001 , 13, 87-88	
1988	HORMONE REPLACEMENT THERAPY AND CORONARY HEART DISEASE. 2001 , 19, 327-341	1
1988 1987	HORMONE REPLACEMENT THERAPY AND CORONARY HEART DISEASE. 2001 , 19, 327-341 [Diabetes mellitus, inflammation and coronary atherosclerosis: current and future perspectives]. 2001 , 54, 751-63	19
1987	[Diabetes mellitus, inflammation and coronary atherosclerosis: current and future perspectives].	
1987 1986	[Diabetes mellitus, inflammation and coronary atherosclerosis: current and future perspectives]. 2001 , 54, 751-63	19

1983 Immunological factors and placentation: implications for pre-eclampsia. **2001**, 103-120

1982	Chronic activation of the innate immune system may underlie the metabolic syndrome. 2001 , 119, 122-7	50
1981	The Specificity of Adipose Depots. 163-179	
1980	High-Sensitivity C-Reactive Protein: A Novel and Promising Marker of Coronary Heart Disease. 2001 , 47, 403-411	394
1979	Variability and Classification Accuracy of Serial High-Sensitivity C-Reactive Protein Measurements in Healthy Adults. 2001 , 47, 444-450	323
1978	5?-Nucleotidase in the Detection of Increased Activity of the Liver Form of Alkaline Phosphatase in Serum. 2001 , 47, 2046-2048	11
1977	Evaluation of Turbidimetric High-Sensitivity C-Reactive Protein Assays for Cardiovascular Risk Estimation. 2001 , 47, 2044-2046	25
1976	Is C-reactive protein an independent risk factor for essential hypertension?. 2001 , 19, 857-61	203
1975	Obesity and Preeclampsia. 2001 , 98, 757-762	82
1974	The renaissance of C reactive protein. 2001 , 322, 4-5	50
1973	Systemic inflammation as a cardiovascular disease risk factor and as a potential target for drug therapy. 2001 , 3, 326-32	41
1972	Regional differences in protein production by human adipose tissue. 2001 , 29, 72-5	123
1971	Selective aspects of the insulin resistance syndrome. 2001 , 10, 507-14	17
1970	Interleukin 6 and haemostasis. 2001 , 115, 3-12	235
1969	Gestational diabetes mellitus in the last trimester - a feature of maternal iron excess?. 2001 , 18, 218-23	86
1968	Urinary albumin excretion is independently associated with C-reactive protein levels in overweight and obese nondiabetic premenopausal women. 2001 , 250, 502-7	31
1967	Novel clinical markers of vascular wall inflammation. 2001 , 89, 763-71	592
1966	Obesity and disease management: effects of weight loss on comorbid conditions. 2001 , 9 Suppl 4, 326S-334S	205

1965	Targeted disruption of inducible nitric oxide synthase protects against obesity-linked insulin resistance in muscle. 2001 , 7, 1138-43		414
1964	C-reactive protein is independently associated with total body fat, central fat, and insulin resistance in adult women. 2001 , 25, 1416-20		143
1963	Relation of C-reactive protein to body fat distribution and features of the metabolic syndrome in Europeans and South Asians. 2001 , 25, 1327-31		256
1962	The relation of body fat mass and distribution to markers of chronic inflammation. 2001 , 25, 1407-15		486
1961	Increased leptin concentrations correlate with increased concentrations of inflammatory markers in morbidly obese individuals. 2001 , 25, 1759-66		142
1960	Negative and independent influence of apolipoprotein E on C-reactive protein (CRP) concentration in obese adults. Potential anti-inflammatory role of apoE in vivo. 2001 , 25, 1752-8		22
1959	Association of C-reactive protein with markers of prevalent atherosclerotic disease. 2001 , 88, 112-7		195
1958	C-reactive protein and coronary heart disease in western Turkey. 2001 , 88, 601-7		43
1957	Usefulness of visceral obesity (waist/hip ratio) in predicting vascular endothelial function in healthy overweight adults. 2001 , 88, 1264-9		196
1956	Association between obesity and coronary atherosclerosis and vascular remodeling. 2001 , 88, 1300-3		21
1955	An improved dobutamine protocol for myocardial perfusion imaging. 2001 , 88, 1303-5		8
1954	Coronary endothelial dysfunction as a predictor of intimal thickening in the long term after heart transplantation. 2001 , 122, 1174-80		12
1953	Hypothesis: Is obesity an inflammatory condition?. 2001 , 17, 974-5		3
1952	Elevated C-reactive protein: another component of the atherothrombotic profile of abdominal obesity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 961-7	9.4	442
1951	Energy restriction and weight loss on very-low-fat diets reduce C-reactive protein concentrations in obese, healthy women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 968-70	9.4	251
1950	Markers of the acute phase response in cardiovascular disease: an update. 2001 , 39, 1054-64		10
1949	The relation of markers of inflammation to the development of glucose disorders in the elderly: the Cardiovascular Health Study. 2001 , 50, 2384-9		473
1948	Tamoxifen and cardiac risk factors in healthy women: Suggestion of an anti-inflammatory effect. Arteriosclerosis, Thrombosis, and Vascular Biology, 2001, 21, 255-61	9.4	77

(2002-2001)

1947	Incremental prognostic value of elevated baseline C-reactive protein among established markers of risk in percutaneous coronary intervention. 2001 , 104, 992-7		202
1946	The relationship between infection, inflammation, and cardiovascular disease: an overview. 2001 , 6, 1-8		92
1945	Review: Endothelial dysfunction in type 2 diabetes. 2001 , 1, 22-27		15
1944	C-reactive protein, insulin resistance, central obesity, and coronary heart disease risk in Indian Asians from the United Kingdom compared with European whites. 2001 , 104, 145-50		323
1943	Serum levels of C-reactive protein are associated with obesity, weight gain, and hormone replacement therapy in healthy postmenopausal women. 2001 , 153, 1094-101		85
1942	Is visceral adiposity the "enemy within"?. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 881-3	9.4	62
1941	Postprandial increase of complement component 3 in normolipidemic patients with coronary artery disease: effects of expanded-dose simvastatin. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 1526-30	9.4	104
1940	Low-grade systemic inflammation in overweight children. 2001 , 107, E13		265
1939	Interleukin-6 gene -174g>c and -572g>c promoter polymorphisms are strong predictors of plasma interleukin-6 levels after coronary artery bypass surgery. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 1458-63	9.4	354
0			
1938	C-reactive protein, interleukin 6, and risk of developing type 2 diabetes mellitus. 2001 , 286, 327-34		2927
1938	C-reactive protein, interleukin 6, and risk of developing type 2 diabetes mellitus. 2001 , 286, 327-34 Relation between soluble adhesion molecules and insulin sensitivity in type 2 diabetic individuals: role of adipose tissue. 2001 , 24, 1961-6		2927 46
1937	Relation between soluble adhesion molecules and insulin sensitivity in type 2 diabetic individuals:		
1937	Relation between soluble adhesion molecules and insulin sensitivity in type 2 diabetic individuals: role of adipose tissue. 2001 , 24, 1961-6		46
1937 1936	Relation between soluble adhesion molecules and insulin sensitivity in type 2 diabetic individuals: role of adipose tissue. 2001 , 24, 1961-6 Review: Adipose tissue: passive sump or active pump?. 2001 , 1, 110-114 Distribution of serum C-reactive protein and its association with atherosclerotic risk factors in a		46
1937 1936 1935	Relation between soluble adhesion molecules and insulin sensitivity in type 2 diabetic individuals: role of adipose tissue. 2001, 24, 1961-6 Review: Adipose tissue: passive sump or active pump?. 2001, 1, 110-114 Distribution of serum C-reactive protein and its association with atherosclerotic risk factors in a Japanese population: Jichi Medical School Cohort Study. 2001, 153, 1183-90 Total sialic acid and associated elements of the metabolic syndrome in women with and without		46 5 185
1937 1936 1935	Relation between soluble adhesion molecules and insulin sensitivity in type 2 diabetic individuals: role of adipose tissue. 2001, 24, 1961-6 Review: Adipose tissue: passive sump or active pump?. 2001, 1, 110-114 Distribution of serum C-reactive protein and its association with atherosclerotic risk factors in a Japanese population: Jichi Medical School Cohort Study. 2001, 153, 1183-90 Total sialic acid and associated elements of the metabolic syndrome in women with and without previous gestational diabetes. 2002, 25, 1331-5 Hemostatic and inflammatory markers as risk factors for coronary disease in the elderly. 2002, 11,		46 5 185 31
1937 1936 1935 1934	Relation between soluble adhesion molecules and insulin sensitivity in type 2 diabetic individuals: role of adipose tissue. 2001, 24, 1961-6 Review: Adipose tissue: passive sump or active pump?. 2001, 1, 110-114 Distribution of serum C-reactive protein and its association with atherosclerotic risk factors in a Japanese population: Jichi Medical School Cohort Study. 2001, 153, 1183-90 Total sialic acid and associated elements of the metabolic syndrome in women with and without previous gestational diabetes. 2002, 25, 1331-5 Hemostatic and inflammatory markers as risk factors for coronary disease in the elderly. 2002, 11, 93-100, 107		46 5 185 31 16

1929	The adipose tissuea novel endocrine organ of interest to the nephrologist. 2002 , 17, 191-5		67
1928	Inflammation in cardiovascular disease: cart, horse or bothrevisited. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 1514-5	9.4	16
1927	Gender differences in C-reactive protein concentrations-confirmation with two sensitive methods. 2002 , 40, 56-9		49
1926	Platelet activation in obese women: role of inflammation and oxidant stress. 2002 , 288, 2008-14		406
1925	Supplementation with conjugated linoleic acid causes isomer-dependent oxidative stress and elevated C-reactive protein: a potential link to fatty acid-induced insulin resistance. 2002 , 106, 1925-9		253
1924	Reduction of inflammatory cytokine concentrations and improvement of endothelial functions in obese women after weight loss over one year. 2002 , 105, 804-9		814
1923	Impact of angiotensin converting enzyme inhibition on post-coronary artery bypass interleukin 6 release. 2002 , 87, 252-5		69
1922	Increased urinary albumin excretion, endothelial dysfunction, and chronic low-grade inflammation in type 2 diabetes: progressive, interrelated, and independently associated with risk of death. 2002 , 51, 1157-65		513
1921	Diabetes and atherothrombotic disease: linked through inflammation?. 2002 , 2, 67-73		4
1920	Mechanisms of vascular disease in hypertension with special reference to diabetes. 2002 , 2, 139-48		1
1919	Cardiovascular risk factors in acromegaly before and after normalization of serum IGF-I levels with the GH antagonist pegvisomant. 2002 , 87, 1692-9		82
1918	Diabetes, insulin resistance and vascular disease among Indian Asians and Europeans. 2002 , 2, 199-214		18
1917	The insulin resistance syndrome: mechanisms of clustering of cardiovascular risk. 2002 , 2, 45-57		25
1916	Markers of chronic inflammation and obesity: a prospective study on the reversibility of this association in middle-aged women undergoing weight loss by surgical intervention. 2002 , 26, 659-62		140
1915	Associations of serum C-reactive protein with fasting insulin, glucose, and glycosylated hemoglobin: the Third National Health and Nutrition Examination Survey, 1988-1994. 2002 , 155, 65-71		117
1914	Associations between cardiorespiratory fitness and C-reactive protein in men. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 1869-76	9.4	272
1913	Inflammatory mediators and cell adhesion molecules as indicators of severity of atherosclerosis: the Rotterdam Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 838-42	9.4	133
1912	Blood pressure increase and incidence of hypertension in relation to inflammation-sensitive plasma proteins. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 2054-8	9.4	110

1911	The case for an immunologic cause of obesity. 2002 , 4, 43-53	6
1910	Statin attenuates increase in C-reactive protein during estrogen replacement therapy in postmenopausal women. 2002 , 105, 1531-3	69
1909	Weight loss reduces C-reactive protein levels in obese postmenopausal women. 2002 , 105, 564-9	422
1908	Leukocyte count, erythrocyte sedimentation rate, and diabetes incidence in a national sample of US adults. 2002 , 155, 57-64	98
1907	Inflammatory biomarkers, hormone replacement therapy, and incident coronary heart disease: prospective analysis from the Women's Health Initiative observational study. 2002 , 288, 980-7	487
1906	Relationship between serum magnesium levels and C-reactive protein concentration, in non-diabetic, non-hypertensive obese subjects. 2002 , 26, 469-74	51
1905	C-reactive protein and soluble vascular cell adhesion molecule-1 are associated with elevated urinary albumin excretion but do not explain its link with cardiovascular risk. <i>Arteriosclerosis</i> , 9.4 <i>Thrombosis, and Vascular Biology</i> , 2002 , 22, 593-8	96
1904	White blood cell count as a risk factor for hypertension; a study of Japanese male office workers. 2002 , 20, 851-7	36
1903	Insulin resistance: what is its role in the polycystic ovary syndrome?. 2002 , 9, 444-450	7
1902	. 2002 , 9, 97-103	80
1901	The insulin resistance syndrome: implications for thrombosis and cardiovascular disease. 2002 , 32, 269-73	49
1900	Association between past infection with Chlamydia pneumoniae and body mass index, low-density lipoprotein particle size and fasting insulin. 2002 , 26, 464-8	23
1899	Fibrates and coronary heart disease reduction in diabetes. 2002 , 9, 312-322	8
1898	Obesity, cytokines and endothelial dysfunction: a link for the raised cardiovascular risk associated with visceral obesity. 2002 , 25, 646-9	27
1897	Elevated levels of acute-phase proteins and plasminogen activator inhibitor-1 predict the development of type 2 diabetes: the insulin resistance atherosclerosis study. 2002 , 51, 1131-7	888
1896	Do atherosclerosis and type 2 diabetes share a common inflammatory basis?. 2002 , 23, 831-4	149
1895	Diabetes and cardiovascular disease. 2002 , 53, 245-67	111
1894	Severe hypertriglyceridemia with insulin resistance is associated with systemic inflammation: reversal with bezafibrate therapy in a randomized controlled trial. 2002 , 112, 275-80	135

1893	Lipid management in diabetic patients: lessons from prevention trials. 2002 , 112 Suppl 8A, 19S-26S	126
1892	Menopause-related differences in inflammation markers and their relationship to body fat distribution and insulin-stimulated glucose disposal. 2002 , 77, 128-35	109
1891	Humoral markers of inflammation and endothelial dysfunction in relation to adiposity and in vivo insulin action in Pima Indians. 2002 , 161, 233-42	179
1890	Effect of atorvastatin and bezafibrate on plasma levels of C-reactive protein in combined (mixed) hyperlipidemia. 2002 , 162, 245-51	37
1889	Urinary albumin excretion is related to cardiovascular risk indicators, not to flow-mediated vasodilation, in apparently healthy subjects. 2002 , 163, 121-6	39
1888	Leukocyte count and vascular function in Type 2 diabetic subjects with treated hypertension. 2002 , 163, 175-81	31
1887	Interrelationships among circulating interleukin-6, C-reactive protein, and traditional cardiovascular risk factors in women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 1668-73	337
1886	Omega-3 fatty acids in inflammation and autoimmune diseases. 2002 , 21, 495-505	1307
1885	Post-load hyperglycaemia-an inappropriate therapeutic target. 2002 , 359, 166-7	11
1884	Deficiency in sPLA(2) does not affect HDL levels or atherosclerosis in mice. 2002 , 294, 88-94	8
1883	C-reactive protein and cardiovascular disease: a review of risk prediction and interventions. 2002 , 317, 1-15	115
1882	Hemostatic and inflammatory markers in obese youths: effects of exercise and adiposity. 2002 , 141, 415-20	85
1881	C-reactive protein: history and revival. 2002 , 13, 412	112
1880	Association of C-reactive protein with coronary heart disease risk factors in patients with type 2 diabetes mellitus. 2002 , 58, 37-44	42
1879	Inflammation and atherosclerosis. 2002 , 105, 1135-43	5212
1878	C-reactive protein is an independent predictor of risk for the development of diabetes in the West of Scotland Coronary Prevention Study. 2002 , 51, 1596-600	598
1877	The association of sensitive systemic inflammation markers with bronchial asthma. 2002, 89, 381-5	113
1876	Plasma level of interleukin-6 is an indicator for predicting diabetic macular edema. 2002 , 46, 78-83	30

(2002-2002)

1875	Effect of Atorvastatin and Fish Oil on Plasma High-Sensitivity C-Reactive Protein Concentrations in Individuals with Visceral Obesity. 2002 , 48, 877-883	118
1874	On Evolutionary Biology, Inflammation, Infection, and the Causes of Atherosclerosis. 2002 , 105, 2-4	112
1873	Relationships between Fibrinolytic and Inflammatory Parameters in Human Adipose Tissue: Strong Contribution of TNFReceptors to PAI-1 Levels. 2002 , 88, 481-487	30
1872	Diagnostic strategies for C-reactive protein. 2002 , 2, 9	12
1871	Role of inflammation in cardiovascular disease: how to use C-reactive protein in clinical practice. 2002 , 17, 174-85	15
1870	Effect of insulin therapy on endothelium-dependent dilation in type 2 diabetes mellitus. 2002 , 89, 431-4	48
1869	Association of systemic inflammatory state with troponin I elevation after elective uncomplicated percutaneous coronary intervention. 2002 , 89, 981-3	37
1868	Comparison of numbers of circulating blood monocytes in men grouped by body mass index (. 2002 , 89, 1441-3	60
1867	Macrovascular disease risk factors and insulin resistance in Aboriginal and Torres Strait Islander people. 2002 , 16, 9-16	22
1866	Obesity and cardiovascular disease. 2002 , 4, 448-53	176
	Obesity and cardiovascular disease. 2002 , 4, 448-53 The role of the immune system in the insulin resistance syndrome. 2002 , 2, 96-9	176 4
1865	The role of the immune system in the insulin resistance syndrome. 2002 , 2, 96-9 Role of inflammatory pathways in the development and cardiovascular complications of type 2	4
1865 1864 1863	The role of the immune system in the insulin resistance syndrome. 2002 , 2, 96-9 Role of inflammatory pathways in the development and cardiovascular complications of type 2 diabetes. 2002 , 2, 396-402	16
1865 1864 1863	The role of the immune system in the insulin resistance syndrome. 2002 , 2, 96-9 Role of inflammatory pathways in the development and cardiovascular complications of type 2 diabetes. 2002 , 2, 396-402 Preventing diabetes by treating aspects of the metabolic syndrome. 2002 , 2, 416-22	4 16 13
1865 1864 1863	The role of the immune system in the insulin resistance syndrome. 2002, 2, 96-9 Role of inflammatory pathways in the development and cardiovascular complications of type 2 diabetes. 2002, 2, 396-402 Preventing diabetes by treating aspects of the metabolic syndrome. 2002, 2, 416-22 Inflammatory bio-markers and cardiovascular risk prediction. 2002, 252, 283-94 Insulin resistance, a new target for nitric oxide-delivery drugs. 2002, 16, 441-53	4 16 13 498
1865 1864 1863 1862	The role of the immune system in the insulin resistance syndrome. 2002, 2, 96-9 Role of inflammatory pathways in the development and cardiovascular complications of type 2 diabetes. 2002, 2, 396-402 Preventing diabetes by treating aspects of the metabolic syndrome. 2002, 2, 416-22 Inflammatory bio-markers and cardiovascular risk prediction. 2002, 252, 283-94 Insulin resistance, a new target for nitric oxide-delivery drugs. 2002, 16, 441-53 Eradication of Helicobacter pylori infection induces an increase in body mass index. 2002, 16 Suppl	4 16 13 498 35

1857	The lifecycle effects of nutrition and body size on adult adiposity, diabetes and cardiovascular disease. 2002 , 3, 217-24	125
1856	Obesity, atherosclerosis and the vascular endothelium: mechanisms of reduced nitric oxide bioavailability in obese humans. 2002 , 26, 754-64	175
1855	The central roles of obesity-associated dyslipidaemia, endothelial activation and cytokines in the Metabolic Syndromean analysis by structural equation modelling. 2002 , 26, 994-1008	93
1854	Hormonal regulation of interleukin-6 production in human adipocytes. 2002 , 26, 905-11	86
1853	Obesity and target organ damage: the heart. 2002 , 26 Suppl 4, S15-20	62
1852	The -174 G/C polymorphism of the interleukin-6 gene promoter and essential hypertension in an elderly Italian population. 2002 , 16, 637-40	27
1851	Interleukin-6 production in human subcutaneous abdominal adipose tissue: the effect of exercise. 2002 , 543, 373-8	99
1850	C-reactive protein and coronary artery disease: influence of obesity, caloric restriction and weight loss. 2002 , 13, 316-321	61
1849	Involvement of leptin in the association between percentage of body fat and cardiovascular risk factors. 2002 , 35, 315-20	79
1848	Effect of surgically-induced weight loss on leukocyte indicators of chronic inflammation in morbid obesity. 2002 , 12, 335-42	77
1847	The effect of obesity on neutrophil Fc receptors and adhesion molecules (CD16, CD11b, CD62L). 2002 , 12, 230-5	38
1846	Dysfunctional immune-privilege in morbid obesity: implications and effect of gastric bypass surgery. 2003 , 13, 49-57	28
1845	CLA and body weight regulation in humans. 2003 , 38, 133-7	23
1844	Adipokines, inflammation, and the endothelium in diabetes. 2003 , 3, 293-8	154
1843	Endothelial dysfunction and the metabolic syndrome. 2003 , 3, 87-92	60
1842	Inflammation and emerging risk factors in diabetes mellitus and atherosclerosis. 2003, 3, 248-54	45
1841	Obesity, and not insulin resistance, is the major determinant of serum inflammatory cardiovascular risk markers in pre-menopausal women. 2003 , 46, 625-33	120
1840	The interleukin 6-174G/C polymorphism is associated with indices of obesity in men. 2003 , 48, 14-9	72

(2003-2003)

1839	Serum sialic acid in subjects with impaired glucose tolerance and in newly diagnosed type 2 diabetic patients. 2003 , 40, 95-100	32
1838	C-Reactive Protein and Cardiovascular Diseases. 2003 , 12, 1-12	17
1837	Relation of hypertriglyceridemia to plasma concentrations of biochemical markers of inflammation and endothelial activation (C-reactive protein, interleukin-6, soluble adhesion molecules, von Willebrand factor, and endothelin-1). 2003 , 91, 1128-31	55
1836	Insulin resistance, inflammation, and the prediabetic state. 2003 , 92, 18J-26J	176
1835	The potential role of peroxisome proliferator-activated receptors on inflammation in type 2 diabetes mellitus and atherosclerosis. 2003 , 92, 34J-41J	59
1834	Defective P2Y purinergic receptor function: A possible novel mechanism for impaired glucose transport. 2003 , 197, 435-44	24
1833	The appearance of aggregated erythrocytes in the peripheral blood of individuals with insulin resistance. 2003 , 19, 386-91	4
1832	Detecting vulnerable plaque using peripheral blood: inflammatory and cellular markers. 2003 , 16, 231-42	30
1831	C-reactive protein is associated with renal function abnormalities in a non-diabetic population. 2003 , 63, 654-61	165
1830	Plasminogen activator inhibitor-1, inflammation, obesity, insulin resistance and vascular risk. 2003 , 1, 1575-9	277
1829	Leptin increase is associated with markers of the hemostatic system in obese healthy women. 2003 , 1, 2330-4	33
1828	The plasminogen activator inhibitor-1 -675 4G/5G genotype influences the risk of myocardial infarction associated with elevated plasma proinsulin and insulin concentrations in men from Europe: the HIFMECH study. 2003 , 1, 2322-9	47
1827	Associations of plasma fibrinogen assays, C-reactive protein and interleukin-6 with previous myocardial infarction. 2003 , 1, 2312-6	18
1826	Decreasing levels of tumour necrosis factor alpha and interleukin 6 during lowering of body mass index with orlistat or placebo in obese subjects with cardiovascular risk factors. 2003 , 5, 195-201	39
1825	Pathophysiological implications of insulin resistance on vascular endothelial function. 2003 , 20, 255-68	198
1824	C-reactive protein: associations with haematological variables, cardiovascular risk factors and prevalent cardiovascular disease. 2003 , 122, 135-41	50
1823	Increased Interleukin-6 levels in pituitary-deficient patients are independently related to their carotid intima-media thickness. 2003 , 59, 242-50	33
1822	Individuals at increased coronary heart disease risk are characterized by an impaired microvascular function in skin. 2003 , 33, 536-42	193

1821	High expression of complement components in omental adipose tissue in obese men. 2003, 11, 699-708	165
1820	Use of glucose, insulin, and C-reactive protein to determine need for glucose tolerance testing. 2003 , 11, 1027-32	2
1819	Obesity, fasting plasma insulin, and C-reactive protein levels in healthy children. 2003 , 11, 95-103	45
1818	Endothelial dysfunction in obesity and insulin resistance: a road to diabetes and heart disease. 2003 , 11, 1278-89	273
1817	Systemic inflammation, adipose tissue tumor necrosis factor, and leptin expression. 2003, 11, 525-31	277
1816	Relation of waist circumference and glycemic status to C-reactive protein in the Sandy Lake Oji-Cree. 2003 , 27, 347-54	44
1815	Adipose tissue, insulin action and vascular disease: inflammatory signals. 2003, 27 Suppl 3, S25-8	211
1814	Inflammation, endothelial dysfunction, and the risk of high blood pressure: epidemiologic and biological evidence. 2003 , 17, 223-30	144
1813	Severe hypertriglyceridemia with insulin resistance is associated with systemic inflammation: reversal with bezafibrate therapy in a randomized controlled trial. 2003 , 15, 88-89	
1812	Insulin resistance and adiposity correlate with acute-phase reaction and soluble cell adhesion molecules in type 2 diabetes. 2003 , 166, 387-94	210
1811	Relations of plasma high-sensitivity C-reactive protein to traditional cardiovascular risk factors. 2003 , 167, 73-9	186
1810	Inflammation and insulin resistance are independently related to all-cause of death and cardiovascular events in Japanese patients with type 2 diabetes mellitus. 2003 , 169, 317-21	50
1809	C-reactive protein and the insulin-like growth factor (IGF)-system in relation to risk of cardiovascular disease in different ethnic groups. 2003 , 170, 79-86	55
1808	Circulating soluble adhesion molecules ICAM-1 and VCAM-1 and incident coronary heart disease: the PRIME Study. 2003 , 170, 169-76	127
1807	Atherothrombosis, inflammation, and diabetes. 2003, 41, 1071-7	190
1806	C-reactive protein, clinical presentation, and ischemic activity in patients with chest pain and normal coronary angiograms. 2003 , 41, 1468-74	123
1805	Physical fitness and C-reactive protein level in children and young adults: the Columbia University BioMarkers Study. 2003 , 111, 332-8	93
1804	Association between alveolar bone loss and elevated serum C-reactive protein in Japanese men. 2003 , 74, 1741-6	73

(2003-2003)

1803	Effect of a multidisciplinary program of weight reduction on endothelial functions in obese women. 2003 , 26, RC5-8	31
1802	Elevated concentrations of C-reactive protein in subjects with type 2 diabetes mellitus are moderately influenced by glycemic control. 2003 , 26, 216-21	17
1801	Inflammatory markers, adiponectin, and risk of type 2 diabetes in the Pima Indian. 2003, 26, 1745-51	279
1800	C-reactive protein and glycemic control in adults with diabetes. 2003 , 26, 1535-9	193
1799	Obesity as a cardiovascular risk factor. 2003 , 115 Suppl 8A, 37S-41S	378
1798	Effect of plasminogen activator inhibitor-1 in diabetes mellitus and cardiovascular disease. 2003 , 115 Suppl 8A, 62S-68S	94
1797	The relation of C-reactive protein levels to total and cardiovascular mortality in older U.S. women. 2003 , 114, 199-205	73
1796	C-reactive protein, the metabolic syndrome, and risk of incident cardiovascular events: an 8-year follow-up of 14 719 initially healthy American women. 2003 , 107, 391-7	1881
1795	Metabolic Syndrome. 2003 , 31, 27-31	2
1794	Fibrinolytic function and atrial fibrillation. 2003 , 109, 233-40	27
1793	Critical review of acylation-stimulating protein physiology in humans and rodents. 2003, 1609, 127-43	268
1792	A major health hazard: the metabolic syndrome. 2003 , 73, 2395-411	149
1791	C-reactive protein in young, apparently healthy men: associations with serum leptin, QTc interval, and high-density lipoprotein-cholesterol. 2003 , 52, 1113-6	96
1790	Serum sialic acid, a reputed cardiovascular risk factor, is related to serum leptin concentrations in Fijians. 2003 , 331, 1-5	5
1789	Serum highly sensitive C-reactive protein in preterm premature rupture of membranes. 2003, 110, 26-8	17
1788	Vascular risk factors and markers of endothelial function as determinants of inflammatory markers in type 1 diabetes: the EURODIAB Prospective Complications Study. 2003 , 26, 2165-73	175
1787	Relation of fibrinogen to cardiovascular events is independent of preclinical cardiovascular disease: the Strong Heart Study. 2003 , 145, 467-74	31
1786	Increase of inflammatory state in overweight adults with combined hyperlipidemia. 2003 , 13, 227-31	7

1785 Re	elationship of total and abdominal adiposity with CRP and IL-6 in women. 2003 , 13, 674-82	189
	e inflammatory response is an integral part of the stress response: Implications for herosclerosis, insulin resistance, type II diabetes and metabolic syndrome X. 2003 , 17, 350-64	381
1783 Inf	Flammation, infection, and atherosclerosis. 2003 , 17, 238-44	22
	fluence of depressive mood on the association of CRP and obesity in 3205 middle aged healthy en. 2003 , 17, 268-75	91
	gh sensitivity C-reactive protein as an independent risk factor for essential hypertension. 2003 , 429-33	129
	elation of C-reactive protein to features of the metabolic syndrome in normal glucose tolerant, paired glucose tolerant, and newly diagnosed type 2 diabetic subjects. 2003 , 29, 65-71	27
	terpretation of circulating C-reactive protein levels in adults: body mass index and gender are a ust. 2003 , 29, 133-8	51
1778 Mi	nireview: adiposity, inflammation, and atherogenesis. 2003 , 144, 2195-200	610
1777 La	proteña C reactiva como marcador del riesgo cardiovascular. 2003 , 20, 74-81	
1776 As	sociation of low interleukin-10 levels with the metabolic syndrome in obese women. 2003 , 88, 1055-8	238
1775 Inf	Flammation and its association with glucose disorders and cardiovascular disease. 2003, 2, 85-94	15
	fect of weight loss and lifestyle changes on vascular inflammatory markers in obese women: a ndomized trial. 2003 , 289, 1799-804	1087
	Flammation-sensitive plasma proteins, diabetes, and mortality and incidence of myocardial Farction and stroke: a population-based study. 2003 , 52, 442-7	116
₁₇₇₂ Ty	pe 2 diabetes as an inflammatory disorder. 2003 , 3, 36-41	14
	aracterization of the long pentraxin PTX3 as a TNFalpha-induced secreted protein of adipose lls. 2003 , 44, 994-1000	109
1770 As	sociation between adiponectin and mediators of inflammation in obese women. 2003 , 52, 942-7	345
1769 C -1	reactive protein and the risk of developing hypertension. 2003 , 290, 2945-51	683
1768 Di	abesity: an inflammatory metabolic condition. 2003 , 41, 1120-30	79

(2003-2003)

1767	Rosiglitazone improves insulin sensitivity and lowers blood pressure in hypertensive patients. 2003 , 26, 172-8	199
1766	Measures of obesity are associated with vascular stiffness in young and older adults. 2003 , 42, 468-73	317
1765	Suppressor of cytokine signaling-3 (SOCS-3), a potential mediator of interleukin-6-dependent insulin resistance in hepatocytes. 2003 , 278, 13740-6	446
1764	Absence of association between infectious agents and endothelial function in healthy young men. 2003 , 107, 1966-71	51
1763	Comparison of the associations of apolipoprotein B and low-density lipoprotein cholesterol with other cardiovascular risk factors in the Insulin Resistance Atherosclerosis Study (IRAS). 2003 , 108, 2312-6	104
1762	C-reactive protein and coronary artery calcification: The Study of Inherited Risk of Coronary Atherosclerosis (SIRCA). <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003 , 23, 1851-6	84
1761	Analytical performance of a highly sensitive C-reactive protein-based immunoassay and the effects of laboratory variables on levels of protein in blood. 2003 , 10, 652-7	82
1760	C-reactive proteins and chronic disease: what role does nutrition play?. 2003 , 18, 227-33	10
1759	Neutrophil activation and C-reactive protein concentration in preeclampsia. 2003, 22, 129-41	56
1758	Inflammation and its relationship to insulin resistance, type 2 diabetes mellitus, and endothelial dysfunction. 2003 , 1, 55-67	15
1757	First-trimester C-reactive protein and subsequent gestational diabetes. 2003 , 26, 819-24	178
1756	Association of markers of systemic inflammation, C reactive protein, serum amyloid A, and fibrinogen, with socioeconomic status. 2003 , 57, 730-3	98
1755	Inflammation in the prediabetic state is related to increased insulin resistance rather than decreased insulin secretion. 2003 , 108, 1822-30	173
1754	Adiponectin expression in adipose tissue is reduced in first-degree relatives of type 2 diabetic patients. 2003 , 284, E443-8	57
1753	HBsAg carrier status and the association between gestational diabetes with increased serum ferritin concentration in Chinese women. 2003 , 26, 3011-6	56
1752	Preanalytic and analytic sources of variations in C-reactive protein measurement: implications for cardiovascular disease risk assessment. 2003 , 49, 1258-71	165
1751	Childhood cardiovascular risk factors and carotid vascular changes in adulthood: the Bogalusa Heart Study. 2003 , 290, 2271-6	707
1750	Elevated serum C-reactive protein and free fatty acids among nondiabetic carriers of missense mutations in the gene encoding lamin A/C (LMNA) with partial lipodystrophy. <i>Arteriosclerosis</i> , 9.4 <i>Thrombosis, and Vascular Biology</i> , 2003 , 23, 111-6	54

1749	Inflammation-sensitive plasma proteins are associated with future weight gain. 2003, 52, 2097-101	189
1748	Obesity, glucose intolerance and diabetes and their links to cardiovascular disease. Implications for laboratory medicine. 2003 , 41, 1266-78	27
1747	Impact of weight loss on inflammatory proteins and their association with the insulin resistance syndrome in morbidly obese patients. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2003 , 23, 1042-79-4	307
1746	C-reactive protein and cardiovascular disease: new insights from an old molecule. 2003 , 96, 793-807	173
1745	Increased expression of TNF-alpha, IL-6, and IL-8 in HALS: implications for reduced adiponectin expression and plasma levels. 2003 , 285, E1072-80	148
1744	Impaired renal function is associated with markers of endothelial dysfunction and increased inflammatory activity. 2003 , 18, 892-8	141
1743	Angiotensin-converting enzyme inhibitor use is associated with reduced plasma concentration of C-reactive protein in patients with first-ever ischemic stroke. 2003 , 34, 2922-9	96
1742	Predicting sleep apnea and excessive day sleepiness in the severely obese: indicators for polysomnography. 2003 , 123, 1134-41	162
1741	Cardiovascular endocrinology 1: aldosterone function in diabetes mellitus: effects on cardiovascular and renal disease. 2003 , 88, 516-23	54
1740	Association of inflammation markers with impaired insulin sensitivity and coagulative activation in obese healthy women. 2003 , 88, 5321-6	99
1739	n-3 Polyunsaturated fatty acids, inflammation and obesity-related disease. 2003 , 62, 447-53	89
1738	The effects of LDL reduction and HDL augmentation on physiologic and inflammatory markers. 2003 , 18, 295-300	15
1737	Microalbuminuria, a parameter independent of metabolic influences in hypertensive men. 2003 , 21, 1163-9	10
1736	Waist circumference, visceral obesity, and cardiovascular risk. 2003 , 23, 161-9	101
1735	Linoleic acid to alpha-linolenic acid ratio. From clinical trials to inflammatory markers of coronary artery disease. 2003 , 92, 92-108	13
1734	C-reactive protein and interleukin-6 in vascular disease: culprits or passive bystanders?. 2003 , 21, 1787-803	133
1733	Atherosclerotic plaque formation and risk factors. 2003 , 16, 25-31	22
1732	C-reactive protein is independently associated with fasting insulin in nondiabetic women. Arteriosclerosis, Thrombosis, and Vascular Biology, 2003, 23, 650-5	161

1731	Thrombin, inflammation, and cardiovascular disease: an epidemiologic perspective. 2003, 124, 49S-57S	80
1730	C-reactive protein as a predictor for incident diabetes mellitus among middle-aged men: results from the MONICA Augsburg cohort study, 1984-1998. 2003 , 163, 93-9	242
1729	Association of body mass index, body fat, and weight gain with inflammation markers among rural residents in Japan. 2003 , 67, 323-9	73
1728	Changes in childhood food consumption patterns: a cause for concern in light of increasing body weights. 2003 , 78, 1068-73	237
1727	[Treatment of obesity: the need to target attention on high-risk patients characterized by abdominal obesity]. 2003 , 19 Suppl 1, S7-19	10
1726	Elevation of serum C-reactive protein levels is associated with obesity in boys. 2003 , 26, 541-6	48
1725	. 2004,	1
1724	Associations between White Blood Cell Count and Features of the Metabolic Syndrome. 2004 , 34, 280	2
1723	Conjugated linoleic acid supplementation, insulin sensitivity, and lipoprotein metabolism in patients with type 2 diabetes mellitus. 2004 , 80, 887-95	194
1722	Interleukin-6 promoter genotype and restenosis after femoropopliteal balloon angioplasty: initial observations. 2004 , 231, 839-44	19
1721	Relationship between C-reactive protein and progression of early carotid atherosclerosis in hypertensive subjects. 2004 , 35, 1625-30	44
1720	Genetic variation: nutritional implications. 2004 , 93, 1-28	8
1719	Endothelial dysfunction and insulin resistance. 2004 , 2, 129-36	4
1718	Effects of diet and exercise on obesity-related vascular dysfunction in children. 2004, 109, 1981-6	330
1717	Bowel inflammation as measured by fecal calprotectin: a link between lifestyle factors and colorectal cancer risk. 2004 , 13, 279-84	163
1716	The impact of abnormalities in IGF and inflammatory systems on the metabolic syndrome. 2004 , 27, 2682-8	39
1715	Should C-reactive protein be added to metabolic syndrome and to assessment of global cardiovascular risk?. 2004 , 109, 2818-25	508
1714	Dyslipidemia and the metabolic syndrome. 2004 , 27, 3009-16	16

1713	Biomarkers of endothelial dysfunction and risk of type 2 diabetes mellitus. 2004, 291, 1978-86		468
1712	Effect of a mediterranean-style diet on endothelial dysfunction and markers of vascular inflammation in the metabolic syndrome: a randomized trial. 2004 , 292, 1440-6		1456
1711	Obesity and erectile dysfunction: common problems, common solution?. 2004 , 291, 3011-2		12
1710	Effect of lifestyle changes on erectile dysfunction in obese men: a randomized controlled trial. 2004 , 291, 2978-84		613
1709	The levels of soluble adhesion molecules in diabetic and nondiabetic patients with combined hyperlipoproteinemia and the effect of ciprofibrate therapy. 2004 , 55, 629-39		12
1708	Serum haptoglobin: a novel marker of adiposity in humans. 2004 , 89, 2678-83		99
1707	Effect of weight loss on cardiac synchronization and proinflammatory cytokines in premenopausal obese women. 2004 , 27, 47-52		183
1706	C-reactive protein and features of the metabolic syndrome in a population-based sample of children and adolescents. 2004 , 50, 1762-8		124
1705	Effect of fenofibrate on serum inflammatory markers in patients with high triglyceride values. 2004 , 9, 27-33		54
1704	Genetic influence on inflammation variables in the elderly. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 2168-73	9.4	90
1703	Can exercise training with weight loss lower serum C-reactive protein levels?. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2004 , 24, 1868-73	9.4	127
1702	C-reactive protein, fibrin D-dimer, and risk of ischemic heart disease: the Caerphilly and Speedwell studies. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 1957-62	9.4	58
1701	From blood monocytes to adipose tissue-resident macrophages: induction of diapedesis by human mature adipocytes. 2004 , 53, 1285-92		483
1700	Adipokines: inflammation and the pleiotropic role of white adipose tissue. 2004 , 92, 347-55		1584
1699	Exercise reduces plasma levels of the chemokines MCP-1 and IL-8 in subjects with the metabolic syndrome. 2004 , 25, 349-55		122
1698	CRP and risk of coronary heart disease: can exercise training cool down the flames?. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 1743-5	9.4	7
1697	Pathogenic role of inflammatory cytokines in obesity: from insulin resistance to diabetes mellitus. 2004 , 9, 141-153		2
1696	Inverse association between birth weight and C-reactive protein concentrations in the MIDSPAN Family Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 583-7	9.4	81

1695	Monocyte count, but not C-reactive protein or interleukin-6, is an independent risk marker for subclinical carotid atherosclerosis. 2004 , 35, 1619-24		165
1694	Genetic risk and gene-environment interaction in coronary artery spasm in Japanese men and women. 2004 , 25, 970-7		56
1693	Central fat mass versus peripheral fat and lean mass: opposite (adverse versus favorable) associations with arterial stiffness? The Amsterdam Growth and Health Longitudinal Study. 2004 , 89, 2632-9		149
1692	Inhibition of inducible nitric-oxide synthase by activators of AMP-activated protein kinase: a new mechanism of action of insulin-sensitizing drugs. 2004 , 279, 20767-74		131
1691	Clinical implications of obesity with specific focus on cardiovascular disease: a statement for professionals from the American Heart Association Council on Nutrition, Physical Activity, and Metabolism: endorsed by the American College of Cardiology Foundation. 2004 , 110, 2952-67		681
1690	Metabolic syndrome, a cardiovascular disease risk factor: role of adipocytokines and impact of diet and physical activity. 2004 , 29, 808-29		46
1689	Incidence of obesity-associated cardiovascular disease is related to inflammation-sensitive plasma proteins: a population-based cohort study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 1498-502	9.4	57
1688	Interleukin-6, fibrin D-dimer, and coagulation factors VII and XIIa in prediction of coronary heart disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 1529-34	9.4	113
1687	Inflammation, insulin resistance, and adiposity: a study of first-degree relatives of type 2 diabetic subjects. 2004 , 27, 2033-40		103
1686	Relationship between C-reactive protein and visceral adipose tissue in healthy Japanese subjects. 2004 , 6, 249-58		117
1685	C-reactive protein, its role in inflammation, Type 2 diabetes and cardiovascular disease, and the effects of insulin-sensitizing treatment with thiazolidinediones. 2004 , 21, 810-7		104
1684	Insulin resistance and C-reactive protein as independent risk factors for non-alcoholic fatty liver disease in non-obese Asian men. 2004 , 19, 694-8		145
1683	A prospective study of maternal serum C-reactive protein (CRP) concentrations and risk of gestational diabetes mellitus. 2004 , 18, 377-84		94
1682	Recombinant GH replacement in hypopituitary adults improves endothelial cell function and reduces calculated absolute and relative coronary risk. 2004 , 61, 387-93		28
1681	Low-grade systemic inflammation impairs arterial stiffness in newly diagnosed hypercholesterolaemia. 2004 , 34, 335-41		50
1680	Prevalence of acidosis and inflammation and their association with low serum albumin in chronic kidney disease. 2004 , 65, 1031-40		155
1679	Periodontitis and atherogenesis: causal association or simple coincidence?. 2004 , 31, 402-11		101
1678	Overweight in children is associated with arterial endothelial dysfunction and intima-media thickening. 2004 , 28, 852-7		226

1677	TNFalpha release by the nonfat cells of human adipose tissue. 2004 , 28, 616-22	145
1676	Obesity is the major determinant of elevated C-reactive protein in subjects with the metabolic syndrome. 2004 , 28, 674-9	194
1675	Inhibitor kappaB kinase is involved in the paracrine crosstalk between human fat and muscle cells. 2004 , 28, 985-92	37
1674	Elevated sialic acid, but not CRP, predicts features of the metabolic syndrome independently of BMI in women. 2004 , 28, 1004-10	27
1673	Association between C-reactive protein, metabolic cardiovascular risk factors, obesity and oral contraceptive use in young adults. 2004 , 28, 998-1003	57
1672	Systemic low-grade inflammation is related to both circulating and adipose tissue TNFalpha, leptin and IL-6 levels in obese women. 2004 , 28, 993-7	264
1671	Ectopic fat storage in heart, blood vessels and kidneys in the pathogenesis of cardiovascular diseases. 2004 , 28 Suppl 4, S58-65	180
1670	Are we content with lowering blood pressure alone, or should we be asking something more from the antihypertensive drugs we use?: effects of antihypertensive agents on fibrinolytic function. 2004 , 18, 681-3	1
1669	A novel pathway to the manifestations of metabolic syndrome. 2004 , 12, 180-6	167
1668	Metabolic syndrome is associated with impaired long-term renal allograft function; not all component criteria contribute equally. 2004 , 4, 1675-83	161
1667	Endothelial dysfunction in patients with type 2 diabetes and the effects of thiazolidinedione antidiabetic agents. 2004 , 18, 91-102	16
1666	Effect of short-term weight loss on the metabolic syndrome and conduit vascular endothelial function in overweight adults. 2004 , 93, 1012-6	85
1665	Effect of liposuction on insulin resistance and vascular inflammatory markers in obese women. 2004 , 57, 190-4	114
1664	Antioxidant superoxide dismutase activity in obese children. 2004 , 98, 219-28	29
1663	Endothelial dysfunction, inflammation and diabetes. 2004 , 5, 189-97	61
1662	Insulin resistance, haemostatic and inflammatory markers and coronary heart disease risk factors in Type 2 diabetic men with and without coronary heart disease. 2004 , 47, 1557-65	46
1661	Fibrinogen and fibrin clot structure in diabetes. 2004 , 29, 470-9	41
1660	Hypofibrinolysis in the insulin resistance syndrome: implication in cardiovascular diseases. 2004 , 255, 448-56	45

1659	Heritability of C-reactive protein and association with apolipoprotein E genotypes in Japanese Americans. 2004 , 68, 179-88	49
1658	Type 2 diabetes mellitus: a disease of the innate immune system? An update. 2004 , 21, 203-7	107
1657	Association between fasting glucose and C-reactive protein in middle-aged subjects. 2004 , 21, 39-44	84
1656	CRP and IL-6 concentrations are associated with poor glycemic control despite preserved beta-cell function during the first year after diagnosis of type 1 diabetes. 2004 , 20, 205-10	27
1655	Reductions in plasma cytokine levels with weight loss improve insulin sensitivity in overweight and obese postmenopausal women. 2004 , 27, 1699-705	157
1654	Erectile dysfunction associates with endothelial dysfunction and raised proinflammatory cytokine levels in obese men. 2004 , 27, 665-9	110
1653	Association between acute-phase reactants and advanced glycation end products in type 2 diabetes. 2004 , 27, 223-8	88
1652	La inflamaciը en los sâdromes coronarios agudos: mecanismos e implicaciones clâicas. 2004 , 57, 433-446	19
1651	Impact of obesity on the risk of heart failure and survival after the onset of heart failure. 2004 , 88, 1273-94	82
1650	Obesity is an important determinant of baseline serum C-reactive protein concentration in monozygotic twins, independent of genetic influences. 2004 , 109, 3022-8	146
1649	[Biomarkers of vascular inflammation and subclinical atherosclerosis in the metabolic syndrome]. 2004 , 123, 361-3	1
1648	Insulin and insulin resistance: impact on blood pressure and cardiovascular disease. 2004 , 88, 63-82	111
1647	C-reactive protein, the metabolic syndrome, and prediction of cardiovascular events in the Framingham Offspring Study. 2004 , 110, 380-5	514
1646	Inflammation in Acute Coronary Syndromes: Mechanisms and Clinical Implications. 2004 , 57, 433-446	3
1645	Reduction in C-reactive protein through cardiac rehabilitation and exercise training. 2004 , 43, 1056-61	241
1644	A dietary and exercise intervention slows menopause-associated progression of subclinical atherosclerosis as measured by intima-media thickness of the carotid arteries. 2004 , 44, 579-85	109
1643	The metabolic syndrome and inflammation. 2004 , 2, 82-104	144
1642	C-reactive protein and microalbuminuria differ in their associations with various domains of vascular disease. 2004 , 172, 107-14	44

1641	Role of fibric acid derivatives in the management of risk factors for coronary heart disease. 2004 , 64, 2177-98	52
1640	The cardiovascular effects of chronic hypoestrogenism in amenorrhoeic athletes: a critical review. 2004 , 34, 601-27	31
1639	Should the insulin resistance syndrome be treated in the elderly?. 2004 , 21, 141-51	11
1638	Lipaemia, inflammation and atherosclerosis: novel opportunities in the understanding and treatment of atherosclerosis. 2004 , 64 Suppl 2, 19-41	52
1637	Inflammation and activated innate immunity in the pathogenesis of type 2 diabetes. 2004 , 27, 813-23	1001
1636	Inflammatory markers and risk of developing type 2 diabetes in women. 2004 , 53, 693-700	598
1635	Metabolic syndrome: an appraisal of the pro-inflammatory and procoagulant status. 2004 , 33, 431-53, table of contents	93
1634	Fenofibrate reduces tumor necrosis factor-alpha serum concentration and adipocyte secretion of hypercholesterolemic rabbits. 2004 , 347, 145-50	24
1633	Decrease in serum C-reactive protein levels by troglitazone is associated with pretreatment insulin resistance, but independent of its effect on glycemia, in type 2 diabetic subjects. 2004 , 63, 19-26	10
1632	Comparison of serum concentrations of C-reactive protein, TNF-alpha, and interleukin 6 between elderly Korean women with normal and impaired glucose tolerance. 2004 , 64, 99-106	57
1631	Insulin resistance and endothelial dysfunction in type 2 diabetes patients with or without microalbuminuria. 2004 , 65, 95-104	41
1630	Role of adipocytokines in metabolism and disease. 2004 , 24, 803-826	33
1629	Inflammation: the link between insulin resistance, obesity and diabetes. 2004 , 25, 4-7	1586
1628	Body fat is the main predictor of fibrinogen levels in healthy non-obese men. 2004 , 53, 984-8	18
1627	Initiation of insulin therapy reduces serum concentrations of high-sensitivity C-reactive protein in patients with type 2 diabetes. 2004 , 53, 693-9	50
1626	Discrimination ratio analysis of inflammatory markers: implications for the study of inflammation in chronic disease. 2004 , 53, 899-903	33
1625	Low-grade inflammation may play a role in the etiology of the metabolic syndrome in patients with coronary heart disease: the HIFMECH study. 2004 , 53, 852-7	121
1624	Rosiglitazone treatment improves insulin regulation and dyslipidemia in type 2 diabetic cynomolgus monkeys. 2004 , 53, 1121-5	17

(2004-2004)

1623	Association between diet, lifestyle, metabolic cardiovascular risk factors, and plasma C-reactive protein levels. 2004 , 53, 1436-42	70
1622	Adiponectin and C-reactive protein in obesity, type 2 diabetes, and monodrug therapy. 2004 , 53, 1454-61	54
1621	C-reactive protein concentrations are related to insulin resistance and metabolic syndrome as defined by the ATP III report. 2004 , 97, 101-6	65
1620	Lower expression of adiponectin mRNA in visceral adipose tissue in lean and obese subjects. 2004 , 219, 9-15	240
1619	AMPK activation may suppress hepatic production of C-reactive protein by stimulating nitric oxide synthase. 2004 , 63, 328-33	20
1618	Inflammation, insulin, and endothelial function in overweight children and adolescents: the role of exercise. 2004 , 145, 731-6	204
1617	Prognostic significance of raised plasma levels of interleukin-6 and C-reactive protein in atrial fibrillation. 2004 , 148, 462-6	169
1616	A prospective study of maternal serum C-reactive protein concentrations and risk of preeclampsia. 2004 , 17, 154-60	91
1615	Comparison of arterial assessments in low and high vascular disease risk groups. 2004 , 17, 285-91	57
1614	Association of the ER22/23EK polymorphism in the glucocorticoid receptor gene with survival and C-reactive protein levels in elderly men. 2004 , 117, 158-62	78
1613	Body fat and C-reactive protein levels in healthy non-obese men. 2004 , 14, 66-72	14
1612	The metabolic syndrome and inflammation: association or causation?. 2004 , 14, 228-32	145
1611	Soluble thrombomodulin and vascular adhesion molecule-1 are associated to leptin plasma levels in obese women. 2004 , 172, 175-80	31
1610	Biological determinants of serum ICAM-1, E-selectin, P-selectin and L-selectin levels in healthy subjects: the Stanislas study. 2004 , 172, 299-308	66
1609	C-reactive protein and arterial stiffness in older adults: the Rotterdam Study. 2004 , 176, 111-6	110
1608	C-Reactive protein is inversely related to physical fitness in middle-aged subjects. 2004 , 176, 173-9	79
1607	Increase in intranuclear nuclear factor kappaB and decrease in inhibitor kappaB in mononuclear cells after a mixed meal: evidence for a proinflammatory effect. 2004 , 79, 682-90	194
1606	Major dietary patterns are related to plasma concentrations of markers of inflammation and endothelial dysfunction. 2004 , 80, 1029-35	594

1605	C-reactive protein is associated with psychological risk factors of cardiovascular disease in apparently healthy adults. 2004 , 66, 684-91	116
1604	Obŝit'androđe. 2004, 1, 1-9	
1603	Factors predisposing to pre-eclampsia in women with gestational diabetes. 2004 , 22, 2371-8	46
1602	Regional body composition as a determinant of arterial stiffness in the elderly: The Hoorn Study. 2004 , 22, 2339-47	88
1601	Association between C-reactive protein and hypertension in healthy middle-aged men and women. 2004 , 15, 331-6	45
1600	The role of fat-soluble nutrients and antioxidants in preventing heart disease. 2004 , 56-76	
1599	The role of insulin and the adipocytokines in regulation of vascular endothelial function. 2004 , 107, 519-32	72
1598	Association of high sensitivity C-reactive protein with coronary heart disease prediction, but not with carotid atherosclerosis, in patients with hypertension. 2004 , 68, 297-303	59
1597	Microalbuminuria as a marker of cardiovascular and renal risk in type 2 diabetes mellitus: a temporal perspective. 2004 , 286, F442-50	64
1596	Consumption of trans fatty acids is related to plasma biomarkers of inflammation and endothelial dysfunction. 2005 , 135, 562-6	389
1595	Associations between dimensions of job stress and biomarkers of inflammation and infection. 2005 , 47, 878-83	36
1594	Association between C-reactive protein and insulin resistance in a Japanese population: the Minoh Study. 2005 , 44, 542-7	29
1593	The cardiovascular continuum in Asiaa new paradigm for the metabolic syndrome. 2005 , 46, 125-9	39
1592	The biology of obesity. 2005 , 64, 31-8	68
1591	The effects of conjugated linoleic acid on human health-related outcomes. 2005 , 64, 171-82	74
1590	Signalling role of adipose tissue: adipokines and inflammation in obesity. 2005 , 33, 1078-81	355
1589	Effect of C-reactive protein on Fcgamma receptor II in cultured bovine endothelial cells. 2005 , 108, 85-91	13
1588	C-reactive protein concentration is more strongly related to metabolic syndrome in women than in men: the Minoh Study. 2005 , 69, 386-91	57

(2005-2005)

1587	Changes in C-reactive protein predict insulin sensitivity in severely obese individuals after weight loss surgery. 2005 , 9, 1119-26; discussion 1127-8	18
1586	Influence of leisure-time physical activity on the relationship between C-reactive protein and hypertension in a community-based elderly population of Japan: the Tsurugaya project. 2005 , 28, 747-54	18
1585	Vascular complications in diabetes mellitus: the role of endothelial dysfunction. 2005 , 109, 143-59	469
1584	The effect of weight loss on a stable biomarker of inflammation, C-reactive protein. 2005 , 63, 22-8	80
1583	A Mediterranean-style diet and metabolic syndrome. 2005 , 63, 312-4	36
1582	Circulating inflammatory markers and risks of cardiovascular and non-cardiovascular disease. 2005 , 3, 1618-27	149
1581	Interleukin-6 modulates plasma cholesterol and C-reactive protein concentrations in nonagenarians. 2005 , 53, 1552-8	15
1580	The effect of diets high in protein or carbohydrate on inflammatory markers in overweight subjects. 2005 , 7, 223-9	36
1579	Plasma IL-6 concentration is inversely related to insulin sensitivity, and acute-phase proteins associate with glucose and lipid metabolism in healthy subjects. 2005 , 7, 729-36	42
1578	Plasma leptin concentration in patients with Type 2 diabetes: relationship to cardiovascular disease risk factors and insulin resistance. 2005 , 22, 278-85	29
1577	Adiponectin: action, regulation and association to insulin sensitivity. 2005 , 6, 13-21	488
1576	Regional differences of insulin action in adipose tissue: insights from in vivo and in vitro studies. 2005 , 183, 13-30	168
1575	Endocrine and signalling role of adipose tissue: new perspectives on fat. 2005 , 184, 285-93	373
1574	Review article: the metabolic syndromea chronic cardiovascular inflammatory condition. 2005 , 22 Suppl 2, 20-3	44
1573	Increased plasma N-terminal pro-B-type natriuretic peptide and markers of inflammation related to atherosclerosis in patients with primary hyperparathyroidism. 2005 , 63, 493-8	49
1572	Does C-reactive protein identify a subclinical metabolic disease in healthy subjects?. 2005 , 35, 265-70	25
1571	Effect of rosuvastatin on insulin sensitivity in patients with familial combined hyperlipidaemia. 2005 , 35, 558-64	32
1570	Gestational diabetes mellitus is associated with increased C-reactive protein concentrations in the third but not second trimester. 2005 , 35, 752-7	25

1569	Mediating effects of inflammatory biomarkers on insulin resistance associated with obesity. 2005 , 13, 1772-83	20
1568	E-selectin genotypes and risk of type 2 diabetes in women. 2005 , 13, 513-8	9
1567	Direct comparison of dietary portfolio vs statin on C-reactive protein. 2005 , 59, 851-60	56
1566	Obesity, the metabolic syndrome, and sexual dysfunction. 2005 , 17, 391-8	146
1565	Linking erectile dysfunction and coronary artery disease. 2005 , 17 Suppl 1, S12-8	33
1564	Genome-wide scan of resistin mRNA expression in omental adipose tissue of baboons. 2005 , 29, 406-12	11
1563	CRP reduction following gastric bypass surgery is most pronounced in insulin-sensitive subjects. 2005 , 29, 1275-80	53
1562	Central obesity as a major determinant of increased high-sensitivity C-reactive protein in metabolic syndrome. 2005 , 29, 1452-6	105
1561	Independent association between inflammatory markers (C-reactive protein, interleukin-6, and TNF-alpha) and essential hypertension. 2005 , 19, 149-54	375
1560	Hypertension in patients with type-II diabetes: relation to urinary albumin excretion, endothelial function and inflammation. 2005 , 19, 421-4	23
1559	Relationship between C-reactive protein and arterial stiffness in an asymptomatic population. 2005 , 19, 515-9	83
1558	Biological foundation for periodontitis as a potential risk factor for atherosclerosis. 2005 , 40, 87-95	69
1557	Dyslipidemia and inflammation: an evolutionary conserved mechanism. 2005 , 24, 16-31	285
1556	Effects of interleukin-6 produced in coronary circulation on production of C-reactive protein and coronary microvascular resistance. 2005 , 95, 849-52	10
1555	Relation of high-sensitivity C-reactive protein, interleukin-6, tumor necrosis factor-alpha, and fibrinogen to abdominal adipose tissue, blood pressure, and cholesterol and triglyceride levels in healthy postmenopausal women. 2005 , 96, 92-7	137
1554	The metabolic basis of atherogenic dyslipidemia. 2005 , 7, 27-35	35
1553	Temas de actualidad en cardiologâ preventiva: el sâdrome metablico. 2005 , 5, 13A-23A	
1552	Sâdrome metablico. Concepto y fisiopatologâ. 2005 , 5, 3D-10D	

(2005-2005)

1551	Obesity is an independent contributor to functional capacity and inflammation in systemic lupus erythematosus. 2005 , 52, 3651-9	107
1550	-717A>G polymorphism of human C-reactive protein gene associated with coronary heart disease in ethnic Han Chinese: the Beijing atherosclerosis study. 2005 , 83, 72-8	58
1549	The metabolic syndrome: time for a critical appraisal. Joint statement from the American Diabetes Association and the European Association for the Study of Diabetes. 2005 , 48, 1684-99	307
1548	[Obesity and osteoporosis]. 2005 , 34, 645-51	
1547	Higher circulating hsCRP levels are associated with lower bone mineral density in healthy pre- and postmenopausal women: evidence for a link between systemic inflammation and osteoporosis. 2005 , 16, 1263-71	167
1546	Novel -209A/G MT2A polymorphism in old patients with type 2 diabetes and atherosclerosis: relationship with inflammation (IL-6) and zinc. 2005 , 6, 407-13	74
1545	Lipid therapy for cardiovascular disease with insulin resistance, diabetes, or the metabolic syndrome. 2005 , 7, 457-64	5
1544	Innate immunity and inflammation in ageing: a key for understanding age-related diseases. 2005 , 2, 8	323
1543	. 2005,	9
1542	Influence of long-term intervention with dietary counseling, long-chain n-3 fatty acid supplements, or both on circulating markers of endothelial activation in men with long-standing hyperlipidemia. 2005 , 81, 583-9	88
1541	Inflammation in Chronic Kidney Disease. 2005 , 232-246	
1540	C-reactive protein and cardiorespiratory fitness in young adults. 2005 , 12, 216-20	15
1539	Sodium lactate increases LPS-stimulated MMP and cytokine expression in U937 histiocytes by enhancing AP-1 and NF-kappaB transcriptional activities. 2005 , 289, E534-42	43
1538	Serum C-reactive protein and cognitive function in healthy elderly Italian community dwellers. 2005 , 60, 1017-21	39
1537	Risk factors identified in childhood and decreased carotid artery elasticity in adulthood: the Cardiovascular Risk in Young Finns Study. 2005 , 112, 1486-93	275
1536	Stimulation of NGF expression and secretion in 3T3-L1 adipocytes by prostaglandins PGD2, PGJ2, and Delta12-PGJ2. 2005 , 289, E62-7	24
1535	Relation of C-reactive protein to insulin resistance and cardiovascular risk factors in youth. 2005 , 28, 1763-8	71
1534	Adipokines: molecular links between obesity and atheroslcerosis. 2005 , 288, H2031-41	625

1533	Raised CRP levels mark metabolic and functional impairment in advanced COPD. 2006, 61, 17-22		250
1532	Elevated interleukin-18 levels are associated with the metabolic syndrome independent of obesity and insulin resistance. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 1268-73	9.4	176
1531	Arterial stiffness is related to systemic inflammation in essential hypertension. 2005 , 46, 1118-22		255
1530	Adiponectin: a key fat-derived molecule regulating inflammation. 2005 , 9, 245-51		50
1529	Adipose tissue in obesityan inflammatory issue. 2005 , 146, 1003-5		78
1528	Hyperglycemia alters tumor necrosis factor-alpha release from mononuclear cells in women with polycystic ovary syndrome. 2005 , 90, 5336-42		73
1527	Effects of weight loss and pharmacotherapy on inflammatory markers of cardiovascular disease. 2005 , 3, 743-59		8
1526	Evaluating the cardiovascular effects of the thiazolidinediones and their place in the management of type 2 diabetes in relation to the metabolic syndrome. 2005 , 3, 147-73		3
1525	Peroxisome proliferator-activated receptor (PPAR)alpha activation increases adiponectin receptors and reduces obesity-related inflammation in adipose tissue: comparison of activation of PPARalpha, PPARgamma, and their combination. 2005 , 54, 3358-70		331
1524	Behavioural treatments for chronic systemic inflammation: effects of dietary weight loss and exercise training. 2005 , 172, 1199-209		154
1523	Association of C-reactive protein with blood pressure and hypertension: life course confounding and mendelian randomization tests of causality. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 1051-6	9.4	159
1522	Intensive lifestyle intervention or metformin on inflammation and coagulation in participants with impaired glucose tolerance. 2005 , 54, 1566-72		268
1521	Effect of rosiglitazone on insulin resistance, C-reactive protein and endothelial function in non-obese young women with polycystic ovary syndrome. 2005 , 153, 115-21		69
1520	S-nitrosation of the insulin receptor, insulin receptor substrate 1, and protein kinase B/Akt: a novel mechanism of insulin resistance. 2005 , 54, 959-67		215
1519	Signalling role of adipose tissue: adipokines and inflammation in obesity. 2005 , 33, 1078		377
1518	Lifecourse socioeconomic position, C-reactive protein, and carotid intima-media thickness in young adults: the cardiovascular risk in Young Finns Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 2197-202	9.4	72
1517	The metabolic syndrome, cardiopulmonary fitness, and subcutaneous trunk fat as independent determinants of arterial stiffness: the Amsterdam Growth and Health Longitudinal Study. 2005 , 165, 875-82		138
1516	Complement C3 is a risk factor for the development of diabetes: a population-based cohort study. 2005 , 54, 570-5		168

1515	Arterial distensibility in adolescents: the influence of adiposity, the metabolic syndrome, and classic risk factors. 2005 , 112, 1789-97	126
1514	C reactive protein levels are increased in non-allergic but not allergic asthma: a multicentre epidemiological study. 2005 , 60, 451-4	103
1513	The emerging roles of leptin and ghrelin in cardiovascular physiology and pathophysiology. 2005 , 3, 169-80	46
1512	A burning question: does an adipokine-induced activation of the immune system mediate the effect of overnutrition on type 2 diabetes?. 2005 , 54, 917-27	172
1511	Fatness is a better predictor of cardiovascular disease risk factor profile than aerobic fitness in healthy men. 2005 , 111, 1904-14	96
1510	Consequences of inadequate food energy and negative energy balance in humans. 2005 , 8, 1053-76	29
1509	Effect of obesity on inflammatory markers and renal functions. 2005 , 94, 1732-1737	23
1508	Evaluation of a high-sensitivity turbidimetric immunoassay for serum C-reactive protein: application to the study of longitudinal changes throughout normal pregnancy. 2005 , 43, 308-13	10
1507	Effect of exercise training on plasma levels of C-reactive protein in healthy adults: the HERITAGE Family Study. 2005 , 26, 2018-25	145
1506	C-reactive protein, depressed mood, and the prediction of coronary heart disease in initially healthy men: results from the MONICA-KORA Augsburg Cohort Study 1984-1998. 2005 , 26, 2537-42	59
1505	Concentrations of leptin and C-reactive protein in serum and follicular fluid during assisted reproductive cycles. 2005 , 20, 1266-71	42
1504	Effect of atorvastatin on tumor necrosis factor alpha serum concentration and mRNA expression of adipose in hypercholesterolemic rabbits. 2005 , 46, 185-9	21
1503	"Vasocrine" signalling from perivascular fat: a mechanism linking insulin resistance to vascular disease. 2005 , 365, 1817-20	418
1502	C-reactive protein and its role in metabolic syndrome: mendelian randomisation study. 2005 , 366, 1954-9	266
1501	El paradigma inmune Th1-Th2: un vâculo entre obesidad, aterosclerosis y diabetes mellitus. 2005 , 17, 232-248	
1500	Association between elevated liver enzymes and C-reactive protein: possible hepatic contribution to systemic inflammation in the metabolic syndrome. <i>Arteriosclerosis, Thrombosis, and Vascular</i> 9.4 <i>Biology,</i> 2005 , 25, 193-7	. 179
1499	Nonalcoholic fatty liver disease is associated with carotid atherosclerosis: a case-control study. **Arteriosclerosis, Thrombosis, and Vascular Biology, 2005, 25, 1045-50** 9-4	. 285
1498	Diet-induced weight loss is associated with decreases in plasma serum amyloid a and C-reactive protein independent of dietary macronutrient composition in obese subjects. 2005 , 90, 2244-9	92

1497	The metabolic syndrome and insulin resistance: relationship to haemostatic and inflammatory markers in older non-diabetic men. 2005 , 181, 101-8	117
1496	Genetic influences on cardiac surgical outcomes. 2005 , 19, 379-91	4
1495	Effects of exercise and diet on chronic disease. 2005 , 98, 3-30	351
1494	Markers of endothelial cell activation in elderly men at high risk for coronary heart disease. 2005 , 65, 201-9	8
1493	Liver markers and development of the metabolic syndrome: the insulin resistance atherosclerosis study. 2005 , 54, 3140-7	329
1492	The effect of ciprofibrate on flow-mediated dilation and inflammatory markers in patients with combined hyperlipidemia. 2005 , 12, 179-83	8
1491	Lifestyle modification and endothelial function in obese subjects. 2005 , 3, 231-41	19
1490	Overweight and obesity as risk indicators for periodontitis in adults. 2005 , 76, 1721-8	164
1489	C-reactive protein and tumor necrosis factor-alpha in gestational hyperglycemia. 2005, 28, 779-86	41
1488	The reciprocal association of adipocytokines with insulin resistance and C-reactive protein in clinically healthy men. 2005 , 54, 439-44	38
1487	Exercise training is not associated with improved levels of C-reactive protein or adiponectin. 2005 , 54, 533-41	167
1486	High-sensitivity C-reactive protein is associated with insulin resistance and cardiovascular autonomic dysfunction in type 2 diabetic patients. 2005 , 54, 552-8	46
1485	High-sensitive C-reactive protein, tumor necrosis factor alpha, and cardiovascular risk factors before and after weight loss in obese children. 2005 , 54, 1155-61	93
1484	Lifestyle-only intervention attenuates the inflammatory state associated with obesity: a randomized controlled study in adolescents. 2005 , 146, 342-8	163
1483	Metabolic, hormonal, oxidative, and inflammatory factors in pediatric obesity-related liver disease. 2005 , 147, 62-6	61
1482	Predicting risk and treatment benefit in atherosclerosis: the role of C-reactive protein. 2005 , 98, 199-206	61
1481	Prevalence of Helicobacter pylori infection and its association with cardiovascular risk factors in Korean adults. 2005 , 102, 411-7	42
1480	Rheumatoid disease and ischaemic heart disease: insights from pathophysiology and vascular biology. 2005 , 105, 1-10	9

(2005-2005)

1479	High-density lipoproteins attenuate interleukin-6 production in endothelial cells exposed to pro-inflammatory stimuli. 2005 , 1736, 136-43	31
1478	The pro-inflammatory cytokine IL-18 is expressed in human adipose tissue and strongly upregulated by TNFalpha in human adipocytes. 2005 , 337, 422-9	73
1477	Mechanisms of endothelial dysfunction in obesity. 2005 , 360, 9-26	131
1476	Elevated plasma interleukin-18 is a marker of insulin-resistance in type 2 diabetic and non-diabetic humans. 2005 , 117, 152-60	89
1475	Relationship of obesity and visceral adiposity with serum concentrations of CRP, TNF-alpha and IL-6. 2005 , 69, 29-35	579
1474	Association between fasting glucose and C-reactive protein in a Japanese population: the Minoh study. 2005 , 69, 88-98	17
1473	Insulin secretion and insulin sensitivity in Japanese subjects with impaired fasting glucose and isolated fasting hyperglycemia. 2005 , 70, 46-52	22
1472	Relationship of C-reactive protein with components of the metabolic syndrome in normal-weight and overweight elderly. 2005 , 15, 270-8	26
1471	Leptin and immune function: integrating the evidence. 2005 , 25, 791-803	7
1470	Fitness, inflammation, and the metabolic syndrome in men with paraplegia. 2005, 86, 1176-81	130
1469	Prognostic impact of body weight and abdominal obesity in women and men with cardiovascular disease. 2005 , 149, 54-60	252
1468	Obesity and clinical restenosis after coronary stent placement. 2005 , 150, 821-6	23
1467	Single nucleotide polymorphisms in the interleukin-6 gene associated with blood pressure and atherosclerosis in a Japanese general population. 2005 , 28, 35-41	27
1466	The effects of physical activity on serum C-reactive protein and inflammatory markers: a systematic review. 2005 , 45, 1563-9	726
1465	Endothelial activation and inflammation in prepubertal obese Turkish children. 2005, 54, 1384-9	33
1464	A role of vitamin D in low-intensity chronic inflammation and insulin resistance in type 2 diabetes mellitus?. 2005 , 18, 175-82	33
1463	Atherosclerosis: Diet and Drugs. 2005,	2

1461 Insulin Resistance and Coronary Heart Disease. 2005, 369-382

The inflammatory C-reactive protein is increased in both liver and adipose tissue in severely obese patients independently from metabolic syndrome, Type 2 diabetes, and NASH. 2006 , 101, 1824-33	137
Release of interleukins and other inflammatory cytokines by human adipose tissue is enhanced in obesity and primarily due to the nonfat cells. 2006 , 74, 443-77	460
1458 Plasma Proteins and Protein Catabolism. 2006 , 81-92	
Body fat and circulating leukocytes in children. 2006 , 30, 906-11	71
Metabolic syndrome aggravates the increased endothelial activation and low-grade inflammation in subjects with familial low HDL. 2006 , 38, 229-38	21
Hip circumference is an important predictor of plasma C-reactive protein levels in overweight and obese Taiwanese women. 2006 , 45, 215-20	2
1454 C-reactive protein levels in patients with aggressive periodontitis. 2006 , 77, 933-9	80
1453 Gender-specific care of the patient with diabetes: review and recommendations. 2006 , 3, 131-58	159
1452 Is visceral obesity the cause of the metabolic syndrome?. 2006 , 38, 52-63	443
1451 Sex differences in the relation of body composition to markers of inflammation. 2006 , 184, 216-24	191
1450 Endothelial dysfunction and its role in diabetic vascular disease. 2006 , 35, 551-60, viii-ix	42
Nonalcoholic fatty liver disease: Cytokine-adipokine interplay and regulation of insulin resistance. 2006 , 131, 934-45	274
Increased adipose tissue expression of hepcidin in severe obesity is independent from diabetes and NASH. 2006 , 131, 788-96	365
1447 Inflammation and pre-eclampsia. 2006 , 11, 309-16	319
1446 The metabolic syndrome and cardiovascular disease. 2006 , 38, 64-80	139
Women and ischemic heart disease: pathophysiologic implications from the Women's Ischemia Syndrome Evaluation (WISE) Study and future research steps. 2006 , 47, S66-71	61
Metabolic syndrome negatively influences disease progression and prognosis in aortic stenosis. 2006 , 47, 2229-36	127

(2006-2006)

1443	Improvement of early vascular changes and cardiovascular risk factors in obese children after a six-month exercise program. 2006 , 48, 1865-70	302
1442	Distribution and metabolic syndrome correlates of plasma C-reactive protein in biracial (black-white) younger adults: the Bogalusa Heart Study. 2006 , 55, 699-705	49
1441	Intima media thickness in childhood obesity: relations to inflammatory marker, glucose metabolism, and blood pressure. 2006 , 55, 113-8	200
1440	Altered tumor necrosis factor alpha release from mononuclear cells of obese reproductive-age women during hyperglycemia. 2006 , 55, 271-6	28
1439	The decrease in C-reactive protein concentration after diet and physical activity induced weight reduction is associated with changes in plasma lipids, but not interleukin-6 or adiponectin. 2006 , 55, 359-65	71
1438	Association of C-reactive protein with the metabolic risk factors among young and middle-aged Koreans. 2006 , 55, 415-21	21
1437	Is visceral adipose tissue a determinant of von Willebrand factor in overweight and obese premenopausal women?. 2006 , 55, 650-5	14
1436	Association of vascular risk factors with increasing glycemia even in normoglycemic subjects in an older Chinese population: the Guangzhou Biobank Cohort Study. 2006 , 55, 1035-41	15
1435	Relationship between serum resistin concentration and proinflammatory cytokines in obese women with impaired and normal glucose tolerance. 2006 , 55, 1495-9	27
1434	Cellular inflammatory responses: novel insights for obesity and insulin resistance. 2006 , 53, 469-77	51
1433	Obesity and cardiovascular disease: pathophysiology, evaluation, and effect of weight loss: an update of the 1997 American Heart Association Scientific Statement on Obesity and Heart Disease from the Obesity Committee of the Council on Nutrition, Physical Activity, and Metabolism. 2006 ,	1889
1432	113, 898-918 Obesity is a major determinant of the association of C-reactive protein levels and the metabolic syndrome in type 2 diabetes. 2006 , 55, 2357-64	154
1431	Metabolic syndrome, C-reactive protein, and prognosis in patients with established coronary artery disease. 2006 , 152, 298-304	32
1430	Effects of transdermal testosterone administration on insulin sensitivity, fat mass and distribution, and markers of inflammation and thrombolysis in human immunodeficiency virus-infected women with mild to moderate weight loss. 2006 , 85, 1794-802	11
1429	Plasma adiponectin is related to other cardiovascular risk factors in nondiabetic Korean men with CAD, independent of adiposity and cigarette smoking: cross-sectional analysis. 2006 , 370, 63-71	18
1428	Activation of Toll-like receptor 4 is associated with insulin resistance in adipocytes. 2006 , 346, 739-45	347
1427	Resistin and adiponectin levels in subjects with coronary artery disease and type 2 diabetes. 2006 , 34, 219-23	65
1426	C-reactive protein is elevated in obese patients with the metabolic syndrome. 2006 , 71, 92-100	93

1425	Effect of a diet and exercise intervention on oxidative stress, inflammation and monocyte adhesion in diabetic men. 2006 , 73, 249-59	68
1424	Coexistence of insulin resistance and inflammation effectively predicts cardiac disease but not stroke in Japanese patients with type 2 diabetes mellitus. 2006 , 74, 316-21	8
1423	Type 2 diabetes mellitus as inflammatory disease. 2006 , 74, S12-S16	40
1422	Adipocyte: a potential target for the treatment of atherosclerosis. 2006 , 67, 82-6	19
1421	Microalbuminuria as a marker of cardiovascular risk in patients with type 2 diabetes. 2006, 107, 147-53	32
1420	Early atherosclerosis in childhood: diagnostic approaches and therapeutic strategies. 2006 , 109, 152-9	17
1419	Uncoupling of cardiovascular risk markers in adolescent girls with anorexia nervosa. 2006 , 149, 763-769	34
1418	The metabolic syndrome. 2006 , 54, 375-86	100
1417	The dysregulated adipose tissue: a connecting link between insulin resistance, type 2 diabetes mellitus and atherosclerosis. 2006 , 16 Suppl 1, S35-8	61
1416	Comparison of levels of inflammatory markers and hemostatic factors in the patients with and without peripheral arterial disease. 2006 , 117, 357-64	24
1415	Soluble interleukin 6 receptor: A novel marker of moderate to severe sleep-related breathing disorder. 2006 , 166, 1725-31	72
1414	[Cardiovascular complications of obesity]. 2006 , 66, 270-4	1
1413	Does endothelial dysfunction correlate better with waist-to-hip ratio than with body mass index or waist circumference among obese patients?. 2006 , 61, 53-8	9
1412	Diabetes, Obesity and Cardiovascular Disease Therapeutic Implications. 2006, 167-199	
1411	Cardiovascular risk in patients with growth hormone deficiency: effects of growth hormone substitution. 2006 , 12, 682-9	12
1410	Inflammation. 2006 , 37-71	
1409	Dietary intakes of fat and antioxidant vitamins are predictors of subclinical inflammation in overweight Swiss children. 2006 , 84, 748-55	91
1408	Inflammatory proteins are related to total and abdominal adiposity in a healthy adolescent population: the AVENA Study. 2006 , 84, 505-12	120

(2006-2006)

1407	whites: the HERITAGE Family Study. 2006 , 27, 103-7	11
1406	Statins: beneficial or adverse for glucose metabolism. 2006 , 13, 123-9	71
1405	Understanding cardiovascular outcomes in type 2 diabetes. 2006 , 6, S7-S11	
1404	Effects of etanercept in patients with the metabolic syndrome. 2006 , 166, 902-8	190
1403	Relationship between the serum concentrations of C-reactive protein and parameters of adiposity and insulin resistance in patients with type 2 diabetes mellitus. 2006 , 53, 345-56	22
1402	Association of C-reactive protein with early-stage carotid atherosclerosis in Japanese patients with early-state type 2 diabetes mellitus. 2006 , 53, 693-8	21
1401	Effect of pravastatin and atorvastatin on glucose metabolism in nondiabetic patients with hypercholesterolemia. 2006 , 45, 51-5	33
1400	Fibrinolysis and diabetic vascular disease: roles of plasminogen activator inhibitor-1 and thrombin-activatable fibrinolysis inhibitor. 2006 , 1, 429-440	5
1399	Sex differences in the relation of depressive symptoms, hostility, and anger expression to indices of glucose metabolism in nondiabetic adults. 2006 , 25, 484-92	50
1398	Adipose tissue and adipokinesenergy regulation from the human perspective. 2006 , 136, 1935S-1939S	151
1397	Developmental Origins of Vascular Dysfunction and Disease. 2006 , 85-122	
1396	Role of adipokines in the obesity-inflammation relationship: the effect of fat removal. 2006 , 118, 1048-1057	63
1395	A Review of Macronutrient Considerations for Persons With Prediabetes. 2006 , 21, 64-75	
1394	Effect of doxazosin on C-reactive protein plasma levels and on nitric oxide in patients with hypertension. 2006 , 47, 508-12	7
1393	Effects of intranasal 17beta-estradiol administration on serum bioactive interleukin-6 and C-reactive protein levels in healthy postmenopausal women. 2006 , 13, 840-5	215
1392	Type 2 diabetes mellitus is a risk factor for the development of hypertension in postmenopausal women. 2006 , 24, 2017-22	12
1391	Obesity and traumatic brain injury. 2006 , 61, 572-6	62
1390	Pre-eclampsia: contribution of maternal constitutional factors and the consequences for cardiovascular health. 2006 , 33, 826-30	28

1389	Elevated C-reactive protein in Native Canadian children: an ominous early complication of childhood obesity. 2006 , 8, 483-91	37
1388	The influences of hyperprolactinemia and obesity on cardiovascular risk markers: effects of cabergoline therapy. 2006 , 64, 366-70	60
1387	Percutaneous coronary intervention increases leptin and decreases adiponectin levels. 2006 , 65, 712-6	6
1386	Inflammatory and endothelial markers in women with polycystic ovary syndrome. 2006 , 36, 691-7	118
1385	Inflammation affects lipid metabolism during recovery from hyperinsulinaemia. 2006, 36, 860-5	5
1384	Abdominal obesity and metabolic syndrome. 2006 , 444, 881-7	29 00
1383	Metabolic syndrome, insulin resistance and the inflammation markers C-reactive protein and ferritin. 2006 , 60, 802-9	110
1382	Genetic and environmental contributions to plasma C-reactive protein and interleukin-6 levelsa study in twins. 2006 , 7, 600-5	63
1381	Mediterranean diet improves erectile function in subjects with the metabolic syndrome. 2006 , 18, 405-10	114
1380	Insulin resistance and impaired myocardial fatty acid metabolism in dialysis patients with normal coronary arteries. 2006 , 69, 553-9	21
1379	Prevalence and correlates of metabolic syndrome (MS) in older adults. 2006 , 42, 35-45	28
1378	Additive benefits of long-chain n-3 polyunsaturated fatty acids and weight-loss in the management of cardiovascular disease risk in overweight hyperinsulinaemic women. 2006 , 30, 1535-44	166
1377	Metabolic syndrome manifestations in classic congenital adrenal hyperplasia: do they predispose to atherosclerotic cardiovascular disease and secondary polycystic ovary syndrome?. 2006 , 1083, 37-53	26
1376	Differences in expression of cardiovascular risk factors among type 2 diabetes mellitus patients of different age. 2006 , 1084, 166-77	13
1375	Inflammatory process in type 2 diabetes: The role of cytokines. 2006 , 1084, 89-117	209
1374	[Diabetes mellitus and coronary artery diseasea high risk combination]. 2006 , 95 Suppl 1, i18-26	5
1373	Periodontal disease and systemic conditions: a bidirectional relationship. 2006 , 94, 10-21	339
1372	Effects of amlodipine-atorvastatin combination on inflammation markers and insulin sensitivity in normocholesterolemic obese hypertensive patients. 2006 , 62, 817-22	35

(2006-2006)

1371	investigators (2005) The relationship between dysglycaemia and cardiovascular and renal risk in diabetic and non-diabetic participants in the HOPE study: a prospective epidemiological analysis.	3
1370	Diabetologia 48:1749-1755. 2006, 49, 611-2; author reply 613-4 Blood glucose lowering by means of lifestyle intervention has different effects on adipokines as compared with insulin treatment in subjects with type 2 diabetes. 2006, 49, 872-80	28
1369	The metabolic syndrome and endothelial dysfunction: common highway to type 2 diabetes and CVD. 2006 , 6, 279-86	43
1368	Obesity and outcome following renal transplantation. 2006 , 6, 357-63	270
1367	Interrelationships between inflammation, C-reactive protein, and insulin resistance. 2006 , 1, 190-6	67
1366	Effects of NO-1886 on inflammation-associated cytokines in high-fat/high-sucrose/high-cholesterol diet-fed miniature pigs. 2006 , 540, 139-46	8
1365	Inflammation and atherosclerosis. 2006 , 31, 386-93	109
1364	Metabolic syndrome. 2006 , 34, 536-542	4
1363	C-reactive protein and the metabolic syndrome: useful addition to the cardiovascular risk profile?. 2006 , 1, 66-9; quiz 70-1	10
1362	Diabetes treatments have differential effects on nontraditional cardiovascular risk factors. 2006 , 20, 14-20	21
1361	Plasma C-reactive protein concentration is not affected by isocaloric dietary fat reduction. 2006 , 22, 444-8	12
1360	The relationship of obesity to ischemic outcomes following coronary stent placement in contemporary practice. 2006 , 67, 563-70	15
1359	The metabolic syndrome: linking oxidative stress and inflammation to obesity, type 2 diabetes, and the syndrome. 2006 , 67, 619-626	8
1358	Inflammation and the etiology of type 2 diabetes. 2006 , 22, 4-10	160
1357	High-sensitivity C-reactive protein, adiposity, and blood pressure in the Yakut of Siberia. 2006 , 18, 766-75	15
1356	High sensitivity C-reactive protein in asthma. 2006 , 27, 908-12	149
1355	C-reactive protein's place on the cardiovascular stage: prima ballerina or chorus girl?. 2006, 24, 627-32	6
1354	C-reactive protein is a strong independent predictor of death in type 2 diabetes: association with multiple facets of the metabolic syndrome. 2006 , 114, 127-34	38

1353	IL-18: relationship with anthropometry, body composition parameters, leptin and arterial hypertension. 2006 , 38, 507-12	12
1352	Macroangiopathy in adults and children with diabetes: risk factors (part 2). 2006 , 38, 706-20	9
1351	The third component of the complement (C3) is a marker of the risk of atherogenesis. 2006 , 13, 658-60	13
1350	Contribution of CB1 blockade to the management of high-risk abdominal obesity. 2006 , 30 Suppl 1, S44-52	33
1349	Burden of Infection and Insulin Resistance in Healthy Middle-Aged Men. 2006 , 29, 1058-1064	73
1348	The etiology of hypertension in the metabolic syndrome part four: the systemic perspectivethe role of the neuroendocrine and immune systems, and the challenge of integration. 2006 , 4, 349-81	3
1347	Gene deletion reveals roles for annexin A1 in the regulation of lipolysis and IL-6 release in epididymal adipose tissue. 2006 , 291, E1264-73	26
1346	Soluble CD40 ligand levels in otherwise healthy subjects with impaired fasting glucose. 2006 , 2006, 32508	O
1345	Subcutaneous adipose tissue cytokine production is not responsible for the restoration of systemic inflammation markers during weight loss. 2006 , 30, 1714-20	64
1344	Is hypertension an inflammatory process?. 2006 , 12, 1623-35	123
1344	Is hypertension an inflammatory process?. 2006 , 12, 1623-35 High Sensitivity C-Reactive Protein (hsCRP): A New Biochemical Marker of Atherosclerotic Vascular Disease. 2006 , 2, 215-225	123
	High Sensitivity C-Reactive Protein (hsCRP): A New Biochemical Marker of Atherosclerotic Vascular	123
1343	High Sensitivity C-Reactive Protein (hsCRP): A New Biochemical Marker of Atherosclerotic Vascular Disease. 2006 , 2, 215-225 Weight loss effect on inflammation and LDL oxidation in metabolically healthy but obese (MHO)	
1343 1342 1341	High Sensitivity C-Reactive Protein (hsCRP): A New Biochemical Marker of Atherosclerotic Vascular Disease. 2006 , 2, 215-225 Weight loss effect on inflammation and LDL oxidation in metabolically healthy but obese (MHO) individuals: low inflammation and LDL oxidation in MHO women. 2006 , 30, 1529-34 Progression of plasminogen activator inhibitor-1 and fibrinogen levels in relation to incident type 2	135
1343 1342 1341	High Sensitivity C-Reactive Protein (hsCRP): A New Biochemical Marker of Atherosclerotic Vascular Disease. 2006, 2, 215-225 Weight loss effect on inflammation and LDL oxidation in metabolically healthy but obese (MHO) individuals: low inflammation and LDL oxidation in MHO women. 2006, 30, 1529-34 Progression of plasminogen activator inhibitor-1 and fibrinogen levels in relation to incident type 2 diabetes. 2006, 113, 1753-9	135
1343 1342 1341 1340	High Sensitivity C-Reactive Protein (hsCRP): A New Biochemical Marker of Atherosclerotic Vascular Disease. 2006, 2, 215-225 Weight loss effect on inflammation and LDL oxidation in metabolically healthy but obese (MHO) individuals: low inflammation and LDL oxidation in MHO women. 2006, 30, 1529-34 Progression of plasminogen activator inhibitor-1 and fibrinogen levels in relation to incident type 2 diabetes. 2006, 113, 1753-9 Childhood Obesity. 2006, 37, 298-305 Cardiovascular disease prevention in patients with type 2 diabetes: The role of oral anti-diabetic	135 111 1
1343 1342 1341 1340	High Sensitivity C-Reactive Protein (hsCRP): A New Biochemical Marker of Atherosclerotic Vascular Disease. 2006, 2, 215-225 Weight loss effect on inflammation and LDL oxidation in metabolically healthy but obese (MHO) individuals: low inflammation and LDL oxidation in MHO women. 2006, 30, 1529-34 Progression of plasminogen activator inhibitor-1 and fibrinogen levels in relation to incident type 2 diabetes. 2006, 113, 1753-9 Childhood Obesity. 2006, 37, 298-305 Cardiovascular disease prevention in patients with type 2 diabetes: The role of oral anti-diabetic agents. 2006, 3, 147-58 Association of serum proinsulin with hormone replacement therapy in nondiabetic older women:	135 111 1 43

1335	Metformin Improves Endothelial Vascular Reactivity in First-Degree Relatives of Type 2 Diabetic Patients With Metabolic Syndrome and Normal Glucose Tolerance. 2006 , 29, 1083-1089	89
1334	Endothelial lipase is associated with inflammation in humans. 2006 , 47, 2808-13	49
1333	Interleukin 6 -174 g/c promoter polymorphism and risk of coronary heart disease: results from the rotterdam study and a meta-analysis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 212-7 9.4	85
1332	Role of adipose tissue as an inflammatory organ in human diseases. 2006 , 27, 449-67	204
1331	Effect of a short-term diet and exercise intervention on oxidative stress, inflammation, MMP-9, and monocyte chemotactic activity in men with metabolic syndrome factors. 2006 , 100, 1657-65	167
1330	Biochemistry of Atherosclerosis. 2006,	
1329	A proinflammatory state is detectable in obese children and is accompanied by functional and morphological vascular changes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2006 , 26, 2541-6	158
1328	Endothelial dysfunction contributes to renal function-associated cardiovascular mortality in a population with mild renal insufficiency: the Hoorn study. 2006 , 17, 537-45	200
1327	Plasma fibrinogen and lung function: the CARDIA Study. 2006 , 35, 1001-8	72
1326	Stimulatory effect of voluntary exercise or fat removal (partial lipectomy) on apoptosis in the skin of UVB light-irradiated mice. 2006 , 103, 16301-6	28
1325	Nutritional influences on inflammation and type 2 diabetes risk. 2006 , 8, 45-54	24
1324	Hemostatic markers of endothelial dysfunction and risk of incident type 2 diabetes: the Framingham Offspring Study. 2006 , 55, 530-7	138
1323	C-reactive protein and metabolic syndrome in elderly women: a 12-year follow-up study. 2006 , 29, 931-2	22
1322	Results of bariatric surgery. 2006 , 26, 481-511	20
1321	The epidemiology of low-grade chronic systemic inflammation and type 2 diabetes. 2006 , 8, 7-17	62
1320	Whole grains and CVD risk. 2006 , 65, 24-34	91
1319	Diabetes, hyperglycemia, and inflammation in older individuals: the health, aging and body composition study. 2006 , 29, 1902-8	135
1318	Review: The role of insulin resistance in nonalcoholic fatty liver disease. 2006 , 91, 4753-61	555

1317	The role of TNF-alpha in chronic inflammatory conditions, intermediary metabolism, and cardiovascular risk. 2007 , 48, 751-62	466
1316	Association of C-reactive protein with surrogate measures of insulin resistance among nondiabetic US from National Health and Nutrition Examination Survey 1999-2002. 2007 , 53, 2152-9	27
1315	Comparison of interleukin-6 and C-reactive protein for the risk of developing hypertension in women. 2007 , 49, 304-10	115
1314	C-reactive protein is independently associated with glucose but not with insulin resistance in healthy men. 2007 , 30, 1627-9	17
1313	Soy consumption, markers of inflammation, and endothelial function: a cross-over study in postmenopausal women with the metabolic syndrome. 2007 , 30, 967-73	131
1312	Serum C3 is a stronger inflammatory marker of insulin resistance than C-reactive protein, leukocyte count, and erythrocyte sedimentation rate: comparison study in an elderly population. 2007 , 30, 2362-8	80
1311	Cardiovascular risk markers in obstructive sleep apnoea syndrome and correlation with obesity. 2007 , 62, 509-14	95
1310	Obesity, metabolic syndrome, and cardiovascular disease. 2007 , 61, 653-9	75
1309	Corticosteroid-induced lipodystrophy is associated with features of the metabolic syndrome. 2007 , 46, 1102-6	40
1308	CARRISMA: a new tool to improve risk stratification and guidance of patients in cardiovascular risk management in primary prevention. 2007 , 14, 141-8	20
1307	Psychosocial factors and inflammation in the multi-ethnic study of atherosclerosis. 2007, 167, 174-81	182
1306	Psychosocial risk factors and the metabolic syndrome in elderly persons: findings from the Health, Aging and Body Composition study. 2007 , 62, 563-9	58
1305	Waist circumference adds to the variance in plasma C-reactive protein levels in elderly patients with metabolic syndrome. 2007 , 53, 329-39	26
1304	C-reactive protein, left ventricular mass index, and risk of cardiovascular disease in essential hypertension. 2007 , 30, 1177-85	29
1303	Voluntary exercise together with oral caffeine markedly stimulates UVB light-induced apoptosis and decreases tissue fat in SKH-1 mice. 2007 , 104, 12936-41	14
1302	Socioeconomic position, race/ethnicity, and inflammation in the multi-ethnic study of atherosclerosis. 2007 , 116, 2383-90	125
1301	Inflammation, obesity and comorbidities: the role of diet. 2007 , 10, 1164-72	145
1300	The endothelium and vascular inflammation in diabetes. 2007 , 4, 84-8	188

(2007-2007)

1299	Protein in Hypercholesterolemic Patients. 2007 , 17, 315-317	3
1298	The relationship between plasma C-reactive protein levels and presence and severity of coronary stenosis in patients with stable angina. 2007 , 58, 657-62	6
1297	Visceral and subcutaneous adipose tissue volumes are cross-sectionally related to markers of inflammation and oxidative stress: the Framingham Heart Study. 2007 , 116, 1234-41	665
1296	Restenosis following percutaneous renal artery revascularization. 2007 , 107, c63-9	6
1295	Remnant-like lipoprotein particles impair endothelial function: direct and indirect effects on nitric oxide synthase. 2007 , 48, 1673-80	53
1294	Interleukin-6, C-reactive protein and biochemical parameters during prolonged intermittent fasting. 2007 , 51, 88-95	95
1293	Anthropometric correlates of C-reactive protein among indigenous Siberians. 2007, 26, 241-6	14
1292	Microvascular dysfunction in obesity: a potential mechanism in the pathogenesis of obesity-associated insulin resistance and hypertension. 2007 , 22, 252-60	171
1291	Metabolic syndrome and cardiovascular risk in HIV-infected patients with lipodystrophy. 2007, 20, 519-27	30
1290	Effect of oral glucose loading on endothelial function in normal-weight and overweight children. 2007 , 112, 493-8	15
1289	Obesity and low-grade inflammation among young Finnish men with early-onset alopecia. 2007 , 214, 125-9	50
1288	Dietary patterns and markers of systemic inflammation among Iranian women. 2007, 137, 992-8	273
1287	Cardiovascular disease under the influence of excess visceral fat. 2007 , 6, 51-9	133
1286	Insulin counter-regulatory factors, fibrinogen and C-reactive protein during olanzapine administration: effects of the antidiabetic metformin. 2007 , 22, 69-76	26
1285	Genetic determinants of C-reactive protein levels in metabolic syndrome: a role for the adrenergic system?. 2007 , 25, 281-3	3
1284	No association of interleukin-6 gene polymorphism (-174 G/C) with premature coronary artery disease in a Turkish cohort. 2007 , 18, 333-7	26
1283	A prospective study of inflammatory cytokines and diabetes mellitus in a multiethnic cohort of postmenopausal women. 2007 , 167, 1676-85	134
1282	The role of endocannabinoid system blockade in the treatment of the metabolic syndrome. 2007 , 47, 642-52	35

1281	The levels of circulating markers of atherosclerosis and inflammation in subjects with different degrees of body mass index: Soluble CD40 ligand and high-sensitivity C-reactive protein. 2007 , 119, 79-84	45
1280	A high-fat meal is accompanied by increased plasma interleukin-6 concentrations. 2007 , 17, 195-202	80
1279	Remedial effect of lupeol and its ester derivative on hypercholesterolemia-induced oxidative and inflammatory stresses. 2007 , 27, 778-787	21
1278	Association between infant birth weight and maternal cardiovascular risk factors in the health, aging, and body composition study. 2007 , 17, 36-43	37
1277	PPARalpha in atherosclerosis and inflammation. 2007 , 1771, 972-82	148
1276	Hypoxia increases expression of selective facilitative glucose transporters (GLUT) and 2-deoxy-D-glucose uptake in human adipocytes. 2007 , 361, 468-73	106
1275	Adiponectin as an anti-inflammatory factor. 2007 , 380, 24-30	555
1274	Plasma and urine levels of resistin and adiponectin in chronic kidney disease. 2007 , 37, 1-5	44
1273	Leptin, triglycerides, and interleukin 6 are independently associated with C-reactive protein in Japanese type 2 diabetic patients. 2007 , 75, 2-6	17
1272	Hepatitis C, metabolic syndrome, and inflammatory markers: results from the Third National Health and Nutrition Examination Survey [NHANES III]. 2007 , 75, 320-6	72
1271	C-reactive protein and features of metabolic syndrome in Brazilian women with previous gestational diabetes. 2007 , 78, 23-9	24
1270	Excessive nitric oxide attenuates leptin-mediated signal transducer and activator of transcription 3 activation. 2007 , 80, 609-17	18
1269	The relative impact of different measures of adiposity on markers of early atherosclerosis. 2007 , 119, 139-46	20
1268	Determinants and definition of abdominal obesity as related to risk of diabetes, metabolic syndrome and coronary disease in Turkish men: a prospective cohort study. 2007 , 191, 182-90	114
1267	Plasma leptin: associations with metabolic, inflammatory and haemostatic risk factors for cardiovascular disease. 2007 , 191, 418-26	160
1266	A low level of C-reactive protein in Japanese adults and its association with cardiovascular risk factors: the Japan NCVC-Collaborative Inflammation Cohort (JNIC) study. 2007 , 194, 238-44	45
1265	Fenofibrate and pioglitazone improve endothelial function and reduce arterial stiffness in obese glucose tolerant men. 2007 , 194, e123-30	66
1264	Markers of endothelial activity are related to components of the metabolic syndrome, but not to circulating concentrations of the advanced glycation end-product N epsilon-carboxymethyl-lysine in healthy Swedish men. 2007 , 195, e168-75	9

(2007-2007)

1263	Genotype x adiposity interaction linkage analyses reveal a locus on chromosome 1 for lipoprotein-associated phospholipase A2, a marker of inflammation and oxidative stress. 2007 , 80, 168-77	20
1262	Vascular inflammation in hypertension and diabetes: molecular mechanisms and therapeutic interventions. 2007 , 112, 375-84	247
1261	Human C-reactive protein (CRP) gene 1059G>C polymorphism is associated with plasma CRP concentration in patients receiving coronary angiography. 2007 , 106, 347-54	16
1260	The 'valvulo-metabolic' risk in calcific aortic valve disease. 2007 , 23 Suppl B, 32B-39B	29
1259	Type 2 diabetes and cardiovascular disease: getting to the fat of the matter. 2007 , 85, 113-32	48
1258	International Day for the Evaluation of Abdominal Obesity (IDEA): a study of waist circumference, cardiovascular disease, and diabetes mellitus in 168,000 primary care patients in 63 countries. 2007 , 116, 1942-51	487
1257	Does elevated high-sensitivity serum C-reactive protein associate with hypertension in non-obese Japanese males?. 2007 , 29, 395-401	4
1256	Cardiovascular complications of obesity in adolescents. 2007 , 30, 70-80	24
1255	C-reactive protein is elevated in the offspring of parents with essential hypertension. 2007 , 92, 304-8	12
1254	Associations of resistin with inflammation and insulin resistance in patients with type 2 diabetes mellitus. 2007 , 67, 215-25	54
1253	Promising new causal explanations for obesity and obesity-related diseases. 2007, 8, 223-33	16
1252	Nontraditional atherosclerotic risk factors and extent of coronary atherosclerosis in patients with combined impaired fasting glucose and impaired glucose tolerance. 2007 , 56, 77-86	19
1251	C-reactive protein, metabolic syndrome, and end organ damage. 2007, 56, 1620-2	10
1250	Acute phase proteins: C-reactive protein and fibrinogen in young women with polycystic ovary syndrome. 2007 , 14, 23-8	20
1249	The association of differing measures of overweight and obesity with prevalent atherosclerosis: the Dallas Heart Study. 2007 , 50, 752-9	130
1248	Obesity, Inflammation, and Vascular Disease. 2007 , 63-91	64
1247	Adipokines in Osteoarthritis. 2007 , 85-103	1
1246	Diabetes Mellitus. 2007 , 697-711	1

1245	Association between the JNC 7 Classification of the Stages of Systolic Hypertension and Inflammatory Cardiovascular Risk Factors. 2007 , 37, 623	3
1244	Influence of overall and abdominal adiposity on C-reactive protein levels in elderly women. 2007 , 89, 231-6	4
1243	Inflammation markers as mediators of vasculo-endothelial dysfunction and atherosclerosis in the metabolic syndrome and type 2 diabetes. 2007 , 120, 1918-1924	6
1242	Maternal serum C-reactive protein concentrations in early pregnancy and subsequent risk of preterm delivery. 2007 , 40, 330-5	63
1241	Constitutive and regulated expression and secretion of interferon-gamma-inducible protein 10 (IP-10/CXCL10) in human adipocytes. 2007 , 31, 403-10	37
1240	Changes in inflammatory biomarkers following one-year of moderate resistance training in overweight women. 2007 , 31, 996-1003	153
1239	Levels of C3 in patients with severe, morbid and extreme obesity: its relationship to insulin resistance and different cardiovascular risk factors. 2007 , 31, 927-32	41
1238	Associations of adiponectin with metabolic and vascular risk parameters in the British Regional Heart Study reveal stronger links to insulin resistance-related than to coronory heart disease risk-related parameters. 2007 , 31, 1089-98	40
1237	Association of waist and hip circumference with 12-year progression of carotid intima-media thickness in elderly women. 2007 , 31, 1406-11	24
1236	Pattern of expression of adiponectin receptors in human adipose tissue depots and its relation to the metabolic state. 2007 , 31, 1843-8	33
1235	Abdominal fat and risk of coronary heart disease in patients with peripheral arterial disease. 2007 , 15, 1623-30	5
1234	Obese reproductive-age women exhibit a proatherogenic inflammatory response during hyperglycemia. 2007 , 15, 2436-44	24
1233	Adipose tissue interleukin-18 mRNA and plasma interleukin-18: effect of obesity and exercise. 2007 , 15, 356-63	51
1232	The link between the epidemics of obesity and allergic diseases: does obesity induce decreased immune tolerance?. 2007 , 62, 1205-13	193
1231	The impact of long chain n-3 polyunsaturated fatty acid supplementation on inflammation, insulin sensitivity and CVD risk in a group of overweight women with an inflammatory phenotype. 2007 , 9, 70-80	120
1230	Diabetes mellitus as a prothrombotic condition. 2007 , 262, 157-72	279
1229	Acute effects of periodontal therapy on bio-markers of vascular health. 2007, 34, 124-9	44
1228	Antidiabetic medications in overweight/obese patients with type 2 diabetes: drawbacks of current drugs and potential advantages of incretin-based treatment on body weight. 2007 , 61, 19-28	28

1227	Evolutionary origins of insulin resistance: a behavioral switch hypothesis. 2007, 7, 61	61
1226	Effect of chromium niacinate and chromium picolinate supplementation on lipid peroxidation, TNF-alpha, IL-6, CRP, glycated hemoglobin, triglycerides, and cholesterol levels in blood of streptozotocin-treated diabetic rats. 2007 , 43, 1124-31	116
1225	Effect of obesity on inflammatory markers and renal functions. 2005 , 94, 1732-7	25
1224	High-sensitivity C-reactive protein in children at risk for coronary artery disease. 2007 , 96, 1214-9	33
1223	Androgen deficiency and abnormal penile duplex parameters in obese men with erectile dysfunction. 2007 , 4, 797-808	26
1222	C-reactive protein in cardiovascular risk assessment: a review of the evidence. 2007 , 2, 119-23	18
1221	Hypercortisolemic depression is associated with the metabolic syndrome in late-life. 2007 , 32, 151-9	165
1220	La diabetes mellitus tipo 2 como enfermedad cardiovascular. 2007 , 7, 9A-22A	1
1219	Glycemic control modifies the association between microalbuminuria and c-reactive protein in Type 2 Diabetes Mellitus. 2007 , 22, 53-9	3
1218	The relationship between blood glucose control and intolerance to enteral feeding during critical illness. 2007 , 33, 2085-92	32
1217	Insulin resistance and the metabolic syndromeor the pitfalls of epidemiology. 2007 , 50, 1576-86	58
1216	Advanced oxidation protein products in obese women: its relation to insulin resistance and resistin. 2007 , 7, 173-8	23
1215	Relationships between heart rate variability, vascular function, and adiposity in children. 2007, 17, 165-71	24
1214	High-sensitivity C-reactive protein is an independent clinical feature of nonalcoholic steatohepatitis (NASH) and also of the severity of fibrosis in NASH. 2007 , 42, 573-82	193
1213	Moderne Risikoanalyse bei intermeditem Risiko ft kardiovaskulte Ereignisse. 2007 , 2, V10-V17	O
1212	Inflammatory mechanisms of diabetic complications. 2007 , 7, 242-8	119
1211	The importance of risk factor reduction in erectile dysfunction. 2007 , 4, 114-117	3
1210	The importance of risk factor reduction in erectile dysfunction. 2007 , 8, 463-6	38

1209	Intra-abdominal adiposity, inflammation, and cardiovascular risk: New insight in the global cardiometabolic risk. 2007 , 1, 32-38	4
1208	Obŝit [*] sarcopĥique: « parle [^] mon gras, mon muscle est malade »!. 2007 , 2, 331-338	3
1207	Effect of simvastatin on IL-6 and adiponectin secretion and mRNA expression in 3T3-L1 adipocytes. 2007 , 27, 248-51	12
1206	Use of insulin to improve glycemic control in diabetes mellitus. 2008 , 22, 241-51	8
1205	Low grade inflammation, as evidenced by basal high sensitivity CRP, is not correlated to outcome measures in IVF. 2008 , 25, 383-8	15
1204	Intra-abdominal adiposity, inflammation, and cardiovascular risk: new insight into global cardiometabolic risk. 2008 , 10, 32-8	57
1203	The Mediterranean food pattern: a good recipe for patients with the metabolic syndrome. 2008 , 1, 3-14	1
1202	Obesity and vascular compliance. 2008 , 2, 120-125	
1201	Genome-wide linkage analysis for circulating levels of adipokines and C-reactive protein in the Quebec family study (QFS). 2008 , 53, 629	7
1200	The association between past Chlamydia pneumoniae infection and markers of chronic inflammation in obese women. 2008 , 27, 415-21	6
1199	Time to insulin in type-2 diabetes: high hurdles or Santiago way?. 2008 , 45, 67-74	1
1198	Maturation-induces endothelial dysfunction via vascular inflammation in diabetic mice. 2008, 103, 407-16	31
1197	The role of inflammatory cytokines in endothelial dysfunction. 2008 , 103, 398-406	294
1196	Beneficial effects of cardiac rehabilitation and exercise after percutaneous coronary intervention on hsCRP and inflammatory cytokines in CAD patients. 2008 , 455, 1081-8	33
1195	Mendelian randomization: using genes as instruments for making causal inferences in epidemiology. 2008 , 27, 1133-63	1496
1194	Thiazolidinediones as anti-inflammatory and anti-atherogenic agents. 2008 , 24, 14-26	77
1193	Levels of adiponectin, C-reactive protein and interleukin-1 receptor antagonist are associated with insulin sensitivity: a population-based study. 2008 , 24, 378-83	28
1192	Insulin sensitivity is correlated with subcutaneous but not visceral body fat in overweight and obese prepubertal children. 2008 , 93, 2122-8	71

[2008-2008]

¿Qu'papel desempeà la diabetes mellitus en las tasas de reestenosis y permeabilidad tras la 1191 revascularizacifi infrainginal? Revisifi crtica. 2008, 22, 525-536 Dietary determinants of subclinical inflammation, dyslipidemia and components of the metabolic 1190 syndrome in overweight children: a review. 2008, 32 Suppl 6, S11-8 Obesity and vital exhaustion: analysis of the Atherosclerosis Risk in the Communities study. 2008, 1189 16 16, 1545-51 1188 Is obesity associated with anemia of chronic disease? A population-based study. 2008, 16, 2356-61 118 1187 Zymosan-induced inflammation stimulates neo-adipogenesis. 2008, 32, 239-48 47 C reactive protein and its determinants in healthy men and women from European regions at 1186 21 different risk of coronary disease: the IMMIDIET Project. 2008, 6, 436-43 1185 HsCRP levels: measurement of airway inflammation in asthmatic children. 2008, 50, 12-6 15 Are C-reactive protein and homocysteine cardiovascular risk factors in obese children and 1184 16 adolescents?. 2008, 50, 419-23 Effects of insulin resistance on endothelial function: possible mechanisms and clinical implications. 1183 30 2008, 10, 834-42 1182 Effect of raisin consumption on oxidative stress and inflammation in obesity. 2008, 10, 1086-96 47 1181 Inflammatory markers in relation to insulin resistance and the metabolic syndrome. 2008, 38, 502-9 59 1180 C-reactive protein and coronary heart disease: a critical review. 2008, 264, 295-314 269 Relation between plasma adiponectin, high-sensitivity C-reactive protein, and coronary plaque 61 1179 components in patients with acute coronary syndrome. 2008, 101, 1-7 Prevalence and risk factor correlates of elevated C-reactive protein in an adult Australian 34 population. 2008, 101, 193-8 Diabetes y enfermedad cardiovascular. 2008, 8, 35C-44C Body mass index and its association with genitourinary disorders in men undergoing prostate 1176 9 cancer screening. 2008, 5, 2141-51 Abdominal obesity is associated with potassium depletion and changes in glucose homeostasis 1175 22 during diuretic therapy. 2008, 10, 443-9 Correlations of selected vaginal cytokine levels with pregnancy-related traits in women with 16 bacterial vaginosis and mycoplasmas. 2008, 78, 172-80

1173	Baseline inflammatory markers do not modulate the lipid response to weight loss. 2008 , 57, 598-604	5
1172	Independent and opposite associations of hip and waist circumference with metabolic syndrome components and with inflammatory and atherothrombotic risk factors in overweight and obese women. 2008 , 57, 1315-22	23
1171	Associations of visceral adiposity and exercise participation with C-reactive protein, insulin resistance, and endothelial dysfunction in Korean healthy adults. 2008 , 57, 1181-9	45
1170	Apolipoprotein E genotype and sex influence C-reactive protein levels regardless of exercise training status. 2008 , 57, 1204-10	5
1169	Interleukin-6-572C>G polymorphism-association with inflammatory variables in Korean men with coronary artery disease. 2008 , 151, 154-61	23
1168	Treatment of pregnant rats with oleoyl-estrone slows down pup fat deposition after weaning. 2008 , 6, 23	2
1167	Immunosenescence and immunogenetics of human longevity. 2008 , 15, 224-40	139
1166	Depressive symptoms and metabolic syndrome: is inflammation the underlying link?. 2008, 64, 896-900	164
1165	Cardiovascular Consequences of Obesity and Targets for Treatment. 2008, 5, 53-61	7
1164	Relation of C-reactive protein with the components of metabolic syndrome in Asian Indian subjects. 2008 , 2, 29-35	7
1163	Endothelial progenitor cells, endothelial dysfunction, inflammation, and oxidative stress in hypertension. 2008 , 10, 1079-88	86
1162	High sensitivity C-reactive protein is associated with lower tibial cartilage volume but not lower patella cartilage volume in healthy women at mid-life. 2008 , 10, R27	19
1161	Does diabetes mellitus play a role in restenosis and patency rates following lower extremity peripheral arterial revascularization? A critical overview. 2008 , 22, 481-91	40
1160	Idiopathic nodular glomerulosclerosis: a clinicopathologic study of 15 cases. 2008 , 39, 1771-6	25
1159	The risk of metabolic syndrome according to the high-sensitivity C-reactive protein in apparently healthy Koreans. 2008 , 129, 266-71	7
1158	Obesity, estrone, and coronary artery disease in postmenopausal women. 2008 , 59, 242-8	16
1157	The anti-diabetic AMPK activator AICAR reduces IL-6 and IL-8 in human adipose tissue and skeletal muscle cells. 2008 , 292, 36-41	53
1156	The role of adipose tissue dysfunction in the pathogenesis of obesity-related insulin resistance. 2008 , 94, 206-18	370

1155 Are the associations between diet and C-reactive protein independent of obesity?. 2008 , 47, 71-6	25
1154 The metabolic syndrome and the risk of arterial and venous thrombosis. 2008 , 122, 727-35	45
Adipocytes: Potential link between endocannabinoid system and atherosclerosis. 2008 , 1, 54-58	
C-reactive protein levels are unaffected by metformin during pretreatment and an IVF cycle in women with polycystic ovary syndrome. 2008 , 89, 635-41	9
Assessing the role of endometrial alteration among obese patients undergoing assisted reproduction. 2008 , 89, 1606-8	28
Polymorphism in the human C-reactive protein (CRP) gene, serum concentrations of CRP, and the difference between intracranial and extracranial atherosclerosis. 2008 , 389, 40-4	14
LPS induces interleukin-6 and interleukin-8 but not tumor necrosis factor-alpha in human adipocytes. 2008 , 41, 29-37	56
Treatment with an Interleukin 1 beta antibody improves glycemic control in diet-induced obesity. 2008 , 44, 141-8	111
Canola oil decreases cholesterol and improves endothelial function in patients with peripheral arterial occlusive disease h pilot study?. 2008 , 2, 67	20
Genetic variation in the C-reactive protein gene and arterial stiffness: The Rotterdam Study. 2008 , 2, 148	2
Ethnic differences in the ability of triglyceride levels to identify insulin resistance. 2008 , 196, 696-7	03 179
Obese related effects of inflammatory markers and insulin resistance on increased carotid intima media thickness in pre-pubertal children. 2008 , 197, 448-56	93
Elevated CRP levels are associated with increased carotid atherosclerosis independent of visceral obesity. 2008 , 200, 417-23	20
Polymorphisms in the IL6 gene in Asian Indian families with premature coronary artery diseasethe Indian Atherosclerosis Research Study. 2008 , 99, 944-50	40
1141 Diabetic neuropathy in older adults. 2008 , 24, 407-35, v	85
Le diab l e joue-t-il un r l e dans les resthoses et les taux de permàbilit apr l revascularisation artrielle des membres inferieurs ? une tude ghrale critique. 2008 , 22, 521-532	
Psoriasis et comorbidits cardiovasculaires et mtaboliques. 2008 , 135, S301-S306	
Effect of intensive lifestyle intervention on C-reactive protein in subjects with impaired glucose tolerance and obesity. Results from a randomized controlled trial with 5-year follow-up. 2008 , 13, 6	571-9 ⁸

1137	C-reactive protein and tumor necrosis factor-alpha in relation to insulin-mediated glucose uptake, smoking and atherosclerosis. 2008 , 68, 534-41	8
1136	Body weight and oral contraceptives are the most important modulators of serum CRP levels. 2008 , 68, 140-4	16
1135	Muscle as an endocrine organ: focus on muscle-derived interleukin-6. 2008 , 88, 1379-406	1325
1134	Plasma cytokines in obese women with polycystic ovary syndrome, before and after metformin treatment. 2008 , 24, 378-84	49
1133	Acute hyperglycaemia induces an inflammatory response in young patients with type 1 diabetes. 2008 , 40, 627-33	36
1132	Obesity and inflammation: the effects of weight loss. 2008 , 21, 117-33	243
1131	Chlamydial LPS and high-sensitivity CRP levels in serum are associated with an elevated body mass index in patients with cardiovascular disease. 2008 , 14, 375-82	22
1130	CRP and adiponectin and its oligomers in the metabolic syndrome: evaluation of new laboratory-based biomarkers. 2008 , 129, 815-22	45
1129	Chronic obstructive pulmonary disease with lung cancer and/or cardiovascular disease. 2008, 5, 842-7	32
1128	Association between plasma alkaline phosphatase and C-reactive protein in Hong Kong Chinese. 2008 , 46, 523-7	48
1127	Impact of inflammatory markers on cardiovascular mortality in patients with metabolic syndrome. 2008 , 15, 278-84	24
1126	Adipokinestargeting a root cause of cardiometabolic risk. 2008 , 101, 767-76	25
1125	Comparison of serum levels of inflammatory markers and allelic variant of interleukin-6 in patients with acute coronary syndrome and stable angina pectoris. 2008 , 19, 15-9	16
1124	The metabolic syndrome, insulin resistance, and its surrogates in African and white subjects with type 2 diabetes in South Africa. 2008 , 6, 247-55	27
1123	The use of high-sensitivity assays for C-reactive protein in clinical practice. 2008 , 5, 621-35	95
1122	CC chemokine and CC chemokine receptor profiles in visceral and subcutaneous adipose tissue are altered in human obesity. 2008 , 93, 3215-21	236
1121	Markers of endothelial dysfunction and inflammation in type 1 diabetic patients with or without diabetic nephropathy followed for 10 years: association with mortality and decline of glomerular filtration rate. 2008 , 31, 1170-6	93
1120	The metabolic syndrome: definitions, prevalence and management. 2008, 1, 100-8	38

1119	Catheter ablation for atrial fibrillation in patients with obesity. 2008 , 117, 2583-90		78
1118	Platelet counts and platelet activation markers in obese subjects. 2008 , 2008, 834153		57
1117	C-reactive protein, insulin resistance and risk of cardiovascular disease: a population-based study. 2008 , 15, 594-8		33
1116	A novel role for adiponectin in the regulation of inflammation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 1219-21	9.4	59
1115	Circulating pro- and anti-inflammatory cytokines in Polish women with gestational diabetes. 2008 , 40, 556-60		49
1114	Impact of metabolic syndrome components on the incidence of cardiovascular disease in a general urban Japanese population: the suita study. 2008 , 31, 2027-35		74
1113	Endothelial dysfunction and C-reactive protein are risk factors for diabetes in essential hypertension. 2008 , 57, 167-71		67
1112	Visceral obesity and plasma glucose-insulin homeostasis: contributions of interleukin-6 and tumor necrosis factor-alpha in men. 2008 , 93, 1931-8		135
1111	A comparison of the short-term effects of oral conjugated equine estrogens versus transdermal estradiol on C-reactive protein, other serum markers of inflammation, and other hepatic proteins in naturally menopausal women. 2008 , 93, 1702-10		58
1110	Inflammation and factors that may regulate inflammatory response. 2008 , 79, 1503-7		43
1109	Metformin and parameters of physical health. 2008 , 47, 697-703		14
1108	Cardiovascular risk evaluated by C-reactive protein levels in diabetic and obese Mexican subjects. 2008 , 72, 1170-4		8
1107	Metabolic syndrome is strongly associated with chronic subclinical inflammation in patients achieving optimal low-density lipoprotein-cholesterol levels in secondary prevention of cardiovascular disease. 2008 , 72, 2046-50		23
1106	Elevated high sensitivity C-reactive protein is associated with type 2 diabetes mellitus: the Persian Gulf Healthy Heart Study. 2008 , 55, 717-22		13
1105	Relationship of C-reactive protein with hypertension and interactions between increased C-reactive protein and other risk factors on hypertension in Mongolian people, China. 2008 , 72, 1324-8		15
1104	Role of nuclear receptors in the modulation of insulin secretion in lipid-induced insulin resistance. 2008 , 36, 891-900		38
1103	Role of adiponectin and PBEF/visfatin as regulators of inflammation: involvement in obesity-associated diseases. 2008 , 114, 275-88		176
1102	The role of adiposity as a determinant of an inflammatory milieu. 2008 , 9, 450-60		28

1101	Centrally located body fat is related to inflammatory markers in healthy postmenopausal women. 2008 , 15, 619-27	25
1100	'Deep phenotyping': characterizing populations in the era of genomics and systems biology. 2008 , 19, 151-7	7°
1099	High sensitive C-reactive protein, adiponectin, and urine albumin excretion rate in Chinese coronary artery disease patients with different glucose tolerance status. 2008 , 121, 2509-2516	7
1098	The interleukin-6-174 G/C promoter polymorphism and arterial stiffness; the Rotterdam Study. 2008 , 4, 863-9	19
1097	[Inflammation biomarkers capacity in predicting the metabolic syndrome]. 2008, 52, 537-49	45
1096	The Mediterranean food pattern: a good recipe for patients with the metabolic syndrome. 2008 , 1, 3-14	
1095	C-reactive protein in obese PCOS women and the effect of metformin therapy. 2007 , 7, 90-3	4
1094	Correlates of C-reactive protein levels in young adults: a population-based cohort study of 3827 subjects in Brazil. 2008 , 41, 357-67	28
1093	High-sensitivity CRP reflects insulin resistance in smokers. 2009 , 16, 560-7	14
1092	Adipose tissue at the crossroads in the development of the metabolic syndrome, inflammation and atherosclerosis. 2009 , 53, 145-50	32
1091	Clinical Significance of Inflammatory Markers in Polycystic Ovary Syndrome: Their Relationship to Insulin Resistance and Body Mass Index. 2009 , 26, 163-170	102
1090	Macrophage content in subcutaneous adipose tissue: associations with adiposity, age, inflammatory markers, and whole-body insulin action in healthy Pima Indians. 2009 , 58, 385-93	100
1089	Adiposity is associated with endothelial activation in healthy 2-3 year-old children. 2009 , 22, 905-14	7
1088	Socioeconomic position and inflammatory and immune biomarkers of cardiovascular disease: applications to the Panel Study of Income Dynamics. 2009 , 55, 178-205	34
1087	Cellular hypoxia and adipose tissue dysfunction in obesity. 2009 , 68, 370-7	190
1086	Sex differences in inflammatory markers: what is the contribution of visceral adiposity?. 2009 , 89, 1307-14	136
1085	C-reactive protein and the risk of stent thrombosis and cardiovascular events after drug-eluting stent implantation. 2009 , 120, 1987-95	79
1084	Inflammation in renal transplantation. 2009 , 4, 1246-54	81

1083	Fasting and postprandial markers of inflammation in lean and overweight children. 2009 , 89, 1138-44	32
1082	PUFA supplements and type 2 diabetes in the elderly. 2009 , 15, 4126-34	10
1081	Differences in atherosclerosis according to area level socioeconomic deprivation: cross sectional, population based study. 2009 , 339, b4170	48
1080	Expression and secretion of RANTES (CCL5) in human adipocytes in response to immunological stimuli and hypoxia. 2009 , 41, 183-9	23
1079	Regulation of COX-2 expression and IL-6 release by particulate matter in airway epithelial cells. 2009 , 40, 19-30	71
1078	Association of serum C-reactive protein level with sex-specific type 2 diabetes risk: a prospective finnish study. 2009 , 94, 2099-105	40
1077	Inflammatory mediators in morbidly obese subjects: associations with glucose abnormalities and changes after oral glucose. 2009 , 161, 451-8	38
1076	Getting the message across: mechanisms of physiological cross talk by adipose tissue. 2009 , 296, E1210-29	102
1075	Progress and challenges in metabolic syndrome in children and adolescents: a scientific statement from the American Heart Association Atherosclerosis, Hypertension, and Obesity in the Young Committee of the Council on Cardiovascular Disease in the Young; Council on Cardiovascular	525
1074	Nursing; and Council on Nutrition, Physical Activity, and Metabolism. 2009 , 119, 628-47 High-sensitivity C-reactive protein is not independently associated with peripheral subclinical atherosclerosis. 2009 , 60, 12-20	4
1073	C-reactive protein inhibits insulin activation of endothelial nitric oxide synthase via the immunoreceptor tyrosine-based inhibition motif of FcgammaRIIB and SHIP-1. 2009 , 104, 1275-82	40
1072	Periadventitial adipose tissue plays a critical role in vascular remodeling. 2009 , 105, 906-11	150
1072	Periadventitial adipose tissue plays a critical role in vascular remodeling. 2009, 105, 906-11 Low-grade chronic inflammation in the relationship between insulin sensitivity and cardiovascular disease (RISC) population: associations with insulin resistance and cardiometabolic risk profile. 2009, 32, 1295-301	150 63
,	Low-grade chronic inflammation in the relationship between insulin sensitivity and cardiovascular disease (RISC) population: associations with insulin resistance and cardiometabolic risk profile.	
1071	Low-grade chronic inflammation in the relationship between insulin sensitivity and cardiovascular disease (RISC) population: associations with insulin resistance and cardiometabolic risk profile. 2009, 32, 1295-301 C-reactive protein, metabolic syndrome and incidence of severe hip and knee osteoarthritis. A	63
1071	Low-grade chronic inflammation in the relationship between insulin sensitivity and cardiovascular disease (RISC) population: associations with insulin resistance and cardiometabolic risk profile. 2009, 32, 1295-301 C-reactive protein, metabolic syndrome and incidence of severe hip and knee osteoarthritis. A population-based cohort study. 2009, 17, 168-73 Influence of body mass index on the efficacy of revascularization in patients with coronary artery disease. 2009, 137, 1468-74	63
1071 1070 1069	Low-grade chronic inflammation in the relationship between insulin sensitivity and cardiovascular disease (RISC) population: associations with insulin resistance and cardiometabolic risk profile. 2009, 32, 1295-301 C-reactive protein, metabolic syndrome and incidence of severe hip and knee osteoarthritis. A population-based cohort study. 2009, 17, 168-73 Influence of body mass index on the efficacy of revascularization in patients with coronary artery disease. 2009, 137, 1468-74	63 132 5

1065	Life course weight gain and C-reactive protein levels in young adults: findings from a Brazilian birth cohort. 2009 , 21, 192-9	28
1064	What predicts the occurrence of the metabolic syndrome in a population-based cohort of adult healthy subjects?. 2009 , 25, 76-82	13
1063	Microarray analysis identifies matrix metalloproteinases (MMPs) as key genes whose expression is up-regulated in human adipocytes by macrophage-conditioned medium. 2009 , 458, 1103-14	78
1062	Endothelial dysfunction and diabetes: roles of hyperglycemia, impaired insulin signaling and obesity. 2009 , 335, 165-89	203
1061	Effect of pioglitazone and rosiglitazone on mediators of endothelial dysfunction, markers of angiogenesis and inflammatory cytokines in type-2 diabetes. 2009 , 46, 27-33	54
1060	The therapeutic modulation of atherogenic dyslipidemia and inflammatory markers in the metabolic syndrome: what is the clinical relevance?. 2009 , 46, 1-11	22
1059	Diet-induced obesity is associated with hyperleptinemia, hyperinsulinemia, hepatic steatosis, and glomerulopathy in C57Bl/6J mice. 2009 , 36, 311-25	67
1058	Inflammation as a cardiovascular risk factor and pulse wave velocity as a marker of early-stage atherosclerosis in the Japanese population. 2009 , 14, 159-64	18
1057	Changes in inflammatory biomarkers across weight classes in a representative US population: a link between obesity and inflammation. 2009 , 13, 1205-12	76
1056	Impact of laparoscopic Roux-en-Y gastric bypass on metabolic syndrome, inflammation, and insulin resistance in super versus morbidly obese women. 2009 , 19, 577-82	40
1055	Adipose tissue-mediated inflammation: the missing link between obesity and cardiovascular disease?. 2009 , 4, 25-34	64
1054	Association of inflammation with worsening HOMA-insulin resistance. 2009 , 52, 2337-44	48
1053	The major inflammatory mediator interleukin-6 and obesity. 2009 , 58, 727-36	262
1052	Cardiovascular prevention in clinical practice (ESC and German guidelines 2007). 2009 , 34, 4-14	6
1051	Serum procalcitonin and CRP levels in non-alcoholic fatty liver disease: a case control study. 2009 , 9, 16	31
1050	Serum C-reactive protein (CRP) and microalbuminuria in relation to fasting and 2-h postload plasma glucose in a Chinese population. 2009 , 70, 691-7	13
1049	Effects of TNF-alpha antagonism on E-selectin in obese subjects with metabolic dysregulation. 2010 , 73, 48-54	11
1048	The effects of dietary fibre on C-reactive protein, an inflammation marker predicting cardiovascular disease. 2009 , 63, 921-33	101

[2009-2009]

1047	The interaction of adiposity with the CRP gene affects CRP levels: age, gene/environment susceptibilty-Reykjavik study. 2009 , 33, 267-72	26
1046	A QTL on 12q influencing an inflammation marker and obesity in white women: the NHLBI Family Heart Study. 2009 , 17, 525-31	10
1045	Antiobesity effects of yerba mat extract (Ilex paraguariensis) in high-fat diet-induced obese mice. 2009 , 17, 2127-33	123
1044	The burden and extent of comorbid conditions in patients with erectile dysfunction. 2009 , 63, 1205-13	42
1043	Cough-reflex sensitivity to inhaled capsaicin in COPD associated with increased exacerbation frequency. 2009 , 14, 1151-5	10
1042	The insulin resistance epidemic in India: fetal origins, later lifestyle, or both?. 2001 , 59, 1-9	107
1041	Effects of tumor necrosis factor-alpha blockade on metabolic syndrome components in psoriasis and psoriatic arthritis and additional lessons learned from rheumatoid arthritis. 2009 , 22, 61-73	72
1040	Hepatic insulin resistance, metabolic syndrome and cardiovascular disease. 2009 , 42, 1331-46	291
1039	The metabolic syndrome (MS) in the elderly: considerations on the diagnostic criteria of the International Diabetes Federation (IDF) and some proposed modifications. 2009 , 48, 380-4	20
1038	Helicobacter pylori infection significantly increases insulin resistance in the asymptomatic Japanese population. 2009 , 14, 144-50	75
1037	High resistin and interleukin-6 levels are associated with gestational diabetes mellitus. 2009 , 25, 258-63	103
1036	Association of serum amyloid A levels with adipocyte size and serum levels of adipokines: differences between men and women. 2009 , 48, 260-6	21
1035	Improvement in insulin resistance and reduction in plasma inflammatory adipokines after weight loss in obese dogs. 2009 , 37, 214-26	124
1034	Body mass index is an independent risk factor for the development of endometrial polyps in patients undergoing in vitro fertilization. 2009 , 91, 1056-60	53
1033	Circulating IL-8 levels in heart failure patients with and without metabolic syndrome. 2009 , 405, 139-42	9
1032	Disturbed sleep is associated with increased C-reactive protein in young women. 2009 , 23, 351-4	84
1031	Angiotensin II infusion in man is proinflammatory but has no short-term effects on thrombin generation in vivo. 2009 , 124, 110-5	20
1030	G allele at RAGE SNP82 is associated with proinflammatory markers in obese subjects. 2009 , 29, 106-13	25

1029	High-sensitivity C-reactive protein in the exhaled breath condensate and serum in stable and unstable asthma. 2009 , 103, 379-85	34
1028	Low birth weight and markers of inflammation and endothelial activation in adulthood: the ARIC study. 2009 , 134, 371-7	30
1027	Plasma adiponectin levels are associated with insulin sensitivity in stroke survivors. 2009 , 18, 214-20	6
1026	Oxidative stress and metabolic syndrome. 2009 , 84, 705-12	566
1025	Long-term C-reactive protein variability and prediction of metabolic risk. 2009 , 122, 53-61	19
1024	Why was Al Gore not born thousands of years back?. 2009 , 3, 1-2	
1023	Not being fatūs not always being fitūWhy are S. Asians more prone to Type 2 diabetes and atherosclerotic cardiovascular disease?. 2009 , 3, 70-72	
1022	PPARs and the orchestration of metabolic fuel selection. 2009 , 60, 141-50	49
1021	Association of white blood cell count with metabolic syndrome in patients undergoing peritoneal dialysis. 2009 , 58, 1379-85	7
1020	Elucidation of chemerin and chemokine-like receptor-1 function in adipocytes by adenoviral-mediated shRNA knockdown of gene expression. 2009 , 460, 289-312	8
1019	Serum amyloid a protein and C-reactive protein in normal pregnancy and preeclampsia. 2009 , 67, 275-80	18
1018	Obesity, inflammation, and atherosclerosis. 2009 , 6, 399-409	615
1017	Endosperm and whole grain rye breads are characterized by low post-prandial insulin response and a beneficial blood glucose profile. 2009 , 8, 42	119
1016	Cytokine and cytokine-like inflammation markers, endothelial dysfunction, and imbalanced coagulation in development of diabetes and its complications. 2009 , 94, 3171-82	460
1015	Insulin Resistance. 2009,	
1014	Contribution of insulin resistance to vascular dysfunction. 2009 , 115, 199-217	29
1013	Reduced adiposity and high-fat diet-induced adipose inflammation in mice deficient for phosphodiesterase 4B. 2009 , 150, 3076-82	55
1012	Evaluation of Certain Physicochemical and Thin Film Parameters Including Bioelectronics Properties of Human Fat Containing Adipose Tissues for Early Detection Obesity in Children. 2009 ,	

(2009-2009)

Induction of proinflammatory cytokines by long-chain saturated fatty acids in human macrophages. 2009 , 202, 382-93	180
Elevated C-reactive protein levels and metabolic syndrome in the elderly: The role of central obesity data from the InChianti study. 2009 , 203, 626-32	42
Inflammatory markers and growth in South Asian and European origin infants in Britain: the Manchester Children's Growth and Vascular Health Study. 2009 , 207, 227-31	11
1008 [Insulin resistance and inflammation in chronic kidney diseases]. 2009 , 5 Suppl 5, S346-52	3
1007 Mechanisms of thrombogenesis in atrial fibrillation: Virchow's triad revisited. 2009 , 373, 155-66	655
Associations of physical activity with inflammatory factors, adipocytokines, and metabolic syndrome in middle-aged and older chinese people. 2009 , 119, 2969-77	100
Depression and C-reactive protein: population-based Health 2000 Study. 2009 , 71, 423-30	103
Plasma procalcitonin is an independent predictor of graft failure late after renal transplantation. 2009 , 88, 279-87	19
Peripheral levels of fibrinogen, C-reactive protein, and plasma viscosity predict future cognitive decline in individuals without dementia. 2009 , 71, 901-6	61
1002 Impact of obesity in damage control laparotomy patients. 2009 , 67, 108-12; discussion 112-4	26
1001 Obesidade e adipocinas inflamatilias: implicalis prilicas para a prescrib de exercĉio. 2009 , 15, 378-383	14
1000 Adipose Tissue as Endocrine Organ. 2009, 23-45	
999 Influence of smoking and body weight on adipokines in middle aged women. 2009 , 14 Suppl 4, 21-6	12
Cytokine biomarkers, endothelial inflammation, and atherosclerosis in the metabolic syndrome: emerging concepts. 2009 , 338, 310-8	87
Racial disparity in amputation-free survival after infrainguinal bypass procedure: contribution of socioeconomic status. 2009 , 88, 986-94	8
996 Cardiovascular biology of interleukin-6. 2009 , 15, 1809-21	90
Obesity in the childhood: a link to adult hypertension. 2009 , 15, 1063-71	55
994 Lifestyle choices and endothelial function: risk and relevance. 2009 , 7, 209-24	12

993	Mechanisms involved in the genesis of diabetic nephropathy. 2010, 6, 68-87	20
992	Chlamydia pneumoniae infection is associated with elevated body mass index in young men. 2010 , 138, 1267-73	9
991	Effect of overweight on gastrointestinal microbiology and immunology: correlation with blood biomarkers. 2010 , 103, 1070-8	39
990	The association between BMI and plasma cytokine levels in patients with acute lung injury. 2010 , 138, 568-77	120
989	Caloric restriction with or without exercise: the fitness versus fatness debate. 2010 , 42, 152-9	64
988	Inflammation and incident-isolated systolic hypertension in older adults: the Rotterdam study. 2010 , 28, 892-5	28
987	Pleiotropic Effects of Dietary Fatty Acids and Fatty Acid Involvement in Chronic Mild Inflammation-related Diseases. 2010 , 56, 473-487	4
986	Predictive value of C-reactive protein after drug-eluting stent implantation. 2010 , 6, 167-79	9
985	The relationship between low bone mass and metabolic syndrome in Korean women. 2010 , 21, 425-31	84
984	The metabolic profile in patients with skin tags. 2010 , 10, 193-7	50
983	Visceral adiposity and leptin are independently associated with C-reactive protein in Korean type 2 diabetic patients. 2010 , 47, 113-8	22
982	High-sensitivity C-reactive protein and mean platelet volume in paediatric hypertension. 2010 , 25, 1519-27	9
981	The association of age, gender, body fatness and lifestyle factors with plasma C-reactive protein concentrations in older Taiwanese. 2010 , 14, 412-6	3
980	Is plasma 25(OH) D related to adipokines, inflammatory cytokines and insulin resistance in both a healthy and morbidly obese population?. 2010 , 38, 235-42	70
979	Serum hs-CRP was correlated with treatment response to pegylated interferon and ribavirin combination therapy in chronic hepatitis C patients. 2010 , 4, 621-7	19
978	Longitudinal associations of blood markers of insulin and glucose metabolism and cancer mortality in the third National Health and Nutrition Examination Survey. 2010 , 21, 631-42	26
977	Enhanced levels of soluble CD40 ligand and C-reactive protein in a total of 312 patients with metabolic syndrome. 2010 , 59, 305-13	24
976	The association of tumor necrosis factor alpha receptor 2 and tumor necrosis factor alpha with insulin resistance and the influence of adipose tissue biomarkers in humans. 2010 , 59, 540-6	22

(2010-2010)

975	Systemic inflammation and the metabolic syndrome among middle-aged community volunteers. 2010 , 59, 1801-8	82
974	Lifecourse socioeconomic trajectories and C-reactive protein levels in young adults: findings from a Brazilian birth cohort. 2010 , 70, 1229-36	28
973	Sex difference in the association of metabolic syndrome with high sensitivity C-reactive protein in a Taiwanese population. 2010 , 10, 429	25
972	The relationship of high sensitivity C-reactive protein to percent body fat mass, body mass index, waist-to-hip ratio, and waist circumference in a Taiwanese population. 2010 , 10, 579	24
971	Efficacy of a meal replacement diet plan compared to a food-based diet plan after a period of weight loss and weight maintenance: a randomized controlled trial. 2010 , 9, 11	67
970	Association between insulin resistance and c-reactive protein among Peruvian adults. 2010 , 2, 30	41
969	Relation of C-reactive protein to abdominal adiposity. 2010 , 106, 56-61	141
968	Overactive bladder: Is there a link to the metabolic syndrome in men?. 2010 , 29, 1360-4	48
967	Role of diet in the development of inflammatory bowel disease. 2010 , 16, 137-51	157
966	Intersection between metabolic dysfunction, high fat diet consumption, and brain aging. 2010, 114, 344-61	61
965	Environmental and genetic factors influence the relationship between circulating IL-10 and obesity phenotypes. 2010 , 18, 611-8	16
964	The prognostic impact of general and abdominal obesity in peripheral arterial disease. 2010 , 34, 280-6	16
963	A variant near the interleukin-6 gene is associated with fat mass in Caucasian men. 2010 , 34, 1011-9	12
962	Anti-inflammatory effect of resveratrol on adipokine expression and secretion in human adipose tissue explants. 2010 , 34, 1546-53	98
961	Effects of periodontitis on aortic insulin resistance in an obese rat model. 2010 , 90, 348-59	25
960	Obesity and low-grade inflammation: a paediatric perspective. 2010 , 11, 118-26	121
959	Coronary microvascular dysfunction in diabetes mellitus: A review. 2010 , 2, 377-90	54
958	Efeitos antioxidantes do selhio e seu elo com a inflamab e shdrome metablica. 2010 , 23, 581-590	17

957	Waist circumference and BMI in relation to serum high sensitivity C-reactive protein (hs-CRP) in Cuban Americans with and without type 2 diabetes. 2010 , 7, 842-52	21
956	Glucose supply and insulin demand dynamics of antidiabetic agents. 2010 , 4, 365-81	3
955	Rosiglitazone decreases C-reactive protein to a greater extent relative to glyburide and metformin over 4 years despite greater weight gain: observations from a Diabetes Outcome Progression Trial (ADOPT). 2010 , 33, 177-83	34
954	Changes in high-sensitivity C-reactive protein in serum and exhaled breath condensate after intensive exercise in patients with allergic asthma. 2010 , 153, 75-85	13
953	Association of high-sensitivity C-reactive protein with de novo major depression. 2010 , 197, 372-7	224
952	Chemerin exacerbates glucose intolerance in mouse models of obesity and diabetes. 2010 , 151, 1998-2007	184
951	The levels of soluble CD40 ligand and C-reactive protein in normal weight, overweight and obese people. 2010 , 8, 89-95	43
950	Association Between C Reactive Protein and Asthma. 2010 , 11, 98-104	1
949	The N-(carboxymethyl)lysine-RAGE axis: putative implications for the pathogenesis of obesity-related complications. 2010 , 5, 839-854	9
948	Association between serum alkaline phosphatase and C-reactive protein in the United States National Health and Nutrition Examination Survey 2005-2006. 2010 , 48, 167-73	65
947	Circulating C-reactive protein concentrations and risks of colon and rectal cancer: a nested case-control study within the European Prospective Investigation into Cancer and Nutrition. 2010 , 172, 407-18	90
946	Posttraumatic stress disorder and dyslipidemia: previous research and novel findings from patients with PTSD caused by myocardial infarction. 2010 , 11, 141-7	23
945	Does fat fuel the fire: independent and interactive effects of genetic, physiological, and environmental factors on variations in fat deposition and distribution across populations. 2010 , 23, 1233-44	7
944	Atorvastatin improves insulin sensitivity in mice with obesity induced by monosodium glutamate. 2010 , 31, 35-42	23
943	Systemic inflammation activates the nuclear factor-kappaB regulatory pathway in adipose tissue. 2010 , 299, E234-40	12
942	Residential traffic exposure, pulse pressure, and C-reactive protein: consistency and contrast among exposure characterization methods. 2010 , 118, 803-11	29
941	IL-6 selectively stimulates fat metabolism in human skeletal muscle. 2010 , 299, E832-40	130
940	Effects of sitagliptin treatment on dysmetabolism, inflammation, and oxidative stress in an animal model of type 2 diabetes (ZDF rat). 2010 , 2010, 592760	126

(2010-2010)

939	[The relation between exercise-induced myocardial ischemia and high-sensitive C-reactive protein and neopterin levels]. 2010 , 10, 502-7	1
938	Does C-reactive protein predict recurrent preeclampsia?. 2010 , 29, 399-409	11
937	Release of inflammatory mediators by human adipose tissue is enhanced in obesity and primarily by the nonfat cells: a review. 2010 , 2010, 513948	169
936	High-sensitivity C-reactive protein: an independent risk factor for left ventricular hypertrophy in patients with lupus nephritis. 2010 , 2010, 373426	8
935	Effects of lifestyle measures, antiobesity agents, and bariatric surgery on serological markers of inflammation in obese patients. 2010 , 2010, 364957	22
934	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. 2010 , 17, 1007-19	116
933	Obesity without established comorbidities of the metabolic syndrome is associated with a proinflammatory and prothrombotic state, even before the onset of puberty in children. 2010 , 95, 1060-8	94
932	Supplementation with EPA or fish oil for 11 months lowers circulating lipids, but does not delay the onset of diabetes in UC Davis-type 2 diabetes mellitus rats. 2010 , 104, 1628-34	7
931	Downregulation of zinc-{alpha}2-glycoprotein in adipose tissue and liver of obese ob/ob mice and by tumour necrosis factor-alpha in adipocytes. 2010 , 204, 165-72	57
930	Procalcitonin: a novel cardiac marker with prognostic value in acute coronary syndrome. 2010 , 38, 52-61	27
929	Effects of exercise combined with caloric restriction on inflammatory cytokines. <i>Applied Physiology, Nutrition and Metabolism</i> , 2010 , 35, 573-82	28
928	The metabolic syndrome in systemic lupus erythematosus. 2010 , 36, 81-97, viii	28
927	The role of the gut microbiota in nonalcoholic fatty liver disease. 2010 , 7, 691-701	341
926	Palmitoylethanolamide, adipocytes and obesity-related inflammatory states. 2010 , 7, e205-e212	4
925	C-reactive protein mediates the association of liver fat and carotid intimalhedia thickness in healthy men and men with the metabolic syndrome and/or uncomplicated type 2 diabetes. 2010 , 4, 160-164	
924	Relationship between coronary heart disease, metabolic syndrome, energy expenditure, body composition, kidney function and low-grade inflammation among bank African employees in Brazzaville. 2010 , 4, 197-203	2
923	Male Androgenetic Alopecia and Cardiovascular Risk Factors: A Case-Control Study. 2010 , 101, 248-256	1
922	Is exercise training an effective therapy targeting endothelial dysfunction and vascular wall inflammation?. 2010 , 141, 214-21	112

921	Androgenetic alopecia and cardiovascular risk factors in men and women: a comparative study. 2010 , 63, 420-9	97
920	Modified Si-Miao-San extract inhibits the release of inflammatory mediators from lipopolysaccharide-stimulated mouse macrophages. 2010 , 129, 5-9	17
919	Relationship between interleukin-6 levels and ambulatory blood pressure in women with polycystic ovary syndrome. 2010 , 94, 1437-1443	10
918	Chlamydia antibodies and self-reported symptoms of oligo-amenorrhea and hirsutism: a new etiologic factor in polycystic ovary syndrome?. 2010 , 94, 1799-804	16
917	Sub-clinical organ damage in hypertension and obesity. 2011 , 21, 597-602	4
916	Correlation and association of plasma interleukin-6 and plasma platelet-derived microparticles, markers of activated platelets, in healthy individuals. 2010 , 125, e329-34	19
915	Alopecia androgĥica masculina y factores de riesgo cardiovascular: estudio de casos y controles. 2010 , 101, 248-256	18
914	Distribution and cardiovascular risk correlates of plasma soluble intercellular adhesion molecule-1 levels in asymptomatic young adults from a biracial community: the Bogalusa Heart Study. 2010 , 20, 53-9	5
913	Oxidants and Endothelial Dysfunction. 2010 , 243-274	4
912	Plasminogen activator inhibitor-1 (PAI-1): a key factor linking fibrinolysis and age-related subclinical and clinical conditions. 2010 , 28, e72-91	248
911	[Inflammation and insulin resistance: chronic renal disease features]. 2010, 6 Suppl 1, S7-12	0
910	Changes in cytokine levels during acute hyperinsulinemia in offspring of type 2 diabetic subjects. 2010 , 210, 536-41	15
909	Plasma soluble gp130 levels are increased in older subjects with metabolic syndrome. The role of insulin resistance. 2010 , 213, 319-24	29
908	High-quality embryos retain their implantation capability in overweight women. 2010 , 21, 706-11	28
907	C-reactive protein concentration and risk of coronary heart disease, stroke, and mortality: an individual participant meta-analysis. 2010 , 375, 132-40	1584
906	In the light of the metabolic memory theory, should not all aged people with dysglycemia be treated?. 2010 , 13, 599-605	4
905	Alkaline phosphatase and percentage body fat predict circulating C-reactive protein in premenopausal women. 2010 , 15, 663-70	13
904	Increased insulin resistance and C-reactive protein in women with complete hydatidiform mole. 2011 , 27, 840-3	1

(2011-2011)

903	Is there any association of serum high-sensitivity C-reactive protein with various risk factors for metabolic syndrome in a healthy adult population of karachi, pakistan?. 2011 , 9, 177-82	5
902	[Obesity, poor prognostic factor in pandemic influenza A (H1N1) 2009: the role of adipokines in the modulation of respiratory defenses]. 2011 , 67, 244-9	3
901	Physiopathological mechanism of sarcopenia. 2011 , 27, 365-85	116
900	Elevated C-reactive protein in the diagnosis, prognosis, and cause of cancer. 2011 , 48, 155-70	313
899	Metabolic syndrome in the elderly living in marginal peri-urban communities in Quito, Ecuador. 2011 , 14, 758-67	28
898	Bamboo extract reduces interleukin 6 (IL-6) overproduction under lipotoxic conditions through inhibiting the activation of NF- B and AP-1 pathways. 2011 , 55, 18-23	16
897	Gestational diabetes and subclinical inflammation: evaluation of first year postpartum outcomes. 2011 , 94, 426-33	24
896	Circulating inflammatory markers in polycystic ovary syndrome: a systematic review and metaanalysis. 2011 , 95, 1048-58.e1-2	294
895	Is inflammation linked to thrombogenesis in atrial fibrillation?. 2011 , 149, 260-261	13
894	The role of low-grade inflammation in the polycystic ovary syndrome. 2011 , 335, 30-41	172
893	Perioperative evaluation of the obese patient. 2011 , 23, 575-86	25
892	Body fat distribution and C-reactive proteina principal component analysis. 2011 , 21, 347-54	9
891	The Metabolic Syndrome and Atherogenesis. 2011 , 45-58	1
890	Inflammation and Genetics of Inflammation in Cardiovascular Diseases. 2011,	
889	Cardiovascular Risk Clustering in Obese Children. 2011 , 139-146	1
888	Association between inflammatory markers and cardiovascular risk factors in women from Kolkata, W.B, India. 2011 , 96, 38-46	15
887	Vascular inflammation and endothelial dysfunction in experimental hypertension. 2011 , 2011, 281240	91
886	Effects of lifestyle interventions on inflammatory markers in the metabolic syndrome. 2011 , 3, 168-77	22

885	Inflammatory markers and cardiovascular risk in the metabolic syndrome. 2011 , 16, 1663-74	70
884	Relationship of adipokines with insulin sensitivity in African Americans. 2011 , 342, 192-7	10
883	Inflammatory concepts of obesity. 2011 , 2011, 529061	74
882	Establishment of a transgenic mouse model specifically expressing human serum amyloid A in adipose tissue. 2011 , 6, e19609	11
881	Functional polymorphism of IL-1 alpha and its potential role in obesity in humans and mice. 2011 , 6, e29524	43
880	Alcohol consumption is inversely correlated with insulin resistance, independent of metabolic syndrome factors and fatty liver diseases. 2011 , 45, 808-13	23
879	Effects of obesity and subsequent weight reduction on left ventricular function. 2011 , 19, 1-4	30
878	What impact does laparoscopic sleeve gastrectomy have on lipid levels in patients with metabolic disease?. 2011 , 6, 353-355	1
877	Sleep variability, health-related practices, and inflammatory markers in a community dwelling sample of older adults. 2011 , 73, 142-50	80
876	Inflammation predicts changes in high-density lipoprotein particles and apolipoprotein A1 following initiation of antiretroviral therapy. 2011 , 25, 2133-42	39
875	Cord blood immune biomarkers in small for gestational age births. 2011 , 2, 89-98	4
874	Significant correlation between visceral adiposity and high-sensitivity C-reactive protein (hs-CRP) in Japanese subjects. 2011 , 50, 2767-73	31
873	Obesity, weight loss and conditional cardiovascular risk factors. 2011 , 12, e282-9	52
872	A review of the association between obesity and cognitive function across the lifespan: implications for novel approaches to prevention and treatment. 2011 , 12, 740-55	445
871	Body size phenotypes and inflammation in the Women's Health Initiative Observational Study. 2011 , 19, 1482-91	59
870	Association of maternal folate nutrition and serum C-reactive protein concentrations with gestational age at delivery. 2011 , 65, 350-6	21
869	C-reactive protein levels and body mass index: elucidating direction of causation through reciprocal Mendelian randomization. 2011 , 35, 300-8	180
868	The association of body mass index, waist and hip circumference, and waist-hip ratio with Chlamydia pneumoniae IgG antibodies and high-sensitive C-reactive protein at 31 years of age in Northern Finland Birth Cohort 1966. 2011 , 35, 1470-8	5

(2011-2011)

867	Inflammation, insulin resistance, lipid disturbances, anthropometrics, and metabolic syndrome in morbidly obese patients: a case control study comparing laparoscopic Roux-en-Y gastric bypass and laparoscopic sleeve gastrectomy. 2011 , 149, 364-70	51
866	High-sensitivity C-reactive protein is associated with hippocampus volume in nondementia patients with type 2 diabetes mellitus. 2011 , 60, 460-6	15
865	Expression of the selenoprotein S (SELS) gene in subcutaneous adipose tissue and SELS genotype are associated with metabolic risk factors. 2011 , 60, 114-20	49
864	Moderating effect of indoleamine 2,3-dioxygenase (IDO) activation in the association between depressive symptoms and carotid atherosclerosis: evidence from the Young Finns study. 2011 , 133, 611-4	11
863	Traffic exposure in a population with high prevalence type 2 diabetesdo medications influence concentrations of C-reactive protein?. 2011 , 159, 2051-60	11
862	How mental stress affects endothelial function. 2011 , 462, 779-94	69
861	C-reactive protein and hormones but not IL-6 are associated to body mass index in first trimester of pregnancy. 2011 , 284, 567-73	7
860	Psychological distress and C-reactive protein: do health behaviours and pathophysiological factors modify the association?. 2011 , 261, 277-84	15
859	Serum C-reactive protein level and prediabetes in two Asian populations. 2011 , 54, 767-75	34
858	Relationships between C-reactive protein, white blood cell count, and insulin resistance in a Chinese population. 2011 , 39, 175-81	13
857	Alterations in platelet function and cell-derived microvesicles in recently menopausal women: relationship to metabolic syndrome and atherogenic risk. 2011 , 4, 811-22	45
856	C-reactive protein and glucose regulation in familial longevity. 2011 , 33, 623-30	11
855	Effect of a low fat versus a low carbohydrate weight loss dietary intervention on biomarkers of long term survival in breast cancer patients ('CHOICE'): study protocol. 2011 , 11, 287	24
854	Early life socioeconomic adversity is associated in adult life with chronic inflammation, carotid atherosclerosis, poorer lung function and decreased cognitive performance: a cross-sectional, population-based study. 2011 , 11, 42	66
853	Differential effects of dietary protein sources on postprandial low-grade inflammation after a single high fat meal in obese non-diabetic subjects. 2011 , 10, 115	34
852	Comparative insights into the regulation of inflammation: levels and predictors of interleukin 6 and interleukin 10 in young adults in the Philippines. 2011 , 146, 373-84	15
851	High levels of hsCRP are associated with carbohydrate metabolism disorder. 2011 , 25, 375-81	2
850	Plasma ceruloplasmin as a biomarker for obesity: a proteomic approach. 2011 , 44, 351-6	36

849	Is there a potential use for C-reactive protein as a diagnostic and prognostic marker for colorectal cancer?. 2011 , 7, 1125-8	8
848	The evil axis of obesity, inflammation and type-2 diabetes. 2011 , 11, 23-31	32
847	C-reactive protein in adolescent twins: patterns and relationship to adiposity. 2011, 96, 3226-33	12
846	Deficiency in interferon-gamma results in reduced body weight and better glucose tolerance in mice. 2011 , 152, 3690-9	48
845	Increased waist circumference is the component of metabolic syndrome the most strongly associated with elevated C-reactive protein in elderly. 2011 , 9, 281-5	8
844	Endothelial dysfunction and low-grade inflammation are associated with greater arterial stiffness over a 6-year period. 2011 , 58, 588-95	110
843	Relationship between C3 levels and common carotid intima-media thickness in overweight and obese patients. 2011 , 4, 159-63	8
842	Systemic inflammation and its response to treatment in patients with asthma. 2011 , 56, 800-5	17
841	Regulatory Effects of High Glucose on the Expression of Toll-Like Receptor Gene and Cytokine Production in Human Peripheral-Blood Mononuclear Cells. 2011 , 179-180, 374-379	1
840	Low-grade chronic inflammation and vascular damage in patients with rheumatoid arthritis: don't forget "metabolic inflammation". 2011 , 38, 595-7	4
839	Obesity, Visceral Fat, and NAFLD: Querying the Role of Adipokines in the Progression of Nonalcoholic Fatty Liver Disease. 2011 , 2011, 592404	89
838	Fish consumption in healthy adults is associated with decreased circulating biomarkers of endothelial dysfunction and inflammation during a 6-year follow-up. 2011 , 141, 1719-25	41
837	Inflammatory markers and gait speed decline in older adults. 2011 , 66, 1083-9	87
836	Nontraditional risk factors and biomarkers for cardiovascular disease: mechanistic, research, and clinical considerations for youth: a scientific statement from the American Heart Association. 2011 , 123, 2749-69	227
835	Tissue factor is induced by resistin in human coronary artery endothelial cells by the NF-B-dependent pathway. 2011 , 48, 59-66	49
834	Inflammatory markers in hyperlipidemia: from experimental models to clinical practice. 2011 , 17, 4132-46	35
833	C-reactive protein and the risk of contrast-induced acute kidney injury in patients undergoing percutaneous coronary intervention. 2011 , 34, 203-10	53
832	Inflammatory induction of human resistin causes insulin resistance in endotoxemic mice. 2011 , 60, 775-83	44

831	Vascular disease: obesity and excess weight as modulators of risk. 2011 , 9, 525-34	15
830	Atlas of Atherosclerosis and Metabolic Syndrome. 2011 ,	5
829	Gut Microbes, Immunity, and Metabolism. 2011 , 311-330	1
828	The Association of the Metabolic Syndrome with PAI-1 and t-PA Levels. 2011 , 2011, 541467	12
827	A closer look at the role of urotensin II in the metabolic syndrome. 2012 , 3, 165	20
826	Role of adipokines and other inflammatory mediators in gestational diabetes mellitus and previous gestational diabetes mellitus. 2012 , 2012, 549748	56
825	Inflammation and metabolic dysfunction: links to cardiovascular diseases. 2012 , 302, H2148-65	155
824	Metabolic Syndrome in Rheumatoid Arthritis. 2012, 12,	2
823	Effect of obesity on cardiovascular disease risk factors in African American women. 2012 , 14, 171-9	4
822	A Potential Role for Pro-Inflammatory Cytokines in the Development of Insulin Resistance in Horses. 2012 , 2, 243-60	8
821	Metabolic factors and high-sensitivity C-reactive protein: the HUNT study. 2012 , 19, 1101-10	10
820	Assessment of management of cardiovascular risk factors in patients with thoracic aortic disease. 2012 , 17, 235-42	3
819	Impact of exercise training on inflammation and platelet activation in patients with intermittent claudication. 2012 , 142, w13623	13
818	High-Sensitivity C-Reactive Protein in Patients with Polycystic Ovary Syndrome. 2012 , 19, 389-396	3
817	Role of 🖾 drenergic receptors in the oral activity of zinc-🛭 -glycoprotein (ZAG). 2012 , 153, 4696-704	15
816	Cardiovascular risk in rheumatic patients: the link between inflammation and atherothrombosis. 2012 , 38, 497-505	39
815	Blood pressure and body mass index: a comparison of the associations in the Caucasian and Asian populations. 2012 , 35, 523-30	3
814	Effects of physical exercise on inflammatory markers of atherosclerosis. 2012 , 18, 4326-49	62

813	High-sensitive C-reactive protein: universal prognostic and causative biomarker in heart disease?. 2012 , 6, 19-34	34
812	Expression levels of vascular cell adhesion molecule-1 in young and nonobese women with polycystic ovary syndrome. 2012 , 73, 236-41	14
811	Endothelial dysfunction in diabetes mellitus: possible involvement of endoplasmic reticulum stress?. 2012 , 2012, 481840	75
810	Fetal programming of the neuroendocrine-immune system and metabolic disease. 2012 , 2012, 792934	26
809	Association of in vivo Edrenergic receptor sensitivity with inflammatory markers in healthy subjects. 2012 , 74, 271-7	14
808	Safe and early discharge after colorectal surgery due to C-reactive protein: a diagnostic meta-analysis of 1832 patients. 2012 , 256, 245-50	104
807	Low-grade inflammation, but not endothelial dysfunction, is associated with greater carotid stiffness in the elderly: the Hoorn Study. 2012 , 30, 744-52	26
806	Atheroma plaque, metabolic syndrome and inflammation in patients with psoriasis. 2012 , 22, 337-44	46
805	A review of the role of lymphoma markers and occupational and environmental exposures. 2012 , 32, 61-73	7
804	Effect of obesity on repeat revascularization in patients undergoing percutaneous coronary intervention with drug-eluting stents. 2012 , 20, 141-6	19
803	Diabetic Neuropathy. 2012, 751-767	1
802	A highly sensitive immunoassay for interleukin-6 in dried blood spots. 2012 , 24, 863-5	27
801	Relation between C-reactive protein and impaired fasting glucose in obese subjects. 2012 , 35, 1742-6	3
800	Serum resistin and inflammatory and endothelial activation markers in obese adolescents. 2012 , 161, 1022-7	23
799	Increased circulating angiotensin-(1-7) protects white adipose tissue against development of a proinflammatory state stimulated by a high-fat diet. 2012 , 178, 64-70	62
798	From excess adiposity to insulin resistance: the role of free fatty acids. 2012 , 57, 91-7	185
797	The role of cytokines in cardiovascular disease in menopause. 2012 , 15, 524-30	11
796	Measurements of body fat is associated with markers of inflammation, insulin resistance and lipid levels in both overweight and in lean, healthy subjects. 2012 , 7, e234-e240	3

(2012-2012)

795	Co-effect of insulin resistance and biomarkers of inflammation and endothelial dysfunction on hypertension. 2012 , 35, 513-7	6
794	Beneficial effects of a high-protein, low-glycemic-load hypocaloric diet in overweight and obese women with polycystic ovary syndrome: a randomized controlled intervention study. 2012 , 31, 117-25	74
793	Role of lipoproteins and inflammation in cognitive decline: do they interact?. 2012 , 33, 196.e1-12	38
792	Obesity and adipokines: effects on sympathetic overactivity. 2012 , 590, 1787-801	139
791	The duodenal switch for morbid obesity: modification of cardiovascular risk markers compared with standard bariatric surgeries. 2012 , 203, 603-608	11
790	Relation between high-sensitivity C-reactive protein and cardiovascular and renal markers in a middle-income country in the African region. 2012 , 156, 203-8	6
789	Adipose expression of adipocytokines in women with polycystic ovary syndrome. 2012, 98, 235-41	47
788	Relationship of C-reactive protein with components of the metabolic syndrome in a Tunisian population. 2012 , 23, e5-9	15
787	Development of coronary heart disease and ischemic stroke in relation to fasting and 2-hour plasma glucose levels in the normal range. 2012 , 11, 76	32
786	Metabolic syndrome and inflammatory biomarkers: a community-based cross-sectional study at the Framingham Heart Study. 2012 , 4, 28	42
7 ⁸ 5	Inflammation. 2012 , 192-227	2
7 ⁸ 4	Increased chemerin concentrations in fetuses of obese mothers and correlation with maternal insulin sensitivity. 2012 , 25, 2274-80	27
783	Regional differences in subcutaneous adipose tissue gene expression. 2012 , 20, 2168-73	19
782	Association Between Platelet Count and Components of Metabolic Syndrome in Geriatric Taiwanese Women. 2012 , 6, 201-205	7
781	Association Between Platelet Count and Components of Metabolic Syndrome in Geriatric Taiwanese Males. 2012 , 6, 215-219	3
780	Insulin resistance and left ventricular mass in non-diabetic hemodialysis patients. 2012 , 73, 165-73	3
779	Correlation between maternal inflammatory markers and fetomaternal adiposity. 2012, 60, 96-9	30
778	The adipokine visfatin induces tissue factor expression in human coronary artery endothelial cells: another piece in the adipokines puzzle. 2012 , 130, 403-8	11

777	Characterizing and quantifying leukocyte populations in human adipose tissue: impact of enzymatic tissue processing. 2012 , 386, 50-9	25
776	Effects of auricular acupuncture on anthropometric, lipid profile, inflammatory, and immunologic markers: a randomized controlled trial study. 2012 , 18, 668-77	29
775	Green tea polyphenols reduce body weight in rats by modulating obesity-related genes. 2012 , 7, e38332	80
774	Postnatal maternal separation modifies the response to an obesogenic diet in adulthood in rats. 2012 , 5, 691-7	28
773	Low-grade inflammation and insulin resistance independently explain substantial parts of the association between body fat and serum C3: the CODAM study. 2012 , 61, 1787-96	34
772	Macrophages and Inflammation. 2012 , 167-193	3
771	Increased intraoperative bleeding in patients undergoing abdominoplasty after gastroplasty is not due to coagulopathy. 2012 , 36, 1283-91	2
770	Adipose Tissue Biology. 2012 ,	10
769	The effects of body acupuncture on obesity: anthropometric parameters, lipid profile, and inflammatory and immunologic markers. 2012 , 2012, 603539	42
768	Prognostic impact of baseline high-sensitivity C-reactive protein in patients with acute myocardial infarction undergoing percutaneous coronary intervention based on body mass index. 2012 , 42, 164-72	10
767	Type 2 Diabetes, Immunity and Cardiovascular Risk: A Complex Relationship. 2012,	3
766	Effect of Obesity on Circulating Adipokines and Their Expression in Omental Adipose Tissue of Female Bariatric Surgery Patients. 2012 ,	
765	References. 329-400	
764	High sensitivity C-reactive protein distribution in the elderly: the Bambu℃ohort Study, Brazil. 2012 , 45, 1284-6	8
763	Physiological activities of chitosan and N-trimethyl chitosan chloride in U937 and 3T3-L1 cells. 2012 , 23, 228-235	
762	Erectile dysfunction: a weighty issue?. 2012 , 29, 32-35	1
761	Are increased carotid artery pulsatility and resistance indexes early signs of vascular abnormalities in young obese males?. 2012 , 40, 335-40	9
760	Obesity in cancer survival. 2012 , 32, 311-42	122

(2013-2012)

759	Leptin and adiponectin: distribution and associations with cardiovascular risk factors in men and women of the general population. 2012 , 24, 595-601	30
75 ⁸	Sex difference and the role of leptin in the association between high-sensitivity C-reactive protein and adiposity in two different populations. 2012 , 27, 379-84	24
757	Evaluation of lasting high levels of CRP among the patients with metabolic syndrome. 2012 , 35, 730-5	3
756	Serum levels and liver store of retinol and their association with night blindness in individuals with class III obesity. 2012 , 22, 602-8	21
755	Empfehlungen der Projektgruppe Pr\u00edention der DGK zur risikoadjustierten Pr\u00edention von Herzund Kreislauferkrankungen. 2012 , 6, 249-262	
754	Proinflammatory cytokine levels in hyperlipidemic patients with periodontitis after periodontal treatment. 2012 , 18, 299-306	50
753	Stimulation of inflammatory gene expression in human preadipocytes by macrophage-conditioned medium: upregulation of IL-6 production by macrophage-derived IL-1 2012 , 349, 239-47	25
75²	Importance of metabolic changes induced by chemotherapy on prognosis of early-stage breast cancer patients: a review of potential mechanisms. 2012 , 13, 368-80	35
75 ¹	Update on the Role of Adipokines in Atherosclerosis and Cardiovascular Diseases. 2012, 6, 53-61	
750	Perivascular Fat and the Microcirculation: Relevance to Insulin Resistance, Diabetes, and Cardiovascular Disease. 2012 , 6, 80-90	42
749	Contractile activity of human skeletal muscle cells prevents insulin resistance by inhibiting pro-inflammatory signalling pathways. 2012 , 55, 1128-39	98
748	IL-6 gene polymorphisms and CAD risk: a meta-analysis. 2013 , 40, 2589-98	15
747	Adipocytokines as features of the metabolic syndrome determined using confirmatory factor analysis. 2013 , 23, 415-21	14
746	C-reactive protein causes insulin resistance in mice through FcIreceptor IIB-mediated inhibition of skeletal muscle glucose delivery. 2013 , 62, 721-31	35
745	Obesity and Stroke. 2013 , 95-112	1
744	A new strategy for early diagnosis of type 2 diabetes by standard-free, label-free LC-MS/MS quantification of glycated peptides. 2013 , 62, 3936-42	28
743	The role of innate immune cells in obese adipose tissue inflammation and development of insulin resistance. 2013 , 109, 399-406	65
742	Does grape seed oil improve inflammation and insulin resistance in overweight or obese women?. 2013 , 64, 706-10	30

741	Handbook of Clinical Nutrition and Stroke. 2013,	4
740	Other inflammatory markers and related factors should be kept in mind in metabolic syndrome with psoriasis patients. 2013 , 305, 459-60	3
739	Outcome of one-stage cementless exchange for acute postoperative periprosthetic hip infection. 2013 , 471, 3214-22	52
738	Exposure to the saturated free fatty acid palmitate alters BV-2 microglia inflammatory response. 2013 , 51, 805-12	35
737	The in vitro and in vivo effects of yerba mate (Ilex paraguariensis) extract on adipogenesis. 2013 , 141, 809-15	53
736	Metabolic syndrome in the offspring of centenarians: focus on prevalence, components, and adipokines. 2013 , 35, 1995-2007	27
735	The association between bone mineral density and metabolic syndrome: a Korean population-based study. 2013 , 31, 571-8	17
734	A study of the link between bone turnover markers and bone mineral density with inflammation and body mass in postmenopausal women with active rheumatoid arthritis. 2013 , 31, 169-76	8
733	Conventional and novel cardiovascular risk factors and markers of vascular damage in rural and urban Indian men. 2013 , 165, 255-9	7
732	Unhealthy dietary patterns associated with inflammation and endothelial dysfunction in type 1 diabetes: the EURODIAB study. 2013 , 23, 758-64	36
731	Mitochondrial genetics and obesity: evolutionary adaptation and contemporary disease susceptibility. 2013 , 65, 1229-1237	16
730	Omega-3 fatty acids: a review of the effects on adiponectin and leptin and potential implications for obesity management. 2013 , 67, 1234-42	66
729	Post-surgical highly sensitive C-reactive protein and prognosis in early-stage breast cancer. 2013 , 141, 485-93	13
728	Exposure to the saturated free fatty acid palmitate alters microglia inflammatory response. 2013 , 8, P42	78
727	Thoracic periaortic and visceral adipose tissue and their cross-sectional associations with measures of vascular function. 2013 , 21, 1496-503	28
726	Inflammation, Reproduction, and the Goldilocks Principle. 2013 , 3-26	5
725	Pathophysiology of human visceral obesity: an update. 2013 , 93, 359-404	1267
724	Phytochemicals as a potential source for TNF- II nhibitors. 2013 , 12, 65-93	27

723	Obesity and the prediction of minimal disease activity: a prospective study in psoriatic arthritis. 2013 , 65, 141-7	121
722	Non-alcoholic steatohepatitis in morbidly obese patients. 2013 , 37, 17-29	23
721	CRP and suPAR are differently related to anthropometry and subclinical organ damage. 2013 , 167, 781-5	82
720	Relation of vascular stiffness with epicardial and pericardial adipose tissues, and coronary atherosclerosis. 2013 , 229, 118-23	31
719	Coal and tire burning mixtures containing ultrafine and nanoparticulate materials induce oxidative stress and inflammatory activation in macrophages. 2013 , 463-464, 743-53	15
718	Linkage between C-reactive protein and triglyceride-rich lipoprotein metabolism. 2013 , 62, 369-75	5
717	Cardiovascular risk prediction in the general population with use of suPAR, CRP, and Framingham Risk Score. 2013 , 167, 2904-11	98
716	C-reactive protein and incidence of type 2 diabetes in the Pizarra study. 2013 , 43, 159-67	6
715	Endogenous sex hormones and C-reactive protein in healthy Chinese men. 2013, 78, 60-6	22
714	Elevated serum high-sensitivity C-reactive protein levels in fibromyalgia syndrome patients correlate with body mass index, interleukin-6, interleukin-8, erythrocyte sedimentation rate. 2013 , 33, 1259-64	42
713	Endothelial dysfunction in (pre)diabetes: characteristics, causative mechanisms and pathogenic role in type 2 diabetes. 2013 , 14, 39-48	82
712	Association of hypertension with coexistence of abnormal metabolism and inflammation and endothelial dysfunction. 2013 , 22, 151-7	8
711	Obesity and C-reactive protein in various populations: a systematic review and meta-analysis. 2013 , 14, 232-44	338
710	Comparative effects of single-mode vs. duration-matched concurrent exercise training on body composition, low-grade inflammation, and glucose regulation in sedentary, overweight, 3 middle-aged men. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013 , 38, 779-88	31
709	Recent progress in the use of genetics to understand links between type 2 diabetes and related metabolic traits. 2013 , 14, 203	7
708	Effect of iridoid glucoside on plasma lipid profile, tissue fatty acid changes, inflammatory cytokines, and GLUT4 expression in skeletal muscle of streptozotocin-induced diabetic rats. 2013 , 380, 43-55	12
707	The roles of aerobic exercise training and suppression IL-6 gene expression by RNA interference in the development of insulin resistance. 2013 , 61, 394-405	5
706	Long-term effects of low glycemic index/load vs. high glycemic index/load diets on parameters of obesity and obesity-associated risks: a systematic review and meta-analysis. 2013 , 23, 699-706	164

705	Metabolic syndrome and insulin resistance: underlying causes and modification by exercise training. 2013 , 3, 1-58	316
704	Inflammation, cytokines and insulin resistance: a clinical perspective. 2013 , 61, 119-25	133
703	Circulating IL-6 concentrations and associated anthropometric and metabolic parameters in South Asian men and women in comparison to European whites. 2013 , 61, 29-32	11
702	Liver function test changes in centrally obese youth with metabolic syndrome in a Serbian population. 2013 , 11, 427-33	4
701	C-reactive protein is elevated in schizophrenia. 2013 , 143, 198-202	87
700	Magnesium in Human Health and Disease. 2013 ,	26
699	Obesity and psoriatic arthritis: from pathogenesis to clinical outcome and management. 2013 , 52, 62-7	84
698	Male pattern baldness and its association with coronary heart disease: a meta-analysis. 2013, 3,	18
697	Carotid Artery Intima Media Thickness and HsCRP; Predictors for Atherosclerosis in Prediabetic Patients?. 2013 , 29, 495-9	8
696	Cytokines and chemokines as biomarkers of community-acquired bacterial infection. 2013 , 2013, 190145	40
695	Effect of avocado soybean unsaponifiables on insulin secretion and insulin sensitivity in patients with obesity. 2013 , 6, 443-8	3
694	Development and application of specific cytokine assays in tissue samples from a bottlenose dolphin with hyperinsulinemia. 2013 , 4, 134	4
693	Leptin increases blood pressure and markers of endothelial activation during pregnancy in rats. 2013 , 2013, 298401	15
692	Obesity and inflammation: epidemiology, risk factors, and markers of inflammation. 2013 , 2013, 678159	215
691	Is neutrophil/lymphocyte ratio associated with subclinical inflammation and amyloidosis in patients with familial Mediterranean fever?. 2013 , 2013, 185317	50
690	Significant association between serum interleukin-6 and Helicobacter pylori antibody levels among H. pylori-positive Japanese adults. 2013 , 2013, 142358	20
689	Case-control study of inflammatory markers and the risk of endometrial cancer. 2013, 22, 374-9	24
688	C-reactive protein and preterm delivery: clues from placental findings and maternal weight. 2013 , 20, 715-22	14

(2013-2013)

687	A consideration of biomarkers to be used for evaluation of inflammation in human nutritional studies. 2013 , 109 Suppl 1, S1-34	220
686	The association of interleukin 6-634C/G polymorphism with left atrial thrombus and severe spontaneous echocontrast in patients with atrial fibrillation. 2013 , 19, 673-8	10
685	Effects of energy restriction on activity of the hypothalamo-pituitary-adrenal axis in obese humans and rodents: implications for diet-induced changes in body composition. 2013 , 15, 71-80	17
684	Serum pentraxin-3 levels are associated with the severity of metabolic syndrome. 2013 , 22, 274-9	15
683	Effect of the Mediterranean diet with and without weight loss on markers of inflammation in men with metabolic syndrome. 2013 , 21, 51-7	107
682	Arterial function and anatomy in obese children with cardiovascular risk factors. 2013 , 55, 696-702	4
681	Periodontitis and type II diabetes: a two-way relationship. 2013 , 11, 317-29	66
680	Weight loss by multidisciplinary intervention improves endothelial and sexual function in obese fertile women. 2013 , 10, 1024-33	30
679	Associations among work-related stress, cortisol, inflammation, and metabolic syndrome. 2013 , 50, 821-30	50
678	Higher calcaneal bone mineral density in men with metabolic syndrome in a Chinese population. 2013 , 5, 7-9	3
677	Activated complement factor 3 is associated with liver fat and liver enzymes: the CODAM study. 2013 , 43, 679-88	30
676	Diet-induced obesity has a differential effect on adipose tissue and macrophage inflammatory responses of young and old mice. 2013 , 39, 326-33	13
675	Distribution and determinants of C-reactive protein in the older adult population: European Prospective Investigation into Cancer-Norfolk study. 2013 , 43, 899-911	21
674	Vital exhaustion and markers of low-grade inflammation in healthy adults: the Amsterdam Growth and Health Longitudinal Study. 2013 , 29, 392-400	11
673	Effect of dietary composition of weight loss diets on high-sensitivity c-reactive protein: the Randomized POUNDS LOST trial. 2013 , 21, 681-9	26
672	Trends in C-reactive protein levels in US adults from 1999 to 2010. 2013 , 177, 1430-42	30
671	Inflammatory markers and blood pressure: sex differences and the effect of fat mass in the CoLaus Study. 2013 , 27, 169-75	27
670	Serum EGTP activity is closely associated with serum CRP levels in non-overweight and overweight middle-aged Japanese men. 2013 , 59, 108-14	5

669	Rheumatoid arthritis is associated with reduced adiposity but not with unfavorable major cardiovascular risk factor profiles and enhanced carotid atherosclerosis in black Africans from a developing population: a cross-sectional study. 2013 , 15, R96	15
668	Impact of social integration on metabolic functions: evidence from a nationally representative longitudinal study of US older adults. 2013 , 13, 1210	30
667	No evidence for a role of adipose tissue-derived serum amyloid a in the development of insulin resistance or obesity-related inflammation in hSAA1(+/-) transgenic mice. 2013 , 8, e72204	13
666	[Hepcidin as a central mediator of anemia of chronic diseases associated with obesity]. 2013, 141, 887-94	5
665	Perinatal nutrition programs neuroimmune function long-term: mechanisms and implications. 2013 , 7, 144	26
664	Influence of physical activity and nutrition on obesity-related immune function. 2013, 2013, 752071	29
663	Procalcitonin and C-reactive protein in the diagnosis and prediction of spontaneous bacterial peritonitis associated with chronic severe hepatitis B. 2013 , 33, 449-54	27
662	Preventive effects of selenium yeast, chromium picolinate, zinc sulfate and their combination on oxidative stress, inflammation, impaired angiogenesis and atherogenesis in myocardial infarction in rats. 2013 , 16, 848-67	24
661	The fractional exhaled nitric oxide and serum high sensitivity C-reactive protein levels in cough variant asthma and typical bronchial asthma. 2013 , 62, 251-7	18
660	Monocyte to macrophage differentiation goes along with modulation of the plasmalogen pattern through transcriptional regulation. 2014 , 9, e94102	34
659	Effects of periodontal therapy on C-reactive protein and HDL in serum of subjects with periodontitis. 2014 , 29, 69-77	13
658	IL-6 gene promoter polymorphisms and risk of coronary artery disease in a Chinese population. 2014 , 13, 7718-24	25
657	Regression models for log-normal data: comparing different methods for quantifying the association between abdominal adiposity and biomarkers of inflammation and insulin resistance. 2014 , 11, 3521-39	12
656	Obesity and cognitive decline: role of inflammation and vascular changes. 2014 , 8, 375	205
655	Type 2 diabetes and cardiovascular disease: Have all risk factors the same strength?. 2014 , 5, 444-70	375
654	Endothelial Function in Pre-diabetes, Diabetes and Diabetic Cardiomyopathy: A Review. 2014 , 05,	9
653	Area-level socioeconomic status, adiposity, physical activity, and inflammation in young adults, 2013. 2014 , 11, E130	7
652	Subclinical Processes in the Development of Type Two Diabetes. 2014 , 05,	

651	The health consequences of obesity. 2014 , 48-66	O
650	Serum levels of high sensitivity C-Reactive protein and its association with lipidemic status in Bangladeshi healthy adults. 2014 , 4, 644-648	
649	Adiposity estimated using dual energy X-ray absorptiometry and body mass index and its association with cognition in elderly adults. 2014 , 62, 2311-8	14
648	Assessment of high-sensitivity C-reactive protein and lipid levels in healthy adults and patients with coronary artery disease, with and without periodontitisa cross-sectional study. 2014 , 49, 836-44	14
647	Endothelial dysfunction is associated with a greater depressive symptom score in a general elderly population: the Hoorn Study. 2014 , 44, 1403-16	48
646	Insulin, estrogen, inflammatory markers, and risk of benign proliferative breast disease. 2014 , 74, 3248-58	37
645	Metabolic changes and serum ghrelin level in patients with psoriasis. 2014 , 2014, 175693	5
644	Effect of probiotic (VSL#3) and omega-3 on lipid profile, insulin sensitivity, inflammatory markers, and gut colonization in overweight adults: a randomized, controlled trial. 2014 , 2014, 348959	156
643	Adipokines as potential biomarkers in rheumatoid arthritis. 2014 , 2014, 425068	31
642	Incremental predictive value of high-sensitivity C-reactive protein for incident hypertension: the Hypertension-Diabetes Daegu Initiative study. 2014 , 36, 302-8	5
641	Development of a murine model of early sepsis in diet-induced obesity. 2014 , 2014, 719853	8
640	Obstructive sleep apnea: role of intermittent hypoxia and inflammation. 2014 , 35, 531-44	37
639	The additive impact of periodic limb movements during sleep on inflammation in patients with obstructive sleep apnea. 2014 , 11, 375-82	15
638	Baseline serum C-reactive protein and death from colorectal cancer in the NHANES III cohort. 2014 , 134, 1862-70	22
637	Carotid artery remodelling in relation to body fat distribution, inflammation and sustained weight loss in obesity. 2014 , 275, 534-43	14
636	Relationship between impaired adipogenesis of retroperitoneal adipose tissue and hypertrophic obesity: role of endogenous glucocorticoid excess. 2014 , 18, 1549-61	11
635	Hypolipidemic and antiinflammation activities of fermented soybean fibers from meju in C57BL/6 J mice. 2014 , 28, 1335-41	14
634	Effects of concurrent training on inflammatory markers and expression of CD4, CD8, and HLA-DR in overweight and obese adults. 2014 , 12, 55-61	7

633	Prospective study of surgical treatment of acromegaly: effects on ghrelin, weight, adiposity, and markers of CV risk. 2014 , 99, 4124-32	33
632	Role of Saturated and Polyunsaturated Fat in Obesity-Related Inflammation. 2014 , 297-308	2
631	Histidine supplementation alleviates inflammation in the adipose tissue of high-fat diet-induced obese rats via the NF- B - and PPAR⊡nvolved pathways. 2014 , 112, 477-85	32
630	Development of specific immobilization method on gold surface and its application for determining cardiac risk. 2014 , 8, 295-302	1
629	Interaction of the endocrine system with inflammation: a function of energy and volume regulation. 2014 , 16, 203	67
628	Obesity and 1-year outcomes in older Americans with severe sepsis. 2014 , 42, 1766-74	85
627	Dietary salt restriction improves cardiac and adipose tissue pathology independently of obesity in a rat model of metabolic syndrome. 2014 , 3, e001312	30
626	Obese hypertensive men have plasma concentrations of C-reactive protein similar to that of obese normotensive men. 2014 , 27, 1301-7	2
625	Obesity associated inflammation in African American adolescents and adults. 2014 , 347, 357-63	13
624	Inflammation and oxidative stress markers and esophageal adenocarcinoma incidence in a Barrett's esophagus cohort. 2014 , 23, 2393-403	31
623	C-reactive protein and colorectal cancer mortality in U.S. adults. 2014 , 23, 1609-18	27
622	Adipose Tissue and Adipokines in Health and Disease. 2014 ,	5
621	Impact of obesity on bronchial asthma in Indian population. 2014 , 31, 121-6	2
620	The treatment of Uygur medicine Dracocephalum moldavica L on chronic mountain sickness rat model. 2014 , 10, 477-82	21
619	Endothelium and its alterations in cardiovascular diseases: life style intervention. 2014 , 2014, 801896	138
618	Inflammation and glycemic tolerance status in pregnancy: the role of maternal adiposity. 2014 , 78, 53-8	14
617	Metabolic syndrome and major depression. 2014 , 19, 293-304	98
616	COPD patients with and without metabolic syndrome: clinical and functional differences. 2014 , 9, 419-25	36

Ilex paraguariensis (yerba mate) improves endocrine and metabolic disorders in obese rats primed by early weaning. 2014 , 53, 73-82		21
Potential role of omega-3-derived resolution mediators in metabolic inflammation. 2014 , 92, 324-30		12
Time-course effects of aerobic interval training and detraining in patients with metabolic syndrome. 2014 , 24, 792-8		50
Inflammatory biomarkers in type 2 diabetic patients: effect of glycemic control and impact of LDL subfraction phenotype. 2014 , 13, 34		36
Sexual orientation and gender differences in markers of inflammation and immune functioning. 2014 , 47, 57-70		25
Effect of aerobic training on insulin resistance and C-reactive protein (CRP) levels and subcutaneous abdominal in obese women. 2014 , 10, 111-118		1
Adipose Tissue and Type 2 Diabetes Mellitus. 2014 , 235-248		2
Inflammation as a link between obesity, metabolic syndrome and type 2 diabetes. 2014 , 105, 141-50		1039
The adipokine profile of metabolically benign obese and at-risk normal weight postmenopausal women: the Women's Health Initiative Observational Study. 2014 , 22, 786-94		22
Role of ACE I/D gene polymorphisms on the effect of ramipril in inflammatory response and myocardial injury in patients undergoing coronary artery bypass grafts. 2014 , 70, 1443-51		8
Association of adenovirus 36 infection with adiposity and inflammatory-related markers in children. 2014 , 99, 3240-6		20
Circulating inflammatory markers and the risk of vascular complications and mortality in people with type 2 diabetes and cardiovascular disease or risk factors: the ADVANCE study. 2014 , 63, 1115-23		94
Liuwei Dihuang, a traditional Chinese herbal formula, suppresses chronic inflammation and oxidative stress in obese rats. 2014 , 12, 447-54		22
Mechanisms of adiponectin-associated perivascular function in vascular disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 1637-42	9.4	55
Plasma levels of pentraxin-3, an inflammatory protein involved in fertility, are reduced in women with polycystic ovary syndrome. 2014 , 170, 401-9		15
ACE2 activation by xanthenone prevents leptin-induced increases in blood pressure and proteinuria during pregnancy in Sprague-Dawley rats. 2014 , 49, 155-61		20
Complement protein C3 and coronary artery calcium in middle-aged women with polycystic ovary syndrome and controls. 2014 , 30, 511-5		10
Circulating cytokines in relation to the extent and composition of coronary atherosclerosis: results from the ATHEROREMO-IVUS study. 2014 , 236, 18-24		30
	Potential role of omega-3-derived resolution mediators in metabolic inflammation. 2014, 92, 324-30 Time-course effects of aerobic interval training and detraining in patients with metabolic syndrome. 2014, 24, 792-8 Inflammatory biomarkers in type 2 diabetic patients: effect of glycemic control and impact of LDL subfraction phenotype. 2014, 13, 34 Sexual orientation and gender differences in markers of inflammation and immune functioning. 2014, 47, 57-70 Effect of aerobic training on insulin resistance and C-reactive protein (CRP) levels and subcutaneous abdominal in obese women. 2014, 10, 111-118 Adipose Tissue and Type 2 Diabetes Mellitus. 2014, 235-248 Inflammation as a link between obesity, metabolic syndrome and type 2 diabetes. 2014, 105, 141-50 The adipokine profile of metabolically benign obese and at-risk normal weight postmenopausal women: the Women's Health Initiative Observational Study. 2014, 22, 786-94 Role of ACE I/D gene polymorphisms on the effect of ramipril in inflammatory response and myocardial injury in patients undergoing coronary artery bypass grafts. 2014, 70, 1443-51 Association of adenovirus 36 infection with adiposity and inflammatory-related markers in children. 2014, 99, 3240-6 Circulating inflammatory markers and the risk of vascular complications and mortality in people with type 2 diabetes and cardiovascular disease or risk factors: the ADVANCE study. 2014, 63, 1115-23 Liuwei Dihuang, a traditional Chinese herbal formula, suppresses chronic inflammation and oxidative stress in obese rats. 2014, 12, 447-54 Mechanisms of adiponectin-associated perivascular function in vascular disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2014, 34, 1637-42 Plasma levels of pentraxin-3, an inflammatory protein involved in fertility, are reduced in women with polycystic ovary syndrome. 2014, 170, 401-9 ACE2 activation by xanthenone prevents leptin-induced increases in blood pressure and proteinuria during pregnancy in Sprague-Dawley rats. 2014, 49, 155-61 Complement pro	Potential role of omega-3-derived resolution mediators in metabolic inflammation. 2014, 92, 324-30 Time-course effects of aerobic interval training and detraining in patients with metabolic syndrome. 2014, 24, 792-8 Inflammatory biomarkers in type 2 diabetic patients: effect of glycemic control and impact of LDL subfraction phenotype. 2014, 13, 34 Sexual orientation and gender differences in markers of inflammation and immune functioning. 2014, 47, 57-70 Effect of aerobic training on insulin resistance and C-reactive protein (CRP) levels and subcutaneous abdominal in obese women. 2014, 10, 111-118 Adipose Tissue and Type 2 Diabetes Mellitus. 2014, 235-248 Inflammation as a link between obesity, metabolic syndrome and type 2 diabetes. 2014, 105, 141-50 The adipokine profile of metabolically benign obese and at-risk normal weight postmenopausal women: the Women's Health Initiative Observational Study. 2014, 22, 786-94 Role of ACE I/D gene polymorphisms on the effect of ramipril in inflammatory response and myocardial injury in patients undergoing coronary artery bypass grafts. 2014, 70, 1443-51 Association of adenovirus 36 infection with adiposity and inflammatory-related markers in children. 2014, 99, 3240-6 Circulating inflammatory markers and the risk of vascular complications and mortality in people with type 2 diabetes and cardiovascular disease or risk factors: the ADVANCE study. 2014, 63, 1115-23 Liuwei Dihuang, a traditional Chinese herbal formula, suppresses chronic inflammation and oxidative stress in obese rats. 2014, 12, 447-54 Mechanisms of adiponectin-associated perivascular function in vascular disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2014, 34, 1637-42 Plasma levels of pentraxin-3, an inflammatory protein involved in fertility, are reduced in women with polycystic ovary syndrome. 2014, 170, 401-9 ACE2 activation by xanthenone prevents leptin-induced increases in blood pressure and proteinuria during pregnancy in Sprague-Dawley rats. 2014, 49, 155-61 Complement pro

597	Adipocyte cell size, free fatty acids and apolipoproteins are associated with non-alcoholic liver injury progression in severely obese patients. 2014 , 63, 1542-52	75
596	Intraindividual variability over time in plasma biomarkers of inflammation and effects of long-term storage. 2014 , 25, 969-76	23
595	Interleukin 6(-174G/C) variant and its circulating levels in coronary artery disease patients and their first degree relatives. 2014 , 37, 314-21	19
594	Elevated plasma thrombomodulin and angiopoietin-2 predict the development of acute kidney injury in patients with acute myocardial infarction. 2014 , 18, R100	26
593	Reductions in C-reactive protein in older adults with type 2 diabetes are related to improvements in body composition following a randomized controlled trial of resistance training. 2014 , 5, 111-20	51
592	Correlation of neutrophil to lymphocyte ratio with the presence and severity of metabolic syndrome. 2014 , 20, 159-63	112
591	Weight loss and achievement of minimal disease activity in patients with psoriatic arthritis starting treatment with tumour necrosis factor b lockers. 2014 , 73, 1157-62	148
590	Effects of Ilex paraguariensis (yerba mate) treatment on leptin resistance and inflammatory parameters in obese rats primed by early weaning. 2014 , 115, 29-35	22
589	Effects of supplemental long-chain omega-3 fatty acids and erythrocyte membrane fatty acid content on circulating inflammatory markers in a randomized controlled trial of healthy adults. 2014 , 91, 161-8	39
588	Glucose and lipopolysaccharide regulate proatherogenic cytokine release from mononuclear cells in polycystic ovary syndrome. 2014 , 103, 38-44	8
587	The association of body mass index with serum angiogenic markers in normal and abnormal pregnancies. 2014 , 211, 247.e1-7	29
586	High-normal albuminuria predicts metabolic syndrome in middle-aged Korean men: a prospective cohort study. 2014 , 77, 149-54	7
585	Basal inflammation and innate immune response in chronic multisite musculoskeletal pain. 2014 , 155, 1605-1612	39
584	An imbalance in serum concentrations of inflammatory and anti-inflammatory cytokines in hypertension. 2014 , 8, 614-23	46
583	Association between inflammatory biomarkers and adiposity in obese patients with heart failure and metabolic syndrome. 2014 , 8, 181-186	11
582	Effects of long-term developmental patterns of adiposity on levels of C-reactive protein and fibrinogen among North-American men and women: the Spokane Heart Study. 2014 , 7, 197-210	2
581	Effects of walking on low-grade inflammation and their implications for Type 2 Diabetes. 2015 , 2, 538-47	18
580	Significance of MPV, RDW with the Presence and Severity of Metabolic Syndrome. 2015 , 123, 567-70	12

(2015-2015)

579	Plasma Inflammatory Markers and the Risk of Developing Hypertension in Men. 2015 , 4, e001802	25
578	Understanding the effects of mature adipocytes and endothelial cells on fatty acid metabolism and vascular tone in physiological fatty tissue for vascularized adipose tissue engineering. 2015 , 362, 269-79	9
577	Obesity and inflammation markers in relation to leukocyte telomere length in a cross-sectional study of persons with Barrett's esophagus. 2015 , 2, 32	15
576	Atherogenic index of plasma in non-obese women with androgenetic alopecia. 2015 , 54, e339-44	9
575	Serum high-sensitivity C-reactive protein can be an airway inflammation predictor in bronchial asthma. 2015 , 36, e23-8	22
574	Inflammation, oxidative stress and renin angiotensin system in atherosclerosis. 2015 , 6, 209-17	198
573	Impact of post-laparoscopic sleeve gastrectomy weight loss on C-reactive protein, lipid profile and CA-125 in morbidly obese women. 2016 , 10, 521-6	6
572	The association between obesity and gastrointestinal cancer. 2015 , 103	
571	Effects of a Low Dose of Fish Oil on Inflammatory Markers of Brazilian HIV-Infected Adults on Antiretroviral Therapy: A Randomized, Parallel, Placebo-Controlled Trial. 2015 , 7, 6520-8	5
570	Interleukin-1 and acute brain injury. 2015 , 9, 18	93
569	Immune aging, dysmetabolism, and inflammation in neurological diseases. 2015 , 9, 172	150
568	Adiponectin as a potential biomarker of vascular disease. 2015 , 11, 55-70	60
567	[Influence of weight gain during the first year after kidney transplantation in the survival of grafts and patients]. 2015 , 143, 961-70	5
566	Review of Medicinal Plants for Anti-Obesity Activity. 2015 , 6,	20
565	Association of Adipokines with Insulin Resistance, Microvascular Dysfunction, and Endothelial Dysfunction in Healthy Young Adults. 2015 , 2015, 594039	9
564	An Evolutionary Perspective of Nutrition and Inflammation as Mechanisms of Cardiovascular Disease. 2015 , 2015, 179791	21
563		31

561	RETRACTED: Combination of carvacrol and rosiglitazone ameliorates high fat diet induced changes in lipids and inflammatory markers in C57BL/6J mice. 2015 , 110, 129-136	15
560	Effect of n-3 PUFA supplementation at different EPA:DHA ratios on the spontaneously hypertensive obese rat model of the metabolic syndrome. 2015 , 113, 878-87	35
559	Supplementation of the Pure Flavonoids Epicatechin and Quercetin Affects Some Biomarkers of Endothelial Dysfunction and Inflammation in (Pre)Hypertensive Adults: A Randomized Double-Blind, Placebo-Controlled, Crossover Trial. 2015 , 145, 1459-63	109
558	Tangeretin, a polymethoxylated flavone, modulates lipid homeostasis and decreases oxidative stress by inhibiting NF-B activation and proinflammatory cytokines in cardiac tissue of streptozotocin-induced diabetic rats. 2015, 16, 315-333	27
557	Obesity Appears to Be Associated With Altered Muscle Protein Synthetic and Breakdown Responses to Increased Nutrient Delivery in Older Men, but Not Reduced Muscle Mass or Contractile Function. 2015 , 64, 3160-71	64
556	Anti-inflammatory effects of gastric bypass surgery and their association with improvement in metabolic profile. 2015 , 10, 435-446	2
555	A healthy diet is associated with less endothelial dysfunction and less low-grade inflammation over a 7-year period in adults at risk of cardiovascular disease. 2015 , 145, 532-40	39
554	Regular consumption of Fiit-ns, a polyphenol extract from fruit and vegetables frequently consumed within the Mediterranean diet, improves metabolic ageing of obese volunteers: a randomized, double-blind, parallel trial. 2015 , 66, 120-5	23
553	Disease activity in ankylosing spondylitis and associations to markers of vascular pathology and traditional cardiovascular disease risk factors: a cross-sectional study. 2015 , 42, 645-53	27
552	Correlation between inflammatory markers and insulin resistance in pregnancy. 2015 , 35, 142-5	25
551	Sex differences in serum leptin and its relation to markers of cardiometabolic risk in middle-aged adults: evidence from a population-based study. 2015 , 31, 491-7	7
550	South Asian ethnicity and cardiovascular risk: the known, the unknown, and the paradox. 2015 , 66, 405-15	16
549	Pancreastatin-dependent inflammatory signaling mediates obesity-induced insulin resistance. 2015 , 64, 104-16	43
548	Obesity, adipokines and neuroinflammation. 2015 , 96, 124-34	113
547	Fclreceptors and ligands and cardiovascular disease. 2015 , 116, 368-84	39
546	The association of nonalcoholic fatty liver disease, obesity, and metabolic syndrome, with systemic inflammation and subclinical atherosclerosis: the Multi-Ethnic Study of Atherosclerosis (MESA). 2015 , 239, 629-33	122
545	Interleukin-6 is a better metabolic biomarker than interleukin-18 in young healthy adults. 2015 , 71, 527-35	3
544	Bilateral internal mammary artery grafting in obese: outcomes, concerns and controversies. 2015 , 16, 158-62	7

543	Vitamin D and obesity: current perspectives and future directions. 2015 , 74, 115-24	115
542	Effects of aerobic and resistance training on abdominal fat, apolipoproteins and high-sensitivity C-reactive protein in adolescents with obesity: the HEARTY randomized clinical trial. 2015 , 39, 1494-500	27
541	Dietary influence on pain via the immune system. 2015 , 131, 435-69	21
540	Effects of smoking severity and moderate and severe periodontitis on serum C-reactive protein levels: an age- and gender-matched retrospective cohort study. 2015 , 20, 306-12	10
539	Novel quercetin-3-O-glucoside eicosapentaenoic acid ester ameliorates inflammation and hyperlipidemia. 2015 , 23, 173-85	18
538	Secreted phospholipase A2 inhibitor modulates fatty acid composition and reduces obesity-induced inflammation in Beagle dogs. 2015 , 204, 214-9	2
537	The role of insulin resistance and metabolic risk factors on culprit coronary plaque. 2015 , 190, 56-62	6
536	The signs of stress: embodiments of biosocial stress among type 2 diabetic women in New Delhi, India. 2015 , 131, 122-30	20
535	Metabolic Dysfunction in Pulmonary Arterial Hypertension. 2015 , 17, 20	33
534	Peripheral mononuclear blood cells contribute to the obesity-associated inflammatory state independently of glycemic status: involvement of the novel proinflammatory adipokines chemerin, chitinase-3-like protein 1, lipocalin-2 and osteopontin. 2015 , 10, 460	33
533	The Relationship of Obesity With the Severity of Psoriasis: A Systematic Review. 2015 , 19, 450-6	50
532	The combination of abdominal obesity and high-sensitivity C-reactive protein predicts new-onset hypertension in the general Japanese population: the Tanno-Sobetsu study. 2015 , 38, 426-32	17
531	Preventive Cardiology: The Effects of Exercise. 2015 , 737-766	
530	IGF-1 levels across the spectrum of normal to elevated in acromegaly: relationship to insulin sensitivity, markers of cardiovascular risk and body composition. 2015 , 18, 808-19	30
529	Novel textile material based disposable sensors for biomedical analysis. 2015 , 5, 45545-45550	7
528	Steroidogenic versus Metabolic Programming of Reproductive Neuroendocrine, Ovarian and Metabolic Dysfunctions. 2015 , 102, 226-37	45
527	Impact of systemic enzyme supplementation on low-grade inflammation in humans. 2015, 3, 83-88	2
526	Meta-analysis of the predictive value of C-reactive protein for infectious complications in abdominal surgery. 2015 , 102, 590-8	85

525	Epidemiology and geography of type 2 diabetes mellitus. 2015 , 29-51	O
524	Dose selection of siltuximab for multicentric Castleman's disease. 2015 , 75, 1037-45	10
523	Modulation of Glucokinase Regulatory Protein: A Double-Edged Sword?. 2015 , 21, 583-594	38
522	The Apparent Relation between Plasma 25-Hydroxyvitamin D and Insulin Resistance is Largely Attributable to Central Adiposity in Overweight and Obese Adults. 2015 , 145, 2683-9	16
521	Clinical and Laboratory Diagnosis. 2015 , 13-25	1
520	Intramyocellular and Extramyocellular Lipids Are Associated With Arterial Stiffness. 2015 , 28, 1473-9	13
519	Is obesity predictive of cardiovascular dysfunction independent of cardiovascular risk factors?. 2015 , 39, 244-53	21
518	Neutrophil to Lymphocyte Ratio is Related to Stent Thrombosis and High Mortality in Patients With Acute Myocardial Infarction. 2015 , 66, 545-52	44
517	Acute-phase reactants in periodontal disease: current concepts and future implications. 2015, 6, 108-17	6
516	Obesity and cardiovascular outcomes: a review. 2016 , 5, 77-85	58
516 515	Obesity and cardiovascular outcomes: a review. 2016 , 5, 77-85 CRP, HbA1c, lipid, and biochemical parameters and their relation with maternal visceral adipose tissue and subcutaneous fat tissue thickness. 2016 , 46, 6-12	2
	CRP, HbA1c, lipid, and biochemical parameters and their relation with maternal visceral adipose	
515	CRP, HbA1c, lipid, and biochemical parameters and their relation with maternal visceral adipose tissue and subcutaneous fat tissue thickness. 2016 , 46, 6-12 Deep analyses of the associations of a series of biomarkers with insulin resistance, metabolic syndrome, and diabetes risk in nondiabetic middle-aged and elderly individuals: results from a	2
515 514	CRP, HbA1c, lipid, and biochemical parameters and their relation with maternal visceral adipose tissue and subcutaneous fat tissue thickness. 2016 , 46, 6-12 Deep analyses of the associations of a series of biomarkers with insulin resistance, metabolic syndrome, and diabetes risk in nondiabetic middle-aged and elderly individuals: results from a Chinese community-based study. 2016 , 11, 1531-1538 The Effect of Dietary Supplementation of Green Tea Catechins on Cardiovascular Disease Risk	2
515 514 513	CRP, HbA1c, lipid, and biochemical parameters and their relation with maternal visceral adipose tissue and subcutaneous fat tissue thickness. 2016 , 46, 6-12 Deep analyses of the associations of a series of biomarkers with insulin resistance, metabolic syndrome, and diabetes risk in nondiabetic middle-aged and elderly individuals: results from a Chinese community-based study. 2016 , 11, 1531-1538 The Effect of Dietary Supplementation of Green Tea Catechins on Cardiovascular Disease Risk Markers in Humans: A Systematic Review of Clinical Trials. 2016 , 2, 16	9
515514513512	CRP, HbA1c, lipid, and biochemical parameters and their relation with maternal visceral adipose tissue and subcutaneous fat tissue thickness. 2016, 46, 6-12 Deep analyses of the associations of a series of biomarkers with insulin resistance, metabolic syndrome, and diabetes risk in nondiabetic middle-aged and elderly individuals: results from a Chinese community-based study. 2016, 11, 1531-1538 The Effect of Dietary Supplementation of Green Tea Catechins on Cardiovascular Disease Risk Markers in Humans: A Systematic Review of Clinical Trials. 2016, 2, 16 Can lifestyle modification affect men's erectile function?. 2016, 5, 187-94 The influence of a Mediterranean Diet with and without Red Wine on the Haemostatic and	9
515514513512511	CRP, HbA1c, lipid, and biochemical parameters and their relation with maternal visceral adipose tissue and subcutaneous fat tissue thickness. 2016, 46, 6-12 Deep analyses of the associations of a series of biomarkers with insulin resistance, metabolic syndrome, and diabetes risk in nondiabetic middle-aged and elderly individuals: results from a Chinese community-based study. 2016, 11, 1531-1538 The Effect of Dietary Supplementation of Green Tea Catechins on Cardiovascular Disease Risk Markers in Humans: A Systematic Review of Clinical Trials. 2016, 2, 16 Can lifestyle modification affect men's erectile function?. 2016, 5, 187-94 The influence of a Mediterranean Diet with and without Red Wine on the Haemostatic and Inflammatory Parameters of Subjects with the Metabolic Syndrome. 2016, 28, Advanced Glycation End Products Induce Obesity and Hepatosteatosis in CD-1 Wild-Type Mice.	2 9 9

(2016-2016)

507	Undaria pinnatifida and Fucoxanthin Ameliorate Lipogenesis and Markers of Both Inflammation and Cardiovascular Dysfunction in an Animal Model of Diet-Induced Obesity. 2016 , 14,	58
506	Extracted Triterpenes from Antrodia cinnamomea Reduce the Inflammation to Promote the Wound Healing via the STZ Inducing Hyperglycemia-Diabetes Mice Model. 2016 , 7, 154	21
505	Effect of Thiazolidinedione Amide on Insulin Resistance, Creactive Protein and Endothelial Function in Young Women with Polycystic Ovary Syndrome. 2016 , 14, 2287	1
504	Effects of low-fat milk consumption on metabolic and atherogenic biomarkers in Korean adults with the metabolic syndrome: a randomised controlled trial. 2016 , 29, 477-86	18
503	Relationship between androgenetic alopecia and cardiovascular risk factors according to BASP classification in Koreans. 2016 , 43, 1293-1300	13
502	C-reactive protein, obesity, and the risk of arterial and venous thrombosis. 2016 , 14, 1561-71	46
501	Relations of Visceral and Abdominal Subcutaneous Adipose Tissue, Body Mass Index, and Waist Circumference to Serum Concentrations of Parameters of Chronic Inflammation. 2016 , 9, 144-57	28
500	Sonographically Assessed Intra-Abdominal Fat And Cardiometabolic Risk Factors in Adolescents with Extreme Obesity. 2016 , 9, 121-37	2
499	Obesity and Colorectal Cancer. 2016 , 208, 17-41	54
498	References. 482-601	
497	Proteomics reveals the effects of sustained weight loss on the human plasma proteome. 2016 , 12, 901	131
496	Metabolic Syndrome in Humans and Horses: The Relationship Between Obesity and Insulin Resistance. 2016 , 149-166	O
495	Thyroid Function and High-Sensitivity C-Reactive Protein in Cross-Sectional Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): Effect of Adiposity and Insulin Resistance. 2016 , 5, 240-246	10
494	The relationship between visfatin and serum concentrations of C-reactive protein, interleukin 6 in patients with metabolic syndrome. 2016 , 39, 917-22	18
493	Benign prostatic hyperplasia, metabolic syndrome and androgenic alopecia: Is there a possible relationship?. 2016 , 14, 157-62	7
492	Birth weight, early life course BMI, and body size change: Chains of risk to adult inflammation?. 2016 , 148, 102-9	20
491	Statin-Associated Side Effects. 2016 , 67, 2395-2410	329
490	Endothelial Fc[Receptor IIB Activation Blunts Insulin Delivery to Skeletal Muscle to Cause Insulin Resistance in Mice. 2016 , 65, 1996-2005	15

CRP and Diabetes: Sugar Is Not So Sweet. **2016**, 189-205

488	Examining associations between dietary patterns and metabolic CVD risk factors: a novel use of structural equation modelling. 2016 , 115, 1586-97	21
487	Effects of habitual aerobic exercise on the relationship between intramyocellular or extramyocellular lipid content and arterial stiffness. 2016 , 30, 606-12	8
486	Acute-phase proteins and incidence of diabetes: a population-based cohort study. 2016 , 53, 981-989	14
485	High-Sensitivity C-Reactive Protein and Leptin Levels Related to Body Mass Index Changes Throughout Childhood. 2016 , 178, 178-182	18
484	Obesity and stroke: Can we translate from rodents to patients?. 2016 , 36, 2007-2021	40
483	Obesity and the dysregulation of fatty acid metabolism: implications for healthy aging. 2016, 11, 501-510	11
482	Glycemic variability predicts inflammation in adolescents with type 1 diabetes. 2016 , 29, 1129-1133	26
481	Reducing the burden of obesity-associated cancers with anti-inflammatory long-chain omega-3 polyunsaturated fatty acids. 2016 , 125, 100-7	10
480	An observational study to examine changes in metabolic syndrome components in patients with breast cancer receiving neoadjuvant or adjuvant chemotherapy. 2016 , 122, 2646-53	49
479	Associations between nut consumption and inflammatory biomarkers. 2016 , 104, 722-8	56
478	Levels of CD40L and other inflammatory biomarkers in obese and non-obese women with polycystic ovary syndrome. 2016 , 76, 285-91	3
477	miR-155 Deletion in Female Mice Prevents Diet-Induced Obesity. 2016 , 6, 22862	60
476	Occupational and environmental exposure to pesticides and cytokine pathways in chronic diseases (Review). 2016 , 38, 1012-20	93
475	Blood-borne biomarkers and bioindicators for linking exposure to health effects in environmental health science. 2016 , 19, 380-409	24
474	Is poor self-rated health associated with low-grade inflammation in 43,110 late adolescent men of the general population? A cross-sectional study. 2016 , 6, e009440	21
473	Modulatory Role of Omentin-1 in Inflammation: Cytokines and Dietary Intake. 2016 , 35, 670-678	18
472	Usefulness of circulating E-selectin to early detection of the atherosclerotic process in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). 2016 , 8, 19	11

(2017-2016)

471	Chronic inflammation and risk of colorectal and other obesity-related cancers: The health, aging and body composition study. 2016 , 138, 1118-28	34
470	Effect of Promoter Polymorphisms on Cytokine Concentration in Preterm Breast Milk and Subsequent Infant Outcomes. 2016 , 32, 425-37	2
469	Peripheral sub-inflammation is associated with antidepressant consumption in schizophrenia. Results from the multi-center FACE-SZ data set. 2016 , 191, 209-15	26
468	Percutaneous Coronary Intervention Rates and Associated Independent Predictors for Progression of Nontarget Lesions in Patients With Diabetes Mellitus After Drug-Eluting Stent Implantation. 2016 , 67, 12-20	1
467	Total Western Diet Alters Mechanical and Thermal Sensitivity and Prolongs Hypersensitivity Following Complete Freund's Adjuvant in Mice. 2016 , 17, 119-25	34
466	To study co-relation of inflammatory marker TNF-IIn diabetic mellitus patients and healthy nondiabetic adults. 2016 , 6, 8-11	
465	Associations of Apelin, Visfatin, and Urinary 8-Isoprostane With Severe Hypertension in African Americans: The MH-GRID Study. 2016 , 29, 814-20	10
464	Biology of C Reactive Protein in Health and Disease. 2016 ,	2
463	The early diagnostic value of C-reactive protein for anastomotic leakage post radical gastrectomy for esophagogastric junction carcinoma: A retrospective study of 97 patients. 2016 , 27, 182-186	11
462	Does Inflammation Mediate the Association Between Obesity and Insulin Resistance?. 2016 , 39, 994-1003	19
461	Associations of low grade inflammation and endothelial dysfunction with depression - The Maastricht Study. 2016 , 56, 390-6	71
460	Obesity is associated with insulin resistance but not skeletal muscle dysfunction or all-cause mortality. 2016 , 38, 2	7
459	Lipolytic and thermogenic depletion of adipose tissue in cancer cachexia. 2016 , 54, 68-81	50
0	Effects of bariatric surgery on markers of subclinical atherosclerosis and endothelial function: a	44
458	meta-analysis of literature studies. 2016 , 40, 395-402	- ' '
458	Aesthetic Plastic Surgery of the Abdomen. 2016 ,	0
457	Aesthetic Plastic Surgery of the Abdomen. 2016 , Platelet to lymphocyte ratio as a novel indicator of inflammation is correlated with the severity of	0

453	Serum and follicular fluid monocyte chemotactic protein-1 levels are elevated in obese women and are associated with poorer clinical pregnancy rate after in vitro fertilization: a pilot study. 2017 , 107, 632-640.e3	15
452	Trend in young coronary artery disease in China from 2010 to 2014: a retrospective study of young patients [45. 2017 , 17, 18	21
451	The Risk of Developing Diabetes Mellitus in Patients with Psoriatic Arthritis: A Cohort Study. 2017 , 44, 286-291	26
450	Adipokines may mediate the relationship between resting metabolic rates and bone mineral densities in obese women. 2017 , 28, 1619-1629	12
449	Is Serum Angiotensin-Converting Enzyme Level Useful For Determining Necroinflammatory Activity In Chronic Hepatitis B Infection?. 2017 , 21, 102-107	O
448	Clinically healthy overweight and obese dogs differ from lean controls in select CBC and serum biochemistry values. 2017 , 46, 221-226	2
447	Chronic low-grade peripheral inflammation is associated with severe nicotine dependence in schizophrenia: results from the national multicentric FACE-SZ cohort. 2017 , 267, 465-472	16
446	Association of 25-hydroxyvitamin D and parathyroid hormone with the metabolic syndrome in black South African women. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017 , 42, 413-419	4
445	Macrophages and Inflammation. 2017 , 229-255	
444	Socioeconomic status in childhood and C reactive protein in adulthood: a systematic review and meta-analysis. 2017 , 71, 817-826	36
443	Dietary intake and cardiometabolic biomarkers in relation to insulin resistance and hypertension in a middle-aged and elderly population in Beijing, China. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017 , 42, 869-875	9
442	Surfactant protein-D deficiency suppresses systemic inflammation and reduces atherosclerosis in ApoE knockout mice. 2017 , 113, 1208-1218	13
441	Improving Body Composition May Reduce the Immune and Inflammatory Responses of Firefighters Working in the Heat. 2017 , 59, 377-383	3
440	Relationship between polymorphisms in the CRP, LEP and LEPR genes and high sensitivity C-reactive protein levels in Spanish children. 2017 , 55, 1690-1695	5
439	High-sensitivity C-reactive protein is an independent marker of abnormal coronary vasoreactivity in patients with non-obstructive coronary artery disease. 2017 , 190, 1-11	16
438	Associations of VCAM-1 gene polymorphisms with obesity and inflammation markers. 2017 , 66, 217-225	7
437	Population Pharmacokinetics and Pharmacodynamics Modelling of Dilmapimod in Severe Trauma Subjects at Risk for Acute Respiratory Distress Syndrome. 2017 , 17, 145-158	2
436	Insulin use, adipokine profiles and breast cancer prognosis. 2017 , 89, 45-61	17

435	Metabolic syndrome in vitiligo patients among a semi-urban Maharashtrian population: A case control study. 2017 , 11 Suppl 1, S77-S80	11
434	Serum C-reactive protein levels and body mass index in children and adolescents with CHD. 2017 , 27, 1083-1089	3
433	Congenic mice demonstrate the presence of QTLs conferring obesity and hypercholesterolemia on chromosome 1 in the TALLYHO mouse. 2017 , 28, 487-497	4
432	Association of lung function and chronic obstructive pulmonary disease with American Heart Association's Life's Simple 7 cardiovascular health metrics. 2017 , 131, 85-93	14
431	Risk Factors for Erectile Dysfunction in Men With HTLV-1. 2017 , 14, 1195-1200	3
430	Relationship between family history of type 2 diabetes and serum FGF21. 2017 , 47, 853-859	5
429	Carotid stiffness, extra-media thickness and visceral adiposity in young adults. 2017 , 265, 140-146	13
428	C-reactive protein and cardiovascular risk in bipolar disorder patients: A systematic review. 2017 , 79, 442-451	15
427	Predictors of rapid high weight gain in schizophrenia: Longitudinal analysis of the French FACE-SZ cohort. 2017 , 94, 62-69	10
426	Dairy Consumption and Age-Related Vascular Dysfunction. 2017 , 273-286	O
425	Vitamin K homologs as potential biomarkers for disease activity in patients with rheumatoid arthritis. 2017 , 35, 529-535	4
424	High Dietary Fructose Intake on Cardiovascular Disease Related Parameters in Growing Rats. 2016 , 9,	19
423	Chromogranin A Regulation of Obesity and Peripheral Insulin Sensitivity. 2017, 8, 20	21
422	The Impact of Microbiota-Gut-Brain Axis on Diabetic Cognition Impairment. 2017 , 9, 106	23
421	Obesity and brain illness: from cognitive and psychological evidences to obesity paradox. 2017 , 10, 473-479	21
420	Visceral and subcutaneous abdominal adiposity and pulmonary function in 30-year-old adults: a cross-sectional analysis nested in a birth cohort. 2017 , 17, 157	5
419	The association between tuberculosis and the development of insulin resistance in adults with pulmonary tuberculosis in the Western sub-district of the Cape Metropole region, South Africa: a combined cross-sectional, cohort study. 2017 , 17, 570	17
418	Effects of Grape Seed Proanthocyanidin Extract in Attenuating Diabetic Complications in Streptozotocin-Induced Diabetic Rats. 2017 , 09,	

417	Low-intensity Physical Activity is Associated with Lower Maternal Systemic Inflammation during Late Pregnancy. 2017 , 7,	4
416	CLINICAL SIGNIFICANCE OF PROCALCITONIN AND C-REACTIVE PROTEIN IN THE PREDICTION OF CARDIOVASCULAR COMPLICATIONS IN PATIENTS WITH TYPE 2 DIABETES MELLITUS. 2017 , 10, 297	1
415	Systemic Inflammation in Severe Obese Patients Undergoing Surgery for Obesity and Weight-Related Diseases. 2018 , 28, 1931-1942	17
414	Elevated systemic zonula occludens 1 is positively correlated with inflammation in cirrhosis. 2018 , 480, 193-198	9
413	Omega-3 fatty acids in obesity and metabolic syndrome: a mechanistic update. 2018 , 58, 1-16	115
412	Obesity and Cancer: Existing and New Hypotheses for a Causal Connection. 2018 , 30, 14-28	109
411	Dual antithrombotic plus adjunctive antiinflammatory therapy to improve cardiovascular outcome in atrial fibrillation patients with concurrent acute coronary syndrome: A triple-pathway strategy. 2018 , 114, 40-44	4
410	Canagliflozin protects against non-alcoholic steatohepatitis in type-2 diabetic rats through zinc alpha-2 glycoprotein up-regulation. 2018 , 828, 135-145	23
409	Anti-inflammatory effects of Hinolenic acid in M1-like macrophages are associated with enhanced production of oxylipins from Hinolenic and linoleic acid. 2018 , 57, 121-129	34
408	Effects of Angiotensin-Converting Enzyme Inhibition and Alpha 1-Adrenergic Receptor Blockade on Inflammation and Hemostasis in Human Hypertension. 2018 , 71, 240-247	9
407	Disorders of the Endocrine System. 2018 , 1029-1138	4
406	In Vivo and Ex Vivo Inflammatory Markers of Common Metabolic Phenotypes in Humans. 2018 , 16, 29-39	1
405	Effects of increasing ratios of dietary omega-6/omega-3 fatty acids on human monocyte immunomodulation linked with atherosclerosis. 2018 , 41, 258-267	16
404	Inflammation: A key player linking obesity with malignancies. 2018, 81, A3-A6	26
403	Association between plasma fatty acids and inflammatory markers in patients with and without insulin resistance and in secondary prevention of cardiovascular disease, a cross-sectional study. 2018 , 17, 26	19
402	Relationships Among C-Reactive Protein, Alanine Aminotransferase, and Metabolic Syndrome in Apparently Healthy Chinese Subjects. 2018 , 16, 232-239	1
401	[Type 2 Diabetes and Vascular Endothelial Dysfunction]. 2018 , 40, 65-75	9
400	Alcohol and red wine consumption, but not fruit, vegetables, fish or dairy products, are associated with less endothelial dysfunction and less low-grade inflammation: the Hoorn Study. 2018 , 57, 1409-1419	18

399	Effect of weight loss on activity in psoriatic arthritis: A systematic review. 2018, 14, 207-210	6
398	Cardiac rehabilitation reduces salivary levels of interleukin-6 in post coronary artery bypass graft patients. 2018 , 34, 98-102	1
397	Evaluation of the associations between endothelial dysfunction, inflammation and coagulation in Crimean-Congo hemorrhagic fever patients. 2018 , 163, 609-616	7
396	Impact of systemic inflammation on the relationship between insulin resistance and all-cause and cancer-related mortality. 2018 , 81, 52-62	16
395	Correlation between Inflammatory Marker and Glycemic Control in Patients with Ischemic Heart Disease. 2018 , 33, 100-105	
394	Cardiovascular Risk Markers and Major Adverse Cardiovascular Events in Psoriatic Arthritis Patients. 2018 , 13, 199-209	15
393	Correlation between metabolic syndrome and sleep apnea. 2018 , 9, 66-71	31
392	Mendelian Randomization Studies Promise to Shorten the Journey to FDA Approval. 2018, 3, 690-703	9
391	Impact of Metabolic Syndrome on Neuroinflammation and the Blood-Brain Barrier. 2018, 12, 930	112
390	Interleukin-4 Boosts Insulin-Induced Energy Deposits by Enhancing Glucose Uptake and Lipogenesis in Hepatocytes. 2018 , 2018, 6923187	14
389	Contribution of Adipose Tissue Inflammation to the Development of Type 2 Diabetes Mellitus. 2018 , 9, 1-58	124
388	Inflammation-Nature's Way to Efficiently Respond to All Types of Challenges: Implications for Understanding and Managing "the Epidemic" of Chronic Diseases. 2018 , 5, 316	105
387	Oxidants and Endothelial Dysfunction. 2018 , 252-281	1
386	Epicardial fat thickness: A new predictor of successful electrical cardioversion and atrial fibrillation recurrence. 2018 , 35, 1926-1931	9
385	The co-existence of elevated high sensitivity C-reactive protein and homocysteine levels is associated with increased risk of metabolic syndrome: A 6-year follow-up study. 2018 , 13, e0206157	7
384	Vascular Protective Effects of Leaf Extract on Postmenopausal Rats Fed with Thermoxidized Palm Oil Diet: Evidence at Microscopic Level. 2018 , 2018, 6317434	3
383	The Inhibitory Innate Immune Sensor NLRP12 Maintains a Threshold against Obesity by Regulating Gut Microbiota Homeostasis. 2018 , 24, 364-378.e6	86
382	Associations Between C-Reactive Protein, Insulin Sensitivity, and Resting Metabolic Rate in Adults: A Mediator Analysis. 2018 , 9, 556	25

381	Effect of Weight Loss on Activity in Psoriatic Arthritis: A Systematic Review. 2018 , 14, 207-210		О
380	5-fluorouracil and cardiotoxicity: a review. 2018 , 10, 1758835918780140		147
379	Acupuncture Combined with Hydrotherapy in Diabetes Patients with Mild Lower-Extremity Arterial Disease: A Prospective, Randomized, Nonblinded Clinical Study. 2018 , 24, 2887-2900		4
378	Insulin Receptor Substrate 2 Controls Insulin-Mediated Vasoreactivity and Perivascular Adipose Tissue Function in Muscle. <i>Frontiers in Physiology</i> , 2018 , 9, 245	4.6	4
377	Extra-Virgin Olive Oil and Type 2 Diabetes Mellitus. 2018 , 57-79		
376	Dietary Flavonoids in the Prevention of T2D: An Overview. 2018 , 10,		49
375	Thickness of Subcutaneous Fat Is a Predictive Factor of Incisional Surgical Site Infection in Crohn's Disease Surgery: A Retrospective Study. 2018 , 2018, 1546075		7
374	Complement Factor C3 Methylation and mRNA Expression Is Associated to BMI and Insulin Resistance in Obesity. 2018 , 9,		8
373	Exploring the associations between systemic inflammation, obesity and healthy days: a health related quality of life (HRQOL) analysis of NHANES 2005-2008. 2018 , 5, 21		11
372	Effect of mate tea (Ilex paraguariensis) on the expression of the leukocyte NADPH oxidase subunit p47 and on circulating inflammatory cytokines in healthy men: a pilot study. 2019 , 70, 212-221		13
371	Obesity is an independent determinant of elevated C-reactive protein in healthy women but not men. 2019 , 24, 64-69		5
370	Application of Urinary Polyphenol Biomarkers Measured by Liquid Chromatography Tandem Mass Spectrometry to Assess Polyphenol Intake and Their Association with Overweight and Obesity in Free-Living Healthy Subjects. 2019 , 2019, 1-11		4
369	Relations of advanced glycation endproducts and dicarbonyls with endothelial dysfunction and low-grade inflammation in individuals with end-stage renal disease in the transition to renal replacement therapy: A cross-sectional observational study. 2019 , 14, e0221058		12
368	Relationship between endothelium-dependent vasodilation and fat distribution using the new "imiomics" image analysis technique. 2019 , 29, 1077-1086		2
367	Nanoformulations of natural products for management of metabolic syndrome. 2019 , 14, 5303-5321		38
366	Effect of l-arginine supplementation on C-reactive protein and other inflammatory biomarkers: A systematic review and meta-analysis of randomized controlled trials. 2019 , 47, 102226		3
365	Treatment with Metformin and Combination of Metformin Plus Pioglitazone on Serum Levels of IL-6 and IL-8 in Polycystic Ovary Syndrome: A Randomized Clinical Trial. 2019 , 51, 714-722		19
364	Chromogranin A and its fragments in cardiovascular, immunometabolic, and cancer regulation. 2019 , 1455, 34-58		33

(2019-2019)

363	Overweight or Obese Children and Adolescents? Insights from a Meta-Analysis of Randomized Control Trials. 2019 , 12, 653-668	9
362	The effect of adenosine monophosphate-activated protein kinase on lipolysis in adipose tissue: an historical and comprehensive review 2022 , 128, 7-23	1
361	Endothelial dysfunction and low-grade inflammation in the transition to renal replacement therapy. 2019 , 14, e0222547	10
360	Microglial Phagocytosis of Neurons: Diminishing Neuronal Loss in Traumatic, Infectious, Inflammatory, and Autoimmune CNS Disorders. 2019 , 10, 712	26
359	Serum CA 19.9 Levels in Patients With Benign and Malignant Disease: Correlation With the Serum Protein Electrophoretic Pattern. 2019 , 39, 1079-1083	4
358	Sudden Cardiac Death (SCD) - risk stratification and prediction with molecular biomarkers. 2019 , 26, 39	21
357	Association between Phytate Intake and C-Reactive Protein Concentration among People with Overweight or Obesity: A Cross-Sectional Study Using NHANES 2009/2010. 2019 , 16,	4
356	Is C-reactive protein elevated in obstructive sleep apnea? a systematic review and meta-analysis. 2019 , 24, 429-435	8
355	The Relationship Between Obesity, Insulin Resistance, and Conjunctival Impression Cytology. 2019 , 35, 119-127	1
354	The prevalence of cardio-metabolic risk factors is differentially elevated in obesity-prone Osborne-Mendel and obesity-resistant S5B/Pl rats. 2019 , 223, 95-101	4
353	Association between high levels of inflammatory markers and cognitive outcomes at 4 years of age: The Rhea mother-child cohort study, Crete, Greece. 2019 , 117, 1-7	7
352	Gender- and Age-Specific Associations between Visceral Obesity and Renal Function Impairment. 2019 , 12, 67-77	7
351	Sex Difference in the Association between High-sensitivity C-reactive Protein and Depression: The 2016 Korea National Health and Nutrition Examination Survey. 2019 , 9, 1918	13
350	Cardiovascular Risk Clustering in Obese Children. 2019 , 117-124	
349	Review of Leipzig protocol for intravenous insulin infusion in pediatric patients with type 1 diabetes during intercurrent illness and surgery. 2019 , 20, 421-426	
348	A historical review of classic Helicobacter pylori publications in science citation index expanded. 2019 , 13, 313-330	
347	Association between Circulating Irisin and C-Reactive Protein Levels: A Systematic Review and Meta-Analysis. 2019 , 34, 140-149	13
346	Association of high level of hs-CRP with in-stent restenosis: A case-control study. 2019 , 20, 583-587	9

345	Comparison of the effects of sulforaphane and pioglitazone on insulin resistance and associated dyslipidemia, hepatosteatosis, and endothelial dysfunction in fructose-fed rats. 2019 , 66, 43-54	8
344	Metabolic disturbances in non-obese women with polycystic ovary syndrome: a systematic review and meta-analysis. 2019 , 111, 168-177	34
343	The association between resting metabolic rate and metabolic syndrome May Be mediated by adipokines in overweight and obese women. 2019 , 13, 530-534	5
342	The prothrombotic state in atrial fibrillation: pathophysiological and management implications. 2019 , 115, 31-45	43
341	Relations of major dietary patterns and metabolically unhealthy overweight/obesity phenotypes among Iranian women. 2019 , 13, 322-331	18
340	The C-Reactive Protein to Albumin Ratio Predicts Acute Kidney Injury in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. 2019 , 28, 1638-164	5 ²²
339	Network Analysis of MPO and Other Relevant Proteins Involved in Diabetic Foot Ulcer and Other Diabetic Complications. 2019 , 11, 180-190	4
338	Perinatal inflammation and childhood adiposity - a gender effect?. 2020 , 33, 1203-1210	5
337	Physiological role of adiponectin in different tissues: a review. 2020 , 126, 67-73	16
336	Effects of aerobic exercise training on the arterial stiffness and intramyocellular or extramyocellular lipid in overweight and obese men. 2020 , 42, 302-308	2
335	Effects of dietary whole grain, fruit, and vegetables on weight and inflammatory biomarkers in overweight and obese women. 2020 , 25, 1243-1251	5
334	Relationships of complement components C3 and C4 and their genetics to cardiometabolic risk in healthy, non-Hispanic white adolescents. 2020 , 87, 88-94	6
333	A clinical study to evaluate the efficacy of Herbal Formulation for Obesity (HFO-02) in overweight individuals. 2020 , 11, 159-162	3
332	The effects of grape seed extract (Vitis vinifera) supplement on inflammatory markers, neuropeptide Y, anthropometric measures, and appetite in obese or overweight individuals: A randomized clinical trial. 2020 , 34, 379-387	7
331	Association between dietary calcium intake and the risk of cardiovascular disease among Korean adults. 2020 , 74, 834-841	2
330	The role of C-reactive protein after surgery for obesity and metabolic disorders. 2020 , 16, 99-108	4
329	Does celiac disease impair coronary microvascular circulation: Coronary flow velocity reserve of patients with celiac disease. 2020 , 37, 34-40	2
328	Obesity and Brain Function: The Brain-Body Crosstalk. 2020 , 56,	8

327	The role of exogenous Fibrinogen in cardiac surgery: stop bleeding or induce cardiovascular disease. 2020 , 47, 8189-8198	7
326	Comprehensive laboratory reference intervals for routine biochemical markers and pro-oxidant-antioxidant balance (PAB) in male adults. 2020 , 34, e23470	4
325	Operationen und akute Erkrankungen bei Typ-1-Diabetes. 2020 , 20, 23-30	
324	Synergistic Effects and Sex Differences in Anthropometric Measures of Obesity and Elevated High-Sensitivity C-Reactive Protein Levels. 2020 , 17,	О
323	Von Willebrand factor, its cleaving protease (ADAMTS13), and inflammation in young adults: The African-PREDICT study. 2020 , 136, 155265	1
322	IL-6 and hsCRP in Somatic Symptom Disorders and related disorders. 2020 , 9, 100176	3
321	C-reactive Protein/Albumin Ratio and Acute Kidney Injury after Radical Cystectomy among Elderly Patients: A Propensity Score-Matched Analysis. 2020 , 2020, 8818445	4
320	Utilizing biomarkers associated with cardiovascular events in atrial fibrillation: informing a precision medicine response. 2020 , 5, 331-345	
319	Prognostic Impact of High-Sensitivity C-Reactive Protein in Patients Undergoing Percutaneous Coronary Intervention According to BMI. 2020 , 13, 2882-2892	3
318	The potential association between metabolic syndrome and risk of post-surgical adhesion. 2020 , 1-6	
317	The Role of Lymphatic Vascular Function in Metabolic Disorders. <i>Frontiers in Physiology</i> , 2020 , 11, 404 4.6	13
316	C-reactive protein and ART outcomes: a systematic review. 2020 , 26, 753-773	6
315	Recapitulating T cell infiltration in 3D psoriatic skin models for patient-specific drug testing. 2020 , 10, 4123	10
314	Effects of equine metabolic syndrome on inflammation and acute-phase markers in horses. 2020 , 72, 106448	6
313	Anti-obesity activity of gold nanoparticles synthesized from Salacia chinensis modulates the biochemical alterations in high-fat diet-induced obese rat model via AMPK signaling pathway. 2020 , 13, 6589-6597	8
312	The Effects of Low-Energy Moderate-Carbohydrate (MCD) and Mixed (MixD) Diets on Serum Lipid Profiles and Body Composition in Middle-Aged Men: A Randomized Controlled Parallel-Group Clinical Trial. 2020 , 17,	5
311	Serum adipokine levels in patients with sarcoidosis. 2020 , 39, 2121-2125	6

309	Childhood socioeconomic conditions are associated with increased chronic low-grade inflammation over adolescence: findings from the EPITeen cohort study. 2020 , 105, 677-683	6
308	Glucosamine Use, Inflammation, and Genetic Susceptibility, and Incidence of Type 2 Diabetes: A Prospective Study in UK Biobank. 2020 , 43, 719-725	14
307	Effect of high intensity interval training along with Oligopin supplementation on some inflammatory indices and liver enzymes in obese male Wistar rats with non-alcoholic fatty liver disease. 2020 , 17, 100177	4
306	Coicis Semen formula treating monosodium glutamate-induced obesity in mice by alleviating hypothalamic injury. 2020 , 31, 84-99	3
305	Inflammation and central adiposity as mediators of depression and uncontrolled diabetes in the study on global AGEing and adult health (SAGE). 2020 , 32, e23413	2
304	Association between C reactive protein and all-cause mortality in the ELSA-Brasil cohort. 2020 , 74, 421-427	9
303	Why Do South Asians Have High Risk for CAD?. 2012 , 7, 307-14	28
302	Effects of eight weeks of aerobic exercise and taking caraway supplement on C-reactive protein and sleep quality in obese women. 2021 , 52, 218-226	6
301	The Effect of Laparoscopic Sleeve Gastrectomy on TNF-⊞L-6, and CRP in Obese Patients. 2021 , 83, 656-660	
300	The obesity treatment dilemma: Why dieting is both the answer and the problem? A mechanistic overview. 2021 , 47, 101192	11
299	Blunted rest-activity rhythms link to higher body mass index and inflammatory markers in children. 2021 , 44,	8
298	The hematologic consequences of obesity. 2021 , 106, 306-319	12
297	Anti-Inflammatory Effects of Exercise on Metabolic Syndrome Patients: A Systematic Review and Meta-Analysis. 2021 , 23, 280-292	17
296	Subclinical Heart Dysfunction in Relation to Metabolic and Inflammatory Markers: A Community-Based Study. 2021 , 34, 46-55	1
295	The coronavirus disease 2019 and effect on liver function. 2021, Publish Ahead of Print,	6
294	Genetic factors associated with obesity risks in a Kazakhstani population. 2021 , 4, 90-101	O
293	Inflammatory process as an etiological and prognostic factor of stroke and the goal of potential treatment strategies. 2021 , 36, 297-311	
292	An elevated C-reactive protein level in an inpatient rehabilitation setting after joint replacement: To act or not to act? - that is the question. 2021 , 100, e24584	

291	Metabolic Health, Obesity, and Cardiovascular Disease: 2015-2016 National Health and Nutrition Examination Survey. 2021 , 361, 244-252	4
2 90	Comparison of autonomic function tests and high-sensitivity C-reactivity protein in overweight patients of polycystic ovarian syndrome and overweight controls. 64, 303-308	
289	Plasma Xanthine Oxidoreductase Activity Is Associated with a High Risk of Cardiovascular Disease in a General Japanese Population. 2021 , 18,	4
288	Cardiovascular Risk Is Increased in Miner's Chronic Intermittent Hypobaric Hypoxia Exposure From 0 to 2,500 m?. <i>Frontiers in Physiology</i> , 2021 , 12, 647976	1
287	Healthy Lifestyle and Clonal Hematopoiesis of Indeterminate Potential: Results From the Women's Health Initiative. 2021 , 10, e018789	9
286	Effects of Obesity and Diabetes on Sperm Cell Proteomics in Rats. 2021 , 20, 2628-2642	4
285	Bariatric surgery improves clinical outcomes and adiposity biomarkers but not inflammatory cytokines SAA and MCP-1 after a six-month follow-up. 2021 , 81, 230-236	1
284	Are Pregnant Women Who Are Living with Overweight or Obesity at Greater Risk of Developing Iron Deficiency/Anaemia?. 2021 , 13,	3
283	Assessment of cytokines, microRNA and patient related outcome measures in conversion disorder/functional neurological disorder (CD/FND): The CANDO clinical feasibility study. 2021 , 13, 100228	1
282	Work, physical activity, and metabolic health: Understanding insulin sensitivity of long-haul truck drivers. 2021 , 69, 225-233	1
281	The Positive Impact of Resistance Training on Muscle Mass and Serum Leptin Levels in Patients 2-7 Years Post-Roux-en-Y Gastric Bypass: A Controlled Clinical Trial. 2021 , 31, 3758-3767	1
2 80	Successful weight loss reduces endothelial activation in individuals with severe obesity participating in a multimodal weight loss program. 2021 , 15, 249-255	Ο
279	An Oily Fish Diet Improves Subclinical Inflammation in People at High Cardiovascular Risk: A Randomized Controlled Study. 2021 , 26,	1
278	Association between obesity and c reactive protein among patients with risk factors for cardiovascular disease. 2021 , 6, 121-124	
277	Impact of Visceral Fat Area Measured by Bioelectrical Impedance Analysis on Clinico-Pathologic Outcomes of Colorectal Surgery. 2021 , 13, 17-23	
276	Sex, Age, BMI, and C-Reactive Protein Impact the Odds of Developing Hypertension-Findings Based on Data From the Health and Retirement Study (HRS). 2021 , 34, 1057-1063	2
275	Distribution and determinants of serum high-sensitivity C-reactive protein in Ethiopian population. 2021 , 517, 99-107	2
274	Exposure to ambient air pollution during pregnancy and inflammatory biomarkers in maternal and umbilical cord blood: The Healthy Start study. 2021 , 197, 111165	4

273	Psoriasis and Cardiometabolic Diseases: The Impact of Inflammation on Vascular Health. 2021 , 11, 99-108	Ο
272	C-reactive protein in adult Samoans: Population variation and physiological correlates. 2021 , e23646	
271	Low Antioxidant Enzyme Levels and Oxidative Stress in Laryngopharyngeal Reflux (LPR) Patients. 2021 ,	1
270	Association of obesity-related inflammatory pathways with lung function and exercise capacity. 2021 , 183, 106434	2
269	Nonmonotonic response of type 2 diabetes by low concentration organochlorine pesticide mixture: Findings from multi-omics in zebrafish. 2021 , 416, 125956	2
268	Interleukin-6: A Novel Target for Cardio-Cerebrovascular Diseases. 2021 , 12, 745061	10
267	Association between high-sensitivity C-reactive protein levels and depression: Moderation by age, sex, obesity, and aerobic physical activity. 2021 , 291, 375-383	1
266	The role of Wnt pathway in obesity induced inflammation and diabetes: a review 2021 , 20, 1871-1882	O
265	Plasma C-Reactive Protein and Pentraxin-3 Reference Intervals During Normal Pregnancy. 2021 , 12, 722118	1
264	Effects of dynamic and isometric resistance training protocols on metabolic profile in hemodialysis patients: a randomized controlled trial. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021 , 46, 1029-103 ³	O
263	Assessment of the Effect of A-PRF Application during the Surgical Extraction of Third Molars on Healing and the Concentration of C-Reactive Protein. 2021 , 13,	0
262	Dietary advanced glycation endproducts (AGEs) increase their concentration in plasma and tissues, result in inflammation and modulate gut microbial composition in mice; evidence for reversibility. 2021 , 147, 110547	12
261	The degree of severity and structure of cognitive disorders in patients with cerebrovascular disease, depending on the level of 25-hydroxycalciferol. 2021 , 21, 53-61	
260	Forty-Year Anniversary of. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021 , 41, 2353-2356 9.4	O
259	Low-grade inflammation and endothelial dysfunction predict four-year risk and course of depressive symptoms: The Maastricht study. 2021 , 97, 61-67	3
258	Acute effect of high-intensity interval training exercise on redox status in the ovaries of rats fed a high-fat diet. 2021 , 33, 713-724	1
257	Vascular Endothelial Dysfunction and Inflammatory States. 2021 , 217-232	
256	Adiponectin and Thyroid Cancer: Insight into the Association between Adiponectin and Obesity. 2021 , 12, 597-613	3

(2016-2021)

255	Examining chronic inflammatory markers on blood pressure measures in the presence of vitamin D insufficiency among indigenous cree adults: results from the cross-sectional Multi-Community Environment-and-Health Study in, Quebec, Canada. 2021 , 11, e043166	O
254	Epidemiology and Geography of Type 2 Diabetes Mellitus.	1
253	The Syndrome of Insulin Resistance and Its Links to Atherosclerosis.	1
252	Endothelial Function and Dysfunction.	3
251	Peripheral vascular disease and Type 2 diabetes mellitus. 2000 , 16, S11-S15	3
250	Associations of Maternal Weight Status Before, During, and After Pregnancy with Inflammatory Markers in Breast Milk. 2017 , 25, 2092-2099	26
249	Inflammation is a crucial feature of atherosclerosis and a potential target to reduce cardiovascular events. 2005 , 697-722	11
248	Inflammation Through a Psychoneuroimmunological Lens. 2013 , 279-299	11
247	Dysfunction of the Vascular Endothelium and the Development of Renal and Vascular Complications in Diabetes. 2000 , 179-192	1
246	Vasoactive Factors and Inflammatory Mediators Produced in Adipose Tissue. 2007, 63-77	5
245	Dietary Mg Intake and Biomarkers of Inflammation and Endothelial Dysfunction. 2013, 35-50	2
244	Cardiovascular Disease and Insulin Resistance. 2007 , 2803-2818	2
243	Inflammation, Adipokines, and Gestational Diabetes Mellitus. 2010 , 139-153	1
242	Adipose Tissue and Cutaneous Inflammation. 2017 , 219-238	3
241	Endothelial Dysfunction in Obesity. 2017 , 960, 345-379	88
240	Diet-Induced Obesity and the Mechanism of Leptin Resistance. 2017 , 960, 381-397	41
239	Osteoporosis, Inflammation, and Aging. 2019 , 2437-2467	1
238	Adipose Tissues. 2016 , 227-238	1

237	Early nutrition conditions and later risk of disease. 2002 , 129-145	3
236	Cardiac Injury, Atherosclerosis, and Thrombotic Disease. 2011 , 249-258	1
235	Effects of incretin therapy and bariatric surgery on inflammation in obese patients. 2019, 13, 13-20	2
234	Resilience and biomarkers of health risk in Black smokers and nonsmokers. 2017 , 36, 1047-1058	8
233	Effect of the Mediterranean Diet With and Without Weight Loss on Markers of Inflammation in Men With Metabolic Syndrome.	5
232	Gender- and Age-Specific Associations Between Body Fat Composition and C-Reactive Protein with Lung Function: A Cross-Sectional Study. 2019 , 9, 384	9
231	C-reactive protein and cardiorespiratory fitness in young adults. 2005 , 12, 216-220	25
230	Large extracoronary artery diameter in obese postmenopausal women. 2010 , 17, 611-4	4
229	Confounders in chronic stress at work and metabolic syndrome. 2006 , 332, 1153-4	1
228	C-reactive protein: a critical update. 2003 , 111, 1805-12	1134
228	C-reactive protein: a critical update. 2003, 111, 1805-12 C-reactive protein: a critical update. 2003, 111, 1805-1812	2388
227	C-reactive protein: a critical update. 2003, 111, 1805-1812	2388
227	C-reactive protein: a critical update. 2003 , 111, 1805-1812 Ambient particulate matter accelerates coagulation via an IL-6-dependent pathway. 2007 , 117, 2952-61	2388
227 226 225	C-reactive protein: a critical update. 2003, 111, 1805-1812 Ambient particulate matter accelerates coagulation via an IL-6-dependent pathway. 2007, 117, 2952-61 Obesity and Type 2 Diabetes. 2007, 139-154	2388 216 2
227 226 225	C-reactive protein: a critical update. 2003, 111, 1805-1812 Ambient particulate matter accelerates coagulation via an IL-6-dependent pathway. 2007, 117, 2952-61 Obesity and Type 2 Diabetes. 2007, 139-154 Mechanisms Associating Physical Activity with Cancer Incidence. 2005, 157-175	2388 216 2
227 226 225 224 223	C-reactive protein: a critical update. 2003, 111, 1805-1812 Ambient particulate matter accelerates coagulation via an IL-6-dependent pathway. 2007, 117, 2952-61 Obesity and Type 2 Diabetes. 2007, 139-154 Mechanisms Associating Physical Activity with Cancer Incidence. 2005, 157-175 Obesity and Heart Disease. 2012, 227-248	2388 216 2 1

219	Differential white blood cell count and type 2 diabetes: systematic review and meta-analysis of cross-sectional and prospective studies. 2010 , 5, e13405	91
218	Plasma protein profiling reveals protein clusters related to BMI and insulin levels in middle-aged overweight subjects. 2010 , 5, e14422	13
217	Levels and determinants of inflammatory biomarkers in a Swiss population-based sample (CoLaus study). 2011 , 6, e21002	48
216	Deficiency of C5L2 increases macrophage infiltration and alters adipose tissue function in mice. 2013 , 8, e60795	18
215	Markers of thrombogenesis and fibrinolysis and their relation to inflammation and endothelial activation in patients with idiopathic pulmonary arterial hypertension. 2013 , 8, e82628	15
214	Effect of marine-derived n-3 polyunsaturated fatty acids on C-reactive protein, interleukin 6 and tumor necrosis factor ∃a meta-analysis. 2014 , 9, e88103	133
213	Association of biomarkers of inflammation with dyslipidemia and its components among Mongolians in China. 2014 , 9, e89023	10
212	Adipocytokines, C-reactive protein, and cardiovascular disease: a population-based prospective study. 2015 , 10, e0128987	29
211	Skeletal Muscle Insulin Resistance and Absence of Inflammation Characterize Insulin-Resistant Grade I Obese Women. 2016 , 11, e0154119	19
210	Effect of bariatric surgery on flow-mediated dilation and carotid intima-media thickness in patients with morbid obesity: 1-year follow-up study. 2020 , 23, 218-222	6
209	Relationship between IL-17 serum level and ambulatory blood pressure in women with polycystic ovary syndrome. 2017 , 6, 15-24	8
208	Conjugated linoleic acids (CLAs) and health. 2006 , 182-209	12
207	Leukocyte Count as Chronic Inflammation Markers in Type 2 Diabetes Patients.	1
206	Critical appraisal of C-reactive protein throughout the spectrum of cardiovascular disease. 2006 , 2, 221-37	55
205	Metabolic syndrome: the danger signal in atherosclerosis. 2006 , 2, 285-302	65
204	Role of C reactive protein (CRP) in leptin resistance. 2014 , 20, 609-15	45
203	Obesity and coronary microvascular disease - implications for adipose tissue-mediated remote inflammatory response. 2014 , 12, 453-61	25
202	Metabolic syndrome in preeclampsia women in gorgan. 2014 , 8, 94-9	1

201	Expanded Network of Inflammatory Markers of Atherogenesis: Where Are We Now?. 2010, 4, 38-44	3
200	Inflammation-induced atherosclerosis as a target for prevention of cardiovascular diseases from early life. 2010 , 4, 24-9	12
199	Expanded network of inflammatory markers of atherogenesis: where are we now?. 2010, 4, 38-44	5
198	Association of high sensitivity C-reactive protein concentrations and metabolic syndrome among Thai adults. 2010 , 4, 385-393	2
197	Having more healthy practice was associated with low white blood cell counts in middle-aged Japanese male and female workers. 2008 , 46, 341-7	5
196	Changes of serum adiponectin levels in murine experimental sparganosis. 2008 , 46, 91-3	1
195	Individual Response Variation in the Effects of Weight Loss and Exercise on Insulin Sensitivity and Cardiometabolic Risk in Older Adults. 2020 , 11, 632	3
194	Effect of Vitamins C and E Co-Supplementation on Serum C-Reactive Protein Level: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. 2020 , 25, 1-8	5
193	Adipokines and C-reactive protein in relation to bone mineralization in pediatric nonalcoholic fatty liver disease. 2013 , 19, 4007-14	32
192	Success of Radiofrequency Catheter Ablation of Atrial Fibrillation: Does Obesity Influence the Outcomes?. 2008 , 1, 36	3
191	Association between C-Reactive Protein and Metabolic Syndrome in Korean Adults. 2019 , 40, 116-123	15
190	Prevalence of obesity and risk of chronic kidney disease among young adults in Egypt. 2016 , 26, 413-418	4
189	Is Early Onset Androgenic Alopecia a Marker of Metabolic Syndrome and Carotid Artery Atherosclerosis in Young Indian Male Patients?. 2015 , 7, 141-7	25
188	Effects of High Protein and Balanced Diets on Lipid Profiles and Inflammation Biomarkers in Obese and Overweight Women at Aerobic Clubs: A Randomized Clinical Trial. 2016 , 7, 110	6
187	Chronic sub-clinical inflammation in the abdominal adipose tissue - Evaluation of inflammatory cytokines and their link with insulin resistance in metabolically obese South Indians: A cross-sectional observational study. 2016 , 20, 84-91	2
186	Relationship between non-alcoholic fatty liver disease and inflammation in patients with non-alcoholic fatty liver. 2016 , 5, 28	34
185	Effect of yoga training on inflammatory cytokines and C-reactive protein in employees of small-scale industries. 2017 , 6, 76	15
184	Effect of fenugreek consumption with metformin treatment in improving plaque index in diabetic patients. 2020 , 11, 55	1

(2005-2018)

183	CARDIOVASCULAR RISK FACTORS IN ADOLESCENTS: ROLE OF INSULIN RESISTANCE AND OBESITY. 2018 , 14, 330-337	9
182	C-reactive protein and erythrocyte sedimentation rate: Continuing role for erythrocyte sedimentation rate. 2014 , 04, 5-9	2
181	Complement activation in obesity, insulin resistance, and type 2 diabetes mellitus. 2020 , 11, 1-12	29
180	Over expression of resistin in adipose tissue of the obese induces insulin resistance. 2012 , 3, 135-41	23
179	Effect of obstructive sleep apnea on type 2 diabetes mellitus: A comprehensive literature review. 2013 , 4, 238-44	53
178	Adipose-derived stromal/stem cells from different adipose depots in obesity development. 2019 , 11, 147-166	17
177	Upregulation of TNF-alpha and Receptors Contribute to Endothelial Dysfunction in Zucker Diabetic Rats. 2010 , 2, 1-12	16
176	Factors affecting surgical site infection rate after elective gastric cancer surgery. 2016 , 32, 178-84	5
175	Improved insulin sensitivity, central systolic pressure and inflammatory indicators achieved with minor weight reduction in overweight and obese subjects given education on lifestyle modification. 2014 , 8, 185-194	3
174	Ordering and interpreting rheumatologic laboratory tests. 2003 , 11, 60-7	11
173	Pravastatin improves insulin resistance in dyslipidemic patients. 2005 , 12, 322-9	20
172	The usefulness of circulating adipokine levels for the assessment of obesity-related health problems. 2008 , 5, 248-62	70
171	Triglycerides Predict Plasma Fibronectin in Children with Type I Diabetes Mellitus Rather than Diabetes. 2002 , 45, 33-37	1
170	Preanalytic and Analytic Sources of Variations in C-Reactive Protein Measurement. 2003, 305-317	
169	Hemostatic Abnormalities in Diabetes.	
168	Metabolic Stress and Atherosclerosis.	
167	Atherogenesis and Coronary Heart Disease.	
166	Arteriosclerosis. 2005 , 620-629	

165	Women and cardiovascular heart disease. 2005 , 331-347	
164	Obesity, Cytokines, and Other Inflammatory Markers. 2005 , 317-327	
163	Vascular Dysfunction and Obesity. 2006 , 93-120	
162	The Metabolic Syndrome: Time for a Critical Appraisal. 2006 , 12, 99-116	
161	The health consequences in AfricanAmericans of each component of the metabolic syndrome. 2006 , 1, 283-289	
160	Metabolic Syndrome and Type 2 Diabetes Mellitus. 2006 , 41-78	
159	Preventive Cardiology: The Effects of Exercise. 2007, 2631-2648	
158	Pulse wave velocity and ankle brachial index in obese adolescents. 2007 , 50, 1078	
157	Cardiovascular Complications of Obesity and the Metabolic Syndrome. 2007 , 2693-2720	
156	Cardiovascular Disease and Hypertension in the Bariatric Surgery Patient. 2007, 461-466	
155	Exercise and Protein Metabolism. 2007 , 23-106	
154	Examples of Useful Nutritional Supplement Formulations. 2007, 397-426	
153	Insulin Resistance, Metabolic Syndrome, and Cardiovascular Disease. 2008 , 75-84	
152	High-Sensitivity C-Reactive Protein and the Metabolic Syndrome. 2008, 167-188	
151	The Role of Obesity in Insulin Resistance. 2008, 37-55	
150	Components of Metabolic Syndrome. 2008 , 21-82	
149	Subclinical inflammation and redox status in untreated patients with type 2 diabetes mellitus. 2008 , 14, 151-161	
148	Endocannabinoid Overactivity and Abdominal Obesity. 2008, 217-222	

Abdominal Obesity, Metabolic Syndrome and Risk of Cardiovascular Disease. 2008, 1-9 147 The Effect of Weight Reduction Diet on C-Reactive Protein Level in Obese-Adult Subjects. 2008, 9, 17-23 146 Composizione corporea con tecnica DXA. 2009, 401-418 145 Osteoporosis, Inflammation and Ageing. 2009, 1329-1352 144 Genomics of Perioperative and Procedural Medicine. 2009, 794-805 143 Endocannabinoid Receptor Blockers. 2009, 339-351 142 Effects of the hapkido-pilates exercise on the health related physical fitness, serum lipid, immune 141 1 globulin and cytokine concentrations in middle-aged women. 2009, 18, 193-202 140 Insulin as Modulator of Adipose Inflammation. 2009, 99-114 Adipose Tissue Biology: An Update Review. 2009, 1, 4 139 Inflammation and Innate Immune Response. 2010, 181-238 138 Metabolic Syndrome and Inflammation. 2011, 69-92 137 1 The Metabolic Syndrome in Childhood. 81-87 136 Metabolomics, Metabonomics and Functional Nutrition: The Next Step in Nutritional Metabolism 135 1 and Biotherapeutics. Obesity-Related Endothelial Dysfunction and Metabolic Syndrome. 2013, 278-336 134 References. 2014, e1-e37 133 Major Depressive Disorder. 2014, 11-16 132 Mechanistic Effects of Exercise Training in Preventing or Attenuating Atherosclerosis. 2015, 4, 3-13 131 Nutrition Therapy for the Obese Critically Ill Patient. 2015, 619-632 130

129	Obesity and Neurodegeneration. 2015 , 2,	О
128	Metabolic Syndrome Measurement and Worldwide Prevalence. 2015 , 22-35	
127	A Study of Association Dining-out, Nutritional Intakes and Health Risk Factors among Korean Women using the Data of Korean National Health and Nutrition Examination Survey (KNHANES VI). 2015 , 21, 138-146	2
126	A STUDY OF CORRELATION OF HIGH SENSITIVITY C - REACTIVE PROTEIN WITH VARIOUS COMPONENTS OF METABOLIC SYNDROME AT A TERTIARY CENTRE. 2015 , 4, 14682-14691	
125	A Study of Association Dining-out, Nutritional Intakes and Health Risk Factors among Korean Women using the Data of Korean National Health and Nutrition Examination Survey (KNHANES VI). 2015 , 21, 138-146	1
124	Increased Intraoperative Bleeding in Patients Undergoing Abdominoplasty After Gastroplasty Is Not Due to Coagulopathy or Vascular Anatomical Changes. 2016 , 507-519	
123	C-Reactive Protein Decrease After Postbariatric Abdominoplasty. 2016 , 407-411	
122	Challenges of Performing Out of Operating Room Anesthesia on the Morbidly Obese. 2017 , 369-385	
121	Acute Heart Failure Syndromes. 2017 , 81-162	
120	Heart Failure with Normal Left Ventricular Ejection Fraction (HFNEF). 2017 , 273-339	
120 119	Heart Failure with Normal Left Ventricular Ejection Fraction (HFNEF). 2017, 273-339 Relaß entre adiposidade, perfil energtico, proteñas inflamattias e les sosteoarticulares em equinos jovens sobre diferentes sistemas de criaß. 2017, 37, 115-120	1
	Relaß entre adiposidade, perfil energtico, proteñas inflamatiias e lesis osteoarticulares em	1
119	Relaß entre adiposidade, perfil energtico, proteñas inflamattias e lests osteoarticulares em equinos jovens sobre diferentes sistemas de criaß. 2017 , 37, 115-120 Metabolik Sendrom Tedavisinde Battsak Mikrobiyotasññ Probiyotikler ve Zelinde	3
119	Relaß entre adiposidade, perfil energtico, proteñas inflamatias e les sosteoarticulares em equinos jovens sobre diferentes sistemas de criaß. 2017, 37, 115-120 Metabolik Sendrom Tedavisinde Baffsak Mikrobiyotasññ Probiyotikler ve Zelinde Saccharomyces Boulardii ile Modfasyonu. The Relationship between Metabolic Syndrome Risk Factors and High Sensitive C-reactive Protein	
119 118 117	Relaß entre adiposidade, perfil energtico, proteñas inflamatias e les sosteoarticulares em equinos jovens sobre diferentes sistemas de criaß. 2017, 37, 115-120 Metabolik Sendrom Tedavisinde Baffsak Mikrobiyotas n Probiyotikler ve Belinde Saccharomyces Boulardii ile Modlasyonu. The Relationship between Metabolic Syndrome Risk Factors and High Sensitive C-reactive Protein in Abdominal Obesity Elderly Women. 2017, 49, 121-127 Impact of Body Mass Index on Presentation and Outcome of Acute ST Segment Elevation	
119 118 117 116	Relaß entre adiposidade, perfil energtico, proteñas inflamatias e lesis osteoarticulares em equinos jovens sobre diferentes sistemas de criaß. 2017, 37, 115-120 Metabolik Sendrom Tedavisinde Baisak Mikrobiyotasññ Probiyotikler ve Belinde Saccharomyces Boulardii ile Modlasyonu. The Relationship between Metabolic Syndrome Risk Factors and High Sensitive C-reactive Protein in Abdominal Obesity Elderly Women. 2017, 49, 121-127 Impact of Body Mass Index on Presentation and Outcome of Acute ST Segment Elevation Myocardial Infarction. 2017, 9,	
119 118 117 116	Relaß entre adiposidade, perfil energtico, proteñas inflamatfias e less osteoarticulares em equinos jovens sobre diferentes sistemas de criaß. 2017, 37, 115-120 Metabolik Sendrom Tedavisinde Baßak Mikrobiyotasññ Probiyotikler ve ßelinde Saccharomyces Boulardii ile Modſasyonu. The Relationship between Metabolic Syndrome Risk Factors and High Sensitive C-reactive Protein in Abdominal Obesity Elderly Women. 2017, 49, 121-127 Impact of Body Mass Index on Presentation and Outcome of Acute ST Segment Elevation Myocardial Infarction. 2017, 9, Osteoporosis, Inflammation, and Aging. 2018, 1-31 Systemic Inflammation Mediates the Relationship between Obesity and Health Related Quality of	

111	Osteoporosis, Inflammation, and Aging. 2019 , 1-31	
110	Absence of Nocturnal Penile Tumescence: An Earlier Sign of Erectile Dysfunction and Its Linked Comorbid Conditions. 2020 , 3, 72-76	
109	A Study on Effect of Melatonin in Dyslipidemia Caused by Experimentally Diabetes.	1
108	Association between body composition measured by bioelectrical impedance analysis and platelet-to-lymphocyte ratio in colorectal cancer. 2019 , 15, 7-14	2
107	Cardiovascular risk factors and clinical pattern in young Nepalese population with acute coronary syndrome presenting to a tertiary care center of Nepal. 2020 , 235-241	
106	Effects of Lifestyle Intervention on Inflammatory Markers and Waist Circumference in Overweight/Obese Adults With Metabolic Syndrome: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. 2022 , 24, 94-105	3
105	Endothelial Health and Delirium. 2020 , 181-190	
104	Aortic Stiffness: Epidemiology, Risk Factors, and Relevant Biomarkers. 2021 , 8, 709396	8
103	Labor und Ernfirung. 2006 , 307-337	
102	Inflamm-Aging. 2009 , 893-918	
102	Inflamm-Aging. 2009 , 893-918 Insulin Resistance and the Pathogenesis of Cardiovascular Disease. 2008 , 179-205	
	Insulin Resistance and the Pathogenesis of Cardiovascular Disease. 2008 , 179-205	3
101	Insulin Resistance and the Pathogenesis of Cardiovascular Disease. 2008, 179-205 Association between Relative Handgrip Strength and C-Reactive Protein in Adults. 2020, 38, 164-170 Effect of cardiac rehabilitation on inflammation: A systematic review and meta-analysis of	3 22
101	Insulin Resistance and the Pathogenesis of Cardiovascular Disease. 2008, 179-205 Association between Relative Handgrip Strength and C-Reactive Protein in Adults. 2020, 38, 164-170 Effect of cardiac rehabilitation on inflammation: A systematic review and meta-analysis of controlled clinical trials. 2018, 14, 85-94	
101 100 99 98	Insulin Resistance and the Pathogenesis of Cardiovascular Disease. 2008, 179-205 Association between Relative Handgrip Strength and C-Reactive Protein in Adults. 2020, 38, 164-170 Effect of cardiac rehabilitation on inflammation: A systematic review and meta-analysis of controlled clinical trials. 2018, 14, 85-94 Reduction of C-reactive protein and the use of anti-hypertensives. 2007, 3, 975-83	22
101 100 99 98 97	Insulin Resistance and the Pathogenesis of Cardiovascular Disease. 2008, 179-205 Association between Relative Handgrip Strength and C-Reactive Protein in Adults. 2020, 38, 164-170 Effect of cardiac rehabilitation on inflammation: A systematic review and meta-analysis of controlled clinical trials. 2018, 14, 85-94 Reduction of C-reactive protein and the use of anti-hypertensives. 2007, 3, 975-83 Metabolic syndrome and sleep apnea. 2008, 12, 81-6 Association of serum C-reactive protein and indices of body fat distribution and overweight in	22 8

93	Chronic Low-grade Inflammation after Exercise: Controversies. 2012 , 15, 1008-9	5
92	Obesity-related markers and breast cancer in CPS-II Nutrition Cohort. 2013 , 4, 156-66	19
91	Relation between Body Iron Status and Cardiovascular Risk Factors in Patients with Cardiovascular Disease. 2013 , 4, 911-6	12
90	Investigation of the relationship between retinol binding protein 4, metabolic syndrome and insulin resistance in Iranian obese 5-17 year old children. 2013 , 23, 396-402	9
89	Assessment of C-reactive Protein and C3 as Inflammatory Markers of Insulin Resistance in Women with Polycystic Ovary Syndrome: A Case-Control Study. 2013 , 14, 197-201	10
88	The Role of Immunogenicity in Cardiovascular Disease. 2011 , 3, 1-29	10
87	Applying Maternal Serum and Amniotic Fluid CRP Concentrations, and Cervical Length to Predict Preterm Delivery. 2013 , 7, 1-5	1
86	Evaluation of high-sensitivity C-reactive protein in acute asthma. 2012 , 11, 32-7	1
85	Role of dyslipidemia in preeclamptic overweight pregnant women. 2012 , 10, 105-12	4
84	Obesity-related inflammation & cardiovascular disease: efficacy of a yoga-based lifestyle intervention. 2014 , 139, 822-34	11
83	Interleukin-6 promotor polymorphisms and coronary vasospastic angina in Han Chinese. 2014 , 7, 2858-64	4
82	Does low pentraxin-3 levels associate with polycystic ovary syndrome and obesity?. 2014 , 7, 3512-9	9
81	The association between inflammatory markers and obesity-related factors in Tehranian adults: Tehran lipid and glucose study. 2014 , 17, 577-82	14
80	Is there a role for remote ischemic conditioning in preventing 5-fluorouracil-induced coronary vasospasm?. 2019 , 2, 204-212	1
79	Evidence Supporting a Phased Immuno-physiological Approach to COVID-19 From Prevention Through Recovery. 2020 , 19, 8-35	6
78	The multifarious role of insulin in PCOS: From pathophysiology to therapeutic management. 2022 , 39-54	
77	Childhood Immuno-metabolic Markers and Risk of Depression and Psychosis in Adulthood: A Prospective Birth Cohort Study.	
76	Fructose Induces Visceral Adipose Tissue Inflammation and Insulin Resistance Even Without Development of Obesity in Adult Female but Not in Male Rats. 2021 , 8, 749328	2

75	Low-grade inflammation as a risk factor for cardiovascular events and all-cause mortality in patients with type 2 diabetes. 2021 , 20, 220	5
74	Endothelin Receptor Blockade Blunts the Pressor Response to Acute Stress in Obese Men and Women. 2021 ,	1
73	Combined impact of residual inflammatory risk and chronic kidney disease on long-term clinical outcomes in patients undergoing percutaneous coronary intervention. 2021 ,	О
72	Prognostic value of interleukin-6 in atrial fibrillation: A cohort study and meta-analysis. 2021 , 25, 872-879	O
71	The association between a metabolically healthy overweight/obesity phenotype and markers of inflammation among Chinese children and adolescents aged 10-18 years. 2021 ,	О
70	Skin and obesity in childhood: an update. 2021 , 8, 311-323	1
69	The Influence of Obesity and Weight Loss on the Bioregulation of Innate/Inflammatory Responses: Macrophages and Immunometabolism 2022 , 14,	O
68	Sedentary behaviour and physical activity are associated with biomarkers of endothelial dysfunction and low-grade inflammation-relevance for (pre)diabetes: The Maastricht Study 2022 , 65, 777	1
67	Interaction between CETP Taq1B polymorphism and HEI, DQI and DPI on metabolic biomarkers in patients with type 2 diabetes 2021 ,	O
66	ASSOCIATION BETWEEN C-REACTIVE PROTEIN AND GLYCOSYLATED HEMOGLOBIN IN TYPE-2 DIABETES MELLITUS: AN INDIAN PERSPECTIVE. 2022 , 4-7	
65	Sex-dependent relationship of C-reactive protein levels with HDL-cholesterol and HDL-phospholipid concentrations in children 2022 , 12, 3214	
64	Lipid-Lowering Efficacy of the Capsaicin in Patients With Metabolic Syndrome: A Systematic Review and Meta-Analysis of Randomized Controlled Trials 2022 , 9, 812294	2
63	Effects of fitness and fatness on age-related arterial stiffening in people with type 2 diabetes 2022 , e12519	О
62	Metabolic syndrome and breast cancer survivors: a follow-up analysis after completion of chemotherapy 2022 , 14, 36	Ο
61	Association Between Systemic Inflamatuary Index and Epicardial Adipose Tissue in Patients with Type 2 Diabetes Mellitus.	
60	Targeting the vasculature in cardiometabolic disease 2022 , 132,	6
59	Childhood immuno-metabolic markers and risk of depression and psychosis in adulthood: A prospective birth cohort study 2022 , 139, 105707	
58	Obesity-Related Metabolic Dysfunction in Dairy Cows and Horses: Comparison to Human Metabolic Syndrome 2021 , 11,	1

57	The Association between Plasma Concentration of Phytoestrogens and Hypertension within the Korean Multicenter Cancer Cohort 2021 , 13,	O
56	Adipose tissue dysfunction, inflammation, and insulin resistance: alternative pathways to cardiac remodelling in schizophrenia. A multimodal, case-control study. <i>Translational Psychiatry</i> , 2021 , 11, 614	1
55	Relationship Between Lipodystrophy, Body Composition, Metabolic Profile, and Serum Levels of Adipocytokines 2021 , 8, 750721	
54	Top 100 Most Cited Studies in Obesity Research: A Bibliometric Analysis.	О
53	Decreased plasma levels of ceruloplasmin after diet-induced weight loss in obese women. 2012 , 35, 566-9	6
52	Presentation_1.PPTX. 2020 ,	
51	Presentation_2.PPTX. 2020 ,	
50	DataSheet1.DOCX. 2018,	
49	Correlation of C-reactive protein level and obesity in Chinese adults and children: a meta-analysis. 2013 , 36, 642-7	3
48	Type 2 Diabetes Induced by Changes in Proteomic Profiling of Zebrafish Chronically Exposed to a Mixture of Organochlorine Pesticides at Low Concentrations 2022 , 19,	
47	C-Reactive Protein and High-Sensitive Cardiac Troponins Correlate with Oxidative Stress in Valvular Heart Disease Patients 2022 , 2022, 5029853	О
46	Anti-obesity effect of fermented lemon peel on high-fat diet-induced obese mice by modulating the inflammatory response 2022 , e14200	1
45	Role of Bioactive Compounds in Obesity: Metabolic Mechanism Focused on Inflammation 2022 , 11,	2
44	Spatiotemporal Regulation of Circular RNA Expression during Liver Development of Chinese Indigenous Ningxiang Pigs. 2022 , 13, 746	O
43	Cardiorespiratory fitness, genetic susceptibility, inflammation and risk of incident type 2 diabetes: A population-based longitudinal study 2022 , 155215	0
42	High C-reactive protein is associated with increased risk of biochemical hypogonadism: a population-based cohort study. 2022 , 11,	
41	Septic Ankle Arthritis and Tibial Osteomyelitis. 2022 , 759-799	
40	Evaluation of the correlation between D-dimer and total L-fucose, fucose binding protein and fucose binding lipids in type 2 diabetes patients infected with COVID-19. <i>AIP Conference</i> O <i>Proceedings</i> , 2022 ,	

39	Correlation of Body Mass Index and Proinflammatory Cytokine Levels with Hematopoietic Stem Cell Mobilization. <i>Journal of Clinical Medicine</i> , 2022 , 11, 4169	5.1	
38	The Harm of Metabolically Healthy Obese and the Effect of Exercise on Their Health Promotion. <i>Frontiers in Physiology</i> , 13,	4.6	2
37	One Week of Overeating Upregulates Angiogenic and Lipolytic Gene Expression in Human Subcutaneous Adipose Tissue from Exercise Trained and Untrained Adults. <i>Applied Physiology, Nutrition and Metabolism</i> ,	3	0
36	Psychiatric symptoms are not associated with circulating CRP concentrations after controlling for medical, social, and demographic factors. <i>Translational Psychiatry</i> , 2022 , 12,	8.6	
35	The Association of Acute Phase Proteins in Stress and Inflammation-Induced T2D. <i>Cells</i> , 2022 , 11, 2163	7.9	0
34	The Ecoimmunology of Health and Disease: The Hygiene Hypothesis and Plasticity in Human Immune Function. <i>Annual Review of Anthropology</i> , 2022 , 51,	3.6	Ο
33	Old and New Aspects of H. pylori-Associated Inflammation and Gastric Cancer. <i>Children</i> , 2022 , 9, 1083	2.8	1
32	Inflammation and Bone Turnover Markers in Adult Obesity. 2022 ,		Ο
31	Evaluation of curcumin effect on Il6, Sirt1, TNF and NFkB expression of liver tissues in diabetic mice with STZ.		
30	Evaluation of serum and salivary PCSK9 and IL6 and its association with periodontal inflammation and atherosclerotic cardiovascular diseases. 2022 , 12, 633-638		
29	Dahl Salt-Resistant Rat Is Protected against Hypertension during Diet-Induced Obesity. 2022 , 14, 3843		0
28	Association of Lifelines Diet Score (LLDS) and metabolically unhealthy overweight/obesity phenotypes in women: a cross-sectional study. 2022 , 22,		O
27	Association of Abdominal Obesity and Hematological Parameters in Korean Adults: Korea National Health and Nutrition Examination Survey 2016 2018. 2022 , 12, 284-289		О
26	Minimal disease activity and remission in patients with psoriatic arthritis with elevated body mass index: an observational cohort study in the Swiss Clinical Quality Management cohort. 2022 , 12, e06147	74	1
25	Evaluation of the combination effect of rutin and vitamin C supplementation on the oxidative stress and inflammation in hemodialysis patients. 13,		0
24	A review on biomarkers of hypertension. 2022 , 9, 186-190		О
23	The Neglected Factor in the Relationship between Executive Functioning and Obesity: The Role of Motor Control. 2022 , 10, 1775		0
22	Anti-inflammatory medications for the treatment of mental disorders: A scoping review. 2022 , 26, 1005	518	1

21	Serum Bilirubin and Markers of Oxidative Stress and Inflammation in a Healthy Population and in Patients with Various Forms of Atherosclerosis. 2022 , 11, 2118	0
20	Is there any putative mediatory role of inflammatory markers on the association between ultra-processed foods and resting metabolic rate?. 9,	1
19	Effect of Bariatric Surgery on Intima Media Thickness: A Systematic Review and Meta-Analysis. 2022 , 11, 6056	0
18	The influence of inflammation on cardiovascular disease in women. 3,	1
17	Evaluation of the antioxidant state in type 2 diabetes mellitus patients with COVID-19. 2022,	Ο
16	Cardiovascular Risks Associated With Obesity in Children and Adolescents. 2009 , 38, 48-56	2
15	Chronische Immunaktivierung. 2022 , 141-243	Ο
14	Excess body weight and specific types of depressive symptoms: Is there a mediating role of systemic low-grade inflammation?. 2023 , 108, 233-244	O
13	Ketone Bodies as Metabolites and Signalling Molecules at the Crossroad between Inflammation and Epigenetic Control of Cardiometabolic Disorders. 2022 , 23, 14564	2
12	Associations between Body Mass Index, Waist Circumference, and Myocardial Infarction in Older Adults Aged over 75 Years: A Population-Based Cohort Study. 2022 , 58, 1768	Ο
11	Higher fasting glucose, triglycerides, resting pulse rate and high-sensitivity C reactive protein in adipose insulin-resistant but normal weight young Japanese women. 2022 , 10, e003013	Ο
10	Chronic Immune System Activation. 2023 , 135-231	Ο
9	Biomarker screening in children and adolescents reveals that CUB domain-containing protein 1 is associated with obesity and that hepatocyte growth factor is associated with weight gain. 2023 , 39, 100481	Ο
8	Comorbidities in Psoriatic Arthritis: A Narrative Review. 2023 , 45, 177-189	Ο
7	Body mass index, C-reactive protein, and pancreatic cancer: A Mendelian randomization analysis to investigate causal pathways. 13,	Ο
6	Helicobacter pyloriThe Bridge between Local and Systemic Inflammation in Children. 2023 , 13, 2162	Ο
5	Prognostic value of C-reactive protein to albumin ratio for mortality in acute kidney injury. 2023 , 24,	0
4	Differential Impact of IL-32 Isoforms on the Functions of Coronary Artery Endothelial Cells: A Potential Link with Arterial Stiffness and Atherosclerosis. 2023 , 15, 700	O

CITATION REPORT

3	The Relationship Between Hypothyroidism-Induced Autoantibodies, TSH Levels, and RDW, as an Inflammation Marker. 2023 , 6, 56-66	О
2	Dihydrotestosterone, and Not Testosterone, Enhances the LPS-Induced Inflammatory Cytokine Gene Expression in Human Adipocytes. 2023 , 11, 1194	О
1	Fitness Attenuates Long-term Cardiovascular Outcomes in Women with Ischemic Heart Disease and Metabolic Syndrome. 2023 , 100498	О