

CITATION REPORT

List of articles citing

Glucose repression in yeast

DOI: 10.1016/s1369-5274(99)80035-6

Current Opinion in Microbiology, 1999, 2, 202-7.

Source: <https://exaly.com/paper-pdf/30739028/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
512	Gal83 mediates the interaction of the Snf1 kinase complex with the transcription activator Sip4. 1999 , 18, 6672-81		82
511	Functional identification of an Arabidopsis snf4 ortholog by screening for heterologous multicopy suppressors of snf4 deficiency in yeast. 2000 , 23, 115-22		73
510	Role of AMP-activated protein kinase in the regulation by glucose of islet beta cell gene expression. 2000 , 97, 4023-8		188
509	A regulatory shortcut between the Snf1 protein kinase and RNA polymerase II holoenzyme. 2000 , 97, 7916-20		99
508	Metabolic signals trigger glucose-induced inactivation of maltose permease in Saccharomyces. 2000 , 182, 647-54		36
507	Hexokinase regulates kinetics of glucose transport and expression of genes encoding hexose transporters in Saccharomyces cerevisiae. 2000 , 182, 6815-8		42
506	Glucose depletion causes haploid invasive growth in yeast. 2000 , 97, 13619-24		271
505	Regulatory interactions between the Reg1-Glc7 protein phosphatase and the Snf1 protein kinase. 2000 , 20, 1321-8		194
504	The HTR1 gene is a dominant negative mutant allele of MTH1 and blocks Snf3- and Rgt2-dependent glucose signaling in yeast. 2000 , 182, 540-2		48
503	The genetics of fatty acid metabolism in Saccharomyces cerevisiae. 2001 , 21, 97-119		76
502	The role of glucose in the Kluyveromyces fragilis flocculation phenomenon: transduction by cAMP-dependent protein kinase pathway?. 2001 , 203, 229-233		4
501	A role for AMP-activated protein kinase in contraction- and hypoxia-regulated glucose transport in skeletal muscle. 2001 , 7, 1085-94		783
500	The yeast cyclins Pc16p and Pc17p are involved in the control of glycogen storage by the cyclin-dependent protein kinase Pho85p. 2001 , 506, 277-80		25
499	Nutrient-secretion coupling in the pancreatic islet beta-cell: recent advances. 2001 , 22, 247-84		153
498	Detection of in vivo protein interactions between Snf1-related kinase subunits with intron-tagged epitope-labelling in plants cells. 2001 , 29, 3685-93		46
497	A gene related to yeast HOS2 histone deacetylase affects extracellular depolymerase expression and virulence in a plant pathogenic fungus. 2001 , 13, 1609-24		49
496	Regulatory elements in the FBP1 promoter respond differently to glucose-dependent signals in Saccharomyces cerevisiae. 2001 , 359, 193-201		14

495	Identification and characterization of a novel sucrose-non-fermenting protein kinase/AMP-activated protein kinase-related protein kinase, SNARK. 2001 , 355, 297-305	54
494	Regulatory elements in the FBP1 promoter respond differently to glucose-dependent signals in <i>Saccharomyces cerevisiae</i> . 2001 , 359, 193-201	19
493	Sensors of extracellular nutrients in <i>Saccharomyces cerevisiae</i> . 2001 , 40, 91-109	168
492	Lactic acid production and carbon catabolite repression from single and mixed sugars using <i>Enterococcus faecalis</i> RKY1. 2001 , 37, 235-240	27
491	Human pancreatic glucokinase (GlkB) complements the glucose signalling defect of <i>Saccharomyces cerevisiae</i> hxx2 mutants. 2001 , 18, 1309-16	21
490	AMP-activated protein kinase: the energy charge hypothesis revisited. 2001 , 23, 1112-9	652
489	Domain fusion between SNF1-related kinase subunits during plant evolution. 2001 , 2, 55-60	76
488	SKP1-SnRK protein kinase interactions mediate proteasomal binding of a plant SCF ubiquitin ligase. 2001 , 20, 2742-56	182
487	Cell signaling can direct either binary or graded transcriptional responses. 2001 , 20, 3167-76	157
486	Multiple cellular processes affected by the absence of the Rpb4 subunit of RNA polymerase II contribute to the deficiency in the stress response of the yeast rpb4(delta) mutant. 2001 , 264, 763-72	16
485	The role of glucose in the <i>Kluyveromyces bulgaricus</i> flocculation phenomenon: transduction by cAMP-dependent protein kinase pathway?. 2001 , 203, 229-33	3
484	Glucose-sensing mechanisms in eukaryotic cells. 2001 , 26, 310-7	255
483	Induction and catabolite repression mechanisms of cellulase in fungi. 2001 , 92, 305-311	157
482	NRG1 is required for glucose repression of the SUC2 and GAL genes of <i>Saccharomyces cerevisiae</i> . 2001 , 2, 5	57
481	Regulation of Snf1 kinase. Activation requires phosphorylation of threonine 210 by an upstream kinase as well as a distinct step mediated by the Snf4 subunit. 2001 , 276, 36460-6	204
480	Inhibition of acetyl coenzyme A carboxylase activity restores expression of the INO1 gene in a snf1 mutant strain of <i>Saccharomyces cerevisiae</i> . 2001 , 21, 5710-22	86
479	Hsp104 interacts with Hsp90 cochaperones in respiring yeast. 2001 , 21, 7569-75	83
478	Snf1--a histone kinase that works in concert with the histone acetyltransferase Gcn5 to regulate transcription. 2001 , 293, 1142-6	315

477	Three target genes for the transcriptional activator Cat8p of <i>Kluyveromyces lactis</i> : acetyl coenzyme A synthetase genes KIACS1 and KIACS2 and lactate permease gene KLJEN1. 2001 , 183, 5257-61	22
476	Subcellular localization of the Snf1 kinase is regulated by specific beta subunits and a novel glucose signaling mechanism. 2001 , 15, 1104-14	208
475	Antagonistic controls of autophagy and glycogen accumulation by Snf1p, the yeast homolog of AMP-activated protein kinase, and the cyclin-dependent kinase Pho85p. 2001 , 21, 5742-52	240
474	Yak1p, a DYRK family kinase, translocates to the nucleus and phosphorylates yeast Pop2p in response to a glucose signal. 2001 , 15, 1217-28	121
473	Characterization of mediator complexes from HeLa cell nuclear extract. 2001 , 21, 4604-13	54
472	Network identification and flux quantification in the central metabolism of <i>Saccharomyces cerevisiae</i> under different conditions of glucose repression. 2001 , 183, 1441-51	284
471	Osmotic stress signaling and osmoadaptation in yeasts. 2002 , 66, 300-72	1210
470	Convergence of the target of rapamycin and the Snf1 protein kinase pathways in the regulation of the subcellular localization of Msn2, a transcriptional activator of STRE (Stress Response Element)-regulated genes. 2002 , 277, 35650-6	73
469	Two different signals regulate repression and induction of gene expression by glucose. 2002 , 277, 46993-7	29
468	Convergence of TOR-nitrogen and Snf1-glucose signaling pathways onto Gln3. 2002 , 22, 1246-52	96
467	The roles of bud-site-selection proteins during haploid invasive growth in yeast. 2002 , 13, 2990-3004	59
466	Two distinct proteolytic systems responsible for glucose-induced degradation of fructose-1,6-bisphosphatase and the Gal2p transporter in the yeast <i>Saccharomyces cerevisiae</i> share the same protein components of the glucose signaling pathway. 2002 , 277, 8248-54	43
465	Cloning and characterization of methenyltetrahydrofolate synthetase from <i>Saccharomyces cerevisiae</i> . 2002 , 277, 20205-13	32
464	Snf1 protein kinase and the repressors Nrg1 and Nrg2 regulate FLO11, haploid invasive growth, and diploid pseudohyphal differentiation. 2002 , 22, 3994-4000	177
463	Snf1 protein kinase regulates Adr1 binding to chromatin but not transcription activation. 2002 , 277, 38095-10368	
462	Intracellular maltose is sufficient to induce MAL gene expression in <i>Saccharomyces cerevisiae</i> . 2002 , 1, 696-703	25
461	Purification and characterization of Snf1 kinase complexes containing a defined Beta subunit composition. 2002 , 277, 50403-8	23
460	Active Snf1 protein kinase inhibits expression of the <i>Saccharomyces cerevisiae</i> HXT1 glucose transporter gene. 2002 , 368, 657-63	54

459	Discovery of protein-protein interaction using two-hybrid systems. 2002 , 33, 209-238	1
458	AMP- and stress-activated protein kinases: key regulators of glucose-dependent gene transcription in mammalian cells?. 2002 , 71, 69-90	13
457	Sugar sensing and signaling in plants. 2002 , 14 Suppl, S185-205	794
456	Relationship between protein kinase C and derepression of different enzymes. 2002 , 532, 324-32	9
455	Computational identification of transcription factor binding sites via a transcription-factor-centric clustering (TFCC) algorithm. 2002 , 318, 71-81	86
454	Cti6, a PHD domain protein, bridges the Cyc8-Tup1 corepressor and the SAGA coactivator to overcome repression at GAL1. 2002 , 9, 1297-305	107
453	Regulation of chemosensory receptor expression and sensory signaling by the KIN-29 Ser/Thr kinase. 2002 , 33, 369-81	52
452	Evidence for involvement of protein kinase C in glucose induction of genes and derepression of. 2002 , 2, 93-102	
451	Gluconeogenesis in <i>Candida albicans</i> . 2002 , 2, 315-25	8
450	Effects of a hexokinase II deletion on the dynamics of glycolysis in continuous cultures of <i>Saccharomyces cerevisiae</i> . 2002 , 2, 165-172	
449	The sensing of nutritional status and the relationship to filamentous growth in. 2002 , 2, 433-470	1
448	Cloning and characterization of human and mouse SNRK sucrose non-fermenting protein (SNF-1)-related kinases. 2002 , 294, 13-24	16
447	Glucose-inducible expression of <i>rrg1+</i> in <i>Schizosaccharomyces pombe</i> : post-transcriptional regulation of mRNA stability mediated by the downstream region of the poly(A) site. 2002 , 30, 1145-53	2
446	AMP-activated protein kinase activates transcription of the UCP3 and HKII genes in rat skeletal muscle. 2002 , 283, E1239-48	80
445	Co-ordinate regulation of lactate metabolism genes in yeast: the role of the lactate permease gene JEN1. 2002 , 266, 838-47	32
444	Depression of <i>Saccharomyces cerevisiae</i> invasive growth on non-glucose carbon sources requires the Snf1 kinase. 2002 , 45, 453-69	38
443	The role of the 5' untranslated region (UTR) in glucose-dependent mRNA decay. 2002 , 19, 887-902	24
442	Topological and causal structure of the yeast transcriptional regulatory network. 2002 , 31, 60-3	481

441	Evidence for involvement of <i>Saccharomyces cerevisiae</i> protein kinase C in glucose induction of HXT genes and derepression of SUC2. 2002 , 2, 93-102	9
440	Effects of a hexokinase II deletion on the dynamics of glycolysis in continuous cultures of <i>Saccharomyces cerevisiae</i> . 2002 , 2, 165-72	10
439	Gluconeogenesis in <i>Candida albicans</i> . 2002 , 2, 315-325	11
438	The sensing of nutritional status and the relationship to filamentous growth in <i>Saccharomyces cerevisiae</i> . 2002 , 2, 433-70	93
437	Acute glucose starvation activates the nuclear localization signal of a stress-specific yeast transcription factor. 2002 , 21, 135-44	224
436	Transcriptional control of nonfermentative metabolism in the yeast <i>Saccharomyces cerevisiae</i> . 2003 , 43, 139-60	335
435	Xylose and some non-sugar carbon sources cause catabolite repression in <i>Saccharomyces cerevisiae</i> . 2003 , 180, 293-7	39
434	Elm1p is one of three upstream kinases for the <i>Saccharomyces cerevisiae</i> SNF1 complex. 2003 , 13, 1299-305	228
433	Theoretical and computational studies of the glucose signaling pathways in yeast using global gene expression data. 2003 , 84, 864-86	14
432	The <i>Saccharomyces cerevisiae</i> alcohol acetyl transferase gene ATF1 is a target of the cAMP/PKA and FGM nutrient-signalling pathways. 2003 , 4, 285-96	61
431	Antisense repression of StubGAL83 affects root and tuber development in potato. 2003 , 33, 139-47	46
430	A possible linkage between AMP-activated protein kinase (AMPK) and mammalian target of rapamycin (mTOR) signalling pathway. 2003 , 8, 65-79	280
429	Mss11p is a transcription factor regulating pseudohyphal differentiation, invasive growth and starch metabolism in <i>Saccharomyces cerevisiae</i> in response to nutrient availability. 2003 , 47, 119-34	32
428	Glucose triggers different global responses in yeast, depending on the strength of the signal, and transiently stabilizes ribosomal protein mRNAs. 2003 , 48, 713-24	64
427	New mutations of <i>Saccharomyces cerevisiae</i> that partially relieve both glucose and galactose repression activate the protein kinase Snf1. 2003 , 3, 77-84	2
426	Role of nitric oxide in the response of <i>Saccharomyces cerevisiae</i> cells to heat shock and high hydrostatic pressure. 2003 , 3, 341-6	40
425	A novel WRKY transcription factor, SUSIBA2, participates in sugar signaling in barley by binding to the sugar-responsive elements of the iso1 promoter. 2003 , 15, 2076-92	368
424	Multi-level response of the yeast genome to glucose. 2003 , 4, 233	57

423	Mutation analysis of AMP-activated protein kinase subunits in inherited cardiomyopathies: implications for kinase function and disease pathogenesis. 2003 , 35, 1251-5	40
422	Characterization of a SNF1 homologue from the phytopathogenic fungus <i>Sclerotinia sclerotiorum</i> . 2003 , 310, 113-21	14
421	Pyruvate kinase: current status of regulatory and functional properties. 2003 , 135, 197-218	140
420	New mutations of that partially relieve both glucose and galactose repression activate the protein kinase Snf1. 2003 , 3, 77-84	5
419	The environmental stress response: a common yeast response to diverse environmental stresses. 2003 , 11-70	74
418	Yeast Stress Responses. 2003 ,	83
417	Baker's yeast: challenges and future prospects. 2003 , 57-97	19
416	The Snf1 protein kinase controls the induction of genes of the iron uptake pathway at the diauxic shift in <i>Saccharomyces cerevisiae</i> . 2003 , 278, 45391-6	64
415	Yap1 accumulates in the nucleus in response to carbon stress in <i>Saccharomyces cerevisiae</i> . 2003 , 2, 19-26	29
414	The cyclin in the RNA polymerase holoenzyme is a target for the transcriptional repressor Tup1p in <i>Saccharomyces cerevisiae</i> . 2003 , 5, 199-205	10
413	Glucose regulation of <i>Saccharomyces cerevisiae</i> cell cycle genes. 2003 , 2, 143-9	57
412	The osmotic stress response of <i>Saccharomyces cerevisiae</i> . 2003 , 121-200	17
411	Multiple pathways are co-regulated by the protein kinase Snf1 and the transcription factors Adr1 and Cat8. 2003 , 278, 26146-58	207
410	Snf1 kinases with different beta-subunit isoforms play distinct roles in regulating haploid invasive growth. 2003 , 23, 1341-8	60
409	Multiple positive and negative elements involved in the regulation of expression of GSY1 in <i>Saccharomyces cerevisiae</i> . 2003 , 278, 26450-7	28
408	Yeast Pak1 kinase associates with and activates Snf1. 2003 , 23, 3909-17	128
407	Identification of a novel protein kinase mediating Akt survival signaling to the ATM protein. 2003 , 278, 48-53	104
406	Sip2, an N-myristoylated beta subunit of Snf1 kinase, regulates aging in <i>Saccharomyces cerevisiae</i> by affecting cellular histone kinase activity, recombination at rDNA loci, and silencing. 2003 , 278, 13390-7	72

405	From feast to famine; adaptation to nutrient availability in yeast. 2003 , 305-386	19
404	Geminivirus AL2 and L2 proteins interact with and inactivate SNF1 kinase. 2003 , 15, 1034-48	189
403	Biogenesis and cellular dynamics of aminoglycerophospholipids. 2003 , 225, 273-323	27
402	Reconciling gene expression data with known genome-scale regulatory network structures. 2003 , 13, 2423-34	80
401	Cellular glucose sensing, energy metabolism, and aging in <i>Saccharomyces cerevisiae</i> . 2003 , 14, 197-213	
400	Roles of 5'-AMP-activated protein kinase (AMPK) in mammalian glucose homeostasis. 2003 , 375, 1-16	288
399	Snf1 protein kinase: a key player in the response to cellular stress in yeast. 2003 , 31, 178-81	69
398	Role of the yeast Snf1 protein kinase in invasive growth. 2003 , 31, 175-7	31
397	Ras and Gpa2 mediate one branch of a redundant glucose signaling pathway in yeast. 2004 , 2, E128	114
396	10 Glucose regulation of HXT gene expression in the yeast <i>Saccharomyces cerevisiae</i> . 2004 , 259-275	
395	The protein kinase Snf1 is required for tolerance to the ribonucleotide reductase inhibitor hydroxyurea. 2004 , 24, 2560-72	42
394	Simultaneous yet independent regulation of actin cytoskeletal organization and translation initiation by glucose in <i>Saccharomyces cerevisiae</i> . 2004 , 15, 1544-56	40
393	The glucose-regulated nuclear localization of hexokinase 2 in <i>Saccharomyces cerevisiae</i> is Mig1-dependent. 2004 , 279, 14440-6	92
392	Inositol and phosphatidylinositol mediated mediated glucose derepression, gene expression and invertase secretion in yeasts. 2004 , 36, 443-9	11
391	Activation of the <i>Saccharomyces cerevisiae</i> heat shock transcription factor under glucose starvation conditions by Snf1 protein kinase. 2004 , 279, 5169-76	112
390	<i>Saccharomyces cerevisiae</i> JEN1 promoter activity is inversely related to concentration of repressing sugar. 2004 , 70, 8-17	25
389	Regulatory network connecting two glucose signal transduction pathways in <i>Saccharomyces cerevisiae</i> . 2004 , 3, 221-31	126
388	The Reg1-interacting proteins, Bmh1, Bmh2, Ssb1, and Ssb2, have roles in maintaining glucose repression in <i>Saccharomyces cerevisiae</i> . 2004 , 279, 39165-74	44

387	Mutations in the gal83 glycogen-binding domain activate the snf1/gal83 kinase pathway by a glycogen-independent mechanism. 2004 , 24, 352-61	44
386	A hexose transporter homologue controls glucose repression in the methylotrophic yeast <i>Hansenula polymorpha</i> . 2004 , 279, 8116-25	40
385	Degradation of the gluconeogenic enzymes fructose-1,6-bisphosphatase and malate dehydrogenase is mediated by distinct proteolytic pathways and signaling events. 2004 , 279, 49138-50	85
384	Pak1 protein kinase regulates activation and nuclear localization of Snf1-Gal83 protein kinase. 2004 , 24, 8255-63	73
383	Role of transcriptional regulation in controlling fluxes in central carbon metabolism of <i>Saccharomyces cerevisiae</i> . A chemostat culture study. 2004 , 279, 9125-38	207
382	Functional diversity of protein phosphatase-1, a cellular economizer and reset button. 2004 , 84, 1-39	525
381	Lipid-induced filamentous growth in <i>Ustilago maydis</i> . 2004 , 52, 823-35	92
380	Roles of SWI/SNF and HATs throughout the dynamic transcription of a yeast glucose-repressible gene. 2004 , 23, 127-37	58
379	The Snf1 kinase controls glucose repression in yeast by modulating interactions between the Mig1 repressor and the Cyc8-Tup1 co-repressor. 2004 , 5, 368-72	94
378	The AMP-activated protein kinase cascade--a unifying system for energy control. 2004 , 29, 18-24	926
377	Glucose and sucrose: hazardous fast-food for industrial yeast?. 2004 , 22, 531-7	118
376	Nutritional genomics in yeast models. 2004 , 20, 166-72	4
375	Imaging glucose-regulated insulin secretion and gene expression in single islet beta-cells: control by AMP-activated protein kinase. 2004 , 40, 179-90	3
374	Imaging glucose-regulated insulin secretion and gene expression in single islet β cells. 2004 , 2004, 179-190	
373	Ethanol formation and enzyme activities around glucose-6-phosphate in <i>Kluyveromyces marxianus</i> CBS 6556 exposed to glucose or lactose excess. 2004 , 4, 691-8	44
372	AKINbeta3, a plant specific SnRK1 protein, is lacking domains present in yeast and mammals non-catalytic beta-subunits. 2004 , 56, 747-59	30
371	Visualising insulin secretion. The Minkowski Lecture 2004. 2004 , 47, 1861-72	65
370	Isocitrate lyase of the yeast <i>Kluyveromyces lactis</i> is subject to glucose repression but not to catabolite inactivation. 2004 , 44, 305-16	24

- 369 Dissecting regulatory networks by means of two-dimensional gel electrophoresis: application to the study of the diauxic shift in the yeast *Saccharomyces cerevisiae*. **2004**, 4, 364-73 25
- 368 A history of research on yeasts 7: enzymic adaptation and regulation. **2004**, 21, 703-46 15
- 367 Transient responses and adaptation to steady state in a eukaryotic gene regulation system. **2004**, 1, 67-76 25
- 366 The Onset of Carbon Catabolic Repression and Interplay Between Specific Induction and Carbon Catabolite Repression in *Aspergillus nidulans*. **2004**, 403-420 10
- 365 mTOR integrates amino acid- and energy-sensing pathways. **2004**, 313, 443-6 224
- 364 TCA cycle activity in *Saccharomyces cerevisiae* is a function of the environmentally determined specific growth and glucose uptake rates. **2004**, 150, 1085-1093 113
- 363 Gts1p stabilizes oscillations in energy metabolism by activating the transcription of TPS1 encoding trehalose-6-phosphate synthase 1 in the yeast *Saccharomyces cerevisiae*. **2004**, 383, 171-8 19
- 362 Rgt1, a glucose sensing transcription factor, is required for transcriptional repression of the HXK2 gene in *Saccharomyces cerevisiae*. **2005**, 388, 697-703 27
- 361 Characterization of a novel temperature-sensitive allele of the CUL1/AXR6 subunit of SCF ubiquitin-ligases. **2005**, 43, 371-83 70
- 360 Glucose-dependent cell size is regulated by a G protein-coupled receptor system in yeast *Saccharomyces cerevisiae*. **2005**, 10, 193-206 20
- 359 Metabolic and stress adaptation by *Mycosphaerella graminicola* during sporulation in its host revealed through microarray transcription profiling. **2005**, 6, 527-40 34
- 358 Histone H3 phosphorylation can promote TBP recruitment through distinct promoter-specific mechanisms. **2005**, 24, 997-1008 80
- 357 A dual role for PP1 in shaping the Msn2-dependent transcriptional response to glucose starvation. **2005**, 24, 4115-23 97
- 356 The glucose dependence of Akt-transformed cells can be reversed by pharmacologic activation of fatty acid beta-oxidation. **2005**, 24, 4165-73 302
- 355 Characteristics of *Saccharomyces cerevisiae* gal1 Delta and gal1 Delta hxk2 Delta mutants expressing recombinant proteins from the GAL promoter. **2005**, 89, 619-29 8
- 354 Snf1 kinase complexes with different beta subunits display stress-dependent preferences for the three Snf1-activating kinases. **2005**, 47, 335-44 40
- 353 A history of research on yeasts 9: regulation of sugar metabolism. **2005**, 22, 835-94 81
- 352 A proteome analysis of the yeast response to the herbicide 2,4-dichlorophenoxyacetic acid. **2005**, 5, 1889-901 41

351	Genetic perturbation of glycolysis results in inhibition of de novo inositol biosynthesis. 2005 , 280, 41805-10	24
350	Role of Tos3, a Snf1 protein kinase kinase, during growth of <i>Saccharomyces cerevisiae</i> on nonfermentable carbon sources. 2005 , 4, 861-6	19
349	The dimorphic yeast <i>Yarrowia lipolytica</i> possesses an atypical phosphofructokinase: characterization of the enzyme and its encoding gene. 2005 , 151, 1465-1474	14
348	Methionine sulfoximine treatment and carbon starvation elicit Snf1-independent phosphorylation of the transcription activator Gln3 in <i>Saccharomyces cerevisiae</i> . 2005 , 280, 27195-204	37
347	Function of mammalian LKB1 and Ca ²⁺ /calmodulin-dependent protein kinase kinase alpha as Snf1-activating kinases in yeast. 2005 , 280, 21804-9	99
346	The Snf1 protein kinase and Sit4 protein phosphatase have opposing functions in regulating TATA-binding protein association with the <i>Saccharomyces cerevisiae</i> INO1 promoter. 2005 , 169, 1957-72	38
345	Mutation: Sugar Signaling Mutants in Arabidopsis. 2005 , 50-67	6
344	Carbon Source-dependent assembly of the Snf1p kinase complex in <i>Candida albicans</i> . 2005 , 280, 25323-30	42
343	New functions for parts of the Krebs cycle in procyclic <i>Trypanosoma brucei</i> , a cycle not operating as a cycle. 2005 , 280, 12451-60	89
342	Glucose inhibits meiotic DNA replication through SCFGrr1p-dependent destruction of Ime2p kinase. 2005 , 25, 440-50	28
341	Combined global localization analysis and transcriptome data identify genes that are directly coregulated by Adr1 and Cat8. 2005 , 25, 2138-46	121
340	Homeostatic adjustment and metabolic remodeling in glucose-limited yeast cultures. 2005 , 16, 2503-17	143
339	Evidence that Spt10 and Spt21 of <i>Saccharomyces cerevisiae</i> play distinct roles in vivo and functionally interact with MCB-binding factor, SCB-binding factor and Snf1. 2005 , 170, 87-94	20
338	Mss11p is a central element of the regulatory network that controls FLO11 expression and invasive growth in <i>Saccharomyces cerevisiae</i> . 2005 , 169, 91-106	56
337	Role of Snf1p in regulation of intracellular sorting of the lactose and galactose transporter Lac12p in <i>Kluyveromyces lactis</i> . 2005 , 4, 716-21	16
336	SCFGrr1-mediated ubiquitination of Gis4 modulates glucose response in yeast. 2005 , 349, 685-98	11
335	Multiple transcripts regulate glucose-triggered mRNA decay of the lactate transporter JEN1 from <i>Saccharomyces cerevisiae</i> . 2005 , 332, 254-62	27
334	A role for the non-phosphorylated form of yeast Snf1: tolerance to toxic cations and activation of potassium transport. 2005 , 579, 512-6	47

333	Glucose as a regulator of eukaryotic gene transcription. 2005 , 16, 489-94	117
332	Characterization of the metabolic shift between oxidative and fermentative growth in <i>Saccharomyces cerevisiae</i> by comparative ¹³ C flux analysis. 2005 , 4, 30	144
331	A global view of pleiotropy and phenotypically derived gene function in yeast. 2005 , 1, 2005.0001	232
330	Disruption of hexokinase II (HXK2) partly relieves glucose repression to enhance production of human kringle fragment in gratuitous recombinant <i>Saccharomyces cerevisiae</i> . 2006 , 126, 562-7	7
329	Transcriptional response of the obligatory aerobe <i>Trichoderma reesei</i> to hypoxia and transient anoxia: implications for energy production and survival in the absence of oxygen. 2006 , 45, 3912-24	32
328	Mitochondrial transcription is regulated via an ATP "sensing" mechanism that couples RNA abundance to respiration. 2006 , 22, 329-38	78
327	Purification and characterization of the three Snf1-activating kinases of <i>Saccharomyces cerevisiae</i> . 2006 , 393, 797-805	58
326	Purification and biochemical characterization of an alpha-glucosidase from <i>Xanthophyllomyces dendrorhous</i> . 2006 , 23, 117-25	17
325	In vitro characterization of the Mig1 repressor from <i>Saccharomyces cerevisiae</i> reveals evidence for monomeric and higher molecular weight forms. 2006 , 23, 1151-66	6
324	Rsf1p is required for an efficient metabolic shift from fermentative to glycerol-based respiratory growth in <i>S. cerevisiae</i> . 2009 , 26, 95-110	13
323	Early transcriptional response of <i>Saccharomyces cerevisiae</i> to stress imposed by the herbicide 2,4-dichlorophenoxyacetic acid. 2006 , 6, 230-48	45
322	Transcriptome profiling of <i>Saccharomyces cerevisiae</i> during a transition from fermentative to glycerol-based respiratory growth reveals extensive metabolic and structural remodeling. 2006 , 276, 170-86	77
321	Studies on inositol-mediated expression of MAL gene encoding maltase and phospholipid biosynthesis in <i>Schizosaccharomyces pombe</i> . 2006 , 33, 417-22	0
320	(De)constructing mitochondria: what for?. 2006 , 21, 233-41	111
319	Secrets of the lac operon. Glucose hysteresis as a mechanism in dietary restriction, aging and disease. 2007 , 35, 39-68	28
318	Assembly of mitochondrial cytochrome c-oxidase, a complicated and highly regulated cellular process. 2006 , 291, C1129-47	190
317	Regulation of 1D-myo-inositol-3-phosphate synthase in yeast. 2006 , 39, 135-56	6
316	Integration of transcriptional and posttranslational regulation in a glucose signal transduction pathway in <i>Saccharomyces cerevisiae</i> . 2006 , 5, 167-73	68

315	Carbon catabolite repression regulates amino acid permeases in <i>Saccharomyces cerevisiae</i> via the TOR signaling pathway. 2006 , 281, 5546-52	27
314	Nitrogen availability and TOR regulate the Snf1 protein kinase in <i>Saccharomyces cerevisiae</i> . 2006 , 5, 1831-7	72
313	Snf1-dependent and Snf1-independent pathways of constitutive ADH2 expression in <i>Saccharomyces cerevisiae</i> . 2006 , 172, 2123-38	11
312	AKINbetagamma contributes to SnRK1 heterotrimeric complexes and interacts with two proteins implicated in plant pathogen resistance through its KIS/GBD sequence. 2006 , 142, 931-44	65
311	Glc7-Reg1 phosphatase signals to Yck1,2 casein kinase 1 to regulate transport activity and glucose-induced inactivation of <i>Saccharomyces</i> maltose permease. 2006 , 172, 1427-39	32
310	Snf1p-dependent Spt-Ada-Gcn5-acetyltransferase (SAGA) recruitment and chromatin remodeling activities on the HXT2 and HXT4 promoters. 2006 , 281, 4523-31	21
309	Gis4, a new component of the ion homeostasis system in the yeast <i>Saccharomyces cerevisiae</i> . 2006 , 5, 1611-21	19
308	Carbohydrate Metabolism. 2006 , 215-242	6
307	Mammalian TAK1 activates Snf1 protein kinase in yeast and phosphorylates AMP-activated protein kinase in vitro. 2006 , 281, 25336-43	358
306	Glucose signaling in <i>Saccharomyces cerevisiae</i> . 2006 , 70, 253-82	389
305	Synthetic gene recruitment reveals adaptive reprogramming of gene regulation in yeast. 2006 , 173, 75-85	46
304	Yeasts in Food and Beverages. 2006 ,	33
303	Biology of Inositols and Phosphoinositides. 2006 ,	20
302	Regulation of C/N Interaction in Model Plant Species. 2006 , 15, 127-173	8
301	Hxk2 regulates the phosphorylation state of Mig1 and therefore its nucleocytoplasmic distribution. 2007 , 282, 4485-4493	114
300	Photosynthesis, carbohydrate metabolism and source-sink relations. 2007 , 257-285	9
299	Glucose-responsive regulators of gene expression in <i>Saccharomyces cerevisiae</i> function at the nuclear periphery via a reverse recruitment mechanism. 2007 , 175, 1127-35	48
298	Tup1-Ssn6 and Swi-Snf remodelling activities influence long-range chromatin organization upstream of the yeast SUC2 gene. 2007 , 35, 5520-31	19

297	Regulation of gluconeogenesis in <i>Saccharomyces cerevisiae</i> is mediated by activator and repressor functions of Rds2. 2007 , 27, 7895-905	47
296	Increasing NADH oxidation reduces overflow metabolism in <i>Saccharomyces cerevisiae</i> . 2007 , 104, 2402-7	250
295	Glycosyl hydrolases of cell wall are induced by sugar starvation in <i>Arabidopsis</i> . 2007 , 48, 405-13	79
294	Dihydrolipoyl dehydrogenase as a source of reactive oxygen species inhibited by caloric restriction and involved in <i>Saccharomyces cerevisiae</i> aging. 2007 , 21, 274-83	95
293	Signaling from an altered cell wall to the nucleus mediates sugar-responsive growth and development in <i>Arabidopsis thaliana</i> . 2007 , 19, 2500-15	47
292	Leptin stimulates fatty acid oxidation and peroxisome proliferator-activated receptor alpha gene expression in mouse C2C12 myoblasts by changing the subcellular localization of the alpha2 form of AMP-activated protein kinase. 2007 , 27, 4317-27	165
291	Mutations in alternative carbon utilization pathways in <i>Candida albicans</i> attenuate virulence and confer pleiotropic phenotypes. 2007 , 6, 280-90	127
290	Transcriptional responses to fatty acid are coordinated by combinatorial control. 2007 , 3, 115	53
289	Genome-wide transcriptional plasticity underlies cellular adaptation to novel challenge. 2007 , 3, 106	94
288	Investigating the mechanism for AMP activation of the AMP-activated protein kinase cascade. 2007 , 403, 139-48	522
287	Comparative analysis indicates regulatory neofunctionalization of yeast duplicates. 2007 , 8, R50	73
286	Transcript and proteomic analyses of wild-type and <i>gpa2</i> mutant <i>Saccharomyces cerevisiae</i> strains suggest a role for glycolytic carbon source sensing in pseudohyphal differentiation. 2007 , 3, 623-34	4
285	Selection and preliminary characterization of <i>β</i> -glucosidases producer Patagonian wild yeasts. 2007 , 41, 812-820	27
284	The Sch9 kinase is a chromatin-associated transcriptional activator of osmostress-responsive genes. 2007 , 26, 3098-108	62
283	Yeast PAS kinase coordinates glucose partitioning in response to metabolic and cell integrity signaling. 2007 , 26, 4824-30	40
282	Glucose controls multiple processes in <i>Saccharomyces cerevisiae</i> through diverse combinations of signaling pathways. 2007 , 7, 808-18	18
281	The complement of protein kinases of the microsporidium <i>Encephalitozoon cuniculi</i> in relation to those of <i>Saccharomyces cerevisiae</i> and <i>Schizosaccharomyces pombe</i> . 2007 , 8, 309	59
280	Structural insight into AMPK regulation: ADP comes into play. 2007 , 15, 1285-95	68

279	Characterization of industrial strains of <i>Saccharomyces cerevisiae</i> exhibiting filamentous growth induced by alcohols and nutrient deprivation. 2007 , 23, 697-704	4
278	Pseudohyphal differentiation defect due to mutations in GPCR and ammonium signaling is suppressed by low glucose concentration: a possible integrated role for carbon and nitrogen limitation. 2008 , 54, 71-81	8
277	Glucose sensing and the mitochondrial alternative pathway are involved in the regulation of astaxanthin biosynthesis in the dark-grown <i>Chlorella zofingiensis</i> (Chlorophyceae). 2008 , 228, 735-43	49
276	The role of PAS kinase in regulating energy metabolism. 2008 , 60, 204-9	31
275	Sugar-based growth, astaxanthin accumulation and carotenogenic transcription of heterotrophic <i>Chlorella zofingiensis</i> (Chlorophyta). 2008 , 43, 1288-1292	136
274	The early steps of glucose signalling in yeast. 2008 , 32, 673-704	152
273	Transport of carboxylic acids in yeasts. 2008 , 32, 974-94	119
272	Characterization of glucose transport mutants of <i>Saccharomyces cerevisiae</i> during a nutritional upshift reveals a correlation between metabolite levels and glycolytic flux. 2008 , 8, 10-25	14
271	The pairwise disconnectivity index as a new metric for the topological analysis of regulatory networks. 2008 , 9, 227	26
270	Microarray data mining: a novel optimization-based approach to uncover biologically coherent structures. 2008 , 9, 268	25
269	Characterization of global yeast quantitative proteome data generated from the wild-type and glucose repression <i>saccharomyces cerevisiae</i> strains: the comparison of two quantitative methods. 2008 , 7, 266-75	94
268	Time-dependent profiling of metabolites from Snf1 mutant and wild type yeast cells. 2008 , 80, 8002-11	41
267	Artificial recruitment of mediator by the DNA-binding domain of Adr1 overcomes glucose repression of ADH2 expression. 2008 , 28, 2509-16	14
266	Moonlighting proteins in yeasts. 2008 , 72, 197-210, table of contents	109
265	Mat formation in <i>Saccharomyces cerevisiae</i> requires nutrient and pH gradients. 2008 , 7, 122-30	44
264	Novel dehydrogenase catalyzes oxidative hydrolysis of carbon-nitrogen double bonds for hydrazone degradation. 2008 , 283, 5790-800	14
263	The gluconeogenic enzyme fructose-1,6-bisphosphatase is dispensable for growth of the yeast <i>Yarrowia lipolytica</i> in gluconeogenic substrates. 2008 , 7, 1742-9	15
262	Nsf1/Ypl230w participates in transcriptional activation during non-fermentative growth and in response to salt stress in <i>Saccharomyces cerevisiae</i> . 2008 , 154, 2482-2491	15

261	The pathway by which the yeast protein kinase Snf1p controls acquisition of sodium tolerance is different from that mediating glucose regulation. 2008 , 154, 2814-2826	42
260	Promoter binding by the Adr1 transcriptional activator may be regulated by phosphorylation in the DNA-binding region. 2008 , 3, e3213	18
259	. 2009 ,	7
258	TORing with Cell Cycle, Nutrients, Stress, and Growth. 161-200	
257	The transcription factor homolog CTF1 regulates {beta}-oxidation in <i>Candida albicans</i> . 2009 , 8, 1604-14	43
256	Lessons from fungal F-box proteins. 2009 , 8, 677-95	67
255	Mitochondrial function is an inducible determinant of osmotic stress adaptation in yeast. 2009 , 284, 30307-17	56
254	Nuclear export of the yeast hexokinase 2 protein requires the Xpo1 (Crm1)-dependent pathway. 2009 , 284, 20548-55	21
253	Reconstruction of the yeast Snf1 kinase regulatory network reveals its role as a global energy regulator. 2009 , 5, 319	78
252	A selective autophagy pathway that degrades gluconeogenic enzymes during catabolite inactivation. 2009 , 2, 177-83	16
251	GzSNF1 is required for normal sexual and asexual development in the ascomycete <i>Gibberella zeae</i> . 2009 , 8, 116-27	59
250	Glucose promotes stress resistance in the fungal pathogen <i>Candida albicans</i> . 2009 , 20, 4845-55	119
249	Reconstruction and logical modeling of glucose repression signaling pathways in <i>Saccharomyces cerevisiae</i> . 2009 , 3, 7	36
248	Regulation of autophagy in yeast <i>Saccharomyces cerevisiae</i> . 2009 , 1793, 1413-21	91
247	<i>Trypanosoma brucei</i> AMP-activated kinase subunit homologs influence surface molecule expression. 2009 , 123, 250-7	18
246	Maize AKINbetagamma dimerizes through the KIS/CBM domain and assembles into SnRK1 complexes. 2009 , 583, 1887-94	18
245	Yeast as a Prototype for Systems Biology. 287-353	
244	Simple methods to detect triacylglycerol biosynthesis in a yeast-based recombinant system. 2009 , 44, 963-73	54

243	Metabolic engineering strategies for the improvement of cellulase production by <i>Hypocrea jecorina</i> . 2009 , 2, 19	295
242	SnRK1 (SNF1-related kinase 1) has a central role in sugar and ABA signalling in <i>Arabidopsis thaliana</i> . 2009 , 59, 316-28	217
241	Snf1-independent, glucose-resistant transcription of <i>Adr1</i> -dependent genes in a mediator mutant of <i>Saccharomyces cerevisiae</i> . 2009 , 74, 364-83	5
240	Mutation of CRE1 in <i>Fusarium oxysporum</i> reverts the pathogenicity defects of the FRP1 deletion mutant. 2009 , 74, 1100-13	42
239	Semi-continuous ethanol production in bioreactor from whey with co-immobilized enzyme and yeast cells followed by pervaporative recovery of product [Kinetic model predictions considering glucose repression. 2009 , 91, 240-249	25
238	The Envirostat - a new bioreactor concept. 2009 , 9, 576-85	52
237	AMPK in Health and Disease. 2009 , 89, 1025-78	1232
236	Inhibition of translation initiation following glucose depletion in yeast facilitates a rationalization of mRNA content. 2010 , 38, 1131-6	19
235	The <i>snf1</i> gene of <i>Ustilago maydis</i> acts as a dual regulator of cell wall degrading enzymes. 2010 , 100, 1364-72	28
234	Production of microbial secondary metabolites: regulation by the carbon source. 2010 , 36, 146-67	166
233	Phosphoglycerate mutase knock-out mutant <i>Saccharomyces cerevisiae</i> : physiological investigation and transcriptome analysis. 2010 , 5, 1016-27	11
232	Secondary ketocarotenoid astaxanthin biosynthesis in algae: a multifunctional response to stress. 2010 , 106, 155-77	253
231	Yeast as a model to study mitochondrial mechanisms in ageing. 2010 , 131, 494-502	34
230	Synthesis and biological evaluation of combretastatin analogs as cell cycle inhibitors of the G1 to S transition in <i>Saccharomyces cerevisiae</i> . 2010 , 20, 2780-4	9
229	Nutrient control of eukaryote cell growth: a systems biology study in yeast. 2010 , 8, 68	58
228	Transcriptional regulation of nonfermentable carbon utilization in budding yeast. 2010 , 10, 2-13	160
227	Differential glucose repression in common yeast strains in response to HXK2 deletion. 2010 , 10, 322-32	40
226	Trm2p-dependent derepression is essential for methanol-specific gene activation in the methylotrophic yeast <i>Candida boidinii</i> . 2010 , 10, 535-44	19

225	Regulatory mechanism for expression of GPX1 in response to glucose starvation and Ca in <i>Saccharomyces cerevisiae</i> : involvement of Snf1 and Ras/cAMP pathway in Ca signaling. 2010 , 15, 59-75	14
224	Autophagy supports <i>Candida glabrata</i> survival during phagocytosis. 2010 , 12, 199-216	105
223	Carbohydrate-responsive element-binding protein (ChREBP) is a negative regulator of ARNT/HIF-1beta gene expression in pancreatic islet beta-cells. 2010 , 59, 153-60	53
222	Development of sustainable society through efficient biotechnological production of optically active L-lactic acid from cellulose-derived sugars. 2010 ,	
221	para-Aminobenzoic acid is a precursor in coenzyme Q6 biosynthesis in <i>Saccharomyces cerevisiae</i> . 2010 , 285, 27827-38	76
220	Identification of novel oxidized protein substrates and physiological partners of the mitochondrial ATP-dependent Lon-like protease Pim1. 2010 , 285, 11445-57	74
219	Glucose signaling-mediated coordination of cell growth and cell cycle in <i>Saccharomyces cerevisiae</i> . 2010 , 10, 6195-240	80
218	Challenges in co-fermentation of lignocellulose-derived sugars using baker's yeast. 2010 , 224-245	
217	Function of protein phosphatase-1, Glc7, in <i>Saccharomyces cerevisiae</i> . 2010 , 73, 27-59	28
216	Overcoming glucose repression in mixed sugar fermentation by co-expressing a cellobiose transporter and a Eglucosidase in <i>Saccharomyces cerevisiae</i> . 2010 , 6, 2129-32	60
215	Adaptive changes of the yeast mitochondrial proteome in response to salt stress. 2010 , 14, 541-52	15
214	Functional integration of a metabolic network model and expression data without arbitrary thresholding. 2011 , 27, 541-7	194
213	Pyruvate kinase triggers a metabolic feedback loop that controls redox metabolism in respiring cells. 2011 , 14, 415-27	155
212	Differential expression of insect and plant specific adhesin genes, Mad1 and Mad2, in <i>Metarhizium robertsii</i> . 2011 , 115, 1174-85	19
211	G = MAT: linking transcription factor expression and DNA binding data. 2011 , 6, e14559	1
210	Derepression of a baker's yeast strain for maltose utilization is associated with severe deregulation of HXT gene expression. 2011 , 110, 364-74	17
209	The AMPK/SNF1/SnRK1 fuel gauge and energy regulator: structure, function and regulation. 2011 , 278, 3978-90	138
208	Metabolic alterations in yeast lacking copper-zinc superoxide dismutase. 2011 , 50, 1591-8	26

207	AMP-activated protein kinase: nature's energy sensor. 2011 , 7, 512-8	292
206	Transcriptional responses to glucose in <i>Saccharomyces cerevisiae</i> strains lacking a functional protein kinase A. 2011 , 12, 405	18
205	Stress response in <i>Candida glabrata</i> : pieces of a fragmented picture. 2011 , 6, 1475-84	18
204	Role of glucose in the expression of <i>Cryptococcus neoformans</i> antiphagocytic protein 1, App1. 2011 , 10, 293-301	19
203	Reg1 protein regulates phosphorylation of all three Snf1 isoforms but preferentially associates with the Gal83 isoform. 2011 , 10, 1628-36	15
202	The evolution of aerobic fermentation in <i>Schizosaccharomyces pombe</i> was associated with regulatory reprogramming but not nucleosome reorganization. 2011 , 28, 1407-13	9
201	Glucose, nitrogen, and phosphate repletion in <i>Saccharomyces cerevisiae</i> : common transcriptional responses to different nutrient signals. 2012 , 2, 1003-17	24
200	Adaptation to stress in yeast: to translate or not?. 2012 , 40, 794-9	56
199	The evolutionary rewiring of ubiquitination targets has reprogrammed the regulation of carbon assimilation in the pathogenic yeast <i>Candida albicans</i> . 2012 , 3,	71
198	Vid30 is required for the association of Vid vesicles and actin patches in the vacuole import and degradation pathway. 2012 , 8, 29-46	25
197	Glucose-induced posttranslational activation of protein phosphatases PP2A and PP1 in yeast. 2012 , 22, 1058-77	68
196	The AMP-activated protein kinase Snf1 regulates transcription factor binding, RNA polymerase II activity, and mRNA stability of glucose-repressed genes in <i>Saccharomyces cerevisiae</i> . 2012 , 287, 29021-34	26
195	Snf1-like protein kinase Ssp2 regulates glucose derepression in <i>Schizosaccharomyces pombe</i> . 2012 , 11, 159-67	24
194	Expression of the glucose transporter HXT1 involves the Ser-Thr protein phosphatase Sit4 in <i>Saccharomyces cerevisiae</i> . 2012 , 12, 907-17	3
193	The filamentous growth MAPK Pathway Responds to Glucose Starvation Through the Mig1/2 transcriptional repressors in <i>Saccharomyces cerevisiae</i> . 2012 , 192, 869-87	37
192	Coordination of cell growth and division by the ubiquitin-proteasome system. 2012 , 23, 492-8	33
191	Expression of a heterologous SnRK1 in tomato increases carbon assimilation, nitrogen uptake and modifies fruit development. 2012 , 169, 1173-82	54
190	AMP-activated protein kinase: new regulation, new roles?. 2012 , 445, 11-27	299

189	Snf1/AMPK regulates Gcn5 occupancy, H3 acetylation and chromatin remodelling at <i>S. cerevisiae</i> ADY2 promoter. 2012 , 1819, 419-27	29
188	AMP kinase as an energy sensor in eukaryotic cells. 2012 , 29, 70-75	
187	Investigation of the relationship between oxidative stress and glucose signaling in <i>Schizosaccharomyces pombe</i> . 2012 , 50, 336-49	7
186	Functional characterisation of the non-essential protein kinases and phosphatases regulating <i>Aspergillus nidulans</i> hydrolytic enzyme production. 2013 , 6, 91	67
185	Role of the fission yeast cell integrity MAPK pathway in response to glucose limitation. 2013 , 13, 34	17
184	Physiology and gene expression profiles of <i>Dekkera bruxellensis</i> in response to carbon and nitrogen availability. 2013 , 104, 855-68	14
183	The glucose signaling network in yeast. 2013 , 1830, 5204-10	80
182	Accelerated alcoholic fermentation caused by defective gene expression related to glucose derepression in <i>Saccharomyces cerevisiae</i> . 2013 , 77, 2255-62	17
181	Fructose-1,6-bisphosphatase, Malate Dehydrogenase, Isocitrate Lyase, Phosphoenolpyruvate Carboxykinase, Glyceraldehyde-3-phosphate Dehydrogenase, and Cyclophilin A are secreted in <i>Saccharomyces cerevisiae</i> grown in low glucose. 2013 , 6, e27216	12
180	Metabolic fate of the increased yeast amino Acid uptake subsequent to catabolite derepression. 2013 , 2013, 461901	8
179	Vid28 protein is required for the association of vacuole import and degradation (Vid) vesicles with actin patches and the retention of Vid vesicle proteins in the intracellular fraction. 2013 , 288, 11636-48	12
178	The key gluconeogenic enzyme fructose-1,6-bisphosphatase is secreted during prolonged glucose starvation and is internalized following glucose re-feeding via the non-classical secretory and internalizing pathways in <i>Saccharomyces cerevisiae</i> . 2013 , 8,	11
177	Suppressor of K ⁺ transport growth defect 1 (SKD1) interacts with RING-type ubiquitin ligase and sucrose non-fermenting 1-related protein kinase (SnRK1) in the halophyte ice plant. 2013 , 64, 2385-400	16
176	Yeast: World's Finest Chef. 2013 ,	6
175	Optimization of CDT-1 and XYL1 expression for balanced co-production of ethanol and xylitol from cellobiose and xylose by engineered <i>Saccharomyces cerevisiae</i> . 2013 , 8, e68317	29
174	Comparative xylose metabolism among the Ascomycetes <i>C. albicans</i> , <i>S. stipitis</i> and <i>S. cerevisiae</i> . 2013 , 8, e80733	13
173	The Non-classical Pathway is the Major Pathway to Secrete Proteins in <i>Saccharomyces cerevisiae</i> . 2014 , 04,	1
172	Constitutive activation of AMP-activated protein kinase (AMPK) propel mitochondrial biogenesis. 2014 , 4, 15-26	1

171	Yeast 14-3-3 protein functions as a comodulator of transcription by inhibiting coactivator functions. 2014 , 289, 35542-60	8
170	Metabolic respiration induces AMPK- and Ire1p-dependent activation of the p38-Type HOG MAPK pathway. 2014 , 10, e1004734	29
169	Phosphoproteomic analysis identifies proteins involved in transcription-coupled mRNA decay as targets of Snf1 signaling. 2014 , 7, ra64	41
168	Metabolism in fungal pathogenesis. 2014 , 4, a019695	65
167	The impact of medium acidity on the chronological life span of <i>Saccharomyces cerevisiae</i> - lipids, signaling cascades, mitochondrial and vacuolar functions. 2014 , 281, 1281-303	7
166	The novel zinc cluster regulator Tog1 plays important roles in oleate utilization and oxidative stress response in <i>Saccharomyces cerevisiae</i> . 2014 , 450, 1276-82	8
165	Binding and transcriptional regulation by 14-3-3 (Bmh) proteins requires residues outside of the canonical motif. 2014 , 13, 21-30	11
164	Functional characterization of sucrose non-fermenting 1 protein kinase complex genes in the Ascomycete <i>Fusarium graminearum</i> . 2014 , 60, 35-47	8
163	Enhanced expression of genes involved in initial xylose metabolism and the oxidative pentose phosphate pathway in the improved xylose-utilizing <i>Saccharomyces cerevisiae</i> through evolutionary engineering. 2014 , 41, 27-39	45
162	Biosystems Engineering: Biofactories for Food Production in the Century XXI. 2014 ,	1
161	Glucose induces rapid changes in the secretome of <i>Saccharomyces cerevisiae</i> . 2014 , 12, 9	33
160	Carbon source dependent promoters in yeasts. 2014 , 13, 5	110
159	Molecular Mechanisms in Yeast Carbon Metabolism. 2014 ,	1
158	Assembly of the rotor component of yeast mitochondrial ATP synthase is enhanced when Atp9p is supplied by Atp9p-Cox6p complexes. 2014 , 289, 31605-16	10
157	Glucose starvation-induced turnover of the yeast glucose transporter Hxt1. 2014 , 1840, 2878-85	28
156	Nutrient sensing and signaling in the yeast <i>Saccharomyces cerevisiae</i> . 2014 , 38, 254-99	370
155	The endocytosis gene END3 is essential for the glucose-induced rapid decline of small vesicles in the extracellular fraction in <i>Saccharomyces cerevisiae</i> . 2014 , 3,	15
154	Current progress in high cell density yeast bioprocesses for bioethanol production. 2015 , 10, 1185-95	44

153	Two-way communication between the metabolic and cell cycle machineries: the molecular basis. 2015 , 14, 2022-32	49
152	Dynamic regulation of gene expression using sucrose responsive promoters and RNA interference in <i>Saccharomyces cerevisiae</i> . 2015 , 14, 43	24
151	Cryptococcal phosphoglucose isomerase is required for virulence factor production, cell wall integrity and stress resistance. 2015 , 15,	15
150	The unforeseen challenge: from genotype-to-phenotype in cell populations. 2015 , 78, 036602	37
149	The repressor Rgt1 and the cAMP-dependent protein kinases control the expression of the SUC2 gene in <i>Saccharomyces cerevisiae</i> . 2015 , 1850, 1362-7	9
148	Molecular characterization of hap complex components responsible for methanol-inducible gene expression in the methylotrophic yeast <i>Candida boidinii</i> . 2015 , 14, 278-85	8
147	Feedback Control of Snf1 Protein and Its Phosphorylation Is Necessary for Adaptation to Environmental Stress. 2015 , 290, 16786-96	15
146	Effects of MAL61 and MAL62 overexpression on maltose fermentation of baker's yeast in lean dough. 2015 , 31, 1241-9	12
145	Protein kinase Ymr291w/Tda1 is essential for glucose signaling in <i>saccharomyces cerevisiae</i> on the level of hexokinase isoenzyme SchXk2 phosphorylation*. 2015 , 290, 6243-55	11
144	Combinatorial gene regulation by modulation of relative pulse timing. 2015 , 527, 54-8	89
143	The yeast galactose network as a quantitative model for cellular memory. 2015 , 11, 28-37	28
142	Improved ethanol production from xylose in the presence of acetic acid by the overexpression of the HAA1 gene in <i>Saccharomyces cerevisiae</i> . 2015 , 119, 297-302	37
141	Role of glucose repression in the oxidative stress response of <i>Schizosaccharomyces pombe</i> : analysis of transcript levels of <i>fbp1</i> , <i>hxx2</i> , <i>sod1</i> and <i>ctt1</i> genes in <i>sty1</i> , <i>atf1</i> and <i>pap1</i> knock-out mutants. 2016 , 40, 815-825	1
140	Attenuation of polyglutamine-induced toxicity by enhancement of mitochondrial OXPHOS in yeast and fly models of aging. 2016 , 3, 338-351	13
139	Functional Characterization of a Hexose Transporter from Root Endophyte <i>Piriformospora indica</i> . 2016 , 7, 1083	17
138	Gene Amplification on Demand Accelerates Cellobiose Utilization in Engineered <i>Saccharomyces cerevisiae</i> . 2016 , 82, 3631-3639	20
137	The MOX promoter in <i>Hansenula polymorpha</i> is ultrasensitive to glucose-mediated carbon catabolite repression. 2016 , 16,	12
136	GSF2 deletion increases lactic acid production by alleviating glucose repression in <i>Saccharomyces cerevisiae</i> . 2016 , 6, 34812	11

135	AMPK in Pathogens. 2016 , 107, 287-323	5
134	Directed evolution of xylose specific transporters to facilitate glucose-xylose co-utilization. 2016 , 113, 484-91	37
133	Identification of an important motif that controls the activity and specificity of sugar transporters. 2016 , 113, 1460-7	13
132	A phylogenetic analysis of macroevolutionary patterns in fermentative yeasts. 2016 , 6, 3851-61	12
131	Design and engineering of intracellular-metabolite-sensing/regulation gene circuits in <i>Saccharomyces cerevisiae</i> . 2016 , 113, 206-15	52
130	Hexokinase 2 Is an Intracellular Glucose Sensor of Yeast Cells That Maintains the Structure and Activity of Mig1 Protein Repressor Complex. 2016 , 291, 7267-85	46
129	Biochemistry and Molecular Biology. 2016 ,	2
128	13 The Regulation of Carbon Metabolism in Filamentous Fungi. 2016 , 321-340	2
127	Medium optimization and kinetics modeling for the fermentation of hydrolyzed cheese whey permeate as a substrate for <i>Saccharomyces cerevisiae</i> var. <i>boulardii</i> . 2016 , 110, 71-83	14
126	Yeast Membrane Transport. 2016 ,	6
125	Carboxylic Acids Plasma Membrane Transporters in <i>Saccharomyces cerevisiae</i> . 2016 , 892, 229-251	28
124	<i>Snf1</i> -Dependent Transcription Confers Glucose-Induced Decay upon the mRNA Product. 2016 , 36, 628-44	9
123	Reprogramming of nonfermentative metabolism by stress-responsive transcription factors in the yeast <i>Saccharomyces cerevisiae</i> . 2017 , 63, 1-7	37
122	The metabolic sensor AKIN10 modulates the <i>Arabidopsis</i> circadian clock in a light-dependent manner. 2017 , 40, 997-1008	41
121	Glucose repression of <i>FLO11</i> gene expression regulates pellicle formation by a wild pellicle-forming yeast strain isolated from contaminated wine. 2017 , 31, 120-127	2
120	Enhancing <i>Saccharomyces cerevisiae</i> reactive oxygen species and ethanol stress tolerance for high-level production of protopanoxadiol. 2017 , 227, 308-316	31
119	Transcriptional regulation of the protein kinase a subunits in <i>Saccharomyces cerevisiae</i> during fermentative growth. 2017 , 34, 495-508	8
118	A living vector field reveals constraints on galactose network induction in yeast. 2017 , 13, 908	10

117	Role of the AMPK pathway in promoting autophagic flux via modulating mitochondrial dynamics in neurodegenerative diseases: Insight into prion diseases. 2017 , 40, 51-63	27
116	The yeast Mig1 transcriptional repressor is dephosphorylated by glucose-dependent and -independent mechanisms. 2017 , 364,	26
115	Bread Dough and Baker's Yeast: An Uplifting Synergy. 2017 , 16, 850-867	52
114	Yeast-bacteria competition induced new metabolic traits through large-scale genomic rearrangements in <i>Lachancea kluyveri</i> . 2017 , 17,	11
113	Regulation of crucial enzymes and transcription factors on 2-phenylethanol biosynthesis via Ehrlich pathway in <i>Saccharomyces cerevisiae</i> . 2017 , 44, 129-139	25
112	Effect of carbon and nitrogen source concentrations on the growth and lipid accumulation of yeast <i>Trichosporon oleaginosus</i> in continuous and batch culture. 2017 , 92, 1620-1629	10
111	Establishing the relative importance of damaged starch and fructan as sources of fermentable sugars in wheat flour and whole meal bread dough fermentations. 2017 , 218, 89-98	36
110	The PWWP domain of the human oncogene WHSC1L1/NSD3 induces a metabolic shift toward fermentation. 2017 , 8, 54068-54081	2
109	Transcriptome analysis of <i>hig1hig2</i> mutant reveals their roles in methanol catabolism, peroxisome biogenesis and autophagy in methylotrophic yeast <i>Pichia pastoris</i> . 2018 , 40, 399-412	8
108	Reconstruction of metabolic module with improved promoter strength increases the productivity of 2-phenylethanol in <i>Saccharomyces cerevisiae</i> . 2018 , 17, 60	17
107	Catalytic Activity Profile of Polyphosphate Kinase 1 from <i>Myxococcus xanthus</i> . 2018 , 75, 379-385	7
106	A role for <i>Candida albicans</i> superoxide dismutase enzymes in glucose signaling. 2018 , 495, 814-820	7
105	Genome-wide identification, characterization, and evolutionary analysis of NBS-encoding resistance genes in barley. 2018 , 8, 453	5
104	Glucose-Induced Transcriptional Hysteresis: Role in Obesity, Metabolic Memory, Diabetes, and Aging. 2018 , 9, 232	10
103	Evolutionary Transition of GAL Regulatory Circuit from Generalist to Specialist Function in Ascomycetes. 2018 , 26, 692-702	6
102	Nuclear export-dependent degradation of the carbon catabolite repressor CreA is regulated by a region located near the C-terminus in <i>Aspergillus oryzae</i> . 2018 , 110, 176-190	9
101	Disruption of zinc finger DNA binding domain in catabolite repressor Mig1 increases growth rate, hyphal branching, and cellulase expression in hypercellulolytic fungus NCIM1228. 2018 , 11, 15	19
100	Multi-omic characterization of laboratory-evolved <i>Saccharomyces cerevisiae</i> HJ7-14 with high ability of algae-based ethanol production. 2018 , 102, 8989-9002	2

99	exhibiting a modified route for uptake and catabolism of glycerol forms significant amounts of ethanol from this carbon source considered as 'non-fermentable'. 2019 , 12, 257	10
98	The E3 ubiquitin ligase Pib1 regulates effective gluconeogenic shutdown upon glucose availability. 2019 , 294, 17209-17223	2
97	Banana frond juice as novel fermentation substrate for bioethanol production by <i>Saccharomyces cerevisiae</i> . 2019 , 21, 101293	21
96	Potential of Thermotolerant Ethanologenic Yeasts Isolated from ASEAN Countries and Their Application in High- Temperature Fermentation. 2019 ,	4
95	The Goldilocks effect of respiration on canavanine tolerance in <i>Saccharomyces cerevisiae</i> . 2019 , 65, 1199-1215	2
94	Glycolytic flux in is dependent on RNA polymerase III and its negative regulator Maf1. 2019 , 476, 1053-1082	4
93	Reverse Evolution of a Classic Gene Network in Yeast Offers a Competitive Advantage. 2019 , 29, 1126-1136.e513	
92	Biological diversity of carbon assimilation among isolates of the yeast <i>Dekkera bruxellensis</i> from wine and fuel-ethanol industrial processes. 2019 , 19,	4
91	Glycerol as a substrate for <i>Saccharomyces cerevisiae</i> based bioprocesses - Knowledge gaps regarding the central carbon catabolism of this 'non-fermentable' carbon source. 2019 , 37, 107378	16
90	Metabolic role of cGMP in <i>S. cerevisiae</i> : the murine phosphodiesterase-5 activity affects yeast cell proliferation by altering the cAMP/cGMP equilibrium. 2019 , 19,	1
89	Sugar Sensing and Signaling in and. 2019 , 10, 99	39
88	Functional genomics of dietary restriction and longevity in yeast. 2019 , 179, 36-43	8
87	Effect of substitution percentage of banana peels flour in chemical composition, rheological characteristics of wheat flour and the viability of yeast during dough time. 2020 , 19, 87-91	3
86	In <i>Ganoderma lucidum</i> , Glsnf1 regulates cellulose degradation by inhibiting GlCreA during the utilization of cellulose. 2020 , 22, 107-121	12
85	Integration of comprehensive data and biotechnological tools for industrial applications of <i>Kluyveromyces marxianus</i> . 2020 , 104, 475-488	22
84	Cell-state organization by exploratory sloppy dynamics. 2020 , 305-334	1
83	New Aspects of Invasive Growth Regulation Identified by Functional Profiling of MAPK Pathway Targets in. 2020 , 216, 95-116	5
82	Insight on Transcriptional Regulation of the Energy Sensing AMPK and Biosynthetic mTOR Pathway Genes. 2020 , 8, 671	11

81	Fine-Tuning of Energy Levels Regulates via a SNF1-Dependent Feedback Loop. 2020 , 11, 954	3
80	Convergence between Regulation of Carbon Utilization and Catabolic Repression in. 2020 , 5,	2
79	Adapting to survive: How Candida overcomes host-imposed constraints during human colonization. 2020 , 16, e1008478	24
78	Involvement of in Fungal Development, Sterigmatocystin Biosynthesis, and Lignocellulosic Degradation in the Filamentous Fungus. 2020 , 11, 1038	5
77	Functions for Cdc42p BEM adaptors in regulating a differentiation-type MAP kinase pathway. 2020 , 31, 491-510	7
76	CDK8 is associated with RAP2.6 and SnRK2.6 and positively modulates abscisic acid signaling and drought response in Arabidopsis. 2020 , 228, 1573-1590	17
75	QTL mapping of modelled metabolic fluxes reveals gene variants impacting yeast central carbon metabolism. 2020 , 10, 2162	4
74	Characterization of () homologue gene in WSP-V2 and its regulation by the biocontrol agent OKC. 2021 , 11, 19	
73	Two homologs of the Cat8 transcription factor are involved in the regulation of ethanol utilization in Komagataella phaffii. 2021 , 67, 641-661	4
72	The role of Mig1, Mig2, Tup1 and Hap4 transcription factors in regulation of xylose and glucose fermentation in the thermotolerant yeast Ogataea polymorpha. 2021 , 21,	0
71	Cellular heterogeneity and MTH1 play key roles in galactose mediated signaling of the GAL switch to utilize the disaccharide melibiose.	
70	Role of Elm1, Tos3, and Sak1 Protein Kinases in the Maltose Metabolism of Baker's Yeast. 2021 , 12, 665261	1
69	Mechanisms underlying lactic acid tolerance and its influence on lactic acid production in. 2021 , 8, 111-130	3
68	Computational analysis of GAL pathway pinpoints mechanisms underlying natural variation. 2021 , 17, e1008691	
67	The impact of carbon and nitrogen catabolite repression in microorganisms. 2021 , 251, 126831	7
66	Computational analysis of GAL pathway pinpoints mechanisms underlying natural variation.	1
65	Carbon Catabolite Repression in Filamentous Fungi Is Regulated by Phosphorylation of the Transcription Factor CreA. 2021 , 12,	14
64	Yeast signal transduction: regulation and interface with cell biology. 2004 , 547, 91-105	5

63	New Horizons for the Production of Industrial Enzymes by Solid-State Fermentation. 2014 , 319-340	6
62	Chemical Biology and Biomedicine. 2001 , 1325-1431	0
61	Systems Biology: Developments and Applications. 2014 , 83-96	2
60	Amino acid homeostasis and chronological longevity in <i>Saccharomyces cerevisiae</i> . 2012 , 57, 161-86	6
59	Identification and characterization of a novel sucrose-non-fermenting protein kinase/AMP-activated protein kinase-related protein kinase, SNARK. 2001 , 355, 297-305	37
58	Analysis of the mechanism by which glucose inhibits maltose induction of MAL gene expression in <i>Saccharomyces</i> . 2000 , 154, 121-32	36
57	Interaction of the repressors Nrg1 and Nrg2 with the Snf1 protein kinase in <i>Saccharomyces cerevisiae</i> . 2001 , 158, 563-72	50
56	Std1p (Msn3p) positively regulates the Snf1 kinase in <i>Saccharomyces cerevisiae</i> . 2003 , 163, 507-14	28
55	Transcriptional regulation of 3,4-dihydroxy-2-butanone 4-phosphate synthase. 2001 , 147, 3377-86	24
54	Sensing, signalling and integrating physical processes during <i>Saccharomyces cerevisiae</i> invasive and filamentous growth. 2002 , 148, 893-907	90
53	High and stable ATP levels prevent aberrant intracellular protein aggregation.	3
52	Carbon metabolism. 2004 , 42-103	11
51	Induction and catabolite repression mechanisms of cellulase in fungi. 2001 , 92, 305-11	78
50	Computational study on ratio-sensing in yeast galactose utilization pathway. 2020 , 16, e1007960	1
49	Repression of mitochondrial translation, respiration and a metabolic cycle-regulated gene, SLF1, by the yeast Pumilio-family protein Puf3p. 2011 , 6, e20441	27
48	Bypassing the Pentose Phosphate Pathway: Towards Modular Utilization of Xylose. 2016 , 11, e0158111	15
47	The Rewiring of Ubiquitination Targets in a Pathogenic Yeast Promotes Metabolic Flexibility, Host Colonization and Virulence. 2016 , 12, e1005566	48
46	The transcription factors or are required for RTG pathway activation and evasion from yeast acetic acid-induced programmed cell death in raffinose. 2016 , 3, 621-631	10

45	A novel system to monitor mitochondrial translation in yeast. 2018 , 5, 158-164	5
44	Spontaneous mutations in and suppress the short chronological lifespan of budding yeast lacking SNF1/AMPK. 2018 , 5, 233-248	7
43	Extension of chronological life span by reduced TOR signaling requires down-regulation of Sch9p and involves increased mitochondrial OXPHOS complex density. 2009 , 1, 131-45	127
42	Regulation of cellulase and hemicellulase gene expression in fungi. 2013 , 14, 230-49	144
41	SNF1/AMPK pathways in yeast. 2008 , 13, 2408-20	374
40	Modulation of Palm Wine Fermentation by the Control of Carbon and Nitrogen Source on Metabolism of <i>Saccharomyces cerevisiae</i> . 2010 , 8, 204-210	3
39	Chemical Biology and Biomedicine. 2001 , 1325-1431	
38	Isolation of a Mutant of <i>Kluyveromyces marxianus</i> Resistant to Glucose Repression. 2005 , 9, 115-118	2
37	Versatile Galactose Genetic Switch. 2008 , 157-174	
36	1,2-Propanediol Production by Using <i>Saccharomyces cerevisiae</i> M3G3. 2011 , 26, 439-442	
35	Comparative Genomics and Evolutionary Genetics of Yeast Carbon Metabolism. 2014 , 97-120	
34	References. 275-359	
33	AMPK Subcellular Localisation in <i>Dictyostelium discoideum</i> . 2015 , 05, 105-116	
32	A living vector field reveals constraints on galactose network induction in yeast.	
31	The yeast Mig1 transcriptional repressor is dephosphorylated by glucose-dependent and independent mechanisms.	
30	Glycolytic flux in <i>Saccharomyces cerevisiae</i> is dependent on RNA polymerase III and its negative regulator Maf1.	
29	Avaliação da aplicabilidade de uma cepa probiótica de <i>Saccharomyces cerevisiae</i> em barras de cereais. 2018 , 21,	
28	Cyanide Toxicity of Freshly Prepared Smoothies and Juices Frequently Consumed. 2018 , 8, 215-224	0

- 27 The E3 ubiquitin ligase Pib1 regulates effective gluconeogenic shutdown in *S. cerevisiae*.
- 26 Functions for Cdc42p BEM Adaptors in Regulating a Differentiation-Type MAP Kinase Pathway.
- 25 Computational study on ratio-sensing in yeast galactose utilization pathway. 1
- 24 Snf1p/Hxk2p/Mig1p pathway regulates exponential growth, mitochondrial respiration, and hexose transporters transcription in *Saccharomyces cerevisiae*.
- 23 Systems Biology: Developments and Applications. **2014**, 83-96 0
- 22 Comparative Genomics and Evolutionary Genetics of Yeast Carbon Metabolism. **2014**, 97-120 0
- 21 D-Xylose Sensing in : Insights from D-Glucose Signaling and Native D-Xylose Utilizers. **2021**, 22, 0
- 20 A Hierarchical Transcriptional Regulatory Network Required for Long-Term Thermal Stress Tolerance in an Industrial Strain.. **2021**, 9, 826238 0
- 19 Identification of genes related to hydrolysis and assimilation of Agave fructans in *Candida apicola* NRRL Y-50540 and *Torulaspora delbrueckii* NRRL Y-50541 by de novo transcriptome analysis.. **2022**, 0
- 18 High and stable ATP levels prevent aberrant intracellular protein aggregation in yeast.. **2022**, 11, 1
- 17 Table_1.DOCX. **2019**,
- 16 Data_Sheet_1.docx. **2020**,
- 15 Image_1.png. **2020**,
- 14 Image_2.jpg. **2020**,
- 13 Image_3.jpg. **2020**,
- 12 Image_4.jpg. **2020**,
- 11 Image_5.jpg. **2020**,
- 10 Table_1.xlsx. **2020**,

9	Table_2.XLSX. 2020,		
8	Table_3.XLSX. 2020,		
7	Table_4.XLSX. 2020,		
6	Data_Sheet_1.pdf. 2020,		
5	Sugar Levels Determine Fermentation Dynamics during Yeast Pastry Making and Its Impact on Dough and Product Characteristics. <i>Foods</i> , 2022 , 11, 1388	4.9	2
4	Snf1p/Hxk2p/Mig1p pathway regulates hexose transporters transcript levels, affecting the exponential growth and mitochondrial respiration of <i>Saccharomyces cerevisiae</i> .. <i>Fungal Genetics and Biology</i> , 2022 , 161, 103701	3.9	0
3	Cryo-EM structures of Gid12-bound GID E3 reveal steric blockade as a mechanism inhibiting substrate ubiquitylation. <i>Nature Communications</i> , 2022 , 13,	17.4	0
2	The Effect of Different Substrates on the Morphological Features and Polyols Production of <i>Endomyces magnusii</i> Yeast during Long-Lasting Cultivation. 2022 , 10, 1709		0
1	The polyHIS Tract of Yeast AMPK Coordinates Carbon Metabolism with Iron Availability. 2023 , 24, 1368		0