

CITATION REPORT

List of articles citing

Intraventricular conduction delay: a prognostic marker in chronic heart failure

DOI: 10.1016/s0167-5273(99)00077-7
International Journal of Cardiology, 1999, 70, 171-8.

Source: <https://exaly.com/paper-pdf/30764255/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
342	Heart Failure and Cardiac Resynchronization Therapies: U.S. Experience in the Year 2000. 2000 , 5, 188-194		10
341	Hemodynamic implications of left bundle branch block. 2000 , 33 Suppl, 115-21		100
340	Rationale and design of a randomized clinical trial to assess the safety and efficacy of cardiac resynchronization therapy in patients with advanced heart failure: the Multicenter InSync Randomized Clinical Evaluation (MIRACLE). 2000 , 6, 369-80		118
339	Cardiac resynchronization: a cornerstone in the foundation of device therapy for heart failure. 2001 , 38, 1971-3		17
338	Survival benefit with an implanted defibrillator in relation to mortality risk in chronic coronary heart disease. 2001 , 88, 516-20		74
337	Exciting new drugs on the horizon Eplerenone, a selective aldosterone receptor antagonist (SARA). <i>International Journal of Cardiology</i> , 2001 , 80, 1-4	3.2	8
336	Expansion of ICD Indications: Resynchronization Therapy and the ICD. 2001 , 5, 35-39		1
335	Usefulness of biventricular pacing in patients with congestive heart failure and right bundle branch block. 2001 , 88, 1436-41, A8		106
334	Effects of multisite biventricular pacing in patients with heart failure and intraventricular conduction delay. 2001 , 344, 873-80		2212
333	Electrophysiological alterations after mechanical circulatory support in patients with advanced cardiac failure. 2001 , 104, 1241-7		114
332	Biventricular pacing in patients with heart failure and intraventricular conduction delay: state of the art and perspectives. The European view. 2002 , 23, 682-6		11
331	Congestive heart failure and QRS duration: establishing prognosis study. 2002 , 122, 528-34		190
330	Images in cardiology: Thrombus after transcatheter closure of ASD with an Amplatzer septal occluder assessed by three dimensional echocardiographic reconstruction. 2002 , 88, 52		22
329	Incremental changes in QRS duration in serial ECGs over time identify high risk elderly patients with heart failure. 2002 , 88, 47-51		79
328	Images in cardiology: Arrhythmogenic giant submitral left ventricular diverticulum. 2002 , 88, 52		8
327	Outcome studies with device therapy in patients with heart failure. 2002 , 13, S73-91		30
326	Treatment paradigms in heart failure. 2002 , 63, 80-7		1

325	Cardiac resynchronization therapy for heart failure: biventricular pacing and beyond. 2002 , 17, 346-52	57
324	Biventricular pacing in congestive heart failure: a boost toward finer living. 2002 , 17, 96-101	2
323	Cardiac resynchronization in chronic heart failure. 2002 , 346, 1845-53	3837
322	Long-term clinical effect of hemodynamically optimized cardiac resynchronization therapy in patients with heart failure and ventricular conduction delay. 2002 , 39, 2026-33	780
321	Septal q waves as an indicator of risk of mortality in elderly patients with chronic heart failure. 2002 , 144, 740-4	2
320	Clinical characteristics and survival of patients with chronic heart failure and prolonged QRS duration. <i>International Journal of Cardiology</i> , 2002 , 86, 225-31	3.2 52
319	Septal q waves as an indicator of risk of mortality in elderly patients with chronic heart failure. 2002 , 144, 740-744	7
318	Optimization of cardiac resynchronization therapy: technical aspects. 2002 , 4, D82-D87	1
317	Optimization of cardiac resynchronization therapy: technical aspects. 2002 , 4, D82-D87	5
316	Timing cycles for biventricular pacing. 2002 , 25, 62-75	23
315	Addition of a left ventricular lead to conventional pacing systems in patients with congestive heart failure: feasibility, safety, and early results in 60 consecutive patients. 2002 , 25, 1166-71	89
314	Noninvasive arrhythmia risk stratification Update 2003. 2003 , 14, 192-198	
313	Cardiac resynchronization therapy with or without an implantable defibrillator: only indicated when everything else has failed?. 2003 , 7, 421-9	
312	Enhancing specificity without sacrificing sensitivity: potential benefits of using microvolt T-wave alternans testing to risk stratify the MADIT-II population. 2003 , 7, 438-42	18
311	Usefulness of QRS prolongation in predicting risk of inducible monomorphic ventricular tachycardia in patients referred for electrophysiologic studies. 2003 , 92, 804-9	24
310	Medical and surgical treatment of chronic heart failure. 2003 , 28, 229-60	2
309	Echocardiographic features of patients with heart failure who may benefit from biventricular pacing. 2003 , 20, 217-23	14
308	[Biventricular pacing as a treatment for advanced heart failure. Preliminary experience in a series of 22 consecutive patients]. 2003 , 56, 245-52	1

307	Electrophysiological aids in congestive heart failure: supporting and synchronizing systole. 2003 , 87, 509-21	3
306	Limitation of cardiac output by total isovolumic time during pharmacologic stress in patients with dilated cardiomyopathy: activation-mediated effects of left bundle branch block and coronary artery disease. 2003 , 41, 121-8	39
305	Robotically assisted left ventricular epicardial lead implantation for biventricular pacing. 2003 , 41, 1414-9	103
304	Isolated bundle branch block and left ventricular dysfunction. 2003 , 9, 87-92	43
303	MADIT II (second Multicenter Automated Defibrillator Implantation Trial) debate: risk stratification, costs, and public policy. 2003 , 108, 1779-83	48
302	Ventricular resynchronization: a promising therapy for heart failure. 2003 , 12, 41-8	4
301	Cardiac resynchronization therapy for the management of chronic heart failure. 2003 , 1, 55-61	10
300	A prognostic index to predict long-term mortality in patients with mild to moderate chronic heart failure stabilised on angiotensin converting enzyme inhibitors. 2003 , 5, 489-97	48
299	Pacing in heart failure: patient and pacing mode selection. 2003 , 24, 977-86	7
298	Left ventricular remodelling and haemodynamic effects of multisite biventricular pacing in patients with left ventricular systolic dysfunction and activation disturbances in sinus rhythm: sub-study of the MUSTIC (Multisite Stimulation in Cardiomyopathies) trial. 2003 , 24, 430-41	80
297	Cardiac resynchronization therapy: overcoming ventricular dyssynchrony in dilated heart failure. 2003 , 11, 221-39	9
296	Resultados clínicos de la resincronización ventricular en pacientes con insuficiencia cardíaca severa. 2003 , 131, 1101	
295	Usefulness of Doppler Myocardial Imaging for the Quantitative Assessment of Ventricular Asynchrony in Patients with Heart Failure. 2004 , 34, 492	1
294	Influence of QRS prolongation on the natural history of CHF. 2004 , 6, D79-D82	11
293	CRT only or CRT plus ICD?. 2004 , 6, D83-D87	2
292	Reduction in hospitalization rates following cardiac resynchronisation therapy in cardiac failure: experience from a single centre. 2004 , 6, 586-9	4
291	Pacemakers and defibrillators: anaesthetic implications. 2004 , 93, 95-104	41
290	Unusual method for occlusive coronary sinus angiography. 2004 , 90, 51	1

289	Non-contact left ventricular endocardial mapping in cardiac resynchronization therapy. 2004 , 90, 44-51		107
288	Implantable defibrillators and sudden cardiac death. 2004 , 109, 2685-91		140
287	Cardiac resynchronization pacing therapy. 2004 , 101, 72-8		7
286	Guiding and optimization of resynchronization therapy with dynamic three-dimensional echocardiography and segmental volume--time curves: a feasibility study. 2004 , 6, 619-25		32
285	Electromechanical coupling, uncoupling, and ventricular function in patients with bundle branch block: a tissue-Doppler echocardiographic study. 2004 , 21, 687-98		11
284	Cardiac resynchronization therapy: device-based medicine for heart failure. 2004 , 19, 270-4		4
283	Electrocardiographic arrhythmia risk testing. 2004 , 29, 365-432		34
282	Proportion of patients in a congestive heart failure care management program meeting criteria for cardiac resynchronization therapy. 2004 , 94, 673-6		19
281	Prediction of short- and long-term outcomes by electrocardiography in survivors of out-of-hospital cardiac arrest. 2004 , 63, 137-43		17
280	Evaluation of ventricular synchrony using novel Doppler echocardiographic indices in patients with heart failure receiving cardiac resynchronization therapy. 2004 , 17, 845-50		34
279	Cardiac resynchronization therapy in congestive heart failure: Ready for prime time?. 2004 , 1, 355-63		18
278	Cardiac-resynchronization therapy with or without an implantable defibrillator in advanced chronic heart failure. 2004 , 350, 2140-50		4300
277	Cardiac resynchronization by pacing: an electrical treatment of heart failure. <i>International Journal of Cardiology</i> , 2004 , 94, 151-61	3.2	34
276	Hypertrophic cardiomyopathy: electrical abnormalities detected by the extended-length ECG and their relation to syncope. <i>International Journal of Cardiology</i> , 2004 , 97, 43-8	3.2	12
275	Robotic arrhythmia surgery and resynchronization. 2004 , 188, 104S-111S		13
274	Cardiac resynchronization therapy: effects on exercise capacity in the patient with chronic heart failure. 2004 , 24, 1-7		9
273	Systematic review: cardiac resynchronization in patients with symptomatic heart failure. 2004 , 141, 381-90		220
272	Cost-effectiveness of cardiac resynchronization therapy in patients with symptomatic heart failure. 2004 , 141, 343-51		77

271	Device therapy in the management of congestive heart failure. 2005 , 13, 130-8	6
270	Potential costs of cardiac re-synchronisation therapy for chronic heart failure in Scotland. 2005 , 50, 179-80	
269	A case report of pacemaker lead perforation causing late pericardial effusion and subacute cardiac tamponade. 2005 , 20, 271-5	3
268	Prolonged paced QRS duration as a predictor for congestive heart failure in patients with right ventricular apical pacing. 2005 , 28, 1182-8	58
267	Determinants of mortality in patients undergoing cardiac resynchronization therapy: baseline clinical, echocardiographic, and angioscintigraphic evaluation prior to resynchronization. 2005 , 28, 1260-70	24
266	Response of the ECG to short-term diuresis in patients with heart failure. 2005 , 10, 288-96	20
265	Combined use of amino terminal-pro-brain natriuretic peptide levels and QRS duration to predict left ventricular systolic dysfunction in patients with dyspnea. 2005 , 96, 263-6	12
264	Resincronizaci3n en Espa3a. Implantes por habitante: datos comparativos. 2005 , 5, 12B-17B	
263	Acute pulmonary hypertension secondary to right ventricular pacing in a patient with sinus node dysfunction and severe ischemic cardiomyopathy. 2005 , 11, 159-61	
262	Effects of cardiac resynchronization therapy on ventricular repolarization in patients with congestive heart failure. 2005 , 16, 611-7	49
261	Reverse remodelling in heart failure with cardiac resynchronisation therapy. 2007 , 93, 167-71	49
260	Global and regional myocardial oxygen consumption and blood flow in severe cardiomyopathy with left bundle branch block. 2005 , 7, 225-30	22
259	COMBAT--conventional versus multisite pacing for bradyarrhythmia therapy: rationale of a prospective randomized multicenter study. 2005 , 7, 219-24	8
258	Resynchronizing ventricular contraction in heart failure. 2005 , 352, 1594-7	30
257	Cardiac resynchronization therapy: the procedure and progress so far. 2005 , 66, 469-73	1
256	Stability of the ECG features of complete right bundle branch block over time: a methodological study for implementation in research and clinical practice. 2005 , 103, 84-8	3
255	The impact of changing oedematous states on the QRS duration: implications for cardiac resynchronization therapy and implantable cardioverter/defibrillator implantation. 2005 , 7, 158-64	13
254	Prevalence of echocardiographically detected ventricular asynchrony in patients with left ventricular systolic dysfunction. 2005 , 18, 850-9	32

253	ACC/AHA 2005 Guideline Update for the Diagnosis and Management of Chronic Heart Failure in the Adult: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Update the 2001 Guidelines for the Evaluation and Management of Heart Failure): developed in collaboration with the American College of Chest	1915
252	Bundle branch block patterns, age, renal dysfunction, and heart failure mortality. <i>International Heart Journal of Cardiology</i> , 2005 , 102, 303-8	3-2 47
251	Prognostic value of the QRS duration in patients with heart failure: a subgroup analysis from 24 centers of Val-HeFT. 2005 , 11, 523-8	36
250	Electrocardiographic predictors of cardiovascular outcome in women: the National Heart, Lung, and Blood Institute-sponsored Women's Ischemia Syndrome Evaluation (WISE) study. 2005 , 46, 51-6	53
249	Electrocardiography and Doppler echocardiography for risk stratification in patients with chronic heart failure: incremental prognostic value of QRS duration and a restrictive mitral filling pattern. 2005 , 45, 1072-5	42
248	Right atrial pacing impairs cardiac function during resynchronization therapy: acute effects of DDD pacing compared to VDD pacing. 2005 , 45, 1482-7	76
247	Significance of QRS complex duration in patients with heart failure. 2005 , 46, 2183-92	273
246	ACC/AHA 2005 guideline update for the diagnosis and management of chronic heart failure in the adult: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Update the 2001 Guidelines for the Evaluation and Management of Heart Failure). 2005 , 46, e1-82	1119
245	Cost effectiveness of cardiac resynchronization therapy in the Comparison of Medical Therapy, Pacing, and Defibrillation in Heart Failure (COMPANION) trial. 2005 , 46, 2311-21	144
244	L'insuffisance cardiaque aiguë 2006 ,	
243	Prospective comparison of echocardiographic atrioventricular delay optimization methods for cardiac resynchronization therapy. 2006 , 3, 148-54	101
242	Usefulness of clinical, electrocardiographic, and echocardiographic parameters to detect cardiac asynchrony in patients with left ventricular dysfunction secondary to ischemic or nonischemic heart disease. 2006 , 19, 1338-44	11
241	La stimulation biventriculaire dans la prise en charge de l'insuffisance cardiaque chronique. 2006 , 41, 33-42	
240	Left bundle branch block in chronic heart failure-impact on diastolic function, filling pressures, and B-type natriuretic peptide levels. 2006 , 19, 95-101	15
239	QRS duration alone misses cardiac dyssynchrony in a substantial proportion of patients with chronic heart failure. 2006 , 19, 1257-63	24
238	Risk stratification in chronic heart failure: independent and incremental prognostic value of echocardiography and brain natriuretic peptide and its N-terminal fragment. 2006 , 19, 522-8	26
237	Biventricular pacing. 2006 , 355, 288-94	40
236	Implantable cardioverter-defibrillator therapy in clinical practice. 2006 , 47, 1507-17	25

235	N-terminal pro-brain natriuretic peptide, kidney disease and outcome in patients with chronic heart failure. 2006 , 25, 1135-41	19
234	Biventricular Pacing and Heterogeneity of Ventricular Repolarization in Heart Failure Patients. 2006 , 2, 182618680600200	
233	Cardiac resynchronization therapy for CHF. The rewards and risks of biventricular pacing. 2006 , 119, 25-9	2
232	Implantable devices for management of chronic heart failure: defibrillators and biventricular pacing therapy. 2006 , 19, 69-74	3
231	Cardiac resynchronisation therapy for heart failure. 2006 , 60, 1107-14	11
230	Perioperative biventricular pacing leads to improvement of hemodynamics in patients with reduced left-ventricular function--interim results. 2006 , 29, 1341-5	28
229	Myocardial systolic activation delay in patients with left bundle branch block and either normal or impaired left ventricular function. 2006 , 23, 14-23	17
228	The deleterious consequences of right ventricular apical pacing: time to seek alternate site pacing. 2006 , 29, 298-315	117
227	Imaging of myocardial dyssynchrony in congestive heart failure. 2006 , 11, 289-303	6
226	[Cardiac resynchronization therapy for heart failure - from experimental pacing to evidence-based therapy]. 2006 , 95 Suppl 4, 18-33; quiz 34-5	9
225	Increase in the QRS duration after amelioration of peripheral edema and after hemodialysis. 2006 , 12, 265-70	6
224	Value of prolonged QRS duration as a predictor of low cardiac output syndrome in patients with impaired left ventricular systolic function who undergo isolated coronary artery bypass grafting. 2006 , 98, 1357-62	13
223	Técnicas de imagen en la insuficiencia cardiaca. 2006 , 6, 27F-45F	
222	Cardiac resynchronization therapy. 2006 , 48, 232-8	35
221	Acute and chronic sequelae of ventricular dyssynchrony. 2006 , 48, 227-31	10
220	QTc interval and survival in 75-year-old men and women from the general population. 2006 , 8, 233-40	10
219	Determination of optimal atrioventricular delay for cardiac resynchronization therapy using acute non-invasive blood pressure. 2006 , 8, 358-66	75
218	Influence of biventricular pacing on myocardial dispersion of repolarization in dilated cardiomyopathy patients. 2006 , 8, 502-5	28

217	Treatment of Advanced Heart Disease. 2006,		1
216	All patients with heart failure and intraventricular conduction defect or dyssynchrony should not receive cardiac resynchronization therapy. 2006, 114, 2685-90; discussion 2691		8
215	Electrocardiogram: still the cardiologist's best friend. 2006, 113, e753-6		14
214	Cardiac resynchronization therapy is important for all patients with congestive heart failure and ventricular dyssynchrony. 2006, 114, 2692-8; discussion 2698		6
213	Haemodynamic effects of changes in atrioventricular and interventricular delay in cardiac resynchronisation therapy show a consistent pattern: analysis of shape, magnitude and relative importance of atrioventricular and interventricular delay. 2006, 92, 1628-34		96
212	Biventricular pacing in heart failure: a review. 2006, 4, 97-109		2
211	Tissue Doppler Imaging: Beautiful Noise. 2007, 3, 81-90		3
210	Mismatch between uniform increase in cardiac glucose uptake and regional contractile dysfunction in pacing-induced heart failure. 2007, 293, H2747-56		50
209	Predicting outcome in severe heart failure. Who will benefit from device therapy (CRT)?. 2007, 28, 1790-2		2
208	Interventional electrophysiology and cardiac resynchronization therapy: delivering electrical therapies for heart failure. 2007, 115, 2208-20		31
207	Fading sodium channels in failing hearts. 2007, 101, 1073-4		2
206	Prevalence and prognostic impact of bundle branch block in patients with heart failure: evidence from the CHARM programme. 2007, 9, 510-7		38
205	Kidney function, electrocardiographic findings, and cardiovascular events among older adults. 2007, 2, 501-8		34
204	Influence of left bundle branch block on long-term mortality in a population with heart failure. 2007, 28, 2449-55		49
203	Left ventricular electromechanical delay in patients with heart failure and normal QRS duration and in patients with right and left bundle branch block. 2007, 9, 41-7		31
202	The effects of ventricular asynchrony on myocardial perfusion. <i>International Journal of Cardiology,</i> 2007, 119, 3-9	3.2	16
201	Chronic kidney disease in patients with chronic heart failure--impact on intracardiac conduction, diastolic function and prognosis. <i>International Journal of Cardiology,</i> 2007, 118, 375-80	3.2	50
200	Biventricular pacing and defibrillator use in chronic heart failure. 2007, 25, 595-603; vii		5

199	Prognostic markers in heart failure--congestion, neurohormones, and the cardiorenal syndrome. 2007 , 9, 207-13	13
198	Effect of radiofrequency catheter ablation on Doppler echocardiographic parameters in patients with Wolff-Parkinson-White syndrome. 2007 , 48, 165-75	8
197	A better mousetrap? The search for an improved CRT optimization technique. 2007 , 18, 1258-60	1
196	Biventricular pacing and QT interval prolongation. 2007 , 18, 623-7	6
195	Physiology of biventricular pacing. 2007 , 9, 358-65	21
194	FDG PET as a predictor of response to resynchronisation therapy in patients with ischaemic cardiomyopathy. 2007 , 34, 309-15	28
193	Socio-economic analysis of cardiac resynchronization therapy. 2006 , 17, 225-36	2
192	The effect of left bundle branch block on left ventricular remodeling, dyssynchrony and deformation of the mitral valve apparatus: an observational cardiovascular magnetic resonance imaging study. 2007 , 23, 529-36	20
191	What can post market registries tell us about the use of cardiac resynchronization therapy?. 2007 , 4, 39-42	
190	Evidence-based treatment of chronic heart failure. 2007 , 33, 2-17	1
189	Gated blood pool SPECT: a new clinical tool to detect cardiac dyssynchrony?. 2008 , 24, 727-8	0
188	Cardiac resynchronization therapy: application of imaging to optimize patient selection and assess response. 2008 , 5, 119-27	7
187	Cardiac incoordination induced by left bundle branch block: its relation with left ventricular systolic function in patients with and without cardiomyopathy. 2008 , 6, 39	3
186	Mortality of heart failure patients after cardiac resynchronization therapy: identification of predictors. 2008 , 19, 1259-65	50
185	Effects of radiofrequency catheter ablation on myocardial performance index and plasma NT-Pro-BNP levels in patients with Wolff-Parkinson-White syndrome. 2008 , 25, 692-8	4
184	Association of uncomplicated electrocardiographic conduction blocks with subsequent cardiac morbidity in a community-based population (Olmsted County, Minnesota). 2008 , 101, 102-6	33
183	Impact of left ventricular assist device (LVAD) support on the cardiac reverse remodeling process. 2008 , 97, 479-96	89
182	American Heart Association/American College of Cardiology Foundation/Heart Rhythm Society Scientific Statement on Noninvasive Risk Stratification Techniques for Identifying Patients at Risk for Sudden Cardiac Death. A scientific statement from the American Heart Association Council on Clinical Cardiology Committee on Electrocardiography and Arrhythmias and Council on Epidemiology and Prevention. 2008 , 52, 1179-99	128

181	Acute Heart Failure. 2008,	7
180	The atrioventricular delay of cardiac resynchronization can be optimized hemodynamically during exercise and predicted from resting measurements. 2008, 5, 378-86	29
179	Prognostic importance of change in QRS duration over time associated with left ventricular dysfunction in patients with congestive heart failure: the DIAMOND study. 2008, 14, 850-5	8
178	Contemporary pacemakers: what the primary care physician needs to know. 2008, 83, 1170-86	16
177	Relationship between intraventricular cardiac asynchrony and degree of systolic dysfunction. 2008, 21, 214-8	4
176	American Heart Association/american College of Cardiology Foundation/heart Rhythm Society scientific statement on noninvasive risk stratification techniques for identifying patients at risk for sudden cardiac death: a scientific statement from the American Heart Association Council on Clinical Cardiology, Committee on Electrocardiography and Arrhythmias and Council on Epidemiology and Prevention. 2008, 5, e1-21	48
175	Impact of left bundle branch block and activation pattern on the heart. 2008, 6, 843-57	7
174	Sleep apnea and cardiovascular disease: an American Heart Association/american College Of Cardiology Foundation Scientific Statement from the American Heart Association Council for High Blood Pressure Research Professional Education Committee, Council on Clinical Cardiology, Stroke Council, and Council On Cardiovascular Nursing. In collaboration with the National Heart, Lung, and	691
173	Impact of different pacing modes on left ventricular function following cardiopulmonary bypass. 2008, 56, 87-92	13
172	Epicardial versus transvenous left ventricular lead placement in patients receiving cardiac resynchronization therapy: results from a randomized prospective study. 2008, 56, 256-61	40
171	Future of cardiac resynchronization therapy. 2008, 4, 191-201	
170	Prolonged total isovolumic time predicts cardiac events following coronary artery bypass surgery. 2008, 9, 779-83	17
169	Non-Invasive Tests for Risk Stratification in Ischemic and Non-Ischemic Cardiomyopathy. 213-239	
168	Troubleshooting CRT Devices and Clinical Outcomes. 220-247	
167	. 2008,	1
166	Integrated Heart Failure Management in the Patient with Heart Failure Caused by Left Ventricular Systolic Dysfunction. 1-30	
165	Electrical Assessment of the Failing Heart. 57-91	
164	. 2008,	1

163	Cardiac Pacemakers [Past, Present, and Future. 2009 , 807-816	
162	2009 Focused update incorporated into the ACC/AHA 2005 Guidelines for the Diagnosis and Management of Heart Failure in Adults: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines: developed in	1178
161	2009 focused update: ACCF/AHA Guidelines for the Diagnosis and Management of Heart Failure in Adults: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines: developed in collaboration with the International Society for Heart and Lung Transplantation. 2009 , 119, 1977-2016	1254
160	Effect of biventricular pacing on ventricular repolarization and functional indices in patients with heart failure: lack of association with arrhythmic events. 2009 , 11, 741-50	7
159	The immediate effects of pacemaker-related electric remodelling on left ventricular function in patients with sick sinus syndrome. 2009 , 11, 1660-5	2
158	Current perioperative management of the patient with a cardiac rhythm management device. 2009 , 13, 31-43	27
157	The prognostic significance of bundle branch block in high-risk chronic stable vascular disease patients: a report from the HOPE trial. 2009 , 20, 781-7	31
156	Predictors of mortality in medically treated patients with congestive heart failure of nonrheumatic etiology and reduced systolic function. 2009 , 20, 362-5	8
155	Value of the paced QRS duration. 2009 , 15, 347-52	9
154	Asymmetrical myocardial expression of natriuretic peptides in pacing-induced heart failure. 2009 , 30, 1710-3	26
153	2009 Focused Update: ACCF/AHA Guidelines for the Diagnosis and Management of Heart Failure in Adults. 2009 , 53, 1343-1382	187
152	QRS duration and early hemodynamic instability after coronary revascularization surgery. 2009 , 62, 652-9	1
151	Interventional Treatment of Advanced Ischemic Heart Disease. 2009 ,	
150	Duraci3n del QRS y deterioro hemodin3mico precoz tras cirug3a de revascularizaci3n coronaria. 2009 , 62, 652-659	3
149	2009 Focused update incorporated into the ACC/AHA 2005 Guidelines for the Diagnosis and Management of Heart Failure in Adults A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines Developed in Collaboration With the International Society for Heart and Lung Transplantation. 2009 , 53, e1-e90	1224
148	Relationships between paced QRS duration and left cardiac structures and function. 2009 , 64, 231-8	7
147	Cardiac resynchronization therapy for treatment of heart failure. 2010 , 111, 1353-61	15
146	Long-term effects of upgrading to biventricular pacing: differences with cardiac resynchronization therapy as primary indication. 2010 , 33, 841-9	28

145	[Echocardiographic assessment of cardiac resynchronization therapy: two-year follow-up period]. 2010 , 94, 119-26	2
144	The impact of a standardized disease management program on race/ethnicity and gender disparities in care and mortality. 2010 , 21, 264-76	8
143	Treatment of Chronic Heart Failure. 2010 , 379-392	1
142	Survival in New York Heart Association class IV heart failure patients treated with cardiac resynchronization therapy compared with patients on optimal pharmacological treatment. 2010 , 12, 1136-40	25
141	Effect of biventricular pacing on diastolic dyssynchrony. 2010 , 56, 1567-75	22
140	Native and paced QRS duration in right ventricular apex paced patients. 2010 , 16, 239-43	4
139	Conventional versus biventricular pacing in heart failure and bradyarrhythmia: the COMBAT study. 2010 , 16, 293-300	54
138	Perioperative management of patients with cardiac implantable electronic devices. 2011 , 107 Suppl 1, i16-26	153
137	La stretta correlazione tra la funzione ventricolare destra valutata all'ecografia tridimensionale e la capacità funzionale nei pazienti con cardiomiopatia dilatativa. 2011 , 21, 126-134	
136	Left ventricular lead position and nonspecific conduction delay are predictors of mortality in patients during cardiac resynchronization therapy. 2011 , 27, 363-8	6
135	Right ventricular ejection fraction and left ventricular dyssynchrony by 3D echo correlate with functional impairment in patients with dilated cardiomyopathy. 2011 , 17, 309-17	12
134	Underestimation of duration of ventricular activation by 12-lead ECG compared with direct measurement of activation duration derived from implanted pacemaker leads. <i>International Journal of Cardiology</i> , 2011 , 152, 35-42	3.2 5
133	Association of QRS duration and survival in dogs with dilated cardiomyopathy: a retrospective study of 266 clinical cases. 2011 , 13, 243-9	6
132	Cardiac resynchronization therapy: prospect for long-lasting heart failure remission. 2011 , 59, 887-92	
131	The QRS narrowing index predicts reverse left ventricular remodeling following cardiac resynchronization therapy. 2011 , 34, 604-11	47
130	Tissue Doppler derived mechanical dyssynchrony does not change after cardiac resynchronization therapy. 2011 , 28, 961-7	3
129	Prediction and Prevention in Sudden Cardiac Death. 2011 , 8, 228-237	
128	Reverse electrophysiologic remodeling after cardiac mechanical unloading for end-stage nonischemic cardiomyopathy. 2011 , 91, 764-9	26

127	Lead positioning strategies to enhance response to cardiac resynchronization therapy. 2011 , 16, 291-303	12
126	Acute cardiac resynchronization therapy for the failing left, right, or single ventricle after repaired congenital heart disease. 2011 , 2, 424-9	3
125	Impact of QRS duration on clinical event reduction with cardiac resynchronization therapy: meta-analysis of randomized controlled trials. 2011 , 171, 1454-62	200
124	Nonsurgical therapy for heart failure. 2012 , 50, 1-21	
123	Transcutaneous vagus nerve stimulation: retrospective assessment of cardiac safety in a pilot study. 2012 , 3, 70	86
122	Prolonged QRS duration: a new predictor of adverse outcome in idiopathic pulmonary arterial hypertension. 2012 , 141, 374-380	38
121	Canine left ventricle electromechanical behavior under different pacing modes. 2012 , 35, 11-7	3
120	Pacing polarity and left ventricular mechanical activation sequence in cardiac resynchronization therapy. 2012 , 35, 101-7	4
119	Common genetic variation modulating cardiac ECG parameters and susceptibility to sudden cardiac death. 2012 , 52, 620-9	42
118	Cardiac electronic implantable devices in the treatment of heart failure. 2012 , 21, 338-51	4
117	Cardiac Imaging in Electrophysiology. 2012 ,	
116	Cardiac resynchronization therapy: the issue of non-response. 2012 , 17, 97-105	19
115	Translational Approach to Heart Failure. 2013 ,	2
114	Left ventricular dyssynchrony in pre-excitation syndrome: effect of accessory pathway location and reversibility after ablation therapy. 2013 , 28, 199-207	15
113	The basic electrocardiogram and lethal arrhythmias in children with dilated cardiomyopathy. 2013 , 32, 1000-1	
112	Heart failure in very old adults. 2013 , 10, 387-400	21
111	Optimizing cardiac resynchronization therapy for congestive heart failure. 2013 , 38, 215-37	1
110	Left ventricular dyssynchrony predicts clinical response to CRT - a long-term follow-up single-center prospective observational cohort study. 2013 , 30, 896-903	4

109	2013 ACCF/ACR/ASE/ASNC/SCCT/SCMR appropriate utilization of cardiovascular imaging in heart failure: a joint report of the American College of Radiology Appropriateness Criteria Committee and the American College of Cardiology Foundation Appropriate Use Criteria Task Force. 2013 , 61, 2207-31		112
108	Left ventricular systolic dyssynchrony in acute decompensated heart failure. <i>International Journal of Cardiology</i> , 2013 , 168, 4285-6	3.2	1
107	Rethinking cardiac resynchronization therapy: the impact of ventricular dyssynchrony on outcome. <i>International Journal of Cardiology</i> , 2013 , 168, 3932-9	3.2	0
106	The evaluation and management of drug effects on cardiac conduction (PR and QRS intervals) in clinical development. 2013 , 165, 489-500		42
105	Devices in the management of advanced, chronic heart failure. 2013 , 10, 98-110		44
104	Short- and long-term outcomes depending on electrical dyssynchrony markers in patients presenting with acute heart failure: clinical implication of the first-degree atrioventricular block and QRS prolongation from the Korean Heart Failure registry. 2013 , 165, 57-64.e2		25
103	Cardiac resynchronization therapy: 150 is not a magic number!. 2013 , 6, 429-35		5
102	Implantable Devices for the Management of Heart Failure. 2013 , 270-280		
101	Management of ventricular arrhythmias in patients with ventricular assist devices. 2013 , 28, 360-8		23
100	Impact of left bundle branch block on heart rate and its relationship to treatment with ivabradine in chronic heart failure. 2013 , 15, 1044-52		19
99	Long-term independent predictors of positive response to cardiac resynchronization therapy. 2013 , 14, 301-7		1
98	QRS prolongation in the prediction of clinical cardiac events in patients with acute heart failure: analysis of data from the Korean Acute Heart Failure Registry. 2013 , 125, 96-103		10
97	Normality index of ventricular contraction based on a statistical model from FADS. 2013 , 2013, 617604		2
96	Cardiac resynchronization therapy: the state of the art. 2014 , 12, 573-87		9
95	Prevalence and clinical impact of QRS duration in patients with low-flow/low-gradient aortic stenosis due to left ventricular systolic dysfunction. 2014 , 16, 639-47		8
94	Electrocardiographic left ventricular hypertrophy Cornell product is a feasible predictor of cardiac prognosis in patients with chronic heart failure. 2014 , 103, 275-84		8
93	Does cardiac resynchronization therapy benefit patients with right bundle branch block: left ventricular free wall pacing: seldom right for right bundle branch block. 2014 , 7, 543-52		7
92	Atlas of Robotic Cardiac Surgery. 2014 ,		2

91	Guía de práctica clínica de la ESC 2013 sobre estimulación cardíaca y terapia de resincronización cardíaca. 2014 , 67, 58.e1-58.e60			1
90	Echocardiographic assessment of left ventricular dyssynchrony in Egyptian children with congestive heart failure due to dilated cardiomyopathy. 2015 , 25, 1173-81			1
89	ECG Features Associated With Adverse Cardiovascular Outcomes in Patients With Atrial Fibrillation: A Combined AFFIRM and AF-CHF Analysis. 2016 , 27, 404-13			4
88	Clinical outcomes according to QRS duration and morphology in the irbesartan in patients with heart failure and preserved systolic function (I-PRESERVE) trial. 2016 , 18, 1021-31			13
87	Prolongation of atrio-ventricular node conduction in a rabbit model of ischaemic cardiomyopathy: Role of fibrosis and connexin remodelling. 2016 , 94, 54-64			15
86	Lessons Learned and Insights Gained in the Design, Analysis, and Outcomes of the COMPANION Trial. 2016 , 4, 521-535			10
85	Effects of ventricular conduction block patterns on mortality in hospitalized patients with dilated cardiomyopathy: a single-center cohort study. 2016 , 16, 136			3
84	Ventricular conduction abnormalities as predictors of long-term survival in acute de novo and decompensated chronic heart failure. <i>ESC Heart Failure</i> , 2016 , 3, 35-43	3-7		9
83	Cardiac Resynchronization Therapy: US Trends and Disparities in Utilization and Outcomes. 2016 , 9, e003108			33
82	Should women have different ECG criteria for CRT than men?. <i>Journal of Cardiology</i> , 2017 , 70, 1-6	3		5
81	Left ventricular ejection fraction as therapeutic target: is it the ideal marker?. 2017 , 22, 641-655			13
80	Race and Sex Differences in QRS Interval and Associated Outcome Among Patients with Left Ventricular Systolic Dysfunction. 2017 , 6,			5
79	Cardiac Resynchronization Therapy for Heart Failure. 2017 , 6, 417-426			5
78	The effectiveness of CRT on improvement of survival of heart failure patients in real life clinical settings. 2017 , 72, 180-187			
77	Prolonged QRS duration on surface electrocardiogram is associated with left ventricular restrictive filling pattern. 2017 , 9, 9-14			2
76	Galectin-3 as a marker for clinical prognosis and cardiac remodeling in acute heart failure. 2018 , 43, 146-155			7
75	Assessment of dyssynchrony by gated myocardial perfusion imaging does not improve patient management. 2018 , 25, 526-531			1
74	A Multi-site Heart Pacing Study Using Wirelessly Powered Leadless Pacemakers. 2018 , 2018, 3434-3437			2

73	Electrocardiogram as a predictor of sudden cardiac death in middle-aged subjects without a known cardiac disease. 2018 , 20, 50-55	4
72	Leadless multisite pacing: A feasibility study using wireless power transfer based on Langendorff rodent heart models. 2018 , 29, 1588-1593	4
71	Cardiac Implantable Electronic Device Therapy: Permanent Pacemakers, Implantable Cardioverter Defibrillators, and Cardiac Resynchronization Devices. 2019 , 103, 931-943	12
70	Relation of Increasing QRS Duration Over Time and Cardiovascular Events in Outpatients With Heart Failure. 2019 , 124, 1907-1911	2
69	Incidence and predictors of super-response to cardiac resynchronization therapy. 2019 , 71, 334-337	3
68	Change in indication for cardiac resynchronization therapy?. 2019 , 55, i11-i16	4
67	Complications and prognosis of patients undergoing apical or septal right ventricular pacing. 2019 , 6, e000962	6
66	True complete left bundle branch block reveals dyssynchrony evaluated by semiconductor single-photon emission computed tomography. 2019 , 35, 70-78	1
65	Impact of QRS Duration and Ventricular Pacing on Clinical and Arrhythmic Outcomes in Continuous Flow Left Ventricular Assist Device Recipients: A Multicenter Study. 2019 , 25, 355-363	4
64	The prevalence and association of patients with impaired left ventricular ejection fraction and complete left bundle-branch block in Taiwan. 2019 , 118, 686-691	1
63	2018 ACC/AHA/HRS guideline on the evaluation and management of patients with bradycardia and cardiac conduction delay: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. 2019 , 16, e128-e226	30
62	2018 ACC/AHA/HRS Guideline on the Evaluation and Management of Patients With Bradycardia and Cardiac Conduction Delay: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. 2019 , 74, e51-e156	136
61	2018 ACC/AHA/HRS Guideline on the Evaluation and Management of Patients With Bradycardia and Cardiac Conduction Delay: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. 2019 , 140, e382-e482	130
60	Electrocardiographic characteristics in patients with heart failure and normal ejection fraction: A systematic review and meta-analysis. 2020 , 25, e12710	3
59	Prolonged QRS associated with left bundle branch conduction defect is a prognostic red flag in asymptomatic patients at risk for heart failure (ACCF/AHA stages A and B): Insights from the DAVID-Berg study. 2020 , 27, 2326-2329	
58	The risk and prevention of sudden death in patients with heart failure with reduced ejection fraction. 2020 , 35, 138-144	3
57	The predictive value of admission electrocardiography in heart failure. 2020 , 609-614	
56	Propafenone-Induced QRS Widening in a Child With Arrhythmogenic Right Ventricular Cardiomyopathy: A Case Report and Literatures Review. 2020 , 8, 481330	4

55	Update of Non-Pharmacological Therapy for Heart Failure. 2020 ,		
54	Pattern Recognition Techniques Applied to Biomedical Problems. <i>STEAM-H: Science, Technology, Engineering, Agriculture, Mathematics & Health</i> , 2020 ,	0.2	1
53	Mechanical Dyssynchrony with Gated Myocardial Perfusion SPECT: Reproducibility is the Key. 2021 , 1		0
52	Dyssynchronous Heart Failure: From Bench to Bedside. 2013 , 169-203		1
51	Clinical Trials of Cardiac Resynchronization Therapy: Pacemakers and Defibrillators. 2007 , 385-406		2
50	Implications of QRS duration in dogs with pacing-induced heart failure. 2011 , 60, 861-8		3
49	Biventricular pacing and heterogeneity of ventricular repolarization in heart failure patients. 2006 , 2, 27		3
48	Does the resynchronization therapy lead to reduction of symptoms and to improvement of left ventricular functions in patients with chronic heart failure?. 2010 , 154, 31-7		1
47	Dynamics of Holter electrocardiogram monitoring in patients with chronic heart failure and atrial fibrillation on the background of cardiac contractility modulation. 2021 , 93, 1044-1051		
46	Patients Undergoing ICD Implantation: How Many Need Biventricular Pacing?. 2002 , 163-169		
45	How Many Patients Really Need Ventricular Resynchronization Therapy?. 2002 , 99-102		
44	Role of Electrical Therapy in Patients with Left Ventricular Dysfunction: The Clinical Cardiologist's Experience. 2003 , 249-255		
43	Biventricular Pacing with ICD Backup: A Luxury or a Necessity?. 2003 , 277-280		
42	Patients with Heart Failure and Right Bundle Branch Block or Nonspecific Intraventricular Conduction Disturbances Can They Benefit from Cardiac Resynchronization Therapy?. 2004 , 829-835		
41	Newer Applications of Pacemakers. 2004 , 1011-1017		
40	Cardiac Resynchronization Therapy: The Low Voltage Road or the High Voltage Road?. 2004 , 785-791		
39	Pacing in Heart Failure. 2005 , 123-154		
38	New Surgery for Congestive Heart Failure. <i>Fundamental and Clinical Cardiology</i> , 2006 , 633-652		

- 37 Cardiac Resynchronization Therapy. *Fundamental and Clinical Cardiology*, **2006**, 259-300
- 36 Doppler Echocardiography in Heart Failure and Cardiac Resynchronization. **2007**, 629-652
- 35 Implantable Devices for the Management of Heart Failure. **2007**, 363-372
- 34 Bradykarde Herzrhythmusstörungen. **2007**, D3.1-D3.7
- 33 Epidemiology of heart failure. **2007**, 1-8
- 32 Cardiac Resynchronization Therapy in Acute and Chronic Heart Failure Syndromes. **2008**, 684-691
- 31 Cardiac Resynchronization Therapy for Congestive Heart Failure. **2008**, 429-452
- 30 Pacemaker Therapy for Advanced Ischemic Heart Disease. **2009**, 49-67
- 29 Resynchronization therapy in patients with chronic heart failure - hemodynamic changes. *Cor Et Vasa*, **2010**, 52, 176-182 0.3
- 28 New Approaches to the Surgical Treatment of End-Stage Heart Failure. **2011**, 814-835
- 27 Dyssynchrony Evaluation: MRI and CCT. **2012**, 233-250
- 26 Devices for Monitoring and Managing Heart Failure. **2012**, 578-585
- 25 Cardiac Resynchronization Therapy for Congestive Heart Failure. **2012**, 1219-1237
- 24 Evolution of spiral waves in indirectly coupled excitable medium with time-delayed coupling. *Wuli Xuebao/Acta Physica Sinica*, **2013**, 62, 128201 0.6 4
- 23 Robotic Left Ventricular Lead Placement. **2014**, 285-290
- 22 Prognostic factors on arrival at the emergency department in patients resuscitated from out-of-hospital cardiac arrest due to coronary artery disease. *Journal of the Japanese Coronary Association*, **2015**, 22, 14-23 1
- 21 Cardiac Resynchronization Therapy and Possible Dysfunctions. **2015**, 109-116
- 20 Wavelet ECG Analysis in Time-Frequency Domain of the QRS-Complex in Individuals with Left Bundle Branch Block. *IFMBE Proceedings*, **2018**, 179-183 0.2

19	Cardiac Resynchronization Therapy for Chronic Heart Failure. <i>Journal of the Nihon University Medical Association</i> , 2020 , 79, 217-220	0	
18	Analysis of Cardiac Contraction Patterns. <i>STEAM-H: Science, Technology, Engineering, Agriculture, Mathematics & Health</i> , 2020 , 129-174	0.2	
17	Prognostic Value of QRS Duration among Patients with Cardiogenic Shock Complicating Acute Heart Failure: Data from the Korean Acute Heart Failure (KorAHF) Registry. <i>International Journal of Heart Failure</i> , 2020 , 2, 121	1.3	1
16	CRT/ICD. 2020 , 17-24		
15	Therapie der chronischen Herzinsuffizienz. 2005 , 149-268		
14	Upgrading From Right Ventricular to Biventricular Pacing: When, Why, and How?. 2006 , 485-490		
13	Resynchronisation cardiaque dans l'insuffisance cardiaque s'écrit aiguë et chronique. 2006 , 261-274		
12	A Rapid Electromechanical Model To Predict Reverse Remodeling Following Cardiac Resynchronization Therapy.		
11	Cardiac resynchronization therapy in heart failure: recent advances and new insights. <i>Indian Pacing and Electrophysiology Journal</i> , 2003 , 3, 129-42	1.5	5
10	Recommendations for pacemaker implantation for the treatment of atrial tachyarrhythmias and resynchronisation therapy for heart failure: A report from the task force on pacemaker indications of the Dutch Working Group on Cardiac Pacing. <i>Netherlands Heart Journal</i> , 2004 , 12, 18-22	2.2	2
9	Cardiac resynchronization therapy in congestive heart failure: The state of the art and future perspectives. <i>Experimental and Clinical Cardiology</i> , 2002 , 7, 212-5		1
8	Clinical Outcomes of Complete Left Bundle Branch Block According to Strict or Conventional Definition Criteria in Patients with Normal Left Ventricular Function. <i>Acta Cardiologica Sinica</i> , 2020 , 36, 335-342	1.1	0
7	A rapid electromechanical model to predict reverse remodeling following cardiac resynchronization therapy. <i>Biomechanics and Modeling in Mechanobiology</i> , 2021 , 1	3.8	0
6	Cardiac resynchronization therapy: Current status and near-future prospects. <i>Journal of Cardiology</i> , 2021 ,	3	0
5	Determinants of left ventricular function improvement for cardiac resynchronization therapy candidates.. <i>ESC Heart Failure</i> , 2021 ,	3.7	1
4	The effects of combined hydroxychloroquine and azithromycin therapy on QRS wave in COVID-19 patients. <i>Journal of Surgery and Medicine</i> , 2022 , 6, 483-487	0.1	0
3	ECG as a risk stratification tool in patients with wearable cardioverter-defibrillator. 2022 ,		
2	Novel Oxidative Stress Biomarkers with Risk Prognosis Values in Heart Failure. 2023 , 11, 917		0

- 1 Electrocardiographic QRS Findings Upon Admission Can Predict Prognosis of Acute Myocardial Infarction Caused by Occlusion of Left Main Coronary Artery. **2023**,

o